

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2007

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
United States				
...	All causes	2,423,712	100.0	803.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	616,067	25.4	204.3
2	Malignant neoplasms (C00-C97)	562,875	23.2	186.6
3	Cerebrovascular diseases (I60-I69)	135,952	5.6	45.1
4	Chronic lower respiratory diseases (J40-J47)	127,924	5.3	42.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	123,706	5.1	41.0
6	Alzheimer's disease (G30)	74,632	3.1	24.7
7	Diabetes mellitus (E10-E14)	71,382	2.9	23.7
8	Influenza and pneumonia (J09-J18)	52,717	2.2	17.5
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	46,448	1.9	15.4
10	Septicemia (A40-A41)	34,828	1.4	11.5
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	34,598	1.4	11.5
12	Chronic liver disease and cirrhosis (K70,K73-K74)	29,165	1.2	9.7
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	23,965	1.0	7.9
14	Parkinson's disease (G20-G21)	20,058	0.8	6.7
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	18,361	0.8	6.1
...	All other causes (Residual)	451,034	18.6	149.5
Alabama				
...	All causes	46,696	100.0	1,009.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,926	25.5	257.7
2	Malignant neoplasms (C00-C97)	10,025	21.5	216.6
3	Cerebrovascular diseases (I60-I69)	2,747	5.9	59.4
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,542	5.4	54.9
5	Chronic lower respiratory diseases (J40-J47)	2,530	5.4	54.7
6	Alzheimer's disease (G30)	1,517	3.2	32.8
7	Diabetes mellitus (E10-E14)	1,313	2.8	28.4
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,051	2.3	22.7
9	Influenza and pneumonia (J09-J18)	898	1.9	19.4
10	Septicemia (A40-A41)	769	1.6	16.6
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	592	1.3	12.8
12	Chronic liver disease and cirrhosis (K70,K73-K74)	505	1.1	10.9
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	480	1.0	10.4
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	475	1.0	10.3
15	Parkinson's disease (G20-G21)	321	0.7	6.9
...	All other causes (Residual)	9,005	19.3	194.6

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2007

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Alaska				
...	All causes	3,463	100.0	506.7
1	Malignant neoplasms (C00-C97)	839	24.2	122.8
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	613	17.7	89.7
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	354	10.2	51.8
4	Chronic lower respiratory diseases (J40-J47)	175	5.1	25.6
5	Cerebrovascular diseases (I60-I69)	157	4.5	23.0
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	149	4.3	21.8
7	Diabetes mellitus (E10-E14)	105	3.0	15.4
8	Chronic liver disease and cirrhosis (K70,K73-K74)	70	2.0	10.2
9	Alzheimer's disease (G30)	65	1.9	9.5
10	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	50	1.4	7.3
11	Influenza and pneumonia (J09-J18)	48	1.4	7.0
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	40	1.2	5.9
13	Septicemia (A40-A41)	33	1.0	4.8
14	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	26	0.8	3.8
15	Certain conditions originating in the perinatal period (P00-P96)	25	0.7	3.7
...	All other causes (Residual)	714	20.6	104.5
Arizona				
...	All causes	45,554	100.0	718.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,302	22.6	162.5
2	Malignant neoplasms (C00-C97)	10,134	22.2	159.9
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,161	6.9	49.9
4	Chronic lower respiratory diseases (J40-J47)	2,686	5.9	42.4
5	Cerebrovascular diseases (I60-I69)	2,207	4.8	34.8
6	Alzheimer's disease (G30)	2,051	4.5	32.4
7	Diabetes mellitus (E10-E14)	1,159	2.5	18.3
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,016	2.2	16.0
9	Influenza and pneumonia (J09-J18)	905	2.0	14.3
10	Chronic liver disease and cirrhosis (K70,K73-K74)	752	1.7	11.9
11	Septicemia (A40-A41)	568	1.2	9.0
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	528	1.2	8.3
12	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	528	1.2	8.3
14	Parkinson's disease (G20-G21)	458	1.0	7.2
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	454	1.0	7.2
...	All other causes (Residual)	8,645	19.0	136.4

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2007

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Arkansas				
...	All causes	28,191	100.0	994.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,214	25.6	254.5
2	Malignant neoplasms (C00-C97)	6,388	22.7	225.3
3	Cerebrovascular diseases (I60-I69)	1,873	6.6	66.1
4	Chronic lower respiratory diseases (J40-J47)	1,656	5.9	58.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,391	4.9	49.1
6	Diabetes mellitus (E10-E14)	838	3.0	29.6
7	Alzheimer's disease (G30)	824	2.9	29.1
8	Influenza and pneumonia (J09-J18)	734	2.6	25.9
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	666	2.4	23.5
10	Septicemia (A40-A41)	461	1.6	16.3
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	402	1.4	14.2
12	Chronic liver disease and cirrhosis (K70,K73-K74)	271	1.0	9.6
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	257	0.9	9.1
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	243	0.9	8.6
15	Pneumonitis due to solids and liquids (J69)	202	0.7	7.1
...	All other causes (Residual)	4,771	16.9	168.3
California				
...	All causes	233,720	100.0	639.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	61,690	26.4	168.8
2	Malignant neoplasms (C00-C97)	55,011	23.5	150.5
3	Cerebrovascular diseases (I60-I69)	14,557	6.2	39.8
4	Chronic lower respiratory diseases (J40-J47)	12,532	5.4	34.3
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	11,614	5.0	31.8
6	Alzheimer's disease (G30)	8,497	3.6	23.2
7	Diabetes mellitus (E10-E14)	7,413	3.2	20.3
8	Influenza and pneumonia (J09-J18)	6,546	2.8	17.9
9	Chronic liver disease and cirrhosis (K70,K73-K74)	4,065	1.7	11.1
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	3,602	1.5	9.9
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	3,193	1.4	8.7
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,835	1.2	7.8
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	2,376	1.0	6.5
14	Parkinson's disease (G20-G21)	1,992	0.9	5.4
15	Certain conditions originating in the perinatal period (P00-P96)	1,470	0.6	4.0
...	All other causes (Residual)	36,327	15.5	99.4

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2007

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Colorado				
...	All causes	29,993	100.0	616.9
1	Malignant neoplasms (C00-C97)	6,617	22.1	136.1
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,106	20.4	125.6
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,056	6.9	42.3
4	Chronic lower respiratory diseases (J40-J47)	2,002	6.7	41.2
5	Cerebrovascular diseases (I60-I69)	1,600	5.3	32.9
6	Alzheimer's disease (G30)	1,109	3.7	22.8
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	811	2.7	16.7
8	Diabetes mellitus (E10-E14)	710	2.4	14.6
9	Influenza and pneumonia (J09-J18)	592	2.0	12.2
10	Chronic liver disease and cirrhosis (K70,K73-K74)	542	1.8	11.1
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	444	1.5	9.1
12	Septicemia (A40-A41)	299	1.0	6.2
13	Parkinson's disease (G20-G21)	287	1.0	5.9
14	Pneumonitis due to solids and liquids (J69)	259	0.9	5.3
15	Atherosclerosis (I70)	242	0.8	5.0
...	All other causes (Residual)	6,317	21.1	129.9
Connecticut				
...	All causes	28,651	100.0	818.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,289	25.4	208.1
2	Malignant neoplasms (C00-C97)	6,827	23.8	194.9
3	Cerebrovascular diseases (I60-I69)	1,463	5.1	41.8
4	Chronic lower respiratory diseases (J40-J47)	1,353	4.7	38.6
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,343	4.7	38.3
6	Influenza and pneumonia (J09-J18)	776	2.7	22.2
7	Alzheimer's disease (G30)	764	2.7	21.8
8	Diabetes mellitus (E10-E14)	646	2.3	18.4
9	Septicemia (A40-A41)	609	2.1	17.4
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	566	2.0	16.2
11	Pneumonitis due to solids and liquids (J69)	372	1.3	10.6
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	300	1.0	8.6
13	Chronic liver disease and cirrhosis (K70,K73-K74)	288	1.0	8.2
14	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	271	0.9	7.7
15	Parkinson's disease (G20-G21)	267	0.9	7.6
...	All other causes (Residual)	5,517	19.3	157.5

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2007

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Delaware				
...	All causes	7,327	100.0	847.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,914	26.1	221.3
2	Malignant neoplasms (C00-C97)	1,853	25.3	214.3
3	Chronic lower respiratory diseases (J40-J47)	379	5.2	43.8
4	Cerebrovascular diseases (I60-I69)	374	5.1	43.2
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	309	4.2	35.7
6	Diabetes mellitus (E10-E14)	223	3.0	25.8
7	Alzheimer's disease (G30)	201	2.7	23.2
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	163	2.2	18.8
9	Influenza and pneumonia (J09-J18)	117	1.6	13.5
10	Septicemia (A40-A41)	113	1.5	13.1
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	95	1.3	11.0
12	Chronic liver disease and cirrhosis (K70,K73-K74)	70	1.0	8.1
13	Human immunodeficiency virus (HIV) disease (B20-B24)	55	0.8	6.4
13	Parkinson's disease (G20-G21)	55	0.8	6.4
15	Pneumonitis due to solids and liquids (J69)	54	0.7	6.2
...	All other causes (Residual)	1,352	18.5	156.3
District of Columbia				
...	All causes	5,188	100.0	881.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,434	27.6	243.8
2	Malignant neoplasms (C00-C97)	1,169	22.5	198.7
3	Cerebrovascular diseases (I60-I69)	220	4.2	37.4
4	Human immunodeficiency virus (HIV) disease (B20-B24)	194	3.7	33.0
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	193	3.7	32.8
6	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	159	3.1	27.0
7	Diabetes mellitus (E10-E14)	152	2.9	25.8
8	Alzheimer's disease (G30)	140	2.7	23.8
9	Chronic lower respiratory diseases (J40-J47)	129	2.5	21.9
10	Septicemia (A40-A41)	109	2.1	18.5
11	Influenza and pneumonia (J09-J18)	82	1.6	13.9
12	Certain conditions originating in the perinatal period (P00-P96)	71	1.4	12.1
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	67	1.3	11.4
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	63	1.2	10.7
15	Chronic liver disease and cirrhosis (K70,K73-K74)	45	0.9	7.6
...	All other causes (Residual)	961	18.5	163.4

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2007

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Florida				
...	All causes	168,096	100.0	921.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	42,254	25.1	231.5
2	Malignant neoplasms (C00-C97)	40,088	23.8	219.6
3	Chronic lower respiratory diseases (J40-J47)	9,357	5.6	51.3
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	9,113	5.4	49.9
5	Cerebrovascular diseases (I60-I69)	8,781	5.2	48.1
6	Diabetes mellitus (E10-E14)	5,110	3.0	28.0
7	Alzheimer's disease (G30)	4,644	2.8	25.4
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,923	1.7	16.0
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	2,587	1.5	14.2
10	Chronic liver disease and cirrhosis (K70,K73-K74)	2,260	1.3	12.4
11	Influenza and pneumonia (J09-J18)	2,246	1.3	12.3
12	Septicemia (A40-A41)	1,876	1.1	10.3
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,716	1.0	9.4
14	Parkinson's disease (G20-G21)	1,573	0.9	8.6
15	Human immunodeficiency virus (HIV) disease (B20-B24)	1,530	0.9	8.4
...	All other causes (Residual)	32,038	19.1	175.5
Georgia				
...	All causes	68,331	100.0	715.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	16,184	23.7	169.6
2	Malignant neoplasms (C00-C97)	14,983	21.9	157.0
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,012	5.9	42.0
4	Cerebrovascular diseases (I60-I69)	3,894	5.7	40.8
5	Chronic lower respiratory diseases (J40-J47)	3,384	5.0	35.5
6	Alzheimer's disease (G30)	1,849	2.7	19.4
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,689	2.5	17.7
8	Diabetes mellitus (E10-E14)	1,604	2.3	16.8
9	Septicemia (A40-A41)	1,442	2.1	15.1
10	Influenza and pneumonia (J09-J18)	1,407	2.1	14.7
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	997	1.5	10.4
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	934	1.4	9.8
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	771	1.1	8.1
14	Human immunodeficiency virus (HIV) disease (B20-B24)	689	1.0	7.2
15	Chronic liver disease and cirrhosis (K70,K73-K74)	686	1.0	7.2
...	All other causes (Residual)	13,806	20.2	144.6

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2007

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Hawaii				
...	All causes	9,495	100.0	739.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,227	23.5	173.5
2	Malignant neoplasms (C00-C97)	2,214	23.3	172.5
3	Cerebrovascular diseases (I60-I69)	643	6.8	50.1
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	470	4.9	36.6
5	Chronic lower respiratory diseases (J40-J47)	299	3.1	23.3
6	Diabetes mellitus (E10-E14)	291	3.1	22.7
7	Alzheimer's disease (G30)	247	2.6	19.2
8	Influenza and pneumonia (J09-J18)	199	2.1	15.5
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	176	1.9	13.7
10	Septicemia (A40-A41)	143	1.5	11.1
11	Pneumonitis due to solids and liquids (J69)	134	1.4	10.4
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	133	1.4	10.4
13	Chronic liver disease and cirrhosis (K70,K73-K74)	112	1.2	8.7
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	102	1.1	7.9
15	Parkinson's disease (G20-G21)	99	1.0	7.7
...	All other causes (Residual)	2,006	21.1	156.3
Idaho				
...	All causes	10,822	100.0	721.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,433	22.5	162.3
2	Malignant neoplasms (C00-C97)	2,405	22.2	160.4
3	Chronic lower respiratory diseases (J40-J47)	666	6.2	44.4
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	641	5.9	42.8
5	Cerebrovascular diseases (I60-I69)	640	5.9	42.7
6	Alzheimer's disease (G30)	416	3.8	27.7
7	Diabetes mellitus (E10-E14)	331	3.1	22.1
8	Influenza and pneumonia (J09-J18)	228	2.1	15.2
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	223	2.1	14.9
10	Chronic liver disease and cirrhosis (K70,K73-K74)	156	1.4	10.4
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	134	1.2	8.9
12	Parkinson's disease (G20-G21)	110	1.0	7.3
13	Certain conditions originating in the perinatal period (P00-P96)	77	0.7	5.1
14	Pneumonitis due to solids and liquids (J69)	76	0.7	5.1
15	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	74	0.7	4.9
...	All other causes (Residual)	2,212	20.4	147.5

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2007

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Illinois				
...	All causes	100,503	100.0	782.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	25,813	25.7	200.8
2	Malignant neoplasms (C00-C97)	24,115	24.0	187.6
3	Cerebrovascular diseases (I60-I69)	5,864	5.8	45.6
4	Chronic lower respiratory diseases (J40-J47)	4,742	4.7	36.9
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,367	4.3	34.0
6	Diabetes mellitus (E10-E14)	2,851	2.8	22.2
7	Alzheimer's disease (G30)	2,734	2.7	21.3
8	Influenza and pneumonia (J09-J18)	2,550	2.5	19.8
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,536	2.5	19.7
10	Septicemia (A40-A41)	2,099	2.1	16.3
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,108	1.1	8.6
12	Chronic liver disease and cirrhosis (K70,K73-K74)	1,035	1.0	8.1
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	863	0.9	6.7
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	856	0.9	6.7
15	Pneumonitis due to solids and liquids (J69)	821	0.8	6.4
...	All other causes (Residual)	18,149	18.1	141.2
Indiana				
...	All causes	54,000	100.0	851.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	13,682	25.3	215.6
2	Malignant neoplasms (C00-C97)	12,778	23.7	201.4
3	Chronic lower respiratory diseases (J40-J47)	3,227	6.0	50.9
4	Cerebrovascular diseases (I60-I69)	3,083	5.7	48.6
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,499	4.6	39.4
6	Alzheimer's disease (G30)	1,663	3.1	26.2
7	Diabetes mellitus (E10-E14)	1,564	2.9	24.6
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,293	2.4	20.4
9	Influenza and pneumonia (J09-J18)	1,098	2.0	17.3
10	Septicemia (A40-A41)	835	1.5	13.2
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	790	1.5	12.5
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	517	1.0	8.1
13	Chronic liver disease and cirrhosis (K70,K73-K74)	489	0.9	7.7
14	Parkinson's disease (G20-G21)	460	0.9	7.2
15	Pneumonitis due to solids and liquids (J69)	418	0.8	6.6
...	All other causes (Residual)	9,604	17.8	151.4

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2007

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Iowa				
...	All causes	27,221	100.0	911.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,880	25.3	230.3
2	Malignant neoplasms (C00-C97)	6,376	23.4	213.4
3	Cerebrovascular diseases (I60-I69)	1,686	6.2	56.4
4	Chronic lower respiratory diseases (J40-J47)	1,660	6.1	55.6
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,252	4.6	41.9
6	Alzheimer's disease (G30)	1,202	4.4	40.2
7	Diabetes mellitus (E10-E14)	767	2.8	25.7
8	Influenza and pneumonia (J09-J18)	749	2.8	25.1
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	322	1.2	10.8
10	Parkinson's disease (G20-G21)	291	1.1	9.7
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	272	1.0	9.1
12	Pneumonitis due to solids and liquids (J69)	271	1.0	9.1
13	Septicemia (A40-A41)	254	0.9	8.5
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	253	0.9	8.5
15	Chronic liver disease and cirrhosis (K70,K73-K74)	239	0.9	8.0
...	All other causes (Residual)	4,747	17.4	158.9
Kansas				
...	All causes	24,491	100.0	882.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	5,749	23.5	207.1
2	Malignant neoplasms (C00-C97)	5,406	22.1	194.7
3	Cerebrovascular diseases (I60-I69)	1,498	6.1	54.0
4	Chronic lower respiratory diseases (J40-J47)	1,476	6.0	53.2
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,205	4.9	43.4
6	Alzheimer's disease (G30)	860	3.5	31.0
7	Diabetes mellitus (E10-E14)	702	2.9	25.3
8	Influenza and pneumonia (J09-J18)	665	2.7	24.0
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	554	2.3	20.0
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	382	1.6	13.8
11	Atherosclerosis (I70)	353	1.4	12.7
12	Septicemia (A40-A41)	286	1.2	10.3
13	Parkinson's disease (G20-G21)	239	1.0	8.6
14	Chronic liver disease and cirrhosis (K70,K73-K74)	230	0.9	8.3
15	Pneumonitis due to solids and liquids (J69)	185	0.8	6.7
...	All other causes (Residual)	4,701	19.2	169.3

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2007

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Kentucky				
...	All causes	40,090	100.0	945.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	9,916	24.7	233.8
2	Malignant neoplasms (C00-C97)	9,692	24.2	228.5
3	Chronic lower respiratory diseases (J40-J47)	2,629	6.6	62.0
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,372	5.9	55.9
5	Cerebrovascular diseases (I60-I69)	2,144	5.3	50.5
6	Alzheimer's disease (G30)	1,198	3.0	28.2
7	Diabetes mellitus (E10-E14)	1,091	2.7	25.7
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	994	2.5	23.4
9	Influenza and pneumonia (J09-J18)	897	2.2	21.1
10	Septicemia (A40-A41)	680	1.7	16.0
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	649	1.6	15.3
12	Chronic liver disease and cirrhosis (K70,K73-K74)	390	1.0	9.2
13	Pneumonitis due to solids and liquids (J69)	349	0.9	8.2
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	294	0.7	6.9
15	Parkinson's disease (G20-G21)	255	0.6	6.0
...	All other causes (Residual)	6,540	16.3	154.2
Louisiana				
...	All causes	39,966	100.0	930.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	9,947	24.9	231.7
2	Malignant neoplasms (C00-C97)	8,736	21.9	203.5
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,466	6.2	57.4
4	Cerebrovascular diseases (I60-I69)	2,147	5.4	50.0
5	Chronic lower respiratory diseases (J40-J47)	1,685	4.2	39.2
6	Diabetes mellitus (E10-E14)	1,437	3.6	33.5
7	Alzheimer's disease (G30)	1,324	3.3	30.8
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,152	2.9	26.8
9	Influenza and pneumonia (J09-J18)	870	2.2	20.3
10	Septicemia (A40-A41)	857	2.1	20.0
11	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	627	1.6	14.6
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	522	1.3	12.2
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	395	1.0	9.2
14	Chronic liver disease and cirrhosis (K70,K73-K74)	357	0.9	8.3
15	Human immunodeficiency virus (HIV) disease (B20-B24)	344	0.9	8.0
...	All other causes (Residual)	7,100	17.8	165.4

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2007

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Maine				
...	All causes	12,493	100.0	948.4
1	Malignant neoplasms (C00-C97)	3,112	24.9	236.3
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,852	22.8	216.5
3	Chronic lower respiratory diseases (J40-J47)	728	5.8	55.3
4	Cerebrovascular diseases (I60-I69)	664	5.3	50.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	584	4.7	44.3
6	Alzheimer's disease (G30)	470	3.8	35.7
7	Diabetes mellitus (E10-E14)	355	2.8	27.0
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	269	2.2	20.4
9	Influenza and pneumonia (J09-J18)	236	1.9	17.9
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	191	1.5	14.5
11	Chronic liver disease and cirrhosis (K70,K73-K74)	156	1.2	11.8
12	Septicemia (A40-A41)	130	1.0	9.9
13	Parkinson's disease (G20-G21)	120	1.0	9.1
14	Pneumonitis due to solids and liquids (J69)	90	0.7	6.8
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	81	0.6	6.1
...	All other causes (Residual)	2,455	19.7	186.4
Maryland				
...	All causes	43,757	100.0	778.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,314	25.9	201.4
2	Malignant neoplasms (C00-C97)	10,179	23.3	181.2
3	Cerebrovascular diseases (I60-I69)	2,364	5.4	42.1
4	Chronic lower respiratory diseases (J40-J47)	1,901	4.3	33.8
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,480	3.4	26.3
6	Diabetes mellitus (E10-E14)	1,301	3.0	23.2
7	Influenza and pneumonia (J09-J18)	994	2.3	17.7
8	Septicemia (A40-A41)	930	2.1	16.6
9	Alzheimer's disease (G30)	881	2.0	15.7
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	731	1.7	13.0
11	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	573	1.3	10.2
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	518	1.2	9.2
13	Chronic liver disease and cirrhosis (K70,K73-K74)	447	1.0	8.0
14	Human immunodeficiency virus (HIV) disease (B20-B24)	436	1.0	7.8
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	411	0.9	7.3
...	All other causes (Residual)	9,297	21.2	165.5

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2007

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Massachusetts				
...	All causes	52,917	100.0	820.4
1	Malignant neoplasms (C00-C97)	13,003	24.6	201.6
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	12,710	24.0	197.1
3	Cerebrovascular diseases (I60-I69)	2,832	5.4	43.9
4	Chronic lower respiratory diseases (J40-J47)	2,332	4.4	36.2
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,139	4.0	33.2
6	Alzheimer's disease (G30)	1,695	3.2	26.3
7	Influenza and pneumonia (J09-J18)	1,538	2.9	23.8
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,361	2.6	21.1
9	Diabetes mellitus (E10-E14)	1,222	2.3	18.9
10	Septicemia (A40-A41)	882	1.7	13.7
11	Chronic liver disease and cirrhosis (K70,K73-K74)	609	1.2	9.4
12	Pneumonitis due to solids and liquids (J69)	518	1.0	8.0
13	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	516	1.0	8.0
14	Parkinson's disease (G20-G21)	464	0.9	7.2
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	458	0.9	7.1
...	All other causes (Residual)	10,638	20.1	164.9
Michigan				
...	All causes	86,721	100.0	861.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	24,149	27.8	239.8
2	Malignant neoplasms (C00-C97)	20,087	23.2	199.4
3	Cerebrovascular diseases (I60-I69)	4,798	5.5	47.6
4	Chronic lower respiratory diseases (J40-J47)	4,624	5.3	45.9
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,764	4.3	37.4
6	Diabetes mellitus (E10-E14)	2,826	3.3	28.1
7	Alzheimer's disease (G30)	2,432	2.8	24.1
8	Influenza and pneumonia (J09-J18)	1,637	1.9	16.3
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,610	1.9	16.0
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,131	1.3	11.2
11	Chronic liver disease and cirrhosis (K70,K73-K74)	1,008	1.2	10.0
12	Septicemia (A40-A41)	971	1.1	9.6
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	773	0.9	7.7
14	Parkinson's disease (G20-G21)	754	0.9	7.5
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	704	0.8	7.0
...	All other causes (Residual)	15,453	17.8	153.4

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2007

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Minnesota				
...	All causes	37,138	100.0	714.5
1	Malignant neoplasms (C00-C97)	9,176	24.7	176.5
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,477	20.1	143.9
3	Cerebrovascular diseases (I60-I69)	2,193	5.9	42.2
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,066	5.6	39.7
5	Chronic lower respiratory diseases (J40-J47)	1,758	4.7	33.8
6	Alzheimer's disease (G30)	1,179	3.2	22.7
7	Diabetes mellitus (E10-E14)	1,084	2.9	20.9
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	780	2.1	15.0
9	Influenza and pneumonia (J09-J18)	603	1.6	11.6
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	572	1.5	11.0
11	Parkinson's disease (G20-G21)	433	1.2	8.3
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	407	1.1	7.8
13	Chronic liver disease and cirrhosis (K70,K73-K74)	379	1.0	7.3
14	Septicemia (A40-A41)	339	0.9	6.5
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	296	0.8	5.7
...	All other causes (Residual)	8,396	22.6	161.5
Mississippi				
...	All causes	28,255	100.0	968.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	8,037	28.4	275.4
2	Malignant neoplasms (C00-C97)	6,002	21.2	205.6
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,808	6.4	61.9
4	Cerebrovascular diseases (I60-I69)	1,589	5.6	54.4
5	Chronic lower respiratory diseases (J40-J47)	1,408	5.0	48.2
6	Alzheimer's disease (G30)	797	2.8	27.3
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	697	2.5	23.9
8	Diabetes mellitus (E10-E14)	654	2.3	22.4
9	Influenza and pneumonia (J09-J18)	554	2.0	19.0
10	Septicemia (A40-A41)	549	1.9	18.8
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	438	1.6	15.0
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	396	1.4	13.6
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	286	1.0	9.8
14	Chronic liver disease and cirrhosis (K70,K73-K74)	263	0.9	9.0
15	Certain conditions originating in the perinatal period (P00-P96)	211	0.7	7.2
...	All other causes (Residual)	4,566	16.2	156.4

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2007

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Missouri				
...	All causes	54,166	100.0	921.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	14,338	26.5	243.9
2	Malignant neoplasms (C00-C97)	12,380	22.9	210.6
3	Cerebrovascular diseases (I60-I69)	3,229	6.0	54.9
4	Chronic lower respiratory diseases (J40-J47)	3,081	5.7	52.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,975	5.5	50.6
6	Alzheimer's disease (G30)	1,681	3.1	28.6
7	Diabetes mellitus (E10-E14)	1,444	2.7	24.6
8	Influenza and pneumonia (J09-J18)	1,289	2.4	21.9
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,184	2.2	20.1
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	808	1.5	13.7
11	Septicemia (A40-A41)	691	1.3	11.8
12	Pneumonitis due to solids and liquids (J69)	538	1.0	9.2
13	Chronic liver disease and cirrhosis (K70,K73-K74)	433	0.8	7.4
14	Parkinson's disease (G20-G21)	418	0.8	7.1
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	404	0.7	6.9
...	All other causes (Residual)	9,273	17.1	157.7
Montana				
...	All causes	8,624	100.0	900.3
1	Malignant neoplasms (C00-C97)	1,921	22.3	200.6
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,870	21.7	195.2
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	614	7.1	64.1
4	Chronic lower respiratory diseases (J40-J47)	604	7.0	63.1
5	Cerebrovascular diseases (I60-I69)	443	5.1	46.2
6	Alzheimer's disease (G30)	260	3.0	27.1
7	Diabetes mellitus (E10-E14)	258	3.0	26.9
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	196	2.3	20.5
9	Influenza and pneumonia (J09-J18)	183	2.1	19.1
10	Chronic liver disease and cirrhosis (K70,K73-K74)	138	1.6	14.4
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	110	1.3	11.5
12	Pneumonitis due to solids and liquids (J69)	82	1.0	8.6
13	Parkinson's disease (G20-G21)	81	0.9	8.5
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	74	0.9	7.7
15	Septicemia (A40-A41)	72	0.8	7.5
15	Aortic aneurysm and dissection (I71)	72	0.8	7.5
...	All other causes (Residual)	1,646	19.1	171.8

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2007

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Nebraska				
...	All causes	15,263	100.0	860.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,520	23.1	198.4
2	Malignant neoplasms (C00-C97)	3,479	22.8	196.0
3	Cerebrovascular diseases (I60-I69)	921	6.0	51.9
4	Chronic lower respiratory diseases (J40-J47)	919	6.0	51.8
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	674	4.4	38.0
6	Alzheimer's disease (G30)	512	3.4	28.9
7	Diabetes mellitus (E10-E14)	472	3.1	26.6
8	Influenza and pneumonia (J09-J18)	331	2.2	18.7
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	269	1.8	15.2
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	186	1.2	10.5
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	181	1.2	10.2
12	Parkinson's disease (G20-G21)	163	1.1	9.2
13	Septicemia (A40-A41)	139	0.9	7.8
14	Pneumonitis due to solids and liquids (J69)	126	0.8	7.1
15	Chronic liver disease and cirrhosis (K70,K73-K74)	116	0.8	6.5
...	All other causes (Residual)	3,255	21.3	183.4
Nevada				
...	All causes	18,687	100.0	728.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	4,591	24.6	179.0
2	Malignant neoplasms (C00-C97)	4,331	23.2	168.8
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,212	6.5	47.2
4	Chronic lower respiratory diseases (J40-J47)	1,050	5.6	40.9
5	Cerebrovascular diseases (I60-I69)	850	4.5	33.1
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	471	2.5	18.4
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	461	2.5	18.0
8	Septicemia (A40-A41)	414	2.2	16.1
9	Influenza and pneumonia (J09-J18)	408	2.2	15.9
10	Diabetes mellitus (E10-E14)	312	1.7	12.2
11	Chronic liver disease and cirrhosis (K70,K73-K74)	268	1.4	10.4
12	Alzheimer's disease (G30)	248	1.3	9.7
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	188	1.0	7.3
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	129	0.7	5.0
15	Atherosclerosis (I70)	120	0.6	4.7
...	All other causes (Residual)	3,634	19.4	141.7

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2007

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
New Hampshire				
...	All causes	10,303	100.0	783.0
1	Malignant neoplasms (C00-C97)	2,609	25.3	198.3
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,511	24.4	190.8
3	Chronic lower respiratory diseases (J40-J47)	611	5.9	46.4
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	527	5.1	40.1
5	Cerebrovascular diseases (I60-I69)	489	4.7	37.2
6	Alzheimer's disease (G30)	418	4.1	31.8
7	Diabetes mellitus (E10-E14)	280	2.7	21.3
8	Influenza and pneumonia (J09-J18)	207	2.0	15.7
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	158	1.5	12.0
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	149	1.4	11.3
11	Septicemia (A40-A41)	118	1.1	9.0
12	Chronic liver disease and cirrhosis (K70,K73-K74)	116	1.1	8.8
13	Parkinson's disease (G20-G21)	86	0.8	6.5
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	69	0.7	5.2
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	68	0.7	5.2
...	All other causes (Residual)	1,887	18.3	143.4
New Jersey				
...	All causes	69,662	100.0	802.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	18,831	27.0	216.8
2	Malignant neoplasms (C00-C97)	17,096	24.5	196.8
3	Cerebrovascular diseases (I60-I69)	3,492	5.0	40.2
4	Chronic lower respiratory diseases (J40-J47)	2,991	4.3	34.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,425	3.5	27.9
6	Diabetes mellitus (E10-E14)	2,329	3.3	26.8
7	Alzheimer's disease (G30)	1,823	2.6	21.0
8	Septicemia (A40-A41)	1,733	2.5	20.0
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,690	2.4	19.5
10	Influenza and pneumonia (J09-J18)	1,343	1.9	15.5
11	Chronic liver disease and cirrhosis (K70,K73-K74)	646	0.9	7.4
12	Parkinson's disease (G20-G21)	601	0.9	6.9
13	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	596	0.9	6.9
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	595	0.9	6.9
15	Pneumonitis due to solids and liquids (J69)	557	0.8	6.4
...	All other causes (Residual)	12,914	18.5	148.7

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2007

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
New Mexico				
...	All causes	15,482	100.0	785.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,305	21.3	167.8
2	Malignant neoplasms (C00-C97)	3,238	20.9	164.4
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,329	8.6	67.5
4	Chronic lower respiratory diseases (J40-J47)	884	5.7	44.9
5	Cerebrovascular diseases (I60-I69)	804	5.2	40.8
6	Diabetes mellitus (E10-E14)	673	4.3	34.2
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	401	2.6	20.4
8	Chronic liver disease and cirrhosis (K70,K73-K74)	372	2.4	18.9
9	Alzheimer's disease (G30)	322	2.1	16.3
10	Influenza and pneumonia (J09-J18)	298	1.9	15.1
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	252	1.6	12.8
12	Septicemia (A40-A41)	166	1.1	8.4
13	Parkinson's disease (G20-G21)	163	1.1	8.3
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	160	1.0	8.1
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	99	0.6	5.0
...	All other causes (Residual)	3,016	19.5	153.1
New York				
...	All causes	147,680	100.0	765.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	49,528	33.5	256.7
2	Malignant neoplasms (C00-C97)	35,485	24.0	183.9
3	Chronic lower respiratory diseases (J40-J47)	6,561	4.4	34.0
4	Cerebrovascular diseases (I60-I69)	6,160	4.2	31.9
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	5,160	3.5	26.7
6	Influenza and pneumonia (J09-J18)	4,431	3.0	23.0
7	Diabetes mellitus (E10-E14)	3,715	2.5	19.3
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,387	1.6	12.4
9	Septicemia (A40-A41)	2,343	1.6	12.1
10	Alzheimer's disease (G30)	1,999	1.4	10.4
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,645	1.1	8.5
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,396	0.9	7.2
13	Human immunodeficiency virus (HIV) disease (B20-B24)	1,342	0.9	7.0
14	Chronic liver disease and cirrhosis (K70,K73-K74)	1,308	0.9	6.8
15	Parkinson's disease (G20-G21)	878	0.6	4.5
...	All other causes (Residual)	23,342	15.8	121.0

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2007

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
North Carolina				
...	All causes	76,046	100.0	839.3
1	Malignant neoplasms (C00-C97)	17,478	23.0	192.9
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	17,395	22.9	192.0
3	Cerebrovascular diseases (I60-I69)	4,530	6.0	50.0
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,389	5.8	48.4
5	Chronic lower respiratory diseases (J40-J47)	4,231	5.6	46.7
6	Alzheimer's disease (G30)	2,460	3.2	27.1
7	Diabetes mellitus (E10-E14)	2,156	2.8	23.8
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,723	2.3	19.0
9	Influenza and pneumonia (J09-J18)	1,645	2.2	18.2
10	Septicemia (A40-A41)	1,207	1.6	13.3
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,077	1.4	11.9
12	Chronic liver disease and cirrhosis (K70,K73-K74)	888	1.2	9.8
13	Pneumonitis due to solids and liquids (J69)	698	0.9	7.7
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	680	0.9	7.5
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	674	0.9	7.4
...	All other causes (Residual)	14,815	19.5	163.5
North Dakota				
...	All causes	5,561	100.0	869.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,414	25.4	221.0
2	Malignant neoplasms (C00-C97)	1,264	22.7	197.6
3	Alzheimer's disease (G30)	395	7.1	61.7
4	Cerebrovascular diseases (I60-I69)	330	5.9	51.6
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	279	5.0	43.6
6	Chronic lower respiratory diseases (J40-J47)	265	4.8	41.4
7	Diabetes mellitus (E10-E14)	226	4.1	35.3
8	Influenza and pneumonia (J09-J18)	133	2.4	20.8
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	95	1.7	14.9
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	72	1.3	11.3
11	Parkinson's disease (G20-G21)	58	1.0	9.1
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	56	1.0	8.8
13	Pneumonitis due to solids and liquids (J69)	44	0.8	6.9
14	Chronic liver disease and cirrhosis (K70,K73-K74)	43	0.8	6.7
15	Aortic aneurysm and dissection (I71)	39	0.7	6.1
...	All other causes (Residual)	848	15.2	132.6

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2007

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Ohio				
...	All causes	106,534	100.0	929.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	26,757	25.1	233.3
2	Malignant neoplasms (C00-C97)	25,230	23.7	220.0
3	Chronic lower respiratory diseases (J40-J47)	6,454	6.1	56.3
4	Cerebrovascular diseases (I60-I69)	5,905	5.5	51.5
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,922	4.6	42.9
6	Diabetes mellitus (E10-E14)	3,722	3.5	32.5
7	Alzheimer's disease (G30)	3,671	3.4	32.0
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,747	1.6	15.2
9	Influenza and pneumonia (J09-J18)	1,743	1.6	15.2
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,295	1.2	11.3
11	Septicemia (A40-A41)	1,220	1.1	10.6
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,211	1.1	10.6
13	Chronic liver disease and cirrhosis (K70,K73-K74)	1,152	1.1	10.0
14	Parkinson's disease (G20-G21)	870	0.8	7.6
15	Pneumonitis due to solids and liquids (J69)	810	0.8	7.1
...	All other causes (Residual)	19,825	18.6	172.9
Oklahoma				
...	All causes	36,032	100.0	996.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	9,602	26.6	265.4
2	Malignant neoplasms (C00-C97)	7,727	21.4	213.6
3	Chronic lower respiratory diseases (J40-J47)	2,386	6.6	66.0
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,149	6.0	59.4
5	Cerebrovascular diseases (I60-I69)	2,126	5.9	58.8
6	Diabetes mellitus (E10-E14)	1,148	3.2	31.7
7	Alzheimer's disease (G30)	927	2.6	25.6
8	Influenza and pneumonia (J09-J18)	801	2.2	22.1
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	623	1.7	17.2
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	531	1.5	14.7
11	Chronic liver disease and cirrhosis (K70,K73-K74)	505	1.4	14.0
12	Septicemia (A40-A41)	444	1.2	12.3
13	Parkinson's disease (G20-G21)	294	0.8	8.1
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	251	0.7	6.9
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	245	0.7	6.8
...	All other causes (Residual)	6,273	17.4	173.4

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2007

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Oregon				
...	All causes	31,403	100.0	838.0
1	Malignant neoplasms (C00-C97)	7,393	23.5	197.3
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,655	21.2	177.6
3	Chronic lower respiratory diseases (J40-J47)	1,892	6.0	50.5
4	Cerebrovascular diseases (I60-I69)	1,835	5.8	49.0
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,646	5.2	43.9
6	Alzheimer's disease (G30)	1,200	3.8	32.0
7	Diabetes mellitus (E10-E14)	1,113	3.5	29.7
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	594	1.9	15.9
9	Influenza and pneumonia (J09-J18)	477	1.5	12.7
10	Chronic liver disease and cirrhosis (K70,K73-K74)	466	1.5	12.4
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	426	1.4	11.4
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	356	1.1	9.5
13	Parkinson's disease (G20-G21)	328	1.0	8.8
14	Septicemia (A40-A41)	229	0.7	6.1
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	218	0.7	5.8
...	All other causes (Residual)	6,575	20.9	175.5
Pennsylvania				
...	All causes	125,104	100.0	1,006.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	32,862	26.3	264.3
2	Malignant neoplasms (C00-C97)	29,014	23.2	233.4
3	Cerebrovascular diseases (I60-I69)	7,152	5.7	57.5
4	Chronic lower respiratory diseases (J40-J47)	6,077	4.9	48.9
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	5,568	4.5	44.8
6	Alzheimer's disease (G30)	3,505	2.8	28.2
7	Diabetes mellitus (E10-E14)	3,442	2.8	27.7
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,965	2.4	23.8
9	Influenza and pneumonia (J09-J18)	2,555	2.0	20.6
10	Septicemia (A40-A41)	2,479	2.0	19.9
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,441	1.2	11.6
12	Parkinson's disease (G20-G21)	1,162	0.9	9.3
13	Chronic liver disease and cirrhosis (K70,K73-K74)	1,084	0.9	8.7
14	Pneumonitis due to solids and liquids (J69)	1,078	0.9	8.7
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	996	0.8	8.0
...	All other causes (Residual)	23,724	19.0	190.8

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2007

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Rhode Island				
...	All causes	9,723	100.0	919.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,751	28.3	260.1
2	Malignant neoplasms (C00-C97)	2,213	22.8	209.2
3	Cerebrovascular diseases (I60-I69)	457	4.7	43.2
4	Chronic lower respiratory diseases (J40-J47)	421	4.3	39.8
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	416	4.3	39.3
6	Alzheimer's disease (G30)	328	3.4	31.0
7	Diabetes mellitus (E10-E14)	248	2.6	23.4
8	Influenza and pneumonia (J09-J18)	224	2.3	21.2
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	167	1.7	15.8
10	Septicemia (A40-A41)	150	1.5	14.2
11	Chronic liver disease and cirrhosis (K70,K73-K74)	119	1.2	11.2
12	Parkinson's disease (G20-G21)	96	1.0	9.1
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	96	1.0	9.1
14	Enterocolitis due to Clostridium difficile (A04.7)	86	0.9	8.1
15	Pneumonitis due to solids and liquids (J69)	83	0.9	7.8
...	All other causes (Residual)	1,868	19.2	176.6
South Carolina				
...	All causes	39,439	100.0	894.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	8,992	22.8	204.0
2	Malignant neoplasms (C00-C97)	8,867	22.5	201.2
3	Cerebrovascular diseases (I60-I69)	2,466	6.3	55.9
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,364	6.0	53.6
5	Chronic lower respiratory diseases (J40-J47)	2,036	5.2	46.2
6	Alzheimer's disease (G30)	1,396	3.5	31.7
7	Diabetes mellitus (E10-E14)	1,231	3.1	27.9
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	806	2.0	18.3
9	Influenza and pneumonia (J09-J18)	723	1.8	16.4
10	Septicemia (A40-A41)	700	1.8	15.9
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	530	1.3	12.0
12	Chronic liver disease and cirrhosis (K70,K73-K74)	512	1.3	11.6
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	406	1.0	9.2
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	382	1.0	8.7
15	Human immunodeficiency virus (HIV) disease (B20-B24)	315	0.8	7.1
...	All other causes (Residual)	7,713	19.6	175.0

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2007

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
South Dakota				
...	All causes	6,826	100.0	857.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,633	23.9	205.1
2	Malignant neoplasms (C00-C97)	1,612	23.6	202.5
3	Chronic lower respiratory diseases (J40-J47)	457	6.7	57.4
4	Cerebrovascular diseases (I60-I69)	410	6.0	51.5
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	366	5.4	46.0
6	Alzheimer's disease (G30)	346	5.1	43.5
7	Diabetes mellitus (E10-E14)	247	3.6	31.0
8	Influenza and pneumonia (J09-J18)	189	2.8	23.7
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	102	1.5	12.8
10	Chronic liver disease and cirrhosis (K70,K73-K74)	95	1.4	11.9
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	77	1.1	9.7
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	69	1.0	8.7
13	Parkinson's disease (G20-G21)	61	0.9	7.7
14	Septicemia (A40-A41)	60	0.9	7.5
15	Pneumonitis due to solids and liquids (J69)	52	0.8	6.5
...	All other causes (Residual)	1,050	15.4	131.9
Tennessee				
...	All causes	57,087	100.0	927.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	14,280	25.0	231.9
2	Malignant neoplasms (C00-C97)	13,161	23.1	213.8
3	Cerebrovascular diseases (I60-I69)	3,450	6.0	56.0
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,257	5.7	52.9
5	Chronic lower respiratory diseases (J40-J47)	3,167	5.5	51.4
6	Alzheimer's disease (G30)	2,276	4.0	37.0
7	Diabetes mellitus (E10-E14)	1,700	3.0	27.6
8	Influenza and pneumonia (J09-J18)	1,438	2.5	23.4
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	844	1.5	13.7
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	831	1.5	13.5
11	Septicemia (A40-A41)	698	1.2	11.3
12	Chronic liver disease and cirrhosis (K70,K73-K74)	629	1.1	10.2
13	Pneumonitis due to solids and liquids (J69)	534	0.9	8.7
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	528	0.9	8.6
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	475	0.8	7.7
...	All other causes (Residual)	9,819	17.2	159.5

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2007

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Texas				
...	All causes	160,548	100.0	671.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	38,912	24.2	162.8
2	Malignant neoplasms (C00-C97)	35,074	21.8	146.7
3	Cerebrovascular diseases (I60-I69)	9,796	6.1	41.0
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	9,392	5.8	39.3
5	Chronic lower respiratory diseases (J40-J47)	8,107	5.0	33.9
6	Diabetes mellitus (E10-E14)	5,109	3.2	21.4
7	Alzheimer's disease (G30)	4,814	3.0	20.1
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3,291	2.0	13.8
9	Influenza and pneumonia (J09-J18)	3,230	2.0	13.5
10	Septicemia (A40-A41)	2,857	1.8	12.0
11	Chronic liver disease and cirrhosis (K70,K73-K74)	2,535	1.6	10.6
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	2,433	1.5	10.2
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,515	0.9	6.3
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,495	0.9	6.3
15	Parkinson's disease (G20-G21)	1,293	0.8	5.4
...	All other causes (Residual)	30,695	19.1	128.4
Utah				
...	All causes	14,143	100.0	534.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,980	21.1	112.7
2	Malignant neoplasms (C00-C97)	2,572	18.2	97.2
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	811	5.7	30.7
4	Cerebrovascular diseases (I60-I69)	755	5.3	28.5
5	Chronic lower respiratory diseases (J40-J47)	617	4.4	23.3
6	Diabetes mellitus (E10-E14)	548	3.9	20.7
7	Alzheimer's disease (G30)	393	2.8	14.9
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	378	2.7	14.3
9	Influenza and pneumonia (J09-J18)	313	2.2	11.8
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	220	1.6	8.3
11	Parkinson's disease (G20-G21)	158	1.1	6.0
12	Chronic liver disease and cirrhosis (K70,K73-K74)	142	1.0	5.4
13	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	139	1.0	5.3
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	138	1.0	5.2
15	Septicemia (A40-A41)	113	0.8	4.3
...	All other causes (Residual)	3,866	27.3	146.1

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2007

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Vermont				
...	All causes	5,179	100.0	833.6
1	Malignant neoplasms (C00-C97)	1,346	26.0	216.7
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,166	22.5	187.7
3	Chronic lower respiratory diseases (J40-J47)	316	6.1	50.9
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	303	5.9	48.8
5	Cerebrovascular diseases (I60-I69)	269	5.2	43.3
6	Alzheimer's disease (G30)	205	4.0	33.0
7	Diabetes mellitus (E10-E14)	170	3.3	27.4
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	89	1.7	14.3
9	Influenza and pneumonia (J09-J18)	70	1.4	11.3
10	Aortic aneurysm and dissection (I71)	57	1.1	9.2
11	Parkinson's disease (G20-G21)	55	1.1	8.9
12	Chronic liver disease and cirrhosis (K70,K73-K74)	54	1.0	8.7
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	54	1.0	8.7
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	40	0.8	6.4
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	37	0.7	6.0
...	All other causes (Residual)	948	18.3	152.6
Virginia				
...	All causes	58,225	100.0	755.0
1	Malignant neoplasms (C00-C97)	14,009	24.1	181.6
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	13,750	23.6	178.3
3	Cerebrovascular diseases (I60-I69)	3,313	5.7	43.0
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,931	5.0	38.0
5	Chronic lower respiratory diseases (J40-J47)	2,770	4.8	35.9
6	Alzheimer's disease (G30)	1,703	2.9	22.1
7	Diabetes mellitus (E10-E14)	1,507	2.6	19.5
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,439	2.5	18.7
9	Septicemia (A40-A41)	1,363	2.3	17.7
10	Influenza and pneumonia (J09-J18)	1,231	2.1	16.0
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	880	1.5	11.4
12	Chronic liver disease and cirrhosis (K70,K73-K74)	613	1.1	7.9
13	Pneumonitis due to solids and liquids (J69)	533	0.9	6.9
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	484	0.8	6.3
15	Parkinson's disease (G20-G21)	473	0.8	6.1
...	All other causes (Residual)	11,226	19.3	145.6

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2007

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Washington				
...	All causes	47,323	100.0	731.6
1	Malignant neoplasms (C00-C97)	11,568	24.4	178.8
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,037	23.3	170.6
3	Cerebrovascular diseases (I60-I69)	2,692	5.7	41.6
4	Alzheimer's disease (G30)	2,689	5.7	41.6
5	Chronic lower respiratory diseases (J40-J47)	2,684	5.7	41.5
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,637	5.6	40.8
7	Diabetes mellitus (E10-E14)	1,508	3.2	23.3
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	865	1.8	13.4
9	Influenza and pneumonia (J09-J18)	743	1.6	11.5
10	Chronic liver disease and cirrhosis (K70,K73-K74)	661	1.4	10.2
11	Parkinson's disease (G20-G21)	503	1.1	7.8
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	473	1.0	7.3
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	440	0.9	6.8
14	Pneumonitis due to solids and liquids (J69)	429	0.9	6.6
15	Septicemia (A40-A41)	370	0.8	5.7
...	All other causes (Residual)	8,024	17.0	124.0
West Virginia				
...	All causes	21,086	100.0	1,163.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	5,208	24.7	287.4
2	Malignant neoplasms (C00-C97)	4,690	22.2	258.8
3	Chronic lower respiratory diseases (J40-J47)	1,331	6.3	73.5
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,241	5.9	68.5
5	Cerebrovascular diseases (I60-I69)	1,113	5.3	61.4
6	Diabetes mellitus (E10-E14)	800	3.8	44.1
7	Alzheimer's disease (G30)	534	2.5	29.5
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	480	2.3	26.5
9	Influenza and pneumonia (J09-J18)	408	1.9	22.5
10	Septicemia (A40-A41)	336	1.6	18.5
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	300	1.4	16.6
12	Chronic liver disease and cirrhosis (K70,K73-K74)	273	1.3	15.1
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	226	1.1	12.5
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	151	0.7	8.3
15	Parkinson's disease (G20-G21)	133	0.6	7.3
...	All other causes (Residual)	3,862	18.3	213.1

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2007

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Wisconsin				
...	All causes	46,241	100.0	825.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,110	24.0	198.3
2	Malignant neoplasms (C00-C97)	10,963	23.7	195.7
3	Cerebrovascular diseases (I60-I69)	2,738	5.9	48.9
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,619	5.7	46.8
5	Chronic lower respiratory diseases (J40-J47)	2,399	5.2	42.8
6	Alzheimer's disease (G30)	1,658	3.6	29.6
7	Diabetes mellitus (E10-E14)	1,136	2.5	20.3
8	Influenza and pneumonia (J09-J18)	1,022	2.2	18.2
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,002	2.2	17.9
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	729	1.6	13.0
11	Chronic liver disease and cirrhosis (K70,K73-K74)	487	1.1	8.7
12	Parkinson's disease (G20-G21)	470	1.0	8.4
13	Septicemia (A40-A41)	450	1.0	8.0
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	400	0.9	7.1
15	Pneumonitis due to solids and liquids (J69)	345	0.7	6.2
...	All other causes (Residual)	8,713	18.8	155.5
Wyoming				
...	All causes	4,266	100.0	815.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	957	22.4	183.0
2	Malignant neoplasms (C00-C97)	940	22.0	179.8
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	299	7.0	57.2
4	Chronic lower respiratory diseases (J40-J47)	295	6.9	56.4
5	Cerebrovascular diseases (I60-I69)	209	4.9	40.0
6	Diabetes mellitus (E10-E14)	139	3.3	26.6
7	Influenza and pneumonia (J09-J18)	113	2.6	21.6
8	Alzheimer's disease (G30)	110	2.6	21.0
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	101	2.4	19.3
10	Chronic liver disease and cirrhosis (K70,K73-K74)	86	2.0	16.4
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	68	1.6	13.0
12	Septicemia (A40-A41)	44	1.0	8.4
13	Aortic aneurysm and dissection (I71)	41	1.0	7.8
14	Parkinson's disease (G20-G21)	35	0.8	6.7
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	31	0.7	5.9
...	All other causes (Residual)	798	18.7	152.6

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

... Category not applicable