

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2008

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
United States				
...	All causes	2,471,984	100.0	813.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	616,828	25.0	202.9
2	Malignant neoplasms (C00-C97)	565,469	22.9	186.0
3	Chronic lower respiratory diseases (J40-J47)	141,090	5.7	46.4
4	Cerebrovascular diseases (I60-I69)	134,148	5.4	44.1
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	121,902	4.9	40.1
6	Alzheimer's disease (G30)	82,435	3.3	27.1
7	Diabetes mellitus (E10-E14)	70,553	2.9	23.2
8	Influenza and pneumonia (J09-J18)	56,284	2.3	18.5
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	48,237	2.0	15.9
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	36,035	1.5	11.9
11	Septicemia (A40-A41)	35,927	1.5	11.8
12	Chronic liver disease and cirrhosis (K70,K73-K74)	29,963	1.2	9.9
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	25,742	1.0	8.5
14	Parkinson's disease (G20-G21)	20,483	0.8	6.7
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	17,826	0.7	5.9
...	All other causes (Residual)	469,062	19.0	154.3
Alabama				
...	All causes	47,707	100.0	1,023.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	12,074	25.3	259.0
2	Malignant neoplasms (C00-C97)	10,182	21.3	218.4
3	Cerebrovascular diseases (I60-I69)	2,863	6.0	61.4
4	Chronic lower respiratory diseases (J40-J47)	2,733	5.7	58.6
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,509	5.3	53.8
6	Alzheimer's disease (G30)	1,518	3.2	32.6
7	Diabetes mellitus (E10-E14)	1,386	2.9	29.7
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,107	2.3	23.7
9	Influenza and pneumonia (J09-J18)	912	1.9	19.6
10	Septicemia (A40-A41)	899	1.9	19.3
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	604	1.3	13.0
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	501	1.1	10.7
13	Chronic liver disease and cirrhosis (K70,K73-K74)	489	1.0	10.5
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	454	1.0	9.7
15	Parkinson's disease (G20-G21)	348	0.7	7.5
...	All other causes (Residual)	9,128	19.1	195.8

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2008

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Alaska				
...	All causes	3,494	100.0	509.1
1	Malignant neoplasms (C00-C97)	867	24.8	126.3
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	634	18.1	92.4
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	332	9.5	48.4
4	Chronic lower respiratory diseases (J40-J47)	181	5.2	26.4
5	Cerebrovascular diseases (I60-I69)	172	4.9	25.1
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	169	4.8	24.6
7	Diabetes mellitus (E10-E14)	93	2.7	13.6
8	Alzheimer's disease (G30)	80	2.3	11.7
9	Chronic liver disease and cirrhosis (K70,K73-K74)	60	1.7	8.7
10	Influenza and pneumonia (J09-J18)	51	1.5	7.4
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	50	1.4	7.3
12	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	29	0.8	4.2
13	Septicemia (A40-A41)	23	0.7	3.4
13	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	23	0.7	3.4
15	Parkinson's disease (G20-G21)	19	0.5	*
...	All other causes (Residual)	711	20.3	103.6
Arizona				
...	All causes	45,823	100.0	704.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,385	22.7	159.8
2	Malignant neoplasms (C00-C97)	10,081	22.0	155.1
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,956	6.5	45.5
4	Chronic lower respiratory diseases (J40-J47)	2,939	6.4	45.2
5	Cerebrovascular diseases (I60-I69)	2,147	4.7	33.0
6	Alzheimer's disease (G30)	2,099	4.6	32.3
7	Diabetes mellitus (E10-E14)	1,173	2.6	18.0
8	Influenza and pneumonia (J09-J18)	1,068	2.3	16.4
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	972	2.1	15.0
10	Chronic liver disease and cirrhosis (K70,K73-K74)	794	1.7	12.2
11	Septicemia (A40-A41)	546	1.2	8.4
12	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	504	1.1	7.8
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	503	1.1	7.7
14	Parkinson's disease (G20-G21)	488	1.1	7.5
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	475	1.0	7.3
...	All other causes (Residual)	8,693	19.0	133.7

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2008

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Arkansas				
...	All causes	29,322	100.0	1,026.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,516	25.6	263.2
2	Malignant neoplasms (C00-C97)	6,526	22.3	228.6
3	Chronic lower respiratory diseases (J40-J47)	1,887	6.4	66.1
4	Cerebrovascular diseases (I60-I69)	1,722	5.9	60.3
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,477	5.0	51.7
6	Diabetes mellitus (E10-E14)	901	3.1	31.6
7	Alzheimer's disease (G30)	893	3.0	31.3
8	Influenza and pneumonia (J09-J18)	846	2.9	29.6
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	638	2.2	22.3
10	Septicemia (A40-A41)	510	1.7	17.9
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	447	1.5	15.7
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	256	0.9	9.0
13	Chronic liver disease and cirrhosis (K70,K73-K74)	247	0.8	8.7
14	Pneumonitis due to solids and liquids (J69)	230	0.8	8.1
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	214	0.7	7.5
...	All other causes (Residual)	5,012	17.1	175.5
California				
...	All causes	234,766	100.0	638.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	60,709	25.9	165.2
2	Malignant neoplasms (C00-C97)	54,686	23.3	148.8
3	Cerebrovascular diseases (I60-I69)	14,048	6.0	38.2
4	Chronic lower respiratory diseases (J40-J47)	13,426	5.7	36.5
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	10,761	4.6	29.3
6	Alzheimer's disease (G30)	10,098	4.3	27.5
7	Diabetes mellitus (E10-E14)	7,375	3.1	20.1
8	Influenza and pneumonia (J09-J18)	6,560	2.8	17.8
9	Chronic liver disease and cirrhosis (K70,K73-K74)	4,152	1.8	11.3
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	3,775	1.6	10.3
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	3,423	1.5	9.3
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,854	1.2	7.8
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	2,280	1.0	6.2
14	Parkinson's disease (G20-G21)	2,026	0.9	5.5
15	Certain conditions originating in the perinatal period (P00-P96)	1,406	0.6	3.8
...	All other causes (Residual)	37,187	15.8	101.2

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2008

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Colorado				
...	All causes	31,274	100.0	633.1
1	Malignant neoplasms (C00-C97)	6,719	21.5	136.0
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,118	19.6	123.9
3	Chronic lower respiratory diseases (J40-J47)	2,188	7.0	44.3
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,172	6.9	44.0
5	Cerebrovascular diseases (I60-I69)	1,565	5.0	31.7
6	Alzheimer's disease (G30)	1,353	4.3	27.4
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	803	2.6	16.3
8	Diabetes mellitus (E10-E14)	767	2.5	15.5
9	Influenza and pneumonia (J09-J18)	678	2.2	13.7
10	Chronic liver disease and cirrhosis (K70,K73-K74)	540	1.7	10.9
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	483	1.5	9.8
12	Septicemia (A40-A41)	322	1.0	6.5
13	Parkinson's disease (G20-G21)	314	1.0	6.4
14	Pneumonitis due to solids and liquids (J69)	251	0.8	5.1
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	241	0.8	4.9
...	All other causes (Residual)	6,760	21.6	136.9
Connecticut				
...	All causes	28,794	100.0	822.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,355	25.5	210.1
2	Malignant neoplasms (C00-C97)	6,830	23.7	195.1
3	Chronic lower respiratory diseases (J40-J47)	1,505	5.2	43.0
4	Cerebrovascular diseases (I60-I69)	1,433	5.0	40.9
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,386	4.8	39.6
6	Alzheimer's disease (G30)	839	2.9	24.0
7	Influenza and pneumonia (J09-J18)	694	2.4	19.8
8	Diabetes mellitus (E10-E14)	624	2.2	17.8
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	589	2.0	16.8
10	Septicemia (A40-A41)	575	2.0	16.4
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	319	1.1	9.1
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	315	1.1	9.0
13	Chronic liver disease and cirrhosis (K70,K73-K74)	298	1.0	8.5
14	Pneumonitis due to solids and liquids (J69)	274	1.0	7.8
15	Parkinson's disease (G20-G21)	256	0.9	7.3
...	All other causes (Residual)	5,502	19.1	157.1

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2008

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Delaware				
...	All causes	7,622	100.0	873.0
1	Malignant neoplasms (C00-C97)	1,912	25.1	219.0
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,777	23.3	203.5
3	Chronic lower respiratory diseases (J40-J47)	472	6.2	54.1
4	Cerebrovascular diseases (I60-I69)	365	4.8	41.8
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	352	4.6	40.3
6	Diabetes mellitus (E10-E14)	217	2.8	24.9
7	Alzheimer's disease (G30)	204	2.7	23.4
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	189	2.5	21.6
9	Septicemia (A40-A41)	139	1.8	15.9
10	Influenza and pneumonia (J09-J18)	135	1.8	15.5
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	109	1.4	12.5
12	Chronic liver disease and cirrhosis (K70,K73-K74)	91	1.2	10.4
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	65	0.9	7.4
14	Human immunodeficiency virus (HIV) disease (B20-B24)	57	0.7	6.5
15	Certain conditions originating in the perinatal period (P00-P96)	54	0.7	6.2
...	All other causes (Residual)	1,484	19.5	170.0
District of Columbia				
...	All causes	5,140	100.0	868.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,389	27.0	234.7
2	Malignant neoplasms (C00-C97)	1,143	22.2	193.1
3	Cerebrovascular diseases (I60-I69)	222	4.3	37.5
4	Human immunodeficiency virus (HIV) disease (B20-B24)	164	3.2	27.7
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	164	3.2	27.7
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	160	3.1	27.0
7	Diabetes mellitus (E10-E14)	156	3.0	26.4
8	Chronic lower respiratory diseases (J40-J47)	139	2.7	23.5
9	Alzheimer's disease (G30)	132	2.6	22.3
10	Septicemia (A40-A41)	105	2.0	17.7
11	Influenza and pneumonia (J09-J18)	78	1.5	13.2
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	78	1.5	13.2
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	66	1.3	11.2
13	Certain conditions originating in the perinatal period (P00-P96)	66	1.3	11.2
15	Chronic liver disease and cirrhosis (K70,K73-K74)	52	1.0	8.8
...	All other causes (Residual)	1,026	20.0	173.4

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2008

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Florida				
...	All causes	170,703	100.0	931.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	42,067	24.6	229.5
2	Malignant neoplasms (C00-C97)	40,814	23.9	222.7
3	Chronic lower respiratory diseases (J40-J47)	10,198	6.0	55.6
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	8,939	5.2	48.8
5	Cerebrovascular diseases (I60-I69)	8,589	5.0	46.9
6	Diabetes mellitus (E10-E14)	5,161	3.0	28.2
7	Alzheimer's disease (G30)	4,743	2.8	25.9
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,946	1.7	16.1
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	2,740	1.6	14.9
10	Chronic liver disease and cirrhosis (K70,K73-K74)	2,335	1.4	12.7
11	Influenza and pneumonia (J09-J18)	2,300	1.3	12.5
12	Septicemia (A40-A41)	1,913	1.1	10.4
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,841	1.1	10.0
14	Parkinson's disease (G20-G21)	1,577	0.9	8.6
15	Human immunodeficiency virus (HIV) disease (B20-B24)	1,417	0.8	7.7
...	All other causes (Residual)	33,123	19.4	180.7
Georgia				
...	All causes	69,640	100.0	719.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	15,721	22.6	162.3
2	Malignant neoplasms (C00-C97)	14,621	21.0	151.0
3	Cerebrovascular diseases (I60-I69)	3,805	5.5	39.3
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,774	5.4	39.0
5	Chronic lower respiratory diseases (J40-J47)	3,546	5.1	36.6
6	Alzheimer's disease (G30)	1,929	2.8	19.9
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,668	2.4	17.2
8	Septicemia (A40-A41)	1,559	2.2	16.1
9	Influenza and pneumonia (J09-J18)	1,498	2.2	15.5
10	Diabetes mellitus (E10-E14)	1,496	2.1	15.4
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	981	1.4	10.1
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	945	1.4	9.8
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	712	1.0	7.4
14	Chronic liver disease and cirrhosis (K70,K73-K74)	665	1.0	6.9
15	Certain conditions originating in the perinatal period (P00-P96)	603	0.9	6.2
...	All other causes (Residual)	16,117	23.1	166.4

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2008

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Hawaii				
...	All causes	9,501	100.0	737.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,313	24.3	179.6
2	Malignant neoplasms (C00-C97)	2,194	23.1	170.3
3	Cerebrovascular diseases (I60-I69)	642	6.8	49.8
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	406	4.3	31.5
5	Chronic lower respiratory diseases (J40-J47)	293	3.1	22.7
6	Diabetes mellitus (E10-E14)	286	3.0	22.2
7	Influenza and pneumonia (J09-J18)	270	2.8	21.0
8	Alzheimer's disease (G30)	218	2.3	16.9
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	197	2.1	15.3
10	Septicemia (A40-A41)	140	1.5	10.9
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	133	1.4	10.3
12	Pneumonitis due to solids and liquids (J69)	130	1.4	10.1
13	Chronic liver disease and cirrhosis (K70,K73-K74)	112	1.2	8.7
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	101	1.1	7.8
15	Parkinson's disease (G20-G21)	79	0.8	6.1
...	All other causes (Residual)	1,987	20.9	154.2
Idaho				
...	All causes	10,962	100.0	719.4
1	Malignant neoplasms (C00-C97)	2,511	22.9	164.8
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,330	21.3	152.9
3	Chronic lower respiratory diseases (J40-J47)	703	6.4	46.1
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	649	5.9	42.6
5	Cerebrovascular diseases (I60-I69)	609	5.6	40.0
6	Alzheimer's disease (G30)	393	3.6	25.8
7	Diabetes mellitus (E10-E14)	356	3.2	23.4
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	252	2.3	16.5
9	Influenza and pneumonia (J09-J18)	206	1.9	13.5
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	173	1.6	11.4
11	Chronic liver disease and cirrhosis (K70,K73-K74)	155	1.4	10.2
12	Parkinson's disease (G20-G21)	111	1.0	7.3
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	92	0.8	6.0
14	Septicemia (A40-A41)	80	0.7	5.2
15	Pneumonitis due to solids and liquids (J69)	74	0.7	4.9
...	All other causes (Residual)	2,268	20.7	148.8

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2008

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Illinois				
...	All causes	103,471	100.0	802.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	26,078	25.2	202.1
2	Malignant neoplasms (C00-C97)	24,300	23.5	188.3
3	Cerebrovascular diseases (I60-I69)	5,788	5.6	44.9
4	Chronic lower respiratory diseases (J40-J47)	5,602	5.4	43.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,218	4.1	32.7
6	Alzheimer's disease (G30)	3,192	3.1	24.7
7	Diabetes mellitus (E10-E14)	2,846	2.8	22.1
8	Influenza and pneumonia (J09-J18)	2,672	2.6	20.7
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,576	2.5	20.0
10	Septicemia (A40-A41)	1,968	1.9	15.3
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,198	1.2	9.3
12	Chronic liver disease and cirrhosis (K70,K73-K74)	1,145	1.1	8.9
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	930	0.9	7.2
14	Parkinson's disease (G20-G21)	886	0.9	6.9
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	872	0.8	6.8
...	All other causes (Residual)	19,200	18.6	148.8
Indiana				
...	All causes	56,752	100.0	890.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	13,663	24.1	214.3
2	Malignant neoplasms (C00-C97)	13,137	23.1	206.0
3	Chronic lower respiratory diseases (J40-J47)	3,878	6.8	60.8
4	Cerebrovascular diseases (I60-I69)	3,114	5.5	48.8
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,558	4.5	40.1
6	Alzheimer's disease (G30)	1,971	3.5	30.9
7	Diabetes mellitus (E10-E14)	1,683	3.0	26.4
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,363	2.4	21.4
9	Influenza and pneumonia (J09-J18)	1,318	2.3	20.7
10	Septicemia (A40-A41)	810	1.4	12.7
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	809	1.4	12.7
12	Chronic liver disease and cirrhosis (K70,K73-K74)	523	0.9	8.2
13	Parkinson's disease (G20-G21)	504	0.9	7.9
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	484	0.9	7.6
15	Pneumonitis due to solids and liquids (J69)	436	0.8	6.8
...	All other causes (Residual)	10,501	18.5	164.7

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2008

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Iowa				
...	All causes	28,541	100.0	950.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,284	25.5	242.6
2	Malignant neoplasms (C00-C97)	6,424	22.5	214.0
3	Chronic lower respiratory diseases (J40-J47)	1,848	6.5	61.5
4	Cerebrovascular diseases (I60-I69)	1,732	6.1	57.7
5	Alzheimer's disease (G30)	1,332	4.7	44.4
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,266	4.4	42.2
7	Influenza and pneumonia (J09-J18)	829	2.9	27.6
8	Diabetes mellitus (E10-E14)	764	2.7	25.4
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	380	1.3	12.7
10	Parkinson's disease (G20-G21)	305	1.1	10.2
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	304	1.1	10.1
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	268	0.9	8.9
13	Septicemia (A40-A41)	266	0.9	8.9
14	Pneumonitis due to solids and liquids (J69)	248	0.9	8.3
15	Chronic liver disease and cirrhosis (K70,K73-K74)	217	0.8	7.2
...	All other causes (Residual)	5,074	17.8	169.0
Kansas				
...	All causes	24,975	100.0	891.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	5,643	22.6	201.4
2	Malignant neoplasms (C00-C97)	5,294	21.2	188.9
3	Chronic lower respiratory diseases (J40-J47)	1,626	6.5	58.0
4	Cerebrovascular diseases (I60-I69)	1,574	6.3	56.2
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,174	4.7	41.9
6	Alzheimer's disease (G30)	961	3.8	34.3
7	Influenza and pneumonia (J09-J18)	743	3.0	26.5
8	Diabetes mellitus (E10-E14)	706	2.8	25.2
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	620	2.5	22.1
10	Septicemia (A40-A41)	351	1.4	12.5
11	Atherosclerosis (I70)	346	1.4	12.3
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	337	1.3	12.0
13	Chronic liver disease and cirrhosis (K70,K73-K74)	242	1.0	8.6
14	Parkinson's disease (G20-G21)	210	0.8	7.5
15	Pneumonitis due to solids and liquids (J69)	207	0.8	7.4
...	All other causes (Residual)	4,941	19.8	176.3

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2008

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Kentucky				
...	All causes	41,329	100.0	968.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,061	24.3	235.7
2	Malignant neoplasms (C00-C97)	9,589	23.2	224.6
3	Chronic lower respiratory diseases (J40-J47)	2,926	7.1	68.5
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,379	5.8	55.7
5	Cerebrovascular diseases (I60-I69)	2,098	5.1	49.1
6	Alzheimer's disease (G30)	1,370	3.3	32.1
7	Diabetes mellitus (E10-E14)	1,214	2.9	28.4
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	993	2.4	23.3
9	Influenza and pneumonia (J09-J18)	943	2.3	22.1
10	Septicemia (A40-A41)	675	1.6	15.8
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	612	1.5	14.3
12	Chronic liver disease and cirrhosis (K70,K73-K74)	367	0.9	8.6
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	338	0.8	7.9
14	Pneumonitis due to solids and liquids (J69)	327	0.8	7.7
15	Parkinson's disease (G20-G21)	296	0.7	6.9
...	All other causes (Residual)	7,141	17.3	167.3
Louisiana				
...	All causes	41,220	100.0	934.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,347	25.1	234.6
2	Malignant neoplasms (C00-C97)	9,197	22.3	208.5
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,409	5.8	54.6
4	Cerebrovascular diseases (I60-I69)	2,084	5.1	47.2
5	Chronic lower respiratory diseases (J40-J47)	1,896	4.6	43.0
6	Alzheimer's disease (G30)	1,361	3.3	30.9
7	Diabetes mellitus (E10-E14)	1,332	3.2	30.2
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,195	2.9	27.1
9	Influenza and pneumonia (J09-J18)	894	2.2	20.3
10	Septicemia (A40-A41)	831	2.0	18.8
11	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	541	1.3	12.3
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	532	1.3	12.1
13	Chronic liver disease and cirrhosis (K70,K73-K74)	389	0.9	8.8
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	372	0.9	8.4
15	Human immunodeficiency virus (HIV) disease (B20-B24)	326	0.8	7.4
...	All other causes (Residual)	7,514	18.2	170.4

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2008

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Maine				
...	All causes	12,541	100.0	952.6
1	Malignant neoplasms (C00-C97)	3,093	24.7	234.9
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,785	22.2	211.6
3	Chronic lower respiratory diseases (J40-J47)	794	6.3	60.3
4	Cerebrovascular diseases (I60-I69)	671	5.4	51.0
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	628	5.0	47.7
6	Alzheimer's disease (G30)	450	3.6	34.2
7	Diabetes mellitus (E10-E14)	344	2.7	26.1
8	Influenza and pneumonia (J09-J18)	263	2.1	20.0
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	263	2.1	20.0
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	181	1.4	13.7
11	Chronic liver disease and cirrhosis (K70,K73-K74)	138	1.1	10.5
12	Septicemia (A40-A41)	133	1.1	10.1
13	Parkinson's disease (G20-G21)	114	0.9	8.7
14	Pneumonitis due to solids and liquids (J69)	103	0.8	7.8
15	Aortic aneurysm and dissection (I71)	87	0.7	6.6
...	All other causes (Residual)	2,494	19.9	189.4
Maryland				
...	All causes	43,892	100.0	779.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,157	25.4	198.0
2	Malignant neoplasms (C00-C97)	10,360	23.6	183.9
3	Cerebrovascular diseases (I60-I69)	2,330	5.3	41.4
4	Chronic lower respiratory diseases (J40-J47)	1,982	4.5	35.2
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,465	3.3	26.0
6	Diabetes mellitus (E10-E14)	1,239	2.8	22.0
7	Alzheimer's disease (G30)	1,016	2.3	18.0
8	Influenza and pneumonia (J09-J18)	1,008	2.3	17.9
9	Septicemia (A40-A41)	1,000	2.3	17.8
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	775	1.8	13.8
11	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	523	1.2	9.3
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	507	1.2	9.0
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	441	1.0	7.8
14	Human immunodeficiency virus (HIV) disease (B20-B24)	435	1.0	7.7
15	Chronic liver disease and cirrhosis (K70,K73-K74)	408	0.9	7.2
...	All other causes (Residual)	9,246	21.1	164.1

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2008

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Massachusetts				
...	All causes	53,518	100.0	823.6
1	Malignant neoplasms (C00-C97)	13,031	24.3	200.5
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	12,776	23.9	196.6
3	Cerebrovascular diseases (I60-I69)	2,747	5.1	42.3
4	Chronic lower respiratory diseases (J40-J47)	2,587	4.8	39.8
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,040	3.8	31.4
6	Alzheimer's disease (G30)	1,832	3.4	28.2
7	Influenza and pneumonia (J09-J18)	1,598	3.0	24.6
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,377	2.6	21.2
9	Diabetes mellitus (E10-E14)	1,079	2.0	16.6
10	Septicemia (A40-A41)	782	1.5	12.0
11	Chronic liver disease and cirrhosis (K70,K73-K74)	598	1.1	9.2
12	Pneumonitis due to solids and liquids (J69)	547	1.0	8.4
13	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	509	1.0	7.8
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	452	0.8	7.0
15	Parkinson's disease (G20-G21)	423	0.8	6.5
...	All other causes (Residual)	11,140	20.8	171.4
Michigan				
...	All causes	88,445	100.0	884.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	24,344	27.5	243.4
2	Malignant neoplasms (C00-C97)	20,211	22.9	202.0
3	Chronic lower respiratory diseases (J40-J47)	5,185	5.9	51.8
4	Cerebrovascular diseases (I60-I69)	4,769	5.4	47.7
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,685	4.2	36.8
6	Diabetes mellitus (E10-E14)	2,752	3.1	27.5
7	Alzheimer's disease (G30)	2,739	3.1	27.4
8	Influenza and pneumonia (J09-J18)	1,853	2.1	18.5
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,663	1.9	16.6
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,180	1.3	11.8
11	Chronic liver disease and cirrhosis (K70,K73-K74)	1,084	1.2	10.8
12	Septicemia (A40-A41)	1,007	1.1	10.1
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	899	1.0	9.0
14	Parkinson's disease (G20-G21)	766	0.9	7.7
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	644	0.7	6.4
...	All other causes (Residual)	15,664	17.7	156.6

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2008

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Minnesota				
...	All causes	38,499	100.0	737.5
1	Malignant neoplasms (C00-C97)	9,446	24.5	180.9
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,367	19.1	141.1
3	Cerebrovascular diseases (I60-I69)	2,199	5.7	42.1
4	Chronic lower respiratory diseases (J40-J47)	2,096	5.4	40.2
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,010	5.2	38.5
6	Alzheimer's disease (G30)	1,344	3.5	25.7
7	Diabetes mellitus (E10-E14)	1,087	2.8	20.8
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	813	2.1	15.6
9	Influenza and pneumonia (J09-J18)	745	1.9	14.3
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	596	1.5	11.4
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	509	1.3	9.8
12	Parkinson's disease (G20-G21)	466	1.2	8.9
13	Chronic liver disease and cirrhosis (K70,K73-K74)	380	1.0	7.3
14	Septicemia (A40-A41)	320	0.8	6.1
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	297	0.8	5.7
...	All other causes (Residual)	8,824	22.9	169.0
Mississippi				
...	All causes	28,984	100.0	986.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,997	27.6	272.1
2	Malignant neoplasms (C00-C97)	6,166	21.3	209.8
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,693	5.8	57.6
4	Cerebrovascular diseases (I60-I69)	1,592	5.5	54.2
5	Chronic lower respiratory diseases (J40-J47)	1,520	5.2	51.7
6	Alzheimer's disease (G30)	916	3.2	31.2
7	Diabetes mellitus (E10-E14)	758	2.6	25.8
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	723	2.5	24.6
9	Influenza and pneumonia (J09-J18)	626	2.2	21.3
10	Septicemia (A40-A41)	585	2.0	19.9
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	459	1.6	15.6
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	409	1.4	13.9
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	330	1.1	11.2
14	Chronic liver disease and cirrhosis (K70,K73-K74)	269	0.9	9.2
15	Certain conditions originating in the perinatal period (P00-P96)	185	0.6	6.3
...	All other causes (Residual)	4,756	16.4	161.8

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2008

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Missouri				
...	All causes	56,578	100.0	957.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	14,644	25.9	247.7
2	Malignant neoplasms (C00-C97)	12,523	22.1	211.8
3	Chronic lower respiratory diseases (J40-J47)	3,765	6.7	63.7
4	Cerebrovascular diseases (I60-I69)	3,261	5.8	55.2
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,997	5.3	50.7
6	Alzheimer's disease (G30)	2,010	3.6	34.0
7	Influenza and pneumonia (J09-J18)	1,414	2.5	23.9
8	Diabetes mellitus (E10-E14)	1,348	2.4	22.8
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,274	2.3	21.6
10	Septicemia (A40-A41)	814	1.4	13.8
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	779	1.4	13.2
12	Chronic liver disease and cirrhosis (K70,K73-K74)	514	0.9	8.7
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	504	0.9	8.5
13	Pneumonitis due to solids and liquids (J69)	504	0.9	8.5
15	Parkinson's disease (G20-G21)	484	0.9	8.2
...	All other causes (Residual)	9,743	17.2	164.8
Montana				
...	All causes	8,913	100.0	921.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,975	22.2	204.1
2	Malignant neoplasms (C00-C97)	1,862	20.9	192.5
3	Chronic lower respiratory diseases (J40-J47)	691	7.8	71.4
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	592	6.6	61.2
5	Cerebrovascular diseases (I60-I69)	466	5.2	48.2
6	Alzheimer's disease (G30)	294	3.3	30.4
7	Diabetes mellitus (E10-E14)	254	2.8	26.3
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	203	2.3	21.0
9	Influenza and pneumonia (J09-J18)	168	1.9	17.4
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	151	1.7	15.6
11	Chronic liver disease and cirrhosis (K70,K73-K74)	136	1.5	14.1
12	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	85	1.0	8.8
13	Parkinson's disease (G20-G21)	84	0.9	8.7
14	Septicemia (A40-A41)	68	0.8	7.0
15	Pneumonitis due to solids and liquids (J69)	57	0.6	5.9
...	All other causes (Residual)	1,827	20.5	188.8

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2008

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Nebraska				
...	All causes	15,461	100.0	866.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,459	22.4	194.0
2	Malignant neoplasms (C00-C97)	3,376	21.8	189.3
3	Chronic lower respiratory diseases (J40-J47)	1,047	6.8	58.7
4	Cerebrovascular diseases (I60-I69)	863	5.6	48.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	714	4.6	40.0
6	Alzheimer's disease (G30)	610	3.9	34.2
7	Diabetes mellitus (E10-E14)	470	3.0	26.4
8	Influenza and pneumonia (J09-J18)	366	2.4	20.5
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	270	1.7	15.1
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	191	1.2	10.7
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	179	1.2	10.0
12	Parkinson's disease (G20-G21)	167	1.1	9.4
13	Chronic liver disease and cirrhosis (K70,K73-K74)	135	0.9	7.6
14	Septicemia (A40-A41)	122	0.8	6.8
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	102	0.7	5.7
...	All other causes (Residual)	3,390	21.9	190.1
Nevada				
...	All causes	19,335	100.0	743.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	4,646	24.0	178.7
2	Malignant neoplasms (C00-C97)	4,404	22.8	169.4
3	Chronic lower respiratory diseases (J40-J47)	1,257	6.5	48.3
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,134	5.9	43.6
5	Cerebrovascular diseases (I60-I69)	906	4.7	34.8
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	528	2.7	20.3
7	Influenza and pneumonia (J09-J18)	496	2.6	19.1
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	456	2.4	17.5
9	Diabetes mellitus (E10-E14)	373	1.9	14.3
10	Septicemia (A40-A41)	347	1.8	13.3
11	Chronic liver disease and cirrhosis (K70,K73-K74)	323	1.7	12.4
12	Alzheimer's disease (G30)	279	1.4	10.7
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	161	0.8	6.2
14	Atherosclerosis (I70)	132	0.7	5.1
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	129	0.7	5.0
...	All other causes (Residual)	3,764	19.5	144.8

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2008

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
New Hampshire				
...	All causes	10,268	100.0	780.4
1	Malignant neoplasms (C00-C97)	2,576	25.1	195.8
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,409	23.5	183.1
3	Chronic lower respiratory diseases (J40-J47)	688	6.7	52.3
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	488	4.8	37.1
5	Cerebrovascular diseases (I60-I69)	484	4.7	36.8
6	Alzheimer's disease (G30)	393	3.8	29.9
7	Diabetes mellitus (E10-E14)	297	2.9	22.6
8	Influenza and pneumonia (J09-J18)	211	2.1	16.0
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	179	1.7	13.6
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	174	1.7	13.2
11	Chronic liver disease and cirrhosis (K70,K73-K74)	120	1.2	9.1
12	Septicemia (A40-A41)	104	1.0	7.9
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	77	0.7	5.9
14	Parkinson's disease (G20-G21)	74	0.7	5.6
15	Aortic aneurysm and dissection (I71)	66	0.6	5.0
15	Pneumonitis due to solids and liquids (J69)	66	0.6	5.0
...	All other causes (Residual)	1,862	18.1	141.5
New Jersey				
...	All causes	70,026	100.0	806.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	19,056	27.2	219.5
2	Malignant neoplasms (C00-C97)	16,876	24.1	194.4
3	Chronic lower respiratory diseases (J40-J47)	3,280	4.7	37.8
4	Cerebrovascular diseases (I60-I69)	3,264	4.7	37.6
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,436	3.5	28.1
6	Diabetes mellitus (E10-E14)	2,242	3.2	25.8
7	Alzheimer's disease (G30)	1,857	2.7	21.4
8	Septicemia (A40-A41)	1,793	2.6	20.7
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,715	2.4	19.8
10	Influenza and pneumonia (J09-J18)	1,413	2.0	16.3
11	Chronic liver disease and cirrhosis (K70,K73-K74)	707	1.0	8.1
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	641	0.9	7.4
13	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	615	0.9	7.1
14	Parkinson's disease (G20-G21)	588	0.8	6.8
15	Pneumonitis due to solids and liquids (J69)	498	0.7	5.7
...	All other causes (Residual)	13,045	18.6	150.2

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2008

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
New Mexico				
...	All causes	16,005	100.0	806.6
1	Malignant neoplasms (C00-C97)	3,355	21.0	169.1
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,275	20.5	165.0
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,366	8.5	68.8
4	Chronic lower respiratory diseases (J40-J47)	1,001	6.3	50.4
5	Cerebrovascular diseases (I60-I69)	760	4.7	38.3
6	Diabetes mellitus (E10-E14)	582	3.6	29.3
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	419	2.6	21.1
8	Chronic liver disease and cirrhosis (K70,K73-K74)	392	2.4	19.8
9	Alzheimer's disease (G30)	366	2.3	18.4
10	Influenza and pneumonia (J09-J18)	351	2.2	17.7
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	287	1.8	14.5
12	Septicemia (A40-A41)	174	1.1	8.8
13	Parkinson's disease (G20-G21)	161	1.0	8.1
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	151	0.9	7.6
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	131	0.8	6.6
...	All other causes (Residual)	3,234	20.2	163.0
New York				
...	All causes	148,698	100.0	762.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	49,324	33.2	253.1
2	Malignant neoplasms (C00-C97)	35,351	23.8	181.4
3	Chronic lower respiratory diseases (J40-J47)	6,919	4.7	35.5
4	Cerebrovascular diseases (I60-I69)	6,123	4.1	31.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	5,042	3.4	25.9
6	Influenza and pneumonia (J09-J18)	4,609	3.1	23.6
7	Diabetes mellitus (E10-E14)	3,605	2.4	18.5
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,394	1.6	12.3
9	Septicemia (A40-A41)	2,365	1.6	12.1
10	Alzheimer's disease (G30)	2,303	1.5	11.8
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,850	1.2	9.5
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,409	0.9	7.2
13	Chronic liver disease and cirrhosis (K70,K73-K74)	1,369	0.9	7.0
14	Human immunodeficiency virus (HIV) disease (B20-B24)	1,255	0.8	6.4
15	Parkinson's disease (G20-G21)	929	0.6	4.8
...	All other causes (Residual)	23,851	16.0	122.4

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2008

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
North Carolina				
...	All causes	77,283	100.0	838.0
1	Malignant neoplasms (C00-C97)	17,453	22.6	189.2
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	17,335	22.4	188.0
3	Cerebrovascular diseases (I60-I69)	4,637	6.0	50.3
4	Chronic lower respiratory diseases (J40-J47)	4,572	5.9	49.6
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,313	5.6	46.8
6	Alzheimer's disease (G30)	2,624	3.4	28.5
7	Diabetes mellitus (E10-E14)	2,170	2.8	23.5
8	Influenza and pneumonia (J09-J18)	1,737	2.2	18.8
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,729	2.2	18.7
10	Septicemia (A40-A41)	1,352	1.7	14.7
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,162	1.5	12.6
12	Chronic liver disease and cirrhosis (K70,K73-K74)	961	1.2	10.4
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	760	1.0	8.2
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	668	0.9	7.2
15	Pneumonitis due to solids and liquids (J69)	660	0.9	7.2
...	All other causes (Residual)	15,150	19.6	164.3
North Dakota				
...	All causes	5,871	100.0	915.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,391	23.7	216.8
2	Malignant neoplasms (C00-C97)	1,354	23.1	211.1
3	Chronic lower respiratory diseases (J40-J47)	355	6.0	55.3
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	342	5.8	53.3
5	Cerebrovascular diseases (I60-I69)	325	5.5	50.7
6	Alzheimer's disease (G30)	312	5.3	48.6
7	Diabetes mellitus (E10-E14)	201	3.4	31.3
8	Influenza and pneumonia (J09-J18)	148	2.5	23.1
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	98	1.7	15.3
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	86	1.5	13.4
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	65	1.1	10.1
12	Chronic liver disease and cirrhosis (K70,K73-K74)	58	1.0	9.0
13	Septicemia (A40-A41)	48	0.8	7.5
13	Parkinson's disease (G20-G21)	48	0.8	7.5
15	Pneumonitis due to solids and liquids (J69)	47	0.8	7.3
...	All other causes (Residual)	993	16.9	154.8

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2008

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Ohio				
...	All causes	109,767	100.0	955.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	27,324	24.9	237.9
2	Malignant neoplasms (C00-C97)	24,998	22.8	217.6
3	Chronic lower respiratory diseases (J40-J47)	6,928	6.3	60.3
4	Cerebrovascular diseases (I60-I69)	5,951	5.4	51.8
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	5,093	4.6	44.3
6	Alzheimer's disease (G30)	4,285	3.9	37.3
7	Diabetes mellitus (E10-E14)	3,565	3.2	31.0
8	Influenza and pneumonia (J09-J18)	2,085	1.9	18.2
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,865	1.7	16.2
10	Septicemia (A40-A41)	1,454	1.3	12.7
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,412	1.3	12.3
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,229	1.1	10.7
13	Chronic liver disease and cirrhosis (K70,K73-K74)	1,198	1.1	10.4
14	Parkinson's disease (G20-G21)	875	0.8	7.6
15	Pneumonitis due to solids and liquids (J69)	862	0.8	7.5
...	All other causes (Residual)	20,643	18.8	179.7
Oklahoma				
...	All causes	37,014	100.0	1,016.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	9,767	26.4	268.2
2	Malignant neoplasms (C00-C97)	7,657	20.7	210.2
3	Chronic lower respiratory diseases (J40-J47)	2,694	7.3	74.0
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,119	5.7	58.2
5	Cerebrovascular diseases (I60-I69)	2,079	5.6	57.1
6	Diabetes mellitus (E10-E14)	1,103	3.0	30.3
7	Alzheimer's disease (G30)	1,061	2.9	29.1
8	Influenza and pneumonia (J09-J18)	938	2.5	25.8
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	664	1.8	18.2
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	575	1.6	15.8
11	Chronic liver disease and cirrhosis (K70,K73-K74)	463	1.3	12.7
12	Septicemia (A40-A41)	442	1.2	12.1
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	331	0.9	9.1
14	Parkinson's disease (G20-G21)	241	0.7	6.6
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	230	0.6	6.3
...	All other causes (Residual)	6,650	18.0	182.6

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2008

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Oregon				
...	All causes	31,967	100.0	843.4
1	Malignant neoplasms (C00-C97)	7,479	23.4	197.3
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,519	20.4	172.0
3	Chronic lower respiratory diseases (J40-J47)	1,951	6.1	51.5
4	Cerebrovascular diseases (I60-I69)	1,899	5.9	50.1
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,674	5.2	44.2
6	Alzheimer's disease (G30)	1,302	4.1	34.4
7	Diabetes mellitus (E10-E14)	1,025	3.2	27.0
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	572	1.8	15.1
9	Influenza and pneumonia (J09-J18)	517	1.6	13.6
10	Chronic liver disease and cirrhosis (K70,K73-K74)	466	1.5	12.3
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	408	1.3	10.8
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	397	1.2	10.5
13	Parkinson's disease (G20-G21)	352	1.1	9.3
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	263	0.8	6.9
15	Septicemia (A40-A41)	223	0.7	5.9
...	All other causes (Residual)	6,920	21.6	182.6
Pennsylvania				
...	All causes	127,462	100.0	1,023.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	33,308	26.1	267.6
2	Malignant neoplasms (C00-C97)	28,964	22.7	232.7
3	Cerebrovascular diseases (I60-I69)	6,942	5.4	55.8
4	Chronic lower respiratory diseases (J40-J47)	6,767	5.3	54.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	5,787	4.5	46.5
6	Alzheimer's disease (G30)	3,863	3.0	31.0
7	Diabetes mellitus (E10-E14)	3,313	2.6	26.6
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3,138	2.5	25.2
9	Influenza and pneumonia (J09-J18)	2,705	2.1	21.7
10	Septicemia (A40-A41)	2,438	1.9	19.6
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,539	1.2	12.4
12	Parkinson's disease (G20-G21)	1,204	0.9	9.7
13	Chronic liver disease and cirrhosis (K70,K73-K74)	1,113	0.9	8.9
14	Pneumonitis due to solids and liquids (J69)	1,028	0.8	8.3
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,024	0.8	8.2
...	All other causes (Residual)	24,329	19.1	195.4

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2008

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Rhode Island				
...	All causes	9,738	100.0	926.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,657	27.3	252.9
2	Malignant neoplasms (C00-C97)	2,227	22.9	211.9
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	480	4.9	45.7
4	Chronic lower respiratory diseases (J40-J47)	478	4.9	45.5
5	Cerebrovascular diseases (I60-I69)	462	4.7	44.0
6	Alzheimer's disease (G30)	359	3.7	34.2
7	Influenza and pneumonia (J09-J18)	257	2.6	24.5
8	Diabetes mellitus (E10-E14)	195	2.0	18.6
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	163	1.7	15.5
10	Septicemia (A40-A41)	132	1.4	12.6
11	Chronic liver disease and cirrhosis (K70,K73-K74)	113	1.2	10.8
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	110	1.1	10.5
13	Parkinson's disease (G20-G21)	95	1.0	9.0
14	Enterocolitis due to Clostridium difficile (A04.7)	85	0.9	8.1
15	Pneumonitis due to solids and liquids (J69)	81	0.8	7.7
...	All other causes (Residual)	1,844	18.9	175.5
South Carolina				
...	All causes	40,289	100.0	899.3
1	Malignant neoplasms (C00-C97)	9,199	22.8	205.3
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	8,996	22.3	200.8
3	Cerebrovascular diseases (I60-I69)	2,394	5.9	53.4
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,285	5.7	51.0
5	Chronic lower respiratory diseases (J40-J47)	2,266	5.6	50.6
6	Alzheimer's disease (G30)	1,492	3.7	33.3
7	Diabetes mellitus (E10-E14)	1,133	2.8	25.3
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	945	2.3	21.1
9	Influenza and pneumonia (J09-J18)	727	1.8	16.2
10	Septicemia (A40-A41)	666	1.7	14.9
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	565	1.4	12.6
12	Chronic liver disease and cirrhosis (K70,K73-K74)	470	1.2	10.5
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	446	1.1	10.0
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	354	0.9	7.9
15	Parkinson's disease (G20-G21)	292	0.7	6.5
...	All other causes (Residual)	8,059	20.0	179.9

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2008

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
South Dakota				
...	All causes	7,083	100.0	880.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,681	23.7	209.0
2	Malignant neoplasms (C00-C97)	1,570	22.2	195.2
3	Chronic lower respiratory diseases (J40-J47)	491	6.9	61.1
4	Alzheimer's disease (G30)	402	5.7	50.0
5	Cerebrovascular diseases (I60-I69)	396	5.6	49.2
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	381	5.4	47.4
7	Diabetes mellitus (E10-E14)	216	3.0	26.9
8	Influenza and pneumonia (J09-J18)	177	2.5	22.0
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	124	1.8	15.4
10	Chronic liver disease and cirrhosis (K70,K73-K74)	101	1.4	12.6
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	89	1.3	11.1
12	Parkinson's disease (G20-G21)	69	1.0	8.6
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	68	1.0	8.5
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	54	0.8	6.7
15	Septicemia (A40-A41)	52	0.7	6.5
15	Pneumonitis due to solids and liquids (J69)	52	0.7	6.5
...	All other causes (Residual)	1,160	16.4	144.2
Tennessee				
...	All causes	58,820	100.0	946.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	14,661	24.9	235.9
2	Malignant neoplasms (C00-C97)	13,162	22.4	211.8
3	Chronic lower respiratory diseases (J40-J47)	3,545	6.0	57.0
4	Cerebrovascular diseases (I60-I69)	3,356	5.7	54.0
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,250	5.5	52.3
6	Alzheimer's disease (G30)	2,423	4.1	39.0
7	Diabetes mellitus (E10-E14)	1,733	2.9	27.9
8	Influenza and pneumonia (J09-J18)	1,424	2.4	22.9
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	973	1.7	15.7
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	908	1.5	14.6
11	Septicemia (A40-A41)	782	1.3	12.6
12	Chronic liver disease and cirrhosis (K70,K73-K74)	665	1.1	10.7
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	555	0.9	8.9
14	Pneumonitis due to solids and liquids (J69)	493	0.8	7.9
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	479	0.8	7.7
...	All other causes (Residual)	10,411	17.7	167.5

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2008

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Texas				
...	All causes	164,914	100.0	677.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	38,384	23.3	157.8
2	Malignant neoplasms (C00-C97)	35,713	21.7	146.8
3	Cerebrovascular diseases (I60-I69)	9,629	5.8	39.6
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	9,189	5.6	37.8
5	Chronic lower respiratory diseases (J40-J47)	8,874	5.4	36.5
6	Alzheimer's disease (G30)	5,280	3.2	21.7
7	Diabetes mellitus (E10-E14)	5,155	3.1	21.2
8	Influenza and pneumonia (J09-J18)	3,554	2.2	14.6
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3,536	2.1	14.5
10	Septicemia (A40-A41)	2,968	1.8	12.2
11	Chronic liver disease and cirrhosis (K70,K73-K74)	2,646	1.6	10.9
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	2,552	1.5	10.5
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,589	1.0	6.5
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,487	0.9	6.1
15	Parkinson's disease (G20-G21)	1,272	0.8	5.2
...	All other causes (Residual)	33,086	20.1	136.0
Utah				
...	All causes	14,040	100.0	513.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,844	20.3	103.9
2	Malignant neoplasms (C00-C97)	2,492	17.7	91.1
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	881	6.3	32.2
4	Cerebrovascular diseases (I60-I69)	748	5.3	27.3
5	Chronic lower respiratory diseases (J40-J47)	638	4.5	23.3
6	Diabetes mellitus (E10-E14)	468	3.3	17.1
7	Alzheimer's disease (G30)	409	2.9	14.9
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	390	2.8	14.3
9	Influenza and pneumonia (J09-J18)	343	2.4	12.5
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	212	1.5	7.7
11	Parkinson's disease (G20-G21)	178	1.3	6.5
12	Septicemia (A40-A41)	132	0.9	4.8
13	Chronic liver disease and cirrhosis (K70,K73-K74)	127	0.9	4.6
14	Certain conditions originating in the perinatal period (P00-P96)	121	0.9	4.4
15	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	111	0.8	4.1
...	All other causes (Residual)	3,946	28.1	144.2

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2008

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Vermont				
...	All causes	5,211	100.0	838.8
1	Malignant neoplasms (C00-C97)	1,279	24.5	205.9
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,216	23.3	195.7
3	Chronic lower respiratory diseases (J40-J47)	341	6.5	54.9
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	306	5.9	49.3
5	Cerebrovascular diseases (I60-I69)	281	5.4	45.2
6	Alzheimer's disease (G30)	218	4.2	35.1
7	Diabetes mellitus (E10-E14)	151	2.9	24.3
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	94	1.8	15.1
9	Influenza and pneumonia (J09-J18)	74	1.4	11.9
10	Parkinson's disease (G20-G21)	53	1.0	8.5
11	Chronic liver disease and cirrhosis (K70,K73-K74)	46	0.9	7.4
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	44	0.8	7.1
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	39	0.7	6.3
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	35	0.7	5.6
15	Pneumonitis due to solids and liquids (J69)	30	0.6	4.8
...	All other causes (Residual)	1,004	19.3	161.6
Virginia				
...	All causes	59,100	100.0	760.7
1	Malignant neoplasms (C00-C97)	13,983	23.7	180.0
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	13,675	23.1	176.0
3	Cerebrovascular diseases (I60-I69)	3,301	5.6	42.5
4	Chronic lower respiratory diseases (J40-J47)	3,023	5.1	38.9
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,820	4.8	36.3
6	Alzheimer's disease (G30)	1,763	3.0	22.7
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,537	2.6	19.8
8	Diabetes mellitus (E10-E14)	1,534	2.6	19.7
9	Septicemia (A40-A41)	1,413	2.4	18.2
10	Influenza and pneumonia (J09-J18)	1,324	2.2	17.0
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	948	1.6	12.2
12	Chronic liver disease and cirrhosis (K70,K73-K74)	640	1.1	8.2
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	570	1.0	7.3
14	Pneumonitis due to solids and liquids (J69)	547	0.9	7.0
15	Parkinson's disease (G20-G21)	490	0.8	6.3
...	All other causes (Residual)	11,532	19.5	148.4

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2008

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Washington				
...	All causes	48,627	100.0	742.5
1	Malignant neoplasms (C00-C97)	11,618	23.9	177.4
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,916	22.4	166.7
3	Alzheimer's disease (G30)	3,105	6.4	47.4
4	Chronic lower respiratory diseases (J40-J47)	2,930	6.0	44.7
5	Cerebrovascular diseases (I60-I69)	2,773	5.7	42.3
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,727	5.6	41.6
7	Diabetes mellitus (E10-E14)	1,590	3.3	24.3
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	889	1.8	13.6
9	Influenza and pneumonia (J09-J18)	771	1.6	11.8
10	Chronic liver disease and cirrhosis (K70,K73-K74)	678	1.4	10.4
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	525	1.1	8.0
12	Parkinson's disease (G20-G21)	518	1.1	7.9
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	471	1.0	7.2
14	Septicemia (A40-A41)	417	0.9	6.4
15	Pneumonitis due to solids and liquids (J69)	387	0.8	5.9
...	All other causes (Residual)	8,312	17.1	126.9
West Virginia				
...	All causes	21,557	100.0	1,188.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	5,264	24.4	290.1
2	Malignant neoplasms (C00-C97)	4,605	21.4	253.8
3	Chronic lower respiratory diseases (J40-J47)	1,590	7.4	87.6
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,253	5.8	69.1
5	Cerebrovascular diseases (I60-I69)	1,096	5.1	60.4
6	Diabetes mellitus (E10-E14)	753	3.5	41.5
7	Alzheimer's disease (G30)	662	3.1	36.5
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	522	2.4	28.8
9	Influenza and pneumonia (J09-J18)	448	2.1	24.7
10	Septicemia (A40-A41)	353	1.6	19.5
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	261	1.2	14.4
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	235	1.1	13.0
13	Chronic liver disease and cirrhosis (K70,K73-K74)	221	1.0	12.2
14	Parkinson's disease (G20-G21)	165	0.8	9.1
15	Pneumonitis due to solids and liquids (J69)	115	0.5	6.3
...	All other causes (Residual)	4,014	18.6	221.2

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2008

[Rates per 100,000 population. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Wisconsin				
...	All causes	46,815	100.0	831.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,275	24.1	200.3
2	Malignant neoplasms (C00-C97)	11,185	23.9	198.7
3	Cerebrovascular diseases (I60-I69)	2,638	5.6	46.9
4	Chronic lower respiratory diseases (J40-J47)	2,538	5.4	45.1
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,484	5.3	44.1
6	Alzheimer's disease (G30)	1,655	3.5	29.4
7	Diabetes mellitus (E10-E14)	1,152	2.5	20.5
8	Influenza and pneumonia (J09-J18)	1,116	2.4	19.8
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,007	2.2	17.9
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	743	1.6	13.2
11	Septicemia (A40-A41)	486	1.0	8.6
12	Chronic liver disease and cirrhosis (K70,K73-K74)	474	1.0	8.4
13	Parkinson's disease (G20-G21)	447	1.0	7.9
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	421	0.9	7.5
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	343	0.7	6.1
...	All other causes (Residual)	8,851	18.9	157.3
Wyoming				
...	All causes	4,227	100.0	793.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	937	22.2	175.9
2	Malignant neoplasms (C00-C97)	874	20.7	164.1
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	351	8.3	65.9
4	Chronic lower respiratory diseases (J40-J47)	311	7.4	58.4
5	Cerebrovascular diseases (I60-I69)	234	5.5	43.9
6	Diabetes mellitus (E10-E14)	130	3.1	24.4
7	Alzheimer's disease (G30)	125	3.0	23.5
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	124	2.9	23.3
9	Influenza and pneumonia (J09-J18)	123	2.9	23.1
10	Chronic liver disease and cirrhosis (K70,K73-K74)	77	1.8	14.5
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	56	1.3	10.5
12	Septicemia (A40-A41)	52	1.2	9.8
13	Parkinson's disease (G20-G21)	34	0.8	6.4
14	Certain conditions originating in the perinatal period (P00-P96)	30	0.7	5.6
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	26	0.6	4.9
...	All other causes (Residual)	743	17.6	139.5

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable