

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2009

[Rates per 100,000 population. The title of ICD-10 code J09 was amended in 2009 to reflect the inclusion of Influenza A/H1N1 pandemic 2009 [swine flu]. The new J09 title is Influenza due to certain identified influenza virus]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
United States				
...	All causes	2,437,163	100.0	793.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	599,413	24.6	195.2
2	Malignant neoplasms (C00-C97)	567,628	23.3	184.9
3	Chronic lower respiratory diseases (J40-J47)	137,353	5.6	44.7
4	Cerebrovascular diseases (I60-I69)	128,842	5.3	42.0
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	118,021	4.8	38.4
6	Alzheimer's disease (G30)	79,003	3.2	25.7
7	Diabetes mellitus (E10-E14)	68,705	2.8	22.4
8	Influenza and pneumonia (J09-J18)	53,692	2.2	17.5
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	48,935	2.0	15.9
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	36,909	1.5	12.0
11	Septicemia (A40-A41)	35,639	1.5	11.6
12	Chronic liver disease and cirrhosis (K70,K73-K74)	30,558	1.3	10.0
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	25,734	1.1	8.4
14	Parkinson's disease (G20-G21)	20,565	0.8	6.7
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	16,799	0.7	5.5
...	All other causes (Residual)	469,367	19.3	152.9
Alabama				
...	All causes	47,470	100.0	1,008.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	12,021	25.3	255.3
2	Malignant neoplasms (C00-C97)	10,289	21.7	218.5
3	Chronic lower respiratory diseases (J40-J47)	2,770	5.8	58.8
4	Cerebrovascular diseases (I60-I69)	2,675	5.6	56.8
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,351	5.0	49.9
6	Alzheimer's disease (G30)	1,521	3.2	32.3
7	Diabetes mellitus (E10-E14)	1,259	2.7	26.7
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,180	2.5	25.1
9	Influenza and pneumonia (J09-J18)	952	2.0	20.2
10	Septicemia (A40-A41)	866	1.8	18.4
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	673	1.4	14.3
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	523	1.1	11.1
13	Chronic liver disease and cirrhosis (K70,K73-K74)	488	1.0	10.4
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	412	0.9	8.7
15	Parkinson's disease (G20-G21)	363	0.8	7.7
...	All other causes (Residual)	9,127	19.2	193.8

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2009

[Rates per 100,000 population. The title of ICD-10 code J09 was amended in 2009 to reflect the inclusion of Influenza A/H1N1 pandemic 2009 [swine flu]. The new J09 title is Influenza due to certain identified influenza virus]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Alaska				
...	All causes	3,618	100.0	518.0
1	Malignant neoplasms (C00-C97)	895	24.7	128.1
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	714	19.7	102.2
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	340	9.4	48.7
4	Chronic lower respiratory diseases (J40-J47)	196	5.4	28.1
5	Cerebrovascular diseases (I60-I69)	162	4.5	23.2
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	143	4.0	20.5
7	Chronic liver disease and cirrhosis (K70,K73-K74)	94	2.6	13.5
8	Diabetes mellitus (E10-E14)	84	2.3	12.0
9	Alzheimer's disease (G30)	67	1.9	9.6
10	Influenza and pneumonia (J09-J18)	51	1.4	7.3
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	47	1.3	6.7
12	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	26	0.7	3.7
13	Septicemia (A40-A41)	25	0.7	3.6
14	Viral hepatitis (B15-B19)	24	0.7	3.4
15	Parkinson's disease (G20-G21)	21	0.6	3.0
...	All other causes (Residual)	729	20.1	104.4
Arizona				
...	All causes	45,816	100.0	694.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,273	22.4	155.8
2	Malignant neoplasms (C00-C97)	10,271	22.4	155.7
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,919	6.4	44.3
4	Chronic lower respiratory diseases (J40-J47)	2,839	6.2	43.0
5	Alzheimer's disease (G30)	2,097	4.6	31.8
6	Cerebrovascular diseases (I60-I69)	2,072	4.5	31.4
7	Diabetes mellitus (E10-E14)	1,083	2.4	16.4
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,060	2.3	16.1
9	Influenza and pneumonia (J09-J18)	1,058	2.3	16.0
10	Chronic liver disease and cirrhosis (K70,K73-K74)	826	1.8	12.5
11	Septicemia (A40-A41)	549	1.2	8.3
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	546	1.2	8.3
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	491	1.1	7.4
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	477	1.0	7.2
15	Parkinson's disease (G20-G21)	448	1.0	6.8
...	All other causes (Residual)	8,807	19.2	133.5

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2009

[Rates per 100,000 population. The title of ICD-10 code J09 was amended in 2009 to reflect the inclusion of Influenza A/H1N1 pandemic 2009 [swine flu]. The new J09 title is Influenza due to certain identified influenza virus]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Arkansas				
...	All causes	28,673	100.0	992.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,295	25.4	252.5
2	Malignant neoplasms (C00-C97)	6,513	22.7	225.4
3	Chronic lower respiratory diseases (J40-J47)	1,831	6.4	63.4
4	Cerebrovascular diseases (I60-I69)	1,694	5.9	58.6
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,473	5.1	51.0
6	Diabetes mellitus (E10-E14)	890	3.1	30.8
7	Alzheimer's disease (G30)	885	3.1	30.6
8	Influenza and pneumonia (J09-J18)	705	2.5	24.4
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	680	2.4	23.5
10	Septicemia (A40-A41)	523	1.8	18.1
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	422	1.5	14.6
12	Chronic liver disease and cirrhosis (K70,K73-K74)	264	0.9	9.1
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	237	0.8	8.2
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	219	0.8	7.6
15	Pneumonitis due to solids and liquids (J69)	207	0.7	7.2
...	All other causes (Residual)	4,835	16.9	167.3
California				
...	All causes	232,736	100.0	629.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	59,206	25.4	160.2
2	Malignant neoplasms (C00-C97)	55,991	24.1	151.5
3	Cerebrovascular diseases (I60-I69)	13,506	5.8	36.5
4	Chronic lower respiratory diseases (J40-J47)	12,936	5.6	35.0
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	10,860	4.7	29.4
6	Alzheimer's disease (G30)	9,905	4.3	26.8
7	Diabetes mellitus (E10-E14)	6,979	3.0	18.9
8	Influenza and pneumonia (J09-J18)	6,394	2.7	17.3
9	Chronic liver disease and cirrhosis (K70,K73-K74)	4,279	1.8	11.6
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	3,823	1.6	10.3
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	3,559	1.5	9.6
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3,033	1.3	8.2
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	2,124	0.9	5.7
14	Parkinson's disease (G20-G21)	2,008	0.9	5.4
15	Viral hepatitis (B15-B19)	1,375	0.6	3.7
...	All other causes (Residual)	36,758	15.8	99.4

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2009

[Rates per 100,000 population. The title of ICD-10 code J09 was amended in 2009 to reflect the inclusion of Influenza A/H1N1 pandemic 2009 [swine flu]. The new J09 title is Influenza due to certain identified influenza virus]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Colorado				
...	All causes	31,173	100.0	620.4
1	Malignant neoplasms (C00-C97)	6,950	22.3	138.3
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,093	19.5	121.3
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,144	6.9	42.7
4	Chronic lower respiratory diseases (J40-J47)	2,073	6.6	41.3
5	Cerebrovascular diseases (I60-I69)	1,532	4.9	30.5
6	Alzheimer's disease (G30)	1,319	4.2	26.3
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	941	3.0	18.7
8	Diabetes mellitus (E10-E14)	779	2.5	15.5
9	Influenza and pneumonia (J09-J18)	658	2.1	13.1
10	Chronic liver disease and cirrhosis (K70,K73-K74)	553	1.8	11.0
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	447	1.4	8.9
12	Septicemia (A40-A41)	363	1.2	7.2
13	Parkinson's disease (G20-G21)	285	0.9	5.7
14	Pneumonitis due to solids and liquids (J69)	251	0.8	5.0
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	231	0.7	4.6
...	All other causes (Residual)	6,554	21.0	130.4
Connecticut				
...	All causes	28,585	100.0	812.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,105	24.9	201.9
2	Malignant neoplasms (C00-C97)	6,819	23.9	193.8
3	Cerebrovascular diseases (I60-I69)	1,460	5.1	41.5
4	Chronic lower respiratory diseases (J40-J47)	1,448	5.1	41.2
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,293	4.5	36.8
6	Alzheimer's disease (G30)	778	2.7	22.1
7	Influenza and pneumonia (J09-J18)	696	2.4	19.8
8	Diabetes mellitus (E10-E14)	624	2.2	17.7
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	585	2.0	16.6
10	Septicemia (A40-A41)	575	2.0	16.3
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	346	1.2	9.8
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	316	1.1	9.0
13	Pneumonitis due to solids and liquids (J69)	307	1.1	8.7
14	Chronic liver disease and cirrhosis (K70,K73-K74)	301	1.1	8.6
15	Parkinson's disease (G20-G21)	250	0.9	7.1
...	All other causes (Residual)	5,682	19.9	161.5

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2009

[Rates per 100,000 population. The title of ICD-10 code J09 was amended in 2009 to reflect the inclusion of Influenza A/H1N1 pandemic 2009 [swine flu]. The new J09 title is Influenza due to certain identified influenza virus]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Delaware				
...	All causes	7,534	100.0	851.2
1	Malignant neoplasms (C00-C97)	1,813	24.1	204.8
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,796	23.8	202.9
3	Chronic lower respiratory diseases (J40-J47)	428	5.7	48.4
4	Cerebrovascular diseases (I60-I69)	415	5.5	46.9
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	333	4.4	37.6
6	Diabetes mellitus (E10-E14)	206	2.7	23.3
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	176	2.3	19.9
8	Alzheimer's disease (G30)	163	2.2	18.4
9	Influenza and pneumonia (J09-J18)	132	1.8	14.9
10	Septicemia (A40-A41)	118	1.6	13.3
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	107	1.4	12.1
12	Chronic liver disease and cirrhosis (K70,K73-K74)	94	1.2	10.6
13	Certain conditions originating in the perinatal period (P00-P96)	57	0.8	6.4
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	56	0.7	6.3
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	56	0.7	6.3
14	Pneumonitis due to solids and liquids (J69)	56	0.7	6.3
...	All other causes (Residual)	1,528	20.3	172.6
District of Columbia				
...	All causes	4,834	100.0	806.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,288	26.6	214.8
2	Malignant neoplasms (C00-C97)	1,131	23.4	188.6
3	Cerebrovascular diseases (I60-I69)	199	4.1	33.2
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	145	3.0	24.2
5	Human immunodeficiency virus (HIV) disease (B20-B24)	142	2.9	23.7
6	Chronic lower respiratory diseases (J40-J47)	136	2.8	22.7
7	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	135	2.8	22.5
8	Diabetes mellitus (E10-E14)	129	2.7	21.5
9	Alzheimer's disease (G30)	94	1.9	15.7
10	Septicemia (A40-A41)	87	1.8	14.5
11	Influenza and pneumonia (J09-J18)	73	1.5	12.2
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	57	1.2	9.5
13	Chronic liver disease and cirrhosis (K70,K73-K74)	47	1.0	7.8
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	46	1.0	7.7
15	Certain conditions originating in the perinatal period (P00-P96)	41	0.8	6.8
...	All other causes (Residual)	1,084	22.4	180.8

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2009

[Rates per 100,000 population. The title of ICD-10 code J09 was amended in 2009 to reflect the inclusion of Influenza A/H1N1 pandemic 2009 [swine flu]. The new J09 title is Influenza due to certain identified influenza virus]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Florida				
...	All causes	169,924	100.0	916.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	41,274	24.3	222.6
2	Malignant neoplasms (C00-C97)	40,932	24.1	220.8
3	Chronic lower respiratory diseases (J40-J47)	10,182	6.0	54.9
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	8,746	5.1	47.2
5	Cerebrovascular diseases (I60-I69)	8,395	4.9	45.3
6	Diabetes mellitus (E10-E14)	4,901	2.9	26.4
7	Alzheimer's disease (G30)	4,617	2.7	24.9
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3,050	1.8	16.5
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	2,858	1.7	15.4
10	Influenza and pneumonia (J09-J18)	2,410	1.4	13.0
11	Chronic liver disease and cirrhosis (K70,K73-K74)	2,361	1.4	12.7
12	Septicemia (A40-A41)	1,883	1.1	10.2
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,870	1.1	10.1
14	Parkinson's disease (G20-G21)	1,628	1.0	8.8
15	Human immunodeficiency virus (HIV) disease (B20-B24)	1,232	0.7	6.6
...	All other causes (Residual)	33,585	19.8	181.2
Georgia				
...	All causes	69,712	100.0	709.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	16,165	23.2	164.5
2	Malignant neoplasms (C00-C97)	15,143	21.7	154.1
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,812	5.5	38.8
4	Chronic lower respiratory diseases (J40-J47)	3,736	5.4	38.0
5	Cerebrovascular diseases (I60-I69)	3,732	5.4	38.0
6	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,866	2.7	19.0
7	Alzheimer's disease (G30)	1,865	2.7	19.0
8	Diabetes mellitus (E10-E14)	1,582	2.3	16.1
9	Septicemia (A40-A41)	1,501	2.2	15.3
10	Influenza and pneumonia (J09-J18)	1,500	2.2	15.3
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,134	1.6	11.5
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	954	1.4	9.7
13	Chronic liver disease and cirrhosis (K70,K73-K74)	694	1.0	7.1
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	640	0.9	6.5
15	Certain conditions originating in the perinatal period (P00-P96)	558	0.8	5.7
...	All other causes (Residual)	14,830	21.3	150.9

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2009

[Rates per 100,000 population. The title of ICD-10 code J09 was amended in 2009 to reflect the inclusion of Influenza A/H1N1 pandemic 2009 [swine flu]. The new J09 title is Influenza due to certain identified influenza virus]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Hawaii				
...	All causes	9,914	100.0	765.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,363	23.8	182.4
2	Malignant neoplasms (C00-C97)	2,244	22.6	173.3
3	Cerebrovascular diseases (I60-I69)	671	6.8	51.8
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	436	4.4	33.7
5	Diabetes mellitus (E10-E14)	308	3.1	23.8
6	Chronic lower respiratory diseases (J40-J47)	303	3.1	23.4
7	Influenza and pneumonia (J09-J18)	291	2.9	22.5
8	Alzheimer's disease (G30)	253	2.6	19.5
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	225	2.3	17.4
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	175	1.8	13.5
11	Septicemia (A40-A41)	123	1.2	9.5
12	Pneumonitis due to solids and liquids (J69)	117	1.2	9.0
13	Chronic liver disease and cirrhosis (K70,K73-K74)	116	1.2	9.0
14	Parkinson's disease (G20-G21)	98	1.0	7.6
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	86	0.9	6.6
...	All other causes (Residual)	2,105	21.2	162.5
Idaho				
...	All causes	11,098	100.0	717.9
1	Malignant neoplasms (C00-C97)	2,458	22.1	159.0
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,398	21.6	155.1
3	Chronic lower respiratory diseases (J40-J47)	725	6.5	46.9
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	670	6.0	43.3
5	Cerebrovascular diseases (I60-I69)	627	5.6	40.6
6	Diabetes mellitus (E10-E14)	372	3.4	24.1
7	Alzheimer's disease (G30)	369	3.3	23.9
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	304	2.7	19.7
9	Influenza and pneumonia (J09-J18)	207	1.9	13.4
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	186	1.7	12.0
11	Chronic liver disease and cirrhosis (K70,K73-K74)	133	1.2	8.6
12	Parkinson's disease (G20-G21)	123	1.1	8.0
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	87	0.8	5.6
14	Pneumonitis due to solids and liquids (J69)	77	0.7	5.0
15	Septicemia (A40-A41)	76	0.7	4.9
...	All other causes (Residual)	2,286	20.6	147.9

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2009

[Rates per 100,000 population. The title of ICD-10 code J09 was amended in 2009 to reflect the inclusion of Influenza A/H1N1 pandemic 2009 [swine flu]. The new J09 title is Influenza due to certain identified influenza virus]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Illinois				
...	All causes	100,056	100.0	775.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	24,931	24.9	193.1
2	Malignant neoplasms (C00-C97)	24,185	24.2	187.3
3	Chronic lower respiratory diseases (J40-J47)	5,299	5.3	41.0
4	Cerebrovascular diseases (I60-I69)	5,258	5.3	40.7
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,961	4.0	30.7
6	Alzheimer's disease (G30)	2,891	2.9	22.4
7	Diabetes mellitus (E10-E14)	2,741	2.7	21.2
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,695	2.7	20.9
9	Influenza and pneumonia (J09-J18)	2,416	2.4	18.7
10	Septicemia (A40-A41)	2,000	2.0	15.5
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,177	1.2	9.1
12	Chronic liver disease and cirrhosis (K70,K73-K74)	1,111	1.1	8.6
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	890	0.9	6.9
14	Parkinson's disease (G20-G21)	882	0.9	6.8
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	881	0.9	6.8
...	All other causes (Residual)	18,738	18.7	145.1
Indiana				
...	All causes	55,973	100.0	871.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	13,509	24.1	210.3
2	Malignant neoplasms (C00-C97)	13,093	23.4	203.8
3	Chronic lower respiratory diseases (J40-J47)	3,745	6.7	58.3
4	Cerebrovascular diseases (I60-I69)	3,004	5.4	46.8
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,577	4.6	40.1
6	Alzheimer's disease (G30)	1,884	3.4	29.3
7	Diabetes mellitus (E10-E14)	1,646	2.9	25.6
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,442	2.6	22.5
9	Influenza and pneumonia (J09-J18)	1,191	2.1	18.5
10	Septicemia (A40-A41)	832	1.5	13.0
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	828	1.5	12.9
12	Chronic liver disease and cirrhosis (K70,K73-K74)	555	1.0	8.6
13	Parkinson's disease (G20-G21)	479	0.9	7.5
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	455	0.8	7.1
15	Pneumonitis due to solids and liquids (J69)	400	0.7	6.2
...	All other causes (Residual)	10,333	18.5	160.9

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2009

[Rates per 100,000 population. The title of ICD-10 code J09 was amended in 2009 to reflect the inclusion of Influenza A/H1N1 pandemic 2009 [swine flu]. The new J09 title is Influenza due to certain identified influenza virus]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Iowa				
...	All causes	27,544	100.0	915.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,938	25.2	230.7
2	Malignant neoplasms (C00-C97)	6,249	22.7	207.8
3	Chronic lower respiratory diseases (J40-J47)	1,832	6.7	60.9
4	Cerebrovascular diseases (I60-I69)	1,635	5.9	54.4
5	Alzheimer's disease (G30)	1,265	4.6	42.1
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,255	4.6	41.7
7	Diabetes mellitus (E10-E14)	702	2.5	23.3
8	Influenza and pneumonia (J09-J18)	661	2.4	22.0
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	361	1.3	12.0
10	Parkinson's disease (G20-G21)	313	1.1	10.4
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	302	1.1	10.0
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	291	1.1	9.7
13	Chronic liver disease and cirrhosis (K70,K73-K74)	260	0.9	8.6
14	Pneumonitis due to solids and liquids (J69)	258	0.9	8.6
15	Septicemia (A40-A41)	238	0.9	7.9
...	All other causes (Residual)	4,984	18.1	165.7
Kansas				
...	All causes	24,024	100.0	852.3
1	Malignant neoplasms (C00-C97)	5,319	22.1	188.7
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	5,294	22.0	187.8
3	Chronic lower respiratory diseases (J40-J47)	1,580	6.6	56.1
4	Cerebrovascular diseases (I60-I69)	1,416	5.9	50.2
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,273	5.3	45.2
6	Alzheimer's disease (G30)	802	3.3	28.5
7	Diabetes mellitus (E10-E14)	635	2.6	22.5
8	Influenza and pneumonia (J09-J18)	594	2.5	21.1
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	556	2.3	19.7
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	382	1.6	13.6
11	Septicemia (A40-A41)	354	1.5	12.6
12	Atherosclerosis (I70)	321	1.3	11.4
13	Parkinson's disease (G20-G21)	250	1.0	8.9
14	Chronic liver disease and cirrhosis (K70,K73-K74)	224	0.9	7.9
15	Pneumonitis due to solids and liquids (J69)	173	0.7	6.1
...	All other causes (Residual)	4,851	20.2	172.1

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2009

[Rates per 100,000 population. The title of ICD-10 code J09 was amended in 2009 to reflect the inclusion of Influenza A/H1N1 pandemic 2009 [swine flu]. The new J09 title is Influenza due to certain identified influenza virus]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Kentucky				
...	All causes	41,380	100.0	959.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	9,728	23.5	225.5
2	Malignant neoplasms (C00-C97)	9,634	23.3	223.3
3	Chronic lower respiratory diseases (J40-J47)	2,854	6.9	66.2
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,394	5.8	55.5
5	Cerebrovascular diseases (I60-I69)	2,064	5.0	47.8
6	Diabetes mellitus (E10-E14)	1,348	3.3	31.2
7	Alzheimer's disease (G30)	1,345	3.3	31.2
8	Influenza and pneumonia (J09-J18)	1,018	2.5	23.6
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	945	2.3	21.9
10	Septicemia (A40-A41)	724	1.7	16.8
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	592	1.4	13.7
12	Chronic liver disease and cirrhosis (K70,K73-K74)	420	1.0	9.7
13	Parkinson's disease (G20-G21)	317	0.8	7.3
14	Pneumonitis due to solids and liquids (J69)	296	0.7	6.9
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	285	0.7	6.6
...	All other causes (Residual)	7,416	17.9	171.9
Louisiana				
...	All causes	40,282	100.0	896.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,169	25.2	226.4
2	Malignant neoplasms (C00-C97)	9,098	22.6	202.5
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,142	5.3	47.7
4	Cerebrovascular diseases (I60-I69)	2,061	5.1	45.9
5	Chronic lower respiratory diseases (J40-J47)	1,878	4.7	41.8
6	Alzheimer's disease (G30)	1,336	3.3	29.7
7	Diabetes mellitus (E10-E14)	1,249	3.1	27.8
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,160	2.9	25.8
9	Influenza and pneumonia (J09-J18)	891	2.2	19.8
10	Septicemia (A40-A41)	827	2.1	18.4
11	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	573	1.4	12.8
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	490	1.2	10.9
13	Chronic liver disease and cirrhosis (K70,K73-K74)	382	0.9	8.5
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	332	0.8	7.4
15	Human immunodeficiency virus (HIV) disease (B20-B24)	306	0.8	6.8
...	All other causes (Residual)	7,388	18.3	164.5

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2009

[Rates per 100,000 population. The title of ICD-10 code J09 was amended in 2009 to reflect the inclusion of Influenza A/H1N1 pandemic 2009 [swine flu]. The new J09 title is Influenza due to certain identified influenza virus]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Maine				
...	All causes	12,594	100.0	955.3
1	Malignant neoplasms (C00-C97)	3,133	24.9	237.7
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,674	21.2	202.8
3	Chronic lower respiratory diseases (J40-J47)	821	6.5	62.3
4	Cerebrovascular diseases (I60-I69)	647	5.1	49.1
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	602	4.8	45.7
6	Alzheimer's disease (G30)	466	3.7	35.3
7	Diabetes mellitus (E10-E14)	350	2.8	26.5
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	272	2.2	20.6
9	Influenza and pneumonia (J09-J18)	251	2.0	19.0
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	197	1.6	14.9
11	Chronic liver disease and cirrhosis (K70,K73-K74)	144	1.1	10.9
12	Septicemia (A40-A41)	132	1.0	10.0
13	Parkinson's disease (G20-G21)	127	1.0	9.6
14	Pneumonitis due to solids and liquids (J69)	105	0.8	8.0
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	83	0.7	6.3
...	All other causes (Residual)	2,590	20.6	196.5
Maryland				
...	All causes	43,843	100.0	769.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,210	25.6	196.7
2	Malignant neoplasms (C00-C97)	10,412	23.7	182.7
3	Cerebrovascular diseases (I60-I69)	2,288	5.2	40.1
4	Chronic lower respiratory diseases (J40-J47)	2,064	4.7	36.2
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,415	3.2	24.8
6	Diabetes mellitus (E10-E14)	1,207	2.8	21.2
7	Septicemia (A40-A41)	1,058	2.4	18.6
8	Influenza and pneumonia (J09-J18)	976	2.2	17.1
9	Alzheimer's disease (G30)	937	2.1	16.4
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	803	1.8	14.1
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	551	1.3	9.7
12	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	457	1.0	8.0
13	Chronic liver disease and cirrhosis (K70,K73-K74)	429	1.0	7.5
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	427	1.0	7.5
15	Human immunodeficiency virus (HIV) disease (B20-B24)	364	0.8	6.4
...	All other causes (Residual)	9,245	21.1	162.2

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2009

[Rates per 100,000 population. The title of ICD-10 code J09 was amended in 2009 to reflect the inclusion of Influenza A/H1N1 pandemic 2009 [swine flu]. The new J09 title is Influenza due to certain identified influenza virus]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Massachusetts				
...	All causes	52,308	100.0	793.3
1	Malignant neoplasms (C00-C97)	13,112	25.1	198.9
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	12,322	23.6	186.9
3	Cerebrovascular diseases (I60-I69)	2,579	4.9	39.1
4	Chronic lower respiratory diseases (J40-J47)	2,559	4.9	38.8
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,076	4.0	31.5
6	Alzheimer's disease (G30)	1,700	3.2	25.8
7	Influenza and pneumonia (J09-J18)	1,348	2.6	20.4
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,269	2.4	19.2
9	Diabetes mellitus (E10-E14)	1,007	1.9	15.3
10	Septicemia (A40-A41)	762	1.5	11.6
11	Chronic liver disease and cirrhosis (K70,K73-K74)	571	1.1	8.7
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	530	1.0	8.0
13	Pneumonitis due to solids and liquids (J69)	491	0.9	7.4
14	Parkinson's disease (G20-G21)	441	0.8	6.7
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	417	0.8	6.3
...	All other causes (Residual)	11,124	21.3	168.7
Michigan				
...	All causes	86,455	100.0	867.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	23,099	26.7	231.7
2	Malignant neoplasms (C00-C97)	20,257	23.4	203.2
3	Chronic lower respiratory diseases (J40-J47)	4,961	5.7	49.8
4	Cerebrovascular diseases (I60-I69)	4,435	5.1	44.5
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,682	4.3	36.9
6	Diabetes mellitus (E10-E14)	2,705	3.1	27.1
7	Alzheimer's disease (G30)	2,578	3.0	25.9
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,650	1.9	16.6
9	Influenza and pneumonia (J09-J18)	1,613	1.9	16.2
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,169	1.4	11.7
11	Chronic liver disease and cirrhosis (K70,K73-K74)	1,082	1.3	10.9
12	Septicemia (A40-A41)	1,017	1.2	10.2
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	857	1.0	8.6
14	Parkinson's disease (G20-G21)	744	0.9	7.5
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	656	0.8	6.6
...	All other causes (Residual)	15,950	18.4	160.0

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2009

[Rates per 100,000 population. The title of ICD-10 code J09 was amended in 2009 to reflect the inclusion of Influenza A/H1N1 pandemic 2009 [swine flu]. The new J09 title is Influenza due to certain identified influenza virus]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Minnesota				
...	All causes	37,851	100.0	718.8
1	Malignant neoplasms (C00-C97)	9,580	25.3	181.9
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,238	19.1	137.4
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,037	5.4	38.7
4	Cerebrovascular diseases (I60-I69)	2,033	5.4	38.6
5	Chronic lower respiratory diseases (J40-J47)	1,961	5.2	37.2
6	Alzheimer's disease (G30)	1,358	3.6	25.8
7	Diabetes mellitus (E10-E14)	1,021	2.7	19.4
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	807	2.1	15.3
9	Influenza and pneumonia (J09-J18)	618	1.6	11.7
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	584	1.5	11.1
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	472	1.2	9.0
12	Parkinson's disease (G20-G21)	458	1.2	8.7
13	Chronic liver disease and cirrhosis (K70,K73-K74)	403	1.1	7.7
14	Septicemia (A40-A41)	329	0.9	6.2
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	308	0.8	5.8
...	All other causes (Residual)	8,644	22.8	164.1
Mississippi				
...	All causes	28,275	100.0	957.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,530	26.6	255.1
2	Malignant neoplasms (C00-C97)	6,131	21.7	207.7
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,658	5.9	56.2
4	Chronic lower respiratory diseases (J40-J47)	1,556	5.5	52.7
5	Cerebrovascular diseases (I60-I69)	1,436	5.1	48.6
6	Diabetes mellitus (E10-E14)	900	3.2	30.5
6	Alzheimer's disease (G30)	900	3.2	30.5
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	700	2.5	23.7
9	Influenza and pneumonia (J09-J18)	578	2.0	19.6
10	Septicemia (A40-A41)	545	1.9	18.5
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	466	1.6	15.8
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	381	1.3	12.9
13	Chronic liver disease and cirrhosis (K70,K73-K74)	289	1.0	9.8
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	275	1.0	9.3
15	Certain conditions originating in the perinatal period (P00-P96)	195	0.7	6.6
...	All other causes (Residual)	4,735	16.7	160.4

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2009

[Rates per 100,000 population. The title of ICD-10 code J09 was amended in 2009 to reflect the inclusion of Influenza A/H1N1 pandemic 2009 [swine flu]. The new J09 title is Influenza due to certain identified influenza virus]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Missouri				
...	All causes	54,263	100.0	906.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	13,916	25.6	232.4
2	Malignant neoplasms (C00-C97)	12,472	23.0	208.3
3	Chronic lower respiratory diseases (J40-J47)	3,456	6.4	57.7
4	Cerebrovascular diseases (I60-I69)	3,017	5.6	50.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,939	5.4	49.1
6	Alzheimer's disease (G30)	1,728	3.2	28.9
7	Diabetes mellitus (E10-E14)	1,335	2.5	22.3
8	Influenza and pneumonia (J09-J18)	1,330	2.5	22.2
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,223	2.3	20.4
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	860	1.6	14.4
11	Septicemia (A40-A41)	783	1.4	13.1
12	Chronic liver disease and cirrhosis (K70,K73-K74)	512	0.9	8.6
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	451	0.8	7.5
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	428	0.8	7.1
15	Parkinson's disease (G20-G21)	417	0.8	7.0
...	All other causes (Residual)	9,396	17.3	156.9
Montana				
...	All causes	8,730	100.0	895.4
1	Malignant neoplasms (C00-C97)	1,914	21.9	196.3
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,832	21.0	187.9
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	619	7.1	63.5
4	Chronic lower respiratory diseases (J40-J47)	598	6.8	61.3
5	Cerebrovascular diseases (I60-I69)	462	5.3	47.4
6	Alzheimer's disease (G30)	256	2.9	26.3
7	Diabetes mellitus (E10-E14)	228	2.6	23.4
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	219	2.5	22.5
9	Influenza and pneumonia (J09-J18)	176	2.0	18.1
10	Chronic liver disease and cirrhosis (K70,K73-K74)	139	1.6	14.3
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	129	1.5	13.2
12	Septicemia (A40-A41)	99	1.1	10.2
13	Parkinson's disease (G20-G21)	86	1.0	8.8
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	68	0.8	7.0
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	56	0.6	5.7
15	Pneumonitis due to solids and liquids (J69)	56	0.6	5.7
...	All other causes (Residual)	1,793	20.5	183.9

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2009

[Rates per 100,000 population. The title of ICD-10 code J09 was amended in 2009 to reflect the inclusion of Influenza A/H1N1 pandemic 2009 [swine flu]. The new J09 title is Influenza due to certain identified influenza virus]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Nebraska				
...	All causes	14,810	100.0	824.3
1	Malignant neoplasms (C00-C97)	3,336	22.5	185.7
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,277	22.1	182.4
3	Chronic lower respiratory diseases (J40-J47)	987	6.7	54.9
4	Cerebrovascular diseases (I60-I69)	857	5.8	47.7
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	683	4.6	38.0
6	Alzheimer's disease (G30)	573	3.9	31.9
7	Diabetes mellitus (E10-E14)	445	3.0	24.8
8	Influenza and pneumonia (J09-J18)	266	1.8	14.8
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	258	1.7	14.4
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	184	1.2	10.2
11	Parkinson's disease (G20-G21)	172	1.2	9.6
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	170	1.1	9.5
13	Chronic liver disease and cirrhosis (K70,K73-K74)	136	0.9	7.6
14	Septicemia (A40-A41)	125	0.8	7.0
15	Pneumonitis due to solids and liquids (J69)	115	0.8	6.4
...	All other causes (Residual)	3,226	21.8	179.6
Nevada				
...	All causes	19,224	100.0	727.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	4,687	24.4	177.3
2	Malignant neoplasms (C00-C97)	4,461	23.2	168.8
3	Chronic lower respiratory diseases (J40-J47)	1,244	6.5	47.1
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,025	5.3	38.8
5	Cerebrovascular diseases (I60-I69)	859	4.5	32.5
6	Influenza and pneumonia (J09-J18)	542	2.8	20.5
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	505	2.6	19.1
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	446	2.3	16.9
9	Diabetes mellitus (E10-E14)	377	2.0	14.3
10	Septicemia (A40-A41)	332	1.7	12.6
11	Chronic liver disease and cirrhosis (K70,K73-K74)	325	1.7	12.3
12	Alzheimer's disease (G30)	312	1.6	11.8
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	153	0.8	5.8
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	132	0.7	5.0
15	Atherosclerosis (I70)	130	0.7	4.9
...	All other causes (Residual)	3,694	19.2	139.8

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2009

[Rates per 100,000 population. The title of ICD-10 code J09 was amended in 2009 to reflect the inclusion of Influenza A/H1N1 pandemic 2009 [swine flu]. The new J09 title is Influenza due to certain identified influenza virus]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
New Hampshire				
...	All causes	10,100	100.0	762.5
1	Malignant neoplasms (C00-C97)	2,562	25.4	193.4
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,268	22.5	171.2
3	Chronic lower respiratory diseases (J40-J47)	652	6.5	49.2
4	Cerebrovascular diseases (I60-I69)	499	4.9	37.7
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	482	4.8	36.4
6	Alzheimer's disease (G30)	367	3.6	27.7
7	Diabetes mellitus (E10-E14)	276	2.7	20.8
8	Influenza and pneumonia (J09-J18)	194	1.9	14.6
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	166	1.6	12.5
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	165	1.6	12.5
11	Chronic liver disease and cirrhosis (K70,K73-K74)	133	1.3	10.0
12	Septicemia (A40-A41)	124	1.2	9.4
13	Parkinson's disease (G20-G21)	99	1.0	7.5
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	75	0.7	5.7
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	74	0.7	5.6
...	All other causes (Residual)	1,964	19.4	148.3
New Jersey				
...	All causes	68,277	100.0	784.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	18,086	26.5	207.7
2	Malignant neoplasms (C00-C97)	16,541	24.2	190.0
3	Cerebrovascular diseases (I60-I69)	3,265	4.8	37.5
4	Chronic lower respiratory diseases (J40-J47)	3,125	4.6	35.9
5	Diabetes mellitus (E10-E14)	1,959	2.9	22.5
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,875	2.7	21.5
7	Alzheimer's disease (G30)	1,872	2.7	21.5
8	Septicemia (A40-A41)	1,744	2.6	20.0
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,709	2.5	19.6
10	Influenza and pneumonia (J09-J18)	1,309	1.9	15.0
11	Chronic liver disease and cirrhosis (K70,K73-K74)	719	1.1	8.3
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	667	1.0	7.7
13	Parkinson's disease (G20-G21)	615	0.9	7.1
14	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	557	0.8	6.4
15	Pneumonitis due to solids and liquids (J69)	514	0.8	5.9
...	All other causes (Residual)	13,720	20.1	157.6

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2009

[Rates per 100,000 population. The title of ICD-10 code J09 was amended in 2009 to reflect the inclusion of Influenza A/H1N1 pandemic 2009 [swine flu]. The new J09 title is Influenza due to certain identified influenza virus]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
New Mexico				
...	All causes	15,643	100.0	778.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,214	20.5	159.9
2	Malignant neoplasms (C00-C97)	3,202	20.5	159.3
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,281	8.2	63.7
4	Chronic lower respiratory diseases (J40-J47)	984	6.3	49.0
5	Cerebrovascular diseases (I60-I69)	726	4.6	36.1
6	Diabetes mellitus (E10-E14)	597	3.8	29.7
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	376	2.4	18.7
8	Alzheimer's disease (G30)	373	2.4	18.6
9	Chronic liver disease and cirrhosis (K70,K73-K74)	370	2.4	18.4
10	Influenza and pneumonia (J09-J18)	344	2.2	17.1
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	274	1.8	13.6
12	Septicemia (A40-A41)	204	1.3	10.2
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	175	1.1	8.7
14	Parkinson's disease (G20-G21)	162	1.0	8.1
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	116	0.7	5.8
...	All other causes (Residual)	3,245	20.7	161.5
New York				
...	All causes	146,475	100.0	749.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	47,283	32.3	242.0
2	Malignant neoplasms (C00-C97)	35,216	24.0	180.2
3	Chronic lower respiratory diseases (J40-J47)	6,740	4.6	34.5
4	Cerebrovascular diseases (I60-I69)	5,950	4.1	30.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,891	3.3	25.0
6	Influenza and pneumonia (J09-J18)	4,527	3.1	23.2
7	Diabetes mellitus (E10-E14)	3,723	2.5	19.1
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,426	1.7	12.4
9	Alzheimer's disease (G30)	2,396	1.6	12.3
10	Septicemia (A40-A41)	2,343	1.6	12.0
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,912	1.3	9.8
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,417	1.0	7.3
13	Chronic liver disease and cirrhosis (K70,K73-K74)	1,296	0.9	6.6
14	Human immunodeficiency virus (HIV) disease (B20-B24)	1,104	0.8	5.6
15	Parkinson's disease (G20-G21)	964	0.7	4.9
...	All other causes (Residual)	24,287	16.6	124.3

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2009

[Rates per 100,000 population. The title of ICD-10 code J09 was amended in 2009 to reflect the inclusion of Influenza A/H1N1 pandemic 2009 [swine flu]. The new J09 title is Influenza due to certain identified influenza virus]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
North Carolina				
...	All causes	77,117	100.0	822.1
1	Malignant neoplasms (C00-C97)	17,513	22.7	186.7
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	17,203	22.3	183.4
3	Cerebrovascular diseases (I60-I69)	4,442	5.8	47.4
4	Chronic lower respiratory diseases (J40-J47)	4,329	5.6	46.1
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,136	5.4	44.1
6	Alzheimer's disease (G30)	2,646	3.4	28.2
7	Diabetes mellitus (E10-E14)	2,114	2.7	22.5
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,828	2.4	19.5
9	Influenza and pneumonia (J09-J18)	1,752	2.3	18.7
10	Septicemia (A40-A41)	1,310	1.7	14.0
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,174	1.5	12.5
12	Chronic liver disease and cirrhosis (K70,K73-K74)	935	1.2	10.0
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	796	1.0	8.5
14	Pneumonitis due to solids and liquids (J69)	657	0.9	7.0
15	Parkinson's disease (G20-G21)	593	0.8	6.3
...	All other causes (Residual)	15,689	20.3	167.2
North Dakota				
...	All causes	5,914	100.0	914.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,431	24.2	221.2
2	Malignant neoplasms (C00-C97)	1,243	21.0	192.2
3	Alzheimer's disease (G30)	366	6.2	56.6
4	Chronic lower respiratory diseases (J40-J47)	341	5.8	52.7
5	Cerebrovascular diseases (I60-I69)	337	5.7	52.1
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	324	5.5	50.1
7	Diabetes mellitus (E10-E14)	214	3.6	33.1
8	Influenza and pneumonia (J09-J18)	138	2.3	21.3
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	118	2.0	18.2
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	90	1.5	13.9
11	Pneumonitis due to solids and liquids (J69)	61	1.0	9.4
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	59	1.0	9.1
13	Parkinson's disease (G20-G21)	53	0.9	8.2
14	Chronic liver disease and cirrhosis (K70,K73-K74)	51	0.9	7.9
15	Septicemia (A40-A41)	47	0.8	7.3
...	All other causes (Residual)	1,041	17.6	160.9

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2009

[Rates per 100,000 population. The title of ICD-10 code J09 was amended in 2009 to reflect the inclusion of Influenza A/H1N1 pandemic 2009 [swine flu]. The new J09 title is Influenza due to certain identified influenza virus]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Ohio				
...	All causes	107,156	100.0	928.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	25,453	23.8	220.5
2	Malignant neoplasms (C00-C97)	25,149	23.5	217.9
3	Chronic lower respiratory diseases (J40-J47)	6,642	6.2	57.5
4	Cerebrovascular diseases (I60-I69)	5,576	5.2	48.3
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,012	3.7	34.8
6	Alzheimer's disease (G30)	3,879	3.6	33.6
7	Diabetes mellitus (E10-E14)	3,401	3.2	29.5
8	Influenza and pneumonia (J09-J18)	2,040	1.9	17.7
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,909	1.8	16.5
10	Septicemia (A40-A41)	1,501	1.4	13.0
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,271	1.2	11.0
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,176	1.1	10.2
13	Chronic liver disease and cirrhosis (K70,K73-K74)	1,167	1.1	10.1
14	Parkinson's disease (G20-G21)	909	0.8	7.9
15	Pneumonitis due to solids and liquids (J69)	765	0.7	6.6
...	All other causes (Residual)	22,306	20.8	193.2
Oklahoma				
...	All causes	35,601	100.0	965.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	9,202	25.8	249.6
2	Malignant neoplasms (C00-C97)	7,639	21.5	207.2
3	Chronic lower respiratory diseases (J40-J47)	2,595	7.3	70.4
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,284	6.4	61.9
5	Cerebrovascular diseases (I60-I69)	1,961	5.5	53.2
6	Diabetes mellitus (E10-E14)	1,146	3.2	31.1
7	Alzheimer's disease (G30)	993	2.8	26.9
8	Influenza and pneumonia (J09-J18)	879	2.5	23.8
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	637	1.8	17.3
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	567	1.6	15.4
11	Chronic liver disease and cirrhosis (K70,K73-K74)	433	1.2	11.7
12	Septicemia (A40-A41)	419	1.2	11.4
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	314	0.9	8.5
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	248	0.7	6.7
15	Pneumonitis due to solids and liquids (J69)	222	0.6	6.0
...	All other causes (Residual)	6,062	17.0	164.4

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2009

[Rates per 100,000 population. The title of ICD-10 code J09 was amended in 2009 to reflect the inclusion of Influenza A/H1N1 pandemic 2009 [swine flu]. The new J09 title is Influenza due to certain identified influenza virus]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Oregon				
...	All causes	31,636	100.0	826.9
1	Malignant neoplasms (C00-C97)	7,487	23.7	195.7
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,262	19.8	163.7
3	Chronic lower respiratory diseases (J40-J47)	1,943	6.1	50.8
4	Cerebrovascular diseases (I60-I69)	1,912	6.0	50.0
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,598	5.1	41.8
6	Alzheimer's disease (G30)	1,212	3.8	31.7
7	Diabetes mellitus (E10-E14)	1,073	3.4	28.0
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	644	2.0	16.8
9	Influenza and pneumonia (J09-J18)	507	1.6	13.3
9	Chronic liver disease and cirrhosis (K70,K73-K74)	507	1.6	13.3
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	422	1.3	11.0
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	387	1.2	10.1
13	Parkinson's disease (G20-G21)	345	1.1	9.0
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	245	0.8	6.4
15	Septicemia (A40-A41)	225	0.7	5.9
...	All other causes (Residual)	6,867	21.7	179.5
Pennsylvania				
...	All causes	124,780	100.0	989.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	32,297	25.9	256.2
2	Malignant neoplasms (C00-C97)	28,881	23.1	229.1
3	Cerebrovascular diseases (I60-I69)	6,842	5.5	54.3
4	Chronic lower respiratory diseases (J40-J47)	6,432	5.2	51.0
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	5,477	4.4	43.5
6	Alzheimer's disease (G30)	3,547	2.8	28.1
7	Diabetes mellitus (E10-E14)	3,254	2.6	25.8
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3,054	2.4	24.2
9	Influenza and pneumonia (J09-J18)	2,601	2.1	20.6
10	Septicemia (A40-A41)	2,229	1.8	17.7
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,631	1.3	12.9
12	Chronic liver disease and cirrhosis (K70,K73-K74)	1,163	0.9	9.2
13	Parkinson's disease (G20-G21)	1,132	0.9	9.0
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,046	0.8	8.3
15	Pneumonitis due to solids and liquids (J69)	997	0.8	7.9
...	All other causes (Residual)	24,197	19.4	192.0

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2009

[Rates per 100,000 population. The title of ICD-10 code J09 was amended in 2009 to reflect the inclusion of Influenza A/H1N1 pandemic 2009 [swine flu]. The new J09 title is Influenza due to certain identified influenza virus]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Rhode Island				
...	All causes	9,395	100.0	892.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,411	25.7	228.9
2	Malignant neoplasms (C00-C97)	2,220	23.6	210.8
3	Chronic lower respiratory diseases (J40-J47)	511	5.4	48.5
4	Cerebrovascular diseases (I60-I69)	429	4.6	40.7
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	428	4.6	40.6
6	Alzheimer's disease (G30)	321	3.4	30.5
7	Influenza and pneumonia (J09-J18)	222	2.4	21.1
8	Diabetes mellitus (E10-E14)	213	2.3	20.2
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	190	2.0	18.0
10	Septicemia (A40-A41)	159	1.7	15.1
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	118	1.3	11.2
12	Chronic liver disease and cirrhosis (K70,K73-K74)	109	1.2	10.3
13	Enterocolitis due to <i>Clostridium difficile</i> (A04.7)	83	0.9	7.9
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	73	0.8	6.9
15	Pneumonitis due to solids and liquids (J69)	68	0.7	6.5
...	All other causes (Residual)	1,840	19.6	174.7
South Carolina				
...	All causes	40,449	100.0	886.8
1	Malignant neoplasms (C00-C97)	9,123	22.6	200.0
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	9,068	22.4	198.8
3	Cerebrovascular diseases (I60-I69)	2,400	5.9	52.6
4	Chronic lower respiratory diseases (J40-J47)	2,317	5.7	50.8
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,229	5.5	48.9
6	Alzheimer's disease (G30)	1,478	3.7	32.4
7	Diabetes mellitus (E10-E14)	1,128	2.8	24.7
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	893	2.2	19.6
9	Influenza and pneumonia (J09-J18)	759	1.9	16.6
10	Septicemia (A40-A41)	654	1.6	14.3
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	619	1.5	13.6
12	Chronic liver disease and cirrhosis (K70,K73-K74)	527	1.3	11.6
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	418	1.0	9.2
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	347	0.9	7.6
15	Parkinson's disease (G20-G21)	277	0.7	6.1
...	All other causes (Residual)	8,212	20.3	180.0

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2009

[Rates per 100,000 population. The title of ICD-10 code J09 was amended in 2009 to reflect the inclusion of Influenza A/H1N1 pandemic 2009 [swine flu]. The new J09 title is Influenza due to certain identified influenza virus]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
South Dakota				
...	All causes	6,923	100.0	852.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,778	25.7	218.9
2	Malignant neoplasms (C00-C97)	1,503	21.7	185.0
3	Chronic lower respiratory diseases (J40-J47)	440	6.4	54.2
4	Cerebrovascular diseases (I60-I69)	418	6.0	51.5
5	Alzheimer's disease (G30)	403	5.8	49.6
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	349	5.0	43.0
7	Diabetes mellitus (E10-E14)	202	2.9	24.9
8	Influenza and pneumonia (J09-J18)	134	1.9	16.5
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	129	1.9	15.9
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	102	1.5	12.6
11	Chronic liver disease and cirrhosis (K70,K73-K74)	78	1.1	9.6
12	Septicemia (A40-A41)	64	0.9	7.9
12	Parkinson's disease (G20-G21)	64	0.9	7.9
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	54	0.8	6.6
15	Pneumonitis due to solids and liquids (J69)	53	0.8	6.5
...	All other causes (Residual)	1,152	16.6	141.8
Tennessee				
...	All causes	58,288	100.0	925.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	14,257	24.5	226.4
2	Malignant neoplasms (C00-C97)	13,482	23.1	214.1
3	Chronic lower respiratory diseases (J40-J47)	3,503	6.0	55.6
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,231	5.5	51.3
5	Cerebrovascular diseases (I60-I69)	3,156	5.4	50.1
6	Alzheimer's disease (G30)	2,203	3.8	35.0
7	Diabetes mellitus (E10-E14)	1,759	3.0	27.9
8	Influenza and pneumonia (J09-J18)	1,390	2.4	22.1
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	949	1.6	15.1
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	947	1.6	15.0
11	Chronic liver disease and cirrhosis (K70,K73-K74)	702	1.2	11.1
12	Septicemia (A40-A41)	681	1.2	10.8
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	551	0.9	8.8
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	496	0.9	7.9
15	Pneumonitis due to solids and liquids (J69)	465	0.8	7.4
...	All other causes (Residual)	10,516	18.0	167.0

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2009

[Rates per 100,000 population. The title of ICD-10 code J09 was amended in 2009 to reflect the inclusion of Influenza A/H1N1 pandemic 2009 [swine flu]. The new J09 title is Influenza due to certain identified influenza virus]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Texas				
...	All causes	163,249	100.0	658.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	38,077	23.3	153.6
2	Malignant neoplasms (C00-C97)	35,591	21.8	143.6
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	9,349	5.7	37.7
4	Cerebrovascular diseases (I60-I69)	9,137	5.6	36.9
5	Chronic lower respiratory diseases (J40-J47)	8,649	5.3	34.9
6	Alzheimer's disease (G30)	5,064	3.1	20.4
7	Diabetes mellitus (E10-E14)	4,873	3.0	19.7
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3,694	2.3	14.9
9	Influenza and pneumonia (J09-J18)	3,387	2.1	13.7
10	Septicemia (A40-A41)	3,106	1.9	12.5
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	2,809	1.7	11.3
12	Chronic liver disease and cirrhosis (K70,K73-K74)	2,720	1.7	11.0
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,607	1.0	6.5
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,502	0.9	6.1
15	Parkinson's disease (G20-G21)	1,319	0.8	5.3
...	All other causes (Residual)	32,365	19.8	130.6
Utah				
...	All causes	14,138	100.0	507.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,813	19.9	101.0
2	Malignant neoplasms (C00-C97)	2,555	18.1	91.8
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	899	6.4	32.3
4	Cerebrovascular diseases (I60-I69)	738	5.2	26.5
5	Chronic lower respiratory diseases (J40-J47)	581	4.1	20.9
6	Diabetes mellitus (E10-E14)	463	3.3	16.6
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	449	3.2	16.1
8	Alzheimer's disease (G30)	371	2.6	13.3
9	Influenza and pneumonia (J09-J18)	332	2.3	11.9
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	212	1.5	7.6
11	Parkinson's disease (G20-G21)	175	1.2	6.3
12	Chronic liver disease and cirrhosis (K70,K73-K74)	152	1.1	5.5
13	Certain conditions originating in the perinatal period (P00-P96)	142	1.0	5.1
14	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	118	0.8	4.2
15	Septicemia (A40-A41)	117	0.8	4.2
...	All other causes (Residual)	4,021	28.4	144.4

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2009

[Rates per 100,000 population. The title of ICD-10 code J09 was amended in 2009 to reflect the inclusion of Influenza A/H1N1 pandemic 2009 [swine flu]. The new J09 title is Influenza due to certain identified influenza virus]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Vermont				
...	All causes	5,034	100.0	809.6
1	Malignant neoplasms (C00-C97)	1,254	24.9	201.7
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,171	23.3	188.3
3	Chronic lower respiratory diseases (J40-J47)	364	7.2	58.5
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	308	6.1	49.5
5	Cerebrovascular diseases (I60-I69)	221	4.4	35.5
6	Alzheimer's disease (G30)	190	3.8	30.6
7	Diabetes mellitus (E10-E14)	143	2.8	23.0
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	87	1.7	14.0
9	Parkinson's disease (G20-G21)	65	1.3	10.5
10	Chronic liver disease and cirrhosis (K70,K73-K74)	60	1.2	9.7
11	Influenza and pneumonia (J09-J18)	52	1.0	8.4
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	49	1.0	7.9
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	41	0.8	6.6
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	38	0.8	6.1
15	Septicemia (A40-A41)	32	0.6	5.1
...	All other causes (Residual)	959	19.1	154.2
Virginia				
...	All causes	58,653	100.0	744.1
1	Malignant neoplasms (C00-C97)	14,122	24.1	179.2
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	13,397	22.8	170.0
3	Cerebrovascular diseases (I60-I69)	3,244	5.5	41.2
4	Chronic lower respiratory diseases (J40-J47)	3,013	5.1	38.2
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,622	4.5	33.3
6	Alzheimer's disease (G30)	1,738	3.0	22.0
7	Diabetes mellitus (E10-E14)	1,560	2.7	19.8
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,521	2.6	19.3
9	Septicemia (A40-A41)	1,360	2.3	17.3
10	Influenza and pneumonia (J09-J18)	1,237	2.1	15.7
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	963	1.6	12.2
12	Chronic liver disease and cirrhosis (K70,K73-K74)	660	1.1	8.4
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	555	0.9	7.0
14	Parkinson's disease (G20-G21)	485	0.8	6.2
15	Pneumonitis due to solids and liquids (J69)	476	0.8	6.0
...	All other causes (Residual)	11,700	19.9	148.4

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2009

[Rates per 100,000 population. The title of ICD-10 code J09 was amended in 2009 to reflect the inclusion of Influenza A/H1N1 pandemic 2009 [swine flu]. The new J09 title is Influenza due to certain identified influenza virus]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Washington				
...	All causes	48,270	100.0	724.3
1	Malignant neoplasms (C00-C97)	11,922	24.7	178.9
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,561	21.9	158.5
3	Alzheimer's disease (G30)	3,010	6.2	45.2
4	Chronic lower respiratory diseases (J40-J47)	2,933	6.1	44.0
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,696	5.6	40.5
6	Cerebrovascular diseases (I60-I69)	2,591	5.4	38.9
7	Diabetes mellitus (E10-E14)	1,554	3.2	23.3
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	921	1.9	13.8
9	Chronic liver disease and cirrhosis (K70,K73-K74)	751	1.6	11.3
10	Influenza and pneumonia (J09-J18)	728	1.5	10.9
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	514	1.1	7.7
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	509	1.1	7.6
13	Parkinson's disease (G20-G21)	508	1.1	7.6
14	Septicemia (A40-A41)	398	0.8	6.0
15	Pneumonitis due to solids and liquids (J69)	380	0.8	5.7
...	All other causes (Residual)	8,294	17.2	124.5
West Virginia				
...	All causes	21,386	100.0	1,175.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	5,038	23.6	276.8
2	Malignant neoplasms (C00-C97)	4,786	22.4	263.0
3	Chronic lower respiratory diseases (J40-J47)	1,490	7.0	81.9
4	Cerebrovascular diseases (I60-I69)	1,073	5.0	59.0
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	942	4.4	51.8
6	Diabetes mellitus (E10-E14)	746	3.5	41.0
7	Alzheimer's disease (G30)	563	2.6	30.9
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	504	2.4	27.7
9	Influenza and pneumonia (J09-J18)	443	2.1	24.3
10	Septicemia (A40-A41)	352	1.6	19.3
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	253	1.2	13.9
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	236	1.1	13.0
12	Chronic liver disease and cirrhosis (K70,K73-K74)	236	1.1	13.0
14	Parkinson's disease (G20-G21)	150	0.7	8.2
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	122	0.6	6.7
...	All other causes (Residual)	4,452	20.8	244.6

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2009

[Rates per 100,000 population. The title of ICD-10 code J09 was amended in 2009 to reflect the inclusion of Influenza A/H1N1 pandemic 2009 [swine flu]. The new J09 title is Influenza due to certain identified influenza virus]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Wisconsin				
...	All causes	45,697	100.0	808.1
1	Malignant neoplasms (C00-C97)	10,866	23.8	192.2
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,834	23.7	191.6
3	Cerebrovascular diseases (I60-I69)	2,501	5.5	44.2
4	Chronic lower respiratory diseases (J40-J47)	2,461	5.4	43.5
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,449	5.4	43.3
6	Alzheimer's disease (G30)	1,611	3.5	28.5
7	Diabetes mellitus (E10-E14)	1,110	2.4	19.6
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	994	2.2	17.6
9	Influenza and pneumonia (J09-J18)	979	2.1	17.3
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	724	1.6	12.8
11	Chronic liver disease and cirrhosis (K70,K73-K74)	498	1.1	8.8
12	Septicemia (A40-A41)	487	1.1	8.6
13	Parkinson's disease (G20-G21)	456	1.0	8.1
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	422	0.9	7.5
15	Pneumonitis due to solids and liquids (J69)	330	0.7	5.8
...	All other causes (Residual)	8,975	19.6	158.7
Wyoming				
...	All causes	4,283	100.0	786.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	964	22.5	177.1
2	Malignant neoplasms (C00-C97)	936	21.9	172.0
3	Chronic lower respiratory diseases (J40-J47)	310	7.2	57.0
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	299	7.0	54.9
5	Cerebrovascular diseases (I60-I69)	233	5.4	42.8
6	Influenza and pneumonia (J09-J18)	142	3.3	26.1
7	Alzheimer's disease (G30)	136	3.2	25.0
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	111	2.6	20.4
9	Diabetes mellitus (E10-E14)	105	2.5	19.3
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	76	1.8	14.0
11	Chronic liver disease and cirrhosis (K70,K73-K74)	59	1.4	10.8
12	Septicemia (A40-A41)	49	1.1	9.0
13	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	22	0.5	4.0
14	Certain conditions originating in the perinatal period (P00-P96)	21	0.5	3.9
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	20	0.5	3.7
15	Pneumonitis due to solids and liquids (J69)	20	0.5	3.7
...	All other causes (Residual)	780	18.2	143.3

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable