

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2012

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
United States				
...	All causes	2,543,279	100.0	810.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	599,711	23.6	191.0
2	Malignant neoplasms (C00-C97)	582,623	22.9	185.6
3	Chronic lower respiratory diseases (J40-J47)	143,489	5.6	45.7
4	Cerebrovascular diseases (I60-I69)	128,546	5.1	40.9
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	127,792	5.0	40.7
6	Alzheimer's disease (G30)	83,637	3.3	26.6
7	Diabetes mellitus (E10-E14)	73,932	2.9	23.6
8	Influenza and pneumonia (J09-J18)	50,636	2.0	16.1
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	45,622	1.8	14.5
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	40,600	1.6	12.9
11	Septicemia (A40-A41)	35,842	1.4	11.4
12	Chronic liver disease and cirrhosis (K70,K73-K74)	34,979	1.4	11.1
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	29,115	1.1	9.3
14	Parkinson's disease (G20-G21)	23,818	0.9	7.6
15	Pneumonitis due to solids and liquids (J69)	17,897	0.7	5.7
...	All other causes (Residual)	525,040	20.6	167.3
Alabama				
...	All causes	49,301	100.0	1,022.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	12,036	24.4	249.6
2	Malignant neoplasms (C00-C97)	10,276	20.8	213.1
3	Chronic lower respiratory diseases (J40-J47)	3,015	6.1	62.5
4	Cerebrovascular diseases (I60-I69)	2,628	5.3	54.5
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,283	4.6	47.3
6	Alzheimer's disease (G30)	1,390	2.8	28.8
7	Diabetes mellitus (E10-E14)	1,300	2.6	27.0
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,035	2.1	21.5
9	Influenza and pneumonia (J09-J18)	942	1.9	19.5
10	Septicemia (A40-A41)	895	1.8	18.6
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	724	1.5	15.0
12	Chronic liver disease and cirrhosis (K70,K73-K74)	622	1.3	12.9
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	528	1.1	10.9
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	405	0.8	8.4
15	Parkinson's disease (G20-G21)	385	0.8	8.0
...	All other causes (Residual)	10,837	22.0	224.7

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2012

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2012

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Alaska				
...	All causes	3,912	100.0	534.8
1	Malignant neoplasms (C00-C97)	925	23.6	126.5
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	708	18.1	96.8
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	368	9.4	50.3
4	Chronic lower respiratory diseases (J40-J47)	189	4.8	25.8
5	Cerebrovascular diseases (I60-I69)	188	4.8	25.7
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	168	4.3	23.0
7	Diabetes mellitus (E10-E14)	107	2.7	14.6
8	Alzheimer's disease (G30)	102	2.6	13.9
9	Chronic liver disease and cirrhosis (K70,K73-K74)	89	2.3	12.2
10	Influenza and pneumonia (J09-J18)	52	1.3	7.1
11	Septicemia (A40-A41)	44	1.1	6.0
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	44	1.1	6.0
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	38	1.0	5.2
14	Parkinson's disease (G20-G21)	30	0.8	4.1
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	27	0.7	3.7
...	All other causes (Residual)	833	21.3	113.9
Arizona				
...	All causes	49,549	100.0	756.1
1	Malignant neoplasms (C00-C97)	11,085	22.4	169.2
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,689	21.6	163.1
3	Chronic lower respiratory diseases (J40-J47)	3,221	6.5	49.2
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,029	6.1	46.2
5	Cerebrovascular diseases (I60-I69)	2,164	4.4	33.0
6	Alzheimer's disease (G30)	2,160	4.4	33.0
7	Diabetes mellitus (E10-E14)	1,736	3.5	26.5
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,156	2.3	17.6
9	Chronic liver disease and cirrhosis (K70,K73-K74)	1,009	2.0	15.4
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	791	1.6	12.1
11	Influenza and pneumonia (J09-J18)	683	1.4	10.4
12	Parkinson's disease (G20-G21)	592	1.2	9.0
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	414	0.8	6.3
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	394	0.8	6.0
15	Septicemia (A40-A41)	325	0.7	5.0
...	All other causes (Residual)	10,101	20.4	154.1

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2012

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2012

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Arkansas				
...	All causes	30,117	100.0	1,021.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,407	24.6	251.2
2	Malignant neoplasms (C00-C97)	6,540	21.7	221.8
3	Chronic lower respiratory diseases (J40-J47)	1,910	6.3	64.8
4	Cerebrovascular diseases (I60-I69)	1,664	5.5	56.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,521	5.1	51.6
6	Alzheimer's disease (G30)	931	3.1	31.6
7	Diabetes mellitus (E10-E14)	833	2.8	28.2
8	Influenza and pneumonia (J09-J18)	734	2.4	24.9
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	674	2.2	22.9
10	Septicemia (A40-A41)	516	1.7	17.5
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	485	1.6	16.4
12	Chronic liver disease and cirrhosis (K70,K73-K74)	325	1.1	11.0
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	266	0.9	9.0
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	238	0.8	8.1
15	Parkinson's disease (G20-G21)	228	0.8	7.7
...	All other causes (Residual)	5,845	19.4	198.2
California				
...	All causes	242,554	100.0	637.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	59,371	24.5	156.1
2	Malignant neoplasms (C00-C97)	57,676	23.8	151.6
3	Cerebrovascular diseases (I60-I69)	13,542	5.6	35.6
4	Chronic lower respiratory diseases (J40-J47)	12,963	5.3	34.1
5	Alzheimer's disease (G30)	11,649	4.8	30.6
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	10,906	4.5	28.7
7	Diabetes mellitus (E10-E14)	7,895	3.3	20.8
8	Influenza and pneumonia (J09-J18)	5,849	2.4	15.4
9	Chronic liver disease and cirrhosis (K70,K73-K74)	4,679	1.9	12.3
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	4,505	1.9	11.8
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	3,893	1.6	10.2
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,728	1.1	7.2
13	Parkinson's disease (G20-G21)	2,403	1.0	6.3
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	2,010	0.8	5.3
15	Viral hepatitis (B15-B19)	1,387	0.6	3.6
...	All other causes (Residual)	41,098	16.9	108.0

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2012

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2012

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Colorado				
...	All causes	33,133	100.0	638.7
1	Malignant neoplasms (C00-C97)	7,306	22.1	140.8
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,311	19.0	121.7
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,403	7.3	46.3
4	Chronic lower respiratory diseases (J40-J47)	2,239	6.8	43.2
5	Cerebrovascular diseases (I60-I69)	1,576	4.8	30.4
6	Alzheimer's disease (G30)	1,322	4.0	25.5
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,052	3.2	20.3
8	Diabetes mellitus (E10-E14)	797	2.4	15.4
9	Chronic liver disease and cirrhosis (K70,K73-K74)	661	2.0	12.7
10	Influenza and pneumonia (J09-J18)	525	1.6	10.1
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	428	1.3	8.3
12	Parkinson's disease (G20-G21)	387	1.2	7.5
13	Septicemia (A40-A41)	376	1.1	7.2
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	266	0.8	5.1
15	Pneumonitis due to solids and liquids (J69)	256	0.8	4.9
...	All other causes (Residual)	7,228	21.8	139.3
Connecticut				
...	All causes	29,316	100.0	816.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,282	24.8	202.8
2	Malignant neoplasms (C00-C97)	6,681	22.8	186.1
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,392	4.7	38.8
4	Chronic lower respiratory diseases (J40-J47)	1,387	4.7	38.6
5	Cerebrovascular diseases (I60-I69)	1,273	4.3	35.5
6	Alzheimer's disease (G30)	842	2.9	23.5
7	Diabetes mellitus (E10-E14)	631	2.2	17.6
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	569	1.9	15.8
9	Influenza and pneumonia (J09-J18)	558	1.9	15.5
10	Septicemia (A40-A41)	544	1.9	15.2
11	Pneumonitis due to solids and liquids (J69)	371	1.3	10.3
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	368	1.3	10.2
13	Chronic liver disease and cirrhosis (K70,K73-K74)	334	1.1	9.3
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	287	1.0	8.0
15	Parkinson's disease (G20-G21)	246	0.8	6.9
...	All other causes (Residual)	6,551	22.3	182.5

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2012

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2012

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Delaware				
...	All causes	7,875	100.0	858.7
1	Malignant neoplasms (C00-C97)	1,935	24.6	211.0
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,790	22.7	195.2
3	Chronic lower respiratory diseases (J40-J47)	420	5.3	45.8
4	Cerebrovascular diseases (I60-I69)	404	5.1	44.1
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	374	4.7	40.8
6	Diabetes mellitus (E10-E14)	241	3.1	26.3
7	Alzheimer's disease (G30)	213	2.7	23.2
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	139	1.8	15.2
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	125	1.6	13.6
10	Septicemia (A40-A41)	121	1.5	13.2
10	Influenza and pneumonia (J09-J18)	121	1.5	13.2
12	Chronic liver disease and cirrhosis (K70,K73-K74)	76	1.0	8.3
13	Parkinson's disease (G20-G21)	71	0.9	7.7
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	62	0.8	6.8
15	Certain conditions originating in the perinatal period (P00-P96)	56	0.7	6.1
...	All other causes (Residual)	1,727	21.9	188.3
District of Columbia				
...	All causes	4,650	100.0	735.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,298	27.9	205.3
2	Malignant neoplasms (C00-C97)	1,081	23.2	171.0
3	Cerebrovascular diseases (I60-I69)	207	4.5	32.7
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	194	4.2	30.7
5	Diabetes mellitus (E10-E14)	145	3.1	22.9
6	Chronic lower respiratory diseases (J40-J47)	139	3.0	22.0
7	Alzheimer's disease (G30)	129	2.8	20.4
8	Human immunodeficiency virus (HIV) disease (B20-B24)	98	2.1	15.5
9	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	82	1.8	13.0
10	Influenza and pneumonia (J09-J18)	76	1.6	12.0
11	Septicemia (A40-A41)	69	1.5	10.9
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	68	1.5	10.8
13	Chronic liver disease and cirrhosis (K70,K73-K74)	54	1.2	8.5
14	Certain conditions originating in the perinatal period (P00-P96)	45	1.0	7.1
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	44	0.9	7.0
...	All other causes (Residual)	921	19.8	145.7

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2012

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2012

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Florida				
...	All causes	177,291	100.0	917.8
1	Malignant neoplasms (C00-C97)	42,188	23.8	218.4
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	42,125	23.8	218.1
3	Chronic lower respiratory diseases (J40-J47)	10,585	6.0	54.8
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	8,770	4.9	45.4
5	Cerebrovascular diseases (I60-I69)	8,456	4.8	43.8
6	Diabetes mellitus (E10-E14)	5,092	2.9	26.4
7	Alzheimer's disease (G30)	4,422	2.5	22.9
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	3,002	1.7	15.5
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,912	1.6	15.1
10	Chronic liver disease and cirrhosis (K70,K73-K74)	2,588	1.5	13.4
11	Influenza and pneumonia (J09-J18)	2,338	1.3	12.1
12	Septicemia (A40-A41)	2,052	1.2	10.6
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,962	1.1	10.2
14	Parkinson's disease (G20-G21)	1,837	1.0	9.5
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,200	0.7	6.2
...	All other causes (Residual)	37,762	21.3	195.5
Georgia				
...	All causes	72,847	100.0	734.3
1	Malignant neoplasms (C00-C97)	16,021	22.0	161.5
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	15,825	21.7	159.5
3	Chronic lower respiratory diseases (J40-J47)	3,977	5.5	40.1
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,731	5.1	37.6
5	Cerebrovascular diseases (I60-I69)	3,636	5.0	36.7
6	Diabetes mellitus (E10-E14)	2,088	2.9	21.0
7	Alzheimer's disease (G30)	2,074	2.8	20.9
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,612	2.2	16.3
9	Septicemia (A40-A41)	1,453	2.0	14.6
10	Influenza and pneumonia (J09-J18)	1,390	1.9	14.0
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,168	1.6	11.8
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,146	1.6	11.6
13	Chronic liver disease and cirrhosis (K70,K73-K74)	870	1.2	8.8
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	657	0.9	6.6
15	Parkinson's disease (G20-G21)	537	0.7	5.4
...	All other causes (Residual)	16,662	22.9	168.0

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2012

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2012

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Hawaii				
...	All causes	10,274	100.0	737.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,430	23.7	174.5
2	Malignant neoplasms (C00-C97)	2,284	22.2	164.0
3	Cerebrovascular diseases (I60-I69)	634	6.2	45.5
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	458	4.5	32.9
5	Influenza and pneumonia (J09-J18)	394	3.8	28.3
6	Chronic lower respiratory diseases (J40-J47)	312	3.0	22.4
7	Diabetes mellitus (E10-E14)	277	2.7	19.9
8	Alzheimer's disease (G30)	249	2.4	17.9
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	199	1.9	14.3
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	190	1.8	13.6
11	Chronic liver disease and cirrhosis (K70,K73-K74)	137	1.3	9.8
12	Parkinson's disease (G20-G21)	108	1.1	7.8
13	Septicemia (A40-A41)	104	1.0	7.5
14	Pneumonitis due to solids and liquids (J69)	100	1.0	7.2
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	77	0.7	5.5
...	All other causes (Residual)	2,321	22.6	166.7
Idaho				
...	All causes	11,998	100.0	751.9
1	Malignant neoplasms (C00-C97)	2,572	21.4	161.2
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,515	21.0	157.6
3	Chronic lower respiratory diseases (J40-J47)	754	6.3	47.3
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	699	5.8	43.8
5	Cerebrovascular diseases (I60-I69)	610	5.1	38.2
6	Diabetes mellitus (E10-E14)	371	3.1	23.2
7	Alzheimer's disease (G30)	354	3.0	22.2
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	297	2.5	18.6
9	Chronic liver disease and cirrhosis (K70,K73-K74)	196	1.6	12.3
10	Influenza and pneumonia (J09-J18)	189	1.6	11.8
11	Parkinson's disease (G20-G21)	155	1.3	9.7
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	148	1.2	9.3
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	109	0.9	6.8
14	Septicemia (A40-A41)	90	0.8	5.6
15	Pneumonitis due to solids and liquids (J69)	80	0.7	5.0
...	All other causes (Residual)	2,859	23.8	179.2

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2012

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2012

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Illinois				
...	All causes	102,433	100.0	795.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	24,667	24.1	191.6
2	Malignant neoplasms (C00-C97)	24,562	24.0	190.8
3	Cerebrovascular diseases (I60-I69)	5,337	5.2	41.5
4	Chronic lower respiratory diseases (J40-J47)	5,313	5.2	41.3
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,488	4.4	34.9
6	Alzheimer's disease (G30)	2,865	2.8	22.3
7	Diabetes mellitus (E10-E14)	2,706	2.6	21.0
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,392	2.3	18.6
9	Influenza and pneumonia (J09-J18)	2,323	2.3	18.0
10	Septicemia (A40-A41)	1,703	1.7	13.2
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,292	1.3	10.0
12	Chronic liver disease and cirrhosis (K70,K73-K74)	1,189	1.2	9.2
13	Parkinson's disease (G20-G21)	1,001	1.0	7.8
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	954	0.9	7.4
15	Pneumonitis due to solids and liquids (J69)	886	0.9	6.9
...	All other causes (Residual)	20,755	20.3	161.2
Indiana				
...	All causes	59,332	100.0	907.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	13,675	23.0	209.2
2	Malignant neoplasms (C00-C97)	13,368	22.5	204.5
3	Chronic lower respiratory diseases (J40-J47)	3,962	6.7	60.6
4	Cerebrovascular diseases (I60-I69)	3,073	5.2	47.0
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,776	4.7	42.5
6	Alzheimer's disease (G30)	2,038	3.4	31.2
7	Diabetes mellitus (E10-E14)	1,860	3.1	28.5
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,221	2.1	18.7
9	Influenza and pneumonia (J09-J18)	973	1.6	14.9
10	Septicemia (A40-A41)	950	1.6	14.5
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	940	1.6	14.4
12	Chronic liver disease and cirrhosis (K70,K73-K74)	744	1.3	11.4
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	599	1.0	9.2
14	Parkinson's disease (G20-G21)	552	0.9	8.4
15	Pneumonitis due to solids and liquids (J69)	498	0.8	7.6
...	All other causes (Residual)	12,103	20.4	185.1

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2012

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2012

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Iowa				
...	All causes	28,389	100.0	923.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,005	24.7	227.9
2	Malignant neoplasms (C00-C97)	6,438	22.7	209.4
3	Chronic lower respiratory diseases (J40-J47)	1,824	6.4	59.3
4	Cerebrovascular diseases (I60-I69)	1,422	5.0	46.3
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,369	4.8	44.5
6	Alzheimer's disease (G30)	1,336	4.7	43.5
7	Diabetes mellitus (E10-E14)	692	2.4	22.5
8	Influenza and pneumonia (J09-J18)	664	2.3	21.6
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	383	1.3	12.5
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	322	1.1	10.5
11	Parkinson's disease (G20-G21)	311	1.1	10.1
12	Chronic liver disease and cirrhosis (K70,K73-K74)	291	1.0	9.5
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	290	1.0	9.4
14	Septicemia (A40-A41)	274	1.0	8.9
15	Pneumonitis due to solids and liquids (J69)	264	0.9	8.6
...	All other causes (Residual)	5,504	19.4	179.0
Kansas				
...	All causes	25,145	100.0	871.3
1	Malignant neoplasms (C00-C97)	5,429	21.6	188.1
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	5,366	21.3	185.9
3	Chronic lower respiratory diseases (J40-J47)	1,687	6.7	58.5
4	Cerebrovascular diseases (I60-I69)	1,343	5.3	46.5
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,319	5.2	45.7
6	Alzheimer's disease (G30)	789	3.1	27.3
7	Diabetes mellitus (E10-E14)	639	2.5	22.1
8	Influenza and pneumonia (J09-J18)	624	2.5	21.6
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	600	2.4	20.8
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	502	2.0	17.4
11	Atherosclerosis (I70)	463	1.8	16.0
12	Septicemia (A40-A41)	363	1.4	12.6
13	Parkinson's disease (G20-G21)	287	1.1	9.9
14	Chronic liver disease and cirrhosis (K70,K73-K74)	250	1.0	8.7
15	Pneumonitis due to solids and liquids (J69)	170	0.7	5.9
...	All other causes (Residual)	5,314	21.1	184.1

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2012

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2012

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Kentucky				
...	All causes	43,664	100.0	996.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,024	23.0	228.8
2	Malignant neoplasms (C00-C97)	10,012	22.9	228.6
3	Chronic lower respiratory diseases (J40-J47)	3,100	7.1	70.8
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,741	6.3	62.6
5	Cerebrovascular diseases (I60-I69)	2,073	4.7	47.3
6	Alzheimer's disease (G30)	1,506	3.4	34.4
7	Diabetes mellitus (E10-E14)	1,256	2.9	28.7
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	933	2.1	21.3
9	Influenza and pneumonia (J09-J18)	879	2.0	20.1
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	724	1.7	16.5
11	Septicemia (A40-A41)	660	1.5	15.1
12	Chronic liver disease and cirrhosis (K70,K73-K74)	545	1.2	12.4
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	341	0.8	7.8
14	Parkinson's disease (G20-G21)	318	0.7	7.3
15	Pneumonitis due to solids and liquids (J69)	301	0.7	6.9
...	All other causes (Residual)	8,251	18.9	188.4
Louisiana				
...	All causes	42,320	100.0	919.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,074	23.8	218.9
2	Malignant neoplasms (C00-C97)	9,308	22.0	202.3
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,362	5.6	51.3
4	Chronic lower respiratory diseases (J40-J47)	2,074	4.9	45.1
5	Cerebrovascular diseases (I60-I69)	2,039	4.8	44.3
6	Alzheimer's disease (G30)	1,399	3.3	30.4
7	Diabetes mellitus (E10-E14)	1,290	3.0	28.0
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,138	2.7	24.7
9	Septicemia (A40-A41)	858	2.0	18.6
10	Influenza and pneumonia (J09-J18)	808	1.9	17.6
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	567	1.3	12.3
12	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	550	1.3	12.0
13	Chronic liver disease and cirrhosis (K70,K73-K74)	434	1.0	9.4
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	421	1.0	9.1
15	Parkinson's disease (G20-G21)	280	0.7	6.1
...	All other causes (Residual)	8,718	20.6	189.4

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2012

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2012

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Maine				
...	All causes	12,870	100.0	968.3
1	Malignant neoplasms (C00-C97)	3,226	25.1	242.7
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,623	20.4	197.3
3	Chronic lower respiratory diseases (J40-J47)	817	6.3	61.5
4	Cerebrovascular diseases (I60-I69)	619	4.8	46.6
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	602	4.7	45.3
6	Alzheimer's disease (G30)	432	3.4	32.5
7	Diabetes mellitus (E10-E14)	380	3.0	28.6
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	257	2.0	19.3
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	209	1.6	15.7
10	Influenza and pneumonia (J09-J18)	205	1.6	15.4
11	Chronic liver disease and cirrhosis (K70,K73-K74)	149	1.2	11.2
12	Parkinson's disease (G20-G21)	144	1.1	10.8
13	Septicemia (A40-A41)	120	0.9	9.0
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	111	0.9	8.4
15	Pneumonitis due to solids and liquids (J69)	107	0.8	8.1
...	All other causes (Residual)	2,869	22.3	215.8
Maryland				
...	All causes	44,477	100.0	755.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,023	24.8	187.3
2	Malignant neoplasms (C00-C97)	10,525	23.7	178.9
3	Cerebrovascular diseases (I60-I69)	2,280	5.1	38.7
4	Chronic lower respiratory diseases (J40-J47)	1,981	4.5	33.7
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,696	3.8	28.8
6	Diabetes mellitus (E10-E14)	1,218	2.7	20.7
7	Influenza and pneumonia (J09-J18)	986	2.2	16.8
8	Septicemia (A40-A41)	918	2.1	15.6
9	Alzheimer's disease (G30)	906	2.0	15.4
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	704	1.6	12.0
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	583	1.3	9.9
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	465	1.0	7.9
13	Chronic liver disease and cirrhosis (K70,K73-K74)	454	1.0	7.7
14	Parkinson's disease (G20-G21)	425	1.0	7.2
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	408	0.9	6.9
...	All other causes (Residual)	9,905	22.3	168.3

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2012

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2012

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Massachusetts				
...	All causes	53,177	100.0	800.1
1	Malignant neoplasms (C00-C97)	12,864	24.2	193.6
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,602	21.8	174.6
3	Chronic lower respiratory diseases (J40-J47)	2,520	4.7	37.9
4	Cerebrovascular diseases (I60-I69)	2,371	4.5	35.7
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,195	4.1	33.0
6	Alzheimer's disease (G30)	1,713	3.2	25.8
7	Influenza and pneumonia (J09-J18)	1,356	2.5	20.4
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,271	2.4	19.1
9	Diabetes mellitus (E10-E14)	1,099	2.1	16.5
10	Septicemia (A40-A41)	755	1.4	11.4
11	Chronic liver disease and cirrhosis (K70,K73-K74)	619	1.2	9.3
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	604	1.1	9.1
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	509	1.0	7.7
14	Pneumonitis due to solids and liquids (J69)	502	0.9	7.6
15	Parkinson's disease (G20-G21)	487	0.9	7.3
...	All other causes (Residual)	12,710	23.9	191.2
Michigan				
...	All causes	89,901	100.0	909.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	23,520	26.2	238.0
2	Malignant neoplasms (C00-C97)	20,496	22.8	207.4
3	Chronic lower respiratory diseases (J40-J47)	5,251	5.8	53.1
4	Cerebrovascular diseases (I60-I69)	4,414	4.9	44.7
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,805	4.2	38.5
6	Alzheimer's disease (G30)	3,064	3.4	31.0
7	Diabetes mellitus (E10-E14)	2,685	3.0	27.2
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,586	1.8	16.0
9	Influenza and pneumonia (J09-J18)	1,565	1.7	15.8
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,261	1.4	12.8
11	Chronic liver disease and cirrhosis (K70,K73-K74)	1,140	1.3	11.5
12	Septicemia (A40-A41)	1,102	1.2	11.2
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	928	1.0	9.4
14	Parkinson's disease (G20-G21)	816	0.9	8.3
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	734	0.8	7.4
...	All other causes (Residual)	17,534	19.5	177.4

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2012

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2012

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Minnesota				
...	All causes	40,016	100.0	743.9
1	Malignant neoplasms (C00-C97)	9,424	23.6	175.2
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,496	18.7	139.4
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,301	5.8	42.8
4	Chronic lower respiratory diseases (J40-J47)	2,124	5.3	39.5
5	Cerebrovascular diseases (I60-I69)	2,081	5.2	38.7
6	Alzheimer's disease (G30)	1,445	3.6	26.9
7	Diabetes mellitus (E10-E14)	1,165	2.9	21.7
8	Influenza and pneumonia (J09-J18)	674	1.7	12.5
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	669	1.7	12.4
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	656	1.6	12.2
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	526	1.3	9.8
12	Parkinson's disease (G20-G21)	512	1.3	9.5
13	Chronic liver disease and cirrhosis (K70,K73-K74)	490	1.2	9.1
14	Septicemia (A40-A41)	330	0.8	6.1
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	309	0.8	5.7
...	All other causes (Residual)	9,814	24.5	182.4
Mississippi				
...	All causes	29,544	100.0	989.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,269	24.6	243.5
2	Malignant neoplasms (C00-C97)	6,499	22.0	217.7
3	Chronic lower respiratory diseases (J40-J47)	1,729	5.9	57.9
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,627	5.5	54.5
5	Cerebrovascular diseases (I60-I69)	1,502	5.1	50.3
6	Diabetes mellitus (E10-E14)	1,050	3.6	35.2
7	Alzheimer's disease (G30)	923	3.1	30.9
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	692	2.3	23.2
9	Influenza and pneumonia (J09-J18)	565	1.9	18.9
10	Septicemia (A40-A41)	561	1.9	18.8
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	537	1.8	18.0
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	410	1.4	13.7
13	Chronic liver disease and cirrhosis (K70,K73-K74)	303	1.0	10.2
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	293	1.0	9.8
15	Pneumonitis due to solids and liquids (J69)	206	0.7	6.9
...	All other causes (Residual)	5,378	18.2	180.2

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2012

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2012

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Missouri				
...	All causes	56,094	100.0	931.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	13,742	24.5	228.2
2	Malignant neoplasms (C00-C97)	12,919	23.0	214.5
3	Chronic lower respiratory diseases (J40-J47)	3,650	6.5	60.6
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,002	5.4	49.9
5	Cerebrovascular diseases (I60-I69)	2,989	5.3	49.6
6	Alzheimer's disease (G30)	1,863	3.3	30.9
7	Diabetes mellitus (E10-E14)	1,377	2.5	22.9
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,259	2.2	20.9
9	Influenza and pneumonia (J09-J18)	1,213	2.2	20.1
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	914	1.6	15.2
11	Septicemia (A40-A41)	778	1.4	12.9
12	Chronic liver disease and cirrhosis (K70,K73-K74)	574	1.0	9.5
13	Parkinson's disease (G20-G21)	533	1.0	8.9
14	Pneumonitis due to solids and liquids (J69)	501	0.9	8.3
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	483	0.9	8.0
...	All other causes (Residual)	10,297	18.4	171.0
Montana				
...	All causes	8,976	100.0	893.0
1	Malignant neoplasms (C00-C97)	1,954	21.8	194.4
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,903	21.2	189.3
3	Chronic lower respiratory diseases (J40-J47)	605	6.7	60.2
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	572	6.4	56.9
5	Cerebrovascular diseases (I60-I69)	415	4.6	41.3
6	Alzheimer's disease (G30)	265	3.0	26.4
7	Diabetes mellitus (E10-E14)	233	2.6	23.2
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	233	2.6	23.2
9	Influenza and pneumonia (J09-J18)	155	1.7	15.4
10	Chronic liver disease and cirrhosis (K70,K73-K74)	148	1.6	14.7
11	Parkinson's disease (G20-G21)	104	1.2	10.3
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	100	1.1	9.9
13	Septicemia (A40-A41)	76	0.8	7.6
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	69	0.8	6.9
15	Pneumonitis due to solids and liquids (J69)	67	0.7	6.7
...	All other causes (Residual)	2,077	23.1	206.6

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2012

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2012

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Nebraska				
...	All causes	15,659	100.0	843.9
1	Malignant neoplasms (C00-C97)	3,479	22.2	187.5
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,307	21.1	178.2
3	Chronic lower respiratory diseases (J40-J47)	1,052	6.7	56.7
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	792	5.1	42.7
5	Cerebrovascular diseases (I60-I69)	776	5.0	41.8
6	Alzheimer's disease (G30)	570	3.6	30.7
7	Diabetes mellitus (E10-E14)	442	2.8	23.8
8	Influenza and pneumonia (J09-J18)	291	1.9	15.7
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	232	1.5	12.5
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	228	1.5	12.3
11	Parkinson's disease (G20-G21)	221	1.4	11.9
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	217	1.4	11.7
13	Chronic liver disease and cirrhosis (K70,K73-K74)	175	1.1	9.4
14	Pneumonitis due to solids and liquids (J69)	121	0.8	6.5
15	Septicemia (A40-A41)	109	0.7	5.9
...	All other causes (Residual)	3,647	23.3	196.5
Nevada				
...	All causes	20,785	100.0	753.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	5,166	24.9	187.2
2	Malignant neoplasms (C00-C97)	4,610	22.2	167.1
3	Chronic lower respiratory diseases (J40-J47)	1,370	6.6	49.7
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,177	5.7	42.7
5	Cerebrovascular diseases (I60-I69)	897	4.3	32.5
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	524	2.5	19.0
7	Influenza and pneumonia (J09-J18)	496	2.4	18.0
8	Diabetes mellitus (E10-E14)	438	2.1	15.9
9	Chronic liver disease and cirrhosis (K70,K73-K74)	389	1.9	14.1
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	385	1.9	14.0
11	Alzheimer's disease (G30)	356	1.7	12.9
12	Septicemia (A40-A41)	272	1.3	9.9
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	165	0.8	6.0
14	Parkinson's disease (G20-G21)	161	0.8	5.8
15	Pneumonitis due to solids and liquids (J69)	155	0.7	5.6
...	All other causes (Residual)	4,224	20.3	153.1

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2012

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2012

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
New Hampshire				
...	All causes	10,730	100.0	812.4
1	Malignant neoplasms (C00-C97)	2,660	24.8	201.4
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,324	21.7	176.0
3	Chronic lower respiratory diseases (J40-J47)	674	6.3	51.0
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	573	5.3	43.4
5	Cerebrovascular diseases (I60-I69)	457	4.3	34.6
6	Alzheimer's disease (G30)	392	3.7	29.7
7	Diabetes mellitus (E10-E14)	275	2.6	20.8
8	Influenza and pneumonia (J09-J18)	204	1.9	15.4
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	202	1.9	15.3
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	161	1.5	12.2
11	Chronic liver disease and cirrhosis (K70,K73-K74)	121	1.1	9.2
12	Parkinson's disease (G20-G21)	120	1.1	9.1
13	Septicemia (A40-A41)	113	1.1	8.6
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	84	0.8	6.4
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	80	0.7	6.1
...	All other causes (Residual)	2,290	21.3	173.4
New Jersey				
...	All causes	70,534	100.0	795.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	18,340	26.0	206.9
2	Malignant neoplasms (C00-C97)	16,485	23.4	186.0
3	Cerebrovascular diseases (I60-I69)	3,440	4.9	38.8
4	Chronic lower respiratory diseases (J40-J47)	3,271	4.6	36.9
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,990	4.2	33.7
6	Diabetes mellitus (E10-E14)	1,988	2.8	22.4
7	Alzheimer's disease (G30)	1,881	2.7	21.2
8	Septicemia (A40-A41)	1,672	2.4	18.9
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,431	2.0	16.1
10	Influenza and pneumonia (J09-J18)	1,131	1.6	12.8
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	881	1.2	9.9
12	Chronic liver disease and cirrhosis (K70,K73-K74)	721	1.0	8.1
13	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	683	1.0	7.7
14	Parkinson's disease (G20-G21)	633	0.9	7.1
15	Pneumonitis due to solids and liquids (J69)	575	0.8	6.5
...	All other causes (Residual)	14,412	20.4	162.6

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2012

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2012

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
New Mexico				
...	All causes	16,710	100.0	801.2
1	Malignant neoplasms (C00-C97)	3,462	20.7	166.0
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,352	20.1	160.7
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,351	8.1	64.8
4	Chronic lower respiratory diseases (J40-J47)	965	5.8	46.3
5	Cerebrovascular diseases (I60-I69)	677	4.1	32.5
6	Diabetes mellitus (E10-E14)	652	3.9	31.3
7	Chronic liver disease and cirrhosis (K70,K73-K74)	442	2.6	21.2
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	442	2.6	21.2
9	Alzheimer's disease (G30)	373	2.2	17.9
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	285	1.7	13.7
11	Influenza and pneumonia (J09-J18)	281	1.7	13.5
12	Septicemia (A40-A41)	220	1.3	10.5
13	Parkinson's disease (G20-G21)	174	1.0	8.3
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	143	0.9	6.9
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	133	0.8	6.4
...	All other causes (Residual)	3,758	22.5	180.2
New York				
...	All causes	148,991	100.0	761.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	43,795	29.4	223.8
2	Malignant neoplasms (C00-C97)	35,882	24.1	183.3
3	Chronic lower respiratory diseases (J40-J47)	7,034	4.7	35.9
4	Cerebrovascular diseases (I60-I69)	6,139	4.1	31.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	5,786	3.9	29.6
6	Influenza and pneumonia (J09-J18)	4,404	3.0	22.5
7	Diabetes mellitus (E10-E14)	4,010	2.7	20.5
8	Alzheimer's disease (G30)	2,640	1.8	13.5
9	Septicemia (A40-A41)	2,355	1.6	12.0
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,240	1.5	11.4
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	2,001	1.3	10.2
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,708	1.1	8.7
13	Chronic liver disease and cirrhosis (K70,K73-K74)	1,507	1.0	7.7
14	Parkinson's disease (G20-G21)	1,092	0.7	5.6
15	Pneumonitis due to solids and liquids (J69)	862	0.6	4.4
...	All other causes (Residual)	27,536	18.5	140.7

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2012

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2012

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
North Carolina				
...	All causes	81,925	100.0	840.1
1	Malignant neoplasms (C00-C97)	18,405	22.5	188.7
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	17,348	21.2	177.9
3	Chronic lower respiratory diseases (J40-J47)	4,844	5.9	49.7
4	Cerebrovascular diseases (I60-I69)	4,410	5.4	45.2
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,281	5.2	43.9
6	Alzheimer's disease (G30)	2,850	3.5	29.2
7	Diabetes mellitus (E10-E14)	2,409	2.9	24.7
8	Influenza and pneumonia (J09-J18)	1,899	2.3	19.5
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,656	2.0	17.0
10	Septicemia (A40-A41)	1,291	1.6	13.2
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,286	1.6	13.2
12	Chronic liver disease and cirrhosis (K70,K73-K74)	1,086	1.3	11.1
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	838	1.0	8.6
14	Parkinson's disease (G20-G21)	745	0.9	7.6
15	Pneumonitis due to solids and liquids (J69)	717	0.9	7.4
...	All other causes (Residual)	17,860	21.8	183.1
North Dakota				
...	All causes	6,038	100.0	863.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,368	22.7	195.5
2	Malignant neoplasms (C00-C97)	1,253	20.8	179.1
3	Alzheimer's disease (G30)	364	6.0	52.0
4	Cerebrovascular diseases (I60-I69)	343	5.7	49.0
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	318	5.3	45.5
6	Chronic lower respiratory diseases (J40-J47)	306	5.1	43.7
7	Diabetes mellitus (E10-E14)	185	3.1	26.4
8	Influenza and pneumonia (J09-J18)	133	2.2	19.0
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	117	1.9	16.7
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	105	1.7	15.0
11	Pneumonitis due to solids and liquids (J69)	86	1.4	12.3
12	Chronic liver disease and cirrhosis (K70,K73-K74)	83	1.4	11.9
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	82	1.4	11.7
14	Parkinson's disease (G20-G21)	67	1.1	9.6
15	Septicemia (A40-A41)	66	1.1	9.4
...	All other causes (Residual)	1,162	19.2	166.1

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2012

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2012

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Ohio				
...	All causes	112,498	100.0	974.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	26,426	23.5	228.9
2	Malignant neoplasms (C00-C97)	25,261	22.5	218.8
3	Chronic lower respiratory diseases (J40-J47)	7,070	6.3	61.2
4	Cerebrovascular diseases (I60-I69)	5,788	5.1	50.1
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	5,420	4.8	46.9
6	Alzheimer's disease (G30)	3,935	3.5	34.1
7	Diabetes mellitus (E10-E14)	3,618	3.2	31.3
8	Influenza and pneumonia (J09-J18)	2,195	2.0	19.0
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,056	1.8	17.8
10	Septicemia (A40-A41)	1,616	1.4	14.0
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,542	1.4	13.4
12	Chronic liver disease and cirrhosis (K70,K73-K74)	1,318	1.2	11.4
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,267	1.1	11.0
14	Parkinson's disease (G20-G21)	1,028	0.9	8.9
15	Pneumonitis due to solids and liquids (J69)	885	0.8	7.7
...	All other causes (Residual)	23,073	20.5	199.9
Oklahoma				
...	All causes	36,870	100.0	966.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	9,198	24.9	241.1
2	Malignant neoplasms (C00-C97)	8,040	21.8	210.8
3	Chronic lower respiratory diseases (J40-J47)	2,585	7.0	67.8
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,388	6.5	62.6
5	Cerebrovascular diseases (I60-I69)	1,893	5.1	49.6
6	Diabetes mellitus (E10-E14)	1,201	3.3	31.5
7	Alzheimer's disease (G30)	1,069	2.9	28.0
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	670	1.8	17.6
9	Chronic liver disease and cirrhosis (K70,K73-K74)	597	1.6	15.6
10	Influenza and pneumonia (J09-J18)	573	1.6	15.0
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	554	1.5	14.5
12	Septicemia (A40-A41)	510	1.4	13.4
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	370	1.0	9.7
14	Parkinson's disease (G20-G21)	299	0.8	7.8
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	270	0.7	7.1
...	All other causes (Residual)	6,653	18.0	174.4

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2012

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2012

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Oregon				
...	All causes	32,759	100.0	840.1
1	Malignant neoplasms (C00-C97)	7,832	23.9	200.9
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,180	18.9	158.5
3	Chronic lower respiratory diseases (J40-J47)	1,915	5.8	49.1
4	Cerebrovascular diseases (I60-I69)	1,763	5.4	45.2
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,709	5.2	43.8
6	Alzheimer's disease (G30)	1,326	4.0	34.0
7	Diabetes mellitus (E10-E14)	1,126	3.4	28.9
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	724	2.2	18.6
9	Chronic liver disease and cirrhosis (K70,K73-K74)	530	1.6	13.6
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	500	1.5	12.8
11	Influenza and pneumonia (J09-J18)	382	1.2	9.8
12	Parkinson's disease (G20-G21)	362	1.1	9.3
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	320	1.0	8.2
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	236	0.7	6.1
15	Septicemia (A40-A41)	176	0.5	4.5
...	All other causes (Residual)	7,678	23.4	196.9
Pennsylvania				
...	All causes	126,981	100.0	994.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	30,952	24.4	242.5
2	Malignant neoplasms (C00-C97)	28,909	22.8	226.5
3	Chronic lower respiratory diseases (J40-J47)	6,550	5.2	51.3
4	Cerebrovascular diseases (I60-I69)	6,546	5.2	51.3
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	6,334	5.0	49.6
6	Diabetes mellitus (E10-E14)	3,735	2.9	29.3
7	Alzheimer's disease (G30)	3,505	2.8	27.5
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,736	2.2	21.4
9	Influenza and pneumonia (J09-J18)	2,360	1.9	18.5
10	Septicemia (A40-A41)	2,067	1.6	16.2
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,647	1.3	12.9
12	Parkinson's disease (G20-G21)	1,265	1.0	9.9
13	Chronic liver disease and cirrhosis (K70,K73-K74)	1,240	1.0	9.7
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,046	0.8	8.2
15	Pneumonitis due to solids and liquids (J69)	897	0.7	7.0
...	All other causes (Residual)	27,192	21.4	213.0

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2012

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2012

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Rhode Island				
...	All causes	9,354	100.0	890.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,360	25.2	224.7
2	Malignant neoplasms (C00-C97)	2,148	23.0	204.5
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	525	5.6	50.0
4	Chronic lower respiratory diseases (J40-J47)	504	5.4	48.0
5	Cerebrovascular diseases (I60-I69)	433	4.6	41.2
6	Alzheimer's disease (G30)	299	3.2	28.5
7	Diabetes mellitus (E10-E14)	198	2.1	18.9
8	Influenza and pneumonia (J09-J18)	161	1.7	15.3
9	Chronic liver disease and cirrhosis (K70,K73-K74)	139	1.5	13.2
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	135	1.4	12.9
11	Septicemia (A40-A41)	122	1.3	11.6
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	105	1.1	10.0
13	Enterocolitis due to <i>Clostridium difficile</i> (A04.7)	92	1.0	8.8
14	Parkinson's disease (G20-G21)	85	0.9	8.1
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	70	0.7	6.7
...	All other causes (Residual)	1,978	21.1	188.3
South Carolina				
...	All causes	43,198	100.0	914.5
1	Malignant neoplasms (C00-C97)	9,728	22.5	205.9
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	9,364	21.7	198.2
3	Chronic lower respiratory diseases (J40-J47)	2,467	5.7	52.2
4	Cerebrovascular diseases (I60-I69)	2,349	5.4	49.7
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,336	5.4	49.5
6	Alzheimer's disease (G30)	1,634	3.8	34.6
7	Diabetes mellitus (E10-E14)	1,197	2.8	25.3
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	860	2.0	18.2
9	Septicemia (A40-A41)	753	1.7	15.9
10	Influenza and pneumonia (J09-J18)	726	1.7	15.4
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	673	1.6	14.2
12	Chronic liver disease and cirrhosis (K70,K73-K74)	573	1.3	12.1
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	408	0.9	8.6
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	373	0.9	7.9
15	Parkinson's disease (G20-G21)	349	0.8	7.4
...	All other causes (Residual)	9,408	21.8	199.2

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2012

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2012

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
South Dakota				
...	All causes	7,333	100.0	879.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,668	22.7	200.2
2	Malignant neoplasms (C00-C97)	1,630	22.2	195.6
3	Chronic lower respiratory diseases (J40-J47)	481	6.6	57.7
4	Alzheimer's disease (G30)	460	6.3	55.2
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	426	5.8	51.1
6	Cerebrovascular diseases (I60-I69)	408	5.6	49.0
7	Diabetes mellitus (E10-E14)	218	3.0	26.2
8	Influenza and pneumonia (J09-J18)	185	2.5	22.2
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	141	1.9	16.9
10	Chronic liver disease and cirrhosis (K70,K73-K74)	114	1.6	13.7
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	78	1.1	9.4
12	Septicemia (A40-A41)	66	0.9	7.9
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	59	0.8	7.1
14	Pneumonitis due to solids and liquids (J69)	58	0.8	7.0
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	58	0.8	7.0
...	All other causes (Residual)	1,283	17.5	154.0
Tennessee				
...	All causes	61,956	100.0	959.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	14,454	23.3	223.9
2	Malignant neoplasms (C00-C97)	13,765	22.2	213.2
3	Chronic lower respiratory diseases (J40-J47)	3,695	6.0	57.2
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,513	5.7	54.4
5	Cerebrovascular diseases (I60-I69)	3,120	5.0	48.3
6	Alzheimer's disease (G30)	2,434	3.9	37.7
7	Diabetes mellitus (E10-E14)	1,852	3.0	28.7
8	Influenza and pneumonia (J09-J18)	1,435	2.3	22.2
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	978	1.6	15.1
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	933	1.5	14.5
11	Chronic liver disease and cirrhosis (K70,K73-K74)	813	1.3	12.6
12	Septicemia (A40-A41)	722	1.2	11.2
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	672	1.1	10.4
14	Pneumonitis due to solids and liquids (J69)	542	0.9	8.4
15	Parkinson's disease (G20-G21)	494	0.8	7.7
...	All other causes (Residual)	12,534	20.2	194.1

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2012

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2012

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Texas				
...	All causes	174,187	100.0	668.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	39,061	22.4	149.9
2	Malignant neoplasms (C00-C97)	38,142	21.9	146.4
3	Chronic lower respiratory diseases (J40-J47)	9,524	5.5	36.5
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	9,313	5.3	35.7
5	Cerebrovascular diseases (I60-I69)	9,305	5.3	35.7
6	Alzheimer's disease (G30)	5,175	3.0	19.9
7	Diabetes mellitus (E10-E14)	5,136	2.9	19.7
8	Septicemia (A40-A41)	3,617	2.1	13.9
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3,525	2.0	13.5
10	Chronic liver disease and cirrhosis (K70,K73-K74)	3,300	1.9	12.7
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	3,037	1.7	11.7
12	Influenza and pneumonia (J09-J18)	2,974	1.7	11.4
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,725	1.0	6.6
14	Parkinson's disease (G20-G21)	1,587	0.9	6.1
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,324	0.8	5.1
...	All other causes (Residual)	37,442	21.5	143.7
Utah				
...	All causes	15,676	100.0	549.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,091	19.7	108.3
2	Malignant neoplasms (C00-C97)	2,876	18.3	100.7
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,097	7.0	38.4
4	Cerebrovascular diseases (I60-I69)	809	5.2	28.3
5	Chronic lower respiratory diseases (J40-J47)	663	4.2	23.2
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	550	3.5	19.3
7	Diabetes mellitus (E10-E14)	541	3.5	18.9
8	Alzheimer's disease (G30)	411	2.6	14.4
9	Influenza and pneumonia (J09-J18)	337	2.1	11.8
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	270	1.7	9.5
11	Chronic liver disease and cirrhosis (K70,K73-K74)	206	1.3	7.2
12	Parkinson's disease (G20-G21)	194	1.2	6.8
13	Septicemia (A40-A41)	153	1.0	5.4
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	137	0.9	4.8
15	Pneumonitis due to solids and liquids (J69)	124	0.8	4.3
...	All other causes (Residual)	4,217	26.9	147.7

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2012

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2012

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Vermont				
...	All causes	5,491	100.0	877.1
1	Malignant neoplasms (C00-C97)	1,325	24.1	211.7
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,206	22.0	192.6
3	Chronic lower respiratory diseases (J40-J47)	364	6.6	58.1
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	333	6.1	53.2
5	Alzheimer's disease (G30)	284	5.2	45.4
6	Cerebrovascular diseases (I60-I69)	281	5.1	44.9
7	Diabetes mellitus (E10-E14)	168	3.1	26.8
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	87	1.6	13.9
9	Influenza and pneumonia (J09-J18)	81	1.5	12.9
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	52	0.9	8.3
11	Parkinson's disease (G20-G21)	51	0.9	8.1
12	Chronic liver disease and cirrhosis (K70,K73-K74)	44	0.8	7.0
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	34	0.6	5.4
13	Pneumonitis due to solids and liquids (J69)	34	0.6	5.4
15	Septicemia (A40-A41)	31	0.6	5.0
...	All other causes (Residual)	1,116	20.3	178.3
Virginia				
...	All causes	61,564	100.0	752.1
1	Malignant neoplasms (C00-C97)	14,294	23.2	174.6
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	13,386	21.7	163.5
3	Cerebrovascular diseases (I60-I69)	3,394	5.5	41.5
4	Chronic lower respiratory diseases (J40-J47)	3,070	5.0	37.5
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,883	4.7	35.2
6	Alzheimer's disease (G30)	1,712	2.8	20.9
7	Diabetes mellitus (E10-E14)	1,603	2.6	19.6
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,523	2.5	18.6
9	Septicemia (A40-A41)	1,321	2.1	16.1
10	Influenza and pneumonia (J09-J18)	1,307	2.1	16.0
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,063	1.7	13.0
12	Chronic liver disease and cirrhosis (K70,K73-K74)	822	1.3	10.0
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	643	1.0	7.9
14	Parkinson's disease (G20-G21)	564	0.9	6.9
15	Pneumonitis due to solids and liquids (J69)	542	0.9	6.6
...	All other causes (Residual)	13,437	21.8	164.1

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2012

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2012

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Washington				
...	All causes	50,105	100.0	726.5
1	Malignant neoplasms (C00-C97)	11,952	23.9	173.3
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,360	20.7	150.2
3	Alzheimer's disease (G30)	3,219	6.4	46.7
4	Chronic lower respiratory diseases (J40-J47)	2,955	5.9	42.8
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,760	5.5	40.0
6	Cerebrovascular diseases (I60-I69)	2,513	5.0	36.4
7	Diabetes mellitus (E10-E14)	1,650	3.3	23.9
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,038	2.1	15.0
9	Chronic liver disease and cirrhosis (K70,K73-K74)	860	1.7	12.5
10	Influenza and pneumonia (J09-J18)	728	1.5	10.6
11	Parkinson's disease (G20-G21)	577	1.2	8.4
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	569	1.1	8.2
13	Pneumonitis due to solids and liquids (J69)	511	1.0	7.4
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	482	1.0	7.0
15	Septicemia (A40-A41)	415	0.8	6.0
...	All other causes (Residual)	9,516	19.0	138.0
West Virginia				
...	All causes	21,915	100.0	1,181.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	4,942	22.6	266.4
2	Malignant neoplasms (C00-C97)	4,684	21.4	252.5
3	Chronic lower respiratory diseases (J40-J47)	1,524	7.0	82.1
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,371	6.3	73.9
5	Cerebrovascular diseases (I60-I69)	1,140	5.2	61.4
6	Diabetes mellitus (E10-E14)	741	3.4	39.9
7	Alzheimer's disease (G30)	598	2.7	32.2
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	471	2.1	25.4
9	Influenza and pneumonia (J09-J18)	425	1.9	22.9
10	Septicemia (A40-A41)	327	1.5	17.6
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	326	1.5	17.6
12	Chronic liver disease and cirrhosis (K70,K73-K74)	256	1.2	13.8
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	254	1.2	13.7
14	Parkinson's disease (G20-G21)	181	0.8	9.8
15	Pneumonitis due to solids and liquids (J69)	127	0.6	6.8
...	All other causes (Residual)	4,548	20.8	245.1

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2012

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2012

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Wisconsin				
...	All causes	48,384	100.0	844.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,282	23.3	197.0
2	Malignant neoplasms (C00-C97)	11,252	23.3	196.5
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,825	5.8	49.3
4	Chronic lower respiratory diseases (J40-J47)	2,524	5.2	44.1
5	Cerebrovascular diseases (I60-I69)	2,520	5.2	44.0
6	Alzheimer's disease (G30)	1,646	3.4	28.7
7	Diabetes mellitus (E10-E14)	1,289	2.7	22.5
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,024	2.1	17.9
9	Influenza and pneumonia (J09-J18)	996	2.1	17.4
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	723	1.5	12.6
11	Chronic liver disease and cirrhosis (K70,K73-K74)	570	1.2	10.0
12	Parkinson's disease (G20-G21)	540	1.1	9.4
13	Septicemia (A40-A41)	439	0.9	7.7
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	412	0.9	7.2
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	376	0.8	6.6
...	All other causes (Residual)	9,966	20.6	174.0
Wyoming				
...	All causes	4,481	100.0	777.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,005	22.4	174.4
2	Malignant neoplasms (C00-C97)	955	21.3	165.7
3	Chronic lower respiratory diseases (J40-J47)	334	7.5	57.9
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	308	6.9	53.4
5	Cerebrovascular diseases (I60-I69)	205	4.6	35.6
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	171	3.8	29.7
7	Alzheimer's disease (G30)	123	2.7	21.3
8	Chronic liver disease and cirrhosis (K70,K73-K74)	103	2.3	17.9
9	Diabetes mellitus (E10-E14)	97	2.2	16.8
10	Influenza and pneumonia (J09-J18)	91	2.0	15.8
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	72	1.6	12.5
12	Septicemia (A40-A41)	55	1.2	9.5
13	Parkinson's disease (G20-G21)	39	0.9	6.8
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	29	0.6	5.0
15	Pneumonitis due to solids and liquids (J69)	27	0.6	4.7
...	All other causes (Residual)	867	19.3	150.4

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2012