

Person with disabilities experiencing problems accessing
NCHS birth and death tables should contact
nchsed@cdc.gov, or call 301-458-4688

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races			White			Black			American Indian 1/			Asian or Pacific Islander 2/		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
All causes															
All ages.....	2,448,017	1,207,675	1,240,342	2,098,097	1,028,152	1,069,945	292,808	149,108	143,700	13,918	7,607	6,311	43,194	22,808	20,386
Under 1 year.....	28,440	16,018	12,422	18,514	10,471	8,043	8,695	4,867	3,828	357	196	161	874	484	390
1-4 years.....	4,756	2,765	1,991	3,408	1,996	1,412	1,097	623	474	100	62	38	151	84	67
5-9 years.....	2,837	1,556	1,281	2,018	1,109	909	663	361	302	46	27	19	110	59	51
10-14 years.....	3,765	2,297	1,468	2,692	1,640	1,052	880	548	332	64	37	27	129	72	57
15-19 years.....	13,703	9,886	3,817	10,268	7,299	2,969	2,839	2,189	650	282	180	102	314	218	96
20-24 years.....	20,531	15,623	4,908	15,142	11,493	3,649	4,532	3,520	1,012	353	259	94	504	351	153
25-29 years.....	19,568	14,242	5,326	14,079	10,323	3,756	4,647	3,334	1,313	364	264	100	478	321	157
30-34 years.....	22,357	15,041	7,316	16,024	10,909	5,115	5,389	3,509	1,880	356	248	108	588	375	213
35-39 years.....	31,420	20,011	11,409	23,177	15,031	8,146	7,048	4,247	2,801	497	306	191	698	427	271
40-44 years.....	53,365	33,298	20,067	40,407	25,793	14,614	11,138	6,379	4,759	726	471	255	1,094	655	439
45-49 years.....	79,383	49,279	30,104	60,286	38,117	22,169	16,714	9,765	6,949	874	524	350	1,509	873	636
50-54 years.....	104,147	65,193	38,954	79,938	50,765	29,173	21,035	12,483	8,552	1,053	636	417	2,121	1,309	812
55-59 years.....	127,478	77,988	49,490	101,212	62,213	38,999	22,656	13,614	9,042	1,075	678	397	2,535	1,483	1,052
60-64 years.....	147,823	87,441	60,382	121,006	72,059	48,947	22,760	13,097	9,663	1,165	663	502	2,892	1,622	1,270
65-69 years.....	172,236	98,412	73,824	143,202	82,421	60,781	24,368	13,358	11,010	1,202	624	578	3,464	2,009	1,455
70-74 years.....	226,119	124,395	101,724	193,160	107,129	86,031	27,350	14,258	13,092	1,285	673	612	4,324	2,335	1,989
75-79 years.....	307,888	159,114	148,774	270,366	141,070	129,296	30,903	14,718	16,185	1,263	611	652	5,356	2,715	2,641
80-84 years.....	378,777	176,121	202,656	340,454	159,158	181,296	31,095	13,351	17,744	1,170	533	637	6,058	3,079	2,979
85-89 years.....	351,398	139,812	211,586	321,335	128,448	192,887	24,013	8,615	15,398	871	367	504	5,179	2,382	2,797
90-94 years.....	239,706	75,026	164,680	219,853	69,060	150,793	16,002	4,417	11,585	539	179	360	3,312	1,370	1,942
95-99 years.....	92,761	20,972	71,789	84,513	18,939	65,574	6,795	1,487	5,308	208	55	153	1,245	491	754
100 years & over.	19,304	2,986	16,318	16,838	2,543	14,295	2,142	337	1,805	66	13	53	258	93	165
Age not stated...	255	199	56	205	166	39	47	31	16	2	1	1	1	1	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Septicemia, unspecified (A41.9)															
All ages.....	31,205	13,849	17,356	24,849	10,981	13,868	5,709	2,540	3,169	187	91	96	460	237	223
Under 1 year.....	222	123	99	119	74	45	95	44	51	1	-	1	7	5	2
1-4 years.....	67	37	30	46	25	21	16	11	5	1	-	1	4	1	3
5-9 years.....	25	17	8	15	8	7	9	8	1	-	-	-	1	1	-
10-14 years.....	30	15	15	24	12	12	5	2	3	-	-	-	1	1	-
15-19 years.....	49	22	27	30	15	15	14	7	7	2	-	2	3	-	3
20-24 years.....	78	45	33	55	34	21	21	10	11	1	-	1	1	1	-
25-29 years.....	115	62	53	69	38	31	42	22	20	1	1	-	3	1	2
30-34 years.....	160	69	91	102	46	56	53	21	32	1	-	1	4	2	2
35-39 years.....	279	126	153	176	76	100	96	45	51	4	3	1	3	2	1
40-44 years.....	460	233	227	305	160	145	142	65	77	8	5	3	5	3	2
45-49 years.....	792	428	364	528	295	233	247	123	124	9	6	3	8	4	4
50-54 years.....	1,180	608	572	798	404	394	350	187	163	12	5	7	20	12	8
55-59 years.....	1,662	888	774	1,202	638	564	416	227	189	20	12	8	24	11	13
60-64 years.....	1,891	1,012	879	1,415	781	634	438	217	221	18	7	11	20	7	13
65-69 years.....	2,373	1,235	1,138	1,814	937	877	504	269	235	20	13	7	35	16	19
70-74 years.....	3,184	1,589	1,595	2,511	1,250	1,261	602	296	306	21	13	8	50	30	20
75-79 years.....	4,319	2,044	2,275	3,515	1,691	1,824	708	304	404	19	9	10	77	40	37
80-84 years.....	5,427	2,336	3,091	4,575	1,983	2,592	761	309	452	21	4	17	70	40	30
85-89 years.....	4,731	1,824	2,907	4,048	1,549	2,499	597	235	362	16	9	7	70	31	39
90-94 years.....	2,943	865	2,078	2,519	746	1,773	378	92	286	6	3	3	40	24	16
95-99 years.....	1,040	240	800	857	198	659	166	37	129	6	1	5	11	4	7
100 years & over.	175	29	146	125	21	104	47	7	40	-	-	-	3	1	2
Age not stated...	3	2	1	1	-	1	2	2	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Human immunodeficiency virus [HIV] disease resulting in infectious and parasitic diseases (B20)															
All ages.....	4,808	3,488	1,320	2,106	1,697	409	2,629	1,732	897	36	28	8	37	31	6
Under 1 year.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
1-4 years.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
5-9 years.....	2	-	2	-	-	-	2	-	2	-	-	-	-	-	-
10-14 years.....	6	4	2	1	-	1	4	3	1	1	1	-	-	-	-
15-19 years.....	9	3	6	1	-	1	8	3	5	-	-	-	-	-	-
20-24 years.....	51	31	20	20	14	6	31	17	14	-	-	-	-	-	-
25-29 years.....	167	105	62	50	42	8	116	62	54	-	-	-	1	1	-
30-34 years.....	352	216	136	144	107	37	205	106	99	1	1	-	2	2	-
35-39 years.....	680	471	209	297	237	60	368	223	145	8	5	3	7	6	1
40-44 years.....	1,003	729	274	493	397	96	494	321	173	8	6	2	8	5	3
45-49 years.....	977	746	231	417	352	65	546	381	165	8	7	1	6	6	-
50-54 years.....	773	560	213	347	263	84	417	289	128	6	5	1	3	3	-
55-59 years.....	435	352	83	192	164	28	236	182	54	2	2	-	5	4	1
60-64 years.....	174	143	31	73	68	5	97	72	25	1	1	-	3	2	1
65-69 years.....	101	77	24	37	29	8	61	46	15	1	-	1	2	2	-
70-74 years.....	40	28	12	11	9	2	29	19	10	-	-	-	-	-	-
75-79 years.....	22	13	9	12	8	4	10	5	5	-	-	-	-	-	-
80-84 years.....	10	7	3	6	5	1	4	2	2	-	-	-	-	-	-
85-89 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years.....	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
95-99 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

All races	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
	Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female

HIV disease resulting in other viral infections (B20.3)

All ages.....	727	574	153	421	353	68	292	208	84	11	10	1	3	3	-
Under 1 year.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
25-29 years.....	9	6	3	4	3	1	5	3	2	-	-	-	-	-	-
30-34 years.....	29	25	4	18	15	3	11	10	1	-	-	-	-	-	-
35-39 years.....	81	57	24	52	42	10	28	14	14	1	1	-	-	-	-
40-44 years.....	149	121	28	107	89	18	40	30	10	1	1	-	1	1	-
45-49 years.....	181	150	31	95	86	9	82	60	22	4	4	-	-	-	-
50-54 years.....	152	111	41	83	66	17	65	42	23	3	2	1	1	1	-
55-59 years.....	83	70	13	42	35	7	38	32	6	2	2	-	1	1	-
60-64 years.....	22	19	3	14	14	-	8	5	3	-	-	-	-	-	-
65-69 years.....	12	8	4	4	2	2	8	6	2	-	-	-	-	-	-
70-74 years.....	5	4	1	-	-	-	5	4	1	-	-	-	-	-	-
75-79 years.....	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
80-84 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	All races			White			Black			American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Malignant neoplasm of other and unspecified parts of tongue (C02)															
All ages.....	1,804	1,179	625	1,546	974	572	209	176	33	7	6	1	42	23	19
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
25-29 years.....	7	6	1	4	4	-	1	1	-	-	-	-	2	1	1
30-34 years.....	15	10	5	14	10	4	1	-	1	-	-	-	-	-	-
35-39 years.....	25	15	10	17	9	8	7	6	1	-	-	-	1	-	1
40-44 years.....	45	33	12	35	24	11	9	8	1	-	-	-	1	1	-
45-49 years.....	106	80	26	86	64	22	18	15	3	-	-	-	2	1	1
50-54 years.....	158	125	33	124	95	29	32	29	3	-	-	-	2	1	1
55-59 years.....	210	153	57	177	128	49	29	22	7	1	1	-	3	2	1
60-64 years.....	226	168	58	193	138	55	28	26	2	2	1	1	3	3	-
65-69 years.....	207	160	47	174	132	42	27	25	2	2	2	-	4	1	3
70-74 years.....	225	146	79	190	119	71	28	23	5	1	1	-	6	3	3
75-79 years.....	193	124	69	172	107	65	14	12	2	-	-	-	7	5	2
80-84 years.....	188	90	98	174	81	93	10	6	4	1	1	-	3	2	1
85-89 years.....	120	44	76	115	42	73	3	2	1	-	-	-	2	-	2
90-94 years.....	60	21	39	54	17	37	1	1	-	-	-	-	5	3	2
95-99 years.....	16	3	13	14	3	11	1	-	1	-	-	-	1	-	1
100 years & over.	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Malignant neoplasm of colon (C18)															
All ages.....	43,989	21,776	22,213	37,055	18,453	18,602	5,864	2,786	3,078	176	93	83	894	444	450
Under 1 year.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
10-14 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
15-19 years.....	9	6	3	6	4	2	2	2	-	-	-	-	1	-	1
20-24 years.....	26	18	8	22	15	7	4	3	1	-	-	-	-	-	-
25-29 years.....	71	43	28	52	30	22	14	10	4	2	1	1	3	2	1
30-34 years.....	164	82	82	125	59	66	30	18	12	1	1	-	8	4	4
35-39 years.....	280	154	126	215	126	89	57	26	31	3	1	2	5	1	4
40-44 years.....	691	355	336	523	284	239	133	56	77	5	3	2	30	12	18
45-49 years.....	1,226	649	577	913	510	403	272	121	151	10	5	5	31	13	18
50-54 years.....	2,048	1,141	907	1,522	867	655	452	235	217	18	10	8	56	29	27
55-59 years.....	2,888	1,694	1,194	2,240	1,327	913	555	317	238	19	12	7	74	38	36
60-64 years.....	3,533	2,046	1,487	2,813	1,656	1,157	612	337	275	20	10	10	88	43	45
65-69 years.....	4,338	2,541	1,797	3,530	2,096	1,434	697	375	322	18	12	6	93	58	35
70-74 years.....	5,326	2,921	2,405	4,505	2,506	1,999	679	338	341	17	11	6	125	66	59
75-79 years.....	6,598	3,422	3,176	5,665	2,957	2,708	769	380	389	30	12	18	134	73	61
80-84 years.....	7,201	3,296	3,905	6,358	2,952	3,406	725	296	429	15	6	9	103	42	61
85-89 years.....	5,541	2,162	3,379	4,927	1,949	2,978	510	166	344	11	6	5	93	41	52
90-94 years.....	3,010	977	2,033	2,724	881	1,843	244	77	167	6	2	4	36	17	19
95-99 years.....	922	243	679	812	212	600	95	25	70	1	1	-	14	5	9
100 years & over.	112	21	91	99	18	81	13	3	10	-	-	-	-	-	-
Age not stated...	2	2	-	1	1	-	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Colon, unspecified (C18.9)															
All ages.....	42,657	21,156	21,501	35,906	17,913	17,993	5,738	2,731	3,007	172	91	81	841	421	420
Under 1 year.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
10-14 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
15-19 years.....	9	6	3	6	4	2	2	2	-	-	-	-	1	-	1
20-24 years.....	26	18	8	22	15	7	4	3	1	-	-	-	-	-	-
25-29 years.....	69	42	27	50	29	21	14	10	4	2	1	1	3	2	1
30-34 years.....	153	74	79	115	52	63	30	18	12	-	-	-	8	4	4
35-39 years.....	267	146	121	204	118	86	56	26	30	3	1	2	4	1	3
40-44 years.....	651	335	316	487	265	222	133	56	77	5	3	2	26	11	15
45-49 years.....	1,173	630	543	870	494	376	266	120	146	10	5	5	27	11	16
50-54 years.....	1,981	1,119	862	1,466	849	617	442	231	211	18	10	8	55	29	26
55-59 years.....	2,771	1,628	1,143	2,144	1,275	869	542	307	235	18	11	7	67	35	32
60-64 years.....	3,409	1,980	1,429	2,707	1,597	1,110	598	332	266	20	10	10	84	41	43
65-69 years.....	4,222	2,481	1,741	3,437	2,043	1,394	677	369	308	18	12	6	90	57	33
70-74 years.....	5,167	2,836	2,331	4,371	2,433	1,938	663	328	335	16	11	5	117	64	53
75-79 years.....	6,426	3,342	3,084	5,510	2,885	2,625	757	375	382	29	12	17	130	70	60
80-84 years.....	6,995	3,191	3,804	6,179	2,863	3,316	707	286	421	15	6	9	94	36	58
85-89 years.....	5,401	2,108	3,293	4,803	1,901	2,902	502	163	339	11	6	5	85	38	47
90-94 years.....	2,930	955	1,975	2,648	860	1,788	240	76	164	6	2	4	36	17	19
95-99 years.....	896	240	656	790	209	581	91	25	66	1	1	-	14	5	9
100 years & over.	106	20	86	93	17	76	13	3	10	-	-	-	-	-	-
Age not stated...	2	2	-	1	1	-	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Malignant neoplasm of rectum (C20)															
All ages.....	6,190	3,491	2,699	5,294	2,982	2,312	685	386	299	43	31	12	168	92	76
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	4	1	3	2	-	2	2	1	1	-	-	-	-	-	-
20-24 years.....	6	1	5	4	1	3	2	-	2	-	-	-	-	-	-
25-29 years.....	14	8	6	10	7	3	3	1	2	1	-	1	-	-	-
30-34 years.....	40	22	18	28	15	13	12	7	5	-	-	-	-	-	-
35-39 years.....	80	44	36	63	36	27	12	5	7	1	1	-	4	2	2
40-44 years.....	125	75	50	101	60	41	19	13	6	3	2	1	2	-	2
45-49 years.....	281	170	111	220	127	93	46	33	13	5	3	2	10	7	3
50-54 years.....	388	224	164	311	182	129	62	33	29	4	3	1	11	6	5
55-59 years.....	524	338	186	438	285	153	72	45	27	4	4	-	10	4	6
60-64 years.....	600	404	196	502	340	162	74	47	27	3	3	-	21	14	7
65-69 years.....	662	444	218	544	359	185	82	56	26	9	8	1	27	21	6
70-74 years.....	738	452	286	647	397	250	72	41	31	4	2	2	15	12	3
75-79 years.....	844	491	353	731	432	299	90	47	43	3	3	-	20	9	11
80-84 years.....	824	423	401	733	384	349	60	25	35	4	2	2	27	12	15
85-89 years.....	595	257	338	537	233	304	46	21	25	2	-	-	10	3	7
90-94 years.....	351	105	246	320	94	226	22	10	12	-	-	-	9	1	8
95-99 years.....	98	30	68	91	30	61	6	-	6	-	-	-	1	-	1
100 years & over.	16	2	14	12	-	12	3	1	2	-	-	-	1	1	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Malignant neoplasm of liver and intrahepatic bile ducts (C22)															
All ages.....	16,076	10,548	5,528	12,735	8,278	4,457	2,118	1,483	635	119	73	46	1,104	714	390
Under 1 year.....	8	6	2	7	6	1	1	-	1	-	-	-	-	-	-
1-4 years.....	21	13	8	19	12	7	2	1	1	-	-	-	-	-	-
5-9 years.....	8	4	4	4	3	1	3	1	2	-	-	-	1	-	1
10-14 years.....	8	5	3	7	5	2	-	-	-	-	-	-	1	-	1
15-19 years.....	8	6	2	7	5	2	1	1	-	-	-	-	-	-	-
20-24 years.....	22	12	10	12	4	8	6	5	1	-	-	-	4	3	1
25-29 years.....	35	22	13	18	12	6	13	7	6	-	-	-	4	3	1
30-34 years.....	54	41	13	28	20	8	15	13	2	-	-	-	11	8	3
35-39 years.....	101	71	30	53	33	20	31	24	7	1	-	1	16	14	2
40-44 years.....	279	187	92	187	122	65	53	34	19	5	3	2	34	28	6
45-49 years.....	825	656	169	600	484	116	154	115	39	7	5	2	64	52	12
50-54 years.....	1,690	1,347	343	1,223	958	265	334	282	52	17	13	4	116	94	22
55-59 years.....	1,767	1,404	363	1,300	1,025	275	341	286	55	9	8	1	117	85	32
60-64 years.....	1,671	1,211	460	1,264	916	348	278	202	76	19	15	4	110	78	32
65-69 years.....	1,680	1,144	536	1,327	900	427	211	151	60	12	6	6	130	87	43
70-74 years.....	2,067	1,326	741	1,662	1,076	586	229	141	88	23	15	8	153	94	59
75-79 years.....	2,235	1,333	902	1,903	1,155	748	174	101	73	9	2	7	149	75	74
80-84 years.....	1,941	1,041	900	1,661	892	769	162	85	77	11	3	8	107	61	46
85-89 years.....	1,122	521	601	994	474	520	70	23	47	3	2	1	55	22	33
90-94 years.....	424	173	251	363	152	211	31	10	21	3	1	2	27	10	17
95-99 years.....	94	24	70	84	23	61	7	1	6	-	-	-	3	-	3
100 years & over.	15	1	14	12	1	11	1	-	1	-	-	-	2	-	2
Age not stated...	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	All races			White			Black			American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Intrahepatic bile duct carcinoma (C22.1)															
All ages.....	3,531	1,781	1,750	3,007	1,509	1,498	314	158	156	26	12	14	184	102	82
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	3	-	3	3	-	3	-	-	-	-	-	-	-	-	-
25-29 years.....	5	2	3	4	2	2	1	-	1	-	-	-	-	-	-
30-34 years.....	14	10	4	8	5	3	4	4	-	-	-	-	2	1	1
35-39 years.....	22	13	9	15	9	6	6	3	3	-	-	-	1	1	-
40-44 years.....	72	31	41	56	24	32	11	5	6	1	-	1	4	2	2
45-49 years.....	128	78	50	104	66	38	15	7	8	1	-	1	8	5	3
50-54 years.....	223	119	104	177	91	86	29	19	10	4	2	2	13	7	6
55-59 years.....	281	152	129	236	127	109	27	12	15	-	-	-	18	13	5
60-64 years.....	358	198	160	301	170	131	38	19	19	4	2	2	15	7	8
65-69 years.....	395	214	181	327	177	150	37	18	19	1	1	-	30	18	12
70-74 years.....	462	253	209	387	212	175	47	24	23	10	7	3	18	10	8
75-79 years.....	601	301	300	533	262	271	47	27	20	1	-	1	20	12	8
80-84 years.....	501	227	274	431	193	238	32	14	18	3	-	3	35	20	15
85-89 years.....	305	126	179	278	117	161	16	5	11	1	-	1	10	4	6
90-94 years.....	120	50	70	110	47	63	3	1	2	-	-	-	7	2	5
95-99 years.....	33	6	27	30	6	24	1	-	1	-	-	-	2	-	2
100 years & over.	7	-	7	6	-	6	-	-	-	-	-	-	1	-	1
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Both sexes	Male	Female	Both sexes	Male	Female		
Liver, unspecified (C22.9)															
All ages.....	5,957	3,731	2,226	4,743	2,950	1,793	829	548	281	45	26	19	340	207	133
Under 1 year.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
1-4 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
5-9 years.....	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-
10-14 years.....	3	3	-	3	3	-	-	-	-	-	-	-	-	-	-
15-19 years.....	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-
20-24 years.....	3	1	2	2	1	1	1	-	1	-	-	-	-	-	-
25-29 years.....	4	3	1	3	3	-	1	-	1	-	-	-	-	-	-
30-34 years.....	12	9	3	7	4	3	2	2	-	-	-	-	3	3	-
35-39 years.....	34	23	11	19	12	7	10	7	3	-	-	-	5	4	1
40-44 years.....	88	55	33	65	41	24	14	7	7	2	1	1	7	6	1
45-49 years.....	269	205	64	195	154	41	55	37	18	1	1	-	18	13	5
50-54 years.....	527	412	115	376	287	89	115	97	18	6	5	1	30	23	7
55-59 years.....	582	467	115	421	338	83	127	103	24	4	3	1	30	23	7
60-64 years.....	590	429	161	438	318	120	111	81	30	9	7	2	32	23	9
65-69 years.....	579	384	195	471	310	161	71	52	19	5	2	3	32	20	12
70-74 years.....	770	465	305	602	367	235	103	62	41	5	2	3	60	34	26
75-79 years.....	866	528	338	728	457	271	80	44	36	4	1	3	54	26	28
80-84 years.....	799	408	391	686	348	338	78	41	37	4	1	3	31	18	13
85-89 years.....	537	238	299	476	216	260	35	10	25	2	2	-	24	10	14
90-94 years.....	226	81	145	192	72	120	19	4	15	3	1	2	12	4	8
95-99 years.....	54	13	41	47	12	35	6	1	5	-	-	-	1	-	1
100 years & over.	7	1	6	6	1	5	-	-	-	-	-	-	1	-	1
Age not stated...	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Malignant neoplasm of bronchus and lung (C34)															
All ages.....	159,220	90,141	69,079	139,382	78,340	61,042	16,556	9,881	6,675	673	356	317	2,609	1,564	1,045
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	3	3	3	3	3	3	-	-	-	-	-	-	-	-	-
5-9 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	4	4	-	3	3	-	1	1	-	-	-	-	-	-	-
20-24 years.....	12	5	7	11	5	6	-	-	-	-	-	-	1	-	1
25-29 years.....	38	18	20	28	13	15	8	4	4	-	-	-	2	1	1
30-34 years.....	94	58	36	69	45	24	11	7	4	2	-	2	12	6	6
35-39 years.....	441	235	206	352	184	168	67	38	29	3	2	1	19	11	8
40-44 years.....	1,880	961	919	1,498	759	739	320	165	155	17	12	5	45	25	20
45-49 years.....	4,591	2,532	2,059	3,613	1,975	1,638	856	496	360	33	15	18	89	46	43
50-54 years.....	8,018	4,784	3,234	6,420	3,828	2,592	1,392	838	554	45	24	21	161	94	67
55-59 years.....	12,799	7,662	5,137	10,563	6,206	4,357	1,945	1,276	669	63	43	20	228	137	91
60-64 years.....	18,551	10,994	7,557	15,894	9,304	6,590	2,265	1,445	820	109	56	53	283	189	94
65-69 years.....	22,148	13,001	9,147	19,281	11,235	8,046	2,449	1,527	922	103	46	57	315	193	122
70-74 years.....	26,222	15,192	11,030	23,229	13,392	9,837	2,461	1,484	977	117	63	54	415	253	162
75-79 years.....	27,582	15,505	12,077	24,924	14,006	10,918	2,158	1,216	942	90	47	43	410	236	174
80-84 years.....	21,431	11,680	9,751	19,490	10,592	8,898	1,540	850	690	59	33	26	342	205	137
85-89 years.....	10,999	5,552	5,447	10,010	5,018	4,992	749	388	361	25	12	13	215	134	81
90-94 years.....	3,647	1,658	1,989	3,338	1,519	1,819	244	110	134	7	3	4	58	26	32
95-99 years.....	701	278	423	609	237	372	79	34	45	-	-	-	13	7	6
100 years & over.	55	17	38	44	15	29	10	1	9	-	-	-	1	1	-
Age not stated...	3	2	1	2	1	1	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Lower lobe, bronchus or lung (C34.3)															
All ages.....	227	137	90	206	127	79	15	6	9	1	1	-	5	3	2
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
50-54 years.....	7	5	2	5	4	1	1	1	-	-	-	-	1	-	1
55-59 years.....	8	5	3	7	5	2	1	-	1	-	-	-	-	-	-
60-64 years.....	33	21	12	29	19	10	3	1	2	-	-	-	1	1	-
65-69 years.....	24	13	11	22	13	9	1	-	1	-	-	-	1	-	1
70-74 years.....	35	21	14	31	19	12	4	2	2	-	-	-	-	-	-
75-79 years.....	55	35	20	53	35	18	2	-	2	-	-	-	-	-	-
80-84 years.....	39	19	20	36	17	19	2	1	1	-	-	-	1	1	-
85-89 years.....	17	11	6	14	8	6	1	1	-	1	1	-	1	1	-
90-94 years.....	8	7	1	8	7	1	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Bronchus or lung, unspecified (C34.9)															
All ages.....	158,369	89,634	68,735	138,620	77,886	60,734	16,488	9,842	6,646	670	355	315	2,591	1,551	1,040
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	3	3	-	3	3	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	4	4	-	3	3	-	1	1	-	-	-	-	-	-	-
20-24 years.....	12	5	7	11	5	6	-	-	-	-	-	-	1	-	1
25-29 years.....	38	18	20	28	13	15	8	4	4	-	-	-	2	1	1
30-34 years.....	94	58	36	69	45	24	11	7	4	2	-	2	12	6	6
35-39 years.....	439	233	206	350	182	168	67	38	29	3	2	1	19	11	8
40-44 years.....	1,874	958	916	1,493	757	736	319	164	155	17	12	5	45	25	20
45-49 years.....	4,573	2,522	2,051	3,601	1,969	1,632	851	493	358	33	15	18	88	45	43
50-54 years.....	7,978	4,756	3,222	6,390	3,806	2,584	1,386	834	552	45	24	21	157	92	65
55-59 years.....	12,748	7,627	5,121	10,520	6,175	4,345	1,937	1,272	665	63	43	20	228	137	91
60-64 years.....	18,453	10,935	7,518	15,806	9,250	6,556	2,258	1,441	817	108	56	52	281	188	93
65-69 years.....	22,033	12,937	9,096	19,178	11,178	8,000	2,439	1,521	918	103	46	57	313	192	121
70-74 years.....	26,073	15,095	10,978	23,095	13,303	9,792	2,447	1,476	971	116	63	53	415	253	162
75-79 years.....	27,425	15,412	12,013	24,777	13,918	10,859	2,153	1,215	938	90	47	43	405	232	173
80-84 years.....	21,305	11,613	9,692	19,371	10,530	8,841	1,535	847	688	59	33	26	340	203	137
85-89 years.....	10,937	5,516	5,421	9,955	4,988	4,967	745	385	360	24	11	13	213	132	81
90-94 years.....	3,623	1,645	1,978	3,317	1,508	1,809	241	108	133	7	3	4	58	26	32
95-99 years.....	700	278	422	608	237	371	79	34	45	-	-	-	13	7	6
100 years & over.	54	17	37	43	15	28	10	1	9	-	-	-	1	1	-
Age not stated...	3	2	1	2	1	1	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Connective and soft tissue, unspecified (C49.9)															
All ages.....	2,819	1,398	1,421	2,393	1,225	1,168	327	125	202	13	7	6	86	41	45
Under 1 year.....	4	2	2	4	2	2	-	-	-	-	-	-	-	-	-
1-4 years.....	19	7	12	14	5	9	3	2	1	1	-	1	1	-	1
5-9 years.....	14	6	8	12	6	6	2	-	2	-	-	-	-	-	-
10-14 years.....	31	18	13	24	13	11	7	5	2	-	-	-	-	-	-
15-19 years.....	61	30	31	51	24	27	6	3	3	-	-	-	4	3	1
20-24 years.....	71	46	25	58	39	19	13	7	6	-	-	-	-	-	-
25-29 years.....	63	34	29	41	24	17	18	7	11	-	-	-	4	3	1
30-34 years.....	79	46	33	56	33	23	17	10	7	1	1	-	5	2	3
35-39 years.....	79	44	35	62	38	24	13	5	8	2	1	1	2	-	2
40-44 years.....	108	52	56	88	45	43	16	6	10	-	-	-	4	1	3
45-49 years.....	201	99	102	159	79	80	34	16	18	2	2	-	6	2	4
50-54 years.....	239	109	130	188	89	99	35	11	24	2	1	1	14	8	6
55-59 years.....	250	126	124	219	117	102	27	6	21	1	1	-	3	2	1
60-64 years.....	229	112	117	194	101	93	26	8	18	1	-	1	8	3	5
65-69 years.....	240	116	124	204	101	103	27	11	16	1	-	1	8	4	4
70-74 years.....	293	158	135	254	139	115	28	13	15	1	1	-	10	5	5
75-79 years.....	304	146	158	267	137	130	28	6	22	1	-	1	8	3	5
80-84 years.....	283	147	136	266	139	127	11	5	6	-	-	-	6	3	3
85-89 years.....	161	64	97	148	61	87	11	2	9	-	-	-	2	1	1
90-94 years.....	71	30	41	65	27	38	5	2	3	-	-	-	1	1	-
95-99 years.....	16	5	11	16	5	11	-	-	-	-	-	-	-	-	-
100 years & over.	3	1	2	3	1	2	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
	Male	Female		Male	Female		Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male

Labium majus (C51.0)

All ages.....	11	...	11	7	...	7	3	...	3	-	...	-	1	...	1
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
70-74 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
75-79 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
80-84 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
85-89 years.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female					
Vulva, unspecified (C51.9)															
All ages.....	798	...	798	745	...	745	46	...	46	5	...	5	2	...	2
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
30-34 years.....	5	...	5	4	...	4	1	...	1	-	...	-	-	...	-
35-39 years.....	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-
40-44 years.....	18	...	18	13	...	13	5	...	5	-	...	-	-	...	-
45-49 years.....	26	...	26	23	...	23	3	...	3	-	...	-	-	...	-
50-54 years.....	30	...	30	26	...	26	3	...	3	1	...	1	-	...	-
55-59 years.....	43	...	43	34	...	34	7	...	7	1	...	1	1	...	1
60-64 years.....	38	...	38	35	...	35	3	...	3	-	...	-	-	...	-
65-69 years.....	64	...	64	61	...	61	2	...	2	1	...	1	-	...	-
70-74 years.....	79	...	79	73	...	73	5	...	5	1	...	1	-	...	-
75-79 years.....	99	...	99	96	...	96	1	...	1	1	...	1	1	...	1
80-84 years.....	162	...	162	159	...	159	3	...	3	-	...	-	-	...	-
85-89 years.....	121	...	121	113	...	113	8	...	8	-	...	-	-	...	-
90-94 years.....	82	...	82	80	...	80	2	...	2	-	...	-	-	...	-
95-99 years.....	24	...	24	23	...	23	1	...	1	-	...	-	-	...	-
100 years & over.	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male	Female	Both sexes	Male	Female			
Malignant neoplasm of vagina (C52)															
All ages.....	382	...	382	317	...	317	50	...	50	6	...	6	9	...	9
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
25-29 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
30-34 years.....	4	...	4	3	...	3	-	...	-	-	...	-	1	...	1
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	11	...	11	7	...	7	4	...	4	-	...	-	-	...	-
45-49 years.....	10	...	10	9	...	9	1	...	1	-	...	-	-	...	-
50-54 years.....	27	...	27	18	...	18	7	...	7	-	...	-	2	...	2
55-59 years.....	27	...	27	22	...	22	4	...	4	1	...	1	-	...	-
60-64 years.....	23	...	23	19	...	19	2	...	2	2	...	2	-	...	-
65-69 years.....	26	...	26	21	...	21	4	...	4	1	...	1	-	...	-
70-74 years.....	34	...	34	29	...	29	3	...	3	1	...	1	1	...	1
75-79 years.....	45	...	45	38	...	38	5	...	5	-	...	-	2	...	2
80-84 years.....	66	...	66	58	...	58	7	...	7	-	...	-	1	...	1
85-89 years.....	52	...	52	47	...	47	3	...	3	-	...	-	2	...	2
90-94 years.....	43	...	43	35	...	35	7	...	7	1	...	1	-	...	-
95-99 years.....	8	...	8	8	...	8	-	...	-	-	...	-	-	...	-
100 years & over.	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	All races		White		Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes					
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female					
Malignant neoplasm of cervix uteri (C53)															
All ages.....	3,924	...	3,924	2,982	...	2,982	783	...	783	34	...	34	125	...	125
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
20-24 years.....	13	...	13	9	...	9	4	...	4	-	...	-	-	...	-
25-29 years.....	39	...	39	27	...	27	9	...	9	1	...	1	2	...	2
30-34 years.....	129	...	129	106	...	106	21	...	21	-	...	-	2	...	2
35-39 years.....	235	...	235	182	...	182	44	...	44	2	...	2	7	...	7
40-44 years.....	387	...	387	289	...	289	89	...	89	2	...	2	7	...	7
45-49 years.....	492	...	492	355	...	355	112	...	112	6	...	6	19	...	19
50-54 years.....	466	...	466	358	...	358	77	...	77	11	...	11	20	...	20
55-59 years.....	456	...	456	338	...	338	92	...	92	3	...	3	23	...	23
60-64 years.....	340	...	340	257	...	257	67	...	67	4	...	4	12	...	12
65-69 years.....	308	...	308	233	...	233	64	...	64	2	...	2	9	...	9
70-74 years.....	267	...	267	210	...	210	48	...	48	2	...	2	7	...	7
75-79 years.....	258	...	258	195	...	195	56	...	56	-	...	-	7	...	7
80-84 years.....	260	...	260	204	...	204	51	...	51	-	...	-	5	...	5
85-89 years.....	164	...	164	127	...	127	33	...	33	1	...	1	3	...	3
90-94 years.....	81	...	81	67	...	67	12	...	12	-	...	-	2	...	2
95-99 years.....	26	...	26	23	...	23	3	...	3	-	...	-	-	...	-
100 years & over.	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female

Endocervix (C53.0)

All ages.....	33	...	33	23	...	23	8	...	8	-	...	-	2	...	2
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
50-54 years.....	2	...	2	1	...	1	-	...	-	-	...	-	1	...	1
55-59 years.....	5	...	5	3	...	3	1	...	1	-	...	-	1	...	1
60-64 years.....	5	...	5	4	...	4	1	...	1	-	...	-	-	...	-
65-69 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years.....	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-
75-79 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
85-89 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
90-94 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	All races		White		Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes					
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male	Female	Both sexes	Male	Female			
Cervix uteri, unspecified (C53.9)															
All ages.....	3,891	...	3,891	2,959	...	2,959	775	...	775	34	...	34	123	...	123
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
20-24 years.....	13	...	13	9	...	9	4	...	4	-	...	-	-	...	-
25-29 years.....	38	...	38	27	...	27	8	...	8	1	...	1	2	...	2
30-34 years.....	129	...	129	106	...	106	21	...	21	-	...	-	2	...	2
35-39 years.....	235	...	235	182	...	182	44	...	44	2	...	2	7	...	7
40-44 years.....	385	...	385	288	...	288	88	...	88	2	...	2	7	...	7
45-49 years.....	489	...	489	352	...	352	112	...	112	6	...	6	19	...	19
50-54 years.....	464	...	464	357	...	357	77	...	77	11	...	11	19	...	19
55-59 years.....	451	...	451	335	...	335	91	...	91	3	...	3	22	...	22
60-64 years.....	335	...	335	253	...	253	66	...	66	4	...	4	12	...	12
65-69 years.....	306	...	306	232	...	232	63	...	63	2	...	2	9	...	9
70-74 years.....	263	...	263	206	...	206	48	...	48	2	...	2	7	...	7
75-79 years.....	256	...	256	194	...	194	55	...	55	-	...	-	7	...	7
80-84 years.....	257	...	257	202	...	202	50	...	50	-	...	-	5	...	5
85-89 years.....	162	...	162	126	...	126	32	...	32	1	...	1	3	...	3
90-94 years.....	79	...	79	65	...	65	12	...	12	-	...	-	2	...	2
95-99 years.....	26	...	26	23	...	23	3	...	3	-	...	-	-	...	-
100 years & over.	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male	Female	Both sexes	Male	Female			
Malignant neoplasm of corpus uteri (C54)															
All ages.....	3,259	...	3,259	2,690	...	2,690	490	...	490	12	...	12	67	...	67
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	3	...	3	1	...	1	2	...	2	-	...	-	-	...	-
30-34 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
35-39 years.....	24	...	24	18	...	18	3	...	3	-	...	-	3	...	3
40-44 years.....	41	...	41	32	...	32	5	...	5	-	...	-	4	...	4
45-49 years.....	78	...	78	64	...	64	12	...	12	-	...	-	2	...	2
50-54 years.....	141	...	141	118	...	118	15	...	15	2	...	2	6	...	6
55-59 years.....	303	...	303	250	...	250	40	...	40	-	...	-	13	...	13
60-64 years.....	388	...	388	293	...	293	86	...	86	-	...	-	9	...	9
65-69 years.....	429	...	429	347	...	347	74	...	74	2	...	2	6	...	6
70-74 years.....	459	...	459	376	...	376	77	...	77	1	...	1	5	...	5
75-79 years.....	450	...	450	365	...	365	71	...	71	4	...	4	10	...	10
80-84 years.....	462	...	462	400	...	400	55	...	55	1	...	1	6	...	6
85-89 years.....	303	...	303	264	...	264	37	...	37	1	...	1	1	...	1
90-94 years.....	152	...	152	141	...	141	10	...	10	-	...	-	1	...	1
95-99 years.....	21	...	21	17	...	17	2	...	2	1	...	1	1	...	1
100 years & over.	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
	Male	Female		Male	Female		Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male

Isthmus uteri (C54.0)

All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Endometrium (C54.1)															
All ages.....	3,192	...	3,192	2,631	...	2,631	483	...	483	12	...	12	66	...	66
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	3	...	3	1	...	1	2	...	2	-	...	-	-	...	-
30-34 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
35-39 years.....	23	...	23	17	...	17	3	...	3	-	...	-	3	...	3
40-44 years.....	41	...	41	32	...	32	5	...	5	-	...	-	4	...	4
45-49 years.....	74	...	74	60	...	60	12	...	12	-	...	-	2	...	2
50-54 years.....	135	...	135	113	...	113	14	...	14	2	...	2	6	...	6
55-59 years.....	297	...	297	245	...	245	39	...	39	-	...	-	13	...	13
60-64 years.....	382	...	382	288	...	288	86	...	86	-	...	-	8	...	8
65-69 years.....	423	...	423	342	...	342	73	...	73	2	...	2	6	...	6
70-74 years.....	448	...	448	367	...	367	75	...	75	1	...	1	5	...	5
75-79 years.....	444	...	444	360	...	360	70	...	70	4	...	4	10	...	10
80-84 years.....	449	...	449	388	...	388	54	...	54	1	...	1	6	...	6
85-89 years.....	297	...	297	258	...	258	37	...	37	1	...	1	1	...	1
90-94 years.....	150	...	150	139	...	139	10	...	10	-	...	-	1	...	1
95-99 years.....	21	...	21	17	...	17	2	...	2	1	...	1	1	...	1
100 years & over.	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
	Male	Female		Male	Female		Both sexes	Male	Female	Both sexes	Male	Female		

Corpus uteri, unspecified (C54.9)

All ages.....	66	...	66	58	...	58	7	...	7	-	...	-	1	...	1
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-
50-54 years.....	6	...	6	5	...	5	1	...	1	-	...	-	-	...	-
55-59 years.....	6	...	6	5	...	5	1	...	1	-	...	-	-	...	-
60-64 years.....	6	...	6	5	...	5	-	...	-	-	...	-	1	...	1
65-69 years.....	5	...	5	4	...	4	1	...	1	-	...	-	-	...	-
70-74 years.....	11	...	11	9	...	9	2	...	2	-	...	-	-	...	-
75-79 years.....	6	...	6	5	...	5	1	...	1	-	...	-	-	...	-
80-84 years.....	13	...	13	12	...	12	1	...	1	-	...	-	-	...	-
85-89 years.....	6	...	6	6	...	6	-	...	-	-	...	-	-	...	-
90-94 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male	Female	Both sexes	Male	Female			
Malignant neoplasm of uterus, part unspecified (C55)															
All ages.....	3,837	...	3,837	3,052	...	3,052	690	...	690	10	...	10	85	...	85
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
20-24 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years.....	4	...	4	2	...	2	1	...	1	-	...	-	1	...	1
30-34 years.....	12	...	12	8	...	8	3	...	3	-	...	-	1	...	1
35-39 years.....	30	...	30	22	...	22	6	...	6	-	...	-	2	...	2
40-44 years.....	51	...	51	38	...	38	11	...	11	-	...	-	2	...	2
45-49 years.....	130	...	130	100	...	100	25	...	25	-	...	-	5	...	5
50-54 years.....	219	...	219	167	...	167	43	...	43	1	...	1	8	...	8
55-59 years.....	339	...	339	254	...	254	71	...	71	2	...	2	12	...	12
60-64 years.....	438	...	438	321	...	321	104	...	104	2	...	2	11	...	11
65-69 years.....	456	...	456	341	...	341	104	...	104	2	...	2	9	...	9
70-74 years.....	464	...	464	350	...	350	100	...	100	2	...	2	12	...	12
75-79 years.....	522	...	522	418	...	418	94	...	94	1	...	1	9	...	9
80-84 years.....	521	...	521	456	...	456	58	...	58	-	...	-	7	...	7
85-89 years.....	386	...	386	341	...	341	40	...	40	-	...	-	5	...	5
90-94 years.....	200	...	200	175	...	175	24	...	24	-	...	-	1	...	1
95-99 years.....	52	...	52	49	...	49	3	...	3	-	...	-	-	...	-
100 years & over.	10	...	10	9	...	9	1	...	1	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male	Female	Both sexes	Male	Female			
Malignant neoplasm of ovary (C56)															
All ages.....	14,787	...	14,787	13,199	...	13,199	1,217	...	1,217	55	...	55	316	...	316
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
15-19 years.....	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-
20-24 years.....	14	...	14	14	...	14	-	...	-	-	...	-	-	...	-
25-29 years.....	31	...	31	25	...	25	5	...	5	1	...	1	-	...	-
30-34 years.....	52	...	52	42	...	42	9	...	9	-	...	-	1	...	1
35-39 years.....	106	...	106	87	...	87	13	...	13	2	...	2	4	...	4
40-44 years.....	307	...	307	245	...	245	42	...	42	-	...	-	20	...	20
45-49 years.....	628	...	628	529	...	529	63	...	63	6	...	6	30	...	30
50-54 years.....	1,054	...	1,054	917	...	917	97	...	97	8	...	8	32	...	32
55-59 years.....	1,459	...	1,459	1,285	...	1,285	124	...	124	8	...	8	42	...	42
60-64 years.....	1,589	...	1,589	1,411	...	1,411	139	...	139	3	...	3	36	...	36
65-69 years.....	1,670	...	1,670	1,471	...	1,471	154	...	154	10	...	10	35	...	35
70-74 years.....	1,899	...	1,899	1,680	...	1,680	174	...	174	6	...	6	39	...	39
75-79 years.....	2,073	...	2,073	1,887	...	1,887	151	...	151	4	...	4	31	...	31
80-84 years.....	1,958	...	1,958	1,796	...	1,796	128	...	128	5	...	5	29	...	29
85-89 years.....	1,279	...	1,279	1,195	...	1,195	69	...	69	1	...	1	14	...	14
90-94 years.....	537	...	537	492	...	492	41	...	41	1	...	1	3	...	3
95-99 years.....	109	...	109	103	...	103	6	...	6	-	...	-	-	...	-
100 years & over.	15	...	15	14	...	14	1	...	1	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

All races	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
	Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female

Malignant neoplasm of other and unspecified female genital organs (C57)

All ages.....	245	...	245	216	...	216	22	...	22	3	...	3	4	...	4
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	8	...	8	6	...	6	1	...	1	1	...	1	-	...	-
50-54 years.....	20	...	20	18	...	18	2	...	2	-	...	-	-	...	-
55-59 years.....	20	...	20	13	...	13	3	...	3	2	...	2	2	...	2
60-64 years.....	20	...	20	19	...	19	-	...	-	-	...	-	1	...	1
65-69 years.....	40	...	40	35	...	35	5	...	5	-	...	-	-	...	-
70-74 years.....	37	...	37	32	...	32	4	...	4	-	...	-	1	...	1
75-79 years.....	27	...	27	26	...	26	1	...	1	-	...	-	-	...	-
80-84 years.....	36	...	36	33	...	33	3	...	3	-	...	-	-	...	-
85-89 years.....	20	...	20	18	...	18	2	...	2	-	...	-	-	...	-
90-94 years.....	9	...	9	9	...	9	-	...	-	-	...	-	-	...	-
95-99 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
100 years & over.	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/		
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female		
Fallopian tube (C57.0)												
All ages.....	163	... 163	150	... 150	9	... 9	1	... 1	3	... 3		
Under 1 year.....	-	... -	-	... -	-	... -	-	... -	-	... -		
1-4 years.....	-	... -	-	... -	-	... -	-	... -	-	... -		
5-9 years.....	-	... -	-	... -	-	... -	-	... -	-	... -		
10-14 years.....	-	... -	-	... -	-	... -	-	... -	-	... -		
15-19 years.....	-	... -	-	... -	-	... -	-	... -	-	... -		
20-24 years.....	-	... -	-	... -	-	... -	-	... -	-	... -		
25-29 years.....	-	... -	-	... -	-	... -	-	... -	-	... -		
30-34 years.....	-	... -	-	... -	-	... -	-	... -	-	... -		
35-39 years.....	2	... 2	1	... 1	1	... 1	-	... -	-	... -		
40-44 years.....	-	... -	-	... -	-	... -	-	... -	-	... -		
45-49 years.....	3	... 3	2	... 2	1	... 1	-	... -	-	... -		
50-54 years.....	13	... 13	12	... 12	1	... 1	-	... -	-	... -		
55-59 years.....	17	... 17	12	... 12	2	... 2	1	... 1	2	... 2		
60-64 years.....	16	... 16	16	... 16	-	... -	-	... -	-	... -		
65-69 years.....	32	... 32	30	... 30	2	... 2	-	... -	-	... -		
70-74 years.....	25	... 25	23	... 23	1	... 1	-	... -	1	... 1		
75-79 years.....	19	... 19	19	... 19	-	... -	-	... -	-	... -		
80-84 years.....	23	... 23	22	... 22	1	... 1	-	... -	-	... -		
85-89 years.....	9	... 9	9	... 9	-	... -	-	... -	-	... -		
90-94 years.....	3	... 3	3	... 3	-	... -	-	... -	-	... -		
95-99 years.....	1	... 1	1	... 1	-	... -	-	... -	-	... -		
100 years & over.	-	... -	-	... -	-	... -	-	... -	-	... -		
Age not stated...	-	... -	-	... -	-	... -	-	... -	-	... -		

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
	Male	Female		Male	Female		Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male

Uterine adnexa, unspecified (C57.4)

All ages.....	2	...	2	1	...	1	-	...	-	1	...	1	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	1	...	1	-	...	-	-	...	-	1	...	1	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
	Male	Female		Male	Female		Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male

Other specified female genital organs (C57.7)

All ages.....	8	...	8	8	...	8	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
80-84 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
	Male	Female		Male	Female		Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male

Overlapping lesion of female genital organs (C57.8)

All ages.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female					
Female genital organ, unspecified (C57.9)															
All ages.....	69	...	69	55	...	55	12	...	12	1	...	1	1	...	1
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	5	...	5	4	...	4	-	...	-	1	...	1	-	...	-
50-54 years.....	6	...	6	5	...	5	1	...	1	-	...	-	-	...	-
55-59 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
60-64 years.....	3	...	3	2	...	2	-	...	-	-	...	-	1	...	1
65-69 years.....	7	...	7	5	...	5	2	...	2	-	...	-	-	...	-
70-74 years.....	12	...	12	9	...	9	3	...	3	-	...	-	-	...	-
75-79 years.....	7	...	7	6	...	6	1	...	1	-	...	-	-	...	-
80-84 years.....	10	...	10	8	...	8	2	...	2	-	...	-	-	...	-
85-89 years.....	10	...	10	8	...	8	2	...	2	-	...	-	-	...	-
90-94 years.....	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-
95-99 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
100 years & over.	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
	Male	Female		Male	Female		Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male

Malignant neoplasm of placenta (C58)

All ages.....	16	...	16	8	...	8	6	...	6	1	...	1	1	...	1
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years.....	4	...	4	2	...	2	1	...	1	-	...	-	1	...	1
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
45-49 years.....	4	...	4	3	...	3	1	...	1	-	...	-	-	...	-
50-54 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
55-59 years.....	1	...	1	-	...	-	-	...	-	1	...	1	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Malignant neoplasm of penis (C60)															
All ages.....	217	217	...	188	188	...	27	27	...	1	1	...	1	1	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
35-39 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
40-44 years.....	7	7	...	6	6	...	1	1	...	-	-	...	-	-	...
45-49 years.....	11	11	...	11	11	...	-	-	...	-	-	...	-	-	...
50-54 years.....	18	18	...	16	16	...	2	2	...	-	-	...	-	-	...
55-59 years.....	18	18	...	12	12	...	5	5	...	-	-	...	1	1	...
60-64 years.....	18	18	...	14	14	...	4	4	...	-	-	...	-	-	...
65-69 years.....	21	21	...	18	18	...	3	3	...	-	-	...	-	-	...
70-74 years.....	23	23	...	20	20	...	3	3	...	-	-	...	-	-	...
75-79 years.....	36	36	...	34	34	...	2	2	...	-	-	...	-	-	...
80-84 years.....	28	28	...	24	24	...	3	3	...	1	1	...	-	-	...
85-89 years.....	23	23	...	20	20	...	3	3	...	-	-	...	-	-	...
90-94 years.....	7	7	...	7	7	...	-	-	...	-	-	...	-	-	...
95-99 years.....	3	3	...	3	3	...	-	-	...	-	-	...	-	-	...
100 years & over.	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Penis, unspecified (C60.9)															
All ages.....	217	217	...	188	188	...	27	27	...	1	1	...	1	1	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
35-39 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
40-44 years.....	7	7	...	6	6	...	1	1	...	-	-	...	-	-	...
45-49 years.....	11	11	...	11	11	...	-	-	...	-	-	...	-	-	...
50-54 years.....	18	18	...	16	16	...	2	2	...	-	-	...	-	-	...
55-59 years.....	18	18	...	12	12	...	5	5	...	-	-	...	1	1	...
60-64 years.....	18	18	...	14	14	...	4	4	...	-	-	...	-	-	...
65-69 years.....	21	21	...	18	18	...	3	3	...	-	-	...	-	-	...
70-74 years.....	23	23	...	20	20	...	3	3	...	-	-	...	-	-	...
75-79 years.....	36	36	...	34	34	...	2	2	...	-	-	...	-	-	...
80-84 years.....	28	28	...	24	24	...	3	3	...	1	1	...	-	-	...
85-89 years.....	23	23	...	20	20	...	3	3	...	-	-	...	-	-	...
90-94 years.....	7	7	...	7	7	...	-	-	...	-	-	...	-	-	...
95-99 years.....	3	3	...	3	3	...	-	-	...	-	-	...	-	-	...
100 years & over.	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Malignant neoplasm of prostate (C61)															
All ages.....	28,905	28,905	...	23,597	23,597	...	4,823	4,823	...	113	113	...	372	372	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	1	1	...	-	-	...	-	-	...	-	-	...	1	1	...
30-34 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
35-39 years.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
40-44 years.....	23	23	...	13	13	...	9	9	...	1	1	...	-	-	...
45-49 years.....	93	93	...	69	69	...	24	24	...	-	-	...	-	-	...
50-54 years.....	302	302	...	196	196	...	96	96	...	3	3	...	7	7	...
55-59 years.....	762	762	...	544	544	...	199	199	...	3	3	...	16	16	...
60-64 years.....	1,392	1,392	...	1,022	1,022	...	347	347	...	8	8	...	15	15	...
65-69 years.....	2,215	2,215	...	1,662	1,662	...	504	504	...	14	14	...	35	35	...
70-74 years.....	3,549	3,549	...	2,740	2,740	...	760	760	...	10	10	...	39	39	...
75-79 years.....	5,222	5,222	...	4,301	4,301	...	836	836	...	21	21	...	64	64	...
80-84 years.....	6,444	6,444	...	5,399	5,399	...	941	941	...	26	26	...	78	78	...
85-89 years.....	5,438	5,438	...	4,707	4,707	...	653	653	...	16	16	...	62	62	...
90-94 years.....	2,737	2,737	...	2,345	2,345	...	344	344	...	7	7	...	41	41	...
95-99 years.....	651	651	...	547	547	...	89	89	...	4	4	...	11	11	...
100 years & over.	71	71	...	48	48	...	20	20	...	-	-	...	3	3	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Malignant neoplasm of testis (C62)															
All ages.....	359	359	...	313	313	...	32	32	...	3	3	...	11	11	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	2	2	...	1	1	...	-	-	...	1	1	...	-	-	...
15-19 years.....	11	11	...	10	10	...	1	1	...	-	-	...	-	-	...
20-24 years.....	34	34	...	26	26	...	5	5	...	-	-	...	3	3	...
25-29 years.....	41	41	...	37	37	...	3	3	...	-	-	...	1	1	...
30-34 years.....	32	32	...	29	29	...	2	2	...	-	-	...	1	1	...
35-39 years.....	33	33	...	28	28	...	4	4	...	-	-	...	1	1	...
40-44 years.....	53	53	...	45	45	...	5	5	...	1	1	...	2	2	...
45-49 years.....	44	44	...	39	39	...	5	5	...	-	-	...	-	-	...
50-54 years.....	32	32	...	29	29	...	2	2	...	1	1	...	-	-	...
55-59 years.....	24	24	...	21	21	...	1	1	...	-	-	...	2	2	...
60-64 years.....	10	10	...	10	10	...	-	-	...	-	-	...	-	-	...
65-69 years.....	12	12	...	9	9	...	2	2	...	-	-	...	1	1	...
70-74 years.....	5	5	...	5	5	...	-	-	...	-	-	...	-	-	...
75-79 years.....	8	8	...	7	7	...	1	1	...	-	-	...	-	-	...
80-84 years.....	7	7	...	7	7	...	-	-	...	-	-	...	-	-	...
85-89 years.....	6	6	...	6	6	...	-	-	...	-	-	...	-	-	...
90-94 years.....	4	4	...	3	3	...	1	1	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Undescended testis (C62.0)															
All ages.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Testis, unspecified (C62.9)															
All ages.....	358	358	...	312	312	...	32	32	...	3	3	...	11	11	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	2	2	...	1	1	...	-	-	...	1	1	...	-	-	...
15-19 years.....	11	11	...	10	10	...	1	1	...	-	-	...	-	-	...
20-24 years.....	34	34	...	26	26	...	5	5	...	-	-	...	3	3	...
25-29 years.....	41	41	...	37	37	...	3	3	...	-	-	...	1	1	...
30-34 years.....	32	32	...	29	29	...	2	2	...	-	-	...	1	1	...
35-39 years.....	33	33	...	28	28	...	4	4	...	-	-	...	1	1	...
40-44 years.....	53	53	...	45	45	...	5	5	...	1	1	...	2	2	...
45-49 years.....	44	44	...	39	39	...	5	5	...	-	-	...	-	-	...
50-54 years.....	32	32	...	29	29	...	2	2	...	1	1	...	-	-	...
55-59 years.....	24	24	...	21	21	...	1	1	...	-	-	...	2	2	...
60-64 years.....	10	10	...	10	10	...	-	-	...	-	-	...	-	-	...
65-69 years.....	12	12	...	9	9	...	2	2	...	-	-	...	1	1	...
70-74 years.....	5	5	...	5	5	...	-	-	...	-	-	...	-	-	...
75-79 years.....	8	8	...	7	7	...	1	1	...	-	-	...	-	-	...
80-84 years.....	6	6	...	6	6	...	-	-	...	-	-	...	-	-	...
85-89 years.....	6	6	...	6	6	...	-	-	...	-	-	...	-	-	...
90-94 years.....	4	4	...	3	3	...	1	1	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races			White			Black			American Indian 1/			Asian or Pacific Islander 2/		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Malignant neoplasm of other and unspecified male genital organs (C63)															
All ages.....	33	33	...	28	28	...	4	4	...	-	-	...	1	1	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
45-49 years.....	3	3	...	2	2	...	1	1	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	4	4	...	4	4	...	-	-	...	-	-	...	-	-	...
65-69 years.....	5	5	...	4	4	...	-	-	...	-	-	...	1	1	...
70-74 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
75-79 years.....	4	4	...	4	4	...	-	-	...	-	-	...	-	-	...
80-84 years.....	9	9	...	8	8	...	1	1	...	-	-	...	-	-	...
85-89 years.....	4	4	...	2	2	...	2	2	...	-	-	...	-	-	...
90-94 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
	Male	Female		Male	Female		Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male

Spermatic cord (C63.1)

All ages.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
	Male	Female		Male	Female		Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male

Scrotum (C63.2)

All ages.....	9	9	...	8	8	...	1	1	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
65-69 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
70-74 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
75-79 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
80-84 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
	Male	Female		Male	Female		Both sexes	Male	Female	Both sexes	Male	Female		

Other specified male genital organs (C63.7)

All ages.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
	Male	Female		Male	Female		Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male

Male genital organ, unspecified (C63.9)

All ages.....	20	20	...	16	16	...	3	3	...	-	-	...	1	1	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
45-49 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
65-69 years.....	4	4	...	3	3	...	-	-	...	-	-	...	1	1	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	3	3	...	3	3	...	-	-	...	-	-	...	-	-	...
80-84 years.....	6	6	...	5	5	...	1	1	...	-	-	...	-	-	...
85-89 years.....	4	4	...	2	2	...	2	2	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Malignant neoplasm of other endocrine glands and related structures (C75)															
All ages.....	140	61	79	113	51	62	23	10	13	-	-	-	4	-	4
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	3	3	-	2	2	-	1	1	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	3	-	3	2	-	2	1	-	1	-	-	-	-	-	-
15-19 years.....	2	-	2	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years.....	4	1	3	3	1	2	1	-	1	-	-	-	-	-	-
25-29 years.....	3	2	1	2	2	-	1	-	1	-	-	-	-	-	-
30-34 years.....	4	4	-	4	4	-	-	-	-	-	-	-	-	-	-
35-39 years.....	6	2	4	4	2	2	1	-	1	-	-	-	1	-	1
40-44 years.....	9	3	6	9	3	6	-	-	-	-	-	-	-	-	-
45-49 years.....	6	3	3	5	3	2	-	-	-	-	-	-	1	-	1
50-54 years.....	17	10	7	13	8	5	3	2	1	-	-	-	1	-	1
55-59 years.....	14	7	7	11	6	5	3	1	2	-	-	-	-	-	-
60-64 years.....	11	3	8	10	3	7	-	-	-	-	-	-	1	-	1
65-69 years.....	9	5	4	7	3	4	2	2	-	-	-	-	-	-	-
70-74 years.....	11	3	8	9	2	7	2	1	1	-	-	-	-	-	-
75-79 years.....	14	6	8	12	4	8	2	2	-	-	-	-	-	-	-
80-84 years.....	8	4	4	6	3	3	2	1	1	-	-	-	-	-	-
85-89 years.....	11	5	6	10	5	5	1	-	1	-	-	-	-	-	-
90-94 years.....	2	-	2	2	-	2	-	-	-	-	-	-	-	-	-
95-99 years.....	2	-	2	1	-	1	1	-	1	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
	Male	Female		Male	Female		Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male

Pituitary gland (C75.1)

All ages.....	32	12	20	22	9	13	8	3	5	-	-	-	2	-	2
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years.....	2	-	2	-	-	-	1	-	1	-	-	-	1	-	1
40-44 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years.....	3	2	1	3	2	1	-	-	-	-	-	-	-	-	-
50-54 years.....	7	3	4	4	2	2	2	1	1	-	-	-	1	-	1
55-59 years.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
60-64 years.....	2	-	2	2	-	2	-	-	-	-	-	-	-	-	-
65-69 years.....	2	1	1	1	-	1	1	1	-	-	-	-	-	-	-
70-74 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
75-79 years.....	4	3	1	3	2	1	1	1	-	-	-	-	-	-	-
80-84 years.....	2	-	2	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years.....	4	2	2	4	2	2	-	-	-	-	-	-	-	-	-
90-94 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years.....	2	-	2	1	-	1	1	-	1	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
	Male	Female		Male	Female		Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male

Secondary malignant neoplasm of ovary (C79.6)

All ages.....	7	...	7	6	...	6	1	...	1	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
75-79 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
80-84 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Diffuse non-Hodgkin's lymphoma (C83)															
All ages.....	2,218	1,354	864	2,049	1,244	805	117	77	40	12	6	6	40	27	13
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	5	5	-	3	3	-	2	2	-	-	-	-	-	-	-
10-14 years.....	16	13	3	14	11	3	2	2	-	-	-	-	-	-	-
15-19 years.....	11	9	2	9	7	2	1	1	-	-	-	-	1	1	-
20-24 years.....	16	12	4	13	10	3	3	2	1	-	-	-	-	-	-
25-29 years.....	21	17	4	14	11	3	3	2	1	2	2	-	2	2	-
30-34 years.....	23	15	8	18	11	7	5	4	1	-	-	-	-	-	-
35-39 years.....	25	22	3	21	18	3	4	4	-	-	-	-	-	-	-
40-44 years.....	47	36	11	37	28	9	6	5	1	-	-	-	4	3	1
45-49 years.....	66	46	20	62	44	18	4	2	2	-	-	-	-	-	-
50-54 years.....	92	58	34	83	53	30	7	3	4	1	1	-	1	1	-
55-59 years.....	136	96	40	121	88	33	12	7	5	1	-	1	2	1	1
60-64 years.....	179	113	66	161	101	60	16	10	6	-	-	-	2	2	-
65-69 years.....	222	151	71	209	140	69	10	9	1	-	-	-	3	2	1
70-74 years.....	292	184	108	274	173	101	10	7	3	3	1	2	5	3	2
75-79 years.....	375	233	142	361	223	138	7	5	2	1	1	-	6	4	2
80-84 years.....	365	182	183	344	173	171	11	5	6	2	-	2	8	4	4
85-89 years.....	240	123	117	222	114	108	12	6	6	1	-	1	5	3	2
90-94 years.....	75	35	40	72	32	40	1	1	-	1	1	-	1	1	-
95-99 years.....	12	4	8	11	4	7	1	-	1	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
B-cell lymphoma, unspecified (C85.1)															
All ages.....	1,544	807	737	1,390	729	661	95	55	40	9	2	7	50	21	29
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
15-19 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
20-24 years.....	7	2	5	4	2	2	2	-	2	-	-	-	1	-	1
25-29 years.....	4	3	1	3	2	1	1	1	-	-	-	-	-	-	-
30-34 years.....	8	6	2	5	4	1	3	2	1	-	-	-	-	-	-
35-39 years.....	11	7	4	11	7	4	-	-	-	-	-	-	-	-	-
40-44 years.....	34	25	9	31	24	7	3	1	2	-	-	-	-	-	-
45-49 years.....	45	31	14	33	23	10	8	7	1	1	-	1	3	1	2
50-54 years.....	72	54	18	58	43	15	13	11	2	-	-	-	1	-	1
55-59 years.....	98	48	50	81	38	43	11	7	4	2	-	2	4	3	1
60-64 years.....	124	66	58	108	60	48	6	4	2	1	-	1	9	2	7
65-69 years.....	117	71	46	104	64	40	10	6	4	1	-	1	2	1	1
70-74 years.....	197	116	81	173	102	71	14	9	5	-	-	-	10	5	5
75-79 years.....	243	126	117	225	119	106	8	3	5	2	1	1	8	3	5
80-84 years.....	276	124	152	261	116	145	8	3	5	1	1	-	6	4	2
85-89 years.....	208	91	117	196	88	108	6	1	5	1	-	1	5	2	3
90-94 years.....	78	29	49	76	29	47	1	-	1	-	-	-	1	-	1
95-99 years.....	16	5	11	15	5	10	1	-	1	-	-	-	-	-	-
100 years & over.	4	1	3	4	1	3	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Acute lymphoblastic leukemia (C91.0)															
All ages.....	1,460	807	653	1,277	699	578	122	71	51	14	11	3	47	26	21
Under 1 year.....	4	2	2	3	1	2	1	1	-	-	-	-	-	-	-
1-4 years.....	41	33	8	34	26	8	4	4	-	1	1	-	2	2	-
5-9 years.....	64	43	21	56	35	21	7	7	-	-	-	-	1	1	-
10-14 years.....	79	42	37	67	37	30	9	3	6	-	-	-	3	2	1
15-19 years.....	79	56	23	70	47	23	7	7	-	2	2	-	-	-	-
20-24 years.....	106	74	32	93	63	30	7	7	-	1	1	-	5	3	2
25-29 years.....	65	43	22	51	33	18	11	8	3	-	-	-	3	2	1
30-34 years.....	61	34	27	54	30	24	5	2	3	-	-	-	2	2	-
35-39 years.....	60	35	25	55	31	24	1	1	-	1	1	-	3	2	1
40-44 years.....	63	33	30	54	31	23	5	2	3	1	-	1	3	-	3
45-49 years.....	96	52	44	78	42	36	9	7	2	1	1	-	8	2	6
50-54 years.....	81	40	41	72	36	36	7	2	5	-	-	-	2	2	-
55-59 years.....	80	42	38	70	38	32	7	2	5	2	1	1	1	1	-
60-64 years.....	90	48	42	78	43	35	9	4	5	-	-	-	3	1	2
65-69 years.....	96	46	50	80	37	43	9	5	4	2	2	-	5	2	3
70-74 years.....	106	62	44	96	58	38	8	4	4	1	-	1	1	-	1
75-79 years.....	104	46	58	94	41	53	6	2	4	1	1	-	3	2	1
80-84 years.....	83	39	44	74	34	40	6	2	4	1	1	-	2	2	-
85-89 years.....	59	22	37	59	22	37	-	-	-	-	-	-	-	-	-
90-94 years.....	38	14	24	34	13	21	4	1	3	-	-	-	-	-	-
95-99 years.....	3	-	3	3	-	3	-	-	-	-	-	-	-	-	-
100 years & over.	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Chronic lymphocytic leukemia (C91.1)															
All ages.....	4,391	2,623	1,768	4,016	2,395	1,621	335	198	137	11	9	2	29	21	8
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
25-29 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
30-34 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
35-39 years.....	7	5	2	5	4	1	2	1	1	-	-	-	-	-	-
40-44 years.....	17	10	7	12	7	5	4	3	1	-	-	-	1	-	1
45-49 years.....	44	33	11	30	26	4	14	7	7	-	-	-	-	-	-
50-54 years.....	92	68	24	75	56	19	17	12	5	-	-	-	-	-	-
55-59 years.....	155	120	35	137	106	31	16	12	4	-	-	-	2	2	-
60-64 years.....	280	211	69	248	190	58	28	17	11	2	2	-	2	2	-
65-69 years.....	396	280	116	332	238	94	59	38	21	3	3	-	2	1	1
70-74 years.....	531	373	158	490	345	145	37	24	13	1	1	-	3	3	-
75-79 years.....	751	480	271	685	434	251	59	39	20	2	2	-	5	5	-
80-84 years.....	842	472	370	788	442	346	45	26	19	-	-	-	9	4	5
85-89 years.....	697	351	346	661	337	324	31	10	21	2	1	1	3	3	-
90-94 years.....	416	160	256	399	153	246	14	6	8	1	-	1	2	1	1
95-99 years.....	136	55	81	129	52	77	7	3	4	-	-	-	-	-	-
100 years & over.	24	3	21	22	3	19	2	-	2	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
	Male	Female		Male	Female		Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male

Vulva (D07.1)

All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Both sexes	Male	Female	Both sexes	Male	Female		
Leiomyoma of uterus (D25)															
All ages.....	28	...	28	10	...	10	17	...	17	-	...	-	1	...	1
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	5	...	5	-	...	-	5	...	5	-	...	-	-	...	-
40-44 years.....	8	...	8	3	...	3	4	...	4	-	...	-	1	...	1
45-49 years.....	4	...	4	2	...	2	2	...	2	-	...	-	-	...	-
50-54 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years.....	4	...	4	2	...	2	2	...	2	-	...	-	-	...	-
60-64 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Leiomyoma of uterus, unspecified (D25.9)															
All ages.....	28	...	28	10	...	10	17	...	17	-	...	-	1	...	1
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	5	...	5	-	...	-	5	...	5	-	...	-	-	...	-
40-44 years.....	8	...	8	3	...	3	4	...	4	-	...	-	1	...	1
45-49 years.....	4	...	4	2	...	2	2	...	2	-	...	-	-	...	-
50-54 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years.....	4	...	4	2	...	2	2	...	2	-	...	-	-	...	-
60-64 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
	Male	Female		Male	Female		Both sexes	Male	Female	Both sexes	Male	Female		

Other benign neoplasms of uterus (D26)

All ages.....	3	...	3	-	...	-	3	...	3	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
	Male	Female		Male	Female		Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male

Uterus, unspecified (D26.9)

All ages.....	3	...	3	-	...	-	3	...	3	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
	Male	Female		Male	Female		Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male

Benign neoplasm of ovary (D27)

All ages.....	10	...	10	9	...	9	1	...	1	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
50-54 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Trachea, bronchus, and lung (D38.1)															
All ages.....	599	294	305	546	265	281	39	22	17	2	1	1	12	6	6
Under 1 year.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
30-34 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
35-39 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years.....	3	2	1	3	2	1	-	-	-	-	-	-	-	-	-
45-49 years.....	6	5	1	6	5	1	-	-	-	-	-	-	-	-	-
50-54 years.....	15	11	4	12	10	2	3	1	2	-	-	-	-	-	-
55-59 years.....	27	17	10	23	14	9	3	3	-	-	-	-	1	-	1
60-64 years.....	33	19	14	29	17	12	3	1	2	-	-	-	1	1	-
65-69 years.....	42	25	17	37	22	15	4	2	2	-	-	-	1	1	-
70-74 years.....	73	39	34	62	31	31	8	6	2	-	-	-	3	2	1
75-79 years.....	98	56	42	90	51	39	7	4	3	1	1	-	-	-	-
80-84 years.....	124	60	64	117	57	60	5	3	2	-	-	-	2	-	2
85-89 years.....	94	33	61	89	31	58	3	1	2	-	-	-	2	1	1
90-94 years.....	62	21	41	58	19	39	2	1	1	-	-	-	2	1	1
95-99 years.....	15	4	11	13	4	9	1	-	1	1	-	1	-	-	-
100 years & over.	3	-	3	3	-	3	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
	Male	Female		Male	Female		Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male

Neoplasm of uncertain or unknown behavior of female genital organs (D39)

All ages.....	88	...	88	70	...	70	17	...	17	1	...	1	-	...	-
Under 1 year.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
40-44 years.....	4	...	4	3	...	3	1	...	1	-	...	-	-	...	-
45-49 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
55-59 years.....	6	...	6	2	...	2	3	...	3	1	...	1	-	...	-
60-64 years.....	8	...	8	6	...	6	2	...	2	-	...	-	-	...	-
65-69 years.....	7	...	7	5	...	5	2	...	2	-	...	-	-	...	-
70-74 years.....	5	...	5	4	...	4	1	...	1	-	...	-	-	...	-
75-79 years.....	9	...	9	8	...	8	1	...	1	-	...	-	-	...	-
80-84 years.....	15	...	15	15	...	15	-	...	-	-	...	-	-	...	-
85-89 years.....	10	...	10	8	...	8	2	...	2	-	...	-	-	...	-
90-94 years.....	6	...	6	5	...	5	1	...	1	-	...	-	-	...	-
95-99 years.....	6	...	6	5	...	5	1	...	1	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Uterus (D39.0)															
All ages.....	31	...	31	22	...	22	8	...	8	1	...	1	-	...	-
Under 1 year.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	4	...	4	1	...	1	2	...	2	1	...	1	-	...	-
60-64 years.....	4	...	4	3	...	3	1	...	1	-	...	-	-	...	-
65-69 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
80-84 years.....	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-
85-89 years.....	6	...	6	5	...	5	1	...	1	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
	Male	Female		Male	Female		Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male

Ovary (D39.1)

All ages.....	46	...	46	39	...	39	7	...	7	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
45-49 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
55-59 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
60-64 years.....	4	...	4	3	...	3	1	...	1	-	...	-	-	...	-
65-69 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
70-74 years.....	5	...	5	4	...	4	1	...	1	-	...	-	-	...	-
75-79 years.....	5	...	5	5	...	5	-	...	-	-	...	-	-	...	-
80-84 years.....	8	...	8	8	...	8	-	...	-	-	...	-	-	...	-
85-89 years.....	4	...	4	3	...	3	1	...	1	-	...	-	-	...	-
90-94 years.....	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-
95-99 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
	Male	Female		Male	Female		Both sexes	Male	Female	Both sexes	Male	Female		

Placenta (D39.2)

All ages.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other female genital organs (D39.7)												
All ages.....	6	...	6	5	...	5	1	...	1	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	3	...	3	3	...	3	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	2	...	2	1	...	1	1	...	1	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
	Male	Female		Male	Female		Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male

Female genital organ, unspecified (D39.9)

All ages.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
	Male	Female		Male	Female		Both sexes	Male	Female	Both sexes	Male	Female		

Neoplasm of uncertain or unknown behavior of male genital organs (D40)

All ages.....	24	24	...	21	21	...	3	3	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
70-74 years.....	3	3	...	3	3	...	-	-	...	-	-	...	-	-	...
75-79 years.....	7	7	...	5	5	...	2	2	...	-	-	...	-	-	...
80-84 years.....	3	3	...	3	3	...	-	-	...	-	-	...	-	-	...
85-89 years.....	5	5	...	4	4	...	1	1	...	-	-	...	-	-	...
90-94 years.....	3	3	...	3	3	...	-	-	...	-	-	...	-	-	...
95-99 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Prostate (D40.0)															
All ages.....	19	19	...	17	17	...	2	2	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
70-74 years.....	3	3	...	3	3	...	-	-	...	-	-	...	-	-	...
75-79 years.....	5	5	...	4	4	...	1	1	...	-	-	...	-	-	...
80-84 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
85-89 years.....	5	5	...	4	4	...	1	1	...	-	-	...	-	-	...
90-94 years.....	3	3	...	3	3	...	-	-	...	-	-	...	-	-	...
95-99 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
	Male	Female		Male	Female		Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male

Testis (D40.1)

All ages.....	4	4	...	3	3	...	1	1	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	2	2	...	1	1	...	1	1	...	-	-	...	-	-	...
80-84 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
	Male	Female		Male	Female		Both sexes	Male	Female	Both sexes	Male	Female		

Male genital organ, unspecified (D40.9)

All ages.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/					
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Brain, unspecified (D43.2)																		
All ages.....	2,639	1,268	1,371	2,340	1,138	1,202	247	103	144	7	2	5	45	25	20			
Under 1 year.....	14	8	6	9	6	3	3	2	1	-	-	-	2	-	2			
1-4 years.....	29	17	12	25	15	10	3	2	1	-	-	-	1	-	1			
5-9 years.....	26	10	16	19	7	12	5	1	4	-	-	-	2	2	-			
10-14 years.....	21	8	13	16	6	10	4	1	3	-	-	-	1	1	-			
15-19 years.....	16	7	9	10	5	5	4	1	3	-	-	-	2	1	1			
20-24 years.....	16	9	7	15	8	7	1	1	-	-	-	-	-	-	-			
25-29 years.....	25	13	12	20	12	8	4	-	4	-	-	-	1	1	-			
30-34 years.....	43	25	18	33	19	14	9	5	4	-	-	-	1	1	-			
35-39 years.....	66	41	25	54	35	19	12	6	6	-	-	-	-	-	-			
40-44 years.....	96	55	41	78	44	34	16	10	6	2	1	1	-	-	-			
45-49 years.....	117	67	50	90	53	37	25	13	12	1	1	-	1	-	1			
50-54 years.....	128	76	52	110	67	43	16	8	8	-	-	-	2	1	1			
55-59 years.....	181	106	75	166	96	70	13	10	3	-	-	-	2	-	2			
60-64 years.....	184	109	75	160	98	62	18	7	11	-	-	-	6	4	2			
65-69 years.....	209	115	94	186	102	84	20	12	8	-	-	-	3	1	2			
70-74 years.....	261	127	134	234	118	116	22	7	15	1	-	1	4	2	2			
75-79 years.....	315	154	161	295	147	148	13	3	10	-	-	-	7	4	3			
80-84 years.....	387	168	219	354	156	198	29	10	19	1	-	1	3	2	1			
85-89 years.....	291	106	185	269	100	169	16	2	14	-	-	-	6	4	2			
90-94 years.....	171	43	128	161	40	121	9	2	7	-	-	-	1	1	-			
95-99 years.....	38	3	35	32	3	29	4	-	4	2	-	2	-	-	-			
100 years & over.	5	1	4	4	1	3	1	-	1	-	-	-	-	-	-			
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Hypothyroidism, unspecified (E03.9)															
All ages.....	1,528	307	1,221	1,417	281	1,136	96	20	76	7	3	4	8	3	5
Under 1 year.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	2	1	1	1	1	-	1	-	1	-	-	-	-	-	-
25-29 years.....	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
30-34 years.....	5	2	3	4	1	3	1	1	-	-	-	-	-	-	-
35-39 years.....	6	4	2	5	4	1	1	-	1	-	-	-	-	-	-
40-44 years.....	11	2	9	10	1	9	-	-	-	1	1	-	-	-	-
45-49 years.....	9	3	6	7	3	4	2	-	2	-	-	-	-	-	-
50-54 years.....	22	7	15	21	7	14	1	-	1	-	-	-	-	-	-
55-59 years.....	25	5	20	23	4	19	1	-	1	1	1	-	-	-	-
60-64 years.....	42	20	22	37	18	19	5	2	3	-	-	-	-	-	-
65-69 years.....	41	11	30	38	9	29	2	2	-	1	-	1	-	-	-
70-74 years.....	63	13	50	50	12	38	12	1	11	1	-	1	-	-	-
75-79 years.....	130	32	98	112	27	85	16	4	12	1	1	-	1	-	1
80-84 years.....	227	52	175	216	51	165	10	1	9	-	-	-	1	-	1
85-89 years.....	365	71	294	340	64	276	20	5	15	-	-	-	5	2	3
90-94 years.....	323	53	270	308	50	258	13	3	10	2	-	2	-	-	-
95-99 years.....	199	23	176	194	23	171	5	-	5	-	-	-	-	-	-
100 years & over.	55	6	49	49	4	45	5	1	4	-	-	-	1	1	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Insulin-dependent diabetes mellitus (E10)															
All ages.....	5,489	2,670	2,819	4,517	2,254	2,263	875	372	503	49	25	24	48	19	29
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	7	3	4	4	3	1	3	-	3	-	1	-	-	-	-
15-19 years.....	13	3	10	12	3	9	-	-	-	1	-	1	-	-	-
20-24 years.....	33	18	15	24	16	8	9	2	7	-	-	-	-	-	-
25-29 years.....	57	26	31	38	19	19	16	5	11	2	2	-	1	-	1
30-34 years.....	84	50	34	60	39	21	23	10	13	1	1	-	-	-	-
35-39 years.....	170	77	93	129	55	74	39	22	17	1	-	1	1	-	1
40-44 years.....	215	144	71	175	121	54	34	19	15	6	4	2	-	-	-
45-49 years.....	280	173	107	229	147	82	46	24	22	5	2	3	-	-	-
50-54 years.....	401	230	171	322	191	131	75	36	39	3	3	-	1	-	1
55-59 years.....	431	241	190	359	198	161	63	39	24	4	1	3	5	3	2
60-64 years.....	477	264	213	388	226	162	83	34	49	1	1	-	5	3	2
65-69 years.....	516	273	243	409	226	183	99	44	55	6	3	3	2	-	2
70-74 years.....	585	288	297	475	245	230	90	33	57	9	3	6	11	7	4
75-79 years.....	727	319	408	608	278	330	102	36	66	4	1	3	13	4	9
80-84 years.....	669	290	379	576	250	326	84	36	48	4	3	1	5	1	4
85-89 years.....	499	181	318	431	160	271	63	19	44	2	1	1	3	1	2
90-94 years.....	259	74	185	221	63	158	37	11	26	-	-	-	1	-	1
95-99 years.....	60	15	45	51	13	38	9	2	7	-	-	-	-	-	-
100 years & over.	6	1	5	6	1	5	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
With peripheral circulatory complications (E14.5)															
All ages.....	5,071	2,626	2,445	3,852	2,058	1,794	1,080	497	583	48	23	25	91	48	43
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	2	-	2	-	-	-	2	-	2	-	-	-	-	-	-
25-29 years.....	1	1	-	1	1	-	3	-	1	-	-	-	-	-	-
30-34 years.....	7	5	2	4	3	1	3	2	1	-	-	-	-	-	-
35-39 years.....	21	13	8	12	7	5	8	6	2	-	-	-	1	-	1
40-44 years.....	38	21	17	31	18	13	7	3	4	-	-	-	-	-	-
45-49 years.....	98	65	33	68	48	20	24	14	10	4	2	2	2	1	1
50-54 years.....	210	135	75	146	95	51	54	32	22	5	3	2	5	5	-
55-59 years.....	320	202	118	232	152	80	77	42	35	7	4	3	4	4	-
60-64 years.....	437	257	180	312	186	126	111	63	48	6	3	3	8	5	3
65-69 years.....	534	280	254	388	212	176	136	64	72	7	3	4	3	1	2
70-74 years.....	673	389	284	489	293	196	165	86	79	8	4	4	11	6	5
75-79 years.....	782	426	356	600	341	259	164	78	86	3	-	3	15	7	8
80-84 years.....	856	431	425	689	358	331	144	60	84	5	3	2	18	10	8
85-89 years.....	649	264	385	532	230	302	100	29	71	3	1	2	14	4	10
90-94 years.....	344	113	231	277	97	180	59	12	47	-	-	-	8	4	4
95-99 years.....	87	23	64	66	17	49	19	5	14	-	-	-	2	1	1
100 years & over.	12	1	11	5	-	5	7	1	6	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
	Male	Female		Male	Female		Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male

Ovarian dysfunction (E28)

All ages.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
	Male	Female		Male	Female		Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male

Polycystic ovarian syndrome (E28.2)

All ages.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
	Male	Female		Male	Female		Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male

Testicular dysfunction (E29)

All ages.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
	Male	Female		Male	Female		Both sexes	Male	Female	Both sexes	Male	Female		

Testicular hypofunction (E29.1)

All ages.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Vascular dementia (F01)															
All ages.....	4,225	1,502	2,723	3,766	1,320	2,446	370	136	234	10	4	6	79	42	37
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years.....	3	1	2	2	-	2	1	1	-	-	-	-	-	-	-
45-49 years.....	4	3	1	4	3	1	-	-	-	-	-	-	-	-	-
50-54 years.....	6	3	3	6	3	3	-	-	-	-	-	-	-	-	-
55-59 years.....	13	8	5	8	5	3	3	2	1	1	1	-	1	-	1
60-64 years.....	30	18	12	23	14	9	7	4	3	-	-	-	-	-	-
65-69 years.....	91	47	44	68	35	33	15	8	7	2	1	1	6	3	3
70-74 years.....	209	103	106	166	79	87	38	21	17	-	-	-	5	3	2
75-79 years.....	465	215	250	397	181	216	61	29	32	-	-	-	7	5	2
80-84 years.....	897	383	514	797	339	458	85	35	50	3	-	3	12	9	3
85-89 years.....	1,120	384	736	1,017	343	674	77	25	52	3	2	1	23	14	9
90-94 years.....	936	261	675	867	246	621	51	9	42	-	-	-	18	6	12
95-99 years.....	368	68	300	340	65	275	21	2	19	1	-	1	6	1	5
100 years & over.	83	8	75	71	7	64	11	-	11	-	-	-	1	1	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Unspecified dementia (F03)															
All ages.....	51,926	15,169	36,757	47,171	13,691	33,480	4,083	1,240	2,843	134	44	90	538	194	344
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
35-39 years.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
40-44 years.....	5	4	1	4	3	1	1	1	-	-	-	-	-	-	-
45-49 years.....	19	15	4	18	15	3	1	-	1	-	-	-	-	-	-
50-54 years.....	48	28	20	37	23	14	11	5	6	-	-	-	-	-	-
55-59 years.....	143	67	76	122	57	65	16	8	8	1	1	-	4	1	3
60-64 years.....	319	174	145	270	146	124	43	25	18	2	2	-	4	1	3
65-69 years.....	643	312	331	525	253	272	104	49	55	9	7	2	5	3	2
70-74 years.....	1,771	819	952	1,488	682	806	255	125	130	7	2	5	21	10	11
75-79 years.....	4,483	1,848	2,635	3,934	1,627	2,307	487	197	290	12	8	4	50	16	34
80-84 years.....	10,042	3,676	6,366	9,091	3,315	5,776	827	318	509	26	6	20	98	37	61
85-89 years.....	14,087	4,204	9,883	13,023	3,883	9,140	889	251	638	32	11	21	143	59	84
90-94 years.....	12,824	2,903	9,921	11,802	2,679	9,123	849	172	677	31	6	25	142	46	96
95-99 years.....	6,209	986	5,223	5,687	893	4,794	456	76	380	9	-	9	57	17	40
100 years & over.	1,330	131	1,199	1,167	113	1,054	144	13	131	5	1	4	14	4	10
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Both sexes	Male	Female	Both sexes	Male	Female		
Mental and behavioral disorders due to use of alcohol (F10)															
All ages.....	7,389	5,753	1,636	6,175	4,817	1,358	930	727	203	209	145	64	75	64	11
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	2	1	1	1	1	-	-	-	-	1	-	1	-	-	-
15-19 years.....	28	23	5	22	20	2	3	2	1	3	1	2	-	-	-
20-24 years.....	66	55	11	55	48	7	5	2	3	5	4	1	1	1	-
25-29 years.....	108	85	23	89	68	21	10	9	1	6	5	1	3	3	-
30-34 years.....	144	111	33	118	92	26	15	11	4	3	1	2	8	7	1
35-39 years.....	377	278	99	308	231	77	34	22	12	28	19	9	7	6	1
40-44 years.....	839	661	178	700	560	140	99	72	27	32	23	9	8	6	2
45-49 years.....	1,231	916	315	1,022	763	259	167	125	42	32	18	14	10	10	-
50-54 years.....	1,334	1,061	273	1,096	873	223	177	145	32	50	35	15	11	8	3
55-59 years.....	1,099	885	214	936	752	184	138	113	25	18	13	5	7	7	-
60-64 years.....	818	639	179	690	538	152	112	87	25	11	10	1	5	4	1
65-69 years.....	517	419	98	432	345	87	69	59	10	8	8	-	8	7	1
70-74 years.....	308	237	71	254	195	59	48	39	9	5	3	2	1	-	1
75-79 years.....	223	187	36	192	161	31	25	22	3	3	2	1	3	2	1
80-84 years.....	158	115	43	139	99	40	13	11	2	3	2	1	3	3	-
85-89 years.....	87	53	34	81	50	31	5	2	3	1	1	-	-	-	-
90-94 years.....	31	14	17	25	12	13	6	2	4	-	-	-	-	-	-
95-99 years.....	11	7	4	9	5	4	2	2	-	-	-	-	-	-	-
100 years & over.	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
Age not stated...	7	5	2	6	4	2	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Both sexes	Male	Female	Both sexes	Male	Female		
Dependence syndrome (F10.2)															
All ages.....	4,045	3,165	880	3,414	2,683	731	492	379	113	101	73	28	38	30	8
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
20-24 years.....	15	13	2	11	10	1	1	-	1	3	3	-	-	-	-
25-29 years.....	45	30	15	39	25	14	3	3	-	3	2	1	-	-	-
30-34 years.....	65	52	13	57	46	11	4	2	2	1	1	-	3	3	-
35-39 years.....	198	138	60	165	116	49	17	12	5	13	8	5	3	2	1
40-44 years.....	459	363	96	384	304	80	55	43	12	17	14	3	3	2	1
45-49 years.....	710	530	180	591	445	146	96	68	28	15	9	6	8	8	-
50-54 years.....	795	639	156	655	531	124	106	85	21	26	18	8	8	5	3
55-59 years.....	644	525	119	557	458	99	76	59	17	7	4	3	4	4	-
60-64 years.....	484	378	106	418	329	89	58	43	15	6	5	1	2	1	1
65-69 years.....	298	248	50	255	211	44	35	30	5	5	5	-	3	2	1
70-74 years.....	145	106	39	124	90	34	18	14	4	2	2	-	1	-	1
75-79 years.....	100	83	17	87	72	15	11	9	2	1	1	-	1	1	-
80-84 years.....	49	35	14	38	25	13	7	7	-	2	1	1	2	2	-
85-89 years.....	28	19	9	26	17	9	2	2	-	-	-	-	-	-	-
90-94 years.....	7	3	4	5	2	3	2	1	1	-	-	-	-	-	-
95-99 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Unspecified mental and behavioral disorder (F17.9)															
All ages.....	1,096	633	463	1,000	573	427	82	51	31	9	5	4	5	4	1
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
10-14 years.....	2	1	1	-	-	-	2	1	1	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
30-34 years.....	10	7	3	8	7	1	2	-	2	-	-	-	-	-	-
35-39 years.....	11	7	4	8	5	3	3	2	1	-	-	-	-	-	-
40-44 years.....	27	12	15	25	11	14	2	1	1	-	-	-	-	-	-
45-49 years.....	60	41	19	52	33	19	8	8	-	-	-	-	-	-	-
50-54 years.....	68	50	18	61	44	17	5	4	1	1	1	-	1	1	-
55-59 years.....	87	51	36	72	41	31	14	9	5	-	-	-	1	1	-
60-64 years.....	112	72	40	104	66	38	5	5	-	2	-	2	1	1	-
65-69 years.....	120	69	51	112	63	49	4	3	1	3	3	-	1	-	1
70-74 years.....	126	76	50	118	73	45	7	3	4	1	-	1	-	-	-
75-79 years.....	139	89	50	130	85	45	9	4	5	-	-	-	-	-	-
80-84 years.....	146	76	70	133	68	65	11	7	4	2	1	1	-	-	-
85-89 years.....	106	47	59	100	44	56	6	3	3	-	-	-	-	-	-
90-94 years.....	52	28	24	48	26	22	3	1	2	-	-	-	1	1	-
95-99 years.....	19	4	15	18	4	14	1	-	1	-	-	-	-	-	-
100 years & over.	8	2	6	8	2	6	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Mental and behavioral disorders due to multiple-drug use and use of other psychoactive substances (F19)															
All ages.....	1,532	1,075	457	1,219	857	362	280	196	84	18	9	9	15	13	2
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	21	20	1	20	19	1	1	1	-	-	-	-	-	-	-
20-24 years.....	74	48	26	72	47	25	-	-	-	1	-	1	1	1	-
25-29 years.....	104	77	27	90	66	24	12	10	2	1	-	1	1	1	-
30-34 years.....	111	81	30	101	75	26	8	5	3	1	-	1	1	1	-
35-39 years.....	180	111	69	142	90	52	30	16	14	5	2	3	3	3	-
40-44 years.....	273	180	93	233	159	74	38	19	19	1	1	-	1	1	-
45-49 years.....	299	211	88	240	171	69	51	35	16	6	4	2	2	1	1
50-54 years.....	267	198	69	174	127	47	86	66	20	2	1	1	5	4	1
55-59 years.....	120	96	24	80	63	17	38	31	7	1	1	-	1	1	-
60-64 years.....	43	32	11	33	24	9	10	8	2	-	-	-	-	-	-
65-69 years.....	15	8	7	12	6	6	3	2	1	-	-	-	-	-	-
70-74 years.....	10	5	5	8	3	5	2	2	-	-	-	-	-	-	-
75-79 years.....	7	6	1	6	5	1	1	1	-	-	-	-	-	-	-
80-84 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
85-89 years.....	4	2	2	4	2	2	-	-	-	-	-	-	-	-	-
90-94 years.....	2	-	2	2	-	2	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

