

Amendments to ICD-10 Volume 3 (Index)

Vol. 3 (Index) errata 2011

1

December 2010

Nosologists
Specialists
States, etc.
Technicians

Amendments to ICD-10 Volume 3 (Index)

NCHS pg #	Current entry in index	Corrected entry	Reason	EffectiveDate
A-11 A-13 A-15 A-17	<p>Abscess (embolic) (infective) (metastatic) (multiple) (perforated) (pyogenic) (septic) L02.9</p> <ul style="list-style-type: none"> • - appendix <u>K35.1</u> • - ileocecal <u>K35.1</u> • - periappendicular <u>K35.1</u> • - vermiform appendix <u>K35.1</u> 	<p>Abscess (embolic) (infective) (metastatic) (multiple) (perforated) (pyogenic) (septic) L02.9</p> <ul style="list-style-type: none"> • - appendix <u>K35.3</u> • - ileocecal <u>K35.3</u> • - periappendicular <u>K35.3</u> • - vermiform appendix <u>K35.3</u> 	<p>← Revise code</p> <p>← Revise code</p> <p>← Revise code</p> <p>← Revise code</p>	12/10
A-71	<p>Appendicitis K37 - with</p> <ul style="list-style-type: none"> • - - peritonitis, localized K35.3 - - - with mention of perforation or rupture K35.3 - - peritonitis NOS <u>K35.8</u> 	<p>Appendicitis K37 - with</p> <ul style="list-style-type: none"> • - - peritonitis, localized K35.3 - - - with mention of perforation or rupture K35.3 - - peritonitis NOS <u>K35.3</u> 	<p>← Revise code</p>	12/10
A-71	<p>Appendicitis K37</p> <ul style="list-style-type: none"> • 	<p>Appendicitis K37</p> <ul style="list-style-type: none"> • 		12/10

Amendments to ICD-10 Volume 3 (Index)

NCHS pg #	Current entry in index	Corrected entry	Reason	EffectiveDate
	- perforated <u>K35.0</u>	- perforated <u>K35.8</u>	← Revise code	
B-3	Bedsore <u>L89.-</u>	Bedsore (<i>see also</i> Decubitus) <u>L89.9</u>	←← Revise code and add cross reference	12/10
C-18	Cellulitis (diffuse) (with lymphangitis) L03.9 . - decubital <u>L89</u>	Cellulitis (diffuse) (with lymphangitis) L03.9 . - decubital (<i>see also</i> Decubitus) <u>L89.9</u>	←← Revise code and add cross reference	12/10
D-5	Decubitus (ulcer) <u>L89.-</u> - with infection <u>L89</u>	Decubitus (ulcer) <u>L89.9</u> - with infection (<i>see also</i> Decubitus) <u>L89.9</u>	← Revise code ←← Revise code and add cross reference	12/10
D-57	Disease, diseased - <i>see also</i> Syndrome . - kidney (functional) (pelvis) N28.9 . - - cystic (congenital) Q61.9	Disease, diseased - <i>see also</i> Syndrome . - kidney (functional) (pelvis) N28.9 . - - cystic (congenital) Q61.9 - - diabetic E14.2	← Add subterm	12/10

Amendments to ICD-10 Volume 3 (Index)

NCHS pg #	Current entry in index	Corrected entry	Reason	EffectiveDate
D-57	Disease, diseased - <i>see also</i> Syndrome • - kidney (functional) (pelvis) N28.9 • - - end-stage (failure) N18.5	Disease, diseased - <i>see also</i> Syndrome • - kidney (functional) (pelvis) N28.9 • - - end-stage (failure) N18.5 - - - <u>acute N00.9</u> - - - <u>chronic N18.5</u>	← Add subterm ← Add subterm	12/10
D-62	Disease, diseased - <i>see also</i> Syndrome • - renal - <i>see</i> Disease, kidney - - diabetic E14.2	Disease, diseased - <i>see also</i> Syndrome • - renal - <i>see</i> Disease, kidney	← Delete subterm	12/10
D-85	Dissection - aorta (any part) (ruptured) I71.0 - artery NEC I72.9 • - traumatic - <i>see</i> <u>Cut</u>	Dissection - aorta (any part) (ruptured) I71.0 - artery NEC I72.9 • - traumatic (complication) (early) T14.5	← Delete subterm	12/10

Amendments to ICD-10 Volume 3 (Index)

NCHS pg #	Current entry in index	Corrected entry	Reason	EffectiveDate
D-85	<p>Dissection</p> <ul style="list-style-type: none"> · - traumatic (complication) (early), specified site - <u>see Injury, blood vessel</u> 	<p>Dissection</p> <ul style="list-style-type: none"> · - <u>traumatic (complication) (early) T14.5</u> - - specified site - <i>see</i> Injury, blood vessel by site 	<p>←← Revise subterm and add code ← Add subterm</p>	12/10
E-20	<p>End-stage kidney N18.0</p> <ul style="list-style-type: none"> - acute N00.9 - chronic <u>N18.0</u> 	<p>End-stage kidney N18.5</p> <ul style="list-style-type: none"> - acute N00.9 - chronic <u>N18.5</u> 	<p>← Revise code ← Revise code</p>	12/10
F-4 F-4	<p>Failure, failed</p> <ul style="list-style-type: none"> - kidney N19 · - - hypertensive (see also Hypertension, kidney) I12.0 · - renal- <i>see</i> Failure, kidney - newborn N19 	<p>Failure, failed</p> <ul style="list-style-type: none"> - kidney N19 · - - hypertensive (see also Hypertension, kidney) I12.0 - - <u>newborn N19</u> · - renal- <i>see</i> Failure, kidney 	<p>← Add subterm ← Delete subterm</p>	12/10

Amendments to ICD-10 Volume 3 (Index)

NCHS pg #	Current entry in index	Corrected entry	Reason	EffectiveDate
H-21	Hepatitis K75.9 • - non A and non B B17.8	Hepatitis K75.9 • - non A and non B B17.8 - <u>non-infectious (acute) K75.9</u>	← Add subterm	12/10
I-4	Impaired, impairment (function) • - renal- <i>see</i> Impaired, kidney - acute N17.	Impaired, impairment (function) • - renal- <i>see</i> Impaired, kidney	← Delete subterm	12/10
N-62	Neuropathy, neuropathic G62.9 • - uremic <u>N18.8†</u> G63.8*	Neuropathy, neuropathic G62.9 • - uremic <u>N18.5†</u> G63.8*	← Revise dagger code	12/10
P-18	Perforation, perforated (nontraumatic) (<i>see also</i> Rupture) • - cecum (ischemic) (<i>see also</i> Perforation, colon) <u>K35.0</u>	Perforation, perforated (nontraumatic) (<i>see also</i> Rupture) • - cecum (ischemic) (<i>see also</i> Perforation, colon) <u>K35.8</u>	← Revise code	12/10
P-31	Plaster ulcer <u>L89.-</u>	Plaster ulcer (<i>see also</i> Decubitus) <u>L89.9</u>	←← Revise code	12/10

Amendments to ICD-10 Volume 3 (Index)

NCHS pg #	Current entry in index	Corrected entry	Reason	EffectiveDate
	<p>(hemorrhagic) (lobe) (migratory)(nosocomial (obstructive) (post obstructive) (primary) (purulent) (septic) (unresolved) (see also Pneumonitis) J18.9</p> <ul style="list-style-type: none"> • - lobar (disseminated) (interstitial) (<i>see also Pneumonia</i>) J18.1 • - - chronic (<i>see also Fibrosis, lung</i>) J84.10 	<p>(hemorrhagic) (lobe) (migratory)(nosocomial (obstructive) (post obstructive) (primary) (purulent) (septic) (unresolved) (see also Pneumonitis) J18.9</p> <ul style="list-style-type: none"> • - lobar (disseminated) (interstitial) (<i>see also Pneumonia</i>) J18.1 • - - chronic J98.4 	<p>Delete cross reference and ←← revise code</p>	
P-45	<p>Polyneuropathy (peripheral) G62.9</p> <ul style="list-style-type: none"> • - in (due to) • - - uremia N18.8† G63.8* 	<p>Polyneuropathy (peripheral) G62.9</p> <ul style="list-style-type: none"> • - in (due to) • - - uremia N18.5† G63.8* 	<p>← Revise dagger code</p>	12/10
P-60	<p>Pressure</p> <ul style="list-style-type: none"> - area, skin ulcer L89.- • - sore (chronic) L89.- • 	<p>Pressure</p> <ul style="list-style-type: none"> - area, skin ulcer L89.9 • - sore (chronic) L89.9 	<p>← Revise code ← Revise code</p>	12/10

Amendments to ICD-10 Volume 3 (Index)

NCHS pg #	Current entry in index	Corrected entry	Reason	EffectiveDate
	<ul style="list-style-type: none"> - spinal cord G95.2 - ulcer (chronic) <u>L89.-</u> 	<ul style="list-style-type: none"> • - spinal cord G95.2 - ulcer (chronic) <u>L89.9</u> 	← Revise code	
R-17	<p>Rupture, ruptured (<i>see also</i> Perforation)</p> <ul style="list-style-type: none"> • - cecum (with peritonitis) <u>K35.0</u> 	<p>Rupture, ruptured (<i>see also</i> Perforation)</p> <ul style="list-style-type: none"> • - cecum (with peritonitis) <u>K35.8</u> 	← Revise code	12/10
S-21	<p>Sequelae (of) - <i>see also conditi</i></p> <ul style="list-style-type: none"> • - obstetric cause - - resulting in death (one year or more after delivery) <u>O97</u> - - - between 42 days and one year after delivery <u>O96</u> 	<p>Sequelae (of) - <i>see also conditi</i></p> <ul style="list-style-type: none"> • - obstetric cause - - resulting in death (one year or more after delivery) <u>O97.-</u> - - - between 42 days and one year after delivery <u>O96.-</u> 	<p>← Revise code</p> <p>← Revise code</p>	12/10
S-31	<p>Sore</p> <ul style="list-style-type: none"> • - pressure <u>L89.-</u> 	<p>Sore</p> <ul style="list-style-type: none"> • - pressure <u>L89.9</u> 	← Revise code	12/10
S-55	Suspended uterus	Suspended uterus		12/10

Amendments to ICD-10 Volume 3 (Index)

NCHS pg #	Current entry in index	Corrected entry	Reason	EffectiveDate
U-5	<ul style="list-style-type: none"> • - skin (atrophic) (chronic) (neurogenic) (perforating) (pyogenic) (trophic) L98.4 • - - decubitus <u>L89.-</u> 	<ul style="list-style-type: none"> • - skin (atrophic) (chronic) (neurogenic) (perforating) (pyogenic) (trophic) L98.4 • - - decubitus (<i>see also</i> Decubitus) <u>L89.9</u> 	←← Revise code and add cross reference	