Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Pneumococcal meningitis (G00.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Streptococcal meningitis (G00.2) All ages..... 36 32 24 18 12 Under 1 year.... 23 14 9 17 10 4 1-4 years..... 3 3 2 2 1 1 5-9 years..... 1 1 1 10-14 years..... 1 1 1 15-19 years..... 20-24 years..... 1 1 1 1 25-29 years..... 30-34 years..... 2 2 35-39 years..... 3 3 3 40-44 years..... 8 3 45-49 years..... 5 4 1 4 4 50-54 years..... 6 3 3 4 2 2 2 55-59 years..... 2 2 2 1 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 85-89 years..... 1 1 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Staphylococcal meningitis (G00.3) All ages.... 14 6 8 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2 50-54 years..... 2 2 55-59 years..... 1 1 60-64 years..... 2. 1 1 1 1 65-69 years..... 1 1 1 70-74 years..... 2 1 1 2 1 1 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Other bacterial meningitis (G00.8) All ages..... 13 Under 1 year.... 5 2 3 5 2 3 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 50-54 years..... 55-59 years..... 1 1 1 60-64 years..... 2 2 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Bacterial meningitis, unspecified (G00.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Meningitis due to other and unspecified causes (G03) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Nonpyogenic meningitis (G03.0) 8 5 3 All ages.... 12 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 1 1 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 2 1 65-69 years..... 1 1 70-74 years..... 1 1 1 1 75-79 years..... 80-84 years..... 4 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Chronic meningitis (G03.1) All ages.... 1 3 2 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Meningitis due to other specified causes (G03.8) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Meningitis, unspecified (G03.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

260CT04

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Encephalitis, myelitis, and encephalomyelitis (G04) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute disseminated encephalitis (G04.0) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 3 3 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Tropical spastic paraplegia (G04.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Bacterial meningoencephalitis and meningomyelitis, not elsewhere classified (G04.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other encephalitis, myelitis, and encephalomyelitis (G04.8) All ages.... Under 1 year.... 1-4 years..... 2 5-9 years..... 3 3 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Encephalitis, myelitis, and encephalomyelitis, unspecified (G04.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Intracranial and intraspinal abscess and granuloma (G06) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... R 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Intracranial abscess and granuloma (G06.0) 99 63 3 All ages.... 127 80 36 24 16 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 1 1 1 1 20-24 years..... 4 4 4 4 25-29 years..... 5 3 3 30-34 years..... 11 10 35-39 years..... 11 40-44 years..... 12 11 9 5 5 45-49 years..... 11 8 50-54 years..... 12 11 8 55-59 years..... 7 3 7 3 60-64 years..... 5 11 11 65-69 years..... 7 7 4 4 3 3 70-74 years..... 8 6 2 1 6 5 1 75-79 years..... 10 6 80-84 years..... 11 6 10 5 85-89 years..... 1 1 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Intraspinal abscess and granuloma (G06.1) 17 10 All ages.... 13 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 2 45-49 years..... 1 1 50-54 years..... 1 1 55-59 years..... 2 1 1 2 1 60-64 years..... 3 2 1 1 65-69 years..... 2 1 1 2 1 1 70-74 years..... 3 3 3 3 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Extradural and subdural abscess, unspecified (G06.2) All ages..... 50 3 74 12 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 3 2 45-49 years..... 1 9 7 2 2 50-54 years..... 5 55-59 years..... 9 7 2 a 60-64 years..... 7 5 2 1 65-69 years..... 9 2 9 70-74 years..... 17 9 8 14 8 6 1 75-79 years..... 9 80-84 years..... 16 11 14 10 85-89 years..... 6 3 3 90-94 years..... 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Intracranial and intraspinal phlebitis and thrombophlebitis (GO8) 2 All ages.... 10 14 1 Under 1 year.... 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 3 1 3 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 5 45-49 years..... 50-54 years..... 3 1 2 55-59 years..... 1 1 1 1 60-64 years..... 1 1 1 1 65-69 years..... 1 1 1 1 70-74 years..... 1 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Sequelae of inflammatory diseases of central nervous system (G09) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Huntington's disease (G10) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 2. 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Hereditary ataxia (G11) 151 73 78 132 65 67 18 8 10 All ages.... 1 Under 1 year.... 1 1-4 years..... 2 1 5-9 years..... 10-14 years..... 1 3 1 2 2 15-19 years..... 20-24 years..... 3 2 1 4 1 25-29 years..... 3 2 3 1 30-34 years..... 35-39 years..... 40-44 years..... 14 10 12 7 45-49 years..... 14 13 9 9 50-54 years..... 12 3 12 55-59 years..... 13 5 8 13 5 Ω 60-64 years..... 10 7 3 9 6 3 1 65-69 years..... 8 5 3 7 5 1 70-74 years..... 9 3 6 8 2 6 1 1 75-79 years..... 9 9 80-84 years..... 12 5 12 5 85-89 years..... 9 1 1 90-94 years..... 5 1 5 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Early-onset cerebellar ataxia (G11.1) 39 70 37 33 10 All ages.... 41 4 6 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 3 3 1 1 15-19 years..... 20-24 years..... 4 2 2 3 2 1 1 25-29 years..... 3 3 1 1 30-34 years..... 35-39 years..... 40-44 years..... 10 2 9 45-49 years..... 12 12 10 1.0 8 2 50-54 years..... 8 55-59 years..... 6 2 6 2 60-64 years..... 6 6 65-69 years..... 4 4 4 4 70-74 years..... 3 1 3 1 75-79 years..... 80-84 years..... 85-89 years..... 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Cerebellar ataxia with defective DNA repair (G11.3) 2 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 1 1 1 1 25-29 years..... 1 1 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Hereditary spastic paraplegia (G11.4) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 1 55-59 years..... 1 1 60-64 years..... 65-69 years..... 2 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other hereditary ataxias (G11.8) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Hereditary ataxia, unspecified (G11.9) 33 50 21 29 All ages.... Under 1 year.... 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 1 1 1 25-29 years..... 2 1 1 1 1 30-34 years..... 35-39 years..... 40-44 years..... 2 2 2 45-49 years..... 1 1 50-54 years..... 1 1 1 55-59 years..... 6 2 4 6 2 60-64 years..... 3 2 2 1 1 1 1 65-69 years..... 2 1 1 70-74 years..... 6 4 5 75-79 years..... 3 80-84 years..... 6 85-89 years..... 8 3 5 8 3 5 90-94 years..... 5 1 5 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of

asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Pacific Islander 2/ Diseases, Tenth All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Spinal muscular atrophy and related syndromes (G12) 5,870 3,061 2,809 5,472 2,849 2,623 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 1,008 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Infantile spinal muscular atrophy, type I [Werdnig-Hoffman] (G12.0) All ages.... 18 12 13 11 Under 1 year.... 25 15 10 22 13 9 1-4 years..... 3 3 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other inherited spinal muscular atrophy (G12.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Motor neuron disease (G12.2) All ages..... 5,723 2,980 2,743 5,349 2,780 2,569 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 1,003 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other spinal muscular atrophies and related syndromes (G12.8) All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Spinal muscular atrophy, unspecified (G12.9) 51 96 55 41 15 6 All ages.... 113 62 1 1 Under 1 year.... 63 39 24 53 34 19 1 1-4 years..... 19 4 15 15 11 5-9 years..... 4 4 3 3 10-14 years..... 3 1 3 1 15-19 years..... 2 2 1 1 20-24 years..... 1 1 1 1 25-29 years..... 2 2 2 30-34 years..... 35-39 years..... 40-44 years..... 1 1 3 45-49 years..... 50-54 years..... 2 1 1 2 1 55-59 years..... 1 1 1 1 60-64 years..... 1 1 1 1 65-69 years..... 2 2 2 2 70-74 years..... 1 1 1 1 75-79 years..... 4 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Parkinson's disease (G20) All ages.... 9,540 7,317 16,036 9,078 6,958 16,857 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1,593 1,050 1,487 75-79 years..... 3,345 2,049 1,296 3,172 1,947 1,225 4,744 2,730 2,014 4,560 2,625 1,935 80-84 years..... 85-89 years..... 3,940 2,103 1,837 3,776 2,015 1,761 90-94 years..... 1,770 1,698 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Secondary parkinsonism (G21) 53 49 99 52 All ages.... 102 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 1 50-54 years..... 3 1 2 1 55-59 years..... 2 1 1 2 1 60-64 years..... 65-69 years..... 2 2 2 2 70-74 years..... 7 4 3 4 3 75-79 years..... 23 16 21 16 5 80-84 years..... 27 16 11 27 16 11 85-89 years..... 19 6 13 19 13 90-94 years..... 11 5 6 10 4 6 1 95-99 years..... 3 3 3 3 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Malignant neuroleptic syndrome (G21.0) All ages.... 11 16 5 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 40-44 years..... 45-49 years..... 1 50-54 years..... 3 1 55-59 years..... 2 1 1 60-64 years..... 65-69 years..... 70-74 years..... 2 2 75-79 years..... 80-84 years..... 85-89 years..... 2 2 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other drug-induced secondary parkinsonism (G21.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other secondary parkinsonism (G21.8) 16 25 All ages.... 26 41 16 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 2 75-79 years..... 80-84 years..... 15 11 15 85-89 years..... 90-94 years..... 8 5 3 7 1 95-99 years..... 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Secondary parkinsonism, unspecified (G21.9) All ages.... 22 40 20 20 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 2 2 70-74 years..... 75-79 years..... 13 80-84 years..... 11 11 85-89 years..... 11 11 5 90-94 years..... 1 1 95-99 years..... 2 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other degenerative diseases of basal ganglia (G23) 145 67 78 2 All ages.... 165 76 16 1 3 Under 1 year.... 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 2 2 2 2 25-29 years..... 3 1 1 1 1 30-34 years..... 35-39 years..... 40-44 years..... 3 3 45-49 years..... 9 50-54 years..... 4 5 8 4 55-59 years..... 14 8 6 14 Ω 6 60-64 years..... 18 12 6 16 5 11 65-69 years..... 25 10 15 21 9 12 1 1 70-74 years..... 21 11 10 19 9 10 2 2 75-79 years..... 30 15 15 29 15 80-84 years..... 15 4 11 14 4 10 85-89 years..... 3 3 2 90-94 years..... 5 1 4 5 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Hallervorden-Spatz disease (G23.0) 3 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 1 1 1 1 25-29 years..... 2 1 1 1 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Progressive supranuclear ophthalmoplegia [Steele-Richardson-Olszewski] (G23.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 70-74 years..... 2 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Pacific Islander 2/ Diseases, Tenth All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Striatonigral degeneration (G23.2) All ages..... 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 1 1 55-59 years..... 60-64 years..... 1 1 1 1 65-69 years..... 5 5 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other specified degenerative diseases of basal ganglia (G23.8) 49 12 5 All ages.... 107 1 Under 1 year.... 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 1 1 1 25-29 years..... 1 1 30-34 years..... 35-39 years..... 40-44 years..... 2 1 2 45-49 years..... 50-54 years..... 7 2 5 6 2 1 55-59 years..... 11 6 5 11 6 5 60-64 years..... 14 10 12 9 3 65-69 years..... 14 10 4 12 9 3 1 70-74 years..... 11 7 10 6 1 75-79 years..... 17 9 16 8 80-84 years..... 9 8 2 85-89 years..... 3 90-94 years..... 3 1 2 3 2 95-99 years..... 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Degenerative disease of basal ganglia, unspecified (G23.9) 33 11 22 All ages.... 36 12 24 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 50-54 years..... 55-59 years..... 3 60-64 years..... 3 2 1 3 65-69 years..... 5 5 1 70-74 years..... 75-79 years..... 80-84 years..... 3 3 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Dystonia (G24) 56 26 30 51 24 All ages.... 3 1 Under 1 year.... 1-4 years..... 1 5-9 years..... 10-14 years..... 15-19 years..... 1 1 20-24 years..... 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 1 1 1 55-59 years..... 5 1 1 60-64 years..... 65-69 years..... 3 1 3 1 70-74 years..... 5 75-79 years..... 11 6 10 80-84 years..... 13 12 1 1 85-89 years..... 11 11 4 90-94 years..... 1 1 95-99 years..... 2 1 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Drug-induced dystonia (G24.0) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Idiopathic familial dystonia (G24.1) All ages.... Under 1 year.... 1 1-4 years..... 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1 60-64 years..... 65-69 years..... 1 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Spasmodic torticollis (G24.3) All ages.... 1 1 2 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Idiopathic orofacial dystonia (G24.4) 15 23 All ages.... 10 8 15 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 3 3 3 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 1 1 95-99 years..... 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other dystonia (G24.8) All ages.... 1 1 2 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Dystonia, unspecified (G24.9) 10 10 All ages.... 1 Under 1 year.... 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 55-59 years..... 1 60-64 years..... 65-69 years..... 70-74 years..... 2 1 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Caı	ıse	of	death	(Based						
on	on the International									

Classification of Diseases, Tenth Revision, 1992)	All races		White Both		Black Both			American Indian 1/ Both			Asian or Pacific Islander 2/ Both				
and age	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female
Other extrapyramidal	and movem	ent disor	ders (G25)												
All ages	75	38	37	65	35	30	10	3	7	-	_	_	-	_	_
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	3	2	1	2	2	-	1	-	1	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
50-54 years	5	3	2	4	2	2	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	5	2	3	5	2	3	-	-	-	-	-	-	-	-	-
65-69 years	7	5	2	5	4	1	2	1	1	-	-	-	-	-	-
70-74 years	17	8	9	16	8	8	1	-	1	-	-	-	-	-	-
75-79 years	5	3	2	3	3	-	2	-	2	-	-	-	-	-	-
80-84 years	15	7	8	15	7	8	-	-	-	-	-	-	-	-	-
85-89 years	8	5	3	7	4	3	1	1	-	-	-	-	-	-	-
90-94 years	5	2	3	5	2	3	-	-	-	-	-	-	-	-	-
95-99 years	3	1	2	3	1	2	-	-	_	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	_	-	-	-	-	-	-
Age not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Essential tremor (G25.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 2 2 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other specified forms of tremor (G25.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Myoclonus (G25.3) All ages..... 6 3 3 3 1 2 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 3 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other chorea (G25.5) 13 All ages.... 13 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 1 1 70-74 years..... 2 2 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other specified extrapyramidal and movement disorders (G25.8) 10 All ages.... 11 11 16 6 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 2 40-44 years..... 45-49 years..... 1 50-54 years..... 2 55-59 years..... 60-64 years..... 2 2 2 65-69 years..... 2 1 1 1 1 1 70-74 years..... 5 3 5 3 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 1 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Extrapyramidal and movement disorder, unspecified (G25.9) 13 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 1 1 1 70-74 years..... 9 2 8 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 2 1 95-99 years..... 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Alzheimer's disease (G30) All ages.... 16,989 41,877 55,058 15,874 39,184 2,382 35 352 58,866 3,341 959 115 80 121 231 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 9 40-44 years..... 5 4 2 2 5 7 5 45-49 years..... 12 12 3 50-54 years..... 40 22 18 37 19 18 3 55-59 years..... 135 55 80 127 51 76 3 2 1 5 2 3 60-64 years..... 375 173 202 341 159 182 29 3 12 17 1 1 65-69 years..... 939 408 531 845 363 482 80 38 42 3 7 3 4 4 70-74 years..... 2,663 1,139 1,524 2,437 1,046 1,391 203 88 115 1 6 16 4 12 75-79 years..... 7,078 2,793 4,285 6,554 2,600 3,954 473 179 294 13 38 9 29 5 8 80-84 years..... 13,057 4,434 8,623 12,237 4,146 8,091 714 248 466 29 10 19 77 30 47 85-89 years..... 16,267 4,569 11,698 15,299 4,321 10,978 843 202 641 28 8 20 97 38 59 90-94 years..... 12,267 2,570 9,697 11,560 2,418 9,142 615 119 496 22 5 17 70 28 42 95-99 years..... 5,140 732 4,408 4,817 676 4,141 292 52 240 5 5 26 4 22 100 years & over. 878 79 799 783 64 719 81 12 69 1 2 11 2 9 3

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Alzheimer's disease with early onset (G30.0) All ages.... 1 5 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1 1 1 1 60-64 years..... 1 1 1 1 65-69 years..... 1 1 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Alzheimer's disease with late onset (G30.1) All ages..... 2,237 1,635 2,115 1,543 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other Alzheimer's disease (G30.8) All ages.... 1 8 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 2 95-99 years..... 3 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Alzheimer's disease, unspecified (G30.9) All ages.... 16,381 40,233 52,929 15,296 37,633 3,230 2,297 35 77 56,614 933 112 343 117 226 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 9 5 2 4 7 45-49 years..... 11 11 37 3 50-54 years..... 40 22 18 19 18 3 55-59 years..... 131 53 78 123 49 74 3 2 1 5 2 3 60-64 years..... 368 170 198 334 156 178 29 3 12 17 1 1 65-69 years..... 905 389 516 815 347 468 76 35 41 3 3 4 7 4 70-74 years..... 2,588 1,103 1,485 2,365 1,011 1,354 201 87 114 6 1 5 16 4 12 75-79 years..... 6,860 2,709 4,151 6,351 2,521 3,830 458 174 284 38 9 29 13 5 8 80-84 years..... 12,602 4,277 8,325 11,808 3,996 7,812 690 241 449 29 10 19 75 30 45 85-89 years..... 15,648 4,415 11,233 14,712 4,173 10,539 816 199 617 27 8 19 93 35 58 90-94 years..... 11,748 2,463 9,285 11,064 2,316 8,748 594 114 480 21 5 16 69 28 41 95-99 years..... 4,862 690 4,172 4,554 637 3,917 279 50 229 5 5 24 3 21 100 years & over. 837 76 761 747 61 686 76 12 64 1 11 2 9 3 2

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Other degenerative diseases of nervous system, not elsewhere classified (G31) 1,400 1,281 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Circumscribed brain atrophy (G31.0) 112 194 85 109 All ages.... 3 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 3 2 5 3 2 3 2 45-49 years..... 8 7 7 50-54 years..... 1 8 1 55-59 years..... 29 16 13 25 14 11 60-64 years..... 33 13 2.0 33 13 2.0 65-69 years..... 36 16 20 36 16 20 70-74 years..... 26 12 14 26 12 14 75-79 years..... 27 12 15 27 12 15 80-84 years..... 19 7 12 18 7 11 85-89 years..... 6 3 3 6 3 90-94 years..... 4 1 3 4 1 3 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Senile degeneration of brain, not elsewhere classified (G31.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 9 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Degeneration of nervous system due to alcohol (G31.2) 72 63 6 All ages.... 70 10 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 2 2 3 45-49 years..... 50-54 years..... 8 7 1 8 55-59 years..... 4 2 1 3 2 1 60-64 years..... 12 1.0 1.0 12 65-69 years..... 15 14 1 15 14 1 70-74 years..... 11 10 1 11 10 1 75-79 years..... 10 9 8 80-84 years..... 4 3 4 3 85-89 years..... 3 90-94 years..... 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other specified degenerative diseases of nervous system (G31.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 2. 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... ρ 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Degenerative disease of nervous system, unspecified (G31.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Multiple sclerosis (G35) 1,064 2,060 2,770 1,799 All ages.... 3,124 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other acute disseminated demyelination (G36) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 20-24 years..... 1 1 1 25-29 years..... 2 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Neuromyelitis optica [Devic] (G36.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 20-24 years..... 1 1 1 25-29 years..... 2 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other demyelinating diseases of central nervous system (G37) 43 39 3 All ages.... 82 1 1 Under 1 year.... 1 1 1 1-4 years..... 5-9 years..... 2 2 2 2 10-14 years..... 3 3 3 3 15-19 years..... 20-24 years..... 2 2 1 1 25-29 years..... 2 1 1 1 30-34 years..... 35-39 years..... 40-44 years..... 2 2 5 45-49 years..... 13 12 12 12 50-54 years..... 6 6 6 55-59 years..... 5 4 1 3 2 60-64 years..... 4 3 3 1 65-69 years..... 5 3 2 5 3 70-74 years..... 8 8 75-79 years..... 80-84 years..... 85-89 years..... 9 6 90-94 years..... 2 2 2 95-99 years..... 3 3 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Diffuse sclerosis (G37.0) All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Central demyelination of corpus callosum (G37.1) 2 All ages.... 1 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Central pontine myelinolysis (G37.2) 8 All ages.... 10 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 40-44 years..... 5 3 45-49 years..... 50-54 years..... 4 2 55-59 years..... 1 1 60-64 years..... 1 1 65-69 years..... 70-74 years..... 1 3 1 3 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute transverse myelitis in demyelinating disease of central nervous system (G37.3) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other specified demyelinating diseases of central nervous system (G37.8) All ages.... 3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 50-54 years..... 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Demyelinating disease of central nervous system, unspecified (G37.9) All ages.... 28 50 1 Under 1 year.... 1 1 1 1-4 years..... 5-9 years..... 2 10-14 years..... 2 2 2 2 15-19 years..... 20-24 years..... 2 2 1 1 25-29 years..... 1 1 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 6 4 2 6 2 55-59 years..... 3 2 1 2 1 1 60-64 years..... 1 1 1 1 65-69 years..... 5 3 2 5 3 2 70-74 years..... 3 2 1 3 2 1 75-79 years..... 80-84 years..... 85-89 years..... 5 90-94 years..... 1 95-99 years..... 3 3 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Epilepsy (G40) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 2.0 2.0 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Base on the International Classification of Diseases, Tenth Revision, 1992) and age				White Both			Black Both			American Indian 1/ Both			Asian or Pacific Islander 2, Both		
	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female
Localization-related	(focal)	(partial)	symptomatic	c epilepsy	and epile	eptic synda	romes with	simple	partial se	izures (0	340.1)				
All ages	2	_	2	1	_	1	1	_	1	_	_	_	_	_	_
Under 1 year	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
1-4 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
5-9 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
10-14 years	-	-	-	-	-	_	-	-	-	_	_	_	-	_	_
15-19 years	-	-	_	-	-	-	-	-	-	_	-	-	-	-	-
20-24 years	1	-	1	_	_	_	1	_	1	_	_	_	_	_	_
25-29 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
30-34 years	_	-	_	_	_	_	_	_	_	_	_	_	_	_	_
35-39 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
40-44 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
45-49 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
50-54 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
55-59 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
60-64 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
65-69 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
70-74 years	1	_	1	1	_	1	_	_	_	_	_	_	_	_	_
75-79 years	-	-	-	-	-	_	-	-	-	_	_	_	-	_	_
80-84 years	_	_	-	-	_	_	_	_	_	_	_	_	_	_	_
85-89 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
90-94 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
95-99 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
100 years & over.	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Age not stated	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Base on the International Classification of Diseases, Tenth Revision, 1992) and age				Both sexes	White Male	Black Both Female sexes Male Female				American Indian 1/ Both sexes Male Female			Asian or Pacific Islander 2/ Both sexes Male Female		
Localization-related	(focal)	(partial)	symptomatic	epilepsy	and epile	ptic synd:	omes with	complex	partial s	seizures	(G40.2)				
All ages	1	_	1	1	_	1	_	_	_	_	_	_	_	_	-
Under 1 year	_	_	_	_	-	-	_	_	_	_	_	_	_	_	_
1-4 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
5-9 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
10-14 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
15-19 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
20-24 years	_	_	_	_	-	-	_	_	_	_	_	_	_	_	_
25-29 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
30-34 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
35-39 years	_	_	_	_	-	-	_	_	_	_	_	_	_	_	_
40-44 years	_	_	_	_	-	-	_	_	_	_	_	_	_	_	_
45-49 years	_	_	_	_	-	-	_	_	_	_	_	_	_	_	_
50-54 years	_	_	_	_	-	-	_	_	_	_	_	_	_	_	_
55-59 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
60-64 years	_	_	_	_	-	-	_	_	_	_	_	_	_	_	_
65-69 years	_	_	_	_	-	-	_	_	_	_	_	_	_	_	_
70-74 years	_	_	_	_	-	-	_	_	_	_	_	_	_	_	_
75-79 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
80-84 years	1	_	1	1	_	1	_	_	_	_	_	_	_	_	_
85-89 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
90-94 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
95-99 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
100 years & over.	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Age not stated														_	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Generalized idiopathic epilepsy and epileptic syndromes (G40.3) 20 All ages.... 23 32 12 1 Under 1 year.... 1 1 1 1-4 years..... 5-9 years..... 1 1 1 10-14 years..... 4 2 3 1 15-19 years..... 20-24 years..... 1 1 25-29 years..... 2 1 1 1 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 3 1 1 55-59 years..... 1 1 1 1 60-64 years..... 65-69 years..... 4 1 3 4 1 3 70-74 years..... 2 2 2 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other generalized epilepsy and epileptic syndromes (G40.4) All ages.... 12 Under 1 year.... 3 1 2 3 1-4 years..... 1 1 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 1 35-39 years..... 1 1 40-44 years..... 1 45-49 years..... 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Special epileptic syndromes (G40.5) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 50-54 years..... 1 55-59 years..... 1 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Grand mal seizures, unspecified (with or without petit mal) (G40.6) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other epilepsy (G40.8) All ages..... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Epilepsy, unspecified (G40.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1.3 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Status epilepticus (G41) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other status epilepticus (G41.8) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Status epilepticus, unspecified (G41.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Migraine (G43) 5 All ages.... 1 4 1 3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 2 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other migraine (G43.8) 3 2 All ages.... 1 2 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Migraine, unspecified (G43.9) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 45-49 years..... 50-54 years..... 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Transient cerebral ischemic attacks and related syndromes (G45) All ages..... 70 151 78 161 221 16 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 40-44 years..... 45-49 years..... 1 50-54 years..... 1 1 1 55-59 years..... 2 1 1 2 1 1 60-64 years..... 3 2 1 1 1 1 65-69 years..... 11 7 4 8 5 3 3 1 70-74 years..... 14 14 75-79 years..... 28 14 14 26 13 13 80-84 years..... 42 21 21 40 19 21 85-89 years..... 57 15 42 53 14 39 90-94 years..... 48 8 40 44 7 37 4 1 3 95-99 years..... 28 2 26 27 2 25 1 1 100 years & over. 2 2 2 2 Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Vertebro-basilar artery syndrome (G45.0) 15 8 2 All ages.... 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 1 65-69 years..... 3 3 70-74 years..... 2 1 1 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 2 2 1 95-99 years..... 1 100 years & over. 1 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Carotid artery syndrome (hemispheric) (G45.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Transient cerebral ischemic attack, unspecified (G45.9) All ages..... 218 204 60 144 13 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 40-44 years..... 1 45-49 years..... 50-54 years..... 1 1 1 55-59 years..... 2 1 1 2 1 1 60-64 years..... 2 1 1 1 1 1 65-69 years..... 8 4 4 6 3 3 1 70-74 years..... 12 6 6 12 6 6 75-79 years..... 24 11 13 22 10 12 80-84 years..... 38 17 21 37 16 21 85-89 years..... 55 15 40 51 14 37 90-94 years..... 46 8 38 43 7 36 3 1 2 95-99 years..... 27 2 25 26 2 24 1 1 100 years & over. 1 1 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Sleep disorders (G47) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... a 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Disorders of initiating and maintaining sleep [insomnias] (G47.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Sleep apnea (G47.3) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Narcolepsy and cataplexy (G47.4) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 2 2 1 1 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

	_														
Cause of death (Base on the International Classification of Diseases, Tenth Revision, 1992)		All races		Both	White		Both	Black		American Indian 1/ Both			Paci Both	r Lander 2/	
and age	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female
Disorders of trigemi	nal nerve	(G50)													
All ages	8	2	6	8	2	6	_	_	_	_	_	_	_	_	_
Under 1 year	-	-	-	-	-	-	-	-	_	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	_	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	_	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	_	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	_	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	_	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	_	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	_	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	_	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	_	_	-	-	-	-	-	-	_
60-64 years	-	-	-	-	-	-	-	-	_	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	_	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	_	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	_	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	_	_	-	-	-	-	_	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	3	1	2	3	1	2	-	-	-	-	-	-	_	-	_
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-	_	-	_
100 years & over.	1	-	1	1	-	1	-	-	-	-	-	-	_	-	_
Age not stated	-	-	-	-	-	-	-	_	_	-	-	-	-	_	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Trigeminal neuralgia (G50.0) All ages.... 6 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 3 90-94 years..... 95-99 years..... 3 100 years & over. 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Facial nerve disorders (G51) All ages.... 1 3 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Bell's palsy (G51.0) 5 All ages..... 1 3 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Disorders of other cranial nerves (G52) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 2 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Disorders of vagus nerve (G52.2) All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Disorders of other specified cranial nerves (G52.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Cranial nerve disorder, unspecified (G52.9) 3 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Nerve root and plexus disorders (G54) All ages.... 3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Cervical root disorders, not elsewhere classified (G54.2) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Thoracic root disorders, not elsewhere classified (G54.3) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Nerve root and plexus disorder, unspecified (G54.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other mononeuropathies (G58) 23 15 20 All ages.... 34 14 3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2 1 55-59 years..... 1 1 1 60-64 years..... 5 3 65-69 years..... 2 2 2 2 70-74 years..... 5 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 2 2 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other specified mononeuropathies (G58.8) 3 All ages.... 1 2 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Mononeuropathy, unspecified (G58.9) 31 18 All ages.... 20 14 13 2 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2 1 55-59 years..... 1 1 1 60-64 years..... 4 2. 2 65-69 years..... 2 2 2 70-74 years..... 4 3 3 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 2 2 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Hereditary and idiopathic neuropathy (G60) 35 43 All ages.... 34 2 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 8 2 50-54 years..... 6 2 55-59 years..... 4 2 2 4 2 2 60-64 years..... 5 3 1 1 65-69 years..... 5 3 2 3 5 70-74 years..... 4 3 4 3 75-79 years..... 12 6 12 6 80-84 years..... 18 12 18 12 85-89 years..... 10 4 10 90-94 years..... 4 1 3 4 1 3 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Hereditary motor and sensory neuropathy (G60.0) All ages.... 30 22 48 21 2 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 7 50-54 years..... 6 1 55-59 years..... 3 2 1 2 60-64 years..... 1 1 65-69 years..... 4 2 4 2 70-74 years..... 5 2 3 5 3 75-79 years..... 5 80-84 years..... 11 6 11 85-89 years..... 6 90-94 years..... 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Female sexes Male Female sexes Male Female sexes Male Female sexes Male Female Idiopathic progressive neuropathy (G60.3) All ages.... 1 3 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other hereditary and idiopathic neuropathies (G60.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Hereditary and idiopathic neuropathy, unspecified (G60.9) 10 All ages.... 10 18 8 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 50-54 years..... 55-59 years..... 60-64 years..... 1 1 65-69 years..... 1 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 2 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Inflammatory polyneuropathy (G61) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Guillain-Barre syndrome (G61.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other inflammatory polyneuropathies (G61.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Inflammatory polyneuropathy, unspecified (G61.9) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 2 70-74 years..... 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other polyneuropathies (G62) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Alcoholic polyneuropathy (G62.1) All ages.... 1 2 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other specified polyneuropathies (G62.8) 65 All ages.... 28 41 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 3 1 45-49 years..... 1 1 2 1 50-54 years..... 3 1 55-59 years..... 5 3 2 4 2 2 60-64 years..... 6 5 1 1 65-69 years..... 8 5 3 8 5 3 70-74 years..... 10 6 9 6 3 1 1 75-79 years..... 11 6 80-84 years..... 10 10 85-89 years..... 8 6 7 90-94 years..... 4 2 2 4 2 95-99 years..... 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Polyneuropathy, unspecified (G62.9) 94 192 102 90 All ages.... 111 12 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 2 40-44 years..... 1 9 45-49 years..... 2 50-54 years..... 1 1 2 1 55-59 years..... 12 7 5 12 7 5 60-64 years..... 8 3 5 8 3 5 65-69 years..... 18 11 7 17 10 70-74 years..... 17 12 5 17 12 5 75-79 years..... 46 26 20 43 23 20 3 80-84 years..... 42 20 22 40 20 20 85-89 years..... 32 16 16 31 15 16 90-94 years..... 10 6 4 9 5 4 1 1 95-99 years..... 4 2 2 4 2 2 100 years & over. 2 2 2 2

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Myasthenia gravis and other myoneural disorders (G70) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1.3 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Myasthenia gravis (G70.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Congenital and developmental myasthenia (G70.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other specified myoneural disorders (G70.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Myoneural disorder, unspecified (G70.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... ρ 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Primary disorders of muscles (G71) 1,085 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cau	ıse	of	death	(Based
on	the	. Ir	iternat	ional

Classification of Diseases, Tenth	All races Both		White		Black Both			American Indian 1/ Both			Asian or Pacific Islander 2/ Both				
Revision, 1992) and age	sexes	Male	Female	Both sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female
Muscular dystrophy	(G71.0)														
All ages	703	522	181	648	479	169	44	35	9	2	2	-	9	6	3
Under 1 year	6	5	1	6	5	1	-	_	-	-	-	-	-	-	-
1-4 years	2	1	1	1	1	-	1	-	1	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
10-14 years	19	18	1	18	17	1	1	1	-	-	-	-	-	-	-
15-19 years	67	67	-	59	59	-	6	6	-	2	2	-	-	-	-
20-24 years	74	71	3	62	59	3	10	10	-	-	-	-	2	2	-
25-29 years	53	48	5	47	43	4	4	4	-	-	-	-	2	1	1
30-34 years	46	42	4	42	38	4	3	3	-	-	-	-	1	1	-
35-39 years	20	16	4	17	14	3	3	2	1	-	-	-	-	-	-
40-44 years	52	45	7	50	44	6	2	1	1	-	-	-	-	-	-
45-49 years	49	35	14	43	29	14	5	5	-	-	-	-	1	1	-
50-54 years	66	37	29	62	35	27	3	2	1	-	-	-	1	-	1
55-59 years	58	36	22	54	35	19	3	-	3	-	-	-	1	1	-
60-64 years	51	33	18	49	32	17	2	1	1	-	-	-	-	-	-
65-69 years	34	18	16	33	18	15	1	-	1	-	-	-	-	-	-
70-74 years	25	10	15	25	10	15	-	-	-	-	-	-	-	-	-
75-79 years	40	21	19	39	21	18	-	-	-	-	-	-	1	-	1
80-84 years	26	12	14	26	12	14	-	-	-	-	-	-	-	-	-
85-89 years	10	4	6	10	4	6	-	-	-	-	-	-	-	-	-
90-94 years	4	2	2	4	2	2	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	_	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Myotonic disorders (G71.1) 223 128 95 213 121 92 4 All ages.... 1 Under 1 year.... 13 6 7 12 5 1-4 years..... 3 3 3 3 5-9 years..... 10-14 years..... 2 2 15-19 years..... 20-24 years..... 25-29 years..... 2 2 2 2 30-34 years..... 35-39 years..... 10 10 40-44 years..... 15 6 9 15 9 39 27 38 26 45-49 years..... 12 12 19 37 21 50-54 years..... 41 22 16 55-59 years..... 28 18 10 27 17 1 0 60-64 years..... 24 18 6 23 17 6 1 65-69 years..... 20 8 12 20 8 12 70-74 years..... 9 6 3 8 5 3 1 75-79 years..... 10 10 8 80-84 years..... 3 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Congenital myopathies (G71.2) 104 80 24 86 68 18 10 8 All ages.... 4 Under 1 year.... 13 8 5 11 6 5 2 1-4 years..... 9 6 3 5 1 5-9 years..... 3 2 1 3 2 1 10-14 years..... 5 1 15-19 years..... 23 21 2 20 18 3 20-24 years..... 15 11 14 12 1 1 1 25-29 years..... 14 12 14 12 30-34 years..... 3 1 35-39 years..... 40-44 years..... 1 3 45-49 years..... 50-54 years..... 55-59 years..... 2 2 2 2 60-64 years..... 3 2 2 1 1 1 65-69 years..... 1 1 1 1 70-74 years..... 3 1 3 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Mitochondrial myopathy, not elsewhere classified (G71.3) 10 All ages.... 12 Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 10-14 years..... 3 1 3 2 1 15-19 years..... 20-24 years..... 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 4 1 45-49 years..... 1 1 50-54 years..... 1 55-59 years..... 1 1 60-64 years..... 1 1 1 65-69 years..... 1 1 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other primary disorders of muscles (G71.8) 26 23 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 50-54 years..... 1 55-59 years..... 1 1 1 60-64 years..... 1 1 1 1 65-69 years..... 2 1 1 1 1 70-74 years..... 2 2 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 3 90-94 years..... 5 1 2 1 95-99 years..... 2 2 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Primary disorder of muscle, unspecified (G71.9) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Other myopathies (G72) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Drug-induced myopathy (G72.0) All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 70-74 years..... 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Alcoholic myopathy (G72.1) All ages.... 1 2 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Myopathy due to other toxic agents (G72.2) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Periodic paralysis (G72.3) 1 All ages.... 1 2 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Inflammatory myopathy, not elsewhere classified (G72.4) 2 All ages.... 1 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other specified myopathies (G72.8) 15 28 All ages.... 16 14 14 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1 1 60-64 years..... 2 1 1 65-69 years..... 1 1 1 1 70-74 years..... 4 1 3 3 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 3 3 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Myopathy, unspecified (G72.9) 42 66 30 36 8 All ages.... 82 40 14 6 1 Under 1 year.... 3 1 2 3 1-4 years..... 1 5-9 years..... 3 3 2 2 1 1 10-14 years..... 1 1 1 1 15-19 years..... 1 1 1 20-24 years..... 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 45-49 years..... 1 2 50-54 years..... 2 55-59 years..... 2 2 2 2 60-64 years..... 8 3 5 ρ 5 65-69 years..... 8 2 6 7 2 5 1 70-74 years..... 11 8 3 8 5 3 3 3 75-79 years..... 14 6 14 80-84 years..... 11 6 7 85-89 years..... 6 1 90-94 years..... 3 2 3 2 95-99 years..... 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Infantile cerebral palsy (G80) All ages.... 1,200 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 2.4 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Spastic cerebral palsy (G80.0) 3 6 8 5 All ages.... 3 Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 1 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Spastic diplegia (G80.1) All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Dyskinetic cerebral palsy (G80.3) All ages.... 3 Under 1 year.... 1-4 years..... 5-9 years..... 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other infantile cerebral palsy (G80.8) 35 21 15 All ages.... 30 22 14 Under 1 year.... 1-4 years..... 5-9 years..... 4 2 2 3 1 2 1 3 10-14 years..... 5 1 1 1 1 15-19 years..... 5 1 4 1 1 3 20-24 years..... 5 3 1 4 25-29 years..... 2 1 1 1 1 1 30-34 years..... 35-39 years..... 40-44 years..... 2 2 45-49 years..... 50-54 years..... 1 1 55-59 years..... 3 3 3 3 60-64 years..... 4 4 65-69 years..... 2 2 2 2 70-74 years..... 2 1 1 1 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Infantile cerebral palsy, unspecified (G80.9) All ages.... 1,134 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2.6 55-59 years..... 2.4 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Hemiplegia (G81) All ages..... 144 53 91 131 48 83 12 1 Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 40-44 years..... 1 3 45-49 years..... 50-54 years..... 2 1 1 1 55-59 years..... 8 6 2 8 6 2 60-64 years..... 3 2 3 2 1 1 65-69 years..... 14 5 9 13 5 8 1 1 70-74 years..... 9 6 3 8 6 1 1 75-79 years..... 12 10 80-84 years..... 26 16 10 23 9 85-89 years..... 29 5 24 28 5 23 1 90-94 years..... 22 3 19 22 19 95-99 years..... 8 3 5 7 3 4 100 years & over. 3 3 3 3

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Flaccid hemiplegia (G81.0) All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Spastic hemiplegia (G81.1) All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Hemiplegia, unspecified (G81.9) 52 90 129 82 All ages.... 142 12 1 Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 40-44 years..... 1 2 45-49 years..... 50-54 years..... 2 1 1 1 55-59 years..... 8 6 2 8 6 2 60-64 years..... 3 2 3 2 1 1 65-69 years..... 14 5 9 13 5 8 1 1 70-74 years..... 9 6 3 8 6 1 1 75-79 years..... 12 10 1 80-84 years..... 26 16 10 23 9 85-89 years..... 28 5 23 27 5 22 1 90-94 years..... 22 3 19 22 19 95-99 years..... 8 3 5 7 3 4 100 years & over. 3 3 3 3

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Paraplegia and tetraplegia (G82) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Spastic paraplegia (G82.1) All ages.... 12 11 8 3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 50-54 years..... 1 1 55-59 years..... 2 2 2 2 60-64 years..... 1 1 65-69 years..... 1 1 1 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Paraplegia, unspecified (G82.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 0 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Spastic tetraplegia (G82.4) All ages..... 29 23 18 20 41 4 2 Under 1 year.... 1-4 years..... 5-9 years..... 3 3 2 2 10-14 years..... 2 1 15-19 years..... 3 3 1 1 20-24 years..... 3 1 25-29 years..... 1 1 1 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 4 1 3 55-59 years..... 4 3 1 4 60-64 years..... 1 1 1 1 65-69 years..... 4 3 1 4 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Tetraplegia, unspecified (G82.5) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1.0 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other paralytic syndromes (G83) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Diplegia of upper limbs (G83.0) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Monoplegia of lower limb (G83.1) 6 All ages.... 1 5 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 2 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Monoplegia of upper limb (G83.2) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Monoplegia, unspecified (G83.3) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Cauda equina syndrome (G83.4) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 40-44 years..... 1 45-49 years..... 50-54 years..... 55-59 years..... 1 60-64 years..... 65-69 years..... 70-74 years..... 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other specified paralytic syndromes (G83.8) 99 168 92 All ages.... 76 12 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 2 2 45-49 years..... 50-54 years..... 1 1 1 55-59 years..... 7 6 1 5 5 60-64 years..... 5 3 2 5 3 65-69 years..... 11 5 6 10 4 6 1 70-74 years..... 19 9 10 16 8 8 3 1 2 75-79 years..... 33 20 13 32 19 13 80-84 years..... 33 10 23 31 9 22 85-89 years..... 32 15 17 31 15 16 21 90-94 years..... 7 14 19 12 2 95-99 years..... 12 3 9 12 3 9 100 years & over. 2 2 2 2

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Paralytic syndrome, unspecified (G83.9) 13 All ages.... 36 20 16 14 6 Under 1 year.... 1 1 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 2 40-44 years..... 3 2 45-49 years..... 2 50-54 years..... 2 2 2 55-59 years..... 1 1 1 1 60-64 years..... 3 1 1 65-69 years..... 2 2 2 70-74 years..... 3 1 2 1 1 1 1 75-79 years..... 80-84 years..... 3 85-89 years..... 2 90-94 years..... 3 2 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Disorders of autonomic nervous system (G90) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... a 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Idiopathic peripheral autonomic neuropathy (G90.0) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Familial dysautonomia [Riley-Day] (G90.1) 5 13 All ages.... 8 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 15-19 years..... 1 1 1 1 20-24 years..... 1 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 1 40-44 years..... 45-49 years..... 1 50-54 years..... 55-59 years..... 60-64 years..... 1 1 65-69 years..... 1 1 1 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Multisystem degeneration (G90.3) 109 70 164 100 5 All ages.... 64 11 6 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 6 5 1 5 4 1 55-59 years..... 9 3 6 8 3 5 1 60-64 years..... 9 8 ρ 7 1 1 1 65-69 years..... 24 17 7 20 13 2 2 1 1 70-74 years..... 28 18 10 25 17 8 2 1 75-79 years..... 35 22 13 33 21 12 80-84 years..... 32 14 18 30 13 17 85-89 years..... 26 17 9 26 17 9 90-94 years..... 5 2 3 5 2 3 95-99 years..... 2 2 2 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other disorders of autonomic nervous system (G90.8) All ages..... 13 Under 1 year.... 1 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 1 1 2 1 1 15-19 years..... 20-24 years..... 25-29 years..... 1 1 30-34 years..... 35-39 years..... 40-44 years..... 3 3 45-49 years..... 1 1 1 50-54 years..... 2 1 55-59 years..... 2 2 1 1 60-64 years..... 1 1 1 1 65-69 years..... 2 1 1 2 1 1 70-74 years..... 8 3 5 3 1 1 75-79 years..... 5 80-84 years..... 85-89 years..... 1 1 90-94 years..... 2 2 2 95-99 years..... 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Disorder of autonomic nervous system, unspecified (G90.9) All ages.... 16 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 50-54 years..... 1 1 55-59 years..... 60-64 years..... 1 1 1 65-69 years..... 1 1 1 1 70-74 years..... 4 3 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Hydrocephalus (G91) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Communicating hydrocephalus (G91.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Obstructive hydrocephalus (G91.1) 18 19 All ages.... 21 31 12 6 Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 2 2 1 1 1 15-19 years..... 20-24 years..... 2 2 2 25-29 years..... 1 1 1 1 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2 2 1 1 55-59 years..... 3 1 2 2 60-64 years..... 1 1 1 1 65-69 years..... 2 1 1 2 1 1 70-74 years..... 5 1 5 1 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 2 1 1 95-99 years..... 100 years & over. 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Normal-pressure hydrocephalus (G91.2) 129 126 238 123 115 15 5 10 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 3 3 50-54 years..... 3 55-59 years..... 2 1 1 1 1 60-64 years..... 6 3 3 4 2 2 1 65-69 years..... 12 6 6 12 6 6 70-74 years..... 20 9 11 19 9 10 1 1 75-79 years..... 55 26 29 52 25 27 80-84 years..... 81 42 39 77 41 36 85-89 years..... 56 31 25 53 29 24 2 90-94 years..... 14 7 7 14 7 95-99 years..... 3 3 3 3 100 years & over. 1 1 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Posttraumatic hydrocephalus, unspecified (G91.3) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other hydrocephalus (G91.8) 12 15 All ages.... 16 11 Under 1 year.... 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 1 1 25-29 years..... 1 1 30-34 years..... 35-39 years..... 40-44 years..... 2 2 45-49 years..... 50-54 years..... 1 1 55-59 years..... 60-64 years..... 65-69 years..... 2 1 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Hydrocephalus, unspecified (G91.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... Ω 60-64 years..... 1.0 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Toxic encephalopathy (G92) 35 33 32 All ages.... 65 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 4 1 55-59 years..... 1 1 1 60-64 years..... 7 5 2 2 65-69 years..... 5 5 5 5 70-74 years..... 10 8 3 1 75-79 years..... 11 9 80-84 years..... 15 15 85-89 years..... 5 1 90-94 years..... 5 2 3 5 95-99 years..... 2 1 2 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Other disorders of brain (G93) All ages.... 2,843 2,826 4,375 2,218 2,157 1,158 5,669 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

100 years & over. Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth American Indian 1/ All races White Black Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Cerebral cysts (G93.0) All ages..... 10 15 20 9 11 Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 40-44 years..... 4 1 45-49 years..... 1 1 1 50-54 years..... 3 1 2 1 55-59 years..... 60-64 years..... 65-69 years..... 2 1 1 2 1 1 70-74 years..... 75-79 years..... 3 80-84 years..... 85-89 years..... 3 1 4 3 1 90-94 years..... 95-99 years.....

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Anoxic brain damage, not elsewhere classified (G93.1) All ages.... 3,970 2,031 1,939 2,994 1,569 1,425 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1.0 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Benign intracranial hypertension (G93.2) 19 All ages.... 23 34 14 20 Under 1 year.... 1-4 years..... 5-9 years..... 2 1 2 1 1 10-14 years..... 1 1 1 1 15-19 years..... 1 1 1 1 20-24 years..... 1 1 1 1 25-29 years..... 1 1 1 30-34 years..... 35-39 years..... 2 40-44 years..... 45-49 years..... 2 50-54 years..... 3 1 2 55-59 years..... 4 2 2 2 2 60-64 years..... 2 2 2 2 65-69 years..... 2 1 1 2 1 1 70-74 years..... 1 1 1 1 75-79 years..... 6 80-84 years..... 3 85-89 years..... 1 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Postviral fatigue syndrome (G93.3) All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Encephalopathy, unspecified (G93.4) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2.4 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Compression of brain (G93.5) 59 100 58 29 All ages.... 133 74 42 14 15 1 3 1 Under 1 year.... 1-4 years..... 5-9 years..... 2 2 1 1 1 1 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 2 2 1 1 3 1 1 1 25-29 years..... 3 3 3 3 30-34 years..... 35-39 years..... 40-44 years..... 13 5 45-49 years..... 6 50-54 years..... 13 8 5 2 3 55-59 years..... 12 4 8 a 3 6 3 1 60-64 years..... 12 7 5 9 5 3 2 65-69 years..... 15 8 12 6 6 2 1 1 70-74 years..... 11 4 10 3 1 1 75-79 years..... 12 8 80-84 years..... 12 6 9 85-89 years..... 9 1 90-94 years..... 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Cerebral edema (G93.6) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Reye's syndrome (G93.7) 2 All ages..... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International

Classification of Diseases, Tenth Revision, 1992)	All races			White Both			Black Both			American Indian 1/ Both			Asian or Pacific Islander 2/ Both		
and age	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female
Other specified disc	orders of h	orain (G93	.8)												
All ages	205	117	88	183	103	80	18	11	7	1	1	_	3	2	1
Under 1 year	12	10	2	11	9	2	-	_	-	-	-	-	1	1	-
1-4 years	4	3	1	3	2	1	1	1	-	-	-	-	-	-	-
5-9 years	4	4	-	4	4	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
25-29 years	7	3	4	4	1	3	2	1	1	-	-	-	1	1	-
30-34 years	3	3	-	3	3	-	-	-	-	-	-	-	-	-	-
35-39 years	10	7	3	8	6	2	2	1	1	-	-	-	-	-	-
40-44 years	8	5	3	8	5	3	-	-	-	-	-	-	-	-	-
45-49 years	11	4	7	11	4	7	-	-	-	-	-	-	-	-	-
50-54 years	14	12	2	12	10	2	2	2	-	-	-	-	-	-	-
55-59 years	8	6	2	6	4	2	2	2	-	-	-	-	-	-	-
60-64 years	1.2	6	6	10	6	4	2	-	2	-	-	-	-	-	-
65-69 years	12	7	5	11	6	5	1	1	-	-	-	-	-	-	-
70-74 years	23	18	5	20	16	4	1	1	-	1	1	-	1	-	1
75-79 years	13	7	6	11	6	5	2	1	1	-	-	-	-	-	-
80-84 years	23	11	12	23	11	12	-	-	-	-	-	-	-	-	-
85-89 years	18	8	10	16	7	9	2	1	1	-	-	-	-	-	-
90-94 years	11	1	10	10	1	9	1	-	1	-	-	-	-	-	-
95-99 years	10	1	9	10	1	9	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Disorder of brain, unspecified (G93.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Other diseases of spinal cord (G95) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 0 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Syringomyelia and syringobulbia (G95.0) 23 19 34 18 All ages.... 16 Under 1 year.... 2 2 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2 50-54 years..... 1 1 2 1 55-59 years..... 6 3 5 3 2 60-64 years..... 3 2 2 1 1 1 65-69 years..... 9 5 4 6 3 3 2 70-74 years..... 14 8 6 12 6 2 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Vascular myelopathies (G95.1) 17 21 35 20 All ages.... 15 2 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 45-49 years..... 1 1 50-54 years..... 1 1 55-59 years..... 1 1 60-64 years..... 2 1 1 65-69 years..... 2 1 1 2 1 1 70-74 years..... 4 4 75-79 years..... 9 80-84 years..... 85-89 years..... 4 90-94 years..... 3 3 2 1 95-99 years..... 100 years & over. 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Cord compression, unspecified (G95.2) 33 43 26 17 12 All ages.... 22 Under 1 year.... 2 2 1 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 45-49 years..... 1 1 1 50-54 years..... 1 1 55-59 years..... 2. 2 1 1 1 1 60-64 years..... 5 2 3 5 2 3 65-69 years..... 2 2 1 1 1 1 70-74 years..... 11 75-79 years..... 9 7 80-84 years..... 10 10 85-89 years..... 5 3 2 5 3 2 90-94 years..... 2 2 2 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other specified diseases of spinal cord (G95.8) All ages.... 11 6 Under 1 year.... 2 1-4 years..... 5-9 years..... 1 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 2 45-49 years..... 50-54 years..... 1 1 55-59 years..... 2 1 60-64 years..... 65-69 years..... 1 1 70-74 years..... 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Disease of spinal cord, unspecified (G95.9) 86 49 37 All ages.... 104 44 16 10 6 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 1 1 30-34 years..... 35-39 years..... 1 40-44 years..... 2 45-49 years..... 2 2 50-54 years..... 2 2 55-59 years..... 4 2 2 3 1 60-64 years..... 6 1.0 6 1 11 65-69 years..... 6 5 1 2 1 4 4 70-74 years..... 13 6 11 5 6 2 2 75-79 years..... 25 16 20 80-84 years..... 15 6 14 85-89 years..... 12 11 8 90-94 years..... 7 3 6 3 1 1 95-99 years..... 4 3 1 4 3 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should

be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Other disorders of central nervous system (G96) All ages..... 47 19 28 Under 1 year.... 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 2 1 40-44 years..... 1 1 5 45-49 years..... 1 4 3 3 1 50-54 years..... 2 2 2 2 55-59 years..... 3 2 2 1 1 1 1 1 60-64 years..... 3 2 1 3 2 1 65-69 years..... 8 5 3 5 4 1 3 1 2 70-74 years..... 5 75-79 years..... 80-84 years..... 2 85-89 years..... 7 1 6 5 2 90-94 years..... 3 1 2 3 1 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Cerebrospinal fluid leak (G96.0) All ages.... 1 1 3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 1 1 70-74 years..... 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Disorders of meninges, not elsewhere classified (G96.1) All ages.... 3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 40-44 years..... 45-49 years..... 1 50-54 years..... 55-59 years..... 1 1 60-64 years..... 65-69 years..... 3 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other specified disorders of central nervous system (G96.8) 10 All ages.... 12 15 Under 1 year.... 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 50-54 years..... 1 1 55-59 years..... 1 60-64 years..... 65-69 years..... 1 1 70-74 years..... 2 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 3 2 3 95-99 years..... 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth American Indian 1/ Pacific Islander 2/ All races White Black Revision, 1992) Both Both Both Both Both and age sexes Male Female Disorder of central nervous system, unspecified (G96.9) All ages..... 12 22 10 12 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 4 3 3 45-49 years..... 1 50-54 years..... 1 1 1 1 55-59 years..... 1 1 1 60-64 years..... 2 2 2 2 65-69 years..... 3 3 2 2 1 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 3 3 2 1 1 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other disorders of nervous system, not elsewhere classified (G98) All ages..... 33 41 2 35 43 74 1 Under 1 year.... 4 3 1 3 2 1 1-4 years..... 4 4 5-9 years..... 1 1 1 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 1 1 1 1 30-34 years..... 35-39 years..... 1 1 40-44 years..... 45-49 years..... 1 1 2 1 50-54 years..... 2 1 55-59 years..... 1 1 1 1 60-64 years..... 5 1 1 65-69 years..... 3 2 1 3 2 1 70-74 years..... 5 3 2 5 3 2 75-79 years..... 17 10 16 10 80-84 years..... 13 5 12 85-89 years..... 11 1 10 10 9 90-94 years..... 3 3 3 95-99 years..... 3 2 3 100 years & over. 1 1 1 1 Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Disorders of orbit (H05) 3 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute inflammation of orbit (H05.0) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other disorders of orbit (H05.8) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other disorders of iris and ciliary body (H21) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Disorder of iris and ciliary body, unspecified (H21.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other cataract (H26) All ages..... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Complicated cataract (H26.2) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Chorioretinal inflammation (H30) All ages.... 1 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Chorioretinal inflammation, unspecified (H30.9) All ages.... 1 Under 1 year.... 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other disorders of choroid (H31) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Hereditary choroidal dystrophy (H31.2) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other retinal disorders (H35) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Degeneration of macula and posterior pole (H35.3) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Glaucoma (H40) 3 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Glaucoma, unspecified (H40.9) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Disorders of globe (H44) 3 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 3 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Purulent endophthalmitis (H44.0) All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Other endophthalmitis (H44.1) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Optic neuritis (H46) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Paralytic strabismus (H49)

Paralytic strabismus	(H49)														
All ages	8	3	5	8	3	5	-	_	-	-	-	_	-	_	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	_	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other paralytic strabismus (H49.8) 3 8 All ages.... 5 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 1 1 65-69 years..... 1 1 70-74 years..... 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Blindness and low vision (H54) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Blindness, both eyes (H54.0) 3 All ages.... 8 3 Under 1 year.... 1-4 years..... 1 5-9 years..... 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 2 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Unspecified visual loss (H54.7) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other disorders of eye and adnexa (H57) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Anomalies of pupillary function (H57.0) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Disorder of eye and adnexa, unspecified (H57.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Otitis externa (H60) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Abscess of external ear (H60.0) All ages..... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Otitis externa, unspecified (H60.9) All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Suppurative and unspecified otitis media (H66) 33 18 2 All ages.... 40 21 19 15 1 1 Under 1 year.... 1 1-4 years..... 1 4 5-9 years..... 10-14 years..... 2 15-19 years..... 20-24 years..... 25-29 years..... 1 1 1 1 30-34 years..... 35-39 years..... 1 40-44 years..... 2 3 45-49 years..... 50-54 years..... 2 2 2 55-59 years..... 3 1 2 2 1 60-64 years..... 4 1 3 1 3 65-69 years..... 70-74 years..... 3 2 1 3 1 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Otitis media, unspecified (H66.9) 21 19 33 18 2 All ages.... 40 15 1 1 Under 1 year.... 4 1 1-4 years..... 1 4 5-9 years..... 10-14 years..... 2 15-19 years..... 20-24 years..... 25-29 years..... 1 1 1 1 30-34 years..... 35-39 years..... 1 40-44 years..... 2 3 45-49 years..... 50-54 years..... 2 2 2 55-59 years..... 3 1 2 2 1 60-64 years..... 4 3 1 3 1 65-69 years..... 70-74 years..... 3 2 1 3 1 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other disorders of Eustachian tube (H69) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Eustachian tube disorder, unspecified (H69.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Mastoiditis and related conditions (H70) 15 All ages.... 11 6 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2 50-54 years..... 2 2 55-59 years..... 1 60-64 years..... 65-69 years..... 2 1 1 70-74 years..... 2 2 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 3 3 2 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute mastoiditis (H70.0) 3 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Chronic mastoiditis (H70.1) All ages.... 1 2 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 1 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Mastoiditis, unspecified (H70.9) 8 All ages.... 11 6 5 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2 50-54 years..... 2 55-59 years..... 60-64 years..... 65-69 years..... 2 1 1 70-74 years..... 1 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 2 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other disorders of middle ear and mastoid (H74) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 25-29 years..... 1 1 1 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Disorder of middle ear and mastoid, unspecified (H74.9) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 1 1 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Disorders of vestibular function (H81) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Meniere's disease (H81.0) All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other diseases of inner ear (H83) All ages.... Under 1 year.... 2 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Labyrinthitis (H83.0) All ages..... 2 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other hearing loss (H91) 3 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Hearing loss, unspecified (H91.9) 3 All ages.... 3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Rheumatic fever without mention of heart involvement (IOO) All ages..... 6 14 8 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 40-44 years..... 45-49 years..... 50-54 years..... 1 1 1 1 55-59 years..... 60-64 years..... 1 1 1 1 65-69 years..... 1 1 1 1 70-74 years..... 75-79 years..... 4 80-84 years..... 2 85-89 years..... 2 90-94 years..... 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States:

Mortality, 2002"]

Cause of death (Base on the International Classification of Diseases, Tenth Revision, 1992)		All races		Both	White		Both	Black		American Indian 1/ Both			Asian or Pacific Islander 2/ Both			
and age	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	
Rheumatic fever with	n heart in	volvement	(I01)													
All ages	36	12	24	30	11	19	4	1	3	_	_	_	2	_	2	
Under 1 year	-	-	_	-	-	-	-	-	-	_	-	-	-	-	-	
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5-9 years	3	-	3	-	-	-	2	_	2	-	-	-	1	-	1	
10-14 years	-	-	-	-	-	-	-	_	-	-	-	-	-	-	-	
15-19 years	-	-	-	-	-	-	-	_	-	-	-	-	-	-	-	
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-	
40-44 years	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-	
50-54 years	3	-	3	3	-	3	-	-	-	-	-	-	-	-	-	
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-	
60-64 years	2	-	2	2	-	2	-	-	-	-	-	-	-	-	-	
65-69 years							-	-	-	-	-	-	-	-	-	
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-	
75-79 years	8	2	6	7	2	5	1	-	1	-	-	-	-	-	-	
80-84 years	3	1	2	3	1	2	-	-	-	-	-	-		-		
85-89 years	5	1	4	4	1	3	-	-	-	-	-	-	1	-	1	
90-94 years	1	_	1	1	_	1	-	-	-	-	-	-	-	-	-	
95-99 years	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-	
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Age not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute rheumatic pericarditis (I01.0) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute rheumatic endocarditis (I01.1) 11 17 10 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 55-59 years..... 60-64 years..... 1 1 1 65-69 years..... 70-74 years..... 2 1 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute rheumatic myocarditis (I01.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander															
Diseases, Tenth		All races			White			Black		American Indian 1/			Pacific Islander 2/		
Revision, 1992)	Both			Both			Both			Both			Both		
and age	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female
Other acute rheumation	c heart d	isease (I0	1.8)												
All ages	10	4	6	9	4	5	1	_	1	_	_	_	_	_	_
Under 1 year	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
1-4 years	_	_	_	_	_	-	_	_	_	-	_	_	_	_	_
5-9 years	1	_	1	_	_	_	1	_	1	_	_	_	_	_	_
10-14 years	-	-	-	-	-	-	_	_	-	-	_	_	-	_	-
15-19 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
20-24 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
25-29 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
30-34 years	-	-	-	-	-	-	-	-	-	-	_	-	-	_	-
35-39 years	-	-	-	-	-	-	-	-	-	-	_	-	-	_	-
40-44 years	-	-	-	-	-	-	-	-	-	-	_	-	-	_	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	_	-	-	_	-
55-59 years	2	1	1	2	1	1	-	-	-	-	_	-	-	_	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-	_	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	3	2	1	3	2	1	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	_	-	-	_	-
85-89 years	1	-	1	1	-	1	-	-	_	-	_	-	_	_	_
90-94 years	1	-	1	1	-	1	-	-	_	-	_	-	_	_	_
95-99 years	1	1	-	1	1	-	-	-	_	-	_	-	_	_	_
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	_	-	-
Age not stated	-	-	-	-	-	-	_	_	-	-	_	_	-	_	_

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute rheumatic heart disease, unspecified (I01.9) 2 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Rheumatic chorea (I02) All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Rheumatic chorea without heart involvement (I02.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Rheumatic mitral valve diseases (IO5) All ages..... 1,300 1,631 1,169 1,829 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Mitral stenosis (I05.0) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1 Ω 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Rheumatic mitral insufficiency (I05.1) 59 All ages.... 44 18 41 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 2 40-44 years..... 2 45-49 years..... 1 50-54 years..... 2 1 2 1 55-59 years..... 3 1 2 3 1 60-64 years..... 1 1 1 1 65-69 years..... 3 1 2 3 1 2 70-74 years..... 11 3 8 10 3 1 75-79 years..... 15 12 80-84 years..... 8 6 85-89 years..... 6 90-94 years..... 4 1 4 95-99 years..... 1 3 100 years & over. 1 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Mitral stenosis with insufficiency (IO5.2) 19 19 17 All ages.... 2 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2 1 1 1 1 1 55-59 years..... 60-64 years..... 1 1 1 1 65-69 years..... 2 2 1 1 1 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 2 2 2 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States:

Mortality, 2002"]

Cause of death (Base on the International Classification of Diseases, Tenth Revision, 1992) and age		All rac	ces Female	Both sexes	White Male	Female	Both sexes	Black Male	Female	Amer: Both sexes	ican Ind Male	dian 1/ Female			r lander 2/ Female
Other mitral valve d	liseases (105.8)													
All ages	19	6	13	19	6	13	_	_	_	_	_	_	_	_	_
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	_	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	_	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
20-24 years	-	-	-	_	-	-	-	_	-	-	_	-	-	_	_
25-29 years	-	-	-	_	-	-	-	_	-	-	_	-	-	_	_
30-34 years	-	-	-	_	-	-	-	_	-	-	_	-	-	_	-
35-39 years	-	-	_	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	_	-	-	-	_	-	-	_	-	-	_	_
45-49 years	2	-	2	2	-	2	-	_	-	-	_	-	-	_	-
50-54 years	1	-	1	1	-	1	-	_	-	-	_	-	-	_	-
55-59 years	1	1	-	1	1	-	-	_	-	-	_	-	-	_	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
65-69 years	2	2	_	2	2	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	_	1	1	-	-	-	-	-	-	-	-	-	-
75-79 years	4	1	3	4	1	3	-	_	-	-	_	-	-	_	-
80-84 years	3	1	2	3	1	2	-	_	-	-	_	-	-	_	_
85-89 years	4	-	4	4	-	4	-	_	-	-	_	-	-	_	_
90-94 years	-	-	-	-	-	_	_	_	-	-	_	-	_	_	-
95-99 years	-	-	-	-	-	-	_	-	_	-	-	-	_	-	-
100 years & over.	-	-	-	-	-	_	_	_	-	-	_	-	_	_	-
Age not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Mitral valve disease, unspecified (I05.9) All ages..... 1,088 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2.4 55-59 years..... 2.4 a 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Rheumatic aortic valve diseases (IO6) All ages..... 88 114 39 75 5 128 6 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 45-49 years..... 2 2 50-54 years..... 4 2 4 2 55-59 years..... 8 3 5 6 3 3 1 1 60-64 years..... 3 2 1 1 1 1 1 1 65-69 years..... 8 2 6 6 1 5 1 70-74 years..... 8 3 5 8 3 5 75-79 years..... 19 6 13 16 10 80-84 years..... 27 10 17 25 10 15 85-89 years..... 25 7 18 23 7 16 90-94 years..... 21 6 15 21 6 15 95-99 years..... 2 2 2 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or American Indian 1/ Pacific Islander 2/ Diseases, Tenth All races White Black Revision, 1992) Both Both Both Both Both and age sexes Male Female Rheumatic aortic stenosis (I06.0) All ages..... 31 57 30 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 50-54 years..... 55-59 years..... 3 1 2 2 1 60-64 years..... 65-69 years..... 2 1 1 1 1 1 1 70-74 years..... 3 75-79 years..... 16 10 13 80-84 years..... 20 12 19 11 1 1 85-89 years..... 23 7 16 21 14 90-94 years..... 18 6 12 18 6 12 95-99 years..... 2 2 2 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Rheumatic aortic insufficiency (I06.1) All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1 1 60-64 years..... 1 65-69 years..... 1 1 1 70-74 years..... 2 2 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Rheumatic aortic stenosis with insufficiency (I06.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1 1 75-79 years..... 80-84 years..... 85-89 years..... 2 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Rheumatic aortic valve disease, unspecified (I06.9) All ages..... 21 8 18 13 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 4 2 2 2 50-54 years..... 55-59 years..... 4 1 3 1 1 60-64 years..... 2 1 1 1 1 1 65-69 years..... 5 1 4 4 1 3 1 70-74 years..... 2 1 1 2 1 75-79 years..... 80-84 years..... 4 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Rheumatic tricuspid valve diseases (IO7) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Tricuspid stenosis (I07.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Tricuspid insufficiency (I07.1) 46 119 150 42 108 All ages.... 165 12 3 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 3 1 2 2 2 45-49 years..... 50-54 years..... 5 3 2 5 3 2 55-59 years..... 2 1 1 1 1 60-64 years..... 1 1 1 1 65-69 years..... 9 3 6 8 2 6 1 70-74 years..... 17 4 13 15 11 1 1 75-79 years..... 25 22 23 20 80-84 years..... 28 21 25 18 85-89 years..... 36 12 24 34 12 22 90-94 years..... 19 5 14 18 5 13 1 1 95-99 years..... 12 1 11 12 1 11 100 years & over. 1 1 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other tricuspid valve diseases (I07.8) All ages.... 13 13 3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 3 3 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 45-49 years..... 1 50-54 years..... 1 55-59 years..... 60-64 years..... 1 1 65-69 years..... 3 3 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Tricuspid valve disease, unspecified (I07.9) 16 20 All ages.... 6 6 14 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 1 30-34 years..... 35-39 years..... 1 40-44 years..... 1 45-49 years..... 1 50-54 years..... 55-59 years..... 2 1 1 1 1 60-64 years..... 2 2 2 65-69 years..... 3 1 2 3 1 70-74 years..... 3 1 2 2 1 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 1 1 95-99 years..... 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Multiple valve diseases (IO8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... a 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Disorders of both mitral and aortic valves (I08.0) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Disorders of both mitral and tricuspid valves (IO8.1) All ages..... 58 2 3 74 16 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 2 2 2 45-49 years..... 50-54 years..... 2 1 1 2 1 55-59 years..... 3 1 2 1 2 60-64 years..... 8 7 7 1 1 1 65-69 years..... 11 1 10 7 1 70-74 years..... 8 3 5 3 1 75-79 years..... 14 10 12 9 80-84 years..... 14 10 14 10 85-89 years..... 12 10 12 10 90-94 years..... 4 4 4 4 95-99 years..... 2 2 2 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Disorders of both aortic and tricuspid valves (I08.2) All ages..... 10 8 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 1 55-59 years..... 2 1 1 60-64 years..... 65-69 years..... 2 70-74 years..... 1 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Combined disorders of mitral, aortic, and tricuspid valves (IO8.3) All ages..... 14 12 Under 1 year.... 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1 1 60-64 years..... 5 3 1 65-69 years..... 4 1 3 4 1 70-74 years..... 2 1 1 2 1 1 75-79 years..... 80-84 years..... 85-89 years..... 9 90-94 years..... 5 5 5 95-99 years..... 2 2 2 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other multiple valve diseases (IO8.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 3 60-64 years..... 65-69 years..... 1 1 70-74 years..... 1 1 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Multiple valve disease, unspecified (I08.9) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Other rheumatic heart diseases (IO9) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2.0 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Rheumatic myocarditis (I09.0) 18 31 3 All ages.... 43 16 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 40-44 years..... 45-49 years..... 1 50-54 years..... 1 55-59 years..... 2 2 2 60-64 years..... 5 1 1 65-69 years..... 9 1 8 9 1 8 70-74 years..... 5 2 3 5 2 3 75-79 years..... 6 5 80-84 years..... 9 7 85-89 years..... 3 3 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Rheumatic diseases of endocardium, valve unspecified (IO9.1) All ages..... 53 168 122 189 136 46 12 6 6 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 1 1 30-34 years..... 35-39 years..... 40-44 years..... 3 2 45-49 years..... 50-54 years..... 4 4 2 2 2 55-59 years..... 13 6 7 12 5 1 60-64 years..... 12 R 12 R 65-69 years..... 15 4 11 11 3 8 3 2 1 70-74 years..... 28 10 18 26 10 16 1 1 1 75-79 years..... 35 28 32 25 80-84 years..... 30 25 29 5 24 85-89 years..... 26 19 25 18 90-94 years..... 11 1 10 11 1 10 95-99 years..... 2 2 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other specified rheumatic heart diseases (IO9.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Rheumatic heart disease, unspecified (I09.9) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1.0 60-64 years..... 1.0 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Essential (primary) hypertension (I10) 3,965 7,693 9,541 3,139 6,402 1,874 1,151 All ages.... 11,658 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 1,371 1,086 80-84 years..... 1,972 1,328 1,681 1,150 85-89 years..... 2,155 1,602 1,865 1,392 90-94 years..... 1,852 1,506 1,637 1,332 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Hypertensive heart disease (I11) All ages..... 11,296 6,480 26,551 11,660 14,891 19,530 8,234 3,146 3,334 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1,266 1,094 50-54 years..... 1,616 55-59 years..... 1,661 1,107 1,036 60-64 years..... 1,659 1,052 1,040 1,807 1,046 1,185 65-69 years..... 70-74 years..... 2,088 1,042 1,046 1,474 2,816 1,259 1,557 2,109 1,157 75-79 years..... 3,505 1,250 2,255 2,785 1,787 80-84 years..... 3,716 1,004 2,712 3,134 2,290 85-89 years..... 90-94 years..... 3,115 2,486 2,701 2,168 95-99 years..... 1,442 1,248 1,265 1,104 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Hypertensive heart disease with (congestive) heart failure (Il1.0) 7,035 2,050 4,985 1,514 All ages.... 8,697 2,674 6,023 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 2. 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1,443 1,172 85-89 years..... 1,842 1,369 1,616 1,200 90-94 years..... 1,831 1,454 1,623 1,301 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Hypertensive heart disease without (congestive) heart failure (I11.9) All ages..... 8,986 12,495 6,184 6,311 4,966 17,854 8,868 2,583 2,383 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1,167 45-49 years..... 50-54 years..... 1,449 55-59 years..... 1,491 1,020 60-64 years..... 1,431 65-69 years..... 1,477 1,581 1,113 70-74 years..... 75-79 years..... 1,926 1,051 1,428 80-84 years..... 2,062 1,298 1,613 1,014 85-89 years..... 1,874 1,343 1,518 1,090 90-94 years..... 1,284 1,032 1,078 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Hypertensive renal disease (I12) 8,603 3,682 4,921 6,046 2,580 3,466 2,322 All ages..... 1,328 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 1,221 80-84 years..... 1,574 1,214 85-89 years..... 1,646 1,017 1,338 90-94 years..... 1,063 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Hypertensive renal disease with renal failure (I12.0) All ages..... 4,779 5,840 2,494 3,346 2,284 8,352 3,573 1,307 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 1,191 80-84 years..... 1,526 1,170 85-89 years..... 1,599 1,296 90-94 years..... 1,015 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Hypertensive renal disease without renal failure (I12.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... ρ 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Hypertensive heart and renal disease (I13) 2,895 1,205 1,690 1,925 1,165 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2.4 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Hypertensive heart and renal disease with (congestive) heart failure (I13.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 1 65-69 years..... 3 70-74 years..... 4 3 3 1 75-79 years..... 6 80-84 years..... 85-89 years..... 90-94 years..... 9 5 8 1 1 95-99 years..... 1 1 100 years & over. 1 1 Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Hypertensive heart and renal disease with renal failure (I13.1) All ages.... 1,149 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Hypertensive heart and renal disease with both (congestive) heart failure and renal failure (I13.2) 1,629 1,202 All ages.... 1,012 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Hypertensive heart and renal disease, unspecified (I13.9) 25 32 3 All ages.... 76 16 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 3 2 45-49 years..... 1 50-54 years..... 2 1 1 1 55-59 years..... 5 2 3 3 1 2 2 60-64 years..... 5 3 2 3 2 1 1 1 65-69 years..... 5 2 3 2 2 2 2 70-74 years..... 4 3 6 1 75-79 years..... 6 80-84 years..... 9 85-89 years..... 16 11 13 90-94 years..... 9 2 7 8 1 1 95-99 years..... 5 3 4 2 100 years & over. 1 1 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Angina pectoris (I20) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... a 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Unstable angina (I20.0) 35 44 70 31 39 4 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 50-54 years..... 1 55-59 years..... 5 1 60-64 years..... 2 1 1 2 1 1 65-69 years..... 6 1 6 5 1 1 70-74 years..... 9 75-79 years..... 11 10 80-84 years..... 18 10 17 9 85-89 years..... 16 12 13 2 11 3 2 1 90-94 years..... 7 5 7 5 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Angina pectoris with documented spasm (I20.1) 13 16 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 40-44 years..... 2 45-49 years..... 3 50-54 years..... 5 2 55-59 years..... 4 2 2 4 60-64 years..... 3 2 1 1 1 65-69 years..... 1 1 70-74 years..... 75-79 years..... 80-84 years..... 3 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Angina pectoris, unspecified (I20.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Bas on the Internationa Classification of Diseases, Tenth		All races			White			Black		American Indian 1/			Asian or Pacific Islander 2/		
Revision, 1992)	Both			Both	***************************************		Both	224011		Both	cuii iiiu	1411 17	Both		
and age	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female
Acute myocardial in	nfarction (121)													
All ages	179,509	93,827	85,682	157,917	83,285	74,632	18,322	8,680	9,642	657	384	273	2,613	1,478	1,135
Under 1 year	11	7	4	9	6	3	2	1	1	-	-	-	_	_	_
1-4 years	5	2	3	5	2	3	-	-	-	-	_	-	-	-	-
5-9 years	2	-	2	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	5	2	3	4	2	2	1	-	1	-	-	-	-	-	-
15-19 years	15	10	5	13	8	5	-	-	-	1	1	-	1	1	-
20-24 years	47	31	16	30	22	8	15	7	8	1	1	-	1	1	-
25-29 years	91	67	24	63	50	13	25	15	10	-	_	-	3	2	1
30-34 years	309	225	84	238	179	59	64	40	24	3	3	-	4	3	1
35-39 years	882	656	226	698	531	167	158	103	55	6	5	1	20	17	3
40-44 years	2,279	1,691	588	1,826	1,390	436	403	259	144	15	12	3	35	30	5
45-49 years	4,055	3,066	989	3,247	2,543	704	707	440	267	32	26	6	69	57	12
50-54 years	6,563	4,929	1,634	5,373	4,146	1,227	1,058	678	380	41	34	7	91	71	20
55-59 years	8,758	6,287	2,471	7,341	5,400	1,941	1,255	769	486	55	42	13	107	76	31
60-64 years	11,175	7,679	3,496	9,380	6,625	2,755	1,569	897	672	77	57	20	149	100	49
65-69 years	14,230	9,214	5,016	12,067	8,015	4,052	1,823	994	829	79	49	30	261	156	105
70-74 years	19,773	12,050	7,723	17,184	10,737	6,447	2,207	1,109	1,098	86	41	45	296	163	133
75-79 years	26,152	14,314	11,838	23,106	12,882	10,224	2,527	1,157	1,370	97	44	53	422	231	191
80-84 years	30,436	14,603	15,833	27,457	13,315	14,142	2,461	1,016	1,445	69	29	40	449	243	206
85-89 years	28,423	11,478	16,945	25,992	10,585	15,407	2,002	690	1,312	51	25	26	378	178	200
90-94 years	18,350	5,740	12,610	16,778	5,263	11,515	1,291	356	935	34	11	23	247	110	137
95-99 years	6,623	1,559	5,064	5,985	1,406	4,579	572	123	449	9	3	6	57	27	30
100 years & over.	1,320	213	1,107	1,116	175	941	180	25	155	1	1	-	23	12	11
Age not stated	5	4	1	4	3	1	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute transmural myocardial infarction of anterior wall (I21.0) All ages.... 12 11 22 11 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 2 2 2 60-64 years..... 2 2 2 65-69 years..... 3 1 70-74 years..... 4 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute transmural myocardial infarction of inferior wall (I21.1) 10 8 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 5 3 70-74 years..... 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute transmural myocardial infarction of other sites (I21.2) All ages.... 13 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 5 60-64 years..... 1 1 1 1 65-69 years..... 1 1 70-74 years..... 2 2 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute transmural myocardial infarction of unspecified site (I21.3) All ages.... 14 11 14 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 40-44 years..... 45-49 years..... 1 50-54 years..... 2 2 55-59 years..... 2 2 2 2 60-64 years..... 3 1 65-69 years..... 5 3 2 5 3 70-74 years..... 4 2 2 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute subendocardial myocardial infarction (I21.4) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... ρ 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

5

Age not stated...

4

1

4

3

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Acute myocardial infarction, unspecified (I21.9) All ages..... 18,292 9,622 383 179,108 93,643 85,465 157,558 83,119 74,439 8,670 656 273 2,602 1,471 1,131 Under 1 year..... 11 7 4 9 2 1 1 6 3 1-4 years..... 5 2 3 5 2 3 5-9 years..... 2 2 1 1 1 1 10-14 years..... 5 2 3 4 2 2 1 1 15-19 years..... 5 8 1 1 1 15 10 13 5 7 20-24 years..... 47 31 30 22 8 15 1 16 8 1 1 25-29 years..... 91 67 50 24 63 13 2.5 15 10 3 2 1 225 238 179 30-34 years..... 309 84 59 64 40 24 3 4 3 880 654 226 696 529 167 158 103 55 17 35-39 years..... 20 3 40-44 years..... 2,270 1,685 585 1,818 1,385 433 402 258 144 15 12 3 35 30 5 987 2,540 702 707 69 57 45-49 years..... 4,050 3,063 3,242 440 267 32 26 6 12 677 380 91 50-54 years..... 6,556 4,926 1,630 5,367 4,144 1,223 1,057 41 34 7 71 2.0 55-59 years..... 8,737 6,274 2,463 7,322 5,388 1,934 1,253 768 485 55 42 13 107 76 31 60-64 years..... 11,156 7,667 3,489 9,365 6,615 2,750 1,566 895 671 77 57 20 148 100 48 14,204 9,200 5,004 12,043 8,003 4,040 1,822 993 829 79 49 30 260 155 105 65-69 years..... 70-74 years..... 19,731 12,025 7,706 17,145 10,712 6,433 2,206 1,109 1,097 86 41 45 294 163 131 26,101 14,289 11,812 23,060 12,858 10,202 97 53 421 230 191 75-79 years..... 2,523 1,157 1,366 44 30,357 14,572 15,785 27,383 13,286 14,097 2,457 1,015 1,442 69 29 40 448 242 206 80-84 years..... 28,345 11,448 16,897 25,926 10,561 15,365 1,994 1,306 50 24 26 375 175 200 85-89 years..... 688 90-94 years..... 18,308 5,729 12,579 16,739 5,253 11,486 1,288 355 933 34 11 23 247 110 137 95-99 years..... 6,605 1,550 5,055 5,970 1,398 4,572 571 123 448 9 3 6 55 26 29 1,318 213 1,105 1,115 175 940 179 25 154 1 23 12 11 100 years & over.

1

1

1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Subsequent myocardial infarction (I22) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Subsequent myocardial infarction of unspecified site (I22.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 2 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Other acute ischemic heart diseases (I24) All ages..... 3,407 1,767 1,640 2,907 1,494 1,413 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2.7 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Dressler's syndrome (I24.1) 1 All ages.... 2 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 1 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Other forms of acute ischemic heart disease (I24.8) All ages.... 1,407 1,307 2,307 1,181 1,126 2,714 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races Pacific Islander 2/ White Black American Indian 1/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Acute ischemic heart disease, unspecified (I24.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... a 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Bas on the Internationa Classification of Diseases, Tenth		All rad	ces		White			Black		Ameri	.can Ind	lian 1/	Asian or Pacific Islander 2/			
Revision, 1992)	Both			Both			Both			Both			Both			
and age	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	
Chronic ischemic he	eart diseas	se (I25)														
All ages	311,088	157,038	154,050	274,014	138,371	135,643	31,368	15,386	15,982	1,083	636	447	4,623	2,645	1,978	
Under 1 year	10	7	3	4	3	1	5	3	2	1	1	-	-	_	-	
1-4 years	2	2	-	-	-	-	2	2	-	-	-	-	-	-	-	
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	
10-14 years	10	9	1	7	6	1	3	3	-	-	-	-	-	-	-	
15-19 years	13	8	5	9	6	3	4	2	2	-	-	-	-	_	-	
20-24 years	54	42	12	39	29	10	11	9	2	2	2	_	2	2	-	
25-29 years	156	122	34	119	97	22	29	19	10	6	4	2	2	2	-	
30-34 years	422	315	107	308	239	69	89	55	34	7	6	1	18	15	3	
35-39 years	1,310	1,003	307	986	766	220	277	195	82	9	8	1	38	34	4	
40-44 years	3,130	2,436	694	2,441	1,964	477	601	395	206	27	21	6	61	56	5	
45-49 years	5,712	4,425	1,287	4,441	3,563	878	1,123	740	383	27	22	5	121	100	21	
50-54 years	8,884	6,875	2,009	6,895	5,499	1,396	1,754	1,183	571	67	50	17	168	143	25	
55-59 years	12,011	8,900	3,111	9,555	7,246	2,309	2,151	1,428	723	86	52	34	219	174	45	
60-64 years	14,827	10,452	4,375	11,911	8,548	3,363	2,547	1,648	899	97	66	31	272	190	82	
65-69 years	19,797	13,154	6,643	16,241	11,036	5,205	3,046	1,792	1,254	123	82	41	387	244	143	
70-74 years	29,393	18,306	11,087	25,218	16,001	9,217	3,552	1,927	1,625	133	87	46	490	291	199	
75-79 years	43,143	24,604	18,539	37,892	22,023	15,869	4,383	2,076	2,307	153	89	64	715	416	299	
80-84 years	54,644	27,234	27,410	49,546	24,999	24,547	4,247	1,803	2,444	138	65	73	713	367	346	
85-89 years	55,130	22,403	32,727	50,871	20,892	29,979	3,488	1,149	2,339	102	53	49	669	309	360	
90-94 years	40,819	12,359	28,460	37,792	11,474	26,318	2,493	658	1,835	62	19	43	472	208	264	
95-99 years	17,414	3,757	13,657	16,026	3,442	12,584	1,137	231	906	34	8	26	217	76	141	
100 years & over.	4,174	602	3,572	3,688	520	3,168	418	63	355	9	1	8	59	18	41	
Age not stated	32	23	9	24	18	6	8	5	3	-	-	-	-	-	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

16

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Atherosclerotic cardiovascular disease, so described (I25.0) All ages..... 29,604 26,965 10,195 5,598 4,597 196 398 68,129 36,047 32,082 56,569 318 122 1,047 649 Under 1 year.... 2 1 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 3 1 4 3 1 4 2 20-24 years..... 13 10 3 11 8 3 2 25-29 years..... 39 31 32 3 2 2 8 26 6 5 5 30-34 years..... 142 113 29 100 83 17 36 25 11 35-39 years..... 410 325 85 296 239 57 100 73 27 1 12 11 40-44 years..... 1,105 891 214 834 696 138 235 161 74 16 14 2 20 20 447 1,293 37 5 45-49 years..... 2,081 1,634 1,602 309 434 302 132 8 7 1 32 680 58 50-54 years..... 3,285 2,605 2,446 1,999 447 754 530 224 27 23 4 53 5 55-59 years..... 4,189 3,250 939 3,170 2,504 666 901 652 249 37 2.4 13 81 70 11 4,604 3,299 1,305 3,512 2,563 949 984 659 325 23 9 85 63 22 60-64 years..... 14 5,163 3,498 1,665 3,898 2,678 1,220 1,125 722 403 38 28 10 102 70 32 65-69 years..... 70-74 years..... 6,654 4,119 2,535 5,324 3,362 1,962 1,175 660 515 43 27 16 112 70 42 75-79 years..... 8,649 4,746 3,903 7,130 3,952 3,178 699 651 32 17 15 137 78 59 1,350 9,969 4,670 5,299 8,653 4,048 4,605 1,148 546 602 34 15 19 134 61 73 80-84 years..... 10,007 3,814 6,193 8,950 3,427 5,523 903 308 595 23 13 10 131 66 65 85-89 years..... 90-94 years..... 7,555 2,165 5,390 6,825 1,953 4,872 626 170 456 22 7 15 82 35 47 95-99 years..... 3,361 722 2,639 3,024 646 2,378 291 63 228 7 3 4 39 10 29 873 134 739 740 111 629 118 18 100 12 5 7 100 years & over. 3 3 23 17 6 12 4 7 5 2

260CT04

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

8

Age not stated...

5

3

7

5

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Atherosclerotic heart disease (I25.1) 19,082 All ages..... 217,876 106,814 111,062 194,912 95,970 98,942 8,690 10,392 639 363 276 3,243 1,791 1,452 Under 1 year..... 1 1 1 1-4 years..... 2 2 2 2 5-9 years..... 10-14 years..... 5 3 3 2 2 15-19 years..... 8 4 2 2 2 2 4 4 4 7 2 20-24 years..... 33 8 23 17 1 2 25 6 5 2 25-29 years..... 107 81 82 25 66 15 21 13 8 3 1 2 2 2 30-34 years..... 244 180 64 186 143 43 43 25 18 5 10 3 35-39 years..... 789 596 193 608 468 140 153 103 50 19 6 21 40-44 years..... 1,796 1,373 423 1,432 1,135 297 317 200 117 10 4 37 32 5 2,495 726 499 74 45-49 years..... 3,221 2,529 2,030 604 393 211 14 12 2 60 14 837 93 77 50-54 years..... 4,959 3,790 1,169 3,967 3,130 863 559 304 36 2.4 12 16 55-59 years..... 6,918 4,994 1,924 5,665 4,208 1,457 1,089 669 420 38 21 17 126 96 30 60-64 years..... 8,933 6,227 2,706 7,343 5,211 2,132 1,372 865 507 61 44 17 157 107 50 12,893 8,436 4,457 10,860 7,299 3,561 1,703 937 766 73 44 29 257 156 101 65-69 years..... 70-74 years..... 20,034 12,375 7,659 17,470 10,994 6,476 2,139 1,131 1,008 77 49 28 348 201 147 30,626 17,430 13,196 27,266 15,842 11,424 2,742 1,517 99 39 519 303 216 75-79 years..... 1,225 60 39,920 19,864 20,056 36,467 18,399 18,068 2,837 1,143 1,694 86 41 45 530 281 249 80-84 years..... 40,766 16,516 24,250 37,843 15,503 22,340 2,368 763 1,605 64 33 31 491 217 274 85-89 years..... 90-94 years..... 30,489 9,198 21,291 28,359 8,580 19,779 1,738 455 1,283 34 9 25 358 154 204 95-99 years..... 13,030 2,784 10,246 12,042 2,560 9,482 792 155 637 24 5 19 172 64 108 3,094 432 2,662 2,757 375 2,382 285 43 242 1 5 13 33 100 years & over. 6 46

2

1

1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Old myocardial infarction (I25.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... a a Ω 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Aneurysm of heart (I25.3) 56 89 53 2 All ages.... 41 36 Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 7 3 55-59 years..... 2 2 2 2 60-64 years..... 10 6 9 5 65-69 years..... 8 5 3 8 5 3 70-74 years..... 6 3 3 6 3 3 75-79 years..... 15 9 14 9 80-84 years..... 17 14 16 13 85-89 years..... 13 8 12 8 1 90-94 years..... 7 3 7 3 95-99 years..... 4 1 3 4 1 100 years & over. 1 1 Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Coronary artery aneurysm (I25.4) 8 3 3 All ages.... 11 10 Under 1 year.... 1 1 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 1 1 1 1 30-34 years..... 35-39 years..... 2 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Ischemic cardiomyopathy (I25.5) 7,296 4,965 11,241 6,729 4,512 All ages.... 12,261 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1,436 1,309 75-79 years..... 2,103 1,389 1,939 1,297 80-84 years..... 2,539 1,546 2,396 1,477 85-89 years..... 2,197 1,137 1,060 2,069 1,082 90-94 years..... 1,296 1,236 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Other forms of chronic ischemic heart disease (I25.8) All ages..... 1,487 1,658 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1 a 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Chronic ischemic heart disease, unspecified (I25.9) All ages..... 10,787 4,967 9,484 5,120 4,364 1,092 5,820 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1,079 75-79 years..... 1,451 1,275 80-84 years..... 1,881 1,723 85-89 years..... 1,826 1,030 1,704 90-94 years..... 1,228 1,143 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Pulmonary embolism (I26) 8,620 3,514 5,106 7,119 2,933 4,186 1,424 All ages..... Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 1,174 80-84 years..... 1,181 1,041 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Pulmonary embolism with mention of acute cor pulmonale (I26.0) All ages.... 10 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 2 1 45-49 years..... 50-54 years..... 55-59 years..... 2 2 2 2 60-64 years..... 2 1 1 1 1 65-69 years..... 3 1 3 70-74 years..... 2 1 1 2 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Pulmonary embolism without mention of acute cor pulmonale (I26.9) All ages..... 8,601 3,504 5,097 7,103 2,926 4,177 1,422 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 2.1 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 1,174 1,178 1,038 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Other pulmonary heart diseases (I27) 5,029 1,820 3,209 4,142 1,527 2,615 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1.0 25-29 years..... 2.4 1.0 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Primary pulmonary hypertension (I27.0) 3,549 1,131 2,418 2,837 1,919 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1.3 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Kyphoscoliotic heart disease (I27.1) 43 43 All ages.... 20 61 18 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 1 1 30-34 years..... 35-39 years..... 1 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 3 1 2 1 2 60-64 years..... 3 2 3 2 1 1 65-69 years..... 1 1 1 1 70-74 years..... 1 1 1 75-79 years..... 8 80-84 years..... 15 12 15 12 85-89 years..... 9 9 7 90-94 years..... 11 2 9 11 9 95-99 years..... 6 6 1 5 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other specified pulmonary heart diseases (I27.8) 79 38 All ages.... 41 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 1 1 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 50-54 years..... 2 1 1 1 55-59 years..... 4 1 4 1 2 60-64 years..... 7 5 2 6 1 1 65-69 years..... 9 4 5 9 4 5 70-74 years..... 4 2 2 4 2 75-79 years..... 19 10 18 80-84 years..... 9 9 85-89 years..... 13 11 90-94 years..... 10 5 5 10 5 95-99 years..... 4 4 100 years & over. 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Pulmonary heart disease, unspecified (I27.9) 1,165 All ages.... 1,332 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other diseases of pulmonary vessels (I28) 35 63 33 30 10 5 All ages.... Under 1 year.... 5 3 2 1-4 years..... 5-9 years..... 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 2 2 45-49 years..... 50-54 years..... 4 3 1 4 3 55-59 years..... 7 4 3 6 3 3 60-64 years..... 3 2 1 1 1 65-69 years..... 70-74 years..... 9 6 3 8 6 2 1 1 75-79 years..... 18 8 10 18 10 80-84 years..... 5 4 5 4 85-89 years..... 5 90-94 years..... 2 1 2 95-99 years..... 100 years & over. 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Arteriovenous fistula of pulmonary vessels (I28.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 50-54 years..... 1 55-59 years..... 2 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Aneurysm of pulmonary artery (I28.1) All ages.... 5 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 1 55-59 years..... 3 2 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other specified diseases of pulmonary vessels (I28.8) 19 32 16 All ages.... 20 16 Under 1 year.... 3 2 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 3 2 45-49 years..... 50-54 years..... 55-59 years..... 2 1 1 1 60-64 years..... 1 1 1 65-69 years..... 70-74 years..... 3 6 1 1 75-79 years..... 13 80-84 years..... 1 85-89 years..... 4 90-94 years..... 1 95-99 years..... 100 years & over. 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Disease of pulmonary vessels, unspecified (I28.9) 18 10 8 All ages.... 19 Under 1 year.... 1 1-4 years..... 5-9 years..... 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2 1 50-54 years..... 1 55-59 years..... 60-64 years..... 1 1 1 1 65-69 years..... 70-74 years..... 2 2 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute pericarditis (I30) 40 30 55 31 All ages.... 70 24 14 8 6 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 1 1 1 1 25-29 years..... 2 1 1 1 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 4 3 1 2 2 2 55-59 years..... 12 8 4 a 5 3 3 60-64 years..... 6 4 2 6 65-69 years..... 4 2 2 3 2 1 1 1 70-74 years..... 5 1 5 1 75-79 years..... 80-84 years..... 85-89 years..... 3 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute nonspecific idiopathic pericarditis (I30.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Infective pericarditis (I30.1) 18 15 17 10 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 1 1 1 1 25-29 years..... 1 1 1 30-34 years..... 35-39 years..... 40-44 years..... 5 2 45-49 years..... 50-54 years..... 1 1 1 1 55-59 years..... 5 3 2 5 3 60-64 years..... 2 2 1 1 1 1 65-69 years..... 2 1 1 1 1 1 70-74 years..... 2 1 1 2 1 1 75-79 years..... 80-84 years..... 85-89 years..... 3 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other forms of acute pericarditis (I30.8) All ages.... 3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 2 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute pericarditis, unspecified (I30.9) 17 20 10 All ages.... 10 10 6 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 1 1 30-34 years..... 35-39 years..... 40-44 years..... 3 45-49 years..... 50-54 years..... 2 2 1 1 55-59 years..... 7 5 2 4 2 60-64 years..... 2 2 2 65-69 years..... 2 1 1 2 1 1 70-74 years..... 1 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Other diseases of pericardium (I31) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 2. 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2.0 55-59 years..... 60-64 years..... 2.1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Base on the International Classification of Diseases, Tenth Revision, 1992)		All races		Both	White		Both	Black		American Indian 1/ Both			Asian or Pacific Islander 2/ Both		
and age	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female
Chronic adhesive per	cicarditis	(131.0)													
All ages	7	4	3	7	4	3	_	-	-	-	-	_	_	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	_	_	-	_	-	-	_
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_
Age not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Chronic constrictive pericarditis (I31.1) 56 20 3 All ages.... 22 36 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 1 1 30-34 years..... 35-39 years..... 40-44 years..... 3 3 45-49 years..... 50-54 years..... 4 3 1 2 55-59 years..... 5 2 5 2 2 60-64 years..... 7 3 3 65-69 years..... 5 4 1 5 1 4 70-74 years..... 10 3 10 3 75-79 years..... 6 80-84 years..... 9 85-89 years..... 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Hemopericardium, not elsewhere classified (I31.2) 23 15 All ages.... 13 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 4 3 1 55-59 years..... 3 2 60-64 years..... 3 3 65-69 years..... 2 2 70-74 years..... 6 3 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Pericardial effusion (noninflammatory) (I31.3) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Disease of pericardium, unspecified (I31.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 2. 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Acute and subacute endocarditis (I33) All ages..... 1,154 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2.8 2.8 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Acute and subacute infective endocarditis (I33.0) All ages..... 1,119 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2.7 2.8 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute endocarditis, unspecified (I33.9) 19 34 18 All ages.... 16 16 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 5 3 3 45-49 years..... 50-54 years..... 2 1 1 55-59 years..... 1 1 1 60-64 years..... 4 2 2 2 2 65-69 years..... 2 2 2 2 70-74 years..... 1 1 1 1 75-79 years..... 5 80-84 years..... 3 85-89 years..... 90-94 years..... 1 1 1 95-99 years..... 2 2 2 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Nonrheumatic mitral valve disorders (I34) All ages.... 1,821 2,539 1,683 2,759 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2.6 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Mitral (valve) insufficiency (I34.0) All ages..... 1,542 2,116 1,426 2,289 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... ρ 1.5 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Mitral (valve) prolapse (I34.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Nonrheumatic mitral (valve) stenosis (I34.2) All ages..... 1 11 12 1 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 5 5 5 5 70-74 years..... 1 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other nonrheumatic mitral valve disorders (I34.8) All ages..... 89 38 51 5 101 44 11 6 Under 1 year.... 1-4 years..... 1 1 5-9 years..... 1 1 10-14 years..... 15-19 years..... 3 2 1 2 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 4 4 4 50-54 years..... 3 6 2 55-59 years..... 9 5 ρ 3 1 60-64 years..... 4 2 2 3 1 65-69 years..... 9 3 6 9 3 6 70-74 years..... 12 75-79 years..... 10 80-84 years..... 11 11 85-89 years..... 12 5 11 1 1 90-94 years..... 6 2 6 2 95-99 years..... 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Nonrheumatic mitral valve disorder, unspecified (I34.9) All ages..... 30 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 1 30-34 years..... 35-39 years..... 2 40-44 years..... 45-49 years..... 3 2 50-54 years..... 55-59 years..... 2 1 1 2 1 1 60-64 years..... 8 5 3 8 3 65-69 years..... 10 4 6 8 3 5 1 70-74 years..... 15 8 13 6 1 75-79 years..... 15 14 6 80-84 years..... 13 13 85-89 years..... 1 1 90-94 years..... 7 7 95-99 years..... 100 years & over. 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should

be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or American Indian 1/ Diseases, Tenth All races White Black Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Nonrheumatic aortic valve disorders (I35) 12,471 4,909 7,562 11,725 4,620 7,105 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 2.4 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 1,428 1,344 80-84 years..... 2,412 1,033 1,379 2,298 1,308 85-89 years..... 3,090 1,098 1,992 2,960 1,062 1,898 90-94 years..... 2,531 1,817 2,431 1,746 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Aortic (valve) stenosis (I35.0) All ages.... 10,199 3,770 6,429 9,690 3,599 6,091 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 2. 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... ρ 65-69 years..... 70-74 years..... 75-79 years..... 1,072 1,014 80-84 years..... 1,973 1,147 1,886 1,090 85-89 years..... 2,738 1,791 2,632 1,714 90-94 years..... 2,309 1,665 2,222 1,600 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Aortic (valve) insufficiency (I35.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Aortic (valve) stenosis with insufficiency (I35.2) All ages..... 73 28 45 2 31 6 1 Under 1 year.... 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 1 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 2 45-49 years..... 1 50-54 years..... 1 1 1 55-59 years..... 2 2 2 2 2 60-64 years..... 65-69 years..... 3 2 1 2 2 1 1 70-74 years..... 8 6 1 75-79 years..... 9 5 6 3 80-84 years..... 10 10 85-89 years..... 18 6 12 16 6 10 1 1 1 90-94 years..... 21 5 16 20 5 15 95-99 years..... 2 2 2 2 100 years & over. 1 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other aortic valve disorders (I35.8) All ages..... 75 146 83 63 24 13 11 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 3 30-34 years..... 35-39 years..... 40-44 years..... 8 7 5 45-49 years..... 50-54 years..... 13 7 6 10 5 5 2 55-59 years..... 17 13 4 16 12 60-64 years..... 16 7 9 12 4 8 1 65-69 years..... 16 5 11 10 4 6 5 1 4 70-74 years..... 16 10 6 15 10 5 1 1 75-79 years..... 17 11 6 17 11 6 80-84 years..... 22 12 10 22 12 10 85-89 years..... 21 9 12 19 8 11 1 90-94 years..... 8 5 3 7 4 3 1 1 95-99 years..... 3 1 2 3 1 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Aortic valve disorder, unspecified (I35.9) All ages..... 1,307 1,427 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2.6 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Nonrheumatic tricuspid valve disorders (I36) 15 All ages.... 6 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 2 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 2 1 95-99 years..... 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Nonrheumatic tricuspid (valve) insufficiency (I36.1) 13 5 8 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 2 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 2 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other nonrheumatic tricuspid valve disorders (I36.8) All ages.... 2 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Pulmonary valve disorders (I37) 8 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 40-44 years..... 45-49 years..... 1 1 5 5 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 1 95-99 years..... 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Pulmonary valve stenosis (I37.0) 3 All ages.... 1 3 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Pulmonary valve insufficiency (I37.1) 2 All ages.... 1 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other pulmonary valve disorders (I37.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 3 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Pulmonary valve disorder, unspecified (I37.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Endocarditis, valve unspecified (I38) All ages..... 4,732 1,796 2,936 4,206 1,574 2,632 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Acute myocarditis (I40) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2.8 50-54 years..... 55-59 years..... 1 0 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Infective myocarditis (I40.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1.0 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Isolated myocarditis (I40.1) 6 All ages.... 3 6 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 2 1 1 1 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2 55-59 years..... 1 1 60-64 years..... 65-69 years..... 1 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other acute myocarditis (I40.8) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute myocarditis, unspecified (I40.9) 43 22 21 19 All ages.... 28 12 1 Under 1 year.... 7 3 4 5 1-4 years..... 3 2 5-9 years..... 2 1 1 1 1 1 10-14 years..... 2. 1 1 1 15-19 years..... 3 2 1 1 1 1 1 20-24 years..... 2 1 1 1 1 1 25-29 years..... 3 3 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 7 5 50-54 years..... 2 2 55-59 years..... 1 1 1 60-64 years..... 65-69 years..... 3 2 1 2 1 1 1 70-74 years..... 1 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International															
Classification of Diseases, Tenth		All races		White				Black		American Indian 1/			Asian or Pacific Islander 2/		
Revision, 1992) and age	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Cardiomyopathy (142)															
All ages	27,728	16,062	11,666	22,516	13,014	9,502	4,616	2,679	1,937	132	90	42	464	279	185
Under 1 year	118	56	62	88	39	49	23	12	11	1	1	-	6	4	2
1-4 years	34	18	16	29	16	13	2	2	-	2	-	2	1	-	1
5-9 years	23	10	13	18	7	11	3	2	1	1	-	1	1	1	-
10-14 years	49	34	15	33	22	11	14	10	4	2	2	-	-	-	-
15-19 years	115	84	31	71	51	20	37	27	10	1	1	-	6	5	1
20-24 years	161	118	43	91	74	17	63	39	24	2	2	-	5	3	2
25-29 years	262	191	71	146	109	37	106	75	31	2	1	1	8	6	2
30-34 years	387	278	109	222	163	59	147	101	46	6	4	2	12	10	2
35-39 years	623	403	220	373	250	123	230	141	89	9	7	2	11	5	6
40-44 years	946	673	273	620	454	166	303	202	101	6	5	1	17	12	5
45-49 years	1,247	899	348	825	614	211	389	265	124	12	10	2	21	10	11
50-54 years	1,347	955	392	919	661	258	386	264	122	12	9	3	30	21	9
55-59 years	1,575	1,069	506	1,136	787	349	402	259	143	10	7	3	27	16	11
60-64 years	1,602	1,070	532	1,209	829	380	350	212	138	8	5	3	35	24	11
65-69 years	2,020	1,285	735	1,605	1,030	575	372	224	148	4	3	1	39	28	11
70-74 years	2,919	1,849	1,070	2,421	1,552	869	429	256	173	16	12	4	53	29	24
75-79 years	3,670	2,206	1,464	3,154	1,938	1,216	450	226	224	11	7	4	55	35	20
80-84 years	4,106	2,227	1,879	3,670	2,018	1,652	368	171	197	12	7	5	56	31	25
85-89 years	3,564	1,683	1,881	3,220	1,540	1,680	284	113	171	12	7	5	48	23	25
90-94 years	2,063	727	1,336	1,863	655	1,208	175	62	113	3	-	3	22	10	12
95-99 years	733	199	534	655	180	475	68	13	55	-	-	-	10	6	4
100 years & over.	163	28	135	147	25	122	15	3	12	-	-	_	1	-	1
Age not stated	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Dilated cardiomyopathy (I42.0) 5,041 3,279 1,762 3,712 2,450 1,262 1,190 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Obstructive hypertrophic cardiomyopathy (I42.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 2. 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... a 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

260CT04

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Other hypertrophic cardiomyopathy (I42.2) All ages.... 1,201 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 2.6 20-24 years..... 2.0 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Endomyocardial (eosinophilic) disease (I42.3) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 20-24 years..... 1 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 2 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Endocardial fibroelastosis (I42.4) 70 60 111 58 53 17 All ages.... 130 11 6 1 Under 1 year.... 35 17 18 25 10 15 6 1-4 years..... 9 3 6 3 5 5-9 years..... 10-14 years..... 15-19 years..... 4 1 3 3 1 2 1 1 20-24 years..... 3 1 2 3 1 2 25-29 years..... 5 1 1 30-34 years..... 35-39 years..... 40-44 years..... 2 45-49 years..... 2 50-54 years..... 3 3 1 1 55-59 years..... 7 4 3 7 4 2 60-64 years..... 5 2 3 2 3 65-69 years..... 4 3 1 4 3 1 70-74 years..... 4 3 1 4 3 1 75-79 years..... 9 6 5 80-84 years..... 13 6 12 85-89 years..... 90-94 years..... 4 3 4 95-99 years..... 3 3 2 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other restrictive cardiomyopathy (I42.5) 75 117 49 17 All ages.... 134 68 10 Under 1 year.... 1-4 years..... 5-9 years..... 2 2 2 2 10-14 years..... 1 1 1 1 15-19 years..... 3 1 2 2 2 1 20-24 years..... 1 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 5 5 45-49 years..... 50-54 years..... 2 1 1 2 1 55-59 years..... 12 6 6 10 5 5 2 60-64 years..... 11 6 5 9 2 1 1 65-69 years..... 10 5 5 8 3 5 2 2 70-74 years..... 19 8 11 15 6 9 4 2 75-79 years..... 10 10 8 80-84 years..... 25 10 15 22 13 85-89 years..... 11 5 11 6 90-94 years..... 7 1 6 7 6 95-99 years..... 3 3 3 3 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Alcoholic cardiomyopathy (I42.6) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Cardiomyopathy due to drugs and other external agents (I42.7) All ages.... 10 6 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 3 45-49 years..... 1 50-54 years..... 1 1 1 55-59 years..... 2 1 1 1 60-64 years..... 65-69 years..... 2 1 1 70-74 years..... 1 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other cardiomyopathies (I42.8) 15 27 39 26 All ages.... 13 2 Under 1 year.... 2 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 3 45-49 years..... 50-54 years..... 1 1 55-59 years..... 60-64 years..... 2 2 1 65-69 years..... 1 1 70-74 years..... 5 2 3 1 3 1 1 75-79 years..... 80-84 years..... 85-89 years..... 6 90-94 years..... 5 1 95-99 years..... 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Cardiomyopathy, unspecified (I42.9) All ages..... 20,492 9,079 17,103 9,537 7,566 2,977 11,413 1,631 1,346 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 2.8 20-24 years..... 2.2 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... a 60-64 years..... 1,127 1,501 1,197 65-69 years..... 70-74 years..... 2,316 1,473 1,951 1,258 2,982 1,787 1,195 2,578 1,574 1,004 75-79 years..... 3,425 1,873 1,552 3,092 1,714 1,378 80-84 years..... 85-89 years..... 3,047 1,433 1,614 2,770 1,319 1,451 90-94 years..... 1,792 1,169 1,622 1,060 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Atrioventricular and left bundle-branch block (I44) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... ρ 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Atrioventricular block, second degree (I44.1) 3 All ages.... 6 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 2 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 3 2 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Atrioventricular block, complete (I44.2) All ages..... 114 212 295 105 190 26 19 3 326 Under 1 year.... 3 1 2 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2 1 50-54 years..... 1 1 1 55-59 years..... 8 3 5 7 2 1 60-64 years..... 8 6 2 7 6 1 65-69 years..... 10 6 4 9 5 4 1 70-74 years..... 13 6 11 6 5 2 1 1 75-79 years..... 40 15 25 36 12 2 80-84 years..... 59 22 37 51 21 30 85-89 years..... 68 26 42 64 25 39 90-94 years..... 64 20 44 63 19 44 95-99 years..... 38 7 31 35 7 28 3 100 years & over. 12 12 10 10 2 2

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other and unspecified atrioventricular block (I44.3) 19 21 All ages.... 6 15 1 Under 1 year.... 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 3 3 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 1 95-99 years..... 5 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Left bundle-branch block, unspecified (I44.7) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 50-54 years..... 55-59 years..... 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 1 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Other conduction disorders (I45) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1.0 60-64 years..... ρ 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other and unspecified right bundle-branch block (I45.1) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Bifascicular block (I45.2) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Trifascicular block (I45.3) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Nonspecific intraventricular block (I45.4) All ages.... 3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other specified heart block (I45.5) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Preexcitation syndrome (I45.6) 25 17 8 All ages.... 30 20 10 Under 1 year.... 1 1 1-4 years..... 5-9 years..... 2 1 1 2 1 10-14 years..... 15-19 years..... 2 2 20-24 years..... 3 2 3 1 1 25-29 years..... 3 3 3 3 30-34 years..... 35-39 years..... 40-44 years..... 1 45-49 years..... 1 50-54 years..... 55-59 years..... 2 1 1 60-64 years..... 65-69 years..... 4 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other specified conduction disorders (I45.8) All ages.... 40 62 26 36 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 3 2 45-49 years..... 50-54 years..... 55-59 years..... 3 3 2 2 60-64 years..... 5 3 1 1 65-69 years..... 7 4 3 7 4 3 70-74 years..... 10 4 6 8 3 5 1 1 1 75-79 years..... 16 9 16 80-84 years..... 9 7 85-89 years..... 8 7 1 1 90-94 years..... 6 1 5 6 5 95-99 years..... 3 1 2 3 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Conduction disorder, unspecified (I45.9) All ages..... 84 134 58 76 13 5 1 Under 1 year.... 5 4 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 3 45-49 years..... 50-54 years..... 4 4 4 4 55-59 years..... 5 3 2 5 3 2 60-64 years..... 7 5 2 5 2 65-69 years..... 3 2 1 3 2 1 70-74 years..... 10 6 4 10 6 75-79 years..... 16 9 14 80-84 years..... 24 10 14 19 9 10 85-89 years..... 28 10 18 27 10 17 90-94 years..... 24 7 17 23 7 16 1 1 95-99 years..... 15 3 12 13 2 11 1 1 100 years & over. 1 1 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Cardiac arrest (I46) All ages.... 17,320 8,283 9,037 14,212 6,795 7,417 2,601 1,207 1,394 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1,056 1,314 1,040 65-69 years..... 70-74 years..... 1,712 1,389 2,304 1,156 1,148 1,916 75-79 years..... 2,666 1,177 1,489 2,270 1,031 1,239 80-84 years..... 85-89 years..... 2,591 1,654 2,244 1,432 90-94 years..... 1,934 1,411 1,689 1,245 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Sudden cardiac death, so described (I46.1) All ages.... 2,830 1,367 2,447 1,260 1,187 1,463 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... a 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Cardiac arrest, unspecified (I46.9) All ages.... 6,820 7,670 11,765 5,535 6,230 2,239 1,014 1,225 14,490 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 2.4 1.3 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1,066 70-74 years..... 1,420 1,147 75-79 years..... 1,915 1,572 80-84 years..... 2,257 1,261 1,901 1,038 85-89 years..... 2,222 1,409 1,907 1,212 90-94 years..... 1,686 1,221 1,464 1,071 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Paroxysmal tachycardia (I47) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2.0 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Reentry ventricular arrhythmia (I47.0) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Supraventricular tachycardia (I47.1) 151 99 131 44 18 All ages.... 11 1 Under 1 year.... 3 3 3 1-4 years..... 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 2 1 40-44 years..... 1 45-49 years..... 1 2 2 2 50-54 years..... 3 1 55-59 years..... 2 1 1 2 1 1 60-64 years..... 7 3 5 1 65-69 years..... 17 6 11 11 2 9 6 4 2 70-74 years..... 15 11 13 3 10 2 1 75-79 years..... 25 18 23 17 80-84 years..... 21 16 20 15 85-89 years..... 22 13 19 10 3 90-94 years..... 19 15 19 15 95-99 years..... 9 4 9 5 4 100 years & over. 4 2 2 1 1 4

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Ventricular tachycardia (I47.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 2.7 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Paroxysmal tachycardia, unspecified (I47.9) All ages.... 1 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Atrial fibrillation and flutter (I48) All ages..... 3,425 6,664 9,412 3,168 6,244 10,089 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2.7 2.0 55-59 years..... Ω 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 1,257 1,150 80-84 years..... 2,143 1,356 2,016 1,277 85-89 years..... 2,578 1,790 2,467 1,711 90-94 years..... 2,012 1,509 1,915 1,435 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Other cardiac arrhythmias (I49) All ages..... 4,985 5,694 9,089 4,222 4,867 1,434 10,679 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 1,454 1,257 80-84 years..... 1,683 1,492 85-89 years..... 1,535 1,396 90-94 years..... 1,210 1,084 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Ventricular fibrillation and flutter (I49.0) All ages.... 1,090 1,264 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 2. 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2.6 2.0 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Atrial premature depolarization (I49.1) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Ventricular premature depolarization (I49.3) All ages.... 3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Sick sinus syndrome (I49.5) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other specified cardiac arrhythmias (I49.8) 65 29 15 All ages.... 33 48 36 11 1 Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 1 30-34 years..... 35-39 years..... 40-44 years..... 1 45-49 years..... 4 3 3 50-54 years..... 55-59 years..... 2 2 1 60-64 years..... 65-69 years..... 6 1 5 4 1 3 2 70-74 years..... 11 6 5 9 6 3 2 75-79 years..... 8 80-84 years..... 10 10 85-89 years..... 15 14 90-94 years..... 14 10 8 2 5 2 3 95-99 years..... 6 6 6 100 years & over. 2 2 1 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Cardiac arrhythmia, unspecified (I49.9) 8,902 4,079 4,823 7,543 3,432 4,111 1,225 All ages..... Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 2.4 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 1,211 1,037 80-84 years..... 1,406 1,233 85-89 years..... 1,297 1,181 90-94 years..... 1,037 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Heart failure (I50) All ages..... 56,494 21,698 34,796 19,335 31,337 5,186 2,069 50,672 3,117 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... a 1,436 1,134 60-64 years..... 2,192 1,200 1,789 65-69 years..... 1,762 70-74 years..... 3,976 2,054 1,922 3,371 1,609 6,603 3,192 3,411 5,822 2,852 2,970 75-79 years..... 10,307 4,381 5,926 9,377 4,034 5,343 80-84 years..... 12,620 4,423 8,197 11,737 4,138 7,599 85-89 years..... 90-94 years..... 10,776 3,000 7,776 10,055 2,800 7,255 95-99 years..... 5,031 1,035 3,996 4,722 3,745 100 years & over. 1,200 1,022 1,075

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Congestive heart failure (I50.0) All ages..... 19,900 32,534 47,228 17,816 29,412 4,647 2,816 52,434 1,831 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1,242 1,942 1,057 1,589 65-69 years..... 1,738 70-74 years..... 3,599 1,861 3,066 1,594 1,472 6,104 2,936 3,168 5,399 2,630 2,769 75-79 years..... 9,649 4,083 5,566 8,802 3,775 5,027 80-84 years..... 11,861 4,140 7,721 11,048 3,885 7,163 85-89 years..... 90-94 years..... 10,246 2,836 7,410 9,589 2,652 6,937 95-99 years..... 4,757 3,770 4,473 3,538 100 years & over. 1,107

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Left ventricular failure (I50.1) All ages..... 133 59 74 118 51 67 8 14 6 1 Under 1 year.... 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 1 1 30-34 years..... 35-39 years..... 40-44 years..... 2 1 2 45-49 years..... 1 1 3 50-54 years..... 6 6 55-59 years..... 5 2 3 2 1 60-64 years..... 5 3 2 4 3 1 1 1 65-69 years..... 6 4 2 6 4 2 70-74 years..... 8 4 4 3 1 75-79 years..... 25 10 15 24 80-84 years..... 18 10 17 9 8 85-89 years..... 24 8 16 23 15 90-94 years..... 21 8 13 19 12 2 1 1 95-99 years..... 6 1 5 5 1 4 1 1 100 years & over. 2 2 2 2

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Heart failure, unspecified (I50.9) All ages.... 3,927 1,739 2,188 3,326 1,468 1,858 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2.8 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Complications and ill-defined descriptions of heart disease (I51) 10,270 5,152 8,628 4,252 4,376 1,470 All ages.... 5,118 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 2.0 20-24 years..... 25-29 years..... 2.4 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 1,200 1,062 1,459 1,313 80-84 years..... 85-89 years..... 1,519 1,376 90-94 years..... 1,062 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Cardiac septal defect, acquired (I51.0) 8 All ages.... 10 16 Under 1 year.... 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 2 40-44 years..... 1 45-49 years..... 50-54 years..... 2 1 1 55-59 years..... 60-64 years..... 2 2 2 65-69 years..... 1 1 1 70-74 years..... 1 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Rupture of chordae tendineae, not elsewhere classified (I51.1) All ages.... 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 2 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 5 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or															
		211			water Alleria			D11-							
Diseases, Tenth		All races			White			Black		American Indian 1/			Pacific Islander 2/		
Revision, 1992) and age	Both	M. 1.	_ 1	Both	1	_ ,	Both	1		Both	Male Female		Both		_ ,
	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	мате	remale	sexes	мате	Female
Rupture of papillary	muscle, r	not elsewh	ere classi:	fied (I51.	2)										
All ages	9	5	4	9	5	4	_	_	_	_	_	_	_	_	_
Under 1 year	_	_	_	_	-	_	_	_	_	_	_	_	_	_	_
1-4 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
5-9 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
10-14 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
15-19 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
20-24 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
25-29 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
30-34 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
35-39 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
40-44 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
45-49 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
50-54 years	1	1	_	1	1	_	_	_	_	_	_	_	_	_	_
55-59 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
60-64 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
65-69 years	2	1	1	2	1	1	_	_	_	_	_	_	_	_	_
70-74 years	2	1	1	2	1	1	_	_	_	_	_	_	_	_	_
75-79 years	1	1	-	1	1	_	_	_	_	_	_	_	_	_	_
80-84 years	2	_	2	2	_	2	_	_	_	_	_	_	_	_	_
85-89 years	1	1	_	1	1	_			_	_	_	_		_	_
90-94 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
	_	_	_	_	_	_	_	_	_	_	_	_		_	_
95-99 vears								_	_						
95-99 years 100 years & over.	_	-	_	_	-	_	-	_	_	_	_	_	-	_	_

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Intracardiac thrombosis, not elsewhere classified (I51.3) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Myocarditis, unspecified (I51.4) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1.0 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 2.7 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Myocardial degeneration (I51.5) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 2.0 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Cardiovascular disease, unspecified (I51.6) All ages.... 4,075 1,817 2,258 3,523 1,559 1,964 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2.0 2.0 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of

asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or All races Pacific Islander 2/ Diseases, Tenth White Black American Indian 1/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Cardiomegaly (I51.7) All ages.... 1,480 1,121 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Other ill-defined heart diseases (I51.8) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 2.0 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Heart disease, unspecified (I51.9) All ages.... 1,555 1,538 2,626 1,327 1,299 3,093 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2.8 2.0 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Subarachnoid hemorrhage (I60) All ages.... 2,123 4,069 4,981 1,739 3,242 6,192 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1.0 25-29 years..... 2.1 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Subarachnoid hemorrhage from carotid siphon and bifurcation (I60.0) 43 6 All ages.... 51 18 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 1 1 1 1 30-34 years..... 35-39 years..... 3 40-44 years..... 3 2 1 17 45-49 years..... 11 13 8 8 50-54 years..... 1.0 2 10 2 55-59 years..... 12 3 9 1 0 3 60-64 years..... 9 2 8 2 65-69 years..... 4 2 2 3 1 1 1 70-74 years..... 5 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Subarachnoid hemorrhage from middle cerebral artery (I60.1) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should

be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races American Indian 1/ White Black Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Subarachnoid hemorrhage from anterior communicating artery (I60.2) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Subarachnoid hemorrhage from basilar artery (I60.4) 2 All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Subarachnoid hemorrhage from other intracranial arteries (I60.6) 23 All ages.... 14 34 11 11 3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 15-19 years..... 2 1 1 1 1 20-24 years..... 25-29 years..... 1 1 30-34 years..... 35-39 years..... 40-44 years..... 5 9 2 45-49 years..... 50-54 years..... 3 1 2 55-59 years..... 3 1 2 1 60-64 years..... 5 2 3 3 1 65-69 years..... 2 2 2 70-74 years..... 2 1 1 2 1 1 75-79 years..... 80-84 years..... 3 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Subarachnoid hemorrhage from intracranial artery, unspecified (I60.7) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1.0 2.0 55-59 years..... Ω 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other subarachnoid hemorrhage (I60.8) All ages.... 10 6 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 15-19 years..... 20-24 years..... 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 2 1 45-49 years..... 1 2 2 1 1 1 50-54 years..... 4 2 1 55-59 years..... 2 1 1 60-64 years..... 65-69 years..... 1 1 1 1 70-74 years..... 75-79 years..... 80-84 years..... 1 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Subarachnoid hemorrhage, unspecified (I60.9) All ages.... 1,902 3,738 4,559 1,561 2,998 5,640 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

260CT04

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Intracerebral hemorrhage (I61) All ages..... 8,748 10,498 15,857 7,057 8,800 2,634 1,310 19,246 1,324 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1.0 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1,020 50-54 years..... 2.2 55-59 years..... 1,042 60-64 years..... 1,196 1,440 1,123 65-69 years..... 1,105 70-74 years..... 2,210 1,105 1,897 3,154 1,379 1,775 2,811 1,253 1,558 75-79 years..... 3,430 1,342 2,088 3,128 1,230 1,898 80-84 years..... 2,596 1,713 2,398 1,573 85-89 years..... 90-94 years..... 1,160 1,069 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Intracerebral hemorrhage in hemisphere, subcortical (I61.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Intracerebral hemorrhage in hemisphere, cortical (I61.1) 54 63 3 All ages.... 70 117 14 10 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 2 40-44 years..... 3 3 3 3 45-49 years..... 50-54 years..... 6 3 1 3 2 55-59 years..... 6 5 1 5 4 1 1 60-64 years..... 5 3 2 4 2 2 1 65-69 years..... 7 5 2 6 4 2 1 70-74 years..... 18 11 17 11 6 75-79 years..... 27 12 15 23 10 13 80-84 years..... 30 11 19 28 10 18 85-89 years..... 18 8 10 17 8 9 1 1 90-94 years..... 8 1 7 8 1 95-99 years..... 3 3 3 3 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Base on the International Classification of Diseases, Tenth Revision, 1992) and age			White Both sexes Male Female			Black Both sexes Male Female			American Indian 1/ Both sexes Male Female			Asian or Pacific Islander 2/ Both sexes Male Female			
Intracerebral hemorr	hage in he	emisphere,	unspecifie	ed (I61.2)											
All ages	33	17	16	31	17	14	2	_	2	-	-	_	-	-	_
Under 1 year	-	-	-	-	-	-	-	-	-	_	-	_	-	-	_
1-4 years	-	-	-	-	-	-	-	-	-	-	-	_	-	_	-
5-9 years	-	-	-	-	-	-	-	-	_	-	_	-	-	_	-
10-14 years	-	-	-	-	-	-	-	-	-	-	_	-	-	_	-
15-19 years	-	-	_	-	-	-	-	-	_	-	-	_	-	_	-
20-24 years	-	-	_	-	-	-	_	-	-	-	-	_	-	-	-
25-29 years	-	-	-	-	-	-	_	-	-	-	-	_	-	_	-
30-34 years	-	-	-	-	-			-	_	-	_	-	-		-
35-39 years	-	-	-	_	-	-	-	-	-	-	_	-	-	-	-
40-44 years	2	2	_	2	2	-	-	-	-	-	-	_	-	_	-
45-49 years	2	1	1	1	1	-	1	-	1	_	_	-	-		-
50-54 years	2	2	_	2	2	-	-	-	_	-	-	_	-	-	-
55-59 years	1	1	_	1	1	-	-	-	_	-	-	_	-	-	-
60-64 years	_	-	-	-	_	_	-	-	-	_	-	_	-	-	_
65-69 years	2	1	1	2	1	1	-	-	-	_	-	_	-	-	-
70-74 years	5	2	3	5	2	3	-	-	-	_	-	_	-	-	-
75-79 years	6	3	3	6	3	3	-	-	-	_	-	_	-	-	-
80-84 years	3	2	1	3	2	1	-	-	-	_	-	_	-	-	_
85-89 years	4	1	3	4	1	3	-	-	-	_	-	_	-	-	_
90-94 years	6	2	4	5	2	3	1	-	1	_	-	_	-	-	_
95-99 years	-	-	_	-	-	-	-	-	-	_	-	_	-	-	-
100 years & over.	-	-	_	-	-	-	-	_	-	-	-	-	-	-	-
Age not stated	-	-	-	-	-	-	-	-	-	-	_	-	-	_	_

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Intracerebral hemorrhage in brain stem (I61.3) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 2. 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Intracerebral hemorrhage in cerebellum (I61.4) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1.3 50-54 years..... 1.0 55-59 years..... 2.4 60-64 years..... 2.0 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Intracerebral hemorrhage, intraventricular (I61.5) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2.0 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Intracerebral hemorrhage, multiple localized (I61.6) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other intracerebral hemorrhage (I61.8) All ages..... 29 40 60 31 12 1 Under 1 year.... 1-4 years..... 5-9 years..... 2 2 2 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 1 40-44 years..... 1 3 2 45-49 years..... 2 50-54 years..... 5 3 3 55-59 years..... 7 4 6 3 2 60-64 years..... 7 3 2 2 1 1 65-69 years..... 6 3 3 3 1 1 1 4 70-74 years..... 11 4 11 75-79 years..... 14 6 11 80-84 years..... 8 85-89 years..... 5 90-94 years..... 3 3 2 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Intracerebral hemorrhage, unspecified (I61.9) All ages..... 9,253 13,864 6,059 7,805 16,694 7,441 2,177 1,064 1,113 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1,219 65-69 years..... 70-74 years..... 1,941 1,668 2,790 1,213 1,577 2,486 1,098 1,388 75-79 years..... 3,112 1,213 1,899 2,836 1,113 1,723 80-84 years..... 85-89 years..... 2,373 1,580 2,202 1,458 90-94 years..... 1,043 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Other nontraumatic intracranial hemorrhage (I62) All ages.... 7,730 6,352 2,981 3,371 1,040 3,628 4,102 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1.0 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 1,232 1,068 1,387 1,247 80-84 years..... 85-89 years..... 1,107 1,013 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Subdural hemorrhage (acute) (nontraumatic) (I62.0) 1,421 All ages.... 1,638 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2.0 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Nontraumatic extradural hemorrhage (I62.1) 20 All ages.... 13 10 11 2 Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 55-59 years..... 60-64 years..... 1 1 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 3 3 95-99 years..... 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Intracranial hemorrhage (nontraumatic), unspecified (I62.9) All ages.... 2,756 3,313 4,911 2,222 2,689 6,069 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1,025 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Cerebral infarction (I63) All ages.... 12,335 4,841 7,494 10,747 4,166 6,581 1,317 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1,008 75-79 years..... 1,679 1,459 80-84 years..... 2,422 1,006 1,416 2,149 1,251 85-89 years..... 2,665 1,789 2,416 1,626 90-94 years..... 1,894 1,415 1,733 1,294 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Cerebral infarction due to thrombosis of precerebral arteries (I63.0) All ages..... 130 53 22 2 13 1 3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 1 1 1 30-34 years..... 35-39 years..... 40-44 years..... 6 3 1 8 3 45-49 years..... 1 50-54 years..... 13 11 9 8 2 1 55-59 years..... 16 15 1 14 14 2 1 60-64 years..... 15 9 1.0 6 5 3 65-69 years..... 19 15 4 13 11 2 6 4 70-74 years..... 17 6 11 16 5 11 1 1 75-79 years..... 16 14 8 80-84 years..... 21 10 11 20 9 11 85-89 years..... 13 7 13 6 90-94 years..... 5 3 2 5 3 2 95-99 years..... 1 1 100 years & over. 1 1 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Cerebral infarction due to embolism of precerebral arteries (I63.1) All ages..... 13 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 1 40-44 years..... 45-49 years..... 1 2 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 3 2 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Cerebral infarction due to unspecified occlusion or stenosis of precerebral arteries (I63.2) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1.3 50-54 years..... 55-59 years..... a 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

260CT04

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Cerebral infarction due to thrombosis of cerebral arteries (I63.3) All ages..... 1,904 1,267 1,128 1,676 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... a 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 2.4

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Cerebral infarction due to embolism of cerebral arteries (I63.4) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... a Ω 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Cerebral infarction due to unspecified occlusion or stenosis of cerebral arteries (I63.5) All ages..... 138 151 221 14 13 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 2 45-49 years..... 2 50-54 years..... 7 5 2 4 2 55-59 years..... 7 4 3 7 4 3 60-64 years..... 9 5 14 11 1 65-69 years..... 10 7 3 9 6 3 1 1 70-74 years..... 23 5 18 20 5 15 3 3 75-79 years..... 33 17 16 30 15 15 80-84 years..... 42 19 23 38 17 21 85-89 years..... 54 18 36 49 16 33 90-94 years..... 32 8 24 29 6 23 3 2 1 95-99 years..... 14 2 12 14 2 12 100 years & over. 3 3 2 2 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other cerebral infarction (I63.8) All ages..... 59 110 56 3 116 54 Under 1 year.... 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2 2 2 2 55-59 years..... 5 4 1 3 2 60-64 years..... 1 1 1 1 65-69 years..... 12 8 4 11 8 3 1 70-74 years..... 16 6 10 15 6 9 1 1 75-79 years..... 10 6 10 80-84 years..... 25 15 10 25 15 10 85-89 years..... 19 7 12 18 11 1 90-94 years..... 13 4 9 13 4 9 95-99 years..... 8 3 5 8 3 5 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Cerebral infarction, unspecified (I63.9) All ages.... 8,492 3,262 5,230 7.349 2,794 4,555 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 1,143 1,487 80-84 years..... 1,693 1,008 85-89 years..... 1,892 1,261 1,706 1,144 90-94 years..... 1,400 1,037 1,273 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Stroke, not specified as hemorrhage or infarction (I64) All ages..... 27,270 48,032 9,809 86,879 32,029 54,850 75,302 3,958 5,851 1,494 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1,608 1,104 a 60-64 years..... 2,375 1,344 1,031 1,650 3,861 2,110 1,751 2,878 1,565 1,313 65-69 years..... 70-74 years..... 7,187 3,597 3,590 5,813 2,933 2,880 1,169 12,299 5,525 6,774 10,537 4,761 5,776 1,512 75-79 years..... 17,964 6,722 11,242 15,990 6,007 9,983 1,625 1,064 80-84 years..... 19,474 6,259 13,215 17,756 5,721 12,035 1,401 85-89 years..... 90-94 years..... 13,922 3,341 10,581 12,748 3,035 9,713 95-99 years..... 5,118 4,235 4,667 3,872 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Other cerebrovascular diseases (I67) All ages..... 3,679 6,582 8,909 3,173 5,736 1,207 10,261 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 1,224 1,025 80-84 years..... 1,947 1,198 1,736 1,069 85-89 years..... 2,324 1,512 2,109 1,362 90-94 years..... 1,930 1,450 1,754 1,317 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Dissection of cerebral arteries, nonruptured (I67.0) All ages..... 15 6 11 6 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 1 30-34 years..... 35-39 years..... 1 40-44 years..... 3 1 45-49 years..... 1 2 2 50-54 years..... 4 2 55-59 years..... 1 1 1 60-64 years..... 1 1 1 1 65-69 years..... 3 1 3 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Cerebral aneurysm, nonruptured (I67.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2.0 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Cerebral atherosclerosis (I67.2) All ages..... 1,087 1,222 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1.0 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Progressive vascular leukoencephalopathy (I67.3) 23 All ages.... 11 13 11 12 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 50-54 years..... 55-59 years..... 1 1 60-64 years..... 65-69 years..... 3 3 70-74 years..... 3 1 3 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 2 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Hypertensive encephalopathy (I67.4) 31 33 19 20 All ages.... 24 14 11 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 2 30-34 years..... 35-39 years..... 40-44 years..... 2 45-49 years..... 50-54 years..... 3 1 55-59 years..... 1 1 1 1 60-64 years..... 6 3 3 2 1 1 65-69 years..... 7 3 4 4 3 1 3 3 70-74 years..... 5 3 2 3 2 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 1 1 1 95-99 years..... 2 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Moyamoya disease (I67.5) 3 3 All ages.... 11 Under 1 year.... 1-4 years..... 5-9 years..... 1 1 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Cerebral arteritis, not elsewhere classified (I67.7) All ages..... 22 38 41 60 3 Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 2 1 1 2 1 1 30-34 years..... 35-39 years..... 40-44 years..... 1 3 45-49 years..... 50-54 years..... 4 1 1 55-59 years..... 2 2 2 2 60-64 years..... 5 3 1 1 1 65-69 years..... 5 5 5 5 70-74 years..... 6 1 5 6 1 75-79 years..... 5 80-84 years..... 8 7 85-89 years..... 6 6 6 90-94 years..... 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Other specified cerebrovascular diseases (I67.8) All ages.... 1,115 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2.0 1.0 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Cerebrovascular disease, unspecified (I67.9) All ages.... 7,330 2,574 4,756 6,397 2,238 4,159 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 2.4 Ω 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1,460 1,299 85-89 years..... 1,793 1,160 1,632 1,047 90-94 years..... 1,478 1,111 1,335 1,004 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Sequelae of cerebrovascular disease (I69) All ages..... 20,029 12,455 17,571 10,998 1,954 1,191 7,574 6,573 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1,434 1,190 2,736 1,305 1,431 2,330 1,101 1,229 75-79 years..... 4,280 1,794 2,486 3,822 1,624 2,198 80-84 years..... 85-89 years..... 4,688 1,545 3,143 4,295 1,426 2,869 90-94 years..... 3,504 2,593 3,217 2,385 95-99 years..... 1,373 1,123 1,253 1,024 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Sequelae of subarachnoid hemorrhage (I69.0) 54 20 2 All ages.... 41 34 6 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 40-44 years..... 45-49 years..... 8 4 3 50-54 years..... 55-59 years..... 5 2 6 4 60-64 years..... 8 5 3 3 65-69 years..... 8 3 5 3 1 1 70-74 years..... 5 2 3 5 2 3 75-79 years..... 5 80-84 years..... 10 85-89 years..... 3 1 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Sequelae of intracerebral hemorrhage (I69.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Sequelae of other nontraumatic intracranial hemorrhage (I69.2) 61 45 All ages.... 123 72 106 14 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 1 1 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 1 3 50-54 years..... 6 6 55-59 years..... 11 7 9 6 2 60-64 years..... 4 2 4 2 65-69 years..... 11 10 1 8 1 3 70-74 years..... 11 10 6 1 75-79 years..... 16 9 13 8 5 80-84 years..... 20 10 10 19 9 10 85-89 years..... 22 11 11 21 11 10 90-94 years..... 14 8 6 12 7 5 2 1 1 95-99 years..... 5 5 4 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Sequelae of cerebral infarction (I69.3) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Sequelae of stroke, not specified as hemorrhage or infarction (169.4) 8,857 3,639 5,218 1,196 All ages.... 10,373 4,305 6,068 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 2.8 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 1,522 1,279 80-84 years..... 2,323 1,024 1,299 2,023 1,113 85-89 years..... 2,402 1,560 2,156 1,399 90-94 years..... 1,659 1,174 1,478 1,055 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Sequelae of other and unspecified cerebrovascular diseases (I69.8) 2,768 5,676 7,679 2,499 5,180 All ages.... 8,444 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2.0 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 1,033 80-84 years..... 1,717 1,051 1,591 85-89 years..... 2,045 1,416 1,919 1,321 90-94 years..... 1,683 1,305 1,593 1,229 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Atherosclerosis (I70) All ages.... 13,821 5,171 8,650 12,631 4,688 7,943 1,017 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 2. 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 1,521 1,346 80-84 years..... 2,541 1,055 1,486 2,320 1,353 85-89 years..... 3,090 1,088 2,002 2,915 1,030 1,885 90-94 years..... 2,802 2,047 2,637 1,927 95-99 years..... 1,416 1,135 1,331 1,065 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

1

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Atherosclerosis of aorta (I70.0) All ages..... 17 25 22 2 15 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 55-59 years..... 1 1 1 1 60-64 years..... 2 1 1 1 65-69 years..... 5 3 2 4 3 1 1 70-74 years..... 1 1 1 1 75-79 years..... 11 80-84 years..... 3 85-89 years..... 8 90-94 years..... 5 5 4 1 1 95-99 years..... 2 2 100 years & over.

1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Atherosclerosis of renal artery (I70.1) 38 58 21 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1 1 60-64 years..... 4 65-69 years..... 2 2 2 2 70-74 years..... 3 6 75-79 years..... 17 10 17 10 80-84 years..... 15 11 15 11 85-89 years..... 13 7 12 6 90-94 years..... 95-99 years..... 100 years & over. 1 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Atherosclerosis of arteries of the extremities (I70.2) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1.0 a 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth American Indian 1/ All races White Black Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Atherosclerosis of other arteries (I70.8) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Generalized and unspecified atherosclerosis (I70.9) All ages.... 4,922 12,147 4,474 7,673 13,253 8,331 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 2. 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 1,431 1,271 80-84 years..... 2,428 1,001 1,427 2,218 1,299 85-89 years..... 2,983 1,048 1,935 2,821 1,826 90-94 years..... 2,726 1,998 2,572 1,888 95-99 years..... 1,372 1,098 1,296 1,037 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Aortic aneurysm and dissection (I71) 9,013 5,805 13,285 8,132 5,153 1,218 All ages.... 14,818 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1,404 1,020 1,261 70-74 years..... 2,078 1,349 1,891 1,238 75-79 years..... 2,779 1,688 1,091 2,580 1,585 80-84 years..... 2,739 1,497 1,242 2,548 1,415 1,133 85-89 years..... 2,013 1,034 1,877 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Dissection of aorta [any part] (I71.0) All ages.... 2,055 1,374 2,858 1,698 1,160 3,429 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1.5 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Thoracic aortic aneurysm, ruptured (I71.1) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2.0 55-59 years..... 60-64 years..... 2.4 1.0 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Thoracic aortic aneurysm, without mention of rupture (I71.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... a 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Abdominal aortic aneurysm, ruptured (I71.3) All ages..... 3,439 1,697 4,832 3,262 1,570 5,136 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2.8 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 1,050 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Abdominal aortic aneurysm, without mention of rupture (I71.4) All ages..... 2,000 1,258 2,176 1,347 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Thoracoabdominal aortic aneurysm, ruptured (I71.5) 111 60 51 2 All ages.... 126 12 8 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2 2 50-54 years..... 4 4 2 55-59 years..... 4 3 1 3 2 1 60-64 years..... 7 7 6 6 1 1 65-69 years..... 15 10 5 15 10 5 70-74 years..... 23 10 13 21 9 12 1 75-79 years..... 24 16 21 8 80-84 years..... 26 10 16 22 10 12 85-89 years..... 19 8 11 19 8 11 90-94 years..... 2 2 2 2 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Thoracoabdominal aortic aneurysm, without mention of rupture (I71.6) 71 5 All ages.... 182 161 16 12 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 2 1 2 45-49 years..... 1 1 50-54 years..... 3 1 2 2 1 55-59 years..... 5 4 1 5 4 1 60-64 years..... 15 10 5 15 1.0 5 65-69 years..... 26 16 10 23 15 8 2 70-74 years..... 51 28 23 45 26 19 2 3 1 75-79 years..... 46 21 25 43 21 22 80-84 years..... 21 5 16 15 5 10 5 85-89 years..... 9 2 8 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Aortic aneurysm of unspecified site, ruptured (I71.8) 1,474 1,317 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 2. 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Aortic aneurysm of unspecified site, without mention of rupture (I71.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1.0 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Other aneurysm (I72) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 2. 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2.0 2.4 55-59 years..... 2.4 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Aneurysm of carotid artery (I72.0) 10 39 30 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 4 1 55-59 years..... 3 3 60-64 years..... 5 5 65-69 years..... 5 2 3 5 3 70-74 years..... 4 1 3 3 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Aneurysm of renal artery (I72.2) 21 19 All ages.... 16 34 15 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 3 50-54 years..... 1 55-59 years..... 2 1 1 1 60-64 years..... 3 2 1 65-69 years..... 6 4 2 6 4 70-74 years..... 3 3 75-79 years..... 6 80-84 years..... 85-89 years..... 90-94 years..... 2 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Aneurysm of iliac artery (I72.3) 135 28 132 109 23 25 All ages.... 163 21 3 3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 3 45-49 years..... 2 50-54 years..... 2 2 2 55-59 years..... 6 5 3 3 2 60-64 years..... 9 7 2 6 5 2 2 1 65-69 years..... 15 12 3 12 9 3 3 3 70-74 years..... 22 19 3 19 16 3 2 2 1 75-79 years..... 37 31 31 26 6 5 80-84 years..... 33 29 28 25 3 85-89 years..... 23 18 19 15 1 1 90-94 years..... 11 7 9 5 2 2 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Aneurysm of artery of lower extremity (I72.4) 33 19 All ages.... 14 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 50-54 years..... 1 55-59 years..... 3 3 3 60-64 years..... 2 1 65-69 years..... 6 3 3 4 1 70-74 years..... 3 2 1 3 1 75-79 years..... 6 80-84 years..... 85-89 years..... 90-94 years..... 5 2 3 2 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Aneurysm of other specified arteries (I72.8) 58 53 10 All ages.... 111 44 6 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 1 1 2 1 2 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 2 4 2 2 2 45-49 years..... 3 50-54 years..... 18 6 12 16 5 11 55-59 years..... 9 2 7 8 1 7 1 60-64 years..... 8 6 2 6 2 1 1 1 65-69 years..... 8 5 3 6 4 2 1 70-74 years..... 8 5 3 4 3 1 75-79 years..... 11 10 80-84 years..... 19 11 18 10 8 85-89 years..... 3 90-94 years..... 3 1 2 3 1 95-99 years..... 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Aneurysm of unspecified site (I72.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Other peripheral vascular diseases (I73) All ages..... 4,328 6,234 2,579 3,655 1,048 7,368 3,040 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 1,056 80-84 years..... 1,306 1,141 85-89 years..... 1,443 1,285 90-94 years..... 1,075 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Raynaud's syndrome (I73.0) 2 All ages.... 13 11 10 2 8 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1 1 60-64 years..... 1 1 1 1 65-69 years..... 3 1 3 70-74 years..... 2 2 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over. 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Thromboangiitis obliterans [Buerger] (I73.1) 3 5 All ages.... 3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1 1 60-64 years..... 65-69 years..... 1 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other specified peripheral vascular diseases (I73.8) 33 All ages.... 10 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 3 2 1 3 70-74 years..... 5 2 3 3 1 1 75-79 years..... 80-84 years..... 85-89 years..... 7 90-94 years..... 8 95-99 years..... 2. 2 2 100 years & over. 1 1

260CT04

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Peripheral vascular disease, unspecified (I73.9) 3,022 4,287 6,183 2,563 3,620 1,041 All ages..... 7,309 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 1,049 80-84 years..... 1,302 1,137 85-89 years..... 1,434 1,277 90-94 years..... 1,065 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Arterial embolism and thrombosis (I74) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 2.7 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Embolism and thrombosis of abdominal aorta (I74.0) All ages..... 50 10 40 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 1 1 55-59 years..... 1 1 1 60-64 years..... 3 2 3 1 65-69 years..... 5 3 2 5 3 70-74 years..... 9 75-79 years..... 80-84 years..... 9 85-89 years..... 90-94 years..... 4 95-99 years..... 2 2 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Embolism and thrombosis of other and unspecified parts of aorta (I74.1) All ages..... 186 78 108 16 8 1 1 Under 1 year.... 2 1 2 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 30-34 years..... 35-39 years..... 40-44 years..... 6 9 45-49 years..... 11 9 50-54 years..... 1.0 5 5 4 5 55-59 years..... 15 6 9 15 6 a 60-64 years..... 16 12 4 13 1.0 3 1 1 65-69 years..... 25 9 16 23 7 16 2 2 70-74 years..... 26 15 11 24 14 10 1 1 1 75-79 years..... 30 14 16 29 14 15 80-84 years..... 27 10 17 26 10 16 85-89 years..... 22 4 18 19 2 17 1 1 90-94 years..... 9 1 8 9 1 8 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or American Indian 1/ Diseases, Tenth All races White Black Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Embolism and thrombosis of arteries of the upper extremities (I74.2) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 45-49 years..... 1 50-54 years..... 55-59 years..... 60-64 years..... 1 1 1 1 65-69 years..... 3 1 2 1 1 1 70-74 years..... 75-79 years..... 80-84 years..... 1 85-89 years..... 3 3 3 3 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over. 2 2 Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Embolism and thrombosis of arteries of the lower extremities (I74.3) All ages..... 104 13 5 42 114 141 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 7 6 65-69 years..... 10 6 4 9 6 3 1 1 70-74 years..... 12 6 6 9 5 3 2 75-79 years..... 19 6 13 18 13 80-84 years..... 35 28 33 26 85-89 years..... 37 13 24 34 11 23 90-94 years..... 22 3 19 18 2 16 3 1 2 1 95-99 years..... 9 9 9 9 100 years & over. 3 3 3 3

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Embolism and thrombosis of arteries of extremities, unspecified (I74.4) All ages..... 28 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 8 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 5 2 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Embolism and thrombosis of iliac artery (I74.5) All ages..... 24 16 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 45-49 years..... 1 1 50-54 years..... 1 55-59 years..... 1 1 1 1 60-64 years..... 2 1 1 65-69 years..... 2 1 70-74 years..... 4 75-79 years..... 6 80-84 years..... 3 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Embolism and thrombosis of other arteries (I74.8) All ages..... 19 31 17 14 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2 2 2 55-59 years..... 6 5 60-64 years..... 65-69 years..... 3 2 1 1 70-74 years..... 4 2 75-79 years..... 80-84 years..... 85-89 years..... 5 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Embolism and thrombosis of unspecified artery (I74.9) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1.3 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races Pacific Islander 2/ White Black American Indian 1/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Other disorders of arteries and arterioles (I77) All ages.... 1,043 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Arteriovenous fistula, acquired (I77.0) 14 19 12 8 All ages.... 17 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 20-24 years..... 25-29 years..... 1 1 30-34 years..... 35-39 years..... 3 40-44 years..... 45-49 years..... 1 50-54 years..... 55-59 years..... 4 2 2 2 60-64 years..... 3 3 1 65-69 years..... 5 3 2 2 2 1 70-74 years..... 4 2 2 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Stricture of artery (I77.1) 49 85 43 73 All ages.... 134 116 14 3 11 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 2 40-44 years..... 3 45-49 years..... 1 50-54 years..... 3 1 1 55-59 years..... 3 3 2 2 60-64 years..... 10 3 ρ 2 1 1 65-69 years..... 9 4 5 6 4 2 3 3 70-74 years..... 19 6 13 16 5 11 3 2 75-79 years..... 24 12 12 21 10 80-84 years..... 13 4 9 12 8 85-89 years..... 14 11 13 10 1 1 90-94 years..... 19 15 19 15 95-99 years..... 11 3 8 10 3 7 1 100 years & over. 2 1 1 2 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Rupture of artery (177.2) 92 53 128 86 42 10 All ages.... 14 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 2 1 1 2 1 1 20-24 years..... 1 1 1 1 25-29 years..... 1 1 1 1 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 50-54 years..... 5 4 1 5 4 55-59 years..... 11 a 2 6 6 2 2 60-64 years..... 16 9 7 13 7 1 1 1 65-69 years..... 16 10 6 14 10 1 1 70-74 years..... 25 15 10 24 15 1 1 75-79 years..... 28 16 12 24 16 80-84 years..... 23 15 22 14 85-89 years..... 8 5 5 90-94 years..... 2 1 2 1 95-99 years..... 100 years & over. 1 1 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Arterial fibromuscular dysplasia (I77.3) 3 All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Necrosis of artery (I77.5) All ages..... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Arteritis, unspecified (I77.6) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other specified disorders of arteries and arterioles (I77.8) 3 10 All ages.... 12 13 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 40-44 years..... 2 45-49 years..... 50-54 years..... 2 2 55-59 years..... 1 1 60-64 years..... 2. 2 65-69 years..... 1 1 1 70-74 years..... 2 2 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Disorder of arteries and arterioles, unspecified (I77.9) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... a 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Diseases of capillaries (I78) 38 59 26 33 All ages.... 1 Under 1 year.... 4 3 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 2 1 1 2 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2 2 2 50-54 years..... 2 55-59 years..... 3 1 2 2 1 60-64 years..... 5 1 1 65-69 years..... 5 2 3 5 2 70-74 years..... 13 6 13 75-79 years..... 80-84 years..... 9 85-89 years..... 1 1 90-94 years..... 3 3 3 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Hereditary hemorrhagic telangiectasia (178.0) 34 All ages.... 11 25 11 23 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1 1 1 1 60-64 years..... 5 1 1 65-69 years..... 4 1 3 4 1 70-74 years..... 10 10 75-79 years..... 80-84 years..... 4 85-89 years..... 90-94 years..... 2 2 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Nevus, nonneoplastic (I78.1) 6 All ages.... 12 6 6 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 1 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 1 70-74 years..... 2 2 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other diseases of capillaries (I78.8) All ages.... 10 13 1 Under 1 year.... 3 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2 50-54 years..... 55-59 years..... 2 1 60-64 years..... 65-69 years..... 70-74 years..... 1 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Phlebitis and thrombophlebitis (I80) All ages.... 3,296 2,024 2,669 1,675 1,272 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1.3 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Phlebitis and thrombophlebitis of femoral vein (I80.1) 21 10 All ages.... 14 15 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 2 1 1 1 60-64 years..... 2 1 1 1 1 1 65-69 years..... 3 1 3 70-74 years..... 1 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 4 1 90-94 years..... 2 2 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Phlebitis and thrombophlebitis of other deep vessels of lower extremities (I80.2) All ages..... 2,809 1,088 2,272 1,721 1,426 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1.0 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Base on the International Classification of Diseases, Tenth Revision, 1992)				White Both			Black Both			American Indian 1/ Both			Asian or Pacific Islander 2/ Both		
and age	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female
Phlebitis and throm	bophlebitis	s of lower	extremiti	es, unspec	ified (I80	0.3)									
All ages	291	114	177	233	89	144	55	22	33	-	-	-	3	3	-
Under 1 year	-	-	-	-	-	-	-	-	_	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
20-24 years	3	-	3	2	-	2	1	-	1	-	_	-	-	-	-
25-29 years	2	1	1	1	-	1	1	1	-	-	_	-	-	-	-
30-34 years	8	6	2	6	5	1	2	1	1	_	_	_	_	_	_
35-39 years	15	6	9	8	4	4	7	2	5	_	_	_	_	_	_
40-44 years	16	8	8	12	7	5	3	_	3	_	_	_	1	1	_
45-49 years	30	13	17	21	8	13	8	4	4	_	_	_	1	1	_
50-54 years	17	10	7	12	7	5	5	3	2	_	_	_	_	_	_
55-59 years	30	15	15	27	13	14	3	2	1	_	_	_	_	_	_
60-64 years	20	8	12	14	6	8	6	2	4	_	_	_	_	_	_
65-69 years	19	10	9	14	6	8	5	4	1	_	_	_	_	_	_
70-74 years	12	4	8	12	4	8	_	_	_	_	_	_	_	_	_
75-79 years	31	10	21	27	9	18	4	1	3	_	_	_	_	_	_
80-84 years	34	12	22	31	11	20	3	1	2	_	_	_	_	_	_
85-89 years	22	8	14	19	7	12	2	_	2	_	_	_	1	1	_
90-94 years	19	-	19	16	-	16	3	_	3	_	_	_	_	_	_
95-99 years	11	2	9	10	2	8	1	_	1	_	_	_	_	_	_
100 years & over.	1	_	1	1	_	1	_	_	_	_	_	_	_	_	_
Age not stated	-		-	-		_									

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Phlebitis and thrombophlebitis of other sites (I80.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Phlebitis and thrombophlebitis of unspecified site (I80.9) 106 90 23 All ages.... 136 46 16 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 2 40-44 years..... 5 3 45-49 years..... 9 5 50-54 years..... 4 8 4 55-59 years..... 8 3 5 8 3 5 60-64 years..... 8 8 6 65-69 years..... 11 6 5 10 5 5 1 70-74 years..... 8 4 4 3 1 1 75-79 years..... 21 8 13 16 9 80-84 years..... 33 12 21 29 10 19 85-89 years..... 25 17 23 7 16 90-94 years..... 14 2 12 13 2 11 1 1 95-99 years..... 6 5 6 5 100 years & over. 2 2 1 1 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Portal vein thrombosis (I81) 31 29 All ages.... 65 36 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 5 40-44 years..... 2 45-49 years..... 50-54 years..... 7 5 55-59 years..... 8 6 2 4 2 60-64 years..... 7 3 3 1 65-69 years..... 9 7 2 8 6 70-74 years..... 4 1 3 4 1 3 75-79 years..... 13 13 80-84 years..... 7 85-89 years..... 5 90-94 years..... 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Other venous embolism and thrombosis (I82) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1.0 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Budd-Chiari syndrome (I82.0) 26 22 All ages.... 31 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 2 1 1 25-29 years..... 2 1 2 1 1 1 30-34 years..... 35-39 years..... 40-44 years..... 3 3 45-49 years..... 1 50-54 years..... 3 3 55-59 years..... 2 1 1 2 1 1 60-64 years..... 2 2 1 1 65-69 years..... 3 3 2 1 1 70-74 years..... 3 1 3 1 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Thrombophlebitis migrans (I82.1) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Embolism and thrombosis of vena cava (182.2) All ages..... 12 18 10 11 8 3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 1 1 30-34 years..... 35-39 years..... 1 40-44 years..... 2 45-49 years..... 50-54 years..... 2 55-59 years..... 1 1 60-64 years..... 1 1 1 65-69 years..... 2 2 70-74 years..... 4 3 3 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 3 3 95-99 years..... 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Embolism and thrombosis of renal vein (182.3) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Embolism and thrombosis of other specified veins (I82.8) All ages..... 59 23 26 36 16 3 13 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 5 2 45-49 years..... 50-54 years..... 1 1 55-59 years..... 3 2 1 2 60-64 years..... 4 2 2 2 2 65-69 years..... 7 2 5 1 3 3 2 4 70-74 years..... 9 5 3 75-79 years..... 80-84 years..... 15 12 14 85-89 years..... 6 2 1 90-94 years..... 6 1 5 5 5 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Embolism and thrombosis of unspecified vein (I82.9) All ages..... 73 26 16 5 11 Under 1 year.... 3 1 2 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 4 4 4 4 55-59 years..... 5 3 2 5 3 2 60-64 years..... 5 2 3 2 3 65-69 years..... 5 1 4 2 1 1 3 3 70-74 years..... 9 1 8 8 1 1 1 75-79 years..... 12 6 10 80-84 years..... 10 9 85-89 years..... 10 9 90-94 years..... 13 1 12 11 10 2 95-99 years..... 1 1 100 years & over. 1 1 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Varicose veins of lower extremities (I83) All ages..... 80 137 163 69 68 22 11 11 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 6 5 45-49 years..... 1.0 9 1 50-54 years..... 13 11 55-59 years..... 9 7 2 8 6 2 1 60-64 years..... 17 8 9 11 6 6 2 65-69 years..... 9 3 6 9 3 6 70-74 years..... 14 8 6 10 6 3 2 1 1 75-79 years..... 14 12 80-84 years..... 23 13 10 21 12 9 85-89 years..... 21 5 16 20 5 15 1 90-94 years..... 13 3 10 11 10 2 2 95-99 years..... 8 2 6 7 2 5 1 1 100 years & over. 1 1 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Varicose veins of lower extremities with ulcer (I83.0) All ages..... 32 48 16 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1 1 1 1 60-64 years..... 6 1 3 65-69 years..... 1 1 1 1 70-74 years..... 3 2 1 3 2 75-79 years..... 6 80-84 years..... 12 11 85-89 years..... 11 10 10 90-94 years..... 10 2 8 8 2 2 95-99 years..... 5 4 5 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Varicose veins of lower extremities with inflammation (I83.1) All ages..... 15 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 2 65-69 years..... 3 3 3 3 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 3 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Varicose veins of lower extremities with both ulcer and inflammation (I83.2) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 2 100 years & over. 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Varicose veins of lower extremities without ulcer or inflammation (I83.9) All ages..... 20 26 11 6 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 5 9 45-49 years..... 9 1 50-54 years..... 11 9 55-59 years..... 8 6 2 5 1 60-64 years..... 9 7 2 6 3 1 65-69 years..... 5 2 3 5 2 3 70-74 years..... 10 5 5 3 1 1 75-79 years..... 80-84 years..... 5 85-89 years..... 90-94 years..... 2 2 2 2 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Hemorrhoids (I84) 18 5 13 10 All ages.... 15 5 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2 50-54 years..... 55-59 years..... 1 1 1 60-64 years..... 2 1 1 1 1 65-69 years..... 70-74 years..... 3 1 3 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 3 1 2 3 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Internal hemorrhoids with other complications (I84.1) All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Internal hemorrhoids without complication (I84.2) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Unspecified hemorrhoids with other complications (I84.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Unspecified hemorrhoids without complication (I84.9) 10 All ages.... 5 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 50-54 years..... 55-59 years..... 1 1 60-64 years..... 1 1 1 1 65-69 years..... 70-74 years..... 1 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 3 1 2 3 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should

be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Esophageal varices (I85) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Esophageal varices with bleeding (185.0) 104 36 118 86 32 19 All ages.... 140 16 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 6 3 4 2 1 45-49 years..... 18 16 15 1.3 50-54 years..... 16 11 5 13 8 5 55-59 years..... 14 13 1 1 0 10 3 60-64 years..... 12 10 2 12 1.0 65-69 years..... 17 14 3 12 10 5 4 1 70-74 years..... 17 14 3 15 12 3 1 1 1 75-79 years..... 10 5 9 5 80-84 years..... 14 14 8 85-89 years..... 5 5 90-94 years..... 95-99 years..... 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Esophageal varices without bleeding (185.9) 35 39 28 6 All ages.... 14 11 Under 1 year.... 1 1 1-4 years..... 5-9 years..... 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 2 1 5 45-49 years..... 7 50-54 years..... 7 55-59 years..... 3 3 2 2 60-64 years..... 6 5 1 1 65-69 years..... 2 2 2 70-74 years..... 5 5 1 1 75-79 years..... 10 80-84 years..... 3 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Varicose veins of other sites (I86) All ages..... 30 28 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 4 3 55-59 years..... 3 3 2 2 60-64 years..... 1 1 1 65-69 years..... 2 2 2 70-74 years..... 5 3 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Gastric varices (I86.4) 26 6 25 21 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 3 45-49 years..... 50-54 years..... 4 3 1 55-59 years..... 2 2 1 1 60-64 years..... 1 1 1 65-69 years..... 1 1 1 1 70-74 years..... 5 3 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races American Indian 1/ White Black Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Varicose veins of other specified sites (I86.8) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 50-54 years..... 55-59 years..... 1 1 1 1 60-64 years..... 65-69 years..... 1 1 1 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Other disorders of veins (187) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Compression of vein (I87.1) 10 All ages.... 18 21 14 3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 1 1 1 1 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 50-54 years..... 2 1 1 2 55-59 years..... 2 1 1 2 1 60-64 years..... 1 1 1 1 65-69 years..... 1 1 1 1 70-74 years..... 3 1 3 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Venous insufficiency (chronic) (peripheral) (187.2) 32 All ages.... 10 33 41 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 1 55-59 years..... 2 1 1 60-64 years..... 1 1 1 1 65-69 years..... 70-74 years..... 3 3 3 3 75-79 years..... 10 80-84 years..... 6 85-89 years..... 1 90-94 years..... 95-99 years..... 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other specified disorders of veins (187.8) 43 46 33 All ages.... 15 13 11 2 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 2 40-44 years..... 3 45-49 years..... 1 3 50-54 years..... 5 2 2 55-59 years..... 2 1 1 2 1 60-64 years..... 4 2 1 65-69 years..... 2 2 2 70-74 years..... 3 5 3 1 1 75-79 years..... 6 80-84 years..... 8 1 85-89 years..... 10 90-94 years..... 5 1 95-99 years..... 4 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Disorder of vein, unspecified (I87.9) All ages.... 1 3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Nonspecific lymphadenitis (I88) All ages.... 1 1 3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Nonspecific mesenteric lymphadenitis (I88.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Nonspecific lymphadenitis, unspecified (188.9) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Base on the International Classification of													1	Asian or	ŗ.
Diseases, Tenth		All rac	es		White			Black		Amer	ican Ind	ian 1/	Pac	ific Isl	ander 2/
Revision, 1992)	Both			Both			Both			Both			Both		
and age	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female
Other noninfective d	lisorders	of lymphat	ic vessels	and lymph	nodes (I8	39)									
All ages	87	33	54	72	28	44	14	5	9	_	_	_	1	_	1
Under 1 year	18	10	8	14	9	5	4	1	3	_	-	-	-	-	-
1-4 years	2	1	1	-	_	-	1	1	-	_	-	-	1	-	1
5-9 years	-	-	-	-	_	-	-	_	-	_	-	-	-	-	-
10-14 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
15-19 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
20-24 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
25-29 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
30-34 years	1	_	1	1	_	1	_	_	_	_	_	_	_	_	_
35-39 years	4	2	2	2	1	1	2	1	1	_	_	_	_	_	_
40-44 years	1	_	1	1	_	1	_	_	_	_	_	_	_	_	_
45-49 years	3	1	2	2	_	2	1	1	_	_	_	_	_	_	_
50-54 years	3	2	1	3	2	1	_	_	_	_	_	_	_	_	_
55-59 years	3	1	2	2	1	1	1	_	1	_	_	_	-	_	_
60-64 years	7	3	4	5	3	2	2	_	2	_	_	_	-	_	_
65-69 years	5	2	3	4	2	2	1	_	1	_	_	_	-	_	_
70-74 years	6	_	6	6	_	6	_	_	_	_	_	_	-	_	_
75-79 years	11	3	8	10	2	8	1	1	_	_	_	_	-	_	_
80-84 years	7	2	5	7	2	5	_	_	_	_	_	_	-	_	_
85-89 years	7	3	4	6	3	3	1	_	1	_	_	_	_	_	_
90-94 years	5	2	3	5	2	3	_	_	_	_	_	_	_	_	_
95-99 years	3	1	2	3	1	2	_	_	_	_	_	_	_	_	_
100 years & over.	1	_	1	1	_	1	_	_	_	_	_	_	_	_	_
Age not stated	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
,															

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Base on the International Classification of Diseases, Tenth	American Indian 1/			Asian or Pacific Islander 2/											
Revision, 1992)	Both	All rac		Both	White		Both	Black		Both			Both		
and age	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female
Lymphedema, not else	where clas	ssified (1	[89.0)												
All ages	47	14	33	40	12	28	7	2	5	_	_	_	_	_	_
Under 1 year	6	3	3	6	3	3	_	_	_	_	_	_	_	_	_
1-4 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
5-9 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
10-14 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
15-19 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
20-24 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
25-29 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
30-34 years	1	_	1	1	_	1	_	_	_	_	_	_	_	_	_
35-39 years	3	2	1	1	1	_	2	1	1	_	_	_	_	_	_
40-44 years	1	_	1	1	_	1	_	_	_	_	_	_	_	_	_
45-49 years	3	1	2	2	_	2	1	1	_	_	_	_	_	_	_
50-54 years	1	1	_	1	1	_	_	_	_	_	_	_	_	_	_
55-59 years	2	_	2	1	_	1	1	_	1	_	_	_	_	_	_
60-64 years	4	_	4	2	_	2	2	_	2	_	_	_	_	_	_
65-69 years	3	1	2	3	1	2	_	_	_	_	_	_	_	_	_
70-74 years	1	_	1	1	_	1	_	_	_	_	_	_	_	_	_
75-79 years	7	1	6	7	1	6	_	_	_	_	_	_	_	_	_
80-84 years	3	1	2	3	1	2	_	_	_	_	_	_	_	_	_
85-89 years	4	1	3	3	1	2	1	_	1	_	_	_	_	_	_
90-94 years	5	2	3	5	2	3	_	_	_	_	_	_	_	_	_
95-99 years	3	1	2	3	1	2	_	_	_	_	_	_	_	_	_
100 years & over.	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Age not stated	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Lymphangitis (I89.1) All ages..... 6 1 5 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 1 70-74 years..... 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other specified noninfective disorders of lymphatic vessels and lymph nodes (189.8) All ages.... 28 12 11 11 1 Under 1 year.... 12 7 5 2 1-4 years..... 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2 2 1 50-54 years..... 1 1 55-59 years..... 1 1 1 1 60-64 years..... 1 1 1 1 65-69 years..... 1 1 70-74 years..... 3 3 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of														Asian or	
Diseases, Tenth		All rac	All races		White			Black		American Indian 1/				ific Isl	lander 2/
Revision, 1992)	Both	W . 1 .		Both	M . 7 .		Both	24.1.		Both	M - 7 -	m1.	Both	M - 7 -	
and age	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	мате	Female	sexes	Male	Female
Noninfective disorder	r of lymph	hatic vess	sels and ly	mph nodes,	unspecifi	ied (I89.9)	ı								
All ages	5	1	4	4	_	4	1	1	_	_	_	_	_	_	_
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	-	-	-	1	1	-	_	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	_	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	_	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	_	-	-	-	-	-
20-24 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
25-29 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
30-34 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
35-39 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
40-44 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
45-49 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
50-54 years	-	-	-	-	-	-	-	-	-	_	-	-	-	-	-
55-59 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
60-64 years	-	-	-	-	-	-	-	-	-	_	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	_	-	-	-	-	-
70-74 years	1	_	1	1	_	1	_	_	_	_	_	_	_	_	_
75-79 years	1	_	1	1	_	1	_	_	_	_	_	_	_	_	_
80-84 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
85-89 years	1	_	1	1	_	1	_	_	_	_	_	_	_	_	_
90-94 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
95-99 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
100 years & over.	1	_	1	1	_	1	_	_	_	_	_	_	_	_	_

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Hypotension (I95) All ages..... Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Idiopathic hypotension (I95.0) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Orthostatic hypotension (I95.1) 12 10 All ages.... 10 21 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 3 65-69 years..... 70-74 years..... 3 3 3 3 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 2 2 95-99 years..... 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other hypotension (I95.8) All ages.... 16 14 6 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 3 50-54 years..... 55-59 years..... 60-64 years..... 1 1 65-69 years..... 1 1 1 1 70-74 years..... 3 1 3 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Hypotension, unspecified (I95.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other and unspecified disorders of circulatory system (I99) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute nasopharyngitis [common cold] (J00) 2 2 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute sinusitis (J01) 5 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 55-59 years..... 1 60-64 years..... 65-69 years..... 70-74 years..... 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute sphenoidal sinusitis (J01.3) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute sinusitis, unspecified (J01.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 50-54 years..... 55-59 years..... 1 60-64 years..... 65-69 years..... 70-74 years..... 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute pharyngitis (J02) 10 All ages.... 20 10 13 6 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 2 40-44 years..... 45-49 years..... 3 2 50-54 years..... 3 55-59 years..... 4 1 1 60-64 years..... 65-69 years..... 70-74 years..... 1 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Streptococcal pharyngitis (J02.0) All ages.... 3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute pharyngitis due to other specified organisms (J02.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth American Indian 1/ All races White Black Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Acute pharyngitis, unspecified (J02.9) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2 50-54 years..... 2 2 1 1 55-59 years..... 2 1 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 85-89 years..... 90-94 years..... 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute laryngitis and tracheitis (J04) 2 All ages.... 14 6 11 1 Under 1 year.... 8 3 3 1-4 years..... 5 3 2 5 2 5-9 years..... 10-14 years..... 15-19 years..... 3 3 1 1 1 1 20-24 years..... 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 1 1 50-54 years..... 1 1 1 55-59 years..... 60-64 years..... 1 1 1 1 65-69 years..... 1 1 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute laryngitis (J04.0) 3 All ages.... 1 1 Under 1 year.... 2 2 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 40-44 years..... 45-49 years..... 1 50-54 years..... 1 55-59 years..... 60-64 years..... 1 65-69 years..... 1 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute tracheitis (J04.1) 6 3 All ages.... Under 1 year.... 3 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute laryngotracheitis (J04.2) All ages.... Under 1 year.... 3 2 2 2 1-4 years..... 3 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute obstructive laryngitis [croup] and epiglottitis (J05) All ages.... 16 20 14 6 2 Under 1 year.... 1-4 years..... 3 5-9 years..... 10-14 years..... 1 1 15-19 years..... 1 1 1 1 20-24 years..... 1 2 2 1 1 25-29 years..... 1 1 1 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 1 1 2 50-54 years..... 3 3 2 55-59 years..... 4 2 4 2 60-64 years..... 65-69 years..... 1 1 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute obstructive laryngitis [croup] (J05.0) 2 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute epiglottitis (J05.1) 14 8 All ages.... 18 12 6 2 Under 1 year.... 2 1-4 years..... 5-9 years..... 1 10-14 years..... 1 1 1 15-19 years..... 1 1 1 1 20-24 years..... 2 2 1 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 1 40-44 years..... 1 1 45-49 years..... 1 1 1 1 50-54 years..... 3 3 2 2 55-59 years..... 4 2 2 60-64 years..... 65-69 years..... 1 1 1 1 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute upper respiratory infections of multiple and unspecified sites (J06) 2 2 All ages.... 29 3 Under 1 year.... 1 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 2 2 45-49 years..... 50-54 years..... 2 1 1 55-59 years..... 2 2 2 2 60-64 years..... 2 2 65-69 years..... 4 2 2 2 1 1 1 70-74 years..... 8 4 6 3 3 1 1 75-79 years..... 10 10 80-84 years..... 7 85-89 years..... 11 10 8 90-94 years..... 17 11 15 11 95-99 years..... 15 2 13 15 2 13 100 years & over. 4 4 4 4 Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute laryngopharyngitis (J06.0) All ages.... 1 1 2 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute upper respiratory infection, unspecified (J06.9) 79 23 56 2 2 All ages.... 28 3 Under 1 year.... 1 1 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 1 45-49 years..... 1 1 2 50-54 years..... 2 1 1 55-59 years..... 2 2 2 2 60-64 years..... 2 2 65-69 years..... 4 2 2 2 1 1 1 70-74 years..... 7 4 3 5 3 1 1 75-79 years..... 10 10 80-84 years..... 7 85-89 years..... 11 10 8 90-94 years..... 17 6 11 15 11 2 95-99 years..... 15 2 13 15 2 13 100 years & over. 4 4 4 4

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Influenza due to identified influenza virus (J10) All ages..... 95 39 56 Under 1 year.... 4 3 1 1-4 years..... 5-9 years..... 3 1 2 3 1 2 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 1 1 1 1 30-34 years..... 35-39 years..... 40-44 years..... 1 45-49 years..... 2 2 1 50-54 years..... 1 1 55-59 years..... 2 2 2 2 60-64 years..... 2 1 2 1 1 65-69 years..... 4 2 2 3 2 1 70-74 years..... 8 2 6 2 5 1 75-79 years..... 4 80-84 years..... 17 17 9 85-89 years..... 21 14 20 13 90-94 years..... 18 6 12 18 6 12 95-99 years..... 7 3 4 7 3 4 100 years & over. 2 2 2 2

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Influenza with pneumonia, influenza virus identified (J10.0) 22 All ages.... 14 24 36 14 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 1 30-34 years..... 35-39 years..... 1 40-44 years..... 45-49 years..... 1 1 50-54 years..... 55-59 years..... 60-64 years..... 2 1 1 1 1 65-69 years..... 3 2 1 2 70-74 years..... 2 2 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 3 95-99 years..... 2 1 2 1 100 years & over. 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Influenza with other respiratory manifestations, influenza virus identified (J10.1) All ages.... 1 Under 1 year.... 3 1 3 1 1-4 years..... 5-9 years..... 2 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 40-44 years..... 45-49 years..... 1 1 1 50-54 years..... 1 55-59 years..... 2 2 2 60-64 years..... 65-69 years..... 1 1 1 1 70-74 years..... 6 4 6 75-79 years..... 80-84 years..... 85-89 years..... 15 10 14 90-94 years..... 11 3 8 11 95-99 years..... 5 3 5 2 100 years & over. 1 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth American Indian 1/ All races White Black Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Influenza with other manifestations, influenza virus identified (J10.8) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Influenza, virus not identified (J11) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... a 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Influenza with pneumonia, virus not identified (J11.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should

be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Influenza with other respiratory manifestations, virus not identified (J11.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years.... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Influenza with other manifestations, virus not identified (J11.8) All ages..... 5 10 Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 10-14 years..... 15-19 years..... 1 1 1 20-24 years..... 1 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 2 2 1 95-99 years..... 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Viral pneumonia, not elsewhere classified (J12) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Adenoviral pneumonia (J12.0) 3 5 All ages.... Under 1 year.... 3 2 1-4 years..... 2 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1 60-64 years..... 65-69 years..... 1 1 70-74 years..... 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Respiratory syncytial virus pneumonia (J12.1) 31 18 13 12 12 6 All ages.... Under 1 year.... 18 11 7 14 1-4 years..... 8 6 2 5 4 1 2 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 3 2 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Parainfluenza virus pneumonia (J12.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other viral pneumonia (J12.8) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Viral pneumonia, unspecified (J12.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Pneumonia due to Streptococcus pneumoniae (J13) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Pneumonia due to Hemophilus influenzae (J14) 40 20 All ages.... 20 20 Under 1 year.... 2 2 2 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 1 1 55-59 years..... 2 1 1 1 1 60-64 years..... 3 2 3 1 1 65-69 years..... 5 2 3 5 2 3 70-74 years..... 3 1 2 3 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 3 2 3 95-99 years..... 2 2 100 years & over. 1 1 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Bacterial pneumonia, not elsewhere classified (J15) 4,072 2,009 2,063 3,546 1,741 1,805 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1.0 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... ρ 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Pneumonia due to Klebsiella pneumoniae (J15.0) All ages..... 48 50 19 127 62 10 2 1 Under 1 year.... 6 4 2 6 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 1 30-34 years..... 35-39 years..... 40-44 years..... 5 45-49 years..... 7 50-54 years..... 1.0 5 1 55-59 years..... 2 2 1 1 1 60-64 years..... 4 3 3 2 1 1 65-69 years..... 7 4 3 5 4 1 2 70-74 years..... 11 6 5 3 2 2 2 75-79 years..... 15 10 10 3 80-84 years..... 18 11 13 85-89 years..... 24 9 15 24 9 15 90-94 years..... 11 2 9 10 2 8 1 1 95-99 years..... 7 3 6 3 3 1 1 100 years & over. 1 1 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Pneumonia due to Pseudomonas (J15.1) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1.0 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Pneumonia due to staphylococcus (J15.2) 1,105 All ages.... 1,250 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Pneumonia due to streptococcus, group B (J15.3) All ages.... 1 3 Under 1 year.... 1-4 years..... 5-9 years..... 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 40-44 years..... 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Pneumonia due to other streptococci (J15.4) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 2. 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Pneumonia due to Escherichia coli (J15.5) All ages..... 16 10 2 13 6 1 Under 1 year.... 3 2 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 1 1 65-69 years..... 1 1 1 1 70-74 years..... 4 2 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Pneumonia due to other aerobic Gram-negative bacteria (J15.6) All ages..... 13 6 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 1 1 65-69 years..... 2 1 1 1 70-74 years..... 1 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 5 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Pneumonia due to Mycoplasma pneumoniae (J15.7) All ages..... 49 21 28 2 Under 1 year.... 2 2 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2 1 1 2 1 50-54 years..... 1 1 1 1 55-59 years..... 3 2 2 1 1 1 60-64 years..... 3 1 2 3 1 65-69 years..... 3 3 2 1 70-74 years..... 75-79 years..... 9 9 80-84 years..... 12 11 85-89 years..... 9 5 9 5 90-94 years..... 3 3 2 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other bacterial pneumonia (J15.8) 23 13 6 All ages.... 16 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 1 1 30-34 years..... 35-39 years..... 3 2 40-44 years..... 2 45-49 years..... 1 50-54 years..... 1 1 1 55-59 years..... 2 1 1 60-64 years..... 1 1 1 1 65-69 years..... 2 70-74 years..... 1 1 75-79 years..... 6 6 80-84 years..... 4 85-89 years..... 90-94 years..... 1 1 1 95-99 years..... 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Bacterial pneumonia, unspecified (J15.9) 1,935 1,084 1,705 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2.7 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Pneumonia due to other infectious organisms, not elsewhere classified (J16) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 3 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 70-74 years..... 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 2 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Chlamydial pneumonia (J16.0) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 70-74 years..... 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Pneumonia due to other specified infectious organisms (J16.8) All ages.... 3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 2 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Pneumonia, organism unspecified (J18) All ages..... 33,802 53,363 23,032 30,331 5,352 2,503 2,849 1,039 60,003 26,201 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 2.6 20-24 years..... 2.4 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1,076 60-64 years..... 1,509 1,202 A 2,142 1,235 1,785 1,026 65-69 years..... 1,757 70-74 years..... 3,955 2,198 3,398 1,906 1,492 7,197 3,725 3,472 6,335 3,278 3,057 75-79 years..... 11,098 5,287 5,811 10,042 4,782 5,260 80-84 years..... 12,987 5,277 7,710 11,914 4,832 7,082 85-89 years..... 90-94 years..... 10,759 3,620 7,139 9,933 3,324 6,609 95-99 years..... 4,861 1,264 3,597 4,479 1,142 3,337 100 years & over. 1,262 1,025 1,141

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Bronchopneumonia, unspecified (J18.0) 1,701 1,418 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2.8 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Lobar pneumonia, unspecified (J18.1) 1,601 1,275 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... ρ 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Hypostatic pneumonia, unspecified (J18.2) 45 56 6 All ages.... 19 12 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 1 1 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 3 3 50-54 years..... 55-59 years..... 1 1 60-64 years..... 2 1 1 65-69 years..... 70-74 years..... 4 1 3 3 3 1 75-79 years..... 2 80-84 years..... 11 85-89 years..... 10 10 8 90-94 years..... 13 2 11 12 10 1 95-99 years..... 9 7 8 7 1 1 100 years & over. 6 1 5 6 1 5

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other pneumonia, organism unspecified (J18.8) 33 33 55 28 5 All ages.... 11 6 Under 1 year.... 2 2 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 3 40-44 years..... 45-49 years..... 1 50-54 years..... 2 1 1 1 55-59 years..... 3 3 3 60-64 years..... 7 3 65-69 years..... 2 2 2 70-74 years..... 10 6 5 3 1 2 75-79 years..... 6 80-84 years..... 9 9 85-89 years..... 10 10 5 90-94 years..... 8 8 95-99 years..... 2 1 1 2 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Pneumonia, unspecified (J18.9) All ages..... 24,530 32,041 50,559 21,700 28,859 4,816 2,211 2,605 56,571 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1,377 1,101 60-64 years..... 65-69 years..... 2,022 1,167 1,700 3,762 2,088 1,674 3,249 1,824 1,425 70-74 years..... 75-79 years..... 6,884 3,549 3,335 6,084 3,138 2,946 80-84 years..... 10,624 5,071 5,553 9,632 4,596 5,036 85-89 years..... 12,430 5,051 7,379 11,418 4,626 6,792 90-94 years..... 10,299 3,464 6,835 9,522 3,189 6,333 95-99 years..... 4,641 1,205 3,436 4,285 1,089 3,196 1,205 1,091 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Acute bronchitis (J20) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute bronchitis due to respiratory syncytial virus (J20.5) All ages.... 1 Under 1 year.... 1-4 years..... 1 5-9 years..... 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute bronchitis due to other specified organisms (J20.8) 12 All ages.... 18 6 12 5 Under 1 year.... 1 1 2 3 2 1-4 years..... 3 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 40-44 years..... 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 2 1 1 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 1 100 years & over. 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute bronchitis, unspecified (J20.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute bronchiolitis (J21) 72 42 30 55 31 10 All ages.... 14 1 1 Under 1 year.... 36 28 8 23 19 11 9 1-4 years..... 14 4 10 12 3 9 5-9 years..... 3 3 3 3 10-14 years..... 1 1 1 15-19 years..... 20-24 years..... 1 1 1 1 25-29 years..... 1 1 1 1 30-34 years..... 35-39 years..... 1 40-44 years..... 1 45-49 years..... 1 2 2 50-54 years..... 2 2 55-59 years..... 3 1 2 1 60-64 years..... 65-69 years..... 1 1 1 1 70-74 years..... 4 1 3 1 3 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute bronchiolitis due to respiratory syncytial virus (J21.0) All ages.... 15 10 Under 1 year.... 7 6 5 1-4 years..... 5 1 4 5-9 years..... 3 3 3 3 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute bronchiolitis due to other specified organisms (J21.8) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute bronchiolitis, unspecified (J21.9) 23 42 22 20 10 All ages.... 1 1 Under 1 year.... 28 22 6 18 14 1-4 years..... 8 3 5 7 2 5 5-9 years..... 10-14 years..... 1 1 15-19 years..... 20-24 years..... 1 1 1 1 25-29 years..... 1 1 1 1 30-34 years..... 35-39 years..... 1 40-44 years..... 1 45-49 years..... 1 2 2 2 50-54 years..... 2 55-59 years..... 3 1 2 1 60-64 years..... 65-69 years..... 1 1 1 1 70-74 years..... 4 1 3 1 3 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Unspecified acute lower respiratory infection (J22) 30 All ages.... 107 1 Under 1 year.... 3 2 1 3 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 50-54 years..... 1 55-59 years..... 3 3 2 60-64 years..... 2 1 1 1 65-69 years..... 70-74 years..... 10 3 3 3 3 75-79 years..... 6 80-84 years..... 21 15 18 13 85-89 years..... 31 22 30 21 90-94 years..... 11 7 11 7 95-99 years..... 12 2 10 12 2 10 100 years & over. 4 1 3 4 1 3

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Vasomotor and allergic rhinitis (J30) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Allergic rhinitis, unspecified (J30.4) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Chronic rhinitis, nasopharyngitis, and pharyngitis (J31) All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Chronic rhinitis (J31.0) All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Chronic pharyngitis (J31.2) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Chronic sinusitis (J32) All ages..... 35 43 29 35 78 64 12 6 6 Under 1 year.... 1-4 years..... 5-9 years..... 3 1 3 3 1 1 10-14 years..... 6 2. 3 3 3 1 15-19 years..... 2 1 1 1 1 20-24 years..... 2 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 2 3 45-49 years..... 50-54 years..... 6 4 2 6 4 55-59 years..... 7 2 5 5 1 60-64 years..... 1 1 1 1 65-69 years..... 6 3 3 5 3 1 70-74 years..... 6 3 3 6 3 3 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 4 4 95-99 years..... 1 100 years & over. 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Chronic maxillary sinusitis (J32.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Chronic frontal sinusitis (J32.1) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 1 70-74 years..... 1 1 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Chronic ethmoidal sinusitis (J32.2) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Chronic sphenoidal sinusitis (J32.3) All ages.... 3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 3 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Chronic pansinusitis (J32.4) All ages.... 1 2 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other chronic sinusitis (J32.8) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Chronic sinusitis, unspecified (J32.9) 32 21 5 All ages.... 26 26 Under 1 year.... 1-4 years..... 5-9 years..... 3 1 3 3 1 10-14 years..... 5 1 3 3 2 1 1 15-19 years..... 2 1 1 1 1 20-24 years..... 2 2 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 2 1 3 2 45-49 years..... 50-54 years..... 6 4 2 6 55-59 years..... 7 2 5 5 1 60-64 years..... 1 1 1 65-69 years..... 2 2 1 1 1 70-74 years..... 4 2 2 4 75-79 years..... 3 80-84 years..... 85-89 years..... 90-94 years..... 2 2 2 95-99 years..... 100 years & over. 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Nasal polyp (J33) All ages..... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Nasal polyp, unspecified (J33.9) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other disorders of nose and nasal sinuses (J34) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other specified disorders of nose and nasal sinuses (J34.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Chronic diseases of tonsils and adenoids (J35) All ages..... 1 5 1 Under 1 year.... 1-4 years..... 5-9 years..... 2 2 2 2 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Hypertrophy of tonsils (J35.1) All ages.... Under 1 year.... 1-4 years..... 1 5-9 years..... 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other chronic diseases of tonsils and adenoids (J35.8) All ages..... 3 2 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Chronic disease of tonsils and adenoids, unspecified (J35.9) All ages..... 1 1 Under 1 year.... 1-4 years..... 1 5-9 years..... 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Peritonsillar abscess (J36) All ages.... 1 3 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1 1 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Chronic laryngitis and laryngotracheitis (J37) 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Chronic laryngitis (J37.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Chronic laryngotracheitis (J37.1) All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Diseases of vocal cords and larynx, not elsewhere classified (J38) All ages..... 56 13 104 45 10 3 1 2 1 Under 1 year.... 5 4 2 1 1-4 years..... 3 3 5-9 years..... 1 1 1 1 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 2 1 1 1 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 1 40-44 years..... 1 5 45-49 years..... 1 3 50-54 years..... 6 4 2 4 1 55-59 years..... 7 5 2 4 3 1 2 2 1 60-64 years..... 7 3 3 65-69 years..... 4 3 1 4 3 1 70-74 years..... 13 6 12 6 75-79 years..... 13 12 80-84 years..... 12 6 12 85-89 years..... 12 6 11 90-94 years..... 5 2 3 5 95-99 years..... 2 2 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Paralysis of vocal cords and larynx (J38.0) All ages.... 17 34 18 16 Under 1 year.... 1 1 1 1-4 years..... 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 3 1 1 60-64 years..... 2 1 1 1 1 65-69 years..... 1 1 1 1 70-74 years..... 6 75-79 years..... 80-84 years..... 7 85-89 years..... 8 1 90-94 years..... 2 2 2 95-99 years..... 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Polyp of vocal cord and larynx (J38.1) All ages.... 1 1 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Other diseases of vocal cords (J38.3) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 2 1 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Edema of larynx (J38.4) 10 All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 3 3 50-54 years..... 55-59 years..... 60-64 years..... 1 1 1 1 65-69 years..... 70-74 years..... 1 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Laryngeal spasm (J38.5) 10 5 All ages.... 5 Under 1 year.... 1-4 years..... 5-9 years..... 1 1 10-14 years..... 15-19 years..... 20-24 years..... 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 3 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Stenosis of larynx (J38.6) 10 8 All ages.... 14 Under 1 year.... 2 2 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 50-54 years..... 1 1 1 55-59 years..... 2 1 1 1 1 60-64 years..... 1 1 1 65-69 years..... 1 1 1 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other diseases of larynx (J38.7) 3 All ages.... 20 11 13 6 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2 55-59 years..... 1 1 60-64 years..... 2 1 1 1 65-69 years..... 70-74 years..... 2 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other diseases of upper respiratory tract (J39) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... Ω 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Retropharyngeal and parapharyngeal abscess (J39.0) 5 3 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 1 55-59 years..... 1 60-64 years..... 2. 1 1 1 1 1 1 65-69 years..... 1 1 1 70-74 years..... 2 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other abscess of pharynx (J39.1) All ages.... 1 1 2 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 25-29 years..... 1 1 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other diseases of pharynx (J39.2) 38 40 33 37 All ages.... 70 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 1 1 30-34 years..... 35-39 years..... 1 40-44 years..... 45-49 years..... 2 50-54 years..... 55-59 years..... 1 1 1 1 60-64 years..... 2 2 1 1 1 1 65-69 years..... 7 3 4 4 2 70-74 years..... 3 2 1 3 2 1 75-79 years..... 13 6 5 80-84 years..... 8 3 85-89 years..... 16 10 16 10 90-94 years..... 18 8 10 17 8 9 1 1 95-99 years..... 4 1 3 4 1 3 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Base on the International Classification of Diseases, Tenth Revision, 1992)		All races Both		Both	White		Both	Black		American Indian 1/ Both			Asian or Pacific Islander : Both		
and age	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female
Upper respiratory tr	act hypers	sensitivit	ty reaction	, site uns	pecified	(J39.3)									
All ages	2	1	1	2	1	1	_	_	_	_	_	_	_	_	_
Under 1 year	-	_	_	-	-	-	_	-	-	-	_	-	-	-	_
1-4 years	-	-	-	-	-	-	-	-	-	-	-	_	-	-	_
5-9 years	-	-	-	-	-	-	-	-	-	-	-	_	-	-	_
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	_	_	-	-	-	_	-	-	-	_	-	-	-	-
25-29 years	-	_	_	-	-	-	_	-	-	-	_	-	-	-	_
30-34 years	-	_	_	-	-	-	_	-	-	-	_	-	-	-	_
35-39 years	-	_	_	-	-	-	_	-	-	-	_	-	-	-	_
40-44 years	-	_	_	-	-	-	_	-	-	-	_	-	-	-	_
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	_	1	1	-	_	-	-	-	_	-	-	-	_
60-64 years	-	-	-	-	-	-	-	-	-	-	-	_	-	-	_
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	_	_	-	-	-	_	-	-	-	_	-	-	-	_
90-94 years	-	-	-	_	-	_	_	_	_	-	_	_	-	-	-
95-99 years	-	-	-	_	-	_	_	_	_	-	_	_	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	_	-	-	_
Age not stated	-	-	-	-	-	-	-	-	-	-	-	_	-	-	_

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other specified diseases of upper respiratory tract (J39.8) 55 15 2 All ages.... 101 36 Under 1 year.... 8 2 6 5 1-4 years..... 2 2 1 1 5-9 years..... 10-14 years..... 1 1 1 15-19 years..... 2 2 1 1 1 1 20-24 years..... 1 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 11 9 45-49 years..... 50-54 years..... 2 2 1 55-59 years..... 14 5 9 11 3 Ω 3 1 60-64 years..... 7 3 6 3 1 1 65-69 years..... 7 1 6 6 1 5 1 1 70-74 years..... 9 4 5 9 5 75-79 years..... 80-84 years..... 10 85-89 years..... 90-94 years..... 7 3 6 3 1 1 95-99 years..... 1 1 100 years & over. 1 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Disease of upper respiratory tract, unspecified (J39.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Bronchitis, not specified as acute or chronic (J40) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Simple and mucopurulent chronic bronchitis (J41) 12 All ages.... Under 1 year.... 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 2 1 1 2 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 50-54 years..... 1 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 2 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Simple chronic bronchitis (J41.0) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Mucopurulent chronic bronchitis (J41.1) All ages.... 11 11 Under 1 year.... 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 2 1 1 2 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Unspecified chronic bronchitis (J42) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1.0 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Emphysema (J43) 15,489 8,084 7,405 14,476 7,426 7,050 All ages..... Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1,060 1,665 1,536 65-69 years..... 1,460 1,263 70-74 years..... 2,723 2,545 1,354 1,191 3,202 1,723 1,479 3,031 1,606 1,425 75-79 years..... 2,907 1,505 1,402 2,750 1,410 1,340 80-84 years..... 85-89 years..... 1,826 1,731 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female MacLeod's syndrome (J43.0) All ages.... 3 1 3 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or All races Diseases, Tenth White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Panlobular emphysema (J43.1) All ages..... 10 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 1 1 1 55-59 years..... 1 1 1 1 60-64 years..... 65-69 years..... 1 1 1 70-74 years..... 75-79 years..... 80-84 years..... 1 85-89 years..... 1 90-94 years..... 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Centrilobular emphysema (J43.2) All ages.... 13 8 5 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 50-54 years..... 55-59 years..... 60-64 years..... 2 2 1 1 65-69 years..... 3 1 3 70-74 years..... 3 1 3 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other emphysema (J43.8) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Emphysema, unspecified (J43.9) 15,457 8,066 7,391 14,445 7,409 7,036 All ages.... Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1,057 65-69 years..... 1,660 1,531 1,262 70-74 years..... 2,719 1,457 2,541 1,351 1,190 75-79 years..... 3,199 1,722 1,477 3,028 1,605 1,423 80-84 years..... 2,903 1,503 1,400 2,746 1,408 1,338 85-89 years..... 1,825 1,730 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or															
Diseases, Tenth All races					White			Black		American Indian 1/			Pacific Islander 2/		
Revision, 1992)	Both			Both			Both			Both			Both		
and age	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female
Other chronic obst	ructive pul	monary dis	sease (J44)												
All ages	103,133	50,356	52,777	96,119	46,345	49,774	5,787	3,253	2,534	372	176	196	855	582	273
Under 1 year	10	5	5	6	4	2	4	1	3	-	-	-	-	-	-
1-4 years	6	3	3	4	2	2	1	-	1	1	1	-	-	-	-
5-9 years	3	2	1	-	-	-	3	2	1	-	-	-	-	-	-
10-14 years	5	1	4	5	1	4	_	-	-	_	_	-	-	-	_
15-19 years	5	3	2	4	2	2	1	1	-	_	_	-	-	-	_
20-24 years	8	3	5	8	3	5	_	_	_	_	_	_	_	_	_
25-29 years	9	5	4	7	4	3	1	-	1	1	1	-	-	-	_
30-34 years	35	18	17	19	13	6	15	5	10	_	_	_	1	-	1
35-39 years	96	42	54	73	32	41	22	10	12	_	_	-	1	-	1
40-44 years	318	175	143	265	145	120	49	27	22	1	_	1	3	3	_
45-49 years	742	393	349	638	332	306	96	56	40	7	4	3	1	1	_
50-54 years	1,610	865	745	1,380	733	647	209	120	89	13	7	6	8	5	3
55-59 years	3,245	1,681	1,564	2,911	1,479	1,432	302	184	118	14	7	7	18	11	7
60-64 years	5,668	2,920	2,748	5,115	2,597	2,518	479	283	196	43	20	23	31	20	11
65-69 years	9,371	4,826	4,545	8,633	4,414	4,219	633	354	279	51	22	29	54	36	18
70-74 years	15,146	7,855	7,291	14,089	7,221	6,868	868	518	350	60	28	32	129	88	41
75-79 years	20,577	10,484	10,093	19,264	9,689	9,575	1,070	633	437	63	32	31	180	130	50
80-84 years	21,028	10,225	10,803	19,834	9,539	10,295	959	531	428	58	31	27	177	124	53
85-89 years	15,472	7,072	8,400	14,660	6,625	8,035	619	329	290	41	16	25	152	102	50
90-94 years	7,366	3,023	4,343	6,974	2,830	4,144	304	140	164	16	7	9	72	46	26
95-99 years	2,096	679	1,417	1,943	613	1,330	126	51	75	2	_	2	25	15	10
100 years & over.	312	72	240	283	64	219	25	7	18	1	_	1	3	1	2
Age not stated	5	4	1	4	3	1	1	1	-	-	-	-	_	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Chronic obstructive pulmonary disease with acute lower respiratory infection (J44.0) 147 All ages.... 286 132 154 269 122 16 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 2 40-44 years..... 45-49 years..... 1 1 8 5 3 50-54 years..... 3 6 3 55-59 years..... 6 4 2 6 4 2 60-64 years..... 18 7 11 16 9 65-69 years..... 25 12 13 22 9 13 3 3 70-74 years..... 32 22 10 30 21 9 2 1 1 75-79 years..... 56 26 30 53 24 29 80-84 years..... 44 21 23 44 21 23 85-89 years..... 54 18 36 53 17 36 17 90-94 years..... 28 11 26 11 15 2 2 95-99 years..... 10 4 6 9 4 5 1 1 100 years & over. 2 2 2 2

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races Pacific Islander 2/ White Black American Indian 1/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Chronic obstructive pulmonary disease with acute exacerbation, unspecified (J44.1) All ages..... 21 23 20 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years.... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 2 60-64 years..... 3 1 2 3 1 2 65-69 years..... 4 2 2 2 2 70-74 years..... 75-79 years..... 80-84 years..... 1 1 85-89 years..... 9 3 9 3 90-94 years..... 3 2 3 2 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Other specified chronic obstructive pulmonary disease (J44.8) 3,231 1,544 1,687 All ages.... 3,569 1,731 1,838 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 2.4 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

260CT04

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Chronic obstructive pulmonary disease, unspecified (J44.9) All ages..... 50,762 44,659 47,918 5,500 2,400 99,234 48,472 92,577 3,100 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1,285 50-54 years..... 1,490 55-59 years..... 3,036 1,588 1,448 2,727 1,399 1,328 60-64 years..... 5,413 2,798 2,615 4,893 2,486 2,407 2.0 8,977 4,609 4,368 8,279 4,223 4,056 65-69 years..... 70-74 years..... 14,571 7,563 7,008 13,564 6,957 6,607 19,853 10,117 9,736 18,602 9,360 9,242 1,026 75-79 years..... 20,344 9,875 10,469 19,194 9,218 9,976 80-84 years..... 14,986 6,872 8,114 14,205 6,443 7,762 85-89 years..... 90-94 years..... 7,143 2,931 4,212 6,758 2,740 4,018 95-99 years..... 2,028 1,369 1,878 1,284 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Asthma (J45) 3,910 1,440 2,470 2,809 1,863 All ages..... Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 2.5 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Predominantly allergic asthma (J45.0) 190 117 73 76 47 29 106 All ages.... 66 40 4 4 Under 1 year.... 3 2 1 1 1-4 years..... 31 20 11 13 10 3 15 9 5-9 years..... 24 15 9 7 6 1 15 8 7 1 10-14 years..... 74 41 33 23 1.3 10 50 27 23 15-19 years..... 41 32 16 11 5 23 20 3 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 40-44 years..... 45-49 years..... 50-54 years..... 1 1 1 1 55-59 years..... 60-64 years..... 1 1 1 1 65-69 years..... 1 1 1 1 70-74 years..... 3 3 2 1 1 75-79 years..... 3 80-84 years..... 85-89 years..... 2 90-94 years..... 2 2 95-99 years..... 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Nonallergic asthma (J45.1) 8 6 All ages.... 6 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 1 1 1 55-59 years..... 60-64 years..... 1 1 1 1 65-69 years..... 1 1 1 1 70-74 years..... 75-79 years..... 80-84 years..... 1 1 1 85-89 years..... 90-94 years..... 95-99 years..... 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States:

Mortality, 2002"]

Cause of death (Base on the International Classification of Diseases, Tenth Revision, 1992) and age		All races Male Female		White Both sexes Male Female			Black Both sexes Male Female			American Indian 1/ Both sexes Male Female			Asian or Pacific Islander Both sexes Male Fema:		
Asthma, unspecified	(J45.9)														
All ages	3,712	1,321	2,391	2,725	897	1,828	864	371	493	21	9	12	102	44	58
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	8	7	1	4	4	-	4	3	1	-	-	-	-	-	-
5-9 years	4	1	3	4	1	3	-	-	-	-	-	-	-	-	-
10-14 years	2	1	1	1	-	1	1	1	-	-	-	-	-	-	-
15-19 years	34	23	11	21	14	7	12	9	3	1	-	1	-	-	-
20-24 years	68	42	26	38	22	16	30	20	10	-	-	-	-	-	-
25-29 years	91	58	33	49	29	20	38	25	13	-	-	-	4	4	-
30-34 years	111	56	55	72	36	36	38	20	18	-	-	-	1	-	1
35-39 years	182	80	102	108	37	71	71	41	30	2	2	-	1	-	1
40-44 years	223	91	132	121	45	76	99	45	54	2	-	2	1	1	-
45-49 years	266	98	168	163	61	102	91	32	59	3	1	2	9	4	5
50-54 years	272	109	163	160	67	93	103	40	63	-	-	-	9	2	7
55-59 years	267	97	170	167	60	107	94	33	61	1	-	1	5	4	1
60-64 years	218	83	135	160	58	102	53	23	30	1	-	1	4	2	2
65-69 years	237	81	156	171	56	115	52	21	31	4	2	2	10	2	8
70-74 years	293	101	192	219	73	146	65	24	41	2	1	1	7	3	4
75-79 years	378	124	254	321	100	221	42	14	28	2	1	1	13	9	4
80-84 years	397	120	277	351	102	249	31	10	21	2	2	-	13	6	7
85-89 years	339	94	245	311	85	226	21	7	14	-	-	-	7	2	5
90-94 years	221	41	180	200	38	162	10	1	9	1	-	1	10	2	8
95-99 years	81	10	71	70	7	63	7	2	5	-	-	-	4	1	3
100 years & over.	19	4	15	14	2	12	2	-	2	-	-	-	3	2	1
Age not stated	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Status asthmaticus (J46) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Bronchiectasis (J47) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Coalworker's pneumoconiosis (J60) 351 341 338 3 13 All ages.... 12 1 Under 1 year.... 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2 2 2 50-54 years..... 2 55-59 years..... 4 3 3 3 60-64 years..... 14 15 14 15 1 65-69 years..... 17 17 16 16 70-74 years..... 29 28 28 27 1 1 1 75-79 years..... 81 81 77 77 3 80-84 years..... 71 71 69 69 2 85-89 years..... 79 79 79 79 90-94 years..... 46 46 43 43 3 95-99 years..... 9 9 8 8 1 1 100 years & over. 1 1 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Pneumoconiosis due to asbestos and other mineral fibers (J61) All ages..... 506 486 21 19 23 17 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 3 3 2 50-54 years..... 2 55-59 years..... 15 15 15 15 60-64 years..... 20 19 17 16 1 65-69 years..... 39 38 1 38 37 1 1 1 70-74 years..... 82 79 3 79 76 3 3 3 75-79 years..... 131 124 126 119 3 80-84 years..... 120 113 115 109 3 1 85-89 years..... 93 89 91 88 1 90-94 years..... 18 18 18 18 95-99 years..... 8 8 6 6 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Pneumoconiosis due to dust containing silica (J62) All ages.... 72 65 13 14 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 4 3 1 1 50-54 years..... 3 2 1 2 55-59 years..... 3 2 2 2 1 60-64 years..... 8 7 1 5 5 1 1 65-69 years..... 9 9 9 70-74 years..... 13 13 75-79 years..... 20 18 15 13 1 80-84 years..... 10 8 5 3 85-89 years..... 11 11 11 11 90-94 years..... 4 4 3 3 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Pneumoconiosis due to talc dust (J62.0) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 2 45-49 years..... 50-54 years..... 55-59 years..... 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Pneumoconiosis due to other dust containing silica (J62.8) All ages..... 65 5 12 12 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 3 3 40-44 years..... 2 2 45-49 years..... 2 50-54 years..... 3 2 55-59 years..... 2 2 2 2 60-64 years..... 8 7 5 1 1 65-69 years..... 9 9 9 9 70-74 years..... 13 13 11 11 2 75-79 years..... 20 18 15 13 80-84 years..... 10 8 5 3 85-89 years..... 11 11 11 11 90-94 years..... 4 4 3 3 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Pneumoconiosis due to other inorganic dusts (J63) All ages.... 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1 1 1 60-64 years..... 1 1 65-69 years..... 3 1 3 70-74 years..... 1 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Bauxite fibrosis (of lung) (J63.1) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Berylliosis (J63.2) All ages..... 10 10 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1 1 1 1 60-64 years..... 1 1 1 65-69 years..... 2 1 1 2 1 1 70-74 years..... 75-79 years..... 80-84 years..... 3 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Unspecified pneumoconiosis (J64) 94 89 All ages.... 102 5 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 3 3 3 60-64 years..... 3 3 3 3 65-69 years..... 10 9 9 8 70-74 years..... 14 14 13 13 1 1 75-79 years..... 17 17 16 16 80-84 years..... 17 17 16 16 85-89 years..... 31 28 28 25 3 90-94 years..... 7 6 6 5 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Pneumoconiosis associated with tuberculosis (J65) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Airway disease due to specific organic dust (J66) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 1 1 65-69 years..... 1 1 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Byssinosis (J66.0) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Flax-dresser's disease (J66.1) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

260CT04

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Base on the International Classification of Diseases, Tenth Revision, 1992) and age		All races		Both	White		Both	Black		American Indian 1/			Asian or Pacific Islander 2/ Both		
		Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female
Airway disease due t	o other sp	pecific or	ganic dust:	s (J66.8)											
All ages	2	2	_	2	2	_	_	_	_	_	_	_	_	_	_
Under 1 year	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
1-4 years	_	_	_	-	_	_	_	_	_	_	_	_	_	_	_
5-9 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
10-14 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
15-19 years	_	_	_	-	_	_	_	_	_	_	_	_	_	_	_
20-24 years	_	_	_	-	_	_	_	_	_	_	_	_	_	_	_
25-29 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
30-34 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
35-39 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
40-44 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
45-49 years	1	1	_	1	1	_	_	_	_	_	_	_	_	_	_
50-54 years	_	_	_	-	_	_	_	_	_	_	_	_	_	_	_
55-59 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
60-64 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
65-69 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
70-74 years	-	_	_	-	-	-	_	_	-	_	-	_	-	_	_
75-79 years	1	1	_	1	1	-	_	_	-	_	-	_	-	_	_
80-84 years	_	_	_	-	_	_	_	_	_	_	_	_	_	_	_
85-89 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
90-94 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
95-99 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
100 years & over.	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Hypersensitivity pneumonitis due to organic dust (J67) 50 21 29 All ages.... 21 29 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 5 2 5 2 50-54 years..... 3 55-59 years..... 5 1 4 5 1 60-64 years..... 4 3 4 3 1 1 65-69 years..... 12 5 12 70-74 years..... 75-79 years..... 5 7 5 80-84 years..... 85-89 years..... 1 1 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of

asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races American Indian 1/ White Black Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Farmer's lung (J67.0) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 2 1 1 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Bird fancier's lung (J67.2) All ages.... 1 3 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Hypersensitivity pneumonitis due to unspecified organic dust (J67.9) 25 All ages.... 13 13 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 5 3 2 50-54 years..... 55-59 years..... 5 1 4 1 60-64 years..... 3 1 3 1 65-69 years..... 8 3 5 8 3 5 70-74 years..... 6 3 3 3 3 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Respiratory conditions due to inhalation of chemicals, gases, fumes, and vapors (J68) All ages.... 19 Under 1 year.... 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 4 50-54 years..... 55-59 years..... 60-64 years..... 1 1 1 1 65-69 years..... 1 1 1 1 70-74 years..... 4 2 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over. 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Bronchitis and pneumonitis due to chemicals, gases, fumes, and vapors (J68.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 4 50-54 years..... 55-59 years..... 60-64 years..... 1 1 1 1 65-69 years..... 1 1 1 1 70-74 years..... 4 2 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over. 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Unspecified respiratory condition due to chemicals, gases, fumes, and vapors (J68.9) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Pneumonitis due to solids and liquids (J69) All ages.... 8,876 8,717 15,773 7,954 7,819 1,537 17,593 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1,166 1,001 2,323 1,332 2,042 1,173 75-79 years..... 3,577 1,911 1,666 3,266 1,758 1,508 80-84 years..... 85-89 years..... 4,100 1,994 2,106 3,783 1,855 1,928 90-94 years..... 2,995 1,267 1,728 2,774 1,165 1,609 95-99 years..... 1,219 1,105 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Pneumonitis due to food and vomit (J69.0) All ages.... 8,875 8,711 15,768 7,953 7,815 1,535 17,586 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1,166 1,001 2,322 1,332 2,041 1,173 75-79 years..... 3,574 1,911 1,663 3,264 1,758 1,506 80-84 years..... 85-89 years..... 4,100 1,994 2,106 3,783 1,855 1,928 90-94 years..... 2,995 1,267 1,728 2,774 1,165 1,609 95-99 years..... 1,219 1,105 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Pneumonitis due to oils and essences (J69.1) All ages.... 3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Pneumonitis due to other solids and liquids (J69.8) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 1 1 70-74 years..... 75-79 years..... 80-84 years..... 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Respiratory conditions due to other external agents (J70) 19 13 All ages.... 20 14 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 1 40-44 years..... 45-49 years..... 2 2 2 2 50-54 years..... 55-59 years..... 3 3 3 60-64 years..... 3 2 1 65-69 years..... 4 2 2 4 2 70-74 years..... 3 6 3 3 1 75-79 years..... 6 80-84 years..... 4 85-89 years..... 1 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute pulmonary manifestations due to radiation (J70.0) 20 12 8 All ages.... 13 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 1 1 55-59 years..... 1 1 1 1 60-64 years..... 2 1 1 65-69 years..... 3 1 3 1 70-74 years..... 3 3 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Chronic and other pulmonary manifestations due to radiation (J70.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 1 40-44 years..... 45-49 years..... 1 50-54 years..... 1 1 55-59 years..... 2 2 2 2 60-64 years..... 65-69 years..... 1 1 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Drug-induced interstitial lung disorder, unspecified (J70.4) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Respiratory conditions due to unspecified external agent (J70.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

260CT04

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Adult respiratory distress syndrome (J80) 1,018 1,682 All ages.... 1,999 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 2.2 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Pulmonary edema (J81) All ages.... Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Pulmonary eosinophilia, not elsewhere classified (J82) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

260CT04

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Other interstitial pulmonary diseases (J84) All ages.... 6,132 5,885 11,002 5,654 5,348 12,017 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1.3 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... A 65-69 years..... 1,002 70-74 years..... 1,850 1,085 1,693 1,001 75-79 years..... 2,325 1,241 1,084 2,175 1,160 1,015 80-84 years..... 2,265 1,121 1,144 2,143 1,072 1,071 85-89 years..... 1,667 1,595 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Alveolar and parietoalveolar conditions (J84.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

260CT04

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Other interstitial pulmonary diseases with fibrosis (J84.1) All ages..... 5,005 4,787 9,021 4,644 4,377 9,792 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 2.0 60-64 years..... 65-69 years..... 70-74 years..... 1,512 1,384 75-79 years..... 1,934 1,043 1,819 1,909 1,812 80-84 years..... 85-89 years..... 1,410 1,353 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other specified interstitial pulmonary diseases (J84.8) 14 13 All ages.... 16 14 1 Under 1 year.... 1 1 2 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 50-54 years..... 1 1 55-59 years..... 2 2 1 1 60-64 years..... 1 1 65-69 years..... 1 1 1 1 70-74 years..... 6 2 1 75-79 years..... 5 80-84 years..... 85-89 years..... 90-94 years..... 2 2 95-99 years..... 100 years & over.

260CT04

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Interstitial pulmonary disease, unspecified (J84.9) 1,007 1,784 All ages.... 2,001 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Abscess of lung and mediastinum (J85) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 2. 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Gangrene and necrosis of lung (J85.0) 108 78 47 23 All ages.... 42 31 14 1 1 Under 1 year.... 1 1 1 1-4 years..... 2 2 5-9 years..... 2 2 1 1 1 10-14 years..... 2. 1 2 1 1 15-19 years..... 2 1 1 2 1 1 20-24 years..... 25-29 years..... 1 1 1 1 30-34 years..... 35-39 years..... 40-44 years..... 7 3 2 5 45-49 years..... 11 10 50-54 years..... 4 6 6 2 3 2 55-59 years..... 8 6 2 6 5 1 2 60-64 years..... 10 7 3 ρ 5 3 1 1 65-69 years..... 8 5 3 8 5 3 70-74 years..... 9 8 1 8 1 1 75-79 years..... 15 10 80-84 years..... 9 5 85-89 years..... 4 1 90-94 years..... 2 2 1 1 1 95-99 years..... 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Abscess of lung with pneumonia (J85.1) 15 All ages.... 26 46 25 21 11 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 1 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 3 5 45-49 years..... 50-54 years..... 3 2 1 2 1 1 55-59 years..... 7 3 4 5 2 2 2 60-64 years..... 2 1 1 1 1 1 1 65-69 years..... 4 3 1 2 1 1 2 2 70-74 years..... 8 3 5 6 2 1 1 1 75-79 years..... 6 80-84 years..... 10 85-89 years..... 3 90-94 years..... 4 1 3 3 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Abscess of lung without pneumonia (J85.2) 32 99 78 25 10 All ages.... 127 21 15 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 40-44 years..... 6 6 13 9 9 45-49 years..... 13 50-54 years..... 8 7 6 5 55-59 years..... 4 3 1 4 3 60-64 years..... 4 3 2 1 1 1 65-69 years..... 13 11 2 13 11 70-74 years..... 18 14 15 13 3 2 75-79 years..... 22 14 17 11 3 80-84 years..... 20 14 15 13 85-89 years..... 10 6 4 2 90-94 years..... 5 1 5 1 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Abscess of mediastinum (J85.3) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 70-74 years..... 2 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Pyothorax (J86) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Pyothorax with fistula (J86.0) 54 32 42 24 17 10 All ages.... 86 66 1 1 Under 1 year.... 4 2 2 3 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 40-44 years..... 1 6 3 45-49 years..... 8 50-54 years..... 6 5 4 55-59 years..... 2 2 1 3 2 1 60-64 years..... 13 11 2 ρ 1 1 65-69 years..... 12 5 7 11 5 6 1 1 70-74 years..... 7 5 2 5 75-79 years..... 16 8 12 80-84 years..... 7 85-89 years..... 3 1 3 1 90-94 years..... 95-99 years..... 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Pyothorax without fistula (J86.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Pleural effusion, not elsewhere classified (J90) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... a 60-64 years..... 1.5 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Pleural plaque (J92) 3 All ages.... 1 3 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 1 1 65-69 years..... 70-74 years..... 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Pleural plaque with presence of asbestos (J92.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Pleural plaque without asbestos (J92.9) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Pneumothorax (J93) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1.0 55-59 years..... a 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Spontaneous tension pneumothorax (J93.0) 33 36 22 10 All ages.... 18 14 14 1 Under 1 year.... 5 1 4 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 1 1 30-34 years..... 35-39 years..... 40-44 years..... 2 2 45-49 years..... 50-54 years..... 2 2 1 55-59 years..... 1 1 1 1 60-64 years..... 3 2 65-69 years..... 3 2 1 3 1 70-74 years..... 5 3 2 5 3 75-79 years..... 80-84 years..... 13 10 85-89 years..... 90-94 years..... 3 3 2 1 1 95-99 years..... 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other spontaneous pneumothorax (J93.1) 18 28 12 5 All ages.... 16 11 6 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 1 30-34 years..... 35-39 years..... 40-44 years..... 1 1 3 3 45-49 years..... 50-54 years..... 1 1 55-59 years..... 2 1 1 1 1 1 3 1 1 1 60-64 years..... 65-69 years..... 6 4 2 4 2 2 1 1 1 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 4 1 3 3 1 2 1 1 90-94 years..... 5 2 3 3 1 2 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other pneumothorax (J93.8) 5 3 All ages.... 3 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Pneumothorax, unspecified (J93.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Other pleural conditions (J94) 73 70 123 17 10 All ages.... 143 61 62 1 Under 1 year.... 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 2 45-49 years..... 2 50-54 years..... 7 2 6 55-59 years..... 8 4 4 8 4 60-64 years..... 2 1 1 1 65-69 years..... 13 9 4 12 8 1 1 70-74 years..... 14 10 13 9 1 75-79 years..... 24 15 21 80-84 years..... 22 13 20 11 9 85-89 years..... 18 9 15 8 90-94 years..... 18 6 12 16 4 12 1 95-99 years..... 4 1 3 4 1 3 100 years & over. 1 1 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Chylous effusion (J94.0) 5 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 50-54 years..... 55-59 years..... 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 2 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Fibrothorax (J94.1) 19 10 19 All ages.... 10 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 1 55-59 years..... 1 1 1 1 60-64 years..... 65-69 years..... 2 2 70-74 years..... 3 2 3 2 75-79 years..... 5 80-84 years..... 85-89 years..... 1 90-94 years..... 5 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Hemothorax (J94.2) 30 39 All ages.... 81 44 69 12 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 2 40-44 years..... 1 45-49 years..... 3 50-54 years..... 3 3 55-59 years..... 3 1 2 3 1 2 60-64 years..... 2 1 1 1 1 1 65-69 years..... 8 5 3 7 4 3 1 1 70-74 years..... 8 5 3 8 5 3 75-79 years..... 10 80-84 years..... 17 9 16 85-89 years..... 12 10 90-94 years..... 8 3 7 1 1 95-99 years..... 2 2 2 100 years & over. 1 1 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other specified pleural conditions (J94.8) 19 21 All ages.... 15 6 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 50-54 years..... 2 1 1 55-59 years..... 3 2 1 2 60-64 years..... 65-69 years..... 1 1 1 1 70-74 years..... 3 3 2 2 1 75-79 years..... 5 80-84 years..... 85-89 years..... 90-94 years..... 3 1 2 95-99 years..... 2 1 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Pleural condition, unspecified (J94.9) All ages.... 10 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 2 1 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Respiratory failure, not elsewhere classified (J96) 1,374 1,971 2,860 1,155 1,705 All ages.... 3,345 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2.0 55-59 years..... 2.4 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Acute respiratory failure (J96.0) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Chronic respiratory failure (J96.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1.0 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Respiratory failure, unspecified (J96.9) 2,945 1,210 1,735 2,513 1,010 1,503 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Other respiratory disorders (J98) 4,037 1,834 2,203 3,565 1,599 1,966 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Diseases of bronchus, not elsewhere classified (J98.0) All ages..... 55 24 31 20 48 16 1 1 Under 1 year.... 1 5 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 1 1 1 1 30-34 years..... 35-39 years..... 1 40-44 years..... 2 45-49 years..... 2 50-54 years..... 2 2 2 55-59 years..... 5 1 4 60-64 years..... 5 3 3 2 1 65-69 years..... 8 4 4 5 3 2 70-74 years..... 9 2 6 5 1 2 1 1 1 75-79 years..... 9 80-84 years..... 11 85-89 years..... 8 90-94 years..... 5 5 4 1 1 95-99 years..... 2 2 2 100 years & over. 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Pulmonary collapse (J98.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... ρ 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Interstitial emphysema (J98.2) 11 19 10 All ages.... 20 1 Under 1 year.... 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1 1 1 60-64 years..... 1 1 1 1 65-69 years..... 70-74 years..... 2 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Compensatory emphysema (J98.3) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Other disorders of lung (J98.4) All ages.... 2,971 1,382 1,589 2,642 1,211 1,431 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... a 60-64 years..... 1.0 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Diseases of mediastinum, not elsewhere classified (J98.5) All ages..... 54 70 10 141 60 124 14 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 2 5 5 5 45-49 years..... 6 1 50-54 years..... 6 5 55-59 years..... 2 1 1 2 1 1 60-64 years..... 5 2 3 3 2 1 1 65-69 years..... 10 5 5 7 4 3 2 1 70-74 years..... 23 11 12 22 11 11 1 1 75-79 years..... 29 14 15 28 13 15 80-84 years..... 16 7 9 14 8 85-89 years..... 17 5 12 16 11 90-94 years..... 16 3 13 13 10 3 3 95-99 years..... 5 1 4 5 1 4 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Disorders of diaphragm (J98.6) 26 16 38 2 All ages.... 14 Under 1 year.... 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 1 55-59 years..... 60-64 years..... 3 1 65-69 years..... 70-74 years..... 6 5 1 5 5 1 75-79 years..... 10 80-84 years..... 9 9 85-89 years..... 6 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

260CT04

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Other specified respiratory disorders (J98.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Respiratory disorder, unspecified (J98.9) 175 100 156 68 19 All ages.... 75 88 12 Under 1 year.... 1 1 1-4 years..... 5-9 years..... 10-14 years..... 2 2 2 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 5 7 3 3 45-49 years..... 5 50-54 years..... 1.0 5 9 4 5 55-59 years..... 14 7 7 13 6 1 60-64 years..... 10 5 5 8 2 65-69 years..... 8 5 3 7 3 1 4 1 70-74 years..... 12 2 10 11 2 9 1 75-79 years..... 27 13 14 25 12 80-84 years..... 22 8 14 22 8 14 85-89 years..... 20 9 11 19 9 10 90-94 years..... 22 6 16 20 14 2 2 95-99 years..... 9 5 9 5 100 years & over. 2 2 2 2

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Disorders of tooth development and eruption (K00) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Teething syndrome (K00.7) All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Dental caries (K02) 3 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Dental caries, unspecified (K02.9) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

100 years & over. Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races American Indian 1/ White Black Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Diseases of pulp and periapical tissues (KO4) All ages..... 19 13 13 Under 1 year.... 1-4 years..... 5-9 years.

o-9 years	1		_	_	_	_	_	_	_	_	_	_	1	1	_
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	3	2	1	1	-	1	2	2	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-
80-84 years	3	2	1	3	2	1	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
90-94 years	3	1	2	3	1	2	-	-	-	-	-	-	-	_	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-	-	_	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Periapical abscess without sinus (K04.7) 6 13 5 All ages.... 13 8 Under 1 year.... 1-4 years..... 5-9 years..... 1 1 10-14 years..... 15-19 years..... 20-24 years..... 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 3 45-49 years..... 50-54 years..... 1 1 55-59 years..... 2 2 60-64 years..... 1 1 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 3 2 3 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Gingivitis and periodontal diseases (KO5) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 1 1 1 65-69 years..... 1 1 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 2 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Chronic gingivitis (K05.1) All ages.... 1 1 2 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

100 years & over. Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth American Indian 1/ All races White Black Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Acute periodontitis (K05.2) All ages..... 3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 40-44 years..... 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 1 1 1 70-74 years..... 75-79 years..... 80-84 years..... 1 1 85-89 years..... 90-94 years..... 95-99 years.....

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Chronic periodontitis (K05.3) All ages.... 1 1 2 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other periodontal diseases (K05.5) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other disorders of gingiva and edentulous alveolar ridge (KO6) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth American Indian 1/ All races White Black Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Other specified disorders of gingiva and edentulous alveolar ridge (K06.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Dentofacial anomalies [including malocclusion] (K07) All ages.... Under 1 year.... 2 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Major anomalies of jaw size (K07.0) 2 All ages.... 1 1 1 Under 1 year.... 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Anomalies of jaw-cranial base relationship (K07.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Female sexes Male Female sexes Male Female sexes Male Female sexes Male Female Dentofacial anomaly, unspecified (K07.9) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other disorders of the teeth and supporting structures (KO8) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 1 100 years & over.

260CT04

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

95-99 years..... 100 years & over. Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Male Female sexes Male Female sexes Male Female sexes Male Female sexes Other specified disorders of teeth and supporting structures (K08.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years.....

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Disorder of teeth and supporting structures, unspecified (K08.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other diseases of jaws (K10) 3 All ages.... 3 6 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 3 1 65-69 years..... 70-74 years..... 1 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Inflammatory conditions of jaws (K10.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 3 1 65-69 years..... 70-74 years..... 1 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth American Indian 1/ All races White Black Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Disease of jaws, unspecified (K10.9) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Diseases of salivary glands (K11) 45 19 42 All ages.... 20 61 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1 1 1 1 60-64 years..... 65-69 years..... 1 1 1 70-74 years..... 2 1 1 2 1 1 75-79 years..... 4 80-84 years..... 9 9 85-89 years..... 24 6 18 22 17 90-94 years..... 13 3 10 11 8 2 95-99 years..... 7 6 7 6 100 years & over. 3 1 2 3 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Sialoadenitis (K11.2) 56 18 38 53 17 All ages.... 36 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1 1 1 1 60-64 years..... 65-69 years..... 1 1 1 70-74 years..... 2 1 1 2 1 1 75-79 years..... 80-84 years..... 85-89 years..... 20 6 14 19 2 90-94 years..... 13 3 10 11 8 95-99 years..... 6 5 6 5 100 years & over. 2 1 1 2 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Abscess of salivary gland (K11.3) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Sialolithiasis (K11.5) All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Disturbances of salivary secretion (K11.7) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Stomatitis and related lesions (K12) All ages..... 13 14 24 12 12 Under 1 year.... 1 1 1-4 years..... 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 2 1 1 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2 1 1 50-54 years..... 1 55-59 years..... 60-64 years..... 65-69 years..... 2 2 70-74 years..... 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 3 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other forms of stomatitis (K12.1) All ages.... 14 5 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1 1 1 75-79 years..... 80-84 years..... 4 85-89 years..... 90-94 years..... 2 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Cellulitis and abscess of mouth (K12.2) All ages..... 10 13 Under 1 year.... 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 2 1 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 1 55-59 years..... 60-64 years..... 65-69 years..... 2 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other diseases of lip and oral mucosa (K13) All ages.... 13 12 8 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1 1 1 1 60-64 years..... 1 1 1 1 65-69 years..... 2 1 1 70-74 years..... 3 2 1 3 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Diseases of lips (K13.0) 3 1 2 All ages.... 3 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other and unspecified lesions of oral mucosa (K13.7) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1 1 1 1 60-64 years..... 1 1 1 1 65-69 years..... 1 1 1 1 70-74 years..... 3 2 3 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Diseases of tongue (K14) 3 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Glossitis (K14.0) All ages..... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other diseases of tongue (K14.8) All ages.... 1 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or American Indian 1/ Pacific Islander 2/ Diseases, Tenth All races White Black Revision, 1992) Both Both Both Both Both and age sexes Male Female Esophagitis (K20) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Gastroesophageal reflux disease (K21) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... a 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should

be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Gastroesophageal reflux disease with esophagitis (K21.0) All ages..... 38 16 22 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 1 1 1 65-69 years..... 4 2 4 70-74 years..... 75-79 years..... 80-84 years..... 5 4 1 85-89 years..... 12 6 12 90-94 years..... 3 1 2 3 2 95-99 years..... 2 1 1 2 1 1 100 years & over. 1 1 1 1 Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Gastroesophageal reflux disease without esophagitis (K21.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... a 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Other diseases of esophagus (K22) 1,156 All ages.... 1,265 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2.4 55-59 years..... 60-64 years..... 2.0 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Achalasia of cardia (K22.0) 35 59 84 33 51 2 All ages.... 6 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 50-54 years..... 1 55-59 years..... 60-64 years..... 1 1 1 1 65-69 years..... 4 2 3 2 1 1 70-74 years..... 2 2 2 75-79 years..... 10 10 80-84 years..... 12 9 85-89 years..... 27 19 23 16 3 90-94 years..... 25 9 16 25 9 16 95-99 years..... 11 6 10 5 5 1 100 years & over. 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Ulcer of esophagus (K22.1) 70 48 103 43 8 All ages.... 118 60 12 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 5 45-49 years..... 8 50-54 years..... 7 1 6 1 55-59 years..... 60-64 years..... 2 1 1 1 1 1 65-69 years..... 12 11 1 9 8 1 3 3 70-74 years..... 10 6 4 8 5 3 2 1 1 75-79 years..... 13 7 6 13 6 80-84 years..... 17 10 7 16 9 7 85-89 years..... 22 11 11 20 9 11 2 90-94 years..... 18 8 10 17 8 9 95-99 years..... 4 4 3 3 1 1 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Esophageal obstruction (K22.2) 280 110 170 263 104 159 15 6 All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 40-44 years..... 45-49 years..... 50-54 years..... 1 1 55-59 years..... 3 3 3 60-64 years..... 2 2 2 2 65-69 years..... 12 6 6 11 5 6 1 70-74 years..... 17 8 9 15 8 2 1 75-79 years..... 40 21 19 34 20 6 5 80-84 years..... 42 17 25 40 16 24 85-89 years..... 69 23 46 66 23 43 90-94 years..... 61 21 40 60 20 40 1 1 95-99 years..... 24 7 17 23 7 16 100 years & over. 4 4 4 4

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Perforation of esophagus (K22.3) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1.0 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Dyskinesia of esophagus (K22.4) 95 107 192 91 101 3 All ages.... 202 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 2 40-44 years..... 3 45-49 years..... 50-54 years..... 1 1 1 1 55-59 years..... 1 1 1 1 60-64 years..... 1 1 1 1 65-69 years..... 4 4 3 3 1 70-74 years..... 12 6 6 10 6 1 1 1 75-79 years..... 20 10 10 20 10 10 80-84 years..... 38 15 23 37 15 22 85-89 years..... 55 24 31 53 24 29 90-94 years..... 41 20 21 39 18 21 1 1 95-99 years..... 21 8 13 20 8 12 1 1 100 years & over. 2 2 2 2

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Diverticulum of esophagus, acquired (K22.5) 35 73 38 35 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 2 70-74 years..... 2 1 2 1 1 1 75-79 years..... 80-84 years..... 7 3 7 3 85-89 years..... 23 13 10 23 10 1 90-94 years..... 15 7 8 14 6 8 1 95-99 years..... 17 7 10 17 7 10 100 years & over. 2 2 2 2

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Gastroesophageal laceration-hemorrhage syndrome (K22.6) 33 All ages.... 30 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 1 1 30-34 years..... 35-39 years..... 40-44 years..... 2 2 45-49 years..... 50-54 years..... 2 1 1 1 55-59 years..... 5 2 3 1 2 60-64 years..... 1 1 1 1 65-69 years..... 4 2 3 2 1 1 70-74 years..... 9 3 6 8 3 5 1 1 75-79 years..... 12 10 80-84 years..... 11 10 85-89 years..... 4 90-94 years..... 5 2 7 5 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other specified diseases of esophagus (K22.8) 114 5 All ages.... 127 54 60 12 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 6 3 55-59 years..... 5 4 1 4 4 60-64 years..... 6 3 3 65-69 years..... 7 3 4 5 2 3 1 70-74 years..... 5 3 2 4 2 1 1 75-79 years..... 12 80-84 years..... 13 6 13 85-89 years..... 26 6 20 25 19 1 90-94 years..... 21 8 13 21 8 13 95-99 years..... 12 6 11 6 5 1 100 years & over. 1 1 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Disease of esophagus, unspecified (K22.9) 33 71 29 All ages.... 42 12 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 3 40-44 years..... 3 2 45-49 years..... 50-54 years..... 2 1 1 55-59 years..... 3 3 2 2 60-64 years..... 9 5 3 1 1 1 65-69 years..... 9 9 4 4 5 5 70-74 years..... 6 4 5 1 1 1 75-79 years..... 12 10 80-84 years..... 15 5 10 14 4 10 85-89 years..... 12 10 12 10 2 90-94 years..... 9 2 9 2 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Gastric ulcer (K25) 1,200 1,022 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Gastric ulcer, Acute with haemorrhage (K25.0) 10 All ages.... 14 11 24 14 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 40-44 years..... 45-49 years..... 1 1 50-54 years..... 1 1 1 55-59 years..... 3 2 2 60-64 years..... 65-69 years..... 1 1 1 1 70-74 years..... 2 2 2 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Gastric ulcer, Acute with perforation (K25.1) 3 All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Gastric ulcer, Acute with both haemorrhage and perforation (K25.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Gastric ulcer, Acute without haemorrhage or perforation (K25.3) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Gastric ulcer, Chronic or unspecified with haemorrhage (K25.4) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 Q 55-59 years..... 2.7 2.0 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Gastric ulcer, Chronic or unspecified with perforation (K25.5) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Gastric ulcer, Chronic or unspecified with haemorrhage and perforation (K25.6) All ages.... 3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 1 1 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 3 2 2 50-54 years..... 55-59 years..... 6 4 3 60-64 years..... 2 2 2 65-69 years..... 1 1 1 1 70-74 years..... 2 2 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Gastric ulcer, Chronic without haemorrhage or perforation (K25.7) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 40-44 years..... 1 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Gastric ulcer, Unspecified as acute or chronic, without haemorrhage or perforation (K25.9) 2 All ages.... 161 104 20 11 1 3 Under 1 year.... 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 2 40-44 years..... 2 3 45-49 years..... 5 50-54 years..... 6 1 5 5 1 55-59 years..... 8 3 5 5 1 1 60-64 years..... 8 6 2 7 5 2 1 1 65-69 years..... 6 4 2 4 2 2 2 2 70-74 years..... 24 10 14 23 10 13 1 1 75-79 years..... 20 6 14 14 10 80-84 years..... 24 17 22 15 85-89 years..... 24 9 15 21 14 90-94 years..... 13 3 10 13 3 10 95-99 years..... 14 2 12 14 2 12 100 years & over. 3 3 3 3

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Duodenal ulcer (K26) 1,426 1,282 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Duodenal ulcer, Acute with haemorrhage (K26.0) All ages.... 11 5 6 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 55-59 years..... 60-64 years..... 1 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 2 1 2 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Duodenal ulcer, Acute with perforation (K26.1) 3 All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1 1 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Duodenal ulcer, Acute with both haemorrhage and perforation (K26.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 50-54 years..... 55-59 years..... 1 1 60-64 years..... 65-69 years..... 70-74 years..... 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Duodenal ulcer, Acute without haemorrhage or perforation (K26.3) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Duodenal ulcer, Chronic or unspecified with haemorrhage (K26.4) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Duodenal ulcer, Chronic or unspecified with perforation (K26.5) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 2.0 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Duodenal ulcer, Chronic or unspecified with haemorrhage and perforation (K26.6) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 2 2 2 60-64 years..... 3 2 1 1 1 65-69 years..... 2 2 2 2 70-74 years..... 4 3 3 75-79 years..... 9 80-84 years..... 85-89 years..... 90-94 years..... 5 2 3 5 2 95-99 years..... 2 2 2 100 years & over. 1 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Duodenal ulcer, Chronic without haemorrhage or perforation (K26.7) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 2 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Duodenal ulcer, Unspecified as acute or chronic, without haemorrhage or perforation (K26.9) 109 All ages.... 10 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 40-44 years..... 1 2 45-49 years..... 1 50-54 years..... 3 2 1 2 1 55-59 years..... 3 2 1 2 2 60-64 years..... 4 3 3 1 1 65-69 years..... 9 7 2 7 5 2 70-74 years..... 6 5 1 5 4 1 1 1 75-79 years..... 14 6 13 80-84 years..... 23 14 9 21 13 8 85-89 years..... 25 13 12 24 12 12 1 90-94 years..... 13 2 11 13 2 11 95-99 years..... 4 1 3 2 1 1 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Peptic ulcer, site unspecified (K27) 1,240 All ages.... 1,404 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2.8 55-59 years..... 1 0 1.0 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Peptic ulcer, site unspecified, Acute with haemorrhage (K27.0) All ages.... 3 3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 1 1 1 1 100 years & over. 1 1 1 1 Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Peptic ulcer, site unspecified, Acute with perforation (K27.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Base on the International Classification of Diseases, Tenth	<u> </u>	All rac	ces		White			Black			ican Ind	dian 1/	Asian or Pacific Islander 2/			
Revision, 1992) and age	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	
Peptic ulcer, site u	unspecified	l. Acute w	vithout hae	morrhage o	r perforat	ion (K27.3	3)									
	1	1		1	1		,									
All ages Under 1 year	_	1	_	_	_	-	_	_	_	_	_	_	_	_	_	
1-4 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	
5-9 years	_	_		_		_	_			_	_		_	_	_	
10-14 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	
15-19 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	
20-24 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	
25-29 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	
30-34 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	
35-39 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	
40-44 years	_	_	_	_	_	-	_	_	_	_	_	_	_	_	_	
45-49 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	
50-54 years	-	-	_	-	-	-	_	_	_	-	_	-	_	_	_	
55-59 years	-	-	_	-	-	-	_	_	_	-	_	-	_	_	_	
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-	-	_	-	
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
70-74 years	-	-		-	_	-	_	-	-	-	-	_	-	-	-	
75-79 years	-	-	-	-	-	-	-	-	_	-	-	-	-	-	-	
80-84 years	-	-	-	-	-	-	-	-	_	-	-	-	-	-	-	
85-89 years	1	1	-	1	1	-	-	-	_	-	-	-	-	-	-	
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Age not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Base on the International Classification of Diseases, Tenth		All rac	105		White			Black		Amore	ican Ind	ian 1/		Asian or	
Revision, 1992)	Both	AII Iac	.Co	Both	WILLCE		Both	Diach		Both	ican ind	Ian I/	Pacific Islander 2, Both		
and age	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female
Peptic ulcer, site u	nspecified	d. Chronic	or unspec	ified with	haemorrha	age (K27.4)									
	823	412	411	712	350	362	81	44	37	3	3		27	15	12
All ages Under 1 year	823	412	411		350	302	- 81	- 44	3 /		-	_	2 / -	12	12
	1	1	_	1	1	_	_	_	_	-	-	_	_	_	_
1-4 years	1	_	_	_	_	_	_	_	_	_	_	_	-	_	_
5-9 years 10-14 years	1	_ 1	_	_	_	_	1	1	_	_	_	_	_	_	_
15-19 years	1	_	_	_	_	_	_	_	_	_	_	_	_	_	_
	-	-			_	_	_				_		_	_	
20-24 years	-	-	-	_	-	_	_	-	-	_	_	-	_	_	-
25-29 years	-	-	-	_	-	_	1	_	1	_	_	_	_	-	_
30-34 years	1 2	1	1 1	1	_	1	1	1	_	_	_	_	-	_	_
35-39 years	7	2	5	4	1	3	3	1	2	_	_	_	_	_	_
40-44 years	14	11	3	13	10	3	3	1	2	_	_	_	_	_	_
45-49 years	35	23	12	28	17	11	6	5	- 1	_	_	_	1	1	_
50-54 years		16	13	19	11	8	7	3	4	1	1		2	1	1
55-59 years 60-64 years	29 34	21	13	28	18	10	6	3	3	_	1	_	2	1	1
65-69 years	47	30	17	38	25	13	7	3	4	_	_	_	2	2	_
70-74 years	72	42	30	58	33	25	12	3 7	5	_	_	_	2	2	_
75-79 years	107	61	46	91	52	39	12	8	4	_	_	_	4	1	3
	148	79	69	136	71	65	5	4	1	1	1	_	6	3	3
80-84 years	178	81	97	162	72	90	13	7	6	1	1	_	2	1	3
85-89 years	1/8 99	81 34	9 / 65	162	31	90 59	13 2	,	2	1	1	-	7	3	4
90-94 years	99 41	34 9	32	90 37	3 L 8	59 29	3		3	_	-	-	1	3 1	4
95-99 years	41 7	9	3 Z 7		8 -	29 6	3 1	-	3 1	-	-	_	1	1	-
100 years & over.	,	-	/	6	_	ь	Ţ	-	1	_	-	-	-	-	-
Age not stated	-	-	-	-	-	-	_	_	-	-	_	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Peptic ulcer, site unspecified, Chronic or unspecified with perforation (K27.5) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1.0 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Pacific Islander 2/ Diseases, Tenth All races White Black American Indian 1/ Revision, 1992) Both Both Both Both and age sexes Male Female Peptic ulcer, site unspecified, Chronic or unspecified with haemorrhage and perforation (K27.6) All ages.... 12 11 21 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years.... 30-34 years..... 35-39 years..... 40-44 years..... 2 1 45-49 years..... 2 50-54 years..... 2 2 2 2 55-59 years..... 1 1 1 60-64 years..... 2 2 65-69 years..... 3 1 3 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 3 3 3 3 90-94 years..... 3 2 2 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Base on the International Classification of Diseases, Tenth Revision, 1992)		All rac	es	Both	Black Both			Ameri Both	.can Ind	ian 1/	Asian or Pacific Islander 2/ Both				
and age	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female
Peptic ulcer, site w	unspecified	l, Chronic	without h	aemorrhage	or perfor	ation (K27	7.7)								
All ages	7	3	4	7	3	4	_	_	_	_	_	_	_	_	_
Under 1 year	_	_	_	_	_	_	_	_	_	_	_	_	_	-	_
1-4 years	-	-	_	-	-	-	-	-	-	-	_	-	-	-	_
5-9 years	-	-	_	-	-	-	-	-	-	-	_	-	-	-	_
10-14 years	-	-	_	-	-	-	-	-	-	-	_	-	-	-	_
15-19 years	-	-	_	-	-	-	-	-	-	-	_	-	-	-	_
20-24 years	_	_	_	-	_	_	_	_	_	_	_	_	_	_	_
25-29 years	_	_	_	-	_	_	_	_	_	_	_	_	_	_	_
30-34 years	_	_	_	-	_	_	_	_	_	_	_	_	_	_	_
35-39 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
40-44 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
45-49 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
50-54 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
55-59 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
60-64 years	1	_	1	1	_	1	_	_	_	_	_	_	_	_	_
65-69 years	1	_	1	1	_	1	_	_	_	_	_	_	_	_	_
70-74 years	1	1	_	1	1	_	_	_	_	_	_	_	_	_	_
75-79 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
80-84 years	2	2	_	2	2	_	_	_	_	_	_	_	_	_	_
85-89 years	1	_	1	1	_	1	_	_	_	_	_	_	_	_	_
oo oo yaarbii.iii	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
90-94 vears															
90-94 years	1	_	1	1	_	1	_	_	_	_	_	_	_	_	_
90-94 years 95-99 years 100 years & over.	1	_	1	1	-	1	_	_	_	_	_	_	_	_	_

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Peptic ulcer, site unspecified, Unspecified as acute or chronic, without haemorrhage or perforation (K27.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Gastrojejunal ulcer (K28) 25 18 2 All ages.... 22 43 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 3 3 60-64 years..... 1 1 65-69 years..... 5 1 4 4 1 3 1 70-74 years..... 5 4 1 3 1 1 75-79 years..... 6 80-84 years..... 85-89 years..... 90-94 years..... 6 5 1 1 95-99 years..... 2 2 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Gastrojejunal ulcer, Chronic or unspecified with haemorrhage (K28.4) All ages.... 16 15 14 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 2 2 2 60-64 years..... 1 1 65-69 years..... 4 1 3 3 1 70-74 years..... 1 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 2 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Gastrojejunal ulcer, Chronic or unspecified with perforation (K28.5) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Base on the International Classification of Diseases, Tenth Revision, 1992) and age				White Both			Black Both			Ameri Both	.can Ind	lian 1/	Asian or Pacific Islander 2/ Both		
	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female
Gastrojejunal ulcer,	. Chronic o	or unspeci	fied with	haemorrhag	e and perf	oration (K	[28.6)								
All ages	2	_	2	2	_	2	_	_	_	_	_	_	_	_	_
Under 1 year	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
1-4 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
5-9 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
10-14 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
15-19 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
20-24 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
25-29 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
30-34 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
35-39 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
40-44 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
45-49 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
50-54 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
55-59 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
60-64 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
65-69 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
70-74 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
75-79 years	1	_	1	1	_	1	_	_	_	_	_	_	_	_	_
80-84 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
85-89 years	1	_	1	1	_	1	_	_	_	_	_	_	_	_	_
	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
90-94 vears															
90-94 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
90-94 years 95-99 years 100 years & over.	-	-	-	_	_	_	_	_	_	_	_	_	_	_	_

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Base on the International Classification of Diseases, Tenth Revision, 1992)				Both	White		Black Both			Ameri Both	ican Ind	lian 1/	Asian or Pacific Islander 2/ Both		
and age	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female
Gastrojejunal ulcer,	Unspecifi	ied as acu	te or chro	nic, witho	ut haemorr	hage or pe	erforation	(K28.9)							
All ages	10	8	2	9	7	2	1	1	_	_	_	_	_	_	_
Under 1 year	_	-	_	_	_	_	_	_	_	_	_	_	_	_	_
1-4 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
5-9 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
10-14 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
15-19 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
20-24 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
25-29 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
30-34 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
35-39 years	1	1	_	1	1	_	_	_	_	_	_	_	_	_	_
40-44 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
45-49 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
50-54 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
55-59 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
60-64 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
65-69 years	1	_	1	1	_	1	_	_	_	_	_	_	_	_	_
70-74 years	3	3	_	2	2	_	1	1	_	_	_	_	_	_	_
75-79 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
80-84 years	1	_	1	1	_	1	_	_	_	_	_	_	_	_	_
85-89 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
90-94 years	4	4	_	4	4	_	_	_	_	_	_	_	_	_	_
95-99 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
100 years & over.	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Gastritis and duodenitis (K29) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute hemorrhagic gastritis (K29.0) 6 All ages.... 14 6 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 2 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 2 2 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other acute gastritis (K29.1) 6 2 2 All ages.... 6 Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 2 85-89 years..... 1 1 1 90-94 years..... 1 95-99 years..... 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Alcoholic gastritis (K29.2) 20 All ages.... 22 20 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 5 45-49 years..... 50-54 years..... 2 1 1 55-59 years..... 4 4 4 4 60-64 years..... 1 1 1 1 65-69 years..... 1 1 1 1 70-74 years..... 1 1 1 1 75-79 years..... 3 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Chronic atrophic gastritis (K29.4) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Chronic gastritis, unspecified (K29.5) 20 25 17 All ages.... 8 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1 60-64 years..... 1 1 1 1 65-69 years..... 70-74 years..... 2 1 1 1 1 75-79 years..... 80-84 years..... 9 85-89 years..... 90-94 years..... 5 2 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or American Indian 1/ Pacific Islander 2/ Diseases, Tenth All races White Black Revision, 1992) Both Both Both Both Both and age sexes Male Female Other gastritis (K29.6) All ages..... 52 37 71 27 14 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 1 1 1 25-29 years..... 3 3 30-34 years..... 35-39 years..... 3 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 8 5 3 5 3 2 55-59 years..... 10 9 7 6 1 2 2 1 1 60-64 years..... 6 4 2 6 4 2 65-69 years..... 9 5 3 2 70-74 years..... 6 3 75-79 years..... 12 12 80-84 years..... 9 1 85-89 years..... 10 8 2 9 2 1 1 90-94 years..... 3 2 2 2 95-99 years..... 5 1 4 5 1 100 years & over. 1 1 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Gastritis, unspecified (K29.7) 189 71 118 171 66 105 10 3 All ages.... 14 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 2 40-44 years..... 3 1 3 45-49 years..... 50-54 years..... 5 3 2 4 2 2 55-59 years..... 2 2 1 1 60-64 years..... 7 2 5 5 1 1 65-69 years..... 2 2 2 2 70-74 years..... 15 9 6 15 9 6 75-79 years..... 24 11 13 21 10 80-84 years..... 35 13 22 31 13 18 3 3 85-89 years..... 37 12 25 35 24 90-94 years..... 27 20 25 18 1 1 95-99 years..... 19 4 15 17 4 13 2 2 100 years & over. 7 7 7 7

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Duodenitis (K29.8) 8 All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 2 2 1 95-99 years..... 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Gastroduodenitis, unspecified (K29.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Dyspepsia (K30) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Other diseases of stomach and duodenum (K31) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute dilatation of stomach (K31.0) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Adult hypertrophic pyloric stenosis (K31.1) 49 23 2 All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 3 40-44 years..... 2 45-49 years..... 50-54 years..... 2 1 1 55-59 years..... 1 1 60-64 years..... 1 1 1 1 65-69 years..... 4 3 1 4 3 1 70-74 years..... 1 1 1 1 75-79 years..... 12 6 80-84 years..... 21 6 15 19 14 85-89 years..... 16 12 15 11 1 90-94 years..... 10 2 8 10 2 8 95-99 years..... 1 1 1 100 years & over. 1 1 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Obstruction of duodenum (K31.5) 6 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 2 70-74 years..... 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Fistula of stomach and duodenum (K31.6) All ages..... 11 8 16 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 55-59 years..... 60-64 years..... 1 1 1 1 65-69 years..... 4 1 3 1 70-74 years..... 2 2 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other specified diseases of stomach and duodenum (K31.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

100 years & over. Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth Pacific Islander 2/ All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Disease of stomach and duodenum, unspecified (K31.9) All ages..... 134 106 40 25 8 17 Under 1 year.... 1-4 years..... 1 1 1 1 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 2 2 1 1 1 1 25-29 years.... 1 30-34 years..... 3 35-39 years..... 11 10 3 1 1 8 2 40-44 years..... 4 3 3 45-49 years..... 1.0 5 5 4 3 3 2 50-54 years..... 12 3 a 10 3 2 2 55-59 years..... 10 2 8 9 2 1 1 60-64 years..... 14 6 8 12 5 2 1 65-69 years..... 7 5 2 5 70-74 years..... 6 5 75-79 years..... 14 11 3 80-84 years..... 15 11 10 2 2 1 85-89 years..... 11 7 9 3 6 1 90-94 years..... 7 2 5 5 1 2 1 1 95-99 years..... 2 2 2

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Acute appendicitis (K35) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute appendicitis with generalized peritonitis (K35.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... ρ 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 2.7 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or American Indian 1/ Pacific Islander 2/ Diseases, Tenth All races White Black Revision, 1992) Both Both Both Both and age sexes Male Female Acute appendicitis with peritoneal abscess (K35.1) All ages..... 13 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 45-49 years..... 50-54 years..... 1 1 55-59 years..... 1 1 1 1 60-64 years..... 1 1 1 65-69 years..... 2 1 1 1 1 70-74 years..... 75-79 years..... 80-84 years..... 1 2 85-89 years..... 2 90-94 years..... 3 3 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute appendicitis, unspecified (K35.9) 31 23 8 All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 15-19 years..... 1 1 1 1 20-24 years..... 1 1 1 25-29 years..... 2 30-34 years..... 35-39 years..... 40-44 years..... 2 2 2 45-49 years..... 2 1 50-54 years..... 2 1 1 55-59 years..... 1 1 1 1 60-64 years..... 1 1 1 1 65-69 years..... 4 4 3 3 70-74 years..... 3 3 3 3 75-79 years..... 80-84 years..... 85-89 years..... 5 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other appendicitis (K36) All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Unspecified appendicitis (K37) 28 59 25 2 All ages.... 41 34 3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 2 1 1 1 1 1 20-24 years..... 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 5 5 45-49 years..... 50-54 years..... 5 4 1 4 55-59 years..... 3 1 2 1 2 60-64 years..... 5 1 1 65-69 years..... 6 3 3 5 2 3 1 70-74 years..... 8 3 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 1 1 1 95-99 years..... 2 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other diseases of appendix (K38) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1 1 1 1 60-64 years..... 1 1 1 1 65-69 years..... 1 1 1 1 70-74 years..... 1 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth American Indian 1/ All races White Black Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Other specified diseases of appendix (K38.8) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 35-39 years..... 1 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Disease of appendix, unspecified (K38.9) 6 All ages.... 1 6 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1 1 1 1 60-64 years..... 1 1 1 1 65-69 years..... 1 1 1 1 70-74 years..... 1 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Inguinal hernia (K40) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1.0 a 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Bilateral inguinal hernia, with gangrene (K40.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Bilateral inguinal hernia, without obstruction or gangrene (K40.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Base on the International Classification of Diseases, Tenth Revision, 1992)		All races		Both	White		Both	Black		American Indian 1/ Both			Asian or Pacific Islander 2/ Both		
and age	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female
Unilateral or unspec	ified ing	uinal hern	ia, with ol	bstruction	, without	gangrene ((K40.3)								
All ages	151	103	48	132	90	42	19	13	6	_	_	_	_	_	_
Under 1 year	1	1	-	-	-	-	1	1	-	-	-	_	-	_	-
1-4 years	-	-	-	-	-	-	_	-	-	-	-	_	-	_	-
5-9 years	-	-	-	-	-	-	_	-	-	-	-	_	-	_	-
10-14 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
15-19 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
20-24 years	_	_	_	_	_	-	_	_	_	_	_	_	_	_	_
25-29 years	1	1	_	_	_	-	1	1	_	_	_	_	_	_	_
30-34 years	_	_	_	_	_	-	_	_	_	_	_	_	_	_	_
35-39 years	2	1	1	1	_	1	1	1	_	_	_	_	_	_	_
40-44 years	_	_	_	_	_	-	_	_	_	_	_	_	_	_	_
45-49 years	3	2	1	1	1	_	2	1	1	_	_	_	_	_	_
50-54 years	3	2	1	3	2	1	_	_	_	_	_	_	_	_	_
55-59 years	6	5	1	5	5	_	1	_	1	_	_	_	_	_	_
60-64 years	7	5	2	6	4	2	1	1	_	_	_	_	_	_	_
65-69 years	4	4	_	3	3	-	1	1	_	_	_	_	_	_	_
70-74 years	11	9	2	8	6	2	3	3	_	_	_	_	_	_	_
75-79 years	18	13	5	17	13	4	1	_	1	_	_	_	_	_	_
80-84 years	26	20	6	23	18	5	3	2	1	_	_	_	_	_	_
85-89 years	33	21	12	32	20	12	1	1	_	_	_	_	_	_	_
90-94 years	22	11	11	21	11	10	1	_	1	_	_	_	_	_	_
95-99 years	13	8	5	11	7	4	2	1	1	_	_	_	_	_	_
100 years & over.	1	_	1	1	_	1	_	_	_	_	_	_	_	_	_
Age not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Unilateral or unspecified inguinal hernia, with gangrene (K40.4) 15 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 1 50-54 years..... 1 55-59 years..... 2 2 2 2 60-64 years..... 2 1 1 1 65-69 years..... 1 1 1 1 70-74 years..... 1 1 1 1 75-79 years..... 6 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Unilateral or unspecified inguinal hernia, without obstruction or gangrene (K40.9) All ages.... 35 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 2 2 1 1 60-64 years..... 4 4 3 1 65-69 years..... 3 2 2 1 1 70-74 years..... 6 5 1 5 1 1 75-79 years..... 6 6 5 80-84 years..... 10 10 10 10 85-89 years..... 5 5 90-94 years..... 2 1 2 1 95-99 years..... 2 2 2 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Femoral hernia (K41) 39 13 35 23 All ages.... 26 12 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1 1 1 60-64 years..... 65-69 years..... 1 1 1 1 70-74 years..... 75-79 years..... 80-84 years..... 9 85-89 years..... 12 10 90-94 years..... 4 2 2 4 2 95-99 years..... 4 4 100 years & over. 1 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Unilateral or unspecified femoral hernia, with obstruction, without gangrene (K41.3) All ages.... 10 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 1 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 11 10 90-94 years..... 4 2 4 2 95-99 years..... 3 3 100 years & over. 1 1 Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Unilateral or unspecified femoral hernia, with gangrene (K41.4) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Base on the International Classification of Diseases, Tenth Revision, 1992) and age				Both	White		Both	Black		American Indian 1/ Both			Asian or Pacific Islander 2/ Both		
	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female
Unilateral or unspec	ified femo	oral herni	a, without	obstruction	on or gang	grene (K41.	9)								
All ages	3	1	2	3	1	2	_	_	_	_	_	_	_	_	_
Under 1 year	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
1-4 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
5-9 years	-	-	-	-	-	-	_	-	-	-	_	-	-	_	_
l0-14 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
15-19 years	-	_	_	_	-	_	_	_	_	_	_	_	_	_	_
20-24 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
25-29 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
30-34 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
35-39 years	1	_	1	1	_	1	_	_	_	_	_	_	_	_	_
40-44 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
45-49 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
50-54 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
55-59 years	1	_	1	1	_	1	_	_	_	_	_	_	_	_	_
60-64 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
65-69 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
70-74 years	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_
75-79 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
80-84 years	1	1	_	1	1	_	_	_	_	_	_	_	_	_	_
85-89 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
90-94 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
95-99 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
100 years & over.	_	_	_	_	_	_	_	_	_	_	_	_	_	_	-
Age not stated			_		_	_		_	_	_	_	_	_	_	_

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Umbilical hernia (K42) 27 55 25 45 10 2 All ages.... 70 Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 3 2 45-49 years..... 50-54 years..... 1 1 1 1 55-59 years..... 8 3 3 60-64 years..... 7 3 3 2 2 65-69 years..... 5 1 4 4 1 3 1 70-74 years..... 10 4 6 9 3 6 1 75-79 years..... 13 10 13 10 80-84 years..... 10 8 6 85-89 years..... 8 90-94 years..... 3 1 2 3 95-99 years..... 2 2 100 years & over. 1 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Umbilical hernia with obstruction, without gangrene (K42.0) All ages..... 20 Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 2 45-49 years..... 50-54 years..... 55-59 years..... 8 3 5 3 60-64 years..... 4 2 2 2 1 1 1 65-69 years..... 4 1 3 4 1 70-74 years..... 6 3 3 6 3 3 75-79 years..... 10 80-84 years..... 10 85-89 years..... 7 90-94 years..... 3 2 3 95-99 years..... 2 2 100 years & over. 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Umbilical hernia with gangrene (K42.1) All ages.... 3 3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 3 45-49 years..... 50-54 years..... 1 1 55-59 years..... 60-64 years..... 65-69 years..... 1 1 70-74 years..... 2 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Umbilical hernia without obstruction or gangrene (K42.9) All ages..... 5 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 3 1 65-69 years..... 70-74 years..... 1 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Ventral hernia (K43) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Ventral hernia with obstruction, without gangrene (K43.0) All ages..... 195 42 153 17 5 170 12 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 3 1 3 2 3 45-49 years..... 9 8 2 50-54 years..... 1 6 1 5 55-59 years..... 11 3 8 10 3 1 1 60-64 years..... 10 3 7 7 3 1 1 65-69 years..... 13 3 10 10 2 8 3 2 70-74 years..... 17 10 15 8 1 1 1 75-79 years..... 35 6 29 33 27 80-84 years..... 43 9 34 37 29 2 85-89 years..... 37 33 36 33 1 15 90-94 years..... 18 3 18 15 95-99 years..... 12 2 10 12 2 10 100 years & over. 2 2 2 2

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Ventral hernia with gangrene (K43.1) 21 All ages.... 22 16 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 5 3 50-54 years..... 1 55-59 years..... 5 3 2 1 60-64 years..... 2 1 1 1 65-69 years..... 4 4 4 70-74 years..... 3 1 2 2 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Ventral hernia without obstruction or gangrene (K43.9) All ages..... 88 30 58 10 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 3 2 45-49 years..... 7 50-54 years..... 1 6 1 2 55-59 years..... 5 2 3 4 2 2 1 60-64 years..... 7 6 6 1 1 1 1 65-69 years..... 8 5 3 7 5 1 1 70-74 years..... 17 10 15 6 9 1 75-79 years..... 17 17 9 8 80-84 years..... 14 12 14 12 85-89 years..... 9 7 1 90-94 years..... 1 1 1 1 95-99 years..... 5 5 5 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Diaphragmatic hernia (K44) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Diaphragmatic hernia with obstruction, without gangrene (K44.0) 21 45 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 50-54 years..... 1 55-59 years..... 60-64 years..... 2 1 1 1 65-69 years..... 2 1 1 2 1 1 70-74 years..... 3 2 1 3 1 75-79 years..... 5 80-84 years..... 19 12 19 12 85-89 years..... 16 11 16 11 90-94 years..... 13 2 11 13 11 95-99 years..... 5 4 5 4 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Diaphragmatic hernia with gangrene (K44.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Diaphragmatic hernia without obstruction or gangrene (K44.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other abdominal hernia (K45) 3 13 All ages.... 15 2 13 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 50-54 years..... 55-59 years..... 1 60-64 years..... 65-69 years..... 70-74 years..... 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 2 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other specified abdominal hernia with obstruction, without gangrene (K45.0) All ages.... 11 13 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 50-54 years..... 55-59 years..... 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 2 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other specified abdominal hernia without obstruction or gangrene (K45.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Unspecified abdominal hernia (K46) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Unspecified abdominal hernia with obstruction, without gangrene (K46.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Unspecified abdominal hernia with gangrene (K46.1) 38 19 19 All ages.... 20 21 1 Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 3 3 50-54 years..... 55-59 years..... 3 1 1 60-64 years..... 2 1 1 1 1 65-69 years..... 3 1 2 1 1 70-74 years..... 6 6 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 3 95-99 years..... 3 3 3 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Unspecified abdominal hernia without obstruction or gangrene (K46.9) 119 All ages.... 62 101 14 8 6 1 1 Under 1 year.... 1 1 1-4 years..... 2 2 5-9 years..... 1 1 1 1 10-14 years..... 1 1 1 1 15-19 years..... 2 1 1 2 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 4 1 1 5 2 3 45-49 years..... 2 50-54 years..... 8 6 5 55-59 years..... 1 1 1 60-64 years..... 6 2 3 1 1 1 65-69 years..... 13 6 12 5 1 70-74 years..... 16 9 15 6 9 1 1 75-79 years..... 6 3 5 80-84 years..... 21 10 11 19 10 85-89 years..... 19 8 11 17 10 90-94 years..... 7 4 3 7 3 95-99 years..... 2. 1 1 2 1 1 100 years & over. 1 1 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Crohn's disease [regional enteritis] (K50) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2.4 55-59 years..... 60-64 years..... 2.7 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Crohn's disease of small intestine (K50.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 50-54 years..... 55-59 years..... 1 1 1 60-64 years..... 65-69 years..... 2 1 70-74 years..... 1 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Crohn's disease of large intestine (K50.1) 16 20 All ages.... 5 15 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 3 3 3 70-74 years..... 4 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 3 95-99 years..... 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other Crohn's disease (K50.8) All ages.... 1 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Crohn's disease, unspecified (K50.9) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Ulcerative colitis (K51) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... Δ 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Ulcerative (chronic) enterocolitis (K51.0) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Ulcerative (chronic) proctitis (K51.2) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Mucosal proctocolitis (K51.5) All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other ulcerative colitis (K51.8) All ages.... 1 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Ulcerative colitis, unspecified (K51.9) 118 162 261 109 152 15 2 All ages.... 1 3 Under 1 year.... 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 2 1 1 1 1 1 1 30-34 years..... 35-39 years..... 40-44 years..... 6 3 5 45-49 years..... 10 10 10 50-54 years..... 4 6 9 4 5 55-59 years..... 6 2 4 5 1 Δ 1 60-64 years..... 18 8 1 0 18 8 10 65-69 years..... 19 11 8 17 9 8 1 70-74 years..... 35 20 15 31 17 14 3 3 75-79 years..... 58 23 35 55 23 32 80-84 years..... 51 23 28 49 23 26 85-89 years..... 41 9 32 40 8 32 1 90-94 years..... 14 3 11 14 3 11 95-99 years..... 3 3 3 3 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Other noninfective gastroenteritis and colitis (K52) 1,519 1,379 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Gastroenteritis and colitis due to radiation (K52.0) All ages..... 12 18 11 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1 1 1 60-64 years..... 1 1 1 1 65-69 years..... 2 1 1 2 70-74 years..... 3 1 3 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Toxic gastroenteritis and colitis (K52.1) 12 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 1 1 1 65-69 years..... 70-74 years..... 1 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other specified noninfective gastroenteritis and colitis (K52.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Noninfective gastroenteritis and colitis, unspecified (K52.9) 1,485 1,347 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 2.0 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Vascular disorders of intestine (K55) All ages.... 8,976 3,071 5,905 7,913 2,636 5,277 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1,080 75-79 years..... 1,455 1,317 1,734 1,152 1,584 1,065 80-84 years..... 85-89 years..... 1,494 1,067 1,391 1,001 90-94 years..... 95-99 years..... 100 years & over.

260CT04

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Acute vascular disorders of intestine (K55.0) All ages.... 3,123 2,011 2,721 1,785 1,112 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2.8 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of

asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Pacific Islander 2/ Diseases, Tenth All races White Black American Indian 1/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Chronic vascular disorders of intestine (K55.1) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. 2. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Angiodysplasia of colon (K55.2) 29 46 43 All ages.... 69 26 3 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1 1 1 60-64 years..... 2 2 1 1 65-69 years..... 70-74 years..... 8 3 5 8 3 75-79 years..... 10 6 10 80-84 years..... 27 9 18 25 8 17 85-89 years..... 14 10 12 90-94 years..... 7 3 4 7 95-99 years..... 4 3 3 100 years & over. 2 2

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other vascular disorders of intestine (K55.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Vascular disorder of intestine, unspecified (K55.9) All ages.... 5,572 3,708 4,939 1,615 3,324 1,864 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1,103 1,010 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Paralytic ileus and intestinal obstruction without hernia (K56) All ages.... 5,558 2,033 3,525 4,866 1,732 3,134 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... Ω 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1,083 85-89 years..... 1,222 1,118 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Paralytic ileus (K56.0) 30 13 All ages.... 78 48 64 20 44 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 50-54 years..... 55-59 years..... 1 1 1 1 60-64 years..... 2 2 2 65-69 years..... 7 5 2 2 2 3 4 70-74 years..... 3 4 6 2 1 1 75-79 years..... 6 2 80-84 years..... 7 85-89 years..... 16 13 14 12 90-94 years..... 16 5 11 13 10 3 2 1 95-99 years..... 5 4 4 4 100 years & over. 1 1 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Intussusception (K56.1) 17 21 8 All ages.... 28 11 13 Under 1 year.... 9 6 5 1-4 years..... 4 4 2 2 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1 1 1 1 60-64 years..... 1 1 1 1 65-69 years..... 1 1 1 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 5 3 2 2 90-94 years..... 2 1 2 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Volvulus (K56.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or American Indian 1/ Diseases, Tenth All races White Black Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Gallstone ileus (K56.3) All ages..... 10 10 14 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2 2 55-59 years..... 60-64 years..... 1 1 1 1 65-69 years..... 1 1 1 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 8 2 90-94 years..... 1 1 95-99 years..... 3 3 3 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other impaction of intestine (K56.4) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Intestinal adhesions [bands] with obstruction (K56.5) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... a 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Other and unspecified intestinal obstruction (K56.6) 3,540 1,166 2,374 All ages.... 4,002 1,354 2,648 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Ileus, unspecified (K56.7) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1.0 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Diverticular disease of intestine (K57) All ages..... 1,063 2,261 3,033 2,077 3,324 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1.0 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Diverticular disease of small intestine with perforation and abscess (K57.0) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 2 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Diverticular disease of small intestine without perforation or abscess (K57.1) All ages.... 16 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 1 1 70-74 years..... 3 1 3 75-79 years..... 80-84 years..... 85-89 years..... 2 90-94 years..... 2 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or															
Diseases, Tenth	All races			White			Black			American Indian 1/			Pacific Islander 2/		
Revision, 1992)	Both			Both			Both			Both			Both	,	
and age	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female
Diverticular disease	of large	intestine	with perf	oration and	d abscess	(K57.2)									
All ages	311	120	191	288	112	176	15	4	11	1	_	1	7	4	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	_	-	_	-	-	_
20-24 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
25-29 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
30-34 years	1	1	_	1	1	_	_	_	_	_	_	_	_	_	_
35-39 years	3	3	_	3	3	_	_	_	_	_	_	_	_	_	_
40-44 years	1	_	1	1	_	1	_	_	_	_	_	_	_	_	_
45-49 years	11	7	4	9	5	4	2	2	_	_	_	_	_	_	_
50-54 years	8	6	2	6	6	_	1	_	1	1	_	1	_	_	_
55-59 years	13	8	5	12	7	5	_	_	_	_	_	_	1	1	_
60-64 years	14	4	10	13	4	9	1	_	1	_	_	_	_	_	_
65-69 years	20	11	9	19	11	8	1	_	1	_	_	_	_	_	_
70-74 years	37	17	20	34	16	18	2	_	2	_	_	_	1	1	_
75-79 years	51	20	31	48	18	30	1	1	_	_	_	_	2	1	1
80-84 years	67	22	45	62	22	40	4	_	4	_	_	_	1	_	1
85-89 years	46	12	34	45	11	34	1	1	_	_	_	_	_	_	_
90-94 years	33	8	25	29	7	22	2	_	2	_	_	_	2	1	1
95-99 years	5	1	4	5	1	4	_	_	_	_	_	_	_	_	_
100 years & over.	1	_	1	1	_	1	_	_	_	_	_	_	_	_	_
Age not stated	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
2															

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Diverticular disease of large intestine without perforation or abscess (K57.3) All ages..... 14 182 102 165 3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 2 45-49 years..... 1 3 50-54 years..... 3 3 55-59 years..... 2 1 1 2 1 1 60-64 years..... 9 7 2 7 6 1 1 65-69 years..... 10 7 3 8 6 2 1 70-74 years..... 16 8 8 16 8 8 75-79 years..... 23 12 11 20 9 80-84 years..... 40 17 23 35 13 22 85-89 years..... 40 13 27 37 11 26 90-94 years..... 29 7 22 28 7 21 1 1 95-99 years..... 4 2 2 4 2 2 100 years & over. 2 2 2 2

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Base on the International Classification of Diseases, Tenth Revision, 1992) and age				White Both			Black Both			American Indian 1/ Both			Asian or Pacific Islander 2/ Both		
	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female	sexes	Male	Female
Diverticular diseas	e of both s	small and	large inte	stine with	perforati	ion and abs	scess (K57	.4)							
All ages	2	_	2	2	_	2	_	_	_	_	_	_	_	_	_
Under 1 year	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
1-4 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
5-9 years	-	-	-	-	_	-	-	_	-	_	-	_	-	_	-
10-14 years	_	-	_	-	_	-	-	-	-	-	-	-	-	-	_
15-19 years	_	-	_	-	_	-	-	-	-	-	-	-	-	-	_
20-24 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
25-29 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
30-34 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
35-39 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
40-44 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
45-49 years	1	_	1	1	_	1	_	_	_	_	_	_	_	_	_
50-54 years	_	-	_	-	_	-	-	-	-	-	-	-	-	-	_
55-59 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
60-64 years	_	-	_	-	_	-	-	-	-	-	-	-	-	-	_
65-69 years	_	-	_	-	_	-	-	-	-	-	-	-	-	-	_
70-74 years	_	-	_	-	_	-	-	-	-	-	-	-	-	-	_
75-79 years	_	-	_	-	_	-	-	-	-	-	-	-	-	-	_
80-84 years	_	-	_	-	_	-	-	-	-	-	-	-	-	-	_
85-89 years	1	_	1	1	_	1	-	_	_	_	_	_	_	_	_
90-94 years	-	_	-	_	_	_	-	_	_	_	_	_	_	_	_
95-99 years	-	_	-	_	_	_	-	_	_	_	_	_	_	_	_
				_	_				_					_	
100 years & over.	_	_	_	_	_	_	-	_	_	_	_	_	_	_	_

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Diverticular disease of intestine, part unspecified, with perforation and abscess (K57.8) All ages.... 1,296 1,203 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 2.0 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of

asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races Pacific Islander 2/ White Black American Indian 1/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Diverticular disease of intestine, part unspecified, without perforation or abscess (K57.9) 1,497 1,040 1,341 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1.0 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Irritable bowel syndrome (K58) 18 All ages.... 20 16 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 50-54 years..... 55-59 years..... 2 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 5 95-99 years..... 2 2 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Irritable bowel syndrome with diarrhea (K58.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Irritable bowel syndrome without diarrhea (K58.9) 19 All ages.... 15 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 50-54 years..... 55-59 years..... 2 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 5 95-99 years..... 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Other functional intestinal disorders (K59) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Constipation (K59.0) 121 34 32 81 All ages.... 113 1 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 2 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 4 1 1 55-59 years..... 2 2 2 2 60-64 years..... 3 3 1 65-69 years..... 8 3 5 8 3 5 70-74 years..... 9 5 9 5 75-79 years..... 9 8 5 80-84 years..... 25 18 23 16 85-89 years..... 27 22 25 20 90-94 years..... 17 13 16 13 1 1 95-99 years..... 9 9 8 8 1 1 100 years & over. 3 1 2 3 1 2

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Neurogenic bowel, not elsewhere classified (K59.2) All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Megacolon, not elsewhere classified (K59.3) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Anal spasm (K59.4) All ages..... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other specified functional intestinal disorders (K59.8) 10 17 All ages.... 13 Under 1 year.... 1-4 years..... 5-9 years..... 1 1 1 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 2 45-49 years..... 1 1 50-54 years..... 55-59 years..... 60-64 years..... 1 1 65-69 years..... 2 2 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 4 95-99 years..... 2 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Functional intestinal disorder, unspecified (K59.9) All ages.... 6 14 13 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years.... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 50-54 years..... 1 1 55-59 years..... 1 1 1 60-64 years..... 2 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 85-89 years..... 90-94 years..... 95-99 years..... 2 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Fissure and fistula of anal and rectal regions (K60) All ages.... 14 20 13 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 55-59 years..... 1 1 1 60-64 years..... 1 1 1 1 65-69 years..... 1 1 1 1 70-74 years..... 4 75-79 years..... 3 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Anal fissure, unspecified (K60.2) All ages.... 1 3 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Anal fistula (K60.3) All ages.... 1 1 2 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Rectal fistula (K60.4) 12 All ages.... 16 15 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 55-59 years..... 1 60-64 years..... 65-69 years..... 1 1 1 70-74 years..... 4 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 3 1 2 3 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Abscess of anal and rectal regions (K61) All ages..... 73 39 15 8 46 34 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 2 45-49 years..... 7 50-54 years..... 6 4 2 55-59 years..... 6 3 4 1 2 1 60-64 years..... 5 3 2 1 1 65-69 years..... 7 3 4 6 3 3 1 1 70-74 years..... 6 4 2 5 3 1 1 75-79 years..... 10 6 10 80-84 years..... 11 9 85-89 years..... 13 12 1 90-94 years..... 7 7 95-99 years..... 4 4 100 years & over. 2 1 2 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Anal abscess (K61.0) 6 All ages.... 3 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 45-49 years..... 1 50-54 years..... 1 55-59 years..... 60-64 years..... 2 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Rectal abscess (K61.1) 39 28 35 All ages.... 76 63 11 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 40-44 years..... 5 3 45-49 years..... 3 50-54 years..... 6 5 1 3 55-59 years..... 6 3 3 4 1 2 1 60-64 years..... 3 2 2 1 1 1 65-69 years..... 6 3 3 6 3 3 70-74 years..... 5 4 1 4 3 1 1 1 75-79 years..... 9 5 80-84 years..... 10 9 85-89 years..... 11 10 1 90-94 years..... 7 6 7 95-99 years..... 3 3 100 years & over. 2 1 2 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should

be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or All races Diseases, Tenth White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Anorectal abscess (K61.2) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1 1 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Ischiorectal abscess (K61.3) All ages.... 3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 70-74 years..... 1 1 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other diseases of anus and rectum (K62) All ages..... 121 224 315 108 207 5 24 13 11 Under 1 year.... 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 50-54 years..... 2 2 2 55-59 years..... 10 8 2 10 Ω 2 60-64 years..... 14 8 6 13 6 65-69 years..... 17 5 12 13 4 9 3 1 1 70-74 years..... 27 11 16 24 8 16 3 3 75-79 years..... 49 25 24 43 22 21 3 80-84 years..... 71 26 45 65 23 42 3 85-89 years..... 61 20 41 59 19 40 90-94 years..... 64 10 54 56 9 47 7 1 6 95-99 years..... 12 2 10 12 2 10 100 years & over. 4 4 4 4

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Rectal prolapse (K62.3) All ages.... 25 1 24 24 1 23 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 1 1 70-74 years..... 2 2 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 9 9 95-99 years..... 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Stenosis of anus and rectum (K62.4) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Hemorrhage of anus and rectum (K62.5) 134 43 91 All ages.... 13 6 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 1 1 55-59 years..... 4 4 4 60-64 years..... 2 2 2 2 65-69 years..... 3 2 1 2 1 1 1 70-74 years..... 9 2 8 1 1 1 75-79 years..... 21 11 10 16 8 3 80-84 years..... 29 10 19 28 9 19 85-89 years..... 31 13 18 31 13 18 27 5 90-94 years..... 32 4 28 3 24 1 95-99 years..... 8 2 6 8 2 6 100 years & over. 4 4 4

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Ulcer of anus and rectum (K62.6) All ages.... 14 18 14 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 2 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 2 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Radiation proctitis (K62.7) 6 All ages.... 1 5 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1 1 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other specified diseases of anus and rectum (K62.8) 88 34 3 3 All ages.... Under 1 year.... 1 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 2 45-49 years..... 50-54 years..... 55-59 years..... 2 1 1 2 1 1 60-64 years..... 7 3 3 65-69 years..... 11 2 9 9 2 1 70-74 years..... 10 5 5 9 4 5 1 75-79 years..... 19 12 19 80-84 years..... 20 6 14 15 85-89 years..... 10 9 2 90-94 years..... 11 2 9 9 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Disease of anus and rectum, unspecified (K62.9) All ages..... 21 23 44 2 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 55-59 years..... 2 2 2 2 60-64 years..... 3 3 2 65-69 years..... 2 1 1 1 1 70-74 years..... 5 3 2 5 3 75-79 years..... 3 80-84 years..... 10 10 85-89 years..... 8 7 90-94 years..... 9 5 8 95-99 years..... 2 2 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Other diseases of intestine (K63) All ages.... 1,469 2,166 1,325 2,441 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 2. 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Abscess of intestine (K63.0) 11 23 All ages.... 16 8 15 3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 50-54 years..... 1 55-59 years..... 2 1 1 1 60-64 years..... 3 2 1 1 65-69 years..... 70-74 years..... 5 2 3 3 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 3 1 2 3 2 95-99 years..... 1 3 1 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Perforation of intestine (nontraumatic) (K63.1) All ages.... 1,705 1,054 1,530 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 2. 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... ρ 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Fistula of intestine (K63.2) 115 152 55 23 6 17 All ages.... 62 1 Under 1 year.... 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 1 40-44 years..... 3 3 2 45-49 years..... 9 50-54 years..... 1 8 6 1 5 3 55-59 years..... 1.0 4 6 8 3 5 2 60-64 years..... 14 2 12 9 2 5 65-69 years..... 17 5 12 16 4 12 1 70-74 years..... 27 10 17 22 8 14 5 2 3 75-79 years..... 30 9 21 27 8 19 80-84 years..... 32 16 16 31 15 16 85-89 years..... 17 9 16 8 90-94 years..... 9 1 8 8 1 1 1 95-99 years..... 2 2 2 2 100 years & over. 1 1 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Ulcer of intestine (K63.3) 14 25 32 10 22 3 All ages.... 1 Under 1 year.... 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 4 2 55-59 years..... 3 3 3 60-64 years..... 3 2 1 1 65-69 years..... 2 1 1 1 1 1 70-74 years..... 75-79 years..... 9 80-84 years..... 85-89 years..... 3 2 1 3 2 1 90-94 years..... 1 1 95-99 years..... 2 2 2 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Enteroptosis (K63.4) All ages..... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other specified diseases of intestine (K63.8) 39 55 21 5 All ages.... 28 34 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 1 30-34 years..... 35-39 years..... 3 2 40-44 years..... 45-49 years..... 1 1 2 50-54 years..... 2 1 55-59 years..... 3 1 2 3 1 2 60-64 years..... 3 2 3 2 1 1 65-69 years..... 7 4 3 4 2 2 1 70-74 years..... 9 5 6 3 3 3 2 1 75-79 years..... 10 80-84 years..... 13 13 85-89 years..... 6 90-94 years..... 6 2 5 2 1 95-99 years..... 2 2 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Disease of intestine, unspecified (K63.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... ρ 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Peritonitis (K65) 1,590 1,347 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Acute peritonitis (K65.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or All races Pacific Islander 2/ Diseases, Tenth White Black American Indian 1/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Other peritonitis (K65.8) All ages..... 16 18 27 13 14 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 1 35-39 years..... 2 40-44 years..... 45-49 years..... 1 1 1 1 50-54 years..... 3 1 2 1 1 55-59 years..... 2 2 2 60-64 years..... 4 4 2 2 2 65-69 years..... 1 1 1 1 70-74 years..... 6 75-79 years..... 4 80-84 years..... 85-89 years..... 1 3 3 1 2 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Peritonitis, unspecified (K65.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Other disorders of peritoneum (K66) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... ρ 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Peritoneal adhesions (K66.0) 36 82 96 31 20 15 All ages.... 118 65 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 2 1 1 2 1 1 20-24 years..... 1 1 1 1 25-29 years..... 1 1 1 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 50-54 years..... 5 3 2 2 1 2 55-59 years..... 3 1 2 2 1 1 1 1 60-64 years..... 7 2 5 3 2 1 4 65-69 years..... 5 1 4 2 2 1 1 70-74 years..... 3 4 3 75-79 years..... 16 5 11 15 10 80-84 years..... 22 6 16 19 14 85-89 years..... 19 10 17 9 90-94 years..... 8 7 8 95-99 years..... 4 4 4 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Hemoperitoneum (K66.1) 155 72 83 133 72 18 10 2 All ages.... 61 1 Under 1 year.... 2 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 1 1 20-24 years..... 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 7 9 45-49 years..... 9 50-54 years..... 15 6 14 8 6 55-59 years..... 10 5 5 9 4 5 1 60-64 years..... 7 5 2 6 2 1 65-69 years..... 16 8 8 13 7 6 3 1 70-74 years..... 10 4 6 10 6 75-79 years..... 27 12 15 25 15 80-84 years..... 21 8 13 19 8 11 85-89 years..... 19 11 18 8 10 1 1 90-94 years..... 4 1 3 4 1 3 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other specified disorders of peritoneum (K66.8) 19 17 30 10 2 All ages.... Under 1 year.... 2 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 50-54 years..... 1 1 55-59 years..... 1 1 1 1 60-64 years..... 5 2 3 2 65-69 years..... 2 1 1 2 1 1 70-74 years..... 4 1 3 4 1 3 75-79 years..... 5 80-84 years..... 12 11 85-89 years..... 12 11 90-94 years..... 9 3 6 8 1 1 95-99 years..... 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Disorder of peritoneum, unspecified (K66.9) 14 17 All ages.... 13 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 1 55-59 years..... 2 1 1 2 1 60-64 years..... 2 65-69 years..... 2 1 1 2 70-74 years..... 1 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Alcoholic liver disease (K70) All ages.... 8,814 3,307 10,423 7,688 2,735 1,191 12,121 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1,364 1,159 1,998 1,450 1,700 1,257 45-49 years..... 50-54 years..... 2,139 1,624 1,808 1,392 55-59 years..... 1,712 1,277 1,466 1,120 1,371 1,060 1,190 60-64 years..... 1,023 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of

asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Alcoholic fatty liver (K70.0) All ages..... 213 149 189 134 55 16 9 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 2 1 1 1 1 1 1 3 25-29 years..... 1 3 30-34 years..... 16 12 15 11 2 35-39 years..... 29 19 10 24 15 9 1 41 27 23 2 2 40-44 years..... 14 33 10 50 47 32 15 45-49 years..... 34 16 3 2 1 50-54 years..... 37 29 8 35 27 8 1 1 1 55-59 years..... 18 15 3 16 14 2 2 1 1 60-64 years..... 10 7 3 8 6 2 2 1 1 65-69 years..... 4 1 3 4 1 3 70-74 years..... 75-79 years..... 1 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Alcoholic hepatitis (K70.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States:

Mortality, 2002"]

Cause of death (Base on the International Classification of Diseases, Tenth Revision, 1992) and age		All races Male Female		White Both sexes Male F		Female	Both Female sexes		Black Male Female		American Indian 1/ Both sexes Male Female			Asian or Pacific Islander 2/ Both sexes Male Female		
			(7770 0)													
Alcoholic fibrosis a	ana sciero	SIS OI IIV	7er (K/U.2)													
All ages	1	_	1	1	_	1	_	_	_	_	_	_	_	_	_	
Under 1 year	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	
1-4 years	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	
5-9 years	-	-	-	-	-	-	_	_	_	-	_	_	-	-	-	
10-14 years	-	-	-	-	-	-	_	_	_	-	_	_	-	-	-	
15-19 years	-	-	-	-	-	-	_	_	_	-	_	_	-	-	-	
20-24 years	-	-	-	-	-	-	-	-	_	-	-	-	-	-	-	
25-29 years	-	-	-	-	-	-	-	-	_	-	-	-	-	-	-	
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
35-39 years	-	-	-	-	-	-	-	-	-	-	-	_	-	-	_	
40-44 years	-	-	-	-	-	-	_	-	-	-	-	-	-	-	-	
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
50-54 years	1	-	1	1	-	1	_	-	-	-	-	-	-	-	-	
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Age not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Alcoholic cirrhosis of liver (K70.3) All ages.... 2,044 6,643 4,954 1,689 7,693 5,649 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1,181 50-54 years..... 1,356 1,048 1,139 55-59 years..... 1,106 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Alcoholic hepatic failure (K70.4) 1,021 1,203 All ages.... 1,431 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... a 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Alcoholic liver disease, unspecified (K70.9) All ages..... 1,641 1,234 1,933 1,436 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1.0 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Toxic liver disease (K71) All ages.... 12 10 3 1 Under 1 year.... 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 1 35-39 years..... 2 40-44 years..... 45-49 years..... 1 50-54 years..... 55-59 years..... 60-64 years..... 1 1 1 1 65-69 years..... 1 1 1 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Toxic liver disease with hepatic necrosis (K71.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Toxic liver disease with hepatitis, not elsewhere classified (K71.6) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 45-49 years..... 1 50-54 years..... 55-59 years..... 60-64 years..... 1 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Toxic liver disease with other disorders of liver (K71.8) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth American Indian 1/ All races White Black Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Toxic liver disease, unspecified (K71.9) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Hepatic failure, not elsewhere classified (K72) All ages.... 4,093 2,328 1,765 3,375 1,948 1,427 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1.0 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Acute and subacute hepatic failure (K72.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Chronic hepatic failure (K72.1) 75 39 101 67 34 5 All ages.... 114 3 1 Under 1 year.... 3 2 1 1-4 years..... 1 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 40-44 years..... 7 4 3 45-49 years..... 16 12 16 12 50-54 years..... 15 1.0 5 14 9 55-59 years..... 11 10 1 10 9 1 60-64 years..... 9 4 8 65-69 years..... 7 4 3 6 4 1 70-74 years..... 16 11 5 13 9 3 2 1 75-79 years..... 10 10 80-84 years..... 9 6 7 85-89 years..... 5 1 4 1 1 90-94 years..... 95-99 years..... 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Hepatic failure, unspecified (K72.9) 3,718 2,112 1,606 3,051 1,756 1,295 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Chronic hepatitis, not elsewhere classified (K73) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Chronic active hepatitis, not elsewhere classified (K73.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other chronic hepatitis, not elsewhere classified (K73.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 2 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Chronic hepatitis, unspecified (K73.9) 63 114 52 15 2 All ages.... 133 70 62 6 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 2 1 1 30-34 years..... 35-39 years..... 40-44 years..... 11 7 10 19 9 45-49 years..... 14 12 16 50-54 years..... 13 13 11 55-59 years..... 6 2 4 5 2 2 60-64 years..... 6 4 2 6 2 65-69 years..... 12 8 4 11 8 3 1 1 70-74 years..... 17 8 9 16 8 8 1 1 75-79 years..... 16 13 16 13 80-84 years..... 9 7 8 6 85-89 years..... 8 4 2 90-94 years..... 4 1 3 4 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Fibrosis and cirrhosis of liver (K74) All ages.... 14,602 8,442 6,160 12,926 7,462 5,464 1,338 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1,366 1,114 50-54 years..... 1,638 1,203 1,344 55-59 years..... 1,511 1,041 1,298 60-64 years..... 1,420 1,232 1,582 1,424 65-69 years..... 70-74 years..... 1,815 1,680 1,840 1,735 75-79 years..... 1,302 1,223 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Hepatic fibrosis (K74.0) 18 All ages.... 10 16 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 2 45-49 years..... 1 50-54 years..... 55-59 years..... 2 1 1 1 60-64 years..... 5 3 65-69 years..... 2 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Hepatic sclerosis (K74.1) 10 3 All ages.... 10 3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 2 40-44 years..... 45-49 years..... 2 2 2 2 50-54 years..... 55-59 years..... 1 1 1 1 60-64 years..... 1 1 1 1 65-69 years..... 1 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Primary biliary cirrhosis (K74.3) 371 396 45 351 10 8 All ages.... 418 11 2 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 8 7 1 7 45-49 years..... 10 10 3 18 3 50-54 years..... 21 21 18 55-59 years..... 31 2 29 28 2 26 2 2 60-64 years..... 39 35 38 3 35 1 65-69 years..... 51 7 44 47 6 41 1 2 70-74 years..... 61 4 57 59 4 55 1 1 1 75-79 years..... 95 14 81 92 78 80-84 years..... 60 10 50 57 10 47 85-89 years..... 29 27 28 2 26 90-94 years..... 8 8 7 7 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Secondary biliary cirrhosis (K74.4) 2 All ages.... 1 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Biliary cirrhosis, unspecified (K74.5) All ages..... 104 99 26 73 Under 1 year.... 1 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 3 40-44 years..... 45-49 years..... 2 2 2 2 50-54 years..... 5 1 4 5 1 55-59 years..... 5 2 3 2 3 60-64 years..... 7 4 3 7 4 3 65-69 years..... 10 1 9 9 1 8 1 70-74 years..... 17 6 11 16 10 75-79 years..... 21 16 21 16 80-84 years..... 15 13 15 13 85-89 years..... 14 3 11 14 11 90-94 years..... 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Other and unspecified cirrhosis of liver (K74.6) 8,351 5,698 12,403 7,376 5,027 1,319 All ages..... 14,049 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1,351 1,103 1,197 1,316 50-54 years..... 1,610 55-59 years..... 1,472 1,035 1,262 60-64 years..... 1,368 1,181 1,517 1,364 65-69 years..... 70-74 years..... 1,737 1,605 1,720 1,618 75-79 years..... 1,224 1,148 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Other inflammatory liver diseases (K75) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Abscess of liver (K75.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Granulomatous hepatitis, not elsewhere classified (K75.3) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 1 70-74 years..... 2 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other specified inflammatory liver diseases (K75.8) 15 8 All ages.... 12 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 1 1 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 3 1 50-54 years..... 1 1 55-59 years..... 1 1 1 1 60-64 years..... 4 3 1 1 65-69 years..... 1 1 1 70-74 years..... 1 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 2 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Inflammatory liver disease, unspecified (K75.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 2.0 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Other diseases of liver (K76) All ages.... 3,713 2,338 1,375 3,101 1,950 1,151 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1.0 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Fatty (change of) liver, not elsewhere classified (K76.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Chronic passive congestion of liver (K76.1) 19 24 3 All ages.... 16 Under 1 year.... 2 2 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 2 2 50-54 years..... 55-59 years..... 1 1 60-64 years..... 3 1 1 65-69 years..... 2 1 1 1 1 70-74 years..... 5 1 1 75-79 years..... 6 6 80-84 years..... 3 85-89 years..... 90-94 years..... 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Central hemorrhagic necrosis of liver (K76.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Infarction of liver (K76.3) 17 10 All ages.... 11 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 4 2 60-64 years..... 2 2 65-69 years..... 4 2 2 3 1 70-74 years..... 2 1 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 1 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Peliosis hepatis (K76.4) All ages.... 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Hepatic veno-occlusive disease (K76.5) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over. Age not stated...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Portal hypertension (K76.6) 112 72 40 100 64 36 6 All ages.... 1 Under 1 year.... 2 1 2 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 1 20-24 years..... 25-29 years..... 1 1 30-34 years..... 35-39 years..... 40-44 years..... 2 1 1 9 9 45-49 years..... 11 11 9 1.0 50-54 years..... 12 3 55-59 years..... 11 9 2 a 2 1 60-64 years..... 5 5 4 1 65-69 years..... 14 10 4 11 8 3 3 2 1 70-74 years..... 16 11 5 16 11 5 75-79 years..... 15 10 14 10 80-84 years..... 8 5 7 4 85-89 years..... 9 9 90-94 years..... 2 2 2 95-99 years..... 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Hepatorenal syndrome (K76.7) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other specified diseases of liver (K76.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Liver disease, unspecified (K76.9) All ages.... 2,474 1,600 2,048 1,330 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Cholelithiasis (K80) 1,077 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... a 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Calculus of gallbladder with acute cholecystitis (K80.0) 32 45 3 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 1 40-44 years..... 2 45-49 years..... 50-54 years..... 2 2 1 1 55-59 years..... 3 1 2 2 1 1 1 60-64 years..... 2 2 1 1 1 1 65-69 years..... 3 2 1 2 1 1 1 70-74 years..... 3 6 3 3 1 1 75-79 years..... 13 12 80-84 years..... 13 12 85-89 years..... 21 16 20 15 1 1 90-94 years..... 9 3 9 3 95-99 years..... 5 5 5 5 100 years & over. 2 1 2 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Calculus of gallbladder with other cholecystitis (K80.1) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Calculus of gallbladder without cholecystitis (K80.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1 Q 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Calculus of bile duct with cholangitis (K80.3) All ages..... 39 2 15 29 12 1 3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 1 40-44 years..... 45-49 years..... 1 1 1 50-54 years..... 1 1 55-59 years..... 1 1 60-64 years..... 2 2 1 1 65-69 years..... 1 1 1 70-74 years..... 4 3 1 3 1 1 75-79 years..... 3 80-84 years..... 2 85-89 years..... 5 90-94 years..... 9 2 7 8 2 6 1 95-99 years..... 4 4 4 4 100 years & over. 1 1 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Calculus of bile duct with cholecystitis (K80.4) All ages..... 29 6 23 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1 60-64 years..... 65-69 years..... 2 70-74 years..... 3 1 3 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 6 5 5 95-99 years..... 1 3 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Calculus of bile duct without cholangitis or cholecystitis (K80.5) All ages..... 73 113 40 3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 1 30-34 years..... 35-39 years..... 40-44 years..... 5 1 3 2 45-49 years..... 2 50-54 years..... 3 2 55-59 years..... 60-64 years..... 3 3 1 1 65-69 years..... 5 3 2 4 3 1 1 70-74 years..... 13 9 12 8 75-79 years..... 12 11 6 80-84 years..... 21 13 20 12 85-89 years..... 24 16 23 15 90-94 years..... 19 5 14 19 5 14 95-99 years..... 5 4 5 4 100 years & over. 2 2 2

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other cholelithiasis (K80.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1 1 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Cholecystitis (K81) 1,566 1,364 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1.0 55-59 years..... 60-64 years..... 2.7 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Acute cholecystitis (K81.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1.0 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Chronic cholecystitis (K81.1) 28 28 6 All ages.... 24 44 16 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 1 55-59 years..... 2 2 1 1 60-64 years..... 1 1 1 1 65-69 years..... 2 2 70-74 years..... 5 3 5 3 75-79 years..... 80-84 years..... 85-89 years..... 11 1 90-94 years..... 10 3 95-99 years..... 3 3 3 3 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other cholecystitis (K81.8) 3 All ages.... 3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Cholecystitis, unspecified (K81.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years.... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... a 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Other diseases of gallbladder (K82) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... R 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Obstruction of gallbladder (K82.0) All ages.... 1 3 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Hydrops of gallbladder (K82.1) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 1 65-69 years..... 1 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Perforation of gallbladder (K82.2) 23 23 23 All ages.... 26 46 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 3 1 50-54 years..... 4 4 55-59 years..... 3 1 2 1 60-64 years..... 3 2 1 1 65-69 years..... 7 5 2 5 70-74 years..... 3 3 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 2 95-99 years..... 2 2 2 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Fistula of gallbladder (K82.3) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1 1 60-64 years..... 1 1 65-69 years..... 3 3 70-74 years..... 1 1 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Cholesterolosis of gallbladder (K82.4) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other specified diseases of gallbladder (K82.8) All ages.... 3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1 1 60-64 years..... 1 1 1 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 2 90-94 years..... 2 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Disease of gallbladder, unspecified (K82.9) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Other diseases of biliary tract (K83) All ages.... 1,086 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Cholangitis (K83.0) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 2.0 55-59 years..... 1 0 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Obstruction of bile duct (K83.1) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 1.0 a 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Perforation of bile duct (K83.2) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Fistula of bile duct (K83.3) All ages.... 1 1 2 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Spasm of sphincter of Oddi (K83.4) All ages.... 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other specified diseases of biliary tract (K83.8) 20 17 All ages.... 3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 55-59 years..... 1 1 1 60-64 years..... 2 1 1 1 65-69 years..... 3 1 1 70-74 years..... 4 1 3 3 3 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 1 95-99 years..... 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth American Indian 1/ Pacific Islander 2/ All races White Black Revision, 1992) Both Both Both Both Both and age sexes Male Female Disease of biliary tract, unspecified (K83.9) All ages..... 19 15 29 16 13 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 1 50-54 years..... 1 1 1 1 55-59 years..... 1 1 1 1 60-64 years..... 65-69 years..... 3 3 2 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 9 5 9 5 90-94 years..... 95-99 years..... 1 1 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Acute pancreatitis (K85) 2,970 1,620 1,350 2,531 1,357 1,174 All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 1.0 25-29 years..... 2.3 1.5 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Other diseases of pancreas (K86) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Alcohol-induced chronic pancreatitis (K86.0) 53 224 184 40 All ages.... 234 60 48 12 2 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 4 3 1 2 1 1 2 20-24 years..... 25-29 years..... 5 6 1 5 6 30-34 years..... 14 14 35-39 years..... 21 16 18 13 40-44 years..... 36 28 32 25 3 50 12 45 38 45-49 years..... 62 16 12 9 28 50-54 years..... 43 34 34 6 9 6 3 55-59 years..... 36 30 6 31 26 5 5 4 60-64 years..... 31 28 3 22 2.1 8 1 6 1 65-69 years..... 13 12 1 11 10 1 2 2 70-74 years..... 13 9 9 5 4 75-79 years..... 5 4 80-84 years..... 1 85-89 years..... 1 1 1 90-94 years..... 1 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Other chronic pancreatitis (K86.1) All ages..... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... Ω 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Cyst of pancreas (K86.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 2 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Pseudocyst of pancreas (K86.3) All ages.... 22 21 32 12 20 11 10 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years.... 30-34 years..... 2 35-39 years..... 2 2 40-44 years..... 45-49 years..... 1 1 1 50-54 years..... 5 4 1 2 2 2 55-59 years..... 3 2 1 1 60-64 years..... 3 2 1 3 1 65-69 years..... 4 1 3 4 1 3 70-74 years..... 75-79 years..... 80-84 years..... 2 2 85-89 years..... 2 2 90-94 years..... 1 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other specified diseases of pancreas (K86.8) 17 33 21 12 All ages.... 12 8 1 Under 1 year.... 1 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 1 1 30-34 years..... 35-39 years..... 2 40-44 years..... 1 2 45-49 years..... 50-54 years..... 2 1 1 1 55-59 years..... 3 3 1 1 2 2 60-64 years..... 3 2 2 1 1 65-69 years..... 3 1 2 2 1 70-74 years..... 4 3 3 1 1 75-79 years..... 80-84 years..... 10 85-89 years..... 5 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Disease of pancreas, unspecified (K86.9) 109 166 75 All ages.... 88 91 31 13 18 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 1 1 10 45-49 years..... 50-54 years..... 4 3 3 2 55-59 years..... 4 4 2 2 2 60-64 years..... 7 6 7 6 1 1 65-69 years..... 17 10 7 13 9 4 4 3 70-74 years..... 23 12 11 18 8 10 5 4 1 75-79 years..... 28 13 15 25 13 12 80-84 years..... 32 13 19 28 12 16 85-89 years..... 33 10 23 29 9 20 90-94 years..... 23 7 16 21 14 2 95-99 years..... 7 7 6 6 1 1 100 years & over. 3 1 2 2 1 1 1 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both and age sexes Male Female Intestinal malabsorption (K90) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 2. 2. 15-19 years..... 20-24 years..... 25-29 years..... 2. 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Celiac disease (K90.0) 17 All ages.... 17 8 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 1 50-54 years..... 1 55-59 years..... 1 1 1 60-64 years..... 1 1 1 1 65-69 years..... 1 1 1 70-74 years..... 3 3 3 3 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 2 1 2 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Tropical sprue (K90.1) 35 17 33 18 All ages.... 18 15 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 1 55-59 years..... 1 1 1 60-64 years..... 3 3 65-69 years..... 4 2 4 2 70-74 years..... 4 2 2 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 3 1 2 2 95-99 years..... 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Blind loop syndrome, not elsewhere classified (K90.2) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... a a 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Malabsorption due to intolerance, not elsewhere classified (K90.4) All ages.... 3 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 1 1 1 20-24 years..... 1 1 1 1 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 1 55-59 years..... 1 1 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 1 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other intestinal malabsorption (K90.8) All ages.... 1 1 2 1 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Intestinal malabsorption, unspecified (K90.9) 38 21 All ages.... 24 36 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 1 1 1 1 30-34 years..... 35-39 years..... 1 1 1 40-44 years..... 45-49 years..... 1 5 1 3 50-54 years..... 1 4 55-59 years..... 3 1 2 3 1 2 60-64 years..... 4 2 2 3 2 1 65-69 years..... 3 1 2 3 1 70-74 years..... 6 3 3 5 2 3 75-79 years..... 10 10 80-84 years..... 14 13 9 85-89 years..... 5 90-94 years..... 4 95-99 years..... 1 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Other diseases of the digestive system (K92) All ages..... 3,551 4,451 7,008 3,065 3,943 8,002 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 1,008 80-84 years..... 1,428 1,287 85-89 years..... 1,578 1,456 90-94 years..... 1,272 1,179 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Hematemesis (K92.0) 19 30 17 27 All ages.... 44 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 1 1 1 1 15-19 years..... 20-24 years..... 25-29 years..... 1 1 1 1 30-34 years..... 35-39 years..... 40-44 years..... 1 45-49 years..... 3 1 50-54 years..... 1 55-59 years..... 3 1 2 2 1 60-64 years..... 1 1 1 1 65-69 years..... 5 3 3 3 70-74 years..... 2 2 2 75-79 years..... 3 80-84 years..... 85-89 years..... 1 90-94 years..... 8 8 95-99 years..... 3 3 100 years & over. 1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Melena (K92.1) All ages.... 3 1 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 1 1 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 1 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both Both Both and age sexes Male Female Gastrointestinal hemorrhage, unspecified (K92.2) All ages..... 3,501 4,383 6,907 3,022 3,885 7,884 Under 1 year..... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 1,412 1,271 85-89 years..... 1,556 1,435 90-94 years..... 1,256 1,163 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Other specified diseases of digestive system (K92.8) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Disease of digestive system, unspecified (K92.9) 21 All ages.... 48 Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 3 1 55-59 years..... 60-64 years..... 2 65-69 years..... 4 1 3 3 1 1 70-74 years..... 5 1 3 1 1 75-79 years..... 80-84 years..... 8 85-89 years..... 11 6 11 90-94 years..... 7 3 7 95-99 years..... 6 1 4 1 100 years & over.

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

Age not stated...

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Asian or Diseases, Tenth All races White Black American Indian 1/ Pacific Islander 2/ Revision, 1992) Both Both Both and age sexes Male Female Staphylococcal scalded skin syndrome (L00) All ages.... Under 1 year.... 1-4 years..... 5-9 years..... 10-14 years..... 15-19 years..... 20-24 years..... 25-29 years..... 30-34 years..... 35-39 years..... 40-44 years..... 45-49 years..... 50-54 years..... 55-59 years..... 60-64 years..... 65-69 years..... 1 1 70-74 years..... 75-79 years..... 80-84 years..... 85-89 years..... 90-94 years..... 95-99 years..... 100 years & over.