

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
X. Diseases of the respiratory system (J00-J98)												
Arkansas												
All races, both sexes.....	2,673	6	5	4	2	1	4	3	9	12	24	26
Male.....	1,341	5	5	4	2	-	1	2	7	6	9	12
Female.....	1,332	1	-	-	-	1	3	1	2	6	15	14
White, both sexes.....	2,445	4	2	2	2	1	3	1	5	12	16	14
Male.....	1,221	3	2	2	2	-	1	-	5	6	6	5
Female.....	1,224	1	-	-	-	1	2	1	-	6	10	9
Black, both sexes.....	222	2	3	2	-	-	1	2	4	-	8	12
Male.....	117	2	3	2	-	-	-	2	2	-	3	7
Female.....	105	-	-	-	-	-	1	-	2	-	5	5
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	22,957	56	34	15	15	18	30	21	43	69	139	276
Male.....	10,841	31	16	7	11	12	19	12	31	41	75	145
Female.....	12,116	25	18	8	4	6	11	9	12	28	64	131
White, both sexes.....	20,071	42	21	9	11	12	19	15	32	60	108	206
Male.....	9,307	23	8	3	8	8	14	7	21	34	56	109
Female.....	10,764	19	13	6	3	4	5	8	11	26	52	97
Black, both sexes.....	1,287	7	6	5	3	5	7	3	11	7	19	51
Male.....	649	5	3	3	2	3	3	3	10	5	11	25
Female.....	638	2	3	2	1	2	4	-	1	2	8	26
American Indian 1/, both sexes.....	103	-	-	-	-	-	-	1	-	-	2	3
Male.....	52	-	-	-	-	-	-	-	-	-	2	2
Female.....	51	-	-	-	-	-	-	1	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	1,496	7	7	1	1	1	4	2	-	2	10	16
Male.....	833	3	5	1	1	1	2	2	-	2	6	9
Female.....	663	4	2	-	-	-	2	-	-	-	4	7

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

X. Diseases of the respiratory system (J00-J98)

Colorado

All races, both sexes.....	3,149	11	2	1	3	2	4	2	7	13	25	42
Male.....	1,572	8	-	1	-	-	2	1	5	6	9	28
Female.....	1,577	3	2	-	3	2	2	1	2	7	16	14
White, both sexes.....	3,061	9	2	1	3	1	4	2	7	12	24	40
Male.....	1,526	7	-	1	-	-	2	1	5	6	9	26
Female.....	1,535	2	2	-	3	1	2	1	2	6	15	14
Black, both sexes.....	57	2	-	-	-	1	-	-	-	1	1	2
Male.....	30	1	-	-	-	-	-	-	-	-	-	2
Female.....	27	1	-	-	-	1	-	-	-	1	1	-
American Indian 1/, both sexes.....	10	-	-	-	-	-	-	-	-	-	-	-
Male.....	6	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	21	-	-	-	-	-	-	-	-	-	-	-
Male.....	10	-	-	-	-	-	-	-	-	-	-	-
Female.....	11	-	-	-	-	-	-	-	-	-	-	-

Connecticut

All races, both sexes.....	3,045	2	2	1	1	3	2	4	2	12	12	25
Male.....	1,333	2	1	1	-	2	1	2	-	8	7	12
Female.....	1,712	-	1	-	1	1	1	2	2	4	5	13
White, both sexes.....	2,930	1	2	1	1	2	2	3	2	10	12	20
Male.....	1,276	1	1	1	-	2	1	2	-	7	7	10
Female.....	1,654	-	1	-	1	-	1	1	2	3	5	10
Black, both sexes.....	100	1	-	-	-	-	-	1	-	2	-	4
Male.....	50	1	-	-	-	-	-	-	-	1	-	1
Female.....	50	-	-	-	-	-	-	1	-	1	-	3
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	-	-	-	1	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

X. Diseases of the respiratory system (J00-J98)

Kentucky

All races, both sexes.....	4,050	10	4	-	1	3	9	4	6	18	25	57
Male.....	1,931	4	2	-	1	2	5	2	3	7	11	34
Female.....	2,119	6	2	-	-	1	4	2	3	11	14	23
White, both sexes.....	3,886	9	2	-	1	2	8	3	6	16	23	54
Male.....	1,843	3	1	-	1	1	4	2	3	7	11	31
Female.....	2,043	6	1	-	-	1	4	1	3	9	12	23
Black, both sexes.....	162	-	2	-	-	1	1	1	-	2	2	3
Male.....	87	-	1	-	-	1	1	-	-	-	-	3
Female.....	75	-	1	-	-	-	-	1	-	2	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	3,273	20	7	3	4	8	14	9	6	11	40	56
Male.....	1,590	15	3	2	2	3	7	5	4	5	22	35
Female.....	1,683	5	4	1	2	5	7	4	2	6	18	21
White, both sexes.....	2,572	9	4	1	2	4	10	4	5	4	22	38
Male.....	1,193	7	1	-	-	2	5	1	3	2	13	22
Female.....	1,379	2	3	1	2	2	5	3	2	2	9	16
Black, both sexes.....	693	11	3	2	2	4	3	5	1	7	18	17
Male.....	391	8	2	2	2	1	2	4	1	3	9	12
Female.....	302	3	1	-	-	3	1	1	-	4	9	5
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	-	1	-	-	-	-	1
Male.....	6	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

X. Diseases of the respiratory system (J00-J98)

Massachusetts

All races, both sexes.....	6,008	11	2	2	3	5	7	8	5	12	18	49
Male.....	2,679	5	-	2	3	3	4	6	3	10	7	33
Female.....	3,329	6	2	-	-	2	3	2	2	2	11	16
White, both sexes.....	5,809	7	2	1	1	4	7	8	4	11	17	42
Male.....	2,570	3	-	1	1	3	4	6	2	9	6	29
Female.....	3,239	4	2	-	-	1	3	2	2	2	11	13
Black, both sexes.....	141	4	-	-	2	1	-	-	-	1	1	6
Male.....	74	2	-	-	2	-	-	-	-	1	1	3
Female.....	67	2	-	-	-	1	-	-	-	-	-	3
American Indian 1/, both sexes.....	8	-	-	-	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	50	-	-	1	-	-	-	-	1	-	-	1
Male.....	31	-	-	1	-	-	-	-	1	-	-	1
Female.....	19	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	7,760	19	13	4	10	11	11	11	15	31	69	110
Male.....	3,678	9	4	4	5	5	9	8	8	16	36	54
Female.....	4,082	10	9	-	5	6	2	3	7	15	33	56
White, both sexes.....	6,987	7	7	-	2	3	9	4	4	20	57	75
Male.....	3,269	5	4	-	1	1	8	3	3	10	31	36
Female.....	3,718	2	3	-	1	2	1	1	1	10	26	39
Black, both sexes.....	706	12	6	4	7	8	1	7	10	10	12	32
Male.....	373	4	-	4	4	4	-	5	5	5	5	18
Female.....	333	8	6	-	3	4	1	2	5	5	7	14
American Indian 1/, both sexes.....	37	-	-	-	-	-	1	-	-	-	-	2
Male.....	18	-	-	-	-	-	1	-	-	-	-	-
Female.....	19	-	-	-	-	-	-	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	30	-	-	-	1	-	-	-	1	1	-	1
Male.....	18	-	-	-	-	-	-	-	-	1	-	-
Female.....	12	-	-	-	1	-	-	-	1	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
X. Diseases of the respiratory system (J00-J98)												
New Mexico												
All races, both sexes.....	1,320	4	1	3	-	2	-	2	5	4	7	12
Male.....	696	1	-	1	-	2	-	-	4	4	6	3
Female.....	624	3	1	2	-	-	-	2	1	-	1	9
White, both sexes.....	1,230	1	1	2	-	2	-	2	4	2	6	10
Male.....	647	-	-	1	-	2	-	-	3	2	5	2
Female.....	583	1	1	1	-	-	-	2	1	-	1	8
Black, both sexes.....	17	-	-	-	-	-	-	-	-	1	1	-
Male.....	11	-	-	-	-	-	-	-	-	1	1	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	72	3	-	1	-	-	-	-	1	1	-	2
Male.....	37	1	-	-	-	-	-	-	1	1	-	1
Female.....	35	2	-	1	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	14,401	25	18	5	14	15	21	25	33	73	106	167
Male.....	6,542	14	10	4	8	8	14	12	18	35	57	81
Female.....	7,859	11	8	1	6	7	7	13	15	38	49	86
White, both sexes.....	12,570	16	9	1	10	12	13	19	23	38	80	119
Male.....	5,691	10	6	1	7	7	9	7	11	18	47	57
Female.....	6,879	6	3	-	3	5	4	12	12	20	33	62
Black, both sexes.....	1,538	9	8	4	3	2	8	5	10	29	24	42
Male.....	697	4	3	3	-	1	5	4	7	13	9	20
Female.....	841	5	5	1	3	1	3	1	3	16	15	22
American Indian 1/, both sexes.....	21	-	-	-	-	-	-	-	-	-	-	1
Male.....	9	-	-	-	-	-	-	-	-	-	-	1
Female.....	12	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	272	-	1	-	1	1	-	1	-	6	2	5
Male.....	145	-	1	-	1	-	-	1	-	4	1	3
Female.....	127	-	-	-	-	1	-	-	-	2	1	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
X. Diseases of the respiratory system (J00-J98)												
Oregon												
All races, both sexes.....	2,860	5	4	-	-	1	-	1	3	8	12	31
Male.....	1,418	4	3	-	-	-	-	1	1	5	6	21
Female.....	1,442	1	1	-	-	1	-	-	2	3	6	10
White, both sexes.....	2,786	4	3	-	-	1	-	-	3	8	11	29
Male.....	1,380	3	2	-	-	-	-	-	1	5	6	21
Female.....	1,406	1	1	-	-	1	-	-	2	3	5	8
Black, both sexes.....	18	1	1	-	-	-	-	-	-	-	1	-
Male.....	9	1	1	-	-	-	-	-	-	-	-	-
Female.....	9	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	27	-	-	-	-	-	-	1	-	-	-	1
Male.....	10	-	-	-	-	-	-	1	-	-	-	-
Female.....	17	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	29	-	-	-	-	-	-	-	-	-	-	1
Male.....	19	-	-	-	-	-	-	-	-	-	-	-
Female.....	10	-	-	-	-	-	-	-	-	-	-	1
Pennsylvania												
All races, both sexes.....	12,099	21	6	7	3	7	16	10	14	36	70	129
Male.....	5,673	11	2	3	1	3	8	7	5	17	34	61
Female.....	6,426	10	4	4	2	4	8	3	9	19	36	68
White, both sexes.....	11,280	15	3	5	1	6	12	9	7	26	55	93
Male.....	5,281	9	2	1	-	3	7	6	2	12	26	45
Female.....	5,999	6	1	4	1	3	5	3	5	14	29	48
Black, both sexes.....	777	5	3	2	1	1	4	1	6	10	15	34
Male.....	371	2	-	2	1	-	1	1	3	5	8	16
Female.....	406	3	3	-	-	1	3	-	3	5	7	18
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	36	1	-	-	1	-	-	-	1	-	-	1
Male.....	19	-	-	-	-	-	-	-	-	-	-	-
Female.....	17	1	-	-	1	-	-	-	1	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

X. Diseases of the respiratory system (J00-J98)

Texas

All races, both sexes.....	13,428	50	26	13	13	18	26	37	40	64	116	201
Male.....	6,622	25	14	7	7	11	16	15	20	35	68	110
Female.....	6,806	25	12	6	6	7	10	22	20	29	48	91
White, both sexes.....	12,242	38	16	7	8	15	19	26	31	48	92	162
Male.....	6,001	19	9	4	5	8	10	12	16	24	55	90
Female.....	6,241	19	7	3	3	7	9	14	15	24	37	72
Black, both sexes.....	1,094	12	7	6	5	3	6	11	7	16	23	38
Male.....	579	6	4	3	2	3	5	3	2	11	13	20
Female.....	515	6	3	3	3	-	1	8	5	5	10	18
American Indian 1/, both sexes.....	12	-	-	-	-	-	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	80	-	3	-	-	-	1	-	2	-	1	1
Male.....	37	-	1	-	-	-	1	-	2	-	-	-
Female.....	43	-	2	-	-	-	-	-	-	-	1	1

Utah

All races, both sexes.....	1,227	3	2	-	2	-	1	4	6	8	10	25
Male.....	641	2	1	-	1	-	1	1	6	5	6	11
Female.....	586	1	1	-	1	-	-	3	-	3	4	14
White, both sexes.....	1,209	2	2	-	2	-	1	3	6	7	10	25
Male.....	630	1	1	-	1	-	1	1	6	4	6	11
Female.....	579	1	1	-	1	-	-	2	-	3	4	14
Black, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	6	1	-	-	-	-	-	-	-	-	-	-
Male.....	5	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	-	-	-	-	-	1	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

X. Diseases of the respiratory system (J00-J98)

United States

All races, both sexes.....	4,388	7,125	11,379	16,542	25,750	37,305	44,018	38,111	23,867	8,859	1,918	1
Male.....	2,462	3,806	6,080	8,918	13,597	19,216	21,452	16,877	8,854	2,690	459	1
Female.....	1,926	3,319	5,299	7,624	12,153	18,089	22,566	21,234	15,013	6,169	1,459	-
White, both sexes.....	3,476	6,011	9,960	14,779	23,438	34,260	40,844	35,501	22,156	8,177	1,704	1
Male.....	1,960	3,168	5,262	7,884	12,278	17,564	19,813	15,642	8,197	2,455	397	1
Female.....	1,516	2,843	4,698	6,895	11,160	16,696	21,031	19,859	13,959	5,722	1,307	-
Black, both sexes.....	820	968	1,223	1,495	1,871	2,391	2,406	1,921	1,232	518	167	-
Male.....	452	562	702	888	1,065	1,287	1,217	870	444	153	44	-
Female.....	368	406	521	607	806	1,104	1,189	1,051	788	365	123	-
American Indian 1/, both sexes.....	45	65	83	94	135	159	157	87	55	24	9	-
Male.....	28	32	42	47	69	77	76	36	24	10	5	-
Female.....	17	33	41	47	66	82	81	51	31	14	4	-
Asian or Pacific Islander 2/, both sexes.....	47	81	113	174	306	495	611	602	424	140	38	-
Male.....	22	44	74	99	185	288	346	329	189	72	13	-
Female.....	25	37	39	75	121	207	265	273	235	68	25	-

Alabama

All races, both sexes.....	104	182	262	410	562	697	817	611	330	111	34	-
Male.....	51	92	148	229	301	370	402	273	104	31	10	-
Female.....	53	90	114	181	261	327	415	338	226	80	24	-
White, both sexes.....	83	145	218	346	492	616	727	530	288	89	23	-
Male.....	45	72	123	191	263	325	343	231	88	23	7	-
Female.....	38	73	95	155	229	291	384	299	200	66	16	-
Black, both sexes.....	20	37	44	61	70	81	88	81	42	22	11	-
Male.....	6	20	25	35	38	45	58	42	16	8	3	-
Female.....	14	17	19	26	32	36	30	39	26	14	8	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	2	-	-	1	-	-	-	-	-
Male.....	-	-	-	2	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

X. Diseases of the respiratory system (J00-J98)

Alaska

All races, both sexes.....	8	12	21	16	44	33	45	26	13	4	1	-
Male.....	5	4	9	8	25	19	24	13	5	3	1	-
Female.....	3	8	12	8	19	14	21	13	8	1	-	-
White, both sexes.....	6	11	15	10	30	21	33	21	8	2	1	-
Male.....	3	4	5	5	17	14	19	12	3	1	1	-
Female.....	3	7	10	5	13	7	14	9	5	1	-	-
Black, both sexes.....	1	1	-	-	1	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	6	6	11	10	11	4	5	2	-	-
Male.....	1	-	4	3	6	5	4	1	2	2	-	-
Female.....	-	-	2	3	5	5	7	3	3	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	1	1	1	-	-	-	-
Male.....	-	-	-	-	2	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-

Arizona

All races, both sexes.....	88	117	190	330	493	705	891	710	402	128	16	-
Male.....	48	66	112	171	263	366	460	343	157	44	6	-
Female.....	40	51	78	159	230	339	431	367	245	84	10	-
White, both sexes.....	81	110	182	317	476	676	868	694	388	123	16	-
Male.....	44	62	107	163	253	352	444	333	151	44	6	-
Female.....	37	48	75	154	223	324	424	361	237	79	10	-
Black, both sexes.....	4	3	4	5	9	6	4	1	5	-	-	-
Male.....	1	2	3	4	6	4	2	1	3	-	-	-
Female.....	3	1	1	1	3	2	2	-	2	-	-	-
American Indian 1/, both sexes.....	3	4	2	8	8	19	16	9	7	4	-	-
Male.....	3	2	1	4	4	8	11	6	1	-	-	-
Female.....	-	2	1	4	4	11	5	3	6	4	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	-	4	3	6	2	1	-	-
Male.....	-	-	1	-	-	2	3	3	2	-	-	-
Female.....	-	-	1	-	-	2	-	3	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

X. Diseases of the respiratory system (J00-J98)

Arkansas

All races, both sexes.....	62	91	165	234	346	440	470	404	252	97	16	-
Male.....	38	50	82	119	190	247	238	192	98	32	2	-
Female.....	24	41	83	115	156	193	232	212	154	65	14	-
White, both sexes.....	48	80	145	214	322	409	448	386	236	82	13	-
Male.....	27	43	70	109	176	231	231	182	91	27	2	-
Female.....	21	37	75	105	146	178	217	204	145	55	11	-
Black, both sexes.....	14	11	19	19	23	31	20	18	15	15	3	-
Male.....	11	7	11	10	13	16	6	10	7	5	-	-
Female.....	3	4	8	9	10	15	14	8	8	10	3	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	-	1	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

California

All races, both sexes.....	434	682	968	1,437	2,470	3,721	4,682	4,073	2,549	1,006	219	-
Male.....	252	389	503	733	1,321	1,871	2,158	1,846	998	317	53	-
Female.....	182	293	465	704	1,149	1,850	2,524	2,227	1,551	689	166	-
White, both sexes.....	350	562	834	1,240	2,168	3,310	4,138	3,609	2,247	892	186	-
Male.....	207	315	425	614	1,154	1,636	1,875	1,613	864	270	43	-
Female.....	143	247	409	626	1,014	1,674	2,263	1,996	1,383	622	143	-
Black, both sexes.....	57	77	82	111	151	166	217	148	94	45	15	-
Male.....	31	50	45	65	81	86	97	64	42	10	5	-
Female.....	26	27	37	46	70	80	120	84	52	35	10	-
American Indian 1/, both sexes.....	5	10	8	12	21	10	18	7	5	1	-	-
Male.....	3	6	4	6	8	7	9	2	2	1	-	-
Female.....	2	4	4	6	13	3	9	5	3	-	-	-
Asian or Pacific Islander 2/, both sexes.....	22	33	44	74	130	235	309	309	203	68	18	-
Male.....	11	18	29	48	78	142	177	167	90	36	5	-
Female.....	11	15	15	26	52	93	132	142	113	32	13	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

X. Diseases of the respiratory system (J00-J98)

Colorado

All races, both sexes.....	76	93	184	228	358	540	623	495	295	122	23	-
Male.....	43	52	116	130	189	270	318	235	114	40	5	-
Female.....	33	41	68	98	169	270	305	260	181	82	18	-
White, both sexes.....	71	90	180	220	349	524	602	489	290	119	22	-
Male.....	42	51	113	127	183	261	308	229	112	38	5	-
Female.....	29	39	67	93	166	263	294	260	178	81	17	-
Black, both sexes.....	4	2	2	6	5	8	11	4	4	3	1	-
Male.....	1	1	2	2	3	4	6	4	2	2	-	-
Female.....	3	1	-	4	2	4	5	-	2	1	1	-
American Indian 1/, both sexes.....	-	1	1	1	3	1	1	1	1	-	-	-
Male.....	-	-	-	1	3	-	1	1	-	-	-	-
Female.....	-	1	1	-	-	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	1	1	7	9	1	-	-	-	-
Male.....	-	-	1	-	-	5	3	1	-	-	-	-
Female.....	1	-	-	1	1	2	6	-	-	-	-	-

Connecticut

All races, both sexes.....	40	78	105	156	255	420	668	620	420	180	37	-
Male.....	21	32	59	78	136	203	337	250	121	55	5	-
Female.....	19	46	46	78	119	217	331	370	299	125	32	-
White, both sexes.....	35	68	101	143	244	410	648	598	414	177	36	-
Male.....	18	26	58	67	129	198	329	241	119	54	5	-
Female.....	17	42	43	76	115	212	319	357	295	123	31	-
Black, both sexes.....	4	10	4	13	10	7	19	17	5	2	1	-
Male.....	2	6	1	11	7	4	7	7	2	-	-	-
Female.....	2	4	3	2	3	3	12	10	3	2	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	1	1	-	-	-	-
Male.....	1	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	2	-	4	1	1	-	-
Male.....	-	-	-	-	-	1	-	1	-	1	-	-
Female.....	-	-	-	-	1	1	-	3	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

X. Diseases of the respiratory system (J00-J98)

Delaware

All races, both sexes.....	9	22	33	47	89	110	113	108	57	20	3	-
Male.....	7	11	21	28	40	61	53	50	22	7	1	-
Female.....	2	11	12	19	49	49	60	58	35	13	2	-
White, both sexes.....	7	17	30	42	78	100	98	96	53	20	3	-
Male.....	6	9	20	24	34	52	45	42	20	7	1	-
Female.....	1	8	10	18	44	48	53	54	33	13	2	-
Black, both sexes.....	2	4	3	5	11	10	12	11	3	-	-	-
Male.....	1	2	1	4	6	9	6	7	1	-	-	-
Female.....	1	2	2	1	5	1	6	4	2	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	1	-	-	-
Male.....	-	-	-	-	-	-	1	1	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Dist. of Columbia

All races, both sexes.....	18	16	12	18	40	47	58	59	29	15	5	-
Male.....	10	7	10	8	23	18	31	23	14	3	2	-
Female.....	8	9	2	10	17	29	27	36	15	12	3	-
White, both sexes.....	1	1	2	5	11	9	19	21	8	5	3	-
Male.....	1	1	2	4	6	1	9	7	5	1	1	-
Female.....	-	-	-	1	5	8	10	14	3	4	2	-
Black, both sexes.....	17	15	9	13	29	36	37	37	21	10	2	-
Male.....	9	6	7	4	17	16	21	16	9	2	1	-
Female.....	8	9	2	9	12	20	16	21	12	8	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	2	2	-	-	-	-	-
Male.....	-	-	1	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

X. Diseases of the respiratory system (J00-J98)

Florida

All races, both sexes.....	251	445	750	1,132	1,772	2,534	2,947	2,460	1,501	533	116	-
Male.....	134	242	400	604	968	1,301	1,409	1,116	565	173	28	-
Female.....	117	203	350	528	804	1,233	1,538	1,344	936	360	88	-
White, both sexes.....	214	395	688	1,022	1,651	2,413	2,828	2,359	1,428	515	109	-
Male.....	113	208	360	531	895	1,234	1,345	1,062	539	167	26	-
Female.....	101	187	328	491	756	1,179	1,483	1,297	889	348	83	-
Black, both sexes.....	33	47	57	108	112	116	114	93	66	16	7	-
Male.....	21	31	37	72	67	66	63	48	23	5	2	-
Female.....	12	16	20	36	45	50	51	45	43	11	5	-
American Indian 1/, both sexes.....	2	1	1	1	2	4	3	1	-	-	-	-
Male.....	-	1	1	-	2	-	1	-	-	-	-	-
Female.....	2	-	-	1	-	4	2	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	4	1	7	1	2	7	7	2	-	-
Male.....	-	2	2	1	4	1	-	6	3	1	-	-
Female.....	2	-	2	-	3	-	2	1	4	1	-	-

Georgia

All races, both sexes.....	176	287	395	524	731	987	1,064	886	519	193	38	-
Male.....	95	155	221	293	371	490	505	370	167	52	12	-
Female.....	81	132	174	231	360	497	559	516	352	141	26	-
White, both sexes.....	116	222	317	440	619	850	943	785	451	163	30	-
Male.....	67	114	168	237	303	415	440	324	144	44	10	-
Female.....	49	108	149	203	316	435	503	461	307	119	20	-
Black, both sexes.....	59	65	77	84	108	133	116	97	68	29	8	-
Male.....	27	41	53	56	65	73	61	44	23	7	2	-
Female.....	32	24	24	28	43	60	55	53	45	22	6	-
American Indian 1/, both sexes.....	-	-	1	-	2	2	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	2	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	2	2	5	3	-	1	-	-
Male.....	1	-	-	-	2	2	4	2	-	1	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

X. Diseases of the respiratory system (J00-J98)

Illinois

All races, both sexes.....	185	258	419	673	997	1,462	1,780	1,699	1,103	407	96	-
Male.....	112	142	230	369	513	738	903	722	384	112	20	-
Female.....	73	116	189	304	484	724	877	977	719	295	76	-
White, both sexes.....	141	198	337	582	901	1,332	1,637	1,567	1,044	391	82	-
Male.....	84	113	186	312	465	676	825	664	364	109	16	-
Female.....	57	85	151	270	436	656	812	903	680	282	66	-
Black, both sexes.....	43	58	78	84	87	116	134	109	51	14	12	-
Male.....	28	27	42	52	43	53	75	45	19	2	4	-
Female.....	15	31	36	32	44	63	59	64	32	12	8	-
American Indian 1/, both sexes.....	-	1	-	-	1	1	-	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	4	7	8	13	9	22	8	2	2	-
Male.....	-	1	2	5	5	9	3	12	1	1	-	-
Female.....	1	-	2	2	3	4	6	10	7	1	2	-

Indiana

All races, both sexes.....	106	174	306	421	658	975	1,035	820	542	186	45	-
Male.....	55	93	156	218	336	498	493	345	183	52	12	-
Female.....	51	81	150	203	322	477	542	475	359	134	33	-
White, both sexes.....	98	164	284	402	628	929	1,002	796	522	181	43	-
Male.....	50	88	146	208	318	471	478	334	178	52	12	-
Female.....	48	76	138	194	310	458	524	462	344	129	31	-
Black, both sexes.....	8	9	21	19	29	39	31	23	19	5	2	-
Male.....	5	5	10	10	18	23	15	10	5	-	-	-
Female.....	3	4	11	9	11	16	16	13	14	5	2	-
American Indian 1/, both sexes.....	-	-	1	-	1	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	6	1	1	1	-	-	-
Male.....	-	-	-	-	-	4	-	1	-	-	-	-
Female.....	-	1	-	-	-	2	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

X. Diseases of the respiratory system (J00-J98)

Iowa

All races, both sexes.....	52	64	115	180	281	443	570	573	397	176	46	-
Male.....	28	34	60	90	156	247	287	276	160	49	9	-
Female.....	24	30	55	90	125	196	283	297	237	127	37	-
White, both sexes.....	46	63	115	173	277	440	565	570	393	176	45	-
Male.....	23	33	60	89	154	245	284	275	159	49	8	-
Female.....	23	30	55	84	123	195	281	295	234	127	37	-
Black, both sexes.....	6	1	-	5	4	1	3	3	2	-	1	-
Male.....	5	1	-	1	2	1	2	1	1	-	1	-
Female.....	1	-	-	4	2	-	1	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	2	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	2	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	1	-	2	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	2	-	-	-

Kansas

All races, both sexes.....	45	70	110	163	271	410	456	389	252	115	27	-
Male.....	28	33	50	84	136	220	225	152	93	39	8	-
Female.....	17	37	60	79	135	190	231	237	159	76	19	-
White, both sexes.....	37	65	104	156	259	392	443	381	250	113	27	-
Male.....	23	33	48	81	128	208	218	150	92	39	8	-
Female.....	14	32	56	75	131	184	225	231	158	74	19	-
Black, both sexes.....	8	2	6	4	9	12	11	7	2	1	-	-
Male.....	5	-	2	2	7	8	6	2	1	-	-	-
Female.....	3	2	4	2	2	4	5	5	1	1	-	-
American Indian 1/, both sexes.....	-	2	-	2	3	4	1	1	-	1	-	-
Male.....	-	-	-	1	1	4	1	-	-	-	-	-
Female.....	-	2	-	1	2	-	-	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	-	2	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	2	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

X. Diseases of the respiratory system (J00-J98)

Kentucky

All races, both sexes.....	87	150	249	378	528	677	711	589	386	135	23	-
Male.....	54	75	131	209	277	347	341	254	132	37	3	-
Female.....	33	75	118	169	251	330	370	335	254	98	20	-
White, both sexes.....	76	142	234	370	504	655	684	574	371	130	22	-
Male.....	47	72	121	204	264	334	328	248	123	35	3	-
Female.....	29	70	113	166	240	321	356	326	248	95	19	-
Black, both sexes.....	11	8	15	8	24	21	27	15	15	5	1	-
Male.....	7	3	10	5	13	13	13	6	9	2	-	-
Female.....	4	5	5	3	11	8	14	9	6	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Louisiana

All races, both sexes.....	78	120	200	277	372	522	577	508	307	109	25	-
Male.....	38	70	101	164	189	269	279	218	118	33	8	-
Female.....	40	50	99	113	183	253	298	290	189	76	17	-
White, both sexes.....	45	82	145	215	297	421	482	422	255	90	15	-
Male.....	22	45	67	124	137	211	227	176	98	27	3	-
Female.....	23	37	78	91	160	210	255	246	157	63	12	-
Black, both sexes.....	33	38	55	62	74	100	94	83	52	19	10	-
Male.....	16	25	34	40	51	57	51	40	20	6	5	-
Female.....	17	13	21	22	23	43	43	43	32	13	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	1	3	-	-	-	-
Male.....	-	-	-	-	1	1	1	2	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

X. Diseases of the respiratory system (J00-J98)

Maine

All races, both sexes.....	21	37	61	105	166	224	268	235	120	55	15	-
Male.....	15	24	37	60	78	96	141	109	48	14	4	-
Female.....	6	13	24	45	88	128	127	126	72	41	11	-
White, both sexes.....	21	37	61	101	165	222	267	234	120	55	15	-
Male.....	15	24	37	58	77	95	141	109	48	14	4	-
Female.....	6	13	24	43	88	127	126	125	72	41	11	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	3	1	2	1	1	-	-	-	-
Male.....	-	-	-	2	1	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	81	119	157	276	413	614	788	655	377	148	24	-
Male.....	42	62	91	142	213	306	353	274	115	44	5	-
Female.....	39	57	66	134	200	308	435	381	262	104	19	-
White, both sexes.....	48	75	118	207	340	531	666	571	320	123	20	-
Male.....	25	41	66	103	180	264	296	243	102	39	4	-
Female.....	23	34	52	104	160	267	370	328	218	84	16	-
Black, both sexes.....	33	43	36	67	67	78	109	70	51	24	4	-
Male.....	17	20	23	37	30	40	51	24	10	5	1	-
Female.....	16	23	13	30	37	38	58	46	41	19	3	-
American Indian 1/, both sexes.....	-	1	-	1	1	-	1	3	2	-	-	-
Male.....	-	1	-	1	1	-	-	1	1	-	-	-
Female.....	-	-	-	-	-	-	1	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	3	1	5	5	12	11	4	1	-	-
Male.....	-	-	2	1	2	2	6	6	2	-	-	-
Female.....	-	-	1	-	3	3	6	5	2	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

X. Diseases of the respiratory system (J00-J98)

Massachusetts

All races, both sexes.....	67	119	234	315	537	885	1,252	1,201	884	322	70	-
Male.....	35	73	120	193	270	458	569	493	300	82	10	-
Female.....	32	46	114	122	267	427	683	708	584	240	60	-
White, both sexes.....	59	113	214	300	518	857	1,227	1,172	857	318	70	-
Male.....	32	68	110	183	257	441	554	478	292	81	10	-
Female.....	27	45	104	117	261	416	673	694	565	237	60	-
Black, both sexes.....	8	4	17	11	12	22	14	20	17	1	-	-
Male.....	3	3	7	7	9	13	8	8	6	1	-	-
Female.....	5	1	10	4	3	9	6	12	11	-	-	-
American Indian 1/, both sexes.....	-	2	1	-	1	1	1	-	-	2	-	-
Male.....	-	2	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	2	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	4	6	5	10	9	10	1	-	-
Male.....	-	-	2	3	4	4	6	7	2	-	-	-
Female.....	-	-	-	1	2	1	4	2	8	1	-	-

Michigan

All races, both sexes.....	140	270	409	551	866	1,307	1,487	1,273	766	322	65	-
Male.....	73	155	211	275	422	658	756	550	300	101	19	-
Female.....	67	115	198	276	444	649	731	723	466	221	46	-
White, both sexes.....	98	222	357	491	785	1,202	1,379	1,191	710	302	62	-
Male.....	51	126	181	243	374	598	698	513	275	90	18	-
Female.....	47	96	176	248	411	604	681	678	435	212	44	-
Black, both sexes.....	42	46	45	54	71	94	99	74	50	19	3	-
Male.....	22	27	27	28	44	54	52	32	21	11	1	-
Female.....	20	19	18	26	27	40	47	42	29	8	2	-
American Indian 1/, both sexes.....	-	1	4	3	10	6	6	4	-	-	-	-
Male.....	-	1	3	2	4	2	3	2	-	-	-	-
Female.....	-	-	1	1	6	4	3	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	3	3	-	5	3	4	6	1	-	-
Male.....	-	1	-	2	-	4	3	3	4	-	-	-
Female.....	-	-	3	1	-	1	-	1	2	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

X. Diseases of the respiratory system (J00-J98)

Nebraska

All races, both sexes.....	15	50	74	107	162	246	303	283	156	56	17	-
Male.....	8	30	33	57	98	129	150	137	62	18	5	-
Female.....	7	20	41	50	64	117	153	146	94	38	12	-
White, both sexes.....	15	45	71	104	157	242	292	279	155	56	17	-
Male.....	8	26	30	56	94	127	147	136	62	18	5	-
Female.....	7	19	41	48	63	115	145	143	93	38	12	-
Black, both sexes.....	-	4	3	2	5	4	8	3	1	-	-	-
Male.....	-	4	3	1	4	2	1	1	-	-	-	-
Female.....	-	-	-	1	1	2	7	2	1	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	2	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	37	70	128	173	251	336	366	246	120	35	3	-
Male.....	24	37	76	85	124	168	183	108	52	11	-	-
Female.....	13	33	52	88	127	168	183	138	68	24	3	-
White, both sexes.....	32	63	125	162	239	319	341	233	112	31	3	-
Male.....	20	33	75	81	118	159	171	99	50	9	-	-
Female.....	12	30	50	81	121	160	170	134	62	22	3	-
Black, both sexes.....	4	5	3	5	6	7	14	7	4	2	-	-
Male.....	3	3	1	2	4	4	5	5	-	1	-	-
Female.....	1	2	2	3	2	3	9	2	4	1	-	-
American Indian 1/, both sexes.....	1	-	-	1	1	2	3	1	1	1	-	-
Male.....	1	-	-	1	-	2	3	1	1	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	5	5	8	8	5	3	1	-	-
Male.....	-	1	-	1	2	3	4	3	1	1	-	-
Female.....	-	1	-	4	3	5	4	2	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

X. Diseases of the respiratory system (J00-J98)

New Hampshire

All races, both sexes.....	16	28	51	66	124	147	206	204	128	55	9	-
Male.....	9	15	32	34	58	77	98	86	37	13	-	-
Female.....	7	13	19	32	66	70	108	118	91	42	9	-
White, both sexes.....	16	28	51	66	124	147	205	204	128	55	9	-
Male.....	9	15	32	34	58	77	97	86	37	13	-	-
Female.....	7	13	19	32	66	70	108	118	91	42	9	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	82	157	255	346	644	919	1,200	1,108	687	281	60	-
Male.....	45	79	129	176	347	469	552	456	250	83	18	-
Female.....	37	78	126	170	297	450	648	652	437	198	42	-
White, both sexes.....	66	126	213	291	561	836	1,120	1,035	657	267	53	-
Male.....	35	62	110	148	294	428	507	429	243	82	16	-
Female.....	31	64	103	143	267	408	613	606	414	185	37	-
Black, both sexes.....	15	28	41	45	72	66	65	61	25	11	5	-
Male.....	10	15	18	22	43	32	36	22	6	1	-	-
Female.....	5	13	23	23	29	34	29	39	19	10	5	-
American Indian 1/, both sexes.....	-	-	-	1	1	2	1	2	-	-	-	-
Male.....	-	-	-	1	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	1	9	10	15	14	10	5	3	2	-
Male.....	-	2	1	5	9	8	8	5	1	-	2	-
Female.....	1	1	-	4	1	7	6	5	4	3	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

X. Diseases of the respiratory system (J00-J98)

New Mexico

All races, both sexes.....	28	54	59	100	147	227	238	217	144	52	14	-
Male.....	14	28	33	58	94	116	127	114	67	19	5	-
Female.....	14	26	26	42	53	111	111	103	77	33	9	-
White, both sexes.....	23	48	56	93	143	211	227	205	136	49	9	-
Male.....	11	24	32	56	92	105	123	106	63	18	2	-
Female.....	12	24	24	37	51	106	104	99	73	31	7	-
Black, both sexes.....	2	3	-	2	1	2	2	2	1	-	-	-
Male.....	1	2	-	1	-	2	2	1	-	-	-	-
Female.....	1	1	-	1	1	-	-	1	1	-	-	-
American Indian 1/, both sexes.....	3	3	3	5	3	13	9	10	7	3	5	-
Male.....	2	2	1	1	2	8	2	7	4	1	3	-
Female.....	1	1	2	4	1	5	7	3	3	2	2	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	276	412	629	913	1,425	2,266	2,797	2,612	1,755	674	140	-
Male.....	159	218	329	479	707	1,166	1,324	1,066	607	189	37	-
Female.....	117	194	300	434	718	1,100	1,473	1,546	1,148	485	103	-
White, both sexes.....	198	319	502	768	1,249	1,992	2,505	2,384	1,581	611	121	-
Male.....	111	171	255	403	612	1,036	1,183	975	564	170	31	-
Female.....	87	148	247	365	637	956	1,322	1,409	1,017	441	90	-
Black, both sexes.....	76	82	117	124	140	228	239	191	128	54	15	-
Male.....	46	41	67	67	70	111	108	71	28	14	5	-
Female.....	30	41	50	57	70	117	131	120	100	40	10	-
American Indian 1/, both sexes.....	-	2	-	5	2	5	4	-	2	-	-	-
Male.....	-	1	-	2	-	2	2	-	1	-	-	-
Female.....	-	1	-	3	2	3	2	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	9	10	16	34	41	49	37	44	9	4	-
Male.....	2	5	7	7	25	17	31	20	14	5	1	-
Female.....	-	4	3	9	9	24	18	17	30	4	3	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

X. Diseases of the respiratory system (J00-J98)

Ohio

All races, both sexes.....	212	294	507	761	1,222	1,798	2,028	1,686	953	344	53	-
Male.....	118	153	285	401	640	901	952	747	343	92	14	-
Female.....	94	141	222	360	582	897	1,076	939	610	252	39	-
White, both sexes.....	169	257	446	702	1,130	1,676	1,923	1,599	902	322	50	-
Male.....	96	128	250	366	584	838	896	703	323	87	14	-
Female.....	73	129	196	336	546	838	1,027	896	579	235	36	-
Black, both sexes.....	42	36	60	59	86	119	102	86	50	21	3	-
Male.....	22	25	34	35	52	62	55	43	19	5	-	-
Female.....	20	11	26	24	34	57	47	43	31	16	3	-
American Indian 1/, both sexes.....	-	-	1	-	1	1	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	5	2	2	1	1	1	-	-
Male.....	-	-	-	-	4	1	1	1	1	-	-	-
Female.....	1	1	-	-	1	1	1	-	-	1	-	-

Oklahoma

All races, both sexes.....	84	128	222	269	444	548	641	474	313	101	26	-
Male.....	43	69	112	139	231	261	329	216	131	32	3	-
Female.....	41	59	110	130	213	287	312	258	182	69	23	-
White, both sexes.....	69	104	200	249	408	512	592	448	294	92	24	-
Male.....	36	52	100	125	213	242	304	212	124	30	2	-
Female.....	33	52	100	124	195	270	288	236	170	62	22	-
Black, both sexes.....	7	9	6	8	16	12	21	12	11	6	-	-
Male.....	2	9	4	6	8	7	13	4	4	-	-	-
Female.....	5	-	2	2	8	5	8	8	7	6	-	-
American Indian 1/, both sexes.....	8	14	16	12	20	24	28	13	7	3	2	-
Male.....	5	7	8	8	10	12	12	-	3	2	1	-
Female.....	3	7	8	4	10	12	16	13	4	1	1	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	1	1	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

X. Diseases of the respiratory system (J00-J98)

Oregon

All races, both sexes.....	46	90	146	235	346	466	552	463	312	111	28	-
Male.....	27	47	79	130	172	231	261	240	136	47	7	-
Female.....	19	43	67	105	174	235	291	223	176	64	21	-
White, both sexes.....	44	85	142	224	341	455	545	452	304	109	26	-
Male.....	26	43	76	128	170	226	260	231	131	45	6	-
Female.....	18	42	66	96	171	229	285	221	173	64	20	-
Black, both sexes.....	1	-	2	4	2	2	-	2	2	-	-	-
Male.....	1	-	2	1	-	1	-	2	-	-	-	-
Female.....	-	-	-	3	2	1	-	-	2	-	-	-
American Indian 1/, both sexes.....	1	3	1	6	-	5	3	3	1	2	-	-
Male.....	-	2	-	1	-	1	-	2	1	2	-	-
Female.....	1	1	1	5	-	4	3	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	1	3	4	4	6	5	-	2	-
Male.....	-	2	1	-	2	3	1	5	4	-	1	-
Female.....	-	-	-	1	1	1	3	1	1	-	1	-

Pennsylvania

All races, both sexes.....	170	310	482	704	1,320	2,080	2,431	2,359	1,361	473	90	-
Male.....	95	163	262	389	702	1,061	1,159	1,051	485	138	16	-
Female.....	75	147	220	315	618	1,019	1,272	1,308	876	335	74	-
White, both sexes.....	141	261	429	646	1,225	1,947	2,294	2,268	1,308	444	85	-
Male.....	82	135	237	358	650	991	1,100	1,005	466	129	15	-
Female.....	59	126	192	288	575	956	1,194	1,263	842	315	70	-
Black, both sexes.....	25	46	52	55	89	125	133	89	48	28	5	-
Male.....	11	25	25	29	50	65	57	44	16	9	1	-
Female.....	14	21	27	26	39	60	76	45	32	19	4	-
American Indian 1/, both sexes.....	-	1	-	-	-	3	1	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	2	1	3	6	5	3	2	5	1	-	-
Male.....	2	2	-	2	2	4	2	2	3	-	-	-
Female.....	2	-	1	1	4	1	1	-	2	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

X. Diseases of the respiratory system (J00-J98)

Rhode Island

All races, both sexes.....	15	16	34	50	86	148	189	187	94	35	14	-
Male.....	8	9	17	34	40	74	89	89	31	9	4	-
Female.....	7	7	17	16	46	74	100	98	63	26	10	-
White, both sexes.....	15	16	31	50	84	145	185	184	94	33	13	-
Male.....	8	9	16	34	40	72	87	88	31	8	3	-
Female.....	7	7	15	16	44	73	98	96	63	25	10	-
Black, both sexes.....	-	-	3	-	2	3	2	3	-	2	1	-
Male.....	-	-	1	-	-	2	1	1	-	1	1	-
Female.....	-	-	2	-	2	1	1	2	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

South Carolina

All races, both sexes.....	88	161	238	289	397	566	600	478	284	96	21	-
Male.....	47	76	134	167	203	333	310	220	105	32	6	-
Female.....	41	85	104	122	194	233	290	258	179	64	15	-
White, both sexes.....	59	121	185	234	338	477	520	410	243	79	19	-
Male.....	35	55	100	131	167	273	268	186	89	26	5	-
Female.....	24	66	85	103	171	204	252	224	154	53	14	-
Black, both sexes.....	27	39	53	55	57	87	79	68	40	16	2	-
Male.....	11	21	34	36	36	59	41	34	16	6	1	-
Female.....	16	18	19	19	21	28	38	34	24	10	1	-
American Indian 1/, both sexes.....	2	1	-	-	1	2	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	1	-	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	1	1	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

X. Diseases of the respiratory system (J00-J98)

South Dakota

All races, both sexes.....	11	6	25	39	60	113	143	136	81	28	12	-
Male.....	7	4	12	29	32	61	75	63	32	13	2	-
Female.....	4	2	13	10	28	52	68	73	49	15	10	-
White, both sexes.....	8	5	18	35	53	106	141	130	80	27	12	-
Male.....	6	3	9	25	27	57	74	59	31	13	2	-
Female.....	2	2	9	10	26	49	67	71	49	14	10	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	1	7	4	6	7	2	6	1	1	-	-
Male.....	1	1	3	4	4	4	1	4	1	-	-	-
Female.....	2	-	4	-	2	3	1	2	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	141	248	342	490	659	916	991	788	532	185	41	-
Male.....	80	116	169	268	356	467	492	324	206	57	7	-
Female.....	61	132	173	222	303	449	499	464	326	128	34	-
White, both sexes.....	117	224	307	440	614	855	942	720	502	168	34	-
Male.....	66	104	152	240	332	439	469	294	192	52	5	-
Female.....	51	120	155	200	282	416	473	426	310	116	29	-
Black, both sexes.....	24	23	35	50	45	59	48	66	30	17	7	-
Male.....	14	12	17	28	24	28	23	30	14	5	2	-
Female.....	10	11	18	22	21	31	25	36	16	12	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	2	1	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	2	1	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

X. Diseases of the respiratory system (J00-J98)

Texas

All races, both sexes.....	316	458	785	1,139	1,649	2,303	2,447	1,958	1,243	430	95	1
Male.....	177	264	419	612	892	1,174	1,230	870	497	129	29	1
Female.....	139	194	366	527	757	1,129	1,217	1,088	746	301	66	-
White, both sexes.....	254	402	693	1,026	1,508	2,118	2,317	1,831	1,157	390	83	1
Male.....	141	228	368	545	807	1,069	1,159	821	466	118	26	1
Female.....	113	174	325	481	701	1,049	1,158	1,010	691	272	57	-
Black, both sexes.....	60	50	87	108	127	171	117	121	73	38	8	-
Male.....	35	33	50	64	82	98	62	48	24	10	1	-
Female.....	25	17	37	44	45	73	55	73	49	28	7	-
American Indian 1/, both sexes.....	2	3	1	-	1	1	1	-	3	-	-	-
Male.....	1	1	-	-	-	-	1	-	2	-	-	-
Female.....	1	2	1	-	1	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	4	5	13	13	12	6	10	2	4	-
Male.....	-	2	1	3	3	7	8	1	5	1	2	-
Female.....	-	1	3	2	10	6	4	5	5	1	2	-

Utah

All races, both sexes.....	19	30	77	111	160	178	238	189	118	41	5	-
Male.....	9	18	38	62	89	96	133	91	47	21	3	-
Female.....	10	12	39	49	71	82	105	98	71	20	2	-
White, both sexes.....	19	30	74	111	158	174	233	188	118	41	5	-
Male.....	9	18	37	62	87	95	129	90	47	21	3	-
Female.....	10	12	37	49	71	79	104	98	71	20	2	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	2	-	1	1	1	-	-	-	-	-
Male.....	-	-	1	-	1	1	1	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	3	3	1	-	-	-	-
Male.....	-	-	-	-	1	-	3	1	-	-	-	-
Female.....	-	-	1	-	-	3	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

X. Diseases of the respiratory system (J00-J98)

Vermont

All races, both sexes.....	6	13	17	30	61	74	89	79	63	30	7	-
Male.....	3	10	10	15	33	43	51	42	19	10	1	-
Female.....	3	3	7	15	28	31	38	37	44	20	6	-
White, both sexes.....	6	13	17	30	61	73	89	79	63	30	7	-
Male.....	3	10	10	15	33	42	51	42	19	10	1	-
Female.....	3	3	7	15	28	31	38	37	44	20	6	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	96	181	294	431	645	891	1,094	888	545	204	48	-
Male.....	58	95	146	253	357	440	523	377	214	56	10	-
Female.....	38	86	148	178	288	451	571	511	331	148	38	-
White, both sexes.....	67	132	242	363	559	770	955	793	483	179	40	-
Male.....	42	69	118	211	307	382	447	330	188	48	9	-
Female.....	25	63	124	152	252	388	508	463	295	131	31	-
Black, both sexes.....	27	48	49	66	83	113	130	89	55	22	8	-
Male.....	16	25	25	41	47	56	72	43	22	6	1	-
Female.....	11	23	24	25	36	57	58	46	33	16	7	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	3	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	3	2	3	8	6	6	7	3	-	-
Male.....	-	1	3	1	3	2	3	4	4	2	-	-
Female.....	1	-	-	1	-	6	3	2	3	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

X. Diseases of the respiratory system (J00-J98)

Washington

All races, both sexes.....	84	135	214	294	464	669	833	708	446	145	34	-
Male.....	48	60	105	157	243	347	400	324	183	57	9	-
Female.....	36	75	109	137	221	322	433	384	263	88	25	-
White, both sexes.....	79	121	203	279	439	633	798	684	436	139	32	-
Male.....	45	55	100	150	229	329	381	315	177	54	9	-
Female.....	34	66	103	129	210	304	417	369	259	85	23	-
Black, both sexes.....	4	7	3	4	7	11	7	3	2	2	-	-
Male.....	2	4	1	2	4	6	4	2	1	1	-	-
Female.....	2	3	2	2	3	5	3	1	1	1	-	-
American Indian 1/, both sexes.....	-	3	5	6	8	7	8	1	2	1	-	-
Male.....	-	1	3	3	4	5	4	-	1	1	-	-
Female.....	-	2	2	3	4	2	4	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	4	3	5	10	18	20	20	6	3	2	-
Male.....	1	-	1	2	6	7	11	7	4	1	-	-
Female.....	-	4	2	3	4	11	9	13	2	2	2	-

West Virginia

All races, both sexes.....	46	76	125	191	274	383	420	346	192	57	5	-
Male.....	23	41	69	109	137	219	202	167	81	15	1	-
Female.....	23	35	56	82	137	164	218	179	111	42	4	-
White, both sexes.....	45	76	124	184	268	372	411	336	185	56	5	-
Male.....	23	41	68	103	135	212	199	160	74	15	1	-
Female.....	22	35	56	81	133	160	212	176	111	41	4	-
Black, both sexes.....	1	-	1	6	6	11	8	10	7	1	-	-
Male.....	-	-	1	5	2	7	3	7	7	-	-	-
Female.....	1	-	-	1	4	4	5	3	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other diseases of the respiratory system (J10-J98)												
Arkansas												
All races, both sexes.....	2,670	6	4	4	1	1	4	3	9	12	24	26
Male.....	1,339	5	4	4	1	-	1	2	7	6	9	12
Female.....	1,331	1	-	-	-	1	3	1	2	6	15	14
White, both sexes.....	2,442	4	1	2	1	1	3	1	5	12	16	14
Male.....	1,219	3	1	2	1	-	1	-	5	6	6	5
Female.....	1,223	1	-	-	-	1	2	1	-	6	10	9
Black, both sexes.....	222	2	3	2	-	-	1	2	4	-	8	12
Male.....	117	2	3	2	-	-	-	2	2	-	3	7
Female.....	105	-	-	-	-	-	1	-	2	-	5	5
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	22,928	56	32	13	15	17	28	21	43	68	139	274
Male.....	10,829	31	15	7	11	12	18	12	31	40	75	143
Female.....	12,099	25	17	6	4	5	10	9	12	28	64	131
White, both sexes.....	20,046	42	21	7	11	11	17	15	32	59	108	204
Male.....	9,297	23	8	3	8	8	13	7	21	33	56	107
Female.....	10,749	19	13	4	3	3	4	8	11	26	52	97
Black, both sexes.....	1,287	7	6	5	3	5	7	3	11	7	19	51
Male.....	649	5	3	3	2	3	3	3	10	5	11	25
Female.....	638	2	3	2	1	2	4	-	1	2	8	26
American Indian 1/, both sexes.....	102	-	-	-	-	-	-	1	-	-	2	3
Male.....	51	-	-	-	-	-	-	-	-	-	2	2
Female.....	51	-	-	-	-	-	-	1	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	1,493	7	5	1	1	1	4	2	-	2	10	16
Male.....	832	3	4	1	1	1	2	2	-	2	6	9
Female.....	661	4	1	-	-	-	2	-	-	-	4	7

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other diseases of the respiratory system (J10-J98)

Colorado

All races, both sexes.....	3,143	11	2	1	3	2	4	2	5	13	25	42
Male.....	1,569	8	-	1	-	-	2	1	3	6	9	28
Female.....	1,574	3	2	-	3	2	2	1	2	7	16	14
White, both sexes.....	3,055	9	2	1	3	1	4	2	5	12	24	40
Male.....	1,523	7	-	1	-	-	2	1	3	6	9	26
Female.....	1,532	2	2	-	3	1	2	1	2	6	15	14
Black, both sexes.....	57	2	-	-	-	1	-	-	-	1	1	2
Male.....	30	1	-	-	-	-	-	-	-	-	-	2
Female.....	27	1	-	-	-	1	-	-	-	1	1	-
American Indian 1/, both sexes.....	10	-	-	-	-	-	-	-	-	-	-	-
Male.....	6	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	21	-	-	-	-	-	-	-	-	-	-	-
Male.....	10	-	-	-	-	-	-	-	-	-	-	-
Female.....	11	-	-	-	-	-	-	-	-	-	-	-

Connecticut

All races, both sexes.....	3,045	2	2	1	1	3	2	4	2	12	12	25
Male.....	1,333	2	1	1	-	2	1	2	-	8	7	12
Female.....	1,712	-	1	-	1	1	1	2	2	4	5	13
White, both sexes.....	2,930	1	2	1	1	2	2	3	2	10	12	20
Male.....	1,276	1	1	1	-	2	1	2	-	7	7	10
Female.....	1,654	-	1	-	1	-	1	1	2	3	5	10
Black, both sexes.....	100	1	-	-	-	-	-	1	-	2	-	4
Male.....	50	1	-	-	-	-	-	-	-	1	-	1
Female.....	50	-	-	-	-	-	-	1	-	1	-	3
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	-	-	-	1	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other diseases of the respiratory system (J10-J98)												
Kentucky												
All races, both sexes.....	4,048	10	3	-	1	3	9	4	6	18	25	57
Male.....	1,931	4	2	-	1	2	5	2	3	7	11	34
Female.....	2,117	6	1	-	-	1	4	2	3	11	14	23
White, both sexes.....	3,884	9	1	-	1	2	8	3	6	16	23	54
Male.....	1,843	3	1	-	1	1	4	2	3	7	11	31
Female.....	2,041	6	-	-	-	1	4	1	3	9	12	23
Black, both sexes.....	162	-	2	-	-	1	1	1	-	2	2	3
Male.....	87	-	1	-	-	1	1	-	-	-	-	3
Female.....	75	-	1	-	-	-	-	1	-	2	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Louisiana												
All races, both sexes.....	3,273	20	7	3	4	8	14	9	6	11	40	56
Male.....	1,590	15	3	2	2	3	7	5	4	5	22	35
Female.....	1,683	5	4	1	2	5	7	4	2	6	18	21
White, both sexes.....	2,572	9	4	1	2	4	10	4	5	4	22	38
Male.....	1,193	7	1	-	-	2	5	1	3	2	13	22
Female.....	1,379	2	3	1	2	2	5	3	2	2	9	16
Black, both sexes.....	693	11	3	2	2	4	3	5	1	7	18	17
Male.....	391	8	2	2	2	1	2	4	1	3	9	12
Female.....	302	3	1	-	-	3	1	1	-	4	9	5
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	-	1	-	-	-	-	1
Male.....	6	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other diseases of the respiratory system (J10-J98)

Massachusetts

All races, both sexes.....	6,002	9	1	2	3	5	7	8	5	12	18	49
Male.....	2,677	4	-	2	3	3	4	6	3	10	7	33
Female.....	3,325	5	1	-	-	2	3	2	2	2	11	16
White, both sexes.....	5,803	5	1	1	1	4	7	8	4	11	17	42
Male.....	2,568	2	-	1	1	3	4	6	2	9	6	29
Female.....	3,235	3	1	-	-	1	3	2	2	2	11	13
Black, both sexes.....	141	4	-	-	2	1	-	-	-	1	1	6
Male.....	74	2	-	-	2	-	-	-	-	1	1	3
Female.....	67	2	-	-	-	1	-	-	-	-	-	3
American Indian 1/, both sexes.....	8	-	-	-	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	50	-	-	1	-	-	-	-	1	-	-	1
Male.....	31	-	-	1	-	-	-	-	1	-	-	1
Female.....	19	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	7,758	19	13	4	10	11	11	11	15	31	69	110
Male.....	3,677	9	4	4	5	5	9	8	8	16	36	54
Female.....	4,081	10	9	-	5	6	2	3	7	15	33	56
White, both sexes.....	6,985	7	7	-	2	3	9	4	4	20	57	75
Male.....	3,268	5	4	-	1	1	8	3	3	10	31	36
Female.....	3,717	2	3	-	1	2	1	1	1	10	26	39
Black, both sexes.....	706	12	6	4	7	8	1	7	10	10	12	32
Male.....	373	4	-	4	4	4	-	5	5	5	5	18
Female.....	333	8	6	-	3	4	1	2	5	5	7	14
American Indian 1/, both sexes.....	37	-	-	-	-	-	1	-	-	-	-	2
Male.....	18	-	-	-	-	-	1	-	-	-	-	-
Female.....	19	-	-	-	-	-	-	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	30	-	-	-	1	-	-	-	1	1	-	1
Male.....	18	-	-	-	-	-	-	-	-	1	-	-
Female.....	12	-	-	-	1	-	-	-	1	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other diseases of the respiratory system (J10-J98)												
New Mexico												
All races, both sexes.....	1,319	4	1	2	-	2	-	2	5	4	7	12
Male.....	696	1	-	1	-	2	-	-	4	4	6	3
Female.....	623	3	1	1	-	-	-	2	1	-	1	9
White, both sexes.....	1,229	1	1	1	-	2	-	2	4	2	6	10
Male.....	647	-	-	1	-	2	-	-	3	2	5	2
Female.....	582	1	1	-	-	-	-	2	1	-	1	8
Black, both sexes.....	17	-	-	-	-	-	-	-	-	1	1	-
Male.....	11	-	-	-	-	-	-	-	-	1	1	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	72	3	-	1	-	-	-	-	1	1	-	2
Male.....	37	1	-	-	-	-	-	-	1	1	-	1
Female.....	35	2	-	1	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	14,392	25	18	5	14	15	21	25	33	73	105	167
Male.....	6,537	14	10	4	8	8	14	12	18	35	57	81
Female.....	7,855	11	8	1	6	7	7	13	15	38	48	86
White, both sexes.....	12,566	16	9	1	10	12	13	19	23	38	79	119
Male.....	5,690	10	6	1	7	7	9	7	11	18	47	57
Female.....	6,876	6	3	-	3	5	4	12	12	20	32	62
Black, both sexes.....	1,533	9	8	4	3	2	8	5	10	29	24	42
Male.....	693	4	3	3	-	1	5	4	7	13	9	20
Female.....	840	5	5	1	3	1	3	1	3	16	15	22
American Indian 1/, both sexes.....	21	-	-	-	-	-	-	-	-	-	-	1
Male.....	9	-	-	-	-	-	-	-	-	-	-	1
Female.....	12	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	272	-	1	-	1	1	-	1	-	6	2	5
Male.....	145	-	1	-	1	-	-	1	-	4	1	3
Female.....	127	-	-	-	-	1	-	-	-	2	1	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other diseases of the respiratory system (J10-J98)												
Oregon												
All races, both sexes.....	2,855	5	2	-	-	1	-	1	3	8	12	31
Male.....	1,414	4	2	-	-	-	-	1	1	5	6	21
Female.....	1,441	1	-	-	-	1	-	-	2	3	6	10
White, both sexes.....	2,781	4	1	-	-	1	-	-	3	8	11	29
Male.....	1,376	3	1	-	-	-	-	-	1	5	6	21
Female.....	1,405	1	-	-	-	1	-	-	2	3	5	8
Black, both sexes.....	18	1	1	-	-	-	-	-	-	-	1	-
Male.....	9	1	1	-	-	-	-	-	-	-	-	-
Female.....	9	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	27	-	-	-	-	-	-	1	-	-	-	1
Male.....	10	-	-	-	-	-	-	1	-	-	-	-
Female.....	17	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	29	-	-	-	-	-	-	-	-	-	-	1
Male.....	19	-	-	-	-	-	-	-	-	-	-	-
Female.....	10	-	-	-	-	-	-	-	-	-	-	1
Pennsylvania												
All races, both sexes.....	12,096	21	6	7	3	7	16	10	14	36	70	129
Male.....	5,672	11	2	3	1	3	8	7	5	17	34	61
Female.....	6,424	10	4	4	2	4	8	3	9	19	36	68
White, both sexes.....	11,277	15	3	5	1	6	12	9	7	26	55	93
Male.....	5,280	9	2	1	-	3	7	6	2	12	26	45
Female.....	5,997	6	1	4	1	3	5	3	5	14	29	48
Black, both sexes.....	777	5	3	2	1	1	4	1	6	10	15	34
Male.....	371	2	-	2	1	-	1	1	3	5	8	16
Female.....	406	3	3	-	-	1	3	-	3	5	7	18
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	36	1	-	-	1	-	-	-	1	-	-	1
Male.....	19	-	-	-	-	-	-	-	-	-	-	-
Female.....	17	1	-	-	1	-	-	-	1	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other diseases of the respiratory system (J10-J98)

Texas

All races, both sexes.....	13,425	50	26	13	13	18	26	37	40	64	116	201
Male.....	6,620	25	14	7	7	11	16	15	20	35	68	110
Female.....	6,805	25	12	6	6	7	10	22	20	29	48	91
White, both sexes.....	12,240	38	16	7	8	15	19	26	31	48	92	162
Male.....	6,000	19	9	4	5	8	10	12	16	24	55	90
Female.....	6,240	19	7	3	3	7	9	14	15	24	37	72
Black, both sexes.....	1,093	12	7	6	5	3	6	11	7	16	23	38
Male.....	578	6	4	3	2	3	5	3	2	11	13	20
Female.....	515	6	3	3	3	-	1	8	5	5	10	18
American Indian 1/, both sexes.....	12	-	-	-	-	-	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	80	-	3	-	-	-	1	-	2	-	1	1
Male.....	37	-	1	-	-	-	1	-	2	-	-	-
Female.....	43	-	2	-	-	-	-	-	-	-	1	1

Utah

All races, both sexes.....	1,227	3	2	-	2	-	1	4	6	8	10	25
Male.....	641	2	1	-	1	-	1	1	6	5	6	11
Female.....	586	1	1	-	1	-	-	3	-	3	4	14
White, both sexes.....	1,209	2	2	-	2	-	1	3	6	7	10	25
Male.....	630	1	1	-	1	-	1	1	6	4	6	11
Female.....	579	1	1	-	1	-	-	2	-	3	4	14
Black, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	6	1	-	-	-	-	-	-	-	-	-	-
Male.....	5	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	-	-	-	-	-	1	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of the respiratory system (J10-J98)

United States

All races, both sexes.....	4,383	7,118	11,372	16,536	25,745	37,294	44,003	38,100	23,856	8,849	1,910	1
Male.....	2,460	3,800	6,079	8,917	13,593	19,212	21,446	16,872	8,852	2,688	458	1
Female.....	1,923	3,318	5,293	7,619	12,152	18,082	22,557	21,228	15,004	6,161	1,452	-
White, both sexes.....	3,472	6,006	9,953	14,774	23,434	34,249	40,830	35,491	22,145	8,169	1,698	1
Male.....	1,959	3,164	5,261	7,883	12,275	17,560	19,808	15,638	8,195	2,454	396	1
Female.....	1,513	2,842	4,692	6,891	11,159	16,689	21,022	19,853	13,950	5,715	1,302	-
Black, both sexes.....	819	967	1,223	1,494	1,870	2,391	2,405	1,920	1,232	517	166	-
Male.....	451	561	702	888	1,064	1,287	1,216	869	444	153	44	-
Female.....	368	406	521	606	806	1,104	1,189	1,051	788	364	122	-
American Indian 1/, both sexes.....	45	64	83	94	135	159	157	87	55	24	9	-
Male.....	28	31	42	47	69	77	76	36	24	10	5	-
Female.....	17	33	41	47	66	82	81	51	31	14	4	-
Asian or Pacific Islander 2/, both sexes.....	47	81	113	174	306	495	611	602	424	139	37	-
Male.....	22	44	74	99	185	288	346	329	189	71	13	-
Female.....	25	37	39	75	121	207	265	273	235	68	24	-

Alabama

All races, both sexes.....	104	182	262	408	562	697	817	611	330	111	34	-
Male.....	51	92	148	229	301	370	402	273	104	31	10	-
Female.....	53	90	114	179	261	327	415	338	226	80	24	-
White, both sexes.....	83	145	218	344	492	616	727	530	288	89	23	-
Male.....	45	72	123	191	263	325	343	231	88	23	7	-
Female.....	38	73	95	153	229	291	384	299	200	66	16	-
Black, both sexes.....	20	37	44	61	70	81	88	81	42	22	11	-
Male.....	6	20	25	35	38	45	58	42	16	8	3	-
Female.....	14	17	19	26	32	36	30	39	26	14	8	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	2	-	-	1	-	-	-	-	-
Male.....	-	-	-	2	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of the respiratory system (J10-J98)

Alaska

All races, both sexes.....	8	12	21	16	44	33	45	26	13	4	1	-
Male.....	5	4	9	8	25	19	24	13	5	3	1	-
Female.....	3	8	12	8	19	14	21	13	8	1	-	-
White, both sexes.....	6	11	15	10	30	21	33	21	8	2	1	-
Male.....	3	4	5	5	17	14	19	12	3	1	1	-
Female.....	3	7	10	5	13	7	14	9	5	1	-	-
Black, both sexes.....	1	1	-	-	1	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	6	6	11	10	11	4	5	2	-	-
Male.....	1	-	4	3	6	5	4	1	2	2	-	-
Female.....	-	-	2	3	5	5	7	3	3	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	1	1	1	-	-	-	-
Male.....	-	-	-	-	2	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-

Arizona

All races, both sexes.....	88	117	190	330	493	705	891	710	402	128	16	-
Male.....	48	66	112	171	263	366	460	343	157	44	6	-
Female.....	40	51	78	159	230	339	431	367	245	84	10	-
White, both sexes.....	81	110	182	317	476	676	868	694	388	123	16	-
Male.....	44	62	107	163	253	352	444	333	151	44	6	-
Female.....	37	48	75	154	223	324	424	361	237	79	10	-
Black, both sexes.....	4	3	4	5	9	6	4	1	5	-	-	-
Male.....	1	2	3	4	6	4	2	1	3	-	-	-
Female.....	3	1	1	1	3	2	2	-	2	-	-	-
American Indian 1/, both sexes.....	3	4	2	8	8	19	16	9	7	4	-	-
Male.....	3	2	1	4	4	8	11	6	1	-	-	-
Female.....	-	2	1	4	4	11	5	3	6	4	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	-	4	3	6	2	1	-	-
Male.....	-	-	1	-	-	2	3	3	2	-	-	-
Female.....	-	-	1	-	-	2	-	3	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of the respiratory system (J10-J98)												
Arkansas												
All races, both sexes.....	62	91	165	234	346	440	469	404	252	97	16	-
Male.....	38	50	82	119	190	247	238	192	98	32	2	-
Female.....	24	41	83	115	156	193	231	212	154	65	14	-
White, both sexes.....	48	80	145	214	322	409	447	386	236	82	13	-
Male.....	27	43	70	109	176	231	231	182	91	27	2	-
Female.....	21	37	75	105	146	178	216	204	145	55	11	-
Black, both sexes.....	14	11	19	19	23	31	20	18	15	15	3	-
Male.....	11	7	11	10	13	16	6	10	7	5	-	-
Female.....	3	4	8	9	10	15	14	8	8	10	3	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	-	1	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
California												
All races, both sexes.....	432	681	967	1,436	2,470	3,718	4,682	4,068	2,547	1,004	217	-
Male.....	251	388	503	733	1,321	1,869	2,158	1,844	997	317	53	-
Female.....	181	293	464	703	1,149	1,849	2,524	2,224	1,550	687	164	-
White, both sexes.....	348	562	833	1,239	2,168	3,307	4,138	3,604	2,245	890	185	-
Male.....	206	315	425	614	1,154	1,634	1,875	1,611	863	270	43	-
Female.....	142	247	408	625	1,014	1,673	2,263	1,993	1,382	620	142	-
Black, both sexes.....	57	77	82	111	151	166	217	148	94	45	15	-
Male.....	31	50	45	65	81	86	97	64	42	10	5	-
Female.....	26	27	37	46	70	80	120	84	52	35	10	-
American Indian 1/, both sexes.....	5	9	8	12	21	10	18	7	5	1	-	-
Male.....	3	5	4	6	8	7	9	2	2	1	-	-
Female.....	2	4	4	6	13	3	9	5	3	-	-	-
Asian or Pacific Islander 2/, both sexes.....	22	33	44	74	130	235	309	309	203	68	17	-
Male.....	11	18	29	48	78	142	177	167	90	36	5	-
Female.....	11	15	15	26	52	93	132	142	113	32	12	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of the respiratory system (J10-J98)

Colorado

All races, both sexes.....	75	93	184	228	358	540	622	495	295	122	21	-
Male.....	43	52	116	130	189	270	317	235	114	40	5	-
Female.....	32	41	68	98	169	270	305	260	181	82	16	-
White, both sexes.....	70	90	180	220	349	524	601	489	290	119	20	-
Male.....	42	51	113	127	183	261	307	229	112	38	5	-
Female.....	28	39	67	93	166	263	294	260	178	81	15	-
Black, both sexes.....	4	2	2	6	5	8	11	4	4	3	1	-
Male.....	1	1	2	2	3	4	6	4	2	2	-	-
Female.....	3	1	-	4	2	4	5	-	2	1	1	-
American Indian 1/, both sexes.....	-	1	1	1	3	1	1	1	1	-	-	-
Male.....	-	-	-	1	3	-	1	1	-	-	-	-
Female.....	-	1	1	-	-	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	1	1	7	9	1	-	-	-	-
Male.....	-	-	1	-	-	5	3	1	-	-	-	-
Female.....	1	-	-	1	1	2	6	-	-	-	-	-

Connecticut

All races, both sexes.....	40	78	105	156	255	420	668	620	420	180	37	-
Male.....	21	32	59	78	136	203	337	250	121	55	5	-
Female.....	19	46	46	78	119	217	331	370	299	125	32	-
White, both sexes.....	35	68	101	143	244	410	648	598	414	177	36	-
Male.....	18	26	58	67	129	198	329	241	119	54	5	-
Female.....	17	42	43	76	115	212	319	357	295	123	31	-
Black, both sexes.....	4	10	4	13	10	7	19	17	5	2	1	-
Male.....	2	6	1	11	7	4	7	7	2	-	-	-
Female.....	2	4	3	2	3	3	12	10	3	2	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	1	1	-	-	-	-
Male.....	1	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	2	-	4	1	1	-	-
Male.....	-	-	-	-	-	1	-	1	-	1	-	-
Female.....	-	-	-	-	1	1	-	3	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of the respiratory system (J10-J98)

Delaware

All races, both sexes.....	9	22	33	47	89	110	113	108	57	20	3	-
Male.....	7	11	21	28	40	61	53	50	22	7	1	-
Female.....	2	11	12	19	49	49	60	58	35	13	2	-
White, both sexes.....	7	17	30	42	78	100	98	96	53	20	3	-
Male.....	6	9	20	24	34	52	45	42	20	7	1	-
Female.....	1	8	10	18	44	48	53	54	33	13	2	-
Black, both sexes.....	2	4	3	5	11	10	12	11	3	-	-	-
Male.....	1	2	1	4	6	9	6	7	1	-	-	-
Female.....	1	2	2	1	5	1	6	4	2	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	1	-	-	-
Male.....	-	-	-	-	-	-	1	1	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Dist. of Columbia

All races, both sexes.....	18	16	12	18	40	47	58	59	29	15	5	-
Male.....	10	7	10	8	23	18	31	23	14	3	2	-
Female.....	8	9	2	10	17	29	27	36	15	12	3	-
White, both sexes.....	1	1	2	5	11	9	19	21	8	5	3	-
Male.....	1	1	2	4	6	1	9	7	5	1	1	-
Female.....	-	-	-	1	5	8	10	14	3	4	2	-
Black, both sexes.....	17	15	9	13	29	36	37	37	21	10	2	-
Male.....	9	6	7	4	17	16	21	16	9	2	1	-
Female.....	8	9	2	9	12	20	16	21	12	8	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	2	2	-	-	-	-	-
Male.....	-	-	1	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of the respiratory system (J10-J98)

Florida

All races, both sexes.....	251	445	750	1,132	1,772	2,531	2,947	2,460	1,501	533	116	-
Male.....	134	242	400	604	968	1,301	1,409	1,116	565	173	28	-
Female.....	117	203	350	528	804	1,230	1,538	1,344	936	360	88	-
White, both sexes.....	214	395	688	1,022	1,651	2,410	2,828	2,359	1,428	515	109	-
Male.....	113	208	360	531	895	1,234	1,345	1,062	539	167	26	-
Female.....	101	187	328	491	756	1,176	1,483	1,297	889	348	83	-
Black, both sexes.....	33	47	57	108	112	116	114	93	66	16	7	-
Male.....	21	31	37	72	67	66	63	48	23	5	2	-
Female.....	12	16	20	36	45	50	51	45	43	11	5	-
American Indian 1/, both sexes.....	2	1	1	1	2	4	3	1	-	-	-	-
Male.....	-	1	1	-	2	-	1	-	-	-	-	-
Female.....	2	-	-	1	-	4	2	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	4	1	7	1	2	7	7	2	-	-
Male.....	-	2	2	1	4	1	-	6	3	1	-	-
Female.....	2	-	2	-	3	-	2	1	4	1	-	-

Georgia

All races, both sexes.....	176	287	394	524	731	987	1,064	886	519	193	38	-
Male.....	95	155	220	293	371	490	505	370	167	52	12	-
Female.....	81	132	174	231	360	497	559	516	352	141	26	-
White, both sexes.....	116	222	316	440	619	850	943	785	451	163	30	-
Male.....	67	114	167	237	303	415	440	324	144	44	10	-
Female.....	49	108	149	203	316	435	503	461	307	119	20	-
Black, both sexes.....	59	65	77	84	108	133	116	97	68	29	8	-
Male.....	27	41	53	56	65	73	61	44	23	7	2	-
Female.....	32	24	24	28	43	60	55	53	45	22	6	-
American Indian 1/, both sexes.....	-	-	1	-	2	2	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	2	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	2	2	5	3	-	1	-	-
Male.....	1	-	-	-	2	2	4	2	-	1	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of the respiratory system (J10-J98)												
Illinois												
All races, both sexes.....	185	258	419	673	997	1,462	1,780	1,699	1,103	407	96	-
Male.....	112	142	230	369	513	738	903	722	384	112	20	-
Female.....	73	116	189	304	484	724	877	977	719	295	76	-
White, both sexes.....	141	198	337	582	901	1,332	1,637	1,567	1,044	391	82	-
Male.....	84	113	186	312	465	676	825	664	364	109	16	-
Female.....	57	85	151	270	436	656	812	903	680	282	66	-
Black, both sexes.....	43	58	78	84	87	116	134	109	51	14	12	-
Male.....	28	27	42	52	43	53	75	45	19	2	4	-
Female.....	15	31	36	32	44	63	59	64	32	12	8	-
American Indian 1/, both sexes.....	-	1	-	-	1	1	-	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	4	7	8	13	9	22	8	2	2	-
Male.....	-	1	2	5	5	9	3	12	1	1	-	-
Female.....	1	-	2	2	3	4	6	10	7	1	2	-
Indiana												
All races, both sexes.....	106	173	306	421	658	975	1,035	820	542	186	44	-
Male.....	55	92	156	218	336	498	493	345	183	52	11	-
Female.....	51	81	150	203	322	477	542	475	359	134	33	-
White, both sexes.....	98	163	284	402	628	929	1,002	796	522	181	42	-
Male.....	50	87	146	208	318	471	478	334	178	52	11	-
Female.....	48	76	138	194	310	458	524	462	344	129	31	-
Black, both sexes.....	8	9	21	19	29	39	31	23	19	5	2	-
Male.....	5	5	10	10	18	23	15	10	5	-	-	-
Female.....	3	4	11	9	11	16	16	13	14	5	2	-
American Indian 1/, both sexes.....	-	-	1	-	1	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	6	1	1	1	-	-	-
Male.....	-	-	-	-	-	4	-	1	-	-	-	-
Female.....	-	1	-	-	-	2	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other diseases of the respiratory system (J10-J98)

Iowa

All races, both sexes.....	52	63	115	179	281	443	569	573	396	176	46	-
Male.....	28	34	60	89	156	247	287	276	160	49	9	-
Female.....	24	29	55	90	125	196	282	297	236	127	37	-
White, both sexes.....	46	62	115	172	277	440	564	570	392	176	45	-
Male.....	23	33	60	88	154	245	284	275	159	49	8	-
Female.....	23	29	55	84	123	195	280	295	233	127	37	-
Black, both sexes.....	6	1	-	5	4	1	3	3	2	-	1	-
Male.....	5	1	-	1	2	1	2	1	1	-	1	-
Female.....	1	-	-	4	2	-	1	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	2	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	2	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	1	-	2	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	2	-	-	-

Kansas

All races, both sexes.....	45	70	109	163	271	410	455	389	252	115	26	-
Male.....	28	33	50	84	136	220	224	152	93	39	8	-
Female.....	17	37	59	79	135	190	231	237	159	76	18	-
White, both sexes.....	37	65	103	156	259	392	442	381	250	113	26	-
Male.....	23	33	48	81	128	208	217	150	92	39	8	-
Female.....	14	32	55	75	131	184	225	231	158	74	18	-
Black, both sexes.....	8	2	6	4	9	12	11	7	2	1	-	-
Male.....	5	-	2	2	7	8	6	2	1	-	-	-
Female.....	3	2	4	2	2	4	5	5	1	1	-	-
American Indian 1/, both sexes.....	-	2	-	2	3	4	1	1	-	1	-	-
Male.....	-	-	-	1	1	4	1	-	-	-	-	-
Female.....	-	2	-	1	2	-	-	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	-	2	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	2	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of the respiratory system (J10-J98)

Kentucky

All races, both sexes.....	87	150	249	377	528	677	711	589	386	135	23	-
Male.....	54	75	131	209	277	347	341	254	132	37	3	-
Female.....	33	75	118	168	251	330	370	335	254	98	20	-
White, both sexes.....	76	142	234	369	504	655	684	574	371	130	22	-
Male.....	47	72	121	204	264	334	328	248	123	35	3	-
Female.....	29	70	113	165	240	321	356	326	248	95	19	-
Black, both sexes.....	11	8	15	8	24	21	27	15	15	5	1	-
Male.....	7	3	10	5	13	13	13	6	9	2	-	-
Female.....	4	5	5	3	11	8	14	9	6	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Louisiana

All races, both sexes.....	78	120	200	277	372	522	577	508	307	109	25	-
Male.....	38	70	101	164	189	269	279	218	118	33	8	-
Female.....	40	50	99	113	183	253	298	290	189	76	17	-
White, both sexes.....	45	82	145	215	297	421	482	422	255	90	15	-
Male.....	22	45	67	124	137	211	227	176	98	27	3	-
Female.....	23	37	78	91	160	210	255	246	157	63	12	-
Black, both sexes.....	33	38	55	62	74	100	94	83	52	19	10	-
Male.....	16	25	34	40	51	57	51	40	20	6	5	-
Female.....	17	13	21	22	23	43	43	43	32	13	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	1	3	-	-	-	-
Male.....	-	-	-	-	1	1	1	2	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other diseases of the respiratory system (J10-J98)

Maine

All races, both sexes.....	21	37	61	105	166	224	268	235	120	55	15	-
Male.....	15	24	37	60	78	96	141	109	48	14	4	-
Female.....	6	13	24	45	88	128	127	126	72	41	11	-
White, both sexes.....	21	37	61	101	165	222	267	234	120	55	15	-
Male.....	15	24	37	58	77	95	141	109	48	14	4	-
Female.....	6	13	24	43	88	127	126	125	72	41	11	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	3	1	2	1	1	-	-	-	-
Male.....	-	-	-	2	1	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	81	119	157	276	413	614	788	655	377	147	24	-
Male.....	42	62	91	142	213	306	353	274	115	44	5	-
Female.....	39	57	66	134	200	308	435	381	262	103	19	-
White, both sexes.....	48	75	118	207	340	531	666	571	320	122	20	-
Male.....	25	41	66	103	180	264	296	243	102	39	4	-
Female.....	23	34	52	104	160	267	370	328	218	83	16	-
Black, both sexes.....	33	43	36	67	67	78	109	70	51	24	4	-
Male.....	17	20	23	37	30	40	51	24	10	5	1	-
Female.....	16	23	13	30	37	38	58	46	41	19	3	-
American Indian 1/, both sexes.....	-	1	-	1	1	-	1	3	2	-	-	-
Male.....	-	1	-	1	1	-	-	1	1	-	-	-
Female.....	-	-	-	-	-	-	1	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	3	1	5	5	12	11	4	1	-	-
Male.....	-	-	2	1	2	2	6	6	2	-	-	-
Female.....	-	-	1	-	3	3	6	5	2	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of the respiratory system (J10-J98)

Massachusetts

All races, both sexes.....	67	119	234	315	536	885	1,252	1,201	882	322	70	-
Male.....	35	73	120	193	269	458	569	493	300	82	10	-
Female.....	32	46	114	122	267	427	683	708	582	240	60	-
White, both sexes.....	59	113	214	300	517	857	1,227	1,172	855	318	70	-
Male.....	32	68	110	183	256	441	554	478	292	81	10	-
Female.....	27	45	104	117	261	416	673	694	563	237	60	-
Black, both sexes.....	8	4	17	11	12	22	14	20	17	1	-	-
Male.....	3	3	7	7	9	13	8	8	6	1	-	-
Female.....	5	1	10	4	3	9	6	12	11	-	-	-
American Indian 1/, both sexes.....	-	2	1	-	1	1	1	-	-	2	-	-
Male.....	-	2	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	2	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	4	6	5	10	9	10	1	-	-
Male.....	-	-	2	3	4	4	6	7	2	-	-	-
Female.....	-	-	-	1	2	1	4	2	8	1	-	-

Michigan

All races, both sexes.....	140	269	408	551	866	1,307	1,487	1,273	766	322	65	-
Male.....	73	154	211	275	422	658	756	550	300	101	19	-
Female.....	67	115	197	276	444	649	731	723	466	221	46	-
White, both sexes.....	98	221	356	491	785	1,202	1,379	1,191	710	302	62	-
Male.....	51	125	181	243	374	598	698	513	275	90	18	-
Female.....	47	96	175	248	411	604	681	678	435	212	44	-
Black, both sexes.....	42	46	45	54	71	94	99	74	50	19	3	-
Male.....	22	27	27	28	44	54	52	32	21	11	1	-
Female.....	20	19	18	26	27	40	47	42	29	8	2	-
American Indian 1/, both sexes.....	-	1	4	3	10	6	6	4	-	-	-	-
Male.....	-	1	3	2	4	2	3	2	-	-	-	-
Female.....	-	-	1	1	6	4	3	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	3	3	-	5	3	4	6	1	-	-
Male.....	-	1	-	2	-	4	3	3	4	-	-	-
Female.....	-	-	3	1	-	1	-	1	2	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of the respiratory system (J10-J98)

Nebraska

All races, both sexes.....	15	50	74	107	162	246	303	283	156	56	17	-
Male.....	8	30	33	57	98	129	150	137	62	18	5	-
Female.....	7	20	41	50	64	117	153	146	94	38	12	-
White, both sexes.....	15	45	71	104	157	242	292	279	155	56	17	-
Male.....	8	26	30	56	94	127	147	136	62	18	5	-
Female.....	7	19	41	48	63	115	145	143	93	38	12	-
Black, both sexes.....	-	4	3	2	5	4	8	3	1	-	-	-
Male.....	-	4	3	1	4	2	1	1	-	-	-	-
Female.....	-	-	-	1	1	2	7	2	1	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	2	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	37	70	128	173	251	336	366	246	120	35	3	-
Male.....	24	37	76	85	124	168	183	108	52	11	-	-
Female.....	13	33	52	88	127	168	183	138	68	24	3	-
White, both sexes.....	32	63	125	162	239	319	341	233	112	31	3	-
Male.....	20	33	75	81	118	159	171	99	50	9	-	-
Female.....	12	30	50	81	121	160	170	134	62	22	3	-
Black, both sexes.....	4	5	3	5	6	7	14	7	4	2	-	-
Male.....	3	3	1	2	4	4	5	5	-	1	-	-
Female.....	1	2	2	3	2	3	9	2	4	1	-	-
American Indian 1/, both sexes.....	1	-	-	1	1	2	3	1	1	1	-	-
Male.....	1	-	-	1	-	2	3	1	1	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	5	5	8	8	5	3	1	-	-
Male.....	-	1	-	1	2	3	4	3	1	1	-	-
Female.....	-	1	-	4	3	5	4	2	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other diseases of the respiratory system (J10-J98)

New Hampshire

All races, both sexes.....	16	28	51	66	124	147	206	204	128	55	9	-
Male.....	9	15	32	34	58	77	98	86	37	13	-	-
Female.....	7	13	19	32	66	70	108	118	91	42	9	-
White, both sexes.....	16	28	51	66	124	147	205	204	128	55	9	-
Male.....	9	15	32	34	58	77	97	86	37	13	-	-
Female.....	7	13	19	32	66	70	108	118	91	42	9	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	82	157	255	346	644	919	1,198	1,107	687	281	60	-
Male.....	45	79	129	176	347	469	552	456	250	83	18	-
Female.....	37	78	126	170	297	450	646	651	437	198	42	-
White, both sexes.....	66	126	213	291	561	836	1,118	1,034	657	267	53	-
Male.....	35	62	110	148	294	428	507	429	243	82	16	-
Female.....	31	64	103	143	267	408	611	605	414	185	37	-
Black, both sexes.....	15	28	41	45	72	66	65	61	25	11	5	-
Male.....	10	15	18	22	43	32	36	22	6	1	-	-
Female.....	5	13	23	23	29	34	29	39	19	10	5	-
American Indian 1/, both sexes.....	-	-	-	1	1	2	1	2	-	-	-	-
Male.....	-	-	-	1	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	1	9	10	15	14	10	5	3	2	-
Male.....	-	2	1	5	9	8	8	5	1	-	2	-
Female.....	1	1	-	4	1	7	6	5	4	3	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of the respiratory system (J10-J98)

New Mexico

All races, both sexes.....	28	54	59	100	147	227	238	217	144	52	14	-
Male.....	14	28	33	58	94	116	127	114	67	19	5	-
Female.....	14	26	26	42	53	111	111	103	77	33	9	-
White, both sexes.....	23	48	56	93	143	211	227	205	136	49	9	-
Male.....	11	24	32	56	92	105	123	106	63	18	2	-
Female.....	12	24	24	37	51	106	104	99	73	31	7	-
Black, both sexes.....	2	3	-	2	1	2	2	2	1	-	-	-
Male.....	1	2	-	1	-	2	2	1	-	-	-	-
Female.....	1	1	-	1	1	-	-	1	1	-	-	-
American Indian 1/, both sexes.....	3	3	3	5	3	13	9	10	7	3	5	-
Male.....	2	2	1	1	2	8	2	7	4	1	3	-
Female.....	1	1	2	4	1	5	7	3	3	2	2	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	275	411	629	913	1,425	2,266	2,795	2,611	1,753	673	140	-
Male.....	158	217	329	479	707	1,166	1,323	1,065	606	189	37	-
Female.....	117	194	300	434	718	1,100	1,472	1,546	1,147	484	103	-
White, both sexes.....	198	319	502	768	1,249	1,992	2,504	2,384	1,579	611	121	-
Male.....	111	171	255	403	612	1,036	1,183	975	563	170	31	-
Female.....	87	148	247	365	637	956	1,321	1,409	1,016	441	90	-
Black, both sexes.....	75	81	117	124	140	228	238	190	128	53	15	-
Male.....	45	40	67	67	70	111	107	70	28	14	5	-
Female.....	30	41	50	57	70	117	131	120	100	39	10	-
American Indian 1/, both sexes.....	-	2	-	5	2	5	4	-	2	-	-	-
Male.....	-	1	-	2	-	2	2	-	1	-	-	-
Female.....	-	1	-	3	2	3	2	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	9	10	16	34	41	49	37	44	9	4	-
Male.....	2	5	7	7	25	17	31	20	14	5	1	-
Female.....	-	4	3	9	9	24	18	17	30	4	3	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of the respiratory system (J10-J98)

Ohio

All races, both sexes.....	212	293	507	761	1,220	1,798	2,027	1,686	953	342	53	-
Male.....	118	152	285	401	639	901	952	747	343	92	14	-
Female.....	94	141	222	360	581	897	1,075	939	610	250	39	-
White, both sexes.....	169	256	446	702	1,128	1,676	1,922	1,599	902	320	50	-
Male.....	96	127	250	366	583	838	896	703	323	87	14	-
Female.....	73	129	196	336	545	838	1,026	896	579	233	36	-
Black, both sexes.....	42	36	60	59	86	119	102	86	50	21	3	-
Male.....	22	25	34	35	52	62	55	43	19	5	-	-
Female.....	20	11	26	24	34	57	47	43	31	16	3	-
American Indian 1/, both sexes.....	-	-	1	-	1	1	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	5	2	2	1	1	1	-	-
Male.....	-	-	-	-	4	1	1	1	1	-	-	-
Female.....	1	1	-	-	1	1	1	-	-	1	-	-

Oklahoma

All races, both sexes.....	83	128	222	269	444	548	641	474	313	101	26	-
Male.....	43	69	112	139	231	261	329	216	131	32	3	-
Female.....	40	59	110	130	213	287	312	258	182	69	23	-
White, both sexes.....	68	104	200	249	408	512	592	448	294	92	24	-
Male.....	36	52	100	125	213	242	304	212	124	30	2	-
Female.....	32	52	100	124	195	270	288	236	170	62	22	-
Black, both sexes.....	7	9	6	8	16	12	21	12	11	6	-	-
Male.....	2	9	4	6	8	7	13	4	4	-	-	-
Female.....	5	-	2	2	8	5	8	8	7	6	-	-
American Indian 1/, both sexes.....	8	14	16	12	20	24	28	13	7	3	2	-
Male.....	5	7	8	8	10	12	12	-	3	2	1	-
Female.....	3	7	8	4	10	12	16	13	4	1	1	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	1	1	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other diseases of the respiratory system (J10-J98)

Oregon

All races, both sexes.....	46	90	146	235	346	465	550	463	312	111	28	-
Male.....	27	47	79	130	172	230	259	240	136	47	7	-
Female.....	19	43	67	105	174	235	291	223	176	64	21	-
White, both sexes.....	44	85	142	224	341	454	543	452	304	109	26	-
Male.....	26	43	76	128	170	225	258	231	131	45	6	-
Female.....	18	42	66	96	171	229	285	221	173	64	20	-
Black, both sexes.....	1	-	2	4	2	2	-	2	2	-	-	-
Male.....	1	-	2	1	-	1	-	2	-	-	-	-
Female.....	-	-	-	3	2	1	-	-	2	-	-	-
American Indian 1/, both sexes.....	1	3	1	6	-	5	3	3	1	2	-	-
Male.....	-	2	-	1	-	1	-	2	1	2	-	-
Female.....	1	1	1	5	-	4	3	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	1	3	4	4	6	5	-	2	-
Male.....	-	2	1	-	2	3	1	5	4	-	1	-
Female.....	-	-	-	1	1	1	3	1	1	-	1	-

Pennsylvania

All races, both sexes.....	170	310	481	704	1,320	2,079	2,431	2,359	1,360	473	90	-
Male.....	95	163	262	389	702	1,060	1,159	1,051	485	138	16	-
Female.....	75	147	219	315	618	1,019	1,272	1,308	875	335	74	-
White, both sexes.....	141	261	428	646	1,225	1,946	2,294	2,268	1,307	444	85	-
Male.....	82	135	237	358	650	990	1,100	1,005	466	129	15	-
Female.....	59	126	191	288	575	956	1,194	1,263	841	315	70	-
Black, both sexes.....	25	46	52	55	89	125	133	89	48	28	5	-
Male.....	11	25	25	29	50	65	57	44	16	9	1	-
Female.....	14	21	27	26	39	60	76	45	32	19	4	-
American Indian 1/, both sexes.....	-	1	-	-	-	3	1	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	2	1	3	6	5	3	2	5	1	-	-
Male.....	2	2	-	2	2	4	2	2	3	-	-	-
Female.....	2	-	1	1	4	1	1	-	2	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other diseases of the respiratory system (J10-J98)

Rhode Island

All races, both sexes.....	15	16	34	50	86	148	189	186	93	35	14	-
Male.....	8	9	17	34	40	74	89	89	31	9	4	-
Female.....	7	7	17	16	46	74	100	97	62	26	10	-
White, both sexes.....	15	16	31	50	84	145	185	183	93	33	13	-
Male.....	8	9	16	34	40	72	87	88	31	8	3	-
Female.....	7	7	15	16	44	73	98	95	62	25	10	-
Black, both sexes.....	-	-	3	-	2	3	2	3	-	2	1	-
Male.....	-	-	1	-	-	2	1	1	-	1	1	-
Female.....	-	-	2	-	2	1	1	2	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

South Carolina

All races, both sexes.....	88	161	238	289	397	565	600	477	284	96	21	-
Male.....	47	76	134	167	203	333	310	220	105	32	6	-
Female.....	41	85	104	122	194	232	290	257	179	64	15	-
White, both sexes.....	59	121	185	234	338	476	520	409	243	79	19	-
Male.....	35	55	100	131	167	273	268	186	89	26	5	-
Female.....	24	66	85	103	171	203	252	223	154	53	14	-
Black, both sexes.....	27	39	53	55	57	87	79	68	40	16	2	-
Male.....	11	21	34	36	36	59	41	34	16	6	1	-
Female.....	16	18	19	19	21	28	38	34	24	10	1	-
American Indian 1/, both sexes.....	2	1	-	-	1	2	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	1	-	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	1	1	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of the respiratory system (J10-J98)

South Dakota

All races, both sexes.....	11	6	25	39	60	113	143	136	81	28	12	-
Male.....	7	4	12	29	32	61	75	63	32	13	2	-
Female.....	4	2	13	10	28	52	68	73	49	15	10	-
White, both sexes.....	8	5	18	35	53	106	141	130	80	27	12	-
Male.....	6	3	9	25	27	57	74	59	31	13	2	-
Female.....	2	2	9	10	26	49	67	71	49	14	10	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	1	7	4	6	7	2	6	1	1	-	-
Male.....	1	1	3	4	4	4	1	4	1	-	-	-
Female.....	2	-	4	-	2	3	1	2	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	141	247	341	490	659	916	991	788	532	185	41	-
Male.....	80	115	169	268	356	467	492	324	206	57	7	-
Female.....	61	132	172	222	303	449	499	464	326	128	34	-
White, both sexes.....	117	223	306	440	614	855	942	720	502	168	34	-
Male.....	66	103	152	240	332	439	469	294	192	52	5	-
Female.....	51	120	154	200	282	416	473	426	310	116	29	-
Black, both sexes.....	24	23	35	50	45	59	48	66	30	17	7	-
Male.....	14	12	17	28	24	28	23	30	14	5	2	-
Female.....	10	11	18	22	21	31	25	36	16	12	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	2	1	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	2	1	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of the respiratory system (J10-J98)

Texas

All races, both sexes.....	316	458	785	1,139	1,647	2,303	2,446	1,958	1,243	430	95	1
Male.....	177	264	419	612	890	1,174	1,230	870	497	129	29	1
Female.....	139	194	366	527	757	1,129	1,216	1,088	746	301	66	-
White, both sexes.....	254	402	693	1,026	1,507	2,118	2,316	1,831	1,157	390	83	1
Male.....	141	228	368	545	806	1,069	1,159	821	466	118	26	1
Female.....	113	174	325	481	701	1,049	1,157	1,010	691	272	57	-
Black, both sexes.....	60	50	87	108	126	171	117	121	73	38	8	-
Male.....	35	33	50	64	81	98	62	48	24	10	1	-
Female.....	25	17	37	44	45	73	55	73	49	28	7	-
American Indian 1/, both sexes.....	2	3	1	-	1	1	1	-	3	-	-	-
Male.....	1	1	-	-	-	-	1	-	2	-	-	-
Female.....	1	2	1	-	1	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	4	5	13	13	12	6	10	2	4	-
Male.....	-	2	1	3	3	7	8	1	5	1	2	-
Female.....	-	1	3	2	10	6	4	5	5	1	2	-

Utah

All races, both sexes.....	19	30	77	111	160	178	238	189	118	41	5	-
Male.....	9	18	38	62	89	96	133	91	47	21	3	-
Female.....	10	12	39	49	71	82	105	98	71	20	2	-
White, both sexes.....	19	30	74	111	158	174	233	188	118	41	5	-
Male.....	9	18	37	62	87	95	129	90	47	21	3	-
Female.....	10	12	37	49	71	79	104	98	71	20	2	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	2	-	1	1	1	-	-	-	-	-
Male.....	-	-	1	-	1	1	1	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	3	3	1	-	-	-	-
Male.....	-	-	-	-	1	-	3	1	-	-	-	-
Female.....	-	-	1	-	-	3	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other diseases of the respiratory system (J10-J98)

Vermont

All races, both sexes.....	6	13	17	30	61	74	89	79	63	30	7	-
Male.....	3	10	10	15	33	43	51	42	19	10	1	-
Female.....	3	3	7	15	28	31	38	37	44	20	6	-
White, both sexes.....	6	13	17	30	61	73	89	79	63	30	7	-
Male.....	3	10	10	15	33	42	51	42	19	10	1	-
Female.....	3	3	7	15	28	31	38	37	44	20	6	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	96	181	294	430	645	891	1,093	888	545	204	47	-
Male.....	58	95	146	253	357	440	523	377	214	56	10	-
Female.....	38	86	148	177	288	451	570	511	331	148	37	-
White, both sexes.....	67	132	242	363	559	770	954	793	483	179	40	-
Male.....	42	69	118	211	307	382	447	330	188	48	9	-
Female.....	25	63	124	152	252	388	507	463	295	131	31	-
Black, both sexes.....	27	48	49	65	83	113	130	89	55	22	7	-
Male.....	16	25	25	41	47	56	72	43	22	6	1	-
Female.....	11	23	24	24	36	57	58	46	33	16	6	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	3	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	3	2	3	8	6	6	7	3	-	-
Male.....	-	1	3	1	3	2	3	4	4	2	-	-
Female.....	1	-	-	1	-	6	3	2	3	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of the respiratory system (J10-J98)

Washington

All races, both sexes.....	84	135	214	294	464	668	832	708	446	143	34	-
Male.....	48	60	105	157	243	347	399	324	183	57	9	-
Female.....	36	75	109	137	221	321	433	384	263	86	25	-
White, both sexes.....	79	121	203	279	439	632	797	684	436	137	32	-
Male.....	45	55	100	150	229	329	380	315	177	54	9	-
Female.....	34	66	103	129	210	303	417	369	259	83	23	-
Black, both sexes.....	4	7	3	4	7	11	7	3	2	2	-	-
Male.....	2	4	1	2	4	6	4	2	1	1	-	-
Female.....	2	3	2	2	3	5	3	1	1	1	-	-
American Indian 1/, both sexes.....	-	3	5	6	8	7	8	1	2	1	-	-
Male.....	-	1	3	3	4	5	4	-	1	1	-	-
Female.....	-	2	2	3	4	2	4	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	4	3	5	10	18	20	20	6	3	2	-
Male.....	1	-	1	2	6	7	11	7	4	1	-	-
Female.....	-	4	2	3	4	11	9	13	2	2	2	-

West Virginia

All races, both sexes.....	46	76	125	191	274	382	420	346	192	57	5	-
Male.....	23	41	69	109	137	219	202	167	81	15	1	-
Female.....	23	35	56	82	137	163	218	179	111	42	4	-
White, both sexes.....	45	76	124	184	268	371	411	336	185	56	5	-
Male.....	23	41	68	103	135	212	199	160	74	15	1	-
Female.....	22	35	56	81	133	159	212	176	111	41	4	-
Black, both sexes.....	1	-	1	6	6	11	8	10	7	1	-	-
Male.....	-	-	1	5	2	7	3	7	7	-	-	-
Female.....	1	-	-	1	4	4	5	3	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Influenza (J10-J11)

Arkansas

All races, both sexes.....	1	-	-	-	1	-	2	-	1	1	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	1	1	-	-
White, both sexes.....	1	-	-	-	1	-	1	-	1	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	2	3	1	2	-	7	10	8	7	2	1	-
Male.....	-	2	-	1	-	1	5	4	2	1	-	-
Female.....	2	1	1	1	-	6	5	4	5	1	1	-
White, both sexes.....	2	2	-	2	-	5	10	8	7	2	1	-
Male.....	-	1	-	1	-	1	5	4	2	1	-	-
Female.....	2	1	-	1	-	4	5	4	5	1	1	-
Black, both sexes.....	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Influenza (J10-J11)

Illinois

All races, both sexes.....	1	-	3	1	2	11	10	8	10	10	1	-
Male.....	-	-	-	-	2	6	6	3	4	1	-	-
Female.....	1	-	3	1	-	5	4	5	6	9	1	-
White, both sexes.....	1	-	3	1	1	9	10	7	10	10	1	-
Male.....	-	-	-	-	1	4	6	3	4	1	-	-
Female.....	1	-	3	1	-	5	4	4	6	9	1	-
Black, both sexes.....	-	-	-	-	1	2	-	1	-	-	-	-
Male.....	-	-	-	-	1	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Indiana

All races, both sexes.....	-	3	1	-	-	1	6	7	3	3	2	-
Male.....	-	1	1	-	-	-	1	3	2	1	-	-
Female.....	-	2	-	-	-	1	5	4	1	2	2	-
White, both sexes.....	-	3	1	-	-	1	5	7	3	3	2	-
Male.....	-	1	1	-	-	-	1	3	2	1	-	-
Female.....	-	2	-	-	-	1	4	4	1	2	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Pneumonia (J12-J18)												
Arkansas												
All races, both sexes.....	753	1	-	2	1	1	1	-	2	4	10	5
Male.....	343	1	-	2	1	-	-	-	2	2	2	2
Female.....	410	-	-	-	-	1	1	-	-	2	8	3
White, both sexes.....	679	-	-	1	1	1	-	-	1	4	8	3
Male.....	305	-	-	1	1	-	-	-	1	2	2	1
Female.....	374	-	-	-	-	1	-	-	-	2	6	2
Black, both sexes.....	74	1	-	1	-	-	1	-	1	-	2	2
Male.....	38	1	-	1	-	-	-	-	1	-	-	1
Female.....	36	-	-	-	-	-	1	-	-	-	2	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	7,270	23	10	3	5	5	11	4	20	22	49	82
Male.....	3,329	14	5	3	3	4	5	2	14	13	24	46
Female.....	3,941	9	5	-	2	1	6	2	6	9	25	36
White, both sexes.....	6,133	16	9	2	4	5	6	4	16	20	38	61
Male.....	2,795	10	4	2	2	4	4	2	10	11	17	33
Female.....	3,338	6	5	-	2	1	2	2	6	9	21	28
Black, both sexes.....	475	4	-	1	-	-	3	-	4	1	5	17
Male.....	217	2	-	1	-	-	1	-	4	1	4	10
Female.....	258	2	-	-	-	-	2	-	-	-	1	7
American Indian 1/, both sexes.....	20	-	-	-	-	-	-	-	-	-	-	1
Male.....	10	-	-	-	-	-	-	-	-	-	-	1
Female.....	10	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	642	3	1	-	1	-	2	-	-	1	6	3
Male.....	307	2	1	-	1	-	-	-	-	1	3	2
Female.....	335	1	-	-	-	-	2	-	-	-	3	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Pneumonia (J12-J18)												
New Mexico												
All races, both sexes.....	301	2	1	-	-	-	-	-	4	1	3	6
Male.....	141	1	-	-	-	-	-	-	4	1	2	2
Female.....	160	1	1	-	-	-	-	-	-	-	1	4
White, both sexes.....	268	-	1	-	-	-	-	-	3	1	3	5
Male.....	124	-	-	-	-	-	-	-	3	1	2	1
Female.....	144	-	1	-	-	-	-	-	-	-	1	4
Black, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	28	2	-	-	-	-	-	-	1	-	-	1
Male.....	12	1	-	-	-	-	-	-	1	-	-	1
Female.....	16	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	5,462	11	7	1	5	5	12	10	11	26	43	64
Male.....	2,436	9	3	1	2	2	8	6	7	13	23	38
Female.....	3,026	2	4	-	3	3	4	4	4	13	20	26
White, both sexes.....	4,497	8	3	-	3	5	9	6	6	12	32	41
Male.....	1,991	7	2	-	1	2	5	2	4	5	17	24
Female.....	2,506	1	1	-	2	3	4	4	2	7	15	17
Black, both sexes.....	801	3	4	1	1	-	3	3	5	10	11	21
Male.....	369	2	1	1	-	-	3	3	3	6	6	13
Female.....	432	1	3	-	1	-	-	-	2	4	5	8
American Indian 1/, both sexes.....	7	-	-	-	-	-	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	157	-	-	-	1	-	-	1	-	4	-	2
Male.....	71	-	-	-	1	-	-	1	-	2	-	1
Female.....	86	-	-	-	-	-	-	-	-	2	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia (J12-J18)												
United States												
All races, both sexes.....	1,083	1,347	1,752	2,339	3,944	6,902	10,873	12,111	9,980	4,477	1,190	-
Male.....	671	780	1,018	1,362	2,185	3,609	5,279	5,116	3,412	1,250	266	-
Female.....	412	567	734	977	1,759	3,293	5,594	6,995	6,568	3,227	924	-
White, both sexes.....	800	1,050	1,410	1,881	3,357	6,013	9,730	11,028	9,132	4,117	1,060	-
Male.....	496	616	815	1,073	1,858	3,134	4,731	4,670	3,131	1,139	226	-
Female.....	304	434	595	808	1,499	2,879	4,999	6,358	6,001	2,978	834	-
Black, both sexes.....	257	261	287	383	473	683	865	801	597	283	101	-
Male.....	161	145	176	252	267	364	414	315	185	71	30	-
Female.....	96	116	111	131	206	319	451	486	412	212	71	-
American Indian 1/, both sexes.....	7	14	18	21	17	41	49	29	29	9	6	-
Male.....	5	8	5	10	8	21	25	13	13	4	3	-
Female.....	2	6	13	11	9	20	24	16	16	5	3	-
Asian or Pacific Islander 2/, both sexes.....	19	22	37	54	97	165	229	253	222	68	23	-
Male.....	9	11	22	27	52	90	109	118	83	36	7	-
Female.....	10	11	15	27	45	75	120	135	139	32	16	-
Alabama												
All races, both sexes.....	14	29	38	50	63	127	223	197	139	54	15	-
Male.....	8	15	23	32	30	65	103	84	37	16	5	-
Female.....	6	14	15	18	33	62	120	113	102	38	10	-
White, both sexes.....	11	18	30	42	53	101	193	166	122	46	11	-
Male.....	7	8	19	24	25	52	86	70	33	14	3	-
Female.....	4	10	11	18	28	49	107	96	89	32	8	-
Black, both sexes.....	3	11	8	8	10	26	28	31	17	8	4	-
Male.....	1	7	4	8	5	13	16	14	4	2	2	-
Female.....	2	4	4	-	5	13	12	17	13	6	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia (J12-J18)												
Alaska												
All races, both sexes.....	2	-	2	2	3	6	4	10	8	2	-	-
Male.....	2	-	1	1	1	4	1	3	3	1	-	-
Female.....	-	-	1	1	2	2	3	7	5	1	-	-
White, both sexes.....	1	-	1	-	1	3	4	9	4	1	-	-
Male.....	1	-	1	-	-	3	1	3	1	-	-	-
Female.....	-	-	-	-	1	-	3	6	3	1	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	2	1	3	-	1	4	1	-	-
Male.....	-	-	-	1	-	1	-	-	2	1	-	-
Female.....	-	-	1	1	1	2	-	1	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	31	27	29	66	93	131	212	221	143	58	12	-
Male.....	17	16	19	35	51	74	110	120	50	21	5	-
Female.....	14	11	10	31	42	57	102	101	93	37	7	-
White, both sexes.....	26	24	27	60	91	120	202	217	139	57	12	-
Male.....	14	13	18	32	51	66	102	117	49	21	5	-
Female.....	12	11	9	28	40	54	100	100	90	36	7	-
Black, both sexes.....	3	1	-	1	1	2	2	-	-	-	-	-
Male.....	1	1	-	-	-	1	1	-	-	-	-	-
Female.....	2	-	-	1	1	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	2	2	2	5	1	8	8	2	4	-	-	-
Male.....	2	2	1	3	-	6	7	1	1	-	-	-
Female.....	-	-	1	2	1	2	1	1	3	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	2	-	1	-	-
Male.....	-	-	-	-	-	1	-	2	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia (J12-J18)												
Arkansas												
All races, both sexes.....	23	13	31	20	67	85	141	165	115	53	13	-
Male.....	16	8	19	13	34	50	66	76	34	14	1	-
Female.....	7	5	12	7	33	35	75	89	81	39	12	-
White, both sexes.....	16	10	25	18	61	78	131	157	109	45	10	-
Male.....	10	7	13	11	31	47	64	71	31	11	1	-
Female.....	6	3	12	7	30	31	67	86	78	34	9	-
Black, both sexes.....	7	3	6	2	6	7	10	8	6	8	3	-
Male.....	6	1	6	2	3	3	2	5	3	3	-	-
Female.....	1	2	-	-	3	4	8	3	3	5	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	134	146	213	260	530	906	1,341	1,565	1,221	572	148	-
Male.....	88	80	122	138	292	478	605	708	485	169	31	-
Female.....	46	66	91	122	238	428	736	857	736	403	117	-
White, both sexes.....	105	119	169	196	439	759	1,128	1,345	1,057	510	125	-
Male.....	72	68	96	98	247	393	516	614	423	145	24	-
Female.....	33	51	73	98	192	366	612	731	634	365	101	-
Black, both sexes.....	18	16	26	30	44	54	88	74	51	28	11	-
Male.....	11	8	14	21	21	32	33	28	19	4	3	-
Female.....	7	8	12	9	23	22	55	46	32	24	8	-
American Indian 1/, both sexes.....	1	3	1	2	-	2	5	1	3	1	-	-
Male.....	1	2	1	-	-	1	1	-	2	1	-	-
Female.....	-	1	-	2	-	1	4	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	8	17	32	47	91	120	145	110	33	12	-
Male.....	4	2	11	19	24	52	55	66	41	19	4	-
Female.....	6	6	6	13	23	39	65	79	69	14	8	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia (J12-J18)												
Colorado												
All races, both sexes.....	16	16	24	20	47	72	106	115	101	52	14	-
Male.....	13	10	15	13	27	38	56	49	27	15	3	-
Female.....	3	6	9	7	20	34	50	66	74	37	11	-
White, both sexes.....	15	13	23	19	45	67	102	115	99	50	13	-
Male.....	12	9	15	13	26	36	53	49	27	14	3	-
Female.....	3	4	8	6	19	31	49	66	72	36	10	-
Black, both sexes.....	1	2	-	-	1	5	2	-	1	2	1	-
Male.....	1	1	-	-	-	2	1	-	-	1	-	-
Female.....	-	1	-	-	1	3	1	-	1	1	1	-
American Indian 1/, both sexes.....	-	1	1	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Connecticut												
All races, both sexes.....	8	15	15	20	40	80	167	200	171	90	22	-
Male.....	4	6	9	12	23	40	86	82	49	23	2	-
Female.....	4	9	6	8	17	40	81	118	122	67	20	-
White, both sexes.....	7	10	14	18	38	79	162	191	168	89	21	-
Male.....	3	4	9	11	22	39	84	79	47	23	2	-
Female.....	4	6	5	7	16	40	78	112	121	66	19	-
Black, both sexes.....	1	5	1	2	2	1	5	5	2	1	1	-
Male.....	1	2	-	1	1	1	2	2	2	-	-	-
Female.....	-	3	1	1	1	-	3	3	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	3	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	3	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia (J12-J18)												
Illinois												
All races, both sexes.....	62	56	72	104	159	306	459	593	495	219	61	-
Male.....	43	35	44	69	91	151	234	243	156	54	14	-
Female.....	19	21	28	35	68	155	225	350	339	165	47	-
White, both sexes.....	42	32	56	76	134	265	410	540	465	206	52	-
Male.....	28	21	35	48	76	130	214	223	148	51	11	-
Female.....	14	11	21	28	58	135	196	317	317	155	41	-
Black, both sexes.....	19	23	14	26	24	36	44	43	26	11	7	-
Male.....	15	13	8	20	14	18	20	16	7	2	3	-
Female.....	4	10	6	6	10	18	24	27	19	9	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	2	2	1	5	5	9	4	2	2	-
Male.....	-	1	1	1	1	3	-	3	1	1	-	-
Female.....	1	-	1	1	-	2	5	6	3	1	2	-
Indiana												
All races, both sexes.....	10	36	29	35	72	149	198	211	200	90	28	-
Male.....	5	24	16	21	40	83	96	77	61	23	8	-
Female.....	5	12	13	14	32	66	102	134	139	67	20	-
White, both sexes.....	10	30	26	33	68	138	193	205	194	87	26	-
Male.....	5	21	14	20	38	77	95	75	60	23	8	-
Female.....	5	9	12	13	30	61	98	130	134	64	18	-
Black, both sexes.....	-	6	3	2	4	8	5	6	6	3	2	-
Male.....	-	3	2	1	2	5	1	2	1	-	-	-
Female.....	-	3	1	1	2	3	4	4	5	3	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	3	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia (J12-J18)												
Kentucky												
All races, both sexes.....	13	23	46	46	72	139	157	188	134	78	16	-
Male.....	9	11	21	29	49	76	70	74	41	20	2	-
Female.....	4	12	25	17	23	63	87	114	93	58	14	-
White, both sexes.....	9	21	43	42	65	133	149	181	126	75	15	-
Male.....	5	11	21	27	44	71	67	71	37	19	2	-
Female.....	4	10	22	15	21	62	82	110	89	56	13	-
Black, both sexes.....	4	2	3	4	7	6	8	7	8	3	1	-
Male.....	4	-	-	2	5	5	3	3	4	1	-	-
Female.....	-	2	3	2	2	1	5	4	4	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Louisiana												
All races, both sexes.....	24	30	33	53	73	102	152	153	143	60	15	-
Male.....	10	22	18	36	39	52	82	63	48	15	6	-
Female.....	14	8	15	17	34	50	70	90	95	45	9	-
White, both sexes.....	12	20	20	36	50	73	122	121	114	51	11	-
Male.....	5	14	9	23	22	38	65	50	40	14	3	-
Female.....	7	6	11	13	28	35	57	71	74	37	8	-
Black, both sexes.....	12	10	13	17	23	29	30	31	29	9	4	-
Male.....	5	8	9	13	17	14	17	13	8	1	3	-
Female.....	7	2	4	4	6	15	13	18	21	8	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia (J12-J18)												
Maine												
All races, both sexes.....	4	5	2	14	24	28	56	57	44	28	9	-
Male.....	2	3	1	6	15	14	31	26	10	7	3	-
Female.....	2	2	1	8	9	14	25	31	34	21	6	-
White, both sexes.....	4	5	2	14	24	28	55	57	44	28	9	-
Male.....	2	3	1	6	15	14	31	26	10	7	3	-
Female.....	2	2	1	8	9	14	24	31	34	21	6	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	21	27	27	61	72	127	231	220	135	83	12	-
Male.....	14	18	19	36	43	64	106	94	41	22	3	-
Female.....	7	9	8	25	29	63	125	126	94	61	9	-
White, both sexes.....	12	17	17	39	56	97	187	186	107	69	10	-
Male.....	8	13	11	21	36	49	88	80	34	18	2	-
Female.....	4	4	6	18	20	48	99	106	73	51	8	-
Black, both sexes.....	9	10	9	21	15	28	40	31	24	14	2	-
Male.....	6	5	7	14	6	14	18	12	5	4	1	-
Female.....	3	5	2	7	9	14	22	19	19	10	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	1	2	3	3	3	-	-	-
Male.....	-	-	1	1	1	1	-	2	1	-	-	-
Female.....	-	-	-	-	-	1	3	1	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia (J12-J18)												
Massachusetts												
All races, both sexes.....	13	12	36	55	100	191	395	453	418	169	43	-
Male.....	6	7	20	35	60	103	196	187	126	42	7	-
Female.....	7	5	16	20	40	88	199	266	292	127	36	-
White, both sexes.....	10	12	31	51	94	184	384	440	413	168	43	-
Male.....	5	7	17	32	57	99	189	179	125	41	7	-
Female.....	5	5	14	19	37	85	195	261	288	127	36	-
Black, both sexes.....	3	-	4	2	3	7	6	9	4	1	-	-
Male.....	1	-	2	2	1	4	4	5	1	1	-	-
Female.....	2	-	2	-	2	3	2	4	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	2	2	-	4	4	1	-	-	-
Male.....	-	-	1	1	2	-	2	3	-	-	-	-
Female.....	-	-	-	1	-	-	2	1	1	-	-	-
Michigan												
All races, both sexes.....	39	61	54	72	128	203	351	393	308	158	45	-
Male.....	20	31	32	39	54	107	177	160	116	44	12	-
Female.....	19	30	22	33	74	96	174	233	192	114	33	-
White, both sexes.....	24	47	41	56	104	175	315	355	279	149	43	-
Male.....	12	25	24	29	39	93	155	144	105	40	11	-
Female.....	12	22	17	27	65	82	160	211	174	109	32	-
Black, both sexes.....	15	14	12	16	24	25	32	35	25	8	2	-
Male.....	8	6	8	10	15	13	19	14	9	4	1	-
Female.....	7	8	4	6	9	12	13	21	16	4	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	3	4	1	-	-	-	-
Male.....	-	-	-	-	-	1	3	1	-	-	-	-
Female.....	-	-	-	-	-	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	2	4	1	-	-
Male.....	-	-	-	-	-	-	-	1	2	-	-	-
Female.....	-	-	1	-	-	-	-	1	2	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia (J12-J18)												
Nebraska												
All races, both sexes.....	3	2	13	12	22	52	72	65	57	27	7	-
Male.....	1	2	5	6	14	25	23	29	22	6	2	-
Female.....	2	-	8	6	8	27	49	36	35	21	5	-
White, both sexes.....	3	1	13	12	22	50	69	64	57	27	7	-
Male.....	1	1	5	6	14	24	23	29	22	6	2	-
Female.....	2	-	8	6	8	26	46	35	35	21	5	-
Black, both sexes.....	-	1	-	-	-	2	3	1	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	3	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	8	14	21	26	43	60	86	61	41	11	-	-
Male.....	7	9	17	12	25	33	46	28	19	3	-	-
Female.....	1	5	4	14	18	27	40	33	22	8	-	-
White, both sexes.....	6	14	19	21	40	54	77	53	36	10	-	-
Male.....	5	9	16	9	23	31	41	22	18	3	-	-
Female.....	1	5	3	12	17	23	36	31	18	7	-	-
Black, both sexes.....	2	-	2	2	2	2	4	3	3	-	-	-
Male.....	2	-	1	1	2	1	2	2	-	-	-	-
Female.....	-	-	1	1	-	1	2	1	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	3	1	1	1	-	-
Male.....	-	-	-	1	-	-	3	1	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	1	4	2	4	1	-	-	-
Male.....	-	-	-	1	-	1	-	3	-	-	-	-
Female.....	-	-	-	1	1	3	2	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Pneumonia (J12-J18)

New Hampshire

All races, both sexes.....	2	2	4	13	16	21	40	62	60	34	7	-
Male.....	1	1	3	8	5	6	18	19	19	4	-	-
Female.....	1	1	1	5	11	15	22	43	41	30	7	-
White, both sexes.....	2	2	4	13	16	21	40	62	60	34	7	-
Male.....	1	1	3	8	5	6	18	19	19	4	-	-
Female.....	1	1	1	5	11	15	22	43	41	30	7	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	21	32	38	60	95	166	288	354	279	139	36	-
Male.....	12	22	23	32	62	93	141	144	88	45	10	-
Female.....	9	10	15	28	33	73	147	210	191	94	26	-
White, both sexes.....	18	24	30	44	82	143	261	327	269	134	33	-
Male.....	10	17	19	23	50	82	127	137	86	45	8	-
Female.....	8	7	11	21	32	61	134	190	183	89	25	-
Black, both sexes.....	3	7	7	14	9	19	22	24	9	5	1	-
Male.....	2	4	3	8	8	9	12	5	2	-	-	-
Female.....	1	3	4	6	1	10	10	19	7	5	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	2	4	4	5	2	1	-	2	-
Male.....	-	1	1	1	4	2	2	2	-	-	2	-
Female.....	-	-	-	1	-	2	3	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia (J12-J18)												
New Mexico												
All races, both sexes.....	5	7	12	12	22	37	42	55	54	27	11	-
Male.....	5	6	4	6	15	17	19	25	22	9	3	-
Female.....	-	1	8	6	7	20	23	30	32	18	8	-
White, both sexes.....	3	5	9	11	20	33	40	51	50	26	7	-
Male.....	3	4	3	6	14	15	19	22	21	9	1	-
Female.....	-	1	6	5	6	18	21	29	29	17	6	-
Black, both sexes.....	1	2	-	-	-	1	-	1	-	-	-	-
Male.....	1	2	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	3	1	2	3	2	3	4	1	4	-
Male.....	1	-	1	-	1	1	-	2	1	-	2	-
Female.....	-	-	2	1	1	2	2	1	3	1	2	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	112	129	174	215	372	645	1,059	1,100	950	404	107	-
Male.....	70	74	99	131	202	328	537	444	302	109	28	-
Female.....	42	55	75	84	170	317	522	656	648	295	79	-
White, both sexes.....	72	88	120	156	287	520	885	963	831	358	92	-
Male.....	43	52	63	94	154	277	450	394	275	97	23	-
Female.....	29	36	57	62	133	243	435	569	556	261	69	-
Black, both sexes.....	39	36	49	52	69	100	142	115	85	39	13	-
Male.....	26	19	32	33	39	43	69	40	16	9	5	-
Female.....	13	17	17	19	30	57	73	75	69	30	8	-
American Indian 1/, both sexes.....	-	-	-	2	1	1	2	-	1	-	-	-
Male.....	-	-	-	2	-	1	1	-	1	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	5	5	5	15	24	30	22	33	7	2	-
Male.....	1	3	4	2	9	7	17	10	10	3	-	-
Female.....	-	2	1	3	6	17	13	12	23	4	2	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia (J12-J18)												
Oregon												
All races, both sexes.....	11	14	14	15	27	57	99	112	110	54	21	-
Male.....	5	7	10	8	14	29	41	53	51	17	2	-
Female.....	6	7	4	7	13	28	58	59	59	37	19	-
White, both sexes.....	11	14	14	14	26	55	96	108	105	52	20	-
Male.....	5	7	10	8	13	29	41	49	48	15	2	-
Female.....	6	7	4	6	13	26	55	59	57	37	18	-
Black, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	1	2	1	1	2	-	-
Male.....	-	-	-	-	-	-	-	1	1	2	-	-
Female.....	-	-	-	1	-	1	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	1	2	3	-	1	-
Male.....	-	-	-	-	1	-	-	2	2	-	-	-
Female.....	-	-	-	-	-	1	1	-	1	-	1	-
Pennsylvania												
All races, both sexes.....	30	51	67	90	174	384	557	644	486	228	56	-
Male.....	22	30	37	49	100	194	270	262	152	60	9	-
Female.....	8	21	30	41	74	190	287	382	334	168	47	-
White, both sexes.....	26	40	61	81	154	360	522	615	463	218	53	-
Male.....	18	24	37	44	87	183	258	250	146	56	9	-
Female.....	8	16	24	37	67	177	264	365	317	162	44	-
Black, both sexes.....	3	11	6	9	19	23	34	29	20	10	3	-
Male.....	3	6	-	5	13	10	12	12	5	4	-	-
Female.....	-	5	6	4	6	13	22	17	15	6	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	1	1	-	3	-	-	-
Male.....	1	-	-	-	-	1	-	-	1	-	-	-
Female.....	-	-	-	-	1	-	1	-	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Pneumonia (J12-J18)

Rhode Island

All races, both sexes.....	3	4	5	9	12	39	49	61	37	17	9	-
Male.....	3	2	3	6	7	20	27	29	17	4	1	-
Female.....	-	2	2	3	5	19	22	32	20	13	8	-
White, both sexes.....	3	4	3	9	12	38	48	58	37	16	9	-
Male.....	3	2	2	6	7	19	26	28	17	4	1	-
Female.....	-	2	1	3	5	19	22	30	20	12	8	-
Black, both sexes.....	-	-	2	-	-	1	-	3	-	1	-	-
Male.....	-	-	1	-	-	1	-	1	-	-	-	-
Female.....	-	-	1	-	-	-	-	2	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	18	23	33	42	62	95	135	139	118	40	11	-
Male.....	7	11	19	27	37	60	73	63	38	14	3	-
Female.....	11	12	14	15	25	35	62	76	80	26	8	-
White, both sexes.....	8	16	24	27	49	66	113	116	106	30	9	-
Male.....	4	6	13	16	28	42	62	53	34	10	2	-
Female.....	4	10	11	11	21	24	51	63	72	20	7	-
Black, both sexes.....	10	7	9	15	12	27	22	23	12	9	2	-
Male.....	3	5	6	11	9	17	11	10	4	4	1	-
Female.....	7	2	3	4	3	10	11	13	8	5	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia (J12-J18)												
South Dakota												
All races, both sexes.....	3	-	3	4	6	16	29	44	38	12	6	-
Male.....	2	-	2	4	2	9	13	15	11	3	1	-
Female.....	1	-	1	-	4	7	16	29	27	9	5	-
White, both sexes.....	2	-	1	3	4	14	28	40	38	12	6	-
Male.....	2	-	1	3	1	9	12	13	11	3	1	-
Female.....	-	-	-	-	3	5	16	27	27	9	5	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	2	1	2	2	1	4	-	-	-	-
Male.....	-	-	1	1	1	-	1	2	-	-	-	-
Female.....	1	-	1	-	1	2	-	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee												
All races, both sexes.....	36	43	48	72	111	172	292	308	244	95	30	-
Male.....	18	20	25	44	65	88	140	113	93	27	4	-
Female.....	18	23	23	28	46	84	152	195	151	68	26	-
White, both sexes.....	25	40	42	62	98	152	279	273	225	85	26	-
Male.....	14	18	20	36	59	77	131	101	81	24	3	-
Female.....	11	22	22	26	39	75	148	172	144	61	23	-
Black, both sexes.....	11	3	6	10	13	20	13	33	19	10	4	-
Male.....	4	2	5	8	6	11	9	12	12	3	1	-
Female.....	7	1	1	2	7	9	4	21	7	7	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia (J12-J18)												
Texas												
All races, both sexes.....	95	91	118	124	199	380	584	595	508	216	55	-
Male.....	61	61	68	73	114	196	286	231	165	59	15	-
Female.....	34	30	50	51	85	184	298	364	343	157	40	-
White, both sexes.....	80	75	101	102	162	335	525	532	467	199	47	-
Male.....	49	49	56	59	94	166	255	210	152	55	14	-
Female.....	31	26	45	43	68	169	270	322	315	144	33	-
Black, both sexes.....	14	14	16	20	34	42	53	61	35	16	7	-
Male.....	11	10	12	14	20	29	27	21	11	3	1	-
Female.....	3	4	4	6	14	13	26	40	24	13	6	-
American Indian 1/, both sexes.....	1	1	-	-	-	1	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	2	3	2	6	2	6	1	1	-
Male.....	-	1	-	-	-	1	4	-	2	1	-	-
Female.....	-	-	1	2	3	1	2	2	4	-	1	-
Utah												
All races, both sexes.....	7	7	10	22	34	33	77	73	62	18	3	-
Male.....	3	6	3	13	19	16	37	32	22	9	2	-
Female.....	4	1	7	9	15	17	40	41	40	9	1	-
White, both sexes.....	7	7	9	22	33	31	75	73	62	18	3	-
Male.....	3	6	3	13	18	15	36	32	22	9	2	-
Female.....	4	1	6	9	15	16	39	41	40	9	1	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia (J12-J18)												
Vermont												
All races, both sexes.....	-	-	-	5	3	3	13	18	22	10	4	-
Male.....	-	-	-	3	3	1	7	7	6	-	-	-
Female.....	-	-	-	2	-	2	6	11	16	10	4	-
White, both sexes.....	-	-	-	5	3	3	13	18	22	10	4	-
Male.....	-	-	-	3	3	1	7	7	6	-	-	-
Female.....	-	-	-	2	-	2	6	11	16	10	4	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	22	32	43	54	93	158	290	284	226	107	28	-
Male.....	11	19	25	36	54	84	142	126	78	26	4	-
Female.....	11	13	18	18	39	74	148	158	148	81	24	-
White, both sexes.....	9	24	34	38	76	127	235	251	197	93	24	-
Male.....	5	14	21	26	45	66	109	112	68	23	4	-
Female.....	4	10	13	12	31	61	126	139	129	70	20	-
Black, both sexes.....	12	7	9	16	17	29	52	30	28	12	4	-
Male.....	6	4	4	10	9	18	31	12	9	2	-	-
Female.....	6	3	5	6	8	11	21	18	19	10	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	2	3	3	1	2	-	-
Male.....	-	1	-	-	-	-	2	2	1	1	-	-
Female.....	1	-	-	-	-	2	1	1	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Viral pneumonia, not elsewhere classified (J12)

Kentucky

All races, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
White, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Bacterial pneumonia (J13-J15)												
Arkansas												
All races, both sexes.....	2	1	1	1	4	5	5	4	2	5	-	-
Male.....	2	-	-	1	1	2	1	-	1	3	-	-
Female.....	-	1	1	-	3	3	4	4	1	2	-	-
White, both sexes.....	1	1	1	1	4	5	4	4	2	3	-	-
Male.....	1	-	-	1	1	2	1	-	1	2	-	-
Female.....	-	1	1	-	3	3	3	4	1	1	-	-
Black, both sexes.....	1	-	-	-	-	-	1	-	-	2	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	1	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	25	36	36	30	47	103	128	122	91	40	5	-
Male.....	13	20	16	18	26	49	72	53	40	15	-	-
Female.....	12	16	20	12	21	54	56	69	51	25	5	-
White, both sexes.....	21	30	34	22	39	81	114	108	79	37	4	-
Male.....	12	16	15	11	22	41	65	47	33	14	-	-
Female.....	9	14	19	11	17	40	49	61	46	23	4	-
Black, both sexes.....	2	4	1	7	3	11	3	9	6	3	1	-
Male.....	-	3	1	6	2	3	2	5	4	1	-	-
Female.....	2	1	-	1	1	8	1	4	2	2	1	-
American Indian 1/, both sexes.....	-	2	-	-	-	-	1	-	1	-	-	-
Male.....	-	1	-	-	-	-	-	-	1	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	1	5	11	10	5	5	-	-	-
Male.....	1	-	-	1	2	5	5	1	2	-	-	-
Female.....	1	-	1	-	3	6	5	4	3	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Bacterial pneumonia (J13-J15)

Colorado

All races, both sexes.....	3	3	4	2	4	6	3	4	5	2	1	-
Male.....	2	3	1	1	2	3	1	4	1	1	1	-
Female.....	1	-	3	1	2	3	2	-	4	1	-	-
White, both sexes.....	3	2	3	2	4	6	3	4	5	2	1	-
Male.....	2	2	1	1	2	3	1	4	1	1	1	-
Female.....	1	-	2	1	2	3	2	-	4	1	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Connecticut

All races, both sexes.....	1	-	4	3	2	8	14	8	5	3	-	-
Male.....	-	-	2	2	1	4	9	4	2	1	-	-
Female.....	1	-	2	1	1	4	5	4	3	2	-	-
White, both sexes.....	1	-	4	2	2	7	14	7	5	3	-	-
Male.....	-	-	2	2	1	3	9	4	2	1	-	-
Female.....	1	-	2	-	1	4	5	3	3	2	-	-
Black, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Bacterial pneumonia (J13-J15)

New Mexico

All races, both sexes.....	2	-	1	2	1	3	3	3	-	-	-	-
Male.....	2	-	-	-	-	-	2	2	-	-	-	-
Female.....	-	-	1	2	1	3	1	1	-	-	-	-
White, both sexes.....	1	-	1	1	1	3	3	3	-	-	-	-
Male.....	1	-	-	-	-	-	2	2	-	-	-	-
Female.....	-	-	1	1	1	3	1	1	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	23	19	36	37	54	83	133	135	89	45	13	-
Male.....	16	12	20	26	28	49	76	66	18	12	5	-
Female.....	7	7	16	11	26	34	57	69	71	33	8	-
White, both sexes.....	11	10	19	21	32	56	103	107	71	35	10	-
Male.....	7	6	7	16	17	35	58	57	16	10	4	-
Female.....	4	4	12	5	15	21	45	50	55	25	6	-
Black, both sexes.....	12	8	15	14	19	22	24	25	16	10	3	-
Male.....	9	5	11	9	8	12	13	8	1	2	1	-
Female.....	3	3	4	5	11	10	11	17	15	8	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	2	3	5	6	3	2	-	-	-
Male.....	-	1	2	1	3	2	5	1	1	-	-	-
Female.....	-	-	-	1	-	3	1	2	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Pneumonia due to other or unspecified organisms (J16,J18)												
Arkansas												
All races, both sexes.....	716	1	-	2	1	1	1	-	1	3	9	5
Male.....	328	1	-	2	1	-	-	-	1	1	2	2
Female.....	388	-	-	-	-	1	1	-	-	2	7	3
White, both sexes.....	648	-	-	1	1	1	-	-	1	3	8	3
Male.....	293	-	-	1	1	-	-	-	1	1	2	1
Female.....	355	-	-	-	-	1	-	-	-	2	6	2
Black, both sexes.....	68	1	-	1	-	-	1	-	-	-	1	2
Male.....	35	1	-	1	-	-	-	-	-	-	-	1
Female.....	33	-	-	-	-	-	1	-	-	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	6,530	17	5	2	5	5	10	2	15	17	41	62
Male.....	2,974	10	3	2	3	4	5	1	10	11	20	37
Female.....	3,556	7	2	-	2	1	5	1	5	6	21	25
White, both sexes.....	5,500	12	4	2	4	5	6	2	12	15	31	47
Male.....	2,494	7	2	2	2	4	4	1	7	9	13	28
Female.....	3,006	5	2	-	2	1	2	1	5	6	18	19
Black, both sexes.....	417	4	-	-	-	-	2	-	3	1	5	12
Male.....	185	2	-	-	-	-	1	-	3	1	4	7
Female.....	232	2	-	-	-	-	1	-	-	-	1	5
American Indian 1/, both sexes.....	16	-	-	-	-	-	-	-	-	-	-	1
Male.....	8	-	-	-	-	-	-	-	-	-	-	1
Female.....	8	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	597	1	1	-	1	-	2	-	-	1	5	2
Male.....	287	1	1	-	1	-	-	-	-	1	3	1
Female.....	310	-	-	-	-	-	2	-	-	-	2	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Pneumonia due to other or unspecified organisms (J16,J18)												
New Mexico												
All races, both sexes.....	282	1	1	-	-	-	-	-	3	1	3	5
Male.....	133	1	-	-	-	-	-	-	3	1	2	1
Female.....	149	-	1	-	-	-	-	-	-	-	1	4
White, both sexes.....	253	-	1	-	-	-	-	-	2	1	3	5
Male.....	118	-	-	-	-	-	-	-	2	1	2	1
Female.....	135	-	1	-	-	-	-	-	-	-	1	4
Black, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	25	1	-	-	-	-	-	-	1	-	-	-
Male.....	11	1	-	-	-	-	-	-	1	-	-	-
Female.....	14	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	4,749	7	3	-	4	3	10	7	11	23	38	52
Male.....	2,085	6	1	-	1	1	7	5	7	12	20	32
Female.....	2,664	1	2	-	3	2	3	2	4	11	18	20
White, both sexes.....	3,992	7	1	-	2	3	7	4	6	11	29	34
Male.....	1,744	6	1	-	-	1	4	2	4	5	15	20
Female.....	2,248	1	-	-	2	2	3	2	2	6	14	14
Black, both sexes.....	617	-	2	-	1	-	3	2	5	8	9	16
Male.....	281	-	-	-	-	-	3	2	3	5	5	11
Female.....	336	-	2	-	1	-	-	-	2	3	4	5
American Indian 1/, both sexes.....	7	-	-	-	-	-	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	133	-	-	-	1	-	-	1	-	4	-	2
Male.....	55	-	-	-	1	-	-	1	-	2	-	1
Female.....	78	-	-	-	-	-	-	-	-	2	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Pneumonia due to other or unspecified organisms (J16,J18)

United States

All races, both sexes.....	918	1,150	1,528	2,069	3,573	6,299	10,063	11,348	9,477	4,264	1,144	-
Male.....	572	677	905	1,206	1,980	3,288	4,840	4,761	3,214	1,177	256	-
Female.....	346	473	623	863	1,593	3,011	5,223	6,587	6,263	3,087	888	-
White, both sexes.....	680	898	1,235	1,661	3,040	5,503	9,005	10,340	8,682	3,925	1,019	-
Male.....	424	543	729	951	1,686	2,862	4,337	4,345	2,952	1,071	217	-
Female.....	256	355	506	710	1,354	2,641	4,668	5,995	5,730	2,854	802	-
Black, both sexes.....	219	224	252	340	432	613	802	741	558	262	96	-
Male.....	137	119	155	223	242	328	383	289	174	66	29	-
Female.....	82	105	97	117	190	285	419	452	384	196	67	-
American Indian 1/, both sexes.....	4	9	11	18	16	37	45	28	27	9	6	-
Male.....	4	6	3	8	7	18	23	13	12	4	3	-
Female.....	-	3	8	10	9	19	22	15	15	5	3	-
Asian or Pacific Islander 2/, both sexes.....	15	19	30	50	85	146	211	239	210	68	23	-
Male.....	7	9	18	24	45	80	97	114	76	36	7	-
Female.....	8	10	12	26	40	66	114	125	134	32	16	-

Alabama

All races, both sexes.....	14	27	34	47	59	115	215	186	135	54	15	-
Male.....	8	14	20	29	29	61	98	78	36	16	5	-
Female.....	6	13	14	18	30	54	117	108	99	38	10	-
White, both sexes.....	11	18	26	40	50	89	187	158	119	46	11	-
Male.....	7	8	16	22	25	48	82	67	32	14	3	-
Female.....	4	10	10	18	25	41	105	91	87	32	8	-
Black, both sexes.....	3	9	8	7	9	26	26	28	16	8	4	-
Male.....	1	6	4	7	4	13	15	11	4	2	2	-
Female.....	2	3	4	-	5	13	11	17	12	6	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Pneumonia due to other or unspecified organisms (J16,J18)

Alaska

All races, both sexes.....	1	-	2	2	3	5	4	10	8	2	-	-
Male.....	1	-	1	1	1	4	1	3	3	1	-	-
Female.....	-	-	1	1	2	1	3	7	5	1	-	-
White, both sexes.....	-	-	1	-	1	3	4	9	4	1	-	-
Male.....	-	-	1	-	-	3	1	3	1	-	-	-
Female.....	-	-	-	-	1	-	3	6	3	1	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	2	1	2	-	1	4	1	-	-
Male.....	-	-	-	1	-	1	-	-	2	1	-	-
Female.....	-	-	1	1	1	1	-	1	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	15	16	17	37	61	95	139	163	104	41	7	-
Male.....	7	9	10	20	33	54	66	90	40	13	5	-
Female.....	8	7	7	17	28	41	73	73	64	28	2	-
White, both sexes.....	13	14	16	33	59	87	134	160	101	40	7	-
Male.....	6	7	10	19	33	48	61	88	39	13	5	-
Female.....	7	7	6	14	26	39	73	72	62	27	2	-
Black, both sexes.....	1	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	2	1	3	1	7	5	2	3	-	-	-
Male.....	1	2	-	1	-	5	5	1	1	-	-	-
Female.....	-	-	1	2	1	2	-	1	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	1	-	1	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Pneumonia due to other or unspecified organisms (J16,J18)

Arkansas

All races, both sexes.....	21	11	30	19	62	79	136	160	113	48	13	-
Male.....	14	7	19	12	32	48	65	76	33	11	1	-
Female.....	7	4	11	7	30	31	71	84	80	37	12	-
White, both sexes.....	15	8	24	17	56	72	127	152	107	42	10	-
Male.....	9	6	13	10	29	45	63	71	30	9	1	-
Female.....	6	2	11	7	27	27	64	81	77	33	9	-
Black, both sexes.....	6	3	6	2	6	7	9	8	6	6	3	-
Male.....	5	1	6	2	3	3	2	5	3	2	-	-
Female.....	1	2	-	-	3	4	7	3	3	4	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	109	110	176	230	483	800	1,203	1,440	1,128	530	140	-
Male.....	75	60	106	120	266	429	529	654	444	154	31	-
Female.....	34	50	70	110	217	371	674	786	684	376	109	-
White, both sexes.....	84	89	134	174	400	675	1,004	1,234	977	471	118	-
Male.....	60	52	81	87	225	352	447	566	390	131	24	-
Female.....	24	37	53	87	175	323	557	668	587	340	94	-
Black, both sexes.....	16	12	25	23	41	43	85	65	45	25	10	-
Male.....	11	5	13	15	19	29	31	23	15	3	3	-
Female.....	5	7	12	8	22	14	54	42	30	22	7	-
American Indian 1/, both sexes.....	1	1	1	2	-	2	4	1	2	1	-	-
Male.....	1	1	1	-	-	1	1	-	1	1	-	-
Female.....	-	-	-	2	-	1	3	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	8	16	31	42	80	110	140	104	33	12	-
Male.....	3	2	11	18	22	47	50	65	38	19	4	-
Female.....	5	6	5	13	20	33	60	75	66	14	8	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia due to other or unspecified organisms (J16,J18)												
Colorado												
All races, both sexes.....	13	13	20	18	43	66	102	110	96	49	13	-
Male.....	11	7	14	12	25	35	55	44	26	14	2	-
Female.....	2	6	6	6	18	31	47	66	70	35	11	-
White, both sexes.....	12	11	20	17	41	61	98	110	94	47	12	-
Male.....	10	7	14	12	24	33	52	44	26	13	2	-
Female.....	2	4	6	5	17	28	46	66	68	34	10	-
Black, both sexes.....	1	1	-	-	1	5	2	-	1	2	1	-
Male.....	1	-	-	-	-	2	1	-	-	1	-	-
Female.....	-	1	-	-	1	3	1	-	1	1	1	-
American Indian 1/, both sexes.....	-	1	-	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Connecticut												
All races, both sexes.....	7	15	11	17	38	72	153	192	166	87	22	-
Male.....	4	6	7	10	22	36	77	78	47	22	2	-
Female.....	3	9	4	7	16	36	76	114	119	65	20	-
White, both sexes.....	6	10	10	16	36	72	148	184	163	86	21	-
Male.....	3	4	7	9	21	36	75	75	45	22	2	-
Female.....	3	6	3	7	15	36	73	109	118	64	19	-
Black, both sexes.....	1	5	1	1	2	-	5	5	2	1	1	-
Male.....	1	2	-	1	1	-	2	2	2	-	-	-
Female.....	-	3	1	-	1	-	3	3	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	2	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Pneumonia due to other or unspecified organisms (J16,J18)

Illinois

All races, both sexes.....	55	53	67	100	149	292	442	575	486	217	61	-
Male.....	40	34	41	65	86	145	224	233	154	53	14	-
Female.....	15	19	26	35	63	147	218	342	332	164	47	-
White, both sexes.....	35	30	53	72	125	251	394	524	456	204	52	-
Male.....	25	21	33	44	71	124	205	214	146	50	11	-
Female.....	10	9	20	28	54	127	189	310	310	154	41	-
Black, both sexes.....	19	22	13	26	23	36	43	41	26	11	7	-
Male.....	15	12	8	20	14	18	19	15	7	2	3	-
Female.....	4	10	5	6	9	18	24	26	19	9	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	2	1	5	5	9	4	2	2	-
Male.....	-	1	-	1	1	3	-	3	1	1	-	-
Female.....	1	-	1	1	-	2	5	6	3	1	2	-

Indiana

All races, both sexes.....	8	31	28	34	70	132	193	206	194	87	28	-
Male.....	3	21	15	20	39	70	93	74	59	23	8	-
Female.....	5	10	13	14	31	62	100	132	135	64	20	-
White, both sexes.....	8	25	25	32	66	123	188	201	188	84	26	-
Male.....	3	18	13	19	37	66	92	72	58	23	8	-
Female.....	5	7	12	13	29	57	96	129	130	61	18	-
Black, both sexes.....	-	6	3	2	4	7	5	5	6	3	2	-
Male.....	-	3	2	1	2	4	1	2	1	-	-	-
Female.....	-	3	1	1	2	3	4	3	5	3	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Pneumonia due to other or unspecified organisms (J16,J18)

Maine

All races, both sexes.....	3	4	1	11	21	26	53	55	43	27	9	-
Male.....	1	2	1	6	14	12	28	25	10	7	3	-
Female.....	2	2	-	5	7	14	25	30	33	20	6	-
White, both sexes.....	3	4	1	11	21	26	52	55	43	27	9	-
Male.....	1	2	1	6	14	12	28	25	10	7	3	-
Female.....	2	2	-	5	7	14	24	30	33	20	6	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	20	25	24	52	69	119	219	212	131	81	12	-
Male.....	14	16	17	31	41	59	101	91	40	22	3	-
Female.....	6	9	7	21	28	60	118	121	91	59	9	-
White, both sexes.....	11	16	15	33	54	90	176	179	103	67	10	-
Male.....	8	12	10	18	35	45	83	77	33	18	2	-
Female.....	3	4	5	15	19	45	93	102	70	49	8	-
Black, both sexes.....	9	9	8	18	14	27	39	30	24	14	2	-
Male.....	6	4	6	12	5	13	18	12	5	4	1	-
Female.....	3	5	2	6	9	14	21	18	19	10	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	1	2	3	3	3	-	-	-
Male.....	-	-	1	1	1	1	-	2	1	-	-	-
Female.....	-	-	-	-	-	1	3	1	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Pneumonia due to other or unspecified organisms (J16,J18)

Massachusetts

All races, both sexes.....	12	12	35	47	92	180	382	440	411	167	43	-
Male.....	5	7	19	28	56	98	187	179	126	42	7	-
Female.....	7	5	16	19	36	82	195	261	285	125	36	-
White, both sexes.....	10	12	30	44	86	174	371	427	406	166	43	-
Male.....	5	7	16	26	53	94	180	171	125	41	7	-
Female.....	5	5	14	18	33	80	191	256	281	125	36	-
Black, both sexes.....	2	-	4	1	3	6	6	9	4	1	-	-
Male.....	-	-	2	1	1	4	4	5	1	1	-	-
Female.....	2	-	2	-	2	2	2	4	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	2	2	-	4	4	1	-	-	-
Male.....	-	-	1	1	2	-	2	3	-	-	-	-
Female.....	-	-	-	1	-	-	2	1	1	-	-	-

Michigan

All races, both sexes.....	36	53	47	55	113	194	333	380	298	153	45	-
Male.....	19	27	28	29	46	102	166	154	109	42	12	-
Female.....	17	26	19	26	67	92	167	226	189	111	33	-
White, both sexes.....	23	42	37	42	89	166	299	343	271	144	43	-
Male.....	11	23	22	22	31	88	145	139	99	38	11	-
Female.....	12	19	15	20	58	78	154	204	172	106	32	-
Black, both sexes.....	13	11	10	13	24	25	30	34	23	8	2	-
Male.....	8	4	6	7	15	13	18	13	8	4	1	-
Female.....	5	7	4	6	9	12	12	21	15	4	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	3	4	1	-	-	-	-
Male.....	-	-	-	-	-	1	3	1	-	-	-	-
Female.....	-	-	-	-	-	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	2	4	1	-	-
Male.....	-	-	-	-	-	-	-	1	2	-	-	-
Female.....	-	-	-	-	-	-	-	1	2	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Pneumonia due to other or unspecified organisms (J16,J18)

Nebraska

All races, both sexes.....	3	2	12	12	22	49	70	64	55	26	7	-
Male.....	1	2	5	6	14	22	23	28	21	6	2	-
Female.....	2	-	7	6	8	27	47	36	34	20	5	-
White, both sexes.....	3	1	12	12	22	47	67	63	55	26	7	-
Male.....	1	1	5	6	14	21	23	28	21	6	2	-
Female.....	2	-	7	6	8	26	44	35	34	20	5	-
Black, both sexes.....	-	1	-	-	-	2	3	1	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	3	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	8	13	21	26	42	56	85	60	41	11	-	-
Male.....	7	8	17	12	24	31	45	28	19	3	-	-
Female.....	1	5	4	14	18	25	40	32	22	8	-	-
White, both sexes.....	6	13	19	21	39	50	76	52	36	10	-	-
Male.....	5	8	16	9	22	29	40	22	18	3	-	-
Female.....	1	5	3	12	17	21	36	30	18	7	-	-
Black, both sexes.....	2	-	2	2	2	2	4	3	3	-	-	-
Male.....	2	-	1	1	2	1	2	2	-	-	-	-
Female.....	-	-	1	1	-	1	2	1	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	3	1	1	1	-	-
Male.....	-	-	-	1	-	-	3	1	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	1	4	2	4	1	-	-	-
Male.....	-	-	-	1	-	1	-	3	-	-	-	-
Female.....	-	-	-	1	1	3	2	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Pneumonia due to other or unspecified organisms (J16,J18)

New Hampshire

All races, both sexes.....	2	1	3	10	14	19	34	54	56	30	6	-
Male.....	1	-	2	7	4	6	16	16	16	4	-	-
Female.....	1	1	1	3	10	13	18	38	40	26	6	-
White, both sexes.....	2	1	3	10	14	19	34	54	56	30	6	-
Male.....	1	-	2	7	4	6	16	16	16	4	-	-
Female.....	1	1	1	3	10	13	18	38	40	26	6	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	19	28	34	55	92	162	275	344	278	136	36	-
Male.....	11	20	21	30	60	90	135	141	87	44	10	-
Female.....	8	8	13	25	32	72	140	203	191	92	26	-
White, both sexes.....	17	20	27	41	79	139	251	317	268	132	33	-
Male.....	10	15	17	22	48	79	123	134	85	44	8	-
Female.....	7	5	10	19	31	60	128	183	183	88	25	-
Black, both sexes.....	2	7	6	12	9	19	20	24	9	4	1	-
Male.....	1	4	3	7	8	9	11	5	2	-	-	-
Female.....	1	3	3	5	1	10	9	19	7	4	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	2	4	4	4	2	1	-	2	-
Male.....	-	1	1	1	4	2	1	2	-	-	2	-
Female.....	-	-	-	1	-	2	3	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Pneumonia due to other or unspecified organisms (J16,J18)

New Mexico

All races, both sexes.....	3	7	11	10	21	34	39	51	54	27	11	-
Male.....	3	6	4	6	15	17	17	23	22	9	3	-
Female.....	-	1	7	4	6	17	22	28	32	18	8	-
White, both sexes.....	2	5	8	10	19	30	37	47	50	26	7	-
Male.....	2	4	3	6	14	15	17	20	21	9	1	-
Female.....	-	1	5	4	5	15	20	27	29	17	6	-
Black, both sexes.....	-	2	-	-	-	1	-	1	-	-	-	-
Male.....	-	2	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	3	-	2	3	2	3	4	1	4	-
Male.....	1	-	1	-	1	1	-	2	1	-	2	-
Female.....	-	-	2	-	1	2	2	1	3	1	2	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	89	110	138	178	318	562	923	961	861	357	94	-
Male.....	54	62	79	105	174	279	459	377	284	97	23	-
Female.....	35	48	59	73	144	283	464	584	577	260	71	-
White, both sexes.....	61	78	101	135	255	464	779	852	760	321	82	-
Male.....	36	46	56	78	137	242	390	336	259	87	19	-
Female.....	25	32	45	57	118	222	389	516	501	234	63	-
Black, both sexes.....	27	28	34	38	50	78	118	90	69	29	10	-
Male.....	17	14	21	24	31	31	56	32	15	7	4	-
Female.....	10	14	13	14	19	47	62	58	54	22	6	-
American Indian 1/, both sexes.....	-	-	-	2	1	1	2	-	1	-	-	-
Male.....	-	-	-	2	-	1	1	-	1	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	4	3	3	12	19	24	19	31	7	2	-
Male.....	1	2	2	1	6	5	12	9	9	3	-	-
Female.....	-	2	1	2	6	14	12	10	22	4	2	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Pneumonia due to other or unspecified organisms (J16,J18)

Oregon

All races, both sexes.....	8	7	11	13	25	51	97	104	102	51	20	-
Male.....	4	4	8	7	12	27	41	52	47	15	2	-
Female.....	4	3	3	6	13	24	56	52	55	36	18	-
White, both sexes.....	8	7	11	12	24	49	94	100	98	49	19	-
Male.....	4	4	8	7	11	27	41	48	45	13	2	-
Female.....	4	3	3	5	13	22	53	52	53	36	17	-
Black, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	1	2	1	1	2	-	-
Male.....	-	-	-	-	-	-	-	1	1	2	-	-
Female.....	-	-	-	1	-	1	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	1	2	2	-	1	-
Male.....	-	-	-	-	1	-	-	2	1	-	-	-
Female.....	-	-	-	-	-	1	1	-	1	-	1	-

Pennsylvania

All races, both sexes.....	23	47	62	83	165	369	535	625	474	226	56	-
Male.....	19	27	35	45	94	183	261	255	146	60	9	-
Female.....	4	20	27	38	71	186	274	370	328	166	47	-
White, both sexes.....	20	38	57	74	145	347	501	597	451	216	53	-
Male.....	16	22	35	40	81	174	250	244	140	56	9	-
Female.....	4	16	22	34	64	173	251	353	311	160	44	-
Black, both sexes.....	3	9	5	9	19	21	33	28	20	10	3	-
Male.....	3	5	-	5	13	8	11	11	5	4	-	-
Female.....	-	4	5	4	6	13	22	17	15	6	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	1	-	3	-	-	-
Male.....	-	-	-	-	-	1	-	-	1	-	-	-
Female.....	-	-	-	-	1	-	1	-	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Pneumonia due to other or unspecified organisms (J16,J18)

Rhode Island

All races, both sexes.....	2	4	5	8	12	35	46	57	36	17	9	-
Male.....	2	2	3	6	7	17	26	26	17	4	1	-
Female.....	-	2	2	2	5	18	20	31	19	13	8	-
White, both sexes.....	2	4	3	8	12	34	45	54	36	16	9	-
Male.....	2	2	2	6	7	16	25	25	17	4	1	-
Female.....	-	2	1	2	5	18	20	29	19	12	8	-
Black, both sexes.....	-	-	2	-	-	1	-	3	-	1	-	-
Male.....	-	-	1	-	-	1	-	1	-	-	-	-
Female.....	-	-	1	-	-	-	-	2	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	16	22	28	36	60	91	117	129	109	37	9	-
Male.....	6	11	17	23	37	56	64	60	36	13	3	-
Female.....	10	11	11	13	23	35	53	69	73	24	6	-
White, both sexes.....	7	15	20	23	48	64	97	106	97	27	7	-
Male.....	4	6	11	14	28	40	53	50	32	9	2	-
Female.....	3	9	9	9	20	24	44	56	65	18	5	-
Black, both sexes.....	9	7	8	13	11	25	20	23	12	9	2	-
Male.....	2	5	6	9	9	15	11	10	4	4	1	-
Female.....	7	2	2	4	2	10	9	13	8	5	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Pneumonia due to other or unspecified organisms (J16,J18)

South Dakota

All races, both sexes.....	2	-	1	4	4	14	27	39	38	11	5	-
Male.....	2	-	1	4	-	7	11	12	11	2	1	-
Female.....	-	-	-	-	4	7	16	27	27	9	4	-
White, both sexes.....	2	-	1	3	3	12	26	36	38	11	5	-
Male.....	2	-	1	3	-	7	10	10	11	2	1	-
Female.....	-	-	-	-	3	5	16	26	27	9	4	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	1	2	1	3	-	-	-	-
Male.....	-	-	-	1	-	-	1	2	-	-	-	-
Female.....	-	-	-	-	1	2	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	31	36	43	66	95	151	265	295	234	91	30	-
Male.....	16	18	23	39	56	77	130	109	86	23	4	-
Female.....	15	18	20	27	39	74	135	186	148	68	26	-
White, both sexes.....	21	34	37	57	84	132	253	260	215	81	26	-
Male.....	12	17	18	32	52	67	121	97	74	20	3	-
Female.....	9	17	19	25	32	65	132	163	141	61	23	-
Black, both sexes.....	10	2	6	9	11	19	12	33	19	10	4	-
Male.....	4	1	5	7	4	10	9	12	12	3	1	-
Female.....	6	1	1	2	7	9	3	21	7	7	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Pneumonia due to other or unspecified organisms (J16,J18)

Texas

All races, both sexes.....	86	79	110	109	185	355	535	565	480	211	54	-
Male.....	56	54	65	67	105	180	261	217	153	58	15	-
Female.....	30	25	45	42	80	175	274	348	327	153	39	-
White, both sexes.....	73	64	95	89	150	314	480	507	441	195	46	-
Male.....	46	43	54	54	87	154	231	197	140	54	14	-
Female.....	27	21	41	35	63	160	249	310	301	141	32	-
Black, both sexes.....	12	13	14	18	32	38	49	57	33	15	7	-
Male.....	9	9	11	13	18	25	26	20	11	3	1	-
Female.....	3	4	3	5	14	13	23	37	22	12	6	-
American Indian 1/, both sexes.....	1	1	-	-	-	1	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	2	3	2	6	1	6	1	1	-
Male.....	-	1	-	-	-	1	4	-	2	1	-	-
Female.....	-	-	1	2	3	1	2	1	4	-	1	-

Utah

All races, both sexes.....	7	7	8	18	31	33	77	71	61	18	3	-
Male.....	3	6	1	11	18	16	37	31	22	9	2	-
Female.....	4	1	7	7	13	17	40	40	39	9	1	-
White, both sexes.....	7	7	7	18	30	31	75	71	61	18	3	-
Male.....	3	6	1	11	17	15	36	31	22	9	2	-
Female.....	4	1	6	7	13	16	39	40	39	9	1	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Pneumonia due to other or unspecified organisms (J16,J18)

Vermont

All races, both sexes.....	-	-	-	5	3	3	11	16	20	10	3	-
Male.....	-	-	-	3	3	1	5	6	6	-	-	-
Female.....	-	-	-	2	-	2	6	10	14	10	3	-
White, both sexes.....	-	-	-	5	3	3	11	16	20	10	3	-
Male.....	-	-	-	3	3	1	5	6	6	-	-	-
Female.....	-	-	-	2	-	2	6	10	14	10	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	20	28	36	47	84	151	280	272	218	105	28	-
Male.....	10	17	20	31	47	81	138	121	74	26	4	-
Female.....	10	11	16	16	37	70	142	151	144	79	24	-
White, both sexes.....	9	21	30	33	69	123	226	240	191	91	24	-
Male.....	5	12	18	21	39	65	105	108	66	23	4	-
Female.....	4	9	12	12	30	58	121	132	125	68	20	-
Black, both sexes.....	10	6	6	14	15	26	51	29	26	12	4	-
Male.....	5	4	2	10	8	16	31	11	7	2	-	-
Female.....	5	2	4	4	7	10	20	18	19	10	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	2	3	3	1	2	-	-
Male.....	-	1	-	-	-	-	2	2	1	1	-	-
Female.....	1	-	-	-	-	2	1	1	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other acute lower respiratory infections (J20-J22)

Arkansas

All races, both sexes.....	-	-	1	-	1	-	1	3	-	-	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	1	-	-	-	1	2	-	-	-	-
White, both sexes.....	-	-	1	-	1	-	1	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	-	1	3	-	-	2	3	3	2	2	3	-
Male.....	-	1	2	-	-	-	1	2	-	-	-	-
Female.....	-	-	1	-	-	2	2	1	2	2	3	-
White, both sexes.....	-	1	3	-	-	2	3	2	2	1	3	-
Male.....	-	1	2	-	-	-	1	1	-	-	-	-
Female.....	-	-	1	-	-	2	2	1	2	1	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Acute bronchitis and bronchiolitis (J20-J21)

Arkansas

All races, both sexes.....	-	-	-	-	1	-	1	3	-	-	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	2	-	-	-	-
White, both sexes.....	-	-	-	-	1	-	1	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	-	1	2	-	-	2	3	3	1	1	1	-
Male.....	-	1	2	-	-	-	1	2	-	-	-	-
Female.....	-	-	-	-	-	2	2	1	1	1	1	-
White, both sexes.....	-	1	2	-	-	2	3	2	1	-	1	-
Male.....	-	1	2	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	2	2	1	1	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other diseases of upper respiratory tract (J30-J39)

Arkansas

All races, both sexes.....	2	-	-	-	-	-	1	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	1	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	1	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	2	3	1	3	-	4	3	3	2	-	-	-
Male.....	1	2	1	2	-	2	2	2	1	-	-	-
Female.....	1	1	-	1	-	2	1	1	1	-	-	-
White, both sexes.....	2	1	1	3	-	2	2	3	2	-	-	-
Male.....	1	1	1	2	-	2	2	2	1	-	-	-
Female.....	1	-	-	1	-	2	-	1	1	-	-	-
Black, both sexes.....	-	2	-	-	-	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Chronic lower respiratory diseases (J40-J47)

Colorado

All races, both sexes.....	1,899	1	-	-	2	1	1	2	1	2	10	17
Male.....	960	1	-	-	-	-	1	1	1	1	4	12
Female.....	939	-	-	-	2	1	-	1	-	1	6	5
White, both sexes.....	1,859	1	-	-	2	1	1	2	1	2	10	17
Male.....	938	1	-	-	-	-	1	1	1	1	4	12
Female.....	921	-	-	-	2	1	-	1	-	1	6	5
Black, both sexes.....	25	-	-	-	-	-	-	-	-	-	-	-
Male.....	14	-	-	-	-	-	-	-	-	-	-	-
Female.....	11	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	-	-	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	-

Connecticut

All races, both sexes.....	1,432	-	-	1	-	2	2	1	-	3	6	13
Male.....	595	-	-	1	-	1	1	-	-	2	4	6
Female.....	837	-	-	-	-	1	1	1	-	1	2	7
White, both sexes.....	1,383	-	-	1	-	1	2	-	-	2	6	8
Male.....	568	-	-	1	-	1	1	-	-	1	4	4
Female.....	815	-	-	-	-	-	1	-	-	1	2	4
Black, both sexes.....	42	-	-	-	-	-	-	1	-	1	-	4
Male.....	23	-	-	-	-	-	-	-	-	1	-	1
Female.....	19	-	-	-	-	-	-	1	-	-	-	3
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	1	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Chronic lower respiratory diseases (J40-J47)

Massachusetts

All races, both sexes.....	2,574	-	-	-	1	2	2	2	2	2	8	26
Male.....	1,127	-	-	-	1	-	1	1	-	2	2	16
Female.....	1,447	-	-	-	-	2	1	1	2	-	6	10
White, both sexes.....	2,504	-	-	-	-	1	2	2	2	2	7	21
Male.....	1,087	-	-	-	-	-	1	1	-	2	1	12
Female.....	1,417	-	-	-	-	1	1	1	2	-	6	9
Black, both sexes.....	48	-	-	-	1	1	-	-	-	-	1	4
Male.....	22	-	-	-	1	-	-	-	-	-	1	3
Female.....	26	-	-	-	-	1	-	-	-	-	-	1
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	-	-	-	-	-	-	-	-	-	-	1
Male.....	15	-	-	-	-	-	-	-	-	-	-	1
Female.....	4	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	4,252	-	1	2	8	8	4	3	5	9	29	47
Male.....	2,046	-	1	2	4	4	4	3	3	2	15	25
Female.....	2,206	-	-	-	4	4	-	-	2	7	14	22
White, both sexes.....	3,924	-	1	-	-	1	4	1	1	7	21	32
Male.....	1,858	-	1	-	-	-	4	1	1	2	12	17
Female.....	2,066	-	-	-	-	1	-	-	-	5	9	15
Black, both sexes.....	296	-	-	2	7	7	-	2	4	2	8	14
Male.....	172	-	-	2	4	4	-	2	2	-	3	8
Female.....	124	-	-	-	3	3	-	-	2	2	5	6
American Indian 1/, both sexes.....	21	-	-	-	-	-	-	-	-	-	-	1
Male.....	8	-	-	-	-	-	-	-	-	-	-	-
Female.....	13	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	11	-	-	-	1	-	-	-	-	-	-	-
Male.....	8	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Chronic lower respiratory diseases (J40-J47)

Alaska

All races, both sexes.....	5	9	16	8	29	22	32	10	2	2	-	-
Male.....	2	3	7	3	15	12	17	5	1	2	-	-
Female.....	3	6	9	5	14	10	15	5	1	-	-	-
White, both sexes.....	5	8	12	6	21	16	24	7	2	1	-	-
Male.....	2	3	3	2	11	10	14	5	1	1	-	-
Female.....	3	5	9	4	10	6	10	2	1	-	-	-
Black, both sexes.....	-	1	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	4	2	7	4	7	2	-	1	-	-
Male.....	-	-	4	1	4	2	2	-	-	1	-	-
Female.....	-	-	-	1	3	2	5	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-

Arizona

All races, both sexes.....	41	65	141	205	340	452	534	369	172	45	3	-
Male.....	23	32	84	103	172	216	275	158	67	16	-	-
Female.....	18	33	57	102	168	236	259	211	105	29	3	-
White, both sexes.....	41	62	137	202	329	442	528	367	166	45	3	-
Male.....	23	32	81	100	165	213	271	157	64	16	-	-
Female.....	18	30	56	102	164	229	257	210	102	29	3	-
Black, both sexes.....	-	1	3	3	8	3	2	-	4	-	-	-
Male.....	-	-	2	3	6	2	1	-	2	-	-	-
Female.....	-	1	1	-	2	1	1	-	2	-	-	-
American Indian 1/, both sexes.....	-	2	-	-	3	4	2	-	1	-	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	2	-	-	2	4	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	3	2	2	1	-	-	-
Male.....	-	-	1	-	-	1	2	1	1	-	-	-
Female.....	-	-	-	-	-	2	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Chronic lower respiratory diseases (J40-J47)

Arkansas

All races, both sexes.....	23	63	112	180	224	265	251	166	80	25	3	-
Male.....	11	35	51	90	117	148	130	78	34	10	1	-
Female.....	12	28	61	90	107	117	121	88	46	15	2	-
White, both sexes.....	19	56	103	166	211	252	244	162	73	24	3	-
Male.....	8	30	48	83	109	140	127	76	31	10	1	-
Female.....	11	26	55	83	102	112	117	86	42	14	2	-
Black, both sexes.....	4	7	8	13	13	13	5	4	6	1	-	-
Male.....	3	5	2	7	8	8	2	2	3	-	-	-
Female.....	1	2	6	6	5	5	3	2	3	1	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

California

All races, both sexes.....	227	401	628	980	1,620	2,309	2,669	2,004	1,033	322	38	-
Male.....	122	226	314	487	848	1,116	1,192	893	383	116	12	-
Female.....	105	175	314	493	772	1,193	1,477	1,111	650	206	26	-
White, both sexes.....	188	334	559	873	1,443	2,101	2,425	1,814	915	279	32	-
Male.....	101	183	271	424	747	997	1,045	783	320	95	10	-
Female.....	87	151	288	449	696	1,104	1,380	1,031	595	184	22	-
Black, both sexes.....	32	48	46	71	93	94	103	62	41	13	2	-
Male.....	17	31	28	38	51	42	51	30	23	5	1	-
Female.....	15	17	18	33	42	52	52	32	18	8	1	-
American Indian 1/, both sexes.....	1	5	5	8	19	8	10	5	2	-	-	-
Male.....	1	2	2	4	8	6	5	1	-	-	-	-
Female.....	-	3	3	4	11	2	5	4	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	14	18	28	65	106	131	123	75	30	4	-
Male.....	3	10	13	21	42	71	91	79	40	16	1	-
Female.....	3	4	5	7	23	35	40	44	35	14	3	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Chronic lower respiratory diseases (J40-J47)

Colorado

All races, both sexes.....	38	58	138	174	261	366	390	265	129	41	2	-
Male.....	19	30	87	94	134	175	192	133	62	13	-	-
Female.....	19	28	51	80	127	191	198	132	67	28	2	-
White, both sexes.....	35	58	136	168	256	359	379	262	127	40	2	-
Male.....	19	30	85	92	131	170	188	130	60	12	-	-
Female.....	16	28	51	76	125	189	191	132	67	28	2	-
Black, both sexes.....	2	-	2	5	3	2	6	2	2	1	-	-
Male.....	-	-	2	1	2	1	3	2	2	1	-	-
Female.....	2	-	-	4	1	1	3	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	1	1	1	1	-	-	-	-
Male.....	-	-	-	1	1	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	4	4	-	-	-	-	-
Male.....	-	-	-	-	-	4	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	4	-	-	-	-	-

Connecticut

All races, both sexes.....	22	44	66	97	160	243	324	263	136	45	4	-
Male.....	12	16	34	42	79	109	154	94	30	10	-	-
Female.....	10	28	32	55	81	134	170	169	106	35	4	-
White, both sexes.....	22	42	64	90	154	236	317	255	135	44	4	-
Male.....	12	14	34	35	76	106	150	90	30	9	-	-
Female.....	10	28	30	55	78	130	167	165	105	35	4	-
Black, both sexes.....	-	2	2	7	5	5	6	8	1	-	-	-
Male.....	-	2	-	7	3	2	3	4	-	-	-	-
Female.....	-	-	2	-	2	3	3	4	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	-	-	1	-	-
Male.....	-	-	-	-	-	1	-	-	-	1	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Chronic lower respiratory diseases (J40-J47)												
Delaware												
All races, both sexes.....	3	12	16	32	58	66	63	59	19	5	1	-
Male.....	1	7	10	18	29	37	28	26	6	-	-	-
Female.....	2	5	6	14	29	29	35	33	13	5	1	-
White, both sexes.....	1	10	15	31	53	60	54	54	16	5	1	-
Male.....	-	6	10	17	26	32	24	23	5	-	-	-
Female.....	1	4	5	14	27	28	30	31	11	5	1	-
Black, both sexes.....	2	2	1	1	5	6	8	5	2	-	-	-
Male.....	1	1	-	1	3	5	3	3	-	-	-	-
Female.....	1	1	1	-	2	1	5	2	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Dist. of Columbia												
All races, both sexes.....	11	6	12	11	25	20	23	30	9	3	4	-
Male.....	7	3	10	3	17	10	12	11	4	-	2	-
Female.....	4	3	2	8	8	10	11	19	5	3	2	-
White, both sexes.....	1	1	2	3	8	4	9	14	3	3	2	-
Male.....	1	1	2	2	6	-	3	4	2	-	1	-
Female.....	-	-	-	1	2	4	6	10	1	3	1	-
Black, both sexes.....	10	5	9	8	17	16	13	16	6	-	2	-
Male.....	6	2	7	1	11	10	9	7	2	-	1	-
Female.....	4	3	2	7	6	6	4	9	4	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Chronic lower respiratory diseases (J40-J47)

Florida

All races, both sexes.....	138	284	502	790	1,220	1,692	1,846	1,392	690	218	37	-
Male.....	66	141	250	418	653	830	831	594	244	69	6	-
Female.....	72	143	252	372	567	862	1,015	798	446	149	31	-
White, both sexes.....	122	253	466	733	1,149	1,631	1,789	1,346	672	213	35	-
Male.....	57	118	225	374	603	795	798	567	237	65	6	-
Female.....	65	135	241	359	546	836	991	779	435	148	29	-
Black, both sexes.....	14	28	33	56	67	56	55	41	16	4	2	-
Male.....	9	20	22	43	47	34	32	24	6	3	-	-
Female.....	5	8	11	13	20	22	23	17	10	1	2	-
American Indian 1/, both sexes.....	2	1	1	-	1	4	2	1	-	-	-	-
Male.....	-	1	1	-	1	-	1	-	-	-	-	-
Female.....	2	-	-	-	-	4	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	2	1	3	1	-	4	2	1	-	-
Male.....	-	2	2	1	2	1	-	3	1	1	-	-
Female.....	-	-	-	-	1	-	-	1	1	-	-	-

Georgia

All races, both sexes.....	90	172	257	343	448	615	560	346	161	42	2	-
Male.....	48	101	135	176	226	305	282	152	63	17	1	-
Female.....	42	71	122	167	222	310	278	194	98	25	1	-
White, both sexes.....	65	139	220	296	396	556	516	308	145	39	2	-
Male.....	36	76	111	147	197	270	256	130	54	15	1	-
Female.....	29	63	109	149	199	286	260	178	91	24	1	-
Black, both sexes.....	24	33	36	47	50	59	44	35	16	3	-	-
Male.....	11	25	24	29	27	35	26	20	9	2	-	-
Female.....	13	8	12	18	23	24	18	15	7	1	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	3	-	-	-	-
Male.....	1	-	-	-	1	-	-	2	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Chronic lower respiratory diseases (J40-J47)

Iowa

All races, both sexes.....	36	44	88	124	195	289	312	276	118	33	8	-
Male.....	20	24	47	60	113	162	167	141	52	9	1	-
Female.....	16	20	41	64	82	127	145	135	66	24	7	-
White, both sexes.....	32	44	88	123	192	287	310	273	117	33	8	-
Male.....	16	24	47	60	111	161	166	140	51	9	1	-
Female.....	16	20	41	63	81	126	144	133	66	24	7	-
Black, both sexes.....	4	-	-	-	3	1	2	3	1	-	-	-
Male.....	4	-	-	-	2	1	1	1	1	-	-	-
Female.....	-	-	-	-	1	-	1	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Kansas

All races, both sexes.....	27	41	74	131	194	259	256	185	84	32	5	-
Male.....	17	18	31	69	99	136	130	76	29	11	-	-
Female.....	10	23	43	62	95	123	126	109	55	21	5	-
White, both sexes.....	21	37	70	125	184	251	247	182	84	32	5	-
Male.....	14	18	30	67	93	130	125	75	29	11	-	-
Female.....	7	19	40	58	91	121	122	107	55	21	5	-
Black, both sexes.....	6	2	4	3	7	6	8	3	-	-	-	-
Male.....	3	-	1	1	5	5	4	1	-	-	-	-
Female.....	3	2	3	2	2	1	4	2	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	2	3	1	1	-	-	-	-	-
Male.....	-	-	-	1	1	1	1	-	-	-	-	-
Female.....	-	1	-	1	2	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Chronic lower respiratory diseases (J40-J47)

Maine

All races, both sexes.....	13	26	49	73	104	154	155	118	49	10	1	-
Male.....	10	15	30	43	44	63	81	47	25	4	1	-
Female.....	3	11	19	30	60	91	74	71	24	6	-	-
White, both sexes.....	13	26	49	71	103	153	155	117	49	10	1	-
Male.....	10	15	30	42	43	62	81	47	25	4	1	-
Female.....	3	11	19	29	60	91	74	70	24	6	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	1	1	-	1	-	-	-	-
Male.....	-	-	-	1	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	26	66	101	155	244	380	401	286	149	35	5	-
Male.....	13	30	52	70	113	178	155	117	38	13	2	-
Female.....	13	36	49	85	131	202	246	169	111	22	3	-
White, both sexes.....	19	45	84	130	208	337	349	259	135	30	5	-
Male.....	10	20	43	57	97	157	131	107	35	12	2	-
Female.....	9	25	41	73	111	180	218	152	100	18	3	-
Black, both sexes.....	7	21	17	25	36	40	49	24	13	5	-	-
Male.....	3	10	9	13	16	20	22	9	2	1	-	-
Female.....	4	11	8	12	20	20	27	15	11	4	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	3	3	3	1	-	-	-
Male.....	-	-	-	-	-	1	2	1	1	-	-	-
Female.....	-	-	-	-	-	2	1	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Chronic lower respiratory diseases (J40-J47)

Nebraska

All races, both sexes.....	9	36	43	73	106	141	159	152	64	13	5	-
Male.....	4	21	19	37	63	77	92	83	27	6	1	-
Female.....	5	15	24	36	43	64	67	69	37	7	4	-
White, both sexes.....	9	33	41	71	103	141	154	150	63	13	5	-
Male.....	4	19	17	37	61	77	90	82	27	6	1	-
Female.....	5	14	24	34	42	64	64	68	36	7	4	-
Black, both sexes.....	-	2	2	1	3	-	3	1	1	-	-	-
Male.....	-	2	2	-	2	-	1	1	-	-	-	-
Female.....	-	-	-	1	1	-	2	-	1	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	2	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	23	47	88	119	168	213	225	142	57	17	2	-
Male.....	14	21	48	52	75	105	108	62	21	6	-	-
Female.....	9	26	40	67	93	108	117	80	36	11	2	-
White, both sexes.....	22	41	87	115	165	206	217	141	56	15	2	-
Male.....	13	18	48	51	74	101	105	61	20	5	-	-
Female.....	9	23	39	64	91	105	112	80	36	10	2	-
Black, both sexes.....	1	4	1	2	2	4	6	1	-	2	-	-
Male.....	1	2	-	1	-	2	2	1	-	1	-	-
Female.....	-	2	1	1	2	2	4	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	2	1	1	2	-	1	-	-	-
Male.....	-	1	-	-	1	-	1	-	1	-	-	-
Female.....	-	1	-	2	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Chronic lower respiratory diseases (J40-J47)

New Hampshire

All races, both sexes.....	8	22	42	44	82	100	134	101	38	15	-	-
Male.....	4	11	27	22	41	56	65	46	9	5	-	-
Female.....	4	11	15	22	41	44	69	55	29	10	-	-
White, both sexes.....	8	22	42	44	82	100	133	101	38	15	-	-
Male.....	4	11	27	22	41	56	64	46	9	5	-	-
Female.....	4	11	15	22	41	44	69	55	29	10	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	37	95	162	215	416	545	637	516	253	81	15	-
Male.....	19	43	76	105	205	271	276	202	102	24	4	-
Female.....	18	52	86	110	211	274	361	314	151	57	11	-
White, both sexes.....	28	80	137	184	370	497	604	482	242	78	13	-
Male.....	14	37	66	90	179	247	255	186	99	24	4	-
Female.....	14	43	71	94	191	250	349	296	143	54	9	-
Black, both sexes.....	9	14	25	26	42	38	28	26	10	2	2	-
Male.....	5	5	10	11	23	19	16	13	2	-	-	-
Female.....	4	9	15	15	19	19	12	13	8	2	2	-
American Indian 1/, both sexes.....	-	-	-	1	1	2	1	1	-	-	-	-
Male.....	-	-	-	1	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	4	3	8	4	7	1	1	-	-
Male.....	-	1	-	3	2	4	4	3	1	-	-	-
Female.....	-	-	-	1	1	4	-	4	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Chronic lower respiratory diseases (J40-J47)

New Mexico

All races, both sexes.....	13	30	35	71	107	145	152	114	65	10	1	-
Male.....	5	15	21	44	66	72	86	66	25	4	1	-
Female.....	8	15	14	27	41	73	66	48	40	6	-	-
White, both sexes.....	12	29	35	66	106	138	146	110	63	10	-	-
Male.....	5	15	21	43	66	67	82	63	24	4	-	-
Female.....	7	14	14	23	40	71	64	47	39	6	-	-
Black, both sexes.....	1	1	-	2	1	1	2	-	1	-	-	-
Male.....	-	-	-	1	-	1	2	-	-	-	-	-
Female.....	1	1	-	1	1	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	3	-	5	4	4	1	-	1	-
Male.....	-	-	-	-	-	3	2	3	1	-	1	-
Female.....	-	-	-	3	-	2	2	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	125	208	364	566	844	1,324	1,331	1,110	549	168	20	-
Male.....	64	105	179	283	384	670	584	431	208	52	5	-
Female.....	61	103	185	283	460	654	747	679	341	116	15	-
White, both sexes.....	99	176	306	498	775	1,204	1,241	1,036	516	157	16	-
Male.....	52	89	149	252	345	608	543	395	197	47	4	-
Female.....	47	87	157	246	430	596	698	641	319	110	12	-
Black, both sexes.....	26	28	56	59	55	104	72	61	24	9	2	-
Male.....	12	14	29	28	27	56	29	26	7	3	-	-
Female.....	14	14	27	31	28	48	43	35	17	6	2	-
American Indian 1/, both sexes.....	-	2	-	3	1	3	2	-	-	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	3	1	3	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	2	6	13	13	16	13	9	2	2	-
Male.....	-	1	1	3	12	6	11	10	4	2	1	-
Female.....	-	1	1	3	1	7	5	3	5	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Chronic lower respiratory diseases (J40-J47)

Ohio

All races, both sexes.....	129	172	359	532	838	1,185	1,170	876	385	125	9	-
Male.....	70	87	196	259	421	559	546	391	139	38	2	-
Female.....	59	85	163	273	417	626	624	485	246	87	7	-
White, both sexes.....	101	152	325	507	787	1,111	1,123	838	363	119	9	-
Male.....	55	73	175	246	394	523	520	370	130	36	2	-
Female.....	46	79	150	261	393	588	603	468	233	83	7	-
Black, both sexes.....	27	20	33	25	49	71	47	38	21	6	-	-
Male.....	15	14	20	13	26	35	26	21	8	2	-	-
Female.....	12	6	13	12	23	36	21	17	13	4	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	1	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	2	-	-	1	-	-	-
Male.....	-	-	-	-	1	1	-	-	1	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Oklahoma

All races, both sexes.....	51	95	152	202	315	380	368	229	111	25	7	-
Male.....	28	49	72	107	162	173	185	109	53	13	1	-
Female.....	23	46	80	95	153	207	183	120	58	12	6	-
White, both sexes.....	43	78	138	184	291	355	342	218	105	23	7	-
Male.....	23	37	63	94	148	159	172	105	50	12	1	-
Female.....	20	41	75	90	143	196	170	113	55	11	6	-
Black, both sexes.....	5	6	4	7	11	9	12	6	2	1	-	-
Male.....	2	6	3	5	7	6	9	4	1	-	-	-
Female.....	3	-	1	2	4	3	3	2	1	1	-	-
American Indian 1/, both sexes.....	3	10	10	11	13	16	14	4	3	1	-	-
Male.....	3	5	6	8	7	8	4	-	2	1	-	-
Female.....	-	5	4	3	6	8	10	4	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	1	1	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Chronic lower respiratory diseases (J40-J47)

Oregon

All races, both sexes.....	25	61	98	188	274	344	352	257	125	31	2	-
Male.....	15	31	51	99	130	172	168	130	52	15	2	-
Female.....	10	30	47	89	144	172	184	127	73	16	-	-
White, both sexes.....	23	57	96	181	272	335	351	252	122	31	2	-
Male.....	14	28	49	97	129	167	168	126	50	15	2	-
Female.....	9	29	47	84	143	168	183	126	72	16	-	-
Black, both sexes.....	1	-	1	3	1	2	-	1	1	-	-	-
Male.....	1	-	1	1	-	1	-	1	-	-	-	-
Female.....	-	-	-	2	1	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	1	3	-	4	-	4	1	2	-	-	-	-
Male.....	-	2	-	1	-	1	-	1	-	-	-	-
Female.....	1	1	-	3	-	3	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	1	3	-	2	2	-	-	-
Male.....	-	1	1	-	1	3	-	2	2	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	97	171	300	441	825	1,187	1,234	1,003	475	119	12	-
Male.....	49	84	149	226	410	587	554	433	169	38	3	-
Female.....	48	87	151	215	415	600	680	570	306	81	9	-
White, both sexes.....	82	145	269	412	773	1,120	1,170	964	465	111	11	-
Male.....	44	70	134	213	383	551	526	412	164	35	2	-
Female.....	38	75	135	199	390	569	644	552	301	76	9	-
Black, both sexes.....	13	24	31	28	50	62	63	38	10	8	1	-
Male.....	5	12	15	13	26	33	28	20	5	3	1	-
Female.....	8	12	16	15	24	29	35	18	5	5	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	3	1	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	1	2	2	-	1	-	-	-	-
Male.....	-	1	-	-	1	2	-	1	-	-	-	-
Female.....	2	-	-	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Chronic lower respiratory diseases (J40-J47)												
South Dakota												
All races, both sexes.....	5	4	18	31	44	79	87	70	31	11	3	-
Male.....	3	3	7	23	23	42	49	38	18	6	1	-
Female.....	2	1	11	8	21	37	38	32	13	5	2	-
White, both sexes.....	5	3	15	29	41	76	86	68	30	10	3	-
Male.....	3	2	6	21	21	39	49	36	17	6	1	-
Female.....	2	1	9	8	20	37	37	32	13	4	2	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	3	2	2	3	1	2	1	1	-	-
Male.....	-	1	1	2	1	3	-	2	1	-	-	-
Female.....	-	-	2	-	1	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee												
All races, both sexes.....	78	157	237	341	433	592	525	315	158	43	7	-
Male.....	42	72	115	175	224	304	271	146	63	13	3	-
Female.....	36	85	122	166	209	288	254	169	95	30	4	-
White, both sexes.....	69	141	214	313	409	562	500	294	150	41	5	-
Male.....	35	65	105	162	210	291	260	136	61	13	2	-
Female.....	34	76	109	151	199	271	240	158	89	28	3	-
Black, both sexes.....	9	15	23	28	24	29	24	21	8	2	2	-
Male.....	7	7	10	13	14	13	11	10	2	-	1	-
Female.....	2	8	13	15	10	16	13	11	6	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Chronic lower respiratory diseases (J40-J47)

Texas

All races, both sexes.....	141	248	514	811	1,142	1,496	1,360	927	448	116	17	1
Male.....	69	131	263	406	605	755	672	449	223	43	9	1
Female.....	72	117	251	405	537	741	688	478	225	73	8	-
White, both sexes.....	112	225	466	747	1,071	1,392	1,312	888	427	104	15	1
Male.....	54	117	236	370	557	700	642	434	213	40	8	1
Female.....	58	108	230	377	514	692	670	454	214	64	7	-
Black, both sexes.....	28	21	46	62	64	97	46	36	19	12	1	-
Male.....	15	14	26	34	46	52	29	15	8	3	-	-
Female.....	13	7	20	28	18	45	17	21	11	9	1	-
American Indian 1/, both sexes.....	1	2	1	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	1	2	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	2	7	7	1	3	1	-	1	-
Male.....	-	-	1	2	2	3	-	-	1	-	1	-
Female.....	-	-	-	-	5	4	1	3	-	-	-	-

Utah

All races, both sexes.....	11	18	50	70	98	105	109	68	31	15	-	-
Male.....	5	11	27	38	55	54	64	32	11	9	-	-
Female.....	6	7	23	32	43	51	45	36	20	6	-	-
White, both sexes.....	11	18	49	70	97	104	109	68	31	15	-	-
Male.....	5	11	27	38	54	54	64	32	11	9	-	-
Female.....	6	7	22	32	43	50	45	36	20	6	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Chronic lower respiratory diseases (J40-J47)

Vermont

All races, both sexes.....	5	10	13	22	48	63	52	37	31	10	-	-
Male.....	2	8	7	12	23	38	27	22	10	4	-	-
Female.....	3	2	6	10	25	25	25	15	21	6	-	-
White, both sexes.....	5	10	13	22	48	62	52	37	31	10	-	-
Male.....	2	8	7	12	23	37	27	22	10	4	-	-
Female.....	3	2	6	10	25	25	25	15	21	6	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	46	92	176	285	407	539	527	364	195	45	6	-
Male.....	26	47	87	160	221	258	239	148	84	16	3	-
Female.....	20	45	89	125	186	281	288	216	111	29	3	-
White, both sexes.....	36	71	152	252	363	492	479	327	177	39	6	-
Male.....	22	35	72	141	195	235	216	129	76	14	3	-
Female.....	14	36	80	111	168	257	263	198	101	25	3	-
Black, both sexes.....	9	21	23	33	43	45	44	35	14	5	-	-
Male.....	4	12	14	19	25	21	22	18	7	1	-	-
Female.....	5	9	9	14	18	24	22	17	7	4	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	3	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	2	1	2	4	1	-	-
Male.....	-	-	1	-	1	2	-	1	1	1	-	-
Female.....	-	-	-	-	-	-	1	1	3	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Chronic lower respiratory diseases (J40-J47)

Washington

All races, both sexes.....	57	93	161	219	353	470	519	390	184	41	4	-
Male.....	29	37	77	114	166	228	236	178	73	18	-	-
Female.....	28	56	84	105	187	242	283	212	111	23	4	-
White, both sexes.....	55	85	155	210	337	448	499	379	182	39	4	-
Male.....	28	37	74	108	156	218	227	173	72	17	-	-
Female.....	27	48	81	102	181	230	272	206	110	22	4	-
Black, both sexes.....	1	3	2	4	5	8	3	2	-	-	-	-
Male.....	-	-	1	2	3	4	1	2	-	-	-	-
Female.....	1	3	1	2	2	4	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	2	3	2	5	7	1	-	-	1	-	-
Male.....	-	-	2	2	3	3	-	-	-	1	-	-
Female.....	-	2	1	-	2	4	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	1	3	6	9	10	8	2	1	-	-
Male.....	1	-	-	2	4	3	5	3	1	-	-	-
Female.....	-	3	1	1	2	6	5	5	1	1	-	-

West Virginia

All races, both sexes.....	24	50	91	131	179	236	235	165	74	20	2	-
Male.....	12	24	46	72	79	130	105	83	33	5	-	-
Female.....	12	26	45	59	100	106	130	82	41	15	2	-
White, both sexes.....	24	50	91	127	177	232	231	157	70	20	2	-
Male.....	12	24	46	68	79	127	104	77	29	5	-	-
Female.....	12	26	45	59	98	105	127	80	41	15	2	-
Black, both sexes.....	-	-	-	4	2	4	3	8	4	-	-	-
Male.....	-	-	-	4	-	3	1	6	4	-	-	-
Female.....	-	-	-	-	2	1	2	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
Colorado												
All races, both sexes.....	1,886	1	-	-	2	1	1	2	1	2	10	17
Male.....	957	1	-	-	-	-	1	1	1	1	4	12
Female.....	929	-	-	-	2	1	-	1	-	1	6	5
White, both sexes.....	1,846	1	-	-	2	1	1	2	1	2	10	17
Male.....	935	1	-	-	-	-	1	1	1	1	4	12
Female.....	911	-	-	-	2	1	-	1	-	1	6	5
Black, both sexes.....	25	-	-	-	-	-	-	-	-	-	-	-
Male.....	14	-	-	-	-	-	-	-	-	-	-	-
Female.....	11	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	-	-	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	-
Connecticut												
All races, both sexes.....	1,420	-	-	1	-	2	2	1	-	3	6	12
Male.....	591	-	-	1	-	1	1	-	-	2	4	5
Female.....	829	-	-	-	-	1	1	1	-	1	2	7
White, both sexes.....	1,372	-	-	1	-	1	2	-	-	2	6	8
Male.....	565	-	-	1	-	1	1	-	-	1	4	4
Female.....	807	-	-	-	-	-	1	-	-	1	2	4
Black, both sexes.....	42	-	-	-	-	-	-	1	-	1	-	4
Male.....	23	-	-	-	-	-	-	-	-	1	-	1
Female.....	19	-	-	-	-	-	-	1	-	-	-	3
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	1	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
Massachusetts												
All races, both sexes.....	2,545	-	-	-	1	2	2	2	2	2	8	26
Male.....	1,119	-	-	-	1	-	1	1	-	2	2	16
Female.....	1,426	-	-	-	-	2	1	1	2	-	6	10
White, both sexes.....	2,475	-	-	-	-	1	2	2	2	2	7	21
Male.....	1,079	-	-	-	-	-	1	1	-	2	1	12
Female.....	1,396	-	-	-	-	1	1	1	2	-	6	9
Black, both sexes.....	48	-	-	-	1	1	-	-	-	-	1	4
Male.....	22	-	-	-	1	-	-	-	-	-	1	3
Female.....	26	-	-	-	-	1	-	-	-	-	-	1
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	-	-	-	-	-	-	-	-	-	-	1
Male.....	15	-	-	-	-	-	-	-	-	-	-	1
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
Michigan												
All races, both sexes.....	4,234	-	1	2	7	8	4	3	5	9	28	47
Male.....	2,040	-	1	2	4	4	4	3	3	2	14	25
Female.....	2,194	-	-	-	3	4	-	-	2	7	14	22
White, both sexes.....	3,907	-	1	-	-	1	4	1	1	7	20	32
Male.....	1,852	-	1	-	-	-	4	1	1	2	11	17
Female.....	2,055	-	-	-	-	1	-	-	-	5	9	15
Black, both sexes.....	295	-	-	2	6	7	-	2	4	2	8	14
Male.....	172	-	-	2	4	4	-	2	2	-	3	8
Female.....	123	-	-	-	2	3	-	-	2	2	5	6
American Indian 1/, both sexes.....	21	-	-	-	-	-	-	-	-	-	-	1
Male.....	8	-	-	-	-	-	-	-	-	-	-	-
Female.....	13	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	11	-	-	-	1	-	-	-	-	-	-	-
Male.....	8	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)

Alaska

All races, both sexes.....	5	9	16	8	29	22	32	10	2	2	-	-
Male.....	2	3	7	3	15	12	17	5	1	2	-	-
Female.....	3	6	9	5	14	10	15	5	1	-	-	-
White, both sexes.....	5	8	12	6	21	16	24	7	2	1	-	-
Male.....	2	3	3	2	11	10	14	5	1	1	-	-
Female.....	3	5	9	4	10	6	10	2	1	-	-	-
Black, both sexes.....	-	1	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	4	2	7	4	7	2	-	1	-	-
Male.....	-	-	4	1	4	2	2	-	-	1	-	-
Female.....	-	-	-	1	3	2	5	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-

Arizona

All races, both sexes.....	39	64	140	203	337	445	529	366	168	44	3	-
Male.....	22	31	84	103	172	214	272	158	64	15	-	-
Female.....	17	33	56	100	165	231	257	208	104	29	3	-
White, both sexes.....	39	61	136	200	326	435	523	364	162	44	3	-
Male.....	22	31	81	100	165	211	268	157	61	15	-	-
Female.....	17	30	55	100	161	224	255	207	101	29	3	-
Black, both sexes.....	-	1	3	3	8	3	2	-	4	-	-	-
Male.....	-	-	2	3	6	2	1	-	2	-	-	-
Female.....	-	1	1	-	2	1	1	-	2	-	-	-
American Indian 1/, both sexes.....	-	2	-	-	3	4	2	-	1	-	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	2	-	-	2	4	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	3	2	2	1	-	-	-
Male.....	-	-	1	-	-	1	2	1	1	-	-	-
Female.....	-	-	-	-	-	2	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)

Arkansas

All races, both sexes.....	23	62	112	179	224	262	249	165	79	25	3	-
Male.....	11	35	51	90	117	148	129	78	33	10	1	-
Female.....	12	27	61	89	107	114	120	87	46	15	2	-
White, both sexes.....	19	56	103	165	211	249	242	162	72	24	3	-
Male.....	8	30	48	83	109	140	126	76	30	10	1	-
Female.....	11	26	55	82	102	109	116	86	42	14	2	-
Black, both sexes.....	4	6	8	13	13	13	5	3	6	1	-	-
Male.....	3	5	2	7	8	8	2	2	3	-	-	-
Female.....	1	1	6	6	5	5	3	1	3	1	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

California

All races, both sexes.....	227	399	624	978	1,614	2,293	2,650	1,984	1,017	316	38	-
Male.....	122	225	312	486	845	1,110	1,185	888	382	116	12	-
Female.....	105	174	312	492	769	1,183	1,465	1,096	635	200	26	-
White, both sexes.....	188	333	556	871	1,438	2,087	2,406	1,798	900	274	32	-
Male.....	101	182	270	423	744	992	1,038	778	319	95	10	-
Female.....	87	151	286	448	694	1,095	1,368	1,020	581	179	22	-
Black, both sexes.....	32	48	46	71	93	94	103	62	41	13	2	-
Male.....	17	31	28	38	51	42	51	30	23	5	1	-
Female.....	15	17	18	33	42	52	52	32	18	8	1	-
American Indian 1/, both sexes.....	1	5	5	8	19	8	10	5	2	-	-	-
Male.....	1	2	2	4	8	6	5	1	-	-	-	-
Female.....	-	3	3	4	11	2	5	4	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	13	17	28	64	104	131	119	74	29	4	-
Male.....	3	10	12	21	42	70	91	79	40	16	1	-
Female.....	3	3	5	7	22	34	40	40	34	13	3	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)

Colorado

All races, both sexes.....	38	58	137	174	260	363	387	262	127	41	2	-
Male.....	19	30	87	94	134	174	191	132	62	13	-	-
Female.....	19	28	50	80	126	189	196	130	65	28	2	-
White, both sexes.....	35	58	135	168	255	356	376	259	125	40	2	-
Male.....	19	30	85	92	131	169	187	129	60	12	-	-
Female.....	16	28	50	76	124	187	189	130	65	28	2	-
Black, both sexes.....	2	-	2	5	3	2	6	2	2	1	-	-
Male.....	-	-	2	1	2	1	3	2	2	1	-	-
Female.....	2	-	-	4	1	1	3	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	1	1	1	1	-	-	-	-
Male.....	-	-	-	1	1	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	4	4	-	-	-	-	-
Male.....	-	-	-	-	-	4	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	4	-	-	-	-	-

Connecticut

All races, both sexes.....	22	44	66	94	159	241	322	260	136	45	4	-
Male.....	12	16	34	40	79	109	153	94	30	10	-	-
Female.....	10	28	32	54	80	132	169	166	106	35	4	-
White, both sexes.....	22	42	64	87	153	234	315	252	135	44	4	-
Male.....	12	14	34	33	76	106	149	90	30	9	-	-
Female.....	10	28	30	54	77	128	166	162	105	35	4	-
Black, both sexes.....	-	2	2	7	5	5	6	8	1	-	-	-
Male.....	-	2	-	7	3	2	3	4	-	-	-	-
Female.....	-	-	2	-	2	3	3	4	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	-	-	1	-	-
Male.....	-	-	-	-	-	1	-	-	-	1	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
Delaware												
All races, both sexes.....	3	12	16	31	58	66	62	59	19	5	1	-
Male.....	1	7	10	18	29	37	27	26	6	-	-	-
Female.....	2	5	6	13	29	29	35	33	13	5	1	-
White, both sexes.....	1	10	15	30	53	60	53	54	16	5	1	-
Male.....	-	6	10	17	26	32	23	23	5	-	-	-
Female.....	1	4	5	13	27	28	30	31	11	5	1	-
Black, both sexes.....	2	2	1	1	5	6	8	5	2	-	-	-
Male.....	1	1	-	1	3	5	3	3	-	-	-	-
Female.....	1	1	1	-	2	1	5	2	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Dist. of Columbia												
All races, both sexes.....	11	6	12	11	25	20	23	29	9	3	3	-
Male.....	7	3	10	3	17	10	12	11	4	-	2	-
Female.....	4	3	2	8	8	10	11	18	5	3	1	-
White, both sexes.....	1	1	2	3	8	4	9	13	3	3	1	-
Male.....	1	1	2	2	6	-	3	4	2	-	1	-
Female.....	-	-	-	1	2	4	6	9	1	3	-	-
Black, both sexes.....	10	5	9	8	17	16	13	16	6	-	2	-
Male.....	6	2	7	1	11	10	9	7	2	-	1	-
Female.....	4	3	2	7	6	6	4	9	4	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)

Florida

All races, both sexes.....	137	279	501	787	1,215	1,679	1,834	1,376	680	218	37	-
Male.....	65	141	250	417	651	826	827	589	243	69	6	-
Female.....	72	138	251	370	564	853	1,007	787	437	149	31	-
White, both sexes.....	121	248	465	730	1,144	1,618	1,777	1,331	662	213	35	-
Male.....	56	118	225	373	601	791	794	562	236	65	6	-
Female.....	65	130	240	357	543	827	983	769	426	148	29	-
Black, both sexes.....	14	28	33	56	67	56	55	40	16	4	2	-
Male.....	9	20	22	43	47	34	32	24	6	3	-	-
Female.....	5	8	11	13	20	22	23	16	10	1	2	-
American Indian 1/, both sexes.....	2	1	1	-	1	4	2	1	-	-	-	-
Male.....	-	1	1	-	1	-	1	-	-	-	-	-
Female.....	2	-	-	-	-	4	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	2	1	3	1	-	4	2	1	-	-
Male.....	-	2	2	1	2	1	-	3	1	1	-	-
Female.....	-	-	-	-	1	-	-	1	1	-	-	-

Georgia

All races, both sexes.....	90	171	256	342	446	611	550	341	159	42	2	-
Male.....	48	100	134	176	226	303	278	151	63	17	1	-
Female.....	42	71	122	166	220	308	272	190	96	25	1	-
White, both sexes.....	65	139	220	296	394	552	506	304	143	39	2	-
Male.....	36	76	111	147	197	268	252	130	54	15	1	-
Female.....	29	63	109	149	197	284	254	174	89	24	1	-
Black, both sexes.....	24	32	35	46	50	59	44	34	16	3	-	-
Male.....	11	24	23	29	27	35	26	19	9	2	-	-
Female.....	13	8	12	17	23	24	18	15	7	1	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	3	-	-	-	-
Male.....	1	-	-	-	1	-	-	2	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)

Iowa

All races, both sexes.....	36	44	88	123	192	285	308	273	117	33	8	-
Male.....	20	24	47	60	112	161	167	141	52	9	1	-
Female.....	16	20	41	63	80	124	141	132	65	24	7	-
White, both sexes.....	32	44	88	122	189	283	306	270	116	33	8	-
Male.....	16	24	47	60	110	160	166	140	51	9	1	-
Female.....	16	20	41	62	79	123	140	130	65	24	7	-
Black, both sexes.....	4	-	-	-	3	1	2	3	1	-	-	-
Male.....	4	-	-	-	2	1	1	1	1	-	-	-
Female.....	-	-	-	-	1	-	1	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Kansas

All races, both sexes.....	26	41	73	129	192	257	256	181	83	31	5	-
Male.....	16	18	30	69	99	135	130	76	28	10	-	-
Female.....	10	23	43	60	93	122	126	105	55	21	5	-
White, both sexes.....	20	37	69	123	182	249	247	178	83	31	5	-
Male.....	13	18	29	67	93	129	125	75	28	10	-	-
Female.....	7	19	40	56	89	120	122	103	55	21	5	-
Black, both sexes.....	6	2	4	3	7	6	8	3	-	-	-	-
Male.....	3	-	1	1	5	5	4	1	-	-	-	-
Female.....	3	2	3	2	2	1	4	2	-	-	4	-
American Indian 1/, both sexes.....	-	1	-	2	3	1	1	-	-	-	-	-
Male.....	-	-	-	1	1	1	1	-	-	-	-	-
Female.....	-	1	-	1	2	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)

Maine

All races, both sexes.....	13	26	49	71	104	152	152	117	49	10	1	-
Male.....	10	15	30	42	44	63	80	47	25	4	1	-
Female.....	3	11	19	29	60	89	72	70	24	6	-	-
White, both sexes.....	13	26	49	69	103	151	152	116	49	10	1	-
Male.....	10	15	30	41	43	62	80	47	25	4	1	-
Female.....	3	11	19	28	60	89	72	69	24	6	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	1	1	-	1	-	-	-	-
Male.....	-	-	-	1	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	26	66	101	155	244	378	397	283	148	35	5	-
Male.....	13	30	52	70	113	177	155	116	38	13	2	-
Female.....	13	36	49	85	131	201	242	167	110	22	3	-
White, both sexes.....	19	45	84	130	208	335	345	256	134	30	5	-
Male.....	10	20	43	57	97	156	131	106	35	12	2	-
Female.....	9	25	41	73	111	179	214	150	99	18	3	-
Black, both sexes.....	7	21	17	25	36	40	49	24	13	5	-	-
Male.....	3	10	9	13	16	20	22	9	2	1	-	-
Female.....	4	11	8	12	20	20	27	15	11	4	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	3	3	3	1	-	-	-
Male.....	-	-	-	-	-	1	2	1	1	-	-	-
Female.....	-	-	-	-	-	2	1	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)

Nebraska

All races, both sexes.....	9	35	43	73	105	141	158	148	62	13	5	-
Male.....	4	21	19	37	63	77	92	83	27	6	1	-
Female.....	5	14	24	36	42	64	66	65	35	7	4	-
White, both sexes.....	9	32	41	71	102	141	153	146	61	13	5	-
Male.....	4	19	17	37	61	77	90	82	27	6	1	-
Female.....	5	13	24	34	41	64	63	64	34	7	4	-
Black, both sexes.....	-	2	2	1	3	-	3	1	1	-	-	-
Male.....	-	2	2	-	2	-	1	1	-	-	-	-
Female.....	-	-	-	1	1	-	2	-	1	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	2	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	23	47	88	119	167	213	225	142	57	17	2	-
Male.....	14	21	48	52	75	105	108	62	21	6	-	-
Female.....	9	26	40	67	92	108	117	80	36	11	2	-
White, both sexes.....	22	41	87	115	164	206	217	141	56	15	2	-
Male.....	13	18	48	51	74	101	105	61	20	5	-	-
Female.....	9	23	39	64	90	105	112	80	36	10	2	-
Black, both sexes.....	1	4	1	2	2	4	6	1	-	2	-	-
Male.....	1	2	-	1	-	2	2	1	-	1	-	-
Female.....	-	2	1	1	2	2	4	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	2	1	1	2	-	1	-	-	-
Male.....	-	1	-	-	1	-	1	-	1	-	-	-
Female.....	-	1	-	2	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)

New Hampshire

All races, both sexes.....	8	22	42	44	81	99	134	99	38	15	-	-
Male.....	4	11	27	22	41	55	65	46	9	5	-	-
Female.....	4	11	15	22	40	44	69	53	29	10	-	-
White, both sexes.....	8	22	42	44	81	99	133	99	38	15	-	-
Male.....	4	11	27	22	41	55	64	46	9	5	-	-
Female.....	4	11	15	22	40	44	69	53	29	10	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	37	94	160	214	411	541	628	511	251	81	15	-
Male.....	19	42	74	105	203	270	275	201	102	24	4	-
Female.....	18	52	86	109	208	271	353	310	149	57	11	-
White, both sexes.....	28	79	135	183	365	494	595	477	240	78	13	-
Male.....	14	36	64	90	177	246	254	185	99	24	4	-
Female.....	14	43	71	93	188	248	341	292	141	54	9	-
Black, both sexes.....	9	14	25	26	42	37	28	26	10	2	2	-
Male.....	5	5	10	11	23	19	16	13	2	-	-	-
Female.....	4	9	15	15	19	18	12	13	8	2	2	-
American Indian 1/, both sexes.....	-	-	-	1	1	2	1	1	-	-	-	-
Male.....	-	-	-	1	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	4	3	8	4	7	1	1	-	-
Male.....	-	1	-	3	2	4	4	3	1	-	-	-
Female.....	-	-	-	1	1	4	-	4	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)

New Mexico

All races, both sexes.....	13	30	35	71	106	144	151	114	64	10	1	-
Male.....	5	15	21	44	66	72	86	66	24	4	1	-
Female.....	8	15	14	27	40	72	65	48	40	6	-	-
White, both sexes.....	12	29	35	66	106	137	145	110	62	10	-	-
Male.....	5	15	21	43	66	67	82	63	23	4	-	-
Female.....	7	14	14	23	40	70	63	47	39	6	-	-
Black, both sexes.....	1	1	-	2	-	1	2	-	1	-	-	-
Male.....	-	-	-	1	-	1	2	-	-	-	-	-
Female.....	1	1	-	1	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	3	-	5	4	4	1	-	1	-
Male.....	-	-	-	-	-	3	2	3	1	-	1	-
Female.....	-	-	-	3	-	2	2	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	124	207	364	565	841	1,313	1,320	1,101	542	166	20	-
Male.....	63	104	179	282	382	668	581	425	207	52	5	-
Female.....	61	103	185	283	459	645	739	676	335	114	15	-
White, both sexes.....	98	175	306	498	772	1,193	1,230	1,027	509	155	16	-
Male.....	51	88	149	252	343	606	540	389	196	47	4	-
Female.....	47	87	157	246	429	587	690	638	313	108	12	-
Black, both sexes.....	26	28	56	59	55	104	72	61	24	9	2	-
Male.....	12	14	29	28	27	56	29	26	7	3	-	-
Female.....	14	14	27	31	28	48	43	35	17	6	2	-
American Indian 1/, both sexes.....	-	2	-	3	1	3	2	-	-	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	3	1	3	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	2	5	13	13	16	13	9	2	2	-
Male.....	-	1	1	2	12	6	11	10	4	2	1	-
Female.....	-	1	1	3	1	7	5	3	5	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)

Ohio

All races, both sexes.....	129	172	359	531	832	1,180	1,159	869	382	125	9	-
Male.....	70	87	196	258	418	557	546	386	139	38	2	-
Female.....	59	85	163	273	414	623	613	483	243	87	7	-
White, both sexes.....	101	152	325	506	782	1,106	1,112	831	360	119	9	-
Male.....	55	73	175	245	391	521	520	365	130	36	2	-
Female.....	46	79	150	261	391	585	592	466	230	83	7	-
Black, both sexes.....	27	20	33	25	48	71	47	38	21	6	-	-
Male.....	15	14	20	13	26	35	26	21	8	2	-	-
Female.....	12	6	13	12	22	36	21	17	13	4	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	1	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	2	-	-	1	-	-	-
Male.....	-	-	-	-	1	1	-	-	1	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Oklahoma

All races, both sexes.....	51	94	151	202	313	376	368	225	110	25	7	-
Male.....	28	49	72	107	162	172	185	108	53	13	1	-
Female.....	23	45	79	95	151	204	183	117	57	12	6	-
White, both sexes.....	43	77	137	184	289	351	342	214	104	23	7	-
Male.....	23	37	63	94	148	158	172	104	50	12	1	-
Female.....	20	40	74	90	141	193	170	110	54	11	6	-
Black, both sexes.....	5	6	4	7	11	9	12	6	2	1	-	-
Male.....	2	6	3	5	7	6	9	4	1	-	-	-
Female.....	3	-	1	2	4	3	3	2	1	1	-	-
American Indian 1/, both sexes.....	3	10	10	11	13	16	14	4	3	1	-	-
Male.....	3	5	6	8	7	8	4	-	2	1	-	-
Female.....	-	5	4	3	6	8	10	4	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	1	1	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)

Oregon

All races, both sexes.....	24	61	97	187	270	340	349	255	124	31	2	-
Male.....	15	31	51	98	129	171	168	130	52	15	2	-
Female.....	9	30	46	89	141	169	181	125	72	16	-	-
White, both sexes.....	23	57	95	180	268	331	348	250	121	31	2	-
Male.....	14	28	49	96	128	166	168	126	50	15	2	-
Female.....	9	29	46	84	140	165	180	124	71	16	-	-
Black, both sexes.....	1	-	1	3	1	2	-	1	1	-	-	-
Male.....	1	-	1	1	-	1	-	1	-	-	-	-
Female.....	-	-	-	2	1	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	3	-	4	-	4	1	2	-	-	-	-
Male.....	-	2	-	1	-	1	-	1	-	-	-	-
Female.....	-	1	-	3	-	3	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	1	3	-	2	2	-	-	-
Male.....	-	1	1	-	1	3	-	2	2	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	95	171	299	440	819	1,171	1,222	995	472	117	12	-
Male.....	48	84	149	226	409	584	553	432	168	38	3	-
Female.....	47	87	150	214	410	587	669	563	304	79	9	-
White, both sexes.....	80	145	268	411	767	1,105	1,158	956	462	109	11	-
Male.....	43	70	134	213	382	549	525	411	163	35	2	-
Female.....	37	75	134	198	385	556	633	545	299	74	9	-
Black, both sexes.....	13	24	31	28	50	62	63	38	10	8	1	-
Male.....	5	12	15	13	26	33	28	20	5	3	1	-
Female.....	8	12	16	15	24	29	35	18	5	5	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	2	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	1	2	2	-	1	-	-	-	-
Male.....	-	1	-	-	1	2	-	1	-	-	-	-
Female.....	2	-	-	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
South Dakota												
All races, both sexes.....	5	4	18	31	44	78	87	69	31	10	3	-
Male.....	3	3	7	23	23	42	49	38	18	5	1	-
Female.....	2	1	11	8	21	36	38	31	13	5	2	-
White, both sexes.....	5	3	15	29	41	75	86	67	30	9	3	-
Male.....	3	2	6	21	21	39	49	36	17	5	1	-
Female.....	2	1	9	8	20	36	37	31	13	4	2	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	3	2	2	3	1	2	1	1	-	-
Male.....	-	1	1	2	1	3	-	2	1	-	-	-
Female.....	-	-	2	-	1	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee												
All races, both sexes.....	77	157	236	340	428	583	515	313	157	42	7	-
Male.....	41	72	114	175	221	301	268	145	63	13	3	-
Female.....	36	85	122	165	207	282	247	168	94	29	4	-
White, both sexes.....	68	141	213	312	405	555	491	292	149	40	5	-
Male.....	34	65	104	162	208	288	257	135	61	13	2	-
Female.....	34	76	109	150	197	267	234	157	88	27	3	-
Black, both sexes.....	9	15	23	28	23	27	23	21	8	2	2	-
Male.....	7	7	10	13	13	13	11	10	2	-	1	-
Female.....	2	8	13	15	10	14	12	11	6	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)

Texas

All races, both sexes.....	139	248	512	806	1,136	1,490	1,345	912	445	114	17	1
Male.....	69	131	262	404	603	754	669	447	223	42	9	1
Female.....	70	117	250	402	533	736	676	465	222	72	8	-
White, both sexes.....	110	225	464	742	1,065	1,386	1,297	873	424	102	15	1
Male.....	54	117	235	368	555	699	639	432	213	39	8	1
Female.....	56	108	229	374	510	687	658	441	211	63	7	-
Black, both sexes.....	28	21	46	62	64	97	46	36	19	12	1	-
Male.....	15	14	26	34	46	52	29	15	8	3	-	-
Female.....	13	7	20	28	18	45	17	21	11	9	1	-
American Indian 1/, both sexes.....	1	2	1	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	1	2	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	2	7	7	1	3	1	-	1	-
Male.....	-	-	1	2	2	3	-	-	1	-	1	-
Female.....	-	-	-	-	5	4	1	3	-	-	-	-

Utah

All races, both sexes.....	11	18	50	69	98	104	108	68	30	15	-	-
Male.....	5	11	27	37	55	54	64	32	11	9	-	-
Female.....	6	7	23	32	43	50	44	36	19	6	-	-
White, both sexes.....	11	18	49	69	97	103	108	68	30	15	-	-
Male.....	5	11	27	37	54	54	64	32	11	9	-	-
Female.....	6	7	22	32	43	49	44	36	19	6	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
Vermont												
All races, both sexes.....	5	10	13	22	48	63	52	37	31	10	-	-
Male.....	2	8	7	12	23	38	27	22	10	4	-	-
Female.....	3	2	6	10	25	25	25	15	21	6	-	-
White, both sexes.....	5	10	13	22	48	62	52	37	31	10	-	-
Male.....	2	8	7	12	23	37	27	22	10	4	-	-
Female.....	3	2	6	10	25	25	25	15	21	6	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	46	92	174	282	404	533	517	357	194	45	6	-
Male.....	26	47	86	159	218	255	235	147	84	16	3	-
Female.....	20	45	88	123	186	278	282	210	110	29	3	-
White, both sexes.....	36	71	150	249	360	487	470	320	176	39	6	-
Male.....	22	35	71	140	192	233	212	128	76	14	3	-
Female.....	14	36	79	109	168	254	258	192	100	25	3	-
Black, both sexes.....	9	21	23	33	43	45	43	35	14	5	-	-
Male.....	4	12	14	19	25	21	22	18	7	1	-	-
Female.....	5	9	9	14	18	24	21	17	7	4	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	3	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	1	1	2	4	1	-	-
Male.....	-	-	1	-	1	1	-	1	1	1	-	-
Female.....	-	-	-	-	-	-	1	1	3	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)

Washington

All races, both sexes.....	56	92	161	218	352	470	516	386	179	41	4	-
Male.....	28	37	77	114	166	228	235	177	72	18	-	-
Female.....	28	55	84	104	186	242	281	209	107	23	4	-
White, both sexes.....	54	85	155	209	337	448	496	376	177	39	4	-
Male.....	27	37	74	108	156	218	226	172	71	17	-	-
Female.....	27	48	81	101	181	230	270	204	106	22	4	-
Black, both sexes.....	1	3	2	4	5	8	3	2	-	-	-	-
Male.....	-	-	1	2	3	4	1	2	-	-	-	-
Female.....	1	3	1	2	2	4	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	2	3	2	5	5	7	1	-	1	-	-
Male.....	-	-	2	2	3	3	3	-	-	1	-	-
Female.....	-	2	1	-	2	2	4	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	1	3	5	9	10	7	2	1	-	-
Male.....	1	-	-	2	4	3	5	3	1	-	-	-
Female.....	-	2	1	1	1	6	5	4	1	1	-	-

West Virginia

All races, both sexes.....	22	50	91	131	179	236	235	165	73	19	2	-
Male.....	11	24	46	72	79	130	105	83	33	5	-	-
Female.....	11	26	45	59	100	106	130	82	40	14	2	-
White, both sexes.....	22	50	91	127	177	232	231	157	69	19	2	-
Male.....	11	24	46	68	79	127	104	77	29	5	-	-
Female.....	11	26	45	59	98	105	127	80	40	14	2	-
Black, both sexes.....	-	-	-	4	2	4	3	8	4	-	-	-
Male.....	-	-	-	4	-	3	1	6	4	-	-	-
Female.....	-	-	-	-	2	1	2	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Chronic bronchitis (J41-J42)

Arkansas

All races, both sexes.....	-	1	-	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	2	3	-	2	4	6	5	7	3	4	2	-
Male.....	1	3	-	1	1	1	2	3	-	-	2	-
Female.....	1	-	-	1	3	5	3	4	3	4	-	-
White, both sexes.....	1	3	-	1	3	4	4	7	1	3	1	-
Male.....	-	3	-	1	-	1	1	3	-	-	1	-
Female.....	1	-	-	-	3	3	3	4	1	3	-	-
Black, both sexes.....	1	-	-	-	1	1	-	-	1	1	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	1	-	1	-	1	-
Male.....	-	-	-	-	-	-	1	-	-	-	1	-
Female.....	-	-	-	1	-	1	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Emphysema (J43)

Arkansas

All races, both sexes.....	2	11	19	25	39	34	30	16	7	3	-	-
Male.....	-	7	6	15	21	26	16	11	6	2	-	-
Female.....	2	4	13	10	18	8	14	5	1	1	-	-
White, both sexes.....	2	10	18	23	36	34	30	16	7	3	-	-
Male.....	-	6	5	14	19	26	16	11	6	2	-	-
Female.....	2	4	13	9	17	8	14	5	1	1	-	-
Black, both sexes.....	-	1	1	1	3	-	-	-	-	-	-	-
Male.....	-	1	1	1	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	24	45	72	134	236	287	287	180	78	21	3	-
Male.....	15	24	44	71	136	136	133	88	23	6	2	-
Female.....	9	21	28	63	100	151	154	92	55	15	1	-
White, both sexes.....	18	39	62	125	209	264	263	166	74	19	2	-
Male.....	11	19	38	64	121	124	117	79	20	5	1	-
Female.....	7	20	24	61	88	140	146	87	54	14	1	-
Black, both sexes.....	5	4	8	6	16	11	10	5	3	-	1	-
Male.....	3	3	5	4	7	4	4	3	2	-	1	-
Female.....	2	1	3	2	9	7	6	2	1	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	2	1	1	2	-	-	-	-
Male.....	1	1	-	-	1	1	1	1	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	3	9	11	13	7	1	2	-	-
Male.....	-	1	1	3	7	7	11	5	1	1	-	-
Female.....	-	-	1	-	2	4	2	2	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Emphysema (J43)												
New Hampshire												
All races, both sexes.....	2	3	7	7	11	11	17	9	6	2	-	-
Male.....	-	1	6	5	8	9	12	6	2	1	-	-
Female.....	2	2	1	2	3	2	5	3	4	1	-	-
White, both sexes.....	2	3	7	7	11	11	17	9	6	2	-	-
Male.....	-	1	6	5	8	9	12	6	2	1	-	-
Female.....	2	2	1	2	3	2	5	3	4	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	3	13	30	49	81	112	114	63	17	8	2	-
Male.....	-	7	14	25	43	55	48	25	11	4	-	-
Female.....	3	6	16	24	38	57	66	38	6	4	2	-
White, both sexes.....	3	11	27	47	76	108	112	60	16	7	2	-
Male.....	-	6	13	23	39	53	46	24	10	4	-	-
Female.....	3	5	14	24	37	55	66	36	6	3	2	-
Black, both sexes.....	-	2	3	1	5	4	2	2	1	-	-	-
Male.....	-	1	1	1	4	2	2	1	1	-	-	-
Female.....	-	1	2	-	1	2	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	1	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Emphysema (J43)												
New Mexico												
All races, both sexes.....	1	3	4	7	8	19	14	9	6	-	-	-
Male.....	-	1	-	4	5	8	12	6	3	-	-	-
Female.....	1	2	4	3	3	11	2	3	3	-	-	-
White, both sexes.....	1	2	4	6	8	17	12	9	6	-	-	-
Male.....	-	1	-	4	5	6	10	6	3	-	-	-
Female.....	1	1	4	2	3	11	2	3	3	-	-	-
Black, both sexes.....	-	1	-	1	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	1	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	16	25	37	65	105	133	137	85	35	12	3	-
Male.....	10	15	21	34	52	73	68	30	13	3	-	-
Female.....	6	10	16	31	53	60	69	55	22	9	3	-
White, both sexes.....	14	24	31	58	99	122	132	82	35	12	2	-
Male.....	9	15	17	28	48	66	67	27	13	3	-	-
Female.....	5	9	14	30	51	56	65	55	22	9	2	-
Black, both sexes.....	2	1	6	7	5	9	4	2	-	-	-	-
Male.....	1	-	4	6	3	6	-	2	-	-	-	-
Female.....	1	1	2	1	2	3	4	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	2	1	1	-	-	1	-
Male.....	-	-	-	-	1	1	1	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Emphysema (J43)

Vermont

All races, both sexes.....	3	2	1	3	3	6	7	6	2	1	-	-
Male.....	1	1	-	2	1	3	2	2	1	1	-	-
Female.....	2	1	1	1	2	3	5	4	1	-	-	-
White, both sexes.....	3	2	1	3	3	5	7	6	2	1	-	-
Male.....	1	1	-	2	1	2	2	2	1	1	-	-
Female.....	2	1	1	1	2	3	5	4	1	-	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	1	13	20	31	49	59	46	34	13	2	-	-
Male.....	1	8	12	18	28	25	23	15	5	1	-	-
Female.....	-	5	8	13	21	34	23	19	8	1	-	-
White, both sexes.....	1	11	19	30	47	55	42	32	11	1	-	-
Male.....	1	6	11	18	26	22	20	13	5	1	-	-
Female.....	-	5	8	12	21	33	22	19	6	-	-	-
Black, both sexes.....	-	2	-	1	2	4	4	2	-	1	-	-
Male.....	-	2	-	-	2	3	3	2	-	-	-	-
Female.....	-	-	-	1	-	1	1	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	2	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Emphysema (J43)												
Washington												
All races, both sexes.....	8	12	19	29	41	44	48	30	15	-	-	-
Male.....	5	8	8	14	17	22	25	14	9	-	-	-
Female.....	3	4	11	15	24	22	23	16	6	-	-	-
White, both sexes.....	8	12	18	28	39	42	48	29	15	-	-	-
Male.....	5	8	8	13	15	20	25	13	9	-	-	-
Female.....	3	4	10	15	24	22	23	16	6	-	-	-
Black, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
West Virginia												
All races, both sexes.....	4	6	11	15	14	28	16	10	7	2	-	-
Male.....	4	2	5	10	11	18	6	6	4	1	-	-
Female.....	-	4	6	5	3	10	10	4	3	1	-	-
White, both sexes.....	4	6	11	14	14	28	15	10	6	2	-	-
Male.....	4	2	5	9	11	18	6	6	3	1	-	-
Female.....	-	4	6	5	3	10	9	4	3	1	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	1	-	-	-
Male.....	-	-	-	1	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other chronic obstructive pulmonary disease (J44)

Alaska

All races, both sexes.....	3	8	12	5	24	18	27	8	2	2	-	-
Male.....	2	2	6	3	12	11	15	4	1	2	-	-
Female.....	1	6	6	2	12	7	12	4	1	-	-	-
White, both sexes.....	3	7	9	3	16	14	20	6	2	1	-	-
Male.....	2	2	3	2	8	9	12	4	1	1	-	-
Female.....	1	5	6	1	8	5	8	2	1	-	-	-
Black, both sexes.....	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	3	2	7	3	6	2	-	1	-	-
Male.....	-	-	3	1	4	2	2	-	-	1	-	-
Female.....	-	-	-	1	3	1	4	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Arizona

All races, both sexes.....	31	52	112	157	278	354	440	307	134	39	3	-
Male.....	19	24	65	77	140	175	229	130	46	12	-	-
Female.....	12	28	47	80	138	179	211	177	88	27	3	-
White, both sexes.....	31	50	108	155	268	344	434	306	128	39	3	-
Male.....	19	24	62	75	134	172	225	129	43	12	-	-
Female.....	12	26	46	80	134	172	209	177	85	27	3	-
Black, both sexes.....	-	1	3	2	7	3	2	-	4	-	-	-
Male.....	-	-	2	2	5	2	1	-	2	-	-	-
Female.....	-	1	1	-	2	1	1	-	2	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	3	4	2	-	1	-	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	1	-	-	2	4	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	3	2	1	1	-	-	-
Male.....	-	-	1	-	-	1	2	1	1	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other chronic obstructive pulmonary disease (J44)

Arkansas

All races, both sexes.....	20	49	87	150	182	224	215	146	65	20	3	-
Male.....	10	28	44	74	93	121	111	65	26	8	1	-
Female.....	10	21	43	76	89	103	104	81	39	12	2	-
White, both sexes.....	17	44	80	138	173	212	209	143	60	19	3	-
Male.....	8	24	42	68	88	113	109	63	24	8	1	-
Female.....	9	20	38	70	85	99	100	80	36	11	2	-
Black, both sexes.....	3	5	6	12	9	12	4	3	4	1	-	-
Male.....	2	4	1	6	5	8	1	2	2	-	-	-
Female.....	1	1	5	6	4	4	3	1	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

California

All races, both sexes.....	169	307	525	816	1,337	1,967	2,307	1,745	895	274	32	-
Male.....	94	175	255	403	693	957	1,037	779	342	105	8	-
Female.....	75	132	270	413	644	1,010	1,270	966	553	169	24	-
White, both sexes.....	147	260	476	726	1,194	1,798	2,102	1,581	792	238	29	-
Male.....	80	145	225	352	610	860	913	684	286	87	8	-
Female.....	67	115	251	374	584	938	1,189	897	506	151	21	-
Black, both sexes.....	20	36	33	61	74	80	89	55	36	12	1	-
Male.....	13	25	20	31	42	37	45	26	21	5	-	-
Female.....	7	11	13	30	32	43	44	29	15	7	1	-
American Indian 1/, both sexes.....	-	4	4	8	17	6	9	3	2	-	-	-
Male.....	-	1	2	4	7	5	4	-	-	-	-	-
Female.....	-	3	2	4	10	1	5	3	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	7	12	21	52	83	107	106	65	24	2	-
Male.....	1	4	8	16	34	55	75	69	35	13	-	-
Female.....	1	3	4	5	18	28	32	37	30	11	2	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other chronic obstructive pulmonary disease (J44)

Colorado

All races, both sexes.....	33	46	117	150	227	319	348	244	109	38	2	-
Male.....	15	24	74	83	119	158	178	123	53	13	-	-
Female.....	18	22	43	67	108	161	170	121	56	25	2	-
White, both sexes.....	30	46	115	145	223	312	339	242	108	37	2	-
Male.....	15	24	72	81	116	153	174	121	52	12	-	-
Female.....	15	22	43	64	107	159	165	121	56	25	2	-
Black, both sexes.....	2	-	2	4	3	2	6	1	1	1	-	-
Male.....	-	-	2	1	2	1	3	1	1	1	-	-
Female.....	2	-	-	3	1	1	3	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	1	1	1	1	-	-	-	-
Male.....	-	-	-	1	1	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	4	2	-	-	-	-	-
Male.....	-	-	-	-	-	4	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	2	-	-	-	-	-

Connecticut

All races, both sexes.....	12	33	54	76	140	223	281	234	120	42	4	-
Male.....	9	11	24	31	67	103	133	86	24	10	-	-
Female.....	3	22	30	45	73	120	148	148	96	32	4	-
White, both sexes.....	12	32	52	73	134	216	274	228	119	41	4	-
Male.....	9	10	24	28	64	100	129	83	24	9	-	-
Female.....	3	22	28	45	70	116	145	145	95	32	4	-
Black, both sexes.....	-	1	2	3	5	5	6	6	1	-	-	-
Male.....	-	1	-	3	3	2	3	3	-	-	-	-
Female.....	-	-	2	-	2	3	3	3	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	-	-	1	-	-
Male.....	-	-	-	-	-	1	-	-	-	1	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other chronic obstructive pulmonary disease (J44)

Delaware

All races, both sexes.....	1	9	13	27	50	60	56	55	17	3	1	-
Male.....	-	7	8	16	25	33	26	25	5	-	-	-
Female.....	1	2	5	11	25	27	30	30	12	3	1	-
White, both sexes.....	1	8	12	26	47	55	48	50	15	3	1	-
Male.....	-	6	8	15	23	29	22	22	5	-	-	-
Female.....	1	2	4	11	24	26	26	28	10	3	1	-
Black, both sexes.....	-	1	1	1	3	5	7	5	2	-	-	-
Male.....	-	1	-	1	2	4	3	3	-	-	-	-
Female.....	-	-	1	-	1	1	4	2	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Dist. of Columbia

All races, both sexes.....	4	3	8	10	21	16	18	26	8	3	2	-
Male.....	2	1	7	3	15	8	9	10	4	-	2	-
Female.....	2	2	1	7	6	8	9	16	4	3	-	-
White, both sexes.....	-	-	1	2	6	3	9	12	3	3	1	-
Male.....	-	-	1	2	5	-	3	4	2	-	1	-
Female.....	-	-	-	-	1	3	6	8	1	3	-	-
Black, both sexes.....	4	3	6	8	15	13	8	14	5	-	1	-
Male.....	2	1	5	1	10	8	6	6	2	-	1	-
Female.....	2	2	1	7	5	5	2	8	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other chronic obstructive pulmonary disease (J44)

Iowa

All races, both sexes.....	30	39	74	104	167	260	272	249	106	26	6	-
Male.....	19	19	42	47	99	149	149	129	46	8	1	-
Female.....	11	20	32	57	68	111	123	120	60	18	5	-
White, both sexes.....	26	39	74	103	165	258	270	247	105	26	6	-
Male.....	15	19	42	47	97	148	148	128	45	8	1	-
Female.....	11	20	32	56	68	110	122	119	60	18	5	-
Black, both sexes.....	4	-	-	-	2	1	2	2	1	-	-	-
Male.....	4	-	-	-	2	1	1	1	1	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Kansas

All races, both sexes.....	16	31	63	111	180	236	228	167	72	25	3	-
Male.....	11	14	26	62	93	124	116	70	25	9	-	-
Female.....	5	17	37	49	87	112	112	97	47	16	3	-
White, both sexes.....	15	29	60	108	170	229	220	164	72	25	3	-
Male.....	11	14	25	61	87	119	111	69	25	9	-	-
Female.....	4	15	35	47	83	110	109	95	47	16	3	-
Black, both sexes.....	1	1	3	3	7	5	7	3	-	-	-	-
Male.....	-	-	1	1	5	4	4	1	-	-	-	-
Female.....	1	1	2	2	2	1	3	2	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	3	1	1	-	-	-	-	-
Male.....	-	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	1	-	-	2	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other chronic obstructive pulmonary disease (J44)

Maine

All races, both sexes.....	11	19	43	57	89	133	129	109	41	8	1	-
Male.....	8	12	26	36	37	54	67	43	22	3	1	-
Female.....	3	7	17	21	52	79	62	66	19	5	-	-
White, both sexes.....	11	19	43	56	88	132	129	108	41	8	1	-
Male.....	8	12	26	35	36	53	67	43	22	3	1	-
Female.....	3	7	17	21	52	79	62	65	19	5	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	1	1	-	1	-	-	-	-
Male.....	-	-	-	1	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	17	59	85	129	214	328	350	245	131	26	5	-
Male.....	8	27	48	59	101	150	140	99	36	12	2	-
Female.....	9	32	37	70	113	178	210	146	95	14	3	-
White, both sexes.....	15	43	74	108	183	289	304	225	119	23	5	-
Male.....	8	19	41	47	87	132	118	94	33	11	2	-
Female.....	7	24	33	61	96	157	186	131	86	12	3	-
Black, both sexes.....	2	16	11	21	31	37	43	17	11	3	-	-
Male.....	-	8	7	12	14	17	20	4	2	1	-	-
Female.....	2	8	4	9	17	20	23	13	9	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	3	3	1	-	-	-
Male.....	-	-	-	-	-	1	2	1	1	-	-	-
Female.....	-	-	-	-	-	1	1	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other chronic obstructive pulmonary disease (J44)

Nebraska

All races, both sexes.....	5	27	38	65	96	125	140	129	52	10	3	-
Male.....	2	16	17	33	59	72	85	77	27	4	-	-
Female.....	3	11	21	32	37	53	55	52	25	6	3	-
White, both sexes.....	5	25	38	64	93	125	136	127	51	10	3	-
Male.....	2	15	17	33	57	72	84	76	27	4	-	-
Female.....	3	10	21	31	36	53	52	51	24	6	3	-
Black, both sexes.....	-	1	-	-	3	-	2	1	1	-	-	-
Male.....	-	1	-	-	2	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	-	2	-	1	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	2	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	20	41	78	112	157	200	208	136	50	16	1	-
Male.....	11	17	44	50	69	99	99	60	19	5	-	-
Female.....	9	24	34	62	88	101	109	76	31	11	1	-
White, both sexes.....	20	37	77	109	154	193	201	135	49	15	1	-
Male.....	11	15	44	49	68	95	97	59	18	5	-	-
Female.....	9	22	33	60	86	98	104	76	31	10	1	-
Black, both sexes.....	-	3	1	2	2	4	5	1	-	1	-	-
Male.....	-	1	-	1	-	2	1	1	-	-	-	-
Female.....	-	2	1	1	2	2	4	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	1	1	2	-	1	-	-	-
Male.....	-	1	-	-	1	-	1	-	1	-	-	-
Female.....	-	-	-	1	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other chronic obstructive pulmonary disease (J44)

New Hampshire

All races, both sexes.....	5	19	34	36	70	87	114	88	30	11	-	-
Male.....	4	10	21	16	33	46	52	40	7	4	-	-
Female.....	1	9	13	20	37	41	62	48	23	7	-	-
White, both sexes.....	5	19	34	36	70	87	113	88	30	11	-	-
Male.....	4	10	21	16	33	46	51	40	7	4	-	-
Female.....	1	9	13	20	37	41	62	48	23	7	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	29	73	120	156	321	417	503	434	217	68	13	-
Male.....	17	34	57	79	155	210	226	169	88	19	4	-
Female.....	12	39	63	77	166	207	277	265	129	49	9	-
White, both sexes.....	24	64	102	133	283	378	474	404	211	66	11	-
Male.....	14	30	50	66	135	190	207	155	86	19	4	-
Female.....	10	34	52	67	148	188	267	249	125	47	7	-
Black, both sexes.....	5	9	18	20	34	31	24	23	5	2	2	-
Male.....	3	4	7	10	17	16	14	11	1	-	-	-
Female.....	2	5	11	10	17	15	10	12	4	2	2	-
American Indian 1/, both sexes.....	-	-	-	1	1	2	1	-	-	-	-	-
Male.....	-	-	-	1	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	3	6	4	7	1	-	-	-
Male.....	-	-	-	2	2	3	4	3	1	-	-	-
Female.....	-	-	-	-	1	3	-	4	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other chronic obstructive pulmonary disease (J44)

New Mexico

All races, both sexes.....	11	23	31	60	95	122	131	103	55	10	1	-
Male.....	5	12	21	38	59	64	71	60	21	4	1	-
Female.....	6	11	10	22	36	58	60	43	34	6	-	-
White, both sexes.....	10	23	31	57	95	117	128	100	53	10	-	-
Male.....	5	12	21	37	59	61	69	57	20	4	-	-
Female.....	5	11	10	20	36	56	59	43	33	6	-	-
Black, both sexes.....	1	-	-	1	-	1	-	-	1	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	2	-	4	3	3	1	-	1	-
Male.....	-	-	-	-	-	2	2	3	1	-	1	-
Female.....	-	-	-	2	-	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	78	157	299	474	713	1,151	1,154	987	494	146	15	-
Male.....	42	75	150	240	323	590	507	389	188	46	4	-
Female.....	36	82	149	234	390	561	647	598	306	100	11	-
White, both sexes.....	67	139	260	425	652	1,051	1,072	921	463	135	13	-
Male.....	35	65	128	218	289	535	468	357	177	41	4	-
Female.....	32	74	132	207	363	516	604	564	286	94	9	-
Black, both sexes.....	11	16	38	43	48	87	66	55	23	9	2	-
Male.....	7	9	21	21	23	50	28	24	7	3	-	-
Female.....	4	7	17	22	25	37	38	31	16	6	2	-
American Indian 1/, both sexes.....	-	2	-	3	1	3	2	-	-	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	3	1	3	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	3	12	10	14	11	8	2	-	-
Male.....	-	-	1	1	11	5	10	8	4	2	-	-
Female.....	-	-	-	2	1	5	4	3	4	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other chronic obstructive pulmonary disease (J44)

Ohio

All races, both sexes.....	105	132	296	434	708	1,019	1,015	761	342	114	9	-
Male.....	59	71	166	211	356	481	474	342	124	34	2	-
Female.....	46	61	130	223	352	538	541	419	218	80	7	-
White, both sexes.....	84	115	268	410	667	952	976	729	321	110	9	-
Male.....	46	59	149	199	335	450	452	322	115	33	2	-
Female.....	38	56	119	211	332	502	524	407	206	77	7	-
Black, both sexes.....	20	17	28	24	40	64	39	32	20	4	-	-
Male.....	13	12	17	12	21	30	22	20	8	1	-	-
Female.....	7	5	11	12	19	34	17	12	12	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	2	-	-	1	-	-	-
Male.....	-	-	-	-	-	1	-	-	1	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Oklahoma

All races, both sexes.....	45	85	135	176	270	333	324	203	101	24	7	-
Male.....	26	45	61	96	137	155	168	96	48	12	1	-
Female.....	19	40	74	80	133	178	156	107	53	12	6	-
White, both sexes.....	39	72	125	162	248	309	300	192	96	22	7	-
Male.....	22	36	55	86	125	142	155	92	46	11	1	-
Female.....	17	36	70	76	123	167	145	100	50	11	6	-
Black, both sexes.....	3	4	2	5	11	8	12	6	2	1	-	-
Male.....	1	4	2	3	7	5	9	4	1	-	-	-
Female.....	2	-	-	2	4	3	3	2	1	1	-	-
American Indian 1/, both sexes.....	3	9	8	9	11	16	12	4	2	1	-	-
Male.....	3	5	4	7	5	8	4	-	1	1	-	-
Female.....	-	4	4	2	6	8	8	4	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other chronic obstructive pulmonary disease (J44)

Oregon

All races, both sexes.....	21	44	71	160	218	289	293	221	112	25	2	-
Male.....	14	25	38	86	102	145	140	113	47	13	2	-
Female.....	7	19	33	74	116	144	153	108	65	12	-	-
White, both sexes.....	20	41	70	154	216	281	292	216	110	25	2	-
Male.....	13	23	37	84	101	141	140	109	46	13	2	-
Female.....	7	18	33	70	115	140	152	107	64	12	-	-
Black, both sexes.....	1	-	-	3	1	2	-	1	1	-	-	-
Male.....	1	-	-	1	-	1	-	1	-	-	-	-
Female.....	-	-	-	2	1	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	2	-	3	-	3	1	2	-	-	-	-
Male.....	-	1	-	1	-	-	-	1	-	-	-	-
Female.....	-	1	-	2	-	3	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	1	3	-	2	1	-	-	-
Male.....	-	1	1	-	1	3	-	2	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	71	132	244	372	697	1,041	1,073	869	421	100	10	-
Male.....	40	71	117	194	341	517	490	378	149	34	2	-
Female.....	31	61	127	178	356	524	583	491	272	66	8	-
White, both sexes.....	64	114	219	352	653	986	1,020	838	414	95	9	-
Male.....	37	62	106	186	319	487	467	361	146	32	1	-
Female.....	27	52	113	166	334	499	553	477	268	63	8	-
Black, both sexes.....	7	16	25	19	43	51	52	30	7	5	1	-
Male.....	3	7	11	8	22	28	23	16	3	2	1	-
Female.....	4	9	14	11	21	23	29	14	4	3	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	2	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	1	2	-	1	-	-	-	-
Male.....	-	1	-	-	-	2	-	1	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other chronic obstructive pulmonary disease (J44)

South Dakota

All races, both sexes.....	3	4	14	28	35	69	76	59	29	9	3	-
Male.....	2	3	6	20	20	37	43	32	18	5	1	-
Female.....	1	1	8	8	15	32	33	27	11	4	2	-
White, both sexes.....	3	3	12	27	33	66	75	57	28	8	3	-
Male.....	2	2	5	19	18	34	43	30	17	5	1	-
Female.....	1	1	7	8	15	32	32	27	11	3	2	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	2	1	1	3	1	2	1	1	-	-
Male.....	-	1	1	1	1	3	-	2	1	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	57	134	207	290	365	516	469	279	142	41	6	-
Male.....	31	62	101	153	188	268	243	128	58	13	3	-
Female.....	26	72	106	137	177	248	226	151	84	28	3	-
White, both sexes.....	52	122	185	263	348	494	448	260	135	39	4	-
Male.....	27	55	91	140	177	256	232	118	56	13	2	-
Female.....	25	67	94	123	171	238	216	142	79	26	2	-
Black, both sexes.....	5	11	22	27	17	21	20	19	7	2	2	-
Male.....	4	7	10	13	11	12	11	10	2	-	1	-
Female.....	1	4	12	14	6	9	9	9	5	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other chronic obstructive pulmonary disease (J44)

Texas

All races, both sexes.....	92	194	424	659	975	1,273	1,169	804	392	107	15	1
Male.....	48	98	219	319	519	653	578	394	194	40	8	1
Female.....	44	96	205	340	456	620	591	410	198	67	7	-
White, both sexes.....	77	174	387	610	913	1,186	1,129	772	375	95	13	1
Male.....	41	85	197	291	477	606	553	381	186	37	7	1
Female.....	36	89	190	319	436	580	576	391	189	58	6	-
Black, both sexes.....	15	18	35	47	57	81	38	31	16	12	1	-
Male.....	7	13	21	26	41	44	24	13	7	3	-	-
Female.....	8	5	14	21	16	37	14	18	9	9	1	-
American Indian 1/, both sexes.....	-	2	1	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	2	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	2	5	6	1	1	-	-	1	-
Male.....	-	-	1	2	1	3	-	-	-	-	1	-
Female.....	-	-	-	-	4	3	1	1	-	-	-	-

Utah

All races, both sexes.....	6	17	39	58	76	89	96	52	24	10	-	-
Male.....	4	11	20	31	43	48	56	27	7	8	-	-
Female.....	2	6	19	27	33	41	40	25	17	2	-	-
White, both sexes.....	6	17	38	58	75	88	96	52	24	10	-	-
Male.....	4	11	20	31	42	48	56	27	7	8	-	-
Female.....	2	6	18	27	33	40	40	25	17	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other chronic obstructive pulmonary disease (J44)

Vermont

All races, both sexes.....	2	7	11	19	44	56	43	29	27	7	-	-
Male.....	1	6	7	10	22	35	23	19	8	2	-	-
Female.....	1	1	4	9	22	21	20	10	19	5	-	-
White, both sexes.....	2	7	11	19	44	56	43	29	27	7	-	-
Male.....	1	6	7	10	22	35	23	19	8	2	-	-
Female.....	1	1	4	9	22	21	20	10	19	5	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	34	69	146	241	351	468	460	312	174	42	6	-
Male.....	18	36	71	137	189	228	210	128	77	14	3	-
Female.....	16	33	75	104	162	240	250	184	97	28	3	-
White, both sexes.....	29	56	128	211	310	427	421	280	158	38	6	-
Male.....	16	28	60	119	165	209	191	111	69	13	3	-
Female.....	13	28	68	92	145	218	230	169	89	25	3	-
Black, both sexes.....	4	13	18	30	40	40	36	30	14	3	-	-
Male.....	2	8	11	18	23	18	18	16	7	-	-	-
Female.....	2	5	7	12	17	22	18	14	7	3	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	3	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	2	2	1	-	-
Male.....	-	-	-	-	1	1	-	1	1	1	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Asthma (J45-J46)												
Colorado												
All races, both sexes.....	62	-	-	-	2	1	1	2	1	1	4	5
Male.....	16	-	-	-	-	-	1	1	1	-	1	2
Female.....	46	-	-	-	2	1	-	1	-	1	3	3
White, both sexes.....	60	-	-	-	2	1	1	2	1	1	4	5
Male.....	16	-	-	-	-	-	1	1	1	-	1	2
Female.....	44	-	-	-	2	1	-	1	-	1	3	3
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Connecticut												
All races, both sexes.....	44	-	-	-	-	2	2	1	-	1	1	1
Male.....	14	-	-	-	-	1	1	-	-	-	1	-
Female.....	30	-	-	-	-	1	1	1	-	1	-	1
White, both sexes.....	39	-	-	-	-	1	2	-	-	1	1	-
Male.....	12	-	-	-	-	1	1	-	-	-	1	-
Female.....	27	-	-	-	-	-	1	-	-	1	-	-
Black, both sexes.....	4	-	-	-	-	-	-	1	-	-	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Asthma (J45-J46)												
Massachusetts												
All races, both sexes.....	79	-	-	-	1	2	2	1	2	1	1	7
Male.....	22	-	-	-	1	-	1	-	-	1	1	4
Female.....	57	-	-	-	-	2	1	1	2	-	-	3
White, both sexes.....	69	-	-	-	-	1	2	1	2	1	1	3
Male.....	16	-	-	-	-	-	1	-	-	1	1	1
Female.....	53	-	-	-	-	1	1	1	2	-	-	2
Black, both sexes.....	7	-	-	-	1	1	-	-	-	-	-	3
Male.....	4	-	-	-	1	-	-	-	-	-	-	2
Female.....	3	-	-	-	-	1	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Michigan												
All races, both sexes.....	134	-	-	2	7	8	4	3	5	8	14	15
Male.....	53	-	-	2	4	4	4	3	3	2	5	9
Female.....	81	-	-	-	3	4	-	-	2	6	9	6
White, both sexes.....	86	-	-	-	-	1	4	1	1	7	8	6
Male.....	28	-	-	-	-	-	4	1	1	2	3	3
Female.....	58	-	-	-	-	1	-	-	-	5	5	3
Black, both sexes.....	47	-	-	2	6	7	-	2	4	1	6	9
Male.....	25	-	-	2	4	4	-	2	2	-	2	6
Female.....	22	-	-	-	2	3	-	-	2	1	4	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Asthma (J45-J46)

Alaska

All races, both sexes.....	2	1	2	-	-	1	1	1	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	1	1	1	-	-	-	-
White, both sexes.....	2	1	1	-	-	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Arizona

All races, both sexes.....	3	3	3	4	6	3	11	5	4	2	-	-
Male.....	1	1	2	1	2	-	1	-	2	1	-	-
Female.....	2	2	1	3	4	3	10	5	2	1	-	-
White, both sexes.....	3	3	3	4	6	3	11	4	4	2	-	-
Male.....	1	1	2	1	2	-	1	-	2	1	-	-
Female.....	2	2	1	3	4	3	10	4	2	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Asthma (J45-J46)												
Arkansas												
All races, both sexes.....	1	1	5	4	2	4	2	3	4	2	-	-
Male.....	1	-	-	1	2	1	2	2	1	-	-	-
Female.....	-	1	5	3	-	3	-	1	3	2	-	-
White, both sexes.....	-	1	4	4	1	3	1	3	3	2	-	-
Male.....	-	-	-	1	1	1	1	2	-	-	-	-
Female.....	-	1	4	3	-	2	-	1	3	2	-	-
Black, both sexes.....	1	-	1	-	1	1	1	-	1	-	-	-
Male.....	1	-	-	-	1	-	1	-	1	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	31	42	25	23	35	32	46	44	36	11	-	-
Male.....	11	22	12	8	13	15	11	14	14	3	-	-
Female.....	20	20	13	15	22	17	35	30	22	8	-	-
White, both sexes.....	21	30	16	16	30	20	32	37	29	8	-	-
Male.....	9	15	6	3	11	6	5	9	11	1	-	-
Female.....	12	15	10	13	19	14	27	28	18	7	-	-
Black, both sexes.....	6	8	5	4	2	2	4	2	1	-	-	-
Male.....	-	3	3	3	1	1	2	1	-	-	-	-
Female.....	6	5	2	1	1	1	2	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	4	3	3	3	9	10	5	6	3	-	-
Male.....	2	4	3	2	1	8	4	4	3	2	-	-
Female.....	2	-	-	1	2	1	6	1	3	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Asthma (J45-J46)

Florida

All races, both sexes.....	10	17	16	16	12	16	18	19	7	6	-	-
Male.....	4	2	5	9	6	4	6	5	-	2	-	-
Female.....	6	15	11	7	6	12	12	14	7	4	-	-
White, both sexes.....	6	15	10	14	10	15	18	17	7	6	-	-
Male.....	2	2	2	8	4	3	6	5	-	2	-	-
Female.....	4	13	8	6	6	12	12	12	7	4	-	-
Black, both sexes.....	4	2	6	2	2	1	-	1	-	-	-	-
Male.....	2	-	3	1	2	1	-	-	-	-	-	-
Female.....	2	2	3	1	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Georgia

All races, both sexes.....	9	13	5	7	7	8	7	9	6	-	-	-
Male.....	5	6	1	3	1	3	2	3	-	-	-	-
Female.....	4	7	4	4	6	5	5	6	6	-	-	-
White, both sexes.....	1	4	1	4	5	3	4	5	4	-	-	-
Male.....	1	1	-	2	1	1	1	3	-	-	-	-
Female.....	-	3	1	2	4	2	3	2	4	-	-	-
Black, both sexes.....	7	9	4	3	2	5	3	3	2	-	-	-
Male.....	3	5	1	1	-	2	1	-	-	-	-	-
Female.....	4	4	3	2	2	3	2	3	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Asthma (J45-J46)												
Maine												
All races, both sexes.....	-	-	-	1	2	1	3	-	2	-	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	3	-	2	-	-	-
White, both sexes.....	-	-	-	1	2	1	3	-	2	-	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	3	-	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	6	4	8	5	2	4	8	7	3	3	-	-
Male.....	2	1	3	2	1	1	1	2	-	-	-	-
Female.....	4	3	5	3	1	3	7	5	3	3	-	-
White, both sexes.....	2	-	3	2	1	2	6	5	3	1	-	-
Male.....	-	-	1	1	-	-	-	2	-	-	-	-
Female.....	2	-	2	1	1	2	6	3	3	1	-	-
Black, both sexes.....	4	4	5	3	1	1	2	2	-	2	-	-
Male.....	2	1	2	1	1	1	1	-	-	-	-	-
Female.....	2	3	3	2	-	-	1	2	-	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Asthma (J45-J46)

New Hampshire

All races, both sexes.....	1	-	1	1	-	1	2	1	1	2	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	1	2	1	1	2	-	-
White, both sexes.....	1	-	1	1	-	1	2	1	1	2	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	1	2	1	1	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	4	7	9	9	8	5	5	9	11	5	-	-
Male.....	1	1	2	1	4	2	-	3	2	1	-	-
Female.....	3	6	7	8	4	3	5	6	9	4	-	-
White, both sexes.....	1	4	6	3	6	2	4	9	10	5	-	-
Male.....	-	-	1	1	3	-	-	3	2	1	-	-
Female.....	1	4	5	2	3	2	4	6	8	4	-	-
Black, both sexes.....	3	2	3	5	2	1	1	-	1	-	-	-
Male.....	1	-	1	-	1	1	-	-	-	-	-	-
Female.....	2	2	2	5	1	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	-	2	-	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Asthma (J45-J46)

New Mexico

All races, both sexes.....	1	3	-	4	3	3	5	1	2	-	-	-
Male.....	-	1	-	2	2	-	3	-	-	-	-	-
Female.....	1	2	-	2	1	3	2	1	2	-	-	-
White, both sexes.....	1	3	-	3	3	3	5	1	2	-	-	-
Male.....	-	1	-	2	2	-	3	-	-	-	-	-
Female.....	1	2	-	1	1	3	2	1	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	27	23	25	25	19	26	24	22	7	4	1	-
Male.....	10	13	6	8	5	4	3	5	1	1	1	-
Female.....	17	10	19	17	14	22	21	17	6	3	-	-
White, both sexes.....	15	12	13	14	17	17	21	17	5	4	-	-
Male.....	7	8	3	6	4	4	2	4	1	1	-	-
Female.....	8	4	10	8	13	13	19	13	4	3	-	-
Black, both sexes.....	12	10	11	9	2	8	2	4	1	-	-	-
Male.....	3	5	3	1	1	-	1	-	-	-	-	-
Female.....	9	5	8	8	1	8	1	4	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	2	-	1	1	1	1	-	1	-
Male.....	-	-	-	1	-	-	-	1	-	-	1	-
Female.....	-	1	1	1	-	1	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Asthma (J45-J46)												
Vermont												
All races, both sexes.....	-	1	-	-	1	-	2	1	-	2	-	-
Male.....	-	1	-	-	-	-	2	1	-	1	-	-
Female.....	-	-	-	-	1	-	-	-	-	1	-	-
White, both sexes.....	-	1	-	-	1	-	2	1	-	2	-	-
Male.....	-	1	-	-	-	-	2	1	-	1	-	-
Female.....	-	-	-	-	1	-	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	11	8	8	8	3	5	11	9	6	1	-	-
Male.....	7	3	3	3	1	1	2	3	2	1	-	-
Female.....	4	5	5	5	2	4	9	6	4	-	-	-
White, both sexes.....	6	2	3	6	2	4	7	6	6	-	-	-
Male.....	5	1	-	2	1	1	1	3	2	-	-	-
Female.....	1	1	3	4	1	3	6	3	4	-	-	-
Black, both sexes.....	5	6	5	2	1	1	3	3	-	1	-	-
Male.....	2	2	3	1	-	-	1	-	-	1	-	-
Female.....	3	4	2	1	1	1	2	3	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Bronchiectasis (J47)

Arkansas

All races, both sexes.....	-	1	-	1	-	3	2	1	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	1	-	1	-	3	1	1	-	-	-	-
White, both sexes.....	-	-	-	1	-	3	2	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	1	-	3	1	-	-	-	-	-
Black, both sexes.....	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	-	2	4	2	6	16	19	20	16	6	-	-
Male.....	-	1	2	1	3	6	7	5	1	-	-	-
Female.....	-	1	2	1	3	10	12	15	15	6	-	-
White, both sexes.....	-	1	3	2	5	14	19	16	15	5	-	-
Male.....	-	1	1	1	3	5	7	5	1	-	-	-
Female.....	-	-	2	1	2	9	12	11	14	5	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	1	2	-	4	1	1	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	1	-	-	1	1	-	4	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Lung diseases due to external agents (J60-J70)												
Texas												
All races, both sexes.....	1,098	1	2	1	-	1	4	6	5	3	5	13
Male.....	587	1	1	1	-	1	2	1	4	1	3	11
Female.....	511	-	1	-	-	-	2	5	1	2	2	2
White, both sexes.....	988	1	-	1	-	1	3	5	5	2	4	12
Male.....	518	1	-	1	-	1	1	1	4	1	2	10
Female.....	470	-	-	-	-	-	2	4	1	1	2	2
Black, both sexes.....	100	-	2	-	-	-	1	1	-	1	1	1
Male.....	61	-	1	-	-	-	1	-	-	-	1	1
Female.....	39	-	1	-	-	-	-	1	-	1	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	-	-	-	-	-	-	-
Male.....	7	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Utah												
All races, both sexes.....	89	-	-	-	-	-	-	2	-	1	1	1
Male.....	48	-	-	-	-	-	-	-	-	-	1	-
Female.....	41	-	-	-	-	-	-	2	-	1	-	1
White, both sexes.....	86	-	-	-	-	-	-	1	-	1	1	1
Male.....	47	-	-	-	-	-	-	-	-	-	1	-
Female.....	39	-	-	-	-	-	-	1	-	1	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Lung diseases due to external agents (J60-J70)

Alaska

All races, both sexes.....	-	1	1	1	4	-	3	2	2	-	1	-
Male.....	-	-	-	1	3	-	2	1	1	-	1	-
Female.....	-	1	1	-	1	-	1	1	1	-	-	-
White, both sexes.....	-	1	-	1	3	-	2	1	1	-	1	-
Male.....	-	-	-	1	3	-	2	-	1	-	1	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	1	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	1	-	1	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	6	5	3	13	12	39	56	59	42	14	1	-
Male.....	1	3	1	8	6	28	34	33	18	3	1	-
Female.....	5	2	2	5	6	11	22	26	24	11	-	-
White, both sexes.....	5	4	3	12	12	36	54	54	40	13	1	-
Male.....	1	2	1	7	6	27	32	31	17	3	1	-
Female.....	4	2	2	5	6	9	22	23	23	10	-	-
Black, both sexes.....	1	1	-	-	-	-	-	-	1	-	-	-
Male.....	-	1	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	3	2	4	1	1	-	-
Male.....	-	-	-	1	-	1	2	2	-	-	-	-
Female.....	-	-	-	-	-	2	-	2	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Lung diseases due to external agents (J60-J70)

Arkansas

All races, both sexes.....	3	4	8	9	23	36	33	36	39	15	-	-
Male.....	3	2	7	6	15	20	18	20	21	7	-	-
Female.....	-	2	1	3	8	16	15	16	18	8	-	-
White, both sexes.....	2	4	5	9	21	31	30	33	37	12	-	-
Male.....	2	2	4	6	14	18	16	19	21	5	-	-
Female.....	-	2	1	3	7	13	14	14	16	7	-	-
Black, both sexes.....	1	-	3	-	2	5	3	3	2	3	-	-
Male.....	1	-	3	-	1	2	2	1	-	2	-	-
Female.....	-	-	-	-	1	3	1	2	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	25	32	22	32	63	137	204	218	156	67	22	-
Male.....	16	20	15	18	37	83	121	122	71	19	9	-
Female.....	9	12	7	14	26	54	83	96	85	48	13	-
White, both sexes.....	17	28	17	30	59	117	183	200	142	62	20	-
Male.....	12	16	13	16	33	69	106	110	64	18	8	-
Female.....	5	12	4	14	26	48	77	90	78	44	12	-
Black, both sexes.....	3	3	3	1	1	8	10	6	2	3	1	-
Male.....	2	3	1	1	1	6	7	4	-	-	1	-
Female.....	1	-	2	-	-	2	3	2	2	3	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	2	1	3	12	11	12	12	2	1	-
Male.....	2	1	1	1	3	8	8	8	7	1	-	-
Female.....	1	-	1	-	-	4	3	4	5	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Lung diseases due to external agents (J60-J70)

Florida

All races, both sexes.....	7	15	30	36	72	141	227	241	192	77	14	-
Male.....	4	8	21	18	42	89	136	122	92	32	4	-
Female.....	3	7	9	18	30	52	91	119	100	45	10	-
White, both sexes.....	5	14	28	30	65	129	209	228	175	72	13	-
Male.....	3	7	20	14	39	85	127	114	88	32	4	-
Female.....	2	7	8	16	26	44	82	114	87	40	9	-
Black, both sexes.....	2	1	2	6	6	12	17	12	14	4	1	-
Male.....	1	1	1	4	2	4	9	7	2	-	-	-
Female.....	1	-	1	2	4	8	8	5	12	4	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	1	3	1	-	-
Male.....	-	-	-	-	1	-	-	1	2	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	1	-	-

Georgia

All races, both sexes.....	10	18	25	12	35	58	88	106	56	20	4	-
Male.....	6	9	18	9	15	36	45	53	24	4	1	-
Female.....	4	9	7	3	20	22	43	53	32	16	3	-
White, both sexes.....	8	15	10	8	27	40	79	94	46	16	3	-
Male.....	5	6	6	5	10	29	40	47	20	4	1	-
Female.....	3	9	4	3	17	11	39	47	26	12	2	-
Black, both sexes.....	2	3	15	4	8	18	8	12	10	4	1	-
Male.....	1	3	12	4	5	7	5	6	4	-	-	-
Female.....	1	-	3	-	3	11	3	6	6	4	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Lung diseases due to external agents (J60-J70)

Illinois

All races, both sexes.....	11	13	17	37	55	99	177	200	141	50	7	-
Male.....	7	8	11	21	28	52	94	98	56	18	2	-
Female.....	4	5	6	16	27	47	83	102	85	32	5	-
White, both sexes.....	7	9	12	34	48	91	161	185	137	50	7	-
Male.....	4	6	7	19	25	49	85	94	54	18	2	-
Female.....	3	3	5	15	23	42	76	91	83	32	5	-
Black, both sexes.....	4	4	4	3	7	7	14	13	4	-	-	-
Male.....	3	2	3	2	3	2	7	3	2	-	-	-
Female.....	1	2	1	1	4	5	7	10	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	2	2	-	-	-	-
Male.....	-	-	1	-	-	1	2	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Indiana

All races, both sexes.....	7	5	9	14	29	60	79	102	72	22	4	-
Male.....	6	4	7	8	18	34	42	51	26	7	3	-
Female.....	1	1	2	6	11	26	37	51	46	15	1	-
White, both sexes.....	7	5	7	11	27	55	76	96	67	21	4	-
Male.....	6	4	5	7	18	29	41	49	24	7	3	-
Female.....	1	1	2	4	9	26	35	47	43	14	1	-
Black, both sexes.....	-	-	2	3	2	3	3	6	4	1	-	-
Male.....	-	-	2	1	-	3	1	2	2	-	-	-
Female.....	-	-	-	2	2	-	2	4	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	-	-	1	-	-	-
Male.....	-	-	-	-	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Lung diseases due to external agents (J60-J70)

Iowa

All races, both sexes.....	5	6	4	9	15	27	49	68	54	23	7	-
Male.....	3	3	3	6	8	18	31	40	30	8	3	-
Female.....	2	3	1	3	7	9	18	28	24	15	4	-
White, both sexes.....	5	6	4	8	15	27	46	68	54	23	7	-
Male.....	3	3	3	5	8	18	29	40	30	8	3	-
Female.....	2	3	1	3	7	9	17	28	24	15	4	-
Black, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	5	2	5	3	15	33	37	35	28	22	3	-
Male.....	3	1	5	1	9	21	21	15	17	8	1	-
Female.....	2	1	-	2	6	12	16	20	11	14	2	-
White, both sexes.....	5	2	5	3	15	30	36	35	27	21	3	-
Male.....	3	1	5	1	9	20	21	15	16	8	1	-
Female.....	2	1	-	2	6	10	15	20	11	13	2	-
Black, both sexes.....	-	-	-	-	-	2	-	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Lung diseases due to external agents (J60-J70)

Maine

All races, both sexes.....	1	3	-	5	8	11	25	24	12	8	1	-
Male.....	1	3	-	2	3	6	14	16	9	3	-	-
Female.....	-	-	-	3	5	5	11	8	3	5	1	-
White, both sexes.....	1	3	-	5	8	10	25	24	12	8	1	-
Male.....	1	3	-	2	3	6	14	16	9	3	-	-
Female.....	-	-	-	3	5	4	11	8	3	5	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	9	6	5	23	41	44	70	88	60	21	5	-
Male.....	2	3	3	15	24	23	41	42	24	7	-	-
Female.....	7	3	2	8	17	21	29	46	36	14	5	-
White, both sexes.....	5	2	2	14	28	39	55	73	51	16	3	-
Male.....	-	2	1	9	18	19	31	36	23	7	-	-
Female.....	5	-	1	5	10	20	24	37	28	9	3	-
Black, both sexes.....	4	4	3	8	11	5	13	9	9	4	2	-
Male.....	2	1	2	5	6	4	8	3	1	-	-	-
Female.....	2	3	1	3	5	1	5	6	8	4	2	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	2	-	-	-	-
Male.....	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	-	2	4	-	1	-	-
Male.....	-	-	-	-	-	-	2	2	-	-	-	-
Female.....	-	-	-	-	2	-	-	2	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Lung diseases due to external agents (J60-J70)

Nebraska

All races, both sexes.....	1	2	4	2	6	20	35	33	20	9	3	-
Male.....	1	2	1	2	6	14	21	16	8	4	2	-
Female.....	-	-	3	-	-	6	14	17	12	5	1	-
White, both sexes.....	1	2	4	2	5	19	33	33	20	9	3	-
Male.....	1	2	1	2	5	13	21	16	8	4	2	-
Female.....	-	-	3	-	-	6	12	17	12	5	1	-
Black, both sexes.....	-	-	-	-	1	1	2	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	2	3	6	10	11	18	19	20	14	6	1	-
Male.....	1	2	2	7	10	10	10	12	7	2	-	-
Female.....	1	1	4	3	1	8	9	8	7	4	1	-
White, both sexes.....	2	2	6	9	10	16	18	18	12	5	1	-
Male.....	1	1	2	7	9	9	10	10	7	1	-	-
Female.....	1	1	4	2	1	7	8	8	5	4	1	-
Black, both sexes.....	-	1	-	1	1	1	1	2	1	-	-	-
Male.....	-	1	-	-	1	1	-	2	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	1	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Lung diseases due to external agents (J60-J70)

New Hampshire

All races, both sexes.....	1	-	-	3	9	6	10	24	13	2	-	-
Male.....	1	-	-	2	5	4	6	15	6	2	-	-
Female.....	-	-	-	1	4	2	4	9	7	-	-	-
White, both sexes.....	1	-	-	3	9	6	10	24	13	2	-	-
Male.....	1	-	-	2	5	4	6	15	6	2	-	-
Female.....	-	-	-	1	4	2	4	9	7	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	5	8	9	18	43	74	121	134	88	35	7	-
Male.....	4	4	4	12	36	47	69	61	40	11	2	-
Female.....	1	4	5	6	7	27	52	73	48	24	5	-
White, both sexes.....	5	6	6	18	32	68	110	125	82	33	5	-
Male.....	4	2	3	12	28	44	64	58	38	11	2	-
Female.....	1	4	3	6	4	24	46	67	44	22	3	-
Black, both sexes.....	-	2	3	-	10	6	10	8	5	1	2	-
Male.....	-	2	1	-	7	3	5	3	2	-	-	-
Female.....	-	-	2	-	3	3	5	5	3	1	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	1	1	1	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Lung diseases due to external agents (J60-J70)

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
New Mexico												
All races, both sexes.....	-	2	1	1	2	8	11	11	8	5	1	-
Male.....	-	1	-	-	1	5	6	8	5	3	-	-
Female.....	-	1	1	1	1	3	5	3	3	2	1	-
White, both sexes.....	-	2	1	1	2	8	11	11	8	4	1	-
Male.....	-	1	-	-	1	5	6	8	5	3	-	-
Female.....	-	1	1	1	1	3	5	3	3	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	1	10	17	24	42	80	162	174	124	55	9	-
Male.....	1	6	8	17	32	48	88	87	50	17	3	-
Female.....	-	4	9	7	10	32	74	87	74	38	6	-
White, both sexes.....	1	6	14	22	38	68	151	168	115	52	9	-
Male.....	1	3	7	16	29	41	84	84	48	15	3	-
Female.....	-	3	7	6	9	27	67	84	67	37	6	-
Black, both sexes.....	-	4	3	2	2	10	10	6	8	3	-	-
Male.....	-	3	1	1	1	5	3	3	2	2	-	-
Female.....	-	1	2	1	1	5	7	3	6	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	1	1	-	1	-	-	-
Male.....	-	-	-	-	2	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Lung diseases due to external agents (J60-J70)

Oregon

All races, both sexes.....	2	4	5	6	17	20	34	40	39	11	3	-
Male.....	2	2	4	5	11	7	18	25	19	9	1	-
Female.....	-	2	1	1	6	13	16	15	20	2	2	-
White, both sexes.....	2	4	5	6	17	20	32	39	39	11	3	-
Male.....	2	2	4	5	11	7	17	25	19	9	1	-
Female.....	-	2	1	1	6	13	15	14	20	2	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	2	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-

Pennsylvania

All races, both sexes.....	13	19	32	51	107	173	305	385	218	65	15	-
Male.....	7	11	24	36	80	112	181	226	106	25	2	-
Female.....	6	8	8	15	27	61	124	159	112	40	13	-
White, both sexes.....	11	17	27	42	98	155	287	372	206	56	14	-
Male.....	7	9	20	30	73	100	171	218	100	23	2	-
Female.....	4	8	7	12	25	55	116	154	106	33	12	-
Black, both sexes.....	2	2	5	9	8	17	18	12	10	9	1	-
Male.....	-	2	4	6	6	12	10	7	4	2	-	-
Female.....	2	-	1	3	2	5	8	5	6	7	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	1	2	-	-	-
Male.....	-	-	-	-	1	-	-	1	2	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Lung diseases due to external agents (J60-J70)

South Dakota

All races, both sexes.....	1	1	2	-	3	9	12	11	6	3	2	-
Male.....	-	1	1	-	2	6	6	6	2	3	-	-
Female.....	1	-	1	-	1	3	6	5	4	-	2	-
White, both sexes.....	-	1	1	-	3	8	12	11	6	3	2	-
Male.....	-	1	1	-	2	5	6	6	2	3	-	-
Female.....	-	-	-	-	1	3	6	5	4	-	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	8	9	17	24	30	60	99	99	88	39	3	-
Male.....	6	6	11	14	17	29	43	45	36	14	-	-
Female.....	2	3	6	10	13	31	56	54	52	25	3	-
White, both sexes.....	8	9	14	21	28	54	90	90	87	34	2	-
Male.....	6	6	9	12	16	28	41	40	36	12	-	-
Female.....	2	3	5	9	12	26	49	50	51	22	2	-
Black, both sexes.....	-	-	3	3	2	5	9	9	1	5	1	-
Male.....	-	-	2	2	1	1	2	5	-	2	-	-
Female.....	-	-	1	1	1	4	7	4	1	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Lung diseases due to external agents (J60-J70)

Texas

All races, both sexes.....	18	21	41	39	86	149	200	243	183	63	14	-
Male.....	13	14	25	29	56	86	116	125	78	15	4	-
Female.....	5	7	16	10	30	63	84	118	105	48	10	-
White, both sexes.....	14	17	31	35	72	134	188	227	169	55	12	-
Male.....	9	11	17	26	47	76	109	115	72	11	3	-
Female.....	5	6	14	9	25	58	79	112	97	44	9	-
Black, both sexes.....	4	3	10	4	13	14	10	15	12	8	-	-
Male.....	4	2	8	3	9	9	5	9	4	4	-	-
Female.....	-	1	2	1	4	5	5	6	8	4	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	2	1	1	-	2	-
Male.....	-	1	-	-	-	1	2	1	1	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	1	-

Utah

All races, both sexes.....	1	2	5	8	8	11	15	19	9	5	1	-
Male.....	1	-	2	6	5	8	9	8	6	1	1	-
Female.....	-	2	3	2	3	3	6	11	3	4	-	-
White, both sexes.....	1	2	4	8	8	10	15	19	9	5	1	-
Male.....	1	-	1	6	5	8	9	8	6	1	1	-
Female.....	-	2	3	2	3	2	6	11	3	4	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Lung diseases due to external agents (J60-J70)

Vermont

All races, both sexes.....	-	3	1	-	2	3	6	9	3	6	3	-
Male.....	-	2	1	-	2	2	4	4	1	4	1	-
Female.....	-	1	-	-	-	1	2	5	2	2	2	-
White, both sexes.....	-	3	1	-	2	3	6	9	3	6	3	-
Male.....	-	2	1	-	2	2	4	4	1	4	1	-
Female.....	-	1	-	-	-	1	2	5	2	2	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	8	13	20	27	56	84	132	132	74	32	7	-
Male.....	8	10	14	24	34	43	72	60	33	8	1	-
Female.....	-	3	6	3	22	41	60	72	41	24	6	-
White, both sexes.....	5	9	12	19	46	64	111	114	64	29	6	-
Male.....	5	7	7	18	28	35	60	49	27	6	1	-
Female.....	-	2	5	1	18	29	51	65	37	23	5	-
Black, both sexes.....	3	4	6	8	10	20	20	17	9	3	1	-
Male.....	3	3	5	6	6	8	12	10	5	2	-	-
Female.....	-	1	1	2	4	12	8	7	4	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	-	-	1	1	1	-	-	-
Male.....	-	-	2	-	-	-	-	1	1	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Pneumonitis due to solids and liquids (J69)												
Texas												
All races, both sexes.....	1,029	1	2	1	-	1	4	6	5	3	5	13
Male.....	525	1	1	1	-	1	2	1	4	1	3	11
Female.....	504	-	1	-	-	-	2	5	1	2	2	2
White, both sexes.....	926	1	-	1	-	1	3	5	5	2	4	12
Male.....	463	1	-	1	-	1	1	1	4	1	2	10
Female.....	463	-	-	-	-	-	2	4	1	1	2	2
Black, both sexes.....	93	-	2	-	-	-	1	1	-	1	1	1
Male.....	54	-	1	-	-	-	1	-	-	-	1	1
Female.....	39	-	1	-	-	-	-	1	-	1	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	-	-	-	-	-	-	-
Male.....	7	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Utah												
All races, both sexes.....	78	-	-	-	-	-	-	2	-	-	1	1
Male.....	39	-	-	-	-	-	-	-	-	-	1	-
Female.....	39	-	-	-	-	-	-	2	-	-	-	1
White, both sexes.....	75	-	-	-	-	-	-	1	-	-	1	1
Male.....	38	-	-	-	-	-	-	-	-	-	1	-
Female.....	37	-	-	-	-	-	-	1	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Pneumonitis due to solids and liquids (J69)

Alaska

All races, both sexes.....	-	1	1	1	2	-	3	2	2	-	1	-
Male.....	-	-	-	1	1	-	2	1	1	-	1	-
Female.....	-	1	1	-	1	-	1	1	1	-	-	-
White, both sexes.....	-	1	-	1	1	-	2	1	1	-	1	-
Male.....	-	-	-	1	1	-	2	-	1	-	1	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	1	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	1	-	1	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	6	5	3	13	11	35	55	56	42	14	1	-
Male.....	1	3	1	8	5	24	34	31	18	3	1	-
Female.....	5	2	2	5	6	11	21	25	24	11	-	-
White, both sexes.....	5	4	3	12	11	32	53	52	40	13	1	-
Male.....	1	2	1	7	5	23	32	29	17	3	1	-
Female.....	4	2	2	5	6	9	21	23	23	10	-	-
Black, both sexes.....	1	1	-	-	-	-	-	-	1	-	-	-
Male.....	-	1	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	3	2	3	1	1	-	-
Male.....	-	-	-	1	-	1	2	2	-	-	-	-
Female.....	-	-	-	-	-	2	-	1	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonitis due to solids and liquids (J69)												
Arkansas												
All races, both sexes.....	3	4	6	8	20	35	30	35	34	15	-	-
Male.....	3	2	5	5	12	19	15	19	16	7	-	-
Female.....	-	2	1	3	8	16	15	16	18	8	-	-
White, both sexes.....	2	4	3	8	18	30	28	32	32	12	-	-
Male.....	2	2	2	5	11	17	14	18	16	5	-	-
Female.....	-	2	1	3	7	13	14	14	16	7	-	-
Black, both sexes.....	1	-	3	-	2	5	2	3	2	3	-	-
Male.....	1	-	3	-	1	2	1	1	-	2	-	-
Female.....	-	-	-	-	1	3	1	2	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	24	29	21	30	54	130	191	207	152	67	20	-
Male.....	15	18	14	17	28	76	108	111	68	19	7	-
Female.....	9	11	7	13	26	54	83	96	84	48	13	-
White, both sexes.....	16	25	16	28	50	110	170	190	138	62	18	-
Male.....	11	14	12	15	24	62	93	100	61	18	6	-
Female.....	5	11	4	13	26	48	77	90	77	44	12	-
Black, both sexes.....	3	3	3	1	1	8	10	5	2	3	1	-
Male.....	2	3	1	1	1	6	7	3	-	-	1	-
Female.....	1	-	2	-	-	2	3	2	2	3	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	2	1	3	12	11	12	12	2	1	-
Male.....	2	1	1	1	3	8	8	8	7	1	-	-
Female.....	1	-	1	-	-	4	3	4	5	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Pneumonitis due to solids and liquids (J69)

Florida

All races, both sexes.....	7	15	28	32	66	127	219	231	186	77	14	-
Male.....	4	8	19	14	36	76	128	114	87	32	4	-
Female.....	3	7	9	18	30	51	91	117	99	45	10	-
White, both sexes.....	5	14	26	26	59	115	201	218	169	72	13	-
Male.....	3	7	18	10	33	72	119	106	83	32	4	-
Female.....	2	7	8	16	26	43	82	112	86	40	9	-
Black, both sexes.....	2	1	2	6	6	12	17	12	14	4	1	-
Male.....	1	1	1	4	2	4	9	7	2	-	-	-
Female.....	1	-	1	2	4	8	8	5	12	4	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	1	3	1	-	-
Male.....	-	-	-	-	1	-	-	1	2	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	1	-	-

Georgia

All races, both sexes.....	9	18	23	12	35	56	86	106	54	20	4	-
Male.....	5	9	17	9	15	34	43	53	22	4	1	-
Female.....	4	9	6	3	20	22	43	53	32	16	3	-
White, both sexes.....	7	15	9	8	27	38	78	94	44	16	3	-
Male.....	4	6	6	5	10	27	39	47	18	4	1	-
Female.....	3	9	3	3	17	11	39	47	26	12	2	-
Black, both sexes.....	2	3	14	4	8	18	7	12	10	4	1	-
Male.....	1	3	11	4	5	7	4	6	4	-	-	-
Female.....	1	-	3	-	3	11	3	6	6	4	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Pneumonitis due to solids and liquids (J69)

Illinois

All races, both sexes.....	11	13	16	34	52	96	170	196	139	50	7	-
Male.....	7	8	10	20	26	49	87	94	54	18	2	-
Female.....	4	5	6	14	26	47	83	102	85	32	5	-
White, both sexes.....	7	9	12	32	46	88	154	181	135	50	7	-
Male.....	4	6	7	19	23	46	78	90	52	18	2	-
Female.....	3	3	5	13	23	42	76	91	83	32	5	-
Black, both sexes.....	4	4	3	2	6	7	14	13	4	-	-	-
Male.....	3	2	2	1	3	2	7	3	2	-	-	-
Female.....	1	2	1	1	3	5	7	10	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	2	2	-	-	-	-
Male.....	-	-	1	-	-	1	2	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Indiana

All races, both sexes.....	6	5	8	11	28	57	76	101	70	22	4	-
Male.....	5	4	6	5	17	31	39	50	24	7	3	-
Female.....	1	1	2	6	11	26	37	51	46	15	1	-
White, both sexes.....	6	5	7	9	26	52	73	95	65	21	4	-
Male.....	5	4	5	5	17	26	38	48	22	7	3	-
Female.....	1	1	2	4	9	26	35	47	43	14	1	-
Black, both sexes.....	-	-	1	2	2	3	3	6	4	1	-	-
Male.....	-	-	1	-	-	3	1	2	2	-	-	-
Female.....	-	-	-	2	2	-	2	4	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	-	-	1	-	-	-
Male.....	-	-	-	-	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Pneumonitis due to solids and liquids (J69)

Iowa

All races, both sexes.....	3	5	4	9	15	25	48	68	54	23	7	-
Male.....	1	3	3	6	8	17	30	40	30	8	3	-
Female.....	2	2	1	3	7	8	18	28	24	15	4	-
White, both sexes.....	3	5	4	8	15	25	45	68	54	23	7	-
Male.....	1	3	3	5	8	17	28	40	30	8	3	-
Female.....	2	2	1	3	7	8	17	28	24	15	4	-
Black, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	4	2	5	3	13	31	36	34	28	22	3	-
Male.....	2	1	5	1	8	19	20	14	17	8	1	-
Female.....	2	1	-	2	5	12	16	20	11	14	2	-
White, both sexes.....	4	2	5	3	13	28	35	34	27	21	3	-
Male.....	2	1	5	1	8	18	20	14	16	8	1	-
Female.....	2	1	-	2	5	10	15	20	11	13	2	-
Black, both sexes.....	-	-	-	-	-	2	-	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Pneumonitis due to solids and liquids (J69)

Maine

All races, both sexes.....	1	3	-	4	7	10	22	22	11	8	1	-
Male.....	1	3	-	1	2	5	12	14	8	3	-	-
Female.....	-	-	-	3	5	5	10	8	3	5	1	-
White, both sexes.....	1	3	-	4	7	9	22	22	11	8	1	-
Male.....	1	3	-	1	2	5	12	14	8	3	-	-
Female.....	-	-	-	3	5	4	10	8	3	5	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	9	5	4	19	41	43	67	86	60	21	5	-
Male.....	2	2	2	11	24	23	38	41	24	7	-	-
Female.....	7	3	2	8	17	20	29	45	36	14	5	-
White, both sexes.....	5	1	1	12	28	38	52	71	51	16	3	-
Male.....	-	1	-	7	18	19	28	35	23	7	-	-
Female.....	5	-	1	5	10	19	24	36	28	9	3	-
Black, both sexes.....	4	4	3	6	11	5	13	9	9	4	2	-
Male.....	2	1	2	3	6	4	8	3	1	-	-	-
Female.....	2	3	1	3	5	1	5	6	8	4	2	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	2	-	-	-	-
Male.....	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	-	2	4	-	1	-	-
Male.....	-	-	-	-	-	-	2	2	-	-	-	-
Female.....	-	-	-	-	2	-	-	2	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Pneumonitis due to solids and liquids (J69)

Nebraska

All races, both sexes.....	1	2	4	2	6	18	33	33	20	9	3	-
Male.....	1	2	1	2	6	12	19	16	8	4	2	-
Female.....	-	-	3	-	-	6	14	17	12	5	1	-
White, both sexes.....	1	2	4	2	5	17	31	33	20	9	3	-
Male.....	1	2	1	2	5	11	19	16	8	4	2	-
Female.....	-	-	3	-	-	6	12	17	12	5	1	-
Black, both sexes.....	-	-	-	-	1	1	2	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	2	3	6	10	10	16	19	20	13	6	1	-
Male.....	1	2	2	7	9	8	10	12	6	2	-	-
Female.....	1	1	4	3	1	8	9	8	7	4	1	-
White, both sexes.....	2	2	6	9	9	14	18	18	11	5	1	-
Male.....	1	1	2	7	8	7	10	10	6	1	-	-
Female.....	1	1	4	2	1	7	8	8	5	4	1	-
Black, both sexes.....	-	1	-	1	1	1	1	2	1	-	-	-
Male.....	-	1	-	-	1	1	-	2	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	1	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Pneumonitis due to solids and liquids (J69)

New Hampshire

All races, both sexes.....	1	-	-	3	8	5	9	23	13	2	-	-
Male.....	1	-	-	2	4	3	5	14	6	2	-	-
Female.....	-	-	-	1	4	2	4	9	7	-	-	-
White, both sexes.....	1	-	-	3	8	5	9	23	13	2	-	-
Male.....	1	-	-	2	4	3	5	14	6	2	-	-
Female.....	-	-	-	1	4	2	4	9	7	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	5	8	8	16	37	67	114	130	87	35	7	-
Male.....	4	4	3	10	30	40	62	58	40	11	2	-
Female.....	1	4	5	6	7	27	52	72	47	24	5	-
White, both sexes.....	5	6	5	16	26	61	103	121	81	33	5	-
Male.....	4	2	2	10	22	37	57	55	38	11	2	-
Female.....	1	4	3	6	4	24	46	66	43	22	3	-
Black, both sexes.....	-	2	3	-	10	6	10	8	5	1	2	-
Male.....	-	2	1	-	7	3	5	3	2	-	-	-
Female.....	-	-	2	-	3	3	5	5	3	1	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	1	1	1	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Pneumonitis due to solids and liquids (J69)

New Mexico

All races, both sexes.....	-	2	1	1	2	7	11	9	8	5	1	-
Male.....	-	1	-	-	1	4	6	6	5	3	-	-
Female.....	-	1	1	1	1	3	5	3	3	2	1	-
White, both sexes.....	-	2	1	1	2	7	11	9	8	4	1	-
Male.....	-	1	-	-	1	4	6	6	5	3	-	-
Female.....	-	1	1	1	1	3	5	3	3	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	1	10	15	23	40	73	152	170	120	54	9	-
Male.....	1	6	6	16	31	41	79	83	46	16	3	-
Female.....	-	4	9	7	9	32	73	87	74	38	6	-
White, both sexes.....	1	6	13	21	36	62	141	164	111	52	9	-
Male.....	1	3	6	15	28	35	75	80	44	15	3	-
Female.....	-	3	7	6	8	27	66	84	67	37	6	-
Black, both sexes.....	-	4	2	2	2	9	10	6	8	2	-	-
Male.....	-	3	-	1	1	4	3	3	2	1	-	-
Female.....	-	1	2	1	1	5	7	3	6	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	1	1	-	1	-	-	-
Male.....	-	-	-	-	2	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Pneumonitis due to solids and liquids (J69)

Oregon

All races, both sexes.....	2	4	3	4	14	17	32	40	39	10	3	-
Male.....	2	2	2	3	8	5	16	25	19	8	1	-
Female.....	-	2	1	1	6	12	16	15	20	2	2	-
White, both sexes.....	2	4	3	4	14	17	30	39	39	10	3	-
Male.....	2	2	2	3	8	5	15	25	19	8	1	-
Female.....	-	2	1	1	6	12	15	14	20	2	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	2	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-

Pennsylvania

All races, both sexes.....	11	18	28	46	91	142	265	330	192	61	15	-
Male.....	6	10	21	31	66	83	142	171	80	21	2	-
Female.....	5	8	7	15	25	59	123	159	112	40	13	-
White, both sexes.....	9	16	23	38	82	124	249	318	181	52	14	-
Male.....	6	8	17	26	59	71	134	164	75	19	2	-
Female.....	3	8	6	12	23	53	115	154	106	33	12	-
Black, both sexes.....	2	2	5	8	8	17	16	11	9	9	1	-
Male.....	-	2	4	5	6	12	8	6	3	2	-	-
Female.....	2	-	1	3	2	5	8	5	6	7	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	1	2	-	-	-
Male.....	-	-	-	-	1	-	-	1	2	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Pneumonitis due to solids and liquids (J69)

South Dakota

All races, both sexes.....	1	1	2	-	3	8	12	9	6	3	2	-
Male.....	-	1	1	-	2	5	6	4	2	3	-	-
Female.....	1	-	1	-	1	3	6	5	4	-	2	-
White, both sexes.....	-	1	1	-	3	7	12	9	6	3	2	-
Male.....	-	1	1	-	2	4	6	4	2	3	-	-
Female.....	-	-	-	-	1	3	6	5	4	-	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	8	7	16	21	27	57	95	95	87	39	3	-
Male.....	6	4	10	11	14	26	39	41	35	14	-	-
Female.....	2	3	6	10	13	31	56	54	52	25	3	-
White, both sexes.....	8	7	13	18	25	51	86	86	86	34	2	-
Male.....	6	4	8	9	13	25	37	36	35	12	-	-
Female.....	2	3	5	9	12	26	49	50	51	22	2	-
Black, both sexes.....	-	-	3	3	2	5	9	9	1	5	1	-
Male.....	-	-	2	2	1	1	2	5	-	2	-	-
Female.....	-	-	1	1	1	4	7	4	1	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Pneumonitis due to solids and liquids (J69)

Texas

All races, both sexes.....	17	18	39	32	72	132	184	236	181	63	14	-
Male.....	13	11	23	23	42	72	102	118	76	15	4	-
Female.....	4	7	16	9	30	60	82	118	105	48	10	-
White, both sexes.....	13	14	29	29	60	117	174	221	168	55	12	-
Male.....	9	8	15	21	35	62	97	109	71	11	3	-
Female.....	4	6	14	8	25	55	77	112	97	44	9	-
Black, both sexes.....	4	3	10	3	11	14	8	14	11	8	-	-
Male.....	4	2	8	2	7	9	3	8	3	4	-	-
Female.....	-	1	2	1	4	5	5	6	8	4	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	2	1	1	-	2	-
Male.....	-	1	-	-	-	1	2	1	1	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	1	-

Utah

All races, both sexes.....	1	2	4	7	7	8	12	18	9	5	1	-
Male.....	1	-	1	5	5	5	6	7	6	1	1	-
Female.....	-	2	3	2	2	3	6	11	3	4	-	-
White, both sexes.....	1	2	3	7	7	7	12	18	9	5	1	-
Male.....	1	-	-	5	5	5	6	7	6	1	1	-
Female.....	-	2	3	2	2	2	6	11	3	4	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Pneumonitis due to solids and liquids (J69)

Vermont

All races, both sexes.....	-	2	-	-	1	3	4	9	3	6	3	-
Male.....	-	1	-	-	1	2	2	4	1	4	1	-
Female.....	-	1	-	-	-	1	2	5	2	2	2	-
White, both sexes.....	-	2	-	-	1	3	4	9	3	6	3	-
Male.....	-	1	-	-	1	2	2	4	1	4	1	-
Female.....	-	1	-	-	-	1	2	5	2	2	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	7	11	17	19	47	71	114	123	71	32	7	-
Male.....	7	8	11	16	25	30	54	51	30	8	1	-
Female.....	-	3	6	3	22	41	60	72	41	24	6	-
White, both sexes.....	4	7	9	11	38	51	95	107	62	29	6	-
Male.....	4	5	4	10	20	22	44	42	25	6	1	-
Female.....	-	2	5	1	18	29	51	65	37	23	5	-
Black, both sexes.....	3	4	6	8	9	20	18	15	8	3	1	-
Male.....	3	3	5	6	5	8	10	8	4	2	-	-
Female.....	-	1	1	2	4	12	8	7	4	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	-	-	1	1	1	-	-	-
Male.....	-	-	2	-	-	-	-	1	1	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Pneumonitis due to food and vomit (J69.0)												
Texas												
All races, both sexes.....	1,027	1	2	1	-	1	4	6	5	3	5	13
Male.....	524	1	1	1	-	1	2	1	4	1	3	11
Female.....	503	-	1	-	-	-	2	5	1	2	2	2
White, both sexes.....	925	1	-	1	-	1	3	5	5	2	4	12
Male.....	463	1	-	1	-	1	1	1	4	1	2	10
Female.....	462	-	-	-	-	-	2	4	1	1	2	2
Black, both sexes.....	92	-	2	-	-	-	1	1	-	1	1	1
Male.....	53	-	1	-	-	-	1	-	-	-	1	1
Female.....	39	-	1	-	-	-	-	1	-	1	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	-	-	-	-	-	-	-
Male.....	7	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Utah												
All races, both sexes.....	78	-	-	-	-	-	-	2	-	-	1	1
Male.....	39	-	-	-	-	-	-	-	-	-	1	-
Female.....	39	-	-	-	-	-	-	2	-	-	-	1
White, both sexes.....	75	-	-	-	-	-	-	1	-	-	1	1
Male.....	38	-	-	-	-	-	-	-	-	-	1	-
Female.....	37	-	-	-	-	-	-	1	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonitis due to food and vomit (J69.0)												
Alaska												
All races, both sexes.....	-	1	1	1	2	-	3	2	2	-	1	-
Male.....	-	-	-	1	1	-	2	1	1	-	1	-
Female.....	-	1	1	-	1	-	1	1	1	-	-	-
White, both sexes.....	-	1	-	1	1	-	2	1	1	-	1	-
Male.....	-	-	-	1	1	-	2	-	1	-	1	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	1	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	1	-	1	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	6	5	3	13	11	35	55	56	42	14	1	-
Male.....	1	3	1	8	5	24	34	31	18	3	1	-
Female.....	5	2	2	5	6	11	21	25	24	11	-	-
White, both sexes.....	5	4	3	12	11	32	53	52	40	13	1	-
Male.....	1	2	1	7	5	23	32	29	17	3	1	-
Female.....	4	2	2	5	6	9	21	23	23	10	-	-
Black, both sexes.....	1	1	-	-	-	-	-	-	1	-	-	-
Male.....	-	1	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	3	2	3	1	1	-	-
Male.....	-	-	-	1	-	1	2	2	-	-	-	-
Female.....	-	-	-	-	-	2	-	1	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonitis due to food and vomit (J69.0)												
Arkansas												
All races, both sexes.....	3	4	6	8	20	35	30	35	34	15	-	-
Male.....	3	2	5	5	12	19	15	19	16	7	-	-
Female.....	-	2	1	3	8	16	15	16	18	8	-	-
White, both sexes.....	2	4	3	8	18	30	28	32	32	12	-	-
Male.....	2	2	2	5	11	17	14	18	16	5	-	-
Female.....	-	2	1	3	7	13	14	14	16	7	-	-
Black, both sexes.....	1	-	3	-	2	5	2	3	2	3	-	-
Male.....	1	-	3	-	1	2	1	1	-	2	-	-
Female.....	-	-	-	-	1	3	1	2	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	24	29	21	30	54	130	191	207	152	67	20	-
Male.....	15	18	14	17	28	76	108	111	68	19	7	-
Female.....	9	11	7	13	26	54	83	96	84	48	13	-
White, both sexes.....	16	25	16	28	50	110	170	190	138	62	18	-
Male.....	11	14	12	15	24	62	93	100	61	18	6	-
Female.....	5	11	4	13	26	48	77	90	77	44	12	-
Black, both sexes.....	3	3	3	1	1	8	10	5	2	3	1	-
Male.....	2	3	1	1	1	6	7	3	-	-	1	-
Female.....	1	-	2	-	-	2	3	2	2	3	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	2	1	3	12	11	12	12	2	1	-
Male.....	2	1	1	1	3	8	8	8	7	1	-	-
Female.....	1	-	1	-	-	4	3	4	5	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Pneumonitis due to food and vomit (J69.0)

Florida

All races, both sexes.....	7	15	28	32	66	127	219	231	186	77	14	-
Male.....	4	8	19	14	36	76	128	114	87	32	4	-
Female.....	3	7	9	18	30	51	91	117	99	45	10	-
White, both sexes.....	5	14	26	26	59	115	201	218	169	72	13	-
Male.....	3	7	18	10	33	72	119	106	83	32	4	-
Female.....	2	7	8	16	26	43	82	112	86	40	9	-
Black, both sexes.....	2	1	2	6	6	12	17	12	14	4	1	-
Male.....	1	1	1	4	2	4	9	7	2	-	-	-
Female.....	1	-	1	2	4	8	8	5	12	4	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	1	3	1	-	-
Male.....	-	-	-	-	1	-	-	1	2	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	1	-	-

Georgia

All races, both sexes.....	9	18	23	12	35	56	86	106	54	20	4	-
Male.....	5	9	17	9	15	34	43	53	22	4	1	-
Female.....	4	9	6	3	20	22	43	53	32	16	3	-
White, both sexes.....	7	15	9	8	27	38	78	94	44	16	3	-
Male.....	4	6	6	5	10	27	39	47	18	4	1	-
Female.....	3	9	3	3	17	11	39	47	26	12	2	-
Black, both sexes.....	2	3	14	4	8	18	7	12	10	4	1	-
Male.....	1	3	11	4	5	7	4	6	4	-	-	-
Female.....	1	-	3	-	3	11	3	6	6	4	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Pneumonitis due to food and vomit (J69.0)

Illinois

All races, both sexes.....	11	13	16	34	52	96	170	196	139	50	7	-
Male.....	7	8	10	20	26	49	87	94	54	18	2	-
Female.....	4	5	6	14	26	47	83	102	85	32	5	-
White, both sexes.....	7	9	12	32	46	88	154	181	135	50	7	-
Male.....	4	6	7	19	23	46	78	90	52	18	2	-
Female.....	3	3	5	13	23	42	76	91	83	32	5	-
Black, both sexes.....	4	4	3	2	6	7	14	13	4	-	-	-
Male.....	3	2	2	1	3	2	7	3	2	-	-	-
Female.....	1	2	1	1	3	5	7	10	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	2	2	-	-	-	-
Male.....	-	-	1	-	-	1	2	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Indiana

All races, both sexes.....	6	5	8	11	28	57	76	101	70	22	4	-
Male.....	5	4	6	5	17	31	39	50	24	7	3	-
Female.....	1	1	2	6	11	26	37	51	46	15	1	-
White, both sexes.....	6	5	7	9	26	52	73	95	65	21	4	-
Male.....	5	4	5	5	17	26	38	48	22	7	3	-
Female.....	1	1	2	4	9	26	35	47	43	14	1	-
Black, both sexes.....	-	-	1	2	2	3	3	6	4	1	-	-
Male.....	-	-	1	-	-	3	1	2	2	-	-	-
Female.....	-	-	-	2	2	-	2	4	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	-	-	1	-	-	-
Male.....	-	-	-	-	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonitis due to food and vomit (J69.0)												
Iowa												
All races, both sexes.....	3	5	4	9	15	25	48	68	54	23	7	-
Male.....	1	3	3	6	8	17	30	40	30	8	3	-
Female.....	2	2	1	3	7	8	18	28	24	15	4	-
White, both sexes.....	3	5	4	8	15	25	45	68	54	23	7	-
Male.....	1	3	3	5	8	17	28	40	30	8	3	-
Female.....	2	2	1	3	7	8	17	28	24	15	4	-
Black, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Kansas												
All races, both sexes.....	4	2	5	3	13	31	36	34	28	22	3	-
Male.....	2	1	5	1	8	19	20	14	17	8	1	-
Female.....	2	1	-	2	5	12	16	20	11	14	2	-
White, both sexes.....	4	2	5	3	13	28	35	34	27	21	3	-
Male.....	2	1	5	1	8	18	20	14	16	8	1	-
Female.....	2	1	-	2	5	10	15	20	11	13	2	-
Black, both sexes.....	-	-	-	-	-	2	-	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonitis due to food and vomit (J69.0)												
Maine												
All races, both sexes.....	1	3	-	4	7	10	22	22	11	8	1	-
Male.....	1	3	-	1	2	5	12	14	8	3	-	-
Female.....	-	-	-	3	5	5	10	8	3	5	1	-
White, both sexes.....	1	3	-	4	7	9	22	22	11	8	1	-
Male.....	1	3	-	1	2	5	12	14	8	3	-	-
Female.....	-	-	-	3	5	4	10	8	3	5	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	9	5	4	19	41	43	67	86	60	21	5	-
Male.....	2	2	2	11	24	23	38	41	24	7	-	-
Female.....	7	3	2	8	17	20	29	45	36	14	5	-
White, both sexes.....	5	1	1	12	28	38	52	71	51	16	3	-
Male.....	-	1	-	7	18	19	28	35	23	7	-	-
Female.....	5	-	1	5	10	19	24	36	28	9	3	-
Black, both sexes.....	4	4	3	6	11	5	13	9	9	4	2	-
Male.....	2	1	2	3	6	4	8	3	1	-	-	-
Female.....	2	3	1	3	5	1	5	6	8	4	2	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	2	-	-	-	-
Male.....	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	-	2	4	-	1	-	-
Male.....	-	-	-	-	-	-	2	2	-	-	-	-
Female.....	-	-	-	-	2	-	-	2	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Pneumonitis due to food and vomit (J69.0)

Nebraska

All races, both sexes.....	1	2	4	2	6	18	33	33	20	9	3	-
Male.....	1	2	1	2	6	12	19	16	8	4	2	-
Female.....	-	-	3	-	-	6	14	17	12	5	1	-
White, both sexes.....	1	2	4	2	5	17	31	33	20	9	3	-
Male.....	1	2	1	2	5	11	19	16	8	4	2	-
Female.....	-	-	3	-	-	6	12	17	12	5	1	-
Black, both sexes.....	-	-	-	-	1	1	2	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	2	3	6	10	10	16	19	20	13	6	1	-
Male.....	1	2	2	7	9	8	10	12	6	2	-	-
Female.....	1	1	4	3	1	8	9	8	7	4	1	-
White, both sexes.....	2	2	6	9	9	14	18	18	11	5	1	-
Male.....	1	1	2	7	8	7	10	10	6	1	-	-
Female.....	1	1	4	2	1	7	8	8	5	4	1	-
Black, both sexes.....	-	1	-	1	1	1	1	2	1	-	-	-
Male.....	-	1	-	-	1	1	-	2	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	1	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonitis due to food and vomit (J69.0)												
New Hampshire												
All races, both sexes.....	1	-	-	3	8	5	9	23	13	2	-	-
Male.....	1	-	-	2	4	3	5	14	6	2	-	-
Female.....	-	-	-	1	4	2	4	9	7	-	-	-
White, both sexes.....	1	-	-	3	8	5	9	23	13	2	-	-
Male.....	1	-	-	2	4	3	5	14	6	2	-	-
Female.....	-	-	-	1	4	2	4	9	7	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	5	8	8	16	37	67	114	130	87	35	7	-
Male.....	4	4	3	10	30	40	62	58	40	11	2	-
Female.....	1	4	5	6	7	27	52	72	47	24	5	-
White, both sexes.....	5	6	5	16	26	61	103	121	81	33	5	-
Male.....	4	2	2	10	22	37	57	55	38	11	2	-
Female.....	1	4	3	6	4	24	46	66	43	22	3	-
Black, both sexes.....	-	2	3	-	10	6	10	8	5	1	2	-
Male.....	-	2	1	-	7	3	5	3	2	-	-	-
Female.....	-	-	2	-	3	3	5	5	3	1	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	1	1	1	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Pneumonitis due to food and vomit (J69.0)

New Mexico

All races, both sexes.....	-	2	1	1	2	7	11	9	8	5	1	-
Male.....	-	1	-	-	1	4	6	6	5	3	-	-
Female.....	-	1	1	1	1	3	5	3	3	2	1	-
White, both sexes.....	-	2	1	1	2	7	11	9	8	4	1	-
Male.....	-	1	-	-	1	4	6	6	5	3	-	-
Female.....	-	1	1	1	1	3	5	3	3	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	1	10	15	23	40	73	152	170	120	54	9	-
Male.....	1	6	6	16	31	41	79	83	46	16	3	-
Female.....	-	4	9	7	9	32	73	87	74	38	6	-
White, both sexes.....	1	6	13	21	36	62	141	164	111	52	9	-
Male.....	1	3	6	15	28	35	75	80	44	15	3	-
Female.....	-	3	7	6	8	27	66	84	67	37	6	-
Black, both sexes.....	-	4	2	2	2	9	10	6	8	2	-	-
Male.....	-	3	-	1	1	4	3	3	2	1	-	-
Female.....	-	1	2	1	1	5	7	3	6	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	1	1	-	1	-	-	-
Male.....	-	-	-	-	2	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Pneumonitis due to food and vomit (J69.0)

Oregon

All races, both sexes.....	2	4	3	4	14	17	32	40	39	10	3	-
Male.....	2	2	2	3	8	5	16	25	19	8	1	-
Female.....	-	2	1	1	6	12	16	15	20	2	2	-
White, both sexes.....	2	4	3	4	14	17	30	39	39	10	3	-
Male.....	2	2	2	3	8	5	15	25	19	8	1	-
Female.....	-	2	1	1	6	12	15	14	20	2	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	2	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-

Pennsylvania

All races, both sexes.....	11	18	28	46	91	142	265	330	192	61	15	-
Male.....	6	10	21	31	66	83	142	171	80	21	2	-
Female.....	5	8	7	15	25	59	123	159	112	40	13	-
White, both sexes.....	9	16	23	38	82	124	249	318	181	52	14	-
Male.....	6	8	17	26	59	71	134	164	75	19	2	-
Female.....	3	8	6	12	23	53	115	154	106	33	12	-
Black, both sexes.....	2	2	5	8	8	17	16	11	9	9	1	-
Male.....	-	2	4	5	6	12	8	6	3	2	-	-
Female.....	2	-	1	3	2	5	8	5	6	7	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	1	2	-	-	-
Male.....	-	-	-	-	1	-	-	1	2	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Pneumonitis due to food and vomit (J69.0)

South Dakota

All races, both sexes.....	1	1	2	-	3	8	12	9	6	3	2	-
Male.....	-	1	1	-	2	5	6	4	2	3	-	-
Female.....	1	-	1	-	1	3	6	5	4	-	2	-
White, both sexes.....	-	1	1	-	3	7	12	9	6	3	2	-
Male.....	-	1	1	-	2	4	6	4	2	3	-	-
Female.....	-	-	-	-	1	3	6	5	4	-	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	8	7	16	21	27	57	95	95	87	39	3	-
Male.....	6	4	10	11	14	26	39	41	35	14	-	-
Female.....	2	3	6	10	13	31	56	54	52	25	3	-
White, both sexes.....	8	7	13	18	25	51	86	86	86	34	2	-
Male.....	6	4	8	9	13	25	37	36	35	12	-	-
Female.....	2	3	5	9	12	26	49	50	51	22	2	-
Black, both sexes.....	-	-	3	3	2	5	9	9	1	5	1	-
Male.....	-	-	2	2	1	1	2	5	-	2	-	-
Female.....	-	-	1	1	1	4	7	4	1	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonitis due to food and vomit (J69.0)												
Texas												
All races, both sexes.....	17	18	39	32	72	132	183	235	181	63	14	-
Male.....	13	11	23	23	42	72	101	118	76	15	4	-
Female.....	4	7	16	9	30	60	82	117	105	48	10	-
White, both sexes.....	13	14	29	29	60	117	174	220	168	55	12	-
Male.....	9	8	15	21	35	62	97	109	71	11	3	-
Female.....	4	6	14	8	25	55	77	111	97	44	9	-
Black, both sexes.....	4	3	10	3	11	14	7	14	11	8	-	-
Male.....	4	2	8	2	7	9	2	8	3	4	-	-
Female.....	-	1	2	1	4	5	5	6	8	4	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	2	1	1	-	2	-
Male.....	-	1	-	-	-	1	2	1	1	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	1	-
Utah												
All races, both sexes.....	1	2	4	7	7	8	12	18	9	5	1	-
Male.....	1	-	1	5	5	5	6	7	6	1	1	-
Female.....	-	2	3	2	2	3	6	11	3	4	-	-
White, both sexes.....	1	2	3	7	7	7	12	18	9	5	1	-
Male.....	1	-	-	5	5	5	6	7	6	1	1	-
Female.....	-	2	3	2	2	2	6	11	3	4	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Pneumonitis due to food and vomit (J69.0)

Vermont

All races, both sexes.....	-	2	-	-	1	3	4	9	3	6	3	-
Male.....	-	1	-	-	1	2	2	4	1	4	1	-
Female.....	-	1	-	-	-	1	2	5	2	2	2	-
White, both sexes.....	-	2	-	-	1	3	4	9	3	6	3	-
Male.....	-	1	-	-	1	2	2	4	1	4	1	-
Female.....	-	1	-	-	-	1	2	5	2	2	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	7	11	17	19	47	71	114	123	71	32	7	-
Male.....	7	8	11	16	25	30	54	51	30	8	1	-
Female.....	-	3	6	3	22	41	60	72	41	24	6	-
White, both sexes.....	4	7	9	11	38	51	95	107	62	29	6	-
Male.....	4	5	4	10	20	22	44	42	25	6	1	-
Female.....	-	2	5	1	18	29	51	65	37	23	5	-
Black, both sexes.....	3	4	6	8	9	20	18	15	8	3	1	-
Male.....	3	3	5	6	5	8	10	8	4	2	-	-
Female.....	-	1	1	2	4	12	8	7	4	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	-	-	1	1	1	-	-	-
Male.....	-	-	2	-	-	-	-	1	1	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Suppurative and necrotic conditions of lower respiratory tract (J85-J86)

Arkansas

All races, both sexes.....	-	-	1	2	-	1	2	-	-	-	-	-
Male.....	-	-	1	1	-	1	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-
White, both sexes.....	-	-	1	2	-	1	2	-	-	-	-	-
Male.....	-	-	1	1	-	1	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	7	6	5	5	5	7	11	7	3	-	-	-
Male.....	6	5	-	3	4	5	6	3	2	-	-	-
Female.....	1	1	5	2	1	2	5	4	1	-	-	-
White, both sexes.....	6	5	4	5	4	5	6	6	3	-	-	-
Male.....	6	4	-	3	4	4	3	3	2	-	-	-
Female.....	-	1	4	2	-	1	3	3	1	-	-	-
Black, both sexes.....	-	-	1	-	-	2	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	1	-	4	1	-	-	-	-
Male.....	-	1	-	-	-	-	3	-	-	-	-	-
Female.....	1	-	-	-	1	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Suppurative and necrotic conditions of lower respiratory tract (J85-J86)

Massachusetts

All races, both sexes.....	1	1	1	1	2	3	3	5	1	-	-	-
Male.....	1	1	1	-	2	1	2	2	1	-	-	-
Female.....	-	-	-	1	-	2	1	3	-	-	-	-
White, both sexes.....	1	1	1	1	2	2	3	5	1	-	-	-
Male.....	1	1	1	-	2	1	2	2	1	-	-	-
Female.....	-	-	-	1	-	1	1	3	-	-	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	2	3	-	1	1	4	5	4	-	-	-	-
Male.....	2	3	-	1	-	1	4	2	-	-	-	-
Female.....	-	-	-	-	1	3	1	2	-	-	-	-
White, both sexes.....	1	3	-	1	1	2	5	3	-	-	-	-
Male.....	1	3	-	1	-	1	4	1	-	-	-	-
Female.....	-	-	-	-	1	1	1	2	-	-	-	-
Black, both sexes.....	1	-	-	-	-	1	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pleural effusion and plaque (J90,J92)												
Arkansas												
All races, both sexes.....	-	-	-	2	-	1	1	3	-	-	-	-
Male.....	-	-	-	1	-	1	1	1	-	-	-	-
Female.....	-	-	-	1	-	-	-	2	-	-	-	-
White, both sexes.....	-	-	-	1	-	-	1	3	-	-	-	-
Male.....	-	-	-	1	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	-	-	-	-
Black, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	-	3	2	2	7	11	12	13	5	3	-	-
Male.....	-	3	1	2	5	4	6	4	4	1	-	-
Female.....	-	-	1	-	2	7	6	9	1	2	-	-
White, both sexes.....	-	3	2	2	4	11	9	10	5	3	-	-
Male.....	-	3	1	2	3	4	5	3	4	1	-	-
Female.....	-	-	1	-	1	7	4	7	1	2	-	-
Black, both sexes.....	-	-	-	-	2	-	2	1	-	-	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	2	-	-	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Pleural effusion and plaque (J90,J92)

Nebraska

All races, both sexes.....	-	-	1	-	-	2	-	2	1	2	-	-
Male.....	-	-	-	-	-	-	-	1	1	1	-	-
Female.....	-	-	1	-	-	2	-	1	-	1	-	-
White, both sexes.....	-	-	1	-	-	2	-	2	1	2	-	-
Male.....	-	-	-	-	-	-	-	1	1	1	-	-
Female.....	-	-	1	-	-	2	-	1	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	-	-	-	-	1	-	3	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	1	-	3	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	3	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	3	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pleural effusion and plaque (J90,J92)												
Oregon												
All races, both sexes.....	-	-	1	2	-	-	1	-	3	1	-	-
Male.....	-	-	-	2	-	-	-	-	2	-	-	-
Female.....	-	-	1	-	-	-	1	-	1	1	-	-
White, both sexes.....	-	-	1	2	-	-	1	-	3	1	-	-
Male.....	-	-	-	2	-	-	-	-	2	-	-	-
Female.....	-	-	1	-	-	-	1	-	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Pennsylvania												
All races, both sexes.....	1	-	-	2	-	15	13	17	11	9	-	-
Male.....	1	-	-	2	-	9	4	7	4	3	-	-
Female.....	-	-	-	-	-	6	9	10	7	6	-	-
White, both sexes.....	1	-	-	2	-	13	11	15	11	8	-	-
Male.....	1	-	-	2	-	8	3	6	4	3	-	-
Female.....	-	-	-	-	-	5	8	9	7	5	-	-
Black, both sexes.....	-	-	-	-	-	2	2	2	-	-	-	-
Male.....	-	-	-	-	-	1	1	1	-	-	-	-
Female.....	-	-	-	-	-	1	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other diseases of respiratory system (J80-J84,J93-J98)

Kentucky

All races, both sexes.....	426	1	-	-	-	-	2	-	-	4	3	7
Male.....	201	-	-	-	-	-	2	-	-	2	1	1
Female.....	225	1	-	-	-	-	-	-	-	2	2	6
White, both sexes.....	396	1	-	-	-	-	2	-	-	3	3	6
Male.....	187	-	-	-	-	-	2	-	-	2	1	-
Female.....	209	1	-	-	-	-	-	-	-	1	2	6
Black, both sexes.....	29	-	-	-	-	-	-	-	-	1	-	1
Male.....	14	-	-	-	-	-	-	-	-	-	-	1
Female.....	15	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	480	7	1	1	-	-	3	1	4	-	9	12
Male.....	232	5	1	1	-	-	1	-	3	-	4	8
Female.....	248	2	-	-	-	-	2	1	1	-	5	4
White, both sexes.....	378	4	1	-	-	-	2	1	3	-	5	5
Male.....	183	3	1	-	-	-	1	-	2	-	3	3
Female.....	195	1	-	-	-	-	1	1	1	-	2	2
Black, both sexes.....	99	3	-	1	-	-	-	-	1	-	4	7
Male.....	47	2	-	1	-	-	-	-	1	-	1	5
Female.....	52	1	-	-	-	-	-	-	-	-	3	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	1	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other diseases of respiratory system (J80-J84,J93-J98)

Massachusetts

All races, both sexes.....	818	7	-	-	2	1	2	-	1	3	2	8
Male.....	381	4	-	-	2	1	1	-	1	2	-	7
Female.....	437	3	-	-	-	-	1	-	-	1	2	1
White, both sexes.....	774	4	-	-	1	1	2	-	-	2	2	7
Male.....	356	2	-	-	1	1	1	-	-	1	-	7
Female.....	418	2	-	-	-	-	1	-	-	1	2	-
Black, both sexes.....	36	3	-	-	1	-	-	-	-	1	-	1
Male.....	22	2	-	-	1	-	-	-	-	1	-	-
Female.....	14	1	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	-	-	-	1	-	-	-
Male.....	3	-	-	-	-	-	-	-	1	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	937	6	4	-	2	1	2	2	4	6	10	23
Male.....	453	3	2	-	1	-	2	-	2	4	4	10
Female.....	484	3	2	-	1	1	-	2	2	2	6	13
White, both sexes.....	826	3	4	-	2	-	1	-	1	4	10	15
Male.....	396	2	2	-	1	-	1	-	1	2	4	6
Female.....	430	1	2	-	1	-	-	-	-	2	6	9
Black, both sexes.....	98	3	-	-	-	1	-	2	2	1	-	7
Male.....	48	1	-	-	-	-	-	-	1	1	-	4
Female.....	50	2	-	-	-	1	-	2	1	-	-	3
American Indian 1/, both sexes.....	5	-	-	-	-	-	1	-	-	-	-	-
Male.....	4	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	-	-	-	1	1	-	1
Male.....	5	-	-	-	-	-	-	-	-	1	-	-
Female.....	3	-	-	-	-	-	-	-	1	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other diseases of respiratory system (J80-J84,J93-J98)

New Mexico

All races, both sexes.....	187	2	-	-	-	1	-	1	-	1	2	2
Male.....	99	-	-	-	-	1	-	-	-	1	2	-
Female.....	88	2	-	-	-	-	-	1	-	-	-	2
White, both sexes.....	165	1	-	-	-	1	-	1	-	-	2	2
Male.....	86	-	-	-	-	1	-	-	-	-	2	-
Female.....	79	1	-	-	-	-	-	1	-	-	-	2
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	21	1	-	-	-	-	-	-	-	1	-	-
Male.....	13	-	-	-	-	-	-	-	-	1	-	-
Female.....	8	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	1,224	10	2	1	-	6	1	3	6	13	15	26
Male.....	586	3	2	1	-	3	1	-	2	6	7	12
Female.....	638	7	-	-	-	3	-	3	4	7	8	14
White, both sexes.....	1,092	5	2	1	-	5	1	3	4	10	10	21
Male.....	532	1	2	1	-	3	1	-	1	4	7	10
Female.....	560	4	-	-	-	2	-	3	3	6	3	11
Black, both sexes.....	107	5	-	-	-	-	-	-	2	3	4	5
Male.....	42	2	-	-	-	-	-	-	1	2	-	2
Female.....	65	3	-	-	-	-	-	-	1	1	4	3
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	24	-	-	-	-	1	-	-	-	-	1	-
Male.....	12	-	-	-	-	-	-	-	-	-	-	-
Female.....	12	-	-	-	-	1	-	-	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
All other diseases of respiratory system (J80-J84,J93-J98)												
Oregon												
All races, both sexes.....	314	3	1	-	-	-	-	-	-	2	3	5
Male.....	166	2	1	-	-	-	-	-	-	1	2	2
Female.....	148	1	-	-	-	-	-	-	-	1	1	3
White, both sexes.....	301	3	-	-	-	-	-	-	-	2	3	4
Male.....	161	2	-	-	-	-	-	-	-	1	2	2
Female.....	140	1	-	-	-	-	-	-	-	1	1	2
Black, both sexes.....	4	-	1	-	-	-	-	-	-	-	-	-
Male.....	2	-	1	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Pennsylvania												
All races, both sexes.....	1,634	5	1	-	2	2	6	3	5	9	18	24
Male.....	758	2	-	-	-	-	3	2	-	4	8	8
Female.....	876	3	1	-	2	2	3	1	5	5	10	16
White, both sexes.....	1,516	4	-	-	1	2	6	3	4	5	15	19
Male.....	706	1	-	-	-	-	3	2	-	2	7	6
Female.....	810	3	-	-	1	2	3	1	4	3	8	13
Black, both sexes.....	107	1	1	-	-	-	-	-	-	4	3	5
Male.....	46	1	-	-	-	-	-	-	-	2	1	2
Female.....	61	-	1	-	-	-	-	-	-	2	2	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	-	-	1	-	-	-	1	-	-	-
Male.....	6	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	1	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other diseases of respiratory system (J80-J84,J93-J98)

Alaska

All races, both sexes.....	1	2	2	5	8	5	4	3	1	-	-	-
Male.....	1	1	1	3	6	3	3	3	-	-	-	-
Female.....	-	1	1	2	2	2	1	-	1	-	-	-
White, both sexes.....	-	2	2	3	5	2	2	3	1	-	-	-
Male.....	-	1	1	2	3	1	1	3	-	-	-	-
Female.....	-	1	1	1	2	1	1	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	2	2	3	2	-	-	-	-	-
Male.....	1	-	-	1	2	2	2	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	10	17	14	39	45	81	84	54	42	10	-	-
Male.....	7	13	7	21	32	46	39	28	19	3	-	-
Female.....	3	4	7	18	13	35	45	26	23	7	-	-
White, both sexes.....	9	17	12	36	41	76	80	49	40	7	-	-
Male.....	6	13	6	20	29	44	38	24	18	3	-	-
Female.....	3	4	6	16	12	32	42	25	22	4	-	-
Black, both sexes.....	-	-	1	1	-	1	-	1	-	-	-	-
Male.....	-	-	1	1	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	2	4	4	3	3	1	3	-	-
Male.....	1	-	-	-	3	1	-	3	-	-	-	-
Female.....	-	-	-	2	1	3	3	-	1	3	-	-
Asian or Pacific Islander 2/, both sexes.	-	-	1	-	-	-	1	1	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	1	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other diseases of respiratory system (J80-J84,J93-J98)

Arkansas

All races, both sexes.....	10	11	12	21	30	52	37	30	17	3	-	-
Male.....	6	5	4	8	23	27	21	16	9	1	-	-
Female.....	4	6	8	13	7	25	16	14	8	2	-	-
White, both sexes.....	9	10	10	18	27	47	36	29	16	1	-	-
Male.....	6	4	4	7	21	25	21	15	8	1	-	-
Female.....	3	6	6	11	6	22	15	14	8	-	-	-
Black, both sexes.....	1	1	2	3	2	5	1	1	1	2	-	-
Male.....	-	1	-	1	1	2	-	1	1	-	-	-
Female.....	1	-	2	2	1	3	1	-	-	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	35	86	92	152	245	335	429	247	118	36	5	-
Male.....	18	49	48	82	135	180	220	106	49	11	1	-
Female.....	17	37	44	70	110	155	209	141	69	25	4	-
White, both sexes.....	28	69	78	128	219	305	372	216	112	33	4	-
Male.....	14	38	41	68	120	166	192	91	47	10	1	-
Female.....	14	31	37	60	99	139	180	125	65	23	3	-
Black, both sexes.....	4	8	5	9	11	6	13	5	-	1	1	-
Male.....	1	7	2	5	7	4	5	2	-	1	-	-
Female.....	3	1	3	4	4	2	8	3	-	-	1	-
American Indian 1/, both sexes.....	1	1	2	2	2	-	3	1	-	-	-	-
Male.....	1	1	1	2	-	-	3	1	-	-	-	-
Female.....	-	-	1	-	2	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	8	7	13	13	24	41	25	6	2	-	-
Male.....	2	3	4	7	8	10	20	12	2	-	-	-
Female.....	-	5	3	6	5	14	21	13	4	2	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other diseases of respiratory system (J80-J84,J93-J98)

Colorado

All races, both sexes.....	9	13	16	23	33	55	63	40	24	10	1	-
Male.....	2	8	9	16	18	27	35	14	6	2	-	-
Female.....	7	5	7	7	15	28	28	26	18	8	1	-
White, both sexes.....	9	13	16	23	32	53	60	39	24	10	1	-
Male.....	2	8	9	16	17	26	34	13	6	2	-	-
Female.....	7	5	7	7	15	27	26	26	18	8	1	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	2	1	-	-	-	-
Male.....	-	-	-	-	-	1	1	1	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-

Connecticut

All races, both sexes.....	5	14	15	32	35	51	84	57	34	15	3	-
Male.....	3	8	10	21	20	24	47	25	12	5	1	-
Female.....	2	6	5	11	15	27	37	32	22	10	2	-
White, both sexes.....	4	11	14	28	33	50	83	57	34	14	3	-
Male.....	2	6	9	18	18	24	47	25	12	5	1	-
Female.....	2	5	5	10	15	26	36	32	22	9	2	-
Black, both sexes.....	-	3	1	4	2	-	1	-	-	1	-	-
Male.....	-	2	1	3	2	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	-	1	-	-	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other diseases of respiratory system (J80-J84,J93-J98)

Delaware

All races, both sexes.....	1	6	9	5	8	18	12	11	6	2	-	-
Male.....	1	3	4	3	3	12	2	5	2	-	-	-
Female.....	-	3	5	2	5	6	10	6	4	2	-	-
White, both sexes.....	1	3	7	4	6	17	12	11	6	2	-	-
Male.....	1	2	3	2	2	11	2	5	2	-	-	-
Female.....	-	1	4	2	4	6	10	6	4	2	-	-
Black, both sexes.....	-	2	2	1	2	1	-	-	-	-	-	-
Male.....	-	1	1	1	1	1	-	-	-	-	-	-
Female.....	-	1	1	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Dist. of Columbia

All races, both sexes.....	2	4	-	2	4	4	8	7	1	3	-	-
Male.....	1	1	-	-	3	1	7	3	-	-	-	-
Female.....	1	3	-	2	1	3	1	4	1	3	-	-
White, both sexes.....	-	-	-	-	-	1	3	2	1	-	-	-
Male.....	-	-	-	-	-	-	3	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	1	-	-	-
Black, both sexes.....	2	4	-	2	4	2	5	5	-	3	-	-
Male.....	1	1	-	-	3	1	4	2	-	-	-	-
Female.....	1	3	-	2	1	1	1	3	-	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other diseases of respiratory system (J80-J84,J93-J98)

Iowa

All races, both sexes.....	3	5	7	19	26	46	53	35	27	5	2	-
Male.....	-	5	4	8	13	24	25	10	8	1	-	-
Female.....	3	-	3	11	13	22	28	25	19	4	2	-
White, both sexes.....	2	4	7	17	26	46	53	35	27	5	2	-
Male.....	-	4	4	8	13	24	25	10	8	1	-	-
Female.....	2	-	3	9	13	22	28	25	19	4	2	-
Black, both sexes.....	1	-	-	2	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	2	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	6	16	17	14	33	51	57	37	17	4	1	-
Male.....	4	8	7	5	18	23	28	10	1	2	-	-
Female.....	2	8	10	9	15	28	29	27	16	2	1	-
White, both sexes.....	5	15	15	14	32	49	57	37	17	4	1	-
Male.....	3	8	6	5	17	23	28	10	1	2	-	-
Female.....	2	7	9	9	15	26	29	27	16	2	1	-
Black, both sexes.....	1	-	2	-	1	1	-	-	-	-	-	-
Male.....	1	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other diseases of respiratory system (J80-J84,J93-J98)

Maine

All races, both sexes.....	3	3	9	12	25	28	27	26	14	5	2	-
Male.....	2	3	5	8	14	12	12	13	4	-	-	-
Female.....	1	-	4	4	11	16	15	13	10	5	2	-
White, both sexes.....	3	3	9	10	25	28	27	26	14	5	2	-
Male.....	2	3	5	7	14	12	12	13	4	-	-	-
Female.....	1	-	4	3	11	16	15	13	10	5	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	2	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	22	19	20	34	54	53	77	50	21	5	2	-
Male.....	10	10	14	19	31	35	46	19	8	1	-	-
Female.....	12	9	6	15	23	18	31	31	13	4	2	-
White, both sexes.....	10	10	12	23	46	48	67	44	17	4	2	-
Male.....	5	5	9	15	27	33	42	18	7	1	-	-
Female.....	5	5	3	8	19	15	25	26	10	3	2	-
Black, both sexes.....	12	8	6	11	5	5	6	4	3	1	-	-
Male.....	5	4	4	4	2	2	2	-	1	-	-	-
Female.....	7	4	2	7	3	3	4	4	2	1	-	-
American Indian 1/, both sexes.....	-	1	-	-	1	-	-	1	1	-	-	-
Male.....	-	1	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	2	-	4	1	-	-	-	-
Male.....	-	-	1	-	1	-	2	1	-	-	-	-
Female.....	-	-	1	-	1	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other diseases of respiratory system (J80-J84,J93-J98)

Nebraska

All races, both sexes.....	2	8	11	15	26	29	37	26	11	5	2	-
Male.....	2	4	6	8	15	12	14	6	4	1	-	-
Female.....	-	4	5	7	11	17	23	20	7	4	2	-
White, both sexes.....	2	7	10	14	25	28	36	25	11	5	2	-
Male.....	2	3	5	7	14	12	13	6	4	1	-	-
Female.....	-	4	5	7	11	16	23	19	7	4	2	-
Black, both sexes.....	-	1	1	1	1	1	-	1	-	-	-	-
Male.....	-	1	1	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	4	5	12	18	26	45	33	21	6	-	-	-
Male.....	2	4	8	14	13	20	19	6	4	-	-	-
Female.....	2	1	4	4	13	25	14	15	2	-	-	-
White, both sexes.....	2	5	12	17	22	43	26	19	6	-	-	-
Male.....	1	4	8	14	11	18	15	6	4	-	-	-
Female.....	1	1	4	3	11	25	11	13	2	-	-	-
Black, both sexes.....	1	-	-	-	1	-	3	1	-	-	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	2	1	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	2	2	4	1	-	-	-	-
Male.....	-	-	-	-	1	2	3	-	-	-	-	-
Female.....	-	-	-	1	1	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other diseases of respiratory system (J80-J84,J93-J98)

New Hampshire

All races, both sexes.....	5	4	5	6	16	19	18	16	13	2	2	-
Male.....	3	3	2	2	7	11	8	6	3	1	-	-
Female.....	2	1	3	4	9	8	10	10	10	1	2	-
White, both sexes.....	5	4	5	6	16	19	18	16	13	2	2	-
Male.....	3	3	2	2	7	11	8	6	3	1	-	-
Female.....	2	1	3	4	9	8	10	10	10	1	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	19	20	40	50	85	119	131	84	49	19	2	-
Male.....	10	9	23	27	42	53	60	36	16	2	2	-
Female.....	9	11	17	23	43	66	71	48	33	17	-	-
White, both sexes.....	15	16	36	43	74	115	122	81	46	18	2	-
Male.....	7	6	20	23	35	50	55	35	16	2	2	-
Female.....	8	10	16	20	39	65	67	46	30	16	-	-
Black, both sexes.....	3	3	4	4	9	1	5	3	1	-	-	-
Male.....	3	3	3	3	5	1	3	1	-	-	-	-
Female.....	-	-	1	1	4	-	2	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	3	2	3	4	-	2	1	-	-
Male.....	-	-	-	1	2	2	2	-	-	-	-	-
Female.....	1	1	-	2	-	1	2	-	2	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other diseases of respiratory system (J80-J84,J93-J98)

New Mexico												
All races, both sexes.....	8	14	11	13	14	35	29	33	12	8	1	-
Male.....	3	5	8	7	10	21	13	14	10	3	1	-
Female.....	5	9	3	6	4	14	16	19	2	5	-	-
White, both sexes.....	7	11	11	13	13	30	26	29	10	7	1	-
Male.....	3	3	8	7	9	17	13	12	8	2	1	-
Female.....	4	8	3	6	4	13	13	17	2	5	-	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	1	3	-	-	1	5	3	3	2	1	-	-
Male.....	-	2	-	-	1	4	-	2	2	1	-	-
Female.....	1	1	-	-	-	1	3	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York												
All races, both sexes.....	29	56	70	99	148	199	206	191	105	34	4	-
Male.....	18	28	39	46	83	109	96	85	37	7	1	-
Female.....	11	28	31	53	65	90	110	106	68	27	3	-
White, both sexes.....	21	42	58	86	132	184	194	182	95	32	4	-
Male.....	11	23	32	40	78	101	90	84	35	7	1	-
Female.....	10	19	26	46	54	83	104	98	60	25	3	-
Black, both sexes.....	7	12	9	9	12	12	10	7	8	2	-	-
Male.....	6	4	5	5	3	5	4	1	2	-	-	-
Female.....	1	8	4	4	9	7	6	6	6	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	3	4	4	3	2	2	1	-	-	-
Male.....	1	1	2	1	2	3	2	-	-	-	-	-
Female.....	-	1	1	3	2	-	-	2	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other diseases of respiratory system (J80-J84,J93-J98)

Oregon

All races, both sexes.....	8	9	27	24	28	43	63	49	33	14	2	-
Male.....	5	6	13	16	17	22	31	28	12	6	2	-
Female.....	3	3	14	8	11	21	32	21	21	8	-	-
White, both sexes.....	8	8	25	21	26	43	62	48	33	14	1	-
Male.....	5	5	12	16	17	22	31	27	12	6	1	-
Female.....	3	3	13	5	9	21	31	21	21	8	-	-
Black, both sexes.....	-	-	1	1	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	1	-	1	1	-	-	1	-
Male.....	-	1	-	-	-	-	-	1	-	-	1	-
Female.....	-	-	-	1	1	-	1	-	-	-	-	-

Pennsylvania

All races, both sexes.....	27	64	75	115	204	300	288	285	150	44	7	-
Male.....	15	35	46	72	108	145	136	110	51	11	2	-
Female.....	12	29	29	43	96	155	152	175	99	33	5	-
White, both sexes.....	19	55	66	105	190	281	271	277	143	43	7	-
Male.....	11	30	42	66	103	136	129	106	49	11	2	-
Female.....	8	25	24	39	87	145	142	171	94	32	5	-
Black, both sexes.....	7	8	8	8	12	18	16	8	7	1	-	-
Male.....	3	4	4	4	5	8	6	4	2	-	-	-
Female.....	4	4	4	4	7	10	10	4	5	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	2	2	1	1	-	-	-	-	-
Male.....	1	1	-	2	-	1	1	-	-	-	-	-
Female.....	-	-	1	-	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other diseases of respiratory system (J80-J84,J93-J98)

Rhode Island

All races, both sexes.....	3	1	2	5	15	20	15	17	8	-	1	-
Male.....	1	1	-	2	8	13	5	9	-	-	-	-
Female.....	2	-	2	3	7	7	10	8	8	-	1	-
White, both sexes.....	3	1	2	5	15	20	15	17	8	-	1	-
Male.....	1	1	-	2	8	13	5	9	-	-	-	-
Female.....	2	-	2	3	7	7	10	8	8	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	13	27	35	29	55	51	71	46	22	9	1	-
Male.....	8	11	19	16	29	30	30	15	8	2	-	-
Female.....	5	16	16	13	26	21	41	31	14	7	1	-
White, both sexes.....	11	16	27	21	46	44	55	39	17	8	1	-
Male.....	7	9	15	11	25	27	25	14	7	2	-	-
Female.....	4	7	12	10	21	17	30	25	10	6	1	-
Black, both sexes.....	2	11	8	8	8	7	16	7	4	1	-	-
Male.....	1	2	4	5	4	3	5	1	1	-	-	-
Female.....	1	9	4	3	4	4	11	6	3	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other diseases of respiratory system (J80-J84,J93-J98)

Vermont

All races, both sexes.....	1	-	2	3	7	5	16	12	4	3	-	-
Male.....	1	-	2	-	4	2	13	7	1	2	-	-
Female.....	-	-	-	3	3	3	3	5	3	1	-	-
White, both sexes.....	1	-	2	3	7	5	16	12	4	3	-	-
Male.....	1	-	2	-	4	2	13	7	1	2	-	-
Female.....	-	-	-	3	3	3	3	5	3	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	19	37	49	61	81	103	125	90	38	15	3	-
Male.....	12	15	16	30	42	50	64	38	16	4	1	-
Female.....	7	22	33	31	39	53	61	52	22	11	2	-
White, both sexes.....	16	22	39	53	69	82	112	83	35	13	1	-
Male.....	9	10	15	25	36	43	56	35	15	3	-	-
Female.....	7	12	24	28	33	39	56	48	20	10	1	-
Black, both sexes.....	3	15	10	6	10	17	12	7	3	2	2	-
Male.....	3	5	1	4	4	7	7	3	1	1	1	-
Female.....	-	10	9	2	6	10	5	4	2	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	2	4	1	-	-	-	-	-
Male.....	-	-	-	1	2	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	4	-	-	-	-	-	-

