Revised as of 3/24/03

Table 32. Percent low birthweight by smoking status, age, and race and Hispanic origin of mother: Total of 46 reporting States, the District of Columbia, and New York City, 1997

[Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz)]

| Smoking status and race of mother | All ages | Age of mother | | | | | | | | |
|-----------------------------------|------------|-------------------|-------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| | | | 15-19 years | | | | | | | |
| | | Under 15 years | Total | 15-17 years | 18-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-54 years |
| All races ¹ | | | | | | | | | | |
| Total | 7.8 | 14.2 | 9.9 | 10.7 | 9.4 | 7.7 | 6.8 | 7.1 | 8.6 | 10.3 |
| Smoker | | 15.7 | 11.4 | 12.1 | 11.1 | 10.4 | 11.4 | 13.6 | 16.8 | 19.5 |
| Nonsmoker Not stated | 7.1 9.8 | 13.9 28.6 | 9.5 12.6 | 10.5 13.3 | 9.0 12.2 | 7.1 9.2 | 6.2 8.6 | 6.4 9.3 | 7.5 11.9 | 9.2 10.8 |
| Not stated | 9.0 | 20.0 | 12.0 | 13.3 | 12.2 | 9.2 | 0.0 | 9.3 | 11.9 | 10.0 |
| White, total | | | | | | | | | | |
| Total | 6.6 | 12.1 | 8.4 | 9.1 | 8.1 | 6.5 | 5.9 | 6.2 | 7.4 | 9.2 |
| Smoker | 10.7 | 17.2 | 10.9 | 11.5 | 10.6 | 9.7 | 10.0 | 11.4 | 14.2 | 17.0 |
| Nonsmoker | | 10.9 | 7.7 | 8.4 | 7.3 | 5.7 | 5.2 | 5.5 | 6.6 | 8.3 |
| Not stated | 8.7 | 33.9 | 11.8 | 12.8 | 11.2 | 8.2 | 7.5 | 8.3 | 10.3 | 9.8 |
| White, non-Hispanic | | | | | | | | | | |
| Total | 6.6 | 12.3 | 8.4 | 9.0 | 8.1 | 6.6 | 5.8 | 6.1 | 7.3 | 9.0 |
| Smoker | 10.6 | 16.6 | 10.8 | 11.4 | 10.6 | 9.6 | 9.9 | 11.3 | 14.1 | 16.8 |
| Nonsmoker | 5.7 | 10.6 | 7.4 | 8.0 | 7.1 | 5.6 | 5.2 | 5.4 | 6.4 | 8.1 |
| Not stated | 8.4 | * | 11.3 | 12.2 | 10.8 | 8.1 | 7.2 | 8.0 | 10.0 | 10.1 |
| Black, total | | | | | | | | | | |
| Total | 13.1 | 16.3 | 13.4 | 14.0 | 12.9 | 12.0 | 12.4 | 13.8 | 16.2 | 17.5 |
| Smoker | 21.3 | * | 16.4 | 16.9 | 16.1 | 16.2 | 21.7 | 26.1 | 28.8 | 30.7 |
| Nonsmoker | | 16.3 | 13.1 | 13.8 | 12.6 | 11.5 | 11.3 | 11.9 | 13.7 | 15.2 |
| Not stated | 16.9 | * | 16.3 | 15.9 | 16.6 | 15.2 | 16.5 | 17.1 | 21.4 | 20.9 |
| Black, non-Hispanic | | | | | | | | | | |
| Total | 13.2 | 16.3 | 13.5 | 14.1 | 13.0 | 12.1 | 12.6 | 14.0 | 16.4 | 17.6 |
| Smoker | 21.4 | * | 16.3 | 16.9 | 16.0 | 16.3 | 21.8 | 26.2 | 28.9 | 30.8 |
| Nonsmoker | 12.3 | 16.3 | 13.2 | 13.9 | 12.7 | 11.6 | 11.4 | 12.1 | 13.8 | 15.3 |
| Not stated | | * | 16.4 | 16.0 | 16.7 | 14.4 | 16.7 | 16.9 | 22.1 | 20.0 |
| Hispanic ² | | | | | | | | | | |
| Total | 6.9 | (11.9) | 8.5 | 9.2 | 8.0 | 6.3 | 5.9 | 6.6 | 8.3 | 10.2 |
| Smoker | (12.1) | * | 11.8 | (12.5) | (11.2) | (10.4) | (12.0) | 13.1 | (15.5) | 21.2 |
| Nonsmoker | 6.6 | (11.2) | 8.3 | 9.0 | (7.7) | (6.1) | 5.7 | 6.3 | (7.9) | (9.7) |
| Not stated | 10.4 | * | 12.7 | (13.7) | 12.0 | 8.7 | 8.7 | (10.9) | 14.2 | * |

NOTE: Excludes data for California, Indiana, New York State (but includes New York City), and South Dakota, which did not require reporting of tobacco use during pregnancy.

 ^{*} Figure does not meet standards of reliability or precision.
 1 Includes races other than white and black and origin not stated.
 2 Includes all persons of Hispanic origin of any race.