|      | Filolity Alea 6. Luut  | Baseline |          | illity Da | scu pre  | granis | Object        | 146 36 | itus  |      |      | Target |
|------|--|----------|----------|-----------|----------|--------|---------------|--------|-------|------|------|--------|
|      | Objective  | year     | Baseline | 1990      | 1991     | 1992   | 1993          | 1994   | 1995  | 1996 | 1997 | 2000   |
| 8.1* | Years of healthy life  | 1990     | 64.0     |           | 63.9     | 63.7   | 63.5          | 63.8   | 63.9  | 64.2 |      | 65     |
|      | a. Black   | 1990     | 56.0     |           | 56.0     | 55.6   | 55.2          | 55.6   | 56.0  | 56.5 |      | 60     |
|      | b. Hispanic/1  | 1990     | 64.8     |           | 63.6     | 2/64.0 | 63.2          | 64.2   | 64.0  | 64.7 |      | 65     |
|      | c. People 65 years and over/3                                      | 1990     | 11.9     |           | 11.8     | 11.9   | 11.9          | 12.1   | 12.0  | 12.2 |      | 14     |
| 8.2  | Completion of high school (18-24 years)                            | 1992     | a/86%    |           |          |        | 86%           | 86%    | 85%   | 86%  | 86%  | 90%    |
|      | a. Hispanic  | 1992     | a/62%    |           |          |        | 64%           | 62%    | 63%   | 62%  | 67%  | 90%    |
|      | b. Black   | 1992     | a/82%    |           |          |        | 82%           | 83%    | 84%   | 83%  | 82%  | 90%    |
| 8.3  | Preschool child development programs                               |          |          |           |          |        |               |        |       |      |      |        |
|      | Eligible children 4 years enrolled in Head Start                   | 1990     | 47%      |           | 55%      |        |               |        |       |      | 40%  | 100%   |
|      | Low-income children 5 years receiving 1 year of Head Start         |          |          |           |          | F00/   | F <b>7</b> 0/ | F00/   | E 40/ | 400/ |      |        |
|      | services prior to entering K-1st grade                             | • • •    |          |           | <br>EG0/ | 58%    | 57%           | 58%    | 54%   | 49%  |      |        |
|      | Disabled children 3-5 years enrolled in preschool                  |          |          |           | 56%      |        | 56%           |        | 63%   |      |      |        |
| 8.4  | Schools with comprehensive school health education                 |          |          |           |          |        |               |        |       |      |      |        |
|      | All eight criteria met   | 1994     | 2.3%     |           |          |        |               |        |       |      |      | 75%    |
|      | A documented, sequential program                                   | 1994     | a/48%    |           |          |        |               |        |       |      |      |        |
|      | At least one health education course                               | 1994     | a/77%    |           |          |        |               |        |       |      |      |        |
|      | Instruction in six key behavioral areas                            | 1994     | a/47%    |           |          |        |               |        |       |      |      |        |
|      | Focus on skill development   | 1994     | a/39%    |           |          |        |               |        |       |      |      |        |
|      | Health education teachers adequately trained                       | 1994     | 53%      |           |          |        |               |        |       |      |      |        |
|      | Designated coordinator for health education                        | 1994     | 38%      |           |          |        |               |        |       |      |      |        |
|      | Involvement of parents, health professionals,                      |          |          |           |          |        |               |        |       |      |      |        |
|      | and other concerned community members                              | 1994     | a/31%    |           |          |        |               |        |       |      |      |        |
|      | Evaluation of health education program during the past 2 years     | 1994     | a/67%    |           |          |        |               | • • •  |       |      |      |        |
| 8.5  | Health promotion in post-secondary institutions                    |          |          |           |          |        |               |        |       |      |      |        |
|      | Higher education institutions offering health promotion activities | 1989-90  | 20%      |           |          |        |               |        |       |      |      | 50%    |
|      | College students 18-24 years who report receiving                  |          |          |           |          |        |               |        |       |      |      |        |
|      | information from their college or university on:                   |          |          |           |          |        |               |        |       |      |      |        |
|      | Tobacco use prevention   |          |          |           |          |        |               |        | 32%   |      |      |        |
|      | Alcohol and other drug use prevention                              |          |          |           |          |        |               |        | 59%   |      |      |        |
|      | Violence prevention  |          |          |           |          |        |               |        | 38%   |      |      |        |
|      | Injury prevention and safety                                       |          |          |           |          |        |               |        | 26%   |      |      |        |
|      | Suicide prevention   |          |          |           |          |        |               |        | 21%   |      |      |        |
|      | Pregnancy prevention   | • • •    |          |           |          |        |               |        | 34%   |      |      |        |
|      | Sexually transmitted disease prevention                            | • • •    |          |           |          |        |               |        | 53%   |      |      |        |
|      | AIDS or HIV infection prevention                                   | • • •    |          |           |          |        |               |        | 58%   |      |      |        |
|      | Dietary behaviors and nutrition                                    |          |          |           |          |        |               |        | 34%   |      |      |        |

|      |   | Baseline  | D "                | 4000 | 1001 | 4000 | 4000          | 1001 | 4005 | 4000     | 4007  | Targe                                  |
|------|---|---|--------------------|------|------|------|---------------|------|------|----------|-------|--|
|      | Objective   | year  | Baseline           | 1990 | 1991 | 1992 | 1993          | 1994 | 1995 | 1996     | 1997  | 2000                                   |
|      | Physical activity and fitness   | • • •   |                    |      |      |      |               |      | 40%  |          |       |  |
| 8.6  | Worksite health promotion activities  |   |                    |      |      |      |               |      |      |          |       |  |
|      | Worksites with 50 or more employees (using 1985 analysis)   | 1985  | 65%                |      |      | 81%  |               |      |      |          | 4/90% | 85%                                    |
|      | Worksites with 50 or more employees (using 1992 analysis)   |   |                    |      |      | 92%  |               |      |      |          |       |  |
|      | Medium and large companies having a wellness program  | 1987  | 63%                |      |      |      |               |      |      |          |       | 85%                                    |
| 8.7  | Hourly workers 18 years and over participating in health  |   |                    |      |      |      |               |      |      |          |       |  |
|      | promotion activities  | 1994  | 21%                |      |      |      |               |      |      |          |       | 20%                                    |
| 8.8  | Health promotion programs for older adults  |   |                    |      |      |      |               |      |      |          |       |  |
|      | People 65 years and over participating in at least  |   |                    |      |      |      |               |      |      |          |       |  |
|      | one health promotion program through a facility   |   |                    |      |      |      |               |      |      |          |       |  |
|      | serving older adults  | 1995  | 12%                |      |      |      |               |      |      |          | 6/12% | 90%                                    |
| 8.9  | Family discussion of health issues-children 10 years and over   | 1994  | 83%                |      |      |      |               |      |      |          |       | 75%                                    |
| 0.0  | Nutrition   |   |                    |      |      |      |               | 67%  |      |          | 6/58% |  |
|      | Physical activity   |   |                    |      |      |      |               | 66%  |      |          | 6/55% |  |
|      | Sexual behavior   |   |                    |      |      |      |               | 39%  |      |          | 6/38% |  |
|      | Tobacco   |   |                    |      |      |      |               | 47%  |      |          | 6/45% |  |
|      | Alcohol   |   |                    |      |      |      |               | 38%  |      |          | 6/40% |  |
|      | Illegal drugs   |   |                    |      |      |      |               | 33%  |      |          | 6/39% |  |
|      | Safety  | • • •   |                    |      |      |      |               | 50%  |      |          | 6/50% | • •                                    |
|      | •   | • • •   |                    |      |      |      |               | 30%  |      |          | 0/30% | • •                                    |
|      | Among 9th-12th grade students engaging in family discussion of HIV/AIDS   | 1989  | 54%                | 53%  | 61%  |      | 66%           |      | 63%  |          | 63%   | 75%                                    |
| 8.10 | Number of States with community health programs   |   |                    |      |      |      |               |      |      |          |       |  |
| 0.10 | addressing at least three Healthy People 2000 objectives that   |   |                    |      |      |      |               |      |      |          |       |  |
|      |   |   |                    |      |      |      |               |      |      |          |       |  |
|      |   |   |                    |      |      |      |               |      |      |          |       | 50                                     |
|      | reach 40% of State population   |   |                    |      |      |      |               |      |      |          |       | 50                                     |
|      | reach 40% of State population Proportion of States with 90 percent of local health departments prov   |   |                    |      |      |      |               |      |      |          |       | 50                                     |
|      | reach 40% of State population  Proportion of States with 90 percent of local health departments prov services that address three or more Healthy People 2000  | iding   |                    |      |      |      | <br>E/040/    |      |      |          |       | 50                                     |
|      | reach 40% of State population Proportion of States with 90 percent of local health departments prov   |   |                    |      |      |      | <br>5/81%     |      |      |          |       | 50                                     |
| 8.11 | reach 40% of State population  Proportion of States with 90 percent of local health departments prov services that address three or more Healthy People 2000 priority areas  Counties with programs for racial/ethnic minority groups   | iding   |                    |      |      |      | <br>5/81%<br> |      |      |          |       | 50%                                    |
| 8.11 | reach 40% of State population  Proportion of States with 90 percent of local health departments provided services that address three or more Healthy People 2000 priority areas  Counties with programs for racial/ethnic minority groups  Percent of local health departments providing  | iding   |                    |      |      |      | 5/81%<br>     |      |      |          |       |  |
| 8.11 | reach 40% of State population  Proportion of States with 90 percent of local health departments prov services that address three or more Healthy People 2000 priority areas  Counties with programs for racial/ethnic minority groups   | iding   |                    |      |      |      | 5/81%<br>     |      |      |          |       |  |
| 8.11 | reach 40% of State population  Proportion of States with 90 percent of local health departments provided services that address three or more Healthy People 2000 priority areas  Counties with programs for racial/ethnic minority groups  Percent of local health departments providing  | iding   |                    |      |      |      | <br>5/81%<br> |      |      |          |       |  |
| 8.11 | reach 40% of State population  Proportion of States with 90 percent of local health departments provided services that address three or more Healthy People 2000 priority areas  Counties with programs for racial/ethnic minority groups  Percent of local health departments providing culturally and linguistically appropriate services/7   | iding   | <br><br>21%        |      |      |      | 5/81%<br>     |      |      |          |       |  |
| 8.11 | reach 40% of State population  Proportion of States with 90 percent of local health departments provided services that address three or more Healthy People 2000 priority areas  Counties with programs for racial/ethnic minority groups  Percent of local health departments providing culturally and linguistically appropriate services/7 Health promotion  | iding<br>   | <br><br>21%<br>44% |      |      |      |               |      |      | <br><br> |       | 50%                                    |
| 8.11 | reach 40% of State population  Proportion of States with 90 percent of local health departments provided services that address three or more Healthy People 2000 priority areas  Counties with programs for racial/ethnic minority groups  Percent of local health departments providing culturally and linguistically appropriate services/7  Health promotion  Physical activity and fitness  | iding<br><br><br>1996-97                            |                    |      |      |      |               |      |      |          |       | <br>50%<br>50%                         |
| 8.11 | reach 40% of State population  Proportion of States with 90 percent of local health departments provided services that address three or more Healthy People 2000 priority areas  Counties with programs for racial/ethnic minority groups  Percent of local health departments providing culturally and linguistically appropriate services/7  Health promotion  Physical activity and fitness  Nutrition                                   | 1996-97<br>1996-97                                  | 44%                |      |      |      |               |      |      |          |       | 50%<br>50%<br>50%<br>50%               |
| 8.11 | reach 40% of State population  Proportion of States with 90 percent of local health departments provided services that address three or more Healthy People 2000 priority areas  Counties with programs for racial/ethnic minority groups  Percent of local health departments providing culturally and linguistically appropriate services/7  Health promotion  Physical activity and fitness  Nutrition  Tobacco  Alcohol and other drugs | 1996-97<br>1996-97<br>1996-97<br>1996-97            | 44%<br>24%         |      |      |      |               |      |      |          |       | 50%<br>50%<br>50%<br>50%<br>50%        |
| 8.11 | reach 40% of State population  Proportion of States with 90 percent of local health departments provided services that address three or more Healthy People 2000 priority areas  Counties with programs for racial/ethnic minority groups  Percent of local health departments providing culturally and linguistically appropriate services/7  Health promotion  Physical activity and fitness  Nutrition  Tobacco                          | 1996-97<br>1996-97<br>1996-97<br>1996-97<br>1996-97 | 44%<br>24%<br>26%  |      |      |      |               |      |      |          |       | 50%<br>50%<br>50%<br>50%<br>50%<br>50% |

|      |   | Baseline |          |       |      |      |      |      |      |      |      | Targe |
|------|---|----------|----------|-------|------|------|------|------|------|------|------|-------|
|      | Objective                                       | year     | Baseline | 1990  | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 2000  |
|      | Education and community-based programs          | 1996-97  | 33%      |       |      |      |      |      |      |      |      | 50%   |
|      | Health Protection                               |          |          |       |      |      |      |      |      |      |      |       |
|      | Unintentional injuries                          | 1996-97  | 19%      |       |      |      |      |      |      |      |      | 50%   |
|      | Occupational safety and health                  | 1996-97  | 13%      |       |      |      |      |      |      |      |      | 50%   |
|      | Environmental health                            | 1996-97  | 22%      |       |      |      |      |      |      |      |      | 50%   |
|      | Food and drug safety                            | 1996-97  | 18%      |       |      |      |      |      |      |      |      | 50%   |
|      | Oral health                                     | 1996-97  | 25%      |       |      |      |      |      |      |      |      | 50%   |
|      | Preventive Services                             |          |          |       |      |      |      |      |      |      |      |       |
|      | Maternal and infant health                      | 1996-97  | 47%      |       |      |      |      |      |      |      |      | 50%   |
|      | Heart disease and stroke                        | 1996-97  | 28%      |       |      |      |      |      |      |      |      | 50%   |
|      | Cancer  | 1996-97  | 30%      |       |      |      |      |      |      |      |      | 50%   |
|      | Diabetes and other chronic disabling conditions | 1996-97  | 26%      |       |      |      |      |      |      |      |      | 50%   |
|      | HIV infection                                   | 1996-97  | 45%      |       |      |      |      |      |      |      |      | 50%   |
|      | Sexually transmitted diseases                   | 1996-97  | 41%      |       |      |      |      |      |      |      |      | 50%   |
|      | Immunization and infectious diseases            | 1996-97  | 48%      |       |      |      |      |      |      |      |      | 50%   |
|      | Clinical preventive services                    | 1996-97  | 35%      |       |      |      |      |      |      |      |      | 50%   |
|      | Surveillance and data systems                   | 1996-97  | 14%      |       |      |      |      |      |      |      |      | 50%   |
| 8.12 | Hospital-based patient education and community  |          |          |       |      |      |      |      |      |      |      |       |
|      | health promotion                                |          |          |       |      |      |      |      |      |      |      |       |
|      | Patient education programs                      |          |          |       |      |      |      |      |      |      |      |       |
|      | Registered hospitals                            | 1987     | 68%      | 86%   |      |      |      |      |      |      |      | 90%   |
|      | Health maintenance organizations                |          |          |       |      |      |      |      |      |      |      | 90%   |
|      | Health education classes                        |          |          | 8/75% |      | 84%  |      |      |      |      |      |       |
|      | Nutrition counseling                            |          |          | 8/85% |      | 87%  |      |      |      |      |      |       |
|      | Smoking cessation classes                       |          |          |       |      | 67%  |      |      |      |      |      |       |
|      | Community health promotion programs             |          |          |       |      |      |      |      |      |      |      |       |
|      | Community hospitals                             | 1987     | 60%      | 77%   |      |      |      |      |      |      |      | 90%   |
| 8.13 | Television partnerships with community          |          |          |       |      |      |      |      |      |      |      |       |
|      | organizations for health promotion              | 1995-96  | 100%     |       |      |      |      |      |      |      |      | 75%   |
| 8.14 | Effective public health systems                 |          |          |       |      |      |      |      |      |      |      |       |
|      | Local health departments reporting:             |          |          |       |      |      |      |      |      |      |      |       |
|      | Health assessment                               |          |          |       |      |      |      |      |      |      |      |       |
|      | Behavioral risk assessment                      | 1990     | 33%      |       |      |      |      |      |      |      |      | 90%   |
|      | Morbidity data                                  | 1990     | 49%      |       |      |      |      |      |      |      |      | 90%   |
|      | Reportable disease                              | 1990     | 87%      |       |      |      |      |      |      |      |      | 90%   |
|      | Vital records and statistics                    | 1990     | 64%      |       |      |      |      |      |      |      |      | 90%   |
|      | Surveillance - chronic disease                  | 1990     | 55%      |       |      |      |      |      |      |      |      | 90%   |
|      | Surveillance - communicable disease             | 1990     | 92%      |       |      |      |      |      |      |      |      | 90%   |
|      | Policy development functions and services       | 1000     | 5270     |       | _    | -    |      | _    |      | _    |      | 507   |
|      | Health code development and enforcement         | 1990     | 59%      |       |      |      |      |      |      |      |      | 90%   |
|      | ricaiti code developinent and emolocinent       | 1990     | J3 /0    |       |      |      |      |      |      |      |      | 307   |
|      |   |          |          |       |      |      |      |      |      |      |      |       |

|                 | Baseline |          |      |      |      |      |      |      |      |      | Target |
|-----------------|----------|----------|------|------|------|------|------|------|------|------|--------|
| Objective       | year     | Baseline | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 2000   |
| Health planning | 1990     | 57%      |      |      |      |      |      |      |      |      | 90%    |

| <i></i>          |          |          | •    |      | •    | ,     |      |      |      |      |        |
|------------------|----------|----------|------|------|------|-------|------|------|------|------|--------|
|                  | Baseline |          |      |      |      |       |      |      |      |      | Target |
| Objective        | year     | Baseline | 1990 | 1991 | 1992 | 1993  | 1994 | 1995 | 1996 | 1997 | 2000   |
| Health assurance |          |          |      |      |      |       |      |      |      |      |        |
| Health education | 1990     | 74%      |      |      |      | 5/84% |      |      |      |      | 90%    |
| Child health     | 1990     | 84%      |      |      |      |       |      |      |      |      | 90%    |
| Immunizations    | 1990     | 92%      |      |      |      | 5/96% |      |      |      |      | 90%    |
| Prenatal care    | 1990     | 59%      |      |      |      | 5/64% |      |      |      |      | 90%    |
| Primary care     | 1990     | 22%      |      |      |      | 5/30% |      |      |      |      | 90%    |
|                  |          |          |      |      |      |       |      |      |      |      |        |

<sup>---/</sup>Data not available.

5/1992-1993 data. Data are from 43 States and represent local health department's report of whether a program or service existed.

6/1998 data.

7/Data include only those local health departments whose jurisdiction has a racial or ethnic group that constitutes more than 10 percent its population.

Only local health departments that report providing programs or interventions for the specific Healthy People program or program area listed are included. 8/1988 data.

NOTE: Data include revisions and, therefore, may differ from data previously published in these reports and other publications.

## **Data Sources:**

| Objective number | Data source  |
|------------------|--|
| 8.1*, 8.1a-c     | National Vital Statistics System, CDC, NCHS.   |
|                  | National Health Interview Survey, CDC, NCHS.   |
| 8.2, 8.2a-b      | National Center for Education Statistics, National Education Goals Panel.  |
| 8.3              | Head Start data: Head Start Bureau: Administration on Children, Youth, and Families.                                       |
|                  | Data on disabled children: National Center for Education Statistics, National Education Goals Panel.                       |
| 8.4              | School Health Policies and Programs Study, CDC, NCCDPHP.   |
| 8.5              | Baseline: Health Promotion on Campus Survey and Directory, American College Health Association.                            |
|                  | Data for college students: National College Health Risk Behavior Survey, CDC, NCCDPHP.                                     |
| 8.6              | Baseline and 1992 update for worksites with 50 or more employees: National Survey of Worksite Health Promotion Activities, |
|                  | OPHS, ODPHP. 1998-99 update: National Worksite Health Promotion Survey, 1999, OPHS, ODPHP.                                 |
|                  | Baseline for medium and large companies: Health Research Institute Biennial Survey, Health Research Institute.             |
| 8.7              | National Health Interview Survey, CDC, NCHS.   |
| 8.8              | National Health Interview Survey, CDC, NCHS.   |
| 8.9              | 1989 baseline: Secondary School Student Health Risk Survey, CDC, NCCDPHP.  |
|                  |  |

<sup>.../</sup>Category not applicable.

a/Baseline has been revised.

<sup>1/</sup>Estimate based on preliminary data. Excludes mortality data from States lacking a Hispanic-origin item on their death certificate

or for which Hispanic-origin data were not of sufficient quality. See appendix. 2/Estimate derived from 1991-93 health status data and 1992 mortality data.

<sup>3/</sup>Years of healthy life remaining at age 65.

<sup>4/1999</sup> data.

|           | <i>y</i>                                   |                     | •              |           | •              | •      |      |      |      |      |        |
|-----------|--|---------------------|----------------|-----------|----------------|--------|------|------|------|------|--------|
|           | Baseline                                   | <b>;</b>            |                |           |                |        |      |      |      |      | Target |
| Objective | year                                       | Baseline            | 1990           | 1991      | 1992           | 1993   | 1994 | 1995 | 1996 | 1997 | 2000   |
|           | 1990-97 data: Youth Risk Behavior Survey   | , CDC, NCCDPHP      | ).             |           |                |        |      |      |      |      |        |
|           | 1994 and 1998 data: National Health Inter- | view Survey, CDC    | , NCHS.        |           |                |        |      |      |      |      |        |
| 3.10      | National Profile of Local Health Departmen | ts, National Assoc  | iation of City | and Count | y Health Offic | cials. |      |      |      |      |        |
| 3.11      | National Profile of Local Health Departmen | ts, National Assoc  | iation of City | and Count | y Health Offic | cials. |      |      |      |      |        |
| 3.12      | Annual Survey of Hospitals, AHA.           |                     |                |           |                |        |      |      |      |      |        |
|           | HMO Industry Profile, Group Health Associ  | ation of America, I | Inc.           |           |                |        |      |      |      |      |        |
| 3.13      | Media Health Partnerships Survey, CDC, N   | ICCDPHP.            |                |           |                |        |      |      |      |      |        |
| 3.14      | National Profile of Local Health Departmen | ts, National Assoc  | iation of City | and Count | y Health Offic | cials. |      |      |      |      |        |
|           |  |                     |                |           |                |        |      |      |      |      |        |

<sup>\*</sup>Duplicate objective. See full text of objective following this table.