TABLE 1. CHILDREN: Disparities in Oral Health Status, Dental Sealants, Dental Visits, and Preventive Dental Visits

			Race/Ethnicity			Far	nily Inc	come		Level of Education				
Disparity	Age	All	White	Black	Hisp/ MxA	Diff Hi-lo	Poor	Near Poor	Mid- High	Diff Hi-lo	<hs< th=""><th>HS</th><th>>HS</th><th>Diff Hi-lo</th></hs<>	HS	>HS	Diff Hi-lo
Dental caries (Ever had decay)*	2-4	18%	15%	24%	27%	.80	29%	21%	10%	~3X	29%	18%	12%	~2.5X
	6-8	52%	51%	50%	68%	.36	62%	60%	42%	.48	65%	52%	43%	.51
	15	61%	60%	70%	57%	.23	77%	69%	51%	.51	59%	63%	61%	~~~
Dental caries (Has decay <u>now</u>)*	2-4	16%	11%	22%	24%	~2X	26%	20%	7%	~4X	26%	16%	9%	~3X
	6-8	29%	26%	36%	43%	.65	47%	32%	16%	~3X	44%	30%	25%	.76
	15	20%	19%	29%	27%	.53	20%	28%	16%	.75	29%	18%	15%	~2X
Dental sealants*	8	23%	26%	11%	7%	3.5X	3%	18%	35%	~12X	17%	12%	35%	~2X
(1st molar only)	14	24%	28%	5%	7%	4X	12%	11%	39%	3.5X	4%	17%	42%	~10X
(1st & 2nd molar)	14	15%	19%	5%	7%	~3X	NA	NA	NA		NA	NA	NA	
Dental visit (past year)+	5	75%	77%	72%	63%	.22	NA	NA	NA		58%	72%	82%	.41
	2-17	73%	NA	NA	NA		NA	NA	NA		58%	68%	78%	.34
Preventive Dental Visits# (cleaning, fluoride, or sealants)	0-18	White	NA	NA	NA		25%	25%	46%	~2X	NA	NA	NA	
	0-18Black		NA	NA	NA		16%	12%	26%	~2X	NA	NA	NA	
	0-18Hisp		NA	NA	NA		18%	15%	33%	~2X	NA	NA	NA	
	age < 6 age 6-11		NA	NA	NA		9%	8%	22%	~3X	NA	NA	NA	
			NA	NA	NA		27%	28%	56%	~2X	NA	NA	NA	
	age 12-	-18	NA	NA	NA		23%	23%	48%	~2X	NA	NA	NA	

Data Sources: *National Health and Nutrition Examination Survey 1988-94, CDC, NCHS; + National Health Interview Survey 1997, CDC, NCHS; # National Medical Expenditure Panel Survey 1996, AHCPR; **Family Income** is defined as: Poor= < 100% FPL;Near Poor= 100-199% FPL;Mid/High Income=>200% PFL; **Level of Education** (High School) is defined as that of head of household; **Diff Hi-Lo** is the difference between the highest and lowest groups compared.

TABLE 2. ADULTS: Disparities in Oral Health Status, Oral Cancer Mortality, Stage at Diagnosis, Oral Cancer Exam, and Dental Visits

			Race/Ethnicity					Family	Incom	e	Level of Education				
		Age	All	White	Black	Hisp/ Mx A	Diff Hi-Lo	Poor	Near Poor	Mid/ High	Diff Hi-L	<hs< th=""><th>HS</th><th>>HS</th><th>Diff Hi-L</th></hs<>	HS	>HS	Diff Hi-L
Dental caries (has decay <u>now</u>)*		35-44	27%	24%	47%	34%	~2X	NA	NA	NA		51%	34%	16%	>3X
Complete Tooth Loss+		65-74	26%	25%	30%	24%	.25	NA	NA	NA		39%	26%	13%	3X
		65+	30%	NA	NA	NA		46%	44%	NA		NA	NA	NA	
No Tooth Loss*		35-44		34%	12%	23%	~3X	17%	18%	36%	~2X	18%	28%	58%	>3X
Gingivitis*		35-44	48%	47%	51%	64%	.36	66%	45%	23%	~3X	60%	52%	42%	.43
Destructive Periodontal Dis *		35-44	22%	20%	33%	24%	.65	42%	31%	17%	>2X	35%	28%	15%	2.3X
Oral Cancer Mortality Rate#	males	45-74		10.3	20.6	NA	2X	NA	NA	NA		NA	NA	NA	
	females			3.5	5.1	NA	.50	NA	NA	NA		NA	NA	NA	
Percentage Diagnosed at Earliest Stage of Oral Cancer^			35%	38%	21%	36%	.81	NA	NA	NA		NA	NA	NA	
Receipt of Oral Cancer Exam~		>40	7%	8%	3%	8%	2.6X	NA	NA	NA		5%	8%	14%	~3X
35+ ⁺ 63° Edentate 35+ ⁺ 20°		18+*	63%	52%	37%	40%	.41	31%	37%	59%	~2X	NA	NA	NA	
		35++	63%	64%	53%	47%	.36	NA	NA	NA		41%	59%	74%	.80
		35++	20%	NA	NA	NA		NA	NA	NA		NA	NA	NA	
		65%	66%	57%	53%	.25	NA	NA	NA		41%	59%	74%	.80	
		65++	55%	NA	NA	NA		NA	NA	NA		NA	NA	NA	
Edentate		65++	34%	NA	NA	NA		NA	NA	NA		NA	NA	NA	

Data Sources: *National Health and Nutrition Examination Survey 1988-94, CDC, NCHS; + National Health Interview Survey 1997, CDC, NCHS; # Vital Statistics and Health, 1997, NCHS; *Surveillance, Epidemiology, and End Results Program, 1996; ~ National Health Interview Survey 1992, CDC, NCHS; **Family Income** is defined as: Poor = < 100% FPL; Near Poor = 100-199% FPL; Mid/High Income => 200% PFL; **Level of Education** (High School) is defined as that of head of household; **Diff Hi-Lo** is the difference between the highest and lowest groups compared.