



# APPENDIX


# Objective Status: Diabetes

● Target met   ● Improving   ● Little/No change   ● Getting worse   ● Baseline only   ○ Developmental   ● Informational

- D-1 New cases of diagnosed diabetes
- D-2.1 All cause mortality\*
- D-2.2 Cardiovascular disease deaths\*
- D-3 Diabetes death rate, multiple cause
- D-4 Lower extremity amputations\*
- D-5.1 A1c greater than 9%\*
- D-5.2 A1c less than 7%\*
- D-6 LDL cholesterol <100 mg/dl\*
- D-7 Blood pressure <130/80\*
- D-8 Annual dental examination\*
- D-9 Annual foot examination\*
- D-10 Annual dilated eye examination\*
- D-11 Glycosylated hemoglobin test at least 2 times per year\*
- D-12 Annual urinary microalbumin measurement\*
- D-13 Self blood glucose monitoring at least once per day\*
- D-14 Diabetes education\*
- D-15 Proportion of diabetes diagnosed
- D-16.1 Increase of physical activity among persons at high risk for diabetes
- D-16.2 Trying to lose weight among persons at high risk for diabetes
- D-16.2 Reducing fat or calories in diet among persons at high risk for diabetes

\*among persons with diagnosed diabetes

# Current HP2020 Objective Status: Diabetes Diseases



**Total number of objectives: 20**



# Objective Status: Chronic Kidney Disease

- Target met ● Improving ● Little/No change ● Getting worse ● Baseline only ● Informational

## Chronic Kidney Disease


- CKD-1 CKD among adults
- CKD-2 Kidney function knowledge
- CKD-3 Kidney evaluation after kidney injury
- CKD-4 Recommended medical evaluation
  - 4.1 Persons with CKD
  - 4.2 Persons with CKD and diabetes
- CKD-5 Recommended medical treatment for persons with diabetes and CKD
- CKD-6 Cardiovascular care in persons with CKD
  - 6.1 Elevated blood pressure
  - 6.2 Elevated lipid levels
- CKD-7 Deaths among persons with CKD

## End-Stage Renal Disease

- CKD-8 New cases of ESRD
- CKD-9 Kidney failure due to diabetes:
  - 9.1 Among U.S. population
  - 9.2 Among persons with diabetes

- CKD-10 Nephrologist care before the start of renal replacement therapy
- CKD-11 Vascular access for hemodialysis patients:
  - 11.1 Arteriovenous fistula as the primary mode
  - 11.2 Catheters as the only mode
  - 11.3 AV fistula or maturing fistula
- CKD-12 Wait-listed and/or received donor kidney transplant among persons under 70 years
- CKD-13 Receipt of kidney transplant:
  - 13.1 Within 3 years of ESRD
  - 13.2 Preemptive transplant at the start of ESRD
- CKD-14 Deaths among persons with ESRD
  - 14.1 Total number of deaths in persons on dialysis
  - 14.2 Within first 3 months of initiation of renal replacement therapy in persons on dialysis
  - 14.3 Cardiovascular deaths in persons on dialysis
  - 14.4 Persons with a functioning kidney transplant
  - 14.5 Cardiovascular deaths in persons with a functioning kidney transplant

# Current HP2020 Objective Status: Chronic Kidney Disease



**Total number of objectives: 24**

