




International Health Data Reference Guide, 1995


From the CENTERS FOR DISEASE CONTROL AND PREVENTION/National Center for Health Statistics



U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Public Health Service
Centers for Disease Control and Prevention
National Center for Health Statistics



International Health Data Reference Guide, 1995



U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Public Health Service
Centers for Disease Control and Prevention
National Center for Health Statistics

Hyattsville, Maryland
June 1996
DHHS Publication No. (PHS) 96-1007

National Center for Health Statistics

Edward J. Sondik, Ph.D., *Director*

Jack R. Anderson, *Deputy Director*

Jacob J. Feldman, Ph.D., *Associate Director for Analysis, Epidemiology, and Health Promotion*

Gail F. Fisher, Ph.D., *Associate Director for Planning and Extramural Programs*

Jack R. Anderson, *Acting Associate Director for International Statistics*

Stephen E. Nieberding, *Associate Director for Management*

Charles J. Rothwell, *Associate Director for Data Processing and Services*

Monroe G. Sirken, Ph.D., *Associate Director for Research and Methodology*

Office of International Statistics

Jack R. Anderson, *Acting Associate Director for International Statistics*

Preface

This seventh edition of the *International Health Data Reference Guide* provides information collected in mid-1995 on the availability of selected national vital, hospital, health manpower resources, and population-based health survey statistics. Information for the 44 nations included in this guide was obtained from the government and official agencies that are listed in the guide for further reference.

The main purpose of the guide is to provide information not readily available in published form. It is not designed to provide information on the availability of measures considered universally documented, such as crude birth and death rates or life expectancy at birth. A secondary purpose is to support the World Health Organization's goal of developing a common basis for international data comparison.

The reader should carefully note the listed qualifications in the footnotes concerning the availability of data in several countries.

The user of this guide is encouraged to contact the listed government and official agencies to obtain specific data.

Acknowledgments

The International Health Data Reference Guide, 1995, was coordinated and prepared in the Office of International Statistics, National Center for Health Statistics, by Jacqueline P. Davis with assistance from Ginger Richards. Linda McCleary assisted with the verification of data and proofreading.

Publications Branch, Division of Data Services, staff members Demarius V. Miller and Rolfe W. Larson provided publications management and editorial review. Production was managed by Zung Le, Jarmila G. Frazier was the designer, and Patricia L. Wilson managed the printing.


The continued cooperation and contributions provided by the many individuals of the government and official agencies of the countries represented in this publication are gratefully acknowledged.

Contents

Preface	iii
Acknowledgments.....	iv
Vital Statistics	1
Natality.....	2
Mortality	4
Marriage and Divorce.....	6
Hospital Statistics	7
Facility	8
Discharge.....	10
Health Manpower Statistics	13
National Population-Based Surveys	17
Profile of National Population-Based Surveys	25
General Topics Covered in Health Surveys by Country.....	105
List of Agencies and Contact Persons	131

Symbol

--- Data not available



Nativity data by country, selected variables, and most recent year available: 1995

Country	Birth rates by maternal age	Births by maternal age and birth order	Births by maternal age and marital duration	Births by birth- weight	Births by crown-heel length	Births by length of gestation	Births by marital status
Argentina	1990	---	---	1990	---	---	1990
Australia	1993	1993	1993	1991	---	1991	1993
Austria	1994	1994	1994	1994	1994	1994	1994
Belgium	---	---	---	1993	---	---	---
Bulgaria	1993	1993	1993	1993	1993	1993	---
Canada	1993	1993	---	1993	---	1993	1993
Chile	1993	1993	1993	1993	1993	1993	1993
China (People's Republic of)	1992	1992	1992	1992	---	1992	1992
Czech Republic	1993	1993	1993	1993	1993	1993	1993
Denmark	1993	1993	1989	1993	1993	1993	1993
Estonia	1993	1993	1993	1993	1993	1993	1993
Finland	1994	1994	1994	1994	1994	1994	1994
France	1993	1993	1993	---	---	1993	1993
Germany	1993	1993	1993	1993	1993	---	1993
Greece	¹ 1991	¹ 1987	¹ 1991	(1)	---	(1)	¹ 1991
Hong Kong	1993	1993	1993	1993	---	---	1993
Hungary	1994	1994	1994	1994	1994	1994	1994
Iceland	1994	1994	1994	1994	---	1994	1994
Israel	1993	1993	1992	1993	---	1992	1993
Italy	² 1992	² 1992	² 1992	² 1992	---	² 1992	---
Japan	1993	1993	1993	1993	---	1993	1993
Korea (Republic of)	1993	1993	---	1993	---	---	---
Latvia	1994	1994	1994	³ 1994	---	---	1994
Lithuania	1993-94	1993-94	---	1993-94	---	1993	1993-94
Luxembourg	1994	1994	1994	1991	1991	1991	1994
Netherlands	1994	1994	1994	1991-93	1991-93	---	1994
New Zealand	1993	1993	1993	1993	---	1993	1993
Norway	1994	1994	1994	1994	---	1994	1994
Poland	1994	1994	1994	1994	---	---	1994
Portugal	1994	1994	1994	1994	---	1994	1994
Russian Federation	1994	1994	---	---	---	---	---
Singapore	---	1993	---	1993	---	1993	---
Slovak Republic	1992	1992	1992	1992	1992	1992	1992
Spain	1992	1992	1992	1992	---	1992	1992
Sweden	1994	1994	1994	1992	1992	1992	1994

Natality data by country, selected variables, and most recent year available: 1995—Continued

Country	Birth rates by maternal age	Births by maternal age and birth order	Births by maternal age and marital duration	Births by birth- weight	Births by crown-heel length	Births by length of gestation	Births by marital status
Switzerland	1994	⁴ 1994	⁴ 1994	1994	1994	---	1994
Ukraine	1994	1992	---	1994	---	1994	1994
United Kingdom:							
England	1994	1994	1994	1994	---	1993	1994
Wales	1994	1994	1994	1994	---	1993	1994
Northern Ireland	1993	1993	1993	1991	---	1991	1993
Scotland	1993	1993	1993	1993	1993	1993	1993
United States	1993	1993	---	1993	---	1993	1993
Venezuela	1989	1989	1989	1989	---	---	1989
Yugoslavia (Federal Republic of)	1993	1993	1993	1993	---	---	1993

¹Data available through 1993 upon request.

²Not published, but available upon request.

³Data from Medical Statistics Bureau.

⁴Legitimate live births only.

Mortality data by country, selected variables, and most recent year available: 1995

Country	Death rates by cause, age, and sex	Deaths by age, sex, and marital status	Life expectancy by age and sex	Legally induced abortions by age of women	Late fetal deaths	Perinatal deaths by cause	Infant deaths by age, cause, and sex	Infant deaths by birth weight
Argentina	1990	---	1980	---	---	1988	1990	---
Australia	1993	1993	1993	---	1993	1993	1993	---
Austria	1994	1994	1994	---	1994	(¹)	1994	1994
Belgium	---	---	---	---	---	---	---	---
Bulgaria	1993	1993	1993	1993	---	1993	1993	1993
Canada	1993	1993	1990-92	1993	1993	1993	1993	1979
Chile	1993	1993	1993	1993	1993	1993	1993	1993
China (People's Republic of)	1990	1990	1990	---	---	---	1990	---
Czech Republic	1993	1993	1993	1993	1993	---	1993	1993
Denmark	1993	1993	1992-93	1993	1992	1992	1992	1992
Estonia	1993	1993	1992	1993	1993	1993	1993	---
Finland	1994	1994	1994	1994	1994	1993	1994	1993
France	1993	1993	1993	1992	1993	---	1993	---
Germany	1993	1993	² 1990	1993	1993	(³)	1993	1993
Greece	⁴ 1991	⁴ 1987	⁴ 1980	1990	⁴ 1991	(⁵)	⁴ 1987	---
Hong Kong	1993	1993	1993	---	---	1993	1993	---
Hungary	1994	1994	1994	1994	1994	1994	1994	1994
Iceland	1993	1993	1993	1993	1994	1993	1993	1994
Israel	1993	---	1993	1993	1991	1991	1993	1992
Italy	⁶ 1992	⁶ 1992	1991	1993	⁶ 1992	⁶ 1992	⁶ 1992	⁶ 1992
Japan	1993	1993	1993	1993	1993	1993	1993	---
Korea (Republic of)	⁷ 1993	1993	1991	---	---	---	1993	---
Latvia	1994	1994	1994	⁸ 1994	1994	1994	1994	---
Lithuania	1993-94	---	1991-94	1993-94	1993	1993-94	1993-94	1993
Luxembourg	1994	1994	1985-87	---	⁹ 1992	1994	1994	---
Netherlands	1993	1994	1993	1990	1993	1993	1993	---
New Zealand	1993	1994	1990-92	1993	1994	1993	1993	1993
Norway	1993	1994	1994	1994	1993	1993	1993	1993
Poland	1994	1994	1993	---	1994	1994	1994	1994
Portugal	1994	1994	1994	---	1994	1994	1994	---
Russian Federation	1994	---	1994	1994	1994	1994	1994	1994
Singapore	¹⁰ 1993	1993	1993	1993	1993	1993	1993	---
Slovak Republic	1992	1992	1992	1992	1992	1992	1992	1992
Spain	1992	1992	1992	---	1992	1992	1992	---
Sweden	1992	1994	1994	1993	1994	1992	1992	1988

Mortality data by country, selected variables, and most recent year available: 1995—Continued

Country	Death rates by cause, age, and sex	Deaths by age, sex, and marital status	Life expectancy by age and sex	Legally induced abortions by age of women	Late fetal deaths	Perinatal deaths by cause	Infant deaths by age, cause, and sex	Infant deaths by birth weight
Switzerland	1994	1994	1994	---	1994	1994	1994	1985
Ukraine	1994	---	1994	1994	---	1994	1994	---
United Kingdom:								
England	1993	1993	1993	1994	1994	1994	1994	1994
Wales	1993	1993	1993	1994	1994	1994	1994	1994
Northern Ireland	1993	1993	1991-93	---	1993	1993	1993	---
Scotland	1994	1994	1994	1993	1994	1994	1994	1990
United States	1992	1992	1992	1992	1992	---	1992	1990
Venezuela	1989	1989	1990	---	1989	1989	1989	---
Yugoslavia (Federal Republic of)	1993	1993	1992-93	1993	1993	1993	1993	---

¹Early infant deaths by cause only.

²Available for the former German Democratic Republic for 1988-89.

³Available for the former German Democratic Republic for 1988.

⁴Not published, but available through 1993 upon request.

⁵Data available through 1993 upon request.

⁶Not published, but available upon request.

⁷Available for number of deaths.

⁸Data from Medical Statistics Bureau.

⁹Fetal deaths.

¹⁰Published by cause only.

Marriage and divorce data by country, selected variables, and most recent year available: 1995

Country	Crude marriage rates	Marriages by age of bride and groom	Crude divorce rates	Country	Crude marriage rates	Marriages by age of bride and groom	Crude divorce rates
Argentina	1989	---	¹ 1989	Lithuania	1993-94	1993-94	1993-94
Australia	1993	1993	1993	Luxembourg	1994	1994	1994
Austria	1994	1994	1994	Netherlands	1994	1994	1994
Belgium	---	---	---	New Zealand	1994	1994	1994
Bulgaria	1993	1993	1993	Norway	1994	1994	1994
Canada	1993	1993	1992	Poland	1994	1994	1994
Chile	1993	1993	² 1992	Portugal	1994	1994	1994
China (People's Republic of)	1993	---	1993	Russian Federation	1994	---	1994
Czech Republic	1993	1993	1993	Singapore	1993	1993	1993
Denmark	1993	1993	1993	Slovak Republic	1992	1992	1992
Estonia	1993	1993	1993	Spain	1992	1992	1993
Finland	1994	1994	1994	Sweden	1994	1994	1994
France	1993	1993	1992	Switzerland	1994	1994	1994
Germany	1993	1993	1993	Ukraine	1994	1994	1994
Greece	³ 1991	³ 1991	³ 1989	United Kingdom:			
Hong Kong	1994	1994	1993	England	1993	1993	1993
Hungary	1994	1994	1994	Wales	1993	1993	1993
Iceland	1994	1994	1994	Northern Ireland	1993	1993	1993
Israel	1993	1993	1993	Scotland	1991	1991	1991
Italy	1992	1992	1993	United States	⁴ 1990	⁵ 1990	⁴ 1990
Japan	1993	1993	1993	Venezuela	1990	---	1990
Korea (Republic of)	1990	1993	1990	Yugoslavia (Federal Republic of)	1993	1993	1993
Latvia	1994	1994	1994				

¹Legal separation or divorce.

²Provisional data available for 1992.

³Not published, but available through 1993 upon request.

⁴Provisional data available for 1994.

⁵Includes District of Columbia and 47 of the 50 States.



Facility statistics by country, selected variables, and most recent year data published: 1995

Country	Hospital coverage	Data tabulated					Most recently published data
		Beds and inpatient utilization	Facilities and services	Outpatient visits	Personnel	Financial data	
Argentina	All hospitals	Yes	No	No	Yes	No	1990
Australia	All hospitals	Yes	Yes	No	Yes	Yes	1991-92
Austria	All hospitals	Yes	Yes	No	Yes	¹ Yes	1993
Belgium	All hospitals	Yes	Yes	No	Yes	Yes	1993
Bulgaria	All hospitals	Yes	No	Yes	Yes	No	1992
Canada	General and other allied special hospitals	Yes	Yes	Yes	Yes	Yes	1991-92
	Mental and psychiatric hospitals	Yes	Yes	Yes	Yes	Yes	1989-90
Chile	No national statistics						
China (People's Republic of)	All hospitals	No	No	No	Yes	Yes	1994
Czech Republic	All hospitals	Yes	Yes	Yes	Yes	² Yes	1993
Denmark	All hospitals	Yes	Yes	Yes	Yes	Yes	1993
Estonia	All hospitals	Yes	Yes	Yes	Yes	No	1993
Finland	General and psychiatric hospitals	Yes	Yes	Yes	Yes	No	1993
France	Public hospitals	Yes	Yes	Yes	Yes	Yes	1993
	Private hospitals	Yes	Yes	No	Yes	Yes	1993
	Mental hospitals	Yes	Yes	Yes	Yes	Yes	1992
Germany	All hospitals	Yes	Yes	No	Yes	Yes	1993
Greece	All hospitals	Yes	Yes	No	Yes	³ Yes	⁴ 1994
Hong Kong	Public hospitals	Yes	Yes	Yes	Yes	Yes	1993-94
	Private hospitals	Yes	No	No	⁵ Yes	No	1994
Hungary	All hospitals	Yes	⁶ Yes	⁶ Yes	Yes	⁶ Yes	1993
Iceland	All hospitals	Yes	Yes	Yes	Yes	⁷ Yes	1992
Israel	All hospitals	Yes	Yes	⁸ Yes	⁹ Yes	¹⁰ Yes	1994
Italy	All hospitals	Yes	Yes	No	Yes	Yes	1992
Japan	All hospitals	Yes	Yes	Yes	Yes	No	1993
Korea (Republic of)	All hospitals	Yes	Yes	Yes	Yes	No	1994
Latvia	All hospitals	Yes	Yes	Yes	Yes	No	1994
Lithuania	All hospitals	Yes	Yes	Yes	Yes	No	1994
Luxembourg	All hospitals	Yes	Yes	No	¹¹ Yes	Yes	1994
Netherlands	General and specialized hospitals	Yes	Yes	Yes	Yes	Yes	1994
	Psychiatric hospitals	Yes	Yes	Yes	Yes	Yes	1994
New Zealand	Public and psychiatric hospitals	Yes	Yes	Yes	No	Yes	¹² 1991
Norway	All hospitals	Yes	No	Yes	Yes	Yes	1994

Facility statistics by country, selected variables, and most recent year data published: 1995—Continued

Country	Hospital coverage	Data tabulated					Most recently published data
		Beds and inpatient utilization	Facilities and services	Outpatient visits	Personnel	Financial data	
Poland	General and mental hospitals	Yes	No	No	Yes	No	1994
Portugal	Public hospitals	Yes	Yes	Yes	Yes	Yes	1993
	Private hospitals	Yes	Yes	Yes	Yes	No	1991
Russian Federation	All hospitals	Yes	Yes	Yes	Yes	Yes	1994
Singapore	Public hospitals	Yes	Yes	Yes	Yes	Yes	1994
	Private hospitals	Yes	Yes	No	No	No	1994
Slovak Republic	All hospitals	Yes	Yes	Yes	Yes	Yes	1992
Spain	All hospitals	Yes	Yes	Yes	Yes	Yes	1992
Sweden	All hospitals	Yes	Yes	Yes	¹³ Yes	¹³ Yes	1993
Switzerland	90-percent participation	Yes	Yes	No	Yes	¹⁴ Yes	1993
Ukraine	All hospitals	Yes	Yes	Yes	Yes	Yes	1994
United Kingdom:							
England	National Health Service hospitals	Yes	Yes	Yes	Yes	Yes	1993–94
Wales	National Health Service hospitals	Yes	Yes	Yes	Yes	Yes	1993–94
	Private hospitals	Yes	No	No	¹⁵ Yes	No	1994
Northern Ireland	National Health Service hospitals	Yes	Yes	Yes	Yes	¹⁶ Yes	1992–93
Scotland	Scottish Health Service hospitals	Yes	Yes	Yes	Yes	Yes	1993
United States	Hospitals with 6 beds or more	Yes	Yes	Yes	Yes	Yes	1994
Venezuela	80 percent of public hospitals	Yes	Yes	Yes	Yes	Yes	(¹⁷)
Yugoslavia (Federal Republic of)	All hospitals	Yes	Yes	Yes	Yes	No	1994

¹Data available for 50 percent of government hospitals.

²Not published, but data available on hospitals administered by Ministry of Health.

³No national statistics available for individual hospitals.

⁴Not published, but available through 1995 upon request.

⁵Most recently published data—1992.

⁶Data available from the Social Insurance Institute.

⁷Most recently published data—1994.

⁸Data available on government hospitals.

⁹Data available on government and general fund hospitals.

¹⁰On national level, estimates only.

¹¹Not published.

¹²Not published, but available through 1994 upon request.

¹³Data not available per individual hospital.

¹⁴Subsample only.

¹⁵Nursing staff only.

¹⁶Published up to 1991–92. Later years available upon request.

¹⁷Not published, but available through 1990 upon request.

Discharge statistics by country, selected variables, and most recent year data published: 1995

Country	Hospital coverage	Data tabulated				Most recently published data
		Age and sex	Length of stay	Diagnosis	Surgical procedures	
Argentina	All hospitals	Yes	No	Yes	No	1990
Australia	Public hospitals (acute)	Yes	Yes	Yes	Yes	1991-92
	Private hospitals	Yes	Yes	Yes	Yes	1991-92
Austria	All hospitals	Yes	Yes	Yes	No	1992
Belgium	All hospitals	Yes	Yes	No	No	1993
Bulgaria	All hospitals	Yes	Yes	Yes	Yes	1992
Canada	General and specialized hospitals, including psychiatric units	Yes	Yes	Yes	Yes	1992-93
	Mental and psychiatric hospitals	Yes	Yes	Yes	No	1992-93
Chile	No national statistics					
China (People's Republic of)	No national statistics					
Czech Republic	All hospitals	Yes	Yes	Yes	Yes	1993
Denmark	All hospitals	Yes	Yes	Yes	Yes	1993
Estonia	All hospitals	Yes	Yes	Yes	Yes	1993
Finland	All hospitals	Yes	Yes	Yes	Yes	1993
France	Public hospitals (sample survey)	Yes	Yes	Yes	No	1987
	Private hospitals starting 1987	Yes	Yes	Yes	No	1987
	Mental hospitals	No	Yes	No	No	1989
Germany	All hospitals	Yes	Yes	Yes	No	1993
Greece	All hospitals	Yes	Yes	Yes	Yes	1992
Hong Kong	Public hospitals	No	Yes	Yes	No	1993-94
	Private hospitals	No	Yes	Yes	No	1994
Hungary	All hospitals	¹ Yes	Yes	¹ Yes	No	1993
Iceland	All hospitals	Yes	Yes	Yes	Yes	1992
Israel	Short-stay hospitals	Yes	Yes	Yes	Yes	1990
Italy	All hospitals (sample of discharges during the first 7 days of each month)	Yes	Yes	Yes	Yes	1992
Japan	Hospitals and general clinics (sample survey)	Yes	Yes	Yes	No	1993
Korea (Republic of)	All hospitals	No	Yes	Yes	Yes	1994
Latvia	All hospitals	² No	Yes	Yes	Yes	1994
Lithuania	All hospitals	² Yes	Yes	Yes	Yes	1994
Luxembourg	All hospitals	No	Yes	³ Yes	No	1994
Netherlands	General and most specialized hospitals, excluding psychiatric hospitals	Yes	Yes	Yes	Yes	1992

Discharge statistics by country, selected variables, and most recent year data published: 1995—Continued

Country	Hospital coverage	Data tabulated				Most recently published data
		Age and sex	Length of stay	Diagnosis	Surgical procedures	
Netherlands—Continued	(98.8 percent of discharges)					
	Psychiatric hospitals	Yes	Yes	Yes	No	1993
New Zealand	Public, private, and psychiatric hospitals (inpatients only)	Yes	Yes	Yes	Yes	1993
Norway	General and specialized somatic hospitals	Yes	Yes	Yes	Yes	1993
Poland	General (10 percent sample) and mental hospitals	Yes	Yes	Yes	No	1994
Portugal	Public hospitals	Yes	Yes	⁴ Yes	Yes	1993
	Private hospitals	Yes	Yes	No	Yes	1989
Russian Federation	All hospitals	No	Yes	Yes	Yes	1994
Singapore	All hospitals	Yes	Yes	Yes	Yes	1994
Slovak Republic	All hospitals	Yes	Yes	Yes	Yes	1992
Spain	All hospitals	Yes	Yes	Yes	No	1992
Sweden	General and specialized hospitals (all discharges)	Yes	Yes	Yes	Yes	⁵ 1992
Switzerland	Short-stay and psychiatric hospitals (40 percent of discharges)	Yes	Yes	Yes	Yes	1994
Ukraine	All hospitals	No	Yes	Yes	Yes	1994
United Kingdom:						
England	National Health Service hospitals	Yes	Yes	Yes	Yes	1993–94
Wales	National Health Service hospitals	Yes	Yes	Yes	Yes	1992–93
Northern Ireland	National Health Service hospitals	Yes	Yes	Yes	Yes	1992–93
Scotland	Scottish Health Service hospitals (excluding maternity patients and those from psychiatric hospitals and units ⁶)	Yes	Yes	Yes	Yes	1993
United States	Short-stay general and specialized hospitals (sample of discharges), excluding Federal ⁷ and institutional hospitals, and hospitals with less than 6 beds	Yes	Yes	Yes	Yes	1993
Venezuela	Public hospitals (80 percent)	Yes	Yes	Yes	No	⁸ 1983
Yugoslavia (Federal Republic of)	All hospitals	Yes	Yes	Yes	No	1993

¹Data available from Social Insurance Institute.

²Selected age groups.

³Limited to broad categories.


⁴Only general hospitals are included. Not published, but available through 1991.

⁵Not published, but available for 1993 upon request.

⁶Psychiatric units from general hospitals are excluded.

⁷Separate statistics are available for these categories of discharges.

⁸Not published, but available through 1990 upon request.



Health manpower statistics by country, type of profession, and most recent year data published: 1995

Country	Data tabulated							Most recently published data
	Physicians	Dentists	Professional nurses	Assistant nurses	Pharmacists	Midwives		
Argentina	Yes	Yes	Yes	Yes	Yes	No	1980	
Australia	Yes	Yes	Yes	Yes	Yes	No	1993	
Austria	Yes	Yes	¹ Yes	Yes	Yes	Yes	1993	
Belgium	Yes	Yes	Yes	Yes	Yes	Yes	1994	
Bulgaria	Yes	Yes	Yes	No	Yes	Yes	1992	
Canada	Yes	Yes	Yes	Yes	Yes	No	1992	
Chile	Yes	Yes	Yes	No	Yes	No	1992	
China (People's Republic of)	No	No	Yes	No	Yes	No	1994	
Czech Republic	Yes	Yes	Yes	Yes	Yes	Yes	1993	
Denmark	Yes	Yes	Yes	Yes	Yes	Yes	1993	
Estonia	Yes	Yes	Yes	---	Yes	Yes	1993	
Finland	Yes	Yes	Yes	Yes	Yes	Yes	1993	
France	² Yes	Yes	Yes	Yes	Yes	Yes	1993	
Germany	Yes	Yes	³ Yes	³ Yes	Yes	³ Yes	1993	
Greece	Yes	Yes	³ Yes	³ Yes	³ Yes	³ Yes	⁴ 1994	
Hong Kong	Yes	Yes	Yes	No	Yes	Yes	1994	
Hungary	Yes	Yes	Yes	Yes	Yes	Yes	1993	
Iceland	Yes	Yes	Yes	Yes	Yes	Yes	1992	
Israel	Yes	Yes	Yes	Yes	Yes	Yes	1983	
Italy	³ Yes	---	³ Yes	³ Yes	---	---	---	
Japan	⁵ Yes	⁵ Yes	Yes	Yes	⁵ Yes	Yes	⁶ 1994	
Korea (Republic of)	Yes	Yes	Yes	Yes	Yes	Yes	1994	
Latvia	Yes	Yes	Yes	No	Yes	Yes	1994	
Lithuania	Yes	Yes	Yes	No	Yes	Yes	1994	
Luxembourg	Yes	Yes	⁷ Yes	⁷ Yes	Yes	Yes	1994	
Netherlands	⁸ Yes	⁸ Yes	No	No	⁹ Yes	Yes	1994	
New Zealand	Yes	Yes	Yes	Yes	Yes	Yes	1990	
Norway	Yes	Yes	Yes	Yes	No	Yes	¹⁰ 1995	
Poland	Yes	Yes	Yes	Yes	Yes	Yes	1994	
Portugal	Yes	Yes	Yes	Yes	Yes	Yes	1993	
Russian Federation	Yes	Yes	Yes	Yes	Yes	Yes	1994	
Singapore	Yes	Yes	Yes	Yes	Yes	Yes	1994	

Health manpower statistics by country, type of profession, and most recent year data published: 1995—Continued

Country	Data tabulated						Most recently published data	
	Physicians	Dentists	Professional nurses	Assistant nurses	Pharmacists	Midwives		
Slovak Republic	Yes	Yes	Yes	Yes	Yes	Yes	Yes	1992
Spain	Yes	Yes	Yes	Yes	No	Yes	Yes	1994
Sweden	Yes	Yes	Yes	Yes	Yes	² Yes	Yes	1993
Switzerland	Yes	Yes	¹¹ Yes	¹¹ Yes	Yes	Yes	¹¹ Yes	1993
Ukraine	Yes	Yes	Yes	Yes	Yes	Yes	Yes	1994
United Kingdom:								
England	Yes	Yes	Yes	Yes	Yes	Yes	Yes	1993
Wales	Yes	Yes	Yes	Yes	Yes	Yes	Yes	1994
Northern Ireland	Yes	Yes	Yes	Yes	Yes	Yes	Yes	1993-94
Scotland	Yes	Yes	Yes	Yes	Yes	Yes	Yes	1993
United States	Yes	Yes	Yes	Yes	Yes	Yes	Yes	1993
Venezuela	Yes	Yes	Yes	Yes	Yes	Yes	Yes	⁵ 1989
Yugoslavia (Federal Republic of)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	1994

¹Data include all nurses.

²Data available for 1994 upon request.

³Only in hospitals.

⁴Not published, but available through 1995 upon request.

⁵Most recent data available for 1992 .

⁶Only employed personnel.


⁷Not published.

⁸Data include unemployed physicians, dentists, latest data available for 1991.

⁹Data available include only pharmacists working in pharmacies and hospitals; exclude those working in laboratories, industry, and universities.

¹⁰Includes both economically active and not economically active personnel.

¹¹Most recently tabulated data for nurses and midwives available for 1990.



National population-based surveys, by year and frequency, sample size, and type of survey

Country	Title	Frequency	Sample size ¹	Type of survey
Australia	Australian Health Survey	1977–78, 1983	15,000 dwellings(1977–78); 18,000 dwellings (1983)	Health interview
	National Health Survey	1989–90, 1995	22,000 dwellings (55,000 persons)	Health interview
	Survey of Disability, Ageing, and Carers	1988, 1993 (Previously conducted in 1981 as the Survey of Handicapped Persons)	16,000 dwellings (42,000 persons); 600 institutions (5,000 persons)	Disability
	Time Use Survey	1992	3,000 dwellings (7,000 persons, 14,000 person-days)	Multipurpose with lifestyle information
	National Aboriginal and Torres Strait Islander Survey	1994	5,000 dwellings (17,500 persons)	Multipurpose with health core
	National Nutrition Survey	1995	14,000 persons	Nutrition
Austria	Special Sport, Home, and Leisure Accident Survey	1970, 1980, 1989	29,000 households (67,000 persons)	Multipurpose with health core
	Special Smoking Habits Survey	1972, 1979, 1986	29,000 households (67,000 persons)	Health habits
	Special Health Survey	1973, 1983, 1991	29,000 households (67,000 persons)	Multipurpose with health core
	Special Impairment, Disability, and Handicap Survey	1976, 1986	29,000 households (67,000 persons)	Disability
Canada	Canada Health Survey	1978–79	Interview component, 12,218 dwellings with 40,000 persons 15 years of age and older Clinical examination component, 3,450 dwellings with 8,486 persons 2 years of age and older	Health interview
	Canada Fitness Survey (followup—Campbell Survey on Well-being in Canada 1988)	1981, proposed repeat survey in 1991 and longitudinal followups of 1981 sample in the interim	13,500 households with 31,000 persons 7 years of age and older	Fitness
	General Social Survey	1985, 1991 continuous cycles of 6 years in core areas	10,000 households with 13,000 persons 15 years of age and older	Multipurpose with health core
	Canadian Health and Disability Survey	Supplement to monthly Labour Force Survey, October 1983, June 1984	65,800 households (15,854 persons)	Disability

¹Sample size shown is for the latest survey conducted unless otherwise stated.

National population-based surveys, by year and frequency, sample size, and type of survey—Continued

Country	Title	Frequency	Sample size ¹	Type of survey
Canada (Continued)	Health Promotion Survey	1985, 1990	11,000 persons 15 years of age and older	Health interview
	Health and Activity Limitation Survey	Postcensal survey—1986 (households); 1987 (institutions); 1991	184,500 persons in households, 19,100 persons in 1,100 institutions	Health interview
	Aboriginal Peoples Survey	1991	20,000 persons	Health interview
	National Population Health Survey	1994	22,000 households (11,000 persons)	Health interview
China, (People's Republic of)	National Sample Survey on the Situation of Children	1987, 1992	40,000 households	Multipurpose
Czech Republic	Survey of Treated Morbidity	1986	131,097 persons of all ages	Health interview
	Reproductive Health Survey	1993	4,500 women 15–44 years of age	Family planning
	Health Interview Survey, Czech Republic, 1993 (HIS CR 93)	1993	1,600 persons 15 years of age and older	Health interview
Denmark	The Danish Health and Morbidity Survey	1986–87, 1994	6,000 persons	Health interview and health behavior
	Population Survey on Prevention of Musculoskeletal Disorders	1990–92	6,000 persons 16 years of age and older	Health promotion and behavior
Estonia	Living Conditions Survey	1994	5,000 persons 18–74 years of age	Level of living
	National Health Interview Survey	1996	5,000 persons 16 years of age and older	Health interview
Finland	Population Health Survey	1964, 1968, 1976, 1987	7,000 families (18,000 persons)	Health and security
	Mini-Finland Health Survey	1977–81	8,000 persons 30 years of age and older	Multipurpose
France	French Health Survey	1960, 1970, 1980, 1991–92	21,000 persons	Health interview
	National Inpatients Survey	1981, 1991–92	5,000 persons	Health interview
	Health Survey Social Protection	Annually, since 1988	7,800 persons	Health interview

¹Sample size shown is for the latest survey conducted unless otherwise stated.

National population-based surveys, by year and frequency, sample size, and type of survey—Continued

Country	Title	Frequency	Sample size ¹	Type of survey
Germany	Questions on Health— Microcensus Supplementary Survey	Irregular intervals from 1963 to 1986; every 3 years since 1986	Sampling fraction of households (0.5 percent)	Multipurpose with health core
Hungary	Health Interview Survey	1986, 1993	16,000 households (37,500 persons)	Health interview
	Health Behavior Survey	1994	5,476 persons 15–64 years of age	Health interview
Iceland	Survey of Living Conditions in Iceland, 1988	1988	2,000 persons 16–75 years of age	Level of living
Israel	Uses of Health Services Survey	1977, 1981, 1993	6,000 households (22,000 persons)	Health service usage and health interview
	Survey of the Elderly (Persons Aged 60 and Over in Households)	1982, 1985	3,300 households with persons 60 years of age and older	Level of living
Italy	The Survey of Health Conditions of the Population and the Use of Health Services	1980–83, 1986–87, 1990–91, 1994	20,000 households (60,000 persons)	Multipurpose
Japan	Comprehensive Survey of Living Conditions of People on Health and Welfare	Every third year, starting in 1986	250,000 households (780,000 persons)	Level of living
Korea (Republic of)	Patients Survey	Biennial, since 1969	6,251 hospitals, clinics, and health centers	Health interview
	National Nutrition Survey	Annual, since 1969	2,000 households (7,215 persons)	Health and nutrition interview
	Social Statistics Survey	Annual, since 1977	34,000 households	Multipurpose
	National Health Interview Survey	Triennial, since 1983	6,605 households	Health service usage and health interview

¹Sample size shown is for the latest survey conducted unless otherwise stated.

National population-based surveys, by year and frequency, sample size, and type of survey—Continued

Country	Title	Frequency	Sample size ¹	Type of survey
Latvia	Epidemiologic Research on Most Common Noninfectious Diseases	1991	18,040 persons selected (data on 5,449 persons)	Multipurpose
	Living Conditions Survey	1994	3,500 persons	Living conditions
Netherlands	Quality of Life Survey	1974–86 every third year; continuous from 1989	3,500 persons 18 years of age and over	Multipurpose
	National Health Interview Survey	Continuous, beginning 1981	3,000 households (9,000 persons)	Health interview
	National Health Interview Survey of Turkish Inhabitants in the Netherlands	1989–90	5,306 persons	Health Interview
New Zealand	Household Health Survey	1992–93; planned every 3–5 years	6,825 persons	Health interview
Norway	Health Survey	1968, 1975, 1985, 1995	5,100 households (13,100 persons)	Health interview
	Survey of Level of Living	1973, 1980, 1983, 1987, 1991, 1995	5,100 persons 16 years of age and over	Level of living
	Working Environment Survey	1989, 1993	4,359 employees in 1,050 establishments	Working conditions and health
Poland	Social Status of Household Survey	1985, 1986, 1989, 1990	120,000 households (380,000 persons)	Level of living with health component
	Family Health Survey	1987	21,351 households (68,000 persons)	Health interview
	Sociodemographic and Health Determinants of Infant Mortality Survey	1991	6,400 children under 1 year of age	Infant mortality
	Household Health and Expenditures for Health Care Survey	1994	3,800 households (12,500 persons)	Health expenditures
	Disabled on the Labour Market Survey	1995	8,000 persons	Disability

¹Sample size shown is for the latest survey conducted unless otherwise stated.

National population-based surveys, by year and frequency, sample size, and type of survey—Continued


Country	Title	Frequency	Sample size ¹	Type of survey
Portugal	National Health Survey	Entire country in 1987, 1995–96	20,000 households	Health interview
		Lisbon area, 1989	4,892 households	
		North area, 1990	5,055 households	
		Alentejo area, 1991	2,373 households	
		Algarve area, 1993	1,260 households	
Singapore	National Health Survey	Beginning in 1992, every 5–7 years	3,568 persons 18–69 years of age	Health interview and examination
	Morbidity Survey of Outpatient	1993	23,000 patients	Medical consultation
	Behavioural Risk Factor Survey	1994, every 2 years	2,530 Singapore residents 18–64 years of age	Health interview
	Survey on Cigarette Smoking Among Singaporeans	1995	5,000 persons 18–64 years of age	Smoking habits
	National Survey of Senior Citizens	1995, every 10 years	6,000 persons 55 years of age and older	Health interview
Spain	Survey on Impairments, Disabilities, and Handicaps	1986	75,000 households (275,000 persons)	Disability
	National Health Survey	1987	40,000 persons	Health interview
Sweden	Survey of Living Conditions	Annual, since 1975	7,000 persons 16–84 years of age	Level of living
Switzerland	Trend Survey on Health Behavior and Alcohol Consumption in Switzerland	1975, 1981, 1987	Between 1,500 and 3,000 persons 15 years of age and older	Health behavior
	Swiss Health Survey (SOMIPOPS)	1981–82	5,860 persons 20 years of age and older	Health interview
	Health Behavior of School-Age Children in Switzerland	1986, 1990, 1994	16,000 children between 11 and 16 years of age	Health behavior
	Swiss Health Promotion Survey	1989	2,111 persons 20–74 years of age	Health interview
	Swiss Health Survey	1992–93	16,000 households with persons 15 years of age and over	Health interview

¹Sample size shown is for the latest survey conducted unless otherwise stated.

National population-based surveys, by year and frequency, sample size, and type of survey—Continued

Country	Title	Frequency	Sample size ¹	Type of survey
Ukraine	National Health Survey	Annual, since 1986	850,000 persons	Health examination
United Kingdom	General Household Survey	Continuous, since 1971 (Survey of Sickness conducted 1944–52)	10,000 households (20,000 persons)	Multipurpose
United States	National Health Interview Survey (NHIS)	Continuous, since 1957	50,000 households (135,000 persons)	Health interview
	National Health and Nutrition Examination Survey (NHANES)	I - 1971–74	32,000 persons	Health interview and examination
		IA - 1974–75	7,000 persons	
		II - 1976–80	28,000 persons	
		III - 1988–94	30,000 persons	
	Hispanic Health and Nutrition Examination Survey (HHANES)	1982–84	16,000 persons aged 6 months to 74 years	Health interview and examination
National Survey of Family Growth (NSFG)	1973, 1976, 1982, 1988, 1995	10,500 women 15–44 years of age	Family planning	
United States	National Health and Nutrition Examination Survey I—Epidemiologic Follow-up Study (NHEFS)	1982–84, 1986, 1987, 1992	Periodic followup to 14,407 adults in NHANES I	Health interview
	Longitudinal Study of Aging (LSOA)	1984, 1986, 1988, 1990	7,527 persons 70 years of age and older in the 1984 NHIS	Health interview

¹Sample size shown is for the latest survey conducted unless otherwise stated.



Australia

Title	Australian Health Survey
Responsible agency or ministry	Australian Bureau of Statistics
Objective	To provide information about the health of Australians and their use and need of various health services and facilities.
Scope	Sample of 18,000 private and nonprivate dwellings selected throughout Australia covering about one-third of 1 percent of the population. All persons 15 years of age and older were interviewed (mother was usual respondent for children less than 15 years of age).
Collection method	Interviewer-administered questionnaire.
Data content	Health-related actions, acute illness conditions, hospitalizations, reduced activity, consultations with health professionals, medications taken, and demographic and socioeconomic characteristics.
Frequency	Conducted in 1977–78 and 1983 (replaced by National Health Survey Series).
Availability of data	Sample data file and statistical reports of survey findings (charges apply).
Contact	Information Services or Health Section Australian Bureau of Statistics P.O. Box 10 Belconnen, Australia 2616 Phone: (61) (6) 252 5249 FAX: (61) (6) 253 1404

Australia

Title	National Aboriginal and Torres Strait Islander Survey
Responsible agency or ministry	Australian Bureau of Statistics
Objective	To provide comparable information across Australia about Aboriginal and Torres Strait Islander people.
Scope	A sample of approximately 5,000 dwellings or 17,500 Aboriginal and Torres Strait Islander people. Households were selected at random using a multistage sample design stratified by the 35 Aboriginal and Torres Strait Islander Commission regions and the Torres Strait Area.
Collection method	Interviewer-administered questionnaire.
Data content	Family and culture, housing, education and training, employment and income, law and justice, health data including health actions, attitudes to health, health status, illness conditions, health-risk factors, disability, and access and attitudes to health services and facilities.
Frequency	Irregular. First conducted in 1994.
Availability of data	Standard publications and consultancy service (charges apply).
Contact	National Centre for Aboriginal and Torres Strait Islander Statistics Australian Bureau of Statistics GPO Box 3796 Darwin NT Australia 0801 Phone: (61) (89) 432 190 FAX: (61) (89) 410 715

Australia

Title	Survey of Disability, Ageing, and Carers
Responsible agency or ministry	Australian Bureau of Statistics
Objective	To provide national data on persons with one or more long-term health conditions and on older persons living in households and health establishments.
Scope	Multistage sample of 42,000 persons in 16,000 residential dwellings and 5,000 patients or residents from approximately 600 randomly selected establishments. All persons in selected dwellings aged 18 years and over are interviewed.
Collection method	Household component—interviewer administered questionnaire. Persons identified as having one or more long-term health conditions, aged 60 years or older, or the principal carers of these two populations are interviewed. Any responsible adult in the household may provide data for persons without a health condition, for persons not at home, and for children under 17 years of age with a condition. Health establishment component—questionnaire completed by administrator of establishment. Carer component—self-enumeration form completed by persons identified as principal carers by recipient of care or who self-identify as providing a comparable level of care to a recipient in another household.
Data content	Household component—chronic conditions, difficulties and help required for personal care, communications and mobility, amount of help required for specific tasks, types of aids to perform everyday tasks, carers, and demographic and socioeconomic characteristics. Health establishment component—same as above in less detail, excluding socioeconomic data.
Frequency	Previously irregular. Similar surveys conducted in 1981 and 1988. Beginning in 1993, conducted at 5-year intervals. Next survey proposed for 1998.
Availability of data	Statistical reports of survey findings, public-use files, special-purpose tabulations, and statistical analysis will be available (charges apply).
Contact	Australian Bureau of Statistics P.O. Box 10 Belconnen, Australia 2616 Phone: (61) (6) 252 7430 FAX: (61) (6) 253 1673

Australia

Title	National Health Survey
Responsible agency or ministry	Australian Bureau of Statistics
Objective	To provide baseline and trend data on a broad range of health status indicators and health-related behaviors of Australians.
Scope	Sample of approximately 22,000 private and nonprivate dwellings selected throughout Australia covering about 55,000 persons. All persons aged 18 years and over in selected households were interviewed. Children aged 15 to 17 years were interviewed with the consent of the parents or guardians. Parents or guardians were asked to provide data for children under 15 years of age.
Collection method	Interviewer-administered questionnaire and self-administered questionnaires for some topics.
Data content	Recent illness, chronic illness, general health and well-being, specific women's health issues, hospital episodes, medical consultations, use of medications, short-term disability, smoking, alcohol consumption, self-reported height and weight, accidents, exercise, breastfeeding, sun protection, and demographic and labor force characteristics.
Frequency	Conducted in 1989–90 and 1995. Planned every 5 years.
Availability of data	Public-use data tapes and statistical reports on survey findings (charges apply).
Contact	Information Services or Health Section Australian Bureau of Health P.O. Box 10 Belconnen, Australia 2616 Phone: (61) (6) 252 5249 FAX: (61) (6) 253 1404

Australia

Title	National Nutrition Survey
Responsible agency or ministry	Australian Bureau of Statistics
Objective	To provide baseline data on food and nutrient intakes of Australians and their physical measurements.
Scope	Sample of approximately 14,000 persons 2 years of age and older, selected from respondents to the National Health Survey. Two or three persons per household will be selected.
Collection method	Qualified nutritionists have been employed as interviewers. Interviewer-administered individual Food Intake Questionnaire for all persons 2 years of age and older. Signed consent is requested for physical measurements including height, weight, waist and hip circumference. Blood pressure readings are taken of persons 16 years of age and older. Consent is given by parent or guardians for children under 18 years of age living at home. Mail-back Food Frequency Questionnaire is provided for selected persons 12 years of age and older.
Data content	Detailed food intake during previous 24 hours, physical measurements (blood pressure, height, weight, waist, and hip), dietary habits and attitudes, and average frequency of intake of foods over previous 12 months.
Frequency	Conducted in 1995, no proposal for next survey.
Availability of data	Demographic and health data will be available in public-use tapes and statistical reports of survey findings (charges apply).
Contact	Information Services or Health Section Australian Bureau of Statistics P.O. Box 10 Belconnen, Australia 2616 Phone: (61) (6) 252 5249 FAX: (61) (6) 253 1404

Australia

Title	Time Use Survey
Responsible agency or ministry	Australian Bureau of Statistics
Objective	To provide national data on the patterns of time use of persons 15 years of age and over, living in households.
Scope	Multistage sample of 7,000 persons in 3,000 residential dwellings, providing 14,000 person-day records. All persons aged 15 years and over in households are interviewed.
Collection method	Household component: Responsible adult answers interviewer-administered questionnaire. Personal questionnaire: Responsible adult answers interviewer-administered questionnaire for all persons in scope. Personal diary: Left to be completed by each person in scope, then collected by interviewer.
Data content	Identification of persons with disability and with severe handicap, identification of principal carers for the latter, type of activity, start and finish time of activity episode, location of activity episode, mode of travel, social context of activity episode, simultaneous activities, and demographic and socioeconomic characteristics.
Frequency	Pilot survey conducted in 1987. Full survey conducted in 1992, planned for 5-year intervals. Next survey scheduled for 1997.
Availability of data	Statistical reports of survey findings, public-use files, and special tabulations are available (charges apply).
Contact	Australian Bureau of Statistics P.O. Box 10 Belconnen, Australia 2616 Phone: (61) (6) 252 6316 FAX: (61) (6) 253 1673

Austria

Title	Special Sport, Home, and Leisure Accident Survey
Responsible agency or ministry	Austrian Central Statistical Office
Objective	To provide national data on the sport, home, and leisure accidents of the civilian noninstitutionalized population of Austria.
Scope	Sample of about 29,000 households covering about 67,000 persons per microcensus program. Generally, all persons in selected dwellings are interviewed. Adult family member may provide data for persons not at home and for children.
Collection method	Interviewer-administered questionnaire.
Data content	Incidence of accidents by cause and place, kind and severity of injuries, primary medical providings and health consequences, and demographic and socioeconomic characteristics.
Frequency	Planned every 10 years. Conducted in 1970, 1980, and 1989.
Availability of data	Statistical reports.
Contact	Mag. Jeannette Langgassner Austrian Central Statistical Office Division of Population Statistics Subdivision Health Statistics Hintere Zollamtsstrasse 2b A-1033 Vienna, Austria Phone: (43) (1) 711 28 7262 FAX: (43) (1) 718 24 01

Austria

Title	Special Impairment, Disability, and Handicap Survey
Responsible agency or ministry	Austrian Central Statistical Office
Objective	To provide national data on the impairment, disability, and handicap status of the civilian noninstitutionalized population of Austria.
Scope	Sample of about 29,000 households covering about 67,000 persons per microcensus program. Generally, all persons in selected dwellings are interviewed. Adult family member may provide data for persons not at home and for children.
Collection method	Interviewer-administered questionnaire.
Data content	Prevalence of impairments, disabilities, and handicaps; cause, severity, and duration of disabilities; care, remedies, and rehabilitation facilities for disabled people; and demographic and socioeconomic characteristics.
Frequency	Planned every 10 years. Conducted in 1976 and 1986.
Availability of data	Statistical reports.
Contact	Mag. Jeannette Langgassner Austrian Central Statistical Office Division of Populations Statistics Subdivision Health Statistics Hintere Zollamtsstrasse 2b A-1033 Vienna, Austria Phone: (43) (1) 711 28 7262 FAX: (43) (1) 718 24 01

Austria

Title	Special Health Survey
Responsible agency or ministry	Austrian Central Statistical Office
Objective	To provide national data on the health status of the civilian noninstitutionalized population of Austria.
Scope	Sample of about 29,000 households covering about 67,000 persons per microcensus program. Generally, all persons living in the selected dwellings are interviewed. Adult family member may provide data for persons not at home and for children.
Collection method	Interviewer-administered questionnaire.
Data content	Incidence of acute illness and prevalence of selected chronic diseases and complaints, medications used, physician visits and hospital episodes, participation in health prevention and vaccination programs, health behavior, and demographic and socioeconomic characteristics.
Frequency	Planned every 10 years. Conducted in 1973, 1983, and 1991.
Availability of data	Statistical reports.
Contact	Mag. Jeannette Langgassner Austrian Central Statistical Office Division of Population Statistics Subdivision Health Statistics Hintere Zollamtsstrasse 2b A-1033 Vienna, Austria Phone: (43) (1) 711 28 7262 FAX: (43) (1) 718 24 01

Austria

Title	Special Smoking Habits Survey
Responsible agency or ministry	Austrian Central Statistical Office
Objective	To provide national data on smoking habits of the civilian noninstitutionalized population of Austria.
Scope	Sample of about 29,000 households covering about 67,000 persons per microcensus program. All persons aged 16 years or older in selected dwellings are interviewed. Adult family member may provide data for persons not at home.
Collection method	Interviewer-administered questionnaire.
Data content	Prevalence of smokers, ex-smokers, and true nonsmokers; type and amount of tobacco consumption; health consequences and withdrawal of smoking; and demographic and socioeconomic characteristics.
Frequency	Planned every 7 years. Conducted in 1972, 1979, and 1986.
Availability of data	Statistical reports.
Contact	Mag. Jeannette Langgassner Austrian Central Statistical Office Division of Population Statistics Subdivision Health Statistics Hintere Zollamtsstrasse 2b A-1033 Vienna, Austria Phone: (43) (1) 711 28 7262 FAX: (43) (1) 718 24 01

Canada

Title	Aboriginal Peoples Survey
Responsible agency or ministry	Statistics Canada
Objective	To provide a comprehensive data source about Canada's Aboriginal Peoples, enable an assessment of their socioeconomic conditions, and provide information required to develop programs and services for Aboriginal Peoples in Canada.
Scope	Noninstitutionalized population (all ages) of Canada who indicated in the 1991 census that they have Aboriginal origins or that they are a registered Indian under the Indian Act of Canada and further indicated that they <i>identify</i> with an Aboriginal group (i.e., North American Indian, Metis, Inuit, or other Aboriginal group such as "Cree" or "Inuvialuit"), and are registered under the Indian Act of Canada. Excluded are 78 Indian reserves and settlements incompletely enumerated in the 1991 census (approximately 38,000 persons) and an additional 181 reserves and settlements incompletely enumerated during the Aboriginal Peoples Survey (approximately 20,000 persons).
Collection method	Interviewer-administered adult questionnaire and children questionnaire.
Data content	Identity, ancestry, registered Indian status, language and tradition, disability, health, lifestyles and social issues, mobility, schooling, work and related activities, income and expenditures, housing, and sociodemographic characteristics from the census.
Frequency	Conducted in 1991.
Availability of data	Microdata file, statistical reports, and custom tabulations.
Contact	Statistics Canada, Post-Censal Surveys Program 9-C8 Jean Talon Building Tunney's Pasture Ottawa, Ontario K1A 0T6, Canada Phone: (613) 951-4414 FAX: (613) 951-2906

Canada

Title	Canada Fitness Survey
Responsible agency or ministry	Canadian Fitness and Lifestyle Research Institute
Objective	To provide data on physical activity patterns and lifestyle habits of Canadians, as well as the values, motives, and obstacles affecting physical activity.
Scope	Sample of approximately 13,500 households with 31,000 persons 7 to 69 years of age.
Collection method	Self-administered questionnaire and clinical examination of physical measurements.
Data content	Standardized Test of Fitness used to test cardiovascular fitness, flexibility, muscular endurance and strength. Anthropometric measures on standing stretch stature, weight, triceps, biceps, subscapular, suprailiac and calf skinfolds, chest, abdomen, hip, thigh, calf and upper arm girth, diameters of the knee and elbow, and demographic and socioeconomic characteristics.
Frequency	Conducted in 1981.
Availability of data	Data tapes and statistical reports.
Contact	Canadian Fitness and Lifestyle Research Institute 1600 James Naismith Drive, Suite 313 Gloucester, Ontario, Canada K1B 5N4 Phone: (613) 748-5791 FAX: (613) 748-5792

Canada

Title	Canada Health Survey
Responsible agency or ministry	Statistics Canada
Objective	To gather data on the prevalence and nature of acute and chronic, mental, and physical illnesses, to permit an assessment of the health status and needs of Canadians, and to measure changes in status and needs.
Scope	Noninstitutionalized population of persons 15 years of age and older, excluding residents of the Northwest Territories, Indian reserves, and remote areas as defined by the Canadian Labour Force Survey. Exclusions account for about 3 percent of the entire population. Approximately 12,000 households (40,000 persons) interviewed. Medical examinations were administered to a subsample of one-third of these households.
Collection method	Interviewer-administered questionnaire, self-administered questionnaire, and physical measurement.
Data content	Activity limitations, short-term conditions, accidents and injuries, chronic conditions, impairments, hearing, vision and dental status, utilization of resources and medicines, disability days, alcohol and tobacco use, physical activity, seatbelt use, family disease history, physical measurement of blood pressure, cardiorespiratory fitness, height, weight and skinfold, and demographic and socioeconomic characteristics.
Frequency	Conducted in 1978–79.
Availability of data	Data tapes and statistical reports.
Contact	Statistics Canada R.H. Coats Building, 18th Floor Ottawa, K1A 0T6, Canada Phone: (613) 951-1746 FAX: (613) 951-0792

Canada

Title	General Social Survey
Responsible agency or ministry	Statistics Canada
Objective	To gather data on social trends in order to monitor changes in Canadian society over time and to provide information on specific policy issues of current or emerging interest.
Scope	Noninstitutionalized population of persons 15 years of age and older, excluding residents of the Northwest Territories, Indian reserves, and remote areas as defined by the Canadian Labour Force Survey. Exclusions account for about 3 percent of the entire population. Approximately 10,000 households (13,000 persons); random digit-dialing telephone sample; personal interview sampling frame drawn from the Labour Force Survey.
Collection method	Telephone interviews with persons 15–64 years of age, and personal interviews with persons 65 years of age and older.
Data content	Health status measures, disability, health care services, physical activity, alcohol and tobacco use, height and weight, social support and the elderly, and demographic and socioeconomic characteristics.
Frequency	Conducted in 1991. Continuous cycles of 6-year in core area. Data content has been transferred to the National Population Health Survey.
Availability of data	Data tapes and statistical reports (charges apply).
Contact	Statistics Canada Housing, Family and Social Statistics Division Ottawa, K1A 0T6, Canada Phone: (613) 951-9180 FAX: (613) 951-0387

Canada

Title	Health and Activity Limitation Survey
Responsible agency or ministry	Statistics Canada
Objective	To gather data on the prevalence of disability according to the functional definitions of disability and handicap accepted by the World Health Organization. These data are to aid in the building of a national database on disability.
Scope	All persons with a physical or psychological disability who were living in Canada at the time of the 1986 census. These persons were identified by a review of the responses to the disability question on the census form. The household survey sample was approximately 184,500 persons. Of the 1,100 institutions surveyed, a sample of 19,100 persons was selected.
Collection method	Interviewer-administered questionnaire and telephone interviews for some screening questions.
Data content	Activity limitations, nature and prevalence of disability or handicap, special aids used or required, transportation, education and employment status and needs for special accommodations, recreation and lifestyle, and economic characteristics.
Frequency	Conducted in 1991.
Availability of data	Data tapes and statistical reports (charges apply).
Contact	Statistics Canada, Post-Censual Surveys Program 9C-8 Jean Talon Building Ottawa, K1A 0T6, Canada Phone: (613) 951-4414 FAX: (613) 951-2906

Canada

Title	Canadian Health and Disability Survey
Responsible agency or ministry	Statistics Canada
Objective	To gather data on the prevalence of disability according to the functional definitions of disability and handicap accepted by the World Health Organization.
Scope	As a supplement to the Labour Force Survey (LFS), a sample of disabled persons 15 years of age and older was identified by a screening questionnaire that was administered to five-sixths of the LFS. Of the 126,686 persons surveyed in 65,800 households, 15,854 were identified as having some form of disability and were then interviewed.
Collection method	Interviewer-administered questionnaire.
Data content	Nature and prevalence of disability or handicap, special aids used or required, education, transportation and employment status and needs of the disabled, and demographic and socioeconomic status.
Frequency	Conducted in 1983–84.
Availability of data	Data tapes and statistical reports (charges apply).
Contact	Statistics Canada Disability Database Development Project R.H. Coats Building, 17th Floor Ottawa, K1A 0T6, Canada Phone: (613) 951-2990 FAX: (613) 951-0792

Canada

Title	Health Promotion Survey
Responsible agency or ministry	Health and Welfare Canada
Objective	To provide information for planning and development of the Health Promotion Program.
Scope	Approximately 11,000 persons 15 years of age and older of the noninstitutionalized population, excluding residents of the Northwest Territories.
Collection method	Random digit-dialing telephone interview.
Data content	Health status, self-reported body measurements, exercise, smoking and alcohol consumption, drug use, safety, preventive health practices, nutrition, recent and intended efforts to improve health status, selected practices of peers, and demographic and socioeconomic characteristics.
Frequency	Every 5 years. Conducted in 1990.
Availability of data	Data tapes and statistical reports (charges apply).
Contact	Health and Welfare Canada Health Promotion Studies Unit Brooke Claxton Building Ottawa, K1A 1B4, Canada Phone: (613) 954-3354 FAX: (613) 990-7097

Canada

Title	National Population Health Survey
Responsible agency or ministry	Statistics Canada
Objective	To aid in the development of public policies designed to improve health, to provide data for analysis of the determinants of health, to collect data on the correlates of health, to increase understanding about health status in relation to services, to provide panel data and periodic cross-sectional estimates, to provide data users with the capacity to supplement sample or content in a health survey, and to allow linkage to other health data sources.
Scope	Noninstitutionalized population, 10 provinces and 2 territories (all ages), excluding natives on reserves. Exclusions account for approximately 3 percent of total population. Approximately 22,000 households will be sampled. One person in each household will be randomly selected to participate in the longitudinal portion of the survey.
Collection method	Computer-assisted personal interview.
Data content	Health care utilization, injuries, restriction of activities, chronic conditions, preventive health practices, health status, smoking, alcohol, drug use, stress (ongoing, childhood, adult, recent life events, and work), mastery, social support, self-esteem, mental health, physical activities, height and weight, pets and safety, income, and sociodemographic characteristics.
Frequency	Biennial, starting in 1994. For some data from previous years, see The General Social Survey.
Availability of data	Microdata file and statistical reports in mid-1995.
Contact	Statistics Canada National Population Health Survey R.H. Coats Building, 24th Floor Ottawa, K1A 0T6, Canada Phone: (613) 951-3830 FAX: (613) 951-4198

China, People's Republic of

Title	National Sample Survey on the Situation of Children
Responsible agency or ministry	State Statistical Bureau Organization of Rural Social and Economic Surveys Organization of Urban Social and Economic Surveys
Objective	To provide information about the health and living conditions of children in China.
Scope	Stratified two-stage cluster sample of approximately 40,000 households in 30 provinces, autonomous regions, and cities.
Collection method	Interviewer-administered questionnaire.
Data content	Health conditions, disabilities, health care, hospitalizations, environmental living conditions, and demographic and socioeconomic characteristics.
Frequency	Conducted in 1987 and 1992. Planned for every 5 years.
Availability of data	Statistical reports.
Contact	Jianwu Wen International Statistical Information Center State Statistical Bureau 38 Yuetan Nanjie Sanlihe Beijing People's Republic of China Phone: (86) (1) 3266600-2810 FAX: (86) (1) 3266600-2810

Czech Republic

Title	Health Interview Survey, Czech Republic, 1993 (HIS CR 93)
Responsible agency or ministry	Institute of Health Information and Statistics of the Czech Republic
Objective	To acquire basic characteristics of the population's health for monitoring the World Health Organization project "Health for All by the Year 2000," and to determine the frequency in which a disease, symptom, phenomenon, or health complaint actually occurs among the population or its subgroups.
Scope	Multistage random stratified sample of 1,600 persons 15 years of age and older from the Central Register of Inhabitants of the Czech Republic.
Collection method	Interviewer-administered questionnaire.
Data content	Perceived physical, mental, and social health; prevalence of chronic diseases; disability; leisure-time activities; alcohol and smoking habits; dietary habits; health insurance; and demographic and socioeconomic characteristics.
Frequency	Conducted in 1993.
Availability of data	Preliminary statistical report presenting the survey findings in Czech only (translation, charges apply).
Contact	Vlasta Mazánková Institute of Health Information and Statistics of the Czech Republic Palackého Nám. 4 - P.O. Box 42 Prague 2 Czech Republic Phone: (42) (2) 2497 2243 FAX: (42) (2) 2491 5982

Czech Republic

Title	Reproductive Health Survey
Responsible agency or ministry	Czech Statistical Office Ministry of Health
Objective	To gather data on a wide range of topics related to reproductive health in the Czech Republic. Most issues are examined for women with specific geographic, social, demographic, and economic characteristics. This makes it possible to identify the portions of the population with specific health needs or problems.
Scope	Of the 12,747 households selected, 4,870 were found to include at least one woman of reproductive age. Of this number, approximately 4,497 were successfully interviewed.
Collection method	Female interviewer-administered questionnaire.
Data content	Childbearing, knowledge and use of contraceptive methods, use of maternal and child health services, sexuality and contraception among young adults, women's health habits, knowledge and attitudes about reproductive topics, knowledge about HIV/AIDS, and demographic and socioeconomic characteristics.
Frequency	Conducted in 1993.
Availability of data	Preliminary report published in 1993. Final report will be in 1994.
Contact	Czech Statistical Office Sokolovská 142 186 13 Prague 8 Czech Republic Phone: (42) (2) 839 542 FAX: (42) (2) 826 489

Czech Republic

Title	Survey of Treated Morbidity
Responsible agency or ministry	Institute of Health Information and Statistics
Objective	To determine the distribution of incidence of chronic diseases, congenital anomalies, permanent sequelae of diseases and injuries, and incidence of acute diseases and injuries.
Scope	Sample (born on seventh day of an odd month) yielded 131,097 inhabitants (1.64 percent of the total population of the Czech Republic).
Collection method	Questionnaire filled in by all general practitioners.
Data content	Prevalence of chronic diseases, congenital anomalies, permanent sequelae of diseases, incidence of acute illness and injuries, disability, hospitalizations, medications taken, and demographic and socioeconomic characteristics.
Frequency	Proposed every 5 years. Conducted in 1986.
Availability of data	Published statistical reports presenting the survey findings in Czech only (translation, charges apply).
Contact	Vlasta Mazánková Institute of Health Information and Statistics of the Czech Republic Palackého Nám. 4 - P.O. Box 42 Prague 2, Czech Republic Phone: (42) (2) 2497 2243 FAX: (42) (2) 2491 5982

Denmark

Title	The Danish Health and Morbidity Survey
Responsible agency or ministry	Danish Institute for Clinical Epidemiology Center for Studies in Health and Health Services
Objective	To provide national data on the health, illness, illness behavior, and health behavior of the adult population of Denmark.
Scope	Simple probability sample of 6,000 persons every 3–4 years. The sample is drawn from all of the population 16 years of age and older from the central population register.
Collection method	Interviewer-administered questionnaire.
Data content	Core component—chronic illnesses, 2-week prevalence of symptoms, complaints and injuries (acute illnesses), long- and short-term disabilities, perceived health, use of health services, illness behavior, health promotion behavior (dietary habits, exercise, etc.), health-risk behavior, and demographic and socioeconomic status. Supplementary component—every second survey focuses on specific general topics. Each survey also includes more specific topics.
Frequency	Every 3–4 years. Conducted in 1986–87 and 1994.
Availability of data	Statistical reports and data files according to specific agreement.
Contact	Niels Kr. Rasmussen and Mette Kjølner Danish Institute for Clinical Epidemiology 25, Svanemøllevvej 2100 Copenhagen Ø, Denmark Phone: (45) (31) 20 77 77 FAX: (45) (31) 20 80 10

Denmark

Title	Population Survey on Prevention of Musculoskeletal Disorders
Responsible agency or ministry	Danish Institute for Clinical Epidemiology Center for Studies in Health and Health Services
Objective	To provide data from the adult population on health promotion behavior and illness behavior in relation to musculoskeletal disorders and to describe the prevalence and health consequences of discomfort, symptoms, and diseases in the muscles and skeletal system.
Scope	Simple probability sample of 6,000 persons 16 years of age and older. The sample is drawn from the central population register.
Collection method	Interviewer-administered questionnaire.
Data content	Health promotion behavior regarding low-back pain (knowledge and handling of risk factors, actual behavior, and attitude towards prevention of low-back pain), self-assessed health status and quality of life, illness behavior, use of health services, activity limitations, and demographic and socioeconomic characteristics.
Frequency	Conducted in 1990–92. The survey forms part of the Danish Institute for Clinical Epidemiology's regular health and morbidity survey program every 3–4 years, alternately as general health and morbidity surveys and as health surveys on specific topics.
Availability of data	Statistical reports in Danish and data files according to specific agreement.
Contact	Mette Kjøller Danish Institute for Clinical Epidemiology 25, Svanemøllevej 2100 Copenhagen Ø, Denmark Phone: (45) (31) 20 77 77 FAX: (45) (31) 20 80 10

Estonia

Title	National Health Interview Survey
Responsible agency or ministry	Estonian Statistical Office Ministry of Social Affairs
Objective	To provide national data on health, illnesses, nutrition, social contacts, consumption of alcohol, smoking habits, psychological well-being, and health habits.
Scope	Probability sample of 5,000 individuals 16 years of age and older.
Collection method	Interviewer-administered questionnaire.
Data content	Fixed core data component—composition of household, nutrition, chronic illness, physician visits, medical insurance, consumption of alcohol, smoking habits, physical activities, lifestyle, disability, psychological well-being, health habits, and demographic and socioeconomic characteristics.
Frequency	Every 8 years beginning in 1996.
Availability of data	Public-use data files and statistical reports presenting the survey findings.
Contact	Jüri Uljas Living Conditions Section Estonian Statistical Office EE-0100 Tallinn, Estonia Phone: (372) (2) 452-882 FAX: (372) (2) 453-923

Estonia

Title	Living Conditions Survey
Responsible agency or ministry	Estonian Statistical Office Ministry of Social Affairs
Objective	To provide national data on living conditions, health, social contacts, composition of households, sense of security, workplace conditions, economic situation, and migration.
Scope	Multistage probability sample of 5,000 individuals 18–74 years of age.
Collection method	Interviewer-administered questionnaire.
Data content	Fixed core data component—composition of household, work, nutrition, chronic illness, physician visits, hospital episodes, medical insurance, alcohol consumption, smoking habits, physical activities, lifestyle, and demographic and socioeconomic characteristics. Supplementary component—varies from year to year.
Frequency	Every 4 years beginning in 1994.
Availability of data	Public-use data files and statistical reports presenting the survey findings.
Contact	Viive Maasalu Head, Living Conditions Section Estonian Statistical Office EE-0100 Tallinn, Estonia Phone: (372) (2) 450-331 FAX: (372) (2) 453-923

Finland

Title	Mini-Finland Health Survey
Responsible agency or ministry	Social Insurance Institution of Finland and the Institute of Public Health
Objective	To produce information that serves to promote, monitor, and project the health status and the functional and work capacity of the general population.
Scope	The original Mini-Finland Health Survey was a two-stage stratified cluster sample of the population 30 years of age and older; approximately 8,000 persons. Followup studies have had varying size samples.
Collection method	Interviewer-administered questionnaire, health examination, and a comprehensive clinical examination to a subsample of 800 persons.
Data content	Interview phase—perceived morbidity, chronic conditions, functional ability, limitations, disability, utilization of health services, use of drugs, dental health, health behavior, and demographic characteristics. Health examination phase—medical history, chest x ray, physical examination, electrocardiogram (ECG), blood and urine tests, tests for muscle strength, locomotor system tests, tests to assess mental health, psychic and psychomotor performance, and dental examination.
Frequency	Conducted in 1977–81.
Availability of data	Statistical reports and main results in several publications.
Contact	Arpo Aromaa Social Insurance Institution of Finland Research and Development Centre and The Institute of Public Health Mannerheim 166 FIN-00330 Helsinki, Finland Phone: (358) (0) 434 3560 FAX: (358) (0) 474 4760

Finland

Title	Population Health Survey (previously Finnish Health and Social Security Survey)
Responsible agency or ministry	The Social Insurance Institution of Finland
Objective	To evaluate the health needs of the population and the extent to which they are being met, as well as the effects of the health care/health insurance changes implemented in the early 1990's.
Scope	6,000 households representing the entire population.
Collection method	Interviewer-administered questionnaire.
Data content	Health care utilization, family medical expenses, levels of morbidity, prevalence of chronic conditions, incidence of acute illnesses, extent of disabilities, doctor and dental visits, and demographic and socioeconomic status.
Frequency	1995 (previous surveys conducted in 1964, 1968, 1976, and 1987).
Availability of data	Preliminary data available, statistical reports will be published in 1997.
Contact	Timo Klaukka and Risto Lehtonen Social Insurance Institution of Finland Research and Development Centre P.O. Box 450 00101 Helsinki, Finland Phone: (358) (0) 434 3592 (358) (0) 434 3563 FAX: (358) (0) 434 1700

France

Title	French Health Survey
Responsible agency or ministry	Institut National de la Statistique et des Études Économiques (INSEE)
Objective	To provide national data on the health care utilization of the noninstitutionalized population of France.
Scope	Sample of 8,000 households covering about 21,000 persons. Subsample of 8,000 persons (1 per household) for a special treatment of the data.
Collection method	Interviewer-administered questionnaire and 12 weeks health care consumption diary filled out by patients.
Data content	Physician visits, medical consumption, pharmaceuticals, hospitalization, health status, and demographic and socioeconomic characteristics.
Frequency	Decennial. Conducted in 1960, 1970, 1980, and 1991–92.
Availability of data	Statistical reports presenting the survey findings.
Contact	Institut National de la Statistique et des Études Économiques (INSEE) 18 Boulevard Adolphe Pinard 75675 Paris Cedex 14, France Phone: (33) (1) 41 17 50 50 FAX: (33) (1) 41 17 66 66

France

Title	Health Survey Social Protection
Responsible agency or ministry	Centre de Recherche, d'Étude et de Documentation en Économie de la Santé (CREDES)
Objective	To provide national data on the health care utilization of the noninstitutionalized population of France.
Scope	Sample of 7,800 persons.
Collection method	Interviewer-administered questionnaire and 4 weeks health care consumption diary filled out by patients.
Data content	Medical consumption, pharmaceuticals, hospitalization, health status, and demographic and socioeconomic characteristics.
Frequency	Annual since 1988.
Availability of data	Statistical reports presenting the survey findings.
Contact	Pierre-Jean Lancry CREDES 1 rue Paul-Cézanne 75008 Paris, France Phone: (33) (1) 40 76 82 10 FAX: (33) (1) 45 63 57 42

France

Title	National Inpatients Survey
Responsible agency or ministry	Centre de Recherche, d'Étude et de Documentation en Économie de la Santé (CREDES)
Objective	To provide national data on the health care utilization of the hospitalized population of France.
Scope	Sample of 5,000 persons.
Collection method	Hospital-based doctor-administered, questionnaire.
Data content	Medical consumption, pharmaceuticals, hospitalization, health status, and demographic and socioeconomic characteristics.
Frequency	Decennial. Conducted in 1981 and 1991–92.
Availability of data	Statistical reports presenting the survey findings.
Contact	Pierre-Jean Lancry CREDES 1 rue Paul-Cézanne 75008 Paris, France Phone: (33) (1) 40 76 82 10 FAX: (33) (1) 45 63 57 42

Germany

Title	Questions on Health—Microcensus Supplementary Survey
Responsible agency or ministry	Federal Statistical Office
Objective	To provide national data on illness and accidental injury rates of the population.
Scope	Representative sample survey of the population of the entire country. The yearly microcensus basic program is a 1 percent sample survey (households included institutionalized population) with a compulsory response. The supplementary program entitled <i>Questions on Health</i> is a 0.5 percent sample survey with voluntary response. The microcensus basic program is composed of a large number of sociodemographic and socioeconomic variables as well as regional characteristics.
Collection method	Interviewer-administered questionnaire.
Data content	Since 1986 a "core data" component includes duration of illness or accidental injury, kind of accident, kind and duration of treatment, and duration of incapacity for work. Varying issues component includes health precautions and health risks. In 1989, 1992, and 1995, these questions concerned smoking habits and the use of iodized salt.
Frequency	Irregular intervals up to 1963. Every 3 years since 1986. Conducted in 1989, 1992, and 1995.
Availability of data	Public-use publications (papers, special editions) and special analyses on request (charges apply).
Contact	Federal Statistical Office Section Health Statistics D-65180 Wiesbaden, Germany Phone: (49) (611) 75 23 55 FAX: (49) (611) 72 40 00

Hungary

Title	Health Behavior Survey
Responsible agency or ministry	Central Statistical Office
Objective	To provide information on the frequency of risk factors relating to chronic illnesses and sicknesses.
Scope	Stratified multistaged sample of 5,476 persons 15–64 years of age.
Collection method	Interviewer-administered questionnaire.
Data content	Chronic conditions, nutrition, smoking habits, alcohol consumption, physical activity, and demographic and socioeconomic characteristics.
Frequency	Conducted in 1994.
Availability of data	Statistical reports.
Contact	Dr. Péter Józán Central Statistical Office Division of Population and Health Statistics 5-7 Keleti Károly Street P.O. Box 51 H-1525 Budapest, Hungary Phone: (36) (1) 212 68 90 FAX: (36) (1) 212 66 78

Hungary

Title	Health Interview Survey
Responsible agency or ministry	Central Statistical Office
Objective	To provide data on the population's state of health and the influencing and determining factors relating to chronic illnesses and sicknesses.
Scope	Stratified multistaged sample of 16,000 addresses covering about 37,500 persons. Noninstitutionalized population of persons aged 15 years and older are interviewed.
Collection method	Interviewer-administered questionnaire.
Data content	Health complaints, utilization of health services, nutrition, smoking habits, medicine consumption, practicing sports, working conditions, occupational hazards, and demographic and socioeconomic characteristics.
Frequency	Conducted in 1986 and 1993.
Availability of data	Statistical reports.
Contact	Dr. Péter Józán Central Statistical Office Division of Population and Health Statistics 5-7 Keleti Károly Street P.O. Box 51 H-1525 Budapest, Hungary Phone: (36) (1) 135 35 42 FAX: (36) (1) 201 87 39

Iceland

Title	Survey of Living Conditions in Iceland
Responsible agency or ministry	Statistical Bureau of Iceland
Objective	To provide information on the living conditions of the nation, how people live, and their housing, employment, working conditions, income, leisure and spare time, education, social relations, and health.
Scope	Random sample from the National Register of 2,000 persons 16–75 years of age.
Collection method	Interviewer-administered questionnaire.
Data content	Health factors—prevalence of chronic diseases and impairments, disability, and demographic and socioeconomic characteristics.
Frequency	Conducted in 1988.
Availability of data	Statistical reports presenting the survey findings.
Contact	Ms. Sigríður Vilhjálmsdóttir Statistics Iceland Skuggasund 3 IS-150 Reykjavík, Iceland Phone: (354) 560 9800 FAX: (354) 562 8865

Israel

Title	Use of Health Services Survey
Responsible agency or ministry	Central Bureau of Statistics
Objective	To provide national data on the use and users of ambulatory health services of the civilian noninstitutionalized population, as well as health insurance coverage.
Scope	Approximately 6,000 households covering about 22,000 persons of all ages were included in the survey. The survey includes all households sampled in the Labor Force Survey; excluded were kibbutzim, Bedouins in the Negev, soldiers in the regular army service, and persons residing in institutions.
Collection method	Interviewer-administered questionnaire.
Data content	Visits to general physicians and specialists in ambulatory clinics, length of wait for hospital admission, use of preventive health services, breast-feeding habits, health insurance, and demographic and socioeconomic characteristics.
Frequency	Variable. Conducted in 1977, 1981, and 1993.
Availability of data	Public-use tapes, statistical reports presenting the survey findings.
Contact	Mrs. Pnina Zadka Prime Minister's Office Central Bureau of Statistics Hakiryia-Romena, P.O.B. 13015 Jerusalem 91130, Israel Phone: (972) (2) 6553 553 FAX: (972) (2) 6553 266

Israel

Title	Survey of the Elderly (Persons Aged 60 and Over in Households)
Responsible agency or ministry	Central Bureau of Statistics
Objective	To supply various institutions with data that will help them in the evaluation and planning of services and allocation of resources in various fields of health, welfare, housing, work, and social aspects, and will serve as a basis for the planning of follow-up surveys.
Scope	The target population included persons aged 60 years and over, who resided permanently in Israel in urban localities only, and who lived permanently in regular households, sheltered housing for the elderly, and households within institutions, hotels, and boarding houses. A sample frame was drawn from the 1983 Census of Population and Housing of all persons living in a household aged 60 years and over. Approximately 3,300 households were included.
Collection method	Interviewer-administered questionnaire.
Data content	Housing conditions, attitudes towards living in a home for the aged, health condition, physical condition, disability, smoking and nutrition habits, utilization of health services, patterns and ability in instrumental activities of daily living, leisure activity and voluntary activity, and demographic and socioeconomic characteristics.
Frequency	Conducted in 1982 and 1985.
Availability of data	Public-use tapes, statistical reports presenting the survey findings.
Contact	Mrs. Pnina Zadka Prime Minister's Office Central Bureau of Statistics Hakiryia-Romena, P.O.B. 13015 Jerusalem 91130, Israel Phone: (972) (2) 6553 553 FAX: (972) (2) 6553 266

Italy

Title	The Survey of Health Conditions of the Population and the Use of Health Services
Responsible agency or ministry	The National Institute of Statistics
Objective	To gather information about the health status and medical consumption of the population of Italy.
Scope	Two-stage sampling design with municipalities being the primary sampling units; 25,000 households covering 75,000 persons.
Collection method	Interviewer-administered questionnaire.
Data content	Acute and chronic sickness, symptoms, medical examinations, doctor consultations, hospital stays, medicines, smoking, drinking, physical activity, and demographic and socioeconomic characteristics.
Frequency	Conducted in 1980, 1983, 1986, 1990–91, and 1994.
Availability of data	Public-use tapes, statistical reports presenting survey findings.
Contact	Vittoria Buratta Viale Liegi 13 00198 Rome, Italy Phone: (39) (6) 8541059 FAX: (39) (6) 85354401

Japan

Title	Comprehensive Survey of Living Conditions of People on Health and Welfare
Responsible agency or ministry	Ministry of Health and Welfare
Objective	To provide data of living conditions, health status, pensions, welfare, and incomes of the Japanese population. This data will be used for policy planning and to manage health and welfare administration.
Scope	Stratified random sample of all households and household members in 5,240 districts. Approximately 250,000 households and 780,000 household members are surveyed.
Collection method	Interviewer-administered questionnaire on household and income; self-administered questionnaire on health and savings.
Data content	Health status, chronic diseases, acute illnesses, bed days, quality of life, and demographic and socioeconomic characteristics.
Frequency	Every 3 years, beginning in 1986.
Availability of data	Public-use summary data files and statistical reports.
Contact	Statistics and Information Department Minister's Secretariat Ministry of Health and Welfare 7-3 Ichigaya-Honmura-Cho Shinjuku-ku, Tokyo 162, Japan Phone: (81) (3) 3260-3181 (ext. 353) FAX: (81) (3) 3269-8824

Korea, Republic of

Title	National Health Interview Survey
Responsible agency or ministry	Korean Institution for Health and Social Affairs
Objective	To provide national data on kinds of morbidity, morbidity level, and utilization of medical service by region and social stratum, and health services utilization and satisfaction.
Scope	Survey of 6,605 households.
Collection method	Interviewer-administered questionnaire.
Data content	Prevalence of chronic diseases, incidence of acute illnesses, bed days, hospitalizations, utilization of health services, health expenditures, and demographic and socioeconomic characteristics.
Frequency	Triennial since 1983.
Availability of data	Statistical reports (Korean language only).
Contact	Health Research Department Korean Institution for Health and Social Affairs 42-14, Pulgwang-dong, Unp'yong-gu Seoul, 122-040 Republic of Korea Phone: (82) (2) 355-8003 FAX: (82) (2) 352-2181

Korea, Republic of

Title	National Nutrition Survey
Responsible agency or ministry	Ministry of Health and Welfare
Objective	To provide national data on health and nutrition conditions of the population.
Scope	Probability sample of 2,000 households covering about 7,215 persons.
Collection method	Observational.
Data content	Nutrient intake, food intake, physical standard condition, hemoglobin level, blood pressure, living environment, and demographic and socioeconomic characteristics.
Frequency	Annual since 1969.
Availability of data	Statistical reports (Korean language only).
Contact	Health Policy Division Ministry of Health and Welfare 1, Jungang-dong, Kwachon-shi Kyounggi-do, 427-760 Republic of Korea Phone: (82) (2) 503-7538 FAX: (82) (2) 503-1394

Korea, Republic of

Title	Patients Survey
Responsible agency or ministry	Ministry of Health and Welfare
Objective	To provide national data on disease conditions of the population and use of medical institutions.
Scope	Census of 984 general hospitals, health centers, etc. Sample of 5,267 clinics, health subcenters, etc. Survey includes patients who use these institutions during the survey period.
Collection method	Interviewer-administered questionnaire.
Data content	Hospital data—name, number of beds, medical personnel. Patient data—diagnosis, medical treatment period and results, doctor's fee, age, and sex.
Frequency	Biennial since 1969.
Availability of data	Statistical reports (Korean language only).
Contact	E.D.P.S. and Statistics Office Ministry of Health and Welfare 1, Jungang-dong, Kwachon-shi Kyounggi-do, 427-760 Republic of Korea Phone: (82) (2) 503-7526 FAX: (82) (2) 503-7568

Korea, Republic of

Title	Social Statistics Survey
Responsible agency or ministry	National Statistical Office
Objective	To obtain supplementary data and information for replenishing social indicators. The particular emphasis of this survey is to collect as much experimental and subjective information as possible.
Scope	Sample of 34,000 households selected from 1,090 enumeration districts that were selected from 185,247 enumeration districts of the 1990 population census.
Collection method	Interviewer-administered questionnaire.
Data content	Health—self-assessment of blood pressure, health and obesity, alcohol consumption, smoking habits, medical service satisfaction, medical consultations and treatments, bed days, and demographic and socioeconomic characteristics. Housing and environment— methods of purchasing housing and residential quarters, frequency of moves, desired types of housing, levels of satisfaction and reasons for dissatisfaction with housing and residential quarters, commuting time and means of commute to and from work and school, evaluation of environmental pollution, endeavor for environmental protection, drinking water, and attitudes towards safety of agricultural products.
Frequency	Annual since 1977.
Availability of data	Statistical reports (Korean and English).
Contact	Social Statistics Division National Statistical Office 647-15 Yoksam-dong, Kangnam-gu Seoul, 135-080 Republic of Korea Phone: (82) (2) 222-1879 FAX: (82) (2) 538-6348

Latvia

Title	Epidemiologic Research on Most Common Noninfectious Diseases
Responsible agency or ministry	Latvian Academy of Medicine; Latvian Institute of Cardiology; Health Department of the Ministry of Welfare of Latvia
Objective	To assess prevalence of most common noninfectious diseases and their risk factors in Latvia.
Scope	Multistage random sample of 18,040 permanent inhabitants of Latvia 25 years of age and over (5-year sex/age groups). Data were obtained on 5,449 persons.
Collection method	Interviewer-administered questionnaire and objective measurements.
Data content	Seventeen groups of questions, sociodemographic data, risk factors, questions related to diseases and syndromes (169 questions and 94 subquestions). Blood sample (total cholesterol, triglycerides, glucose before and 90 minutes after 75.0 glucose load); AT; electrocardiogram (ECG); height; and weight.
Frequency	Conducted in 1991.
Availability of data	Published reports in 1993. Ongoing data analysis.
Contact	G. Brigis Department of Public Health and Epidemiology Latvian Academy of Medicine 16, Dzirciema Street Rīga LV 1007, Latvia Phone: (371) 2229215 FAX: (371) 8828155

Latvia

Title	Living Conditions Survey
Responsible agency or ministry	Central Statistical Bureau of Latvia; The Norwegian Institute for Applied Social Science
Objective	To contribute necessary and reliable information on the real conditions of people's life in Latvia.
Scope	Sample size of 3,500 respondents who are permanent inhabitants of Latvia, 18 years of age and over.
Collection method	Interviewer-administered questionnaire.
Data content	Housing, education, employment, labour conditions, health status, health care utilization, security, crime and violence, migration, social life and activity, public opinion, and demographic and socioeconomic characteristics.
Frequency	1994.
Availability of data	Preliminary report published in 1994. Final report published in late 1995. (In Latvian and English).
Contact	Inta Vasaraudze Department of Social Statistics Central Statistical Bureau of Latvia 1, Lāčplēša Street Rīga LV 1301, Latvia Phone: (371) 366847 FAX: (371) 7830137

Netherlands

Title	National Health Interview Survey
Responsible agency or ministry	Statistics Netherlands
Objective	To supply basic information on how people experience their own state of health, the factors that influence this, social and economic consequences of being ill, and how health care facilities are used by the overall population. The data serve as background for policy and planning purposes.
Scope	Random sample of 3,000 households covering approximately 9,000 persons per year. Noninstitutionalized population of all residents (maximum of 4) in the selected household. Excludes persons in nursing homes, convents, homes for the elderly, prisons, shelters, and those belonging to the sailing population or not having a fixed abode.
Collection method	Interviewer-administered questionnaire and self-administered questionnaire.
Data content	"Core data" component—acute sickness, long-term disabilities, symptoms, activities of daily living, doctor consultations, dentist consultations, hospital stays, medicines, absence from work, insurance, and demographic and socioeconomic characteristics. Supplementary component—varies from year to year.
Frequency	Continuous since 1981.
Availability of data	Statistical reports presenting survey findings.
Contact	Dr. P.C.J. Everaers Statistics Netherlands Division of Sociocultural Statistics Department of Sociocultural Household Surveys P.O. Box 4481 6401 CZ Heerlen, The Netherlands Phone: (31) (45) 707477 FAX: (31) (45) 726274

Netherlands

Title	Quality of Life Survey (previously named Well-being of the Population)
Responsible agency or ministry	Statistics Netherlands
Objective	To give descriptions of distribution of socioeconomic characteristics, working and housing conditions, leisure activities, environmental factors, social participation, and health and well-being. The data serve as background for policy and planning purposes.
Scope	Random sample of households, covering approximately 3,500 persons per year (1 person per household) of residents 18 years of age and over. Excludes persons in homes for the elderly, nursing homes, convents, prisons, shelters, and those belonging to the sailing population or not having a fixed abode.
Collection method	Interviewer-administered questionnaire.
Data content	Household composition, socioeconomic characteristics, quality of employment, housing conditions, leisure activities, environmental behavior and perception, participation in society, health status, medical consumption, lifestyle and risk factors, and social interaction.
Frequency	Conducted every third year, 1974–86. Continuous since 1989.
Availability of data	Statistical reports presenting survey findings.
Contact	Dr. F. Ossen Statistics Netherlands Division of Sociocultural Statistics Department of Sociocultural Household Surveys P.O. Box 4481 6401 CZ Heerlen, The Netherlands Phone: (31) (45) 707275 FAX: (31) (45) 726274

Netherlands

Title	National Health Interview Survey of Turkish Inhabitants in the Netherlands
Responsible agency or ministry	Statistics Netherlands
Objective	To supply basic information on the Turkish population in the Netherlands on how people experience their own state of health, the factors that influence this, consequences of being ill, and how health care facilities are used by the overall population. The data serve as background for policy and planning purposes.
Scope	Random sample covering 5,306 Turkish residents in the Netherlands. Noninstitutionalized population of all residents in the selected household. Excludes persons in nursing homes, convents, homes for the elderly, prisons, shelters, and those belonging to the sailing population or not having a fixed abode.
Collection method	Interviewer-administered questionnaire.
Data content	Acute sickness, long-term disabilities, symptoms, activities of daily living, doctor consultations, dentist consultations, hospital stays, medicines, absence from work, insurance, and demographic and socioeconomic characteristics.
Frequency	Conducted in 1989–90.
Availability of data	Statistical reports presenting survey findings.
Contact	Dr. P.C.J. Everaers Statistics Netherlands Division of Sociocultural Statistics Department of Sociocultural Household Surveys P.O. Box 4481 6401 CZ Heerlen, The Netherlands Phone: (31) (45) 707477 FAX: (31) (45) 726274

New Zealand

Title	Household Health Survey
Responsible agency or ministry	Ministry of Health
Objective	To measure health service use not currently recorded in the national statistics and the factors that influence level of use, to obtain data on health services use according to sociodemographic variables, to measure individual's satisfaction and perceptions of their health services, to measure individual's health status and unmet need for health services, and to provide information on selected health behavior not nationally available at present.
Scope	Stratified random sample of 6,825 persons. Civilian noninstitutionalized population of all ages residing in private households. One respondent per household will be interviewed.
Collection method	Interviewer-administered questionnaire.
Data content	Use of primary care services, use of hospital services, health-related behavior, exercise, smoking and alcohol consumption, long-term illness and disability, and demographic and socioeconomic characteristics.
Frequency	Conducted in 1992–93 (intended to be repeated every 3–5 years).
Availability of data	Statistical reports (charges apply).
Contact	Health Research and Analytical Services Ministry of Health P.O. Box 5013 Wellington, New Zealand Phone: (64) (4) 496 2000 FAX: (64) (4) 801 2769

Norway

Title	Health Survey
Responsible agency or ministry	Statistics Norway (formerly Central Bureau of Statistics)
Objective	To obtain knowledge of health problems in the Norwegian population as a whole and to reveal inequalities regarding health conditions between different groups in the population. Also to trace the use of health services.
Scope	Two-staged, stratified probability sample of 5,100 households covering 13,100 persons. All persons were interviewed (parent or adult responsible for the child was the usual respondent for children under 15 years of age).
Collection method	Interviewer-administered questionnaire and self-administered questionnaire.
Data content	Prevalence of chronic diseases, reduced activity, occurrence of acute illness in the last 14 days (for children and young people only), contact with the health service, dental health, lifestyle, and demographic and socioeconomic characteristics.
Frequency	Conducted in 1968, 1975, 1985, 1995.
Availability of data	Statistical reports presenting survey findings will be published at the end of 1996.
Contact	Leif Korbøl/Liv Grøtvedt Statistics Norway Division for Health and Social Conditions P.O. Box 8131 Dep. N-0033 Oslo, Norway Phone: (47) (22) 86 45 00 FAX: (47) (22) 86 49 73

Norway

Title	Survey of Level of Living
Responsible agency or ministry	Statistics Norway (formerly Central Bureau of Statistics)
Objective	To obtain knowledge of distribution of the level of living in the Norwegian population, including some health conditions.
Scope	Two-staged sample covering 5,100 persons and approximately the same number of households. All persons 16 years of age and over were interviewed (some questions were asked about the children in the household).
Collection method	Interviewer-administered questionnaire.
Data content	Chronic illness, mental health and long-term disability, working conditions, care and housework, housing conditions, social relations, and demographic and socioeconomic characteristics.
Frequency	Conducted in 1973, 1980, 1983, 1987, 1991, and 1995.
Availability of data	Data will be published during 1996.
Contact	Leif Korbøl/Liv Grøtvedt Statistics Norway Division for Health and Social Conditions P.O. Box 8131 Dep. N-0033 Oslo, Norway Phone: (47) (22) 86 45 00 FAX: (47) (22) 86 49 73

Norway

Title	Working Environment Survey
Responsible agency or ministry	Statistics Norway (formerly Central Bureau of Statistics)
Objective	To shed light on the main features of the working conditions and working environments as experienced by different groups of employees.
Scope	Based on the Companies Register and Employees Register for the second quarter of 1989, the sample was drawn in two stages; first, a sample of business establishments was drawn, then a sample of employees was drawn from among those establishments. 4,359 employees in 1,050 establishments were surveyed.
Collection method	Interviewer-administered questionnaire.
Data content	Health and symptoms, mental health, absence due to illness, organization working environment, and demographic and socioeconomic characteristics.
Frequency	Conducted in 1989, 1993.
Availability of data	Statistical reports presenting survey findings.
Contact	Leif Korbøl/Liv Grøtvedt Statistics Norway Division for Health and Social Conditions P.O. Box 8131 Dep. N-0033 Oslo, Norway Phone: (47) (22) 86 45 00 FAX: (47) (22) 86 49 73

Poland

Title	Disabled on the Labor Market in Poland
Responsible agency or ministry	Central Statistical Office
Objective	To provide data on the disabled persons position on the labour market.
Scope	8,000 persons of 15 years of age and over who are included in the legal disabled groups.
Collection method	Interviewer-administered questionnaire.
Data content	Disability, economic activity, standard of living, and demographic and socioeconomic data with special attention to health state parameters.
Frequency	Conducted in 1995.
Availability of data	Statistical and analytical reports in Polish.
Contact	Mrs. Stanisława Kostrubiec Central Statistical Office Division of Labour Al. Niepodległości 208 Warsaw 00-925, Poland Phone: (48) (22) 25 59 78 FAX: (48) (22) 25 65 76

Poland

Title	Family Health Survey
Responsible agency or ministry	Central Statistical Office Institute of Cardiology
Objective	To provide information on some aspects of the health status of the population.
Scope	Sample of 21,451 households covering about 68,000 persons.
Collection method	Interviewer-administered questionnaire.
Data content	Self-assessed health status, hospital stays and duration, impairments and disabilities, limitations of activities, chronic diseases, smoking habits, sports training, and demographic characteristics.
Frequency	Conducted in 1987.
Availability of data	Statistical reports.
Contact	Central Statistical Office Al. Niepodległości 208 Warsaw 00-925, Poland Phone: (48) (22) 25 18 02 FAX: (48) (22) 25 34 35 Mr. Janusz Bejnarowicz Institute of Cardiology Phone: (48) (22) 15 30 11, ext. 282

Poland

Title	Household Health and Expenditure for Health Care
Responsible agency or ministry	Central Statistical Office
Objective	To provide data on household expenditures for main health care.
Scope	Sample of 3,800 households covering 12,500 persons.
Collection method	Interviewer-administered questionnaire.
Data content	Frequency of the utilization of main health services and expenditures for the services and demographic and socioeconomic characteristics.
Frequency	Conducted in 1994.
Availability of data	Report in Polish at the end of 1995.
Contact	Mrs. Elżbieta Skotnicka Illasiewicz Central Statistical Office Division of Environment and Social Services Al. Niepodległości 208 Warsaw 00-925, Poland Phone: (48) (22) 25 32 41, ext. 265 FAX: (48) (22) 25 90 78

Poland

Title	Sociodemographic and Health Determinants of Infant Mortality Survey
Responsible agency or ministry	Central Statistical Office Institute of Mother and Child
Objective	To provide information for the Government to create and implement a program aimed at reducing infant mortality and improving the health status of the mother, child, and family.
Scope	Sample includes 20 percent of those families who, during 1990, experienced the death of an infant, a stillbirth, or the birth of an infant unable to survive. As background for analysis, a control sample of 2 percent of live births was chosen proportionally in the same areas as the base group. A total of about 6,400 children under 1 year of age were selected.
Collection method	Interviewer-administered (mainly nurses) questionnaire.
Data content	Sociodemographic characteristics of the parents, pregnancy information, mother's opinion about delivery and medical assistance, state of infant at birth, cause of death, history of illness, type and quality of medical assistance, ecological and living conditions of family, and parent's health and lifestyle.
Frequency	Conducted in 1991.
Availability of data	Data tapes, statistical tables, report, and publication.
Contact	Mrs. Lucyna Nowak Central Statistical Office Demographic Statistics Division Al. Niepodległości 208 Warsaw 00-925, Poland Phone: (48) (22) 25 17 03 FAX: (48) (22) 25 34 35

Poland

Title	Social Status of Household Survey
Responsible agency or ministry	Central Statistical Office
Objective	To provide information on the social status of households and some aspects of the health status of the population.
Scope	Sample of 120,000 households covering about 380,000 persons.
Collection method	Interviewer-administered questionnaire.
Data content	Hospital stays and duration, impairments and disabilities, smoking habits, limitations of activities, curing effectiveness, access to chosen doctor, attitude of doctor to patient, and demographic characteristics.
Frequency	Conducted in 1985, 1986, 1989, and 1990. Survey includes a health component every fourth or fifth year.
Availability of data	Data tapes and statistical reports published.
Contact	Mrs. Maria Daszyńska Central Statistical Office Households Division Al. Niepodległości 208 Warsaw 00-925, Poland Phone: (48) (22) 25 18 02 FAX: (48) (22) 25 34 35

Portugal

Title	National Health Survey
Responsible agency or ministry	Department of Health Studies and Planning Ministry of Health
Objective	To provide information on a number of major health problems.
Scope	Multistage probability sample of 20,000 households (1995–96 survey) covering noninstitutionalized persons living on the continent.
Collection method	Interviewer-administered questionnaire.
Data content	Fixed “core data” component—perceived general health, prevalence of some chronic conditions, disability, general health care, doctor visits, health expenses and income, physical activity, tobacco consumption, food and beverage consumption, child health, and demographic and socioeconomic characteristics. Supplementary component—varies with needs of information.
Frequency	All countries, 1987, 1995–96. Conducted in the Lisbon area in 1989; North area, 1990; Alentejo area, 1991; and Algarve area, 1993. Probability of surveys every 5 years at the national level, with regional surveys yearly.
Availability of data	Data files and main data tables presented in publication.
Contact	Luís Magão, M.D. Inquérito Nacional de Saúde Departamento de Estudos e Planeamento da Saúde Av. Álvares Cabral, 25 1250 Lisboa, Portugal Phone: (351) (1) 693792 FAX: (351) (1) 3885516

Singapore

Title	Behavioral Risk Factor Survey
Responsible agency or ministry	Research and Evaluation Department Ministry of Health
Objective	This survey is part of a comprehensive national surveillance system to monitor lifestyle risk factor levels related to the noncommunicable diseases that are the current diseases of importance.
Scope	Multistage sample of 2,530 Singapore residents 18 to 64 years of age in 7,100 households units.
Collection method	Interviewer-administered questionnaire.
Data content	Core questionnaire: Physical activity, alcohol consumption, self-reported height and weight, weight control, and demographic and socioeconomic characteristics. Supplementary questionnaire: Use of medical services, utilization of traditional medicine, public awareness, and assessment of the national health financing scheme (Medisave).
Frequency	Conducted in 1994 (to be repeated every 2 years). Next survey scheduled for 1996.
Availability of data	Statistical tabulations and highlights of survey findings (on request).
Contact	Dr. S.C. Emmanuel Research and Evaluation Department Ministry of Health College of Medicine Building 16 College Road Singapore 0316 FAX: (65) 224 1677

Singapore

Title	Morbidity Survey of Outpatients
Responsible agency or ministry	Research and Evaluation Department Ministry of Health and College of Family Physicians
Objective	To provide information on the diseases treated at the outpatient level in both the private and public sectors to maximize the role of the public and private sectors in primary health care provision. Also to gather data on the patient-load of the public sector versus the private sector in primary health care provision in order to provide enhanced care for the leading diseases.
Scope	All 1,106 private general practitioners and all doctors working in the government primary health care clinics. A total of 23,000 patients were covered during the survey.
Collection method	Doctor- and nurse-administered questionnaire.
Data content	Diagnosis or medical complaints, request for medical leave certificate, employment status, type of housing, residential status, and other demographic characteristics.
Frequency	Conducted every 5 years beginning in 1988.
Availability of data	Statistical report on survey findings.
Contact	Dr. S.C. Emmanuel Research and Evaluation Department Ministry of Health College of Medicine Building 16 College Road Singapore 0316 FAX: (65) 224 1677

Singapore

Title	National Health Survey
Responsible agency or ministry	Research and Evaluation Department Ministry of Health
Objective	To determine the epidemiology of major noncommunicable diseases and their risk factors in the Singapore population, because these are the leading causes of sickness and death in the country.
Scope	Multistage sample of 3,568 Singapore residents 18–69 years of age.
Collection method	Interviewer-administered questionnaire, physical examination, biochemical measurements, and electrocardiography.
Data content	Prevalence of coronary heart disease (males above 35 years), diabetes mellitus, hypertension, and high blood cholesterol; blood chemistry; women's pap smear and breast examination; cigarette-smoking habits; physical activity; alcohol consumption; behavior of diabetics and hypertensives; and demographic and socioeconomic characteristics.
Frequency	Conducted in 1992 (to be repeated every 5–7 years). Next survey scheduled for 1998.
Availability of data	Survey highlights and tabulations (on request).
Contact	Dr. S.C. Emmanuel Research and Evaluation Department Ministry of Health College of Medicine Building 16 College Road Singapore 0316 FAX: (65) 224 1677

Singapore

Title	National Survey of Senior Citizens
Responsible agency or ministry	Jointly conducted by Ministry of Health, Ministry of Community Development, and Department of Statistics
Objective	To provide updated national data on the problems and needs of the aged to assist in drawing up appropriate social and community services and health care programs for the elderly in Singapore. This is to cope with the rapid aging of the population that Singapore will face by the turn of the century.
Scope	Multistage sample of 6,000 persons aged 55 years and over living in households.
Collection method	Interviewer-administered questionnaire.
Data content	Biographic data, particulars of spouse and children, household characteristics, employment/retirement, finance, support systems, use of community services, personal care and daily needs, health status, elderly cognitive assessment, and principal carer.
Frequency	Conducted in 1983 and 1995.
Availability of data	Survey highlights and tabulations (on request).
Contact	Dr. S.C. Emmanuel Research and Evaluation Department Ministry of Health College of Medicine Building 16 College Road Singapore 0316 FAX: (65) 224 1677

Singapore

Title	Survey on Cigarette Smoking Among Singaporeans
Responsible agency or ministry	Research and Evaluation Department Ministry of Health
Objective	As smoking is an important risk factor in the current diseases of importance and in view of the rising trend in smoking, this in-depth survey on smoking is carried out to determine the smoking prevalence and attitude and behavior of smokers in the Singapore population.
Scope	Multistage sample of 5,000 Singapore residents 18 to 64 years of age.
Collection method	Interviewer-administered questionnaire.
Data content	Frequency, duration, age of onset of smoking, reasons for picking up the smoking habit, whether any intention to quit smoking, nonsmokers' impression of a smoker, harmful effects of smoking, and other demographic and socioeconomic characteristics.
Frequency	Conducted in 1995.
Availability of data	Survey highlights and tabulations (on request).
Contact	Dr. S.C. Emmanuel Research and Evaluation Department Ministry of Health College of Medicine Building 16 College Road Singapore 0316 FAX: (65) 224 1677

Spain

Title	Survey on Impairments, Disabilities, and Handicaps
Responsible agency or ministry	National Institute of Statistics
Objective	To estimate the total number of people suffering from any disability, and to know the nature and impairment that originated the disability, and to estimate the number of people suffering from any handicaps.
Scope	Sample survey of 75,000 households covering about 275,000 persons of the noninstitutionalized population of Spain.
Collection method	Interviewer-administered questionnaires.
Data content	Impairments; disabilities; handicaps; number, cause, and duration of impairments; type of rehabilitation therapy received; financing source of the rehabilitation therapy; type of rehabilitation center; any source of economic subsidy; and demographic and socioeconomic characteristics.
Frequency	Conducted in 1986.
Availability of data	Data files and statistical tables and publications of survey findings.
Contact	Sr. Jose Quevedo Instituto Nacional de Estadística Area de Estadística Sanitarias Paseo de la Castellana, 183 28046, Madrid, Spain Phone: (34) (1) 583 92 71 FAX: (34) (1) 579 27 13

Spain

Title	National Health Survey
Responsible agency or ministry	Ministry of Health and Consumption
Objective	Summary data about the characteristics and distribution of perceived morbidity, certain habits of life in relation to health, and utilization of the health care services of the noninstitutionalized population of Spain.
Scope	Sample survey of 40,000 persons of the noninstitutionalized population who were 1 year of age and older.
Collection method	Interviewer-administered questionnaire.
Data content	Self-perceived health status, incidence of acute illness, prevalence of chronic diseases, limitation of activities for acute and chronic diseases, disorders of the sense organs, consultation with health professionals, hospitalizations, medications, immunizations, tobacco and alcohol consumption, physical exercise, and demographic and socioeconomic characteristics.
Frequency	Occasionally. Conducted in 1987 and 1993.
Availability of data	Data files and statistical report.
Contact	Margarita García/Teresa Escudero Ministerio de Sanidad y Consumo Subdirección de Información y Estadísticas Sanitarias Paseo del Prado 18-20 28014, Madrid, Spain Phone: (34) (1) 583 92 76/383 94 70 FAX: (34) (1) 383 94 88

Sweden

Title	Survey of Living Conditions
Responsible agency or ministry	Statistics Sweden
Objective	To provide national data on living conditions of the population of Sweden 16–84 years of age.
Scope	Random sample of 7,000 persons per year 16–84 years of age, drawn from the Register of the Total Swedish Population.
Collection method	Interviewer-administered questionnaire.
Data content	The survey covers several welfare components with fixed core data—health and consumption of medical services, care and need for assistance, education, housing and residential environment, employment and working conditions, working environment, economic resources, social relations, recreational activities, civic activities, security, transportation and communication, and demographic characteristics. Health component—long-term illnesses and their consequences, functional disorders, outpatient care, state of health and medical care, use of pharmaceutical products, dental condition and dental care. Supplementary component—every second year in an 8-year cycle; one, two, or three main components are expanded.
Frequency	Annual since 1975.
Availability of data	Statistical reports presenting analyses based on the survey findings. Statistical services on commission.
Contact	Joachim Vogel/Uno Davidsson Statistics Sweden V/VÄL S-115 81 Stockholm, Sweden Phone: (46) (8) 783 4000 FAX: (46) (8) 783 4005

Switzerland

Title	Health Behavior of School-Age Children in Switzerland
Responsible agency or ministry	Swiss Institute for the Prevention of Alcohol and Other Drug Problems
Objective	To provide national data on health behaviors of school-age children (11–16 years of age). This project is part of an international project sponsored by WHO Europe (Copenhagen).
Scope	Multistage probability sample of the classes by cantons of Switzerland, with oversampling in certain cantons; overall about 16,000 pupils between 11 and 16 years of age were interviewed in 1994.
Collection method	Questionnaire distributed during class.
Data content	Fixed core data component—decided by the international study group on health-relevant behavior, risk factor perception and knowledge, and lifestyle. Supplementary component—varies from survey to survey. Last survey included special questions on AIDS.
Frequency	Every 4 years since 1986.
Availability of data	Reports upon request (the WHO international study group will be consulted). The core questions of all international surveys may be available from the WHO international study group.
Contact	Dr. Yann Le Gauffey Swiss Institute for the Prevention of Alcohol and Other Drug Problems Research Division Case Postale 870 CH 1001 Lausanne, Switzerland Phone: (41) (21) 320 29 21 FAX: (41) (21) 323 19 30

Switzerland

Title	Swiss Health Promotion Survey
Responsible agency or ministry	Swiss Federal Statistical Office
Objective	To provide information on the most appropriate ways in which to carry out health promotion, disease prevention, treatment, and provision of care and support to the sick and infirm. Also to evaluate the feasibility of conducting a survey that combines a telephone interview with a mail-out questionnaire.
Scope	Multistage probability sample of 5 cantons of Switzerland. The sample included 2,111 persons aged 20–74 years, with an oversampling of persons 65–74 years of age.
Collection method	Telephone interview and written questionnaire.
Data content	Health status, chronic conditions, mental health and psychological well-being, dietary habits, physical exercise, knowledge of health and disease, tranquilizer consumption, social interaction, demographic and socioeconomic characteristics.
Frequency	Conducted in 1989.
Availability of data	Statistical reports presenting the survey findings (in French only). Tabulated data upon request.
Contact	Thomas Spuhler, M.D., MSc. Swiss Federal Statistical Office Division of Population and Employment Health Section Schwarztorstr. 53 CH 3003 Berne, Switzerland Phone: (41) (31) 322 87 72 FAX: (41) (31) 382 25 92

Switzerland

Title	Swiss Health Survey (SOMIPOPS)
Responsible agency or ministry	Institute for Social and Preventive Medicine
Objective	To gain representative data on health status (perceived morbidity) and use of health services, analyze demand for health care, and develop reliable health and use indicators.
Scope	Two-stage random sample of Swiss citizens drawn from population registers in the municipalities. Foreign residents were drawn as a single random sample from the national register. Approximately 5,860 persons 20 years and older were interviewed.
Collection method	Interviewer-administered questionnaire and self-administered questionnaire.
Data content	Acute and chronic sickness, activities of daily living, doctor and dental consultations, hospital stays, diet, drinking and smoking habits, insurance coverage, demographic and socioeconomic characteristics.
Frequency	Conducted in 1981–82.
Availability of data	Tabulated data upon request.
Contact	Professor F. Gutzwiller, Ph.D. Institute for Social and Preventive Medicine CH 8006 Zurich, Switzerland Phone: (41) (1) 257 66 11 FAX: (41) (1) 252 54 52

Switzerland

Title	Swiss Health Survey
Responsible agency or ministry	Swiss Federal Statistical Office
Objective	To collect data to research and observe trends of health conditions and their determining factors, handicaps and other consequences of diseases or accidents, and the utilization of the health services, as well as the insurance system for the population of Switzerland. Also to assess the effect of health prevention measures.
Scope	Resident population of 16,000 households of persons 15 years of age and older.
Collection method	Telephone interview and written questionnaire and interviewer-administered questionnaire to persons 75 years of age and over.
Data content	Health-relevant behavior, health habits, risk factor perception and knowledge, chronic illnesses, physical activity, leisure activities, dietary habits, medical consumption, immunizations, and demographic and socioeconomic characteristics.
Frequency	Conducted in 1992. Next survey, 1996.
Availability of data	Statistical reports (from 1992), tabulated data upon request.
Contact	Thomas Spuhler, M.D., MSc. Swiss Federal Statistical Office Division of Population and Employment Health Section Schwarztorstr. 53 CH 3003 Berne, Switzerland Phone: (41) (31) 322 87 72 FAX: (41) (31) 382 25 92

Switzerland

Title	Trend Survey on Health Behavior and Alcohol Consumption in Switzerland
Responsible agency or ministry	Swiss Institute for the Prevention of Alcohol and Other Drug Problems
Objective	To provide national data on health behavior, especially on the consumption of alcohol, tobacco, medication, and illegal drugs of the civilian noninstitutionalized population of Switzerland.
Scope	Multistage probability or quota sample of between 1,500 and 3,000 persons aged 15 years and over, representative for Switzerland, with oversampling of the two smaller language regions.
Collection method	Interviewer-administered questionnaire.
Data content	Fixed core data component—consumption questions and some key health behavior. Supplementary component—varies from survey to survey.
Frequency	Conducted in 1975, 1981, and 1987.
Availability of data	Reports and data files upon request (charges may apply).
Contact	Dr. Gerhard Gmel Swiss Institute for the Prevention of Alcohol and Other Drug Problems Research Division Case Postale 870 CH 1001 Lausanne, Switzerland Phone: (41) (21) 320 29 21 FAX: (41) (21) 323 19 30

Ukraine

Title	National Health Survey
Responsible agency or ministry	National Institute of Health Ministry of Health of Ukraine
Objective	To provide national data on the health, illness, and disability status of the civilian peoples in selected regions of Ukraine.
Scope	Sample included 850,000 persons (adults and children).
Collection method	In-depth comprehensive medical examination.
Data content	Incidence of acute illness and accidental injuries, prevalence of chronic diseases and impairments, disability, physician visits, hospital episodes, and demographic characteristics.
Frequency	Annual since 1986.
Availability of data	Statistical and scientific reports.
Contact	Mrs. A. Nagornaya National Institute of Health 18 Chigorina Street Kiev 252042, Ukraine Phone: (7) (44) 294-91-38 FAX: (7) (44) 261-47-73

United Kingdom

Title	General Household Survey
Responsible agency or ministry	Office of Population Censuses and Surveys
Objective	To examine relationships between the main variables with which social policy is concerned, and to monitor changes in these associations over time.
Scope	Sample of approximately 10,000 households covering about 20,000 persons per year. General population resident in private (noninstitutional) households in England, Scotland, and Wales 16 years of age and over, obtained either in person or occasionally by proxy. Health information is obtained for children under 16 years of age from the person responsible for them, usually the mother.
Collection method	Computer-Assisted Personal Interviewing (CAPI).
Data content	Survey covers five main areas—population, housing, employment, education, and health. The fixed core data in the health component include data on health measures (covering the prevalence of chronic and acute problems, utilization of health care services, doctor visits, and hospitalizations), and demographic and socioeconomic characteristics. Supplementary component—varies from year to year but for health has covered dental health, sight and hearing, accidents, smoking, and drinking.
Frequency	Continuous since 1971.
Availability of data	Data tapes and an annual report, unpublished data is also available.
Contact	<u>Published and unpublished data</u> Ms. Jan Gregory Office of Population Censuses and Surveys GHS Unit - St. Catherine's House 10 Kingsway - London WC2B 6JP, United Kingdom Phone: (44) (71) 396 2058 FAX: (44) (71) 405 3020 <u>Data tapes</u> ESRC Data Archive University of Essex Wivenhoe Park, Colchester Essex C04 3SQ, United Kingdom Phone: (44) (206) 87 2570 FAX: (44) (206) 87 2003

United States

Title	National Survey of Family Growth (NSFG)
Responsible agency or ministry	National Center for Health Statistics Centers for Disease Control and Prevention Department of Health and Human Services
Objective	To provide data on factors influencing trends in the birth rate, including contraception and sterilization, infertility, and aspects of maternal and infant health that are most directly related to childbearing.
Scope	Probability sample of households covering women of childbearing age (15–44 years) in the selected sample; 8,450 women were in the 1988 survey and 10,500 women were in the 1995 survey.
Collection method	Interviewer-administered questionnaire.
Data content	Live births and births expected, low birthweight, miscarriages and stillbirths, adoptions, contraception and sterilization, infertility, prenatal care, breastfeeding, teenage sexual activity and pregnancy, unmarried cohabitation, marriage, divorce, and use of family-planning services.
Frequency	Conducted in 1973, 1976, 1982, 1988, and 1995.
Availability of data	Public-use data files and statistical reports presenting survey findings (charges apply).
Contact	William Mosher, Ph.D. Family Growth Survey Branch Division of Vital Statistics National Center for Health Statistics 6525 Belcrest Road, Room 840 Hyattsville, Maryland 20782 Phone: (1) (301) 436-8731, ext. 127 FAX: (1) (301) 436-7066

United States

Title	National Health and Nutrition Examination Survey (NHANES)
Responsible agency or ministry	National Center for Health Statistics Centers for Disease Control and Prevention Department of Health and Human Services
Objective	To collect data on the prevalence of specific diseases and conditions and to establish normative health-related and nutrition measures for the U.S. population.
Scope	Multistage probability sample of 30,000 persons aged 6 months to 74 years in the civilian noninstitutionalized population.
Collection method	Interviewer-administered questionnaire, physician examination, and laboratory tests.
Data content	Medical history, cognitive and neurological test, blood and urine tests, hearing and vision examination, allergy skin test, spirometry, electrocardiogram (ECG), x rays, ultrasound examinations of the gallbladder, and measurements of bone density.
Frequency	Conducted in 1971–74, 1974–75, 1976–80, and 1988–94.
Availability of data	Public-use data files and statistical reports presenting the survey findings (charges apply).
Contact	Robert S. Murphy Division of Health Examination Surveys National Center for Health Statistics 6525 Belcrest Road, Room 900 Hyattsville, Maryland 20782 Phone: (1) (301) 436-7068, ext. 123 FAX: (1) (301) 436-5431

United States

Title	National Health and Nutrition Examination Survey I—Epidemiologic Followup Study (NHEFS)
Responsible agency or ministry	National Center for Health Statistics Centers for Disease Control and Prevention Department of Health and Human Services
Objective	To investigate the association between clinical, nutritional, and behavioral factors assessed in the first National Health and Nutrition Examination Survey (NHANES I) and subsequent morbidity, mortality, hospital utilization, changes in risk factors, functional limitation, and institutionalization.
Scope	The NHEFS is a series of followup surveys to all adult persons 25–74 years of age who completed a medical examination at the first NHANES I in 1971–75 (n=14,407). The first followup survey from 1982–84 included all 14,407 persons. The second wave in 1986 was restricted to persons who were 55 years of age and over at the time of the first NHANES I examination (n=3,980). The third wave in 1987 included 11,750 persons and the fourth wave in 1992 included 11,195 persons.
Collection method	The first wave of data collection, traced the cohort; conducted personal interviews with subjects or their proxies; measured pulse rate, weight, and blood pressure of surviving participants; collected hospital and nursing home records of overnight stays; and collected death certificates of decedents. Subsequent waves used a 30-minute computer-assisted telephone interview (CATI) and did not collect physical measurements.
Data content	Medical conditions, hospitalization and institutionalization, functional status, vision and hearing problems, and smoking and drinking habits; physical activity, physical measurements of pulse, blood pressure, and weight (in 1982–84 only), cause of death information for decedents, and demographic and socioeconomic characteristics.
Frequency	Conducted in 1982–84, 1986, 1987, and 1992.
Availability of data	Public-use data files and statistical reports presenting the study findings (charges apply).
Contact	Ms. Christine Cox Office of Analysis, Epidemiology, and Health Promotion National Center for Health Statistics 6525 Belcrest Road, Room 730 Hyattsville, Maryland 20782 Phone: (1) (301) 436-5979, ext. 115 FAX: (1) (301) 436-8459

United States

Title	Hispanic Health and Nutrition Examination Survey (HHANES)
Responsible agency or ministry	National Center for Health Statistics Centers for Disease Control and Prevention Department of Health and Human Services
Objective	To collect data on the prevalence of specific diseases and conditions and to establish normative health-related and nutrition measures for the three major subgroups of the Hispanic population: Mexican Americans, Cuban Americans, and Puerto Ricans.
Scope	Nationwide probability sample of defined population of 16,000 persons, aged 6 months to 74 years. Civilian noninstitutionalized population.
Collection method	Interviewer-administered questionnaire, physician examination, and laboratory tests.
Data content	Medical history, cognitive and neurological test, blood and urine tests, hearing and vision examination, allergy skin test, spirometry, electrocardiogram (ECG), x rays, ultrasound examinations of the gallbladder, and measurements of bone density.
Frequency	Conducted in 1982–84.
Availability of data	Public-use data files and statistical reports presenting the findings (charges apply).
Contact	Robert S. Murphy Division of Health Examination Surveys National Center for Health Statistics 6525 Belcrest Road, Room 900 Hyattsville, Maryland 20782 Phone: (1) (301) 436-7068, ext. 123 FAX: (1) (301) 436-5431

United States

Title	National Health Interview Survey (NHIS)
Responsible agency or ministry	National Center for Health Statistics Centers for Disease Control and Prevention Department of Health and Human Services
Objective	To provide national data on the health, illness, and disability status of the civilian noninstitutionalized population of the United States.
Scope	Multistage probability sample of 50,000 households covering about 135,000 persons per year. Civilian noninstitutionalized population of all persons aged 17 years and over in selected dwellings are interviewed. Adult family member aged 19 years or over may provide data for persons not home and for children under 17 years of age.
Collection method	Interviewer-administered questionnaire.
Data content	Fixed core data component—incidence of acute illness and accidental injuries, prevalence of chronic diseases and impairments, disability, physician visits, hospital episodes, work loss, exercise, and demographic and socioeconomic characteristics. Supplementary component—varies from year to year.
Frequency	Continuous since 1957.
Availability of data	Public-use data files and statistical reports presenting the survey findings (charges apply).
Contact	Owen T. Thornberry, Jr., Ph.D. Division of Health Interview Statistics National Center for Health Statistics 6525 Belcrest Road, Room 850 Hyattsville, Maryland 20782 Phone: (1) (301) 436-7085, ext. 120 FAX: (1) (301) 436-3484

United States

Title	Longitudinal Study of Aging (LSOA)
Responsible agency or ministry	National Center for Health Statistics Centers for Disease Control and Prevention Department of Health and Human Services
Objective	To measure changes in functional status and living arrangements of older Americans; and to provide mortality rates for demographic, social, economic, and health characteristics that are not available from the vital statistics system.
Scope	Sampling frame developed from persons who were 70 years of age and over when they participated in the 1984 National Health Interview Survey, Supplement on Aging. The sample included 7,527 persons.
Collection method	Computer-assisted telephone interview (CATI) and mail questionnaires.
Data content	Living arrangements and change, physical limitations and change, use of medical care, hospitalizations, social interactions, and demographic and socioeconomic characteristics. Records of survey participants were matched against computerized files of information on hospitalization and death. This information was added to that of the interviews.
Frequency	Conducted in 1984, 1986, 1988, and 1990.
Availability of data	Public-use data files and statistical reports presenting the survey findings (charges apply).
Contact	Ms. Julie A. Weeks Office of Analysis, Epidemiology, and Health Promotion National Center for Health Statistics 6525 Belcrest Road, Room 730 Hyattsville, Maryland 20782 Phone: (1) (301) 436-5979, ext. 178 FAX: (1) (301) 436-8459

in *General Topics Covered
Health Surveys by Country*



Topic	AUSTRALIA					
	Australian Health Survey	National Health Survey	Survey of Disability, Ageing, and Carers	Time Use Survey	National Aboriginal and Torres Strait Islander Survey	National Nutrition Survey
Demographic and socioeconomic characteristics						
Age	X	X	X	X	X	X
Date of birth						
Sex	X	X	X	X	X	X
Race		X			X	X
Ethnicity		X				X
Nationality or country of birth	X	X	X	X	X	X
Marital status	X	X	X	X	X	X
Household composition	X	X	X	X	X	X
Education	X	X	X	X	X	X
Employment status	X	X	X	X	X	X
Occupation or industry	X	X	X	X		X
Environmental work conditions						
Income	X	X	X	X	X	X
Military status						
Health status						
Chronic conditions	X	X			X	X
Disability			X		X	
Handicaps or impairments	X		X		X	
Limitation of activities		X	X		X	X
Acute conditions	X	X				X
Accidents or injuries	X	X				X
Bed-days	X	X				X
Work or school loss	X	X	X			X
Restricted activity	X	X	X			X
Mental health or well-being	X	X	X			X
Body measurements (height and weight)		X			X	X
Health status (self-assessed)		X			X	X

Topic	AUSTRALIA					
	Australian Health Survey	National Health Survey	Survey of Disability, Ageing, and Carers	Time Use Survey	National Aboriginal and Torres Strait Islander Survey	National Nutrition Survey
Health care utilization						
Hospitalizations	X	X			X	X
Medical consultations	X	X			X	X
Dental consultations	X	X				X
Outpatient or clinic visits	X	X			X	X
Physical examinations or checkups	X					
Immunizations	X					
Maternal and child health care	X					
Medicine consumption	X	X				X
Transportation or distance to health care					X	
Lifestyle, risk factors						
Alcohol consumption		X			X	X
Smoking habits		X			X	X
Drug or narcotic usage						
Dietary behavior				X	X	X
Health habits						
Physical activity		X	X	X		X
Leisure time activity				X		
Family planning		X				X
AIDS knowledge, attitudes, and behavior						
Activities of daily living (ADL)			X	X		
Instrumental activities of daily living			X	X		
Social interaction			X	X		
Environmental living conditions		X				X
Health expenses						
Health expenditures						
Health insurance coverage	X	X				X
Mortality						
Infant mortality						

Topic	AUSTRIA			
	Special Sport, Home, and Leisure Accident Survey	Special Smoking Habits Survey	Special Health Survey	Special Impairment, Disability, and Handicap Survey
Demographic and socioeconomic characteristics				
Age	X	X	X	X
Date of birth	X	X	X	X
Sex	X	X	X	X
Race				
Ethnicity				
Nationality or country of birth				
Marital status	X	X	X	X
Household composition	X	X	X	X
Education	X	X	X	X
Employment status	X	X	X	X
Occupation or industry	X	X	X	X
Environmental work conditions		X		
Income				
Military status				
Health status				
Chronic conditions		X	X	X
Disability			X	X
Handicaps or impairments			X	X
Limitation of activities				X
Acute conditions			X	
Accidents or injuries	X			
Bed-days				
Work or school loss				
Restricted activity	X		X	
Mental health or well-being			X	
Body measurements (height and weight)			X	
Health status (self-assessed)			X	

Topic	AUSTRIA			
	Special Sport, Home, and Leisure Accident Survey	Special Smoking Habits Survey	Special Health Survey	Special Impairment, Disability, and Handicap Survey
Health care utilization				
Hospitalizations	X		X	X
Medical consultations	X		X	X
Dental consultations			X	
Outpatient or clinic visits				X
Physical examinations or checkups			X	X
Immunizations			X	
Maternal and child health care				
Medicine consumption			X	
Transportation or distance to health care				
Lifestyle, risk factors				
Alcohol consumption				
Smoking habits		X	X	
Drug or narcotic usage				
Dietary behavior				
Health habits			X	
Physical activity			X	X
Leisure time activity				X
Family planning				
AIDS knowledge, attitudes, and behavior				
Activities of daily living (ADL)				
Instrumental activities of daily living				
Social interaction				
Environmental living conditions				
Health expenses				
Health expenditures				
Health insurance coverage				
Mortality				
Infant mortality				

Topic	CANADA							
	Canada Health Survey	Canada Fitness Survey	General Social Survey	Canadian Health and Disability Survey	Health Promotion Survey	Health and Activity Limitation Survey	Aboriginal Peoples Survey	National Population Health Survey
Demographic and socioeconomic characteristics								
Age	X	X	X	X	X	X	X	X
Date of birth	X		X			X	X	X
Sex	X	X	X	X	X	X	X	X
Race	X							
Ethnicity			X				X	X
Nationality or country of birth	X		X				X	X
Marital status	X	X		X	X		X	X
Household composition	X		X	X		X		X
Education	X	X	X	X	X	X	X	X
Employment status	X	X	X	X	X	X	X	X
Occupation or industry	X	X	X	X	X	X	X	X
Environmental work conditions								
Income	X	X	X	X		X	X	X
Military status								
Health status								
Chronic conditions	X		X	X		X	X	X
Disability	X		X	X		X	X	X
Handicaps or impairments	X	X	X	X	X	X	X	
Limitation of activities	X	X	X	X	X	X	X	X
Acute conditions	X		X				X	
Accidents or injuries	X							X
Bed-days	X		X					
Work or school loss	X		X					
Restricted activity	X		X					X
Mental health or well-being	X	X	X		X		X	X
Body measurements (height and weight)	X	X	X		X		X	X
Health status (self-assessed)	X	X	X		X		X	X

Topic	CANADA							
	Canada Health Survey	Canada Fitness Survey	General Social Survey	Canadian Health and Disability Survey	Health Promotion Survey	Health and Activity Limitation Survey	Aboriginal Peoples Survey	National Population Health Survey
Health care utilization								
Hospitalizations	X		X					X
Medical consultations	X		X				X	X
Dental consultations	X		X				X	X
Outpatient or clinic visits								X
Physical examinations or checkups			X				X	
Immunizations	X		X					
Maternal and child health care								
Medicine consumption	X					X		X
Transportation or distance to health care								X
Lifestyle, risk factors								
Alcohol consumption	X	X	X		X	X	X	X
Smoking habits	X	X	X		X	X	X	X
Drug or narcotic usage					X			
Dietary behavior		X			X	X	X	
Health habits					X			X
Physical activity	X	X	X		X	X	X	X
Leisure time activity	X	X	X			X	X	X
Family planning								
AIDS knowledge, attitudes, and behavior								
Activities of daily living (ADL)			X	X		X	X	X
Instrumental activities of daily living			X			X		X
Social interaction			X		X		X	X
Environmental living conditions							X	
Health expenses								
Health expenditures						X		
Health insurance coverage							X	
Mortality								
Infant mortality								

Topic	CHINA (People's Republic of)	CZECH REPUBLIC			DENMARK	
	National Sample Survey on the Situation of Children	Survey of Treated Morbidity	Reproductive Health Survey	Health Interview Survey	The Danish Health and Morbidity Survey	Population Survey on Prevention of Musculoskeletal Disorders
Demographic and socioeconomic characteristics						
Age	X	X	X	X	X	X
Date of birth	X		X		X	
Sex	X	X	X	X	X	X
Race						
Ethnicity			X			
Nationality or country of birth	X		X	X	X	
Marital status	X		X	X	X	X
Household composition	X				X	
Education	X		X	X	X	X
Employment status	X	X		X	X	X
Occupation or industry	X	X		X	X	X
Environmental work conditions					X	X
Income			X	X	X	X
Military status						
Health status						
Chronic conditions		X		X	X	X
Disability		X		X	X	X
Handicaps or impairments		X		X	X	X
Limitation of activities		X		X	X	X
Acute conditions		X		X	X	X
Accidents or injuries		X			X	X
Bed-days				X		
Work or school loss		X			X	
Restricted activity		X		X	X	X
Mental health or well-being					X	
Body measurements (height and weight)	X			X	X	
Health status (self-assessed)	X			X	X	X

Topic	CHINA (People's Republic of)	CZECH REPUBLIC			DENMARK	
	National Sample Survey on the Situation of Children	Survey of Treated Morbidity	Reproductive Health Survey	Health Interview Survey	The Danish Health and Morbidity Survey	Population Survey on Prevention of Musculoskeletal Disorders
Health care utilization						
Hospitalizations	X	X	X		X	X
Medical consultations		X	X		X	X
Dental consultations					X	
Outpatient or clinic visits			X		X	X
Physical examinations or checkups					X	
Immunizations						
Maternal and child health care	X		X			
Medicine consumption		X			X	X
Transportation or distance to health care						
Lifestyle, risk factors						
Alcohol consumption			X	X	X	
Smoking habits			X	X	X	
Drug or narcotic usage			X		X	
Dietary behavior			X	X	X	
Health habits			X		X	X
Physical activity				X	X	X
Leisure time activity				X		
Family planning			X			
AIDS knowledge, attitudes, and behavior			X			
Activities of daily living (ADL)					X	
Instrumental activities of daily living						
Social interaction				X	X	X
Environmental living conditions	X			X	X	
Health expenses						
Health expenditures				X		
Health insurance coverage				X		
Mortality						
Infant mortality	X					

Topic	ESTONIA		FINLAND		FRANCE		
	Living Conditions Survey	National Health Interview Survey	Population Health Survey	Mini-Finland Health Survey	French Health Survey	National Inpatients Survey	Health Survey Social Protection
Demographic and socioeconomic characteristics							
Age	X	X	X		X	X	X
Date of birth			X		X	X	X
Sex	X	X	X	X	X	X	X
Race							
Ethnicity							
Nationality or country of birth	X				X	X	X
Marital status	X	X	X		X	X	X
Household composition	X	X	X		X		X
Education	X	X	X		X	X	X
Employment status	X		X	X	X	X	X
Occupation or industry	X	X	X	X	X		
Environmental work conditions	X			X	X		X
Income	X	X	X	X	X		X
Military status			X				
Health status							
Chronic conditions	X	X	X	X	X	X	X
Disability	X	X	X	X	X	X	X
Handicaps or impairments			X	X	X	X	X
Limitation of activities	X	X	X	X	X	X	X
Acute conditions					X	X	X
Accidents or injuries		X				X	
Bed-days	X	X	X		X	X	X
Work or school loss	X	X	X	X	X	X	
Restricted activity	X	X			X	X	X
Mental health or well-being	X	X		X		X	X
Body measurements (height and weight)		X	X	X	X		X
Health status (self-assessed)		X		X	X		X

Topic	ESTONIA		FINLAND		FRANCE		
	Living Conditions Survey	National Health Interview Survey	Population Health Survey	Mini-Finland Health Survey	French Health Survey	National Inpatients Survey	Health Survey Social Protection
Health care utilization							
Hospitalizations		X	X	X	X	X	X
Medical consultations	X	X	X	X	X	X	X
Dental consultations	X	X	X		X	X	X
Outpatient or clinic visits	X	X	X		X	X	X
Physical examinations or checkups			X	X	X	X	X
Immunizations							
Maternal and child health care					X	X	X
Medicine consumption		X	X	X	X	X	X
Transportation or distance to health care				X	X	X	X
Lifestyle, risk factors							
Alcohol consumption	X	X		X	X	X	X
Smoking habits	X	X	X		X	X	X
Drug or narcotic usage	X						
Dietary behavior		X			X	X	X
Health habits		X					
Physical activity		X		X		X	
Leisure time activity				X			
Family planning		X		X			X
AIDS knowledge, attitudes, and behavior		X					
Activities of daily living (ADL)			X	X			X
Instrumental activities of daily living			X	X			X
Social interaction	X	X					
Environmental living conditions	X						
Health expenses							
Health expenditures			X		X	X	X
Health insurance coverage	X	X	X		X	X	X
Mortality							
Infant mortality							

Topic	GERMANY	HUNGARY		ICELAND	ISRAEL		ITALY
	Questions on Health— Microcensus Supplementary Survey	Health Interview Survey	Health Behavior Survey	Survey of Living Conditions in Iceland	Use of Health Services Survey	Survey of the Elderly (persons age 60 and over in households)	Survey of Health Conditions of the Population and the Use of Health Services
Demographic and socioeconomic characteristics							
Age	X	X	X	X	X	X	X
Date of birth	X		X	X	X		X
Sex	X	X	X	X	X	X	X
Race							
Ethnicity					X	X	
Nationality or country of birth	X				X	X	X
Marital status	X	X	X	X	X	X	X
Household composition	X	X		X	X	X	X
Education	X	X	X	X	X	X	X
Employment status	X	X	X	X	X	X	X
Occupation or industry	X	X		X	X	X	X
Environmental work conditions		X		X			
Income	X			X		X	X
Military status					X		
Health status							
Chronic conditions	X	X	X	X	X		X
Disability	X	X		X		X	X
Handicaps or impairments		X	X	X		X	X
Limitation of activities		X		X		X	X
Acute conditions	X				X		X
Accidents or injuries	X	X		X	X		X
Bed-days			X				X
Work or school loss	X				X		X
Restricted activity				X		X	X
Mental health or well-being							
Body measurements (height and weight)		X	X				X
Health status (self-assessed)		X	X			X	X

Topic	GERMANY	HUNGARY		ICELAND	ISRAEL		ITALY
	Questions on Health— Microcensus Supplementary Survey	Health Interview Survey	Health Behavior Survey	Survey of Living Conditions in Iceland	Use of Health Services Survey	Survey of the Elderly (persons age 60 and over in households)	Survey of Health Conditions of the Population and the Use of Health Services
Health care utilization							
Hospitalizations	X	X	X		X	X	X
Medical consultations	X	X	X		X	X	X
Dental consultations		X	X		X	X	X
Outpatient or clinic visits	X	X			X	X	
Physical examinations or checkups			X				X
Immunizations							
Maternal and child health care					X		
Medicine consumption		X		X			X
Transportation or distance to health care							
Lifestyle, risk factors							
Alcohol consumption			X			X	X
Smoking habits	X	X	X			X	X
Drug or narcotic usage							
Dietary behavior		X	X				
Health habits							
Physical activity		X	X			X	X
Leisure time activity				X		X	
Family planning							
AIDS knowledge, attitudes, and behavior							
Activities of daily living (ADL)		X				X	X
Instrumental activities of daily living		X				X	
Social interaction				X		X	
Environmental living conditions		X					
Health expenses							
Health expenditures							
Health insurance coverage	X				X		X
Mortality							
Infant mortality							

Topic	JAPAN	KOREA (Republic of)				LATVIA	
	Comprehensive Survey of Living Conditions of People on Health and Welfare	Patients Survey	National Nutrition Survey	Social Statistics Survey	National Health Interview Survey	Epidemiologic Research on Most Common Noninfectious Diseases	Living Conditions Survey
Demographic and socioeconomic characteristics							
Age	X	X	X	X	X	X	X
Date of birth	X					X	X
Sex	X	X	X	X	X	X	X
Race							
Ethnicity							
Nationality or country of birth						X	X
Marital status	X		X		X	X	X
Household composition	X						X
Education		X	X		X	X	X
Employment status	X	X	X			X	X
Occupation or industry		X	X			X	X
Environmental work conditions							
Income	X	X					
Military status							
Health status							
Chronic conditions	X			X	X	X	
Disability						X	
Handicaps or impairments							X
Limitation of activities	X						X
Acute conditions	X				X		X
Accidents or injuries	X		X	X			
Bed-days	X		X	X			
Work or school loss						X	
Restricted activity	X				X		
Mental health or well-being	X						
Body measurements (height and weight)		X				X	
Health status (self-assessed)	X		X		X	X	

Topic	JAPAN	KOREA (Republic of)				LATVIA	
	Comprehensive Survey of Living Conditions of People on Health and Welfare	Patients Survey	National Nutrition Survey	Social Statistics Survey	National Health Interview Survey	Epidemiologic Research on Most Common Noninfectious Diseases	Living Conditions Survey
Health care utilization							
Hospitalizations	X		X	X	X		X
Medical consultations	X			X	X		X
Dental consultations	X			X	X		X
Outpatient or clinic visits	X			X			X
Physical examinations or checkups	X						
Immunizations							
Maternal and child health care							
Medicine consumption							
Transportation or distance to health care					X		X
Lifestyle, risk factors							
Alcohol consumption			X			X	X
Smoking habits			X			X	X
Drug or narcotic usage							X
Dietary behavior		X				X	
Health habits	X						
Physical activity		X				X	X
Leisure time activity			X				
Family planning							
AIDS knowledge, attitudes, and behavior							
Activities of daily living (ADL)	X	X					
Instrumental activities of daily living							
Social interaction							
Environmental living conditions							X
Health expenses							
Health expenditures					X		
Health insurance coverage	X				X		
Mortality							
Infant mortality							

Topic	NETHERLANDS			NEW ZEALAND	NORWAY		
	Quality of Life Survey	National Health Interview Survey	National Health Interview Survey of Turkish Inhabitants in the Netherlands	Household Health Survey	Health Survey	Survey on Level of Living	Working Environment Survey
Demographic and socioeconomic characteristics							
Age	X	X	X	X	X	X	X
Date of birth	X	X			X		
Sex	X	X	X	X	X	X	X
Race							
Ethnicity			X	X			
Nationality or country of birth	X	X	X		X		
Marital status	X	X	X	X	X	X	X
Household composition	X	X	X	X	X	X	
Education	X	X	X	X	X	X	X
Employment status	X	X	X	X	X	X	X
Occupation or industry	X	X	X	X	X	X	X
Environmental work conditions	X					X	X
Income	X	X	X	X	X	X	X
Military status							
Health status							
Chronic conditions		X	X	X	X	X	X
Disability	X	X	X	X	X	X	
Handicaps or impairments	X	X		X	X	X	
Limitation of activities		X	X	X	X	X	
Acute conditions		X	X	X	X		
Accidents or injuries		X		X	X		
Bed-days		X	X	X	X		
Work or school loss				X			X
Restricted activity	X	X	X	X	X		
Mental health or well-being	X	X	X	X	X	X	X
Body measurements (height and weight)		X	X	X	X		
Health status (self-assessed)	X	X	X	X	X		

Topic	NETHERLANDS			NEW ZEALAND	NORWAY		
	Quality of Life Survey	National Health Interview Survey	National Health Interview Survey of Turkish Inhabitants in the Netherlands	Household Health Survey	Health Survey	Survey on Level of Living	Working Environment Survey
Health care utilization							
Hospitalizations	X	X	X	X	X		
Medical consultations	X	X	X	X	X		
Dental consultations		X	X	X	X		
Outpatient or clinic visits	X	X	X	X			
Physical examinations or checkups		X		X	X		
Immunizations		X		X			
Maternal and child health care		X	X	X	X		
Medicine consumption	X	X	X	X	X		
Transportation or distance to health care			X	X			
Lifestyle, risk factors							
Alcohol consumption	X	X	X	X	X	X	
Smoking habits	X	X	X	X	X		
Drug or narcotic usage							
Dietary behavior		X			X		
Health habits							
Physical activity	X	X		X	X	X	
Leisure time activity	X					X	
Family planning		X	X				
AIDS knowledge, attitudes, and behavior							
Activities of daily living (ADL)	X	X			X	X	
Instrumental activities of daily living		X		X	X	X	
Social interaction	X				X	X	
Environmental living conditions	X						
Health expenses							
Health expenditures					X		
Health insurance coverage	X	X	X	X			
Mortality							
Infant mortality							

Topic	POLAND					PORTUGAL
	Social Status of Households Survey	Family Health Survey	Sociodemographic and Health Determinants of Infant Mortality Survey	Household Health Expenditures for Health Care Survey	Disabled on the Labor Market Survey	National Health Survey
Demographic and socioeconomic characteristics						
Age	X	X	X	X	X	X
Date of birth		X	X		X	
Sex	X	X	X	X	X	X
Race						
Ethnicity						
Nationality or country of birth						
Marital status			X	X	X	X
Household composition	X		X	X	X	X
Education	X	X	X	X	X	X
Employment status	X	X	X	X	X	X
Occupation or industry		X	X		X	X
Environmental work conditions				X		
Income				X		X
Military status						
Health status						
Chronic conditions	X	X	X	X		X
Disability	X	X		X	X	X
Handicaps or impairments		X			X	
Limitation of activities		X			X	X
Acute conditions						X
Accidents or injuries		X				
Bed-days						X
Work or school loss						X
Restricted activity					X	X
Mental health or well-being						
Body measurements (height and weight)			X			X
Health status (self-assessed)	X	X	X	X		X

Topic	POLAND					PORTUGAL
	Social Status of Households Survey	Family Health Survey	Sociodemographic and Health Determinants of Infant Mortality Survey	Household Health Expenditures for Health Care Survey	Disabled on the Labor Market Survey	National Health Survey
Health care utilization						
Hospitalizations		X	X	X		X
Medical consultations			X	X		X
Dental consultations				X		
Outpatient or clinic visits						X
Physical examinations or checkups						
Immunizations						
Maternal and child health care						X
Medicine consumption						
Transportation or distance to health care						
Lifestyle, risk factors						
Alcohol consumption			X			X
Smoking habits		X	X			X
Drug or narcotic usage						
Dietary behavior						X
Health habits						
Physical activity	X	X	X			X
Leisure time activity						X
Family planning			X			
AIDS knowledge, attitudes, and behavior						
Activities of daily living (ADL)						X
Instrumental activities of daily living						
Social interaction						
Environmental living conditions			X			
Health expenses						
Health expenditures				X		X
Health insurance coverage				X		
Mortality						
Infant mortality			X			

Topic	SINGAPORE					SPAIN	
	National Health Survey	Morbidity Survey of Outpatients	Behavioural Risk Factor Survey	Survey on Cigarette Smoking Among Singaporeans	National Survey of Senior Citizens	Survey on Impairments, Disabilities, and Handicaps	National Health Survey
Demographic and socioeconomic characteristics							
Age		X	X	X		X	
Date of birth	X				X		
Sex	X	X	X	X	X	X	X
Race	X	X	X	X	X		
Ethnicity	X	X	X	X	X		
Nationality or country of birth							
Marital status	X		X	X	X	X	X
Household composition		X	X	X	X	X	X
Education	X		X	X	X	X	X
Employment status	X		X		X	X	X
Occupation or industry	X		X		X	X	X
Environmental work conditions							
Income					X	X	X
Military status							
Health status							
Chronic conditions	X	X			X	X	X
Disability					X	X	
Handicaps or impairments					X	X	X
Limitation of activities					X	X	X
Acute conditions		X					X
Accidents or injuries							X
Bed-days							X
Work or school loss							
Restricted activity					X		X
Mental health or well-being					X	X	
Body measurements (height and weight)	X		X				
Health status (self-assessed)					X		

Topic	SINGAPORE				SPAIN		
	National Health Survey	Morbidity Survey of Outpatients	Behavioural Risk Factor Survey	Survey on Cigarette Smoking Among Singaporeans	National Survey of Senior Citizens	Survey on Impairments, Disabilities, and Handicaps	National Health Survey
Health care utilization							
Hospitalizations			X		X		X
Medical consultations		X	X		X		X
Dental consultations							X
Outpatient or clinic visits		X	X		X		X
Physical examinations or checkups	X	X					
Immunizations		X					X
Maternal and child health care		X					
Medicine consumption	X		X		X		X
Transportation or distance to health care					X		X
Lifestyle, risk factors							
Alcohol consumption	X		X			X	X
Smoking habits	X			X			X
Drug or narcotic usage						X	
Dietary behavior	X						X
Health habits	X						X
Physical activity	X		X				X
Leisure time activity							
Family planning							
AIDS knowledge, attitudes, and behavior							
Activities of daily living (ADL)					X	X	
Instrumental activities of daily living					X	X	
Social interaction					X		
Environmental living conditions							
Health expenses							
Health expenditures					X		
Health insurance coverage			X		X		
Mortality							
Infant mortality							

Topic	SWEDEN	SWITZERLAND					UKRAINE
	Survey of Living Conditions	Trend Survey on Health Behavior and Alcohol Consumption	Swiss Health Survey (SOMIPOPS)	Health Behavior of School-age Children in Switzerland	Swiss Health Promotion Survey	Swiss Health Survey	National Health Survey
Demographic and socioeconomic characteristics							
Age	X	X	X	X	X	X	X
Date of birth	X	X	X	X	X	X	X
Sex		X	X	X	X	X	X
Race							
Ethnicity	X						
Nationality or country of birth	X	X	X	X	X	X	X
Marital status	X	X	X		X	X	
Household composition	X		X	X	X	X	
Education	X	X	X	X	X	X	X
Employment status	X	X	X	X	X	X	X
Occupation or industry	X	X	X	X	X	X	X
Environmental work conditions	X	X	X	X	X	X	
Income	X	X	X			X	
Military status							
Health status							
Chronic conditions	X	X	X	X	X	X	X
Disability	X		X		X	X	X
Handicaps or impairments	X			X	X	X	X
Limitation of activities	X		X		X	X	
Acute conditions	X		X		X	X	X
Accidents or injuries	X	X	X	X		X	X
Bed-days		X	X	X	X	X	X
Work or school loss	X		X	X	X	X	
Restricted activity	X		X		X	X	
Mental health or well-being		X	X	X	X	X	X
Body measurements (height and weight)	X		X	X	X	X	X
Health status (self-assessed)		X	X	X	X	X	

Topic	SWEDEN	SWITZERLAND					UKRAINE
	Survey of Living Conditions	Trend Survey on Health Behavior and Alcohol Consumption	Swiss Health Survey (SOMIPOPS)	Health Behavior of School-age Children in Switzerland	Swiss Health Promotion Survey	Swiss Health Survey	National Health Survey
Health care utilization							
Hospitalizations	X		X	X	X	X	X
Medical consultations	X	X	X	X	X	X	X
Dental consultations	X		X	X		X	
Outpatient or clinic visits	X		X	X			X
Physical examinations or checkups	X		X		X	X	X
Immunizations					X		X
Maternal and child health care							
Medicine consumption	X	X	X	X	X	X	
Transportation or distance to health care	X		X				
Lifestyle, risk factors							
Alcohol consumption	X	X	X	X	X	X	
Smoking habits	X	X	X	X	X	X	
Drug or narcotic usage		X		X		X	
Dietary behavior		X		X	X	X	
Health habits		X		X	X	X	
Physical activity	X	X		X	X		
Leisure time activity	X	X	X	X	X	X	
Family planning					X	X	
AIDS knowledge, attitudes, and behavior				X	X		
Activities of daily living (ADL)	X		X	X		X	
Instrumental activities of daily living	X		X			X	
Social interaction	X		X		X	X	
Environmental living conditions	X	X	X		X	X	
Health expenses							
Health expenditures				X			X
Health insurance coverage			X			X	
Mortality							
Infant mortality							X

Topic	UNITED KINGDOM	UNITED STATES					
	General Household Survey	National Health Interview Survey (NHIS)	National Health and Nutrition Examination Survey (NHANES)	National Health and Nutrition Examination Survey (HHANES)	National Survey of Family Growth (NSFG)	National Health and Nutrition Examination Survey I—Epidemiologic Followup Study (NHEFS)	Longitudinal Study of Aging (LSOA)
Demographic and socioeconomic characteristics							
Age	X	X	X	X	X	X	X
Date of birth	X	X	X	X	X	X	X
Sex	X	X	X	X	X	X	X
Race	X	X	X	X	X	X	X
Ethnicity	X	X	X	X	X	X	X
Nationality or country of birth	X				X	X	
Marital status	X	X	X	X	X	X	X
Household composition	X	X	X	X		X	X
Education	X	X	X	X	X		X
Employment status	X	X	X	X	X	X	X
Occupation or industry	X	X	X	X	X	X	X
Environmental work conditions							
Income	X	X	X	X	X	X	X
Military status		X					X
Health status							
Chronic conditions	X	X	X	X		X	X
Disability	X	X	X	X		X	X
Handicaps or impairments	X	X	X	X		X	X
Limitation of activities	X	X	X	X		X	X
Acute conditions	X	X	X	X		X	
Accidents or injuries		X	X				
Bed-days		X	X				
Work or school loss		X	X				
Restricted activity	X	X	X				
Mental health or well-being		X	X	X			X
Body measurements (height and weight)		X	X	X		X	X
Health status (self-assessed)	X	X	X	X		X	X

Topic	UNITED KINGDOM	UNITED STATES					
	General Household Survey	National Health Interview Survey (NHIS)	National Health and Nutrition Examination Survey (NHANES)	National Hispanic Health and Nutrition Examination Survey (HHANES)	National Survey of Family Growth (NSFG)	National Health and Nutrition Examination Survey I—Epidemiologic Followup Study (NHEFS)	Longitudinal Study of Aging (LSOA)
Health care utilization							
Hospitalizations	X	X		X	X	X	X
Medical consultations	X	X		X	X	X	X
Dental consultations		X	X	X		X	
Outpatient or clinic visits	X	X		X	X		
Physical examinations or checkups		X		X	X	X	
Immunizations		X	X	X			
Maternal and child health care		X	X		X		
Medicine consumption			X	X			
Transportation or distance to health care							
Lifestyle, risk factors							
Alcohol consumption	X	X	X	X		X	
Smoking habits	X	X	X	X	X	X	
Drug or narcotic usage		X	X	X			
Dietary behavior		X	X	X		X	
Health habits		X				X	
Physical activity		X	X			X	X
Leisure time activity							
Family planning	X			X	X		
AIDS knowledge, attitudes, and behavior		X			X		
Activities of daily living (ADL)		X	X			X	X
Instrumental activities of daily living			X				X
Social interaction			X			X	X
Environmental living conditions				X			
Health expenses							
Health expenditures							
Health insurance coverage	X	X	X	X	X	X	X
Mortality							
Infant mortality					X		



Argentina

(all statistics)

Instituto Nacional de Estadística y Censos

Avda. Julio A. Rocca 609

1067 Buenos Aires, Argentina

Contact person:

Dr. Hector Eduardo Montero

FAX: (54) (1) 349 9621

Australia

(vital statistics)

Australian Bureau of Statistics

P.O. Box 10

Belconnen, Australia 2616

Contact persons:

Mr. Anthony Wood

Mr. John Paice

FAX: (61) (6) 251 6009

(hospital and health manpower statistics)

Australian Institute of Health and Welfare

G.P.O. Box 570

Canberra, Australia 2601

Contact person:

Mr. Roy Harvey

FAX: (61) (6) 244 1299

Austria

(all statistics)

Department of Population Statistics

Austrian Central Statistical Office

Hintere Zollamtsstrasse 2b

A-1033 Vienna, Austria

Contact person:

Mag. Jeannette Langgassner

FAX: (43) (1) 718 24 01

Belgium

(all statistics)

Ministère de la Santé Publique

et de l'Environnement

Cité Administrative de l'Etat

Quartier Vésale

1010 Bruxelles, Belgium

Contact person:

C. Decoster

FAX: (32) (2) 210.47.71

Bulgaria

(all statistics)

National Statistical Institute

Information Service and Publications

2, P Volov Street

1504 Sofia, Bulgaria

Contact person:

Boyka Todorova

FAX: (359) (2) 44-15-83

Canada

(vital and hospital statistics)

Statistics Canada

Health Statistics Division

R.H. Coats Building, 18th Floor

Ottawa, K1A 0T6 Canada

Contact person:

Mrs. Janet Hagey

FAX: (613) 951-0792

(health manpower statistics)

Canadian Institute for Health

Information

377 Dalhousie Street, Suite 200

Ottawa, Ontario

K1N 9N8 Canada

Contact person:

Mr. Serge Taillon

FAX: (613) 241-8120

NOTE: Agencies and contact persons for survey statistics are listed under each specific survey in the Profile section of this publication.

Chile

(all statistics)
Instituto Nacional de Estadísticas
Departamento de Comunicaciones
Av. General Bulnes 418
Piso 3, Casila 498, Correo 3
Santiago, Chile
Contact person:
Sra. Mary Zajer Ayub
FAX: (56) (2) 6988291

China, People's Republic of

(all statistics)
State Statistical Bureau
International Statistical Information Center
38 Yuetan Nanjie
Sanlihe, Beijing
People's Republic of China
Contact person:
Jianwu Wen
FAX: (86) (1) 3266600-2810

Czech Republic

(vital statistics)
Czech Statistical Office
Sokolovská
186 13 Prague 8
Czech Republic
Contact person:
Mr. Jan Friedlaender
FAX: (42) (2) 82 24 90
(hospital and health manpower statistics)
Institute of Health Information and Statistics
of the Czech Republic
Palackého Nám. 4
P.O. Box 42
120 55 Prague 2
Czech Republic
Contact person:
Vlasta Mazánková M.S.
FAX: (42) (2) 2491 5982

Denmark

(vital statistics)
Danmarks Statistik
Sejrøgade 11
Postboks 2550
2100 Copenhagen, Denmark
Contact person:
Ms. Anita Lange
FAX: (45) (31) 18 48 01
(hospital and health manpower statistics)
Department of Health Statistics
National Board of Health
13, Amaliegade
P.O. Box 2020
DK-1012 Copenhagen K, Denmark
Contact person:
Jørgen Jørgensen
FAX: (45) (33) 93 16 36

Estonia

(vital statistics)
State Statistical Office of Estonia
15 Endla Street
EE-0100 Tallinn, Estonia
Contact persons:
Mrs. Ene Palo (mortality, marriage, and divorce statistics)
FAX: (372) (2) 45 39 23
(natality, hospital, and health manpower statistics)
Estonian Medical Statistical Bureau
Kotka 2
EE-0013 Tallinn, Estonia
Contact persons:
Alvi Tellmann, M.D. (natality statistics)
Reet Malbe, M.D. (hospital and health manpower statistics)
FAX: (372) (2) 55 23 03

Finland

(mortality, marriage, and divorce statistics)
Statistics Finland
P.O. Box 2B
FIN-00022, Finland

Finland—Continued

Contact person:

Mr. Mauri Nieminen

FAX: (358) (0) 1734 3251

(natality, hospital, and health manpower statistics)

National Research and Development Centre for

Welfare and Health (STAKES)

Siltasaarekatu 18, P.O. Box 220

00531 Helsinki, Finland

Contact person:

Anne Lounamaa

FAX: (358) (0) 3967 2324

France

(vital statistics)

Institut National de la Statistique

et des Études Économiques (INSEE)

Department of Demography

18, Boulevard Adolphe-Pinard

75675 Paris Cedex 14, France

Contact person:

Mr. Michel Jacod

FAX: (33) (1) 41 17 62 93

(hospital and health manpower statistics)

Ministère de la Santé Publique

et de l'Assurance Maladie

Service des Statistiques, des Études

et des Systèmes d'Information

1, Place de Fontenoy

75700 Paris, France

Contact person:

Pierre Gottely

FAX: (33) (1) 40 56 52 07

Germany

(all statistics)

Federal Statistical Office

65180 Wiesbaden

Gustav-Stresemann-Ring 11

Federal Republic of Germany

Contact persons:

Mr. H.P. Bosse (vital statistics)

Mr. K.J. Hammer (hospital and health manpower statistics)

FAX: (49) (611) 72 40 00

Greece

(all statistics)

National Statistical Service of Greece

14-16, Lykourgou Street

101 66 Athens, Greece

Contact person:

K. Christopoulos

FAX: (30) (1) 3241 102

Hong Kong

(vital statistics)

Census and Statistics Department

Fortress Tower Sub-office

Demographic Statistics Section

6/F Fortress Tower

250 King's Road

North Point, Hong Kong

Contact person:

Statistician (Demography)

FAX: (852) 2512 2656

(public hospital statistics)

Hospital Authority

19/F World Trade Centre

Causeway Bay, Hong Kong

Contact Person:

Mrs. Edwina Shung

FAX: (852) 2895 2167

(private hospital and health manpower statistics)

Department of Health

21/F Wu Chung House

213 Queen's Road East

Wanchai, Hong Kong

Contact person:

Mr. Simon Yeung

FAX: (852) 2836 0071

Hungary

(all statistics)

Hungarian Central Statistical Office

5-7 Keleti Károly Street

P.O. Box 51

H-1525 Budapest, Hungary

Contact person:

Dr. Péter Józán

FAX: (36) (1) 212 66 78

Iceland

(vital statistics)

Statistics Iceland

Skuggasund 3

IS-150 Reykjavík, Iceland

Contact person:

Mr. Guðni Baldursson

FAX: (354) 562 8865

(medical birth statistics)

National Hospital Maternity and Gynaecology Department

IS-101 Reykjavík, Iceland

Contact Person:

Dr. Reynir T. Geirsson

FAX: (354) 560 1191

(hospital and health manpower statistics)

Director General of Public Health

Laugavegur 116

IS-150 Reykjavík, Iceland

Contact person:

Ms. Sigríður Haraldsdóttir

FAX: (354) 562 3716

(hospital financial statistics)

National Economic Institute

Kalkofnsvegur 1

101 Reykjavík, Iceland

Contact person:

Mr. Jóhann R. Björgvinsson

FAX: (354) 562 6540

Israel

(vital, hospital discharge, and health manpower statistics)

Prime Minister's Office

Central Bureau of Statistics

Hakirya-Romena, P.O.B. 13015

Jerusalem 91130, Israel

Contact person:

Mrs. Prina Zadka

FAX: (972) (2) 6553 266

(hospital facility statistics)

Ministry of Health

Computerized and Information Systems

107 Derech Hebron

Jerusalem 93480, Israel

Contact person:

Mr. Meir Handelsman

FAX: (972) (2) 706895

Italy

(all statistics)

Istituto Nazionale di Statistica

Via Adolfo RAVA' 150

00142 Rome, Italy

Contact person:

Giovanni Cariani

FAX: (39) (6) 85354401

Japan

(all statistics)

Statistics and Information Department

Minister's Secretariat

Ministry of Health and Welfare

7-3, Ichigaya-Honmura-cho, Shinjuku-ku

Toyko 162 Japan

Contact person:

Mrs. Yoko Kanegae

FAX: (81) (3) 3269-8824

Korea (Republic of)

(vital, hospital, and health manpower statistics)

National Statistical Office

Hanta Building

647-15, Yoksam-dong, Kangnam-gu

Seoul 135-080, Korea

Contact person:

Kwang-Sup Ko

FAX: (82) (2) 538-6974

Latvia

(vital statistics)

Central Statistical Bureau of Latvia

1, Lāčplēša Street

Rīga LV 1301, Latvia

Contact person:

U. Ušackis

FAX: (371) 78 30137

(hospital and health manpower statistics)

Ministry of Welfare

of the Republic of Latvia

Medical Statistics Bureau

5, Nīcgaļa Street

Rīga LV 1035, Latvia

Contact person:

R. Krievkalna, M.D.

FAX: (371) 276445

Lithuania

(vital statistics)

Lithuanian Department of Statistics

Demographic Statistics Section

29 Gedimino Avenue

Vilnius 2746, Lithuania

Contact person:

Virginija Eidukienė

FAX: (370) (2) 223545

(hospital and health manpower statistics)

Ministry of Health

Lithuanian Health Information Centre

Tilto 13

Vilnius 2001, Lithuania

Contact person:

Aldona Gaižauskienė

FAX: (370) (2) 624567

Luxembourg

(vital statistics)

Service Central de la Statistique

et des Études Économiques (STATEC)

19-21 Boulevard Royal

Case Postale No. 304

L-2013 Luxembourg

Contact person:

Mr. Guy Zacharias

FAX: (352) 46 42 89

(hospital and health manpower statistics)

Direction de la Santé

Service des Statistiques Sanitaires

57, Boulevard de la Pétrusse

L-2320 Luxembourg

Contact person:

Dr. Danielle Hansen-Koenig

FAX: (352) 48 49 03

Netherlands

(all statistics)

Statistics Netherlands

428 Prinses Beatrixlaan

P.O. Box 4000

2270 JM Voorburg

The Netherlands

Contact person:

Mr. P. de Mik

FAX: (31) (70) 337-5979

New Zealand

(vital statistics—mortality, marriage, and divorce)

Statistics New Zealand

64 Kilmore Street

Private Bag 4741

Christchurch, New Zealand

Contact person:

Mr. M.A. Khawaja

FAX: (64) (3) 374 8899

New Zealand—Continued

(vital statistics—natality, hospital,
and health manpower statistics)
New Zealand Health Information Service

Ministry of Health
Ballantrae House
192-194 Willis Street
P.O. Box 5013
Wellington, New Zealand

Contact person:
Jim Fraser
FAX: (64) (4) 801 2769

Norway

(all statistics)
Statistics Norway
Division of Health and Social Conditions
P.O. Box 8131 Dep.
N-0033 Oslo, Norway

Contact person:
Leif Korbøl
FAX: (47) 22-86-49-73

Poland

(all statistics)
Central Statistical Office
Al. Niepodległości 208
Warsaw 00-925, Poland

Contact person:
Ms. Jolanta Szczerbińska
FAX: (48) (22) 25-90-78

Portugal

(vital, hospital, and health manpower statistics)
Instituto Nacional de Estatística
Servico de Estatísticas Demograficas
Av. António José de Almeida
1000 Lisboa, Portugal

Contact person:
Humberto Moreira
FAX: (351) (1) 8491109

Russian Federation

(all statistics)
Research Public Health Institute
“MedSocEconomInform”
11, Dobrolubova Street
Moscow 127254, Russia
Contact person:
Yuri Komarov, M.D., Ph.D.
FAX: (7) (095) 219-3840

Singapore

(vital statistics)
Department of Statistics
Ministry of Trade and Industry
10 Shenton Way #10-01
Singapore 0106

Contact person:
Mr. Kenneth Goh
FAX: (65) 323 9689

(hospital and health manpower statistics)
Research and Evaluation Department
College of Medicine Building
16 College Road
Singapore 0106

Contact person:
Dr. S.C. Emmanuel
FAX: (65) 244 1677

Slovak Republic

(vital, hospital, and health manpower statistics)
Institute for Health Informatics and Statistics
Martanovičova 6
812 52 Bratislava, Slovakia

Contact person:
Dr. Ján Ondrejka
FAX: (42) (7) 336-091

Spain

(all statistics)

Instituto Nacional de Estadística
Paseo de la Castellana 183
28046-Madrid, Spain

Contact person:

Sr. Jose Quevedo

FAX: (34) (1) 579 2713

Sweden

(vital statistics)

Statistics Sweden
S-115 81 Stockholm, Sweden

Contact persons:

Ingrid Melin (vital statistics)

Åke Nilsson (vital statistics)

FAX: (46) (8) 783 69 42

(hospital and health manpower statistics)

The National Board of Health and Welfare
S-106 30 Stockholm, Sweden

Contact Persons:

Petra Otterblad-Olausson (medical birth registration statistics)

Lars Nyberg (hospital facility statistics)

Curt-Lennart Spetz (hospital discharge statistics)

FAX: (46) (8) 783 3327

Göran Engholm (health manpower statistics)

FAX: (46) (8) 783 3176

Switzerland

(vital, hospital facility, and health manpower statistics)

Swiss Federal Statistical Office
Schwartztorstr. 53
CH-3003 Berne, Switzerland

Contact person:

Thomas Spuhler, M.D., MSc.

FAX: (41) (31) 382 25 92

(hospital discharge statistics)

VESKA

Rain 32

Postfach 4202

CH-5001 Aarau, Switzerland

Contact person:

Dr. Christoph Haudenschild

FAX: (41) (64) 22 33 35

Ukraine

(vital, hospital, and health manpower statistics)

Centre of Medical Statistics
Ministry of Health of Ukraine
7 Hrushevsky Street
Kiev 252021, Ukraine

Contact person:

Mr. A.N. Mischenko

FAX: (7) (44) 293-6975

(all statistics)

Ministry of Statistics
Shota Rustaveli Street 3
Kiev 252023, Ukraine

Contact person:

Mr. N.I. Borisenko

FAX: (7) (44) 227-4266

United Kingdom

England

(vital statistics)

Office of Population Censuses and Surveys
St. Catherine's House
10 Kingsway
London WC2B 6JP, United Kingdom

Contact persons:

Mr. Dennis Till (natality statistics)

Mr. Nick Blatchley (mortality statistics)

Mr. Simon Huxstep (marriage and divorce statistics)

FAX: (44) (171) 404 1186

(hospital and health manpower statistics)

Department of Health

Statistics Division

Skipton House

80 London Road

Elephant and Castle

London SE1 6LW, United Kingdom

Contact:

Susan Alpay

FAX: (44) (171) 972 5662

Wales

(vital statistics)

Office of Population Censuses and Surveys

St. Catherine's House

10 Kingsway

London WC2B 6JP, United Kingdom

Contact persons:

Mr. Dennis Till (natality statistics)

Mr. Nick Blatchley (mortality statistics)

Mr. Simon Huxstep (marriage and divorce statistics)

FAX: (44) (171) 404 1186

(hospital and health manpower statistics)

Welsh Office

Health Statistics Analysis Unit

New Crown Buildings

Cathays Park

Cardiff CF1 3NQ, United Kingdom

Contact person:

Miss V. Trew

FAX: (44) (222) 825350

Northern Ireland

(vital statistics)

Registrar General's Office

Department of Finance and Personnel

Oxford House

49-55 Chichester Street

Belfast BT1 4HL

United Kingdom

Contact person:

Mrs. P. Hamilton

FAX: (44) (232) 252044

(hospital and health manpower statistics)

Department of Health and Social Services

Strategy and Intelligence Group

Annex 2

Castle Buildings—Stormont

Belfast BT4 3UD

United Kingdom

Contact persons:

Dr. T. Power (hospital statistics)

Mrs. K. Campbell (health manpower statistics)

FAX: (44) (232) 523288

Scotland

(vital statistics—natality, hospital, and health manpower statistics)

National Health Service in Scotland

Information and Statistics Division

Trinity Park House

South Trinity Road

Edinburgh EH5 3SQ, United Kingdom

Contact:

Information Centre Help Desk

FAX: (44) (131) 551 1392

Scotland—Continued

(vital statistics—mortality, marriage, and divorce)

General Registrar for Scotland

Population Statistics Branch

Ladywell House

Ladywell Road

Edinburgh EH12 7TF, United Kingdom

Contact person:

Mrs. Carole Crook

FAX: (44) (131) 314 4344

United States

(vital and hospital discharge statistics)

Department of Health and Human Services

Public Health Service

Centers for Disease Control and Prevention

National Center for Health Statistics

6525 Belcrest Road

Hyattsville, Maryland 20782

Contact persons:

Mr. Robert Heuser (natality, marriage, and divorce statistics)

Dr. Harry Rosenberg (mortality statistics)

FAX: (1) (301) 436-7066

Mr. Robert Pokras (hospital discharge statistics)

FAX: (1) (301) 436-7955

(hospital facility statistics)

American Hospital Association Clearing House

1 North Franklin 29th Fl.

Chicago, Illinois 60606

Contact:

Ms. Ollie Williams

FAX: (1) (312) 422-4569

(health manpower statistics)

Department of Health and Human Services

Public Health Service

Health Resources and Services Administration

Bureau of Health Professions

5600 Fishers Lane, Room 8-47

Rockville, Maryland 20857

Contact person:

Mr. B. Jerald McClendon

FAX: (1) (301) 443-8003

Venezuela

(all statistics)

Oficina Central de Estadística e Informática

Av. Boyacá, Edificio Fundación La Salle

Maripérez-Apartado de Correos

4593 San Martín

Caracas 101, Venezuela

Contact person:

Felix L. Seijas Z.

FAX: (58) (2) 782-2243

Yugoslavia, Federal Republic of

(all statistics)

Federal Institute of Public Health

Bulevar AVNOJ-a 104

Belgrade, Yugoslavia

Contact person:

Todor Baković, M.D., Ph.D.

FAX: (381) (11) 2222-080

This reference guide is published by:

**Office of International Statistics
National Center for Health Statistics
Centers for Disease Control and Prevention**

NOTE: Copies of the reference guide are available from:

**Office of International Statistics
National Center for Health Statistics
6525 Belcrest Road, Room 888
Hyattsville, Maryland 20782
U.S.A.
Phone: (301) 436-7039
FAX: (301) 436-3568**

**DEPARTMENT OF
HEALTH & HUMAN SERVICES**

Public Health Service
Centers for Disease Control and Prevention
National Center for Health Statistics
6525 Belcrest Road
Hyattsville, Maryland 20782

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300

PRESORTED SPECIAL
FOURTH CLASS RATE
POSTAGE & FEES PAID
PHS/NCHS
PERMIT NO. G-281