

HIST293. AGE-ADJUSTED DEATH RATES FOR 69 SELECTED CAUSES BY RACE AND SEX USING YEAR 2000 STANDARD PAGE 1

POPULATION: UNITED STATES, 1968-78

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE EIGHTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED, 1965)

CAUSE OF DEATH, AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
ALL CAUSES															
1978.....	1,043.7	1,358.1	816.4	1,020.1	1,332.5	796.6	1,202.4	1,539.6	946.0	1,267.7	1,626.9	995.1			
1977.....	1,051.6	1,369.3	820.7	1,027.1	1,343.5	799.7	1,219.6	1,554.9	960.6	1,286.0	1,647.9	1,012.2			
1976.....	1,084.1	1,404.3	849.4	1,060.0	1,379.5	828.9	1,245.1	1,582.0	982.3	1,311.2	1,676.0	1,031.2			
1975.....	1,094.4	1,417.4	855.1	1,069.4	1,391.1	834.1	1,264.9	1,606.8	993.2	1,327.5	1,697.0	1,042.4			
1974.....	1,151.8	1,478.5	907.5	1,125.2	1,450.8	884.2	1,334.0	1,677.9	1,061.7	1,397.7	1,769.5	1,109.7			
1973.....	1,201.2	1,537.5	947.8	1,171.5	1,507.2	921.4	1,409.8	1,757.5	1,132.4	1,473.3	1,849.5	1,179.7			
1972.....	1,214.8	1,551.1	958.7	1,185.3	1,520.2	932.9	1,421.1	1,777.3	1,134.5	1,486.3	1,871.8	1,181.2			
1971.....	1,213.1	1,542.5	960.6	1,183.8	1,514.4	933.4	1,419.3	1,746.5	1,150.6	1,481.3	1,836.1	1,196.8			
1970.....	1,222.6	1,542.1	971.4	1,193.3	1,513.7	944.0	1,434.6	1,754.5	1,166.5	1,518.1	1,873.9	1,228.7			
1969.....	1,271.8	1,601.4	1,013.4	1,240.2	1,570.4	984.2	1,502.7	1,838.3	1,222.1	1,570.4	1,934.4	1,274.9			
1968.....	1,304.5	1,635.2	1,043.5	1,271.4	1,602.7	1,012.2	1,553.4	1,884.7	1,277.2	1,615.6	1,976.8	1,325.6			
BACILLARY DYSENTERY AND AMEBIASIS (004,006)															
1978.....	0.0	0.0	*	0.0	*	*	*	*	*	*	*	*	*	*	*
1977.....	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*	*	*	*	*
1976.....	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*	*	*	*	*	*
1975.....	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*	*	*	*	*	*
1974.....	0.0	0.0	*	0.0	0.0	*	*	*	*	*	*	*	*	*	*
1973.....	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*	*	*	*	*	*
1972.....	0.0	0.1	0.0	0.0	0.1	0.0	0.1	*	*	*	*	*	*	*	*
1971.....	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*	*	*	*	*
1970.....	0.0	0.0	0.0	0.0	0.0	0.0	0.1	*	*	*	*	*	*	*	*
1969.....	0.0	0.0	0.0	0.0	0.0	0.0	0.1	*	*	0.1	*	*	*	*	*
1968.....	0.0	0.1	0.0	0.0	0.0	0.0	0.1	*	*	0.1	*	*	*	*	*

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 68-78S created on 00/01/27.

HIST293. AGE-ADJUSTED DEATH RATES FOR 69 SELECTED CAUSES BY RACE AND SEX USING YEAR 2000 STANDARD PAGE 2
 POPULATION: UNITED STATES, 1968-78

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE EIGHTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED, 1965)

CAUSE OF DEATH, AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
ENTERITIS AND OTHER DIARRHEAL DISEASES (008,009)															
1978.....	0.9	1.0	0.9	0.8	0.9	0.8	1.7	1.8	1.6	1.8	1.9	1.6			
1977.....	1.0	1.0	1.0	0.9	0.9	0.9	1.5	1.5	1.5	1.5	1.6	1.5			
1976.....	1.1	1.0	1.0	0.9	0.9	0.9	1.7	1.7	1.7	1.7	1.8	1.7			
1975.....	1.1	1.2	1.0	1.0	1.0	0.9	1.8	2.0	1.5	1.8	2.2	1.6			
1974.....	1.3	1.3	1.3	1.2	1.2	1.2	1.8	1.8	1.8	1.8	1.8	1.8			
1973.....	1.3	1.4	1.3	1.2	1.2	1.2	2.1	2.1	2.0	2.1	2.2	2.0			
1972.....	1.3	1.3	1.3	1.2	1.2	1.1	2.2	2.2	2.1	2.2	2.2	2.2			
1971.....	1.4	1.4	1.3	1.2	1.3	1.2	2.4	2.7	2.1	2.5	2.8	2.2			
1970.....	1.5	1.5	1.4	1.3	1.3	1.3	2.4	2.6	2.1	2.3	2.6	2.0			
1969.....	1.5	1.5	1.5	1.2	1.3	1.3	3.1	3.3	2.9	3.1	3.4	2.9			
1968.....	1.7	1.8	1.7	1.5	1.5	1.4	3.0	3.2	2.9	2.9	3.2	2.8			
TUBERCULOSIS, ALL FORMS (010-019)															
1978.....	1.5	2.4	0.9	1.2	1.9	0.7	4.5	7.1	2.5	4.6	7.4	2.4			
1977.....	1.6	2.6	0.9	1.2	2.0	0.7	4.9	8.2	2.5	5.1	8.6	2.4			
1976.....	1.7	2.8	1.0	1.3	2.1	0.8	5.3	8.7	2.8	5.5	9.0	2.8			
1975.....	1.9	3.0	1.1	1.4	2.4	0.8	5.5	8.4	3.2	5.5	8.5	3.1			
1974.....	2.0	3.2	1.1	1.5	2.4	0.9	6.2	9.9	3.3	6.3	10.2	3.3			
1973.....	2.2	3.6	1.2	1.7	2.8	0.9	6.9	10.9	3.6	7.0	11.2	3.7			
1972.....	2.6	4.2	1.3	2.0	3.3	1.0	8.0	12.9	4.1	8.1	13.4	3.9			
1971.....	2.7	4.4	1.4	2.1	3.4	1.1	8.5	13.7	4.2	8.6	14.1	4.3			
1970.....	3.2	5.1	1.7	2.5	4.1	1.3	9.1	14.0	5.1	9.4	14.6	5.2			
1969.....	3.4	5.6	1.8	2.7	4.5	1.3	10.3	15.5	6.0	10.4	16.0	5.8			
1968.....	3.9	6.3	2.1	3.0	4.9	1.6	12.1	18.5	6.8	12.1	18.8	6.7			

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 68-78S created on 00/01/27.

HIST293. AGE-ADJUSTED DEATH RATES FOR 69 SELECTED CAUSES BY RACE AND SEX USING YEAR 2000 STANDARD PAGE 3
 POPULATION: UNITED STATES, 1968-78

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE EIGHTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED, 1965)

CAUSE OF DEATH, AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)															
1978.....	1.2	2.0	0.7	0.9	1.5	0.5	3.5	5.8	1.7	3.6	6.1	1.7			
1977.....	1.3	2.1	0.6	1.0	1.6	0.5	3.8	6.6	1.8	4.1	7.1	1.8			
1976.....	1.3	2.3	0.7	1.0	1.7	0.5	4.2	7.0	2.0	4.4	7.3	2.1			
1975.....	1.4	2.4	0.7	1.1	1.9	0.6	4.2	6.8	2.2	4.3	7.0	2.2			
1974.....	1.6	2.6	0.8	1.2	2.0	0.6	4.9	8.1	2.5	5.1	8.5	2.5			
1973.....	1.7	2.9	0.9	1.3	2.2	0.7	5.6	9.1	2.7	5.7	9.5	2.7			
1972.....	2.0	3.5	1.0	1.5	2.7	0.7	6.5	10.6	3.2	6.6	11.1	3.1			
1971.....	2.2	3.6	1.1	1.6	2.8	0.8	7.0	11.5	3.3	7.2	12.0	3.5			
1970.....	2.5	4.2	1.2	2.0	3.4	0.9	7.5	11.8	4.0	7.8	12.4	4.1			
1969.....	2.8	4.6	1.4	2.2	3.8	1.0	8.4	13.0	4.6	8.6	13.5	4.7			
1968.....	3.1	5.2	1.6	2.4	4.1	1.2	9.9	15.5	5.1	10.0	16.0	5.1			
TUBERCULOSIS, OTHER FORMS (013-019)															
1978.....	0.3	0.5	0.2	0.3	0.4	0.2	1.0	1.3	0.7	0.9	1.3	0.7			
1977.....	0.3	0.5	0.3	0.3	0.3	0.2	1.1	1.6	0.7	1.1	1.6	0.7			
1976.....	0.4	0.5	0.3	0.3	0.4	0.2	1.1	1.7	0.7	1.1	1.6	0.7			
1975.....	0.4	0.6	0.3	0.3	0.5	0.2	1.2	1.6	1.0	1.1	1.4	0.9			
1974.....	0.4	0.6	0.3	0.3	0.4	0.2	1.3	1.8	0.8	1.2	1.7	0.8			
1973.....	0.5	0.7	0.3	0.4	0.6	0.3	1.3	1.8	0.9	1.3	1.7	1.0			
1972.....	0.5	0.8	0.3	0.4	0.6	0.2	1.5	2.2	0.9	1.4	2.3	0.8			
1971.....	0.5	0.8	0.3	0.4	0.6	0.3	1.5	2.2	0.9	1.4	2.1	0.8			
1970.....	0.6	0.9	0.4	0.5	0.7	0.4	1.6	2.2	1.1	1.6	2.1	1.1			
1969.....	0.6	0.9	0.4	0.5	0.8	0.3	1.9	2.5	1.4	1.8	2.6	1.2			
1968.....	0.8	1.1	0.5	0.6	0.9	0.4	2.2	3.0	1.6	2.1	2.8	1.5			

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 68-78S created on 00/01/27.

HIST293. AGE-ADJUSTED DEATH RATES FOR 69 SELECTED CAUSES BY RACE AND SEX USING YEAR 2000 STANDARD PAGE 4
 POPULATION: UNITED STATES, 1968-78

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE EIGHTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED, 1965)

CAUSE OF DEATH, AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
WHOOPING COUGH (033)															
1978.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1977.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1976.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1975.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1974.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1973.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1972.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1971.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1970.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1969.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1968.....	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER (034)															
1978.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1977.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1976.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1975.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1974.....	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1973.....	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1972.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1971.....	0.0	*	*	0.0	*	*	*	*	*	*	*	*	*	*	*
1970.....	0.0	*	*	0.0	*	*	*	*	*	*	*	*	*	*	*
1969.....	0.0	0.0	*	0.0	*	*	*	*	*	*	*	*	*	*	*
1968.....	0.0	*	*	0.0	*	*	*	*	*	*	*	*	*	*	*

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 68-78S created on 00/01/27.

HIST293. AGE-ADJUSTED DEATH RATES FOR 69 SELECTED CAUSES BY RACE AND SEX USING YEAR 2000 STANDARD PAGE 5
 POPULATION: UNITED STATES, 1968-78

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE EIGHTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED, 1965)

CAUSE OF DEATH, AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
MENINGOCOCCAL INFECTIONS (036)															
1978.....	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3
1977.....	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.2
1976.....	0.2	0.2	0.1	0.1	0.2	0.1	0.2	0.2	0.1	0.2	0.2	0.2	0.2	0.2	0.2
1975.....	0.1	0.2	0.1	0.1	0.1	0.1	0.2	0.3	0.2	0.2	0.2	0.2	0.3	0.3	0.2
1974.....	0.1	0.2	0.1	0.1	0.1	0.1	0.2	0.3	0.2	0.2	0.2	0.2	0.3	0.3	0.2
1973.....	0.1	0.2	0.1	0.2	0.2	0.1	0.2	0.2	0.1	0.2	0.2	0.2	0.2	0.2	0.2
1972.....	0.2	0.2	0.1	0.1	0.1	0.1	0.2	0.3	0.2	0.2	0.2	0.2	0.3	0.3	0.1
1971.....	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.5	0.2	0.3	0.5	0.5	0.5	0.5	0.2
1970.....	0.2	0.3	0.2	0.2	0.2	0.2	0.4	0.6	0.3	0.4	0.6	0.6	0.3	0.6	0.3
1969.....	0.3	0.4	0.3	0.3	0.3	0.3	0.7	0.8	0.5	0.7	0.8	0.8	0.5	0.8	0.5
1968.....	0.3	0.4	0.3	0.3	0.3	0.3	0.6	0.7	0.6	0.6	0.7	0.6	0.6	0.7	0.6
SEPTICEMIA (038)															
1978.....	4.2	5.2	3.5	3.6	4.6	3.0	8.4	10.1	7.2	9.0	10.9	7.6			
1977.....	3.8	4.9	3.2	3.4	4.3	2.7	8.0	9.9	6.7	8.4	10.4	7.0			
1976.....	3.5	4.3	3.0	3.1	3.8	2.5	7.5	8.6	6.7	8.0	9.2	7.1			
1975.....	3.1	3.9	2.6	2.8	3.5	2.2	6.2	7.5	5.2	6.5	8.0	5.4			
1974.....	3.0	3.8	2.4	2.6	3.3	2.1	5.8	7.2	4.7	6.1	7.7	4.9			
1973.....	2.6	3.2	2.2	2.3	2.8	1.9	5.3	6.4	4.4	5.6	6.8	4.7			
1972.....	2.4	3.1	1.9	2.1	2.8	1.7	5.0	6.0	4.2	5.2	6.4	4.2			
1971.....	2.2	2.8	1.8	1.9	2.5	1.6	4.5	5.4	3.7	4.6	5.6	3.9			
1970.....	2.0	2.5	1.7	1.8	2.2	1.4	3.9	4.9	3.1	4.1	5.2	3.3			
1969.....	1.7	2.1	1.5	1.5	1.8	1.3	3.6	4.5	3.0	3.8	4.6	3.1			
1968.....	1.7	2.1	1.5	1.5	1.9	1.3	3.4	4.1	2.9	3.6	4.3	3.0			

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 68-78S created on 00/01/27.

HIST293. AGE-ADJUSTED DEATH RATES FOR 69 SELECTED CAUSES BY RACE AND SEX USING YEAR 2000 STANDARD PAGE 6
 POPULATION: UNITED STATES, 1968-78

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE EIGHTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED, 1965)

CAUSE OF DEATH, AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
ACUTE POLIOMYELITIS (040-043)															
1978.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1977.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1976.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1975.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1974.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1973.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1972.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1971.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1970.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1969.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1968.....	0.0	*	*	0.0	*	*	*	*	*	*	*	*	*	*	*
MEASLES (055)															
1978.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1977.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1976.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1975.....	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1974.....	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1973.....	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1972.....	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1971.....	0.0	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*	*	*	*
1970.....	0.0	0.0	0.0	0.0	0.0	0.0	0.1	*	*	0.1	*	*	*	*	*
1969.....	0.0	0.0	0.0	0.0	*	*	*	*	*	*	*	*	*	*	*
1968.....	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 68-78S created on 00/01/27.

HIST293. AGE-ADJUSTED DEATH RATES FOR 69 SELECTED CAUSES BY RACE AND SEX USING YEAR 2000 STANDARD PAGE 7

POPULATION: UNITED STATES, 1968-78

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE EIGHTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED, 1965)

CAUSE OF DEATH, AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
SYPHILIS AND ITS SEQUELAE (090-097)															
1978.....	0.1	0.1	0.1	0.1	0.1	0.0	0.4	0.4	0.3	0.4	0.5	0.4			
1977.....	0.1	0.2	0.1	0.1	0.1	0.0	0.5	0.8	0.3	0.6	0.9	0.3			
1976.....	0.1	0.2	0.1	0.1	0.1	0.0	0.6	0.9	0.4	0.6	1.0	0.4			
1975.....	0.1	0.2	0.1	0.1	0.1	0.0	0.6	1.1	0.3	0.7	1.1	0.3			
1974.....	0.2	0.2	0.1	0.1	0.1	0.1	0.7	1.0	0.6	0.8	1.1	0.6			
1973.....	0.2	0.3	0.1	0.1	0.2	0.1	1.1	1.6	0.7	1.2	1.8	0.7			
1972.....	0.2	0.3	0.1	0.1	0.2	0.1	0.9	1.4	0.5	1.0	1.6	0.6			
1971.....	0.2	0.3	0.1	0.1	0.2	0.1	1.0	1.5	0.6	1.0	1.6	0.6			
1970.....	0.3	0.4	0.2	0.2	0.2	0.1	1.2	1.7	0.8	1.3	1.8	0.9			
1969.....	0.3	0.5	0.2	0.2	0.3	0.1	1.6	2.6	0.8	1.7	2.8	0.8			
1968.....	0.3	0.6	0.2	0.2	0.4	0.1	1.6	2.5	0.8	1.7	2.8	0.9			
OTHER INFECTIVE AND PARASITIC DISEASES (REMAINDER OF 000-136)															
1978.....	2.4	2.8	2.2	2.2	2.6	2.0	4.2	4.8	3.7	4.3	5.0	3.9			
1977.....	2.2	2.7	1.9	2.0	2.4	1.7	4.0	4.5	3.7	4.2	4.7	3.8			
1976.....	2.3	2.7	2.1	2.1	2.4	1.8	4.0	4.3	3.8	4.3	4.7	4.0			
1975.....	2.3	2.6	2.1	2.0	2.3	1.8	4.2	4.3	4.2	4.4	4.4	4.4			
1974.....	2.1	2.4	1.9	1.9	2.2	1.7	3.8	3.9	3.7	3.9	4.0	3.8			
1973.....	2.2	2.5	2.0	2.0	2.3	1.8	3.8	4.0	3.6	4.0	4.2	3.8			
1972.....	2.1	2.4	1.9	1.9	2.2	1.7	3.7	4.1	3.5	3.8	4.3	3.4			
1971.....	2.2	2.4	2.0	2.0	2.2	1.8	3.7	4.1	3.4	3.8	4.1	3.6			
1970.....	2.2	2.6	2.0	2.0	2.3	1.7	4.1	4.4	3.8	4.2	4.6	3.9			
1969.....	2.2	2.5	2.1	2.1	2.3	1.9	3.8	3.9	3.7	4.0	4.0	3.9			
1968.....	2.3	2.4	2.2	2.0	2.2	1.9	4.1	4.1	4.1	4.2	4.1	4.2			

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 68-78S created on 00/01/27.

HIST293. AGE-ADJUSTED DEATH RATES FOR 69 SELECTED CAUSES BY RACE AND SEX USING YEAR 2000 STANDARD PAGE 8
 POPULATION: UNITED STATES, 1968-78

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE EIGHTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED, 1965)

CAUSE OF DEATH, AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-209)															
1978.....	204.9	266.4	164.4	201.7	261.3	163.3	229.9	310.7	171.2	242.6	331.1	179.2			
1977.....	203.5	263.6	163.7	200.3	258.4	162.4	229.4	309.3	170.6	241.7	329.3	179.2			
1976.....	202.5	261.2	163.2	199.7	256.7	162.4	225.1	301.1	168.1	237.0	320.6	175.8			
1975.....	200.1	257.4	161.4	197.4	253.0	160.5	222.2	296.5	165.9	232.5	314.6	172.3			
1974.....	201.5	258.2	162.7	198.7	254.0	161.5	224.0	295.9	169.7	233.7	311.9	176.4			
1973.....	200.0	255.1	162.2	197.1	251.1	160.6	223.6	290.7	172.5	233.7	307.3	179.5			
1972.....	200.3	253.7	163.1	198.0	250.4	162.1	218.1	282.5	168.3	226.8	296.4	174.4			
1971.....	199.3	251.3	162.8	197.0	248.5	161.3	217.6	276.2	171.4	226.6	290.9	177.5			
1970.....	198.6	247.6	163.2	196.7	244.8	162.5	213.6	273.2	165.4	225.3	291.9	173.4			
1969.....	198.5	247.4	163.2	196.3	244.6	162.1	215.5	273.9	168.4	223.5	286.9	174.3			
1968.....	198.8	246.2	164.2	196.7	243.6	162.9	215.5	270.1	171.3	222.4	281.2	176.6			
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX (140-149)															
1978.....	4.2	6.8	2.3	4.0	6.4	2.2	5.7	9.7	2.6	6.1	10.5	2.6			
1977.....	4.3	7.0	2.3	4.1	6.7	2.3	5.8	10.0	2.5	6.2	10.7	2.6			
1976.....	4.2	6.9	2.2	4.0	6.5	2.2	5.7	9.6	2.5	6.0	10.4	2.6			
1975.....	4.3	6.9	2.4	4.1	6.6	2.3	5.6	9.5	2.5	5.8	9.9	2.5			
1974.....	4.3	7.1	2.2	4.2	6.9	2.2	5.3	8.7	2.5	5.4	9.0	2.6			
1973.....	4.3	7.0	2.3	4.2	6.8	2.2	5.4	8.9	2.5	5.7	9.5	2.7			
1972.....	4.2	6.9	2.2	4.1	6.7	2.1	5.2	8.2	2.8	5.4	8.5	2.9			
1971.....	4.4	7.1	2.3	4.4	7.0	2.3	5.0	8.1	2.4	5.1	8.4	2.4			
1970.....	4.5	7.3	2.3	4.4	7.1	2.2	5.2	8.4	2.6	5.5	8.9	2.7			
1969.....	4.5	7.5	2.2	4.4	7.3	2.2	5.3	8.7	2.3	5.4	9.1	2.4			
1968.....	4.5	7.4	2.2	4.4	7.3	2.2	5.0	8.3	2.3	5.2	8.5	2.4			

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 68-78S created on 00/01/27.

HIST293. AGE-ADJUSTED DEATH RATES FOR 69 SELECTED CAUSES BY RACE AND SEX USING YEAR 2000 STANDARD PAGE 9
 POPULATION: UNITED STATES, 1968-78

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE EIGHTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED, 1965)

CAUSE OF DEATH, AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)															
1978.....	55.6	69.7	45.6	54.3	67.9	44.9	65.6	85.0	51.1	67.5	87.7	52.5			
1977.....	55.4	69.8	45.2	54.0	67.8	44.5	66.1	87.8	49.8	68.0	90.6	51.4			
1976.....	56.0	70.3	45.8	54.7	68.5	45.2	66.2	86.4	50.6	68.3	89.7	52.2			
1975.....	55.9	70.0	45.8	54.7	68.2	45.2	65.8	86.7	49.6	67.4	89.3	50.7			
1974.....	56.8	70.7	46.9	55.7	69.0	46.3	66.1	86.3	50.5	67.5	88.5	51.7			
1973.....	56.6	70.4	46.8	55.5	68.9	46.1	65.7	83.7	51.6	67.3	86.2	52.9			
1972.....	57.2	70.8	47.2	56.4	69.5	46.8	64.3	82.2	50.0	65.3	83.8	51.0			
1971.....	57.9	71.6	47.9	57.0	70.3	47.3	66.0	83.5	51.7	67.6	86.2	52.9			
1970.....	58.8	71.8	48.9	57.9	70.4	48.5	65.6	84.4	50.1	68.2	88.8	52.0			
1969.....	60.0	73.7	49.7	59.1	72.3	49.4	66.6	86.8	50.0	67.5	88.3	50.8			
1968.....	60.6	74.0	50.5	59.8	72.5	50.2	67.4	87.0	51.2	68.2	88.7	51.7			
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM (160-163)															
1978.....	49.4	86.4	22.5	48.7	84.9	22.6	54.6	98.6	20.8	58.3	106.7	21.7			
1977.....	48.0	84.8	21.0	47.2	83.3	21.1	53.9	97.7	20.1	57.7	106.2	21.1			
1976.....	46.8	82.9	20.0	46.2	81.8	20.1	51.2	92.5	18.8	54.2	99.3	19.7			
1975.....	45.2	80.8	18.7	44.7	79.7	18.7	49.7	90.2	17.7	52.8	97.0	18.5			
1974.....	44.4	80.0	17.6	43.8	78.8	17.6	49.4	90.2	17.1	52.2	96.8	17.6			
1973.....	42.9	77.7	16.5	42.3	76.6	16.4	47.8	86.8	16.5	50.2	92.8	16.9			
1972.....	42.3	76.6	16.1	41.9	75.8	16.1	45.6	83.0	15.3	47.6	88.2	15.6			
1971.....	40.8	74.2	15.1	40.5	73.7	15.0	43.4	77.7	15.2	45.4	82.3	15.8			
1970.....	39.6	72.1	14.0	39.2	71.6	13.9	42.0	75.5	14.1	44.4	81.0	14.7			
1969.....	38.1	69.6	13.1	37.7	68.9	13.1	41.1	74.4	13.3	42.8	78.8	13.5			
1968.....	37.2	67.9	12.5	36.9	67.5	12.5	39.3	70.9	12.6	40.3	74.0	12.6			

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 68-78S created on 00/01/27.

HIST293. AGE-ADJUSTED DEATH RATES FOR 69 SELECTED CAUSES BY RACE AND SEX USING YEAR 2000 STANDARD PAGE 10
 POPULATION: UNITED STATES, 1968-78

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE EIGHTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED, 1965)

CAUSE OF DEATH, AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
MALIGNANT NEOPLASM OF BREAST (174)															
1978.....	18.0	0.4	31.7	18.1	0.4	31.9	16.9	0.5	29.5	18.2	0.6	31.6			
1977.....	18.4	0.4	32.5	18.5	0.3	32.7	17.1	0.4	30.1	18.6	0.5	32.4			
1976.....	18.0	0.4	31.8	18.2	0.4	32.2	15.9	0.6	27.9	17.3	0.6	30.0			
1975.....	17.8	0.4	31.6	18.0	0.4	31.9	15.6	0.4	27.6	16.6	0.4	29.2			
1974.....	18.2	0.4	32.2	18.2	0.4	32.3	16.9	0.6	29.8	18.1	0.7	31.7			
1973.....	18.3	0.4	32.5	18.4	0.4	32.7	16.4	0.6	29.3	17.7	0.6	31.3			
1972.....	18.2	0.4	32.4	18.3	0.4	32.6	16.2	0.7	28.9	17.4	0.7	30.7			
1971.....	17.8	0.4	31.7	18.0	0.4	32.0	15.7	0.4	28.3	16.8	0.4	30.0			
1970.....	17.9	0.4	32.1	18.1	0.4	32.5	15.1	0.5	27.2	16.2	0.5	28.9			
1969.....	17.7	0.4	31.7	17.8	0.4	32.0	15.7	0.5	28.4	16.8	0.5	30.0			
1968.....	18.0	0.4	32.4	18.1	0.3	32.6	16.4	0.7	29.5	17.5	0.8	31.1			
MALIGNANT NEOPLASMS OF GENITAL ORGANS (180-187)															
1978.....	24.1	32.9	20.6	22.9	31.0	19.8	35.7	51.1	26.5	38.4	55.8	28.1			
1977.....	24.1	32.2	20.9	22.9	30.4	20.1	35.4	49.2	27.0	38.1	53.8	28.9			
1976.....	24.8	32.2	21.9	23.6	30.4	21.2	35.9	48.8	28.0	38.6	53.6	29.7			
1975.....	24.5	31.3	21.8	23.3	29.5	21.1	36.0	48.8	28.1	38.6	53.6	29.7			
1974.....	25.1	31.5	22.7	23.8	29.9	21.8	37.1	48.4	30.2	39.4	52.5	31.6			
1973.....	25.3	31.8	22.9	24.0	30.1	21.8	38.6	48.3	32.8	41.3	53.0	34.7			
1972.....	25.6	31.0	23.8	24.3	29.3	22.9	38.0	48.4	31.5	40.5	52.6	33.2			
1971.....	25.9	31.0	24.3	24.6	29.5	23.1	39.1	46.7	34.4	41.5	51.1	35.9			
1970.....	25.8	30.1	24.5	24.6	28.7	23.5	38.0	44.9	33.5	41.0	49.9	35.4			
1969.....	26.4	30.5	25.3	25.1	29.1	24.2	39.1	45.5	35.2	41.8	49.8	37.0			
1968.....	26.8	30.9	25.7	25.4	29.5	24.4	40.2	45.4	37.2	42.7	49.7	38.8			

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 68-78S created on 00/01/27.

HIST293. AGE-ADJUSTED DEATH RATES FOR 69 SELECTED CAUSES BY RACE AND SEX USING YEAR 2000 STANDARD PAGE 11
 POPULATION: UNITED STATES, 1968-78

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE EIGHTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED, 1965)

CAUSE OF DEATH, AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
MALIGNANT NEOPLASMS OF URINARY ORGANS (188,189)															
1978.....	9.3	15.1	5.5	9.5	15.5	5.5	7.7	11.2	5.2	8.2	11.9	5.4			
1977.....	9.4	15.2	5.6	9.6	15.6	5.5	7.8	11.0	5.4	8.2	11.6	5.7			
1976.....	9.4	15.2	5.5	9.5	15.6	5.5	8.0	11.4	5.5	8.3	12.1	5.6			
1975.....	9.3	15.0	5.4	9.5	15.5	5.4	7.6	10.5	5.4	7.9	11.0	5.6			
1974.....	9.5	15.2	5.5	9.6	15.6	5.5	7.7	10.7	5.4	7.9	11.1	5.7			
1973.....	9.4	14.9	5.5	9.5	15.3	5.5	7.7	10.5	5.4	7.8	10.7	5.6			
1972.....	9.5	15.2	5.4	9.5	15.5	5.4	8.4	11.8	5.8	8.6	12.3	5.8			
1971.....	9.4	14.7	5.5	9.5	15.0	5.5	7.9	11.1	5.4	8.1	11.5	5.6			
1970.....	9.7	15.0	5.8	9.8	15.4	5.8	7.9	11.2	5.2	8.4	12.0	5.5			
1969.....	9.5	14.7	5.6	9.6	15.0	5.6	8.0	11.2	5.4	8.3	11.7	5.7			
1968.....	9.6	14.9	5.6	9.7	15.2	5.6	8.0	11.1	5.4	8.2	11.4	5.6			
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173,190-199)															
1978.....	25.1	30.6	21.1	24.9	30.4	20.9	27.2	33.1	22.7	28.6	35.1	23.7			
1977.....	24.8	30.0	20.9	24.6	29.8	20.7	26.3	31.8	22.2	27.7	33.9	23.1			
1976.....	24.5	29.3	20.8	24.3	29.1	20.8	25.9	31.4	21.6	27.1	33.2	22.4			
1975.....	24.2	28.7	20.8	24.1	28.5	20.7	25.5	30.1	21.9	26.7	31.8	22.7			
1974.....	24.1	28.9	20.5	24.0	28.8	20.4	25.5	30.2	21.8	26.5	31.7	22.6			
1973.....	24.1	28.6	20.7	23.9	28.3	20.5	25.7	30.9	21.7	26.8	32.4	22.5			
1972.....	23.9	28.3	20.5	23.8	28.2	20.4	25.0	28.8	21.9	25.9	29.9	22.6			
1971.....	23.7	27.7	20.5	23.5	27.6	20.4	24.7	28.6	21.6	25.6	29.9	22.0			
1970.....	23.0	26.6	20.1	22.9	26.5	20.0	24.0	27.5	21.1	25.1	29.0	22.0			
1969.....	22.9	26.4	20.0	22.7	26.4	19.9	23.8	26.5	21.6	24.8	27.8	22.3			
1968.....	22.8	26.6	19.8	22.7	26.5	19.6	23.7	27.3	20.7	24.5	28.2	21.5			

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 68-78S created on 00/01/27.

HIST293. AGE-ADJUSTED DEATH RATES FOR 69 SELECTED CAUSES BY RACE AND SEX USING YEAR 2000 STANDARD PAGE 12
 POPULATION: UNITED STATES, 1968-78

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE EIGHTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED, 1965)

CAUSE OF DEATH, AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
LEUKEMIA (204-207)															
1978.....	8.0	10.7	6.1	8.1	10.9	6.3	6.2	8.4	4.6	6.5	8.9	4.8			
1977.....	8.1	10.7	6.2	8.2	11.0	6.3	6.5	8.2	5.2	6.6	8.4	5.4			
1976.....	8.1	10.8	6.2	8.2	11.1	6.2	6.4	7.9	5.2	6.6	8.3	5.3			
1975.....	8.1	10.8	6.2	8.2	11.1	6.3	6.3	8.0	4.9	6.4	8.3	5.0			
1974.....	8.1	10.7	6.3	8.3	11.0	6.4	6.1	7.8	4.8	6.3	8.1	4.9			
1973.....	8.1	10.8	6.3	8.3	11.1	6.4	6.5	8.6	5.0	6.7	9.0	5.1			
1972.....	8.2	10.8	6.4	8.5	11.1	6.5	6.0	7.6	4.7	6.1	7.7	4.8			
1971.....	8.4	10.9	6.5	8.6	11.3	6.7	6.1	7.8	4.9	6.3	8.1	5.0			
1970.....	8.5	10.8	6.8	8.7	11.1	6.9	6.4	8.1	5.0	6.7	8.6	5.2			
1969.....	8.7	11.3	6.8	9.0	11.6	7.0	6.1	7.7	4.9	6.2	7.8	5.0			
1968.....	8.7	11.2	6.9	8.9	11.5	7.0	6.5	8.0	5.2	6.6	8.1	5.3			
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203,208,209)															
1978.....	11.1	13.8	9.2	11.2	13.8	9.3	10.2	13.0	8.2	10.8	13.8	8.6			
1977.....	11.0	13.4	9.2	11.0	13.5	9.2	10.4	13.1	8.3	10.7	13.6	8.6			
1976.....	10.9	13.3	9.0	10.9	13.4	9.1	10.0	12.6	8.0	10.5	13.4	8.3			
1975.....	10.8	13.4	8.8	10.8	13.4	8.9	10.0	12.4	8.1	10.4	13.1	8.3			
1974.....	10.9	13.6	8.9	11.0	13.7	9.0	10.0	13.0	7.7	10.4	13.7	8.0			
1973.....	11.0	13.5	9.0	11.0	13.6	9.1	9.8	12.6	7.6	10.2	13.2	7.8			
1972.....	11.1	13.7	9.1	11.3	14.0	9.2	9.5	11.8	7.6	9.9	12.6	7.8			
1971.....	11.0	13.6	8.9	11.1	13.7	9.0	9.8	12.4	7.7	10.2	13.0	7.9			
1970.....	10.9	13.5	8.9	11.1	13.6	9.1	9.4	12.8	6.7	9.8	13.3	7.0			
1969.....	10.9	13.5	8.7	11.0	13.5	8.9	9.7	12.7	7.2	9.9	13.0	7.4			
1968.....	10.7	13.2	8.7	10.8	13.3	8.8	9.2	11.5	7.3	9.4	11.9	7.4			

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 68-78S created on 00/01/27.

HIST293. AGE-ADJUSTED DEATH RATES FOR 69 SELECTED CAUSES BY RACE AND SEX USING YEAR 2000 STANDARD PAGE 13
 POPULATION: UNITED STATES, 1968-78

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE EIGHTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED, 1965)

CAUSE OF DEATH, AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE (210-239)															
1978.....	2.6	2.8	2.4	2.5	2.8	2.3	3.0	3.1	2.9	3.1	3.3	3.0			
1977.....	2.6	2.9	2.4	2.6	2.9	2.4	3.1	3.1	3.0	3.2	3.3	3.1			
1976.....	2.5	2.9	2.3	2.5	2.8	2.2	3.1	3.4	2.9	3.3	3.6	3.0			
1975.....	2.7	3.1	2.4	2.6	3.0	2.4	3.1	3.2	3.1	3.2	3.3	3.1			
1974.....	2.8	3.1	2.6	2.7	3.1	2.5	3.4	3.4	3.4	3.6	3.6	3.6			
1973.....	2.8	3.1	2.6	2.7	3.0	2.5	3.6	3.6	3.6	3.8	3.8	3.8			
1972.....	2.8	3.1	2.6	2.7	3.0	2.5	3.8	3.8	3.7	4.0	4.1	4.0			
1971.....	2.9	3.2	2.6	2.8	3.1	2.6	3.3	3.3	3.2	3.5	3.5	3.5			
1970.....	2.8	3.0	2.7	2.8	2.9	2.6	3.6	3.3	3.9	3.9	3.5	4.2			
1969.....	2.8	2.8	2.8	2.7	2.8	2.6	3.9	3.3	4.5	4.0	3.3	4.7			
1968.....	3.0	3.1	2.9	2.9	3.1	2.7	3.9	3.1	4.5	4.0	3.2	4.7			
DIABETES MELLITUS (250)															
1978.....	18.3	18.1	18.2	17.0	17.3	16.7	29.4	24.9	32.6	30.8	25.9	34.1			
1977.....	18.2	18.0	18.1	16.8	17.2	16.4	29.9	25.1	33.4	31.5	26.2	35.2			
1976.....	19.5	18.9	19.7	18.1	18.1	17.9	31.9	26.6	35.8	33.2	27.6	37.3			
1975.....	20.3	19.8	20.5	18.9	18.9	18.7	33.0	27.3	37.2	34.3	27.9	39.0			
1974.....	22.1	21.3	22.5	20.6	20.5	20.6	35.3	28.3	40.6	36.9	29.3	42.6			
1973.....	23.0	22.2	23.4	21.4	21.2	21.3	37.7	31.1	42.8	39.3	32.2	44.7			
1972.....	23.7	23.0	24.2	22.1	22.0	22.0	38.8	31.5	44.6	40.5	32.6	46.4			
1971.....	23.9	22.8	24.6	22.3	22.0	22.4	38.3	30.2	44.8	39.5	30.9	46.2			
1970.....	24.3	23.0	25.1	22.9	22.2	23.2	37.0	30.2	42.7	38.8	31.2	44.9			
1969.....	25.1	23.5	26.2	23.6	22.8	24.1	38.6	30.1	45.6	40.2	30.9	47.5			
1968.....	25.3	23.8	26.4	23.8	23.1	24.2	39.1	30.1	46.6	40.5	30.8	48.4			

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 68-78S created on 00/01/27.

HIST293. AGE-ADJUSTED DEATH RATES FOR 69 SELECTED CAUSES BY RACE AND SEX USING YEAR 2000 STANDARD
 POPULATION: UNITED STATES, 1968-78

PAGE 14

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE
 EIGHTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED, 1965)

CAUSE OF DEATH, AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES (260-269)															
1978.....	1.7	1.8	1.7	1.6	1.7	1.6	2.6	3.0	2.4	2.7	3.1	2.3			
1977.....	1.6	1.8	1.5	1.5	1.6	1.5	2.3	2.8	1.9	2.3	2.8	1.9			
1976.....	1.7	1.8	1.5	1.6	1.6	1.4	2.8	3.3	2.4	2.9	3.4	2.5			
1975.....	1.7	1.9	1.6	1.6	1.8	1.5	2.8	3.1	2.6	2.9	3.2	2.6			
1974.....	1.7	1.9	1.6	1.6	1.7	1.5	2.6	3.2	2.1	2.6	3.3	2.1			
1973.....	1.8	1.8	1.7	1.7	1.7	1.7	2.8	3.0	2.6	2.7	2.8	2.5			
1972.....	1.8	1.9	1.7	1.7	1.8	1.6	2.8	3.5	2.3	2.8	3.4	2.3			
1971.....	1.8	1.9	1.7	1.7	1.7	1.6	2.7	3.1	2.4	2.8	3.3	2.5			
1970.....	1.8	1.9	1.6	1.6	1.8	1.5	2.6	3.0	2.3	2.6	3.0	2.3			
1969.....	1.9	2.0	1.8	1.8	1.8	1.7	3.0	3.2	2.8	3.1	3.3	2.9			
1968.....	1.9	2.2	1.8	1.8	1.9	1.7	3.2	4.0	2.5	3.1	3.9	2.5			
ANEMIAS (280-285)															
1978.....	1.8	2.1	1.7	1.7	1.9	1.5	3.0	3.1	2.9	3.3	3.3	3.2			
1977.....	1.8	2.1	1.6	1.6	1.9	1.4	2.8	2.9	2.7	3.1	3.2	2.9			
1976.....	1.8	2.1	1.7	1.7	1.9	1.5	3.2	3.2	3.2	3.5	3.5	3.5			
1975.....	1.9	2.1	1.7	1.7	1.9	1.6	3.0	3.2	2.9	3.3	3.5	3.1			
1974.....	2.0	2.3	1.8	1.8	2.1	1.6	3.5	3.9	3.2	3.8	4.3	3.4			
1973.....	2.0	2.3	1.9	1.8	2.1	1.7	3.4	3.7	3.1	3.7	4.1	3.4			
1972.....	2.1	2.3	2.0	1.9	2.1	1.7	3.8	4.2	3.5	4.0	4.6	3.6			
1971.....	2.2	2.3	2.1	1.9	2.1	1.8	3.9	3.9	3.8	4.2	4.4	4.1			
1970.....	2.2	2.5	2.1	2.0	2.2	1.8	4.0	3.9	3.9	4.3	4.3	4.3			
1969.....	2.2	2.3	2.1	2.0	2.2	1.9	3.4	3.5	3.3	3.6	3.9	3.5			
1968.....	2.3	2.5	2.2	2.1	2.3	2.0	4.0	4.2	3.9	4.3	4.5	4.1			

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN
 THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 68-78S created on 00/01/27.

HIST293. AGE-ADJUSTED DEATH RATES FOR 69 SELECTED CAUSES BY RACE AND SEX USING YEAR 2000 STANDARD PAGE 15
 POPULATION: UNITED STATES, 1968-78

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE EIGHTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED, 1965)

CAUSE OF DEATH, AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
MENINGITIS (320)												
1978.....	0.7	0.8	0.6	0.6	0.7	0.5	1.4	1.6	1.3	1.6	1.8	1.4
1977.....	0.7	0.8	0.6	0.6	0.7	0.5	1.6	1.9	1.4	1.7	2.0	1.4
1976.....	0.7	0.9	0.6	0.6	0.8	0.5	1.7	1.8	1.5	1.8	2.0	1.6
1975.....	0.8	0.9	0.7	0.6	0.7	0.6	1.7	2.1	1.4	1.8	2.3	1.5
1974.....	0.8	0.8	0.7	0.6	0.7	0.5	1.8	1.9	1.8	1.9	2.0	1.8
1973.....	0.7	0.9	0.6	0.6	0.7	0.5	1.9	2.1	1.7	2.0	2.3	1.8
1972.....	0.7	0.8	0.6	0.5	0.7	0.4	1.7	1.9	1.6	1.8	2.0	1.7
1971.....	0.7	0.9	0.6	0.6	0.7	0.5	1.8	2.4	1.4	1.9	2.6	1.4
1970.....	0.8	0.9	0.6	0.7	0.8	0.5	1.9	2.1	1.7	2.0	2.3	1.8
1969.....	0.8	1.0	0.7	0.7	0.9	0.5	2.1	2.5	1.8	2.2	2.6	1.9
1968.....	0.8	1.0	0.6	0.6	0.8	0.5	2.3	3.0	1.7	2.4	3.2	1.7
MAJOR CARDIOVASCULAR DISEASES (390-448)												
1978.....	550.1	698.1	442.9	546.4	699.0	436.5	564.9	677.0	481.4	596.2	712.3	508.8
1977.....	561.5	714.4	450.5	557.8	716.4	443.5	576.7	684.9	493.8	609.0	724.8	522.6
1976.....	583.6	738.5	469.9	580.7	741.5	463.7	590.7	701.6	505.3	622.7	742.1	532.6
1975.....	594.3	752.0	478.0	591.3	754.7	471.7	602.2	714.8	513.6	633.7	754.4	542.8
1974.....	639.9	801.9	519.3	636.2	804.2	511.8	651.6	764.9	563.2	683.7	806.4	590.7
1973.....	673.5	841.5	547.5	668.5	843.1	538.5	695.8	808.8	607.1	729.0	852.6	634.8
1972.....	684.6	853.6	556.4	680.0	855.4	547.6	702.9	820.1	610.9	738.0	866.4	638.8
1971.....	687.8	856.3	559.3	683.6	859.6	550.2	703.4	809.9	616.9	736.6	853.7	644.2
1970.....	688.5	849.5	562.3	683.8	852.5	552.5	713.3	812.1	631.0	758.7	870.3	668.9
1969.....	724.6	893.5	592.8	718.9	895.1	582.4	755.4	865.0	664.1	795.3	917.4	697.2
1968.....	748.3	917.8	614.9	741.3	918.0	603.1	791.8	899.9	702.8	829.2	951.1	734.3

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 68-78S created on 00/01/27.

HIST293. AGE-ADJUSTED DEATH RATES FOR 69 SELECTED CAUSES BY RACE AND SEX USING YEAR 2000 STANDARD PAGE 16
 POPULATION: UNITED STATES, 1968-78

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE EIGHTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED, 1965)

CAUSE OF DEATH, AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
DISEASES OF HEART (390-398, 402, 404, 410-429)												
1978.....	409.9	541.7	314.1	409.0	545.2	310.4	404.3	500.0	332.8	426.6	525.7	352.4
1977.....	413.7	548.7	315.2	412.8	553.0	311.1	408.6	500.5	338.2	431.6	529.8	358.2
1976.....	426.9	563.4	326.2	426.9	568.8	322.9	413.3	506.8	341.2	435.5	535.5	359.9
1975.....	431.2	569.3	328.7	431.2	574.4	325.4	417.7	512.5	343.3	439.6	540.4	363.5
1974.....	458.8	600.5	352.7	458.2	605.4	348.5	448.1	543.0	374.0	470.0	571.6	392.8
1973.....	482.0	629.6	370.8	480.9	634.4	365.9	475.8	572.4	399.8	498.4	603.5	418.2
1972.....	490.2	636.3	378.7	489.6	641.1	374.4	477.9	577.4	399.4	501.1	609.0	417.6
1971.....	492.9	639.2	380.6	492.5	645.4	376.0	477.7	568.8	404.0	499.5	598.4	421.6
1970.....	492.7	634.0	381.6	492.2	640.2	376.7	482.3	567.7	411.3	512.0	607.3	435.6
1969.....	516.8	664.1	401.2	515.9	669.7	396.0	507.3	599.6	430.6	532.9	633.6	452.0
1968.....	531.0	678.3	414.5	529.4	683.1	408.3	529.5	619.7	455.2	553.4	652.8	475.4
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE (390-398)												
1978.....	7.0	7.1	6.9	7.0	7.2	6.9	5.8	5.9	5.8	5.9	6.1	5.8
1977.....	6.7	6.8	6.6	6.8	6.9	6.7	5.6	5.8	5.4	5.7	6.0	5.4
1976.....	7.0	7.1	6.8	7.0	7.2	6.9	5.9	6.4	5.5	6.1	6.6	5.7
1975.....	7.0	7.1	6.9	7.0	7.1	7.0	6.1	6.8	5.5	6.2	6.9	5.6
1974.....	7.3	7.3	7.2	7.4	7.3	7.3	6.3	7.1	5.6	6.3	7.1	5.7
1973.....	7.6	7.7	7.6	7.7	7.7	7.7	6.4	7.5	5.7	6.6	7.7	5.8
1972.....	8.0	8.3	7.7	8.0	8.3	7.8	7.2	8.0	6.5	7.2	8.3	6.3
1971.....	8.4	8.6	8.2	8.5	8.6	8.3	7.3	7.5	7.1	7.4	7.7	7.1
1970.....	8.7	8.8	8.5	8.7	8.8	8.6	7.6	8.1	7.1	7.8	8.3	7.3
1969.....	9.1	9.1	9.0	9.2	9.2	9.1	7.9	8.1	7.7	8.0	8.1	7.9
1968.....	9.8	9.8	9.7	9.8	9.8	9.9	8.5	9.4	7.7	8.6	9.6	7.8

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 68-78S created on 00/01/27.

HIST293. AGE-ADJUSTED DEATH RATES FOR 69 SELECTED CAUSES BY RACE AND SEX USING YEAR 2000 STANDARD PAGE 17
 POPULATION: UNITED STATES, 1968-78

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE EIGHTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED, 1965)

CAUSE OF DEATH, AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
HYPERTENSIVE HEART DISEASE (402)															
1978.....	3.9	3.8	3.9	3.4	3.2	3.4	8.5	8.8	8.2	9.3	9.6	8.8			
1977.....	3.9	3.7	4.0	3.4	3.2	3.4	8.9	9.1	8.7	9.6	9.8	9.5			
1976.....	3.9	3.8	3.9	3.4	3.2	3.4	8.4	8.4	8.3	9.2	9.3	9.0			
1975.....	4.0	3.7	4.1	3.5	3.1	3.6	8.9	9.1	8.7	9.7	9.9	9.4			
1974.....	4.4	4.2	4.5	3.9	3.6	3.9	10.0	9.6	10.1	10.7	10.4	10.9			
1973.....	4.6	4.2	4.8	4.0	3.6	4.2	9.9	10.1	9.8	10.7	11.1	10.4			
1972.....	5.0	4.5	5.3	4.3	3.8	4.6	12.2	12.1	12.3	13.2	13.2	13.2			
1971.....	5.2	4.9	5.4	4.6	4.2	4.8	11.5	11.3	11.6	12.4	12.1	12.5			
1970.....	5.6	5.1	5.9	4.9	4.3	5.1	13.3	13.1	13.5	14.6	14.5	14.6			
1969.....	6.3	5.8	6.5	5.4	4.9	5.7	14.8	14.2	15.1	15.9	15.4	16.2			
1968.....	7.0	6.3	7.4	6.1	5.3	6.5	16.5	15.7	17.1	17.7	17.0	18.2			
HYPERTENSIVE HEART AND RENAL DISEASE (404)															
1978.....	2.0	2.3	1.7	1.8	2.2	1.6	3.0	3.5	2.6	3.2	3.8	2.9			
1977.....	2.2	2.6	2.0	2.1	2.5	1.9	3.2	3.7	2.8	3.4	4.0	3.0			
1976.....	2.6	2.9	2.3	2.4	2.8	2.2	3.6	4.0	3.3	3.9	4.3	3.6			
1975.....	2.8	3.2	2.6	2.7	3.0	2.5	4.2	4.6	3.9	4.5	5.0	4.2			
1974.....	3.4	3.8	3.1	3.2	3.7	2.9	4.9	5.5	4.4	5.2	6.1	4.7			
1973.....	3.9	4.5	3.5	3.7	4.3	3.3	5.7	6.4	5.0	6.1	7.0	5.4			
1972.....	4.2	4.8	3.7	4.0	4.6	3.6	5.7	6.9	4.9	6.1	7.3	5.2			
1971.....	4.6	5.2	4.2	4.3	4.9	4.0	6.7	7.8	5.9	7.1	8.5	6.1			
1970.....	4.9	5.3	4.5	4.6	5.0	4.3	7.4	8.3	6.7	8.0	9.1	7.2			
1969.....	5.8	6.5	5.2	5.4	6.2	4.9	8.9	9.9	8.0	9.5	10.9	8.5			
1968.....	6.4	7.2	5.9	6.0	6.9	5.5	10.1	10.8	9.4	10.9	12.0	10.0			

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 68-78S created on 00/01/27.

HIST293. AGE-ADJUSTED DEATH RATES FOR 69 SELECTED CAUSES BY RACE AND SEX USING YEAR 2000 STANDARD PAGE 18
 POPULATION: UNITED STATES, 1968-78

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE EIGHTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED, 1965)

CAUSE OF DEATH, AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
ISCHEMIC HEART DISEASE (410-413)												
1978.....	362.0	482.7	274.2	363.9	489.3	272.9	332.8	414.0	272.2	350.0	433.1	287.7
1977.....	368.5	492.9	277.6	370.3	500.2	275.9	340.3	419.1	279.9	358.3	441.6	296.2
1976.....	382.2	509.0	288.7	385.0	517.6	287.8	344.8	424.6	283.3	362.1	446.6	298.3
1975.....	388.1	517.1	292.3	390.8	525.5	291.2	351.0	431.0	288.1	368.2	452.7	304.5
1974.....	414.6	547.4	315.3	416.9	555.4	313.6	379.3	462.5	314.4	396.8	485.2	329.9
1973.....	437.0	576.0	332.3	438.8	584.4	329.8	404.4	486.0	340.2	422.7	510.4	355.5
1972.....	445.5	583.5	340.2	448.0	592.1	338.4	405.5	490.7	338.2	424.1	515.9	352.9
1971.....	448.5	587.2	342.1	451.0	596.7	340.0	407.5	487.3	342.8	425.1	511.2	357.3
1970.....	448.0	582.8	342.2	450.6	592.5	340.0	410.0	484.9	347.8	434.4	517.2	368.0
1969.....	469.8	610.3	359.6	472.0	619.5	357.2	431.0	511.8	363.8	451.8	539.5	381.3
1968.....	482.6	624.0	370.8	484.2	632.4	367.7	449.7	530.5	383.1	468.5	556.8	399.3
ACUTE MYOCARDIAL INFARCTION (410)												
1978.....	162.7	235.0	109.5	166.3	242.5	110.3	125.3	163.8	96.6	130.8	170.0	101.8
1977.....	168.2	244.2	112.0	172.0	252.3	112.8	128.0	166.5	98.7	133.7	173.5	104.2
1976.....	179.1	259.7	119.1	183.1	268.3	119.9	137.4	178.1	106.1	143.8	187.0	111.4
1975.....	185.5	269.0	122.8	189.7	277.9	123.5	141.1	182.1	109.0	147.0	189.4	114.9
1974.....	196.1	283.5	130.0	200.3	292.4	130.7	150.5	194.8	116.1	156.5	202.7	121.4
1973.....	210.9	304.1	140.0	215.0	313.4	140.3	165.4	210.0	130.2	171.9	219.2	135.5
1972.....	218.5	313.2	145.6	222.9	322.9	146.2	168.6	215.4	131.5	174.6	223.7	136.3
1971.....	223.0	319.5	148.4	227.6	329.7	149.1	169.9	215.7	133.0	176.3	224.5	138.4
1970.....	226.1	321.5	150.9	231.0	332.1	151.7	171.2	215.7	134.3	179.9	228.1	141.4
1969.....	236.2	336.8	157.0	240.8	347.3	157.5	180.9	227.9	141.9	188.7	238.7	148.5
1968.....	245.9	349.1	164.2	250.5	359.3	164.6	191.1	240.7	150.2	197.9	251.0	155.9

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 68-78S created on 00/01/27.

HIST293. AGE-ADJUSTED DEATH RATES FOR 69 SELECTED CAUSES BY RACE AND SEX USING YEAR 2000 STANDARD
 POPULATION: UNITED STATES, 1968-78

PAGE 19

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE
 EIGHTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED, 1965)

CAUSE OF DEATH, AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)												
1978.....	2.2	3.3	1.4	2.1	3.1	1.3	3.0	4.4	1.9	3.2	4.7	2.0
1977.....	2.2	3.3	1.3	2.1	3.2	1.3	3.0	4.4	1.9	3.2	4.7	2.0
1976.....	2.3	3.4	1.4	2.2	3.3	1.3	3.1	4.2	2.3	3.4	4.6	2.4
1975.....	2.3	3.5	1.4	2.2	3.3	1.3	3.4	4.8	2.3	3.7	5.2	2.5
1974.....	2.6	3.8	1.6	2.5	3.6	1.6	3.6	5.2	2.3	3.7	5.4	2.5
1973.....	2.7	3.9	1.8	2.6	3.8	1.7	3.7	5.3	2.4	3.9	5.7	2.5
1972.....	2.7	4.0	1.8	2.6	3.9	1.6	3.8	5.2	2.7	4.0	5.6	2.8
1971.....	2.5	3.5	1.8	2.5	3.4	1.8	3.1	4.3	2.1	3.3	4.6	2.2
1970.....	2.7	3.9	1.8	2.6	3.8	1.7	3.7	4.7	2.9	4.0	5.2	3.1
1969.....	3.1	4.3	2.2	2.9	4.0	2.0	5.1	6.5	3.9	5.5	7.1	4.2
1968.....	3.2	4.4	2.2	3.0	4.1	2.0	5.2	6.8	3.9	5.4	7.1	4.0
CHRONIC ISCHEMIC HEART DISEASE (412)												
1978.....	196.9	244.1	163.1	195.3	243.5	161.2	204.3	245.6	173.5	215.8	258.1	183.7
1977.....	198.0	245.3	164.3	196.1	244.5	161.8	209.2	248.0	179.3	221.3	263.2	189.9
1976.....	200.7	245.8	168.1	199.6	245.8	166.6	204.1	242.2	174.8	214.8	255.0	184.3
1975.....	200.2	244.5	168.1	198.8	244.2	166.3	206.4	244.1	176.8	217.4	258.1	187.0
1974.....	215.8	260.0	183.5	214.0	259.2	181.2	225.1	262.5	195.9	236.5	277.0	205.9
1973.....	223.3	267.8	190.4	221.1	267.0	187.8	235.2	270.6	207.5	246.9	285.6	217.4
1972.....	224.1	266.1	192.7	222.3	265.2	190.5	233.0	270.1	204.0	245.4	286.6	213.8
1971.....	222.8	264.0	191.7	220.8	263.3	189.1	234.3	267.3	207.6	245.5	282.0	216.6
1970.....	219.1	257.2	189.4	216.9	256.4	186.5	234.9	264.3	210.5	250.2	283.6	223.4
1969.....	230.4	269.0	200.3	228.2	268.0	197.6	244.9	277.2	217.8	257.5	293.5	228.4
1968.....	233.3	270.3	204.2	230.6	268.7	200.9	253.2	282.7	228.9	264.9	298.4	239.2

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 68-78S created on 00/01/27.

HIST293. AGE-ADJUSTED DEATH RATES FOR 69 SELECTED CAUSES BY RACE AND SEX USING YEAR 2000 STANDARD PAGE 20
 POPULATION: UNITED STATES, 1968-78

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE EIGHTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED, 1965)

CAUSE OF DEATH, AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
ANGINA PECTORIS (413)															
1978.....	0.1	0.2	0.1	0.1	0.2	0.1	0.2	*	*	0.2	*	*	*	*	*
1977.....	0.1	0.2	0.1	0.1	0.2	0.1	*	*	*	*	*	*	*	*	*
1976.....	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	*	*	*	*	*	*
1975.....	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	*	*	*	*	*	*
1974.....	0.1	0.2	0.1	0.1	0.1	0.1	*	*	*	*	*	*	*	*	*
1973.....	0.1	0.2	0.1	0.1	0.2	0.1	*	*	*	*	*	*	*	*	*
1972.....	0.1	0.1	0.1	0.1	0.2	0.1	*	*	*	*	*	*	*	*	*
1971.....	0.1	0.2	0.1	0.1	0.2	0.1	*	*	*	*	*	*	*	*	*
1970.....	0.1	0.2	0.1	0.1	0.2	0.1	0.2	*	*	0.2	*	*	*	*	*
1969.....	0.1	0.2	0.1	0.1	0.2	0.1	*	*	*	*	*	*	*	*	*
1968.....	0.2	0.2	0.1	0.2	0.2	0.1	0.2	*	*	0.2	*	*	*	*	*
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY (424, 428)															
1978.....	2.3	2.7	2.0	2.2	2.6	1.9	2.8	3.6	2.3	3.0	3.8	2.4			
1977.....	2.3	2.9	2.0	2.3	2.9	1.9	2.9	2.9	2.8	3.1	3.2	3.0			
1976.....	2.5	3.0	2.2	2.4	2.8	2.2	3.0	4.0	2.3	3.2	4.4	2.4			
1975.....	2.7	3.2	2.4	2.7	3.2	2.4	2.8	3.5	2.2	3.0	3.8	2.4			
1974.....	3.1	3.7	2.7	3.1	3.6	2.7	3.6	4.0	3.3	3.9	4.2	3.5			
1973.....	3.4	3.8	3.0	3.3	3.7	3.0	4.3	5.1	3.7	4.5	5.3	3.9			
1972.....	3.7	4.3	3.3	3.7	4.2	3.3	4.4	5.1	3.8	4.7	5.7	4.0			
1971.....	4.2	4.8	3.8	4.2	4.7	3.7	5.0	5.7	4.5	5.3	6.2	4.7			
1970.....	4.7	5.4	4.2	4.5	5.2	4.0	6.1	6.7	5.5	6.7	7.5	6.0			
1969.....	5.6	6.3	5.0	5.4	6.0	4.8	7.3	8.5	6.3	7.8	9.2	6.7			
1968.....	6.1	6.7	5.5	5.7	6.4	5.2	9.2	10.2	8.3	9.8	11.0	8.8			

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 68-78S created on 00/01/27.

HIST293. AGE-ADJUSTED DEATH RATES FOR 69 SELECTED CAUSES BY RACE AND SEX USING YEAR 2000 STANDARD PAGE 21
 POPULATION: UNITED STATES, 1968-78

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE EIGHTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED, 1965)

CAUSE OF DEATH, AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
ALL OTHER FORMS OF HEART DISEASE (420-423, 425-427, 429)												
1978.....	32.8	43.0	25.5	30.6	40.5	23.5	51.4	64.3	41.8	55.2	69.2	44.8
1977.....	30.0	39.6	23.1	27.9	37.3	21.3	47.8	60.0	38.5	51.4	65.2	41.1
1976.....	28.7	37.7	22.2	26.5	35.2	20.3	47.5	59.3	38.4	50.9	64.3	40.9
1975.....	26.5	35.0	20.4	24.4	32.5	18.7	44.7	57.6	34.8	47.9	62.1	37.3
1974.....	25.9	34.1	19.9	23.9	31.8	18.1	44.1	54.2	36.1	47.0	58.5	38.2
1973.....	25.5	33.4	19.6	23.3	30.7	17.9	45.0	57.4	35.4	47.8	62.0	37.1
1972.....	23.8	30.8	18.5	21.6	28.2	16.7	43.0	54.6	33.8	45.9	58.6	36.0
1971.....	21.9	28.6	16.9	20.0	26.3	15.3	39.7	49.1	32.1	42.1	52.7	33.8
1970.....	20.8	26.6	16.3	19.0	24.4	14.7	37.9	46.6	30.6	40.6	50.8	32.5
1969.....	20.3	26.1	15.9	18.5	23.8	14.4	37.6	47.2	29.8	39.8	50.5	31.4
1968.....	19.2	24.3	15.2	17.5	22.3	13.7	35.6	43.1	29.5	38.1	46.5	31.3
HYPERTENSION (400, 401, 403)												
1978.....	3.2	3.9	2.8	2.9	3.5	2.5	5.9	6.8	5.3	6.5	7.3	5.8
1977.....	3.4	4.2	2.9	3.1	3.8	2.6	6.5	7.6	5.7	7.1	8.5	6.1
1976.....	3.7	4.6	3.2	3.3	4.1	2.8	7.4	8.6	6.6	8.1	9.5	7.1
1975.....	3.9	4.8	3.4	3.5	4.3	3.0	8.0	9.2	7.0	8.6	10.1	7.6
1974.....	4.4	5.6	3.7	4.0	5.1	3.3	8.7	10.3	7.5	9.3	11.2	8.0
1973.....	4.9	6.1	4.1	4.3	5.5	3.6	9.8	11.2	8.8	10.6	12.3	9.4
1972.....	5.2	6.5	4.4	4.5	5.8	3.8	11.3	13.3	9.9	12.3	14.7	10.6
1971.....	5.3	6.6	4.5	4.6	5.8	3.8	11.9	13.7	10.5	12.9	15.0	11.3
1970.....	5.7	7.0	4.8	4.9	6.2	4.1	12.5	14.6	10.8	13.7	16.3	11.7
1969.....	6.1	7.4	5.1	5.3	6.6	4.4	13.3	15.4	11.6	14.4	16.8	12.4
1968.....	6.7	8.3	5.6	5.8	7.3	4.8	14.8	17.5	12.7	16.0	19.2	13.5

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 68-78S created on 00/01/27.

HIST293. AGE-ADJUSTED DEATH RATES FOR 69 SELECTED CAUSES BY RACE AND SEX USING YEAR 2000 STANDARD PAGE 22
 POPULATION: UNITED STATES, 1968-78

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE EIGHTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED, 1965)

CAUSE OF DEATH, AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
CEREBROVASCULAR DISEASES (430-438)															
1978.....	103.7	111.0	98.4	100.8	107.8	95.8	126.8	137.9	118.3	133.7	145.7	124.4			
1977.....	110.4	119.1	104.1	107.5	116.1	101.4	133.8	144.4	125.4	141.2	153.1	132.4			
1976.....	117.4	126.3	111.0	114.5	123.3	108.3	140.7	152.7	131.5	148.5	162.3	138.2			
1975.....	123.5	133.8	116.2	120.6	130.9	113.3	147.3	158.7	137.8	155.0	167.8	145.1			
1974.....	136.8	147.3	129.1	133.5	144.1	125.9	162.6	174.4	153.3	171.0	184.6	160.6			
1973.....	145.2	155.5	137.4	141.3	151.7	133.6	176.6	187.6	168.1	185.2	197.6	175.8			
1972.....	147.3	159.6	138.2	143.5	156.2	134.2	179.1	189.4	171.1	188.4	200.8	178.8			
1971.....	147.6	159.9	138.4	143.8	156.6	134.3	179.8	189.1	171.9	189.0	200.4	179.7			
1970.....	147.7	157.4	140.0	143.5	153.7	135.5	184.7	191.8	178.5	197.1	206.4	189.3			
1969.....	155.4	166.8	146.6	150.7	162.4	141.9	197.1	207.9	188.0	208.2	221.7	197.2			
1968.....	162.5	174.0	153.6	157.4	169.2	148.4	208.3	218.8	199.7	219.1	232.8	208.9			
CEREBRAL HEMORRHAGE (431)															
1978.....	12.4	13.3	11.6	11.5	12.3	11.0	18.7	21.7	16.3	19.7	23.0	17.1			
1977.....	13.4	14.6	12.4	12.5	13.6	11.6	20.3	22.7	18.3	21.2	23.9	19.1			
1976.....	14.3	15.3	13.4	13.4	14.4	12.6	21.4	23.8	19.4	22.6	25.2	20.5			
1975.....	15.8	16.9	15.0	14.9	15.9	14.2	23.1	25.3	21.2	24.4	26.8	22.4			
1974.....	18.6	20.0	17.3	17.6	18.9	16.5	26.5	29.4	24.2	27.9	31.2	25.4			
1973.....	21.2	22.7	19.9	20.1	21.6	18.8	30.5	32.6	28.7	32.0	34.8	29.8			
1972.....	23.4	25.7	21.6	22.2	24.5	20.4	33.3	35.5	31.3	35.0	37.4	32.9			
1971.....	25.1	27.4	23.2	23.8	26.1	21.9	36.2	39.5	33.5	38.1	41.6	35.2			
1970.....	27.4	29.6	25.6	25.9	28.1	24.1	40.6	43.1	38.3	43.4	46.5	40.6			
1969.....	29.9	32.4	27.9	28.3	30.6	26.4	44.4	48.4	41.1	47.0	51.7	43.2			
1968.....	33.4	36.5	30.9	31.6	34.6	29.2	49.8	54.0	46.3	52.4	57.3	48.5			

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 68-78S created on 00/01/27.

POPULATION: UNITED STATES, 1968-78

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE EIGHTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED, 1965)

CAUSE OF DEATH, AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
CEREBRAL THROMBOSIS (433)															
1978.....	23.3	24.9	22.1	23.2	24.7	22.0	24.2	26.2	22.6	25.4	27.3	23.7			
1977.....	26.1	28.2	24.4	25.9	28.1	24.3	26.8	29.0	25.0	28.3	30.6	26.4			
1976.....	28.6	30.9	26.8	28.5	30.9	26.7	28.7	31.4	26.6	30.2	33.5	27.9			
1975.....	31.7	34.4	29.6	31.6	34.4	29.6	31.2	33.7	29.0	32.6	35.5	30.3			
1974.....	36.3	39.3	34.1	36.2	39.3	33.9	36.4	38.7	34.6	38.2	40.8	36.1			
1973.....	39.5	42.3	37.4	39.2	42.0	37.1	41.5	44.4	39.2	43.5	46.5	41.2			
1972.....	41.0	44.2	38.5	40.8	44.2	38.2	41.6	43.7	40.1	44.1	46.7	42.3			
1971.....	41.8	45.3	39.2	41.6	45.3	38.8	42.9	44.7	41.3	45.1	47.6	42.9			
1970.....	42.7	45.4	40.5	42.4	45.3	40.1	44.4	46.6	42.6	47.6	50.4	45.4			
1969.....	46.0	49.3	43.4	45.6	49.1	43.0	48.3	51.3	45.7	50.9	54.7	47.9			
1968.....	48.4	51.6	45.9	47.9	51.3	45.4	51.9	54.3	49.8	54.6	57.7	52.2			
CEREBRAL EMBOLISM (434)															
1978.....	0.4	0.4	0.4	0.4	0.5	0.4	0.3	0.4	0.3	0.4	0.4	0.3			
1977.....	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4			
1976.....	0.5	0.5	0.5	0.5	0.5	0.5	0.4	0.5	0.3	0.4	0.5	0.3			
1975.....	0.5	0.6	0.5	0.5	0.6	0.5	0.3	0.4	0.2	0.3	0.5	0.3			
1974.....	0.6	0.6	0.5	0.6	0.6	0.5	0.5	0.6	0.5	0.6	0.7	0.5			
1973.....	0.6	0.7	0.6	0.6	0.7	0.6	0.5	0.7	0.4	0.5	0.7	0.4			
1972.....	0.6	0.7	0.6	0.6	0.7	0.6	0.5	0.7	0.6	0.6	0.7	0.6			
1971.....	0.6	0.7	0.6	0.7	0.8	0.6	0.6	0.7	0.5	0.6	0.8	0.6			
1970.....	0.6	0.7	0.6	0.6	0.7	0.6	0.4	0.5	0.4	0.5	0.6	0.5			
1969.....	0.7	0.7	0.7	0.7	0.7	0.7	0.6	0.7	0.6	0.7	0.8	0.6			
1968.....	0.8	0.9	0.8	0.8	0.9	0.8	0.8	0.8	0.8	0.8	0.8	0.8			

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 68-78S created on 00/01/27.

HIST293. AGE-ADJUSTED DEATH RATES FOR 69 SELECTED CAUSES BY RACE AND SEX USING YEAR 2000 STANDARD PAGE 24
 POPULATION: UNITED STATES, 1968-78

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE EIGHTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED, 1965)

CAUSE OF DEATH, AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
ALL OTHER CEREBROVASCULAR DISEASES (430, 432, 435-438)												
1978.....	67.6	72.4	64.2	65.6	70.4	62.4	83.5	89.7	79.1	88.3	94.9	83.3
1977.....	70.6	75.9	66.9	68.7	74.0	65.0	86.3	92.4	81.8	91.4	98.2	86.5
1976.....	74.1	79.5	70.3	72.1	77.5	68.5	90.2	97.1	85.2	95.2	103.2	89.4
1975.....	75.5	82.0	71.1	73.5	80.1	69.1	92.6	99.2	87.3	97.6	105.0	92.1
1974.....	81.3	87.4	77.0	79.2	85.3	74.9	99.1	105.7	94.0	104.3	112.0	98.7
1973.....	83.8	89.8	79.5	81.4	87.6	77.0	104.1	109.9	99.8	109.1	115.6	104.3
1972.....	82.3	89.1	77.5	79.8	86.8	74.9	103.6	109.9	98.9	108.7	116.4	102.8
1971.....	80.1	86.4	75.5	77.8	84.5	73.0	100.1	104.3	96.6	105.2	110.4	101.0
1970.....	76.9	81.7	73.3	74.5	79.6	70.7	99.3	101.7	97.1	105.6	109.0	102.8
1969.....	78.8	84.5	74.6	76.1	82.0	71.7	103.8	107.5	100.6	109.6	114.6	105.6
1968.....	79.8	85.1	76.0	77.0	82.4	73.1	105.8	109.7	102.8	111.2	116.9	107.3
ARTERIOSCLEROSIS (440)												
1978.....	18.6	20.3	17.5	19.0	20.7	17.8	14.6	16.3	13.5	15.4	17.1	14.3
1977.....	19.1	21.0	17.9	19.5	21.4	18.2	14.6	16.5	13.3	15.5	17.4	14.2
1976.....	20.3	22.0	19.1	20.7	22.5	19.5	15.4	16.7	14.6	16.2	17.5	15.4
1975.....	20.5	22.3	19.3	20.9	22.7	19.7	15.8	18.2	14.1	16.7	19.5	14.8
1974.....	24.0	25.8	22.7	24.4	26.3	23.1	18.5	20.7	17.0	19.1	21.7	17.5
1973.....	25.1	26.9	23.9	25.6	27.4	24.3	19.6	21.2	18.5	20.6	22.5	19.3
1972.....	25.6	27.9	24.0	26.0	28.4	24.4	20.5	22.7	18.9	21.6	24.1	19.7
1971.....	25.6	27.5	24.2	26.1	28.3	24.6	19.4	20.2	18.7	20.2	21.3	19.4
1970.....	25.8	27.7	24.3	26.4	28.5	24.9	19.0	20.6	17.8	20.3	22.3	18.8
1969.....	29.3	31.5	27.7	29.8	32.2	28.2	22.7	24.8	21.0	24.3	27.0	22.2
1968.....	30.8	33.2	29.1	31.4	33.9	29.6	23.5	25.6	22.0	24.7	27.3	23.0

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 68-78S created on 00/01/27.

HIST293. AGE-ADJUSTED DEATH RATES FOR 69 SELECTED CAUSES BY RACE AND SEX USING YEAR 2000 STANDARD
 POPULATION: UNITED STATES, 1968-78

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE
 EIGHTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED, 1965)

CAUSE OF DEATH, AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)															
1978.....	14.7	21.2	10.2	14.7	21.7	10.1	13.3	15.9	11.4	14.0	16.6	12.0			
1977.....	14.9	21.5	10.4	15.0	22.1	10.2	13.2	15.8	11.2	13.6	16.1	11.7			
1976.....	15.3	22.3	10.4	15.3	22.8	10.2	13.8	16.8	11.5	14.4	17.4	12.1			
1975.....	15.1	21.8	10.5	15.2	22.3	10.3	13.5	16.3	11.3	13.9	16.6	11.8			
1974.....	15.9	22.7	11.1	16.1	23.3	11.0	13.7	16.5	11.4	14.2	17.4	11.8			
1973.....	16.2	23.4	11.1	16.4	24.1	11.0	13.9	16.3	11.9	14.2	16.7	12.2			
1972.....	16.2	23.3	11.0	16.3	23.9	10.9	14.1	17.1	11.7	14.6	17.8	12.1			
1971.....	16.4	23.1	11.5	16.5	23.5	11.4	14.6	18.1	11.8	15.0	18.6	12.2			
1970.....	16.6	23.3	11.6	16.7	23.9	11.4	14.8	17.3	12.7	15.5	18.0	13.5			
1969.....	17.1	23.6	12.1	17.2	24.2	12.0	14.9	17.3	12.9	15.6	18.3	13.4			
1968.....	17.2	24.0	12.1	17.3	24.5	11.9	15.6	18.3	13.2	16.0	18.9	13.6			
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)															
1978.....	0.4	0.5	0.3	0.4	0.5	0.3	0.4	0.6	0.2	0.4	0.6	0.2			
1977.....	0.4	0.5	0.3	0.4	0.5	0.3	0.3	0.3	0.3	0.3	0.4	0.3			
1976.....	0.5	0.7	0.4	0.5	0.6	0.4	0.4	0.7	0.3	0.4	0.6	0.3			
1975.....	0.4	0.5	0.3	0.4	0.5	0.3	0.4	0.5	0.3	0.4	0.6	0.3			
1974.....	0.4	0.5	0.3	0.4	0.5	0.3	0.4	0.5	0.3	0.4	0.4	0.3			
1973.....	0.5	0.6	0.4	0.5	0.6	0.4	0.5	0.6	0.5	0.5	0.6	0.5			
1972.....	0.6	0.9	0.5	0.6	0.8	0.4	0.8	1.0	0.7	0.8	1.0	0.7			
1971.....	0.6	0.7	0.5	0.5	0.6	0.4	1.1	1.2	0.9	1.1	1.3	1.0			
1970.....	0.7	0.8	0.6	0.6	0.7	0.5	1.2	1.4	1.0	1.2	1.4	1.1			
1969.....	0.7	0.8	0.6	0.6	0.7	0.5	1.1	1.2	0.9	1.1	1.3	1.0			
1968.....	0.8	1.0	0.7	0.8	1.0	0.6	1.1	1.3	1.0	1.2	1.3	1.1			

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 68-78S created on 00/01/27.

POPULATION: UNITED STATES, 1968-78

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE EIGHTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED, 1965)

CAUSE OF DEATH, AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
INFLUENZA AND PNEUMONIA (470-474,480-486)												
1978.....	34.5	47.0	26.8	33.9	46.1	26.6	36.9	53.3	25.3	37.8	54.7	25.8
1977.....	31.0	42.6	23.7	30.2	41.5	23.4	34.9	50.9	23.5	35.6	51.9	24.1
1976.....	38.8	51.8	30.6	38.2	51.0	30.5	40.4	56.5	28.5	41.2	57.9	29.1
1975.....	34.9	47.6	26.8	34.2	46.5	26.5	39.0	55.6	26.5	39.5	57.1	26.8
1974.....	35.5	47.5	27.7	34.6	46.3	27.3	40.1	56.0	28.2	41.0	57.5	28.8
1973.....	41.2	54.6	32.3	40.0	52.9	31.5	48.5	66.4	34.8	49.1	67.4	35.4
1972.....	41.3	54.7	32.1	40.0	53.0	31.4	48.9	67.0	34.7	50.1	69.1	35.3
1971.....	38.4	50.2	30.2	36.9	48.4	29.2	47.6	63.5	34.8	48.4	64.8	35.4
1970.....	41.7	54.0	32.7	39.8	51.6	31.4	54.7	72.3	40.3	57.2	76.6	41.6
1969.....	47.9	61.1	38.3	45.8	58.4	36.8	62.2	82.0	46.1	64.3	85.6	47.5
1968.....	52.8	66.8	42.7	50.3	63.6	40.8	70.8	91.0	54.2	72.7	93.9	56.0
INFLUENZA (470-474)												
1978.....	2.5	2.7	2.4	2.6	2.8	2.4	1.4	1.5	1.3	1.4	1.6	1.3
1977.....	0.8	0.8	0.8	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.7	0.7
1976.....	5.3	5.9	4.9	5.5	6.3	5.1	2.3	2.5	2.1	2.2	2.3	2.1
1975.....	2.7	3.1	2.5	2.8	3.2	2.6	1.6	1.9	1.4	1.7	2.0	1.4
1974.....	1.5	1.6	1.4	1.5	1.7	1.4	1.0	1.2	0.7	1.0	1.2	0.8
1973.....	3.5	4.0	3.1	3.5	4.1	3.2	2.7	3.0	2.5	2.6	2.7	2.4
1972.....	3.3	3.7	3.0	3.4	3.8	3.1	2.7	3.1	2.5	2.7	3.1	2.4
1971.....	1.1	1.2	1.0	1.1	1.2	1.1	0.7	0.7	0.6	0.6	0.7	0.6
1970.....	2.5	2.9	2.2	2.4	2.8	2.1	3.2	3.7	2.7	3.4	4.0	2.9
1969.....	4.2	4.8	3.8	4.1	4.8	3.7	4.6	5.3	4.1	4.9	5.5	4.3
1968.....	5.4	5.8	5.1	5.4	5.8	5.1	5.7	6.0	5.4	5.9	6.2	5.7

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 68-78S created on 00/01/27.

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE EIGHTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED, 1965)

CAUSE OF DEATH, AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
PNEUMONIA (480-486)												
1978.....	32.0	44.4	24.5	31.3	43.3	24.2	35.5	51.7	24.0	36.3	53.1	24.4
1977.....	30.2	41.8	22.9	29.4	40.7	22.6	34.2	50.2	22.7	34.9	51.2	23.4
1976.....	33.5	45.9	25.8	32.7	44.8	25.4	38.0	54.0	26.4	39.0	55.6	27.0
1975.....	32.2	44.5	24.3	31.4	43.3	23.9	37.3	53.7	25.1	37.9	55.2	25.3
1974.....	34.1	45.9	26.3	33.1	44.6	25.8	39.2	54.8	27.5	40.1	56.3	28.1
1973.....	37.7	50.5	29.1	36.4	48.8	28.3	45.7	63.3	32.3	46.6	64.6	33.0
1972.....	38.0	50.9	29.1	36.6	49.2	28.3	46.2	63.9	32.2	47.4	66.0	32.9
1971.....	37.3	49.0	29.1	35.8	47.2	28.2	46.9	62.8	34.2	47.7	64.1	34.8
1970.....	39.2	51.1	30.5	37.4	48.8	29.3	51.6	68.6	37.5	53.8	72.6	38.7
1969.....	43.6	56.3	34.5	41.6	53.7	33.2	57.5	76.7	41.9	59.5	80.1	43.2
1968.....	47.4	60.9	37.6	44.9	57.8	35.7	65.1	84.9	48.8	66.8	87.7	50.3
BRONCHITIS, EMPHYSEMA, AND ASTHMA (490-493)												
1978.....	11.3	19.8	5.9	11.7	20.5	6.1	7.4	12.1	3.9	7.5	12.4	4.0
1977.....	11.9	21.2	5.7	12.3	22.1	5.9	7.5	12.5	3.8	7.7	12.9	3.9
1976.....	13.2	23.9	6.2	13.7	24.9	6.4	8.2	14.1	4.0	8.6	14.6	4.2
1975.....	14.0	25.6	6.2	14.5	26.7	6.3	8.9	14.7	4.6	9.1	15.1	4.6
1974.....	15.1	27.7	6.6	15.7	28.9	6.8	9.2	15.8	4.2	9.2	16.0	4.2
1973.....	17.1	31.7	7.1	17.7	33.0	7.2	10.9	18.6	5.0	10.9	18.6	5.2
1972.....	17.9	33.1	7.3	18.5	34.4	7.4	11.7	19.7	5.6	12.0	20.1	5.9
1971.....	18.0	33.2	7.2	18.5	34.5	7.2	12.0	19.7	6.0	12.2	20.4	6.0
1970.....	18.6	34.3	7.2	19.1	35.6	7.2	12.9	21.0	6.3	13.2	21.8	6.4
1969.....	19.3	35.6	7.3	19.7	36.8	7.3	13.5	22.2	6.4	13.6	22.7	6.5
1968.....	20.7	38.2	7.8	21.2	39.4	7.7	15.2	24.9	7.3	15.4	25.4	7.4

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 68-78S created on 00/01/27.

HIST293. AGE-ADJUSTED DEATH RATES FOR 69 SELECTED CAUSES BY RACE AND SEX USING YEAR 2000 STANDARD
 POPULATION: UNITED STATES, 1968-78

PAGE 28

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE
 EIGHTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED, 1965)

CAUSE OF DEATH, AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
CHRONIC AND UNQUALIFIED BRONCHITIS (490,491)												
1978.....	2.3	3.7	1.5	2.4	3.8	1.5	1.3	1.8	0.8	1.2	1.7	0.8
1977.....	2.3	3.7	1.4	2.5	3.9	1.5	1.3	2.2	0.7	1.3	2.1	0.8
1976.....	2.6	4.3	1.5	2.7	4.5	1.5	1.4	2.4	0.7	1.4	2.3	0.7
1975.....	2.6	4.5	1.4	2.8	4.8	1.5	1.4	2.3	0.7	1.4	2.3	0.7
1974.....	3.0	5.0	1.5	3.1	5.2	1.6	1.8	3.0	0.9	1.7	2.8	0.8
1973.....	3.3	5.7	1.7	3.4	5.9	1.8	2.0	3.5	0.9	1.9	3.1	0.9
1972.....	3.5	6.0	1.7	3.6	6.2	1.7	2.4	3.8	1.3	2.4	3.9	1.3
1971.....	3.4	5.9	1.6	3.5	6.1	1.7	2.2	3.4	1.2	2.2	3.5	1.3
1970.....	3.6	6.2	1.7	3.7	6.4	1.8	2.3	3.7	1.1	2.2	3.6	1.0
1969.....	3.7	6.4	1.7	3.8	6.7	1.8	2.4	4.1	1.1	2.4	4.1	1.0
1968.....	4.0	6.9	1.9	4.1	7.1	1.9	2.8	4.6	1.3	2.8	4.6	1.3
EMPHYSEMA (492)												
1978.....	8.1	15.3	3.4	8.4	16.0	3.6	4.4	8.5	1.4	4.5	8.8	1.5
1977.....	8.7	16.6	3.4	9.1	17.5	3.6	4.4	8.7	1.3	4.6	9.0	1.3
1976.....	9.6	18.6	3.6	10.1	19.5	3.9	4.8	9.6	1.3	5.0	10.1	1.4
1975.....	10.3	20.1	3.7	10.8	21.1	3.9	5.3	10.2	1.7	5.5	10.6	1.7
1974.....	11.2	21.7	4.0	11.7	22.8	4.3	5.5	10.8	1.4	5.5	11.0	1.4
1973.....	12.8	25.1	4.2	13.3	26.3	4.4	6.6	12.9	1.8	6.6	13.1	1.8
1972.....	13.2	25.9	4.2	13.8	27.1	4.5	6.9	13.2	2.0	7.0	13.5	2.0
1971.....	13.4	26.2	4.2	13.9	27.4	4.4	7.2	13.7	2.0	7.2	14.1	2.0
1970.....	13.7	26.9	4.1	14.3	28.1	4.3	7.7	14.4	2.1	7.8	15.1	2.1
1969.....	14.2	27.8	4.2	14.7	29.0	4.3	7.9	15.0	2.1	7.9	15.3	2.1
1968.....	15.1	29.7	4.3	15.7	31.0	4.5	8.6	16.3	2.3	8.6	16.6	2.3

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN
 THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 68-78S created on 00/01/27.

HIST293. AGE-ADJUSTED DEATH RATES FOR 69 SELECTED CAUSES BY RACE AND SEX USING YEAR 2000 STANDARD
 POPULATION: UNITED STATES, 1968-78

PAGE 29

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE
 EIGHTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED, 1965)

CAUSE OF DEATH, AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
ASTHMA (493)												
1978.....	0.9	0.8	1.0	0.8	0.8	1.0	1.7	1.8	1.7	1.8	1.9	1.8
1977.....	0.9	0.8	0.9	0.8	0.8	0.8	1.7	1.7	1.7	1.8	1.8	1.8
1976.....	1.0	1.0	1.1	0.9	0.9	1.0	2.0	2.1	2.0	2.2	2.1	2.2
1975.....	1.0	1.0	1.1	0.9	0.9	1.0	2.1	2.1	2.1	2.2	2.2	2.2
1974.....	1.0	1.0	1.0	0.9	0.9	0.9	1.9	2.0	1.9	2.1	2.1	2.0
1973.....	1.0	1.0	1.1	0.9	0.9	0.9	2.3	2.2	2.3	2.4	2.4	2.4
1972.....	1.3	1.2	1.4	1.1	1.1	1.2	2.5	2.7	2.3	2.6	2.8	2.5
1971.....	1.2	1.1	1.3	1.0	1.0	1.1	2.7	2.6	2.7	2.8	2.7	2.8
1970.....	1.3	1.3	1.4	1.1	1.1	1.2	3.0	2.9	3.1	3.2	3.1	3.3
1969.....	1.4	1.4	1.4	1.2	1.2	1.2	3.2	3.1	3.2	3.3	3.3	3.3
1968.....	1.6	1.6	1.6	1.3	1.3	1.3	3.8	4.0	3.6	3.9	4.2	3.7
PEPTIC ULCER (531-533)												
1978.....	3.0	4.3	2.2	3.1	4.3	2.2	2.8	4.2	1.8	2.9	4.2	1.8
1977.....	3.3	4.7	2.3	3.3	4.8	2.3	3.1	4.4	2.1	3.2	4.4	2.2
1976.....	3.6	5.4	2.4	3.6	5.4	2.4	3.7	5.7	2.1	3.7	5.7	2.1
1975.....	3.9	5.8	2.6	3.9	5.8	2.6	3.8	5.7	2.4	3.9	5.9	2.4
1974.....	4.2	6.2	2.7	4.2	6.2	2.7	3.9	6.1	2.2	3.9	6.1	2.2
1973.....	4.6	7.0	2.9	4.6	6.9	3.0	4.4	7.0	2.4	4.4	6.9	2.5
1972.....	4.8	7.4	2.9	4.8	7.4	2.9	4.8	7.6	2.5	4.8	7.6	2.5
1971.....	5.0	7.7	3.1	5.1	7.7	3.1	4.6	7.1	2.7	4.7	7.1	2.7
1970.....	5.4	8.2	3.4	5.5	8.2	3.4	4.9	7.5	2.7	5.0	7.8	2.8
1969.....	6.0	9.1	3.7	6.1	9.2	3.7	5.7	8.3	3.5	5.5	8.1	3.5
1968.....	6.2	9.5	3.7	6.2	9.5	3.7	6.0	8.8	3.5	5.9	8.9	3.4

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN
 THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 68-78S created on 00/01/27.

HIST293. AGE-ADJUSTED DEATH RATES FOR 69 SELECTED CAUSES BY RACE AND SEX USING YEAR 2000 STANDARD
 POPULATION: UNITED STATES, 1968-78

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE
 EIGHTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED, 1965)

CAUSE OF DEATH, AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
APPENDICITIS (540-543)															
1978.....	0.4	0.5	0.3	0.4	0.5	0.2	0.6	0.8	0.5	0.7	0.8	0.6			
1977.....	0.4	0.5	0.3	0.4	0.5	0.3	0.8	1.1	0.7	0.9	1.1	0.7			
1976.....	0.4	0.6	0.3	0.4	0.5	0.3	0.8	1.1	0.5	0.8	1.2	0.6			
1975.....	0.5	0.6	0.3	0.4	0.6	0.3	0.8	1.1	0.6	0.9	1.2	0.7			
1974.....	0.5	0.7	0.4	0.4	0.6	0.3	0.8	1.1	0.5	0.8	1.1	0.5			
1973.....	0.6	0.9	0.4	0.5	0.8	0.4	1.2	1.7	0.8	1.2	1.7	0.8			
1972.....	0.7	0.9	0.5	0.6	0.9	0.5	1.2	1.4	1.0	1.2	1.5	1.0			
1971.....	0.8	1.0	0.6	0.7	1.0	0.5	1.2	1.4	1.0	1.2	1.5	1.0			
1970.....	0.9	1.2	0.6	0.8	1.1	0.5	1.3	1.8	1.0	1.4	1.9	1.0			
1969.....	0.9	1.2	0.6	0.8	1.1	0.5	1.5	2.2	1.0	1.6	2.3	1.0			
1968.....	0.9	1.2	0.7	0.9	1.2	0.6	1.4	1.7	1.1	1.5	1.9	1.2			
HERNIA AND INTESTINAL OBSTRUCTION (550-553,560)															
1978.....	3.1	3.2	3.1	3.0	3.1	3.0	3.7	4.3	3.2	3.9	4.6	3.4			
1977.....	3.3	3.4	3.2	3.2	3.2	3.2	3.8	4.6	3.3	4.1	4.9	3.5			
1976.....	3.5	3.6	3.4	3.4	3.4	3.4	4.2	4.9	3.7	4.4	5.2	3.9			
1975.....	3.7	3.7	3.7	3.6	3.6	3.6	4.4	5.0	4.0	4.6	5.3	4.2			
1974.....	4.0	4.1	4.0	4.0	3.9	4.0	4.5	5.4	3.9	4.8	5.8	4.1			
1973.....	4.3	4.5	4.1	4.1	4.4	4.0	5.2	5.9	4.6	5.4	6.3	4.8			
1972.....	4.3	4.5	4.3	4.2	4.3	4.2	4.9	5.5	4.4	5.2	6.1	4.5			
1971.....	4.5	4.7	4.4	4.4	4.5	4.4	5.6	6.6	4.9	6.0	7.0	5.2			
1970.....	4.7	5.0	4.5	4.6	4.8	4.5	5.4	6.4	4.7	5.7	6.9	4.8			
1969.....	5.1	5.3	4.9	5.0	5.1	4.8	6.0	7.4	4.9	6.2	7.9	5.0			
1968.....	5.4	5.5	5.2	5.2	5.3	5.2	6.1	7.4	5.1	6.4	8.0	5.2			

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 68-78S created on 00/01/27.

HIST293. AGE-ADJUSTED DEATH RATES FOR 69 SELECTED CAUSES BY RACE AND SEX USING YEAR 2000 STANDARD PAGE 31
 POPULATION: UNITED STATES, 1968-78

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE EIGHTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED, 1965)

CAUSE OF DEATH, AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
CIRRHOSIS OF LIVER (571)															
1978.....	15.2	21.7	9.8	14.0	20.2	8.9	24.0	33.8	16.0	25.1	35.6	16.6			
1977.....	15.8	22.5	10.2	14.5	20.8	9.2	25.6	36.1	17.0	27.0	38.5	17.6			
1976.....	16.4	23.4	10.6	15.1	21.7	9.5	26.2	36.8	17.4	27.3	39.0	17.8			
1975.....	16.7	23.9	10.7	15.4	22.2	9.7	26.3	36.9	17.6	27.5	39.0	18.0			
1974.....	17.9	25.3	11.6	16.4	23.6	10.5	28.4	39.0	19.6	29.5	41.1	19.9			
1973.....	18.1	25.5	11.9	16.7	23.8	10.6	28.9	39.1	20.3	29.9	40.8	20.9			
1972.....	18.0	25.5	11.6	16.6	23.7	10.5	29.0	40.6	19.3	30.1	42.4	20.0			
1971.....	17.8	24.8	11.8	16.6	23.5	10.7	26.8	35.8	19.2	27.4	37.1	19.2			
1970.....	17.8	24.8	11.9	16.6	23.4	10.8	27.1	35.7	19.7	28.1	37.7	20.1			
1969.....	17.1	23.8	11.4	15.9	22.4	10.4	26.7	35.1	19.4	27.1	36.2	19.5			
1968.....	16.9	23.3	11.5	15.8	22.1	10.5	25.4	33.2	18.6	25.8	34.4	18.6			
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS (574,575)															
1978.....	1.7	1.9	1.6	1.7	2.0	1.6	1.4	1.4	1.4	1.3	1.2	1.3			
1977.....	1.8	2.0	1.6	1.8	2.0	1.6	1.5	1.5	1.5	1.4	1.4	1.5			
1976.....	1.8	2.0	1.6	1.8	2.1	1.7	1.4	1.3	1.5	1.3	1.1	1.4			
1975.....	1.9	2.0	1.8	1.9	2.1	1.8	1.5	1.4	1.5	1.3	1.1	1.4			
1974.....	2.0	2.2	1.9	2.1	2.2	2.0	1.7	1.7	1.7	1.5	1.4	1.5			
1973.....	2.2	2.5	2.1	2.3	2.5	2.1	1.9	1.8	1.9	1.6	1.4	1.8			
1972.....	2.5	2.6	2.3	2.5	2.7	2.4	1.7	1.5	1.8	1.5	1.3	1.7			
1971.....	2.5	2.7	2.4	2.6	2.8	2.4	1.9	1.5	2.1	1.5	1.1	1.9			
1970.....	2.8	2.8	2.7	2.8	3.0	2.8	1.7	1.5	1.9	1.4	1.1	1.6			
1969.....	3.0	3.1	3.0	3.1	3.3	3.0	2.0	1.6	2.3	1.7	1.2	2.1			
1968.....	3.2	3.3	3.2	3.3	3.4	3.2	2.3	1.9	2.6	2.0	1.5	2.4			

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 68-78S created on 00/01/27.

HIST293. AGE-ADJUSTED DEATH RATES FOR 69 SELECTED CAUSES BY RACE AND SEX USING YEAR 2000 STANDARD PAGE 32
 POPULATION: UNITED STATES, 1968-78

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE EIGHTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED, 1965)

CAUSE OF DEATH, AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
NEPHRITIS AND NEPHROSIS (580-584)															
1978.....	4.8	6.5	3.8	4.0	5.6	3.0	12.2	14.6	10.7	13.0	15.5	11.3			
1977.....	4.8	6.4	3.7	3.9	5.5	3.0	12.1	14.4	10.6	13.0	15.8	11.2			
1976.....	4.9	6.4	3.9	4.0	5.5	3.1	12.7	14.3	11.5	13.5	15.4	12.2			
1975.....	4.7	6.0	3.7	3.9	5.1	3.1	11.5	14.0	9.8	12.2	14.6	10.4			
1974.....	4.7	6.2	3.8	3.9	5.2	3.0	12.4	14.8	10.7	13.2	15.8	11.4			
1973.....	5.0	6.4	4.1	4.1	5.5	3.2	13.6	15.5	12.2	14.4	16.6	12.9			
1972.....	5.2	6.7	4.2	4.3	5.6	3.4	13.6	17.0	11.1	14.5	18.6	11.7			
1971.....	5.2	6.5	4.3	4.3	5.5	3.5	13.3	15.4	11.8	14.2	16.6	12.5			
1970.....	5.5	7.0	4.5	4.6	5.9	3.6	14.2	16.6	12.2	15.2	18.1	13.0			
1969.....	6.0	7.4	5.0	5.1	6.4	4.2	14.7	17.2	12.6	15.5	18.5	13.3			
1968.....	6.1	7.6	5.0	5.1	6.6	4.1	15.5	17.7	13.7	16.3	18.6	14.5			
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME (580,581)															
1978.....	1.1	1.6	0.9	1.0	1.4	0.8	2.0	2.7	1.5	2.0	2.8	1.5			
1977.....	1.0	1.4	0.8	0.9	1.3	0.7	1.7	2.2	1.4	1.8	2.4	1.4			
1976.....	1.0	1.4	0.8	0.9	1.3	0.7	1.7	2.1	1.5	1.9	2.3	1.6			
1975.....	0.9	1.2	0.7	0.8	1.1	0.6	1.8	2.0	1.6	1.8	2.0	1.7			
1974.....	0.9	1.2	0.7	0.8	1.1	0.6	1.7	2.0	1.4	1.8	2.2	1.5			
1973.....	0.9	1.2	0.7	0.8	1.1	0.6	1.9	2.3	1.6	2.0	2.5	1.7			
1972.....	0.9	1.2	0.7	0.8	1.0	0.6	1.7	2.3	1.2	1.7	2.5	1.2			
1971.....	0.8	1.0	0.7	0.7	0.9	0.6	1.7	2.0	1.5	1.8	2.2	1.6			
1970.....	0.8	1.0	0.6	0.7	1.0	0.5	1.7	2.0	1.4	1.8	2.2	1.5			
1969.....	0.8	1.0	0.7	0.7	0.9	0.6	1.8	2.1	1.6	1.9	2.3	1.7			
1968.....	0.8	1.0	0.7	0.7	0.9	0.6	1.8	2.2	1.5	1.9	2.3	1.6			

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 68-78S created on 00/01/27.

HIST293. AGE-ADJUSTED DEATH RATES FOR 69 SELECTED CAUSES BY RACE AND SEX USING YEAR 2000 STANDARD PAGE 33
 POPULATION: UNITED STATES, 1968-78

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE EIGHTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED, 1965)

CAUSE OF DEATH, AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS (582-584)															
1978.....	3.7	5.0	2.9	3.0	4.2	2.2	10.3	11.8	9.2	11.0	12.7	9.8			
1977.....	3.7	5.0	3.0	3.0	4.2	2.2	10.4	12.2	9.2	11.2	13.3	9.8			
1976.....	3.9	5.1	3.1	3.1	4.3	2.3	10.9	12.2	10.0	11.6	13.1	10.6			
1975.....	3.7	4.8	3.0	3.1	4.0	2.4	9.8	12.0	8.2	10.4	12.6	8.8			
1974.....	3.8	5.0	3.1	3.1	4.2	2.4	10.7	12.7	9.3	11.5	13.7	9.9			
1973.....	4.1	5.2	3.4	3.3	4.3	2.6	11.7	13.1	10.6	12.4	14.1	11.3			
1972.....	4.3	5.6	3.5	3.5	4.6	2.8	11.9	14.8	9.9	12.8	16.1	10.5			
1971.....	4.4	5.5	3.6	3.6	4.6	2.9	11.6	13.4	10.3	12.4	14.4	10.9			
1970.....	4.7	5.9	3.9	3.9	4.9	3.1	12.5	14.6	10.7	13.4	15.9	11.5			
1969.....	5.2	6.4	4.3	4.3	5.5	3.5	12.8	15.2	11.0	13.6	16.3	11.6			
1968.....	5.3	6.6	4.3	4.4	5.7	3.5	13.7	15.4	12.2	14.3	16.2	12.9			
INFECTIONS OF KIDNEY (590)															
1978.....	1.8	2.0	1.7	1.7	1.9	1.7	2.6	3.0	2.3	2.7	3.2	2.4			
1977.....	2.2	2.4	2.2	2.1	2.2	2.1	3.5	3.8	3.3	3.7	4.0	3.5			
1976.....	2.5	2.7	2.4	2.3	2.6	2.2	3.8	4.1	3.6	3.9	4.5	3.6			
1975.....	2.8	3.0	2.8	2.7	2.9	2.6	4.2	4.5	3.9	4.3	4.8	4.1			
1974.....	3.5	3.8	3.4	3.3	3.6	3.2	5.1	5.5	4.9	5.3	5.7	5.1			
1973.....	4.0	4.3	3.9	3.8	4.1	3.7	6.2	6.8	5.9	6.5	7.4	6.0			
1972.....	4.7	5.2	4.4	4.3	4.9	4.0	7.8	8.0	7.6	8.1	8.6	7.9			
1971.....	5.1	5.8	4.8	4.8	5.4	4.4	8.6	8.9	8.4	9.0	9.3	8.9			
1970.....	5.6	6.1	5.3	5.2	5.7	4.9	9.7	10.6	9.1	10.3	11.5	9.5			
1969.....	6.3	7.1	5.9	5.8	6.7	5.4	10.6	11.3	10.1	11.1	12.0	10.5			
1968.....	6.8	7.7	6.3	6.3	7.2	5.7	12.2	13.2	11.5	12.6	14.0	11.8			

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 68-78S created on 00/01/27.

HIST293. AGE-ADJUSTED DEATH RATES FOR 69 SELECTED CAUSES BY RACE AND SEX USING YEAR 2000 STANDARD PAGE 34
 POPULATION: UNITED STATES, 1968-78

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE EIGHTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED, 1965)

CAUSE OF DEATH, AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
HYPERPLASIA OF PROSTATE (600)															
1978.....	0.5	1.5	...	0.5	1.4	...	0.8	2.0	...	0.8	2.1
1977.....	0.6	1.8	...	0.6	1.7	...	1.0	2.5	...	1.0	2.5
1976.....	0.7	2.0	...	0.7	1.9	...	0.9	2.2	...	0.9	2.4
1975.....	0.8	2.2	...	0.8	2.2	...	1.0	2.5	...	1.1	2.7
1974.....	0.9	2.6	...	0.9	2.5	...	1.2	3.0	...	1.3	3.2
1973.....	1.1	3.1	...	1.1	3.0	...	1.4	3.4	...	1.5	3.7
1972.....	1.4	3.6	...	1.3	3.5	...	1.9	4.6	...	2.1	5.1
1971.....	1.4	3.8	...	1.4	3.7	...	1.9	4.5	...	2.0	4.9
1970.....	1.6	4.2	...	1.6	4.1	...	2.2	5.0	...	2.3	5.4
1969.....	2.0	5.2	...	1.9	5.0	...	2.9	6.7	...	3.1	7.3
1968.....	2.2	5.5	...	2.1	5.3	...	3.1	7.1	...	3.3	7.7
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-678)															
1978.....	0.1	...	0.3	0.1	...	0.2	0.4	...	0.9	0.5	...	0.9
1977.....	0.2	...	0.3	0.1	...	0.2	0.5	...	1.0	0.6	...	1.1
1976.....	0.2	...	0.3	0.1	...	0.2	0.5	...	1.0	0.6	...	1.1
1975.....	0.2	...	0.3	0.1	...	0.2	0.6	...	1.1	0.6	...	1.2
1974.....	0.2	...	0.4	0.1	...	0.3	0.7	...	1.3	0.7	...	1.4
1973.....	0.2	...	0.4	0.1	...	0.3	0.7	...	1.4	0.8	...	1.6
1972.....	0.3	...	0.6	0.2	...	0.4	0.9	...	1.7	0.9	...	1.8
1971.....	0.3	...	0.7	0.2	...	0.4	1.1	...	2.1	1.2	...	2.3
1970.....	0.4	...	0.8	0.3	...	0.5	1.5	...	2.7	1.6	...	3.0
1969.....	0.4	...	0.8	0.3	...	0.6	1.5	...	2.8	1.6	...	2.9
1968.....	0.5	...	0.9	0.3	...	0.6	1.7	...	3.1	1.7	...	3.2

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 68-78S created on 00/01/27.

HIST293. AGE-ADJUSTED DEATH RATES FOR 69 SELECTED CAUSES BY RACE AND SEX USING YEAR 2000 STANDARD PAGE 35
 POPULATION: UNITED STATES, 1968-78

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE EIGHTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED, 1965)

CAUSE OF DEATH, AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
ABORTIONS (640-645)															
1978.....	*	...	*	*	...	*	*	...	*	*	...	*	...	*	
1977.....	0.0	...	0.0	*	...	*	*	...	*	*	...	*	...	*	
1976.....	*	...	*	*	...	*	*	...	*	*	...	*	...	*	
1975.....	0.0	...	0.0	*	...	*	*	...	*	*	...	*	...	*	
1974.....	0.0	...	0.0	*	...	*	*	...	*	*	...	*	...	*	
1973.....	0.0	...	0.0	*	...	*	0.1	...	0.2	0.1	...	0.2	...	0.2	
1972.....	0.0	...	0.1	0.0	...	0.0	0.1	...	0.2	0.1	...	0.2	...	0.2	
1971.....	0.0	...	0.1	0.0	...	0.0	0.2	...	0.4	0.2	...	0.5	...	0.5	
1970.....	0.1	...	0.1	0.0	...	0.1	0.3	...	0.5	0.3	...	0.6	...	0.6	
1969.....	0.1	...	0.1	0.0	...	0.1	0.3	...	0.5	0.3	...	0.6	...	0.6	
1968.....	0.1	...	0.1	0.0	...	0.1	0.3	...	0.6	0.4	...	0.7	...	0.7	
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-639, 650-678)															
1978.....	0.1	...	0.2	0.1	...	0.2	0.4	...	0.8	0.4	...	0.8	...	0.8	
1977.....	0.2	...	0.3	0.1	...	0.2	0.5	...	0.9	0.6	...	1.0	...	1.0	
1976.....	0.2	...	0.3	0.1	...	0.2	0.5	...	0.9	0.6	...	1.0	...	1.0	
1975.....	0.2	...	0.3	0.1	...	0.2	0.5	...	1.0	0.6	...	1.1	...	1.1	
1974.....	0.2	...	0.4	0.1	...	0.3	0.6	...	1.2	0.7	...	1.3	...	1.3	
1973.....	0.2	...	0.4	0.1	...	0.3	0.7	...	1.3	0.7	...	1.4	...	1.4	
1972.....	0.3	...	0.5	0.2	...	0.4	0.8	...	1.5	0.8	...	1.6	...	1.6	
1971.....	0.3	...	0.6	0.2	...	0.4	0.9	...	1.7	1.0	...	1.9	...	1.9	
1970.....	0.3	...	0.7	0.2	...	0.5	1.2	...	2.2	1.3	...	2.4	...	2.4	
1969.....	0.3	...	0.7	0.2	...	0.5	1.2	...	2.2	1.3	...	2.4	...	2.4	
1968.....	0.4	...	0.8	0.3	...	0.5	1.3	...	2.5	1.4	...	2.6	...	2.6	

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 68-78S created on 00/01/27.

HIST293. AGE-ADJUSTED DEATH RATES FOR 69 SELECTED CAUSES BY RACE AND SEX USING YEAR 2000 STANDARD PAGE 36
 POPULATION: UNITED STATES, 1968-78

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE EIGHTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED, 1965)

CAUSE OF DEATH, AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
CONGENITAL ANOMALIES (740-759)															
1978.....	5.5	5.9	5.2	5.4	5.8	5.1	6.0	6.5	5.6	6.1	6.8	5.6			
1977.....	5.6	6.0	5.2	5.5	5.9	5.1	6.1	6.5	5.7	6.4	6.9	5.9			
1976.....	5.8	6.1	5.6	5.8	6.1	5.5	6.3	6.6	6.0	6.5	6.9	6.3			
1975.....	5.9	6.3	5.5	5.9	6.2	5.4	6.1	6.8	5.5	6.4	7.1	5.7			
1974.....	6.1	6.6	5.6	6.1	6.6	5.6	6.5	7.3	5.7	6.8	7.6	6.0			
1973.....	6.3	6.8	5.8	6.3	6.8	5.8	6.4	6.8	6.0	6.5	7.0	6.1			
1972.....	6.4	6.8	5.9	6.3	6.8	5.9	6.5	6.9	6.2	6.7	7.1	6.4			
1971.....	6.6	7.0	6.1	6.6	7.0	6.2	6.6	7.4	5.9	6.8	7.5	6.1			
1970.....	7.1	7.5	6.7	7.1	7.5	6.8	7.2	7.8	6.6	7.5	8.2	6.8			
1969.....	7.3	7.9	6.8	7.2	7.8	6.7	7.9	8.5	7.3	8.2	8.7	7.6			
1968.....	7.3	7.9	6.7	7.3	7.9	6.8	7.5	8.3	6.7	7.7	8.5	6.9			
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY (760-769.2, 769.4-772, 774-778)															
1978.....	9.1	10.3	7.9	7.5	8.5	6.5	16.9	18.9	14.9	18.5	20.7	16.4			
1977.....	9.9	11.1	8.6	8.2	9.3	7.0	17.9	19.7	16.0	19.5	21.5	17.5			
1976.....	11.0	12.3	9.6	9.2	10.4	7.9	19.8	21.9	17.7	21.8	24.2	19.4			
1975.....	11.7	13.1	10.1	9.9	11.3	8.4	20.4	22.2	18.6	22.3	24.2	20.4			
1974.....	13.0	14.7	11.1	11.3	13.0	9.5	21.3	23.5	19.1	23.1	25.5	20.8			
1973.....	13.4	15.4	11.4	11.8	13.5	9.9	21.8	24.4	19.1	23.6	26.4	20.7			
1972.....	14.1	16.1	12.0	12.3	14.2	10.2	23.6	26.4	20.9	25.6	28.4	22.6			
1971.....	14.7	16.9	12.5	13.0	15.0	10.8	24.1	27.0	21.2	26.0	29.0	23.0			
1970.....	17.1	19.6	14.5	15.2	17.5	12.8	27.6	31.3	23.9	29.7	33.7	25.6			
1969.....	17.4	20.1	14.7	15.4	17.9	12.8	29.1	33.0	25.2	31.2	35.4	27.0			
1968.....	18.0	20.8	15.0	16.0	18.8	13.1	28.4	31.6	25.1	30.1	33.6	26.7			

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 68-78S created on 00/01/27.

HIST293. AGE-ADJUSTED DEATH RATES FOR 69 SELECTED CAUSES BY RACE AND SEX USING YEAR 2000 STANDARD PAGE 37
 POPULATION: UNITED STATES, 1968-78

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE EIGHTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED, 1965)

CAUSE OF DEATH, AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS (764-768, 772, 776)															
1978.....	4.9	5.7	4.0	4.2	4.8	3.4	8.3	9.7	6.8	9.0	10.5	7.4			
1977.....	5.3	6.1	4.5	4.5	5.3	3.8	9.1	10.1	8.0	9.9	11.1	8.7			
1976.....	6.0	6.8	5.1	5.1	5.9	4.3	10.1	11.3	8.9	11.0	12.4	9.6			
1975.....	6.4	7.4	5.4	5.6	6.6	4.6	10.3	11.4	9.2	11.3	12.5	10.0			
1974.....	7.2	8.3	6.0	6.4	7.6	5.2	11.0	12.4	9.7	12.0	13.4	10.6			
1973.....	7.5	8.8	6.0	6.7	8.0	5.3	11.4	13.3	9.6	12.4	14.4	10.4			
1972.....	7.8	9.2	6.3	6.9	8.3	5.4	12.6	14.3	10.9	13.5	15.2	11.8			
1971.....	8.0	9.5	6.5	7.2	8.6	5.8	12.4	14.1	10.6	13.3	15.1	11.5			
1970.....	9.0	10.6	7.4	8.2	9.7	6.6	13.6	15.6	11.6	14.6	16.7	12.5			
1969.....	8.9	10.5	7.1	8.0	9.6	6.3	13.9	16.1	11.7	14.9	17.2	12.5			
1968.....	9.1	10.9	7.2	8.3	10.1	6.4	13.3	15.3	11.3	14.0	16.1	11.9			
OTHER CAUSES OF MORTALITY IN EARLY INFANCY (REMAINDER OF 760-778)															
1978.....	4.3	4.6	3.9	3.4	3.7	3.0	8.7	9.2	8.1	9.6	10.2	8.9			
1977.....	4.5	5.0	4.1	3.7	4.1	3.2	8.8	9.5	8.1	9.6	10.4	8.8			
1976.....	5.0	5.5	4.5	4.1	4.5	3.6	9.7	10.7	8.8	10.7	11.7	9.7			
1975.....	5.3	5.7	4.8	4.3	4.8	3.8	10.1	10.7	9.4	11.0	11.7	10.3			
1974.....	5.8	6.3	5.2	4.9	5.4	4.3	10.2	11.1	9.4	11.2	12.1	10.2			
1973.....	6.0	6.5	5.4	5.1	5.6	4.6	10.3	11.2	9.5	11.2	12.1	10.3			
1972.....	6.3	6.9	5.6	5.4	5.9	4.8	11.1	12.1	10.0	12.0	13.1	10.8			
1971.....	6.7	7.4	6.0	5.8	6.4	5.1	11.7	12.8	10.6	12.7	13.8	11.5			
1970.....	8.1	9.0	7.1	7.0	7.8	6.1	14.0	15.7	12.3	15.1	17.0	13.2			
1969.....	8.6	9.6	7.6	7.4	8.3	6.5	15.2	17.0	13.5	16.4	18.2	14.5			
1968.....	8.9	9.9	7.9	7.8	8.7	6.8	15.1	16.4	13.7	16.1	17.5	14.7			

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 68-78S created on 00/01/27.

POPULATION: UNITED STATES, 1968-78

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE EIGHTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED, 1965)

CAUSE OF DEATH, AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
SYMPTOMS AND ILL-DEFINED CONDITIONS (780-796)												
1978.....	16.2	21.1	12.4	13.4	17.6	10.1	39.5	50.5	31.0	42.7	54.8	33.5
1977.....	16.9	22.1	12.9	13.9	18.4	10.5	41.5	53.0	32.7	45.1	57.9	35.4
1976.....	16.6	21.8	12.6	13.6	18.1	10.1	42.1	53.2	33.2	45.4	57.8	35.7
1975.....	17.3	22.7	13.0	13.9	18.4	10.3	46.2	58.7	35.9	49.6	63.7	38.4
1974.....	17.3	22.6	13.1	13.8	18.2	10.3	47.2	60.6	36.5	50.7	65.9	38.8
1973.....	17.3	23.0	12.8	13.6	18.2	10.0	49.7	64.4	37.9	53.3	69.9	40.3
1972.....	15.9	21.1	11.8	12.5	16.9	9.0	46.6	58.7	36.8	50.1	64.0	39.2
1971.....	15.5	20.5	11.6	12.1	16.2	8.9	47.0	59.5	36.8	50.2	64.4	39.1
1970.....	15.3	19.9	11.6	11.7	15.7	8.6	47.8	57.9	39.3	51.7	63.9	42.0
1969.....	16.1	21.2	11.9	12.1	16.3	8.7	53.7	65.9	43.4	57.1	70.9	45.7
1968.....	15.1	19.9	11.3	11.1	15.0	8.0	53.6	66.3	43.2	56.6	70.9	45.4
ALL OTHER DISEASES (RESIDUAL)												
1978.....	73.4	100.0	55.6	70.7	97.1	53.3	92.9	121.9	71.4	98.4	129.4	75.4
1977.....	71.0	96.5	53.7	68.1	93.3	51.4	91.7	120.7	69.9	96.4	127.6	73.5
1976.....	69.4	94.4	52.2	66.5	91.0	49.9	90.5	120.6	67.6	95.7	128.2	71.3
1975.....	67.6	90.8	51.4	64.7	87.5	49.2	89.1	117.3	67.4	93.6	123.5	71.0
1974.....	68.1	89.5	52.8	65.1	86.1	50.4	90.3	116.3	70.1	94.8	122.9	73.5
1973.....	67.3	87.3	52.9	64.1	83.6	50.3	91.4	116.5	71.7	95.3	122.9	74.1
1972.....	65.6	84.4	51.9	62.4	80.5	49.3	91.0	117.3	70.1	94.8	123.0	72.7
1971.....	63.1	80.5	50.1	59.6	76.6	47.3	89.9	112.8	71.1	93.7	118.4	74.0
1970.....	61.8	77.3	49.9	58.7	73.8	47.4	85.1	106.0	67.8	89.8	113.1	71.2
1969.....	61.7	76.5	50.4	58.8	73.0	48.3	84.1	105.9	66.1	87.7	111.4	68.7
1968.....	62.3	77.4	50.8	59.3	73.7	48.5	85.5	108.2	66.8	88.5	113.5	68.6

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 68-78S created on 00/01/27.

HIST293. AGE-ADJUSTED DEATH RATES FOR 69 SELECTED CAUSES BY RACE AND SEX USING YEAR 2000 STANDARD
 POPULATION: UNITED STATES, 1968-78

PAGE 39

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE
 EIGHTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED, 1965)

CAUSE OF DEATH, AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
ACCIDENTS (E800-E949)												
1978.....	48.9	72.1	28.1	47.7	69.8	27.8	57.6	91.0	29.9	58.0	92.3	29.8
1977.....	48.8	71.5	28.4	47.5	69.0	28.1	58.0	91.1	30.0	59.1	93.7	30.1
1976.....	48.7	71.4	28.4	47.4	68.8	28.0	58.1	91.6	29.8	58.8	93.5	29.8
1975.....	50.8	74.7	29.3	49.2	71.8	28.7	62.1	97.7	31.9	62.9	99.7	32.1
1974.....	52.7	76.9	30.8	51.1	74.1	30.1	64.1	99.6	33.9	65.0	102.0	33.9
1973.....	59.3	86.0	35.2	57.3	82.3	34.4	73.6	115.0	38.3	73.7	116.0	38.1
1972.....	60.2	87.0	36.2	58.1	83.0	35.5	76.1	118.5	39.8	76.7	120.5	39.7
1971.....	60.3	86.8	36.4	58.0	82.7	35.5	77.2	118.8	41.4	78.0	120.8	41.6
1970.....	62.2	90.1	36.8	59.8	85.9	36.0	79.4	123.4	41.2	81.2	127.4	41.7
1969.....	64.9	93.5	39.0	62.6	89.4	38.1	81.9	126.3	43.4	81.9	126.6	43.7
1968.....	65.5	93.6	39.9	63.0	89.1	39.0	83.7	129.7	43.7	84.3	131.8	43.7
MOTOR VEHICLE ACCIDENTS (E810-E823)												
1978.....	22.4	33.8	12.0	22.5	33.6	12.2	22.4	36.7	10.5	21.5	35.9	9.6
1977.....	21.6	32.3	11.7	21.6	31.9	12.0	21.8	36.0	9.8	21.2	35.9	8.8
1976.....	20.9	31.4	11.3	20.8	31.0	11.4	21.9	35.9	10.1	21.2	35.4	9.5
1975.....	20.8	31.6	10.8	20.6	31.1	10.9	22.8	37.4	10.3	22.1	36.9	9.6
1974.....	21.4	32.7	11.0	21.1	32.1	11.0	23.6	38.5	10.9	23.0	38.2	10.3
1973.....	26.2	39.2	14.3	25.7	38.2	14.2	30.2	48.7	14.4	29.4	48.3	13.4
1972.....	27.1	40.5	15.0	26.6	39.2	15.0	31.3	51.0	14.4	30.6	50.7	13.7
1971.....	26.7	39.9	14.7	26.1	38.8	14.6	31.0	49.4	15.2	30.7	49.7	14.7
1970.....	27.6	41.5	14.9	27.1	40.4	14.9	31.4	50.6	14.7	31.1	51.0	14.1
1969.....	28.5	43.0	15.3	27.9	41.7	15.3	33.4	54.7	15.1	32.8	54.2	14.6
1968.....	28.6	43.6	15.1	28.0	42.3	15.0	33.3	54.3	15.1	33.1	54.9	14.5

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 68-78S created on 00/01/27.

HIST293. AGE-ADJUSTED DEATH RATES FOR 69 SELECTED CAUSES BY RACE AND SEX USING YEAR 2000 STANDARD PAGE 40
 POPULATION: UNITED STATES, 1968-78

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE EIGHTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED, 1965)

CAUSE OF DEATH, AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
ALL OTHER ACCIDENTS (E800-E807, E825-E949)												
1978.....	26.5	38.3	16.2	25.2	36.2	15.6	35.1	54.3	19.4	36.5	56.4	20.2
1977.....	27.2	39.2	16.8	25.9	37.1	16.1	36.2	55.1	20.3	37.9	57.8	21.3
1976.....	27.8	40.0	17.1	26.5	37.9	16.6	36.1	55.7	19.7	37.5	58.1	20.3
1975.....	30.0	43.1	18.4	28.6	40.7	17.8	39.4	60.3	21.6	40.8	62.7	22.5
1974.....	31.4	44.3	19.8	30.0	42.0	19.1	40.6	61.1	23.0	42.0	63.8	23.6
1973.....	33.1	46.7	20.9	31.6	44.1	20.3	43.4	66.3	23.9	44.3	67.8	24.6
1972.....	33.2	46.5	21.2	31.5	43.8	20.5	44.8	67.4	25.3	46.1	69.8	25.9
1971.....	33.7	46.9	21.7	31.9	44.0	20.9	46.1	69.4	26.2	47.2	71.1	26.9
1970.....	34.7	48.6	22.0	32.7	45.5	21.1	48.1	72.8	26.5	50.1	76.4	27.5
1969.....	36.4	50.4	23.7	34.7	47.7	22.9	48.5	71.6	28.3	49.1	72.3	29.0
1968.....	36.9	50.0	24.8	35.0	46.8	24.0	50.4	75.4	28.6	51.2	77.0	29.2
SUICIDE (E950-E959)												
1978.....	12.9	20.2	6.6	13.6	21.2	7.1	7.3	12.1	3.3	7.1	12.0	3.0
1977.....	13.7	21.4	7.1	14.5	22.5	7.6	7.6	12.3	3.6	7.1	11.8	3.2
1976.....	13.2	20.4	7.1	13.9	21.3	7.6	7.6	12.6	3.4	7.2	12.1	3.1
1975.....	13.6	20.9	7.3	14.3	21.9	7.8	7.4	12.0	3.5	6.8	11.5	2.9
1974.....	13.2	20.3	7.1	13.9	21.2	7.6	7.2	12.0	3.2	6.8	11.6	2.8
1973.....	13.1	20.1	7.1	13.8	21.1	7.6	7.2	11.6	3.4	6.6	11.2	2.8
1972.....	13.3	20.3	7.5	14.0	21.2	7.9	7.4	11.9	3.6	6.8	11.1	3.1
1971.....	13.1	19.7	7.6	13.9	20.7	8.1	6.9	10.5	3.8	6.2	9.7	3.3
1970.....	13.1	19.8	7.4	13.8	20.8	7.9	6.7	10.5	3.4	6.2	10.0	2.9
1969.....	12.7	19.4	7.1	13.4	20.3	7.6	6.6	10.7	3.2	6.0	9.8	2.8
1968.....	12.4	19.1	6.6	13.1	20.1	7.1	5.9	9.6	2.9	5.4	9.0	2.4

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 68-78S created on 00/01/27.

HIST293. AGE-ADJUSTED DEATH RATES FOR 69 SELECTED CAUSES BY RACE AND SEX USING YEAR 2000 STANDARD PAGE 41
 POPULATION: UNITED STATES, 1968-78

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE EIGHTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED, 1965)

CAUSE OF DEATH, AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
HOMICIDE (E960-E978)															
1978.....	9.2	14.6	4.0	5.8	9.0	2.8	31.8	55.5	11.5	36.1	63.3	12.8			
1977.....	9.2	14.6	4.1	5.7	8.7	2.9	33.1	58.2	11.8	37.4	66.1	13.0			
1976.....	9.2	14.7	4.0	5.5	8.4	2.7	35.1	61.2	12.7	39.5	69.5	13.9			
1975.....	10.2	16.4	4.4	6.1	9.4	2.9	39.6	69.2	14.2	44.6	78.4	15.8			
1974.....	10.5	16.9	4.5	6.0	9.2	2.9	43.0	75.6	14.9	47.8	84.6	16.4			
1973.....	10.2	16.2	4.5	5.7	8.6	2.8	43.0	74.9	15.5	47.9	84.0	16.9			
1972.....	10.0	16.4	3.9	5.2	8.2	2.4	44.9	80.3	14.3	49.7	89.5	15.5			
1971.....	9.8	15.9	4.0	5.1	7.9	2.4	44.4	78.3	15.1	49.0	87.1	16.4			
1970.....	9.0	14.6	3.7	4.8	7.4	2.3	40.2	70.8	13.5	44.8	79.9	14.8			
1969.....	8.3	13.6	3.4	4.3	6.6	2.1	39.3	69.6	13.1	42.9	76.4	14.2			
1968.....	8.1	13.2	3.4	4.2	6.6	2.0	37.8	66.6	12.9	41.2	73.1	13.9			
OTHER EXTERNAL CAUSES (E980-E999)															
1978.....	1.9	2.8	1.2	1.7	2.4	1.1	3.4	5.3	1.9	3.7	5.6	2.0			
1977.....	2.1	3.0	1.3	1.9	2.6	1.2	3.9	6.1	2.1	4.2	6.5	2.2			
1976.....	2.3	3.2	1.5	1.9	2.7	1.3	4.7	7.0	2.8	5.0	7.4	3.0			
1975.....	2.4	3.3	1.5	2.0	2.8	1.3	4.6	7.3	2.4	5.0	7.8	2.5			
1974.....	2.6	3.7	1.6	2.2	3.0	1.4	5.4	8.6	2.8	5.7	9.0	2.9			
1973.....	2.5	3.6	1.6	2.2	3.0	1.4	5.5	8.7	2.8	5.7	9.1	2.9			
1972.....	2.6	3.7	1.6	2.2	3.0	1.4	5.7	8.7	3.1	6.1	9.2	3.4			
1971.....	2.6	3.8	1.6	2.2	3.0	1.4	6.0	9.5	2.9	6.3	10.2	3.0			
1970.....	2.9	4.2	1.7	2.4	3.4	1.5	6.6	10.6	3.1	7.1	11.5	3.3			
1969.....	2.7	4.1	1.6	2.2	3.2	1.4	6.6	10.9	3.0	7.0	11.5	3.1			
1968.....	2.4	3.4	1.4	2.0	2.9	1.2	5.3	8.3	2.7	5.5	8.7	2.7			

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 68-78S created on 00/01/27.