

Monthly

U.S. DEPARTMENT OF
HEALTH, EDUCATION, AND WELFARE
Public Health Service
Health Resources Administration
5600 Fishers Lane
Rockville, Maryland 20852



(HRA) 76-1120
VOL. 24, NO. 11
SUPPLEMENT
FEBRUARY 3, 1976

VITAL STATISTICS REPORT

Advance Report Final Mortality Statistics, 1974

FROM THE

NATIONAL CENTER FOR HEALTH STATISTICS

Deaths and Death Rates

During 1974 there were 1,934,388 resident deaths in the United States, 38,615 fewer than in 1973 (table 1). The death rate for 1974 dropped to the lowest level ever recorded for the United States—9.2 deaths per 1,000 population.

The age-adjusted death rate for 1974, 6.7 per 1,000, was also the lowest on record. This rate was computed by the direct method, that is by applying the 1974 age-specific death rates for all causes to the selected standard population (total U.S. population in 1940) distributed by age. The decrease of 2.9 percent between 1973 and 1974 in the age-adjusted death rate for the total population (from 6.9 to 6.7 per 1,000) reflects the following decreases in the age-adjusted death rates for the four color-sex groups: white males, 3.5 percent; white females, 2.1 percent; all other males, 5.0 percent; and all other females, 6.8 percent.

For 1974 as for 1973 the age-adjusted death rate for the male population was 1.8 times the rate for the female population. Similarly, in both years the age-

adjusted death rate for persons of races other than white was 1.4 times the rate for the white population.

Causes of Death

The record low death rate for 1974 reflects primarily the continuing downturn for the following three causes of death: Diseases of heart, Cerebrovascular diseases, and Accidents.

The downward trend for mortality from Diseases of heart (particularly for Ischemic heart disease) began about 1963. The 1974 age-adjusted death rate for Diseases of heart was 4.8 percent lower than the corresponding rate for 1973. Because of the magnitude of the rate for this first leading cause of death, this decrease accounted for about 44 percent of the drop in the age-adjusted death rate for all causes of death between 1973 and 1974.

The decline in the age-adjusted rate for Cerebrovascular diseases that began in the 1920's also con-

FIGURE 1





FIGURE 2



MONTHLY VITAL STATISTICS REPORT

tinued through 1974. This rate was 6.0 percent lower for 1974 than for 1973.

For Accidents the age-adjusted death rate was 11 percent lower for 1974 than for 1973. The age-adjusted death rate for Motor vehicle accidents decreased 17.4 percent—from 26.4 per 100,000 population in 1973 to 21.8 in 1974, when there were serious gasoline shortages and new legislation went into effect establishing a maximum speed limit of 55 miles per hour on the Nation's highways.

The above decreases in death rates were offset in part by increases in the death rates for the following causes: Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues; Suicide; and Homicide.

For Malignant neoplasms both the unadjusted death rate (170.5 deaths per 100,000 population) and the age-adjusted rate (131.8 per 100,000) were the highest ever recorded for the United States. The unadjusted rate for 1974 was 1.9 percent higher than the rate for 1973 (167.3 per 100,000), and the age-adjusted rate was up 0.8 percent from the rate for 1973 (130.7 per 100,000). The 1974 age-adjusted rate was 1.5 percent higher than the corresponding rate for 1970 and 4.8 percent above the rate for 1960.

The age-adjusted death rate for Malignant neoplasms increased more between 1973 and 1974 for the male population (1.4 percent) than for the female population (0.5 percent).

For seven of the nine components into which malignant neoplasms are divided in table 7, the death rate is higher for 1974 than for 1973, the highest percentage increase (4.5 percent) being for Malignant neoplasms of respiratory system (ICDA Nos. 160-163). For 1974, 94.3 percent of the deaths assigned to this group of neoplasms are deaths from Malignant neoplasms of bronchus and lung (ICDA No. 162.1). Only part of this rise in the rate is attributable to the increasing proportion of persons in the older age groups of the population. The 1974 age-adjusted death rate for Malignant neoplasms of respiratory system (31.8 deaths per 100,000) is 3.2 percent higher than the corresponding rate for 1973 (30.8). As shown below, for each of the four color-sex groups the age-adjusted death rates for Malignant neoplasms of respiratory system were higher for 1974 than for 1973:

Color and sex	1974	1973	Percent change
Total-----	31.8	30.8	+3.2
White male-----	54.0	52.7	+2.5
White female-----	12.9	12.0	+7.5
All other male-----	66.8	64.4	+3.7
All other female-----	13.2	12.6	+4.8

A moderate increase (1.7 percent) between 1973 and 1974 in the death rate for Malignant neoplasms of digestive organs and peritoneum was largely due to an increase of 3.9 percent in the death rate for Malignant neoplasms of large intestine, except rectum (from 18.0 deaths per 100,000 to 18.7). For the latter, the age-adjusted rate increased 2.3 percent—from 13.0 deaths per 100,000 for 1973 to 13.3 for 1974. For two of the major components of malignant neoplasms, Malignant neoplasms of breast and Leukemia, the death rate remained about the same for 1974 as for 1973.

In 1974 the death rates for Suicide and Homicide were the highest ever recorded. The age-adjusted death rate for Suicide increased 1.7 percent between 1973 and 1974 (from 12.0 to 12.2 per 100,000). The age-adjusted rate for Homicide increased 2.9 percent (from 10.5 for 1973 to 10.8 deaths per 100,000 for 1974).

Another factor contributing to the low death rate for 1974, though of less influence than those previously discussed, was the absence of a major outbreak of influenza such as occurred in 1973. Also of special interest is the decrease in the death rate for Bronchitis, emphysema, and asthma. For 1974 the age-adjusted rate was down to 9.2 deaths per 100,000 from the corresponding rate of 10.4 for 1973. However, as stated in an earlier report,¹ medical certifiers with increasing frequency are entering the generalized term "Chronic obstructive lung disease" on death certificates instead of a more specific diagnosis of "Emphysema," "Bronchitis," or "Asthma." Consequently, data for Bronchitis, emphysema, and asthma (ICDA Nos. 490-493) and Chronic obstructive lung disease without mention of asthma, bronchitis, or emphysema (*519.3) should be combined to obtain a measure of mortality from this complex of diseases. The age-adjusted death rate for this combination for 1974 (14.0 deaths per 100,000) was 2.1 percent lower than the corresponding rate for 1973 (14.3 deaths per 100,000).

Life Expectancy

The expectation of life at birth was at a record high of 71.9 years for the total population in 1974. This represents the average number of years at the time of birth that the members of the life-table cohort may expect to live. Based on mortality experience during 1974, the life expectancy at birth was 68.2 for males and 75.9 for females. These life expectancy values for the male and female populations increased in 1974 over 1973 by 0.9 percent and 0.8 percent, respectively.

¹ Monthly Vital Statistics Report (Provisional Statistics), Annual Summary for the United States, 1974, Vol. 23, No. 13.

MONTHLY VITAL STATISTICS REPORT

3

Life expectancy for the white population was 72.7 years and for all others it was 67.0 years, an increase of 0.7 and 1.7 percent, respectively.

Infant Mortality

The infant mortality rate was 16.7 per 1,000 live births in 1974, a reduction of 5.6 percent from the level of 17.7 in 1973. This continued the decrease in infant mortality that has been evidenced over the last decade. Among white infants the mortality rate dropped from 15.8 in 1973 to 14.8 in 1974 (a 6.3-percent decrease), while among all other infants it declined from 26.2 to 24.9 (a 5.0-percent decrease).

The infant mortality rates for most major causes of death were lower in 1974 than in 1973 (table 10). Among the States, Mississippi recorded the highest infant mortality rate for 1974 (23.0 deaths per 1,000 live births) and Utah recorded the lowest (12.2 deaths per 1,000). The infant mortality rate for the District of Columbia was 26.7 deaths per 1,000 live births.

Maternal Mortality

In 1974, 462 women died of maternal causes. As in previous years, this number does not include all deaths occurring to pregnant women but only deaths assigned to Complications of pregnancy, childbirth, and the puerperium (630-678). The number of maternal deaths and the maternal mortality rates per 100,000 live births by color for 1974 were as follows:

Color	Number	Rate
Total-----	462	14.6
White-----	257	10.0
All other-----	205	35.1

The overall rate in 1974 was 3.9 percent below the rate for 1973. The rate for white women declined 6.5 percent, and the rate for all other women increased 1.4 percent. The rate for all other women was 3.5 times that for white women.

Report of Autopsy

For 1974 all States requested information on the death certificate as to whether autopsies were performed. However, autopsies were reported for only

355,515, or 18 percent of the deaths occurring during the year (table 13). Autopsies were reported as performed for 50 percent or more of the deaths for only 2 of the 15 leading causes: Homicide (88.8 per 100 deaths) and Congenital anomalies (50.9 per 100 deaths). There were five other leading causes for which autopsies were reported on 30 percent or more of the death certificates: Suicide (42.0 percent); Peptic ulcer (40.6 percent); Accidents (39.9 percent); Certain causes of mortality in early infancy (35.1 percent); and Cirrhosis of liver (34.0 percent).

Mortality by Month and Day of Death

The year 1974 is the third consecutive year for which both month of death and day of death have been tabulated. The average number of deaths per day of week are shown for 1974 for all causes combined and for the following three causes: Motor vehicle accidents, Suicide, and Homicide (table 14). The average number of motor vehicle fatalities on Saturday (182 deaths) is 73 percent higher than the average number on Tuesday or Wednesday—days of the week with the lowest average number of these fatalities. The average number of homicides on Saturday (84 deaths) is 87 percent higher than the average number on Wednesday, the day of the week with the lowest number of homicides (45 deaths). For Suicide, variation by day of death is less pronounced than for Motor vehicle accidents or Homicide.

SOURCES OF DATA

Data shown in this report for 1974 are based on information from all death certificates for the 50 States and the District of Columbia. Mortality statistics are based on information obtained directly from copies of the original certificates received from the registration offices except for data provided to the National Center for Health Statistics through the Cooperative Health Statistics System.

For 1974, mortality data except data for cause of death and fetal deaths were coded from the original certificates and provided on computer tape through the Cooperative Health Statistics System by the 13 following States: Colorado, Florida, Illinois, Kansas, Maine, Missouri, Montana, New Hampshire, New York (except New York City), Oregon, Rhode Island, South Carolina, and Vermont. The three States of Iowa, Michigan, and Nebraska submitted mortality data which included data on cause of death through this System.

MONTHLY VITAL STATISTICS REPORT

Table 1. TOTAL, INFANT, AND NEONATAL DEATHS AND RATES, FOR THE UNITED STATES, EACH REGION, DIVISION, AND STATE; AND BY COLOR AND SEX FOR THE UNITED STATES: 1974

[By place of residence. Refers only to events occurring within the United States]

Color, sex, and area	Total deaths		Infant deaths (under 1 year)		Neonatal deaths (under 28 days)	
	Number	Rate ¹	Number	Rate ²	Number	Rate ²
United States-----	1,934,388	9.2	52,776	16.7	36,738	12.3
Male-----	1,071,627	10.4	30,305	18.7	22,330	13.8
Female-----	862,761	8.0	22,471	14.6	16,408	10.7
White-----	1,697,295	9.2	38,249	14.8	28,692	11.1
Male-----	936,640	10.4	22,209	16.8	16,718	12.6
Female-----	760,655	8.1	16,040	12.8	11,974	9.6
All other-----	237,093	8.7	14,527	24.9	10,046	17.2
Male-----	134,987	10.4	8,096	27.3	5,612	18.9
Female-----	102,106	7.2	6,431	22.4	4,434	15.4
Regions:						
Northeast-----	481,175	9.7	10,219	16.0	7,785	12.2
North Central-----	535,340	9.3	14,370	16.7	10,634	12.4
South-----	620,594	9.2	19,623	16.3	14,328	13.4
West-----	297,281	8.0	8,564	14.5	5,991	10.1
NORTHEAST						
New England-----	114,070	9.4	2,225	14.7	1,731	11.4
Maine-----	10,717	10.2	243	16.1	187	12.4
New Hampshire-----	7,723	9.6	162	13.9	121	10.4
Vermont-----	4,398	9.4	97	14.1	78	11.3
Massachusetts-----	55,996	9.7	974	13.9	761	10.9
Rhode Island-----	9,107	9.7	177	15.5	138	12.1
Connecticut-----	26,129	8.5	572	15.6	446	12.1
Middle Atlantic-----	367,103	9.8	7,994	16.5	6,054	12.5
New York-----	176,958	9.8	3,894	16.3	2,908	12.1
New Jersey-----	67,160	9.2	1,510	15.9	1,129	11.9
Pennsylvania-----	122,984	10.4	2,590	17.1	2,017	13.3
NORTH CENTRAL						
East North Central-----	372,808	9.1	10,536	17.1	7,744	12.6
Ohio-----	99,254	9.2	2,590	16.1	1,887	11.7
Indiana-----	48,269	9.1	1,367	16.4	1,002	12.0
Illinois-----	108,171	9.7	3,279	19.4	2,442	14.4
Michigan-----	76,249	8.4	2,594	17.4	1,745	12.7
Wisconsin-----	40,865	8.9	906	15.9	668	10.2
West North Central-----	182,532	9.7	3,634	15.8	2,890	11.9
Minnesota-----	33,500	8.6	806	14.4	595	10.7
Iowa-----	28,773	10.1	575	14.3	444	11.0
Missouri-----	50,652	10.6	1,173	16.8	877	12.6
North Dakota-----	5,766	9.1	170	17.0	142	14.2
South Dakota-----	6,581	9.6	222	19.8	156	13.9
Nebraska-----	15,025	9.7	364	15.4	275	11.6
Kansas-----	22,235	9.8	524	15.9	401	12.2
SOUTH						
South Atlantic-----	307,172	9.3	9,034	18.2	6,614	13.3
Delaware-----	4,986	8.7	140	16.9	107	12.9
Maryland-----	32,965	8.1	821	15.4	629	11.8
District of Columbia-----	7,848	10.9	268	26.7	207	20.6
Virginia-----	40,358	8.2	1,201	16.9	908	12.8
West Virginia-----	19,558	10.9	527	18.9	421	15.1
North Carolina-----	46,278	8.6	1,639	19.5	1,180	14.0
South Carolina-----	24,211	8.7	1,025	21.1	723	14.9
Georgia-----	42,953	8.8	1,504	18.1	1,053	12.6
Florida-----	68,015	10.9	1,909	17.3	1,386	12.6
East South Central-----	150,821	9.8	4,248	19.2	3,065	13.9
Kentucky-----	53,506	10.0	895	16.7	642	12.0
Tennessee-----	39,425	9.5	1,110	17.3	823	12.9
Alabama-----	34,737	9.7	1,227	20.6	888	14.9
Mississippi-----	23,153	10.0	1,016	23.0	708	16.0
West South Central-----	182,601	8.9	6,341	17.9	4,648	13.1
Arkansas-----	22,226	10.8	593	17.2	419	13.1
Louisiana-----	33,647	8.9	1,243	18.9	927	14.1
Oklahoma-----	27,237	10.1	741	17.5	530	12.5
Texas-----	99,491	8.3	3,764	17.8	2,772	13.1
WEST						
Mountain-----	70,884	7.5	2,685	15.5	1,895	10.9
Montana-----	6,558	8.9	202	16.5	154	12.6
Idaho-----	6,460	8.1	239	15.3	174	11.1
Wyoming-----	3,142	8.8	104	15.9	74	11.3
Colorado-----	17,922	7.2	614	15.7	449	11.5
New Mexico-----	8,030	7.2	389	18.2	259	12.1
Arizona-----	17,050	7.9	569	14.8	393	9.9
Utah-----	7,384	6.3	566	12.2	271	9.0
Nevada-----	4,338	7.6	182	20.3	121	13.5
Pacific-----	226,397	8.1	5,879	14.1	4,096	9.8
Washington-----	29,827	8.6	759	15.2	537	10.7
Oregon-----	20,335	9.0	468	15.0	530	10.1
California-----	170,403	8.2	4,265	15.7	2,963	9.5
Alaska-----	1,489	4.4	126	17.9	86	12.2
Hawaii-----	4,343	5.1	241	15.5	180	11.6

¹Per 1,000 population in specified group.²Per 1,000 live births.

MONTHLY VITAL STATISTICS REPORT

5

Table 2. ABRIDGED LIFE TABLES BY COLOR AND SEX: UNITED STATES, 1974

[For explanation of the columns of the Life Table, see Section 5 of Vital Statistics of the United States, 1971, Volume II]

AGE INTERVAL	PROPORTION DYING	OF 100,000 BORN ALIVE	STATIONARY POPULATION			AVERAGE FERMIN- ING LIFETIME
			IN THE AGE INTERVAL	IN THIS AND ALL SUBSEQUENT AGE INTERVALS	(6)	
PERIOD OF LIFE BETWEEN TWO EXACT AGES STATED IN YEARS	PROPORTION OF PERSONS ALIVE AT BEGINNING OF AGE INTERVAL DYING DURING INTERVAL	NUMBER LIVING AT BEGINNING OF AGE INTERVAL	NUMBER DYING DURING AGE INTERVAL	(5)	(7)	
(1)	(2)	(3)	(4)	(5)	(6)	(7)
x to x+n	nq_x	I_x	nd_x	nL_x	T_x	\bar{x}
TOTAL						
0-1	0.0167	100,000	1,675	98,323	7,193,993	71.9
1-5	.0030	98,325	290	97,035	7,095,490	72.2
5-10	.0019	97,035	185	95,676	6,702,684	68.4
10-15	.0019	97,650	189	94,823	6,213,208	63.5
15-20	.0053	97,461	516	97,121	5,724,385	58.6
20-25	.0070	97,145	676	94,966	5,237,264	55.9
25-30	.0063	96,469	660	94,807	4,753,198	49.3
30-35	.0079	95,809	754	97,247	4,272,480	44.6
35-40	.0109	95,055	1,032	97,866	3,795,233	39.9
40-45	.0168	94,023	1,583	96,440	3,222,367	35.3
45-50	.0267	92,440	2,470	95,475	2,855,927	30.9
50-55	.0396	89,970	3,567	94,459	2,399,452	26.7
55-60	.0607	86,408	5,241	419,675	1,957,993	22.7
60-65	.0903	81,162	7,226	388,376	1,538,358	19.0
65-70	.1267	73,936	9,355	346,679	1,149,982	15.6
70-75	.1903	64,481	12,272	292,611	803,303	12.5
75-80	.2785	52,209	14,540	225,313	510,692	9.8
80-85	.4814	37,669	14,367	151,699	285,379	7.6
85 AND OVER	1.0000	23,202	23,302	132,680	132,680	5.7
MALE						
0-1	0.0187	100,000	1,874	98,323	6,816,390	68.2
1-5	.0033	98,126	322	97,737	6,717,767	68.5
5-10	.0022	97,804	219	96,435	6,326,030	64.7
10-15	.0024	97,585	238	97,405	5,837,595	59.8
15-20	.0077	97,247	749	98,035	5,350,192	55.0
20-25	.0106	96,598	1,019	950,475	4,865,157	50.4
25-30	.0098	95,579	939	975,542	4,384,682	45.9
30-35	.0107	94,640	1,009	970,780	3,909,140	41.3
35-40	.0142	93,631	1,326	465,063	3,433,360	36.7
40-45	.0214	92,305	1,975	456,953	2,973,297	32.2
45-50	.0349	90,330	1,150	444,376	2,516,344	27.9
50-55	.0524	87,180	4,555	425,187	2,071,968	23.8
55-60	.0813	82,621	6,721	397,174	1,646,781	19.9
60-65	.1221	75,900	9,265	357,360	1,249,607	16.5
65-70	.1733	66,635	11,580	204,944	892,307	13.4
70-75	.2507	55,055	13,801	241,155	567,363	10.7
75-80	.3508	41,254	14,471	170,004	346,208	8.4
80-85	.4536	26,782	12,149	102,268	176,204	6.6
85 AND OVER	1.0000	14,634	14,634	73,836	73,836	5.0
FEMALE						
0-1	0.0146	100,000	1,465	98,694	7,585,249	75.9
1-5	.0026	98,535	257	93,518	7,486,555	76.0
5-10	.0015	98,278	149	90,981	7,093,037	72.2
10-15	.0014	98,129	138	90,318	6,602,056	67.3
15-20	.0028	97,991	275	489,311	6,111,738	62.4
20-25	.0034	97,716	331	487,780	5,622,427	57.5
25-30	.0039	97,385	381	436,014	5,134,647	52.7
30-35	.0052	97,004	501	483,837	4,643,633	47.9
35-40	.0077	96,503	745	480,773	4,164,796	43.2
40-45	.0125	95,758	1,193	476,005	3,684,073	38.5
45-50	.0190	94,565	1,797	468,625	3,208,018	33.9
50-55	.0273	92,768	2,576	457,756	2,739,393	29.5
55-60	.0414	90,192	3,736	442,186	2,281,637	25.3
60-65	.0615	86,456	5,318	419,754	1,839,451	21.3
65-70	.0874	81,138	7,092	388,936	1,419,697	17.5
70-75	.1433	74,045	10,608	345,038	1,030,761	13.9
75-80	.2276	63,437	14,436	282,459	685,723	10.8
80-85	.3361	49,001	16,470	203,670	403,264	8.2
85 AND OVER	1.0000	32,531	32,531	199,594	199,594	6.1

MONTHLY VITAL STATISTICS REPORT

Table 2. ABRIDGED LIFE TABLES BY COLOR AND SEX: UNITED STATES, 1974—Con.

[For explanation of the columns of the Life Table, see Section 5 of Vital Statistics of the United States, 1971, Volume II.]

AGE INTERVAL PERIOD OF LIFE BETWEEN TWO EXACT AGES STATED IN YEARS (1)	PROPORTION DYING PROPORTION OF PERSONS ALIVE AT BEGINNING OF AGE INTERVAL DYING DURING INTERVAL (2)	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAIN- ING LIFETIME (7)
		NUMBER LIVING AT BEGINNING OF AGE INTERVAL (3)	NUMBER DYING DURING AGE INTERVAL (4)	IN THE AGE INTERVAL (5)	IN THIS AND ALL SUBSEQUENT AGE INTERVALS (6)	
x TO x+n	nq_x	I_x	nd_x	nL_x	T_x	\bar{e}_x
WHITE						
0-1-----	.0149	100,000	1,490	98,660	7,269,524	72.7
1-5-----	.0027	98,510	264	393,416	7,170,864	72.8
5-10-----	.0018	98,246	174	490,762	6,777,448	69.0
10-15-----	.0014	98,072	183	489,948	6,286,686	64.1
15-20-----	.0051	97,889	501	488,290	5,796,738	59.2
20-25-----	.0062	97,388	604	485,444	5,308,448	54.5
25-30-----	.0058	96,784	563	482,521	4,823,004	49.8
30-35-----	.0065	96,221	626	479,613	4,340,483	45.1
35-40-----	.0091	95,595	870	475,954	3,860,870	40.4
40-45-----	.0145	94,725	1,377	470,450	3,384,916	35.7
45-50-----	.0242	93,348	2,257	461,530	2,914,466	31.2
50-55-----	.0365	91,091	3,329	447,641	2,452,936	26.9
55-60-----	.0573	87,762	5,026	426,980	2,005,295	22.8
60-65-----	.0865	82,736	7,155	396,726	1,578,315	19.1
65-70-----	.1236	75,581	9,344	355,518	1,181,589	15.6
70-75-----	.1843	66,237	12,206	301,665	826,071	12.5
75-80-----	.2775	54,031	14,991	233,379	524,406	9.7
80-85-----	.3870	39,040	15,107	156,664	291,027	7.5
85 AND OVER-----	1.0000	23,933	23,933	134,363	134,363	5.6
WHITE, MALE						
0-1-----	.0168	100,000	1,682	98,484	6,894,987	68.9
1-5-----	.0030	98,318	296	392,580	6,796,503	69.1
5-10-----	.0021	98,022	206	489,561	6,403,923	65.3
10-15-----	.0024	97,816	230	488,578	5,914,362	60.5
15-20-----	.0275	97,586	730	486,268	5,425,784	55.6
20-25-----	.0094	96,856	915	482,003	4,939,516	51.0
25-30-----	.0083	95,941	797	477,692	4,457,513	46.5
30-35-----	.0087	95,144	830	473,731	3,979,821	41.8
35-40-----	.0118	94,314	1,111	468,991	3,506,090	37.2
40-45-----	.0185	93,203	1,726	462,046	3,037,099	32.6
45-50-----	.0217	91,477	2,902	450,713	2,575,053	28.1
50-55-----	.0486	88,575	4,308	432,777	2,124,340	24.0
55-60-----	.0773	84,267	6,518	405,993	1,691,563	20.1
60-65-----	.1184	77,749	9,208	366,734	1,285,630	16.5
65-70-----	.1714	68,541	11,748	314,136	918,896	13.4
70-75-----	.2464	56,793	13,995	249,474	604,760	10.6
75-80-----	.3513	42,798	15,035	176,350	355,286	8.3
80-85-----	.4619	27,763	12,824	105,491	178,936	6.4
85 AND OVER-----	1.0000	14,939	14,939	73,445	73,445	4.9
WHITE, FEMALE						
0-1-----	.0129	100,000	1,286	98,846	7,657,161	76.6
1-5-----	.0023	98,714	231	394,304	7,558,315	76.6
5-10-----	.0014	98,483	140	492,033	7,164,011	72.7
10-15-----	.0014	98,343	134	491,397	6,671,978	67.8
15-20-----	.0227	98,209	264	490,421	6,180,581	62.9
20-25-----	.0029	97,945	298	489,022	5,690,160	58.1
25-30-----	.0033	97,657	324	487,506	5,201,138	53.3
30-35-----	.0043	97,333	419	485,677	4,713,632	48.4
35-40-----	.0065	96,914	630	483,104	4,227,955	43.6
40-45-----	.0107	96,284	1,026	479,041	3,744,851	38.9
45-50-----	.0170	95,258	1,615	472,528	3,265,810	34.3
50-55-----	.0251	93,643	2,495	462,659	2,793,282	29.8
55-60-----	.0385	91,288	3,517	448,223	2,330,623	25.5
60-65-----	.0575	87,771	5,050	427,057	1,882,400	21.4
65-70-----	.0837	82,721	6,923	397,357	1,455,343	17.6
70-75-----	.1363	75,798	10,552	354,985	1,057,986	14.0
75-80-----	.2760	65,466	14,796	291,827	703,401	10.7
80-85-----	.3404	50,670	17,249	210,074	411,574	8.1
85 AND OVER-----	1.0000	33,421	33,421	201,500	201,500	6.0

MONTHLY VITAL STATISTICS REPORT

7

Table 2. ABRIDGED LIFE TABLES BY COLOR AND SEX: UNITED STATES, 1974—Con.

[For explanation of the columns of the Life Table, see Section 5 of *Vital Statistics of the United States, 1971, Volume II*]

AGE INTERVAL	PROPORTION DYING	OF 100,000 BORN ALIVE	STATIONARY POPULATION	AVERAGE REMAINING LIFETIME
PERIOD OF LIFE BETWEEN TWO EXACT AGES STATED IN YEARS	PROPORTION OF PERSONS ALIVE AT BEGINNING OF AGE INTERVAL DYING DURING INTERVAL	NUMBER LIVING AT BEGINNING OF AGE INTERVAL	NUMBER DYING DURING AGE INTERVAL	IN THE AGE INTERVAL IN THIS AND ALL SUBSEQUENT AGE INTERVALS
(1)	(2)	(3)	(4)	(5)
x to x+n	n^d_x	I_x	n^L_x	T_x
ALL OTHER				
0-1	0.0249	100,000	2,485	6,790,894
1-5	.0043	97,511	420	6,603,081
5-10	.0025	97,091	235	6,214,084
10-15	.0023	96,852	220	5,729,283
15-20	.0062	96,632	600	5,245,523
20-25	.0117	96,032	1,120	4,763,709
25-30	.0142	94,912	1,344	4,286,200
30-35	.0173	93,568	1,619	3,814,859
35-40	.0232	91,949	2,129	3,350,868
40-45	.0330	89,820	2,965	2,896,140
45-50	.0469	86,855	4,072	2,454,098
50-55	.0659	82,783	5,456	2,029,429
55-60	.0929	77,327	7,186	1,628,465
60-65	.1245	70,141	8,730	1,259,155
65-70	.1537	61,411	9,439	929,014
70-75	.2537	51,972	13,183	646,130
75-80	.2904	38,789	11,264	419,508
80-85	.3144	27,525	8,654	254,017
85 AND OVER	1.0000	18,871	18,871	138,535
ALL OTHER, MALE				
0-1	0.0273	100,000	2,738	6,290,818
1-5	.0047	97,272	456	6,193,215
5-10	.0030	96,816	287	5,825,268
10-15	.0029	96,529	281	5,371,960
15-20	.0090	96,248	865	4,839,942
20-25	.0173	95,383	1,700	4,360,630
25-30	.0215	93,683	2,013	3,887,756
30-35	.0251	91,670	2,301	3,424,228
35-40	.0322	89,369	2,873	2,971,399
40-45	.0433	86,491	3,749	2,531,357
45-50	.0609	83,742	5,037	2,107,832
50-55	.0845	77,705	6,566	1,706,030
55-60	.1204	71,136	8,568	1,333,156
60-65	.1552	62,568	9,712	998,222
65-70	.1949	52,856	10,300	709,076
70-75	.2906	42,556	12,368	470,418
75-80	.3447	30,188	10,404	289,230
80-85	.3610	19,784	7,142	164,832
85 AND OVER	1.0000	12,642	12,642	84,343
ALL OTHER, FEMALE				
0-1	0.0224	100,000	2,241	7,121,143
1-5	.0039	97,759	383	7,023,112
5-10	.0020	97,376	190	6,633,028
10-15	.0016	97,186	159	6,146,679
15-20	.0034	97,027	334	5,661,122
20-25	.0061	96,693	587	5,176,739
25-30	.0079	96,106	756	4,694,649
30-35	.0107	95,350	1,018	4,215,892
35-40	.0157	94,332	1,477	3,741,526
40-45	.0243	92,856	2,260	3,273,347
45-50	.0345	90,595	3,129	2,814,453
50-55	.0495	87,466	4,326	2,268,851
55-60	.0684	83,140	5,691	1,941,752
60-65	.0970	77,449	7,514	1,539,708
65-70	.1201	69,935	8,402	1,170,923
70-75	.2202	61,533	13,547	841,954
75-80	.2466	47,986	11,832	567,991
80-85	.2814	36,154	10,175	357,636
85 AND OVER	1.0000	29,979	25,979	202,682

MONTHLY VITAL STATISTICS REPORT

Table 3. DEATHS AND DEATH RATES BY AGE, COLOR, AND SEX: UNITED STATES, 1974

[Refers only to resident deaths occurring within the United States. Rates per 100,000 estimated population in specified age group.]

Age NUMBER	Total			White			All other		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
All ages-----	1,934,388	1,071,627	962,761	1,697,295	936,640	760,655	237,083	134,987	102,106
Under 1 year-----	52,776	31,36	22,471	38,249	22,208	16,040	14,527	8,096	6,431
1-4 years-----	9,831	5,187	4,244	7,425	4,269	3,156	2,406	1,318	1,088
5-9 years-----	6,627	4,014	2,613	5,221	3,185	2,056	1,406	849	557
10-14 years-----	8,078	5,151	2,858	6,546	4,211	2,335	1,463	939	524
15-19 years-----	21,882	16,229	5,753	18,144	13,458	4,586	3,838	2,771	1,067
20-24 years-----	26,421	19,500	6,321	19,865	15,168	4,697	5,856	4,332	1,824
25-29 years-----	22,155	15,763	6,392	16,496	11,793	4,735	5,659	3,970	1,689
30-34 years-----	21,313	14,220	7,093	15,378	11,260	5,118	5,935	3,960	1,975
35-39 years-----	24,971	15,901	9,070	18,226	11,619	6,607	6,645	4,182	2,463
40-44 years-----	33,528	23,957	14,571	23,138	18,323	10,815	9,390	5,634	3,756
45-49 years-----	64,796	40,674	23,412	51,477	33,720	18,457	12,609	7,654	4,955
50-54 years-----	96,647	61,719	34,928	79,743	51,527	29,216	16,904	10,192	6,712
55-59 years-----	128,619	85,081	45,528	109,935	71,691	38,242	18,886	11,400	7,286
60-64 years-----	173,578	111,454	62,144	149,738	97,471	52,267	23,840	13,965	9,877
65-69 years-----	211,375	131,841	79,534	165,272	116,919	68,353	26,103	14,922	11,181
70-74 years-----	239,096	137,931	101,155	211,298	122,893	88,305	27,788	14,938	12,650
75-79 years-----	253,489	131,977	121,512	232,675	120,945	111,730	20,814	11,032	9,782
80-84 years-----	246,750	113,185	133,568	231,098	105,737	125,361	15,652	7,448	6,204
95 years and over-----	288,332	109,913	179,419	271,014	101,827	169,387	17,318	7,286	10,032
Not stated-----	513	336	177	559	255	124	154	101	53
RATES PER 100,000 POPULATION									
All ages ¹ -----	915.1	1,041.0	795.6	921.9	1,041.6	807.6	869.1	1,036.3	716.3
Under 1 year-----	1,755.7	1,970.4	1,530.7	1,524.5	1,727.0	1,312.6	2,922.9	3,212.7	2,614.2
1-4 years-----	73.8	82.3	65.2	67.1	75.3	58.5	107.8	117.5	98.2
5-9 years-----	37.7	44.8	30.3	35.4	42.0	28.5	49.2	59.3	38.1
10-14 years-----	38.7	46.8	26.2	37.4	47.1	27.3	45.5	58.1	32.8
15-19 years-----	105.9	154.4	56.1	102.6	150.0	55.8	124.4	180.3	69.0
20-24 years-----	139.5	212.0	67.9	124.4	189.9	58.9	234.5	359.2	121.7
25-29 years-----	137.3	197.5	78.5	116.6	166.9	66.5	284.9	435.9	157.9
30-34 years-----	158.0	214.3	103.5	130.5	175.2	155.0	348.7	507.7	214.4
35-39 years-----	218.2	285.0	86.3	182.7	236.8	130.3	468.0	653.4	315.4
40-44 years-----	339.2	432.1	250.6	292.6	373.4	214.1	670.2	884.5	482.3
45-49 years-----	840.9	738.6	385.4	488.8	643.8	341.7	958.1	1,252.7	701.8
50-54 years-----	807.7	1,071.9	562.6	743.6	995.1	508.9	1,359.9	1,760.3	1,012.4
55-59 years-----	1,248.5	1,691.6	844.7	1,176.9	1,605.3	784.5	1,944.4	2,556.1	1,414.8
60-64 years-----	1,885.7	2,532.1	1,266.7	1,802.2	2,510.2	1,182.2	2,648.9	3,358.5	2,036.5
65-69 years-----	2,897.8	3,796.2	1,823.3	2,627.6	3,739.0	1,741.9	5,325.2	4,512.7	2,552.7
70-74 years-----	4,193.0	5,720.9	3,073.7	4,045.5	5,608.4	2,913.4	5,813.4	6,821.0	4,942.3
75-79 years-----	6,451.7	8,509.2	5,109.8	6,422.2	8,525.3	5,089.4	6,802.0	8,357.6	5,821.8
80-84 years-----	9,468.5	11,864.3	8,085.0	9,641.1	12,153.7	5,209.6	7,489.0	8,866.7	6,565.2
95 years and over-----	16,532.8	18,875.7	15,397.6	117,055.6	18,545.7	15,845.4	11,245.5	12,792.5	10,342.3

¹Figures for age not stated included in "All ages" but not distributed among age groups.

MONTHLY VITAL STATISTICS REPORT

9

Table 4. DEATH RATES BY AGE, COLOR, AND SEX: UNITED STATES, 1960-74
[Rates per 1,000 population in specified group]

Color, sex, and year	All aged ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TOTAL												
1974 ²	9.2	17.6	0.7	0.4	1.2	1.5	2.8	6.8	15.5	33.3	76.5	165.3
1973 ^{2,3}	9.4	18.1	0.8	0.4	1.3	1.5	3.0	7.0	16.1	34.4	79.3	174.3
1972 ^{2,3}	9.4	18.3	0.8	0.4	1.3	1.5	3.0	7.1	16.3	35.5	79.7	175.5
1971 ²	9.3	19.0	0.8	0.4	1.3	1.6	3.1	7.1	16.2	34.9	78.7	174.3
1970 ²	9.5	21.4	0.8	0.4	1.3	1.6	3.1	7.3	16.6	35.8	80.0	163.4
1969	9.5	21.5	0.9	0.4	1.3	1.6	3.2	7.3	16.8	37.4	79.0	190.8
1968	9.7	22.3	0.9	0.4	1.2	1.6	3.2	7.5	17.2	39.5	80.8	193.1
1967	9.4	22.3	0.9	0.4	1.2	1.5	3.1	7.3	16.7	37.5	79.0	192.4
1966	9.5	23.3	0.9	0.4	1.2	1.5	3.1	7.4	17.0	38.4	81.7	200.5
1965	9.4	24.1	0.9	0.4	1.1	1.5	3.1	7.4	16.9	37.9	81.9	202.2
1964	9.4	24.6	1.0	0.4	1.1	1.5	3.1	7.4	17.0	37.8	81.8	200.2
1963	9.6	25.3	1.0	0.4	1.1	1.5	3.0	7.5	17.3	38.9	85.2	210.1
1962	9.5	25.3	1.0	0.4	1.0	1.5	3.0	7.4	16.9	38.0	84.3	204.7
1961	9.3	25.4	1.0	0.4	1.0	1.4	2.9	7.3	16.7	37.2	85.6	195.9
1960	9.5	27.0	1.1	0.5	1.1	1.5	3.0	7.6	17.4	38.2	87.5	198.6
MALE												
1974 ²	10.4	19.7	0.8	0.5	1.8	2.1	3.6	6.9	21.1	45.8	97.9	188.8
1973 ²	10.7	20.3	0.9	0.5	1.9	2.1	3.8	6.2	22.1	47.3	101.1	193.1
1972 ^{2,3}	10.8	20.6	0.9	0.5	1.9	2.1	3.9	6.4	22.5	48.2	101.2	192.0
1971 ²	10.7	21.4	0.9	0.5	1.9	2.1	3.9	6.3	22.3	47.6	99.2	197.5
1970 ²	10.9	24.1	0.9	0.5	1.9	2.2	4.0	6.6	22.8	49.7	100.1	178.2
1969	11.0	24.2	0.9	0.5	1.9	2.2	4.1	6.5	23.1	50.5	97.6	185.5
1968	11.1	25.2	0.9	0.5	1.8	2.1	4.1	6.8	23.7	51.9	98.8	203.9
1967	10.8	25.2	1.0	0.5	1.7	2.0	3.9	6.6	23.0	50.2	98.2	203.8
1966	11.0	26.3	1.0	0.5	1.7	2.0	3.9	6.8	23.5	51.2	98.5	203.9
1965	10.9	27.1	1.0	0.5	1.6	2.0	3.9	6.7	23.1	50.5	98.2	212.8
1964	10.8	27.7	1.0	0.5	1.5	2.0	3.8	6.7	23.0	49.9	97.1	210.4
1963	11.1	28.6	1.1	0.5	1.5	1.9	3.8	6.8	23.2	51.1	100.7	224.6
1962	10.9	28.7	1.0	0.5	1.5	1.9	3.7	6.7	22.6	49.4	98.7	219.0
1961	10.7	28.6	1.1	0.5	1.5	1.8	3.7	6.6	22.4	48.1	97.8	209.1
1960	11.0	30.6	1.2	0.6	1.5	1.9	3.7	6.9	23.1	49.1	101.8	211.9
FEMALE												
1974 ²	8.0	15.3	0.7	0.3	0.6	0.3	3.0	4.7	10.5	23.6	63.3	153.9
1973 ²	8.1	15.7	0.7	0.3	0.7	0.3	2.2	4.9	10.9	24.5	65.6	182.3
1972 ^{2,3}	8.1	15.9	0.7	0.3	0.7	1.0	2.2	5.0	10.9	25.3	65.8	182.0
1971 ²	8.0	16.6	0.7	0.3	0.7	1.0	2.3	5.0	10.8	25.0	65.3	182.2
1970 ²	8.1	18.6	0.8	0.3	0.7	1.0	2.3	5.2	11.0	25.8	65.6	185.2
1969	8.1	18.6	0.8	0.3	0.7	1.0	2.4	5.1	11.1	27.1	65.3	189.0
1968	8.2	19.2	0.8	0.3	0.7	1.0	2.4	5.3	11.4	27.8	63.3	191.7
1967	8.0	19.4	0.8	0.3	0.6	1.0	2.3	5.1	11.1	27.3	65.9	188.6
1966	8.1	21.3	0.8	0.3	0.6	1.1	2.3	5.2	11.2	23.1	69.6	185.1
1965	8.0	20.9	0.8	0.3	0.6	1.1	2.3	5.2	11.3	27.7	70.0	185.3
1964	8.0	21.4	0.9	0.3	0.6	1.1	2.3	5.2	11.4	27.8	70.4	183.8
1963	8.2	21.8	0.9	0.4	0.6	1.1	2.3	5.2	11.8	28.6	73.5	201.4
1962	8.1	21.9	0.9	0.4	0.6	1.1	2.3	5.2	11.6	28.5	73.3	196.0
1961	7.9	22.0	0.9	0.4	0.6	1.0	2.2	5.1	11.5	27.9	72.8	187.8
1960	8.1	25.2	1.0	0.4	0.6	1.1	2.3	5.3	12.0	28.7	76.5	190.1
WHITE												
1974 ²	9.2	15.2	0.7	0.4	1.1	1.2	2.4	6.2	14.7	32.3	77.0	170.6
1973 ²	9.4	15.7	0.7	0.4	1.2	1.3	2.5	6.3	15.3	33.4	79.8	179.3
1972 ^{2,3}	9.5	15.8	0.7	0.4	1.2	1.3	2.6	6.5	15.5	34.3	80.2	178.6
1971 ²	9.4	16.6	0.7	0.4	1.1	1.3	2.6	6.5	15.4	33.9	78.1	179.1
1970 ²	9.5	18.7	0.8	0.4	1.2	1.3	2.7	6.7	15.8	34.3	80.4	185.9
1969	9.5	19.2	0.8	0.4	1.2	1.3	2.7	6.6	15.8	35.8	79.8	202.2
1968	9.6	19.8	0.8	0.4	1.1	1.3	2.7	6.8	16.2	35.9	81.6	205.9
1967	9.4	19.6	0.9	0.4	1.1	1.3	2.7	6.7	15.9	35.1	80.0	203.8
1966	9.5	20.2	0.9	0.4	1.1	1.3	2.7	6.8	16.1	37.0	82.6	209.9
1965	9.4	20.8	0.9	0.4	1.0	1.3	2.6	6.8	16.0	36.7	82.9	203.8
1964	9.4	21.5	1.0	0.4	1.0	1.5	2.6	6.8	16.0	36.7	82.7	207.0
1963 ⁴	9.5	22.2	1.0	0.4	1.0	1.5	2.6	6.8	16.2	37.5	85.8	215.5
1962 ²	9.4	22.4	1.0	0.4	1.0	1.2	2.6	6.8	15.9	36.8	85.0	209.2
1961	9.3	22.5	1.0	0.4	1.0	1.2	2.5	6.7	15.8	36.4	84.7	200.3
1960	9.5	23.6	1.1	0.5	1.0	1.2	2.6	6.9	16.3	37.4	88.5	205.5
WHITE, MALE												
1974 ²	10.4	17.3	0.8	0.5	1.7	1.7	3.1	8.2	20.3	45.1	99.0	185.4
1973 ²	10.7	17.8	0.8	0.5	1.8	1.8	3.2	8.4	21.2	46.5	102.1	204.4
1972 ^{2,3}	10.8	18.0	0.8	0.5	1.7	1.7	3.3	8.6	21.6	47.5	102.3	202.7
1971 ²	10.7	18.8	0.8	0.5	1.7	1.7	3.3	8.6	21.5	47.0	100.3	204.2
1970 ²	10.9	21.1	0.8	0.5	1.7	1.8	3.4	8.8	22.0	48.1	101.0	185.5
1969	10.9	21.3	0.8	0.5	1.8	1.8	3.5	8.9	22.2	48.9	98.8	203.9
1968	11.1	22.7	0.8	0.5	1.7	1.7	3.5	9.1	22.7	50.5	100.0	215.6
1967	10.8	22.4	1.0	0.5	1.6	1.7	3.4	9.0	22.2	48.9	97.6	215.1
1966	10.9	23.0	1.0	0.5	1.6	1.7	3.4	9.1	22.5	49.8	99.9	218.6
1965	10.8	23.7	1.0	0.5	1.5	1.7	3.4	9.0	22.2	49.3	99.7	222.4
1964	10.8	24.4	1.0	0.5	1.5	1.7	3.4	9.0	22.1	48.9	98.6	218.2
1963 ⁴	11.0	25.2	1.1	0.5	1.4	1.7	3.5	9.2	22.3	49.8	101.8	230.0
1962 ⁴	10.8	25.5	1.0	0.5	1.4	1.6	3.5	9.1	21.8	49.4	100.0	225.9
1961	10.7	25.6	1.1	0.5	1.4	1.6	3.5	9.0	21.6	47.4	99.4	215.9
1960	11.0	26.9	1.2	0.5	1.4	1.6	3.5	9.3	22.3	49.5	103.0	217.5

See footnotes at end of table.

MONTHLY VITAL STATISTICS REPORT

Table 4. DEATH RATES BY AGE, COLOR, AND SEX: UNITED STATES, 1960-74—Con.
[Rates per 1,000 population in specified group]

Color, sex, and year	All ages ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WHITE, FEMALE												
1974 ²	8.1	13.1	0.6	0.3	0.6	0.8	1.7	4.3	9.7	22.5	63.5	158.5
1973 ^{2,3}	8.2	13.4	0.6	0.3	0.6	0.8	1.8	4.4	10.0	23.2	65.8	166.9
1972 ^{2,3}	8.2	13.4	0.6	0.3	0.6	0.8	1.9	4.4	10.0	24.2	66.2	166.6
1971 ²	8.1	13.2	0.7	0.3	0.6	0.8	1.9	4.5	10.0	23.9	65.6	166.3
1970 ²	8.1	16.1	0.8	0.3	0.6	0.8	1.9	4.6	10.1	24.7	67.0	159.8
1969	8.2	16.4	0.8	0.3	0.6	0.8	2.0	4.5	10.1	25.5	66.9	198.0
1968	8.2	16.8	0.8	0.3	0.6	0.8	2.0	4.7	10.4	26.2	68.9	200.1
1967	8.0	16.7	0.8	0.3	0.6	0.8	1.9	4.6	10.1	25.9	67.6	197.0
1966	8.1	17.3	0.8	0.3	0.6	0.9	1.9	4.6	10.2	26.7	70.2	202.7
1965	8.0	17.9	0.8	0.3	0.6	0.9	1.9	4.6	10.2	26.4	70.6	202.1
1964	8.0	18.5	0.9	0.3	0.6	0.9	1.9	4.6	10.3	26.7	71.1	200.0
1963 ⁴	8.1	19.0	0.9	0.3	0.6	0.9	1.9	4.6	10.5	27.3	73.9	206.6
1962 ⁴	8.0	19.1	0.9	0.3	0.5	0.9	1.9	4.6	10.4	27.1	73.8	199.7
1961	7.8	19.3	0.9	0.3	0.5	0.8	1.9	4.5	10.3	27.0	73.4	192.0
1960	8.0	20.1	1.0	0.3	0.5	0.9	1.9	4.6	10.8	27.8	77.0	194.8
ALL OTHER												
1974 ²	8.7	29.2	1.1	0.5	1.7	5.1	5.7	11.5	22.9	42.7	70.8	112.5
1973 ²	9.1	30.2	1.2	0.5	1.9	5.3	6.1	12.4	24.0	44.7	74.2	121.4
1972 ^{2,3}	9.2	31.3	1.2	0.5	2.0	5.5	6.4	12.6	24.1	44.9	73.4	118.5
1971 ²	9.2	32.5	1.3	0.5	2.1	5.6	6.5	12.4	23.8	44.1	72.7	119.9
1970 ²	9.4	36.0	1.3	0.5	2.0	5.5	6.6	12.8	24.3	44.9	75.1	107.5
1969	9.6	32.0	1.3	0.6	2.1	5.7	7.1	13.2	26.2	55.6	69.3	99.6
1968	9.9	33.6	1.4	0.6	1.9	5.8	7.2	13.5	27.3	57.7	71.2	111.5
1967	9.4	35.4	1.4	0.6	1.7	5.5	6.7	12.9	25.5	53.7	67.3	108.5
1966	9.7	38.8	1.5	0.6	1.7	5.5	6.8	13.2	26.4	55.2	71.2	120.0
1965	9.7	40.2	1.5	0.6	1.6	5.4	6.6	13.0	26.6	52.6	70.2	123.5
1964	9.7	40.6	1.6	0.6	1.6	5.3	6.6	13.2	27.1	50.6	69.8	128.0
1963 ⁴	10.1	41.3	1.7	0.6	1.6	5.2	6.5	13.2	27.9	53.0	74.4	145.7
1962 ⁴	9.8	41.2	1.7	0.6	1.6	5.1	6.5	12.9	27.0	49.7	72.0	144.0
1961	9.6	40.8	1.7	0.6	1.5	5.1	6.2	12.7	26.6	47.1	70.1	142.3
1960	10.1	46.3	1.9	0.6	1.6	5.2	6.3	13.4	27.7	47.8	76.3	139.1
ALL OTHER, MALE												
1974 ²	10.4	32.1	1.2	0.6	2.6	4.7	7.7	15.0	29.4	52.9	85.6	127.8
1973 ²	10.8	33.4	1.4	0.7	2.8	5.0	8.2	15.9	30.7	54.6	98.7	136.1
1972 ^{2,3}	11.0	34.4	1.3	0.6	3.0	5.1	8.7	16.4	30.7	54.9	99.4	135.3
1971 ²	10.9	36.1	1.4	0.7	3.1	5.2	8.5	15.7	30.1	53.8	87.5	133.5
1970 ²	11.2	40.2	1.4	0.7	3.0	5.0	8.7	16.5	30.5	54.7	89.8	114.1
1969	11.3	35.4	1.4	0.7	3.0	5.2	9.4	16.8	32.5	66.5	84.1	101.7
1968	11.6	36.9	1.5	0.7	2.8	5.2	9.2	17.0	33.8	69.8	85.1	115.6
1967	10.9	38.8	1.5	0.7	2.5	4.8	8.6	16.1	30.9	65.0	79.1	114.3
1966	11.3	42.6	1.6	0.7	2.4	4.6	8.5	16.3	31.8	66.9	82.1	127.0
1965	11.1	44.5	1.6	0.7	2.2	4.4	8.1	15.9	31.3	65.8	81.3	130.7
1964	11.1	45.1	1.7	0.7	2.1	4.3	8.1	15.7	31.5	61.4	79.2	134.3
1963 ⁴	11.5	46.0	1.9	0.7	2.2	4.0	7.6	15.7	31.8	64.4	85.0	161.6
1962 ⁴	11.2	45.6	1.8	0.7	2.1	3.9	7.4	15.3	30.5	59.5	80.5	161.0
1961	10.9	45.2	1.8	0.7	2.1	3.8	7.2	14.7	30.0	56.2	78.2	155.9
1960	11.5	51.9	2.1	0.8	2.1	5.9	7.5	15.5	51.5	56.6	86.6	152.4
ALL OTHER, FEMALE												
1974 ²	7.2	26.1	1.0	0.4	0.9	1.8	4.0	8.5	17.2	34.4	60.2	105.4
1973 ²	7.6	27.0	1.1	0.4	1.0	1.9	4.4	9.3	18.2	36.6	62.9	111.2
1972 ^{2,3}	7.6	28.2	1.1	0.4	1.0	2.1	4.6	9.3	18.3	36.8	61.8	109.4
1971 ²	7.6	29.0	1.1	0.4	1.1	2.2	4.8	9.5	18.3	36.3	62.0	112.7
1970 ²	7.8	31.7	1.2	0.4	1.1	2.2	4.9	9.8	18.9	36.8	63.9	102.9
1969	8.0	28.6	1.2	0.4	1.1	2.4	5.2	10.0	20.6	46.1	58.5	98.1
1968	8.3	30.2	1.2	0.4	1.1	2.5	5.5	10.3	21.5	47.6	60.9	109.9
1967	7.9	32.0	1.2	0.4	1.0	2.5	5.1	10.1	20.6	44.1	57.4	104.1
1966	8.3	35.0	1.4	0.5	1.0	2.5	5.3	10.4	21.4	45.2	62.2	114.6
1965	8.2	36.0	1.4	0.5	1.0	2.5	5.4	10.4	22.2	42.9	60.9	117.9
1964	8.3	36.1	1.5	0.5	1.0	2.5	5.3	10.9	25.0	41.4	61.3	125.3
1963 ⁴	8.7	36.5	1.6	0.5	1.0	2.6	5.5	11.0	24.2	45.1	65.4	137.1
1962 ⁴	8.5	36.6	1.5	0.5	1.1	2.5	5.4	10.7	23.7	41.2	64.4	134.8
1961	8.4	36.4	1.6	0.5	1.1	2.5	5.3	10.8	23.4	38.9	62.9	132.0
1960	8.7	40.7	1.7	0.5	1.1	2.6	5.5	11.4	24.1	39.8	67.1	128.7

¹Figures for age not stated included in "All ages" but not distributed among age groups.

²Excludes deaths of nonresidents of the United States.

³Based on a 50-percent sample of deaths.

⁴Figures by color exclude residents of New Jersey.

MONTHLY VITAL STATISTICS REPORT

11

Table 5. DEATHS AND DEATH RATES FOR MAJOR CAUSES OF DEATH FOR THE UNITED STATES, EACH REGION, DIVISION, AND STATE: BY COLOR AND SEX FOR THE UNITED STATES: 1974

[By place of residence. Refers only to resident deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated population in each color-sex group and area. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

Color, sex, and area	Diseases of heart (390-398,402-404, 410-423)		Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)		Cerebrovascular diseases (430-438)		All accidents (E800-E949)		Motor vehicle accidents (E810-E823)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
United States-----	738,171	349.2	360,472	170.5	207,424	93.1	104,622	49.5	46,402	22.0
Male-----	411,492	399.7	196,746	191.1	90,394	87.8	73,209	71.1	34,133	33.2
Female-----	326,679	301.2	163,725	151.0	117,030	107.0	31,413	29.0	12,289	11.3
White-----	667,787	362.7	321,169	174.4	182,622	92.2	89,332	48.5	40,391	21.9
Male-----	375,592	415.5	174,149	195.7	78,749	97.6	62,165	69.1	22,634	33.0
Female-----	294,195	312.3	147,020	155.1	103,877	110.3	27,232	23.5	10,757	11.4
All other-----	70,384	258.0	39,303	144.1	24,758	90.9	15,230	56.0	6,011	22.0
Male-----	37,900	291.0	22,597	173.5	11,645	89.4	11,109	85.3	4,493	34.5
Female-----	32,484	227.9	16,706	117.2	13,153	92.3	4,181	29.3	1,512	10.6
Regions:										
Northeast-----	197,052	388.7	95,730	195.7	45,030	91.1	18,805	53.0	7,978	16.1
North Central-----	211,926	368.3	98,269	170.8	59,370	103.2	25,569	46.2	11,703	20.3
South-----	223,578	352.5	110,149	164.0	71,346	108.2	35,775	57.7	17,707	26.4
West-----	105,615	283.6	56,324	151.2	31,678	85.1	20,474	55.0	9,014	24.2
NORTHEAST										
New England-----	45,192	372.0	23,210	191.0	11,533	95.0	5,072	41.7	2,033	16.7
Maine-----	4,277	408.5	2,036	194.5	1,106	103.6	558	53.3	214	20.4
New Hampshire-----	2,784	544.6	1,560	195.1	900	111.4	352	43.6	155	18.9
Vermont-----	1,741	370.4	807	171.7	446	84.9	237	50.4	112	23.8
Massachusetts-----	22,293	384.4	11,221	193.5	5,634	97.1	2,552	44.0	1,001	17.3
Rhode Island-----	4,039	431.1	1,902	203.0	717	76.5	355	37.9	134	14.3
Connecticut-----	10,058	325.7	5,684	184.1	2,735	88.6	1,018	33.0	419	13.6
Middle Atlantic-----	151,860	407.4	72,520	194.5	35,492	89.8	12,733	56.8	5,945	15.9
New York-----	73,077	403.5	35,435	195.7	15,130	83.5	5,287	32.3	2,575	14.2
New Jersey-----	28,276	385.8	13,985	190.3	6,376	87.0	2,653	36.2	1,123	15.3
Pennsylvania-----	50,507	426.8	23,100	195.2	11,986	101.3	5,113	43.2	2,247	19.0
NORTH CENTRAL										
East North Central-----	149,083	364.8	69,031	168.9	39,742	97.3	17,701	43.3	7,728	18.9
Ohio-----	39,407	357.0	16,463	171.4	10,630	99.5	4,547	42.3	1,857	17.1
Indiana-----	18,236	343.3	8,707	163.4	6,029	113.1	2,570	48.2	1,222	22.9
Illinois-----	45,562	409.3	19,953	179.3	10,762	96.7	4,381	39.4	1,646	16.6
Michigan-----	29,247	321.5	14,251	155.6	7,650	84.1	4,221	46.4	1,331	21.2
Wisconsin-----	16,571	362.9	7,717	169.0	4,611	101.0	1,922	43.4	992	19.5
West North Central-----	62,843	376.7	29,239	175.3	19,623	117.7	8,827	53.2	3,375	23.8
Minnesota-----	12,697	324.2	6,180	157.8	4,340	110.3	1,910	48.8	867	22.1
Iowa-----	11,395	399.1	5,347	187.5	3,531	125.8	1,512	53.0	725	25.4
Missouri-----	19,635	411.0	8,931	187.0	5,823	122.0	2,487	52.1	1,020	21.4
North Dakota-----	2,220	348.5	1,044	163.9	618	97.0	403	64.1	183	28.7
South Dakota-----	2,541	372.6	1,123	165.1	769	112.8	469	68.6	230	33.7
Nebraska-----	5,730	371.4	2,657	172.2	1,835	122.8	890	57.0	409	26.5
Kansas-----	8,627	330.0	3,953	174.1	2,537	114.0	1,202	53.0	540	23.8
SOUTH										
South Atlantic-----	112,057	337.5	55,724	167.8	33,326	100.4	18,529	55.8	8,635	26.0
Delaware-----	2,012	351.1	1,061	165.2	356	62.1	219	39.2	115	20.1
Maryland-----	12,733	311.2	8,705	163.8	2,537	62.2	1,640	40.1	756	18.5
District of Columbia-----	2,323	322.0	1,535	212.3	657	80.9	323	44.7	82	11.3
Virginia-----	14,690	299.3	7,483	152.5	4,185	85.3	2,557	52.1	1,026	20.9
West Virginia-----	7,937	445.2	3,254	181.7	1,951	103.9	1,005	56.2	449	25.1
North Carolina-----	16,725	311.9	7,537	140.5	5,530	103.1	3,234	60.1	1,592	29.7
South Carolina-----	8,382	301.1	3,761	135.8	2,883	103.7	1,885	67.7	664	31.0
Georgia-----	14,885	304.9	6,720	137.6	5,603	114.8	3,132	64.2	1,579	32.3
Florida-----	32,357	400.0	17,649	218.1	9,568	118.3	4,642	56.1	2,172	26.8
East South Central-----	47,030	351.8	21,995	164.3	16,589	124.0	8,378	62.6	3,877	29.0
Kentucky-----	15,174	392.4	5,885	175.6	3,925	116.3	1,927	57.4	797	23.7
Tennessee-----	14,593	353.6	6,697	162.2	5,185	125.5	2,534	61.4	1,284	31.1
Alabama-----	11,580	323.7	5,680	158.8	4,533	128.9	2,399	67.1	1,093	30.7
Mississippi-----	7,737	332.9	5,723	160.2	2,950	128.9	1,518	65.5	697	30.0
West South Central-----	64,431	313.0	32,430	157.5	21,421	104.1	11,888	57.7	5,195	25.2
Arkansas-----	7,958	355.9	3,970	192.5	2,933	144.7	1,284	61.3	538	26.1
Louisiana-----	12,397	329.4	5,967	158.5	3,697	98.2	2,278	60.5	632	22.1
Oklahoma-----	10,179	375.7	4,742	175.0	3,336	125.1	1,687	62.8	755	27.9
Texas-----	55,897	281.5	17,751	147.5	11,405	94.6	6,659	55.1	3,070	25.5
WEST										
Mountain-----	22,665	243.0	12,011	127.6	6,784	72.1	6,240	66.3	3,052	32.4
Montana-----	2,209	300.5	1,124	152.9	689	91.0	558	75.9	284	38.6
Idaho-----	2,270	284.1	1,070	135.9	655	85.9	632	79.1	315	39.4
Wyoming-----	1,040	289.7	430	136.5	298	83.0	359	100.0	171	47.6
Colorado-----	6,141	246.0	3,037	121.7	1,674	67.1	1,513	52.6	627	25.1
New Mexico-----	1,925	171.7	1,289	114.9	725	64.5	908	80.7	492	43.9
Arizona-----	5,530	256.9	3,052	141.8	1,503	69.8	1,463	68.0	705	32.7
Utah-----	2,449	203.8	1,141	97.3	779	66.4	622	53.0	273	23.3
Nevada-----	1,300	226.9	808	141.0	450	78.5	397	67.5	165	32.3
Pacific-----	82,750	297.3	44,313	159.2	24,894	69.4	14,234	51.1	5,962	21.4
Washington-----	10,884	313.1	5,877	169.1	3,260	93.8	1,851	53.3	813	23.4
Oregon-----	7,430	327.9	3,685	162.6	2,357	105.3	1,379	60.9	670	29.6
California-----	62,751	300.1	33,638	160.9	18,759	69.7	10,349	49.5	4,283	20.5
Alaska-----	296	87.8	181	53.7	96	28.5	397	117.8	75	22.3
Hawaii-----	1,389	164.0	932	110.0	392	46.3	258	30.5	121	14.3

MONTHLY VITAL STATISTICS REPORT

Table 6. DEATHS FROM 69 SELECTED

[Refers only to resident deaths occurring within

	Cause of death (Eighth Revision, International Classification of Diseases, Adapted, 1965)	Total	Under 1 year
1	All causes-----	1,834,388	52,776
2	Bacillary dysentery and amebiasis-----	304,006	57
3	Enteritis and other diarrheal diseases-----	308,009	2,255
4	Tuberculosis, all forms-----	310-019	3,513
5	Tuberculosis of respiratory system-----	310-012	2,775
6	Tuberculosis, other forms-----	313-019	738
7	Whooping cough-----	303	14
8	Streptococcal sore throat and scarlet fever-----	304	22
9	Meningococcal infections-----	306	305
10	Septicemia-----	308	5,243
11	Acute poliomyelitis-----	3040-043	3
12	Measles-----	305	20
13	Syphilis and its sequelae-----	3090-097	300
14	Other infective and parasitic diseases-----	Remainder of 300-136	3,990
15	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----	140-209	360,472
16	Malignant neoplasms of buccal cavity and pharynx-----	140-149	7,966
17	Malignant neoplasms of digestive organs and peritoneum-----	150-159	98,913
18	Malignant neoplasms of respiratory system-----	160-163	65,475
19	Malignant neoplasm of breast-----	174	32,424
20	Malignant neoplasms of genital organs-----	180-187	43,111
21	Malignant neoplasms of urinary organs-----	188,189	16,457
22	Malignant neoplasms of all other and unspecified sites-----	170-173,190-199	43,620
23	Leukemia-----	204-207	14,575
24	Other neoplasms of lymphatic and hematopoietic tissues-----	200-203,208,209	19,929
25	Benign neoplasms and neoplasms of unspecified nature-----	210-239	5,060
26	Diabetes mellitus-----	250	37,323
27	Avitaminoses and other nutritional deficiencies-----	260-269	2,527
28	Anemias-----	280-285	3,312
29	Meningitis-----	320	1,539
30	Major cardiovascular diseases-----	390-448	1,010,926
31	Diseases of heart-----	390-398,402,404,410-429	738,171
32	Active rheumatic fever and chronic rheumatic heart disease-----	390-398	13,302
33	Hypertensive heart disease-----	402	7,167
34	Hypertensive heart and renal disease-----	404	4,918
35	Ischemic heart disease-----	410-413	66,854
36	Acute myocardial infarction-----	410	334,196
37	Other acute and subacute forms of ischemic heart disease-----	411	4,418
38	Chronic ischemic heart disease-----	412	326,065
39	Angina pectoris-----	413	175
40	Chronic disease of endocardium and other myocardial insufficiency-----	424,428	4,895
41	All other forms of heart disease-----	420-423,425-427,429	43,057
42	Hypertension-----	440,441-445	6,894
43	Cerebrovascular diseases-----	450-458	207,424
44	Cerebral hemorrhage-----	451	30,515
45	Cerebral thrombosis-----	453	53,542
46	Cerebral embolism-----	454	910
47	All other cerebrovascular diseases-----	430,432,435-438	122,457
48	Arteriosclerosis-----	440	32,239
49	Other diseases of arteries, arterioles, and capillaries-----	441-448	26,188
50	Acute bronchitis and bronchiolitis-----	466	750
51	Influenza and pneumonia-----	470-474,480-486	54,777
52	Influenza-----	470-474	2,201
53	Pneumonia-----	480-486	52,576
54	Bronchitis, emphysema, and asthma-----	490-493	26,880
55	Chronic and unqualified bronchitis-----	490,491	5,097
56	Emphysema-----	492	19,907
57	Asthma-----	493	1,876
58	Peptic ulcer-----	531-533	7,059
59	Appendicitis-----	540-543	864
60	Hernia and intestinal obstruction-----	550-553,560	6,506
61	Cirrhosis of liver-----	571	33,319
62	Cholelithiasis, cholecystitis and cholangitis-----	574,575	3,194
63	Nephritis and nephrosis-----	580,584	8,068
64	Acute nephritis and nephrotic syndrome-----	580,581	1,541
65	Chronic and unqualified nephritis and renal sclerosis-----	582-584	6,527
66	Infections of kidney-----	590	5,451
67	Hyperplasia of prostate-----	600	1,377
68	Complications of pregnancy, childbirth, and the puerperium-----	630-678	462
69	Abortions-----	640-645	27
70	Other complications of pregnancy, childbirth, and the puerperium-----	630-639,650-678	435
71	Congenital anomalies-----	740-759	13,526
72	Certain causes of mortality in early infancy-----	760-769,2,769-4-772,774-778	28,786
73	Birth injury, difficult labor, and other anoxic and hypoxic conditions-----	764-768,772,776	15,974
74	Other causes of mortality in early infancy-----	Remainder of 760-778	12,812
75	Symptoms and ill-defined conditions-----	780-796	31,145
76	All other diseases-----	Residual	118,386
77	Accidents-----	E800-E949	104,622
78	Motor vehicle accidents-----	E810-E823	46,402
79	All other accidents-----	E800-E807,E825-E949	58,220
80	Suicide-----	E950-E959	25,653
81	Homicide-----	E960-E978	21,465
82	Other external causes-----	E980-E999	5,161

MONTHLY VITAL STATISTICS REPORT

13

CAUSES, BY AGE: UNITED STATES, 1974

the United States. Excludes fetal deaths]

1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated	
9,331	14,803	47,803	43,463	63,399	180,733	302,197	450,461	507,239	239,332	513	1
4	9	2	3	2	5	6	12	7	3	-	2
11	34	27	30	57	91	165	233	452	317	2	3
12	6	35	121	225	489	764	898	630	270	2	4
2	1	24	97	182	386	601	794	542	229	2	5
10	5	11	24	45	103	163	194	138	42	-	6
1	-	-	-	-	-	-	-	-	-	-	7
2	2	3	1	2	3	5	2	2	1	-	9
84	52	42	12	9	19	13	15	11	1	-	9
65	61	80	130	149	377	653	1,069	1,175	573	2	10
-	-	-	1	-	1	1	-	-	-	-	11
10	5	1	1	-	-	-	-	-	-	-	12
-	-	2	1	4	22	63	111	77	11	-	13
171	215	261	265	301	480	564	677	518	250	1	14
785	2,001	2,707	4,450	12,529	43,762	85,255	104,846	78,513	24,673	36	15
1	10	29	39	261	1,229	2,454	2,149	1,365	432	-	16
25	39	131	554	2,143	9,007	21,123	30,345	26,467	9,054	12	17
6	16	42	272	2,514	12,299	25,464	26,672	13,519	2,460	9	18
-	2	26	542	2,171	6,403	8,424	7,556	5,316	1,998	1	19
12	29	312	656	1,570	4,200	8,050	12,242	11,897	4,139	7	20
44	49	35	78	294	1,357	3,301	5,164	4,607	1,526	1	21
367	715	931	1,093	2,066	5,772	9,925	11,343	8,351	2,938	1	22
284	920	658	552	825	1,219	2,251	3,395	3,491	1,139	1	23
46	223	492	663	895	2,271	4,258	5,795	4,300	989	4	24
55	139	146	133	283	647	1,005	1,222	968	354	3	25
10	61	206	555	969	2,704	6,185	11,040	11,242	4,332	3	26
15	15	19	32	44	102	227	442	766	765	1	27
50	119	137	137	115	183	376	648	920	546	-	28
224	68	49	31	57	112	134	185	91	41	-	29
379	643	1,772	4,141	16,378	61,857	140,633	248,309	323,830	211,970	158	30
262	352	1,082	2,793	12,572	51,317	115,241	189,586	224,857	159,225	113	31
11	63	188	353	714	1,861	3,278	5,825	2,291	727	2	32
-	10	30	30	148	513	1,073	1,659	2,215	1,277	-	33
-	5	9	33	157	375	852	1,779	1,593	1,593	1	34
6	22	167	1,440	10,053	44,439	102,670	172,018	206,355	127,583	105	35
5	12	95	943	6,807	30,323	66,228	98,805	91,710	33,142	43	36
-	3	9	27	156	540	985	1,163	996	534	5	37
1	7	63	470	3,033	13,567	35,360	72,000	113,577	87,877	57	59
-	-	-	-	7	9	27	50	32	30	-	39
26	28	78	97	155	344	592	930	1,348	1,207	2	40
218	233	635	889	1,564	4,003	7,283	9,913	10,889	6,832	3	41
1	3	17	83	203	488	836	1,493	2,181	1,599	2	42
107	248	525	1,035	3,028	8,413	19,427	45,273	76,833	52,265	30	43
33	76	143	282	969	2,710	4,873	7,579	9,100	4,590	7	44
5	11	22	61	182	929	3,649	11,376	21,585	15,393	8	45
2	-	4	7	16	48	125	234	291	185	-	46
57	162	366	728	1,862	4,726	10,780	25,384	45,602	32,094	15	47
-	1	1	7	46	280	1,147	4,277	11,667	14,335	7	48
9	33	127	203	426	1,403	3,892	7,676	8,237	4,246	6	49
56	21	14	15	18	47	83	144	143	94	-	50
610	433	687	751	1,374	2,733	5,157	8,703	16,943	14,075	17	51
27	39	34	26	37	122	172	247	703	372	-	52
592	450	633	728	1,267	2,636	5,025	8,923	16,234	13,401	17	53
57	73	143	128	333	1,684	3,231	8,803	7,507	1,890	4	54
30	23	37	25	72	302	913	1,630	1,482	505	-	55
6	8	15	27	177	1,026	4,010	7,545	5,714	1,306	4	56
21	39	96	76	140	266	413	433	311	79	-	57
9	10	37	94	242	644	1,378	1,847	1,903	874	2	58
15	41	39	24	35	89	145	190	194	86	-	59
40	29	55	67	150	361	709	1,384	2,027	1,227	-	60
15	23	155	1,257	4,237	9,235	9,926	6,203	1,929	322	8	61
-	-	16	33	62	170	353	777	1,106	671	-	62
18	57	162	204	377	809	1,425	1,966	2,055	973	1	63
10	15	25	32	61	116	258	410	430	167	-	64
8	42	137	172	316	693	1,167	1,556	1,625	806	1	65
4	9	36	49	97	229	548	1,318	1,947	1,204	-	66
-	2	-	-	7	68	304	568	430	-	-	67
-	2	178	206	72	3	-	-	-	1	-	68
-	2	11	13	3	-	-	-	-	-	-	69
-	2	167	193	69	3	-	-	-	1	-	70
1,191	818	656	429	326	423	458	364	191	54	9	71
13	4	8	1	4	1	4	8	2	-	31	72
10	2	2	-	4	1	3	5	2	-	16	73
3	2	4	-	-	-	1	3	-	-	15	74
292	295	1,742	1,553	1,815	3,026	4,292	5,194	4,574	3,396	80	75
1,488	1,582	3,263	3,816	5,713	11,845	20,182	29,083	27,723	12,223	22	76
3,892	7,037	24,200	13,436	9,111	10,353	9,981	9,323	9,435	6,284	79	77
1,722	3,332	15,903	7,504	4,330	4,357	3,802	3,071	2,064	489	25	78
2,560	3,705	8,285	5,832	4,781	5,996	6,178	6,252	7,419	5,816	56	79
..	188	4,259	4,658	5,625	4,857	3,945	2,548	1,363	305	6	80
296	399	5,577	5,707	3,743	2,786	1,553	793	345	74	26	81
169	144	1,079	941	771	752	557	378	179	64	20	82

MONTHLY VITAL STATISTICS REPORT

Table 7. DEATH RATES FOR 69 SELECTED

Refers only to resident deaths occurring within the United States. Excludes

	Cause of death (Eighth Revision, International Classification of Diseases, Adapted, 1965)	Total	Under 1 year
1	All causes-----	915.1	1,755.7
2	Bacillary dysentery and amebiasis-----	004,006	0.2
3	Enteritis and other diarrheal diseases-----	008,009	22.7
4	Tuberculosis, all forms-----	010-019	0.4
5	Tuberculosis of respiratory system-----	010-012	0.2
6	Tuberculosis, other forms-----	013-019	0.2
7	Whooping cough-----	033	0.4
8	Streptococcal sore throat and scarlet fever-----	034	0.0
9	Meningococcal infections-----	036	1.6
10	Septicemia-----	036	2.5
11	Acute poliomyelitis-----	040-043	30.3
12	Measles-----	055	0.1
13	Syphilis and its sequelae-----	090-097	0.2
14	Other infective and parasitic diseases-----	Remainder of 000-136	9.5
15	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----	140-209	170.5
16	Malignant neoplasms of buccal cavity and pharynx-----	140-149	3.8
17	Malignant neoplasms of digestive organs and peritoneum-----	150-159	46.8
18	Malignant neoplasms of respiratory system-----	150-163	0.1
19	Malignant neoplasm of breast-----	174	-
20	Malignant neoplasms of genital organs-----	180-187	20.4
21	Malignant neoplasms of urinary organs-----	188,189	7.8
22	Malignant neoplasms of all other and unspecified sites-----	170-173,190-198	20.6
23	Leukemia-----	204-207	1.9
24	Other neoplasms of lymphatic and hematopoietic tissues-----	200-203,208,209	6.9
			0.1
25	Benign neoplasms and neoplasms of unspecified nature-----	210-239	2.4
26	Diabetes mellitus-----	250	0.5
27	Avitaminooses and other nutritional deficiencies-----	260-289	3.3
28	Anemias-----	280-285	1.0
29	Meningitis-----	320	16.9
30	Major cardiovascular diseases-----	390-448	478.2
31	Diseases of heart-----	390-398,402,404,410-429	349.2
32	Active rheumatic fever and chronic rheumatic heart disease-----	390-398	0.1
33	Hypertensive heart disease-----	402	0.1
34	Hypertensive heart and renal disease-----	404	-
35	Ischemic heart disease-----	410-413	314.5
36	Acute myocardial infarction-----	410	0.5
37	Other acute and subacute forms of ischemic heart disease-----	411	0.4
38	Chronic ischemic heart disease-----	412	-
39	Angina pectoris-----	413	154.2
40	Chronic disease of endocardium and other myocardial insufficiency-----	424,428	0.1
41	All other forms of heart disease-----	420-423,425-427,429	2.3
42	Hypertension-----	400,401,403	20.4
43	Cerebrovascular diseases-----	430-438	3.3
44	Cerebral hemorrhage-----	431	98.1
45	Cerebral thrombosis-----	433	14.4
46	Cerebral embolism-----	434	2.4
47	All other cerebrovascular diseases-----	430,432,435-438	0.4
48	Arteriosclerosis-----	440	57.9
49	Other diseases of arteries, arterioles, and capillaries-----	441-448	15.3
			0.0
50	Acute bronchitis and bronchiolitis-----	486	12.4
51	Influenza and pneumonia-----	470-474,480-486	0.4
52	Influenza-----	470-474	25.9
53	Pneumonia-----	480-486	1.2
			86.9
54	Bronchitis, emphysema, and asthma-----	490-493	1.0
55	Chronic and unqualified bronchitis-----	490,491	24.9
56	Emphysema-----	492	55.7
57	Asthma-----	493	2.7
58	Peptic ulcer-----	531-533	2.4
			2.4
59	Appendicitis-----	540-543	0.3
60	Hernia and intestinal obstruction-----	550-553,560	0.2
61	Cirrhosis of liver-----	571	16.5
62	Cholelithiasis, cholecystitis and cholangitis-----	574,575	1.1
63	Nephritis and nephrosis-----	580-584	0.0
64	Acute nephritis and nephrotic syndrome-----	580,581	0.7
65	Chronic and unqualified nephritis and renal sclerosis-----	582-584	0.6
			0.1
66	Infections of kidney-----	590	3.1
67	Hyperplasia of prostate-----	600	15.8
68	Complications of pregnancy, childbirth, and the puerperium-----	630-678	0.2
69	Abortions-----	640-645	0.0
70	Other complications of pregnancy, childbirth, and the puerperium-----	630-639,650,678	0.2
			-
71	Congenital anomalies-----	740-759	2.6
72	Certain causes of mortality in early infancy-----	760-769,2,772,774-776	0.7
73	Birth injury, difficult labor, and other anoxic and hypoxic conditions-----	764-768,772,776	13.6
74	Other causes of mortality in early infancy-----	Remainder of 760-776	529.9
75	Symptoms and ill-defined conditions-----	780-795	6.1
76	All other diseases-----	Residual	425.2
			14.7
77	Accidents-----	E800-E949	156.4
78	Motor vehicle accidents-----	E810-E823	53.6
79	All other accidents-----	E800-E807,E825-E949	40.9
80	Suicide-----	E950-E959	...
81	Homicide-----	E960-E978	10.2
82	Other external causes-----	E980-E999	5.5
			3.6

MONTHLY VITAL STATISTICS REPORT

15

CAUSES, BY AGE: UNITED STATES, 1974

fetal deaths. Rates per 100,000 estimated population in specified group]

1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
73.9	38.2	121.7	146.8	278.6	675.0	1,549.2	3,327.6	7,654.8	16,532.8	1
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.2	2
0.8	0.1	0.1	0.1	0.3	0.4	0.8	2.1	6.9	18.2	3
0.1	0.0	0.1	0.4	1.0	2.1	3.9	6.6	10.4	15.5	4
0.0	0.0	0.1	0.3	0.8	1.6	3.1	5.2	8.3	13.1	5
0.1	0.0	0.0	0.1	0.2	0.4	0.8	1.4	2.1	2.4	6
0.0	-	-	-	-	-	-	-	-	-	7
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8
0.6	0.1	0.1	0.0	0.0	0.1	0.1	0.1	0.2	0.1	9
0.5	0.2	0.2	0.4	0.7	1.6	3.3	7.9	18.0	32.9	10
-	-	-	0.0	-	0.0	0.0	-	-	-	11
0.1	0.0	0.0	0.0	0.0	-	-	-	-	-	12
-	-	0.0	0.0	0.0	0.1	0.3	0.8	1.2	0.6	13
1.3	0.6	0.7	0.9	1.3	2.0	2.9	5.0	7.9	14.3	14
5.9	5.2	6.9	15.0	55.1	183.8	437.0	774.5	1,213.7	1,414.7	15
0.0	0.0	0.1	0.1	1.1	5.2	12.6	15.9	20.9	24.8	16
0.2	0.1	0.3	1.9	9.4	37.8	103.3	224.2	405.0	519.2	17
0.0	0.0	0.1	0.9	11.0	51.6	130.5	198.5	205.9	141.1	18
-	0.0	0.1	1.8	9.5	26.9	45.2	55.7	81.5	114.6	19
0.1	0.1	0.8	2.2	6.9	17.6	41.3	90.4	182.1	237.3	20
0.3	0.1	0.1	0.3	1.3	5.7	16.9	58.1	70.5	87.4	21
2.8	1.9	2.5	5.7	9.1	24.2	50.9	83.8	127.8	168.5	22
2.1	2.4	1.7	1.9	2.7	5.1	11.5	25.1	53.4	65.3	23
0.3	0.6	1.3	2.2	3.9	9.5	21.8	42.8	65.8	56.7	24
0.4	0.4	0.4	0.6	1.3	2.7	5.2	9.1	14.8	19.2	25
0.1	0.2	0.5	1.9	4.3	11.4	31.7	81.6	172.0	248.4	26
0.1	0.0	0.0	0.1	0.2	0.4	1.2	3.3	11.7	43.9	27
0.7	0.3	0.3	0.5	0.5	0.8	1.9	4.8	14.1	31.3	28
1.7	0.2	0.1	0.1	0.3	0.5	0.7	1.2	1.4	2.4	29
2.3	1.7	4.5	14.0	72.0	259.8	720.9	1,854.3	4,955.3	12,154.2	30
2.0	0.9	2.8	9.4	55.7	215.5	590.8	1,400.5	3,410.8	7,983.1	31
0.1	0.2	0.5	1.1	3.1	7.8	16.8	28.3	35.1	41.7	32
0.0	-	0.0	0.1	0.7	2.2	5.5	13.9	33.9	73.2	33
-	0.0	0.0	0.0	0.2	0.7	1.9	7.0	27.2	91.7	34
0.0	0.1	0.4	4.9	44.2	185.6	526.3	1,270.7	3,157.4	7,315.5	35
0.0	0.0	0.2	3.2	29.9	127.5	333.9	729.9	1,405.4	2,244.4	36
-	0.0	0.0	0.1	0.7	2.3	5.0	8.6	15.2	30.6	37
0.0	0.0	0.2	1.6	15.5	57.0	181.3	531.9	1,738.0	5,038.8	38
-	-	-	0.0	0.0	0.0	0.1	0.4	0.8	1.7	39
0.2	0.1	0.2	0.3	0.7	1.4	3.0	7.3	20.6	69.2	40
1.6	0.6	1.6	2.9	6.9	16.8	37.2	73.2	166.6	391.7	41
0.0	0.0	0.0	0.3	0.9	2.0	4.3	11.1	33.4	91.7	42
0.8	0.6	1.4	3.6	15.3	35.3	99.6	354.4	1,176.6	2,996.8	43
0.2	0.2	0.4	0.9	4.3	11.4	25.0	56.7	139.3	265.2	44
0.0	0.0	0.1	0.2	0.8	3.9	18.7	84.0	335.0	882.9	45
0.0	-	0.0	0.0	0.1	0.2	0.6	1.7	4.5	10.5	46
0.5	0.4	0.9	2.4	8.2	19.8	55.3	191.9	637.8	1,840.3	47
-	0.0	0.0	0.0	0.2	1.0	5.9	31.6	178.5	850.6	48
0.1	0.1	0.3	0.7	1.9	5.9	20.4	56.7	126.0	232.0	49
0.4	0.1	0.0	0.1	0.1	0.2	0.4	1.1	2.2	5.4	50
4.7	1.3	1.7	2.5	5.7	11.7	25.6	62.7	259.3	806.9	51
0.2	0.1	0.1	0.1	0.2	0.4	0.8	2.6	10.8	38.5	52
4.5	1.2	1.6	2.4	5.6	11.3	25.8	66.2	248.4	768.4	53
0.4	0.2	0.4	0.4	1.7	7.0	27.3	71.0	114.9	109.4	54
0.2	0.1	0.1	0.1	0.3	1.3	4.7	12.0	22.7	29.0	55
0.0	0.0	0.0	0.1	0.8	4.6	20.5	55.7	87.4	74.9	56
0.2	0.1	0.2	0.3	0.6	1.1	2.1	3.2	4.8	4.5	57
0.1	0.0	0.1	0.3	1.1	2.7	7.1	13.6	29.1	50.1	58
0.1	0.1	0.1	0.1	0.2	0.4	0.7	1.4	3.0	4.9	59
0.3	0.1	0.1	0.2	0.6	1.5	3.6	10.1	31.0	70.4	60
0.1	0.1	0.4	4.2	18.6	35.7	50.9	45.9	29.5	18.5	61
-	-	0.0	0.1	0.3	0.7	1.8	5.7	16.9	38.5	62
0.1	0.1	0.4	0.7	1.7	3.4	7.3	14.5	31.4	55.8	63
0.1	0.0	0.1	0.1	0.3	0.5	1.3	3.0	6.6	9.6	64
0.1	0.1	0.3	0.6	1.4	2.9	6.0	11.5	24.9	46.2	65
0.0	0.0	0.1	0.2	0.4	1.0	2.8	8.7	29.8	69.0	66
-	-	-	-	0.0	0.0	0.3	2.2	8.7	24.7	67
-	0.0	0.5	0.7	0.3	0.0	-	-	-	0.1	68
-	-	0.0	0.0	0.0	0.0	-	-	-	0.1	69
-	0.0	0.4	0.7	0.3	0.0	-	-	-	0.1	70
9.0	2.1	1.7	1.4	1.4	1.8	2.3	2.7	2.9	3.1	71
0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	-	72
0.1	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	-	73
0.0	0.0	0.0	0.0	-	-	0.0	0.0	-	-	74
2.9	0.7	4.4	5.3	8.0	12.7	22.5	38.4	70.0	194.7	75
7.9	4.1	8.3	12.9	25.1	49.7	103.5	214.7	424.2	700.9	76
29.2	18.4	61.6	45.4	40.0	43.5	51.2	68.9	145.1	360.3	77
9.9	8.7	40.5	25.3	19.0	18.3	19.5	22.7	31.6	26.8	78
19.3	9.7	21.1	20.0	21.0	25.2	31.7	46.2	113.5	333.5	79
...	0.5	10.9	15.7	16.8	19.6	19.7	18.6	20.9	17.5	80
2.2	1.0	14.2	19.3	16.4	11.7	8.0	5.9	5.3	4.2	81
1.3	0.4	2.7	3.2	3.4	3.2	2.9	2.8	2.7	3.7	82

MONTHLY VITAL STATISTICS REPORT

Table 8. DEATHS AND DEATH RATES FOR 69 SELECTED

[Refers only to resident deaths occurring within the United States. Excludes

	Cause of death (Eighth Revision, International Classification of diseases, Adapted, 1963)	Total					
		Both sexes		Male		Female	
		Number	Rate	Number	Rate	Number	Rate
		1,934,388	915.1	1,071,627	1,041.0	862,761	795.6
1	All causes-----						
2	Bacillary dysentery and amebiasis-----004,006	57	0.0	39	0.0	18	0.0
3	Enteritis and other diarrheal diseases-----008,009	2,255	1.1	1,037	1.0	1,218	1.1
4	Tuberculosis, all forms-----010-019	3,513	1.7	2,432	2.4	1,081	1.0
5	Tuberculosis of respiratory system-----010-012	2,775	1.3	1,980	1.9	795	0.7
6	Tuberculosis, other forms-----013-019	738	0.5	452	0.4	286	0.3
7	Whooping cough-----033	14	0.0	4	0.0	10	0.0
8	Streptococcal sore throat and scarlet fever-----034	22	0.0	16	0.0	6	0.0
9	Meningococcal infections-----036	305	0.1	173	0.2	132	0.1
10	Septicemia-----039	5,243	2.5	2,854	2.8	2,389	2.2
11	Acute poliomyelitis-----040-045	3	0.0	2	0.0	1	0.0
12	Measles-----055	20	0.0	11	0.0	9	0.0
13	Syphilis and its sequelae-----050-097	300	0.1	175	0.2	125	0.1
14	Other infective and parasitic diseases-----Remainder of 000-136	3,990	1.9	2,025	2.0	1,965	1.8
15	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	360,472	170.5	196,746	191.1	163,726	151.0
16	Malignant neoplasms of buccal cavity and pharynx-----140-149	7,968	5.8	5,886	5.5	2,282	2.1
17	Malignant neoplasms of digestive organs and peritoneum-----150-159	98,313	46.8	52,290	50.8	46,623	43.0
18	Malignant neoplasms of respiratory system-----160-163	83,476	39.5	65,304	65.4	16,171	16.8
19	Malignant neoplasm of breast-----174	32,624	15.3	292	0.3	32,132	23.6
20	Malignant neoplasms of genital organs-----180-187	45,111	20.4	20,192	19.6	22,919	21.1
21	Malignant neoplasms of urinary organs-----188,189	16,457	7.8	10,986	10.7	5,471	5.0
22	Malignant neoplasms of all other and unspecified sites-----170-173,183-199	43,620	20.6	22,925	22.3	20,695	19.1
23	Leukemia-----204-207	14,575	6.9	8,231	8.0	6,344	5.8
24	Other neoplasms of lymphatic and hematopoietic tissues-----200-203,208,209	19,929	9.4	10,840	10.5	9,089	8.4
25	Benign neoplasms and neoplasms of unspecified nature-----210-239	5,050	2.4	2,448	2.4	2,612	2.4
26	Diabetes mellitus-----250	37,323	17.7	15,156	14.7	22,193	20.5
27	Avitaminoses and other nutritional deficiencies-----260-269	2,527	1.2	1,143	1.1	1,384	1.3
28	Anemias-----280-285	5,312	1.6	1,577	1.5	1,755	1.6
29	Meningitis-----320	1,539	0.7	845	0.8	696	0.6
30	Major cardiovascular diseases-----390-448	1,010,926	478.2	534,436	519.1	476,490	439.4
31	Diseases of heart-----390-398,402,404,410-429	738,171	549.2	411,492	399.7	326,679	301.2
32	Active rheumatic fever and chronic rheumatic heart disease-----390-398	13,302	6.3	5,989	5.8	7,353	6.8
33	Hypertensive heart disease-----402	7,157	3.4	2,933	2.8	4,234	3.9
34	Hypertensive heart and renal disease-----404	4,918	2.3	2,176	2.1	2,740	2.5
35	Ischemic heart disease-----410-413	66,684	314.5	375,765	363.1	281,089	288.4
36	Acute myocardial infarction-----410	334,196	158.1	208,871	202.9	125,325	115.6
37	Other acute and subacute forms of ischemic heart disease-----411	4,418	2.1	2,844	2.8	1,574	1.5
38	Chronic ischemic heart disease-----412	326,065	154.2	161,947	157.3	184,118	151.3
39	Angina pectoris-----413	175	0.1	103	0.1	72	0.1
40	Chronic disease of endocardium and other myocardial insufficiency-----424,428	4,895	2.3	2,397	2.3	2,498	2.3
41	All other forms of heart disease-----420-423,425-427,429	45,037	20.4	24,252	23.6	18,785	17.3
42	Hypertension-----400-401,403	6,894	3.3	3,490	3.4	3,404	3.1
43	Cerebrovascular diseases-----450-458	207,424	98.1	90,394	87.8	117,030	107.9
44	Cerebral hemorrhage-----451	30,515	14.4	14,001	13.6	16,514	15.2
45	Cerebral thrombosis-----453	55,542	25.3	23,075	22.4	30,467	28.1
46	Cerebral embolism-----454	910	0.4	399	0.4	511	0.5
47	All other cerebrovascular diseases-----450,452,435-438	122,457	57.9	52,919	51.4	69,533	64.1
48	Arteriosclerosis-----440	32,239	15.3	15,229	12.9	19,010	17.5
49	Other diseases of arteries, arterioles, and capillaries-----441-446	26,198	12.4	15,831	15.4	10,367	9.6
50	Acute bronchitis and bronchiolitis-----466	750	0.4	408	0.4	342	0.3
51	Influenza and pneumonia-----470-474,480-486	54,777	25.9	29,787	28.9	24,990	25.0
52	Influenza-----470-474	2,201	1.0	989	1.0	1,212	1.1
53	Pneumonia-----480-486	52,576	24.9	28,798	28.0	23,778	21.9
54	Bronchitis, emphysema, and asthma-----490-495	26,880	12.7	20,170	19.6	6,710	6.2
55	Chronic and unqualified bronchitis-----490,491	5,097	2.4	3,561	3.5	1,536	1.4
56	Emphysema-----492	19,907	9.4	15,794	15.3	4,113	3.8
57	Asthma-----493	1,876	0.9	815	0.8	1,061	1.0
58	Peptic ulcer-----531-533	7,069	5.3	4,469	4.3	2,600	2.4
59	Appendicitis-----540-543	864	0.4	513	0.5	351	0.3
60	Hernia and intestinal obstruction-----550-553,560	6,506	3.1	2,746	2.7	3,760	3.5
61	Cirrhosis of liver-----571	33,319	15.8	21,806	21.2	11,513	10.6
62	Cholelithiasis, cholecystitis and cholangitis-----574,575	3,194	1.5	1,394	1.4	1,800	1.7
63	Nephritis and nephrosis-----580-584	8,068	3.8	4,328	4.2	3,740	3.4
64	Acute nephritis and nephrotic syndrome-----580-581	1,541	0.7	838	0.8	703	0.6
65	Chronic and unqualified nephritis and renal sclerosis-----582-584	6,527	3.1	3,490	3.4	3,037	2.8
66	Infections of kidney-----590	5,451	2.6	2,311	2.2	3,140	2.9
67	Hyperplasia of prostate-----600	1,577	0.7	1,377	1.5	462	0.4
68	Complications of pregnancy, childbirth, and the puerperium-----630-678	462	0.2	27	0.0
69	Abortions-----640-645	27	0.0	435	0.4
70	Other complications of pregnancy, childbirth, and the puerperium-----630-639,650-678	435	0.2
71	Congenital anomalies-----740-759	13,526	6.4	7,526	7.1	6,200	5.7
72	Certain causes of mortality in early infancy-----760-769,2,769-4,772,774-778	28,786	13.6	16,717	16.2	12,089	11.1
73	Birth injury, difficult labor, and other anoxic and hypoxic conditions-----764-768,772,776	15,974	7.6	9,498	9.2	6,476	6.0
74	Other causes of mortality in early infancy-----Remainder of 760-778	12,812	6.1	7,219	7.0	5,593	5.2
75	Symptoms and ill-defined conditions-----780-796	51,145	14.7	18,443	17.9	12,702	11.7
76	All other diseases-----Residual	118,396	56.0	66,614	64.7	51,782	47.7
77	Accidents-----E800-E849	104,522	49.5	73,209	71.1	51,415	29.0
78	Motor vehicle accidents-----E810-E823	46,402	22.0	34,133	33.2	12,269	11.3
79	All other accidents-----E800-E807,E825-E849	58,220	27.5	39,076	38.0	19,144	17.7
80	Suicide-----E850-E859	25,683	12.1	18,595	18.1	7,088	6.5
81	Homicide-----E860-E878	21,465	10.2	16,747	16.3	4,718	4.4
82	Other external causes-----E890-E899	5,161	2.4	3,570	3.5	1,591	1.5

MONTHLY VITAL STATISTICS REPORT

17

CAUSES, BY COLOR AND SEX: UNITED STATES, 1974
 [Total deaths. Rates per 100,000 estimated population in specified group]

White								All other							
Both sexes		Male		Female		Both sexes		Male		Female					
Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate				
1,687,288	321.3	934,640	1,041.6	700,655	807.6	237,033	839.1	134,937	1,036.3	102,106	716.3				
44	0.0	33	0.0	11	0.0	13	0.0	6	0.0	7	0.0				
1,777	1.0	861	0.9	976	1.0	479	1.8	236	1.8	242	1.7				
2,325	1.3	1,645	1.3	750	0.8	1,113	4.1	737	6.0	331	2.3				
1,980	1.0	1,343	1.5	547	0.6	835	3.2	637	4.9	243	1.7				
805	0.5	304	0.3	203	0.2	233	0.3	150	1.2	83	0.6				
11	0.0	4	0.0	7	0.0	3	0.0	-	-	3	0.0				
18	0.0	11	0.0	4	0.0	4	0.0	2	0.0	2	0.0				
229	0.1	123	0.1	105	0.1	77	0.3	50	0.4	27	0.2				
4,092	2.3	2,614	2.5	1,882	2.0	1,147	1.2	840	4.3	507	3.6				
2	0.0	1	0.0	1	0.0	1	0.0	1	0.0	-	11				
11	0.0	7	0.0	4	0.0	9	0.0	4	0.0	5	0.0				
170	0.1	96	0.1	71	0.1	120	0.5	76	0.6	54	0.4				
3,197	1.7	1,652	1.8	1,545	1.6	793	2.9	373	2.9	420	2.9				
241,180	174.4	174,119	183.7	147,920	156.1	39,503	244.1	22,597	173.5	16,706	117.2				
6,598	3.8	4,389	5.5	2,550	2.2	970	3.6	718	5.5	252	1.8				
87,822	17.8	45,798	50.9	41,286	44.4	11,291	41.1	6,486	49.9	4,797	33.7				
74,102	10.4	37,956	61.5	16,447	17.8	9,072	33.3	7,348	56.4	1,724	12.1				
19,408	16.0	153	0.3	29,156	31.0	3,016	11.1	40	0.3	2,976	20.9				
37,651	20.1	17,141	19.1	19,310	21.1	8,080	22.2	3,051	23.4	3,009	21.1				
15,148	8.2	16,183	11.3	4,880	5.3	1,309	4.8	793	6.1	511	3.6				
39,016	21.2	20,401	22.8	13,185	18.7	4,604	16.9	2,454	18.7	2,170	15.2				
13,380	7.3	7,553	8.4	5,852	6.2	1,185	4.3	673	5.2	512	3.6				
18,133	9.8	9,793	10.9	8,034	9.8	1,783	8.8	1,041	8.0	755	5.3				
4,404	2.4	2,152	2.4	2,252	2.1	636	2.4	295	2.3	360	2.5				
21,549	17.0	13,013	14.5	13,308	19.5	5,930	21.9	2,123	16.3	3,557	27.1				
2,127	1.2	822	1.0	1,204	1.3	400	1.5	220	1.7	180	1.3				
2,602	1.4	1,217	1.4	1,385	1.5	710	2.6	360	2.8	350	2.5				
1,058	0.6	597	0.7	461	0.5	491	1.8	246	1.9	235	1.6				
800,804	431.2	461,888	526.9	427,916	434.3	101,122	270.7	52,549	403.4	43,574	340.8				
687,787	362.7	378,592	415.5	281,185	312.3	70,394	258.0	37,930	291.0	32,494	227.9				
12,103	6.6	5,354	6.0	6,749	7.2	1,139	4.4	615	4.7	584	4.1				
5,542	3.0	2,238	2.5	3,514	3.5	1,625	6.0	705	5.4	920	6.5				
4,184	2.3	1,683	2.0	2,385	2.5	722	2.8	347	2.7	375	2.6				
836,137	229.2	341,980	380.3	364,157	282.5	53,717	215.2	31,765	244.0	26,932	189.9				
309,760	183.2	191,803	216.6	114,952	122.0	21,426	22.6	14,083	108.0	10,373	72.8				
3,812	2.1	2,460	2.7	1,352	1.2	606	2.2	331	2.9	222	1.6				
292,406	158.8	164,618	160.8	147,789	156.9	33,659	123.4	17,329	135.0	16,330	114.0				
159	0.1	91	0.1	65	0.1	16	0.1	9	0.1	7	0.0				
4,307	2.3	2,059	2.3	2,208	2.3	583	2.2	228	2.3	280	2.0				
35,354	12.3	20,121	22.4	15,402	16.4	7,533	27.6	4,150	31.9	3,533	23.7				
5,461	3.0	2,757	3.1	2,704	2.9	1,433	5.3	733	5.6	700	4.9				
132,626	99.2	78,749	87.6	133,877	110.3	24,733	90.9	11,645	89.4	13,153	92.3				
26,982	14.1	11,747	13.1	14,233	15.1	4,533	16.6	2,224	17.3	2,279	16.0				
48,303	26.2	20,686	23.0	27,543	29.3	5,233	18.2	2,439	18.5	2,924	19.8				
827	0.4	355	0.4	472	0.5	85	0.3	44	0.3	59	0.3				
107,503	58.4	48,981	51.1	61,527	65.3	14,949	54.8	6,938	55.3	8,011	56.2				
28,513	16.2	17,150	18.5	17,763	19.9	3,326	8.5	1,079	8.3	1,247	9.7				
24,017	13.0	14,620	16.3	9,377	10.0	2,191	6.0	1,191	9.1	990	6.9				
617	0.4	351	0.4	236	0.3	103	0.4	57	0.4	46	0.3				
47,760	25.9	25,501	28.4	22,253	25.6	7,017	25.7	4,283	32.9	2,754	19.2				
2,049	1.1	905	1.0	1,144	1.2	152	0.6	84	0.6	69	0.5				
45,711	24.8	24,599	27.4	21,112	22.4	6,865	25.2	4,199	32.2	2,665	18.7				
25,237	13.7	18,926	21.1	6,271	6.7	1,643	6.0	1,204	9.2	439	3.1				
4,772	2.6	3,327	3.7	1,445	1.5	325	1.2	234	1.8	91	0.6				
18,990	10.3	15,611	16.7	3,970	4.2	917	3.4	785	6.0	1,154	1.4				
1,475	0.8	628	0.7	847	0.9	401	1.5	187	1.4	214	1.5				
6,395	3.5	3,993	4.4	2,397	2.5	674	2.5	471	3.6	203	1.4				
715	0.4	416	0.5	293	0.3	149	0.5	97	0.7	52	0.4				
5,726	3.1	2,544	2.6	3,592	3.6	770	2.8	402	3.1	368	2.6				
27,743	15.1	18,322	20.4	9,421	10.0	5,576	20.4	3,484	26.7	2,052	14.7				
2,927	1.6	1,233	1.4	1,654	1.8	257	0.9	111	0.9	146	1.0				
5,807	3.2	3,219	3.6	2,688	2.9	2,161	7.9	1,109	8.5	1,052	7.4				
1,252	0.7	684	0.8	568	0.6	289	1.1	154	1.2	135	0.9				
4,655	2.5	2,535	2.8	2,120	2.3	1,872	6.9	555	7.5	917	6.4				
4,645	2.5	1,258	2.2	2,697	2.9	806	3.0	553	2.7	453	5.2				
1,209	0.7	1,203	1.3	168	0.6	168	1.3				
257	0.1	237	0.3	205	0.8	205	1.4				
13	0.0	13	0.0	14	0.1	14	0.1				
244	0.1	241	0.3	191	0.7	191	1.3				
11,323	6.2	6,101	6.8	5,222	5.5	2,203	8.1	1,225	9.4	978	6.9				
20,371	11.3	12,325	13.7	8,568	9.1										

MONTHLY VITAL STATISTICS REPORT

Table 9. DEATHS AND DEATH RATES FOR 10 LEADING CAUSES OF DEATH, BY COLOR AND SEX: UNITED STATES, 1974

[Refers only to resident deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated population in specified group]

Rank order	Cause of death, color, and sex (Eighth Revision, International Classification of Diseases, Adapted, 1965)	Number	Rate
	Total, both sexes—all causes-----	1,934,388	915.1
1	Diseases of heart-----	738,171	348.2
2	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----	560,472	170.5
3	Cerebrovascular diseases-----	207,424	98.1
4	Accidents-----	104,822	49.5
... .	Motor vehicle accidents-----	46,402	22.0
... .	All other accidents-----	58,220	27.5
5	Influenza and pneumonia-----	54,777	25.9
6	Diabetes mellitus-----	37,329	17.7
7	Cirrhosis of liver-----	33,319	15.8
8	Arteriosclerosis-----	32,239	15.3
9	Certain causes of mortality in early infancy-----	28,786	13.6
10	Bronchitis, emphysema, and asthma-----	26,980	12.7
... .	All other causes-----Residual	510,369	146.8
	White, male—all causes-----	936,640	1,041.6
1	Diseases of heart-----	373,592	415.5
2	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----	174,149	183.7
3	Cerebrovascular diseases-----	78,749	87.6
4	Accidents-----	62,100	69.1
... .	Motor vehicle accidents-----	29,634	33.0
... .	All other accidents-----	32,466	36.1
5	Influenza and pneumonia-----	25,504	28.4
6	Bronchitis, emphysema, and asthma-----	18,966	21.1
7	Cirrhosis of liver-----	18,322	20.4
8	Suicide-----	17,265	19.2
9	Diabetes mellitus-----	15,013	14.5
10	Certain causes of mortality in early infancy-----	12,305	13.7
... .	All other causes-----Residual	142,677	156.7
	White, female—all causes-----	760,655	807.6
1	Diseases of heart-----	294,195	312.5
2	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----	147,020	156.1
3	Cerebrovascular diseases-----	103,977	110.3
4	Accidents-----	27,232	25.9
... .	Motor vehicle accidents-----	10,757	11.4
... .	All other accidents-----	18,475	17.5
5	Influenza and pneumonia-----	22,256	23.6
6	Diabetes mellitus-----	18,336	19.5
7	Arteriosclerosis-----	17,763	18.9
8	Cirrhosis of liver-----	9,421	10.0
9	Certain causes of mortality in early infancy-----	8,566	9.1
10	Suicide-----	6,660	7.1
... .	All other causes-----Residual	105,329	111.8
	All other, male—all causes-----	154,987	1,036.3
1	Diseases of heart-----	37,900	291.0
2	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----	22,597	173.5
3	Cerebrovascular diseases-----	11,645	89.4
4	Accidents-----	11,109	85.3
... .	Motor vehicle accidents-----	4,499	34.5
... .	All other accidents-----	6,610	50.7
5	Homicide-----	8,755	67.2
6	Certain causes of mortality in early infancy-----	4,412	33.9
7	Influenza and pneumonia-----	4,283	32.9
8	Cirrhosis of liver-----	5,484	26.7
9	Diabetes mellitus-----	2,123	16.3
10	Suicide-----	1,332	10.2
... .	All other causes-----Residual	27,347	209.9
	All other, female—all causes-----	102,106	716.3
1	Diseases of heart-----	32,484	227.9
2	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----	16,706	117.2
3	Cerebrovascular diseases-----	13,156	92.3
4	Accidents-----	4,181	29.3
... .	Motor vehicle accidents-----	1,512	10.6
... .	All other accidents-----	2,669	18.7
5	Diabetes mellitus-----	3,857	27.1
6	Certain causes of mortality in early infancy-----	3,503	24.6
7	Influenza and pneumonia-----	2,734	19.2
8	Cirrhosis of liver-----	2,092	14.7
9	Homicide-----	2,062	14.5
10	Arteriosclerosis-----	1,247	8.7
... .	All other causes-----Residual	20,084	140.8

MONTHLY VITAL STATISTICS REPORT

19

Table 10. DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES BY COLOR, FOR 65 SELECTED CAUSES: UNITED STATES, 1974

[Refers only to resident deaths occurring within the United States. Excludes fetal deaths.]

Cause of death (Eighth Revision, International Classification of Diseases, Adapted, 1965)	Number			Rate ¹		
	Total	White	All other	Total	White	All other
All causes-----	52,776	38,249	14,527	1,670.1	1,434.9	2,485.8
Diarrheal diseases-----	646	375	271	20.4	14.6	46.4
Whooping cough-----	13	11	2	0.4	0.4	0.3
Meningoencephal infections-----	47	34	13	1.5	1.3	2.2
Tetanus-----	5	3	-	0.1	0.1	-
Septicemia-----	817	620	297	28.8	24.1	49.6
Viral diseases-----	191	143	48	5.0	5.7	7.4
Congenital syphilis-----	7	3	4	0.2	0.1	0.7
Other infective and parasitic diseases-----	Remainder of 000-136	149	107	42	4.7	4.2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----	140-239	115	90	25	3.6	3.5
Benign neoplasms and neoplasms of unspecified nature-----	210-239	61	50	11	1.9	1.9
Diseases of thymus gland-----	254	19	3	0.6	0.6	0.5
Cystic fibrosis-----	275-280	67	61	2.1	2.5	0.5
Diseases of the blood-forming organs-----	280-289	178	126	5.6	4.9	8.9*
Meningitis-----	321	567	366	21.1	17.9	14.2
Other diseases of nervous system and sense organs-----	321-339	439	316	123	13.3	21.1
Acute upper respiratory infections-----	467-485	173	65	43	3.4	2.5
Bronchitis and bronchiolitis-----	486,490-491	188	127	62	5.0	10.6
Influenza and pneumonia-----	470-474,480-486	2,613	1,645	963	82.7	83.9
Influenza-----	470-474	36	23	8	1.1	1.4
Pneumonia-----	480-486	2,577	1,617	860	81.6	82.8
Other chronic interstitial pneumonia-----	517	27	19	8	0.9	0.7
All other diseases of respiratory system-----	492,493,500-516,518,519	453	319	134	14.3	12.4
Hernia and intestinal obstruction-----	550-552,560	497	420	77	15.7	16.3
Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----	555,561,563	51	32	19	1.6	1.2
Other diseases of digestive system-----	520-534,536,537,540-543,562,564-577	310	216	94	9.8	3.4
Congenital anomalies-----	740-759	8,607	7,119	1,498	272.4	276.4
Anencephalus-----	740	748	655	63	23.7	26.6
Spina bifida-----	741	455	413	42	14.4	16.0
Congenital hydrocephalus-----	742	362	294	63	11.5	11.4
Other congenital anomalies of central nervous system and eye-----	743,744	353	280	63	11.2	11.3
Congenital anomalies of heart-----	746	3,191	2,596	555	170.7	170.8
Other congenital anomalies of circulatory system-----	747	553	504	129	20.0	18.6
Congenital anomalies of respiratory system-----	748	656	530	126	20.8	21.6
Congenital anomalies of digestive system-----	749-751	332	230	32	12.1	11.3
Congenital anomalies of genitourinary system-----	752,753	235	236	49	9.0	9.2
Congenital anomalies of musculoskeletal system-----	754-756	224	223	41	8.4	7.0
Down's disease-----	757	97	78	14	2.8	3.0
Other congenital syndromes affecting multiple systems-----	758-0-758.2,759-5-759.9	1,015	840	178	22.1	22.6
Other and unspecified congenital anomalies-----	760,761,762,763,764,765,766,767,768,769,770	193	142	41	5.8	7.0
Certain causes of mortality in early infancy-----	760-769.2,769.4-772,771-778	28,712	21,821	7,891	973.6	809.3
Chronic circulatory and genitourinary diseases in mother-----	760	3	5	1	0.2	0.2
Other maternal conditions unrelated to pregnancy-----	761	256	202	54	9.1	7.8
Syphilis-----	761.0	2	-	2	1.1	0.3
Diabetes mellitus-----	761.1	120	112	18	4.1	4.3
Rubella-----	761.3	11	3	6	0.3	0.2
All other maternal conditions unrelated to pregnancy-----	761.2,761.4-761.7,761.9	113	88	23	3.8	3.3
Toxemia of pregnancy-----	762	115	84	31	2.8	3.3
Maternal antepartum and intrapartum infection-----	763	173	110	55	4.5	10.8
Difficult labor-----	764-765	413	321	92	12.1	12.5
With mention of birth injury (.~.z.)-----	764	132	102	30	4.2	5.1
Without mention of birth injury (.4..9)-----	765	281	218	62	9.9	10.6
All other complications of pregnancy and childbirth-----	766,0-769.2,769.4-769.5,769.8	3,342	2,455	837	105.8	95.3
Conditions of placenta-----	770	1,203	966	237	39.1	37.5
Conditions of umbilical cord-----	771	304	247	57	9.6	9.8
Birth injury without mention of cause-----	772	1,792	1,301	491	56.7	50.5
Hemolytic diseases of newborn-----	774,775	340	295	45	10.8	11.5
Hyaline membrane disease-----	776.1	4,300	3,379	921	136.1	131.2
Respiratory distress syndrome-----	776.2	4,022	3,036	936	127.3	117.9
Aphyxia of newborn, unspecified-----	776.8	4,652	3,233	1,369	147.2	127.5
All other anoxic and hypoxic conditions not elsewhere classifiable-----	776,0-776.3,776.4	750	516	234	25.7	20.0
Immaturity, unqualified-----	777	4,719	5,105	1,614	149.3	120.5
Postmaturity-----	778.1	6	4	2	0.2	0.3
Hemorrhagic disease of newborn-----	778.2	588	398	189	18.6	15.5
All other conditions of newborn-----	778,0-778.3,778.9	1,731	1,113	618	54.8	43.2
Symptoms and ill-defined conditions-----	780-786	4,700	3,024	1,676	148.7	117.4
Accidents-----	E90-E949	1,453	1,034	419	46.0	40.1
Inhalation or ingestion of food or other object causing obstruction or suffocation-----	E91, E912	442	320	122	14.0	12.4
Accidental mechanical suffocation-----	E913	285	202	83	9.0	7.8
Other accidental causes-----	E900-E910, E914-E949	726	512	214	23.0	19.9
Homicide-----	E96-E978	166	92	74	5.3	5.6
All other causes-----	Residual	1,478	937	491	46.8	39.3

¹Per 100,000 live births in specified group.

MONTHLY VITAL STATISTICS REPORT

Table 11. MATERNAL DEATHS AND MATERNAL MORTALITY RATES FOR SELECTED CAUSES, BY COLOR: UNITED STATES, 1974

[Maternal deaths are those assigned to Complications of pregnancy, childbirth, and the puerperium, category numbers 630-676 of the Eighth Revision, International Classification of Diseases, Adapted, 1965. Rates per 100,000 live births in specified group]

Cause of death	Number of deaths			Mortality rate		
	Total	White	All other	Total	White	All other
Complications of pregnancy, childbirth, and the puerperium-----630-678	462	257	205	14.6	10.0	35.1
Ectopic pregnancy-----631	51	20	31	1.6	0.8	5.5
Toxemias of pregnancy and the puerperium, except abortion with toxemia-----636-639	91	48	43	2.9	1.9	7.4
Hemorrhage of pregnancy and childbirth-----632,651-653	53	34	19	1.7	1.3	3.3
Abortions-----640-645	27	13	14	0.9	0.5	2.4
Abortions induced for legal indications-----640,641	6	1	5	0.2	0.0	0.9
Abortions induced for other reasons-----642	1	-	1	0.0	-	0.2
Spontaneous abortion-----643	7	6	1	0.2	0.2	0.2
Other and unspecified abortions-----644,645	13	6	7	0.4	0.2	1.2
Sepsis of childbirth and the puerperium-----670,671,673	96	61	35	3.0	2.4	6.0
All other complications of pregnancy, childbirth, and the puerperium-----630,633-635,654-662,672,674-678	143	80	63	4.5	3.1	10.8
Delivery without mention of complications-----650	1	1	-	0.0	0.0	-

Table 12. AGE-ADJUSTED DEATH RATES FOR SPECIFIED CAUSES, BY COLOR AND SEX: UNITED STATES, 1974

[Refers only to resident deaths occurring within the United States. Excludes fetal deaths. Based on age-specific death rates per 100,000 estimated midyear population in specified group. Computed by the direct method, using as the standard population the age distribution of the total population of the United States as enumerated in 1940.]

Cause of death (Eighth Revision, International Classification of Diseases, Adapted, 1965)	Total			White			All other		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
All causes-----	666.2	877.8	492.9	635.4	843.0	466.4	901.3	1,149.1	695.1
Major cardiovascular diseases-----390-448	310.8	413.7	228.1	302.9	409.1	217.8	374.6	449.1	313.5
Diseases of heart-----390-398,402,404,410-429	232.7	323.6	159.2	228.8	322.8	152.9	262.8	325.8	210.8
Hypertension-----400,401,403	2.1	2.6	1.7	1.7	2.2	1.4	5.6	6.5	5.0
Cerebrovascular diseases-----450-458	59.9	66.5	54.9	56.4	63.0	51.4	90.9	98.3	84.7
Arteriosclerosis-----440	7.6	8.6	6.9	7.6	8.7	6.9	7.3	8.2	6.6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	131.6	162.3	109.2	129.0	158.3	107.6	156.6	199.0	122.4
Accidents-----E800-E949	45.0	69.4	23.8	44.3	66.6	22.9	58.5	92.3	29.0
Motor vehicle accidents-----E810-E823	21.8	33.2	10.9	21.7	32.8	11.0	23.2	37.5	10.8
All other accidents-----E800-E807,E825-E949	24.2	36.2	12.8	22.6	33.8	12.0	35.3	56.8	18.2
Influenza and pneumonia-----470-474,480-486	16.9	22.6	12.5	15.7	21.0	12.0	25.4	35.1	17.5
Cirrhosis of liver-----571	14.6	20.7	9.7	13.4	19.0	8.6	25.0	34.0	17.4
Diabetes mellitus-----250	12.5	12.2	12.7	11.4	11.5	11.2	23.4	18.8	27.1
Suicide-----E950-E959	12.2	18.2	6.7	12.8	19.0	7.1	7.2	11.7	3.3
Homicide-----E960-E976	10.8	17.5	4.6	8.0	9.3	2.9	44.5	77.9	15.5
Bronchitis, emphysema, and asthma-----490-493	9.2	15.9	4.3	9.4	16.4	4.4	6.4	10.4	3.2
Tuberculosis, all forms-----010-019	1.3	2.1	0.7	0.9	1.5	0.5	4.6	7.2	2.5

MONTHLY VITAL STATISTICS REPORT

21

Table 13. NUMBER OF AUTOPSIES AND PERCENT OF DEATHS FOR WHICH AUTOPSIES WERE REPORTED FOR THE 15 LEADING CAUSES OF DEATH: UNITED STATES, 1974

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1966]

Rank	Cause of death	Total deaths	Reported autopsies	
			Number	Percent
	All causes-----	1,834,388	555,515	18.4
1	Diseases of heart-----	380-389,402-404,410-429	738,171	88,974
2	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----	140-239	360,472	55,079
3	Cerebrovascular diseases-----	430-438	207,421	16,702
4	Accidents-----	E800-E949	104,522	41,739
...	Motor vehicle accidents-----	E810-E823	46,402	17,842
...	All other accidents-----	E800-E807, E825-E843	55,220	23,537
5	Influenza and pneumonia-----	170-174,480-486	54,777	12,630
6	Diabetes mellitus-----	250	37,523	3,732
7	Cirrhosis of liver-----	571	35,313	11,332
8	Arteriosclerosis-----	440	32,233	1,802
9	Certain causes of mortality in early infancy-----	760-763,2,768-4-772,774-778	29,783	10,111
10	Bronchitis, emphysema, and asthma-----	430-433	28,850	4,751
11	Suicide-----	E950-E959	25,633	10,783
12	Homicide-----	E960-E978	21,485	19,050
13	Congenital anomalies-----	740-759	13,528	6,831
14	Nephritis and nephrosis-----	580-584	8,068	1,532
15	Peptic ulcer-----	551-553	7,089	2,870
...	All other causes-----	Residual	234,553	69,672

Table 14. AVERAGE NUMBER OF DEATHS PER DAY FOR DAYS OF WEEK, FOR SELECTED CAUSES: UNITED STATES, 1974
[Deaths include those to nonresidents of the United States]

Day of week	All causes	Motor vehicle accidents (E810-E823)	Suicide (E950-E959)		Homicide (E960-E978)
			Suicide (E950-E959)	Homicide (E960-E978)	
All days ¹ -----	5,305	128	70	59	
Sunday ² -----	5,303	150	70	71	
Monday-----	5,348	109	76	52	
Tuesday-----	5,281	105	72	52	
Wednesday-----	5,249	105	71	45	
Thursday-----	5,251	110	68	49	
Friday-----	5,297	126	69	58	
Saturday-----	5,425	152	66	54	

¹Number of deaths in 1974 from selected cause or causes divided by 365.

²Number of deaths on specified day of week in 1974 from selected cause or causes divided by number of times specified day of week occurred in 1974.

SYMBOLS

Data not available	---
Category not applicable
Quantity zero	-
Quantity more than 0 but less than 0.05	0.0
Figure does not meet standards of reliability or precision	*

MONTHLY VITAL STATISTICS REPORT

This report presents summary tabulations from the final mortality statistics for 1974. More detailed tabulations for 1974 will be published in *Vital Statistics of the United States, 1974*, Volume II—Mortality. Prior to the publication of that volume, the National Center for Health Statistics will respond to requests for unpublished data whenever possible.

U.S. DEPARTMENT OF
HEALTH, EDUCATION, AND WELFARE
Public Health Service
HEALTH RESOURCES ADMINISTRATION
5600 Fishers Lane
Rockville, Md. 20852

OFFICIAL BUSINESS
Penalty Private Use, \$300

POSTAGE AND FEES PAID
U.S. DEPARTMENT OF H.E.W.

HEW 390

FIRST CLASS MAIL



To receive the *Monthly Vital Statistics Report* regularly, contact the National Center for Health Statistics by calling 301-443-NCHS.