

National Immunization Survey

1996 Public-Use Data File

Documentation, Code Book and Frequencies

Centers for Disease Control and Prevention

**National Immunization Program
and
National Center for Health Statistics**

**Prepared by Abt Associates Inc.
April 2002**

1996 National Immunization Survey Public-Use Data File

TABLE OF CONTENTS

=====

SECTION	PAGE
INDEX OF VARIABLES	3
1 ID, WEIGHT AND FLAG VARIABLES.	13
2 HOUSEHOLD VACCINATION VARIABLES.	16
3 DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES.	24
4 GEOGRAPHIC VARIABLES	32
5 NUMBER OF PROVIDERS IDENTIFIED AND CONSENT VARIABLES	36
6 NUMBER OF RESPONDING PROVIDER VARIABLES.	37
7 CHARACTERISTICS OF PROVIDER VARIABLES.	38
8 PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES	40
9 PROVIDER-REPORTED AGE AT VACCINATION VARIABLES	54
ALPHABETICAL INDEX OF VARIABLES.	142

1996 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
SEQNUMC	0001	0006	1	UNIQUE CHILD IDENTIFIER
SEQNUMHH	0007	0011	1	UNIQUE HOUSEHOLD IDENTIFIER
HY_WGT	0012	0021	1	MODIFIED-POSTSTRATIFICATION (HH) WEIGHT FOR CHILD
W0	0022	0031	1	OVERALL VACCINATION HISTORY NONRESPONSE ADJUSTED WEIGHT FOR CHILDREN WITH ADEQUATE PROVIDER DATA
YEAR	0032	0035	1	YEAR OF INTERVIEW
PDAT	0036	0036	1	CHILD HAS ADEQUATE PROVIDER DATA
ALL4SHOT	0037	0037	2	4:3:1:3 UP-TO-DATE (HH REPORT)
C_431	0038	0038	2	HOUSEHOLD REPORT OF 4:3:1 UP-TO-DATE BY SHOT CARD USE
C_4313	0039	0039	2	HOUSEHOLD REPORT OF 4:3:1:3 UP-TO-DATE BY SHOT CARD USE
C_DTP	0040	0040	2	HOUSEHOLD REPORT OF 4+ DTP UP-TO-DATE BY SHOT CARD USE
C_HEP	0041	0041	2	HOUSEHOLD REPORT OF 3+ HEPATITIS B UP-TO-DATE BY SHOT CARD USE
C_HIB	0042	0042	2	HOUSEHOLD REPORT OF 3+ HIB UP-TO-DATE BY SHOT CARD USE
C_MMR	0043	0043	2	HOUSEHOLD REPORT OF 1+ MEASLES-CONTAINING VACCINE UP-TO-DATE BY SHOT CARD USE
C_POL	0044	0044	2	HOUSEHOLD REPORT OF 3+ POLIO UP-TO-DATE BY SHOT CARD USE
DTP_SOUR	0045	0045	2	SHOT CARD USED FOR DTP REPORTING
FUL2_MMR	0046	0046	2	HOUSEHOLD REPORT OF 1+ MMR AT ANY AGE
FULL_DTP	0047	0047	2	HOUSEHOLD REPORT OF 4+ DTP
FULL_HEP	0048	0048	2	HOUSEHOLD REPORT OF 3+ HEPATITIS B
FULL_HIB	0049	0049	2	HOUSEHOLD REPORT OF 3+ HIB
FULL_POL	0050	0050	2	HOUSEHOLD REPORT OF 3+ POLIO
HUTD4313	0051	0051	2	HOUSEHOLD REPORT OF 4:3:1:3 UTD (UP-TO-DATE)
SHOTCARD	0052	0052	2	SHOT CARD USE FLAG
AGEGRP	0053	0053	3	AGE CATEGORY OF CHILD (RECODE)
C1R	0054	0055	3	NUMBER OF PEOPLE LIVING IN THE HOUSEHOLD (RECODE)
C5R	0056	0057	3	RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)
CEN_REG	0058	0058	3	CENSUS REGION BASED ON STATE
CHILDNM	0059	0059	3	NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)
EDUC1	0060	0060	3	EDUCATION OF MOTHER CATEGORIES
ENTRY	0061	0061	3	CHILD LIVES IN STATE WITH HEPATITIS B STATE ENTRY LAW FOR DAY CARE/HEAD START (1996-1997 SCHOOL YEAR)
INCPOV1R	0062	0062	3	POVERTY STATUS(RECODE)
INCOMER	0063	0064	3	FAMILY INCOME CATEGORIES (RECODE)
I_HISP_K	0065	0065	3	HISPANIC ORIGIN OF CHILD

1996 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
I_HISP_M	0066	0066	3	HISPANIC ORIGIN OF MOTHER
I_RACEKR	0067	0067	3	RACE OF CHILD (RECODE)
I_RACEMR	0068	0068	3	RACE OF MOTHER (RECODE)
MARITAL	0069	0069	3	MARITAL STATUS OF MOTHER CATEGORIES
MOBIL	0070	0070	3	GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE OF RESIDENCE
RACEKIDR	0071	0071	3	RACE/ETHNICITY OF CHILD (RECODE)
RACEMOMR	0072	0072	3	RACE/ETHNICITY OF MOTHER (RECODE)
SEX	0073	0073	3	GENDER OF CHILD
ITRUEIAP	0074	0075	4	IAP AREA OF CURRENT RESIDENCE
STATE	0076	0077	4	STATE OF RESIDENCE (STATE FIPS CODE)
D6R	0078	0078	5	NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (RECODE)
DISPCODE	0079	0080	6	NIS PROVIDER RECORD-CHECK DISPOSITION CODE
N_PRVR	0081	0081	6	NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (RECODE)
CARTYP1	0082	0082	7	CHILD'S PROVIDERS OFFER ROUTINE WELL CARE
CARTYP2	0083	0083	7	CHILD'S PROVIDERS OFFER SICK/EMERGENCY VISITS
CARTYP3	0084	0084	7	CHILD'S PROVIDERS OFFER VACCINATION VISITS
CARTYP4	0085	0085	7	CHILD'S PROVIDERS OFFER OTHER SERVICES
CARTYP5	0086	0086	7	CHILD'S PROVIDERS OFFER WIC PROGRAM/SERVICES
PROV_FAC	0087	0087	7	PROVIDER FACILITY TYPE
P_UTD431	0088	0088	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1
PUTD4313	0089	0089	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3
PUT43133	0090	0090	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3
P_UTD331	0091	0091	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1
P_U12VRC	0092	0092	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA AT 12+ MONTHS
P_UTDHEP	0093	0093	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B
P_UTDHIB	0094	0094	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB
P_UTDMCV	0095	0095	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MCV
P_UTDMMX	0096	0096	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MMR (NOT INCLUDING ANY MEASLES-ONLY SHOTS)
P_UTDPOL	0097	0097	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO
P_UTDTP3	0098	0098	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DTP
P_UTDTP4	0099	0099	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DTP
P_NUMDHB	0100	0100	8	NUMBER OF DTP/HIB COMBINATION SHOTS (ALL TYPES), AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.

1996 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
P_NUMDTA	0101	0101	8	NUMBER OF DTAP SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMDTP	0102	0102	8	NUMBER OF DTP SHOTS (ALL TYPES INCLUDING DT), AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMHEP	0103	0103	8	NUMBER OF HEPATITIS B (ALL TYPES) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMHIB	0104	0104	8	NUMBER OF HIB (ALL TYPES) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMMMR	0105	0105	8	NUMBER OF MCV (MEASLES-CONTAINING VACCINE) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMMMX	0106	0106	8	NUMBER OF TRUE MMR (NOT INCLUDING MEASLES-ONLY SHOTS), AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMPOL	0107	0107	8	NUMBER OF POLIO (ALL TYPES) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMRB	0108	0108	8	NUMBER OF RUBELLA SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMVRC	0109	0109	8	NUMBER OF VARICELLA (CHICKEN POX) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
VB11	0110	0139	8	VERBATIM TEXT FOR 1ST OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
VB12	0140	0169	8	VERBATIM TEXT FOR 1ST OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
VB13	0170	0199	8	VERBATIM TEXT FOR 1ST OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
VB21	0200	0229	8	VERBATIM TEXT FOR 2ND OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.

1996 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
VB22	0230	0259	8	VERBATIM TEXT FOR 2ND OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
VB23	0260	0289	8	VERBATIM TEXT FOR 2ND OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
VB31	0290	0319	8	VERBATIM TEXT FOR 3RD OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
VB32	0320	0349	8	VERBATIM TEXT FOR 3RD OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
VB33	0350	0379	8	VERBATIM TEXT FOR 3RD OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
VB41	0380	0409	8	VERBATIM TEXT FOR 4TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
VB42	0410	0439	8	VERBATIM TEXT FOR 4TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
VB43	0440	0469	8	VERBATIM TEXT FOR 4TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
VB51	0470	0499	8	VERBATIM TEXT FOR 5TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
VB52	0500	0529	8	VERBATIM TEXT FOR 5TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
VB53	0530	0559	8	VERBATIM TEXT FOR 5TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
DDTAP1	0560	0563	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP SHOT #1
DDTAP2	0564	0567	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP SHOT #2
DDTAP3	0568	0571	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP SHOT #3
DDTAP4	0572	0575	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP SHOT #4
DDTAP5	0576	0579	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP SHOT #5
DDTAP6	0580	0583	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP SHOT #6
DDTAP7	0584	0587	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP SHOT #7
DDTAP8	0588	0591	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP SHOT #8
DDTP1	0592	0595	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #1
DDTP2	0596	0599	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #2
DDTP3	0600	0603	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #3
DDTP4	0604	0607	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #4

1996 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
DDTP5	0608	0611	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #5
DDTP6	0612	0615	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #6
DDTP7	0616	0619	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #7
DDTP8	0620	0623	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #8
DDTPHB1	0624	0627	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #1
DDTPHB2	0628	0631	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #2
DDTPHB3	0632	0635	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #3
DDTPHB4	0636	0639	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #4
DDTPHB5	0640	0643	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #5
DDTPHB6	0644	0647	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #6
DDTPHB7	0648	0651	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #7
DDTPHB8	0652	0655	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #8
DHEPB1	0656	0659	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #1
DHEPB2	0660	0663	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #2
DHEPB3	0664	0667	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #3
DHEPB4	0668	0671	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #4
DHEPB5	0672	0675	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #5
DHEPB6	0676	0679	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #6
DHEPB7	0680	0683	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #7
DHEPB8	0684	0687	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #8
DHIB1	0688	0691	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #1
DHIB2	0692	0695	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #2
DHIB3	0696	0699	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #3
DHIB4	0700	0703	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #4
DHIB5	0704	0707	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #5

1996 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
DHIB6	0708	0711	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #6
DHIB7	0712	0715	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #7
DHIB8	0716	0719	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #8
DMMR1	0720	0723	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #1
DMMR2	0724	0727	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #2
DMMR3	0728	0731	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #3
DMMR4	0732	0735	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #4
DMMRX1	0736	0739	9	AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #1
DMMRX2	0740	0743	9	AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #2
DMMRX3	0744	0747	9	AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #3
DMMRX4	0748	0751	9	AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #4
DMP1	0752	0755	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #1
DMP2	0756	0759	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #2
DMP3	0760	0763	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #3
DMP4	0764	0767	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #4
DMPRB1	0768	0771	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #1
DMPRB2	0772	0775	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #2
DMPRB3	0776	0779	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #3
DMPRB4	0780	0783	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #4
DMS1	0784	0787	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #1
DMS2	0788	0791	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #2
DMS3	0792	0795	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #3
DMS4	0796	0799	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #4
DMSMP1	0800	0803	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #1
DMSMP2	0804	0807	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #2
DMSMP3	0808	0811	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #3
DMSMP4	0812	0815	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #4
DMSRB1	0816	0819	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #1
DMSRB2	0820	0823	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #2
DMSRB3	0824	0827	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #3

1996 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
DMSRB4	0828	0831	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #4
DPOLIO1	0832	0835	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #1
DPOLIO2	0836	0839	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #2
DPOLIO3	0840	0843	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #3
DPOLIO4	0844	0847	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #4
DPOLIO5	0848	0851	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #5
DPOLIO6	0852	0855	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #6
DPOLIO7	0856	0859	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #7
DPOLIO8	0860	0863	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #8
DRB1	0864	0867	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #1
DRB2	0868	0871	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #2
DRB3	0872	0875	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #3
DRB4	0876	0879	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #4
DRB5	0880	0883	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #5
DRB6	0884	0887	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #6
DRB7	0888	0891	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #7
DRB8	0892	0895	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #8
DVRC1	0896	0899	9	AGE IN DAYS OF PROVIDER-REPORTED VARICELLA SHOT #1
DVRC2	0900	0903	9	AGE IN DAYS OF PROVIDER-REPORTED VARICELLA SHOT #2
DVRC3	0904	0907	9	AGE IN DAYS OF PROVIDER-REPORTED VARICELLA SHOT #3
DVRC4	0908	0911	9	AGE IN DAYS OF PROVIDER-REPORTED VARICELLA SHOT #4
DHB1_AGE	0912	0913	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #1
DHB2_AGE	0914	0915	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #2
DHB3_AGE	0916	0917	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #3
DHB4_AGE	0918	0919	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #4
DHB5_AGE	0920	0921	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #5
DHB6_AGE	0922	0923	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #6
DHB7_AGE	0924	0925	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #7

1996 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
DHB8_AGE	0926	0927	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #8
DTA1_AGE	0928	0929	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP SHOT #1
DTA2_AGE	0930	0931	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP SHOT #2
DTA3_AGE	0932	0933	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP SHOT #3
DTA4_AGE	0934	0935	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP SHOT #4
DTA5_AGE	0936	0937	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP SHOT #5
DTA6_AGE	0938	0939	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP SHOT #6
DTA7_AGE	0940	0941	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP SHOT #7
DTA8_AGE	0942	0943	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP SHOT #8
DTP1_AGE	0944	0945	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #1
DTP2_AGE	0946	0947	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #2
DTP3_AGE	0948	0949	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #3
DTP4_AGE	0950	0951	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #4
DTP5_AGE	0952	0953	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #5
DTP6_AGE	0954	0955	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #6
DTP7_AGE	0956	0957	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #7
DTP8_AGE	0958	0959	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #8
HEP1_AGE	0960	0961	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #1
HEP2_AGE	0962	0963	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #2
HEP3_AGE	0964	0965	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #3
HEP4_AGE	0966	0967	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #4
HEP5_AGE	0968	0969	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #5
HEP6_AGE	0970	0971	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #6
HEP7_AGE	0972	0973	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #7
HEP8_AGE	0974	0975	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #8
HIB1_AGE	0976	0977	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #1
HIB2_AGE	0978	0979	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #2
HIB3_AGE	0980	0981	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #3

1996 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
HIB4_AGE	0982	0983	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #4
HIB5_AGE	0984	0985	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #5
HIB6_AGE	0986	0987	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #6
HIB7_AGE	0988	0989	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #7
HIB8_AGE	0990	0991	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #8
MMR1_AGE	0992	0993	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #1
MMR2_AGE	0994	0995	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #2
MMR3_AGE	0996	0997	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #3
MMR4_AGE	0998	0999	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #4
MMX1_AGE	1000	1001	9	AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #1
MMX2_AGE	1002	1003	9	AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #2
MMX3_AGE	1004	1005	9	AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #3
MMX4_AGE	1006	1007	9	AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #4
MP1_AGE	1008	1009	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #1
MP2_AGE	1010	1011	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #2
MP3_AGE	1012	1013	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #3
MP4_AGE	1014	1015	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #4
MPR1_AGE	1016	1017	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #1
MPR2_AGE	1018	1019	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #2
MPR3_AGE	1020	1021	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #3
MPR4_AGE	1022	1023	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #4
MS1_AGE	1024	1025	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-ONLY SHOT #1
MS2_AGE	1026	1027	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-ONLY SHOT #2
MS3_AGE	1028	1029	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-ONLY SHOT #3
MS4_AGE	1030	1031	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-ONLY SHOT #4
MSM1_AGE	1032	1033	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #1
MSM2_AGE	1034	1035	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #2
MSM3_AGE	1036	1037	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #3

1996 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
MSM4_AGE	1038	1039	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #4
MSR1_AGE	1040	1041	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/RUBELLA SHOT #1
MSR2_AGE	1042	1043	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/RUBELLA SHOT #2
MSR3_AGE	1044	1045	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/RUBELLA SHOT #3
MSR4_AGE	1046	1047	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/RUBELLA SHOT #4
POL1_AGE	1048	1049	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 1
POL2_AGE	1050	1051	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 2
POL3_AGE	1052	1053	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 3
POL4_AGE	1054	1055	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 4
POL5_AGE	1056	1057	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 5
POL6_AGE	1058	1059	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 6
POL7_AGE	1060	1061	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 7
POL8_AGE	1062	1063	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 8
RB1_AGE	1064	1065	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #1
RB2_AGE	1066	1067	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #2
RB3_AGE	1068	1069	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #3
RB4_AGE	1070	1071	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #4
RB5_AGE	1072	1073	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #5
RB6_AGE	1074	1075	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #6
RB7_AGE	1076	1077	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #7
RB8_AGE	1078	1079	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #8
VRC1_AGE	1080	1081	9	AGE IN MONTHS OF PROVIDER-REPORTED VARICELLA SHOT #1
VRC2_AGE	1082	1083	9	AGE IN MONTHS OF PROVIDER-REPORTED VARICELLA SHOT #2
VRC3_AGE	1084	1085	9	AGE IN MONTHS OF PROVIDER-REPORTED VARICELLA SHOT #3
VRC4_AGE	1086	1087	9	AGE IN MONTHS OF PROVIDER-REPORTED VARICELLA SHOT #4

1996 National Immunization Survey Public-Use Data File

SECTION 1. ID, WEIGHT AND FLAG VARIABLES

Section	1
Variable Name	SEQNUMC
Label	UNIQUE CHILD IDENTIFIER
Response	
Categories	Statistics Description
	33305 NON-MISSING CHARACTER STRING
	000011 MINIMUM VALUE
	323711 MAXIMUM VALUE
Type	CHAR
Location	0001 - 0006
Width	6
Sequence Order	1
Notes	

Section	1
Variable Name	SEQNUMHH
Label	UNIQUE HOUSEHOLD IDENTIFIER
Response	
Categories	Statistics Description
	33305 NON-MISSING CHARACTER STRING
	00001 MINIMUM VALUE
	32371 MAXIMUM VALUE
Type	CHAR
Location	0007 - 0011
Width	5
Sequence Order	2
Notes	EACH HOUSEHOLD CONTAINS ONE OR MORE CHILDREN AGE 19-35 MONTHS.

1996 National Immunization Survey Public-Use Data File

SECTION 1. ID, WEIGHT AND FLAG VARIABLES

```

-----
Section          1
Variable Name    HY_WGT
Label           MODIFIED-POSTSTRATIFICATION (HH) WEIGHT FOR CHILD
Response
Categories      Statistics  Description
                33305    NUMBER OF NON-MISSING
                0        NUMBER OF MISSING

                172.09   AVERAGE/MEAN
                104.66   MEDIAN VALUE
                4.42    MINIMUM VALUE
                1947.96  MAXIMUM VALUE

Type            NUM
Location        0012 - 0021
Width           10
Sequence Order  3
Notes           FINAL HOUSEHOLD WEIGHT FOR CHILD.  USE THIS WEIGHT FOR
                ESTIMATES BASED ON CHILDREN WITH COMPLETED HOUSEHOLD
                INTERVIEWS.  THIS VARIABLE IS CALCULATED TO 5 DECIMAL PLACES.
-----

```

```

-----
Section          1
Variable Name    W0
Label           OVERALL VACCINATION HISTORY NONRESPONSE ADJUSTED WEIGHT FOR
                CHILDREN WITH ADEQUATE PROVIDER DATA
Response
Categories      Statistics  Description
                21099   NUMBER OF NON-MISSING
                12206   NUMBER OF MISSING

                271.65   AVERAGE/MEAN
                155.77   MEDIAN VALUE
                6.66    MINIMUM VALUE
                4669.96  MAXIMUM VALUE

Type            NUM
Location        0022 - 0031
Width           10
Sequence Order  4
Notes           FINAL CHILD WEIGHT TO USE FOR THE CALCULATION OF VACCINATION
                COVERAGE RATES FOR CHILDREN WITH ADEQUATE PROVIDER DATA
                (PDAT = 1).  THIS VARIABLE IS CALCULATED TO 5 DECIMAL PLACES.
-----

```

1996 National Immunization Survey Public-Use Data File

SECTION 1. ID, WEIGHT AND FLAG VARIABLES

Section	1
Variable Name	YEAR
Label	YEAR OF INTERVIEW
Response	
Categories	Freq Value Label
	33305 1996
Type	NUM
Location	0032 - 0035
Width	4
Sequence Order	5
Notes	YEAR OF INTERVIEW IS 1996.

Section	1
Variable Name	PDAT
Label	CHILD HAS ADEQUATE PROVIDER DATA
Response	
Categories	Freq Value Label
	21099 1 USABLE PROVIDER DATA
	12206 2 NO USABLE PROVIDER DATA
Type	NUM
Location	0036 - 0036
Width	1
Sequence Order	6
Notes	USE PDAT = 1 TO IDENTIFY CHILDREN WITH ADEQUATE PROVIDER DATA.

1996 National Immunization Survey Public-Use Data File

SECTION 2. HOUSEHOLD VACCINATION VARIABLES

Section 2
Variable Name ALL4SHOT
Label 4:3:1:3 UP-TO-DATE (HH REPORT)
Response
Categories

	Freq	Value	Label
	3650	.	MISSING
	15507	1	YES
	11479	2	NO
	2650	6	DON'T KNOW
	19	7	REFUSED

Type NUM
Location 0037 - 0037
Width 1
Sequence Order 7
Notes 4+ DTP, 3+ POLIO, 1+ MCV AND 3+ HIB. REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

Section 2
Variable Name C_431
Label HOUSEHOLD REPORT OF 4:3:1 UP-TO-DATE BY SHOT CARD USE
Response
Categories

	Freq	Value	Label
	11595	1	UTD 431/SC
	5483	2	NOT UTD 431/ SC
	7006	3	UTD 431/NSC
	4555	4	NOT UTD 431/ NSC
	4666	5	MISSING 431/SC,NSC

Type NUM
Location 0038 - 0038
Width 1
Sequence Order 8
Notes 4+ DTP, 3+ POLIO AND 1+ MCV. SC = SHOT CARD, NSC = NON-SHOT CARD. REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

1996 National Immunization Survey Public-Use Data File

SECTION 2. HOUSEHOLD VACCINATION VARIABLES

Section 2
Variable Name C_4313
Label HOUSEHOLD REPORT OF 4:3:1:3 UP-TO-DATE BY SHOT CARD USE

Response
Categories

Freq	Value	Label
10207	1	UTD 4313/SC
6871	2	NOT UTD 4313/ SC
5300	3	UTD 4313/NSC
4608	4	NOT UTD 4313/ NSC
6319	5	MISSING 4313/SC,NSC

Type NUM
Location 0039 - 0039
Width 1
Sequence Order 9
Notes 4+ DTP, 3+ POLIO, 1+ MCV AND 3+ HIB. SC = SHOT CARD, NSC = NON-SHOT CARD. REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

Section 2
Variable Name C_DTP
Label HOUSEHOLD REPORT OF 4+ DTP UP-TO-DATE BY SHOT CARD USE

Response
Categories

Freq	Value	Label
12337	1	UTD DTP/SC
4741	2	NOT UTD DTP/ SC
8836	3	UTD DTP/NSC
4534	4	NOT UTD DTP/ NSC
2857	5	MISSING DTP/SC,NSC

Type NUM
Location 0040 - 0040
Width 1
Sequence Order 10
Notes SC = SHOT CARD, NSC = NON-SHOT CARD. REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

1996 National Immunization Survey Public-Use Data File

SECTION 2. HOUSEHOLD VACCINATION VARIABLES

Section 2
Variable Name C_HEP
Label HOUSEHOLD REPORT OF 3+ HEPATITIS B UP-TO-DATE BY SHOT CARD USE
Response
Categories

	Freq	Value	Label
	13286	1	UTD HEPB/SC
	3792	2	NOT UTD HEPB/ SC
	7716	3	UTD HEPB/NSC
	4770	4	NOT UTD HEPB/ NSC
	3741	5	MISSING HEPB/SC,NSC

Type NUM
Location 0041 - 0041
Width 1
Sequence Order 11
Notes SC = SHOT CARD, NSC = NON-SHOT CARD. REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

Section 2
Variable Name C_HIB
Label HOUSEHOLD REPORT OF 3+ HIB UP-TO-DATE BY SHOT CARD USE
Response
Categories

	Freq	Value	Label
	13681	1	UTD HIB/SC
	3397	2	NOT UTD HIB/ SC
	6953	3	UTD HIB/NSC
	4465	4	NOT UTD HIB/ NSC
	4809	5	MISSING HIB/SC,NSC

Type NUM
Location 0042 - 0042
Width 1
Sequence Order 12
Notes SC = SHOT CARD, NSC = NON-SHOT CARD. REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

1996 National Immunization Survey Public-Use Data File

SECTION 2. HOUSEHOLD VACCINATION VARIABLES

Section 2
Variable Name C_MMR
Label HOUSEHOLD REPORT OF 1+ MEASLES-CONTAINING VACCINE UP-TO-DATE BY SHOT CARD USE

Response Categories

Freq	Value	Label
15308	1	UTD MMR/SC
1770	2	NOT UTD MMR/ SC
11913	3	UTD MMR/NSC
853	4	NOT UTD MMR/ NSC
3461	5	MISSING MMR/SC,NSC

Type NUM
Location 0043 - 0043
Width 1
Sequence Order 13
Notes SC = SHOT CARD, NSC = NON-SHOT CARD. REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

Section 2
Variable Name C_POL
Label HOUSEHOLD REPORT OF 3+ POLIO UP-TO-DATE BY SHOT CARD USE

Response Categories

Freq	Value	Label
14929	1	UTD POLIO/SC
2149	2	NOT UTD POLIO/ SC
9223	3	UTD POLIO/NSC
4160	4	NOT UTD POLIO/ NSC
2844	5	MISSING POLIO/SC,NSC

Type NUM
Location 0044 - 0044
Width 1
Sequence Order 14
Notes SC = SHOT CARD, NSC = NON-SHOT CARD. REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

1996 National Immunization Survey Public-Use Data File

SECTION 2. HOUSEHOLD VACCINATION VARIABLES

Section 2
Variable Name DTP_SOUR
Label SHOT CARD USED FOR DTP REPORTING
Response
Categories

	Freq	Value	Label
	17078	1	SHOT RECORDS
	545	2	BOTH SHOT RECORDS AND RESPONDENT RECALL
	14997	3	RESPONDENT RECALL ONLY
	685	6	DON'T KNOW

Type NUM
Location 0045 - 0045
Width 1
Sequence Order 15
Notes A VALUE OF 1 IDENTIFIES CHILDREN WITH VACCINATION REPORT FOR DTP BASED ONLY ON A SHOT CARD. A VALUE OF 2 IDENTIFIES CHILDREN WITH A REPORT FOR DTP BASED ON SHOT CARD AND RECALL (HISTORY).

Section 2
Variable Name FUL2_MMR
Label HOUSEHOLD REPORT OF 1+ MMR AT ANY AGE
Response
Categories

	Freq	Value	Label
	1092	.	MISSING
	26443	1	YES
	3401	2	NO
	2346	6	DON'T KNOW
	23	7	REFUSED

Type NUM
Location 0046 - 0046
Width 1
Sequence Order 16
Notes REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

1996 National Immunization Survey Public-Use Data File

SECTION 2. HOUSEHOLD VACCINATION VARIABLES

Section 2
Variable Name FULL_DTP
Label HOUSEHOLD REPORT OF 4+ DTP
Response
Categories

	Freq	Value	Label
	548	.	MISSING
	21173	1	YES
	9275	2	NO
	2291	6	DON'T KNOW
	18	7	REFUSED

Type NUM
Location 0047 - 0047
Width 1
Sequence Order 17
Notes 4+ DTP. REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

Section 2
Variable Name FULL_HEP
Label HOUSEHOLD REPORT OF 3+ HEPATITIS B
Response
Categories

	Freq	Value	Label
	1877	.	MISSING
	21002	1	YES
	8562	2	NO
	1844	6	DON'T KNOW
	20	7	REFUSED

Type NUM
Location 0048 - 0048
Width 1
Sequence Order 18
Notes 3+ HEPATITIS B. REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

1996 National Immunization Survey Public-Use Data File

SECTION 2. HOUSEHOLD VACCINATION VARIABLES

Section 2
Variable Name FULL_HIB
Label HOUSEHOLD REPORT OF 3+ HIB
Response
Categories

	Freq	Value	Label
	2836	.	MISSING
	20634	1	YES
	7862	2	NO
	1961	6	DON'T KNOW
	12	7	REFUSED

Type NUM
Location 0049 - 0049
Width 1
Sequence Order 19
Notes 3+ HIB. REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

Section 2
Variable Name FULL_POL
Label HOUSEHOLD REPORT OF 3+ POLIO
Response
Categories

	Freq	Value	Label
	560	.	MISSING
	24152	1	YES
	6309	2	NO
	2268	6	DON'T KNOW
	16	7	REFUSED

Type NUM
Location 0050 - 0050
Width 1
Sequence Order 20
Notes 3+ POLIO. REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

1996 National Immunization Survey Public-Use Data File

SECTION 2. HOUSEHOLD VACCINATION VARIABLES

Section 2
Variable Name HUTD4313
Label HOUSEHOLD REPORT OF 4:3:1:3 UTD (UP-TO-DATE)
Response
Categories

Freq	Value	Label
15507	1	4:3:1:3 UTD
11479	2	NOT 4:3:1:3 UTD
6319	3	MISSING

Type NUM
Location 0051 - 0051
Width 1
Sequence Order 21
Notes 4+ DTP, 3+ POLIO, 1+ MCV, AND 3+ HIB. REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

Section 2
Variable Name SHOTCARD
Label SHOT CARD USE FLAG
Response
Categories

Freq	Value	Label
17078	1	SHOT CARD
16227	2	NON SHOT CARD

Type NUM
Location 0052 - 0052
Width 1
Sequence Order 22
Notes DTP_SOUR=1 USED TO IDENTIFY SHOTCARD CHILDREN.

1996 National Immunization Survey Public-Use Data File

SECTION 3. DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Section 3
Variable Name AGEGRP
Label AGE CATEGORY OF CHILD (RECODE)
Response
Categories

Freq	Value	Label
9820	1	19 - 23 MONTHS
11725	2	24 - 29 MONTHS
11760	3	30 - 35 MONTHS

Type NUM
Location 0053 - 0053
Width 1
Sequence Order 23
Notes

Section 3
Variable Name C1R
Label NUMBER OF PEOPLE LIVING IN THE HOUSEHOLD (RECODE)
Response
Categories

Freq	Value	Label
153	.	MISSING
1245	2	2
8455	3	3
11933	4	4
6425	5	5
2802	6	6
1154	7	7
1138	8	8+

Type NUM
Location 0054 - 0055
Width 2
Sequence Order 24
Notes

1996 National Immunization Survey Public-Use Data File

SECTION 3. DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

```

-----
Section          3
Variable Name    C5R
Label           RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)
Response
Categories      Freq  Value  Label
                -----
                147    .    MISSING
                28039  1    MOTHER (STEP, FOSTER, ADOPTIVE) OR FEMALE
                3872   2    FATHER (STEP, FOSTER, ADOPTIVE) OR MALE
                758    3    GRANDPARENT
                478    4    OTHER FAMILY MEMBER/FRIEND
                 3     96   DON'T KNOW
                 8     97   REFUSED

Type            NUM
Location        0056 - 0057
Width           2
Sequence Order  25
Notes
-----

```

```

-----
Section          3
Variable Name    CEN_REG
Label           CENSUS REGION BASED ON STATE
Response
Categories      Freq  Value  Label
                -----
                5529   1    NORTHEAST
                7678   2    MIDWEST
                12432  3    SOUTH
                7666   4    WEST

Type            NUM
Location        0058 - 0058
Width           1
Sequence Order  26
Notes
-----

```

1996 National Immunization Survey Public-Use Data File

SECTION 3. DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Section 3
Variable Name CHILDNM
Label NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)
Response
Categories

	Freq	Value	Label
	9828	1	1 CHILD
	19305	2	2-3 CHILDREN
	4004	3	4+ CHILDREN
	168	4	UNKNOWN

Type NUM
Location 0059 - 0059
Width 1
Sequence Order 27
Notes

Section 3
Variable Name EDUC1
Label EDUCATION OF MOTHER CATEGORIES
Response
Categories

	Freq	Value	Label
	4269	1	<12 YEARS
	11610	2	12 YEARS
	6718	3	>12, NON COLLEGE GRADUATE
	10708	4	COLLEGE GRADUATE

Type NUM
Location 0060 - 0060
Width 1
Sequence Order 28
Notes IMPUTED VARIABLE.

1996 National Immunization Survey Public-Use Data File

SECTION 3. DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Section 3
Variable Name ENTRY
Label CHILD LIVES IN STATE WITH HEPATITIS B STATE ENTRY LAW FOR DAY CARE/HEAD START (1996-1997 SCHOOL YEAR)

Response
Categories

Freq	Value	Label
14026	1	YES
19279	2	NO

Type NUM
Location 0061 - 0061
Width 1
Sequence Order 29
Notes OBTAINED FROM STATE IMMUNIZATION REQUIREMENTS, 1996-97.
DEPARTMENT OF HEALTH AND HUMAN SERVICES, PUBLIC HEALTH SERVICES, CENTERS FOR DISEASE CONTROL AND PREVENTION. PAGE 19.

Section 3
Variable Name INCPOV1R
Label POVERTY STATUS(RECODE)

Response
Categories

Freq	Value	Label
21235	1	>= 1.0 (ABOVE)
5658	2	< 1.0 (BELOW)
6412	3	UNKNOWN

Type NUM
Location 0062 - 0062
Width 1
Sequence Order 30
Notes BASED ON 1995 CENSUS POVERTY THRESHOLDS.

1996 National Immunization Survey Public-Use Data File

SECTION 3. DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

```

-----
Section          3
Variable Name    INCOMER
Label           FAMILY INCOME CATEGORIES (RECODE)
Response
Categories      Freq  Value  Label
                -----
                294    .    NO ANSWER GIVEN
                1486   3     0 - $ 7,500
                1970   4    $ 7,501 - $10,000
                586    5    $10,001 - $12,500
                1127   6    $12,501 - $15,000
                892    7    $15,001 - $17,500
                1753   8    $17,501 - $20,000
                4543   9    $20,001 - $30,000
                6843  10   $30,001 - $50,000
                7704  11   $50,001 +
                3706  96   DON'T KNOW
                2401  97   REFUSED

Type            NUM
Location        0063 - 0064
Width           2
Sequence Order  31
Notes          FAMILY INCOME DURING THE PAST 12 MONTHS.
-----

```

```

-----
Section          3
Variable Name    I_HISP_K
Label           HISPANIC ORIGIN OF CHILD
Response
Categories      Freq  Value  Label
                -----
                4827   1    HISPANIC
                28478  2    NOT HISPANIC

Type            NUM
Location        0065 - 0065
Width           1
Sequence Order  32
Notes          IMPUTED VARIABLE.
-----

```

1996 National Immunization Survey Public-Use Data File

SECTION 3. DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Section 3
Variable Name I_HISP_M
Label HISPANIC ORIGIN OF MOTHER
Response
Categories

	Freq	Value	Label
	4273	1	HISPANIC
	29032	2	NOT HISPANIC

Type NUM
Location 0066 - 0066
Width 1
Sequence Order 33
Notes IMPUTED VARIABLE.

Section 3
Variable Name I_RACEKR
Label RACE OF CHILD (RECODE)
Response
Categories

	Freq	Value	Label
	24469	1	WHITE
	6641	2	BLACK
	2195	3	ALL OTHER (AMERICAN INDIAN+ASIAN+OTHER)

Type NUM
Location 0067 - 0067
Width 1
Sequence Order 34
Notes IMPUTED VARIABLE. ONLY CONTAINS RACE.

Section 3
Variable Name I_RACEMR
Label RACE OF MOTHER (RECODE)
Response
Categories

	Freq	Value	Label
	24882	1	WHITE
	6284	2	BLACK
	2139	3	ALL OTHER (AMERICAN INDIAN+ASIAN+OTHER)

Type NUM
Location 0068 - 0068
Width 1
Sequence Order 35
Notes IMPUTED VARIABLE. ONLY CONTAINS RACE.

1996 National Immunization Survey Public-Use Data File

SECTION 3. DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Section 3
Variable Name MARITAL
Label MARITAL STATUS OF MOTHER CATEGORIES
Response
Categories

	Freq	Value	Label
	2991	1	WIDOWED/DIVORCED/SEPARATED
	6322	2	NEVER MARRIED
	23816	3	MARRIED
	35	4	DECEASED
	141	5	MISSING

Type NUM
Location 0069 - 0069
Width 1
Sequence Order 36
Notes IMPUTED VARIABLE: MOTHER'S MARITAL STATUS WAS HOWEVER NOT IMPUTED IN Q1 AND Q2/1996. CHILDREN WITH A MISSING MOTHER'S MARITAL STATUS ARE CODED AS 5 IN THESE TWO QUARTERS.

Section 3
Variable Name MOBIL
Label GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE OF RESIDENCE
Response
Categories

	Freq	Value	Label
	3594	1	MOVED FROM DIFFERENT STATE
	29711	2	DID NOT MOVE FROM DIFFERENT STATE

Type NUM
Location 0070 - 0070
Width 1
Sequence Order 37
Notes

1996 National Immunization Survey Public-Use Data File

SECTION 3. DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

```
-----
Section          3
Variable Name    RACEKIDR
Label           RACE/ETHNICITY OF CHILD (RECODE)
Response
Categories              Freq  Value  Label
                        4827    1  HISPANIC
                        20831   2  WHITE, NON HISPANIC
                        5878    3  BLACK, NON HISPANIC
                        1769    4  ALL OTHER, NON HISPANIC

Type            NUM
Location        0071 - 0071
Width           1
Sequence Order  38
Notes          IMPUTED VARIABLE. COMBINES HISPANIC ORIGIN AND RACE.
-----
```

```
-----
Section          3
Variable Name    RACEMOMR
Label           RACE/ETHNICITY OF MOTHER (RECODE)
Response
Categories              Freq  Value  Label
                        4273    1  HISPANIC
                        21644   2  WHITE, NON HISPANIC
                        5610    3  BLACK, NON HISPANIC
                        1778    4  ALL OTHER, NON HISPANIC

Type            NUM
Location        0072 - 0072
Width           1
Sequence Order  39
Notes          IMPUTED VARIABLE. COMBINES HISPANIC ORIGIN AND RACE.
-----
```

```
-----
Section          3
Variable Name    SEX
Label           GENDER OF CHILD
Response
Categories              Freq  Value  Label
                        17089    1  MALE
                        16216    2  FEMALE

Type            NUM
Location        0073 - 0073
Width           1
Sequence Order  40
Notes
```

1996 National Immunization Survey Public-Use Data File

SECTION 4. GEOGRAPHIC VARIABLES

Section	4		
Variable Name	ITRUEIAP		
Label	IAP AREA OF CURRENT RESIDENCE		
Response			
Categories	Freq	Value	Label
	419	1	CT
	434	2	MA-REST OF STATE
	414	3	MA-CITY OF BOSTON
	424	4	ME
	424	5	NH
	442	6	RI
	446	7	VT
	492	8	NJ-REST OF STATE
	390	9	NJ-CITY OF NEWARK
	405	10	NY-REST OF STATE
	410	11	NY-NYC 5 COUNTIES
	446	12	DISTRICT OF COLUMBIA
	446	13	DE
	439	14	MD-REST OF STATE
	390	15	MD-CITY OF BALTIMORE
	421	16	PA-REST OF STATE
	408	17	PA-PHILADELPHIA COUNTY
	431	18	VA
	416	19	WV
	459	20	AL-REST OF STATE
	406	21	AL-JEFFERSON COUNTY
	428	22	FL-REST OF STATE
	426	23	FL-DUVAL COUNTY
	442	24	FL-DADE COUNTY
	455	25	GA-REST OF STATE
	407	26	GA-FULTON/DEKALB COUNTIES
	430	27	KY
	433	28	MS
	424	29	NC
	420	30	SC
	438	31	TN-REST OF STATE
	427	32	TN-SHELBY COUNTY
	420	33	TN-DAVIDSON COUNTY
	434	34	IL-REST OF STATE
	426	35	IL-CITY OF CHICAGO
	475	36	IN-REST OF STATE
	389	37	IN-MARION COUNTY
	444	38	MI-REST OF STATE
	394	39	MI-CITY OF DETROIT
	445	40	MN
	455	41	OH-REST OF STATE
	417	42	OH-CUYAHOGA COUNTY
	383	43	OH-FRANKLIN COUNTY
	423	44	WI-REST OF STATE
	413	45	WI-MILWAUKEE COUNTY
	432	46	AR
	426	47	LA-REST OF STATE

1996 National Immunization Survey Public-Use Data File

SECTION 4. GEOGRAPHIC VARIABLES

429	48	LA-ORLEANS PARISH
422	49	NM
422	50	OK
470	51	TX-REST OF STATE
415	52	TX-DALLAS COUNTY
440	53	TX-EL PASO COUNTY
388	54	TX-CITY OF HOUSTON
427	55	TX-BEXAR COUNTY
433	56	IA
428	57	KS
428	58	MO
427	59	NE
425	60	CO
433	61	MT
429	62	ND
435	63	SD
430	64	UT
432	65	WY
436	66	AZ-REST OF STATE
425	67	AZ-MARICOPA COUNTY
436	68	CA-REST OF STATE
417	69	CA-LOS ANGELES COUNTY
403	70	CA-SANTA CLARA COUNTY
430	71	CA-SAN DIEGO COUNTY
424	72	HI
436	73	NV
430	74	AK
425	75	ID
418	76	OR
439	77	WA-REST OF STATE
405	78	WA-KING COUNTY

Type	NUM
Location	0074 - 0075
Width	2
Sequence Order	41
Notes	USE AS STRATUM IDENTIFIER WHEN CALCULATING STANDARD ERRORS.

1996 National Immunization Survey Public-Use Data File

SECTION 4. GEOGRAPHIC VARIABLES

Section	4		
Variable Name	STATE		
Label	STATE OF RESIDENCE (STATE FIPS CODE)		
Response			
Categories	Freq	Value	Label
	865	1	ALABAMA
	430	2	ALASKA
	861	4	ARIZONA
	432	5	ARKANSAS
	1686	6	CALIFORNIA
	425	8	COLORADO
	419	9	CONNECTICUT
	446	10	DELAWARE
	446	11	DIST. OF COLUMBIA
	1296	12	FLORIDA
	862	13	GEORGIA
	424	15	HAWAII
	425	16	IDAHO
	860	17	ILLINOIS
	864	18	INDIANA
	433	19	IOWA
	428	20	KANSAS
	430	21	KENTUCKY
	855	22	LOUISIANA
	424	23	MAINE
	829	24	MARYLAND
	848	25	MASSACHUSETTS
	838	26	MICHIGAN
	445	27	MINNESOTA
	433	28	MISSISSIPPI
	428	29	MISSOURI
	433	30	MONTANA
	427	31	NEBRASKA
	436	32	NEVADA
	424	33	NEW HAMPSHIRE
	882	34	NEW JERSEY
	422	35	NEW MEXICO
	815	36	NEW YORK
	424	37	NORTH CAROLINA
	429	38	NORTH DAKOTA
	1255	39	OHIO
	422	40	OKLAHOMA
	418	41	OREGON
	829	42	PENNSYLVANIA
	442	44	RHODE ISLAND
	420	45	SOUTH CAROLINA
	435	46	SOUTH DAKOTA
	1285	47	TENNESSEE
	2140	48	TEXAS
	430	49	UTAH
	446	50	VERMONT
	431	51	VIRGINIA

1996 National Immunization Survey Public-Use Data File

SECTION 4. GEOGRAPHIC VARIABLES

844	53	WASHINGTON
416	54	WEST VIRGINIA
836	55	WISCONSIN
432	56	WYOMING

Type	NUM
Location	0076 - 0077
Width	2
Sequence Order	42
Notes	

1996 National Immunization Survey Public-Use Data File

SECTION 5. NUMBER OF PROVIDERS IDENTIFIED AND CONSENT VARIABLES

Section 5
Variable Name D6R
Label NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT
(RECODE)

Response
Categories

Freq	Value	Label
1679	.	MISSING
170	0	0
22262	1	1
7550	2	2
1644	3	3+

Type NUM
Location 0078 - 0078
Width 1
Sequence Order 43
Notes NUMBER OF VACCINATIONS PROVIDERS IDENTIFIED FOR THE CHILD IN
QUESTION D6 DURING THE HOUSEHOLD INTERVIEW. RANGE: 1 TO 5
PROVIDERS.

1996 National Immunization Survey Public-Use Data File

SECTION 6. NUMBER OF RESPONDING PROVIDER VARIABLES

Section	6																																							
Variable Name	DISPCODE																																							
Label	NIS PROVIDER RECORD-CHECK DISPOSITION CODE																																							
Response																																								
Categories	<table border="0" style="margin-left: 40px;"> <thead> <tr> <th style="text-align: left;">Freq</th> <th style="text-align: left;">Value</th> <th style="text-align: left;">Label</th> </tr> </thead> <tbody> <tr><td>11837</td><td>.</td><td></td></tr> <tr><td>10443</td><td>1</td><td></td></tr> <tr><td>8170</td><td>2</td><td></td></tr> <tr><td>817</td><td>3</td><td></td></tr> <tr><td>132</td><td>4</td><td></td></tr> <tr><td>1180</td><td>5</td><td></td></tr> <tr><td>70</td><td>6</td><td></td></tr> <tr><td>369</td><td>7</td><td></td></tr> <tr><td>31</td><td>8</td><td></td></tr> <tr><td>34</td><td>9</td><td></td></tr> <tr><td>130</td><td>10</td><td></td></tr> <tr><td>92</td><td>11</td><td></td></tr> </tbody> </table>	Freq	Value	Label	11837	.		10443	1		8170	2		817	3		132	4		1180	5		70	6		369	7		31	8		34	9		130	10		92	11	
Freq	Value	Label																																						
11837	.																																							
10443	1																																							
8170	2																																							
817	3																																							
132	4																																							
1180	5																																							
70	6																																							
369	7																																							
31	8																																							
34	9																																							
130	10																																							
92	11																																							
Type	NUM																																							
Location	0079 - 0080																																							
Width	2																																							
Sequence Order	44																																							
Notes	SEE USER'S GUIDE FOR DEFINITION OF CODES. CHILDREN WITH A DISPCODE = 7 HAVE INADEQUATE PROVIDER DATA (PDAT = 2) TO DETERMINE UP-TO-DATE STATUS OF CHILD. THESE CHILDREN SHOULD NOT BE USED IN THE CALCULATION OF VACCINATION COVERAGE RATES.																																							

Section	6															
Variable Name	N_PRVR															
Label	NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (RECODE)															
Response																
Categories	<table border="0" style="margin-left: 40px;"> <thead> <tr> <th style="text-align: left;">Freq</th> <th style="text-align: left;">Value</th> <th style="text-align: left;">Label</th> </tr> </thead> <tbody> <tr><td>11837</td><td>.</td><td>MISSING</td></tr> <tr><td>17538</td><td>1</td><td>1</td></tr> <tr><td>3569</td><td>2</td><td>2</td></tr> <tr><td>361</td><td>3</td><td>3+</td></tr> </tbody> </table>	Freq	Value	Label	11837	.	MISSING	17538	1	1	3569	2	2	361	3	3+
Freq	Value	Label														
11837	.	MISSING														
17538	1	1														
3569	2	2														
361	3	3+														
Type	NUM															
Location	0081 - 0081															
Width	1															
Sequence Order	45															
Notes	TOTAL NUMBER OF VACCINATION PROVIDERS RESPONDING WITH VACCINATION INFORMATION FOR THE CHILD. RANGE: 1 TO 5 PROVIDERS.															

1996 National Immunization Survey Public-Use Data File

SECTION 7. CHARACTERISTICS OF PROVIDER VARIABLES

Section 7
Variable Name CARTYP1
Label CHILD'S PROVIDERS OFFER ROUTINE WELL CARE
Response
Categories

	Freq	Value	Label
	11837	.	MISSING
	15190	1	ALL PROVIDERS
	1913	2	SOME BUT NOT ALL PROVIDERS
	4365	3	NO PROVIDER/UNKNOWN

Type NUM
Location 0082 - 0082
Width 1
Sequence Order 46
Notes CONSTRUCTED FROM THE RESPONSES OF UP TO FIVE PROVIDERS.

Section 7
Variable Name CARTYP2
Label CHILD'S PROVIDERS OFFER SICK/EMERGENCY VISITS
Response
Categories

	Freq	Value	Label
	11837	.	MISSING
	13890	1	ALL PROVIDERS
	2075	2	SOME BUT NOT ALL PROVIDERS
	5503	3	NO PROVIDER/UNKNOWN

Type NUM
Location 0083 - 0083
Width 1
Sequence Order 47
Notes CONSTRUCTED FROM THE RESPONSES OF UP TO FIVE PROVIDERS.

Section 7
Variable Name CARTYP3
Label CHILD'S PROVIDERS OFFER VACCINATION VISITS
Response
Categories

	Freq	Value	Label
	11837	.	MISSING
	17128	1	ALL PROVIDERS
	1610	2	SOME BUT NOT ALL PROVIDERS
	2730	3	NO PROVIDER/UNKNOWN

Type NUM
Location 0084 - 0084
Width 1
Sequence Order 48
Notes CONSTRUCTED FROM THE RESPONSES OF UP TO FIVE PROVIDERS.

1996 National Immunization Survey Public-Use Data File

SECTION 7. CHARACTERISTICS OF PROVIDER VARIABLES

```
-----
Section              7
Variable Name       CARTYP4
Label              CHILD'S PROVIDERS OFFER OTHER SERVICES
Response
Categories          Freq  Value  Label

                  11837    .  MISSING
                   3         1  ALL PROVIDERS
                  21465    3  NO PROVIDER/UNKNOWN

Type               NUM
Location           0085 - 0085
Width              1
Sequence Order     49
Notes             CONSTRUCTED FROM THE RESPONSES OF UP TO FIVE PROVIDERS.
-----
```

```
-----
Section              7
Variable Name       CARTYP5
Label              CHILD'S PROVIDERS OFFER WIC PROGRAM/SERVICES
Response
Categories          Freq  Value  Label

                  11837    .  MISSING
                   10         1  ALL PROVIDERS
                     1         2  SOME BUT NOT ALL PROVIDERS
                  21457    3  NO PROVIDER/UNKNOWN

Type               NUM
Location           0086 - 0086
Width              1
Sequence Order     50
Notes             CONSTRUCTED FROM THE RESPONSES OF UP TO FIVE PROVIDERS.
-----
```

```
-----
Section              7
Variable Name       PROV_FAC
Label              PROVIDER FACILITY TYPE
Response
Categories          Freq  Value  Label

                  11837    .  MISSING
                   3927    1  ALL PUBLIC FACILITIES
                    774    2  ALL HOSPITAL FACILITIES
                  12437    3  ALL PRIVATE FACILITIES
                    569    4  ALL MILITARY/OTHER FACILITIES
                   1808    5  MIXED(ONE OR MORE OF ABOVE CATEGORIES)
                   1953    6  TYPE OF FACILITY UNKNOWN

Type               NUM
Location           0087 - 0087
Width              1
Sequence Order     51
Notes             CONSTRUCTED FROM THE RESPONSES OF UP TO 5 PROVIDERS.
-----
```

1996 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Section 8
 Variable Name P_UTD431
 Label UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1
 Response
 Categories

Freq	Value	Label
11837	.	MISSING
4562	0	NOT UTD
16906	1	UTD

Type NUM
 Location 0088 - 0088
 Width 1
 Sequence Order 52
 Notes 4+ DTP, 3+ POLIO AND 1+ MCV.

Section 8
 Variable Name PUTD4313
 Label UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3
 Response
 Categories

Freq	Value	Label
11837	.	MISSING
4966	0	NOT UTD
16502	1	UTD

Type NUM
 Location 0089 - 0089
 Width 1
 Sequence Order 53
 Notes 4+ DTP, 3+ POLIO, 1+ MCV AND 3+ HIB

Section 8
 Variable Name PUT43133
 Label UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3
 Response
 Categories

Freq	Value	Label
11837	.	MISSING
6986	0	NOT UTD
14482	1	UTD

Type NUM
 Location 0090 - 0090
 Width 1
 Sequence Order 54
 Notes 4+ DTP, 3+ POLIO, 1+ MCV, 3+ HIB AND 3+ HEP B.

1996 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Section 8
Variable Name P_UTD331
Label UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1
Response
Categories

Freq	Value	Label
11837	.	MISSING
3124	0	NOT UTD
18344	1	UTD

Type NUM
Location 0091 - 0091
Width 1
Sequence Order 55
Notes 3+ DTP, 3+ POLIO AND 1+ MCV.

Section 8
Variable Name P_U12VRC
Label UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA AT 12+ MONTHS
Response
Categories

Freq	Value	Label
11837	.	MISSING
18908	0	NOT UTD
2560	1	UTD

Type NUM
Location 0092 - 0092
Width 1
Sequence Order 56
Notes VARICELLA WAS NOT INCLUDED ON THE IHQ IN Q1 AND Q2/1996.
VARICELLA "OTHER SHOT" VERBATIMS WERE HOWEVER BACK-CODED.

Section 8
Variable Name P_UTDHEP
Label UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B
Response
Categories

Freq	Value	Label
11837	.	MISSING
4010	0	NOT UTD
17458	1	UTD

Type NUM
Location 0093 - 0093
Width 1
Sequence Order 57
Notes INCLUDES ALL HEPATITIS B-CONTAINING VACCINES.

1996 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Section 8
Variable Name P_UTDHIB
Label UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB
Response
Categories

Freq	Value	Label
11837	.	MISSING
1780	0	NOT UTD
19688	1	UTD

Type NUM
Location 0094 - 0094
Width 1
Sequence Order 58
Notes INCLUDES ALL HIB-CONTAINING VACCINES.

Section 8
Variable Name P_UTDMCV
Label UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MCV
Response
Categories

Freq	Value	Label
11837	.	MISSING
2096	0	NOT UTD
19372	1	UTD

Type NUM
Location 0095 - 0095
Width 1
Sequence Order 59
Notes INCLUDES ALL MEASLES-CONTAINING VACCINES (MCV).

Section 8
Variable Name P_UTDMMX
Label UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MMR (NOT INCLUDING ANY MEASLES-ONLY SHOTS)

Response
Categories

Freq	Value	Label
11837	.	MISSING
2115	0	NOT UTD
19353	1	UTD

Type NUM
Location 0096 - 0096
Width 1
Sequence Order 60
Notes ONLY INCLUDES MMR VACCINES.

1996 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Section 8
Variable Name P_UTDPOL
Label UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO
Response
Categories

Freq	Value	Label
11837	.	MISSING
1982	0	NOT UTD
19486	1	UTD

Type NUM
Location 0097 - 0097
Width 1
Sequence Order 61
Notes INCLUDES ALL POLIO-CONTAINING VACCINES.

Section 8
Variable Name P_UTDTP3
Label UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DTP
Response
Categories

Freq	Value	Label
11837	.	MISSING
1130	0	NOT UTD
20338	1	UTD

Type NUM
Location 0098 - 0098
Width 1
Sequence Order 62
Notes INCLUDES ALL DTP-CONTAINING VACCINES.

Section 8
Variable Name P_UTDTP4
Label UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DTP
Response
Categories

Freq	Value	Label
11837	.	MISSING
3954	0	NOT UTD
17514	1	UTD

Type NUM
Location 0099 - 0099
Width 1
Sequence Order 63
Notes INCLUDES ALL DTP-CONTAINING VACCINES.

1996 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

```

-----
Section                8
Variable Name         P_NUMDHB
Label                NUMBER OF DTP/HIB COMBINATION SHOTS (ALL TYPES), AS DETERMINED
                    FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY
                    THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.

Response
Categories            Freq  Value  Label

                    11837    .
                    10921    0
                    1978     1
                    1138     2
                    3499     3
                    3854     4
                     63      5
                     14      6
                     1       7

Type                  NUM
Location              0100 - 0100
Width                 1
Sequence Order        64
Notes                 INCLUDES ALL TYPES OF DTP/HIB VACCINES.
-----

```

```

-----
Section                8
Variable Name         P_NUMDTA
Label                NUMBER OF DTAP SHOTS, AS DETERMINED FROM PROVIDER
                    INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S)
                    AS OCCURRING AFTER THE RDD INTERVIEW DATE.

Response
Categories            Freq  Value  Label

                    11837    .
                    19550    0
                    1898     1
                     15      2
                      2      3
                      3      4

Type                  NUM
Location              0101 - 0101
Width                 1
Sequence Order        65
Notes                 ONLY INCLUDES DTAP VACCINES, WHICH WERE BACK-CODED FROM THE
                    "OTHER SHOT" VERBATIMS.
-----

```

1996 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Section 8
 Variable Name P_NUMDTP
 Label NUMBER OF DTP SHOTS (ALL TYPES INCLUDING DT), AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.

Response Categories

Freq	Value	Label
11837	.	
154	0	
437	1	
539	2	
2824	3	
16724	4	
641	5	
100	6	
37	7	
11	8	
1	9	

Type NUM
 Location 0102 - 0102
 Width 1
 Sequence Order 66
 Notes INCLUDES ALL DTP-CONTAINING VACCINES.

Section 8
 Variable Name P_NUMHEP
 Label NUMBER OF HEPATITIS B (ALL TYPES) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.

Response Categories

Freq	Value	Label
11837	.	
1735	0	
598	1	
1677	2	
16373	3	
881	4	
165	5	
35	6	
3	7	
1	8	

Type NUM
 Location 0103 - 0103
 Width 1
 Sequence Order 67
 Notes INCLUDES ALL HEPATITIS B-CONTAINING VACCINES.

1996 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Section 8
Variable Name P_NUMHIB
Label NUMBER OF HIB (ALL TYPES) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.

Response
Categories

Freq	Value	Label
11837	.	
359	0	
633	1	
788	2	
3684	3	
15190	4	
673	5	
102	6	
28	7	
11	8	

Type NUM
Location 0104 - 0104
Width 1
Sequence Order 68
Notes INCLUDES ALL HIB-CONTAINING VACCINES.

Section 8
Variable Name P_NUMMMR
Label NUMBER OF MCV (MEASLES-CONTAINING VACCINE) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.

Response
Categories

Freq	Value	Label
11837	.	
2096	0	
18856	1	
479	2	
31	3	
6	4	

Type NUM
Location 0105 - 0105
Width 1
Sequence Order 69
Notes INCLUDES ALL MEASLES-CONTAINING VACCINES (MCV).

1996 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Section 8
Variable Name P_NUMMMX
Label NUMBER OF TRUE MMR (NOT INCLUDING MEASLES-ONLY SHOTS), AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.

Response
Categories

Freq	Value	Label
11837	.	
2115	0	
18941	1	
379	2	
27	3	
6	4	

Type NUM
Location 0106 - 0106
Width 1
Sequence Order 70
Notes ONLY INCLUDES MMR VACCINES.

Section 8
Variable Name P_NUMPOL
Label NUMBER OF POLIO (ALL TYPES) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.

Response
Categories

Freq	Value	Label
11837	.	
274	0	
461	1	
1247	2	
15751	3	
3488	4	
192	5	
44	6	
9	7	
2	8	

Type NUM
Location 0107 - 0107
Width 1
Sequence Order 71
Notes INCLUDES ALL POLIO VACCINES.

1996 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Section 8
Variable Name P_NUMRB
Label NUMBER OF RUBELLA SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.

Response
Categories

Freq	Value	Label
11837	.	
21466	0	
2	1	

Type NUM
Location 0108 - 0108
Width 1
Sequence Order 72
Notes

Section 8
Variable Name P_NUMVRC
Label NUMBER OF VARICELLA (CHICKEN POX) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.

Response
Categories

Freq	Value	Label
11837	.	
18774	0	
2667	1	
16	2	
4	3	
7	4	

Type NUM
Location 0109 - 0109
Width 1
Sequence Order 73
Notes VARICELLA WAS NOT INCLUDED ON THE IHQ IN Q1 AND Q2/1996. VARICELLA OTHER SHOT VERBATIMS WERE HOWEVER BACK-CODED.

1996 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Section 8
Variable Name VB11
Label VERBATIM TEXT FOR 1ST OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
Response
Categories Frequency of Missing/Non-missing Values

30631	MISSING
2674	NON-MISSING CHARACTER STRING

Type CHAR
Location 0110 - 0139
Width 30
Sequence Order 74
Notes ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

Section 8
Variable Name VB12
Label VERBATIM TEXT FOR 1ST OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
Response
Categories Frequency of Missing/Non-missing Values

33067	MISSING
238	NON-MISSING CHARACTER STRING

Type CHAR
Location 0140 - 0169
Width 30
Sequence Order 75
Notes ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

Section 8
Variable Name VB13
Label VERBATIM TEXT FOR 1ST OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
Response
Categories Frequency of Missing/Non-missing Values

33285	MISSING
20	NON-MISSING CHARACTER STRING

Type CHAR
Location 0170 - 0199
Width 30
Sequence Order 76
Notes ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

1996 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Section 8
Variable Name VB21
Label VERBATIM TEXT FOR 2ND OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
Response
Categories Frequency of Missing/Non-missing Values

32834	MISSING
471	NON-MISSING CHARACTER STRING

Type CHAR
Location 0200 - 0229
Width 30
Sequence Order 77
Notes ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

Section 8
Variable Name VB22
Label VERBATIM TEXT FOR 2ND OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
Response
Categories Frequency of Missing/Non-missing Values

33255	MISSING
50	NON-MISSING CHARACTER STRING

Type CHAR
Location 0230 - 0259
Width 30
Sequence Order 78
Notes ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

Section 8
Variable Name VB23
Label VERBATIM TEXT FOR 2ND OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
Response
Categories Frequency of Missing/Non-missing Values

33303	MISSING
2	NON-MISSING CHARACTER STRING

Type CHAR
Location 0260 - 0289
Width 30
Sequence Order 79
Notes ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

1996 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Section 8
Variable Name VB31
Label VERBATIM TEXT FOR 3RD OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
Response
Categories Frequency of Missing/Non-missing Values

33165	MISSING
140	NON-MISSING CHARACTER STRING

Type CHAR
Location 0290 - 0319
Width 30
Sequence Order 80
Notes ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

Section 8
Variable Name VB32
Label VERBATIM TEXT FOR 3RD OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
Response
Categories Frequency of Missing/Non-missing Values

33281	MISSING
24	NON-MISSING CHARACTER STRING

Type CHAR
Location 0320 - 0349
Width 30
Sequence Order 81
Notes ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

Section 8
Variable Name VB33
Label VERBATIM TEXT FOR 3RD OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
Response
Categories Frequency of Missing/Non-missing Values

33302	MISSING
3	NON-MISSING CHARACTER STRING

Type CHAR
Location 0350 - 0379
Width 30
Sequence Order 82
Notes ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

1996 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Section 8
Variable Name VB41
Label VERBATIM TEXT FOR 4TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
Response
Categories Frequency of Missing/Non-missing Values

32875	MISSING
430	NON-MISSING CHARACTER STRING

Type CHAR
Location 0380 - 0409
Width 30
Sequence Order 83
Notes ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

Section 8
Variable Name VB42
Label VERBATIM TEXT FOR 4TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
Response
Categories Frequency of Missing/Non-missing Values

33261	MISSING
44	NON-MISSING CHARACTER STRING

Type CHAR
Location 0410 - 0439
Width 30
Sequence Order 84
Notes ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

Section 8
Variable Name VB43
Label VERBATIM TEXT FOR 4TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
Response
Categories Frequency of Missing/Non-missing Values

33304	MISSING
1	NON-MISSING CHARACTER STRING

Type CHAR
Location 0440 - 0469
Width 30
Sequence Order 85
Notes ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

1996 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Section 8
Variable Name VB51
Label VERBATIM TEXT FOR 5TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
Response
Categories Frequency of Missing/Non-missing Values

33276	MISSING
29	NON-MISSING CHARACTER STRING

Type CHAR
Location 0470 - 0499
Width 30
Sequence Order 86
Notes ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

Section 8
Variable Name VB52
Label VERBATIM TEXT FOR 5TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
Response
Categories Frequency of Missing/Non-missing Values

33302	MISSING
3	NON-MISSING CHARACTER STRING

Type CHAR
Location 0500 - 0529
Width 30
Sequence Order 87
Notes ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

Section 8
Variable Name VB53
Label VERBATIM TEXT FOR 5TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
Response
Categories Frequency of Missing/Non-missing Values

33305	MISSING
-------	---------

Type CHAR
Location 0530 - 0559
Width 30
Sequence Order 88
Notes ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTAP1
Label           AGE IN DAYS OF PROVIDER-REPORTED DTAP SHOT #1
Response
Categories      Statistics  Description
                1918      NUMBER OF NON-MISSING
                31387     NUMBER OF MISSING

                547.25    AVERAGE/MEAN
                549.00    MEDIAN VALUE
                -1.00     MINIMUM VALUE
                1210.00   MAXIMUM VALUE

Type            NUM
Location        0560 - 0563
Width           4
Sequence Order  89
Notes           SEE SECTION 8 NOTES FOR P_NUMMDTA. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DDTAP2
Label           AGE IN DAYS OF PROVIDER-REPORTED DTAP SHOT #2
Response
Categories      Statistics  Description
                20       NUMBER OF NON-MISSING
                33285     NUMBER OF MISSING

                467.90    AVERAGE/MEAN
                570.50    MEDIAN VALUE
                130.00    MINIMUM VALUE
                925.00    MAXIMUM VALUE

Type            NUM
Location        0564 - 0567
Width           4
Sequence Order  90
Notes           SEE SECTION 8 NOTES FOR P_NUMMDTA. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTAP3
Label           AGE IN DAYS OF PROVIDER-REPORTED DTAP SHOT #3
Response
Categories      Statistics  Description
                5         NUMBER OF NON-MISSING
                33300      NUMBER OF MISSING
                198.40     AVERAGE/MEAN
                205.00     MEDIAN VALUE
                187.00     MINIMUM VALUE
                207.00     MAXIMUM VALUE

Type            NUM
Location        0568 - 0571
Width           4
Sequence Order  91
Notes           SEE SECTION 8 NOTES FOR P_NUMMDTA. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DDTAP4
Label           AGE IN DAYS OF PROVIDER-REPORTED DTAP SHOT #4
Response
Categories      Statistics  Description
                3         NUMBER OF NON-MISSING
                33302      NUMBER OF MISSING
                580.33     AVERAGE/MEAN
                522.00     MEDIAN VALUE
                515.00     MINIMUM VALUE
                704.00     MAXIMUM VALUE

Type            NUM
Location        0572 - 0575
Width           4
Sequence Order  92
Notes           SEE SECTION 8 NOTES FOR P_NUMMDTA. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```


1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DDTAP7
Label AGE IN DAYS OF PROVIDER-REPORTED DTAP SHOT #7
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
33305 NUMBER OF MISSING

Type NUM
Location 0584 - 0587
Width 4
Sequence Order 95
Notes SEE SECTION 8 NOTES FOR P_NUMDTA. IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section 9
Variable Name DDTAP8
Label AGE IN DAYS OF PROVIDER-REPORTED DTAP SHOT #8
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
33305 NUMBER OF MISSING

Type NUM
Location 0588 - 0591
Width 4
Sequence Order 96
Notes SEE SECTION 8 NOTES FOR P_NUMDTA. IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTP1
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING
                DT) #1
Response
Categories      Statistics  Description
                21314  NUMBER OF NON-MISSING
                11991  NUMBER OF MISSING

                78.32  AVERAGE/MEAN
                64.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        0592 - 0595
Width           4
Sequence Order  97
Notes           SEE SECTION 8 NOTES FOR P_NUMDTP. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DDTP2
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING
                DT) #2
Response
Categories      Statistics  Description
                20877  NUMBER OF NON-MISSING
                12428  NUMBER OF MISSING

                150.20  AVERAGE/MEAN
                129.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        0596 - 0599
Width           4
Sequence Order  98
Notes           SEE SECTION 8 NOTES FOR P_NUMDTP. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTP3
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING
                DT) #3
Response
Categories      Statistics  Description
                20338  NUMBER OF NON-MISSING
                12967  NUMBER OF MISSING
                229.49  AVERAGE/MEAN
                196.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        0600  - 0603
Width           4
Sequence Order  99
Notes           SEE SECTION 8 NOTES FOR P_NUMDTP. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DDTP4
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING
                DT) #4
Response
Categories      Statistics  Description
                17514  NUMBER OF NON-MISSING
                15791  NUMBER OF MISSING
                519.74  AVERAGE/MEAN
                526.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        0604  - 0607
Width           4
Sequence Order  100
Notes           SEE SECTION 8 NOTES FOR P_NUMDTP. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTP5
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING
                DT) #5
Response
Categories      Statistics  Description
                790      NUMBER OF NON-MISSING
                32515    NUMBER OF MISSING
                525.12   AVERAGE/MEAN
                530.50   MEDIAN VALUE
                -1.00    MINIMUM VALUE
                1210.00  MAXIMUM VALUE

Type            NUM
Location        0608 - 0611
Width           4
Sequence Order  101
Notes           SEE SECTION 8 NOTES FOR P_NUMDTP. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DDTP6
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING
                DT) #6
Response
Categories      Statistics  Description
                149      NUMBER OF NON-MISSING
                33156    NUMBER OF MISSING
                467.56   AVERAGE/MEAN
                482.00   MEDIAN VALUE
                73.00    MINIMUM VALUE
                930.00   MAXIMUM VALUE

Type            NUM
Location        0612 - 0615
Width           4
Sequence Order  102
Notes           SEE SECTION 8 NOTES FOR P_NUMDTP. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTP7
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING
                DT) #7
Response
Categories      Statistics  Description

                49  NUMBER OF NON-MISSING
                33256 NUMBER OF MISSING

                530.08 AVERAGE/MEAN
                545.00 MEDIAN VALUE
                135.00 MINIMUM VALUE
                1003.00 MAXIMUM VALUE

Type            NUM
Location        0616 - 0619
Width           4
Sequence Order  103
Notes           SEE SECTION 8 NOTES FOR P_NUMDTP. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DDTP8
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING
                DT) #8
Response
Categories      Statistics  Description

                12  NUMBER OF NON-MISSING
                33293 NUMBER OF MISSING

                571.33 AVERAGE/MEAN
                547.00 MEDIAN VALUE
                199.00 MINIMUM VALUE
                922.00 MAXIMUM VALUE

Type            NUM
Location        0620 - 0623
Width           4
Sequence Order  104
Notes           SEE SECTION 8 NOTES FOR P_NUMDTP. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTPHB1
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #1
Response
Categories      Statistics  Description
                10547    NUMBER OF NON-MISSING
                22758    NUMBER OF MISSING

                146.87   AVERAGE/MEAN
                69.00    MEDIAN VALUE
                -1.00    MINIMUM VALUE
                1085.00   MAXIMUM VALUE

Type            NUM
Location        0624 - 0627
Width           4
Sequence Order  105
Notes           SEE SECTION 8 NOTES FOR P_NUMDHB. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DDTPHB2
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #2
Response
Categories      Statistics  Description
                8569    NUMBER OF NON-MISSING
                24736    NUMBER OF MISSING

                171.83   AVERAGE/MEAN
                131.00   MEDIAN VALUE
                -1.00    MINIMUM VALUE
                1210.00   MAXIMUM VALUE

Type            NUM
Location        0628 - 0631
Width           4
Sequence Order  106
Notes           SEE SECTION 8 NOTES FOR P_NUMDHB. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTPHB3
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #3
Response
Categories      Statistics  Description
                7431     NUMBER OF NON-MISSING
                25874    NUMBER OF MISSING

                235.69   AVERAGE/MEAN
                195.00   MEDIAN VALUE
                -1.00    MINIMUM VALUE
                1085.00  MAXIMUM VALUE

Type            NUM
Location        0632 - 0635
Width           4
Sequence Order  107
Notes           SEE SECTION 8 NOTES FOR P_NUMDHB. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DDTPHB4
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #4
Response
Categories      Statistics  Description
                3932     NUMBER OF NON-MISSING
                29373    NUMBER OF MISSING

                498.72   AVERAGE/MEAN
                479.00   MEDIAN VALUE
                -1.00    MINIMUM VALUE
                1044.00  MAXIMUM VALUE

Type            NUM
Location        0636 - 0639
Width           4
Sequence Order  108
Notes           SEE SECTION 8 NOTES FOR P_NUMDHB. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTPHB5
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #5
Response
Categories      Statistics  Description
                78        NUMBER OF NON-MISSING
                33227     NUMBER OF MISSING

                485.79    AVERAGE/MEAN
                493.00    MEDIAN VALUE
                123.00    MINIMUM VALUE
                1210.00   MAXIMUM VALUE

Type            NUM
Location        0640 - 0643
Width           4
Sequence Order  109
Notes           SEE SECTION 8 NOTES FOR P_NUMDHB. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DDTPHB6
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #6
Response
Categories      Statistics  Description
                15        NUMBER OF NON-MISSING
                33290     NUMBER OF MISSING

                441.27    AVERAGE/MEAN
                463.00    MEDIAN VALUE
                198.00    MINIMUM VALUE
                559.00    MAXIMUM VALUE

Type            NUM
Location        0644 - 0647
Width           4
Sequence Order  110
Notes           SEE SECTION 8 NOTES FOR P_NUMDHB. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTPHB7
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #7
Response
Categories       Statistics  Description
                1 NUMBER OF NON-MISSING
                33304 NUMBER OF MISSING
                519.00 AVERAGE/MEAN
                519.00 MEDIAN VALUE
                519.00 MINIMUM VALUE
                519.00 MAXIMUM VALUE

Type            NUM
Location        0648 - 0651
Width           4
Sequence Order  111
Notes          SEE SECTION 8 NOTES FOR P_NUMDHB. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DDTPHB8
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #8
Response
Categories       Statistics  Description
                0 NUMBER OF NON-MISSING
                33305 NUMBER OF MISSING

Type            NUM
Location        0652 - 0655
Width           4
Sequence Order  112
Notes          SEE SECTION 8 NOTES FOR P_NUMDHB. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHEPB1
Label           AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
                SHOT #1
Response
  Categories      Statistics  Description
                19733  NUMBER OF NON-MISSING
                13572  NUMBER OF MISSING
                44.64  AVERAGE/MEAN
                3.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                1210.00  MAXIMUM VALUE

Type            NUM
Location        0656  - 0659
Width           4
Sequence Order  113
Notes           SEE SECTION 8 NOTES FOR P_NUMHEP. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DHEPB2
Label           AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
                SHOT #2
Response
  Categories      Statistics  Description
                19135  NUMBER OF NON-MISSING
                14170  NUMBER OF MISSING
                107.76  AVERAGE/MEAN
                64.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                1210.00  MAXIMUM VALUE

Type            NUM
Location        0660  - 0663
Width           4
Sequence Order  114
Notes           SEE SECTION 8 NOTES FOR P_NUMHEP. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHEPB3
Label           AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
                SHOT #3
Response
  Categories      Statistics  Description
                17458  NUMBER OF NON-MISSING
                15847  NUMBER OF MISSING

                281.49  AVERAGE/MEAN
                262.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        0664  - 0667
Width           4
Sequence Order  115
Notes           SEE SECTION 8 NOTES FOR P_NUMHEP. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DHEPB4
Label           AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
                SHOT #4
Response
  Categories      Statistics  Description
                1085  NUMBER OF NON-MISSING
                32220  NUMBER OF MISSING

                325.19  AVERAGE/MEAN
                274.00  MEDIAN VALUE
                 0.00  MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        0668  - 0671
Width           4
Sequence Order  116
Notes           SEE SECTION 8 NOTES FOR P_NUMHEP. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHEPB5
Label           AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
                SHOT #5
Response
Categories      Statistics  Description
                204      NUMBER OF NON-MISSING
                33101    NUMBER OF MISSING
                357.16   AVERAGE/MEAN
                290.00   MEDIAN VALUE
                43.00    MINIMUM VALUE
                1032.00  MAXIMUM VALUE

Type            NUM
Location        0672  - 0675
Width           4
Sequence Order  117
Notes           SEE SECTION 8 NOTES FOR P_NUMHEP. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DHEPB6
Label           AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
                SHOT #6
Response
Categories      Statistics  Description
                39      NUMBER OF NON-MISSING
                33266    NUMBER OF MISSING
                348.00   AVERAGE/MEAN
                284.00   MEDIAN VALUE
                66.00    MINIMUM VALUE
                1003.00  MAXIMUM VALUE

Type            NUM
Location        0676  - 0679
Width           4
Sequence Order  118
Notes           SEE SECTION 8 NOTES FOR P_NUMHEP. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHEPB7
Label           AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
                SHOT #7
Response
  Categories      Statistics  Description
                4          NUMBER OF NON-MISSING
                33301      NUMBER OF MISSING
                251.50    AVERAGE/MEAN
                205.00    MEDIAN VALUE
                184.00    MINIMUM VALUE
                412.00    MAXIMUM VALUE

Type            NUM
Location        0680  - 0683
Width           4
Sequence Order  119
Notes           SEE SECTION 8 NOTES FOR P_NUMHEP. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DHEPB8
Label           AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
                SHOT #8
Response
  Categories      Statistics  Description
                1          NUMBER OF NON-MISSING
                33304      NUMBER OF MISSING
                189.00    AVERAGE/MEAN
                189.00    MEDIAN VALUE
                189.00    MINIMUM VALUE
                189.00    MAXIMUM VALUE

Type            NUM
Location        0684  - 0687
Width           4
Sequence Order  120
Notes           SEE SECTION 8 NOTES FOR P_NUMHEP. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DHIB1
Label AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #1
Response
Categories Statistics Description

	21109	NUMBER OF NON-MISSING
	12196	NUMBER OF MISSING
	82.39	AVERAGE/MEAN
	64.00	MEDIAN VALUE
	-1.00	MINIMUM VALUE
	1210.00	MAXIMUM VALUE

Type NUM
Location 0688 - 0691
Width 4
Sequence Order 121
Notes SEE SECTION 8 NOTES FOR P_NUMHIB. IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section 9
Variable Name DHIB2
Label AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #2
Response
Categories Statistics Description

	20476	NUMBER OF NON-MISSING
	12829	NUMBER OF MISSING
	152.17	AVERAGE/MEAN
	130.00	MEDIAN VALUE
	-1.00	MINIMUM VALUE
	1210.00	MAXIMUM VALUE

Type NUM
Location 0692 - 0695
Width 4
Sequence Order 122
Notes SEE SECTION 8 NOTES FOR P_NUMHIB. IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHIB3
Label           AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #3
Response
Categories      Statistics  Description
                19688    NUMBER OF NON-MISSING
                13617    NUMBER OF MISSING

                237.74   AVERAGE/MEAN
                197.00   MEDIAN VALUE
                -1.00    MINIMUM VALUE
                1210.00  MAXIMUM VALUE

Type            NUM
Location        0696 - 0699
Width           4
Sequence Order  123
Notes           SEE SECTION 8 NOTES FOR P_NUMHIB. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DHIB4
Label           AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #4
Response
Categories      Statistics  Description
                16004    NUMBER OF NON-MISSING
                17301    NUMBER OF MISSING

                484.55   AVERAGE/MEAN
                471.00   MEDIAN VALUE
                -1.00    MINIMUM VALUE
                1210.00  MAXIMUM VALUE

Type            NUM
Location        0700 - 0703
Width           4
Sequence Order  124
Notes           SEE SECTION 8 NOTES FOR P_NUMHIB. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHIB5
Label           AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #5
Response
Categories       Statistics  Description
                814      NUMBER OF NON-MISSING
                32491    NUMBER OF MISSING

                501.18  AVERAGE/MEAN
                501.00  MEDIAN VALUE
                73.00   MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        0704 - 0707
Width           4
Sequence Order  125
Notes           SEE SECTION 8 NOTES FOR P_NUMHIB. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DHIB6
Label           AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #6
Response
Categories       Statistics  Description
                141      NUMBER OF NON-MISSING
                33164    NUMBER OF MISSING

                464.65  AVERAGE/MEAN
                470.00  MEDIAN VALUE
                115.00  MINIMUM VALUE
                1087.00 MAXIMUM VALUE

Type            NUM
Location        0708 - 0711
Width           4
Sequence Order  126
Notes           SEE SECTION 8 NOTES FOR P_NUMHIB. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DHIB7
Label AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #7
Response
Categories Statistics Description

	39	NUMBER OF NON-MISSING
	33266	NUMBER OF MISSING
	505.38	AVERAGE/MEAN
	476.00	MEDIAN VALUE
	174.00	MINIMUM VALUE
	1003.00	MAXIMUM VALUE

Type NUM
Location 0712 - 0715
Width 4
Sequence Order 127
Notes SEE SECTION 8 NOTES FOR P_NUMHIB. IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section 9
Variable Name DHIB8
Label AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #8
Response
Categories Statistics Description

	11	NUMBER OF NON-MISSING
	33294	NUMBER OF MISSING
	584.82	AVERAGE/MEAN
	529.00	MEDIAN VALUE
	412.00	MINIMUM VALUE
	959.00	MAXIMUM VALUE

Type NUM
Location 0716 - 0719
Width 4
Sequence Order 128
Notes SEE SECTION 8 NOTES FOR P_NUMHIB. IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DMMR1
Label           AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE
                SHOT #1
Response
Categories      Statistics  Description
                19372    NUMBER OF NON-MISSING
                13933    NUMBER OF MISSING
                457.78   AVERAGE/MEAN
                459.00   MEDIAN VALUE
                -1.00    MINIMUM VALUE
                1210.00  MAXIMUM VALUE

Type            NUM
Location        0720   - 0723
Width           4
Sequence Order  129
Notes           SEE SECTION 8 NOTES FOR P_NUMMMR. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DMMR2
Label           AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE
                SHOT #2
Response
Categories      Statistics  Description
                516     NUMBER OF NON-MISSING
                32789   NUMBER OF MISSING
                555.05   AVERAGE/MEAN
                490.50   MEDIAN VALUE
                113.00   MINIMUM VALUE
                1210.00  MAXIMUM VALUE

Type            NUM
Location        0724   - 0727
Width           4
Sequence Order  130
Notes           SEE SECTION 8 NOTES FOR P_NUMMMR. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DMMR3
Label AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #3
Response
Categories Statistics Description

	37	NUMBER OF NON-MISSING
	33268	NUMBER OF MISSING
	501.89	AVERAGE/MEAN
	473.00	MEDIAN VALUE
	169.00	MINIMUM VALUE
	947.00	MAXIMUM VALUE

Type NUM
Location 0728 - 0731
Width 4
Sequence Order 131
Notes SEE SECTION 8 NOTES FOR P_NUMMMR. IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section 9
Variable Name DMMR4
Label AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #4
Response
Categories Statistics Description

	6	NUMBER OF NON-MISSING
	33299	NUMBER OF MISSING
	517.67	AVERAGE/MEAN
	525.50	MEDIAN VALUE
	382.00	MINIMUM VALUE
	599.00	MAXIMUM VALUE

Type NUM
Location 0732 - 0735
Width 4
Sequence Order 132
Notes SEE SECTION 8 NOTES FOR P_NUMMMR. IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DMMRX1
Label           AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #1
Response
Categories      Statistics  Description
                19353    NUMBER OF NON-MISSING
                13952    NUMBER OF MISSING

                459.29   AVERAGE/MEAN
                459.00   MEDIAN VALUE
                -1.00    MINIMUM VALUE
                1210.00  MAXIMUM VALUE

Type            NUM
Location        0736 - 0739
Width           4
Sequence Order  133
Notes           SEE SECTION 8 NOTES FOR P_NUMMMX. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DMMRX2
Label           AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #2
Response
Categories      Statistics  Description
                412     NUMBER OF NON-MISSING
                32893   NUMBER OF MISSING

                569.92   AVERAGE/MEAN
                506.00   MEDIAN VALUE
                113.00   MINIMUM VALUE
                1210.00  MAXIMUM VALUE

Type            NUM
Location        0740 - 0743
Width           4
Sequence Order  134
Notes           SEE SECTION 8 NOTES FOR P_NUMMMX. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DMMRX3
Label           AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #3
Response
Categories      Statistics  Description
                33        NUMBER OF NON-MISSING
                33272     NUMBER OF MISSING

                493.33    AVERAGE/MEAN
                459.00    MEDIAN VALUE
                169.00    MINIMUM VALUE
                947.00    MAXIMUM VALUE

Type            NUM
Location        0744 - 0747
Width           4
Sequence Order  135
Notes           SEE SECTION 8 NOTES FOR P_NUMMMX. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DMMRX4
Label           AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #4
Response
Categories      Statistics  Description
                6        NUMBER OF NON-MISSING
                33299     NUMBER OF MISSING

                517.67    AVERAGE/MEAN
                525.50    MEDIAN VALUE
                382.00    MINIMUM VALUE
                599.00    MAXIMUM VALUE

Type            NUM
Location        0748 - 0751
Width           4
Sequence Order  136
Notes           SEE SECTION 8 NOTES FOR P_NUMMMX. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DMP1
Label AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #1
Response
Categories Statistics Description

	2	NUMBER OF NON-MISSING
33303		NUMBER OF MISSING
614.00		AVERAGE/MEAN
614.00		MEDIAN VALUE
590.00		MINIMUM VALUE
638.00		MAXIMUM VALUE

Type NUM
Location 0752 - 0755
Width 4
Sequence Order 137
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section 9
Variable Name DMP2
Label AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #2
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
33305		NUMBER OF MISSING

Type NUM
Location 0756 - 0759
Width 4
Sequence Order 138
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DMS1
Label AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #1
Response
Categories Statistics Description

	125	NUMBER OF NON-MISSING
	33180	NUMBER OF MISSING
	257.35	AVERAGE/MEAN
	223.00	MEDIAN VALUE
	-1.00	MINIMUM VALUE
	800.00	MAXIMUM VALUE

Type NUM
Location 0784 - 0787
Width 4
Sequence Order 145
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section 9
Variable Name DMS2
Label AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #2
Response
Categories Statistics Description

	2	NUMBER OF NON-MISSING
	33303	NUMBER OF MISSING
	594.00	AVERAGE/MEAN
	594.00	MEDIAN VALUE
	415.00	MINIMUM VALUE
	773.00	MAXIMUM VALUE

Type NUM
Location 0788 - 0791
Width 4
Sequence Order 146
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DMS3
Label AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #3
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
33305 NUMBER OF MISSING

Type NUM
Location 0792 - 0795
Width 4
Sequence Order 147
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section 9
Variable Name DMS4
Label AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #4
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
33305 NUMBER OF MISSING

Type NUM
Location 0796 - 0799
Width 4
Sequence Order 148
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DMSMP1
Label AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #1
Response
Categories Statistics Description

	1	NUMBER OF NON-MISSING
33304		NUMBER OF MISSING
380.00		AVERAGE/MEAN
380.00		MEDIAN VALUE
380.00		MINIMUM VALUE
380.00		MAXIMUM VALUE

Type NUM
Location 0800 - 0803
Width 4
Sequence Order 149
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section 9
Variable Name DMSMP2
Label AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #2
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
33305		NUMBER OF MISSING

Type NUM
Location 0804 - 0807
Width 4
Sequence Order 150
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DMSRB1
Label AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #1
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
33305 NUMBER OF MISSING

Type NUM
Location 0816 - 0819
Width 4
Sequence Order 153
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section 9
Variable Name DMSRB2
Label AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #2
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
33305 NUMBER OF MISSING

Type NUM
Location 0820 - 0823
Width 4
Sequence Order 154
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DMSRB3
Label AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #3
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
33305 NUMBER OF MISSING

Type NUM
Location 0824 - 0827
Width 4
Sequence Order 155
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section 9
Variable Name DMSRB4
Label AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #4
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
33305 NUMBER OF MISSING

Type NUM
Location 0828 - 0831
Width 4
Sequence Order 156
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DPOLIO1
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #1
Response
Categories      Statistics  Description
                21194    NUMBER OF NON-MISSING
                12111    NUMBER OF MISSING

                78.15    AVERAGE/MEAN
                64.00    MEDIAN VALUE
                -1.00    MINIMUM VALUE
                1210.00   MAXIMUM VALUE

Type            NUM
Location        0832 - 0835
Width           4
Sequence Order  157
Notes           SEE SECTION 8 NOTES FOR P_NUMPOL. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DPOLIO2
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #2
Response
Categories      Statistics  Description
                20733    NUMBER OF NON-MISSING
                12572    NUMBER OF MISSING

                151.59   AVERAGE/MEAN
                129.00   MEDIAN VALUE
                -1.00    MINIMUM VALUE
                1210.00   MAXIMUM VALUE

Type            NUM
Location        0836 - 0839
Width           4
Sequence Order  158
Notes           SEE SECTION 8 NOTES FOR P_NUMPOL. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DPOLIO3
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #3
Response
Categories      Statistics  Description
                19486    NUMBER OF NON-MISSING
                13819    NUMBER OF MISSING

                318.24   AVERAGE/MEAN
                222.00   MEDIAN VALUE
                -1.00    MINIMUM VALUE
                1210.00  MAXIMUM VALUE

Type            NUM
Location        0840 - 0843
Width           4
Sequence Order  159
Notes           SEE SECTION 8 NOTES FOR P_NUMPOL. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DPOLIO4
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #4
Response
Categories      Statistics  Description
                3735    NUMBER OF NON-MISSING
                29570   NUMBER OF MISSING

                511.45   AVERAGE/MEAN
                542.00   MEDIAN VALUE
                -1.00    MINIMUM VALUE
                1210.00  MAXIMUM VALUE

Type            NUM
Location        0844 - 0847
Width           4
Sequence Order  160
Notes           SEE SECTION 8 NOTES FOR P_NUMPOL. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DPOLIO5
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #5
Response
Categories      Statistics  Description
                247      NUMBER OF NON-MISSING
                33058     NUMBER OF MISSING

                487.77    AVERAGE/MEAN
                496.00    MEDIAN VALUE
                73.00     MINIMUM VALUE
                1210.00   MAXIMUM VALUE

Type            NUM
Location        0848 - 0851
Width           4
Sequence Order  161
Notes           SEE SECTION 8 NOTES FOR P_NUMPOL. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DPOLIO6
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #6
Response
Categories      Statistics  Description
                55      NUMBER OF NON-MISSING
                33250     NUMBER OF MISSING

                447.60    AVERAGE/MEAN
                478.00    MEDIAN VALUE
                135.00    MINIMUM VALUE
                1003.00   MAXIMUM VALUE

Type            NUM
Location        0852 - 0855
Width           4
Sequence Order  162
Notes           SEE SECTION 8 NOTES FOR P_NUMPOL. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DPOLIO7
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #7
Response
Categories      Statistics  Description
                11  NUMBER OF NON-MISSING
                33294 NUMBER OF MISSING

                503.18 AVERAGE/MEAN
                462.00 MEDIAN VALUE
                185.00 MINIMUM VALUE
                947.00 MAXIMUM VALUE

Type            NUM
Location        0856 - 0859
Width           4
Sequence Order  163
Notes           SEE SECTION 8 NOTES FOR P_NUMPOL. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DPOLIO8
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #8
Response
Categories      Statistics  Description
                2  NUMBER OF NON-MISSING
                33303 NUMBER OF MISSING

                427.50 AVERAGE/MEAN
                427.50 MEDIAN VALUE
                334.00 MINIMUM VALUE
                521.00 MAXIMUM VALUE

Type            NUM
Location        0860 - 0863
Width           4
Sequence Order  164
Notes           SEE SECTION 8 NOTES FOR P_NUMPOL. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DRB1
Label AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #1
Response
Categories Statistics Description

	2	NUMBER OF NON-MISSING
33303		NUMBER OF MISSING
807.50		AVERAGE/MEAN
807.50		MEDIAN VALUE
737.00		MINIMUM VALUE
878.00		MAXIMUM VALUE

Type NUM
Location 0864 - 0867
Width 4
Sequence Order 165
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section 9
Variable Name DRB2
Label AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #2
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
33305		NUMBER OF MISSING

Type NUM
Location 0868 - 0871
Width 4
Sequence Order 166
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DVRC1
Label           AGE IN DAYS OF PROVIDER-REPORTED VARICELLA SHOT #1
Response
Categories      Statistics  Description
                2694     NUMBER OF NON-MISSING
                30611    NUMBER OF MISSING

                546.06   AVERAGE/MEAN
                538.00   MEDIAN VALUE
                -1.00    MINIMUM VALUE
                1210.00  MAXIMUM VALUE

Type            NUM
Location        0896 - 0899
Width           4
Sequence Order  173
Notes          SEE SECTION 8 NOTES FOR P_NUMVRC. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DVRC2
Label           AGE IN DAYS OF PROVIDER-REPORTED VARICELLA SHOT #2
Response
Categories      Statistics  Description
                27      NUMBER OF NON-MISSING
                33278   NUMBER OF MISSING

                454.56   AVERAGE/MEAN
                400.00   MEDIAN VALUE
                122.00   MINIMUM VALUE
                1210.00  MAXIMUM VALUE

Type            NUM
Location        0900 - 0903
Width           4
Sequence Order  174
Notes          SEE SECTION 8 NOTES FOR P_NUMVRC. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DVRC3
Label AGE IN DAYS OF PROVIDER-REPORTED VARICELLA SHOT #3
Response
Categories Statistics Description

	11	NUMBER OF NON-MISSING
	33294	NUMBER OF MISSING
	391.91	AVERAGE/MEAN
	268.00	MEDIAN VALUE
	185.00	MINIMUM VALUE
	1210.00	MAXIMUM VALUE

Type NUM
Location 0904 - 0907
Width 4
Sequence Order 175
Notes SEE SECTION 8 NOTES FOR P_NUMVRC. IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section 9
Variable Name DVRC4
Label AGE IN DAYS OF PROVIDER-REPORTED VARICELLA SHOT #4
Response
Categories Statistics Description

	7	NUMBER OF NON-MISSING
	33298	NUMBER OF MISSING
	518.57	AVERAGE/MEAN
	493.00	MEDIAN VALUE
	412.00	MINIMUM VALUE
	728.00	MAXIMUM VALUE

Type NUM
Location 0908 - 0911
Width 4
Sequence Order 176
Notes SEE SECTION 8 NOTES FOR P_NUMVRC. IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHB1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #1
Response
Categories      Statistics  Description
                10542    NUMBER OF NON-MISSING
                22763    NUMBER OF MISSING

                4.41    AVERAGE/MEAN
                2.00    MEDIAN VALUE
                -1.00   MINIMUM VALUE
                35.00   MAXIMUM VALUE

Type            NUM
Location        0912 - 0913
Width           2
Sequence Order  177
Notes          SEE SECTION 8 NOTES FOR P_NUMDHB. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    DHB2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #2
Response
Categories      Statistics  Description
                8569    NUMBER OF NON-MISSING
                24736   NUMBER OF MISSING

                5.24    AVERAGE/MEAN
                4.00    MEDIAN VALUE
                -1.00   MINIMUM VALUE
                40.00   MAXIMUM VALUE

Type            NUM
Location        0914 - 0915
Width           2
Sequence Order  178
Notes          SEE SECTION 8 NOTES FOR P_NUMDHB. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHB3_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #3
Response
Categories      Statistics  Description
                7431     NUMBER OF NON-MISSING
                25874    NUMBER OF MISSING

                7.33     AVERAGE/MEAN
                6.00     MEDIAN VALUE
                -1.00    MINIMUM VALUE
                35.00    MAXIMUM VALUE

Type            NUM
Location        0916 - 0917
Width           2
Sequence Order  179
Notes           SEE SECTION 8 NOTES FOR P_NUMDHB. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    DHB4_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #4
Response
Categories      Statistics  Description
                3932     NUMBER OF NON-MISSING
                29373    NUMBER OF MISSING

                15.96    AVERAGE/MEAN
                15.00    MEDIAN VALUE
                -1.00    MINIMUM VALUE
                34.00    MAXIMUM VALUE

Type            NUM
Location        0918 - 0919
Width           2
Sequence Order  180
Notes           SEE SECTION 8 NOTES FOR P_NUMDHB. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHB5_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #5
Response
Categories      Statistics  Description
                78        NUMBER OF NON-MISSING
                33227     NUMBER OF MISSING
                15.58     AVERAGE/MEAN
                16.00     MEDIAN VALUE
                4.00      MINIMUM VALUE
                40.00     MAXIMUM VALUE

Type            NUM
Location        0920 - 0921
Width           2
Sequence Order  181
Notes           SEE SECTION 8 NOTES FOR P_NUMDHB. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    DHB6_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #6
Response
Categories      Statistics  Description
                15        NUMBER OF NON-MISSING
                33290     NUMBER OF MISSING
                14.07     AVERAGE/MEAN
                15.00     MEDIAN VALUE
                6.00      MINIMUM VALUE
                18.00     MAXIMUM VALUE

Type            NUM
Location        0922 - 0923
Width           2
Sequence Order  182
Notes           SEE SECTION 8 NOTES FOR P_NUMDHB. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DHB7_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #7
Response
Categories Statistics Description

	1	NUMBER OF NON-MISSING
33304		NUMBER OF MISSING
	17.00	AVERAGE/MEAN
	17.00	MEDIAN VALUE
	17.00	MINIMUM VALUE
	17.00	MAXIMUM VALUE

Type NUM
Location 0924 - 0925
Width 2
Sequence Order 183
Notes SEE SECTION 8 NOTES FOR P_NUMDHB. CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40

Section 9
Variable Name DHB8_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #8
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
33305		NUMBER OF MISSING

Type NUM
Location 0926 - 0927
Width 2
Sequence Order 184
Notes SEE SECTION 8 NOTES FOR P_NUMDHB. CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DTA1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTAP  SHOT #1
Response
Categories      Statistics  Description
                1918     NUMBER OF NON-MISSING
                31387    NUMBER OF MISSING

                17.55    AVERAGE/MEAN
                18.00    MEDIAN VALUE
                -1.00    MINIMUM VALUE
                40.00    MAXIMUM VALUE

Type            NUM
Location        0928 - 0929
Width           2
Sequence Order  185
Notes           SEE SECTION 8 NOTES FOR P_NUMMDTA. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    DTA2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTAP  SHOT #2
Response
Categories      Statistics  Description
                20      NUMBER OF NON-MISSING
                33285   NUMBER OF MISSING

                14.90    AVERAGE/MEAN
                18.00    MEDIAN VALUE
                4.00     MINIMUM VALUE
                30.00    MAXIMUM VALUE

Type            NUM
Location        0930 - 0931
Width           2
Sequence Order  186
Notes           SEE SECTION 8 NOTES FOR P_NUMMDTA. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DTA3_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTAP  SHOT #3
Response
Categories      Statistics  Description
                    5  NUMBER OF NON-MISSING
                    33300 NUMBER OF MISSING
                    6.00  AVERAGE/MEAN
                    6.00  MEDIAN VALUE
                    6.00  MINIMUM VALUE
                    6.00  MAXIMUM VALUE

Type            NUM
Location        0932  - 0933
Width           2
Sequence Order  187
Notes          SEE SECTION 8 NOTES FOR P_NUMMDTA. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    DTA4_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTAP  SHOT #4
Response
Categories      Statistics  Description
                    3  NUMBER OF NON-MISSING
                    33302 NUMBER OF MISSING
                    18.67 AVERAGE/MEAN
                    17.00 MEDIAN VALUE
                    16.00 MINIMUM VALUE
                    23.00 MAXIMUM VALUE

Type            NUM
Location        0934  - 0935
Width           2
Sequence Order  188
Notes          SEE SECTION 8 NOTES FOR P_NUMMDTA. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DTA5_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED DTAP SHOT #5
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
33305 NUMBER OF MISSING

Type NUM
Location 0936 - 0937
Width 2
Sequence Order 189
Notes SEE SECTION 8 NOTES FOR P_NUMDTA. CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40

Section 9
Variable Name DTA6_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED DTAP SHOT #6
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
33305 NUMBER OF MISSING

Type NUM
Location 0938 - 0939
Width 2
Sequence Order 190
Notes SEE SECTION 8 NOTES FOR P_NUMDTA. CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DTA7_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED DTAP SHOT #7
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
33305 NUMBER OF MISSING

Type NUM
Location 0940 - 0941
Width 2
Sequence Order 191
Notes SEE SECTION 8 NOTES FOR P_NUMDTA. CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40

Section 9
Variable Name DTA8_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED DTAP SHOT #8
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
33305 NUMBER OF MISSING

Type NUM
Location 0942 - 0943
Width 2
Sequence Order 192
Notes SEE SECTION 8 NOTES FOR P_NUMDTA. CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DTP1_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT)
SHOT #1

Response
Categories Statistics Description

	21302	NUMBER OF NON-MISSING
	12003	NUMBER OF MISSING
	2.16	AVERAGE/MEAN
	2.00	MEDIAN VALUE
	-1.00	MINIMUM VALUE
	40.00	MAXIMUM VALUE

Type NUM
Location 0944 - 0945
Width 2
Sequence Order 193
Notes SEE SECTION 8 NOTES FOR P_NUMDTP. CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40

Section 9
Variable Name DTP2_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT)
SHOT #2

Response
Categories Statistics Description

	20877	NUMBER OF NON-MISSING
	12428	NUMBER OF MISSING
	4.52	AVERAGE/MEAN
	4.00	MEDIAN VALUE
	-1.00	MINIMUM VALUE
	40.00	MAXIMUM VALUE

Type NUM
Location 0946 - 0947
Width 2
Sequence Order 194
Notes SEE SECTION 8 NOTES FOR P_NUMDTP. CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DTP3_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT)
                SHOT #3
Response
Categories      Statistics  Description
                20338    NUMBER OF NON-MISSING
                12967    NUMBER OF MISSING
                7.12     AVERAGE/MEAN
                6.00     MEDIAN VALUE
                -1.00    MINIMUM VALUE
                40.00    MAXIMUM VALUE

Type            NUM
Location        0948  - 0949
Width           2
Sequence Order  195
Notes           SEE SECTION 8 NOTES FOR P_NUMDTP. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    DTP4_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT)
                SHOT #4
Response
Categories      Statistics  Description
                17514    NUMBER OF NON-MISSING
                15791    NUMBER OF MISSING
                16.65    AVERAGE/MEAN
                17.00    MEDIAN VALUE
                -1.00    MINIMUM VALUE
                40.00    MAXIMUM VALUE

Type            NUM
Location        0950  - 0951
Width           2
Sequence Order  196
Notes           SEE SECTION 8 NOTES FOR P_NUMDTP. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DTP5_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT)
                SHOT #5
Response
Categories      Statistics  Description

                790  NUMBER OF NON-MISSING
                32515 NUMBER OF MISSING

                16.84 AVERAGE/MEAN
                17.00 MEDIAN VALUE
                -1.00 MINIMUM VALUE
                40.00 MAXIMUM VALUE

Type            NUM
Location        0952 - 0953
Width           2
Sequence Order  197
Notes           SEE SECTION 8 NOTES FOR P_NUMDTP. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    DTP6_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT)
                SHOT #6
Response
Categories      Statistics  Description

                149  NUMBER OF NON-MISSING
                33156 NUMBER OF MISSING

                14.91 AVERAGE/MEAN
                15.00 MEDIAN VALUE
                2.00  MINIMUM VALUE
                30.00 MAXIMUM VALUE

Type            NUM
Location        0954 - 0955
Width           2
Sequence Order  198
Notes           SEE SECTION 8 NOTES FOR P_NUMDTP. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DTP7_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT)
                SHOT #7
Response
Categories      Statistics  Description

                49  NUMBER OF NON-MISSING
                33256 NUMBER OF MISSING

                17.00 AVERAGE/MEAN
                17.00 MEDIAN VALUE
                4.00  MINIMUM VALUE
                32.00 MAXIMUM VALUE

Type            NUM
Location        0956 - 0957
Width           2
Sequence Order  199
Notes           SEE SECTION 8 NOTES FOR P_NUMDTP. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    DTP8_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT)
                SHOT #8
Response
Categories      Statistics  Description

                12  NUMBER OF NON-MISSING
                33293 NUMBER OF MISSING

                18.33 AVERAGE/MEAN
                18.00 MEDIAN VALUE
                6.00  MINIMUM VALUE
                30.00 MAXIMUM VALUE

Type            NUM
Location        0958 - 0959
Width           2
Sequence Order  200
Notes           SEE SECTION 8 NOTES FOR P_NUMDTP. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    HEP1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
                SHOT #1
Response
Categories       Statistics  Description
                19722  NUMBER OF NON-MISSING
                13583  NUMBER OF MISSING
                1.23   AVERAGE/MEAN
                0.00   MEDIAN VALUE
                -1.00  MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location        0960 - 0961
Width           2
Sequence Order  201
Notes           SEE SECTION 8 NOTES FOR P_NUMHEP. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----
Section          9
Variable Name    HEP2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
                SHOT #2
Response
Categories       Statistics  Description
                19135  NUMBER OF NON-MISSING
                14170  NUMBER OF MISSING
                3.15   AVERAGE/MEAN
                2.00   MEDIAN VALUE
                -1.00  MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location        0962 - 0963
Width           2
Sequence Order  202
Notes           SEE SECTION 8 NOTES FOR P_NUMHEP. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40

```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    HEP3_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
                SHOT #3
Response
  Categories      Statistics  Description
                17458  NUMBER OF NON-MISSING
                15847  NUMBER OF MISSING
                8.83   AVERAGE/MEAN
                8.00   MEDIAN VALUE
                -1.00  MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location        0964 - 0965
Width           2
Sequence Order  203
Notes          SEE SECTION 8 NOTES FOR P_NUMHEP. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----
Section          9
Variable Name    HEP4_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
                SHOT #4
Response
  Categories      Statistics  Description
                1085  NUMBER OF NON-MISSING
                32220  NUMBER OF MISSING
                10.27  AVERAGE/MEAN
                9.00   MEDIAN VALUE
                0.00   MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location        0966 - 0967
Width           2
Sequence Order  204
Notes          SEE SECTION 8 NOTES FOR P_NUMHEP. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40

```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    HEP5_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
                SHOT #5
Response
Categories      Statistics  Description

                204  NUMBER OF NON-MISSING
                33101 NUMBER OF MISSING

                11.31 AVERAGE/MEAN
                 9.00 MEDIAN VALUE
                 1.00 MINIMUM VALUE
                33.00 MAXIMUM VALUE

Type            NUM
Location        0968 - 0969
Width           2
Sequence Order  205
Notes          SEE SECTION 8 NOTES FOR P_NUMHEP. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----
Section          9
Variable Name    HEP6_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
                SHOT #6
Response
Categories      Statistics  Description

                39  NUMBER OF NON-MISSING
                33266 NUMBER OF MISSING

                11.03 AVERAGE/MEAN
                 9.00 MEDIAN VALUE
                 2.00 MINIMUM VALUE
                32.00 MAXIMUM VALUE

Type            NUM
Location        0970 - 0971
Width           2
Sequence Order  206
Notes          SEE SECTION 8 NOTES FOR P_NUMHEP. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40

```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name HEP7_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
SHOT #7

Response
Categories Statistics Description

	4	NUMBER OF NON-MISSING
	33301	NUMBER OF MISSING
	8.00	AVERAGE/MEAN
	6.50	MEDIAN VALUE
	6.00	MINIMUM VALUE
	13.00	MAXIMUM VALUE

Type NUM
Location 0972 - 0973
Width 2
Sequence Order 207
Notes SEE SECTION 8 NOTES FOR P_NUMHEP. CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40

Section 9
Variable Name HEP8_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
SHOT #8

Response
Categories Statistics Description

	1	NUMBER OF NON-MISSING
	33304	NUMBER OF MISSING
	6.00	AVERAGE/MEAN
	6.00	MEDIAN VALUE
	6.00	MINIMUM VALUE
	6.00	MAXIMUM VALUE

Type NUM
Location 0974 - 0975
Width 2
Sequence Order 208
Notes SEE SECTION 8 NOTES FOR P_NUMHEP. CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    HIB1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #1
Response
Categories      Statistics  Description

                21100  NUMBER OF NON-MISSING
                12205  NUMBER OF MISSING

                2.30  AVERAGE/MEAN
                2.00  MEDIAN VALUE
                -1.00 MINIMUM VALUE
                40.00 MAXIMUM VALUE

Type            NUM
Location        0976 - 0977
Width           2
Sequence Order  209
Notes           SEE SECTION 8 NOTES FOR P_NUMHIB. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    HIB2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #2
Response
Categories      Statistics  Description

                20476  NUMBER OF NON-MISSING
                12829  NUMBER OF MISSING

                4.59  AVERAGE/MEAN
                4.00  MEDIAN VALUE
                -1.00 MINIMUM VALUE
                40.00 MAXIMUM VALUE

Type            NUM
Location        0978 - 0979
Width           2
Sequence Order  210
Notes           SEE SECTION 8 NOTES FOR P_NUMHIB. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name HIB3_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #3
Response
Categories Statistics Description

	19688	NUMBER OF NON-MISSING
	13617	NUMBER OF MISSING
	7.39	AVERAGE/MEAN
	6.00	MEDIAN VALUE
	-1.00	MINIMUM VALUE
	40.00	MAXIMUM VALUE

Type NUM
Location 0980 - 0981
Width 2
Sequence Order 211
Notes SEE SECTION 8 NOTES FOR P_NUMHIB. CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40

Section 9
Variable Name HIB4_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #4
Response
Categories Statistics Description

	16004	NUMBER OF NON-MISSING
	17301	NUMBER OF MISSING
	15.50	AVERAGE/MEAN
	15.00	MEDIAN VALUE
	-1.00	MINIMUM VALUE
	40.00	MAXIMUM VALUE

Type NUM
Location 0982 - 0983
Width 2
Sequence Order 212
Notes SEE SECTION 8 NOTES FOR P_NUMHIB. CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    HIB5_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #5
Response
Categories      Statistics  Description
                814      NUMBER OF NON-MISSING
                32491    NUMBER OF MISSING
                16.05    AVERAGE/MEAN
                16.00    MEDIAN VALUE
                2.00     MINIMUM VALUE
                40.00    MAXIMUM VALUE

Type            NUM
Location        0984 - 0985
Width           2
Sequence Order  213
Notes          SEE SECTION 8 NOTES FOR P_NUMHIB. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    HIB6_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #6
Response
Categories      Statistics  Description
                141      NUMBER OF NON-MISSING
                33164    NUMBER OF MISSING
                14.86    AVERAGE/MEAN
                15.00    MEDIAN VALUE
                3.00     MINIMUM VALUE
                35.00    MAXIMUM VALUE

Type            NUM
Location        0986 - 0987
Width           2
Sequence Order  214
Notes          SEE SECTION 8 NOTES FOR P_NUMHIB. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    HIB7_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #7
Response
Categories      Statistics  Description
                39        NUMBER OF NON-MISSING
                33266     NUMBER OF MISSING
                16.15     AVERAGE/MEAN
                15.00     MEDIAN VALUE
                5.00      MINIMUM VALUE
                32.00     MAXIMUM VALUE

Type            NUM
Location        0988 - 0989
Width           2
Sequence Order  215
Notes          SEE SECTION 8 NOTES FOR P_NUMHIB. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    HIB8_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #8
Response
Categories      Statistics  Description
                11        NUMBER OF NON-MISSING
                33294     NUMBER OF MISSING
                18.64     AVERAGE/MEAN
                17.00     MEDIAN VALUE
                13.00     MINIMUM VALUE
                31.00     MAXIMUM VALUE

Type            NUM
Location        0990 - 0991
Width           2
Sequence Order  216
Notes          SEE SECTION 8 NOTES FOR P_NUMHIB. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    MMR1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE
                SHOT #1
Response
  Categories      Statistics  Description
                19361  NUMBER OF NON-MISSING
                13944  NUMBER OF MISSING
                14.64  AVERAGE/MEAN
                15.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location        0992  - 0993
Width           2
Sequence Order  217
Notes           SEE SECTION 8 NOTES FOR P_NUMMMR. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----
Section          9
Variable Name    MMR2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE
                SHOT #2
Response
  Categories      Statistics  Description
                516   NUMBER OF NON-MISSING
                32789  NUMBER OF MISSING
                17.80  AVERAGE/MEAN
                16.00  MEDIAN VALUE
                3.00   MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location        0994  - 0995
Width           2
Sequence Order  218
Notes           SEE SECTION 8 NOTES FOR P_NUMMMR. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40

```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    MMR3_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE
                SHOT #3
Response
Categories      Statistics  Description

                37  NUMBER OF NON-MISSING
                33268 NUMBER OF MISSING

                15.97 AVERAGE/MEAN
                15.00 MEDIAN VALUE
                5.00  MINIMUM VALUE
                31.00 MAXIMUM VALUE

Type            NUM
Location        0996 - 0997
Width           2
Sequence Order  219
Notes           SEE SECTION 8 NOTES FOR P_NUMMMR. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----
Section          9
Variable Name    MMR4_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE
                SHOT #4
Response
Categories      Statistics  Description

                6  NUMBER OF NON-MISSING
                33299 NUMBER OF MISSING

                16.67 AVERAGE/MEAN
                17.00 MEDIAN VALUE
                12.00 MINIMUM VALUE
                19.00 MAXIMUM VALUE

Type            NUM
Location        0998 - 0999
Width           2
Sequence Order  220
Notes           SEE SECTION 8 NOTES FOR P_NUMMMR. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40

```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    MMX1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #1
Response
Categories      Statistics  Description
                19343  NUMBER OF NON-MISSING
                13962  NUMBER OF MISSING

                14.69  AVERAGE/MEAN
                15.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location        1000 - 1001
Width           2
Sequence Order  221
Notes           SEE SECTION 8 NOTES FOR P_NUMMMX. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    MMX2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #2
Response
Categories      Statistics  Description
                412   NUMBER OF NON-MISSING
                32893 NUMBER OF MISSING

                18.29  AVERAGE/MEAN
                16.00  MEDIAN VALUE
                 3.00  MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location        1002 - 1003
Width           2
Sequence Order  222
Notes           SEE SECTION 8 NOTES FOR P_NUMMMX. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    MMX3_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #3
Response
Categories      Statistics  Description
                33        NUMBER OF NON-MISSING
                33272     NUMBER OF MISSING

                15.70     AVERAGE/MEAN
                15.00     MEDIAN VALUE
                5.00      MINIMUM VALUE
                31.00     MAXIMUM VALUE

Type            NUM
Location        1004 - 1005
Width           2
Sequence Order  223
Notes           SEE SECTION 8 NOTES FOR P_NUMMMX. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    MMX4_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #4
Response
Categories      Statistics  Description
                6        NUMBER OF NON-MISSING
                33299     NUMBER OF MISSING

                16.67     AVERAGE/MEAN
                17.00     MEDIAN VALUE
                12.00     MINIMUM VALUE
                19.00     MAXIMUM VALUE

Type            NUM
Location        1006 - 1007
Width           2
Sequence Order  224
Notes           SEE SECTION 8 NOTES FOR P_NUMMMX. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name MP1_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #1
Response
Categories Statistics Description

	2	NUMBER OF NON-MISSING
33303		NUMBER OF MISSING
	19.50	AVERAGE/MEAN
	19.50	MEDIAN VALUE
	19.00	MINIMUM VALUE
	20.00	MAXIMUM VALUE

Type NUM
Location 1008 - 1009
Width 2
Sequence Order 225
Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

Section 9
Variable Name MP2_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #2
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
33305		NUMBER OF MISSING

Type NUM
Location 1010 - 1011
Width 2
Sequence Order 226
Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section	9
Variable Name	MPR1_AGE
Label	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #1
Response	
Categories	Statistics Description
	0 NUMBER OF NON-MISSING
	33305 NUMBER OF MISSING
Type	NUM
Location	1016 - 1017
Width	2
Sequence Order	229
Notes	CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

Section	9
Variable Name	MPR2_AGE
Label	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #2
Response	
Categories	Statistics Description
	0 NUMBER OF NON-MISSING
	33305 NUMBER OF MISSING
Type	NUM
Location	1018 - 1019
Width	2
Sequence Order	230
Notes	CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
 Variable Name MS1_AGE
 Label AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-ONLY SHOT #1
 Response
 Categories Statistics Description

124	NUMBER OF NON-MISSING
33181	NUMBER OF MISSING
8.06	AVERAGE/MEAN
7.00	MEDIAN VALUE
-1.00	MINIMUM VALUE
26.00	MAXIMUM VALUE

Type NUM
 Location 1024 - 1025
 Width 2
 Sequence Order 233
 Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

Section 9
 Variable Name MS2_AGE
 Label AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-ONLY SHOT #2
 Response
 Categories Statistics Description

2	NUMBER OF NON-MISSING
33303	NUMBER OF MISSING
19.00	AVERAGE/MEAN
19.00	MEDIAN VALUE
13.00	MINIMUM VALUE
25.00	MAXIMUM VALUE

Type NUM
 Location 1026 - 1027
 Width 2
 Sequence Order 234
 Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name MSM1_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #1
Response
Categories Statistics Description

	1	NUMBER OF NON-MISSING
33304		NUMBER OF MISSING
12.00		AVERAGE/MEAN
12.00		MEDIAN VALUE
12.00		MINIMUM VALUE
12.00		MAXIMUM VALUE

Type NUM
Location 1032 - 1033
Width 2
Sequence Order 237
Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

Section 9
Variable Name MSM2_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #2
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
33305		NUMBER OF MISSING

Type NUM
Location 1034 - 1035
Width 2
Sequence Order 238
Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name MSM3_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #3
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
33305 NUMBER OF MISSING

Type NUM
Location 1036 - 1037
Width 2
Sequence Order 239
Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

Section 9
Variable Name MSM4_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #4
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
33305 NUMBER OF MISSING

Type NUM
Location 1038 - 1039
Width 2
Sequence Order 240
Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name MSR1_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/RUBELLA SHOT #1
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
33305 NUMBER OF MISSING

Type NUM
Location 1040 - 1041
Width 2
Sequence Order 241
Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

Section 9
Variable Name MSR2_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/RUBELLA SHOT #2
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
33305 NUMBER OF MISSING

Type NUM
Location 1042 - 1043
Width 2
Sequence Order 242
Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    POL1_AGE
Label           AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 1
Response
Categories      Statistics  Description
                21174    NUMBER OF NON-MISSING
                12131    NUMBER OF MISSING

                2.16    AVERAGE/MEAN
                2.00    MEDIAN VALUE
                -1.00   MINIMUM VALUE
                40.00   MAXIMUM VALUE

Type            NUM
Location       1048 - 1049
Width         2
Sequence Order 245
Notes         SEE SECTION 8 NOTES FOR P_NUMPOL. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    POL2_AGE
Label           AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 2
Response
Categories      Statistics  Description
                20733    NUMBER OF NON-MISSING
                12572    NUMBER OF MISSING

                4.57    AVERAGE/MEAN
                4.00    MEDIAN VALUE
                -1.00   MINIMUM VALUE
                40.00   MAXIMUM VALUE

Type            NUM
Location       1050 - 1051
Width         2
Sequence Order 246
Notes         SEE SECTION 8 NOTES FOR P_NUMPOL. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    POL3_AGE
Label           AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 3
Response
Categories      Statistics  Description
                19486    NUMBER OF NON-MISSING
                13819    NUMBER OF MISSING

                10.03   AVERAGE/MEAN
                7.00    MEDIAN VALUE
                -1.00   MINIMUM VALUE
                40.00   MAXIMUM VALUE

Type            NUM
Location        1052 - 1053
Width           2
Sequence Order  247
Notes           SEE SECTION 8 NOTES FOR P_NUMPOL. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    POL4_AGE
Label           AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 4
Response
Categories      Statistics  Description
                3735    NUMBER OF NON-MISSING
                29570   NUMBER OF MISSING

                16.37   AVERAGE/MEAN
                17.00   MEDIAN VALUE
                -1.00   MINIMUM VALUE
                40.00   MAXIMUM VALUE

Type            NUM
Location        1054 - 1055
Width           2
Sequence Order  248
Notes           SEE SECTION 8 NOTES FOR P_NUMPOL. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```
-----
Section          9
Variable Name    POL5_AGE
Label           AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 5
Response
Categories       Statistics  Description
                247      NUMBER OF NON-MISSING
                33058     NUMBER OF MISSING
                15.62     AVERAGE/MEAN
                16.00     MEDIAN VALUE
                2.00      MINIMUM VALUE
                40.00     MAXIMUM VALUE

Type            NUM
Location        1056 - 1057
Width           2
Sequence Order  249
Notes           SEE SECTION 8 NOTES FOR P_NUMPOL. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----
```

```
-----
Section          9
Variable Name    POL6_AGE
Label           AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 6
Response
Categories       Statistics  Description
                55      NUMBER OF NON-MISSING
                33250     NUMBER OF MISSING
                14.25     AVERAGE/MEAN
                15.00     MEDIAN VALUE
                4.00      MINIMUM VALUE
                32.00     MAXIMUM VALUE

Type            NUM
Location        1058 - 1059
Width           2
Sequence Order  250
Notes           SEE SECTION 8 NOTES FOR P_NUMPOL. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----
```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    POL7_AGE
Label           AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 7
Response
Categories      Statistics  Description
                11 NUMBER OF NON-MISSING
                33294 NUMBER OF MISSING

                16.09 AVERAGE/MEAN
                15.00 MEDIAN VALUE
                6.00  MINIMUM VALUE
                31.00 MAXIMUM VALUE

Type            NUM
Location        1060 - 1061
Width           2
Sequence Order  251
Notes          SEE SECTION 8 NOTES FOR P_NUMPOL. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    POL8_AGE
Label           AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 8
Response
Categories      Statistics  Description
                2 NUMBER OF NON-MISSING
                33303 NUMBER OF MISSING

                14.00 AVERAGE/MEAN
                14.00 MEDIAN VALUE
                11.00 MINIMUM VALUE
                17.00 MAXIMUM VALUE

Type            NUM
Location        1062 - 1063
Width           2
Sequence Order  252
Notes          SEE SECTION 8 NOTES FOR P_NUMPOL. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name RB1_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #1
Response
Categories Statistics Description

	2	NUMBER OF NON-MISSING
33303		NUMBER OF MISSING
26.00		AVERAGE/MEAN
26.00		MEDIAN VALUE
24.00		MINIMUM VALUE
28.00		MAXIMUM VALUE

Type NUM
Location 1064 - 1065
Width 2
Sequence Order 253
Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

Section 9
Variable Name RB2_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #2
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
33305		NUMBER OF MISSING

Type NUM
Location 1066 - 1067
Width 2
Sequence Order 254
Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section	9
Variable Name	RB7_AGE
Label	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #7
Response	
Categories	Statistics Description
	0 NUMBER OF NON-MISSING
	33305 NUMBER OF MISSING
Type	NUM
Location	1076 - 1077
Width	2
Sequence Order	259
Notes	CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

Section	9
Variable Name	RB8_AGE
Label	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #8
Response	
Categories	Statistics Description
	0 NUMBER OF NON-MISSING
	33305 NUMBER OF MISSING
Type	NUM
Location	1078 - 1079
Width	2
Sequence Order	260
Notes	CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name VRC1_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED VARICELLA SHOT #1
Response
Categories Statistics Description

	2691	NUMBER OF NON-MISSING
	30614	NUMBER OF MISSING
	17.55	AVERAGE/MEAN
	17.00	MEDIAN VALUE
	-1.00	MINIMUM VALUE
	40.00	MAXIMUM VALUE

Type NUM
Location 1080 - 1081
Width 2
Sequence Order 261
Notes SEE SECTION 8 NOTES FOR P_NUMVRC. CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

Section 9
Variable Name VRC2_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED VARICELLA SHOT #2
Response
Categories Statistics Description

	27	NUMBER OF NON-MISSING
	33278	NUMBER OF MISSING
	14.59	AVERAGE/MEAN
	13.00	MEDIAN VALUE
	4.00	MINIMUM VALUE
	40.00	MAXIMUM VALUE

Type NUM
Location 1082 - 1083
Width 2
Sequence Order 262
Notes SEE SECTION 8 NOTES FOR P_NUMVRC. CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

1996 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name VRC3_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED VARICELLA SHOT #3
Response
Categories Statistics Description

	11	NUMBER OF NON-MISSING
	33294	NUMBER OF MISSING
	12.36	AVERAGE/MEAN
	8.00	MEDIAN VALUE
	6.00	MINIMUM VALUE
	40.00	MAXIMUM VALUE

Type NUM
Location 1084 - 1085
Width 2
Sequence Order 263
Notes SEE SECTION 8 NOTES FOR P_NUMVRC. CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

Section 9
Variable Name VRC4_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED VARICELLA SHOT #4
Response
Categories Statistics Description

	7	NUMBER OF NON-MISSING
	33298	NUMBER OF MISSING
	16.71	AVERAGE/MEAN
	16.00	MEDIAN VALUE
	13.00	MINIMUM VALUE
	23.00	MAXIMUM VALUE

Type NUM
Location 1086 - 1087
Width 2
Sequence Order 264
Notes SEE SECTION 8 NOTES FOR P_NUMVRC. CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

1996 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
AGEGRP	0053	0053	3	AGE CATEGORY OF CHILD (RECODE)
ALL4SHOT	0037	0037	2	4:3:1:3 UP-TO-DATE (HH REPORT)
C_431	0038	0038	2	HOUSEHOLD REPORT OF 4:3:1 UP-TO-DATE BY SHOT CARD USE
C_4313	0039	0039	2	HOUSEHOLD REPORT OF 4:3:1:3 UP-TO-DATE BY SHOT CARD USE
C_DTP	0040	0040	2	HOUSEHOLD REPORT OF 4+ DTP UP-TO-DATE BY SHOT CARD USE
C_HEP	0041	0041	2	HOUSEHOLD REPORT OF 3+ HEPATITIS B UP-TO-DATE BY SHOT CARD USE
C_HIB	0042	0042	2	HOUSEHOLD REPORT OF 3+ HIB UP-TO-DATE BY SHOT CARD USE
C_MMR	0043	0043	2	HOUSEHOLD REPORT OF 1+ MEASLES-CONTAINING VACCINE UP-TO-DATE BY SHOT CARD USE
C_POL	0044	0044	2	HOUSEHOLD REPORT OF 3+ POLIO UP-TO-DATE BY SHOT CARD USE
C1R	0054	0055	3	NUMBER OF PEOPLE LIVING IN THE HOUSEHOLD (RECODE)
C5R	0056	0057	3	RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)
CARTYP1	0082	0082	7	CHILD'S PROVIDERS OFFER ROUTINE WELL CARE
CARTYP2	0083	0083	7	CHILD'S PROVIDERS OFFER SICK/EMERGENCY VISITS
CARTYP3	0084	0084	7	CHILD'S PROVIDERS OFFER VACCINATION VISITS
CARTYP4	0085	0085	7	CHILD'S PROVIDERS OFFER OTHER SERVICES
CARTYP5	0086	0086	7	CHILD'S PROVIDERS OFFER WIC PROGRAM/SERVICES
CEN_REG	0058	0058	3	CENSUS REGION BASED ON STATE
CHILDNM	0059	0059	3	NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)
D6R	0078	0078	5	NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (RECODE)
DDTAP1	0560	0563	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP SHOT #1
DDTAP2	0564	0567	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP SHOT #2
DDTAP3	0568	0571	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP SHOT #3
DDTAP4	0572	0575	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP SHOT #4
DDTAP5	0576	0579	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP SHOT #5
DDTAP6	0580	0583	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP SHOT #6
DDTAP7	0584	0587	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP SHOT #7
DDTAP8	0588	0591	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP SHOT #8
DDTP1	0592	0595	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #1
DDTP2	0596	0599	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #2
DDTP3	0600	0603	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #3
DDTP4	0604	0607	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #4

1996 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
DDTP5	0608	0611	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #5
DDTP6	0612	0615	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #6
DDTP7	0616	0619	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #7
DDTP8	0620	0623	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #8
DDTPHB1	0624	0627	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #1
DDTPHB2	0628	0631	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #2
DDTPHB3	0632	0635	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #3
DDTPHB4	0636	0639	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #4
DDTPHB5	0640	0643	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #5
DDTPHB6	0644	0647	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #6
DDTPHB7	0648	0651	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #7
DDTPHB8	0652	0655	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #8
DHB1_AGE	0912	0913	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #1
DHB2_AGE	0914	0915	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #2
DHB3_AGE	0916	0917	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #3
DHB4_AGE	0918	0919	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #4
DHB5_AGE	0920	0921	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #5
DHB6_AGE	0922	0923	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #6
DHB7_AGE	0924	0925	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #7
DHB8_AGE	0926	0927	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #8
DHEPB1	0656	0659	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #1
DHEPB2	0660	0663	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #2
DHEPB3	0664	0667	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #3
DHEPB4	0668	0671	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #4

1996 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
DHEPB5	0672	0675	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #5
DHEPB6	0676	0679	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #6
DHEPB7	0680	0683	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #7
DHEPB8	0684	0687	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #8
DHIB1	0688	0691	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #1
DHIB2	0692	0695	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #2
DHIB3	0696	0699	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #3
DHIB4	0700	0703	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #4
DHIB5	0704	0707	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #5
DHIB6	0708	0711	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #6
DHIB7	0712	0715	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #7
DHIB8	0716	0719	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #8
DISPCODE	0079	0080	6	NIS PROVIDER RECORD-CHECK DISPOSITION CODE
DMMR1	0720	0723	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #1
DMMR2	0724	0727	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #2
DMMR3	0728	0731	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #3
DMMR4	0732	0735	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #4
DMMRX1	0736	0739	9	AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #1
DMMRX2	0740	0743	9	AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #2
DMMRX3	0744	0747	9	AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #3
DMMRX4	0748	0751	9	AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #4
DMP1	0752	0755	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #1
DMP2	0756	0759	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #2
DMP3	0760	0763	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #3
DMP4	0764	0767	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #4
DMPRB1	0768	0771	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #1
DMPRB2	0772	0775	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #2
DMPRB3	0776	0779	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #3

1996 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
DMPRB4	0780	0783	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #4
DMS1	0784	0787	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #1
DMS2	0788	0791	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #2
DMS3	0792	0795	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #3
DMS4	0796	0799	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #4
DMSMP1	0800	0803	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #1
DMSMP2	0804	0807	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #2
DMSMP3	0808	0811	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #3
DMSMP4	0812	0815	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #4
DMSRB1	0816	0819	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #1
DMSRB2	0820	0823	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #2
DMSRB3	0824	0827	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #3
DMSRB4	0828	0831	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #4
DPOLIO1	0832	0835	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #1
DPOLIO2	0836	0839	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #2
DPOLIO3	0840	0843	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #3
DPOLIO4	0844	0847	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #4
DPOLIO5	0848	0851	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #5
DPOLIO6	0852	0855	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #6
DPOLIO7	0856	0859	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #7
DPOLIO8	0860	0863	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #8
DRB1	0864	0867	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #1
DRB2	0868	0871	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #2
DRB3	0872	0875	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #3
DRB4	0876	0879	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #4
DRB5	0880	0883	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #5
DRB6	0884	0887	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #6
DRB7	0888	0891	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #7
DRB8	0892	0895	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #8

1996 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
DTA1_AGE	0928	0929	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP SHOT #1
DTA2_AGE	0930	0931	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP SHOT #2
DTA3_AGE	0932	0933	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP SHOT #3
DTA4_AGE	0934	0935	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP SHOT #4
DTA5_AGE	0936	0937	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP SHOT #5
DTA6_AGE	0938	0939	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP SHOT #6
DTA7_AGE	0940	0941	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP SHOT #7
DTA8_AGE	0942	0943	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP SHOT #8
DTP_SOUR	0045	0045	2	SHOT CARD USED FOR DTP REPORTING
DTP1_AGE	0944	0945	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #1
DTP2_AGE	0946	0947	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #2
DTP3_AGE	0948	0949	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #3
DTP4_AGE	0950	0951	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #4
DTP5_AGE	0952	0953	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #5
DTP6_AGE	0954	0955	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #6
DTP7_AGE	0956	0957	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #7
DTP8_AGE	0958	0959	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #8
DVRC1	0896	0899	9	AGE IN DAYS OF PROVIDER-REPORTED VARICELLA SHOT #1
DVRC2	0900	0903	9	AGE IN DAYS OF PROVIDER-REPORTED VARICELLA SHOT #2
DVRC3	0904	0907	9	AGE IN DAYS OF PROVIDER-REPORTED VARICELLA SHOT #3
DVRC4	0908	0911	9	AGE IN DAYS OF PROVIDER-REPORTED VARICELLA SHOT #4
EDUC1	0060	0060	3	EDUCATION OF MOTHER CATEGORIES
ENTRY	0061	0061	3	CHILD LIVES IN STATE WITH HEPATITIS B STATE ENTRY LAW FOR DAY CARE/HEAD START (1996-1997 SCHOOL YEAR)
FUL2_MMR	0046	0046	2	HOUSEHOLD REPORT OF 1+ MMR AT ANY AGE
FULL_DTP	0047	0047	2	HOUSEHOLD REPORT OF 4+ DTP
FULL_HEP	0048	0048	2	HOUSEHOLD REPORT OF 3+ HEPATITIS B
FULL_HIB	0049	0049	2	HOUSEHOLD REPORT OF 3+ HIB
FULL_POL	0050	0050	2	HOUSEHOLD REPORT OF 3+ POLIO
HEP1_AGE	0960	0961	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #1

1996 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
HEP2_AGE	0962	0963	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #2
HEP3_AGE	0964	0965	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #3
HEP4_AGE	0966	0967	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #4
HEP5_AGE	0968	0969	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #5
HEP6_AGE	0970	0971	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #6
HEP7_AGE	0972	0973	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #7
HEP8_AGE	0974	0975	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #8
HIB1_AGE	0976	0977	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #1
HIB2_AGE	0978	0979	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #2
HIB3_AGE	0980	0981	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #3
HIB4_AGE	0982	0983	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #4
HIB5_AGE	0984	0985	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #5
HIB6_AGE	0986	0987	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #6
HIB7_AGE	0988	0989	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #7
HIB8_AGE	0990	0991	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #8
HUTD4313	0051	0051	2	HOUSEHOLD REPORT OF 4:3:1:3 UTD (UP-TO-DATE)
HY_WGT	0012	0021	1	MODIFIED-POSTSTRATIFICATION (HH) WEIGHT FOR CHILD
I_HISP_K	0065	0065	3	HISPANIC ORIGIN OF CHILD
I_HISP_M	0066	0066	3	HISPANIC ORIGIN OF MOTHER
I_RACEKR	0067	0067	3	RACE OF CHILD (RECODE)
I_RACEMR	0068	0068	3	RACE OF MOTHER (RECODE)
INCOMER	0063	0064	3	FAMILY INCOME CATEGORIES (RECODE)
INCPOV1R	0062	0062	3	POVERTY STATUS(RECODE)
ITRUEIAP	0074	0075	4	IAP AREA OF CURRENT RESIDENCE
MARITAL	0069	0069	3	MARITAL STATUS OF MOTHER CATEGORIES
MMR1_AGE	0992	0993	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #1
MMR2_AGE	0994	0995	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #2
MMR3_AGE	0996	0997	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #3

1996 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
MMR4_AGE	0998	0999	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #4
MMX1_AGE	1000	1001	9	AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #1
MMX2_AGE	1002	1003	9	AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #2
MMX3_AGE	1004	1005	9	AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #3
MMX4_AGE	1006	1007	9	AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #4
MOBIL	0070	0070	3	GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE OF RESIDENCE
MP1_AGE	1008	1009	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #1
MP2_AGE	1010	1011	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #2
MP3_AGE	1012	1013	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #3
MP4_AGE	1014	1015	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #4
MPR1_AGE	1016	1017	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #1
MPR2_AGE	1018	1019	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #2
MPR3_AGE	1020	1021	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #3
MPR4_AGE	1022	1023	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #4
MS1_AGE	1024	1025	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-ONLY SHOT #1
MS2_AGE	1026	1027	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-ONLY SHOT #2
MS3_AGE	1028	1029	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-ONLY SHOT #3
MS4_AGE	1030	1031	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-ONLY SHOT #4
MSM1_AGE	1032	1033	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #1
MSM2_AGE	1034	1035	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #2
MSM3_AGE	1036	1037	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #3
MSM4_AGE	1038	1039	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #4
MSR1_AGE	1040	1041	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/RUBELLA SHOT #1
MSR2_AGE	1042	1043	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/RUBELLA SHOT #2
MSR3_AGE	1044	1045	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/RUBELLA SHOT #3
MSR4_AGE	1046	1047	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/RUBELLA SHOT #4
N_PRVR	0081	0081	6	NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (RECODE)

1996 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
P_NUMDHB	0100	0100	8	NUMBER OF DTP/HIB COMBINATION SHOTS (ALL TYPES), AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMDTA	0101	0101	8	NUMBER OF DTAP SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMDTP	0102	0102	8	NUMBER OF DTP SHOTS (ALL TYPES INCLUDING DT), AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMHEP	0103	0103	8	NUMBER OF HEPATITIS B (ALL TYPES) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMHIB	0104	0104	8	NUMBER OF HIB (ALL TYPES) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMMMR	0105	0105	8	NUMBER OF MCV (MEASLES-CONTAINING VACCINE) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMMMX	0106	0106	8	NUMBER OF TRUE MMR (NOT INCLUDING MEASLES-ONLY SHOTS), AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMPOL	0107	0107	8	NUMBER OF POLIO (ALL TYPES) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMRB	0108	0108	8	NUMBER OF RUBELLA SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMVRC	0109	0109	8	NUMBER OF VARICELLA (CHICKEN POX) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_U12VRC	0092	0092	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA AT 12+ MONTHS
P_UTD331	0091	0091	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1
P_UTD431	0088	0088	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1
P_UTDHEP	0093	0093	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B

1996 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
P_UTDHIB	0094	0094	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB
P_UTDMCV	0095	0095	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MCV
P_UTDMMX	0096	0096	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MMR (NOT INCLUDING ANY MEASLES-ONLY SHOTS)
P_UTDPOL	0097	0097	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO
P_UTDTP3	0098	0098	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DTP
P_UTDTP4	0099	0099	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DTP
PDAT	0036	0036	1	CHILD HAS ADEQUATE PROVIDER DATA
POL1_AGE	1048	1049	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 1
POL2_AGE	1050	1051	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 2
POL3_AGE	1052	1053	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 3
POL4_AGE	1054	1055	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 4
POL5_AGE	1056	1057	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 5
POL6_AGE	1058	1059	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 6
POL7_AGE	1060	1061	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 7
POL8_AGE	1062	1063	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 8
PROV_FAC	0087	0087	7	PROVIDER FACILITY TYPE
PUT43133	0090	0090	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3
PUTD4313	0089	0089	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3
RACEKIDR	0071	0071	3	RACE/ETHNICITY OF CHILD (RECODE)
RACEMOMR	0072	0072	3	RACE/ETHNICITY OF MOTHER (RECODE)
RB1_AGE	1064	1065	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #1
RB2_AGE	1066	1067	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #2
RB3_AGE	1068	1069	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #3
RB4_AGE	1070	1071	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #4
RB5_AGE	1072	1073	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #5
RB6_AGE	1074	1075	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #6
RB7_AGE	1076	1077	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #7
RB8_AGE	1078	1079	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #8
SEQNUMC	0001	0006	1	UNIQUE CHILD IDENTIFIER

1996 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
SEQNUMHH	0007	0011	1	UNIQUE HOUSEHOLD IDENTIFIER
SEX	0073	0073	3	GENDER OF CHILD
SHOTCARD	0052	0052	2	SHOT CARD USE FLAG
STATE	0076	0077	4	STATE OF RESIDENCE (STATE FIPS CODE)
VB11	0110	0139	8	VERBATIM TEXT FOR 1ST OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
VB12	0140	0169	8	VERBATIM TEXT FOR 1ST OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
VB13	0170	0199	8	VERBATIM TEXT FOR 1ST OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
VB21	0200	0229	8	VERBATIM TEXT FOR 2ND OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
VB22	0230	0259	8	VERBATIM TEXT FOR 2ND OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
VB23	0260	0289	8	VERBATIM TEXT FOR 2ND OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
VB31	0290	0319	8	VERBATIM TEXT FOR 3RD OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
VB32	0320	0349	8	VERBATIM TEXT FOR 3RD OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
VB33	0350	0379	8	VERBATIM TEXT FOR 3RD OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
VB41	0380	0409	8	VERBATIM TEXT FOR 4TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
VB42	0410	0439	8	VERBATIM TEXT FOR 4TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
VB43	0440	0469	8	VERBATIM TEXT FOR 4TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
VB51	0470	0499	8	VERBATIM TEXT FOR 5TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
VB52	0500	0529	8	VERBATIM TEXT FOR 5TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.

1996 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
VB53	0530	0559	8	VERBATIM TEXT FOR 5TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
VRC1_AGE	1080	1081	9	AGE IN MONTHS OF PROVIDER-REPORTED VARICELLA SHOT #1
VRC2_AGE	1082	1083	9	AGE IN MONTHS OF PROVIDER-REPORTED VARICELLA SHOT #2
VRC3_AGE	1084	1085	9	AGE IN MONTHS OF PROVIDER-REPORTED VARICELLA SHOT #3
VRC4_AGE	1086	1087	9	AGE IN MONTHS OF PROVIDER-REPORTED VARICELLA SHOT #4
W0	0022	0031	1	OVERALL VACCINATION HISTORY NONRESPONSE ADJUSTED WEIGHT FOR CHILDREN WITH ADEQUATE PROVIDER DATA
YEAR	0032	0035	1	YEAR OF INTERVIEW