

2020 National Post-acute and Long-term Care Study Web Tables of State Estimates about Residential Care Community Residents

Supplement to:

Caffrey C., Melekin, A., Lu, Z., Sengupta, M. Variation in Residential Care Community Resident Characteristics, by Size of Community: United States, 2020. NCHS data brief no 454. Hyattsville, MD: National Center for Health Statistics. 2022.

<https://www.cdc.gov/nchs/data/databriefs/db454.htm>

About the 2020 State Estimate Web Tables Supplement to Data Brief 454

The Long-Term Care Statistics Branch is pleased to release residential care community resident-specific state estimate web tables, using data from the fifth wave of the National Post-acute and Long-term Care Study (NPALS) conducted in 2020 by the National Center for Health Statistics (NCHS).

These residential care community resident-specific state web tables complement Data Brief #454. Table 1 provides state estimates of the characteristics presented in Data Brief #454 and Table 2 provides the standard errors for those estimates.

Estimates are presented as percentages. Data are presented in the state web tables only if they meet NCHS' confidentiality and reliability standards. Footnotes are included in the state web tables to indicate if estimates do not meet NCHS' confidentiality or reliability standards. The data sources and methodology used to develop the state web tables are the same as that used for *NCHS Data Brief #454*. For more information on the data source and methodology, please see the "Data source and methods" section in Data Brief #454.

About NPALS

NPALS provides reliable, accurate, relevant and timely statistical information to support and inform long-term care services policy, research, and practice. The main goals of NPALS are to: (1) estimate the supply, provision and use of paid, regulated long-term care services in seven major sectors; (2) estimate key policy-relevant characteristics of providers and service users, and provider practices; (3) produce national and state-level estimates, where feasible; (4) compare estimates among sectors; and (5) monitor trends over time. Information on NPALS and additional products is available at: <https://www.cdc.gov/nchs/npals/index.htm>.

NPALS comprises two components: (1) survey data collected by NCHS on assisted living and similar residential care communities and residents, and adult day services centers and participants; and (2) administrative data on nursing homes and residents, home health agencies and patients, hospices and patients, inpatient rehabilitation facilities and patients, and long-term care hospitals and patients obtained from the Centers for Medicare & Medicaid Services (CMS). The restricted 2020 survey data files for the residential care community and adult day services center sectors are available through NCHS' Research Data Center (<https://www.cdc.gov/rdc/index.htm>).

The residential care community survey was conducted between November 2020 and July 2021. NPALS uses a multi-mode survey protocol with mail, web, and computer-assisted telephone follow-up for nonresponse. The questionnaires included survey items on provider characteristics such as ownership, size, services offered, selected practices, and staffing in addition to aggregate service user characteristics, such as age, sex, race, and the number of residents needing assistance with activities of daily living.

Survey data were collected by RTI International under contract to NCHS. The 2020 residential care community mail questionnaire and survey documentation are available at: <https://www.cdc.gov/nchs/npals/questionnaires.htm>.

The residential care community sampling frame was constructed from lists of licensed residential care communities acquired from the licensing agencies in each of the 50 states and the District of Columbia. A sample of 11,618 residential care communities was selected from the sampling frame of 44,201 communities. Of the 8,746 in-scope and presumed in-scope residential care communities, 4,312 of them completed the survey questionnaire, for a weighted response rate (for differential probabilities of selection) of 45.0% (this is calculated by using AAPOR's Response Rate 4).

If you have any questions, please contact the Long-Term Care Statistics Branch at ltcsbfeedback@cdc.gov.

Table 1. State estimates for NCHS Data Brief No. 454, Variation in Residential Care Community Resident Characteristics, by Size of Community: United States, 2020

State	Non-Hispanic white	Some or all services paid by Medicaid in last 30 days	Female	Under 65 years	65–74 years	75–84 years	85 years and over
	Percent						
All RCCs ¹	88.0	17.5	69.5	5.8	13.4	30.9	49.9
Alabama	95.0	0.8	73.2	1.9	8.8	33.2	56.1
Alaska	72.4	49.2	60.3	13.7	22.7	27.7	35.9
Arizona	86.2	22.2	66.9	7.4	10.2	32.0	50.3
Arkansas	96.0	22.4	72.5	8.1	15.5	29.2	47.2
California	80.1	*1.7	68.5	2.4	11.2	36.1	50.2
Colorado	88.7	27.3	70.8	9.4	16.4	29.2	45.0
Connecticut	85.3	66.0	64.3	27.9	25.9	20.4	25.8
Delaware	91.6	8.3	68.8	5.2	13.3	31.5	50.0
District of Columbia	82.1	9.1	68.6	1.6	11.3	32.9	54.2
Florida	80.2	23.9	69.9	5.6	18.0	31.8	44.6
Georgia	86.8	8.3	71.7	5.6	11.5	30.6	52.3
Hawaii	21.5	*7.3	72.4	*2.3	8.4	36.5	52.7
Idaho	96.6	30.1	70.2	5.4	13.8	39.7	41.1
Illinois	90.4	33.7	71.9	4.9	13.9	30.6	50.6
Indiana	89.9	27.2	68.3	9.0	14.1	28.8	48.1
Iowa	98.8	10.7	73.4	2.0	8.7	29.9	59.4
Kansas	90.7	27.9	73.2	3.2	12.8	30.7	53.3
Kentucky	96.8	*6.7	70.1	11.4	12.5	30.4	45.6
Louisiana	95.9	0.0	73.7	1.6	10.5	28.9	59.0
Maine	98.5	49.5	68.4	6.8	14.7	29.5	49.0
Maryland	79.0	9.1	68.6	4.2	13.0	29.2	53.7
Massachusetts	95.8	11.5	71.9	4.2	11.7	33.6	50.4
Michigan	93.8	8.8	67.4	8.2	12.5	29.3	50.0
Minnesota	93.8	21.9	69.3	6.2	13.5	28.1	52.2
Mississippi	94.9	7.0	75.4	5.9	11.0	33.8	49.3
Missouri	95.6	16.1	66.8	14.8	13.9	24.4	46.9
Montana	94.7	21.6	68.9	7.7	11.6	30.3	50.4
Nebraska	96.2	24.2	69.8	3.4	9.9	34.7	52.0
Nevada	79.4	8.4	69.7	3.3	15.2	38.1	43.5
New Hampshire	99.2	14.5	71.4	3.3	8.8	31.3	56.5
New Jersey	91.1	24.7	75.1	3.1	11.6	28.9	56.4
New Mexico	75.4	14.1	68.3	4.2	11.9	30.9	53.0
New York	74.3	38.2	61.5	*8.0	22.7	30.0	39.3
North Carolina	76.2	43.1	61.3	11.6	25.1	27.8	35.5
North Dakota	96.9	29.6	69.3	5.8	11.3	29.5	53.3
Ohio	96.9	12.0	72.0	*3.5	9.4	28.1	58.9
Oklahoma	92.9	4.5	71.2	4.8	9.8	29.1	56.3
Oregon	90.7	46.8	68.8	5.7	17.0	32.7	44.6
Pennsylvania	93.7	*1.5	66.0	*10.9	13.7	27.0	48.4
Rhode Island	93.3	22.8	70.6	6.1	12.6	28.7	52.7
South Carolina	83.3	16.6	68.2	11.6	13.3	31.7	43.4
South Dakota	92.8	23.3	71.2	4.1	7.8	24.1	64.0
Tennessee	91.9	5.6	71.0	2.3	11.3	31.8	54.6
Texas	89.0	*7.9	71.1	6.2	12.8	30.0	51.0
Utah	95.6	22.4	69.9	9.2	14.7	32.6	43.5
Vermont	95.1	31.4	74.3	4.7	17.4	31.8	46.1
Virginia	88.0	4.0	70.4	5.0	11.1	29.0	55.0
Washington	91.1	28.1	71.8	4.1	10.9	30.3	54.7
West Virginia	97.5	1.7	76.0	2.9	11.6	31.7	53.8
Wisconsin	95.7	22.3	70.3	5.5	12.7	28.5	53.3
Wyoming	96.0	19.6	66.2	10.4	14.9	24.7	50.1

See footnotes at end of table.

Table 1. State estimates for NCHS Data Brief No. 454, Variation in Residential Care Community Resident Characteristics, by Size of Community: United States, 2020

State	Diagnosed with diabetes	Diagnosed with Alzheimer disease or other dementias	Diagnosed with depression	Diagnosed with heart disease	Diagnosed with high blood pressure
	Percent				
All RCCs ¹	16.9	42.1	28.6	31.1	47.9
Alabama	15.1	42.9	25.1	36.0	56.5
Alaska	21.2	59.0	18.6	31.0	46.8
Arizona	18.1	45.0	32.2	30.4	46.9
Arkansas	17.4	41.1	31.9	32.9	52.2
California	12.9	40.2	17.8	25.5	41.7
Colorado	15.2	45.1	26.9	23.3	33.0
Connecticut	23.5	14.8	24.9	25.6	44.5
Delaware	16.1	47.1	39.9	34.9	51.4
District of Columbia	21.7	43.2	22.6	25.8	49.4
Florida	15.6	46.5	28.1	29.7	45.1
Georgia	16.7	53.8	28.5	38.9	56.2
Hawaii	10.6	38.4	16.5	19.3	44.6
Idaho	15.8	47.4	35.9	30.4	48.5
Illinois	19.3	31.0	22.5	26.1	43.6
Indiana	21.8	30.4	34.5	31.8	52.9
Iowa	16.0	35.2	27.0	33.9	54.1
Kansas	18.8	40.7	40.2	35.3	55.0
Kentucky	16.1	32.0	29.2	32.2	41.3
Louisiana	14.8	34.6	26.5	35.7	54.4
Maine	22.1	52.8	39.5	42.7	54.5
Maryland	19.4	55.7	40.2	38.5	61.4
Massachusetts	11.2	42.7	22.9	29.2	41.4
Michigan	18.5	48.1	30.2	32.9	46.3
Minnesota	15.1	31.3	27.9	26.2	35.2
Mississippi	14.9	41.8	33.7	36.1	61.7
Missouri	21.6	34.1	36.8	34.0	55.7
Montana	15.0	46.4	36.4	33.6	50.0
Nebraska	16.5	39.3	33.2	31.8	47.3
Nevada	11.1	40.7	19.3	30.4	45.0
New Hampshire	15.6	48.5	26.5	35.7	50.7
New Jersey	19.1	41.7	32.4	34.5	59.2
New Mexico	14.6	46.5	31.1	30.2	50.9
New York	23.4	41.5	20.4	35.3	48.8
North Carolina	22.8	44.5	22.9	22.9	40.9
North Dakota	20.1	26.1	35.6	28.2	49.8
Ohio	19.1	41.3	22.8	35.2	56.3
Oklahoma	16.0	36.7	36.2	41.8	60.4
Oregon	18.4	55.6	34.0	27.3	48.4
Pennsylvania	20.0	37.2	38.9	35.6	54.9
Rhode Island	15.9	36.8	28.0	28.5	47.8
South Carolina	22.3	46.0	36.5	40.2	52.6
South Dakota	18.9	28.2	30.2	35.2	50.8
Tennessee	18.2	43.8	30.1	30.6	52.6
Texas	12.1	43.4	38.4	33.6	55.6
Utah	16.7	34.6	24.0	27.0	42.5
Vermont	20.9	50.4	46.4	47.4	54.8
Virginia	17.3	37.2	34.3	27.2	45.7
Washington	14.9	54.4	29.4	33.2	48.0
West Virginia	17.3	44.6	32.1	40.7	56.1
Wisconsin	18.5	45.6	29.6	39.8	49.4
Wyoming	16.1	35.5	28.8	26.7	46.7

See footnotes at end of table.

Table 1. State estimates for NCHS Data Brief No. 454, Variation in Residential Care Community Resident Characteristics, by Size of Community: United States, 2020

State	Needed assistance with bathing	Needed assistance with dressing	Needed assistance with toileting	Needed assistance with transferring in or out of a bed or chair	Needed assistance with eating	Needed assistance with walking
	Percent					
All RCCs ¹	64.3	49.2	43.1	33.8	21.5	49.9
Alabama	61.6	43.9	29.0	21.1	11.5	54.7
Alaska	81.4	71.5	62.6	45.7	42.6	61.5
Arizona	71.5	55.4	53.1	42.3	28.8	53.4
Arkansas	63.4	41.9	30.0	24.8	13.7	57.2
California	64.2	54.6	52.2	38.9	25.3	49.6
Colorado	54.5	36.0	31.8	21.4	13.0	41.8
Connecticut	34.9	14.9	5.2	9.0	6.3	33.3
Delaware	60.1	46.9	43.9	33.1	15.2	65.8
District of Columbia	72.6	62.5	61.2	55.2	33.3	75.8
Florida	62.6	52.0	47.4	38.4	17.2	49.0
Georgia	65.2	51.4	43.7	38.0	19.5	57.2
Hawaii	41.4	33.7	30.5	23.5	22.6	37.8
Idaho	70.8	49.0	49.0	38.4	28.9	54.3
Illinois	50.1	28.2	25.0	20.3	14.2	43.6
Indiana	52.6	39.7	32.2	30.2	14.2	44.7
Iowa	59.3	41.3	25.9	16.0	12.3	42.9
Kansas	68.1	45.3	38.0	32.5	23.4	57.7
Kentucky	52.0	34.7	26.7	19.5	10.1	46.4
Louisiana	49.3	39.6	31.9	28.8	18.9	47.2
Maine	67.4	48.6	36.1	29.1	26.1	45.5
Maryland	82.4	64.6	55.2	46.7	33.6	59.1
Massachusetts	59.4	47.5	30.5	19.5	13.4	39.6
Michigan	77.8	60.6	59.0	47.7	31.2	60.8
Minnesota	55.1	42.8	35.6	27.3	18.2	40.4
Mississippi	59.0	45.7	30.7	20.2	12.5	50.8
Missouri	57.9	38.0	26.6	16.1	11.2	50.0
Montana	62.8	41.6	34.9	26.1	22.9	33.9
Nebraska	69.6	42.5	31.2	28.7	14.3	49.8
Nevada	59.3	48.3	43.0	40.0	22.6	46.0
New Hampshire	65.4	54.1	41.1	25.6	20.9	51.3
New Jersey	72.2	58.2	45.3	37.8	21.2	56.0
New Mexico	70.0	53.0	47.2	38.9	30.9	60.7
New York	70.6	46.9	34.9	14.9	18.5	48.9
North Carolina	75.5	61.6	54.4	39.6	42.8	43.6
North Dakota	49.7	28.6	14.8	10.2	4.8	35.5
Ohio	63.0	48.9	40.6	36.0	20.3	48.6
Oklahoma	54.5	36.6	33.4	26.3	14.4	50.1
Oregon	78.5	61.7	58.9	42.7	26.7	59.4
Pennsylvania	59.6	37.0	33.4	21.5	14.0	44.1
Rhode Island	61.9	47.1	34.1	22.2	12.7	47.8
South Carolina	63.1	55.8	47.8	40.4	12.3	50.5
South Dakota	58.1	24.5	14.5	12.7	7.4	43.0
Tennessee	68.4	40.3	42.3	28.6	19.8	50.2
Texas	68.8	61.8	52.1	44.3	26.6	63.3
Utah	52.3	41.1	36.7	32.3	16.9	49.5
Vermont	64.4	48.0	37.0	24.9	19.2	47.2
Virginia	62.7	50.3	48.1	38.9	22.0	59.3
Washington	70.7	56.6	51.9	42.8	31.0	49.7
West Virginia	70.6	49.3	44.3	32.9	17.2	51.6
Wisconsin	71.0	51.1	45.4	41.2	27.9	48.9
Wyoming	48.3	26.7	15.3	4.7	10.2	27.4

* Estimates with an asterisk have a relative standard error of 30% or more.

¹ RCC is residential care community.

NOTES: Cases with missing data were excluded on a variable by variable basis.

SOURCE: National Center for Health Statistics, National Post-acute and Long-term Care Study, 2020.

Table 2. Standard errors for NCHS Data Brief No. 454, Variation in Residential Care Community Resident Characteristics, by Size of Community: United States, 2020

State	Non-Hispanic white	Some or all services paid by Medicaid in last 30 days	Female	Under 65 years	65–74 years	75–84 years	85 years and over
	Standard Error						
All RCCs ¹	0.5	0.7	0.4	0.3	0.4	0.5	0.7
Alabama	0.7	0.6	3.8	0.3	1.1	1.8	2.1
Alaska	1.8	2.7	1.7	1.2	1.5	1.5	2.5
Arizona	1.2	2.7	1.4	1.3	1.1	2.1	2.8
Arkansas	0.5	1.5	0.9	1.3	1.0	1.0	1.7
California	1.9	*0.6	1.5	0.4	1.5	2.4	2.7
Colorado	2.8	4.7	1.4	1.8	2.6	1.7	3.3
Connecticut	2.6	5.6	3.2	4.1	2.3	2.4	3.9
Delaware	1.8	2.4	2.5	1.3	2.1	4.4	5.8
District of Columbia	3.8	3.5	1.3	0.6	3.2	5.6	8.6
Florida	4.0	3.4	1.3	0.9	2.6	2.3	3.7
Georgia	2.2	1.8	1.4	0.8	1.4	1.9	2.5
Hawaii	3.0	*2.8	2.3	*0.7	1.0	6.8	6.1
Idaho	0.4	2.7	1.1	1.2	1.2	1.8	2.2
Illinois	1.9	5.4	1.1	1.3	1.5	2.6	3.4
Indiana	2.5	4.1	1.4	1.9	1.4	1.5	2.8
Iowa	0.4	1.9	1.3	0.4	1.2	1.5	2.0
Kansas	2.7	4.3	1.3	0.9	1.5	1.9	2.8
Kentucky	0.6	*2.2	1.9	2.8	1.4	2.2	3.1
Louisiana	0.4	0.0	1.7	0.2	1.2	1.2	1.8
Maine	0.3	5.4	2.1	1.3	1.4	2.7	3.5
Maryland	2.3	2.3	2.0	1.2	1.5	2.1	2.5
Massachusetts	0.8	2.2	1.2	0.8	1.1	1.8	2.4
Michigan	1.2	1.9	1.9	1.9	1.5	2.0	2.8
Minnesota	1.5	3.2	1.9	0.9	1.6	1.1	2.3
Mississippi	1.0	1.8	1.3	1.7	1.7	2.0	3.0
Missouri	1.0	2.8	2.3	2.8	1.9	1.8	3.3
Montana	1.1	2.4	1.5	1.2	1.1	2.3	3.3
Nebraska	0.7	3.1	1.8	0.8	1.2	1.9	2.4
Nevada	2.8	1.3	1.2	0.7	1.2	2.0	2.1
New Hampshire	0.1	2.1	1.0	0.5	0.6	2.2	2.2
New Jersey	1.2	2.2	0.8	0.5	1.2	1.2	2.0
New Mexico	1.5	2.7	1.0	0.6	1.0	1.3	2.0
New York	4.5	6.1	2.8	*2.5	3.5	2.2	4.1
North Carolina	4.5	6.8	3.9	2.4	4.7	2.3	5.2
North Dakota	0.5	4.0	0.9	0.9	1.1	1.5	2.3
Ohio	0.8	2.4	1.3	*1.3	1.4	2.2	3.1
Oklahoma	1.0	1.6	1.2	1.5	1.5	1.9	2.9
Oregon	2.1	3.8	1.9	1.0	1.5	1.7	2.4
Pennsylvania	2.0	*0.6	2.4	*3.4	2.1	2.4	4.3
Rhode Island	1.5	2.9	1.1	1.0	1.2	1.7	2.8
South Carolina	3.3	3.6	2.0	2.7	1.4	2.4	3.0
South Dakota	1.9	2.4	0.9	0.6	0.6	0.9	1.5
Tennessee	3.2	1.8	1.8	0.5	1.4	2.7	3.5
Texas	1.4	*2.4	1.1	1.4	1.5	1.7	2.7
Utah	0.6	3.4	0.9	1.8	1.2	1.6	2.7
Vermont	2.9	3.2	1.4	0.9	2.3	2.2	3.4
Virginia	1.6	1.1	2.3	1.2	1.1	1.9	2.8
Washington	2.4	4.1	2.0	0.9	1.6	2.1	3.3
West Virginia	0.6	1.1	1.3	0.8	1.9	2.6	3.5
Wisconsin	1.1	2.6	1.2	0.9	2.0	1.5	2.5
Wyoming	0.8	4.6	4.9	3.1	2.5	2.7	6.0

See footnotes at end of table.

Table 2. Standard errors for NCHS Data Brief No. 454, Variation in Residential Care Community Resident Characteristics, by Size of Community: United States, 2020

State	Diagnosed with diabetes	Diagnosed with Alzheimer disease or other dementias	Diagnosed with depression	Diagnosed with heart disease	Diagnosed with high blood pressure
	Standard Error				
All RCCs ¹	0.3	0.8	0.7	0.7	0.8
Alabama	1.2	3.7	2.2	2.2	2.9
Alaska	1.8	4.4	2.1	2.6	2.5
Arizona	1.4	2.7	2.6	2.4	2.7
Arkansas	1.1	2.2	1.9	1.9	2.2
California	1.4	3.1	2.2	2.8	3.2
Colorado	1.6	4.4	3.1	2.1	2.8
Connecticut	2.4	1.7	2.3	3.4	3.6
Delaware	1.5	4.6	7.8	5.2	4.5
District of Columbia	5.1	9.2	3.4	5.9	5.8
Florida	1.3	3.8	3.8	3.2	3.9
Georgia	1.5	2.6	3.9	3.3	2.7
Hawaii	2.4	5.9	2.8	2.0	4.7
Idaho	1.0	3.1	2.7	2.6	3.0
Illinois	2.7	3.9	2.4	2.9	4.3
Indiana	1.7	3.0	2.4	2.5	3.2
Iowa	1.3	2.8	2.3	2.4	3.3
Kansas	1.8	3.9	3.5	3.3	4.0
Kentucky	1.8	2.7	2.7	3.2	3.4
Louisiana	1.1	2.1	2.4	2.1	2.6
Maine	1.3	4.4	2.7	2.8	2.8
Maryland	1.5	2.6	2.7	3.2	3.1
Massachusetts	1.0	2.6	2.3	2.6	3.7
Michigan	1.5	2.9	2.4	2.6	2.4
Minnesota	1.5	3.2	3.3	3.0	3.8
Mississippi	0.9	2.7	3.0	2.4	2.3
Missouri	1.6	2.8	3.1	2.7	2.9
Montana	0.9	3.0	2.9	2.8	2.9
Nebraska	1.9	3.3	3.5	2.7	3.3
Nevada	0.9	2.9	2.7	3.0	3.2
New Hampshire	1.4	3.9	2.3	2.8	3.6
New Jersey	1.2	2.1	2.0	2.1	2.3
New Mexico	1.3	2.9	2.1	2.5	2.5
New York	3.8	4.2	2.3	4.8	5.2
North Carolina	2.8	5.5	3.6	3.0	5.3
North Dakota	2.0	2.9	3.1	2.6	3.3
Ohio	2.0	3.8	2.5	3.5	3.5
Oklahoma	1.2	2.9	3.2	3.3	3.0
Oregon	1.6	5.0	3.2	2.6	3.4
Pennsylvania	1.9	4.1	3.6	3.4	3.4
Rhode Island	1.3	3.9	2.7	2.6	3.3
South Carolina	2.2	3.7	3.9	3.2	3.0
South Dakota	1.1	1.5	1.7	1.9	2.9
Tennessee	1.5	3.4	4.2	3.1	3.2
Texas	1.0	3.4	4.2	3.1	3.5
Utah	1.2	2.5	2.0	2.5	3.0
Vermont	2.2	2.9	2.6	2.6	2.6
Virginia	1.7	3.1	3.6	2.9	2.6
Washington	1.7	4.6	3.1	3.5	3.7
West Virginia	1.8	3.7	3.4	3.7	3.5
Wisconsin	1.0	3.3	2.8	3.0	3.2
Wyoming	1.9	4.3	5.2	4.7	6.8

See footnotes at end of table.

Table 2. Standard errors for NCHS Data Brief No. 454, Variation in Residential Care Community Resident Characteristics, by Size of Community: United States, 2020

	Needed assistance with bathing	Needed assistance with dressing	Needed assistance with toileting	Needed assistance with transferring in or out of a bed or chair	Needed assistance with eating	Needed assistance with walking
State	Standard Error					
All RCCs ¹	0.9	0.8	0.8	0.7	0.6	1.0
Alabama	2.5	3.0	3.2	3.0	2.5	3.5
Alaska	1.9	2.3	2.8	4.4	3.1	4.9
Arizona	2.9	2.8	2.8	2.7	2.7	2.9
Arkansas	2.0	1.9	2.1	2.1	1.3	2.6
California	4.2	3.8	3.8	3.2	2.8	4.4
Colorado	4.3	4.3	4.5	4.0	1.8	4.9
Connecticut	4.0	3.3	2.7	3.1	2.7	4.4
Delaware	4.6	4.2	4.2	4.6	1.1	3.2
District of Columbia	7.5	6.7	4.2	7.8	7.1	3.5
Florida	4.1	4.2	3.4	3.7	2.1	4.9
Georgia	3.2	3.4	2.4	3.2	2.1	3.0
Hawaii	6.1	5.9	5.0	4.1	3.2	5.0
Idaho	2.5	3.2	3.1	3.1	2.6	3.6
Illinois	4.6	3.0	3.4	3.0	2.4	5.2
Indiana	3.3	3.4	3.5	3.5	2.8	3.5
Iowa	3.2	3.5	3.5	3.2	2.5	4.6
Kansas	3.4	2.9	3.2	3.1	2.7	4.3
Kentucky	2.8	2.8	2.8	2.9	1.3	4.0
Louisiana	2.5	2.3	2.3	2.3	1.9	3.3
Maine	4.6	4.4	4.0	4.2	2.8	4.6
Maryland	2.1	2.7	3.2	3.1	2.8	3.3
Massachusetts	2.3	2.5	2.4	2.1	1.7	2.9
Michigan	2.9	2.9	3.0	2.9	2.9	3.0
Minnesota	3.5	3.5	3.4	3.2	2.3	3.9
Mississippi	2.9	2.6	2.7	2.5	1.9	3.9
Missouri	3.5	3.3	3.7	3.4	1.7	4.2
Montana	4.2	3.4	3.1	2.4	2.4	3.5
Nebraska	3.2	3.9	3.4	3.3	1.9	3.9
Nevada	2.8	2.5	2.5	2.8	2.4	3.4
New Hampshire	3.2	3.1	3.2	3.6	2.1	4.1
New Jersey	2.3	2.2	2.3	2.3	1.6	3.0
New Mexico	2.7	2.7	3.1	2.5	2.7	2.8
New York	4.1	4.5	3.3	3.5	3.0	6.2
North Carolina	6.5	5.6	5.7	7.6	7.8	6.3
North Dakota	3.2	2.0	2.2	2.0	0.8	3.8
Ohio	3.6	3.8	3.7	3.8	2.7	4.3
Oklahoma	3.8	4.0	4.0	3.8	2.2	4.3
Oregon	2.2	3.2	3.4	3.1	3.2	4.2
Pennsylvania	5.2	4.8	4.7	3.5	2.3	5.5
Rhode Island	2.6	3.6	3.6	4.7	2.1	4.3
South Carolina	3.2	3.6	3.5	4.2	1.8	4.0
South Dakota	2.2	1.7	1.5	1.6	0.9	2.7
Tennessee	3.4	3.3	4.5	3.8	2.4	5.1
Texas	3.6	3.9	3.3	3.6	2.9	3.4
Utah	3.8	2.5	2.4	2.6	1.8	4.0
Vermont	2.5	2.9	3.3	3.4	1.5	4.2
Virginia	3.3	2.8	3.7	3.7	2.7	3.2
Washington	4.8	4.5	4.6	4.2	3.8	4.9
West Virginia	4.1	3.4	4.6	4.1	2.2	5.1
Wisconsin	3.1	3.2	3.3	3.4	2.8	3.8
Wyoming	5.9	5.2	4.5	1.2	1.5	7.5

* Estimates with an asterisk have a relative standard error of 30% or more.

¹ RCC is residential care community.

NOTES: Cases with missing data were excluded on a variable by variable basis.

SOURCE: National Center for Health Statistics, National Post-acute and Long-term Care Study, 2020.