

Female Pregnancy File Codebook :: Pregnancy Variables :: 1. Respondent ID and Pregnancy Order

### CASEID(1-5)

Variable Type : raw

Description : Case identification number

value	label	Total
60417-70621	Case identification number	9358
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies

### pregordr(6-7)

Variable Type : computed

Description : Pregnancy order (number)

value	label	Total
1	1ST PREGNANCY	3476
2	2ND PREGNANCY	2588
3	3RD PREGNANCY	1592
4	4TH PREGNANCY	831
5	5TH PREGNANCY	423
6	6TH PREGNANCY	209
7	7TH PREGNANCY	109
8	8TH PREGNANCY	56
9	9TH PREGNANCY	28
10	10TH PREGNANCY	17
11	11TH PREGNANCY	11
12	12TH PREGNANCY	6
13	13TH PREGNANCY	3
14	14TH PREGNANCY	2
15	15TH PREGNANCY	2
16	16TH PREGNANCY	1
17	17TH PREGNANCY	1
18	18TH PREGNANCY	1
19	19TH PREGNANCY	1
20	20TH PREGNANCY	1
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies

Female Pregnancy File Codebook :: Pregnancy Variables :: 2. Section B raw variables

### HOWPREG\_N(8-9)

Variable Type : raw

BB-2 : How many weeks or months pregnant are you now? (NUMBER)

value	label	Total
.	INAPPLICABLE	8752
0-50	0-50	606
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy is a current pregnancy (prgoutcome = 3) (respondent-level variable)

### HOWPREG\_P(10-10)

Variable Type : raw

BB-2 : How many weeks or months pregnant are you now? (UNITS)

value	label	Total
.	INAPPLICABLE	8752
1	Weeks	486
2	Months	120
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy is a current pregnancy (prgoutcome = 3) (respondent-level variable)

### **moscurrp(11-11)**

Variable Type : computed

Description : Number of Months Currently Pregnant (computed in Flow Check B-5)

value	label	Total
.	INAPPLICABLE	8752
0-11	0-11 Months	606
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy is a current pregnancy (prgoutcome = 3) (respondent-level variable)

Notes : use recode PRGLNGTH

### **NOWPRGDK(12-12)**

Variable Type : raw

BB-3 : Are you in your first trimester, in your second trimester, or in your third trimester?

value	label	Total
.	INAPPLICABLE	9358
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy is a current pregnancy (prgoutcome = 3) and R did not know or refused to answer current gestational length (BB-2 HOWPREG\_N = DK/RF) (respondent-level variable)

### **PREGEND1(13-13)**

Variable Type : raw

BC-1 : In which of the ways shown on Card 13 did the pregnancy end? (1st mention)

value	label	Total
.	INAPPLICABLE	252
1	Miscarriage	1473
2	Stillbirth	82
3	Abortion	936
4	Ectopic or tubal pregnancy	116
5	Live birth by Cesarean section	1842
6	Live birth by vaginal delivery	4633
8	Refused	16
9	Don't know	8
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy is a completed pregnancy (prgoutcome = 1 or 2)

Notes : Use recode OUTCOME

### **PREGEND2(14-14)**

Variable Type : raw

BC-1 : In which of the ways shown on Card 13 did the pregnancy end? (2nd mention)

value	label	Total
.	INAPPLICABLE	9336
1	Miscarriage	4
3	Abortion	3
4	Ectopic or tubal pregnancy	1
5	Live birth by Cesarean section	6
6	Live birth by vaginal delivery	8
	<b>Total</b>	<b>9358</b>

Universe : Applicable if more than 1 pregnancy outcome was reported for this completed pregnancy (see BC-1 PREGEND1)

Notes : Use recode OUTCOME

### HOWENDDK(15-15)

Variable Type : raw

BC-1b : I understand that you may not want to answer this question in detail. If you are willing to say, did this (nth) pregnancy result in a baby or babies born alive, or did it end in some other way?

value	label	Total
.	INAPPLICABLE	9334
1	Live birth	1
5	Some other way	10
8	Refused	10
9	Don't know	3
	<b>Total</b>	<b>9358</b>

Universe : Applicable if R did not know or refused to answer how this pregnancy ended (BC-1 PREGEND1 = DK or RF)

### NBRNALIV(16-16)

Variable Type : raw

BC-2 : (With your (nth) pregnancy,) How many babies did you have that were born alive? Please include babies that may have died shortly after birth and babies that you placed for adoption.

value	label	Total
.	INAPPLICABLE	2873
1	1 BABY	6379
2	2 BABIES	100
3	3 OR MORE BABIES	5
8	Refused	1
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy resulted in at least 1 live birth (prgoutcome = 1)

### MULTBRTH(17-17)

Variable Type : raw

BC-3 : Did you have (twins/triplets/all of these babies with this [nth] pregnancy)?

value	label	Total
.	INAPPLICABLE	9253
1	Yes	97
5	No	8
	<b>Total</b>	<b>9358</b>

Universe : Applicable if more than 1 liveborn baby reported from this pregnancy (BC-2 NBRNALIV > 1)

### **bornaliv(18-18)**

Variable Type : computed

Description : Number of babies born alive from this pregnancy (computed in Flow Check B-10)

value	label	Total
.	INAPPLICABLE	2873
1	1 BABY	6388
2	2 BABIES	94
3	3 OR MORE BABIES	3
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy resulted in at least 1 live birth (prgoutcome = 1)

### **DATPRGEN\_M(19-20)**

Variable Type : raw

BC-4a : In what month and year did this pregnancy end? (MONTH)

value	label	Total
.	INAPPLICABLE	6750
1-12	January-December	2152
13	Winter	44
14	Spring	90
15	Summer	144
16	Fall	46
98	Refused	10
99	Don't know	122
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy is a completed pregnancy but did not end in live birth (prgoutcome = 2)

### **DATPRGEN\_Y(21-24)**

Variable Type : raw

BC-4a : In what month and year did this pregnancy end? (YEAR)

value	label	Total
.	INAPPLICABLE	6750
1931-2015	1931-2015	2571
9998	Refused	10
9999	Don't know	27
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy is a completed pregnancy but did not end in live birth (prgoutcome = 2)

### **cmotpreg(25-28)**

Variable Type : computed

Description : Century Month for Pregnancy End Date (if nonlivebirth) (computed in Flow Check B-11)

value	label	Total
.	INAPPLICABLE	6750
378-1340	Before Sept 2011	2080
1341-1352	Sept 2011-Aug 2012	155
1353-1364	Sept 2012-Aug 2013	158
1365-1376	Sept 2013-Aug 2014	125
1377-1389	Sept 2014-Sept 2015	53

9998	Refused	10
9999	Don't know	27
<b>Total</b>		<b>9358</b>

Universe : Applicable if pregnancy is a completed pregnancy but did not end in live birth (prgoutcome = 2)

Notes : use recode DATEND

### **AGEATEND(29-30)**

Variable Type : raw

BC-4b : How old were you when this pregnancy ended?

value	label	Total
.	INAPPLICABLE	8901
LOW-19	UNDER 20 YEARS	174
20-24	20-24 YEARS	138
25-29	25-29 YEARS	72
30-44	30-44 YEARS	51
98	Refused	7
99	Don't know	15
<b>Total</b>		<b>9358</b>

Universe : Applicable if R did not know or refused to answer the month/year when this pregnancy ended (cmotpreg = DK/RF) or she reported season/DK/RF on the month when this pregnancy ended (BC-4a DATPRGEN\_M = 13,14,15,16, or DK/RF)

Notes : use recode AGEPEG

### **HPAGEEND(31-32)**

Variable Type : raw

BC-4c : How old was the father when this pregnancy ended?

value	label	Total
.	INAPPLICABLE	6750
LOW-19	UNDER 20 YEARS	381
20-24	20-24 YEARS	679
25-29	25-29 YEARS	643
30-44	30-44 YEARS	765
45-95	45 YEARS OR OLDER	69
98	Refused	9
99	Don't know	62
<b>Total</b>		<b>9358</b>

Universe : Applicable if pregnancy is a completed pregnancy but did not end in live birth (prgoutcome = 2)

### **GESTASUN\_M(33-34)**

Variable Type : raw

BC-5 : How many months or weeks had you been pregnant when (the baby was born/the [twins/triplets] were born/that pregnancy ended)? (MONTHS)

value	label	Total
.	INAPPLICABLE	265
0-12	0-12 MONTHS	9040
98	Refused	9
99	Don't know	44
<b>Total</b>		<b>9358</b>

Universe : Applicable if pregnancy is a completed pregnancy (prgoutcome = 1 or 2)

**GESTASUN\_W(35-36)**

Variable Type : raw

BC-5 : How many months or weeks had you been pregnant when (the baby was born/the [twins/triplets] were born/that pregnancy ended)? (WEEKS)

value	label	Total
.	INAPPLICABLE	265
0-13	13 WEEKS OR LESS	4587
14-26	14-26 WEEKS	162
27-95	27 WEEKS OR LONGER	4282
98	Refused	10
99	Don't know	52
<b>Total</b>		<b>9358</b>

Universe : Applicable if pregnancy is a completed pregnancy (prgoutcome = 1 or 2)

**wksgest(37-38)**

Variable Type : computed

Description : Gestational length of completed pregnancy (in weeks) (computed in Flow Check B-13)

value	label	Total
.	INAPPLICABLE	262
0-13	13 WEEKS OR LESS	2232
14-26	14-26 WEEKS	363
27-95	27 WEEKS OR LONGER	6492
98	Refused	7
99	Don't know	2
<b>Total</b>		<b>9358</b>

Universe : Applicable if pregnancy is a completed pregnancy (prgoutcome = 1 or 2)

Notes : use recode PRGLNGTH

**mosgest(39-40)**

Variable Type : computed

Description : Gestational length of completed pregnancy (in months) (computed in Flow Check B-13)

value	label	Total
.	INAPPLICABLE	262
0-12	0-12 MONTHS	9087
98	Refused	7
99	Don't know	2
<b>Total</b>		<b>9358</b>

Universe : Applicable if pregnancy is a completed pregnancy (prgoutcome = 1 or 2)

Notes : use recode PRGLNGTH

**DK1GEST(41-41)**

Variable Type : raw

BC-6 : Was it less than 6 months, or 6 months or more?

value	label	Total
.	INAPPLICABLE	9357
2	6 months or more	1
<b>Total</b>		<b>9358</b>

Universe : Applicable if this pregnancy ended only in stillbirth (BC-1 PREGEND1 - 6 only included code 2) and R did not know or refused to report gestational length (BC-5 GESTASUN\_M = DK/RF or GESTASUN\_W = DK/RF)

**DK2GEST(42-42)**

Variable Type : raw

BC-7 : A preterm delivery is one that occurs at 36 weeks or earlier in pregnancy. As far as you know, did you have a preterm delivery?

value	label	Total
.	INAPPLICABLE	9349
1	Yes	2
5	No	6
8	Refused	1
<b>Total</b>		<b>9358</b>

Universe : Applicable if this pregnancy ended in live birth (prgoutcome = 1) and R did not know or refused to answer gestational length (BC-5 GESTASUN\_M = DK/RF or GESTASUN\_W = DK/RF)

**DK3GEST(43-43)**

Variable Type : raw

BC-8 : Was it less than 3 months, 3 months or more but less than 6 months, or 6 months or more?

value	label	Total
.	INAPPLICABLE	9304
1	Less than 3 months	43
2	3 months or more, but less than 6 months	3
8	Refused	6
9	Don't know	2
<b>Total</b>		<b>9358</b>

Universe : Applicable if this pregnancy ended only in miscarriage, abortion, or ectopic (BC-1 PREGEND1 - 6 only included codes 1, 3, or 4) and R did not know or refused to report gestational length (BC-5 GESTASUN\_M = DK/RF or GESTASUN\_W = DK/RF)

**bpa\_bdscheck1(44-44)**

Variable Type : computed

Description : Whether 1st liveborn baby from this pregnancy was unnamed and either placed for adoption or died shortly after birth (computed in Flow Check B-17)

value	label	Total
.	INAPPLICABLE	2874
0	Baby born alive and named	6476
1	Baby unnamed and placed for adoption	5
2	Baby unnamed and died soon after birth	3
<b>Total</b>		<b>9358</b>

Universe : Applicable if pregnancy ended in live birth (prgoutcome = 1)

**BABYSEX1(45-45)**

Variable Type : raw

BD-2 : ((Is/Was) (BABY'S NAME/the 1st baby) male or female?)

value	label	Total
.	INAPPLICABLE	2873
1	Male	3340

2	Female	3143
8	Refused	1
9	Don't know	1
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy resulted in live birth (prgoutcome = 1)

### **BIRTHWGT\_LB1(46-47)**

Variable Type : raw

BD-3 : How much did (BABY'S NAME/this 1st baby) weigh at birth? (POUNDS)

value	label	Total
.	INAPPLICABLE	2873
0-5	UNDER 6 POUNDS	936
6	6 POUNDS	1666
7	7 POUNDS	2146
8	8 POUNDS	1168
9-95	9 POUNDS OR MORE	474
98	Refused	1
99	Don't know	94
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy resulted in live birth (prgoutcome = 1)

Notes : use recode LBW1

### **BIRTHWGT\_OZ1(48-49)**

Variable Type : raw

BD-3 : How much did (BABY'S NAME/this 1st baby) weigh at birth? (OUNCES)

value	label	Total
.	INAPPLICABLE	2967
0-15	0-15 OUNCES	6355
98	Refused	1
99	Don't know	35
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy resulted in live birth (prgoutcome = 1) and R did not say "don't know" or "refused" on the pounds question (BD-3 BIRTHWGT\_LB1 NE DK/RF)

Notes : use recode LBW1

### **LOBTHWGT1(50-50)**

Variable Type : raw

BD-4 : Did (she/he) weigh 5 1/2 pounds or more, or less than 5 1/2 pounds? (1st child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9261
1	5 1/2 pounds or more	67
2	Less than 5 1/2 pounds	14
8	Refused	1
9	Don't know	15
	<b>Total</b>	<b>9358</b>

Universe : Applicable if R did not know or refused to answer the baby's birthweight (BD-3 BIRTHWGT\_LB1 = DK/RF or (BIRTHWGT\_LB1 < 6 and BIRTHWGT\_OZ1 = DK/RF)

Notes : use recode LBW1

**BABYSEX2(51-51)**

Variable Type : raw

BD-2 : ((Is/Was) (BABY'S NAME/the 2nd baby) male or female?)

value	label	Total
.	INAPPLICABLE	9261
1	Male	50
2	Female	47
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy ended in more than 1 liveborn baby (bornaliv &gt; 1)

**BIRTHWGT\_LB2(52-53)**

Variable Type : raw

BD-3 : How much did (BABY'S NAME/this 2nd baby) weigh at birth? (POUNDS)

value	label	Total
.	INAPPLICABLE	9261
0-5	UNDER 6 POUNDS	71
6	6 POUNDS	22
7	7 POUNDS	2
9-95	9 POUNDS OR MORE	1
99	Don't know	1
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy ended in more than 1 liveborn baby (bornaliv &gt; 1)

**BIRTHWGT\_OZ2(54-55)**

Variable Type : raw

BD-3 : How much did (BABYNAME/this 2nd baby) weigh at birth? (OUNCES)

value	label	Total
.	INAPPLICABLE	9262
0-15	0-15 OUNCES	96
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy ended in more than 1 liveborn baby (bornaliv &gt; 1) and R did not say "don't know" or "refused" on the pounds question (BD-3 BIRTHWGT\_LB2 NE DK/RF)

**LOBTHWGT2(56-56)**

Variable Type : raw

BD-4 : Did (she/he) weigh 5 1/2 pounds or more, or less than 5 1/2 pounds? (2nd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9357
9	Don't know	1
	<b>Total</b>	<b>9358</b>

Universe : Applicable if R did not know or refused to answer the baby's birthweight (BD-3 BIRTHWGT\_LB2 = DK/RF or (BIRTHWGT\_LB2 &lt; 6 and BIRTHWGT\_OZ2 = DK/RF)

**BABYSEX3(57-57)**

Variable Type : raw

BD-2 : ((Is/Was) (BABY'S NAME/the 3rd baby) male or female?)

value	label	Total
.	INAPPLICABLE	9355
2	Female	3
<b>Total</b>		<b>9358</b>

Universe : Applicable if pregnancy ended in more than 2 liveborn babies (bornaliv > 2)

### **BIRTHWGT\_LB3(58-58)**

Variable Type : raw

BD-3 : How much did (BABY'S NAME/this 3rd baby) weigh at birth? (POUNDS)

value	label	Total
.	INAPPLICABLE	9355
0-5	UNDER 6 POUNDS	3
<b>Total</b>		<b>9358</b>

Universe : Applicable if pregnancy ended in more than 2 liveborn babies (bornaliv > 2)

### **BIRTHWGT\_OZ3(59-60)**

Variable Type : raw

BD-3 : How much did (BABY'S NAME/this 3rd baby) weigh at birth? (OUNCES)

value	label	Total
.	INAPPLICABLE	9355
0-15	0-15 OUNCES	3
<b>Total</b>		<b>9358</b>

Universe : Applicable if pregnancy ended in more than 2 liveborn babies (bornaliv > 2) and R did not say "don't know" or "refused" on the pounds question (BD-3 BIRTHWGT\_LB3 NE DK/RF)

### **LOBTHWGT3(61-61)**

Variable Type : raw

BD-4 : Did (she/he) weigh 5 1/2 pounds or more, or less than 5 1/2 pounds? (3rd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9358
<b>Total</b>		<b>9358</b>

Universe : Applicable if R did not know or refused to answer the baby's birthweight (BD-3 BIRTHWGT\_LB3 = DK/RF or (BIRTHWGT\_LB3 < 6 and BIRTHWGT\_OZ3 = DK/RF)

### **BABYDOB\_M(62-63)**

Variable Type : raw

BD-5 : In what month and year ((was she/was he/were the [twins/triplets]) born)/did this pregnancy end)?

value	label	Total
.	INAPPLICABLE	2873
1-12	January-December	6469
14	Spring	1
16	Fall	2
98	Refused	10
99	Don't know	3
<b>Total</b>		<b>9358</b>

Universe : Applicable if pregnancy resulted in live birth (prgoutcome = 1)

**BABYDOB\_Y(64-67)**

Variable Type : raw

BD-5 : In what month and year ((was she/was he/were the [twins/triplets]) born)/did this pregnancy end)?

value	label	Total
.	INAPPLICABLE	2873
1931-2015	1931-2015	6476
9998	Refused	8
9999	Don't know	1
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy resulted in live birth (prgoutcome = 1)

**cmbabdob(68-71)**

Variable Type : computed

Description : Century Month for baby's or babies' date of birth (delivery date) (computed in Flow Check B-19b)

value	label	Total
.	INAPPLICABLE	2873
378-1340	Before Sept 2011	5249
1341-1352	Sept 2011-Aug 2012	430
1353-1364	Sept 2012-Aug 2013	381
1365-1376	Sept 2013-Aug 2014	311
1377-1389	Sept 2014-Sept 2015	105
9998	Refused	8
9999	Don't know	1
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy resulted in live birth (prgoutcome = 1)

Notes : use recode DATEND

**kidage(72-74)**

Variable Type : computed

Description : Current Age (in months) of R's child(ren) from this pregnancy (computed in Flow Check B-19b)

value	label	Total
.	INAPPLICABLE	2882
0-994	0-994	6476
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy resulted in live birth (prgoutcome = 1) and bpa\_bdscheck1 = 0.

**HPAGELB(75-76)**

Variable Type : raw

BD-6 : How old was the father when (BABY'S NAME/the [twins/triplets]) (was/were) born?

value	label	Total
.	INAPPLICABLE	2873
LOW-19	UNDER 20 YEARS	597
20-24	20-24 YEARS	1633
25-29	25-29 YEARS	1748
30-44	30-44 YEARS	2255
45-95	45 YEARS OR OLDER	179
98	Refused	2

99	Don't know	71
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy resulted in live birth (prgoutcome = 1)

### **BIRTHPLC(77-77)**

Variable Type : raw

BD-7 : Where did you give birth? Was it in a hospital, in a birthing center, in your home, or some other place?

value	label	Total
.	INAPPLICABLE	7130
1	In a hospital	2194
2	In a birthing center	20
3	In your home	9
4	Some other place	4
8	Refused	1
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy resulted in live birth (prgoutcome = 1) and delivery occurred on or after January [YEAR OF INTERVIEW - 5] (cmbabdob GE cmjan5yr)

### **PAYBIRTH1(78-78)**

Variable Type : raw

BD-8 : When ([BABY'S NAME] was born/your [twins/triplets] were born,) in which of the ways on Card 16 was the delivery bill paid? (1st mention)

value	label	Total
.	INAPPLICABLE	7130
1	Insurance	932
2	Co-payment or out-of-pocket payment	65
3	Medicaid	1178
4	No payment required	34
5	Some other way	15
8	Refused	1
9	Don't know	3
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy resulted in live birth (prgoutcome = 1) and delivery occurred in or after January [YEAR OF INTERVIEW - 5] (cmbabdob GE cmjan5yr)

Notes : use recode PAYDELIV

### **PAYBIRTH2(79-79)**

Variable Type : raw

BD-8 : When ([BABY'S NAME] was born/your [twins/triplets] were born,) in which of the ways on Card 16 was the delivery bill paid? (2nd mention)

value	label	Total
.	INAPPLICABLE	8824
1	Insurance	26
2	Co-payment or out-of-pocket payment	456
3	Medicaid	46
5	Some other way	6
	<b>Total</b>	<b>9358</b>

Universe : Applicable if more than 1 form of payment reported for this delivery (see BD-8 PAYBIRTH1)

Notes : use recode PAYDELIV

**PAYBIRTH3(80-80)**

Variable Type : raw

BD-8 : When ([BABY'S NAME] was born/your [twins/triplets] were born,) in which of the ways on Card 16 was the delivery bill paid? (3rd mention)

value	label	Total
.	INAPPLICABLE	9352
2	Co-payment or out-of-pocket payment	1
3	Medicaid	5
<b>Total</b>		<b>9358</b>

Universe : Applicable if more than 2 forms of payment reported for this delivery (see BD-8 PAYBIRTH1)

Notes : use recode PAYDELIV

**CSECPRIM(81-81)**

Variable Type : raw

BD-9 : Was this your first cesarean delivery, or had you had one before this?

value	label	Total
.	INAPPLICABLE	8723
1	Yes	362
5	No	273
<b>Total</b>		<b>9358</b>

Universe : Applicable if only pregnancy outcome was cesarean livebirth delivery (BC-1 PREGEND1 - 6 only included code 5)

**CSECMED1(82-82)**

Variable Type : raw

BD-10 : Please look at Card 16b. Which of these medical reasons, if any, were there for this cesarean delivery? (1st MENTION)

value	label	Total
.	INAPPLICABLE	8996
1	Labor was taking too long	86
2	Maternity care provider concerned that baby was too big	24
3	Baby was in the wrong position (e.g, breech)	73
4	Maternity care provider concerned about your health	53
5	Maternity care provider concerned about your baby's health	66
6	Some other medical reason	47
7	There was no medical reason	11
9	Don't know	2
<b>Total</b>		<b>9358</b>

Universe : Applicable if this is R's first cesarean delivery (BD-9 CSECPRIM = 1) and R has not already reported on her first cesarean delivery (PRIMVAR NE 1)

**CSECMED2(83-83)**

Variable Type : raw

BD-10 : Please look at Card 16b. Which of these medical reasons, if any, were there for this cesarean delivery? (2nd MENTION)

value	label	Total
.	INAPPLICABLE	9238
1	Labor was taking too long	8

2	Maternity care provider concerned that baby was too big	11
3	Baby was in the wrong position (e.g, breech)	12
4	Maternity care provider concerned about your health	27
5	Maternity care provider concerned about your baby's health	41
6	Some other medical reason	21
	<b>Total</b>	<b>9358</b>

Universe : Applicable if R reported more than 1 medical reason for her first cesarean delivery (see BD-10 CSECMED1)

### **CSECMED3(84-84)**

Variable Type : raw

BD-10 : Please look at Card 16b. Which of these medical reasons, if any, were there for this cesarean delivery? (3rd MENTION)

value	label	Total
.	INAPPLICABLE	9328
1	Labor was taking too long	1
2	Maternity care provider concerned that baby was too big	1
3	Baby was in the wrong position (e.g, breech)	4
5	Maternity care provider concerned about your baby's health	20
6	Some other medical reason	4
	<b>Total</b>	<b>9358</b>

Universe : Applicable if R reported more than 2 medical reasons for her first cesarean delivery (see BD-10 CSECMED1)

### **CSECMED4(85-85)**

Variable Type : raw

BD-10 : Please look at Card 16b. Which of these medical reasons, if any, were there for this cesarean delivery? (4th MENTION)

value	label	Total
.	INAPPLICABLE	9351
4	Maternity care provider concerned about your health	1
5	Maternity care provider concerned about your baby's health	1
6	Some other medical reason	5
	<b>Total</b>	<b>9358</b>

Universe : Applicable if R reported more than 3 medical reasons for her first cesarean delivery (see BD-10 CSECMED1)

### **CSECPLAN(86-86)**

Variable Type : raw

BD-11 : Was this cesarean the result of your own idea to have a planned cesarean before labor began?

value	label	Total
.	INAPPLICABLE	9346
1	Yes	7
5	No	5
	<b>Total</b>	<b>9358</b>

Universe : Applicable if R reported no medical reason for her first cesarean delivery (BD-10 CSECMED1 = 7)

### **KNEWPREG(87-88)**

Variable Type : raw

BE-1 : How many weeks pregnant were you when you learned that you were pregnant this (nth) time?

value	label	Total
.	INAPPLICABLE	6501
0-13	13 WEEKS OR LESS	2699
14-26	14-26 WEEKS	113
27-50	27 WEEKS OR LONGER	13
98	Refused	3
99	Don't know	29
	<b>Total</b>	<b>9358</b>

Universe : Applicable if this is a completed pregnancy ending in or after January [YEAR OF INTERVIEW - 5] (either cmbabdob or cmotpreg GE cmjan5yr) and it did not end in induced abortion (BC-1 PREGEND1 - 6 did not include code 3) and not all liveborn babies from this pregnancy were placed for adoption (not all BPA\_BDScheck1 - 3 = 1)

### TRIMESTR(89-89)

Variable Type : raw

BE-2a : Was it less than 3 months, at least 3 months but less than 6 months, or six or more months?

value	label	Total
.	INAPPLICABLE	9349
1	Less than 3 months,	7
3	6 or more months	1
8	Refused	1
	<b>Total</b>	<b>9358</b>

Universe : Applicable if R did not know or refused to answer when she learned she was pregnant (BE-1 KNEWPREG = DK/RF) and gestational length was 6 months or longer (mosgest GE 6)

### LTRIMEST(90-90)

Variable Type : raw

BE-2b : Was it less than 3 months or 3 months or more?

value	label	Total
.	INAPPLICABLE	9356
1	Less than 3 months	1
2	3 or more months	1
	<b>Total</b>	<b>9358</b>

Universe : Applicable if R did not know or refused to answer when she learned she was pregnant (BE-1 KNEWPREG = DK/RF) and gestational length was between 3 and 6 months (3 LE mosgest LT 6)

### PRIORSMK(91-91)

Variable Type : raw

BE-3 : Please look at Card 17. In the 6 months before you found out you were pregnant this (nth) time, how many cigarettes did you smoke a day, on the average?

value	label	Total
.	INAPPLICABLE	6501
0	None	2138
1	About one cigarette a day or less	67
2	Just a few cigarettes a day (2-4)	166
3	About half a pack a day (5-14)	294
4	About a pack a day (15-24)	165
5	About 1 1/2 packs a day (25-34)	19
6	About 2 packs a day (35-44)	4

7	More than 2 packs a day (45 or more)	1
8	Refused	3
<b>Total</b>		<b>9358</b>

Universe : Applicable if this is a completed pregnancy ending in or after January [YEAR OF INTERVIEW - 5] (either cmbabdob or cmotpreg GE cmjan5yr) and it did not end in induced abortion (BC-1 PREGEND1 - 6 did not include code 3) and not all liveborn babies from this pregnancy were placed for adoption (not all BPA\_BDScheck1 - 3 = 1)

### POSTSMKS(92-92)

Variable Type : raw

BE-4 : After you found out you were pregnant this (nth) time, did you smoke cigarettes at all during the pregnancy?

value	label	Total
.	INAPPLICABLE	6501
1	Yes	381
5	No	2470
8	Refused	3
9	Don't know	3
<b>Total</b>		<b>9358</b>

Universe : Applicable if this is a completed pregnancy ending in or after January [YEAR OF INTERVIEW - 5] (either cmbabdob or cmotpreg GE cmjan5yr) and it did not end in induced abortion (BC-1 PREGEND1 - 6 did not include code 3) and not all liveborn babies from this pregnancy were placed for adoption (not all BPA\_BDScheck1 - 3 = 1)

### NPOSTSMK(93-93)

Variable Type : raw

BE-5 : Looking at Card 18, on the average, how many cigarettes did you smoke per day after you found out that you were pregnant this (nth) time?

value	label	Total
.	INAPPLICABLE	8977
1	About one cigarette a day or less	49
2	Just a few cigarettes a day (2-4)	132
3	About half a pack a day (5-14)	143
4	About a pack a day (15-24)	47
5	About 1 1/2 packs a day (25-34)	9
6	About 2 packs a day (35-44)	1
<b>Total</b>		<b>9358</b>

Universe : Applicable if R reported any cigarette smoking during this pregnancy (BE-4 POSTSMKS = 1)

### GETPRENA(94-94)

Variable Type : raw

BE-6 : During this (nth) pregnancy, did you ever visit a doctor or other medical care provider for prenatal care, that is, for one or more pregnancy check-ups?

value	label	Total
.	INAPPLICABLE	6501
1	Yes	2523
5	No	330
8	Refused	3
9	Don't know	1
<b>Total</b>		<b>9358</b>

Universe : Applicable if this is a completed pregnancy ending in or after January [YEAR OF INTERVIEW - 5] (either cmbabdob or cmotpreg GE cmjan5yr) and it did not end in induced abortion (BC-1 PREGEND1 - 6 did not include code 3) and not all liveborn babies from this pregnancy were placed for adoption (not all BPA\_BDScheck1 - 3 = 1)

Notes : use recode PNCAREWK

### **BGNPRENA(95-96)**

Variable Type : raw

BE-7 : How many weeks pregnant were you at the time of your first prenatal care visit?

value	label	Total
.	INAPPLICABLE	6835
0-13	13 WEEKS OR LESS	2272
14-26	14-26 WEEKS	223
27-50	27 WEEKS OR LONGER	18
99	Don't know	10
	<b>Total</b>	<b>9358</b>

Universe : Applicable if this is a completed pregnancy ending in or after January [YEAR OF INTERVIEW - 5] (either cmbabdob or cmotpreg GE cmjan5yr) and it did not end in induced abortion (BC-1 PREGEND1 - 6 did not include code 3) and not all liveborn babies from this pregnancy were placed for adoption (not all BPA\_BDScheck1 - 3 = 1)

Notes : use recode PNCAREWK

### **PNCTRIM(97-97)**

Variable Type : raw

BE-8a : Was it less than 3 months, at least 3 months but less than 6 months, or 6 or more months?

value	label	Total
.	INAPPLICABLE	9352
1	Less than 3 months,	2
2	At least 3 months , but less than 6 months	3
3	6 or more months	1
	<b>Total</b>	<b>9358</b>

Universe : Applicable if R did not know or refused to answer when she began prenatal care (BE-7 BGNPRENA = DK/RF) and gestational length was 6 months or longer (mosgest GE 6)

Notes : use recode PNCAREWK

### **LPNCTRI(98-98)**

Variable Type : raw

BE-8b : Was it less than 3 months or 3 months or more?

value	label	Total
.	INAPPLICABLE	9354
1	Less than 3 months	3
2	3 or more months	1
	<b>Total</b>	<b>9358</b>

Universe : Applicable if R did not know or refused to answer when she began prenatal care (BE-7 BGNPRENA = DK/RF) and gestational length was between 3 and 6 months (3 LE mosgest LT 6)

Notes : use recode PNCAREWK

### **LIVEHERE1(99-99)**

Variable Type : raw

BG-1 : Earlier I don't think you mentioned (BABY'S NAME) when you told me who lives with you. Does (BABY'S NAME) still live with you? (1st child from this pregnancy)

value	label	Total
.	INAPPLICABLE	7340
1	Yes	1566
5	No	451
8	Refused	1
<b>Total</b>		<b>9358</b>

Universe : Applicable if 1st liveborn child from this pregnancy did not match any biological child reported in the household roster (no NAME[X] with RELAR[X]=3 from household roster matches BABYNAME1)

Notes : see recode LIVCHILD

### **ALIVENOW1(100-100)**

Variable Type : raw

BG-2 : Is (she/he) still living? (1st child from this pregnancy)

value	label	Total
.	INAPPLICABLE	8906
1	Yes	403
5	No	48
8	Refused	1
<b>Total</b>		<b>9358</b>

Universe : Applicable if child not living with R (BG-1 LIVEHERE1 = 5/DK/RF)

### **WHENDIED\_M1(101-102)**

Variable Type : raw

BG-3 : When did (BABY'S NAME) die? (1st child from this pregnancy; MONTH)

value	label	Total
.	INAPPLICABLE	9310
1-12	January-December	47
99	Don't know	1
<b>Total</b>		<b>9358</b>

Universe : Applicable if child died (BG-2 ALIVENOW1 = 5)

### **WHENDIED\_Y1(103-106)**

Variable Type : raw

BG-3 : When did (BABY'S NAME) die? (1st child from this pregnancy; YEAR)

value	label	Total
.	INAPPLICABLE	9310
1931-2015	1931-2015	47
9999	Don't know	1
<b>Total</b>		<b>9358</b>

Universe : Applicable if child died (BG-2 ALIVENOW1 = 5)

### **cmkidied1(107-110)**

Variable Type : computed

Description : Century Month for child's date of death - 1st from this pregnancy (computed in Flow Check B-35)

value	label	Total
.	INAPPLICABLE	9310
378-1340	Before Sept 2011	38
1341-1352	Sept 2011-Aug 2012	3
1353-1364	Sept 2012-Aug 2013	4
1365-1376	Sept 2013-Aug 2014	2
9999	Don't know	1
	<b>Total</b>	<b>9358</b>

Universe : Applicable if child died (BG-2 ALIVENOW1 = 5)

### WHENLEFT\_M1(111-112)

Variable Type : raw

BG-4 : When did (BABY'S NAME) stop living with you? (1st child from this pregnancy; MONTH)

value	label	Total
.	INAPPLICABLE	8954
1-12	January-December	352
13	Winter	3
14	Spring	6
15	Summer	21
16	Fall	2
98	Refused	1
99	Don't know	19
	<b>Total</b>	<b>9358</b>

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW1 = 1/DK/RF)

### WHENLEFT\_Y1(113-116)

Variable Type : raw

BG-4 : When did (BABY'S NAME) stop living with you? (1st child from this pregnancy; YEAR)

value	label	Total
.	INAPPLICABLE	8954
1931-2015	1931-2015	398
9998	Refused	1
9999	Don't know	5
	<b>Total</b>	<b>9358</b>

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW1 = 1/DK/RF)

### cmkidlft1(117-120)

Variable Type : computed

Description : Century Month for date child stopped living w/R - 1st from this pregnancy (computed in Flow Check B-36)

value	label	Total
.	INAPPLICABLE	8954
378-1340	Before Sept 2011	239
1341-1352	Sept 2011-Aug 2012	36
1353-1364	Sept 2012-Aug 2013	49
1365-1376	Sept 2013-Aug 2014	55
1377-1389	Sept 2014-Sept 2015	19
9998	Refused	1

9999	Don't know	5
	<b>Total</b>	<b>9358</b>

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW1 = 1/DK/RF)

### lastage1(121-123)

Variable Type : computed

Description : Age (in months) when child last lived w/R-1st from this pregnancy (computed in Flow Check B-38)

value	label	Total
.	INAPPLICABLE	8913
0-994	0-994	445
	<b>Total</b>	<b>9358</b>

Universe : Applicable if child no longer lives with R (BG-1 LIVEHERE1 = 5/DK/RF)

### WHERE NOW1(124-124)

Variable Type : raw

BG-5 : Please look at Card 19. Where does (BABY'S NAME) now live? (1st child from this pregnancy)

value	label	Total
.	INAPPLICABLE	8954
1	With biological father	158
2	With other relatives	133
3	With adoptive family	45
4	Away at school/college	9
5	Living on own	21
6	Other	36
8	Refused	1
9	Don't know	1
	<b>Total</b>	<b>9358</b>

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW1 = 1/DK/RF)

Notes : see recode LIVCHILD

### LEGAGREE1(125-125)

Variable Type : raw

BG-6 : Do you and (BABY'S NAME)'s father have a legal agreement about (BABY'S NAME) regarding child support, alimony, custody, visitation, or where the child lives? (1st child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9200
1	Yes	104
5	No	54
	<b>Total</b>	<b>9358</b>

Universe : Applicable if child lives with biological father (BG-5 WHERE NOW1 = 1)

### PARENEND1(126-126)

Variable Type : raw

BG-7 : Are you still the legal mother of (BABY'S NAME)? (1st child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9008

1	Yes	317
5	No	32
8	Refused	1
<b>Total</b>		<b>9358</b>

Universe : Applicable if child lives with biological father, other relatives, on own, or somewhere else, or if R did not know or refused to answer where child lives (BG-5 WHEREHOW1 = 1, 2, 5, 6, DK, or RF)

### **ANYNURSE1(127-127)**

Variable Type : raw

BH-1 : (When (BABY'S NAME) was an infant,) (Have/did) you breastfeed (him/her) at all? (1st child from this pregnancy)

value	label	Total
.	INAPPLICABLE	3617
1	Yes	3834
5	No	1907
<b>Total</b>		<b>9358</b>

Universe : Applicable if pregnancy resulted in live birth (prgoutcome = 1), child lived with R for at least 2 months (lastage1 GE 2), and child is currently 18 years or younger (kidage LT 228)

Notes : use recode BFEEDWKS

### **FEDSOLID1(128-128)**

Variable Type : raw

BH-2 : Besides breastmilk, babies are sometimes given formula, baby food, or other liquid or solid foods. (Did you feed/Have you fed) [BABY'S NAME] something other than breast milk yet? (1st child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9076
1	Yes	239
5	No	43
<b>Total</b>		<b>9358</b>

Universe : Applicable if child is younger than 1 year (lastage1 = blank and kidage < 12) or child stopped living with R at age younger than 1 year (lastage1 < 12 and kidage < 12)

### **FRSTEATD\_N1(129-131)**

Variable Type : raw

BH-3 : How old was (she/he) when you first fed (her/him) something other than breast milk? (1st child from this pregnancy; NUMBER)

value	label	Total
.	INAPPLICABLE	5567
0-994	0-994	3783
999	Don't know	8
<b>Total</b>		<b>9358</b>

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE1 = 1) and child was ever fed something other than breastmilk (BH-2 FEDSOLID1 = blank or 1)

### **FRSTEATD\_P1(132-132)**

Variable Type : raw

BH-3 : How old was (she/he) when you first fed (her/him) something other than breast milk? (1st child from this pregnancy; UNITS)

value	label	Total
.	INAPPLICABLE	5575
1	Months	2638
2	Weeks	565
3	Days	580
	<b>Total</b>	<b>9358</b>

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE1 = 1) and child was ever fed something other than breastmilk (BH-2 FEDSOLID1 = blank or 1)

### FRSTEATD1(133-134)

Variable Type : raw

BH-3 : Age (in months) when 1st supplemented - 1st from this preg (computed in Flow Check B-39b)

value	label	Total
.	INAPPLICABLE	5575
0	LESS THAN 1 MONTH	880
1	1 MONTH	451
2	2 MONTHS	287
3	3 MONTHS	493
4	4 MONTHS	373
5	5 MONTHS	255
6	6 MONTHS	681
7-95	7 OR MORE MONTHS	363
	<b>Total</b>	<b>9358</b>

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE1 = 1) and child was ever fed something other than breastmilk (BH-2 FEDSOLID1 = blank or 1)

### QUITNURS1(135-135)

Variable Type : raw

BH-4 : (Have/Had) you stopped breast-feeding (her/him) altogether? (1st child from this pregnancy)

value	label	Total
.	INAPPLICABLE	8772
1	Yes	424
5	No	161
9	Don't know	1
	<b>Total</b>	<b>9358</b>

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE1 = 1), child was ever fed something other than breastmilk (BH-2 FEDSOLID1 = blank or 1), and child is either 2 years or younger or last lived with R at age 2 years or younger (lastage1 LE 24 or (lastage1 = blank and kidage LE 24))

Notes : use recode BFEEDWKS

### AGEQTNR\_N1(136-138)

Variable Type : raw

BH-5 : How old was (she/he) when you stopped breast-feeding (her/him) altogether? (1st child from this pregnancy; NUMBER)

value	label	Total
.	INAPPLICABLE	5729
0-994	0-994	3615
996	Still breastfeeding this child	9
999	Don't know	5
	<b>Total</b>	<b>9358</b>

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE1 = 1) and R has stopped breastfeeding child altogether (BH-4 QUITNURS1 = blank or 1)

Notes : use recode BFEEDWKS

### AGEQTNUR\_P1(139-139)

Variable Type : raw

BH-5 : How old was (she/he) when you stopped breast-feeding (her/him) altogether? (1st child from this pregnancy; UNITS)

value	label	Total
.	INAPPLICABLE	5743
1	Months	3033
2	Weeks	485
3	Days	96
9	Don't know	1
<b>Total</b>		<b>9358</b>

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE1 = 1) and R has stopped breastfeeding child altogether (BH-4 QUITNURS1 = blank or 1)

Notes : use recode BFEEDWKS

### AGEQTNUR1(140-141)

Variable Type : raw

Description : Age (in months) when R stopped nursing child - 1st from this preg (computed in Flow Check B-40\_1)

value	label	Total
.	INAPPLICABLE	5744
0	LESS THAN 1 MONTH OLD	296
1	1 MONTH OLD	385
2	2 MONTHS OLD	282
3	3 MONTHS OLD	351
4-6	4-6 MONTHS OLD	786
7-12	7-12 MONTHS OLD	914
13-24	13-24 MONTHS OLD	518
25-95	25 MONTHS OR OLDER	82
<b>Total</b>		<b>9358</b>

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE1 = 1) and R has stopped breastfeeding child altogether (BH-4 QUITNURS1 = blank or 1)

Notes : use recode BFEEDWKS

### LIVEHERE2(142-142)

Variable Type : raw

BG-1 : Earlier I don't think you mentioned (BABY'S NAME) when you told me who lives with you. Does (BABY'S NAME) still live with you? (2nd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9322
1	Yes	27
5	No	9
<b>Total</b>		<b>9358</b>

Universe : Applicable if 2nd liveborn child from this pregnancy did not match any biological child reported in the household roster (no NAME[X] with RELAR[X]=3 from household roster matches BABYNAME2)

**ALIVENOW2(143-143)**

Variable Type : raw

BG-2 : Is (she/he) still living? (2nd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9349
1	Yes	5
5	No	4
<b>Total</b>		<b>9358</b>

Universe : Applicable if child not living with R (BG-1 LIVEHERE2 = 5/DK/RF)

**WHENDIED\_M2(144-144)**

Variable Type : raw

BG-3 : When did (BABY'S NAME) die? (2nd child from this pregnancy; MONTH)

value	label	Total
.	INAPPLICABLE	9354
1-12	January-December	4
<b>Total</b>		<b>9358</b>

Universe : Applicable if child died (BG-2 ALIVENOW2 = 5)

**WHENDIED\_Y2(145-148)**

Variable Type : raw

BG-3 : When did (BABY'S NAME) die? (2nd child from this pregnancy; YEAR)

value	label	Total
.	INAPPLICABLE	9354
1931-2015	1931-2015	4
<b>Total</b>		<b>9358</b>

Universe : Applicable if child died (BG-2 ALIVENOW2 = 5)

**cmkidied2(149-152)**

Variable Type : computed

Description : Century Month for child's date of death - 2nd from this pregnancy (computed in Flow Check B-35)

value	label	Total
.	INAPPLICABLE	9354
378-1340	Before Sept 2011	3
1353-1364	Sept 2012-Aug 2013	1
<b>Total</b>		<b>9358</b>

Universe : Applicable if child died (BG-2 ALIVENOW2 = 5)

**WHENLEFT\_M2(153-153)**

Variable Type : raw

BG-4 : When did (BABY'S NAME) stop living with you? (2nd child from this pregnancy; MONTH)

value	label	Total
.	INAPPLICABLE	9353
1-12	January-December	5

**Total**                    **9358**

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW2 = 1/DK/RF)

**WHENLEFT\_Y2(154-157)**

Variable Type : raw

BG-4 : When did (BABY'S NAME) stop living with you? (2nd child from this pregnancy; YEAR)

value	label	Total
.	INAPPLICABLE	9353
1931-2015	1931-2015	5
<b>Total</b>		<b>9358</b>

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW2 = 1/DK/RF)

**cmkidlft2(158-161)**

Variable Type : computed

Description : Century Month for date child stopped living w/R - 2nd from this pregnancy (computed in Flow Check B-36)

value	label	Total
.	INAPPLICABLE	9353
378-1340	Before Sept 2011	4
1365-1376	Sept 2013-Aug 2014	1
<b>Total</b>		<b>9358</b>

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW2 = 1/DK/RF)

**lastage2(162-164)**

Variable Type : computed

Description : Age (in months) when child last lived w/R-2nd from this pregnancy (computed in Flow Check B-38)

value	label	Total
.	INAPPLICABLE	9349
0-994	0-994	8
997	Not ascertained	1
<b>Total</b>		<b>9358</b>

Universe : Applicable if child no longer lives with R (BG-1 LIVEHERE2 = 5/DK/RF)

**WHERENOW2(165-165)**

Variable Type : raw

BG-5 : Please look at Card 19. Where does (BABY'S NAME) now live? (2nd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9353
1	With biological father	2
2	With other relatives	1
3	With adoptive family	2
<b>Total</b>		<b>9358</b>

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW2 = 1/DK/RF)

**LEGAGREE2(166-166)**

Variable Type : raw

BG-6 : Do you and (BABY'S NAME)'s father have a legal agreement about (BABY'S NAME) regarding child support, alimony, custody, visitation, or where the child lives? (2nd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9356
1	Yes	1
5	No	1
<b>Total</b>		<b>9358</b>

Universe : Applicable if child lives with biological father (BG-5 WHEREHOW2 = 1)

### **PARENEND2(167-167)**

Variable Type : raw

BG-7 : Are you still the legal mother of (BABY'S NAME)? (2nd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9355
1	Yes	2
5	No	1
<b>Total</b>		<b>9358</b>

Universe : Applicable if child lives with biological father, other relatives, on own, or somewhere else, or if R did not know or refused to answer where child lives (BG-5 WHEREHOW2 = 1, 2, 5, 6, DK, or RF)

### **ANYNURSE2(168-168)**

Variable Type : raw

BH-1 : (When (BABY'S NAME) was an infant,) (Have/did) you breastfeed (him/her) at all? (2nd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9270
1	Yes	49
5	No	39
<b>Total</b>		<b>9358</b>

Universe : Applicable if pregnancy resulted in more than 1 liveborn baby (bornaliv > 2), child lived with R for at least 2 months (lastage2 GE 2), and child is currently 18 years or younger (kidage LT 228)

### **FEDSOLID2(169-169)**

Variable Type : raw

BH-2 : Besides breastmilk, babies are sometimes given formula, baby food, or other liquid or solid foods. (Did you feed/Have you fed) [BABY'S NAME] something other than breast milk yet? (2nd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9353
1	Yes	5
<b>Total</b>		<b>9358</b>

Universe : Applicable if child is younger than 1 year (lastage2 = blank and kidage < 12) or child stopped living with R at age younger than 1 year (lastage2 < 12 and kidage < 12)

### **FRSTEATD\_N2(170-170)**

Variable Type : raw

BH-3 : How old was (she/he) when you first fed (her/him) something other than breast milk? (2nd child from this pregnancy; NUMBER)

value	label	Total
.	INAPPLICABLE	9309
0-994	0-994	49
	<b>Total</b>	<b>9358</b>

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE2 = 1) and child was ever fed something other than breastmilk (BH-2 FEDSOLID2 = blank or 1)

### FRSTEATD\_P2(171-171)

Variable Type : raw

BH-3 : How old was (she/he) when you first fed (her/him) something other than breast milk? (2nd child from this pregnancy; UNITS)

value	label	Total
.	INAPPLICABLE	9309
1	Months	27
2	Weeks	9
3	Days	13
	<b>Total</b>	<b>9358</b>

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE2 = 1) and child was ever fed something other than breastmilk (BH-2 FEDSOLID2 = blank or 1)

### FRSTEATD2(172-172)

Variable Type : raw

BH-3 : Age (in months) when 2nd supplemented - 2nd from this preg (computed in Flow Check B-39b)

value	label	Total
.	INAPPLICABLE	9309
0	LESS THAN 1 MONTH	16
1	1 MONTH	12
2	2 MONTHS	4
3	3 MONTHS	4
4	4 MONTHS	5
5	5 MONTHS	3
6	6 MONTHS	4
7-95	7 OR MORE MONTHS	1
	<b>Total</b>	<b>9358</b>

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE2 = 1) and child was ever fed something other than breastmilk (BH-2 FEDSOLID2 = blank or 1)

### QUITNURS2(173-173)

Variable Type : raw

BH-4 : (Have/Had) you stopped breast-feeding (her/him) altogether? (2nd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9347
1	Yes	8
5	No	3
	<b>Total</b>	<b>9358</b>

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE2 = 1), child was ever fed something other than breastmilk (BH-2 FEDSOLID2 = blank or 1), and child is either 2 years or younger or last lived with R at age 2 years or younger (lastage2 LE 24 or (lastage2 = blank and kidage LE 24))

### AGEQTNR\_N2(174-175)

Variable Type : raw

BH-5 : How old was (she/he) when you stopped breast-feeding (her/him) altogether? (2nd child from this pregnancy; NUMBER)

value	label	Total
.	INAPPLICABLE	9312
0-994	0-994	46
<b>Total</b>		<b>9358</b>

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE2 = 1) and R has stopped breastfeeding child altogether (BH-4 QUITNURS2 = blank or 1)

### AGEQTNR\_P2(176-176)

Variable Type : raw

BH-5 : How old was (she/he) when you stopped breast-feeding (her/him) altogether? (2nd child from this pregnancy; UNITS)

value	label	Total
.	INAPPLICABLE	9312
1	Months	35
2	Weeks	10
3	Days	1
<b>Total</b>		<b>9358</b>

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE2 = 1) and R has stopped breastfeeding child altogether (BH-4 QUITNURS2 = blank or 1)

### AGEQTNR2(177-178)

Variable Type : raw

Description : Age (in months) when R stopped nursing child - 2nd from this preg (computed in Flow Check B-40\_1)

value	label	Total
.	INAPPLICABLE	9312
0	LESS THAN 1 MONTH OLD	5
1	1 MONTH OLD	10
2	2 MONTHS OLD	1
3	3 MONTHS OLD	6
4-6	4-6 MONTHS OLD	12
7-12	7-12 MONTHS OLD	11
13-24	13-24 MONTHS OLD	1
<b>Total</b>		<b>9358</b>

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE2 = 1) and R has stopped breastfeeding child altogether (BH-4 QUITNURS2 = blank or 1)

### LIVEHERE3(179-179)

Variable Type : raw

BG-1 : Earlier I don't think you mentioned (BABY'S NAME) when you told me who lives with you. Does (BABY'S NAME) still live with you? (3rd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9358
<b>Total</b>		<b>9358</b>

Universe : Applicable if 3rd liveborn child from this pregnancy did not match any biological child reported in the household roster (no NAME[X] with RELAR[X]=3 from household roster matches BABYNAME3)

### **ALIVENOW3(180-180)**

Variable Type : raw

BG-2 : Is (she/he) still living? (3rd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9358
<b>Total</b>		<b>9358</b>

Universe : Applicable if child not living with R (BG-1 LIVEHERE3 = 5/DK/RF)

### **WHENDIED\_M3(181-181)**

Variable Type : raw

BG-3 : When did (BABY'S NAME) die? (3rd child from this pregnancy; MONTH)

value	label	Total
.	INAPPLICABLE	9358
<b>Total</b>		<b>9358</b>

Universe : Applicable if child died (BG-2 ALIVENOW3 = 5)

### **WHENDIED\_Y3(182-182)**

Variable Type : raw

BG-3 : When did (BABY'S NAME) die? (3rd child from this pregnancy; YEAR)

value	label	Total
.	INAPPLICABLE	9358
<b>Total</b>		<b>9358</b>

Universe : Applicable if child died (BG-2 ALIVENOW3 = 5)

### **cmkidied3(183-183)**

Variable Type : computed

Description : Century Month for child's date of death - 3rd from this pregnancy (computed in Flow Check B-35)

value	label	Total
.	INAPPLICABLE	9358
<b>Total</b>		<b>9358</b>

Universe : Applicable if child died (BG-2 ALIVENOW3 = 5)

### **WHENLEFT\_M3(184-184)**

Variable Type : raw

BG-4 : When did (BABY'S NAME) stop living with you? (3rd child from this pregnancy; MONTH)

value	label	Total
.	INAPPLICABLE	9358
<b>Total</b>		<b>9358</b>

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW3 = 1/DK/RF)

### **WHENLEFT\_Y3(185-185)**

Variable Type : raw

BG-4 : When did (BABY'S NAME) stop living with you? (3rd child from this pregnancy; YEAR)

value	label	Total
.	INAPPLICABLE	9358
<b>Total</b>		<b>9358</b>

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW3 = 1/DK/RF)

### **cmkidlft3(186-186)**

Variable Type : computed

Description : Century Month for date child stopped living w/R - 3rd from this pregnancy (computed in Flow Check B-36)

value	label	Total
.	INAPPLICABLE	9358
<b>Total</b>		<b>9358</b>

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW3 = 1/DK/RF)

### **lastage3(187-187)**

Variable Type : computed

Description : Age (in months) when child last lived w/R-3rd from this pregnancy (computed in Flow Check B-38)

value	label	Total
.	INAPPLICABLE	9358
<b>Total</b>		<b>9358</b>

Universe : Applicable if child no longer lives with R (BG-1 LIVEHERE3 = 5/DK/RF)

### **WHERENOW3(188-188)**

Variable Type : raw

BG-5 : Please look at Card 19. Where does (BABY'S NAME) now live? (3rd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9358
<b>Total</b>		<b>9358</b>

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW3 = 1/DK/RF)

### **LEGAGREE3(189-189)**

Variable Type : raw

BG-6 : Do you and (BABY'S NAME)'s father have a legal agreement about (BABY'S NAME) regarding child support, alimony, custody, visitation, or where the child lives? (3rd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9358
<b>Total</b>		<b>9358</b>

Universe : Applicable if child lives with biological father (BG-5 WHERENOW3 = 1)

**PARENEND3(190-190)**

Variable Type : raw

BG-7 : Are you still the legal mother of (BABY'S NAME)? (3rd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9358
<b>Total</b>		<b>9358</b>

Universe : Applicable if child lives with biological father, other relatives, on own, or somewhere else, or if R did not know or refused to answer where child lives (BG-5 WHERENOW3 = 1, 2, 5, 6, DK, or RF)

**ANYNURSE3(191-191)**

Variable Type : raw

BH-1 : (When (BABY'S NAME) was an infant,) (Have/did) you breastfeed (him/her) at all? (3rd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9355
1	Yes	1
5	No	2
<b>Total</b>		<b>9358</b>

Universe : Applicable if pregnancy ended with more than 2 liveborn babies (bornaliv > 2), child lived with R for at least 2 months (lastage3 GE 2), and child is currently 18 years or younger (kidage LT 228)

**FEDSOLID3(192-192)**

Variable Type : raw

BH-2 : Besides breastmilk, babies are sometimes given formula, baby food, or other liquid or solid foods. (Did you feed/Have you fed) [BABY'S NAME] something other than breast milk yet? (3rd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9358
<b>Total</b>		<b>9358</b>

Universe : Applicable if child is younger than 1 year (lastage3 = blank and kidage < 12) or child stopped living with R at age younger than 1 year (lastage3 < 12 and kidage < 12)

**FRSTEATD\_N3(193-193)**

Variable Type : raw

BH-3 : How old was (she/he) when you first fed (her/him) something other than breast milk? (3rd child from this pregnancy; NUMBER)

value	label	Total
.	INAPPLICABLE	9357
0-994	0-994	1
<b>Total</b>		<b>9358</b>

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE3 = 1) and child was ever fed something other than breastmilk (BH-2 FEDSOLID3 = blank or 1)

**FRSTEATD\_P3(194-194)**

Variable Type : raw

BH-3 : How old was (she/he) when you first fed (her/him) something other than breast milk? (3rd child from this pregnancy; UNITS)

value	label	Total
.	INAPPLICABLE	9357
1	Months	1
<b>Total</b>		<b>9358</b>

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE3 = 1) and child was ever fed something other than breastmilk (BH-2 FEDSOLID3 = blank or 1)

### FRSTEATD3(195-195)

Variable Type : raw

BH-3 : Age (in months) when 3rd supplemented - 3rd from this preg (computed in Flow Check B-39b)

value	label	Total
.	INAPPLICABLE	9357
4	4 MONTHS	1
<b>Total</b>		<b>9358</b>

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE3 = 1) and child was ever fed something other than breastmilk (BH-2 FEDSOLID3 = blank or 1)

### QUITNURS3(196-196)

Variable Type : raw

BH-4 : (Have/Had) you stopped breast-feeding (her/him) altogether? (3rd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9358
<b>Total</b>		<b>9358</b>

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE3 = 1), child was ever fed something other than breastmilk (BH-2 FEDSOLID3 = blank or 1), and child is either 2 years or younger or last lived with R at age 2 years or younger (lastage3 LE 24 or (lastage3 = blank and kidage LE 24))

### AGEQTNUR\_N3(197-197)

Variable Type : raw

BH-5 : How old was (she/he) when you stopped breast-feeding (her/him) altogether? (3rd child from this pregnancy; NUMBER)

value	label	Total
.	INAPPLICABLE	9357
0-994	0-994	1
<b>Total</b>		<b>9358</b>

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE3 = 1) and R has stopped breastfeeding child altogether (BH-4 QUITNURS3 = blank or 1)

### AGEQTNUR\_P3(198-198)

Variable Type : raw

BH-5 : How old was (she/he) when you stopped breast-feeding (her/him) altogether? (3rd child from this pregnancy; UNITS)

value	label	Total
.	INAPPLICABLE	9357
1	Months	1

**Total**            **9358**

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE3 = 1) and R has stopped breastfeeding child altogether (BH-4 QUITNURS3 = blank or 1)

### **AGEQTNUR3(199-199)**

Variable Type : raw

Description : Age (in months) when R stopped nursing child - 3rd from this preg (computed in Flow Check B-40\_1)

value	label	Total
.	INAPPLICABLE	9357
4-6	4-6 MONTHS OLD	1
<b>Total</b>		<b>9358</b>

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE3 = 1) and R has stopped breastfeeding child altogether (BH-4 QUITNURS3 = blank or 1)

### **prgoutcome(200-200)**

Variable Type : computed

Description : Outcome of Pregnancy (based on priority ordering) (computed in Flow Check B-42a)

value	label	Total
.	INAPPLICABLE	3
1	LIVE BIRTH	6485
2	PREGNANCY LOSS OR ABORTION	2621
3	CURRENT PREGNANCY	249
<b>Total</b>		<b>9358</b>

Universe : Applicable if this is a current pregnancy or R reported any pregnancy outcome for this pregnancy ((BC-1 PREGEND1 = 1-6) or (BC-1b HOWENDDK = 1 or 5))

Notes : use recode OUTCOME

### **outcom\_s(201-201)**

Variable Type : computed

Description : Outcome of pregnancy (based on corrected/chron sorted data) (computed in Flow Check B-42d)

value	label	Total
1	LIVE BIRTH	6489
2	PREGNANCY LOSS OR ABORTION	2620
3	CURRENT PREGNANCY	249
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies

Notes : use recode OUTCOME

### **nbrnlv\_s(202-202)**

Variable Type : computed

Description : Number of babies born alive from this pregnancy (based on corrected/chron sorted data) (computed in Flow Check B-42d)

value	label	Total
.	INAPPLICABLE	2868
1	1 BABY	6392
2	2 BABIES	95

3	3 BABIES	3
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy resulted in live birth (outcom\_s = 1)

### cmprgend(203-206)

Variable Type : computed

Description : Century Month for Pregnancy End Date (regardless of outcome) (computed in Flow Check B-42a)

value	label	Total
.	INAPPLICABLE	265
378-1340	Before Sept 2011	7329
1341-1352	Sept 2011-Aug 2012	585
1353-1364	Sept 2012-Aug 2013	539
1365-1376	Sept 2013-Aug 2014	436
1377-1389	Sept 2014-Sept 2015	158
9998	Refused	18
9999	Don't know	28
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy is a completed pregnancy (prgoutcome = 1 or 2)

Notes : use recode DATEND

### cmendp\_s(207-210)

Variable Type : computed

Description : Century Month for Pregnancy End Date (regardless of outcome) (based on corrected/chron sorted data) (computed in Flow Check B-42d)

value	label	Total
.	INAPPLICABLE	262
378-1340	Before Sept 2011	7332
1341-1352	Sept 2011-Aug 2012	585
1353-1364	Sept 2012-Aug 2013	539
1365-1376	Sept 2013-Aug 2014	436
1377-1389	Sept 2014-Sept 2015	158
9998	Refused	18
9999	Don't know	28
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy is a completed pregnancy (outcom\_s = 1 or 2)

Notes : use recode DATEND

### cmprgbeg(211-214)

Variable Type : computed

Description : Century Month for Pregnancy Begin Date (regardless of outcome) (computed in Flow Check B-42a)

value	label	Total
.	INAPPLICABLE	16
378-1340	Before Sept 2011	7662
1341-1352	Sept 2011-Aug 2012	553
1353-1364	Sept 2012-Aug 2013	558
1365-1376	Sept 2013-Aug 2014	378
1377-1389	Sept 2014-Sept 2015	143
9998	Refused	19

9999 Don't know 29  
**Total 9358**

Universe : Applicable if R reported an end date for this completed pregnancy (cmprgend ne .) and reported a gestational length, either for this completed or current pregnancy ((prgoutcome = 1 or 2 and mosgest ne .) or (prgoutcome = 3 and moscurrp ne .))

Notes : use recode DATECON

### **cmpbeg\_s(215-218)**

Variable Type : computed

Description : Century Month for Pregnancy Begin Date (regardless of outcome) (based on corrected/chron sorted data) (computed in Flow Check B-42d)

<b>value</b>	<b>label</b>	<b>Total</b>
.	INAPPLICABLE	13
378-1340	Before Sept 2011	7665
1341-1352	Sept 2011-Aug 2012	553
1353-1364	Sept 2012-Aug 2013	558
1365-1376	Sept 2013-Aug 2014	378
1377-1389	Sept 2014-Sept 2015	143
9998	Refused	19
9999	Don't know	29
	<b>Total</b>	<b>9358</b>

Universe : Applicable if R reported an end date for this completed pregnancy (cmprgend ne .) and reported a gestational length, either for this completed or current pregnancy ((prgoutcome = 1 or 2 and mosgest ne .) or (prgoutcome = 3 and moscurrp ne .))

Notes : use recode DATECON

### **cmlastlb(219-222)**

Variable Type : computed

Description : Century Month for R's most recent live birth (based on corrected/chron sorted data) (computed in Flow Check B-42d; respondent variable)

<b>value</b>	<b>label</b>	<b>Total</b>
.	INAPPLICABLE	582
378-1340	Before Sept 2011	5648
1341-1352	Sept 2011-Aug 2012	951
1353-1364	Sept 2012-Aug 2013	1046
1365-1376	Sept 2013-Aug 2014	823
1377-1389	Sept 2014-Sept 2015	289
9998	Refused	14
9999	Don't know	5
	<b>Total</b>	<b>9358</b>

Universe : Applicable if R has ever had a live birth (nbabes\_s = 1) (respondent-level variable)

### **cmlstprg(223-226)**

Variable Type : computed

Description : Century Month for R's most recent completed pregnancy (based on corrected/chron sorted data) (computed in Flow Check B-42d; respondent variable)

<b>value</b>	<b>label</b>	<b>Total</b>
.	INAPPLICABLE	72
378-1340	Before Sept 2011	5516
1341-1352	Sept 2011-Aug 2012	973

1353-1364	Sept 2012-Aug 2013	1181
1365-1376	Sept 2013-Aug 2014	1059
1377-1389	Sept 2014-Sept 2015	435
9998	Refused	35
9999	Don't know	87
<b>Total</b>		<b>9358</b>

Universe : Applicable if R has ever had a completed pregnancy ((npregs\_s = 1 and currpreg = 5) or (npregs\_s > 1)) (respondent-level variable)

### **cmfstprg(227-230)**

Variable Type : computed

Description : Century Month for R's first completed pregnancy (based on corrected/chron sorted data) (computed in Flow Check B-42d; respondent variable)

value	label	Total
.	INAPPLICABLE	72
378-1340	Before Sept 2011	8569
1341-1352	Sept 2011-Aug 2012	239
1353-1364	Sept 2012-Aug 2013	247
1365-1376	Sept 2013-Aug 2014	178
1377-1389	Sept 2014-Sept 2015	40
9998	Refused	13
<b>Total</b>		<b>9358</b>

Universe : Applicable if R has ever had a completed pregnancy ((npregs\_s = 1 and currpreg = 5) or (npregs\_s > 1)) (respondent-level variable)

### **cmpg1beg(231-234)**

Variable Type : computed

Description : Century Month when R's first pregnancy began (based on corrected/chron sorted data) (computed in Flow Check B-42d; respondent variable)

value	label	Total
378-1340	Before Sept 2011	8755
1341-1352	Sept 2011-Aug 2012	221
1353-1364	Sept 2012-Aug 2013	213
1365-1376	Sept 2013-Aug 2014	108
1377-1389	Sept 2014-Sept 2015	36
9998	Refused	10
9999	Don't know	15
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

Notes : use recode DATCON01 on resp file or DATECON on preg file where PREGORDR=1

Female Pregnancy File Codebook :: Pregnancy Variables :: 3. Section E raw variables

### **cmintstr(235-238)**

Variable Type : computed

Description : Century Month for date of beginning of pregnancy interval (computed in Flow Check E-68)

value	label	Total
.	INAPPLICABLE	257
378-1340	Before Sept 2011	8608

1341-1352	Sept 2011-Aug 2012	261
1353-1364	Sept 2012-Aug 2013	125
1365-1376	Sept 2013-Aug 2014	26
1377-1389	Sept 2014-Sept 2015	6
9997	Not ascertained	4
9998	Refused	24
9999	Don't know	47
<b>Total</b>		<b>9358</b>

Universe : Applicable if pregnancy is a completed pregnancy (outcom\_s = 1 or 2)

### **cmintfin(239-242)**

Variable Type : computed

Description : Century Month for date of end of pregnancy interval (computed in Flow Check E-68)

value	label	Total
.	INAPPLICABLE	265
378-1340	Before Sept 2011	7330
1341-1352	Sept 2011-Aug 2012	585
1353-1364	Sept 2012-Aug 2013	539
1365-1376	Sept 2013-Aug 2014	436
1377-1389	Sept 2014-Sept 2015	157
9998	Refused	18
9999	Don't know	28
<b>Total</b>		<b>9358</b>

Universe : Applicable if pregnancy is a completed pregnancy (outcom\_s = 1 or 2)

### **cmintstrop(243-246)**

Variable Type : computed

Description : Open interval: Century Month of date of beginning (computed in Flow Check E-68)

value	label	Total
.	INAPPLICABLE	103
378-1340	Before Sept 2011	5400
1341-1352	Sept 2011-Aug 2012	981
1353-1364	Sept 2012-Aug 2013	1232
1365-1376	Sept 2013-Aug 2014	1148
1377-1389	Sept 2014-Sept 2015	441
9998	Refused	33
9999	Don't know	20
<b>Total</b>		<b>9358</b>

Universe : Applicable if pregnancy is R's highest-order completed pregnancy ((pregordr = npregs\_s and currpreg = 5) or (pregordr = (npregs\_s - 1) and currpreg = 1))

### **cmintfinop(247-250)**

Variable Type : computed

Description : Open interval: Century Month of date of end (month of interview) (computed in Flow Check E-68)

value	label	Total
.	INAPPLICABLE	75
1365-1376	Sept 2013-Aug 2014	4586
1377-1389	Sept 2014-Sept 2015	4697

**Total**                    **9358**

Universe : Applicable if pregnancy is R's highest-order completed pregnancy ((pregordr = npregs\_s and currpreg = 5) or (pregordr = (npregs\_s - 1) and currpreg = 1))

**cmintstrcr(251-254)**

Variable Type : computed

Description : Currently pregnant: Century Month of date of beginning of interval (computed in Flow Check E-68)

value	label	Total
.	INAPPLICABLE	8752
378-1340	Before Sept 2011	233
1341-1352	Sept 2011-Aug 2012	106
1353-1364	Sept 2012-Aug 2013	131
1365-1376	Sept 2013-Aug 2014	107
1377-1389	Sept 2014-Sept 2015	18
9998	Refused	11
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy is a current pregnancy (outcom\_s = 3)

**cmintfincr(255-258)**

Variable Type : computed

Description : Currently pregnant: Century Month of date of end of interval (month of interview) (computed in Flow Check E-68)

value	label	Total
.	INAPPLICABLE	8752
1365-1376	Sept 2013-Aug 2014	301
1377-1389	Sept 2014-Sept 2015	305
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy is a current pregnancy (outcom\_s = 3)

**anyusint(259-259)**

Variable Type : computed

Description : Any method used in pregnancy interval? (computed in Flow Check E-69)

value	label	Total
1	Yes	3983
5	No	5372
7	Not ascertained	3
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies

**EVUSEINT(260-260)**

Variable Type : raw

EG-1 : Did you ever use any method of birth control between (your first intercourse/[BABY NAME's] birth in [DATE]/your [Nth] pregnancy which ended in [DATE]) and (DATE OF Nth+1 pregnancy end)/[BABY NAME's] birth)? Remember to include methods men use--that is condoms, vasectomy, and withdrawal--in your answer.

value	label	Total
.	INAPPLICABLE	1982

1	Yes	5365
5	No	1976
8	Refused	23
9	Don't know	12
	<b>Total</b>	<b>9358</b>

Universe : Applicable if R did not know or refused to answer pregnancy beginning date and ever used a method (cmpbeg\_s = DK/RF and everused = 1 or . ) or pregnancy began prior to January [YEAR OF INTERVIEW - 3] (cmpbeg\_s < cmjan3yr) and date of first method use was unknown/refused or date of first sex was unknown/refused (cmfirsm = DK/RF or cmintstr = DK/RF) or if first method use preceded start of pregnancy interval (cmfirsm < cmintstr) (note: if first method use was within pregnancy interval, EVUSEINT is set to "yes" (if cmintstr <= cmfirsm <= cmintfin, EVUSEINT = 1)

### STOPDUSE(261-261)

Variable Type : raw

EG-2 : Before you became pregnant (with your (NTH) pregnancy which ended in [DATE of Nth pregnancy end]/this time), had you stopped using all methods of birth control?

value	label	Total
.	INAPPLICABLE	3753
1	Yes	3277
5	No	2320
9	Don't know	8
	<b>Total</b>	<b>9358</b>

Universe : Applicable if [pregnancy began prior to January [YEAR OF INTERVIEW - 3] (cmpbeg\_s < cmjan3yr) and first method use was within pregnancy interval (between 1st sex/previous pregnancy end and end of this pregnancy) (cmintstr <= cmfirsm <= cmintfin)] or [pregnancy began on or after Jan [YEAR OF INTERVIEW - 3] (cmpbeg\_s >= cmjan3yr) and R used a method in month pregnancy began (ED-6 METHX1 through METHX192 corresponding to cmpbeg\_s NE 1) and did not use a method in month after pregnancy began (ED-6 METHX1 through METHX192 corresponding to cmpbeg\_s + 1 = 1) ] or R used a method in the month pregnancy began and also in the month after pregnancy began, but they were different methods (ED-6 METHX1 - METHX192 for cmpbeg\_s ne 1 and ED-6 METHX1 - METHX192 for cmpbeg\_s + 1 ne 1 and ne method for cmpbeg\_s) or R used a method within pregnancy interval (between 1st sex/previous pregnancy end and end of this pregnancy) (EG-1 EVUSEINT = 1)

### WHYSTOPD(262-262)

Variable Type : raw

EG-3 : Was the reason you stopped using all methods of birth control because you yourself wanted to become pregnant?

value	label	Total
.	INAPPLICABLE	6081
1	Yes	2023
5	No	1249
9	Don't know	5
	<b>Total</b>	<b>9358</b>

Universe : Applicable if R stopped using all methods before becoming pregnant (EG-2 STOPDUSE = 1)

### WHATMETH01(263-264)

Variable Type : raw

EG-4 : You may have already told me, but looking at Card 38, what methods were you using at the time you became pregnant (with your (NTH) pregnancy which ended in (DATE)/this time)? (1st mention)

value	label	Total
.	INAPPLICABLE	6589
1	No method used	265

3	Birth control pills	814
4	Condom	888
5	Partner's vasectomy	2
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	20
7	Withdrawal, pulling out	421
8	Depo-Provera, injectables	133
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	8
10	Calendar rhythm, Standard Days, or Cycle Beads method	54
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
12	Diaphragm	4
13	Female condom, vaginal pouch	2
14	Foam	5
17	Suppository, insert	3
19	IUD, coil, or loop	35
20	Emergency contraception	4
21	Other method	4
24	Lunelle injectable (monthly shot)	2
25	Contraceptive patch	49
26	Vaginal contraceptive ring	44
99	Don't know	9
	<b>Total</b>	<b>9358</b>

Universe : Applicable if (pregnancy began on or after January[`YEAR OF INTERVIEW-3 (cmpbeg_s >= cmjan3yr)` and R used a method in the month pregnancy began (`ED-6 METHX1 -- METHX192` corresponding to `cmpbeg_s NE 1`) and also in the month after pregnancy began, and it was the same method in both months (`ED-6 METHX1 -- METHX192` corresponding to `cmpbeg_s + 1 NE 1` and is equal to method for `cmpbeg_s`) or R had not stopped using all methods before becoming pregnant, or responded "don't know" or "refused" (`EG-2 STOPDUSE = 5 / DK/ RF`)

### WHATMETH02(265-266)

Variable Type : raw

EG-4 : You may have already told me, but looking at Card 38, what methods were you using at the time you became pregnant (with your (NTH) pregnancy which ended in (DATE)/this time)? (2nd mention)

value	label	Total
.	INAPPLICABLE	8875
1	No method used	1
3	Birth control pills	31
4	Condom	156
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	192
8	Depo-Provera, injectables	19
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	37
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
12	Diaphragm	3
14	Foam	3
15	Jelly or cream	1
16	Cervical cap	1
17	Suppository, insert	3
18	Today sponge	1
19	IUD, coil, or loop	4
20	Emergency contraception	7
25	Contraceptive patch	10
26	Vaginal contraceptive ring	8
	<b>Total</b>	<b>9358</b>

Universe : Applicable if more than 1 method was being used before R became pregnant this time (see EG-4 WHATMETH01)

**WHATMETH03(267-268)**

Variable Type : raw

EG-4 : You may have already told me, but looking at Card 38, what methods were you using at the time you became pregnant (with your (NTH) pregnancy which ended in (DATE)/this time)? (3rd mention)

value	label	Total
.	INAPPLICABLE	9295
1	No method used	1
3	Birth control pills	3
4	Condom	4
7	Withdrawal, pulling out	23
8	Depo-Provera, injectables	3
10	Calendar rhythm, Standard Days, or Cycle Beads method	9
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
12	Diaphragm	2
13	Female condom, vaginal pouch	1
15	Jelly or cream	1
17	Suppository, insert	3
18	Today sponge	1
20	Emergency contraception	6
21	Other method	1
25	Contraceptive patch	2
26	Vaginal contraceptive ring	2
	<b>Total</b>	<b>9358</b>

Universe : Applicable if more than 2 methods were being used before R became pregnant this time (see EG-4 WHATMETH01)

**WHATMETH04(269-270)**

Variable Type : raw

EG-4 : You may have already told me, but looking at Card 38, what methods were you using at the time you became pregnant (with your (NTH) pregnancy which ended in (DATE)/this time)? (4th mention)

value	label	Total
.	INAPPLICABLE	9351
7	Withdrawal, pulling out	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
12	Diaphragm	1
15	Jelly or cream	1
18	Today sponge	1
20	Emergency contraception	1
	<b>Total</b>	<b>9358</b>

Universe : Applicable if more than 3 methods were being used before R became pregnant this time (see EG-4 WHATMETH01)

**RESNOUSE(271-271)**

Variable Type : raw

EG-5 : (IF R NEVER USED A METHOD:) Before you became pregnant (with your (NTH) pregnancy which ended in (DATE)/this time), was the reason you did not use any birth control methods because you, yourself, wanted to become pregnant?

(IF USED A METHOD BETWEEN FIRST SEX/LAST PREGNANCY AND THIS ONE:) You told me you had stopped using a birth control method before you became pregnant (with your (NTH) pregnancy which ended in (DATE)/this time). Was the reason you had stopped using any methods because you yourself wanted to become pregnant?

(IF DID NOT USE A METHOD BETWEEN FIRST SEX/LAST PREGNANCY AND THIS ONE:) You did not use any

method of birth control from (your first intercourse/[BABY NAME's] birth in [DATE]/your [Nth] pregnancy which ended in [DATE]) until you became pregnant (with your (NTH) pregnancy which ended in (DATE)/this time). Was the reason you were not using any methods because you yourself wanted to become pregnant?

value	label	Total
.	INAPPLICABLE	6099
1	Yes	1692
5	No	1522
8	Refused	24
9	Don't know	21
<b>Total</b>		<b>9358</b>

Universe : Applicable if R did not know or refused to answer pregnancy beginning date and never used a method of birth control (cmpbeg\_s = DK/RF and everused = 5) or [pregnancy began prior to January[**YEAR OF INTERVIEW - 3**] (cmpbeg\_s < cmjan3yr) and R has never used a method of birth control (everused = 5) or R's first method use was after the end of the pregnancy (cmintfin < cmfirm)] or [pregnancy began on or after January[**YEAR OF INTERVIEW - 3**] (cmpbeg\_s < cmjan3yr) and R did not use a method in the month pregnancy began (ED-6 METHX1 through METHX192 corresponding to cmpbeg\_s = 1) or R did not use a method within pregnancy interval (between 1st sex/previous pregnancy end and end of this pregnancy) or responded "don't know" or "refused" (EG-1 EVUSEINT = 5,DK,RF)]

### **WANTBOLD(272-272)**

Variable Type : raw

EG-6 : Right before you became pregnant (with your (NTH) pregnancy which ended in (DATE)/this time), did you yourself want to have a(nother) baby at any time in the future?

value	label	Total
.	INAPPLICABLE	3718
1	Yes	3744
5	No	1672
6	Not sure, Don't know	192
8	Refused	26
9	Don't know	6
<b>Total</b>		<b>9358</b>

Universe : Applicable if R responded "no" to whether she stopped using all methods of birth control because she wanted to become pregnant (EG-3 WHYSTOPD = 5) or R responded "no" to whether the reason she did not use a method in the pregnancy interval was because she wanted to become pregnant (EG-5 RESNOUSE = 5)

Notes : see recode WANTRESP or NEWWANTR

### **PROBBABE(273-273)**

Variable Type : raw

EG-7 : It is sometimes difficult to recall these things but, right before (this/that) pregnancy began, would you say you probably wanted a(nother) baby at some time in the future or probably not?

value	label	Total
.	INAPPLICABLE	9134
1	Probably yes	114
5	Probably not	61
6	Didn't care	17
8	Refused	26
9	Don't know	6
<b>Total</b>		<b>9358</b>

Universe : Applicable if R responded "not sure, don't know" about wanting a(nother) baby at any time in the future (EG-6 WANTBOLD = 6)

**CNFRMNO(274-274)**

Variable Type : raw

EG-8 : So right before you became pregnant (this time/that time), you thought you did not want to have (any children/a Nth child from this pregnancy) at any time in the future, is that correct?

value	label	Total
.	INAPPLICABLE	9330
1	Correct	25
2	Incorrect	2
9	Don't know	1
<b>Total</b>		<b>9358</b>

Universe : Applicable if R is younger than 20 years (age\_r < 20) and: R responded "no" about wanting a (nother) baby at any time in the future (EG-6 WANTBOLD = 6) or R responded "probably not" about whether she probably wanted or didn't want a(nother) baby at some time in the future (EG-7 PROBBABE = 5)

**WANTBLD2(275-275)**

Variable Type : raw

EG-9 : Right before you became pregnant (with your (Nth) pregnancy (which ended in (DATE)/this time), did you yourself want to have a(nother) baby at any time in the future?

value	label	Total
.	INAPPLICABLE	9355
1	Yes	2
6	Not sure, Don't know	1
<b>Total</b>		<b>9358</b>

Universe : Applicable if question confirming that R did not want to have a(nother) child at any time was answered "incorrect" or "don't know" or "refused" (EG-8 CNFRMNO = 5 or DK/RF)

**TIMINGOK(276-276)**

Variable Type : raw

EG-10 : So would you say you became pregnant too soon, at about the right time, or later than you wanted?

value	label	Total
.	INAPPLICABLE	1783
1	Sooner	2793
2	Right time	4087
3	Later	604
4	Didn't care	76
8	Refused	4
9	Don't know	11
<b>Total</b>		<b>9358</b>

Universe : Applicable if R responded "yes" to whether she stopped using all methods of birth control because she wanted to become pregnant (EG-3 WHYSTOPD = 1) or R responded "yes" to whether the reason she did not use a method in the pregnancy interval was because she wanted to become pregnant (EG-5 RESNOUSE = 1) or R responded "yes" to whether, right before pregnancy, she wanted to have a baby at any time in the future (EG-6 WANTBOLD = 1) or R responded "probably yes" to whether, right before pregnancy, she probably wanted to have a baby at some time in the future (EG-7 PROBBABE = 1) or R responded "yes" to the second time she was asked whether, right before pregnancy, she wanted to have a baby at any time in the future (EG-9 WANTBLD2 = 1)

Notes : see recode WANTRESP or NEWWANTR

**TOOSOON\_N(277-279)**

Variable Type : raw

EG-11 : How much sooner than you wanted did you become pregnant? (number of months or years)

value	label	Total
.	INAPPLICABLE	6565
1-100	1-100	2737
998	Refused	2
999	Don't know	54
	<b>Total</b>	<b>9358</b>

Universe : Applicable if R said she became pregnant "too soon" (EG-10 TIMINGOK = 1)

Notes : See recode WANTRESP or NEWWANTR

### TOOSOON\_P(280-280)

Variable Type : raw

EG-11 : (How much sooner than you wanted did you become pregnant?) (unit -- months or years)

value	label	Total
.	INAPPLICABLE	6565
1	Months	245
2	Years	2503
8	Refused	2
9	Don't know	43
	<b>Total</b>	<b>9358</b>

Universe : Applicable if R said she became pregnant "too soon" (EG-10 TIMINGOK = 1)

Notes : See recode WANTRESP or NEWWANTR

### WTHPART1(281-281)

Variable Type : raw

EG-12a : Right before (the/this/that) pregnancy, did you want to have a(nother) baby with that partner?  
Would you say definitely yes, probably yes, probably no, or definitely no?

value	label	Total
.	INAPPLICABLE	4650
1	Definitely yes	4056
2	Probably yes	382
3	Probably no	116
4	Definitely no	149
9	Don't know	5
	<b>Total</b>	<b>9358</b>

Universe : Applicable if R responded that she became pregnant at the "right time" or "later" than she wanted (EG-10 TIMINGOK = 2 or 3) or R responded "didn't care " to whether she probably wanted a(nother) baby at some time in the future (EG-7 PROBBABE = 6)

### WTHPART2(282-282)

Variable Type : raw

EG-12b : Right before (the/this/that) pregnancy, did you think you might ever want to have a(nother) baby with that partner? Would you say definitely yes, probably yes, probably no, or definitely no?

value	label	Total
.	INAPPLICABLE	4711
1	Definitely yes	1490
2	Probably yes	889
3	Probably no	618
4	Definitely no	1590

8	Refused	28
9	Don't know	32
	<b>Total</b>	<b>9358</b>

Universe : Applicable if R responded that she became pregnant "too soon" or "didn't care" about the timing or "don't know" or "refused" (EG-10 TIMINGOK = 1 or 4 or DK/RF) or R responded "no" or "don't know" or "refused" to whether she probably wanted a(nother) baby at some time in the future (EG-7 PROBBABE = 6) or R responded "no", "not sure", "don't know" or "refused" to whether, right before pregnancy, she wanted to have a baby at any time in the future (EG-6 WANTBOLD NE 1) or R responded "probably not", "didn't care", "Don't know" or "refused" to whether she probably wanted a(nother) baby at some time in the future (EG-7 PROBBABE NE 1) or R responded "no", "not sure", "didn't care", "don't know" or "refused" to the second time she was asked whether, right before pregnancy, she wanted to have a baby at any time in the future (EG-9 WANTBLD2 NE 1)

### FEELINPG(283-284)

Variable Type : raw

EG-13 : Please look at the scale on Card 39. On this scale, a zero means that you were very unhappy to be pregnant and a ten means that you were very happy to be pregnant. Tell me which number on the card best describes how you felt when you found out you were pregnant.

value	label	Total
.	INAPPLICABLE	7078
0	VERY UNHAPPY	234
1	1	57
2	2	61
3	3	75
4	4	87
5	5	203
6	6	96
7	7	124
8	8	164
9	9	115
10	VERY HAPPY	1038
98	REFUSED	18
99	DON'T KNOW	8
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy ended on or after January [YEAR OF INTERVIEW - 3] (cmendp\_s GE cmjan3yr)

### HPWNOLD(285-285)

Variable Type : raw

EG-16 : Right before you became pregnant (this time/that (Nth) time,) did the father want you to have a (nother) baby at any time in the future?

value	label	Total
1	Yes	6866
5	No	1852
6	Not sure, Don't know	590
7	Not ascertained	3
8	Refused	29
9	Don't know	18
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies

### TIMOKHP(286-286)

Variable Type : raw

EG-17 : So would you say you became pregnant sooner than he wanted, at about the right time, or later than he wanted?

value	label	Total
.	INAPPLICABLE	2492
1	Sooner	1571
2	Right time	4593
3	Later	555
4	Didn't care	112
8	Refused	1
9	Don't know	34
<b>Total</b>		<b>9358</b>

Universe : Applicable if R responded "yes" to whether father of pregnancy wanted her to have baby at any time in the future (EG-16 HPWNOLD = 1)

Notes : see recode WANTRESP or NEWWANTR

### COHPBEG(287-287)

Variable Type : raw

EG-18a : Were you either married to or living with the father of (the pregnancy/this pregnancy/your (Nth) pregnancy which ended in (DATE)) at the beginning of the pregnancy? By living together, we mean having a sexual relationship while sharing the same usual address.

value	label	Total
.	INAPPLICABLE	2446
1	Yes	3961
5	No	2916
8	Refused	29
9	Don't know	6
<b>Total</b>		<b>9358</b>

Universe : Applicable if R is not currently married (AB-1 MARSTAT ne 1) or married more than once, or times married is unknown (CA-1 TIMESMAR>1 or DK/RF) or 1st marriage began after pregnancy ended (cmmarrhx > cmendp\_s) or 1st marriage start date is unknown (cmmarrhx = DK/RF) or date pregnancy ended is unknown (cmendp\_s = DK/RF)

### COHPEND(288-288)

Variable Type : raw

EG-18b : (When [BABY NAME] was born, were you either married to or living with (his/her) father? / Were you either married to or living with the father of (the/that) pregnancy when ([BABY NAME] was born/the pregnancy ended))?

value	label	Total
.	INAPPLICABLE	2595
1	Yes	4045
5	No	2683
8	Refused	28
9	Don't know	7
<b>Total</b>		<b>9358</b>

Universe : Applicable if pregnancy is not current (outcom\_s NE 3) and conditions for EG-18a COHPBEG are met

### TELLFATH(289-289)

Variable Type : raw

EG-19 : Did you tell the father of (the pregnancy/that (Nth) pregnancy/your current pregnancy) that you (were/are) pregnant?

value	label	Total
.	INAPPLICABLE	5674
1	Yes	3395
5	No	257
8	Refused	27
9	Don't know	5
<b>Total</b>		<b>9358</b>

Universe : Applicable if pregnancy did not result in a live birth (outcom\_s NE 1) or R was not living with the father of the pregnancy when the pregnancy ended (EG-18 COHPEND NE 1) or responded "don't know/refused" (EG-18 COHPEND = DK/RF)

### WHENTELL(290-290)

Variable Type : raw

EG-20 : When did you tell him that you were pregnant - during the pregnancy or after the baby was born/after the pregnancy ended?

value	label	Total
.	INAPPLICABLE	5963
1	During the pregnancy	3236
2	After the [pregnancy ended/baby was born]	156
8	Refused	1
9	Don't know	2
<b>Total</b>		<b>9358</b>

Universe : Applicable if R told the father of the pregnancy that she was pregnant (EG-19 TELLFATH = 1) and if pregnancy is not current (outcom\_s NE 3)

### TRYSSCALE(291-292)

Variable Type : raw

EG-21 : Look at the scale on Card 40, where a 0 means trying hard not to get pregnant, and a 10 means trying hard to get pregnant. If you had to rate how much you were trying to get pregnant or avoid pregnancy right before you got pregnant (this time/that time), how would you rate yourself?

value	label	Total
.	INAPPLICABLE	7078
0	0	435
1	1	77
2	2	119
3	3	112
4	4	89
5	5	416
6	6	90
7	7	124
8	8	145
9	9	57
10	10	591
98	Refused	16
99	Don't know	9
<b>Total</b>		<b>9358</b>

Universe : Applicable if pregnancy ended on or after January [YEAR OF INTERVIEW - 3] (cmendp\_s GE cmjan3yr) or pregnancy is current (outcom\_s = 3)

### WANTSCAL(293-294)

Variable Type : raw

EG-22 : Look at the scale on Card 41, where a 0 means you wanted to avoid a pregnancy and a 10 means you wanted to get pregnant. If you had to rate how much you wanted or didn't want a pregnancy right before you got pregnant (this time/that time), how would you rate yourself?

value	label	Total
.	INAPPLICABLE	7078
0	0	513
1	1	77
2	2	96
3	3	94
4	4	61
5	5	326
6	6	61
7	7	80
8	8	100
9	9	69
10	10	776
98	Refused	16
99	Don't know	11
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy ended on or after January [YEAR OF INTERVIEW - 3] (cmendp\_s GE cmjan3yr) or pregnancy is current (outcom\_s = 3)

### WHYPRG1(295-295)

Variable Type : raw

EG-23 : Please look at Card 42. (Earlier you told me (your/this/that) pregnancy occurred too soon / Earlier you told me that (your/this/that) pregnancy occurred at a time when you wanted no future pregnancies.) Which of the following statements applies to you right before you became pregnant (this time/that time (that is, with the pregnancy that ended in [DATE]))? Your birth control method failed, or you did not use your birth control method properly? (1st mention)

value	label	Total
.	INAPPLICABLE	8921
1	Your birth control method failed	201
2	You did not use your birth control method properly	191
3	Respondent wasn't using a method	43
9	Don't know	2
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy ended on or after January [YEAR OF INTERVIEW - 3] (cmendp\_s GE cmjan3yr) or pregnancy is current (outcom\_s = 3) and R responded that she became pregnant "too soon" (EG-10 TIMINGOK = 1) or R responded "no" to whether, right before pregnancy, she wanted to have a baby at any time in the future (EG-6 WANTBOLD = 5) or R responded "probably not" to whether she probably wanted a(nother) baby at some time in the future (EG-7 PROBBABE = 5) or R responded "no" to the second time she was asked whether, right before pregnancy, she wanted to have a baby at any time in the future (EG-9 WANTBLD2 = 5) and R used a method in month pregnancy began (ED-6 METHX1 through METHX192 corresponding to cmpbeg\_s NE 1)

### WHYPRG2(296-296)

Variable Type : raw

EG-23 : Please look at Card 42. (Earlier you told me (your/this/that) pregnancy occurred too soon / Earlier you told me that (your/this/that) pregnancy occurred at a time when you wanted no future pregnancies.) Which of the following statements applies to you right before you became pregnant (this time/that time (that is, with the pregnancy that ended in [DATE]))? Your birth control method failed, or you did not use your birth control method properly? (2nd mention)

value	label	Total
.	INAPPLICABLE	9339

1	Your birth control method failed	1
2	You did not use your birth control method properly	16
3	Respondent wasn't using a method	2
<b>Total</b>		<b>9358</b>

Universe : Applicable if more than one reason became pregnant with unintended pregnancy (see EG-23 WHYPRG1)

### WHYHOUSE1(297-298)

Variable Type : raw

EG-24 : Please look at Card 43. (Earlier you told me (your/that) pregnancy occurred too soon / Earlier you told me that (your/this/that) pregnancy occurred at a time when you wanted no future pregnancies.) Which of the following statements applies to you right before you became pregnant (this time/that time (that is, with the pregnancy that ended in [DATE]))? You did not use birth control because... (1st mention)

value	label	Total
.	INAPPLICABLE	8758
1	You did not expect to have sex	76
2	You did not think you could get pregnant	168
3	You didn't really mind if you got pregnant	70
4	You were worried about the side effects of birth control	63
5	Your male partner did not want you to use a birth control method	16
6	Your male partner himself did not want to use a birth control method	16
7	(IF VOLUNTEERED:)Respondent was using a method	36
8	You could not get a method	14
9	You were not taking, or using, your method consistently	126
98	Refused	1
99	Don't know	14
<b>Total</b>		<b>9358</b>

Universe : Applicable if conditions met for EG-23 WHYPRG1 and R did not use a method in month pregnancy began (ED-6 METHX1 through METHX192 corresponding to cmpbeg\_s = 1)

### WHYHOUSE2(299-299)

Variable Type : raw

EG-24 : Please look at Card 43. (Earlier you told me (your/that) pregnancy occurred too soon / Earlier you told me that (your/this/that) pregnancy occurred at a time when you wanted no future pregnancies.) Which of the following statements applies to you right before you became pregnant (this time/that time (that is, with the pregnancy that ended in [DATE]))? You did not use birth control because... (2nd mention)

value	label	Total
.	INAPPLICABLE	9253
1	You did not expect to have sex	5
2	You did not think you could get pregnant	24
3	You didn't really mind if you got pregnant	11
4	You were worried about the side effects of birth control	10
5	Your male partner did not want you to use a birth control method	12
6	Your male partner himself did not want to use a birth control method	19
7	(IF VOLUNTEERED:)Respondent was using a method	3
8	You could not get a method	2
9	You were not taking, or using, your method consistently	19
<b>Total</b>		<b>9358</b>

Universe : Applicable if more than one reason R didn't use a method before unintended pregnancy began (see EG-24 WHYHOUSE1)

### WHYHOUSE3(300-300)

Variable Type : raw

EG-24 : Please look at Card 43. (Earlier you told me (your/that) pregnancy occurred too soon / Earlier you told me that (your/this/that) pregnancy occurred at a time when you wanted no future pregnancies.) Which of the following statements applies to you right before you became pregnant (this time/that time (that is, with the pregnancy that ended in [DATE]))? You did not use birth control because... (3rd mention)

value	label	Total
.	INAPPLICABLE	9330
2	You did not think you could get pregnant	1
3	You didn't really mind if you got pregnant	3
4	You were worried about the side effects of birth control	4
5	Your male partner did not want you to use a birth control method	4
6	Your male partner himself did not want to use a birth control method	6
7	(IF VOLUNTEERED:)Respondent was using a method	1
8	You could not get a method	1
9	You were not taking, or using, your method consistently	8
<b>Total</b>		<b>9358</b>

Universe : Applicable if more than 2 reasons R didn't use a method before unintended pregnancy began (see EG-24 WHYNOUSE1)

### WHYNOUSE4(301-301)

Variable Type : raw

EG-24 : Please look at Card 43. (Earlier you told me (your/that) pregnancy occurred too soon / Earlier you told me that (your/this/that) pregnancy occurred at a time when you wanted no future pregnancies.) Which of the following statements applies to you right before you became pregnant (this time/that time (that is, with the pregnancy that ended in [DATE]))? You did not use birth control because... (4th mention)

value	label	Total
.	INAPPLICABLE	9353
4	You were worried about the side effects of birth control	1
5	Your male partner did not want you to use a birth control method	1
6	Your male partner himself did not want to use a birth control method	1
7	(IF VOLUNTEERED:)Respondent was using a method	1
9	You were not taking, or using, your method consistently	1
<b>Total</b>		<b>9358</b>

Universe : Applicable if more than 3 reasons R didn't use a method before unintended pregnancy began (see EG-24 WHYNOUSE1)

### WHYNOUSE5(302-302)

Variable Type : raw

EG-24 : Please look at Card 43. (Earlier you told me (your/that) pregnancy occurred too soon / Earlier you told me that (your/this/that) pregnancy occurred at a time when you wanted no future pregnancies.) Which of the following statements applies to you right before you became pregnant (this time/that time (that is, with the pregnancy that ended in [DATE]))? You did not use birth control because... (5th mention)

value	label	Total
.	INAPPLICABLE	9356
5	Your male partner did not want you to use a birth control method	1
9	You were not taking, or using, your method consistently	1
<b>Total</b>		<b>9358</b>

Universe : Applicable if more than 4 reasons R didn't use a method before unintended pregnancy began (see EG-24 WHYNOUSE1)

### whynopg1(303-304)

Variable Type : computed

EG-24aa : Could you say a bit more about why you did not think you could get pregnant? (1st mention)

value	label	Total
.	INAPPLICABLE	9168
1	Diagnosis of repro problems/condition	17
2	Prior preg or attempt: problems with or treatments/ART needed	4
3	Prior unprotected sex, no preg	25
4	Just didn't think would get preg/misunderstood risk	18
5	Just didn't think could get preg	8
6	Don't know why/didn't think about it/naive/mistake	20
7	Thought method was still working (still in her system)	10
8	Prior/recent miscarriage(s)	11
9	Menstrual cycle problems/irregularity	3
10	Had birth recently	5
11	Perceive infertile or difficult getting preg/carrying to term	4
12	Lack of education/knowledge	2
13	Endometriosis	2
14	Age (too old)	3
15	Breastfeeding	9
16	Believed partner subfecund/infertile/sterile	6
17	Withdrawal failed	9
18	Thought it was safe period in cycle	7
19	Method failure (pill, condom, tubal, IUD)	10
20	Other	14
97	Not ascertained	3
	<b>Total</b>	<b>9358</b>

Universe : Applicable if R chose "did not think you could get pregnant" as reason for no BC use before unintended preg (any EG-24 WHYNOUSE1 through EG-24 WHYNOUSE5 = 2)

### whynopg2(305-306)

Variable Type : computed

EG-24aa : Could you say a bit more about why you did not think you could get pregnant? (2nd mention)

value	label	Total
.	INAPPLICABLE	9350
3	Prior unprotected sex, no preg	1
4	Just didn't think would get preg/misunderstood risk	1
7	Thought method was still working (still in her system)	2
17	Withdrawal failed	1
18	Thought it was safe period in cycle	2
20	Other	1
	<b>Total</b>	<b>9358</b>

Universe : Applicable if R reported at least 2 reasons on EG-24aa WHYNOPG (see whynopg1)

### MAINOUSE(307-308)

Variable Type : raw

EG-24a : Which one of these is the main reason that you did not use birth control?

value	label	Total
.	INAPPLICABLE	9259
1	You did not expect to have sex	17
2	You did not think you could get pregnant	19
3	You didn't really mind if you got pregnant	8
4	You were worried about the side effects of birth control	14
5	Your male partner did not want you to use a birth control method	4

6	Your male partner himself did not want to use a birth control method	17
8	You could not get a method	4
9	You were not taking, or using, your method consistently	15
99	Don't know	1
	<b>Total</b>	<b>9358</b>

Universe : Applicable if R reported more than one reason why didn't use a method before unintended pregnancy began (2 or more of EG-24 WHYNOUSE1 through WHYNOUSE5 contain a valid response)

Female Pregnancy File Codebook :: Pregnancy Variables :: 4. Section B and E pregnancy-based recodes

### **PRGLNGTH(309-310)**

Variable Type : pregnancy recode

Description : Duration of completed pregnancy in weeks (recode)

value	label	Total
0-13	13 WEEKS OR LESS	2323
14-26	14-26 WEEKS	450
27-95	27 WEEKS OR LONGER	6585
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies

### **OUTCOME(311-311)**

Variable Type : pregnancy recode

Description : Pregnancy outcome (recode)

value	label	Total
1	LIVE BIRTH	6489
2	INDUCED ABORTION	947
3	STILLBIRTH	86
4	MISCARRIAGE	1469
5	ECTOPIC PREGNANCY	118
6	CURRENT PREGNANCY	249
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies

### **BIRTHORD(312-313)**

Variable Type : pregnancy recode

Description : Birth order (recode)

value	label	Total
.	INAPPLICABLE	2869
1	1ST BIRTH	3067
2	2ND BIRTH	2002
3	3RD BIRTH	937
4	4TH BIRTH	322
5	5TH BIRTH	106
6	6TH BIRTH	32
7	7TH BIRTH	14
8	8TH BIRTH	6
9	9TH BIRTH	2
10	10TH BIRTH	1
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies that resulted in live birth (OUTCOME = 1)

### **DATEND(314-317)**

Variable Type : pregnancy recode

Description : Century month for date pregnancy ended (recode)

value	label	Total
.	INAPPLICABLE	249
378-1340	Before Sept 2011	7377
1341-1352	Sept 2011-Aug 2012	588
1353-1364	Sept 2012-Aug 2013	545
1365-1376	Sept 2013-Aug 2014	441
1377-1389	Sept 2014-Sept 2015	158
<b>Total</b>		<b>9358</b>

Universe : Applicable if pregnancy is a completed pregnancy (OUTCOME NE 6)

### **AGEPREG(318-321)**

Variable Type : pregnancy recode

Description : Age at pregnancy outcome (recode)

value	label	Total
.	INAPPLICABLE	249
0-1999	UNDER 20 YEARS	2001
2000-2499	20-24 YEARS	2985
2500-2999	25-29 YEARS	2193
3000-4499	30-44 YEARS	1930
<b>Total</b>		<b>9358</b>

Universe : Applicable if pregnancy is a completed pregnancy (OUTCOME NE 6)

### **DATECON(322-325)**

Variable Type : pregnancy recode

Description : Century month for date of conception (recode)

value	label	Total
378-1340	Before Sept 2011	7699
1341-1352	Sept 2011-Aug 2012	552
1353-1364	Sept 2012-Aug 2013	574
1365-1376	Sept 2013-Aug 2014	388
1377-1389	Sept 2014-Sept 2015	145
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies

### **AGECON(326-329)**

Variable Type : pregnancy recode

Description : Age at time of conception (recode)

value	label	Total
0-1999	UNDER 20 YEARS	2406
2000-2499	20-24 YEARS	2960
2500-2999	25-29 YEARS	2216
3000-4499	30-44 YEARS	1776
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies

### **FMAROUT5(330-330)**

Variable Type : pregnancy recode

Description : Formal marital status at pregnancy outcome (recode)

value	label	Total
.	INAPPLICABLE	249
1	MARRIED	3700
2	DIVORCED	517
3	WIDOWED	25
4	SEPARATED	96
5	NEVER MARRIED	4771
<b>Total</b>		<b>9358</b>

Universe : Applicable if pregnancy is a completed pregnancy (OUTCOME NE 6)

### **PMARPREG(331-331)**

Variable Type : pregnancy recode

Description : Whether pregnancy ended before R's 1st marriage (premaritally) (recode)

value	label	Total
.	INAPPLICABLE	249
1	YES	4771
2	No	4338
<b>Total</b>		<b>9358</b>

Universe : Applicable if pregnancy is a completed pregnancy (OUTCOME NE 6)

### **RMAROUT6(332-332)**

Variable Type : pregnancy recode

Description : Informal marital status at pregnancy outcome - 6 categories (recode)

value	label	Total
.	INAPPLICABLE	249
1	MARRIED	3700
2	DIVORCED	241
3	WIDOWED	15
4	SEPARATED	96
5	COHABITING	2516
6	NEVER MARRIED, NOT COHABITING	2541
<b>Total</b>		<b>9358</b>

Universe : Applicable if pregnancy is a completed pregnancy (OUTCOME NE 6)

### **FMARCON5(333-333)**

Variable Type : pregnancy recode

Description : Formal marital status at conception - 5 categories (recode)

value	label	Total
1	MARRIED	3473
2	DIVORCED	534
3	WIDOWED	24
4	SEPARATED	89
5	NEVER MARRIED	5238
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies

### **RMARCON6(334-334)**

Variable Type : pregnancy recode

Description : Informal marital status at conception - 6 categories (recode)

value	label	Total
1	MARRIED	3473
2	DIVORCED	256
3	WIDOWED	15
4	SEPARATED	89
5	COHABITING	2597
6	NEVER MARRIED, NOT COHABITING	2928
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies

### **LEARNPRG(335-336)**

Variable Type : pregnancy recode

Description : Number of weeks pregnant when R learned she was pregnant (recode)

value	label	Total
.	INAPPLICABLE	6500
0-13	13 WEEKS OR LESS	2728
14-50	14 WEEKS OR LATER	130
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy is a completed pregnancy (other than an induced abortion) (OUTCOME = 1, 3, 4, or 5) that ended in January [YEAR OF INTERVIEW - 5] or later (DATEND GE cmjan5yr), but not with an unnamed baby placed for adoption (no BPA\_BDScheck1 - 3 = 1)

### **PNCAREWK(337-338)**

Variable Type : pregnancy recode

Description : Number of weeks pregnant at first prenatal care (recode)

value	label	Total
.	INAPPLICABLE	6498
0-13	13 WEEKS OR LESS	2275
14-50	14 WEEKS OR LATER	249
95	NO PRENATAL CARE FOR THIS PREGNANCY	336
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy is a completed pregnancy (other than an induced abortion) (OUTCOME = 1, 3, 4, or 5) that ended in January [YEAR OF INTERVIEW - 5] or later (DATEND GE cmjan5yr), but not with an unnamed baby placed for adoption (no BPA\_BDScheck1 - 3 = 1)

### **PAYDELIV(339-339)**

Variable Type : pregnancy recode

Description : Payment for delivery (recode)

value	label	Total
.	INAPPLICABLE	7133
1	OWN INCOME ONLY	40
2	INSURANCE ONLY	445
3	OWN INCOME & INSURANCE ONLY	456

4	MEDICAID/GOVT ASSISTANCE MENTIONED AT ALL	1232
5	ALL OTHER COMBINATIONS OF PAYMENT METHODS	52
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy ended in live birth in January [INTERVIEW YEAR - 5] or later (OUTCOME = 1 and DATEND GE cmjan5yr)

### LBW1(340-340)

Variable Type : pregnancy recode

Description : Low birthweight - Baby 1 (recode)

value	label	Total
.	INAPPLICABLE	2869
1	YES, LOW BIRTH WEIGHT	697
2	NO, NOT LOW BIRTH WEIGHT	5792
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy ended in live birth (OUTCOME = 1)

### LIVCHILD(341-341)

Variable Type : pregnancy recode

Description : Current living arrangements of 1st liveborn child from this pregnancy (recode)

value	label	Total
.	INAPPLICABLE	2869
1	Child lives with R	6025
2	Child is dead	51
3	Child lives with adoptive parents/family	50
4	Child lives with biological father	158
5	Child lives with other relatives	133
6	Child's living arrangements are other or unknown	72
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy ended in live birth (OUTCOME = 1)

### BFEEDWKS(342-344)

Variable Type : pregnancy recode

Description : Duration of breastfeeding in weeks (recode)

value	label	Total
.	INAPPLICABLE	3740
0	Less than 1 week	66
1-4	1-4 weeks	498
5-8	5-8 weeks	138
9-26	9-26 weeks	1365
27-52	27-52 weeks (> 6mos, < 1 yr)	906
53-993	53 WEEKS OR LONGER (> 1 yr)	601
994	STILL BREASTFEEDING THIS CHILD	176
995	NEVER BREAST-FED THIS CHILD	1868
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy ended in single live birth (OUTCOME = 1 and nbrnlv\_s = 1) and child is currently under age 19 lived with R at least 2 months (lastage1 GE 2 and kidage LT 228)

### OLDWANTR(345-345)

Variable Type : pregnancy recode

Description : Wantedness of pregnancy - respondent - Cycle 4 version (recode)

value	label	Total
1	LATER, OVERDUE	612
2	RIGHT TIME	4093
3	TOO SOON, MISTIMED	2805
4	DIDN'T CARE, INDIFFERENT	89
5	UNWANTED	1735
6	DON'T KNOW, NOT SURE	24
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies

### **OLDWANTP(346-346)**

Variable Type : pregnancy recode

Description : Wantedness of preg - R's partner (father of pregnancy) - Cycle 4 version (recode)

value	label	Total
1	LATER, OVERDUE	569
2	RIGHT TIME	4602
3	TOO SOON, MISTIMED	1595
4	DIDN'T CARE, INDIFFERENT	123
5	UNWANTED	1858
6	DON'T KNOW, NOT SURE	611
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies

### **WANTRESP(347-347)**

Variable Type : pregnancy recode

Description : Wantedness of pregnancy -- Respondent (RECODE)

value	label	Total
1	LATER, OVERDUE	612
2	RIGHT TIME	4093
3	TOO SOON, MISTIMED	2807
4	DIDN'T CARE, INDIFFERENT	89
5	UNWANTED	1733
6	DON'T KNOW, NOT SURE	24
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies

### **WANTPART(348-348)**

Variable Type : pregnancy recode

Description : Wantedness of pregnancy -- R's partner (RECODE)

value	label	Total
1	LATER, OVERDUE	571
2	RIGHT TIME	4605
3	TOO SOON, MISTIMED	1603
4	DIDN'T CARE, INDIFFERENT	124
5	UNWANTED	1862
6	DON'T KNOW, NOT SURE	593
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies

### **TOOSOON(349-351)**

Variable Type : pregnancy recode

Description : Number of months too soon pregnancy occurred (recode)

value	label	Total
.	INAPPLICABLE	6565
1-400	1-400	2793
	<b>Total</b>	<b>9358</b>

Universe : Applicable if R said she became pregnant "too soon" (EG-10 TIMINGOK =1)

### **NEWWANTR(352-352)**

Variable Type : pregnancy recode

Description : Detailed wantedness of pregnancy - respondent (recode)

value	label	Total
1	Later, overdue	612
2	Right time	4093
3	Too soon: by less than 2 years	754
4	Too soon: by 2 years or more	2053
5	Didn't care, indifferent	89
6	Unwanted	1733
7	Don't know, not sure	24
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies

Female Pregnancy File Codebook :: Pregnancy Variables :: 5. Selected respondent file variables (raw and recode)

### **cmbirth(353-356)**

Variable Type : computed

Description : Century month of R's birth (computed; respondent variable)

value	label	Total
378-1340	Before Sept 2011	9358
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### **AGER(357-358)**

Variable Type : respondent recode

Description : Age at interview (respondent recode)

value	label	Total
15	15 YEARS	2
16	16 YEARS	8
17	17 YEARS	26
18	18 YEARS	34
19	19 YEARS	59
20	20 YEARS	79
21	21 YEARS	126
22	22 YEARS	144
23	23 YEARS	186

24	24 YEARS	245
25	25 YEARS	296
26	26 YEARS	376
27	27 YEARS	390
28	28 YEARS	310
29	29 YEARS	369
30	30 YEARS	514
31	31 YEARS	401
32	32 YEARS	523
33	33 YEARS	451
34	34 YEARS	489
35	35 YEARS	551
36	36 YEARS	418
37	37 YEARS	445
38	38 YEARS	380
39	39 YEARS	441
40	40 YEARS	362
41	41 YEARS	433
42	42 YEARS	339
43	43 YEARS	475
44-45	44 YEARS	486
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

Notes : Respondents age 45 were 44 at screener

**agescrn(359-360)**

Variable Type : computed

Description : R's age at screener (computed; respondent variable)

value	label	Total
15	15 years	2
16	16 years	8
17	17 years	26
18	18 years	34
19	19 years	60
20	20 years	78
21	21 years	131
22	22 years	145
23	23 years	186
24	24 years	249
25	25 years	310
26	26 years	362
27	27 years	390
28	28 years	315
29	29 years	372

30	30 years	503
31	31 years	416
32	32 years	526
33	33 years	452
34	34 years	493
35	35 years	544
36	36 years	418
37	37 years	438
38	38 years	381
39	39 years	430
40	40 years	369
41	41 years	431
42	42 years	348
43	43 years	462
44	44 years	479
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### **FMARITAL(361-361)**

Variable Type : respondent recode

Description : Formal marital status (respondent recode)

value	label	Total
1	MARRIED TO A PERSON OF THE OPPOSITE SEX	4074
2	WIDOWED	86
3	DIVORCED OR ANNULLED	1237
4	SEPARATED	664
5	NEVER MARRIED	3297
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### **RMARITAL(362-362)**

Variable Type : respondent recode

Description : Informal Marital Status (respondent recode)

value	label	Total
1	CURRENTLY MARRIED	4074
2	NOT MARRIED BUT LIVING WITH OPP SEX PARTNER	1644
3	WIDOWED	55
4	DIVORCED	829
5	SEPARATED FOR REASONS OF MARITAL DISCORD	564
6	NEVER BEEN MARRIED	2192
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

**EDUCAT(363-364)**

Variable Type : respondent recode

Description : Education (completed years of schooling) (respondent recode)

<b>value</b>	<b>label</b>	<b>Total</b>
9	9TH GRADE OR LESS	1247
10	10TH GRADE	526
11	11TH GRADE	651
12	12TH GRADE	2315
13	1 YEAR OF COLLEGE/GRAD SCHOOL	1193
14	2 YEARS OF COLLEGE/GRAD SCHOOL	1179
15	3 YEARS OF COLLEGE/GRAD SCHOOL	313
16	4 YEARS OF COLLEGE/GRAD SCHOOL	876
17	5 YEARS OF COLLEGE/GRAD SCHOOL	236
18	6 YEARS OF COLLEGE/GRAD SCHOOL	438
19	7+ YEARS OF COLLEGE/GRAD SCHOOL	384
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable) (This variable has been bottomcoded for public use.)

**HIEDUC(365-366)**

Variable Type : respondent recode

Description : Highest completed year of school or degree (respondent recode)

<b>value</b>	<b>label</b>	<b>Total</b>
5	9TH GRADE OR LESS	1002
6	10TH GRADE	346
7	11TH GRADE	433
8	12TH GRADE, NO DIPLOMA (NOR GED)	70
9	HIGH SCHOOL GRADUATE (DIPLOMA OR GED)	2882
10	SOME COLLEGE BUT NO DEGREE	1943
11	ASSOCIATE DEGREE IN COLLEGE/UNIVERSITY	827
12	BACHELOR'S DEGREE	1149
13	MASTER'S DEGREE	576
14	DOCTORATE DEGREE	67
15	PROFESSIONAL DEGREE	63
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable) (This variable has been bottomcoded for public use.)

**RACE(367-367)**

Variable Type : respondent recode

Description : Race (respondent recode)

<b>value</b>	<b>label</b>	<b>Total</b>
1	BLACK	2431
2	WHITE	5992
3	OTHER	935
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

**HISPANIC(368-368)**

Variable Type : respondent recode

Description : Hispanic origin (respondent recode)

value	label	Total
1	HISPANIC	2531
2	NON-HISPANIC	6827
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### **HISPRACE(369-369)**

Variable Type : respondent recode

Description : Race & Hispanic origin of respondent - 1977 OMB standards (respondent recode)

value	label	Total
1	Hispanic	2531
2	Non-Hispanic White	3994
3	Non-Hispanic Black	2272
4	Non-Hispanic Other	561
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### **HISPRACE2(370-370)**

Variable Type : respondent recode

Description : Race & Hispanic origin of respondent - 1997 OMB standards (respondent recode)

value	label	Total
1	Hispanic	2531
2	Non-Hispanic White, Single Race	3836
3	Non-Hispanic Black, Single Race	2134
4	Non-Hispanic Other or Multiple Race	857
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### **RCURPREG(371-371)**

Variable Type : respondent recode

Description : Pregnant at time of interview (respondent recode)

value	label	Total
1	YES (CURRENTLY PREGNANT)	606
2	NO (NOT CURRENTLY PREGNANT)	8752
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### **PREGNUM(372-373)**

Variable Type : respondent recode

Description : CAPI-based total number of pregnancies (respondent recode)

value	label	Total
1	1 PREGNANCY	888
2	2 PREGNANCIES	1992
3	3 PREGNANCIES	2283
4	4 PREGNANCIES	1632
5	5 PREGNANCIES	1070

6	6 PREGNANCIES	600
7-95	7 OR MORE PREGNANCIES	893
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### PARITY(374-375)

Variable Type : respondent recode

Description : Total number of live births (respondent recode)

value	label	Total
0	0 BABIES	582
1	1 BABY	1780
2	2 BABIES	2802
3	3 BABIES	2318
4	4 BABIES	1091
5-95	5 OR MORE BABIES	785
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### CURR\_INS(376-376)

Variable Type : respondent recode

Description : Current health insurance coverage status (respondent recode)

value	label	Total
1	Currently covered by private health insurance or Medi-Gap	3954
2	Currently covered by Medicaid, CHIP, or a state-sponsored health plan	3142
3	Currently covered by Medicare, military health care, or other government health care	372
4	Currently covered only by a single-service plan, only by the Indian Health Service, or currently not covered by health insurance	1890
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### PUBASSIS(377-377)

Variable Type : respondent recode

Description : Whether R or any members of her family received public assistance in the calendar year before the interview (respondent recode)

value	label	Total
1	YES (RECEIVED PUBLIC ASSISTANCE IN [INTERVIEW YEAR -1])	5257
2	NO (DID NOT RECEIVE PUBLIC ASSISTANCE IN [INTERVIEW YEAR -1])	4101
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### POVERTY(378-380)

Variable Type : respondent recode

Description : Poverty level income (respondent recode)

value	label	Total
0-99	0-99 PERCENT OF POVERTY LEVEL	3898
100-199	100-199 PERCENT OF POVERTY LEVEL	2138
200-299	200-299 PERCENT OF POVERTY LEVEL	1282
300-399	300-399 PERCENT OF POVERTY LEVEL	743

400-499	400-499 PERCENT OF POVERTY LEVEL	429
500	500 PERCENT OF POVERTY LEVEL OR GREATER	868
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable) (This variable has been topcoded for public use.)

### LABORFOR(381-381)

Variable Type : respondent recode

Description : Labor force status (respondent recode)

value	label	Total
1	WORKING FULL-TIME	3738
2	WORKING PART-TIME	1583
3	WORKING-TEMP ILL/ETC	269
4	WORKING-MATERNITY OR FAMILY LEAVE	135
5	NOT WORKING BUT LOOKING FOR WORK	551
6	SCHOOL	333
7	KEEPING HOUSE	2433
8	CARING FOR FAMILY	116
9	OTHER	200
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable) (This variable has been recoded for public use.)

### RELIGION(382-382)

Variable Type : respondent recode

Description : Current religious affiliation (respondent recode)

value	label	Total
1	NO RELIGION	1885
2	CATHOLIC	1985
3	PROTESTANT	4790
4	OTHER RELIGIONS	698
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### METRO(383-383)

Variable Type : respondent recode

Description : Place of residence (Metropolitan / Nonmetropolitan) (respondent recode)

value	label	Total
1	PRINCIPAL CITY OF MSA	3584
2	OTHER MSA	4087
3	NOT MSA	1687
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### BRNOUT(384-384)

Variable Type : raw

IB-8 : Were you born outside of the United States? (respondent variable)

value	label	Total
1	Yes	2008
5	No	7346
8	Refused	4
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### **yrstrus(385-388)**

Variable Type : computed

Description : Year R came to the U.S. to stay (computed in post-processing; respondent variable)

value	label	Total
.	INAPPLICABLE	7350
1970-2015	1970-2015	2001
9998-9999	RF/DK	7
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable) (This variable has been collapsed into single years for public use.)

Female Pregnancy File Codebook :: Pregnancy Variables :: 6. Pregnancy recode imputation flags

### **PRGLNGTH\_I(389-389)**

Variable Type : imputation flag

Description : PRGLNGTH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	9334
1	MULTIPLE REGRESSION IMPUTATION	22
2	LOGICAL IMPUTATION	2
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies

### **OUTCOME\_I(390-390)**

Variable Type : imputation flag

Description : OUTCOME Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	9332
1	MULTIPLE REGRESSION IMPUTATION	23
2	LOGICAL IMPUTATION	3
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies

### **BIRTHORD\_I(391-391)**

Variable Type : imputation flag

Description : BIRTHORD Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	9335
1	MULTIPLE REGRESSION IMPUTATION	23
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies

### **DATEND\_I(392-392)**

Variable Type : imputation flag

Description : DATEND Imputation Flag

<b>value</b>	<b>label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	9293
1	MULTIPLE REGRESSION IMPUTATION	59
2	LOGICAL IMPUTATION	6
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies

### **AGEPREG\_I(393-393)**

Variable Type : imputation flag

Description : AGEPREG Imputation Flag

<b>value</b>	<b>label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	9299
1	MULTIPLE REGRESSION IMPUTATION	59
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies

### **DATECON\_I(394-394)**

Variable Type : imputation flag

Description : DATECON Imputation Flag

<b>value</b>	<b>label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	9296
1	MULTIPLE REGRESSION IMPUTATION	61
2	LOGICAL IMPUTATION	1
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies

### **AGECON\_I(395-395)**

Variable Type : imputation flag

Description : AGECON Imputation Flag

<b>value</b>	<b>label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	9296
1	MULTIPLE REGRESSION IMPUTATION	61
2	LOGICAL IMPUTATION	1
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies

### **FMAROUT5\_I(396-396)**

Variable Type : imputation flag

Description : FMAROUT5 Imputation Flag

<b>value</b>	<b>label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	9274

1	MULTIPLE REGRESSION IMPUTATION	83
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies

### **PMARPREG\_I(397-397)**

Variable Type : imputation flag

Description : PMARPREG Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	9288
1	MULTIPLE REGRESSION IMPUTATION	70
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies

### **RMAROUT6\_I(398-398)**

Variable Type : imputation flag

Description : RMAROUT6 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	9283
1	MULTIPLE REGRESSION IMPUTATION	74
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies

### **FMARCON5\_I(399-399)**

Variable Type : imputation flag

Description : FMARCON5 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	9273
1	MULTIPLE REGRESSION IMPUTATION	84
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies

### **RMARCON6\_I(400-400)**

Variable Type : imputation flag

Description : RMARCON6 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	9282
1	MULTIPLE REGRESSION IMPUTATION	75
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies

### **LEARNPRG\_I(401-401)**

Variable Type : imputation flag

Description : LEARNPRG Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	9306
1	MULTIPLE REGRESSION IMPUTATION	44
2	LOGICAL IMPUTATION	8
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies

### **PNCAREWK\_I(402-402)**

Variable Type : imputation flag

Description : PNCAREWK Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	9319
1	MULTIPLE REGRESSION IMPUTATION	24
2	LOGICAL IMPUTATION	15
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies

### **PAYDELIV\_I(403-403)**

Variable Type : imputation flag

Description : PAYDELIV Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	9344
1	MULTIPLE REGRESSION IMPUTATION	14
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies

### **LBW1\_I(404-404)**

Variable Type : imputation flag

Description : LBW1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	9315
1	MULTIPLE REGRESSION IMPUTATION	43
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies

### **LIVCHILD\_I(405-405)**

Variable Type : imputation flag

Description : LIVCHILD Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	9335
2	LOGICAL IMPUTATION	23
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies

**BFEEDWKS\_I(406-406)**

Variable Type : imputation flag

Description : BFEEDWKS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	9312
1	MULTIPLE REGRESSION IMPUTATION	11
2	LOGICAL IMPUTATION	35
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies

**OLDWANTR\_I(407-407)**

Variable Type : imputation flag

Description : OLDWANTR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	9314
1	MULTIPLE REGRESSION IMPUTATION	43
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies

**OLDWANTP\_I(408-408)**

Variable Type : imputation flag

Description : OLDWANTP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	9290
1	MULTIPLE REGRESSION IMPUTATION	65
2	LOGICAL IMPUTATION	3
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies

**WANTRESP\_I(409-409)**

Variable Type : imputation flag

Description : WANTRESP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	9314
1	MULTIPLE REGRESSION IMPUTATION	43
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies

**WANTPART\_I(410-410)**

Variable Type : imputation flag

Description : WANTPART Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	9272

1	MULTIPLE REGRESSION IMPUTATION	83
2	LOGICAL IMPUTATION	3
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies

### **TOOSOON\_I(411-411)**

Variable Type : imputation flag

Description : TOOSOON Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	9300
1	MULTIPLE REGRESSION IMPUTATION	58
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies

### **NEWWANTR\_I(412-412)**

Variable Type : imputation flag

Description : NEWWANTR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	9256
1	MULTIPLE REGRESSION IMPUTATION	92
2	LOGICAL IMPUTATION	10
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies

Female Pregnancy File Codebook :: Pregnancy Variables :: 7. Respondent recode imputation flags included on pregnancy file

### **AGER\_I(413-413)**

Variable Type : imputation flag

Description : AGER Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	9358
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### **FMARITAL\_I(414-414)**

Variable Type : imputation flag

Description : FMARITAL Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	9358
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### **RMARITAL\_I(415-415)**

Variable Type : imputation flag

Description : RMARITAL Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	9358
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### **EDUCAT\_I(416-416)**

Variable Type : imputation flag

Description : EDUCAT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	9353
1	MULTIPLE REGRESSION IMPUTATION	5
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### **HIEDUC\_I(417-417)**

Variable Type : imputation flag

Description : HIEDUC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	9349
1	MULTIPLE REGRESSION IMPUTATION	9
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### **RACE\_I(418-418)**

Variable Type : imputation flag

Description : RACE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	9341
1	MULTIPLE REGRESSION IMPUTATION	15
2	LOGICAL IMPUTATION	2
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### **HISPANIC\_I(419-419)**

Variable Type : imputation flag

Description : HISPANIC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	9356
2	LOGICAL IMPUTATION	2
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### **HISPRACE\_I(420-420)**

Variable Type : imputation flag

Description : HISPRACE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	9356
2	LOGICAL IMPUTATION	2
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### **HISPRACE2\_I(421-421)**

Variable Type : imputation flag

Description : HISPRACE2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	9356
2	LOGICAL IMPUTATION	2
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### **RCURPREG\_I(422-422)**

Variable Type : imputation flag

Description : RCURPREG Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	9353
2	LOGICAL IMPUTATION	5
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### **PREGNUM\_I(423-423)**

Variable Type : imputation flag

Description : PREGNUM Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	9358
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### **PARITY\_I(424-424)**

Variable Type : imputation flag

Description : PARITY Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	9351
2	LOGICAL IMPUTATION	7
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### **CURR\_INS\_I(425-425)**

Variable Type : imputation flag

Description : CURR\_INS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	9353
1	MULTIPLE REGRESSION IMPUTATION	5
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### **PUBASSIS\_I(426-426)**

Variable Type : imputation flag

Description : PUBASSIS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	9201
1	MULTIPLE REGRESSION IMPUTATION	157
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### **POVERTY\_I(427-427)**

Variable Type : imputation flag

Description : POVERTY Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	8890
1	MULTIPLE REGRESSION IMPUTATION	468
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### **LABORFOR\_I(428-428)**

Variable Type : imputation flag

Description : LABORFOR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	9355
1	MULTIPLE REGRESSION IMPUTATION	3
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### **RELIGION\_I(429-429)**

Variable Type : imputation flag

Description : RELIGION Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	9334
1	MULTIPLE REGRESSION IMPUTATION	24
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### **METRO\_I(430-430)**

Variable Type : imputation flag

Description : METRO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	9358
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

Female Pregnancy File Codebook :: Pregnancy Variables :: 8. Weights and related variables

### **WGT2013\_2015(431-446)**

Variable Type : weight-related

Description : Final weight for the 2013-2015 NSFG

value	label	Total
1859.105-75399.41		9358
<b>Total</b>		<b>9358</b>

Universe : Applicable for all Respondents

### **SECU(447-447)**

Variable Type : weight-related

Description : Randomized version of the sampling error computational unit

value	label	Total
1	1	2341
2	2	2223
3	3	2419
4	4	2375
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### **SEST(448-450)**

Variable Type : weight-related

Description : Randomized version of the stratum

value	label	Total
301-372	301-372	9358
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

Female Pregnancy File Codebook :: Pregnancy Variables :: 9. Date of interview, key reference dates, and fieldwork variables

### **cmintvw(451-454)**

Variable Type : computed

Description : Century month of interview date (computed in Flow Check A-1; respondent variable)

value	label	Total
1365-1376	Sept 2013-Aug 2014	4625
1377-1389	Sept 2014-Sept 2015	4733
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### **cm1styr(455-458)**

Variable Type : computed

Description : Century month of interview minus 1 year (cmintvw-12) (computed in Flow Check A-1; respondent variable)

value	label	Total
1353-1364	Sept 2012-Aug 2013	4625
1365-1376	Sept 2013-Aug 2014	4649
1377-1389	Sept 2014-Sept 2015	84
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### **cmjan3yr(459-462)**

Variable Type : computed

Description : Century month for the January three years prior to cmintvw (computed in Flow Check A-1; respondent variable)

value	label	Total
378-1340	Before Sept 2011	5860
1341-1352	Sept 2011-Aug 2012	3498
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### **cmjan4yr(463-466)**

Variable Type : computed

Description : Century month for the January four years prior to cmintvw (computed in Flow Check A-1; respondent variable)

value	label	Total
378-1340	Before Sept 2011	9358
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### **cmjan5yr(467-470)**

Variable Type : computed

Description : Century month for the January five years prior to cmintvw (computed in Flow Check A-1; respondent variable)

value	label	Total
378-1340	Before Sept 2011	9358
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### **QUARTER(471-472)**

Variable Type : raw

Description : Quarter when case was sampled

value	label	Total
9	9	1262
10	10	1020
11	11	1120
12	12	1330

13	13	1128
14	14	1229
15	15	1135
16	16	1134
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

Notes : See User's Guide, Appendix 2, for information concerning combining this variable with QUARTER from 2011-2013 data

### **PHASE(473-473)**

Variable Type : raw

Description : Regular- or double-sample portion of the quarter

value	label	Total
1	First 10 weeks of quarter	8460
2	Last 2 weeks of quarter (double sample)	898
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### **INTVYEAR(474-477)**

Variable Type : raw

Description : Calendar year when interview occurred

value	label	Total
2013	2013	1262
2014	2014	4598
2015	2015	3498
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)