

Female Respondent File Codebook :: SECTION E: Contraceptive History and Pregnancy Wantedness :: (EA)
Contraceptive methods ever used and method discontinuation

PILL(1685-1685)

Variable Type : raw

EA-1 : Have you ever used birth control pills?

value	label	Total
1	Yes	3871
5	No	1826
8	Refused	2
Total		5699

Universe : Applicable for all respondents

Notes : use recode PILLR

CONDOM(1686-1686)

Variable Type : raw

EA-2 : Have you ever had sex with a partner who used a condom?

value	label	Total
.	INAPPLICABLE	812
1	Yes	4607
5	No	280
Total		5699

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex = 1)

Notes : Use recode CONDOMR

VASECTMY(1687-1687)

Variable Type : raw

EA-3 : Have you ever had sex with a partner who had a vasectomy?

value	label	Total
.	INAPPLICABLE	812
1	Yes	473
5	No	4385
9	Don't know	29
Total		5699

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex = 1)

DEPOPROV(1688-1688)

Variable Type : raw

EA-4 : (Have you ever used) Depo-Provera, an injectable (or shot) given once every three months?

value	label	Total
1	Yes	1389
5	No	4308
8	Refused	1
9	Don't know	1
Total		5699

Universe : Applicable for all respondents

WIDRAWAL(1689-1689)

Variable Type : raw

EA-6 : Have you ever had sex with a partner who used withdrawal or "pulling out"?

value	label	Total
.	INAPPLICABLE	812
1	Yes	3160
5	No	1726
9	Don't know	1
Total		5699

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex = 1)

RHYTHM(1690-1690)

Variable Type : raw

EA-7 : Have you ever used the calendar rhythm method to prevent pregnancy? With this method, a woman counts the days in her menstrual cycle to identify which days she can get pregnant, or "unsafe" days.

value	label	Total
.	INAPPLICABLE	812
1	Yes	703
5	No	4184
Total		5699

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex = 1)

SDAYCBDS(1691-1691)

Variable Type : raw

EA-7b : (Have you ever used) the "Standard Days Method" or "CycleBeads" to prevent pregnancy? These methods identify days 8 to 19 of the cycle as days a woman can get pregnant, or "unsafe" days.

value	label	Total
.	INAPPLICABLE	812
1	Yes	165
5	No	4718
9	Don't know	4
Total		5699

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex=1)

TEMPSAFE(1692-1692)

Variable Type : raw

EA-8 : (Have you ever used) Safe period by temperature or cervical mucus test to prevent pregnancy? Some names for these methods are the Two Day Method, the Billings Ovulation Method, and the Symptothermal Method.

value	label	Total
.	INAPPLICABLE	812
1	Yes	143
5	No	4744
Total		5699

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex = 1)

PATCH(1693-1693)

Variable Type : raw

EA-9 : (Have you ever used) The contraceptive patch?

value	label	Total
1	Yes	539
5	No	5157
8	Refused	2
9	Don't know	1
	Total	5699

Universe : Applicable for all respondents

RING(1694-1694)

Variable Type : raw

EA-10 : (Have you ever used) The vaginal contraceptive ring (or "NuvaRing")?

value	label	Total
1	Yes	539
5	No	5156
8	Refused	2
9	Don't know	2
	Total	5699

Universe : Applicable for all respondents

MORNPILL(1695-1695)

Variable Type : raw

EA-11 : (Have you ever used) Emergency contraception, also known as "Plan B", "Preven", "Ella", "Next Choice", or "Morning after" pills?

value	label	Total
.	INAPPLICABLE	812
1	Yes	1086
5	No	3798
8	Refused	1
9	Don't know	2
	Total	5699

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex = 1)

ECTIMESX(1696-1697)

Variable Type : raw

EA-12 : How many different times have you used emergency contraception?

value	label	Total
.	INAPPLICABLE	4613
1	1	601
2-96	2 OR MORE	483
98	Refused	1
99	Don't know	1
	Total	5699

Universe : Applicable if R has ever used emergency contraception (EA-11 MORNPILL = 1)

ECREASON1(1698-1698)

Variable Type : raw

EA-13 : Did you use emergency contraception because you were worried your birth control method would not work, you didn't use birth control that time, or for some other reason? - 1st Reason

value	label	Total
.	INAPPLICABLE	4613
1	You were worried your birth control method would not work	393
2	You didn't use birth control that time	537
3	Some other reason	154
8	Refused	1
9	Don't know	1
Total		5699

Universe : Applicable if R has ever used emergency contraception (EA-11 MORNPIII = 1)

ECREASON2(1699-1699)

Variable Type : raw

EA-13 : Did you use emergency contraception because you were worried your birth control method would not work, you didn't use birth control that time, or for some other reason? - 2nd Reason

value	label	Total
.	INAPPLICABLE	5636
1	You were worried your birth control method would not work	7
2	You didn't use birth control that time	51
3	Some other reason	5
Total		5699

Universe : Applicable if R mentioned at least 2 reasons for using emergency contraception (see EA-13 ECREASON1)

ECREASON3(1700-1700)

Variable Type : raw

EA-13 : Did you use emergency contraception because you were worried your birth control method would not work, you didn't use birth control that time, or for some other reason? - 3rd Reason

value	label	Total
.	INAPPLICABLE	5689
3	Some other reason	10
Total		5699

Universe : Applicable if R mentioned at least 3 reasons for using emergency contraception (see EA-13 ECREASON1)

ECRX(1701-1701)

Variable Type : raw

EA-13aa : (The last time you used it,) Did you get the emergency contraception with or without a prescription?

value	label	Total
.	INAPPLICABLE	4613
1	With a prescription	246
2	Without a prescription	834
9	Don't know	6
Total		5699

Universe : Applicable if R has ever used emergency contraception (EA-11 MORNPIII = 1)

ECWHERE(1702-1703)

Variable Type : raw

EA-13a : Please look at Card 36. (The last time you used it, where/Where) did you get the (prescription for the) emergency contraception?

value	label	Total
.	INAPPLICABLE	4613
1	Private doctor's office	80
2	HMO facility	6
3	Community health clinic, community clinic, public health clinic	71
4	Family planning or Planned Parenthood clinic	189
5	Employer or company clinic	2
6	School or school-based clinic	25
7	Hospital outpatient clinic	4
8	Hospital emergency room	18
9	Hospital regular room	4
10	Urgent care center, urgi-care, or walk-in facility	5
11	Friend	20
12	Partner or spouse	13
13	Drug store	627
14	Mail order/Internet	1
20	Some other place	20
99	Don't know	1
	Total	5699

Universe : Applicable if R has ever used emergency contraception (EA-11 MORNPIII = 1)

ECWHEN(1704-1704)

Variable Type : raw

EA-13b : (The last time you used it,) was that within the last 12 months, that is, since (INTERVIEW MONTH, INTERVIEW YEAR - 1)?

value	label	Total
.	INAPPLICABLE	4613
1	Within the last 12 months	254
2	Over 12 months ago	830
8	Refused	1
9	Don't know	1
	Total	5699

Universe : Applicable if R has ever used emergency contraception (EA-11 MORNPIII = 1)

OTHRMETH01(1705-1706)

Variable Type : raw

EA-14 : On the right side of Card 30 is a list of some other methods of birth control. Which, if any, of the methods listed on that card have you ever used? Please tell me the method even if you have only used it once. - 1st Method

value	label	Total
.	INAPPLICABLE	11
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	220
12	Diaphragm	64
13	Female condom, vaginal pouch	64
14	Foam	115
15	Jelly or cream	62
16	Cervical cap	1
17	Suppository, insert	40
18	Today sponge	31
19	IUD, coil, or loop	692

21	Other method -- specify	13
24	Lunelle	9
95	No other methods ever used	4375
98	Refused	1
99	Don't know	1
	Total	5699

Universe : Applicable for all respondents.

Notes : 11 cases that are inapplicable should be 95. (No methods were used in addition to those already mentioned earlier in section EA.)

OTHRMETH02(1707-1708)

Variable Type : raw

EA-14 : On the right side of Card 30 is a list of some other methods of birth control. Which, if any, of the methods listed on that card have you ever used? Please tell me the method even if you have only used it once. - 2nd Method

value	label	Total
.	INAPPLICABLE	5509
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	8
12	Diaphragm	5
13	Female condom, vaginal pouch	12
14	Foam	32
15	Jelly or cream	41
16	Cervical cap	5
17	Suppository, insert	15
18	Today sponge	13
19	IUD, coil, or loop	49
21	Other method -- specify	8
24	Lunelle	2
	Total	5699

Universe : Applicable if R mentioned at least 2 other methods ever used (see EA-14 OTHRMETHOD01)

OTHRMETH03(1709-1710)

Variable Type : raw

EA-14 : On the right side of Card 30 is a list of some other methods of birth control. Which, if any, of the methods listed on that card have you ever used? Please tell me the method even if you have only used it once. - 3rd Method

value	label	Total
.	INAPPLICABLE	5646
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	1
13	Female condom, vaginal pouch	1
14	Foam	3
15	Jelly or cream	13
17	Suppository, insert	17
18	Today sponge	6
19	IUD, coil, or loop	12
	Total	5699

Universe : Applicable if R mentioned at least 3 other methods ever used (see EA-14 OTHRMETHOD01)

OTHRMETH04(1711-1712)

Variable Type : raw

EA-14 : On the right side of Card 30 is a list of some other methods of birth control. Which, if any, of the methods listed on that card have you ever used? Please tell me the method even if you have only used it once. - 4th Method

value	label	Total
.	INAPPLICABLE	5685
13	Female condom, vaginal pouch	1
15	Jelly or cream	1
16	Cervical cap	1
17	Suppository, insert	2
18	Today sponge	3
19	IUD, coil, or loop	6
	Total	5699

Universe : Applicable if R mentioned at least 4 other methods ever used (see EA-14 OTHRMETH01)

OTHRMETH05(1713-1714)

Variable Type : raw

EA-14 : On the right side of Card 30 is a list of some other methods of birth control. Which, if any, of the methods listed on that card have you ever used? Please tell me the method even if you have only used it once. - 5th Method

value	label	Total
.	INAPPLICABLE	5696
17	Suppository, insert	2
19	IUD, coil, or loop	1
	Total	5699

Universe : Applicable if R mentioned at least 5 other methods ever used (see EA-14 OTHRMETH01)

OTHRMETH06(1715-1716)

Variable Type : raw

EA-14 : On the right side of Card 30 is a list of some other methods of birth control. Which, if any, of the methods listed on that card have you ever used? Please tell me the method even if you have only used it once. - 6th Method

value	label	Total
.	INAPPLICABLE	5698
19	IUD, coil, or loop	1
	Total	5699

Universe : Applicable if R mentioned at least 6 other methods ever used (see EA-14 OTHRMETH01)

OTHRMETH07(1717-1717)

Variable Type : raw

EA-14 : On the right side of Card 30 is a list of some other methods of birth control. Which, if any, of the methods listed on that card have you ever used? Please tell me the method even if you have only used it once. - 7th Method

value	label	Total
.	INAPPLICABLE	5699
	Total	5699

Universe : Applicable if R mentioned at least 7 other methods ever used (see EA-14 OTHRMETH01)

EVIUDTYP1(1718-1718)

Variable Type : raw

EA-15a : Which type or types of IUD have you ever used, out of the following types: a copper-bearing IUD such as Copper-T or ParaGard, a Levonorgestrel or hormonal IUD, such as Mirena or Skyla, or another type? - 1st mention

value	label	Total
.	INAPPLICABLE	4935
1	Copper-bearing (such as Copper-T or ParaGard)	254
2	Hormonal IUD (such as Mirena or Skyla)	490
3	Other	7
9	Don't know	13
Total		5699

Universe : Applicable if R ever reported using an IUD (any EA-14 OTHRMETH01 through OTHRMETH07 = 19)

EVIUDTYP2(1719-1719)

Variable Type : raw

EA-15a : Which type or types of IUD have you ever used, out of the following types: a copper-bearing IUD such as Copper-T or ParaGard, a Levonorgestrel or hormonal IUD, such as Mirena or Skyla, or another type? - 2nd mention

value	label	Total
.	INAPPLICABLE	5665
1	Copper-bearing (such as Copper-T or ParaGard)	3
2	Hormonal IUD (such as Mirena or Skyla)	31
Total		5699

Universe : Applicable if R reported using more than one type of IUD (see EA-15a EVIUDTYP1)

newmeth(1720-1720)

Variable Type : computed

Description : Code for other method specified in EA-15 (computed in post-processing)

value	label	Total
.	INAPPLICABLE	5678
2	Tubal ligation/female sterilization	1
3	Vaginal contraceptive film	17
4	Other method, not shown separately	3
Total		5699

Universe : Applicable if R ever used a method other than one asked about in EA-1 PILL through EA-14 OTHRMETH and any OTHRMETH01 - 6 was coded "other method" (any EA-14 OTHRMETH01 through OTHRMETH06 = 21)

Notes : All responses were volunteered by respondents. They did not appear on Card 30

everused(1721-1721)

Variable Type : computed

Description : Ever used any method or R or husband/partner ever surgically sterilized (sterilizations from D) (Computed in Flow Check E-6)

value	label	Total
1	Yes	5005
5	No	691
7	Not ascertained	3
Total		5699

Universe : Applicable for all respondents

Notes : See recode ANYMTHD

METHDISS(1722-1722)

Variable Type : raw

EA-16 : Some people try a method and then don't use it again, or stop using it, because they are not satisfied with the method. Did you ever stop using a method because you were not satisfied with it in some way?

value	label	Total
.	INAPPLICABLE	691
1	Yes	2364
5	No	2642
8	Refused	2
Total		5699

Universe : Applicable if R ever used a method of contraception (everused = 1)

METHSTOP01(1723-1724)

Variable Type : raw

EA-17 : Please look at Card 31. What method or methods did you stop because you were not satisfied? - 1st method

value	label	Total
.	INAPPLICABLE	3335
3	Birth control pills	1217
4	Condom	188
7	Withdrawal, pulling out	71
8	Depo-Provera, injectables (shots)	390
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	44
10	Calendar rhythm, Standard Days, or Cycle Beads method	11
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
12	Diaphragm	20
13	Female condom, vaginal pouch	14
14	Foam	22
15	Jelly or cream	12
17	Suppository, insert	13
18	Today sponge	20
19	IUD, coil, or loop	127
21	Other method	6
24	Lunelle injectable (monthly shot)	3
25	Contraceptive patch	106
26	Vaginal contraceptive ring	97
99	Don't know	1
Total		5699

Universe : Applicable if R ever stopped using a method due to dissatisfaction (EA-16 METHDISS = 1)

METHSTOP02(1725-1726)

Variable Type : raw

EA-17 : Please look at Card 31. What method or methods did you stop because you were not satisfied? - 2nd method

value	label	Total
.	INAPPLICABLE	4824
3	Birth control pills	109
4	Condom	154
5	Partner's vasectomy	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1

7	Withdrawal, pulling out	90
8	Depo-Provera, injectables (shots)	217
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	15
10	Calendar rhythm, Standard Days, or Cycle Beads method	12
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	5
12	Diaphragm	4
13	Female condom, vaginal pouch	7
14	Foam	16
15	Jelly or cream	9
16	Cervical cap	3
17	Suppository, insert	4
18	Today sponge	2
19	IUD, coil, or loop	53
21	Other method	1
24	Lunelle injectable (monthly shot)	2
25	Contraceptive patch	87
26	Vaginal contraceptive ring	83
	Total	5699

Universe : Applicable if R mentioned at least 2 methods stopped due to dissatisfaction (see EA-17 METHSTOP01)

METHSTOP03(1727-1728)

Variable Type : raw

EA-17 : Please look at Card 31. What method or methods did you stop because you were not satisfied? - 3rd method

value	label	Total
.	INAPPLICABLE	5394
3	Birth control pills	20
4	Condom	17
7	Withdrawal, pulling out	37
8	Depo-Provera, injectables (shots)	47
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	7
10	Calendar rhythm, Standard Days, or Cycle Beads method	15
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
12	Diaphragm	5
13	Female condom, vaginal pouch	5
14	Foam	11
15	Jelly or cream	6
16	Cervical cap	1
17	Suppository, insert	2
18	Today sponge	1
19	IUD, coil, or loop	30
21	Other method	3
25	Contraceptive patch	48
26	Vaginal contraceptive ring	46
	Total	5699

Universe : Applicable if R mentioned at least 3 methods stopped due to dissatisfaction (see EA-17 METHSTOP01)

METHSTOP04(1729-1730)

Variable Type : raw

EA-17 : Please look at Card 31. What method or methods did you stop because you were not satisfied? - 4th method

value	label	Total
--------------	--------------	--------------

.	INAPPLICABLE	5604
3	Birth control pills	6
4	Condom	3
7	Withdrawal, pulling out	3
8	Depo-Provera, injectables (shots)	10
10	Calendar rhythm, Standard Days, or Cycle Beads method	6
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
12	Diaphragm	5
13	Female condom, vaginal pouch	1
14	Foam	10
15	Jelly or cream	2
17	Suppository, insert	6
18	Today sponge	3
19	IUD, coil, or loop	13
21	Other method	1
25	Contraceptive patch	10
26	Vaginal contraceptive ring	14
	Total	5699

Universe : Applicable if R mentioned at least 4 methods stopped due to dissatisfaction (see EA-17 METHSTOP01)

METHSTOP05(1731-1732)

Variable Type : raw

EA-17 : Please look at Card 31. What method or methods did you stop because you were not satisfied? - 5th method

value	label	Total
.	INAPPLICABLE	5667
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
12	Diaphragm	2
13	Female condom, vaginal pouch	2
14	Foam	3
15	Jelly or cream	2
16	Cervical cap	1
19	IUD, coil, or loop	4
21	Other method	1
25	Contraceptive patch	4
26	Vaginal contraceptive ring	11
	Total	5699

Universe : Applicable if R mentioned at least 5 methods stopped due to dissatisfaction (see EA-17 METHSTOP01)

METHSTOP06(1733-1734)

Variable Type : raw

EA-17 : Please look at Card 31. What method or methods did you stop because you were not satisfied? - 6th method

value	label	Total
.	INAPPLICABLE	5686
4	Condom	1
14	Foam	2
19	IUD, coil, or loop	2
26	Vaginal contraceptive ring	8
	Total	5699

Universe : Applicable if R mentioned at least 6 methods stopped due to dissatisfaction (see EA-17 METHSTOP01)

METHSTOP07(1735-1736)

Variable Type : raw

EA-17 : Please look at Card 31. What method or methods did you stop because you were not satisfied? - 7th method

value	label	Total
.	INAPPLICABLE	5694
8	Depo-Provera, injectables (shots)	1
17	Suppository, insert	1
18	Today sponge	1
25	Contraceptive patch	2
	Total	5699

Universe : Applicable if R mentioned at least 7 methods stopped due to dissatisfaction (see EA-17 METHSTOP01)

METHSTOP08(1737-1738)

Variable Type : raw

EA-17 : Please look at Card 31. What method or methods did you stop because you were not satisfied? - 8th method

value	label	Total
.	INAPPLICABLE	5696
19	IUD, coil, or loop	2
26	Vaginal contraceptive ring	1
	Total	5699

Universe : Applicable if R mentioned at least 8 methods stopped due to dissatisfaction (see EA-17 METHSTOP01)

METHSTOP09(1739-1739)

Variable Type : raw

EA-17 : Please look at Card 31. What method or methods did you stop because you were not satisfied? - 9th method

value	label	Total
.	INAPPLICABLE	5699
	Total	5699

Universe : Applicable if R mentioned at least 9 methods stopped due to dissatisfaction (see EA-17 METHSTOP01)

METHSTOP10(1740-1740)

Variable Type : raw

EA-17 : Please look at Card 31. What method or methods did you stop because you were not satisfied? - 10th method

value	label	Total
.	INAPPLICABLE	5699
	Total	5699

Universe : Applicable if R mentioned at least 10 methods stopped due to dissatisfaction (see EA-17 METHSTOP01)

REASPILL01(1741-1742)

Variable Type : raw

EA-18 : Looking at Card 32, What was the reason or reasons you were not satisfied with the Pill? - 1st

value	label	Total
.	INAPPLICABLE	4347
1	Too expensive	27
2	Insurance did not cover it	7
3	Too difficult to use	183
4	Too messy	6
5	Your partner did not like it	6
6	You had side effects	734
7	You were worried you might have side effects	51
8	You worried the method would not work	18
9	The method failed, you became pregnant	114
10	The method did not protect against disease	3
11	Because of other health problems, a doctor told you that you should not use the method again	31
12	The method decreased your sexual pleasure	8
13	Too difficult to obtain the method	20
14	Did not like the changes to your menstrual cycle	63
15	Other -- specify	80
99	Don't know	1
	Total	5699

Universe : Applicable if R ever stopped using the pill due to dissatisfaction (any EA-17 METHSTOP01 through METHSTOP10 = 3)

REASPILL02(1743-1744)

Variable Type : raw

EA-18 : Looking at Card 32, What was the reason or reasons you were not satisfied with the Pill? - 2nd

value	label	Total
.	INAPPLICABLE	5327
1	Too expensive	4
2	Insurance did not cover it	10
3	Too difficult to use	16
5	Your partner did not like it	10
6	You had side effects	69
7	You were worried you might have side effects	39
8	You worried the method would not work	13
9	The method failed, you became pregnant	33
10	The method did not protect against disease	4
11	Because of other health problems, a doctor told you that you should not use the method again	28
12	The method decreased your sexual pleasure	24
13	Too difficult to obtain the method	13
14	Did not like the changes to your menstrual cycle	80
15	Other -- specify	29
	Total	5699

Universe : Applicable if R mentioned at least 2 reasons for stopping use of the pill due to dissatisfaction (see EA-18 REASPILL01)

REASPILL03(1745-1746)

Variable Type : raw

EA-18 : Looking at Card 32, What was the reason or reasons you were not satisfied with the Pill? - 3rd

value	label	Total
--------------	--------------	--------------

.	INAPPLICABLE	5588
1	Too expensive	1
3	Too difficult to use	1
5	Your partner did not like it	1
6	You had side effects	13
7	You were worried you might have side effects	4
8	You worried the method would not work	8
9	The method failed, you became pregnant	6
10	The method did not protect against disease	3
11	Because of other health problems, a doctor told you that you should not use the method again	10
12	The method decreased your sexual pleasure	8
13	Too difficult to obtain the method	2
14	Did not like the changes to your menstrual cycle	42
15	Other -- specify	12
	Total	5699

Universe : Applicable if R mentioned at least 3 reasons for stopping use of the pill due to dissatisfaction (see EA-18 REASPILL01)

REASPILL04(1747-1748)

Variable Type : raw

EA-18 : Looking at Card 32, What was the reason or reasons you were not satisfied with the Pill? - 4th

value	label	Total
.	INAPPLICABLE	5671
3	Too difficult to use	1
5	Your partner did not like it	1
6	You had side effects	2
7	You were worried you might have side effects	3
8	You worried the method would not work	2
9	The method failed, you became pregnant	3
10	The method did not protect against disease	1
13	Too difficult to obtain the method	2
14	Did not like the changes to your menstrual cycle	12
15	Other -- specify	1
	Total	5699

Universe : Applicable if R mentioned at least 4 reasons for stopping use of the pill due to dissatisfaction (see EA-18 REASPILL01)

REASPILL05(1749-1750)

Variable Type : raw

EA-18 : Looking at Card 32, What was the reason or reasons you were not satisfied with the Pill? - 5th

value	label	Total
.	INAPPLICABLE	5694
7	You were worried you might have side effects	1
9	The method failed, you became pregnant	1
14	Did not like the changes to your menstrual cycle	2
15	Other -- specify	1
	Total	5699

Universe : Applicable if R mentioned at least 5 reasons for stopping use of the pill due to dissatisfaction (see EA-18 REASPILL01)

REASPILL06(1751-1752)

Variable Type : raw

EA-18 : Looking at Card 32, What was the reason or reasons you were not satisfied with the Pill? - 6th

value	label	Total
.	INAPPLICABLE	5697
12	The method decreased your sexual pleasure	1
14	Did not like the changes to your menstrual cycle	1
	Total	5699

Universe : Applicable if R mentioned at least 6 reasons for stopping use of the pill due to dissatisfaction (see EA-18 REASPILL01)

stoppill1(1753-1754)

Variable Type : computed

Description : Open-ended response to reason(s) for discontinuation of pill: 1st mention

value	label	Total
.	INAPPLICABLE	4617
1	Can't remember to take pill (regularly)	237
2	Interfered with other medications	3
3	Weight gain	217
4	Headaches/migraines	102
5	Mood swings/depression	137
6	Bleeding problems (spotting, too much, irregularly)	79
7	Hair loss	4
8	Nausea/sickness	119
9	Skin problems	18
10	Hormonal problems/changes	13
11	Didn't like/Didn't want to use	23
12	Concerns about risks, such as breast cancer	3
15	Menstrual cramps	10
16	Leg cramps	2
17	Dizziness	5
18	Decreased sex drive	4
19	High blood pressure	4
20	Blood clots	12
21	Fatigue	3
22	Other side effects	52
23	Other (Too few cases, not classifiable elsewhere)	32
97	Not ascertained	3
	Total	5699

Universe : Applicable R chose "too difficult to use", "side effects", or "other" reason for discontinuing pill (any EA-18 REASPILL01 - REASPILL06 = 3, 6, or 15). (Note: some responses were coded onto variables REASPILL01 - REASPILL06)

Notes : All responses were volunteered by respondents. They did not appear on Card 32

stoppill2(1755-1756)

Variable Type : computed

Description : Open-ended response to reason(s) for discontinuation of pill: 2nd mention

value	label	Total
.	INAPPLICABLE	5340
1	Can't remember to take pill (regularly)	1
3	Weight gain	14
4	Headaches/migraines	36
5	Mood swings/depression	70
6	Bleeding problems (spotting, too much, irregularly)	50
7	Hair loss	5

8	Nausea/sickness	55
9	Skin problems	16
10	Hormonal problems/changes	10
11	Didn't like/Didn't want to use	3
12	Concerns about risks, such as breast cancer	6
14	Weight loss	3
15	Menstrual cramps	15
17	Dizziness	12
18	Decreased sex drive	8
19	High blood pressure	4
20	Blood clots	1
21	Fatigue	8
22	Other side effects	33
23	Other (Too few cases, not classifiable elsewhere)	9
	Total	5699

Universe : Applicable if R reported at least 2 difficulties, side effects, or "other" reason on EA-18b SP_REASPILL, EA-18c SP_DIFFPILL, and EA-18d SP_SIDEPIILL (see STOPPILL1)

Notes : All responses were volunteered by respondents. They did not appear on Card 32

stoppill3(1757-1758)

Variable Type : computed

Description : Open-ended response to reason(s) for discontinuation of pill: 3rd mention

value	label	Total
.	INAPPLICABLE	5591
2	Interfered with other medications	1
5	Mood swings/depression	11
6	Bleeding problems (spotting, too much, irregularly)	11
7	Hair loss	2
8	Nausea/sickness	28
9	Skin problems	11
10	Hormonal problems/changes	4
11	Didn't like/Didn't want to use	1
12	Concerns about risks, such as breast cancer	1
15	Menstrual cramps	3
16	Leg cramps	1
17	Dizziness	7
18	Decreased sex drive	3
19	High blood pressure	1
21	Fatigue	5
22	Other side effects	12
23	Other (Too few cases, not classifiable elsewhere)	6
	Total	5699

Universe : Applicable if R reported at least 3 difficulties, side effects, or "other" reason on EA-18b SP_REASPILL, EA-18c SP_DIFFPILL, and EA-18d SP_SIDEPIILL (see STOPPILL1)

Notes : All responses were volunteered by respondents. They did not appear on Card 32

stoppill4(1759-1760)

Variable Type : computed

Description : Open-ended response to reason(s) for discontinuation of pill: 4th mention

value	label	Total
.	INAPPLICABLE	5681
8	Nausea/sickness	1
9	Skin problems	2

14	Weight loss	1
15	Menstrual cramps	3
17	Dizziness	4
18	Decreased sex drive	1
21	Fatigue	2
22	Other side effects	1
23	Other (Too few cases, not classifiable elsewhere)	3
	Total	5699

Universe : Applicable if R reported at least 4 difficulties, side effects, or "other" reason on EA-18b SP_REASPILL, EA-18c SP_DIFFPILL, and EA-18d SP_SIDEPIILL (see STOPPILL1)

Notes : All responses were volunteered by respondents. They did not appear on Card 32

stoppill5(1761-1762)

Variable Type : computed

Description : Open-ended response to reason(s) for discontinuation of pill: 5th mention

value	label	Total
.	INAPPLICABLE	5694
10	Hormonal problems/changes	1
17	Dizziness	1
18	Decreased sex drive	1
23	Other (Too few cases, not classifiable elsewhere)	2
	Total	5699

Universe : Applicable if R reported at least 5 difficulties, side effects, or "other" reason on EA-18b SP_REASPILL, EA-18c SP_DIFFPILL, and EA-18d SP_SIDEPIILL (see STOPPILL1)

Notes : All responses were volunteered by respondents. They did not appear on Card 32

stoppill6(1763-1764)

Variable Type : computed

Description : Open-ended response to reason(s) for discontinuation of pill: 6th mention

value	label	Total
.	INAPPLICABLE	5698
22	Other side effects	1
	Total	5699

Universe : Applicable if R reported at least 6 difficulties, side effects, or "other" reason on EA-18b SP_REASPILL, EA-18c SP_DIFFPILL, and EA-18d SP_SIDEPIILL (see STOPPILL1)

Notes : All responses were volunteered by respondents. They did not appear on Card 32

REASCOND01(1765-1766)

Variable Type : raw

EA-19 : Looking at Card 32, What was the reason or reasons you were not satisfied with the condom? - 1st

value	label	Total
.	INAPPLICABLE	5336
1	Too expensive	8
2	Insurance did not cover it	1
3	Too difficult to use	18
4	Too messy	15
5	Your partner did not like it	97
6	You had side effects	62

7	You were worried you might have side effects	1
8	You worried the method would not work	19
9	The method failed, you became pregnant	10
10	The method did not protect against disease	1
12	The method decreased your sexual pleasure	98
14	Did not like the changes to your menstrual cycle	1
15	Other -- specify	32
	Total	5699

Universe : Applicable if R ever stopped using the condom due to dissatisfaction (any EA-17 METHSTOP01 through METHSTOP10 = 4)

REASCOND02(1767-1768)

Variable Type : raw

EA-19 : Looking at Card 32, What was the reason or reasons you were not satisfied with the condom? - 2nd

value	label	Total
.	INAPPLICABLE	5594
3	Too difficult to use	1
4	Too messy	8
5	Your partner did not like it	24
6	You had side effects	8
8	You worried the method would not work	13
9	The method failed, you became pregnant	4
12	The method decreased your sexual pleasure	38
15	Other -- specify	9
	Total	5699

Universe : Applicable if R mentioned at least 2 reasons for stopping use of the condom due to dissatisfaction (see EA-19 REASCOND01)

REASCOND03(1769-1770)

Variable Type : raw

EA-19 : Looking at Card 32, What was the reason or reasons you were not satisfied with the condom? - 3rd

value	label	Total
.	INAPPLICABLE	5672
1	Too expensive	2
5	Your partner did not like it	7
6	You had side effects	1
8	You worried the method would not work	5
12	The method decreased your sexual pleasure	9
14	Did not like the changes to your menstrual cycle	2
15	Other -- specify	1
	Total	5699

Universe : Applicable if R mentioned at least 3 reasons for stopping use of the condom due to dissatisfaction (see EA-19 REASCOND01)

REASCOND04(1771-1772)

Variable Type : raw

EA-19 : Looking at Card 32, What was the reason or reasons you were not satisfied with the condom? - 4th

value	label	Total
.	INAPPLICABLE	5690
7	You were worried you might have side effects	1
8	You worried the method would not work	1

12	The method decreased your sexual pleasure	5
13	Too difficult to obtain the method	1
14	Did not like the changes to your menstrual cycle	1
Total		5699

Universe : Applicable if R mentioned at least 4 reasons for stopping use of the condom due to dissatisfaction (see EA-19 REASCOND01)

REASCOND05(1773-1774)

Variable Type : raw

EA-19 : Looking at Card 32, What was the reason or reasons you were not satisfied with the condom? - 5th

value	label	Total
.	INAPPLICABLE	5696
1	Too expensive	1
9	The method failed, you became pregnant	1
12	The method decreased your sexual pleasure	1
Total		5699

Universe : Applicable if R mentioned at least 5 reasons for stopping use of the condom due to dissatisfaction (see EA-19 REASCOND01)

REASCOND06(1775-1776)

Variable Type : raw

EA-19 : Looking at Card 32, What was the reason or reasons you were not satisfied with the condom? - 6th

value	label	Total
.	INAPPLICABLE	5698
12	The method decreased your sexual pleasure	1
Total		5699

Universe : Applicable if R mentioned at least 6 reasons for stopping use of the condom due to dissatisfaction (see EA-19 REASCOND01)

REASCOND07(1777-1777)

Variable Type : raw

EA-19 : Looking at Card 32, What was the reason or reasons you were not satisfied with the condom? - 7th

value	label	Total
.	INAPPLICABLE	5699
Total		5699

Universe : Applicable if R mentioned at least 7 reasons for stopping use of the condom due to dissatisfaction (see EA-19 REASCOND01)

stopcond1(1778-1779)

Variable Type : computed

Description : Open-ended response to reason(s) for discontinuation of condom: 1st mention

value	label	Total
.	INAPPLICABLE	5569
1	Allergy (latex/spermicide)	33
2	Didn't like it / Didn't like how it felt	15
3	Pain/discomfort/irritation	46
4	Yeast infection	3

5	Worried it would fall off / break / not prevent pregnancy	6
6	Inconvenient	3
7	Not spontaneous	5
9	Other (Too few cases, not classifiable elsewhere)	17
97	Not ascertained	2
Total		5699

Universe : Applicable if R chose "too difficult to use", "side effects", or "other" reason for discontinuing condom (any EA-19 REASCOND01 - REASCOND07 = 3, 6, or 15). (Note: some responses were coded onto variables REASCOND01 - REASCOND07)

Notes : All responses were volunteered by respondents. They did not appear on Card 32

stopcond2(1780-1780)

Variable Type : computed

Description : Open-ended response to reason(s) for discontinuation of condom: 2nd mention

value	label	Total
.	INAPPLICABLE	5692
3	Pain/discomfort/irritation	1
6	Inconvenient	1
8	Frustrating to use	1
9	Other (Too few cases, not classifiable elsewhere)	4
Total		5699

Universe : Applicable if R reported at least 2 difficulties, side effects, or "other" reason on EA-19b SP_REASCOND, EA-19c SP_DIFFCOND, and EA-19d SP_SIDECOND (see STOPCOND1)

Notes : All responses were volunteered by respondents. They did not appear on Card 32

REASDEPO01(1781-1782)

Variable Type : raw

EA-20 : Looking at Card 32, What was the reason or reasons you were not satisfied with Depo-Provera? - 1st

value	label	Total
.	INAPPLICABLE	5034
1	Too expensive	3
2	Insurance did not cover it	3
3	Too difficult to use	2
4	Too messy	2
5	Your partner did not like it	2
6	You had side effects	465
7	You were worried you might have side effects	23
8	You worried the method would not work	3
9	The method failed, you became pregnant	25
11	Because of other health problems, a doctor told you that you should not use the method again	18
12	The method decreased your sexual pleasure	3
13	Too difficult to obtain the method	2
14	Did not like the changes to your menstrual cycle	83
15	Other -- specify	31
Total		5699

Universe : Applicable if R ever stopped using Depo-Provera due to dissatisfaction (any EA-17 METHSTOP01 through METHSTOP10 = 8)

REASDEPO02(1783-1784)

Variable Type : raw

EA-20 : Looking at Card 32, What was the reason or reasons you were not satisfied with Depo-Provera? - 2nd

value	label	Total
.	INAPPLICABLE	5571
1	Too expensive	1
2	Insurance did not cover it	2
3	Too difficult to use	3
5	Your partner did not like it	3
6	You had side effects	21
7	You were worried you might have side effects	8
8	You worried the method would not work	4
9	The method failed, you became pregnant	6
10	The method did not protect against disease	2
11	Because of other health problems, a doctor told you that you should not use the method again	12
12	The method decreased your sexual pleasure	10
13	Too difficult to obtain the method	2
14	Did not like the changes to your menstrual cycle	52
15	Other -- specify	2
	Total	5699

Universe : Applicable if R mentioned at least 2 reasons for stopping use of Depo-Provera due to dissatisfaction (see EA-20 REASDEPO01)

REASDEPO03(1785-1786)

Variable Type : raw

EA-20 : Looking at Card 32, What was the reason or reasons you were not satisfied with Depo-Provera? - 3rd

value	label	Total
.	INAPPLICABLE	5672
6	You had side effects	6
7	You were worried you might have side effects	1
10	The method did not protect against disease	3
11	Because of other health problems, a doctor told you that you should not use the method again	1
12	The method decreased your sexual pleasure	2
13	Too difficult to obtain the method	1
14	Did not like the changes to your menstrual cycle	10
15	Other -- specify	3
	Total	5699

Universe : Applicable if R mentioned at least 3 reasons for stopping use of Depo-Provera due to dissatisfaction (see EA-20 REASDEPO01)

REASDEPO04(1787-1788)

Variable Type : raw

EA-20 : Looking at Card 32, What was the reason or reasons you were not satisfied with Depo-Provera? - 4th

value	label	Total
.	INAPPLICABLE	5691
5	Your partner did not like it	1
6	You had side effects	1
7	You were worried you might have side effects	1
11	Because of other health problems, a doctor told you that you should not use the method again	2
12	The method decreased your sexual pleasure	1
14	Did not like the changes to your menstrual cycle	2
	Total	5699

Universe : Applicable if R mentioned at least 4 reasons for stopping use of Depo-Provera due to dissatisfaction (see EA-20 REASDEPO01)

REASDEPO05(1789-1790)

Variable Type : raw

EA-20 : Looking at Card 32, What was the reason or reasons you were not satisfied with Depo-Provera? - 5th

value	label	Total
.	INAPPLICABLE	5697
8	You worried the method would not work	1
14	Did not like the changes to your menstrual cycle	1
Total		5699

Universe : Applicable if R mentioned at least 5 reasons for stopping use of Depo-Provera due to dissatisfaction (see EA-20 REASDEPO01)

REASDEPO06(1791-1792)

Variable Type : raw

EA-20 : Looking at Card 32, What was the reason or reasons you were not satisfied with Depo-Provera? - 6th

value	label	Total
.	INAPPLICABLE	5697
10	The method did not protect against disease	1
12	The method decreased your sexual pleasure	1
Total		5699

Universe : Applicable if R mentioned at least 6 reasons for stopping use of Depo-Provera due to dissatisfaction (see EA-20 REASDEPO01)

REASDEPO07(1793-1793)

Variable Type : raw

EA-20 : Looking at Card 32, What was the reason or reasons you were not satisfied with Depo-Provera? - 7th

value	label	Total
.	INAPPLICABLE	5699
Total		5699

Universe : Applicable if R mentioned at least 7 reasons for stopping use of Depo-Provera due to dissatisfaction (see EA-20 REASDEPO01)

REASDEPO08(1794-1794)

Variable Type : raw

EA-20 : Looking at Card 32, What was the reason or reasons you were not satisfied with Depo-Provera? - 8th

value	label	Total
.	INAPPLICABLE	5699
Total		5699

Universe : Applicable if R mentioned at least 8 reasons for stopping use of Depo-Provera due to dissatisfaction (see EA-20 REASDEPO01)

stopdepo1(1795-1796)

Variable Type : computed

Description : Open-ended response to reason(s) for discontinuation of Depo-Provera: 1st mention

value	label	Total
.	INAPPLICABLE	5615

1	Weight gain	44
2	Bleeding problems (spotting, too much, irregularly)	13
3	Headaches/migraines	4
4	Mood swings/depression	11
5	Hair loss or growth	2
8	Skin problems	1
11	Nausea/sickness	1
13	Safety/health concerns, such as bone density loss	2
15	Other side effects	4
16	Other (Too few cases, not classifiable elsewhere)	2
	Total	5699

Universe : Applicable if R chose "too difficult to use", "side effects", or "other" reason for discontinuing Depo-Provera (any EA-20 REASDEPO1 - REASDEPO8 = 3, 6, or 15). (Note: some responses were coded onto variables REASDEPO1 - REASDEPO5)

Notes : All responses were volunteered by respondents. They did not appear on Card 32

stopdepo2(1797-1798)

Variable Type : computed

Description : Open-ended response to reason(s) for discontinuation of Depo-Provera: 2nd mention

value	label	Total
.	INAPPLICABLE	5667
2	Bleeding problems (spotting, too much, irregularly)	10
3	Headaches/migraines	2
4	Mood swings/depression	4
5	Hair loss or growth	8
6	Hormonal problems/changes	2
7	Decreased sex drive	1
8	Skin problems	3
15	Other side effects	2
	Total	5699

Universe : Applicable if R reported at least 2 difficulties, side effects, or "other" reason on EA-20b SP_REASDEPO, EA-20c SP_DIFFDEPO, and EA-20d SP_SIDEDEPO (see STOPDEPO1)

Notes : All responses were volunteered by respondents. They did not appear on Card 32

stopdepo3(1799-1800)

Variable Type : computed

Description : Open-ended response to reason(s) for discontinuation of Depo-Provera: 3rd mention

value	label	Total
.	INAPPLICABLE	5690
7	Decreased sex drive	1
8	Skin problems	3
10	Weight loss	1
15	Other side effects	4
	Total	5699

Universe : Applicable if R reported at least 3 difficulties, side effects, or "other" reason on EA-20b SP_REASDEPO, EA-20c SP_DIFFDEPO, and EA-20d SP_SIDEDEPO (see STOPDEPO1)

Notes : All responses were volunteered by respondents. They did not appear on Card 32

stopdepo4(1801-1802)

Variable Type : computed

Description : Open-ended response to reason(s) for discontinuation of Depo-Provera: 4th mention

value	label	Total
.	INAPPLICABLE	5697
8	Skin problems	1
15	Other side effects	1
Total		5699

Universe : Applicable if R reported at least 4 difficulties, side effects, or "other" reason on EA-20b SP_REASDEPO, EA-20c SP_DIFFDEPO, and EA-20d SP_SIDEDEPO (see STOPDEPO1)

Notes : All responses were volunteered by respondents. They did not appear on Card 32

stopdepo5(1803-1804)

Variable Type : computed

Description : Open-ended response to reason(s) for discontinuation of Depo-Provera: 5th mention

value	label	Total
.	INAPPLICABLE	5698
10	Weight loss	1
Total		5699

Universe : Applicable if R reported at least 5 difficulties, side effects, or "other" reason on EA-20b SP_REASDEPO, EA-20c SP_DIFFDEPO, and EA-20d SP_SIDEDEPO (see STOPDEPO1)

Notes : All responses were volunteered by respondents. They did not appear on Card 32

TYPEIUD_1(1805-1805)

Variable Type : raw

EA-21 : Which type or types of IUD was it that you decided not to use because you were not satisfied with it? Was it a copper-bearing IUD such as Copper-T or ParaGard, or was it a Levonorgestrel or hormonal IUD, such as Mirena or Skyla, or was it another type? - 1st mention

value	label	Total
.	INAPPLICABLE	5468
1	Copper-bearing (such as Copper-T or ParaGard)	85
2	Hormonal IUD (such as Mirena or Skyla)	140
3	Other	1
9	Don't know	5
Total		5699

Universe : Applicable if R ever stopped using an IUD due to dissatisfaction (any EA-17 METHSTOP01 through METHSTOP10 = 19)

TYPEIUD_2(1806-1806)

Variable Type : raw

EA-21 : Which type or types of IUD was it that you decided not to use because you were not satisfied with it? Was it a copper-bearing IUD such as Copper-T or ParaGard, or was it a Levonorgestrel or hormonal IUD, such as Mirena or Skyla, or was it another type? - 2nd mention

value	label	Total
.	INAPPLICABLE	5688
2	Hormonal IUD (such as Mirena or Skyla)	11
Total		5699

Universe : Applicable if R reported ever stopped using more than one type of IUD due to dissatisfaction (see EA-21 TYPEIUD_1)

REASIUD01(1807-1808)

Variable Type : raw

EA-21a : Looking at Card 32, What was the reason or reasons you were not satisfied with the IUD? - 1st

value	label	Total
.	INAPPLICABLE	5468
1	Too expensive	2
3	Too difficult to use	2
5	Your partner did not like it	13
6	You had side effects	133
7	You were worried you might have side effects	6
8	You worried the method would not work	1
9	The method failed, you became pregnant	11
11	Because of other health problems, a doctor told you that you should not use the method again	10
12	The method decreased your sexual pleasure	2
13	Too difficult to obtain the method	2
14	Did not like the changes to your menstrual cycle	19
15	Other -- specify	30
	Total	5699

Universe : Applicable if R ever stopped using IUD due to dissatisfaction (any EA-17 METHSTOP01 through METHSTOP10 = 19)

REASIUD02(1809-1810)

Variable Type : raw

EA-21a : Looking at Card 32, What was the reason or reasons you were not satisfied with the IUD? - 2nd

value	label	Total
.	INAPPLICABLE	5637
2	Insurance did not cover it	1
5	Your partner did not like it	1
6	You had side effects	14
7	You were worried you might have side effects	2
9	The method failed, you became pregnant	3
11	Because of other health problems, a doctor told you that you should not use the method again	2
12	The method decreased your sexual pleasure	9
14	Did not like the changes to your menstrual cycle	21
15	Other -- specify	9
	Total	5699

Universe : Applicable if R mentioned at least 2 reasons for stopping use of IUD due to dissatisfaction (see EA-21 REASIUD01)

REASIUD03(1811-1812)

Variable Type : raw

EA-21a : Looking at Card 32, What was the reason or reasons you were not satisfied with the IUD? - 3rd

value	label	Total
.	INAPPLICABLE	5683
5	Your partner did not like it	3
6	You had side effects	3
7	You were worried you might have side effects	1
12	The method decreased your sexual pleasure	2
14	Did not like the changes to your menstrual cycle	5

15 Other -- specify 2
Total 5699

Universe : Applicable if R mentioned at least 3 reasons for stopping use of IUD due to dissatisfaction (see EA-21 REASIUD01)

REASIUD04(1813-1813)

Variable Type : raw

EA-21a : Looking at Card 32, What was the reason or reasons you were not satisfied with the IUD? - 4th

value	label	Total
.	INAPPLICABLE	5698
5	Your partner did not like it	1
Total		5699

Universe : Applicable if R mentioned at least 4 reasons for stopping use of IUD due to dissatisfaction (see EA-21 REASIUD01)

REASIUD05(1814-1814)

Variable Type : raw

EA-21a : Looking at Card 32, What was the reason or reasons you were not satisfied with the IUD? - 5th

value	label	Total
.	INAPPLICABLE	5698
3	Too difficult to use	1
Total		5699

Universe : Applicable if R mentioned at least 5 reasons for stopping use of IUD due to dissatisfaction (see EA-21 REASIUD01)

stopiud1(1815-1816)

Variable Type : computed

Description : Open-ended response to reason(s) for discontinuation of IUD 1st mention

value	label	Total
.	INAPPLICABLE	5513
1	Weight gain	12
2	Bleeding problems (spotting, too much, irregularly)	53
3	Headaches/migraines	4
4	Mood swings/depression	7
5	Hair loss or growth	5
6	Vaginal infection	8
7	Abdominal pain or cramping; back pain	44
9	Pain or discomfort during intercourse	4
11	IUD moved or was expelled	22
12	Other side effects	23
13	Other (Too few cases, not classifiable elsewhere)	4
Total		5699

Universe : Applicable if R chose "too difficult to use", "side effects", or "other" reason for discontinuing IUD (any EA-21 REASIUD01 - REASIUD05 = 3, 6, or 15). (Note: some responses were coded onto variables REASIUD01 - REASIUD05)

Notes : All responses were volunteered by respondents. They did not appear on Card 32

stopiud2(1817-1818)

Variable Type : computed

Description : Open-ended response to reason(s) for discontinuation of IUD 2nd mention

value	label	Total
.	INAPPLICABLE	5633
2	Bleeding problems (spotting, too much, irregularly)	5
3	Headaches/migraines	4
4	Mood swings/depression	5
5	Hair loss or growth	1
6	Vaginal infection	5
7	Abdominal pain or cramping; back pain	20
8	Skin problems	3
9	Pain or discomfort during intercourse	3
10	Nausea/sickness	2
11	IUD moved or was expelled	4
12	Other side effects	11
13	Other (Too few cases, not classifiable elsewhere)	3
	Total	5699

Universe : Applicable if R reported at least 2 difficulties, side effects, or "other" reason on EA-21b SP_REASIUD, EA-21c SP_DIFFIUD, and EA-21d SP_SIDEIUD (see STOPIUD1)

stopiud3(1819-1820)

Variable Type : computed

Description : Open-ended response to reason(s) for discontinuation of IUD 3rd mention

value	label	Total
.	INAPPLICABLE	5677
5	Hair loss or growth	1
7	Abdominal pain or cramping; back pain	5
8	Skin problems	2
12	Other side effects	12
13	Other (Too few cases, not classifiable elsewhere)	2
	Total	5699

Universe : Applicable if R reported at least 3 difficulties, side effects, or "other" reason on EA-21b SP_REASIUD, EA-21c SP_DIFFIUD, and EA-21d SP_SIDEIUD (see STOPIUD1)

stopiud4(1821-1822)

Variable Type : computed

Description : Open-ended response to reason(s) for discontinuation of IUD 4th mention

value	label	Total
.	INAPPLICABLE	5697
12	Other side effects	2
	Total	5699

Universe : Applicable if R reported at least 4 difficulties, side effects, or "other" reason on EA-21b SP_REASIUD, EA-21c SP_DIFFIUD, and EA-21d SP_SIDEIUD (see STOPIUD1)

stopiud5(1823-1823)

Variable Type : computed

Description : Open-ended response to reason(s) for discontinuation of IUD 5th mention

value	label	Total
.	INAPPLICABLE	5699
	Total	5699

Universe : Applicable if R reported at least 5 difficulties, side effects, or "other" reason on EA-21b SP_REASIUD, EA-21c SP_DIFFIUD, and EA-21d SP_SIDEIUD (see STOPIUD1)

Female Respondent File Codebook :: SECTION E: Contraceptive History and Pregnancy Wantedness :: (EB)
First method ever used

FIRSMETH1(1824-1825)

Variable Type : raw

EB-1 : What was the first birth control method you ever used for any reason? If you used more than one method, please tell me about each one. Please refer to Card 33. - 1st method

value	label	Total
.	INAPPLICABLE	694
3	Birth control pills	1910
4	Condom	2491
5	Partner's vasectomy	2
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	15
7	Withdrawal, pulling out	201
8	Depo-Provera, injectables	223
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	13
10	Calendar rhythm, Standard Days, or Cycle Beads method	9
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
12	Diaphragm	2
13	Female condom, vaginal pouch	1
14	Foam	6
15	Jelly or cream	2
17	Suppository, insert	1
18	Today sponge	3
19	IUD, coil, or loop	36
20	Emergency contraception	17
21	Other method -- specify	4
22	Respondent was sterile	1
24	Lunelle injectable (monthly shot)	3
25	Contraceptive patch	42
26	Vaginal contraceptive ring	13
98	Refused	3
99	Don't know	5
	Total	5699

Universe : Applicable if R ever used a method (everused = 1)

Notes : use recode FMETHOD1

FIRSMETH2(1826-1827)

Variable Type : raw

EB-1 : What was the first birth control method you ever used for any reason? If you used more than one method, please tell me about each one. Please refer to Card 33. - 2nd method

value	label	Total
.	INAPPLICABLE	5340
3	Birth control pills	27
4	Condom	217
7	Withdrawal, pulling out	75
8	Depo-Provera, injectables	18
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	4
13	Female condom, vaginal pouch	1
14	Foam	4
15	Jelly or cream	2

19	IUD, coil, or loop	1
20	Emergency contraception	5
25	Contraceptive patch	3
26	Vaginal contraceptive ring	1
Total		5699

Universe : Applicable if R mentioned at least 2 methods used the first time she used a method (see EB-1 FIRSMETH1)

Notes : use recode FMETHOD2

FIRSMETH3(1828-1829)

Variable Type : raw

EB-1 : What was the first birth control method you ever used for any reason? If you used more than one method, please tell me about each one. Please refer to Card 33. - 3rd method

value	label	Total
.	INAPPLICABLE	5659
3	Birth control pills	1
4	Condom	4
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	18
8	Depo-Provera, injectables	5
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	4
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
20	Emergency contraception	3
25	Contraceptive patch	1
26	Vaginal contraceptive ring	1
Total		5699

Universe : Applicable if R mentioned at least 3 methods used the first time she used a method (see EB-1 FIRSMETH1)

Notes : use recode FMETHOD3

FIRSMETH4(1830-1831)

Variable Type : raw

EB-1 : What was the first birth control method you ever used for any reason? If you used more than one method, please tell me about each one. Please refer to Card 33. - 4th method

value	label	Total
.	INAPPLICABLE	5688
7	Withdrawal, pulling out	2
8	Depo-Provera, injectables	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	3
13	Female condom, vaginal pouch	1
15	Jelly or cream	1
20	Emergency contraception	1
25	Contraceptive patch	1
Total		5699

Universe : Applicable if R mentioned at least 4 methods used the first time she used a method (see EB-1 FIRSMETH1)

Notes : use recode FMETHOD4

numfirms(1832-1832)

Variable Type : computed

Description : Number of methods reported in first method use (Computed in Flow Check E-13B)

value	label	Total
.	INAPPLICABLE	694
0	0	8
1	1	4638
2-96	2 OR MORE	359
	Total	5699

Universe : Applicable if R ever used a method of contraception (everused = 1)

drugdev(1833-1834)

Variable Type : computed

Description : Yes if 1st method was drug or device, no otherwise (Computed in Flow Check E-14) (1st method)

value	label	Total
.	INAPPLICABLE	694
1	Yes	4778
5	No	219
98	Refused	3
99	Don't know	5
	Total	5699

Universe : Applicable if R ever used a method of contraception (everused = 1)

drugdev2(1835-1835)

Variable Type : computed

Description : Yes if 1st method was drug or device, no otherwise (Computed in Flow Check E-14) (2nd method)

value	label	Total
.	INAPPLICABLE	5340
1	Yes	280
5	No	79
	Total	5699

Universe : Applicable if R ever used a method of contraception (everused = 1) and R used 2 or more methods as first method (see EB-1 FIRSMETH1)

drugdev3(1836-1836)

Variable Type : computed

Description : Yes if 1st method was drug or device, no otherwise (Computed in Flow Check E-14) (3rd method)

value	label	Total
.	INAPPLICABLE	5659
1	Yes	17
5	No	23
	Total	5699

Universe : Applicable if R ever used a method of contraception (everused = 1) and R used 3 or more methods as first method (see EB-1 FIRSMETH1)

drugdev4(1837-1837)

Variable Type : computed

Description : Yes if 1st method was drug or device, no otherwise (Computed in Flow Check E-14) (4th method)

value	label	Total
.	INAPPLICABLE	5688
1	Yes	6
5	No	5
	Total	5699

Universe : Applicable if R ever used a method of contraception (everused = 1) and R used 4 or more methods as first method (see EB-1 FIRSMETH1)

FIRSTIME1(1838-1838)

Variable Type : raw

EB-2 : Please look at Card 34. Thinking again of the very first time you ever used a method of birth control, when was it? Was it the first time you had intercourse, less than a month after your first intercourse, one to three months after your first intercourse, four to twelve months after your first intercourse, or more than twelve months after your first intercourse?

value	label	Total
.	INAPPLICABLE	3004
2	The first time you had intercourse	2253
3	Less than a month after your first intercourse	132
4	One to three months after first intercourse	74
5	Four to twelve months after first intercourse	66
6	More than twelve months after first intercourse	164
9	Don't know	6
	Total	5699

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex = 1) and R's first method(s) ever used was not a continuous method(s) (EB-1 FIRSMETH1 - FIRSMETH4 = 4,7,10,11,12,13,14,15,16,17,18, or 20)

FIRSTIME2(1839-1839)

Variable Type : raw

EB-2 : Please look at Card 35. Thinking again of the very first time you ever used a method of birth control, when was it? Was it before your first intercourse, the first time you had intercourse, less than a month after your first intercourse, one to three months after your first intercourse, four to twelve months after your first intercourse, or more than twelve months after your first intercourse?

value	label	Total
.	INAPPLICABLE	3553
1	Before your first intercourse	1093
2	The first time you had intercourse	163
3	Less than a month after your first intercourse	152
4	One to three months after first intercourse	152
5	Four to twelve months after first intercourse	140
6	More than twelve months after first intercourse	438
9	Don't know	8
	Total	5699

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex = 1) and R's first method(s) ever used was a continuous method(s) (EB-1 FIRSMETH1 - FIRSMETH4 = 3,5,8,9,19,21,22,23,24,25 or 26)

usefstsx(1840-1841)

Variable Type : computed

Description : Whether R used a method at first sex - total universe (Computed in Flow Check E-18 and E-29)

value	label	Total
.	INAPPLICABLE	858
1	YES	3431
5	NO	1401
98	Refused	1
99	Don't know	8
Total		5699

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex = 1) and has ever used a method of contraception (everused = 1)

Notes : use recode SEX1MTHD1

cmfirm(1842-1845)

Variable Type : computed

Description : Date (century month) of first method use - total universe (Computed in Flow Check E-18 and E-21)

value	label	Total
.	INAPPLICABLE	694
378-1340	Before Sept 2011	4377
1341-1352	Sept 2011-Aug 2012	178
1353-1364	Sept 2012-Aug 2013	165
1365-1376	Sept 2013-Aug 2014	156
1377-1389	Sept 2014-Sept 2015	40
9998	Refused	14
9999	Don't know	75
Total		5699

Universe : Applicable if R has ever used a method of contraception (everused = 1)

mthfstx1(1846-1847)

Variable Type : computed

Description : Method used at first sex - total universe (1st mention)(Computed in Flow Check E-18 and E-32)

value	label	Total
.	INAPPLICABLE	2268
3	Birth control pills	945
4	Condom	2218
5	Partner's vasectomy	1
7	Withdrawal, pulling out	172
8	Depo-Provera, injectables	48
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	6
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
12	Diaphragm	3
14	Foam	2
15	Jelly or cream	1
18	Today sponge	2
19	IUD, coil, or loop	1
20	Emergency contraception	7
21	Other method -- specify	1
22	Respondent was sterile	1
25	Contraceptive patch	14
26	Vaginal contraceptive ring	5
99	Don't know	1
Total		5699

Universe : Applicable if R used a method of contraception at first sexual intercourse (EB-6 USEFRSTS = 1 or EB-2 FIRSTIME1 = 2 or EB-2 FIRSTIME2 = 2)

Notes : use recode SEX1MTHD1

mthfstsx2(1848-1849)

Variable Type : computed

Description : Method used at first sex - total universe (2nd mention)(Computed in Flow Check E-18 and E-32)

value	label	Total
.	INAPPLICABLE	4975
3	Birth control pills	38
4	Condom	582
7	Withdrawal, pulling out	62
8	Depo-Provera, injectables	19
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	2
13	Female condom, vaginal pouch	1
14	Foam	4
15	Jelly or cream	3
19	IUD, coil, or loop	1
20	Emergency contraception	5
25	Contraceptive patch	3
26	Vaginal contraceptive ring	2
	Total	5699

Universe : Applicable if R used at least 2 methods of contraception at first sexual intercourse (see mthfstsx1)

Notes : use recode SEX1MTHD2

mthfstsx3(1850-1851)

Variable Type : computed

Description : Method used at first sex - total universe (3rd mention)(Computed in Flow Check E-18 and E-32)

value	label	Total
.	INAPPLICABLE	5671
3	Birth control pills	1
4	Condom	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	13
8	Depo-Provera, injectables	1
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	3
15	Jelly or cream	1
20	Emergency contraception	3
21	Other method -- specify	2
26	Vaginal contraceptive ring	1
	Total	5699

Universe : Applicable if R used at least 3 methods of contraception at first sexual intercourse (see mthfstsx1)

Notes : use recode SEX1MTHD3

mthfstsx4(1852-1853)

Variable Type : computed

Description : Method used at first sex - total universe (4th mention)(Computed in Flow Check E-18 and E-32)

value	label	Total
--------------	--------------	--------------

.	INAPPLICABLE	5696
7	Withdrawal, pulling out	1
8	Depo-Provera, injectables	1
25	Contraceptive patch	1
	Total	5699

Universe : Applicable if R used at least 4 methods of contraception at first sexual intercourse (see mthfstxs1)

Notes : use recode SEX1MTHD4

WNFSTUSE_M(1854-1855)

Variable Type : raw

EB-3m : Now, please look at your calendar, and tell me in what month and year you first used a method (for any reason). (MONTH)

value	label	Total
.	INAPPLICABLE	3110
1-12	January-December	1919
13	Winter	81
14	Spring	123
15	Summer	159
16	Fall	87
98	Refused	5
99	Don't know	215
	Total	5699

Universe : Applicable if R's first method use was after first sex (EB-2 FIRSTIME1 = 3,4,5, or 6 or EB-2 FIRSTIME2 = 3,4,5 or 6) or before first sex (EB-2 FIRSTIME2 = 1) or R refused or did not know the timing of her first method use (EB-2 FIRSTIME1 = RF/DK or EB-2 FIRSTIME2 = RF/DK)

Notes : use recode DATEUSE1

WNFSTUSE_Y(1856-1859)

Variable Type : raw

EB-3y : Now, please look at your calendar, and tell me in what month and year you first used a method (for any reason). (YEAR)

value	label	Total
.	INAPPLICABLE	3110
1931-2015	1931-2015	2519
9998	Refused	5
9999	Don't know	65
	Total	5699

Universe : Applicable if R's first method use was after first sex (EB-2 FIRSTIME1 = 3,4,5, or 6 or EB-2 FIRSTIME2 = 3,4,5 or 6) or before first sex (EB-2 FIRSTIME2 = 1) or R refused or did not know the timing of her first method use (EB-2 FIRSTIME1 = RF/DK or EB-2 FIRSTIME2 = RF/DK)

Notes : use recode DATEUSE1

fmethodprs(1860-1860)

Variable Type : computed

Description : Whether 1st [drug/device] method used was prescription or non-prescription (Computed in Flow Check E-25) - 1st method

value	label	Total
.	INAPPLICABLE	4367
0	1st meth was nonprescription	707

1	1st meth was prescription	625
	Total	5699

Universe : Applicable if R is under 25 (AGE_R < 25) and if any of R's first methods ever used was a drug or device (any drugdev through drugdev4 = 1)

fmethprs2(1861-1861)

Variable Type : computed

Description : Whether 1st [drug/device] method used was prescription or non-prescription (Computed in Flow Check E-25) - 2nd method

value	label	Total
.	INAPPLICABLE	5622
0	1st meth was nonprescription	63
1	1st meth was prescription	14
	Total	5699

Universe : Applicable if R used at least 2 methods at first intercourse that were drug or device (see fmethprs)

fmethprs3(1862-1862)

Variable Type : computed

Description : Whether 1st [drug/device] method used was prescription or non-prescription (Computed in Flow Check E-25) - 3rd method

value	label	Total
.	INAPPLICABLE	5691
0	1st meth was nonprescription	3
1	1st meth was prescription	5
	Total	5699

Universe : Applicable if R used at least 3 methods at first intercourse that were drug or device (see fmethprs)

fmethprs4(1863-1863)

Variable Type : computed

Description : Whether 1st [drug/device] method used was prescription or non-prescription (Computed in Flow Check E-25) - 4th method

value	label	Total
.	INAPPLICABLE	5696
0	1st meth was nonprescription	2
1	1st meth was prescription	1
	Total	5699

Universe : Applicable if R used at least 4 methods at first intercourse that were drug or device (see fmethprs)

cmfstuse(1864-1867)

Variable Type : computed

Description : Date (century month) of first method use - partial universe (Computed in Flow Check E-20)

value	label	Total
.	INAPPLICABLE	3110
378-1340	Before Sept 2011	2255
1341-1352	Sept 2011-Aug 2012	74
1353-1364	Sept 2012-Aug 2013	90
1365-1376	Sept 2013-Aug 2014	75

1377-	Sept 2014-Sept	25
1389	2015	
9998	Refused	5
9999	Don't know	65
	Total	5699

Universe : Applicable if R's first method use was after first sex (EB-2 FIRSTIME1 = 3,4,5, or 6 or EB-2 FIRSTIME2 = 3,4,5 or 6) or before first sex (FIRSTIME2 = 1) or R refused or did not know the timing of her first method use (EB-2 FIRSTIME1 = DK/RF or FIRSTIME2 = DK/RF)

Notes : use recode DATEUSE1

AGEFSTUS(1868-1869)

Variable Type : raw

EB-4 : How old were you the first time you used a method for any reason?

value	label	Total
.	INAPPLICABLE	3110
0-14	UNDER 15 YEARS	510
15-17	15-17 YEARS	1104
18-19	18-19 YEARS	434
20-44	20 YEARS OR OLDER	519
98	Refused	3
99	Don't know	19
	Total	5699

Universe : Applicable if R's first method use was after first sex (EB-2 FIRSTIME1 = 3,4,5, or 6 or EB-2 FIRSTIME2 = 3,4,5 or 6) or before first sex (EB-2 FIRSTIME2 = 1) or R refused or did not know the timing of her first method use (EB-2 FIRSTIME1 = RF/DK or EB-2 FIRSTIME2 = RF/DK)

PLACGOTF(1870-1871)

Variable Type : raw

EB-5 : Please look at Card 36. [Where did you get the prescription for the (Pill / Depo-Provera / implant / diaphragm / cervical cap / IUD / Lunelle / contraceptive patch / contraceptive ring) / Where did you get the (condom / female condom / foam / jelly or cream / suppository / sponge / Emergency contraception)]? - 1st method

value	label	Total
.	INAPPLICABLE	4367
1	Private doctor's office	442
2	HMO facility	4
3	Community health clinic, community clinic, public health clinic	113
4	Family planning or Planned Parenthood clinic	72
6	School or school-based clinic	32
7	Hospital outpatient clinic	4
9	Hospital regular room	5
10	Urgent care center, urgi-care, or walk-in facility	6
11	Friend	42
12	Partner or spouse	456
13	Drug store	134
20	Some other place	17
99	Don't know	5
	Total	5699

Universe : Applicable if R is under 25 (AGE_R < 25) and any of R's first methods used was a drug or device (any of drugdev through drugdev4 = 1)

PLACGOTF2(1872-1873)

Variable Type : raw

EB-5 : Please look at Card 36. [Where did you get the prescription for the (Pill / Depo-Provera / implant / diaphragm / cervical cap / IUD / Lunelle / contraceptive patch / contraceptive ring) / Where did you get the (condom / female condom / foam / jelly or cream / suppository / sponge / Emergency contraception)]? - 2nd method

value	label	Total
.	INAPPLICABLE	5622
1	Private doctor's office	8
3	Community health clinic, community clinic, public health clinic	5
4	Family planning or Planned Parenthood clinic	6
6	School or school-based clinic	3
9	Hospital regular room	2
11	Friend	7
12	Partner or spouse	20
13	Drug store	24
20	Some other place	2
	Total	5699

Universe : Applicable if R used at least 2 methods at first intercourse that were drug or device (see EB-5 PLACGOTF)

PLACGOTF3(1874-1875)

Variable Type : raw

EB-5 : Please look at Card 36. [Where did you get the prescription for the (Pill / Depo-Provera / implant / diaphragm / cervical cap / IUD / Lunelle / contraceptive patch / contraceptive ring) / Where did you get the (condom / female condom / foam / jelly or cream / suppository / sponge / Emergency contraception)]? - 3rd method

value	label	Total
.	INAPPLICABLE	5691
1	Private doctor's office	1
3	Community health clinic, community clinic, public health clinic	2
4	Family planning or Planned Parenthood clinic	3
12	Partner or spouse	2
	Total	5699

Universe : Applicable if R used at least 3 methods at first intercourse that were drug or device (see EB-5 PLACGOTF)

PLACGOTF4(1876-1877)

Variable Type : raw

EB-5 : Please look at Card 36. [Where did you get the prescription for the (Pill / Depo-Provera / implant / diaphragm / cervical cap / IUD / Lunelle / contraceptive patch / contraceptive ring) / Where did you get the (condom / female condom / foam / jelly or cream / suppository / sponge / Emergency contraception)]? - 4th method

value	label	Total
.	INAPPLICABLE	5696
3	Community health clinic, community clinic, public health clinic	1
11	Friend	1
13	Drug store	1
	Total	5699

Universe : Applicable if R used at least 4 methods at first intercourse that were drug or device (see EB-5 PLACGOTF)

USEFRSTS(1878-1878)

Variable Type : raw

EB-6 : Did you use any birth control method the first time you had intercourse?

value	label	Total
.	INAPPLICABLE	4600
1	Yes	1015
5	No	83
8	Refused	1
	Total	5699

Universe : Applicable if first method use was before first intercourse [(EB-2 FIRSTIME2 = 1) or (EB-1 FIRSTIME2 = 1 or blank and cmfirm = RF/DK or cmfstsex = RF/DK)]

Notes : use recode SEX1MTHD1

MTHFRSTS1(1879-1880)

Variable Type : raw

EB-8 : Which method did you use the first time you had intercourse? The methods are listed on Card 33. If you used more than one method at the same time, please tell me about that. - 1st method

value	label	Total
.	INAPPLICABLE	4684
3	Birth control pills	820
4	Condom	129
7	Withdrawal, pulling out	6
8	Depo-Provera, injectables	41
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	2
12	Diaphragm	1
19	IUD, coil, or loop	1
25	Contraceptive patch	10
26	Vaginal contraceptive ring	5
	Total	5699

Universe : Applicable if R used a method of contraception at first sexual intercourse (EB-6 USEFRSTS = 1 or EB-2 FIRSTIME1 = 2 or EB-2 FIRSTIME2 = 2)

Notes : use recode SEX1MTHD1

MTHFRSTS2(1881-1882)

Variable Type : raw

EB-8 : Which method did you use the first time you had intercourse? The methods are listed on Card 33. If you used more than one method at the same time, please tell me about that. - 2nd method

value	label	Total
.	INAPPLICABLE	5127
3	Birth control pills	26
4	Condom	519
7	Withdrawal, pulling out	8
8	Depo-Provera, injectables	12
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	2
15	Jelly or cream	1
20	Emergency contraception	1
25	Contraceptive patch	2
26	Vaginal contraceptive ring	1
	Total	5699

Universe : Applicable if R used at least 2 methods at first intercourse (see EB-8 MTHFRSTS1)

Notes : use recode SEX1MTHD2

MTHFRSTS3(1883-1884)

Variable Type : raw

EB-8 : Which method did you use the first time you had intercourse? The methods are listed on Card 33. If you used more than one method at the same time, please tell me about that. - 3rd method

value	label	Total
.	INAPPLICABLE	5686
7	Withdrawal, pulling out	10
15	Jelly or cream	1
21	Other method -- specify	2
	Total	5699

Universe : Applicable if R used at least 3 methods at first intercourse (see EB-8 MTHFRSTS1)

Notes : use recode SEX1MTHD3

MTHFRSTS4(1885-1885)

Variable Type : raw

EB-8 : Which method did you use the first time you had intercourse? The methods are listed on Card 33. If you used more than one method at the same time, please tell me about that. - 4th method

value	label	Total
.	INAPPLICABLE	5699
	Total	5699

Universe : Applicable if R used at least 4 methods at first intercourse (see EB-8 MTHFRSTS1)

Notes : use recode SEX1MTHD4

Female Respondent File Codebook :: SECTION E: Contraceptive History and Pregnancy Wantedness :: (EC) Periods of non intercourse

INTR_EC3(1886-1886)

Variable Type : raw

EC-3 : Since (January [YEAR OF INTERVIEW-3]/[DATE OF FIRST SEX]), have there been any times when you were not having intercourse with a male at all for one month or more?

value	label	Total
.	INAPPLICABLE	817
1	Yes	3063
5	No	1805
8	Refused	5
9	Don't know	9
	Total	5699

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex=1) and date of first sex is not equal to date of interview (cmfstsex NE cmintvw).

cmmonsx(1887-1890)

Variable Type : computed

Description : Century month being referred to in MONSX (Computed in Flow Check E-34a)

value	label	Total
1321	1321	759
1333	1333	2819
1345	1345	2121

Total 5699

Universe : Applicable for all Rs

MONSX(1891-1891)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [January of interview year-3]

value	label	Total
1	Yes	3261
5	No	2417
8	Refused	10
9	Don't know	11
Total		5699

Universe : Applicable for all Rs

cmmonsx2(1892-1895)

Variable Type : computed

Description : Century month being referred to in MONSX2 (Computed in Flow Check E-34a)

value	label	Total
1322	1322	759
1334	1334	2819
1346	1346	2121
Total		5699

Universe : Applicable for all Rs

MONSX2(1896-1896)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [February of interview year-3]

value	label	Total
1	Yes	3263
5	No	2415
8	Refused	9
9	Don't know	12
Total		5699

Universe : Applicable for all Rs

cmmonsx3(1897-1900)

Variable Type : computed

Description : Century month being referred to in MONSX3 (Computed in Flow Check E-34a)

value	label	Total
1323	1323	759
1335	1335	2819
1347	1347	2121
Total		5699

Universe : Applicable for all Rs

MONSX3(1901-1901)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [March of interview year-3]

value	label	Total
1	Yes	3267
5	No	2411
8	Refused	10
9	Don't know	11
Total		5699

Universe : Applicable for all Rs

cmmonsx4(1902-1905)

Variable Type : computed

Description : Century month being referred to in MONSX4 (Computed in Flow Check E-34a)

value	label	Total
1324	1324	759
1336	1336	2819
1348	1348	2121
Total		5699

Universe : Applicable for all Rs

MONSX4(1906-1906)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [April of interview year-3]

value	label	Total
1	Yes	3257
5	No	2421
8	Refused	10
9	Don't know	11
Total		5699

Universe : Applicable for all Rs

cmmonsx5(1907-1910)

Variable Type : computed

Description : Century month being referred to in MONSX5 (Computed in Flow Check E-34a)

value	label	Total
1325	1325	759
1337	1337	2819
1349	1349	2121
Total		5699

Universe : Applicable for all Rs

MONSX5(1911-1911)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [May of interview year-3]

value	label	Total
1	Yes	3245
5	No	2433
8	Refused	10
9	Don't know	11
Total		5699

Universe : Applicable for all Rs

cmmonsx6(1912-1915)

Variable Type : computed

Description : Century month being referred to in MONSX6 (Computed in Flow Check E-34a)

value	label	Total
1326	1326	759
1338	1338	2819
1350	1350	2121
Total		5699

Universe : Applicable for all Rs

MONSX6(1916-1916)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [June of interview year-3]

value	label	Total
1	Yes	3299
5	No	2379
8	Refused	9
9	Don't know	12
Total		5699

Universe : Applicable for all Rs

cmmonsx7(1917-1920)

Variable Type : computed

Description : Century month being referred to in MONSX7 (Computed in Flow Check E-34a)

value	label	Total
1327	1327	759
1339	1339	2819
1351	1351	2121
Total		5699

Universe : Applicable for all Rs

MONSX7(1921-1921)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [July of interview year-3]

value	label	Total
-------	-------	-------

1	Yes	3308
5	No	2369
8	Refused	10
9	Don't know	12
	Total	5699

Universe : Applicable for all Rs

cmmonsx8(1922-1925)

Variable Type : computed

Description : Century month being referred to in MONSX8 (Computed in Flow Check E-34a)

value	label	Total
1328	1328	759
1340	1340	2819
1352	1352	2121
	Total	5699

Universe : Applicable for all Rs

MONSX8(1926-1926)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [August of interview year-3]

value	label	Total
1	Yes	3325
5	No	2351
8	Refused	10
9	Don't know	13
	Total	5699

Universe : Applicable for all Rs

cmmonsx9(1927-1930)

Variable Type : computed

Description : Century month being referred to in MONSX9 (Computed in Flow Check E-34a)

value	label	Total
1329	1329	759
1341	1341	2819
1353	1353	2121
	Total	5699

Universe : Applicable for all Rs

MONSX9(1931-1931)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [September of interview year-3]

value	label	Total
1	Yes	3302
5	No	2374
8	Refused	10

9	Don't know	13
Total		5699

Universe : Applicable for all Rs

cmmonsx10(1932-1935)

Variable Type : computed

Description : Century month being referred to in MONSX10 (Computed in Flow Check E-34a)

value	label	Total
1330	1330	759
1342	1342	2819
1354	1354	2121
Total		5699

Universe : Applicable for all Rs

MONSX10(1936-1936)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [October of interview year-3]

value	label	Total
1	Yes	3325
5	No	2351
8	Refused	10
9	Don't know	13
Total		5699

Universe : Applicable for all Rs

cmmonsx11(1937-1940)

Variable Type : computed

Description : Century month being referred to in MONSX11 (Computed in Flow Check E-34a)

value	label	Total
1331	1331	759
1343	1343	2819
1355	1355	2121
Total		5699

Universe : Applicable for all Rs

MONSX11(1941-1941)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [November of interview year-3]

value	label	Total
1	Yes	3337
5	No	2339
8	Refused	10
9	Don't know	13
Total		5699

Universe : Applicable for all Rs

cmmonsx12(1942-1945)

Variable Type : computed

Description : Century month being referred to in MONSX12 (Computed in Flow Check E-34a)

value	label	Total
1332	1332	759
1344	1344	2819
1356	1356	2121
	Total	5699

Universe : Applicable for all Rs

MONSX12(1946-1946)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [December of interview year-3]

value	label	Total
1	Yes	3365
5	No	2312
8	Refused	10
9	Don't know	12
	Total	5699

Universe : Applicable for all Rs

cmmonsx13(1947-1950)

Variable Type : computed

Description : Century month being referred to in MONSX13 (Computed in Flow Check E-34a)

value	label	Total
1333	1333	759
1345	1345	2819
1357	1357	2121
	Total	5699

Universe : Applicable for all Rs

MONSX13(1951-1951)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [January of interview year-2]

value	label	Total
1	Yes	3370
5	No	2308
8	Refused	10
9	Don't know	11
	Total	5699

Universe : Applicable for all Rs

cmmonsx14(1952-1955)

Variable Type : computed

Description : Century month being referred to in MONSX14 (Computed in Flow Check E-34a)

value	label	Total
1334	1334	759
1346	1346	2819
1358	1358	2121
Total		5699

Universe : Applicable for all Rs

MONSX14(1956-1956)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [February of interview year-2]

value	label	Total
1	Yes	3375
5	No	2303
8	Refused	10
9	Don't know	11
Total		5699

Universe : Applicable for all Rs

cmmonsx15(1957-1960)

Variable Type : computed

Description : Century month being referred to in MONSX15 (Computed in Flow Check E-34a)

value	label	Total
1335	1335	759
1347	1347	2819
1359	1359	2121
Total		5699

Universe : Applicable for all Rs

MONSX15(1961-1961)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [March of interview year-2]

value	label	Total
1	Yes	3387
5	No	2292
8	Refused	10
9	Don't know	10
Total		5699

Universe : Applicable for all Rs

cmmonsx16(1962-1965)

Variable Type : computed

Description : Century month being referred to in MONSX16 (Computed in Flow Check E-34a)

value	label	Total
1336	1336	759
1348	1348	2819
1360	1360	2121
	Total	5699

Universe : Applicable for all Rs

MONSX16(1966-1966)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [April of interview year-2]

value	label	Total
1	Yes	3374
5	No	2306
8	Refused	10
9	Don't know	9
	Total	5699

Universe : Applicable for all Rs

cmmonsx17(1967-1970)

Variable Type : computed

Description : Century month being referred to in MONSX17 (Computed in Flow Check E-34a)

value	label	Total
1337	1337	759
1349	1349	2819
1361	1361	2121
	Total	5699

Universe : Applicable for all Rs

MONSX17(1971-1971)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [May of interview year-2]

value	label	Total
1	Yes	3416
5	No	2264
8	Refused	10
9	Don't know	9
	Total	5699

Universe : Applicable for all Rs

cmmonsx18(1972-1975)

Variable Type : computed

Description : Century month being referred to in MONSX18 (Computed in Flow Check E-34a)

value	label	Total
1338	1338	759
1350	1350	2819
1362	1362	2121

Total 5699

Universe : Applicable for all Rs

MONSX18(1976-1976)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [June of interview year-2]

value	label	Total
1	Yes	3458
5	No	2222
8	Refused	10
9	Don't know	9
Total		5699

Universe : Applicable for all Rs

cmmonsx19(1977-1980)

Variable Type : computed

Description : Century month being referred to in MONSX19 (Computed in Flow Check E-34a)

value	label	Total
1339	1339	759
1351	1351	2819
1363	1363	2121
Total		5699

Universe : Applicable for all Rs

MONSX19(1981-1981)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [July of interview year-2]

value	label	Total
1	Yes	3463
5	No	2217
8	Refused	10
9	Don't know	9
Total		5699

Universe : Applicable for all Rs

cmmonsx20(1982-1985)

Variable Type : computed

Description : Century month being referred to in MONSX20 (Computed in Flow Check E-34a)

value	label	Total
1340	1340	759
1352	1352	2819
1364	1364	2121
Total		5699

Universe : Applicable for all Rs

MONSX20(1986-1986)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [August of interview year-2]

value	label	Total
1	Yes	3466
5	No	2214
8	Refused	10
9	Don't know	9
Total		5699

Universe : Applicable for all Rs

cmmonsx21(1987-1990)

Variable Type : computed

Description : Century month being referred to in MONSX21 (Computed in Flow Check E-34a)

value	label	Total
1341	1341	759
1353	1353	2819
1365	1365	2121
Total		5699

Universe : Applicable for all Rs

MONSX21(1991-1991)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [September of interview year-2]

value	label	Total
1	Yes	3465
5	No	2215
8	Refused	10
9	Don't know	9
Total		5699

Universe : Applicable for all Rs

cmmonsx22(1992-1995)

Variable Type : computed

Description : Century month being referred to in MONSX22 (Computed in Flow Check E-34a)

value	label	Total
1342	1342	759
1354	1354	2819
1366	1366	2121
Total		5699

Universe : Applicable for all Rs

MONSX22(1996-1996)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [October of interview year-2]

value	label	Total
1	Yes	3487
5	No	2193
8	Refused	10
9	Don't know	9
Total		5699

Universe : Applicable for all Rs

cmmonsx23(1997-2000)

Variable Type : computed

Description : Century month being referred to in MONSX23 (Computed in Flow Check E-34a)

value	label	Total
1343	1343	759
1355	1355	2819
1367	1367	2121
Total		5699

Universe : Applicable for all Rs

MONSX23(2001-2001)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [November of interview year-2]

value	label	Total
1	Yes	3475
5	No	2205
8	Refused	10
9	Don't know	9
Total		5699

Universe : Applicable for all Rs

cmmonsx24(2002-2005)

Variable Type : computed

Description : Century month being referred to in MONSX24 (Computed in Flow Check E-34a)

value	label	Total
1344	1344	759
1356	1356	2819
1368	1368	2121
Total		5699

Universe : Applicable for all Rs

MONSX24(2006-2006)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [December of interview year-2]

<u>value</u>	<u>label</u>	<u>Total</u>
--------------	--------------	--------------

1	Yes	3512
5	No	2168
8	Refused	10
9	Don't know	9
	Total	5699

Universe : Applicable for all Rs

cmmonsx25(2007-2010)

Variable Type : computed

Description : Century month being referred to in MONSX25 (Computed in Flow Check E-34a)

value	label	Total
1345	1345	759
1357	1357	2819
1369	1369	2121
	Total	5699

Universe : Applicable for all Rs

MONSX25(2011-2011)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [January of interview year-1]

value	label	Total
1	Yes	3514
5	No	2169
8	Refused	10
9	Don't know	6
	Total	5699

Universe : Applicable for all Rs

cmmonsx26(2012-2015)

Variable Type : computed

Description : Century month being referred to in MONSX26 (Computed in Flow Check E-34a)

value	label	Total
1346	1346	759
1358	1358	2819
1370	1370	2121
	Total	5699

Universe : Applicable for all Rs

MONSX26(2016-2016)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [February of interview year-1]

value	label	Total
1	Yes	3549
5	No	2134
8	Refused	10

9	Don't know	6
Total		5699

Universe : Applicable for all Rs

cmmonsx27(2017-2020)

Variable Type : computed

Description : Century month being referred to in MONSX27 (Computed in Flow Check E-34a)

value	label	Total
1347	1347	759
1359	1359	2819
1371	1371	2121
Total		5699

Universe : Applicable for all Rs

MONSX27(2021-2021)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [March of interview year-1]

value	label	Total
1	Yes	3518
5	No	2165
8	Refused	10
9	Don't know	6
Total		5699

Universe : Applicable for all Rs

cmmonsx28(2022-2025)

Variable Type : computed

Description : Century month being referred to in MONSX28 (Computed in Flow Check E-34a)

value	label	Total
1348	1348	759
1360	1360	2819
1372	1372	2121
Total		5699

Universe : Applicable for all Rs

MONSX28(2026-2026)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [April of interview year-1]

value	label	Total
1	Yes	3525
5	No	2158
8	Refused	10
9	Don't know	6
Total		5699

Universe : Applicable for all Rs

cmmonsx29(2027-2030)

Variable Type : computed

Description : Century month being referred to in MONSX29 (Computed in Flow Check E-34a)

value	label	Total
1349	1349	759
1361	1361	2819
1373	1373	2121
	Total	5699

Universe : Applicable for all Rs

MONSX29(2031-2031)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [May of interview year-1]

value	label	Total
1	Yes	3542
5	No	2141
8	Refused	10
9	Don't know	6
	Total	5699

Universe : Applicable for all Rs

cmmonsx30(2032-2035)

Variable Type : computed

Description : Century month being referred to in MONSX30 (Computed in Flow Check E-34a)

value	label	Total
1350	1350	759
1362	1362	2819
1374	1374	2121
	Total	5699

Universe : Applicable for all Rs

MONSX30(2036-2036)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [June of interview year-1]

value	label	Total
1	Yes	3568
5	No	2116
8	Refused	10
9	Don't know	5
	Total	5699

Universe : Applicable for all Rs

cmmonsx31(2037-2040)

Variable Type : computed

Description : Century month being referred to in MONSX31 (Computed in Flow Check E-34a)

value	label	Total
1351	1351	759
1363	1363	2819
1375	1375	2121
Total		5699

Universe : Applicable for all Rs

MONSX31(2041-2041)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [July of interview year-1]

value	label	Total
1	Yes	3590
5	No	2094
8	Refused	10
9	Don't know	5
Total		5699

Universe : Applicable for all Rs

cmmonsx32(2042-2045)

Variable Type : computed

Description : Century month being referred to in MONSX32 (Computed in Flow Check E-34a)

value	label	Total
1352	1352	759
1364	1364	2819
1376	1376	2121
Total		5699

Universe : Applicable for all Rs

MONSX32(2046-2046)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [August of interview year-1]

value	label	Total
1	Yes	3631
5	No	2053
8	Refused	10
9	Don't know	5
Total		5699

Universe : Applicable for all Rs

cmmonsx33(2047-2050)

Variable Type : computed

Description : Century month being referred to in MONSX33 (Computed in Flow Check E-34a)

value	label	Total
1353	1353	759
1365	1365	2819
1377	1377	2121
	Total	5699

Universe : Applicable for all Rs

MONSX33(2051-2051)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [September of interview year-1]

value	label	Total
1	Yes	3601
5	No	2083
8	Refused	10
9	Don't know	5
	Total	5699

Universe : Applicable for all Rs

cmmonsx34(2052-2055)

Variable Type : computed

Description : Century month being referred to in MONSX34 (Computed in Flow Check E-34a)

value	label	Total
1354	1354	759
1366	1366	2819
1378	1378	2121
	Total	5699

Universe : Applicable for all Rs

MONSX34(2056-2056)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [October of interview year-1]

value	label	Total
1	Yes	3633
5	No	2051
8	Refused	10
9	Don't know	5
	Total	5699

Universe : Applicable for all Rs

cmmonsx35(2057-2060)

Variable Type : computed

Description : Century month being referred to in MONSX35 (Computed in Flow Check E-34a)

value	label	Total
1355	1355	759
1367	1367	2819
1379	1379	2121

Total 5699

Universe : Applicable for all Rs

MONSX35(2061-2061)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [November of interview year-1]

value	label	Total
1	Yes	3625
5	No	2059
8	Refused	10
9	Don't know	5
Total		5699

Universe : Applicable for all Rs

cmmonsx36(2062-2065)

Variable Type : computed

Description : Century month being referred to in MONSX36 (Computed in Flow Check E-34a)

value	label	Total
1356	1356	759
1368	1368	2819
1380	1380	2121
Total		5699

Universe : Applicable for all Rs

MONSX36(2066-2066)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [December of interview year-1]

value	label	Total
1	Yes	3648
5	No	2036
8	Refused	10
9	Don't know	5
Total		5699

Universe : Applicable for all Rs

cmmonsx37(2067-2070)

Variable Type : computed

Description : Century month being referred to in MONSX37 (Computed in Flow Check E-34a)

value	label	Total
1357	1357	759
1369	1369	2819
1381	1381	2121
Total		5699

Universe : Applicable for all Rs

MONSX37(2071-2071)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [January of interview year]

value	label	Total
1	Yes	3614
5	No	2072
8	Refused	10
9	Don't know	3
	Total	5699

Universe : Applicable for all Rs

cmmonsx38(2072-2075)

Variable Type : computed

Description : Century month being referred to in MONSX38 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	452
1358	1358	759
1370	1370	2609
1382	1382	1879
	Total	5699

Universe : Applicable if interview was on or after February [interview year] (cmintvw>=cmmhcalx38).

MONSX38(2076-2076)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [February of interview year]

value	label	Total
.	INAPPLICABLE	452
1	Yes	3293
5	No	1941
8	Refused	10
9	Don't know	3
	Total	5699

Universe : Applicable if interview was on or after February [interview year] (cmintvw>=cmmhcalx38).

cmmonsx39(2077-2080)

Variable Type : computed

Description : Century month being referred to in MONSX39 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	944
1359	1359	759
1371	1371	2388
1383	1383	1608
	Total	5699

Universe : Applicable if interview was on or after March [interview year] (cmintvw>=cmmhcalx39).

MONSX39(2081-2081)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [March of interview year]

value	label	Total
.	INAPPLICABLE	944
1	Yes	3003
5	No	1741
8	Refused	9
9	Don't know	2
Total		5699

Universe : Applicable if interview was on or after March [interview year] (cmintvw>=cmmhcalx39).

cmmonsx40(2082-2085)

Variable Type : computed

Description : Century month being referred to in MONSX40 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	1383
1360	1360	759
1372	1372	2174
1384	1384	1383
Total		5699

Universe : Applicable if interview was on or after April [interview year] (cmintvw>=cmmhcalx40).

MONSX40(2086-2086)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [April of interview year]

value	label	Total
.	INAPPLICABLE	1383
1	Yes	2691
5	No	1616
8	Refused	7
9	Don't know	2
Total		5699

Universe : Applicable if interview was on or after April [interview year] (cmintvw>=cmmhcalx40).

cmmonsx41(2087-2090)

Variable Type : computed

Description : Century month being referred to in MONSX41 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	1874
1361	1361	759
1373	1373	1936
1385	1385	1130
Total		5699

Universe : Applicable if interview was on or after May [interview year] (cmintvw>=cmmhcalx41).

MONSX41(2091-2091)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [May of interview year]

value	label	Total
.	INAPPLICABLE	1874
1	Yes	2427
5	No	1389
8	Refused	7
9	Don't know	2
	Total	5699

Universe : Applicable if interview was on or after May [interview year] (cmintvw>=cmmhcalx41).

cmmonsx42(2092-2095)

Variable Type : computed

Description : Century month being referred to in MONSX42 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	2506
1362	1362	759
1374	1374	1612
1386	1386	822
	Total	5699

Universe : Applicable if interview was on or after June [interview year] (cmintvw>=cmmhcalx42).

MONSX42(2096-2096)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [June of interview year]

value	label	Total
.	INAPPLICABLE	2506
1	Yes	2032
5	No	1152
8	Refused	7
9	Don't know	2
	Total	5699

Universe : Applicable if interview was on or after June [interview year] (cmintvw>=cmmhcalx42).

cmmonsx43(2097-2100)

Variable Type : computed

Description : Century month being referred to in MONSX43 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	2928
1363	1363	759
1375	1375	1417
1387	1387	595
	Total	5699

Universe : Applicable if interview was on or after July [interview year] (cmintvw>=cmmhcalx43).

MONSX43(2101-2101)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [July of interview year]

value	label	Total
.	INAPPLICABLE	2928
1	Yes	1769
5	No	995
8	Refused	5
9	Don't know	2
	Total	5699

Universe : Applicable if interview was on or after July [interview year] (cmintvw>=cmmhcalx43).

cmmonsx44(2102-2105)

Variable Type : computed

Description : Century month being referred to in MONSX44 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	3510
1364	1364	759
1376	1376	1115
1388	1388	315
	Total	5699

Universe : Applicable if interview was on or after August [interview year] (cmintvw>=cmmhcalx44).

MONSX44(2106-2106)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [August of interview year]

value	label	Total
.	INAPPLICABLE	3510
1	Yes	1381
5	No	801
8	Refused	5
9	Don't know	2
	Total	5699

Universe : Applicable if interview was on or after August [interview year] (cmintvw>=cmmhcalx44).

cmmonsx45(2107-2110)

Variable Type : computed

Description : Century month being referred to in MONSX45 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	4088
1365	1365	759
1377	1377	799
1389	1389	53
	Total	5699

Universe : Applicable if interview was on or after September [interview year] (cmintvw>=cmmhcalx45).

MONSX45(2111-2111)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [September of interview year]

value	label	Total
.	INAPPLICABLE	4088
1	Yes	1035
5	No	569
8	Refused	5
9	Don't know	2
	Total	5699

Universe : Applicable if interview was on or after September [interview year] (cmintvw>=cmmhcalx45).

cmmonsx46(2112-2115)

Variable Type : computed

Description : Century month being referred to in MONSX46 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	4393
1366	1366	675
1378	1378	631
	Total	5699

Universe : Applicable if interview was on or after October [interview year] (cmintvw>=cmmhcalx46).

MONSX46(2116-2116)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [October of interview year]

value	label	Total
.	INAPPLICABLE	4393
1	Yes	823
5	No	477
8	Refused	4
9	Don't know	2
	Total	5699

Universe : Applicable if interview was on or after October [interview year] (cmintvw>=cmmhcalx46).

cmmonsx47(2117-2120)

Variable Type : computed

Description : Century month being referred to in MONSX47 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	4951
1367	1367	382
1379	1379	366
	Total	5699

Universe : Applicable if interview was on or after November [interview year] (cmintvw>=cmmhcalx47).

MONSX47(2121-2121)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [November of interview year]

value	label	Total
.	INAPPLICABLE	4951
1	Yes	451
5	No	294
8	Refused	2
9	Don't know	1
Total		5699

Universe : Applicable if interview was on or after November [interview year] (cmintvw>=cmmhcalx47).

cmmonsx48(2122-2125)

Variable Type : computed

Description : Century month being referred to in MONSX48 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	5452
1368	1368	127
1380	1380	120
Total		5699

Universe : Applicable if interview was on or after December [interview year] (cmintvw>=cmmhcalx48).

MONSX48(2126-2126)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [December of interview year]

value	label	Total
.	INAPPLICABLE	5452
1	Yes	142
5	No	104
9	Don't know	1
Total		5699

Universe : Applicable if interview was on or after December [interview year] (cmintvw>=cmmhcalx48).

Female Respondent File Codebook :: SECTION E: Contraceptive History and Pregnancy Wantedness :: (ED)
Contraceptive method history

cmstrtmc(2127-2130)

Variable Type : computed

Description : Century month for starting date of method calendar (Computed in Flow Check E-39)

value	label	Total
.	INAPPLICABLE	694
378-1340	Before Sept 2011	2842
1341-1352	Sept 2011-Aug 2012	1802
1353-1364	Sept 2012-Aug 2013	165
1365-1376	Sept 2013-Aug 2014	156
1377-1389	Sept 2014-Sept 2015	40
Total		5699

Universe : Applicable if R ever used a method of contraception (everused = 1)

cmendmc(2131-2134)

Variable Type : computed

Description : Century month for ending date of method calendar (Computed in Flow Check E-39)

value	label	Total
.	INAPPLICABLE	694
1365-1376	Sept 2013-Aug 2014	2454
1377-1389	Sept 2014-Sept 2015	2551
Total		5699

Universe : Applicable if R ever used a method of contraception (everused = 1)

INTR_ED4A(2135-2135)

Variable Type : raw

ED-4a : The next questions are about birth control methods you may have used between (START DATE OF METHOD CALENDAR) and (END DATE OF METHOD CALENDAR). Remember that this also refers to methods men use, such as condoms, vasectomy, and withdrawal. As we discussed earlier, you had a hysterectomy in (DATE OF HYSTERECTOMY). Since (START DATE OF METHOD CALENDAR), have you used any birth control methods for any reason, such as preventing disease?

value	label	Total
.	INAPPLICABLE	5604
1	Yes	29
5	No	66
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and had a hysterectomy and date of hysterectomy is earlier than date of start of method calendar (cmhyst < cmstrtmc)

nummcomon(2136-2137)

Variable Type : computed

Description : Number of months of method calendar asked about (Computed in Flow Check E-41)

value	label	Total
.	INAPPLICABLE	694
0-48	0-48	5005
Total		5699

Universe : Applicable if R ever used a method (everused=1).

MC1MONS1(2138-2140)

Variable Type : raw

ED-9a : I have entered that in (DATE OF START OF METHOD CALENDAR) you used [METHOD]. For how many months altogether had you been using (METHOD) without a break, before (DATE OF START OF METHOD CALENDAR)? If it is easier to recall, you can tell me the month and year you started.

value	label	Total
.	INAPPLICABLE	3281
0-994	0-994	1248
995	R reported a month and year instead	1112
999	Don't know	58
Total		5699

Universe : Applicable if (R ever used a method (everused = 1) or had a hysterectomy but used a method since start date for method calendar (INTR_ED4a = 1)) and date of first method use was on or before January [interview year - 3] (cmfirm <= cmjan3yr] and R used one method in month corresponding to cmjan3yr (METHX for cmjan3yr = 3-26)

Notes : Respondents had the option to report a date instead of the number of months. See ED-9y DATBEGIN_Y and ED-9m DATBEGIN_M for the reported month and year. Also see CMDATBEGIN for the computed century month of beginning of use, for all applicable respondents.

MC1SIMSQ(2141-2141)

Variable Type : raw

ED-9b : I have entered that in (DATE OF START OF METHOD CALENDAR) you used ((METHOD 1) and (METHOD 2)/(METHOD 1), (METHOD 2), (METHOD 3), etc). Did you use (any of) them at different times during the month or did you use them (all) at the same time?

value	label	Total
.	INAPPLICABLE	5285
1	Same time	310
2	Different times	104
Total		5699

Universe : Applicable if (R ever used a method (everused = 1) or had a hysterectomy but used a method since start date for method calendar (INTR_ED4a = 1)) and date of first method use was on or before January [interview year - 3] (cmfirm <= cmjan3yr] and R used more than one method in month corresponding to cmjan3yr (METHX[n] and METHX[n+1 or more] for cmjan3yr = 3-26)

MC1MONS2(2142-2144)

Variable Type : raw

ED-9c : For how many months altogether had you been using ((METHOD 1) and (METHOD 2)/(METHOD 1), (METHOD 2), (METHOD 3), etc). together, without a break, before (DATE OF START OF METHOD CALENDAR)? If it is easier to recall, you can tell me the month and year you started.

value	label	Total
.	INAPPLICABLE	5389
0-994	0-994	164
995	R reported a month and year instead	134
999	Don't know	12
Total		5699

Universe : Applicable if (R ever used a method (everused = 1) or had a hysterectomy but used a method since start date for method calendar (INTR_ED4a = 1)) and date of first method use was on or before January [interview year - 3] (cmfirm <= cmjan3yr] and R used more than one method in month corresponding to cmjan3yr and used the methods at the same time during the month (MC1SIMSQ=1)

Notes : Respondents had the option to report a date instead of the number of months. See ED-9y DATBEGIN_Y and ED-9m DATBEGIN_M for the reported month and year. Also see CMDATBEGIN for the computed century month of beginning of use, for all applicable respondents.

MC1MONS3(2145-2147)

Variable Type : raw

ED-9d : (For how many months altogether had you been using the (HORMONAL/LONG-ACTING METHOD)?/Think about the one you started using most recently. For how many months had you been using it, without a break, before (DATE OF START OF METHOD CALENDAR)?/For how many months altogether had you been using a combination of (METHOD1, METHOD2, etc) without a break, before (DATE OF START OF METHOD CALENDAR)? If it is easier to recall, you can tell me the month and year you started.

value	label	Total
.	INAPPLICABLE	5595
0-994	0-994	52
995	R reported a month and year instead	46
999	Don't know	6
Total		5699

Universe : Applicable if (R ever used a method (everused = 1) or had a hysterectomy but used a method since start date for method calendar (INTR_ED4a = 1)) and date of first method use was on or before January [interview year - 3] (cmfirm <= cmjan3yr] and R used more than one method in month corresponding to cmjan3yr and used the methods at the same time during the month (MC1SIMSQ=1)

Notes : Respondents had the option to report a date instead of the number of months. See ED-9y DATBEGIN_Y and ED-9m DATBEGIN_M for the reported month and year. Also see CMDATBEGIN for the computed century month of beginning of use, for all applicable respondents.

DATBEGIN_M(2148-2149)

Variable Type : raw

ED-9m : (I have entered that in (DATE OF START OF METHOD CALENDAR), you used (METHOD))/(Think about the one you started using most recently.) In what month and year did you start using (METHOD)?/(METHOD)/(METHODS) together,)/(a combination of (METHODS))/(it), without a break, before (DATE OF START OF METHOD CALENDAR)? (month)

value	label	Total
.	INAPPLICABLE	4407
1-12	January-December	1135
13	Winter	19
14	Spring	28
15	Summer	39
16	Fall	28
99	Don't know	43
	Total	5699

Universe : Applicable if R chose to report a month and year for beginning of use rather than the number of months for method(s) reported in the month corresponding to cmjan3yr (MC1MONS1=995 or MC1MONS2=995 or MC1MONS3=995).

DATBEGIN_Y(2150-2153)

Variable Type : raw

ED-9y : (I have entered that in (DATE OF START OF METHOD CALENDAR), you used (METHOD))/(Think about the one you started using most recently.) In what month and year did you start using (METHOD)?/(METHOD)/(METHODS) together,)/(a combination of (METHODS))/(it), without a break, before (DATE OF START OF METHOD CALENDAR)? (year)

value	label	Total
.	INAPPLICABLE	4407
1931-2015	1931-2015	1290
9999	Don't know	2
	Total	5699

Universe : Applicable if R chose to report a month and year for beginning of use rather than the number of months for method(s) reported in the month corresponding to cmjan3yr (MC1MONS1=995 or MC1MONS2=995 or MC1MONS3=995).

cmdatbegin(2154-2157)

Variable Type : computed

Description : CM for date began method reported in 1st month of method calendar (Computed in Flow Check E-49)

value	label	Total
.	INAPPLICABLE	2774
378-1340	Before Sept 2011	2578
1341-1352	Sept 2011-Aug 2012	269
9999	Don't know	78
	Total	5699

Universe : Applicable if (R ever used a method (everused = 1) or had a hysterectomy but used a method since start date for method calendar (INTR_ED4a = 1)) and date of first method use was on or before January [interview year - 3] (cmfirm <= cmjan3yr) and R used one or more methods in month corresponding to cmjan3yr (METHX[n], METHX[n+1], etc. for cmjan3yr = 3-26)

currmeth1(2158-2159)

Variable Type : computed

Description : Method(s) used in month of interview - 1st mention (Computed in Flow Check E-54)

value	label	Total
.	INAPPLICABLE	696
1	No method used	1614
3	Birth control pills	846
4	Condom	608
5	Partner's vasectomy	172
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	688
7	Withdrawal, pulling out	286
8	Depo-Provera, injectables	167
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	98
10	Calendar rhythm, Standard Days, or Cycle Beads method	34
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	5
12	Diaphragm	2
14	Foam	2
17	Suppository, insert	3
19	IUD, coil, or loop	383
20	Emergency contraception	3
21	Other method	9
22	Respondent was sterile	6
23	Respondent's partner was sterile	3
25	Contraceptive patch	12
26	Vaginal contraceptive ring	60
98	Refused	2
	Total	5699

Universe : Applicable if R ever used a method (everused = 1)

currmeth2(2160-2161)

Variable Type : computed

Description : Method(s) used in month of interview- 2nd mention (Computed in Flow Check E-54)

value	label	Total
.	INAPPLICABLE	5170
3	Birth control pills	8
4	Condom	169
5	Partner's vasectomy	17
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	48
7	Withdrawal, pulling out	170
8	Depo-Provera, injectables	13
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	5
10	Calendar rhythm, Standard Days, or Cycle Beads method	51
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	5
12	Diaphragm	1
15	Jelly or cream	3
19	IUD, coil, or loop	21
20	Emergency contraception	10
21	Other method	2
25	Contraceptive patch	1
26	Vaginal contraceptive ring	5

Total**5699**

Universe : Applicable if R used at least 2 methods in the month of interview (see currmeth1)

currmeth3(2162-2163)

Variable Type : computed

Description : Method(s) used in month of interview - 3rd mention (Computed in Flow Check E-54)

value	label	Total
.	INAPPLICABLE	5641
3	Birth control pills	2
4	Condom	5
5	Partner's vasectomy	2
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	25
8	Depo-Provera, injectables	3
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	8
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
13	Female condom, vaginal pouch	1
15	Jelly or cream	1
19	IUD, coil, or loop	4
20	Emergency contraception	3
26	Vaginal contraceptive ring	1
	Total	5699

Universe : Applicable if R used at least 3 methods in the month of interview (see currmeth1)

currmeth4(2164-2165)

Variable Type : computed

Description : Method(s) used in month of interview - 4th mention (Computed in Flow Check E-54)

value	label	Total
.	INAPPLICABLE	5696
7	Withdrawal, pulling out	2
13	Female condom, vaginal pouch	1
	Total	5699

Universe : Applicable if R used at least 4 methods in the month of interview (see currmeth1)

lstmonmeth1(2166-2167)

Variable Type : computed

Description : Method used in month before interview - 1st mention (Computed in Flow Check E-54)

value	label	Total
.	INAPPLICABLE	697
1	No method used	1490
3	Birth control pills	850
4	Condom	703
5	Partner's vasectomy	173
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	689
7	Withdrawal, pulling out	303
8	Depo-Provera, injectables	174
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	100
10	Calendar rhythm, Standard Days, or Cycle Beads method	33
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4

12	Diaphragm	3
14	Foam	2
17	Suppository, insert	2
19	IUD, coil, or loop	379
20	Emergency contraception	5
21	Other method	9
22	Respondent was sterile	6
23	Respondent's partner was sterile	3
25	Contraceptive patch	12
26	Vaginal contraceptive ring	60
98	Refused	2
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before the month prior to interview month (cmfirm <= cmintvw - 1)

Istmonmeth2(2168-2169)

Variable Type : computed

Description : Method used in month before interview - 2nd mention (Computed in Flow Check E-54)

value	label	Total
.	INAPPLICABLE	5087
3	Birth control pills	8
4	Condom	201
5	Partner's vasectomy	26
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	45
7	Withdrawal, pulling out	206
8	Depo-Provera, injectables	19
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	6
10	Calendar rhythm, Standard Days, or Cycle Beads method	50
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	6
12	Diaphragm	1
15	Jelly or cream	4
18	Today sponge	1
19	IUD, coil, or loop	23
20	Emergency contraception	9
21	Other method	1
25	Contraceptive patch	1
26	Vaginal contraceptive ring	5
	Total	5699

Universe : Applicable if R used at least 2 methods in the month prior to interview month (see Istmonmeth1)

Istmonmeth3(2170-2171)

Variable Type : computed

Description : Method used in month before interview - 3rd mention (Computed in Flow Check E-54)

value	label	Total
.	INAPPLICABLE	5640
4	Condom	5
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	25
8	Depo-Provera, injectables	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	11
13	Female condom, vaginal pouch	1
15	Jelly or cream	1
19	IUD, coil, or loop	3
20	Emergency contraception	9

26	Vaginal contraceptive ring	1
	Total	5699

Universe : Applicable if R used at least 3 methods in the month prior to interview month (see Istmonmeth1)

Istmonmeth4(2172-2173)

Variable Type : computed

Description : Method used in month before interview - 4th mention (Computed in Flow Check E-54)

value	label	Total
.	INAPPLICABLE	5694
4	Condom	1
7	Withdrawal, pulling out	1
8	Depo-Provera, injectables	2
13	Female condom, vaginal pouch	1
	Total	5699

Universe : Applicable if R used at least 4 methods in the month prior to interview month (see Istmonmeth1)

pill_12(2174-2174)

Variable Type : computed

FC E-55 : Whether used pill in the 12 months before interview (Computed in Flow Check E-55)

value	label	Total
.	INAPPLICABLE	694
1	Used in past 12 months	1159
5	Not used in past 12 mos or dk/rf	3846
	Total	5699

Universe : Applicable if R ever used a method (everused = 1)

diaph_12(2175-2175)

Variable Type : computed

FC E-55 : Whether used diaphragm in the 12 months before interview (Computed in Flow Check E-55)

value	label	Total
.	INAPPLICABLE	694
1	Used in past 12 months	6
5	Not used in past 12 mos or dk/rf	4999
	Total	5699

Universe : Applicable if R ever used a method (everused = 1)

iud_12(2176-2176)

Variable Type : computed

FC E-55 : Whether used IUD in the 12 months before interview (Computed in Flow Check E-55)

value	label	Total
.	INAPPLICABLE	694
1	Used in past 12 months	455
5	Not used in past 12 mos or dk/rf	4550
	Total	5699

Universe : Applicable if R ever used a method (everused = 1)

implant_12(2177-2177)

Variable Type : computed

FC E-55 : Whether used hormonal implants (Norplant or Implanon) in the 12 months before interview (Computed in Flow Check E-55)

value	label	Total
.	INAPPLICABLE	694
1	Used in past 12 months	122
5	Not used in past 12 mos or dk/rf	4883
	Total	5699

Universe : Applicable if R ever used a method (everused = 1)

depo_12(2178-2178)

Variable Type : computed

FC E-55 : Whether used Depo-Provera injectables in the 12 months before interview (Computed in Flow Check E-55)

value	label	Total
.	INAPPLICABLE	694
1	Used in past 12 months	307
5	Not used in past 12 mos or dk/rf	4698
	Total	5699

Universe : Applicable if R ever used a method (everused = 1)

cervc_12(2179-2179)

Variable Type : computed

FC E-55 : Whether used cervical cap in the 12 months before interview (Computed in Flow Check E-55)

value	label	Total
.	INAPPLICABLE	694
5	Not used in past 12 mos or dk/rf	5005
	Total	5699

Universe : Applicable if R ever used a method (everused = 1)

mpill_12(2180-2180)

Variable Type : computed

FC E-55 : Whether used emergency contraception in the 12 months before interview (Computed in Flow Check E-55)

value	label	Total
.	INAPPLICABLE	694
1	Used in past 12 months	187
5	Not used in past 12 mos or dk/rf	4818
	Total	5699

Universe : Applicable if R ever used a method (everused = 1)

patch_12(2181-2181)

Variable Type : computed

FC E-55 : Whether used contraceptive patch in the 12 months before interview (Computed in Flow Check E-55)

value	label	Total
-------	-------	-------

.	INAPPLICABLE	694
1	Used in past 12 months	27
5	Not used in past 12 mos or dk/rf	4978
	Total	5699

Universe : Applicable if R ever used a method (everused = 1)

ring_12(2182-2182)

Variable Type : computed

FC E-55 : Whether used contraceptive ring in the 12 months before interview (Computed in Flow Check E-55)

value	label	Total
.	INAPPLICABLE	694
1	Used in past 12 months	111
5	Not used in past 12 mos or dk/rf	4894
	Total	5699

Universe : Applicable if R ever used a method (everused = 1)

METHX1(2183-2184)

Variable Type : raw

ED-6 : Method(s) used in Jan [interview yr-3] - 1st mention

value	label	Total
.	INAPPLICABLE	1310
1	No method used	1455
3	Birth control pills	869
4	Condom	643
5	Partner's vasectomy	121
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	491
7	Withdrawal, pulling out	217
8	Depo-Provera, injectables	154
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	31
10	Calendar rhythm, Standard Days, or Cycle Beads method	20
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
12	Diaphragm	3
14	Foam	2
15	Jelly or cream	1
17	Suppository, insert	2
19	IUD, coil, or loop	286
20	Emergency contraception	3
21	Other method -- specify	6
22	Respondent was sterile	1
23	Respondent's partner was sterile	1
25	Contraceptive patch	22
26	Vaginal contraceptive ring	55
98	Refused	2
99	Don't know	2
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year - 3] (cmfirm <= cmjan3yr)

METHX2(2185-2186)

Variable Type : raw

ED-6 : Method(s) used in Jan [interview yr-3]-2nd mention

value	label	Total
.	INAPPLICABLE	5276
3	Birth control pills	15
4	Condom	144
5	Partner's vasectomy	13
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	29
7	Withdrawal, pulling out	137
8	Depo-Provera, injectables	13
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	4
10	Calendar rhythm, Standard Days, or Cycle Beads method	37
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
12	Diaphragm	3
15	Jelly or cream	3
17	Suppository, insert	1
19	IUD, coil, or loop	9
20	Emergency contraception	5
21	Other method -- specify	1
25	Contraceptive patch	1
26	Vaginal contraceptive ring	5
	Total	5699

Universe : Applicable if R used at least 2 methods in January [interview yr - 3] (see METHX1)

METHX3(2187-2188)

Variable Type : raw

ED-6 : Method(s) used in Jan [interview yr-3]-3rd mention

value	label	Total
.	INAPPLICABLE	5656
3	Birth control pills	2
4	Condom	1
7	Withdrawal, pulling out	19
8	Depo-Provera, injectables	3
10	Calendar rhythm, Standard Days, or Cycle Beads method	4
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
13	Female condom, vaginal pouch	1
19	IUD, coil, or loop	5
20	Emergency contraception	4
25	Contraceptive patch	2
26	Vaginal contraceptive ring	1
	Total	5699

Universe : Applicable if R used at least 3 methods in January [interview yr - 3] (see METHX1)

METHX4(2189-2190)

Variable Type : raw

ED-6 : Method(s) used in Jan [interview yr-3]-4th mention

value	label	Total
.	INAPPLICABLE	5695
7	Withdrawal, pulling out	1
12	Diaphragm	1
20	Emergency contraception	1
25	Contraceptive patch	1
	Total	5699

Universe : Applicable if R used at least 4 methods in January [interview yr - 3] (see METHX1)

METHX5(2191-2192)

Variable Type : raw

ED-6 : Method(s) used in Feb [interview yr-3] - 1st mention

value	label	Total
.	INAPPLICABLE	1292
1	No method used	1477
3	Birth control pills	859
4	Condom	634
5	Partner's vasectomy	122
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	498
7	Withdrawal, pulling out	221
8	Depo-Provera, injectables	155
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	32
10	Calendar rhythm, Standard Days, or Cycle Beads method	19
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
12	Diaphragm	3
14	Foam	3
15	Jelly or cream	1
17	Suppository, insert	2
19	IUD, coil, or loop	291
21	Other method -- specify	6
22	Respondent was sterile	2
23	Respondent's partner was sterile	1
25	Contraceptive patch	22
26	Vaginal contraceptive ring	51
55	EMPTY (IF JAN)/Same method used thru end of year	1
98	Refused	2
99	Don't know	2
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year - 3] (cmfirm <= cmmhcalx2)

METHX6(2193-2194)

Variable Type : raw

ED-6 : Method(s) used in Feb [interview yr-3]-2nd mention

value	label	Total
.	INAPPLICABLE	5272
3	Birth control pills	16
4	Condom	142
5	Partner's vasectomy	11
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	28
7	Withdrawal, pulling out	142
8	Depo-Provera, injectables	13
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	4
10	Calendar rhythm, Standard Days, or Cycle Beads method	39
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
12	Diaphragm	2
15	Jelly or cream	2
17	Suppository, insert	1
19	IUD, coil, or loop	10
20	Emergency contraception	7
21	Other method -- specify	1
25	Contraceptive patch	1
26	Vaginal contraceptive ring	5
	Total	5699

Universe : Applicable if R used at least 2 methods in February [interview yr - 3] (see METHX5)

METHX7(2195-2196)

Variable Type : raw

ED-6 : Method(s) used in Feb [interview yr-3] - 3rd mention

value	label	Total
.	INAPPLICABLE	5661
3	Birth control pills	2
4	Condom	1
7	Withdrawal, pulling out	18
8	Depo-Provera, injectables	3
10	Calendar rhythm, Standard Days, or Cycle Beads method	4
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
19	IUD, coil, or loop	3
20	Emergency contraception	2
25	Contraceptive patch	3
26	Vaginal contraceptive ring	1
	Total	5699

Universe : Applicable if R used at least 3 methods in February [interview yr - 3] (see METHX5)

METHX8(2197-2198)

Variable Type : raw

ED-6 : Method(s) used in Feb [interview yr-3]-4th mention

value	label	Total
.	INAPPLICABLE	5695
7	Withdrawal, pulling out	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
12	Diaphragm	1
25	Contraceptive patch	1
	Total	5699

Universe : Applicable if R used at least 4 methods in February [interview yr - 3] (see METHX5)

METHX9(2199-2200)

Variable Type : raw

ED-6 : Method(s) used in March [interview yr-3] - 1st mention

value	label	Total
.	INAPPLICABLE	1278
1	No method used	1457
3	Birth control pills	868
4	Condom	643
5	Partner's vasectomy	122
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	500
7	Withdrawal, pulling out	222
8	Depo-Provera, injectables	155
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	33
10	Calendar rhythm, Standard Days, or Cycle Beads method	22
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
12	Diaphragm	2
14	Foam	2
15	Jelly or cream	1
17	Suppository, insert	2
19	IUD, coil, or loop	295

20	Emergency contraception	3
21	Other method -- specify	6
22	Respondent was sterile	4
25	Contraceptive patch	23
26	Vaginal contraceptive ring	54
98	Refused	2
99	Don't know	3
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year - 3] (cmfirm <= cmmhcalx3)

METHX10(2201-2202)

Variable Type : raw

ED-6 : Method(s) used in March [interview yr-3]-2nd mention

value	label	Total
.	INAPPLICABLE	5262
3	Birth control pills	12
4	Condom	146
5	Partner's vasectomy	12
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	28
7	Withdrawal, pulling out	143
8	Depo-Provera, injectables	16
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	5
10	Calendar rhythm, Standard Days, or Cycle Beads method	41
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
12	Diaphragm	2
15	Jelly or cream	1
17	Suppository, insert	1
19	IUD, coil, or loop	11
20	Emergency contraception	7
21	Other method -- specify	1
25	Contraceptive patch	2
26	Vaginal contraceptive ring	6
	Total	5699

Universe : Applicable if R used at least 2 methods in March [interview yr - 3] (see METHX9)

METHX11(2203-2204)

Variable Type : raw

ED-6 : Method(s) used in March [interview yr-3] - 3rd mention

value	label	Total
.	INAPPLICABLE	5659
3	Birth control pills	2
4	Condom	1
7	Withdrawal, pulling out	20
8	Depo-Provera, injectables	3
10	Calendar rhythm, Standard Days, or Cycle Beads method	6
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
19	IUD, coil, or loop	4
25	Contraceptive patch	2
26	Vaginal contraceptive ring	1
	Total	5699

Universe : Applicable if R used at least 3 methods in March [interview yr - 3] (see METHX9)

METHX12(2205-2206)

Variable Type : raw

ED-6 : Method(s) used in March [interview yr-3]-4th mention

value	label	Total
.	INAPPLICABLE	5695
7	Withdrawal, pulling out	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
12	Diaphragm	1
25	Contraceptive patch	1
	Total	5699

Universe : Applicable if R used at least 4 methods in March [interview yr - 3] (see METHX9)

METHX13(2207-2208)

Variable Type : raw

ED-6 : Method(s) used in April [interview yr-3] - 1st mention

value	label	Total
.	INAPPLICABLE	1262
1	No method used	1458
3	Birth control pills	874
4	Condom	632
5	Partner's vasectomy	121
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	503
7	Withdrawal, pulling out	228
8	Depo-Provera, injectables	156
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	35
10	Calendar rhythm, Standard Days, or Cycle Beads method	25
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
12	Diaphragm	4
13	Female condom, vaginal pouch	1
14	Foam	2
15	Jelly or cream	1
17	Suppository, insert	2
19	IUD, coil, or loop	296
21	Other method -- specify	6
22	Respondent was sterile	6
23	Respondent's partner was sterile	1
25	Contraceptive patch	24
26	Vaginal contraceptive ring	56
98	Refused	2
99	Don't know	3
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year - 3] (cmfirsm <= cmmhcalx4)

METHX14(2209-2210)

Variable Type : raw

ED-6 : Method(s) used in April [interview yr-3]-2nd mention

value	label	Total
.	INAPPLICABLE	5266
3	Birth control pills	18
4	Condom	150
5	Partner's vasectomy	14
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	23
7	Withdrawal, pulling out	142

8	Depo-Provera, injectables	12
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	42
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
12	Diaphragm	1
15	Jelly or cream	2
17	Suppository, insert	1
19	IUD, coil, or loop	10
20	Emergency contraception	4
21	Other method -- specify	1
25	Contraceptive patch	2
26	Vaginal contraceptive ring	6
	Total	5699

Universe : Applicable if R used at least 2 methods in April [interview yr - 3] (see METHX13)

METHX15(2211-2212)

Variable Type : raw

ED-6 : Method(s) used in April [interview yr-3] - 3rd mention

value	label	Total
.	INAPPLICABLE	5654
3	Birth control pills	3
4	Condom	2
7	Withdrawal, pulling out	22
8	Depo-Provera, injectables	4
10	Calendar rhythm, Standard Days, or Cycle Beads method	6
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
19	IUD, coil, or loop	4
25	Contraceptive patch	2
26	Vaginal contraceptive ring	1
	Total	5699

Universe : Applicable if R used at least 3 methods in April [interview yr - 3] (see METHX13)

METHX16(2213-2214)

Variable Type : raw

ED-6 : Method(s) used in April [interview yr-3]-4th mention

value	label	Total
.	INAPPLICABLE	5694
7	Withdrawal, pulling out	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	2
12	Diaphragm	1
25	Contraceptive patch	1
	Total	5699

Universe : Applicable if R used at least 4 methods in April [interview yr - 3] (see METHX13)

METHX17(2215-2216)

Variable Type : raw

ED-6 : Method(s) used in May [interview yr-3] - 1st mention

value	label	Total
.	INAPPLICABLE	1252
1	No method used	1456

3	Birth control pills	875
4	Condom	629
5	Partner's vasectomy	122
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	506
7	Withdrawal, pulling out	224
8	Depo-Provera, injectables	160
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	37
10	Calendar rhythm, Standard Days, or Cycle Beads method	26
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
12	Diaphragm	2
14	Foam	3
15	Jelly or cream	1
17	Suppository, insert	2
19	IUD, coil, or loop	294
20	Emergency contraception	3
21	Other method -- specify	6
22	Respondent was sterile	8
23	Respondent's partner was sterile	1
25	Contraceptive patch	23
26	Vaginal contraceptive ring	61
55	EMPTY (IF JAN)/Same method used thru end of year	1
98	Refused	2
99	Don't know	2
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year - 3] (cmfirms <= cmmhcalx5)

METHX18(2217-2218)

Variable Type : raw

ED-6 : Method(s) used in May [interview yr-3]-2nd mention

value	label	Total
.	INAPPLICABLE	5266
3	Birth control pills	18
4	Condom	146
5	Partner's vasectomy	12
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	28
7	Withdrawal, pulling out	144
8	Depo-Provera, injectables	12
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	42
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
15	Jelly or cream	2
17	Suppository, insert	1
19	IUD, coil, or loop	13
20	Emergency contraception	4
21	Other method -- specify	1
25	Contraceptive patch	1
26	Vaginal contraceptive ring	5
	Total	5699

Universe : Applicable if R used at least 2 methods in May [interview yr - 3] (see METHX17)

METHX19(2219-2220)

Variable Type : raw

ED-6 : Method(s) used in May [interview yr-3] - 3rd mention

value	label	Total
.	INAPPLICABLE	5656
3	Birth control pills	3
4	Condom	3
7	Withdrawal, pulling out	19
8	Depo-Provera, injectables	4
10	Calendar rhythm, Standard Days, or Cycle Beads method	7
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
19	IUD, coil, or loop	3
20	Emergency contraception	1
25	Contraceptive patch	2
	Total	5699

Universe : Applicable if R used at least 3 methods in May [interview yr - 3] (see METHX17)

METHX20(2221-2222)

Variable Type : raw

ED-6 : Method(s) used in May [interview yr-3]-4th mention

value	label	Total
.	INAPPLICABLE	5693
7	Withdrawal, pulling out	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
12	Diaphragm	1
25	Contraceptive patch	1
	Total	5699

Universe : Applicable if R used at least 4 methods in May [interview yr - 3] (see METHX17)

METHX21(2223-2224)

Variable Type : raw

ED-6 : Method(s) used in June [interview yr-3] - 1st mention

value	label	Total
.	INAPPLICABLE	1230
1	No method used	1458
3	Birth control pills	880
4	Condom	637
5	Partner's vasectomy	125
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	509
7	Withdrawal, pulling out	228
8	Depo-Provera, injectables	157
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	39
10	Calendar rhythm, Standard Days, or Cycle Beads method	24
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
12	Diaphragm	2
14	Foam	2
15	Jelly or cream	1
17	Suppository, insert	2
19	IUD, coil, or loop	297
20	Emergency contraception	3
21	Other method -- specify	6
22	Respondent was sterile	10
25	Contraceptive patch	21
26	Vaginal contraceptive ring	61
55	EMPTY (IF JAN)/Same method used thru end of year	2
98	Refused	2

99	Don't know	2
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview year - 3] (cmfirsm <= cmmhcalx6)

METHX22(2225-2226)

Variable Type : raw

ED-6 : Method(s) used in June [interview yr-3]-2nd mention

value	label	Total
.	INAPPLICABLE	5252
3	Birth control pills	17
4	Condom	155
5	Partner's vasectomy	13
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	28
7	Withdrawal, pulling out	147
8	Depo-Provera, injectables	13
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	41
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
15	Jelly or cream	3
17	Suppository, insert	1
19	IUD, coil, or loop	11
20	Emergency contraception	5
21	Other method -- specify	1
25	Contraceptive patch	3
26	Vaginal contraceptive ring	4
Total		5699

Universe : Applicable if R used at least 2 methods in June [interview yr - 3] (see METHX21)

METHX23(2227-2228)

Variable Type : raw

ED-6 : Method(s) used in June [interview yr-3] - 3rd mention

value	label	Total
.	INAPPLICABLE	5660
3	Birth control pills	1
4	Condom	3
7	Withdrawal, pulling out	21
8	Depo-Provera, injectables	3
10	Calendar rhythm, Standard Days, or Cycle Beads method	4
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
19	IUD, coil, or loop	3
20	Emergency contraception	1
25	Contraceptive patch	2
Total		5699

Universe : Applicable if R used at least 3 methods in June [interview yr - 3] (see METHX21)

METHX24(2229-2230)

Variable Type : raw

ED-6 : Method(s) used in June [interview yr-3]-4th mention

value	label	Total
.	INAPPLICABLE	5694

7	Withdrawal, pulling out	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
12	Diaphragm	1
25	Contraceptive patch	1
	Total	5699

Universe : Applicable if R used at least 4 methods in June [interview yr - 3] (see METHX21)

METHX25(2231-2232)

Variable Type : raw

ED-6 : Method(s) used in July [interview yr-3] - 1st mention

value	label	Total
.	INAPPLICABLE	1204
1	No method used	1451
3	Birth control pills	876
4	Condom	639
5	Partner's vasectomy	130
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	519
7	Withdrawal, pulling out	228
8	Depo-Provera, injectables	161
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	39
10	Calendar rhythm, Standard Days, or Cycle Beads method	27
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
12	Diaphragm	2
14	Foam	2
15	Jelly or cream	1
17	Suppository, insert	2
19	IUD, coil, or loop	302
20	Emergency contraception	2
21	Other method -- specify	7
22	Respondent was sterile	12
25	Contraceptive patch	25
26	Vaginal contraceptive ring	63
55	EMPTY (IF JAN)/Same method used thru end of year	2
98	Refused	2
99	Don't know	2
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 3] (cmfirm <= cmmhcalx7)

METHX26(2233-2234)

Variable Type : raw

ED-6 : Method(s) used in July [interview yr-3]-2nd mention

value	label	Total
.	INAPPLICABLE	5240
3	Birth control pills	15
4	Condom	162
5	Partner's vasectomy	12
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	26
7	Withdrawal, pulling out	153
8	Depo-Provera, injectables	10
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	44
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
13	Female condom, vaginal pouch	1

15	Jelly or cream	2
17	Suppository, insert	1
19	IUD, coil, or loop	11
20	Emergency contraception	8
21	Other method -- specify	2
25	Contraceptive patch	1
26	Vaginal contraceptive ring	6
	Total	5699

Universe : Applicable if R used at least 2 methods in July [interview yr - 3] (see METHX25)

METHX27(2235-2236)

Variable Type : raw

ED-6 : Method(s) used in July [interview yr-3] - 3rd mention

value	label	Total
.	INAPPLICABLE	5655
3	Birth control pills	1
4	Condom	3
7	Withdrawal, pulling out	17
8	Depo-Provera, injectables	4
10	Calendar rhythm, Standard Days, or Cycle Beads method	5
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
19	IUD, coil, or loop	3
20	Emergency contraception	7
25	Contraceptive patch	2
	Total	5699

Universe : Applicable if R used at least 3 methods in July [interview yr - 3] (see METHX25)

METHX28(2237-2238)

Variable Type : raw

ED-6 : Method(s) used in July [interview yr-3]-4th mention

value	label	Total
.	INAPPLICABLE	5692
7	Withdrawal, pulling out	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	2
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
12	Diaphragm	1
25	Contraceptive patch	1
	Total	5699

Universe : Applicable if R used at least 4 methods in July [interview yr - 3] (see METHX25)

METHX29(2239-2240)

Variable Type : raw

ED-6 : Method(s) used in Aug [interview yr-3] - 1st mention

value	label	Total
.	INAPPLICABLE	1188
1	No method used	1461
3	Birth control pills	865
4	Condom	643
5	Partner's vasectomy	131
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	526
7	Withdrawal, pulling out	227

8	Depo-Provera, injectables	167
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	40
10	Calendar rhythm, Standard Days, or Cycle Beads method	28
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
12	Diaphragm	3
14	Foam	2
15	Jelly or cream	1
17	Suppository, insert	2
19	IUD, coil, or loop	308
20	Emergency contraception	1
21	Other method -- specify	7
22	Respondent was sterile	10
25	Contraceptive patch	22
26	Vaginal contraceptive ring	60
55	EMPTY (IF JAN)/Same method used thru end of year	2
98	Refused	2
99	Don't know	2
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year - 3] (cmfirm <= cmmhcalx8)

METHX30(2241-2242)

Variable Type : raw

ED-6 : Method(s) used in Aug [interview yr-3]-2nd mention

value	label	Total
.	INAPPLICABLE	5239
3	Birth control pills	14
4	Condom	165
5	Partner's vasectomy	16
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	25
7	Withdrawal, pulling out	158
8	Depo-Provera, injectables	12
10	Calendar rhythm, Standard Days, or Cycle Beads method	41
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
15	Jelly or cream	2
17	Suppository, insert	1
19	IUD, coil, or loop	10
20	Emergency contraception	5
21	Other method -- specify	2
26	Vaginal contraceptive ring	5
	Total	5699

Universe : Applicable if R used at least 2 methods in Aug [interview yr - 3] (see METHX29)

METHX31(2243-2244)

Variable Type : raw

ED-6 : Method(s) used in Aug [interview yr-3] - 3rd mention

value	label	Total
.	INAPPLICABLE	5658
3	Birth control pills	1
4	Condom	4
7	Withdrawal, pulling out	18
8	Depo-Provera, injectables	4
10	Calendar rhythm, Standard Days, or Cycle Beads method	4
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2

13	Female condom, vaginal pouch	1
19	IUD, coil, or loop	2
20	Emergency contraception	3
25	Contraceptive patch	2
Total		5699

Universe : Applicable if R used at least 3 methods in Aug [interview yr - 3] (see METHX29)

METHX32(2245-2246)

Variable Type : raw

ED-6 : Method(s) used in Aug [interview yr-3]-4th mention

value	label	Total
.	INAPPLICABLE	5692
7	Withdrawal, pulling out	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	2
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
12	Diaphragm	1
25	Contraceptive patch	1
Total		5699

Universe : Applicable if R used at least 4 methods in Aug [interview yr - 3] (see METHX29)

METHX33(2247-2248)

Variable Type : raw

ED-6 : Method(s) used in Sept [interview yr-3] - 1st mention

value	label	Total
.	INAPPLICABLE	1176
1	No method used	1464
3	Birth control pills	876
4	Condom	624
5	Partner's vasectomy	129
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	530
7	Withdrawal, pulling out	234
8	Depo-Provera, injectables	170
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	37
10	Calendar rhythm, Standard Days, or Cycle Beads method	26
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
12	Diaphragm	3
14	Foam	3
15	Jelly or cream	1
17	Suppository, insert	3
19	IUD, coil, or loop	312
20	Emergency contraception	1
21	Other method -- specify	6
22	Respondent was sterile	11
25	Contraceptive patch	20
26	Vaginal contraceptive ring	63
55	EMPTY (IF JAN)/Same method used thru end of year	2
98	Refused	2
99	Don't know	4
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year - 3] (cmfirm <= cmmhcalx9)

METHX34(2249-2250)

Variable Type : raw

ED-6 : Method(s) used in Sept [interview yr-3]-2nd mention

value	label	Total
.	INAPPLICABLE	5241
1	No method used	1
3	Birth control pills	15
4	Condom	171
5	Partner's vasectomy	16
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	26
7	Withdrawal, pulling out	144
8	Depo-Provera, injectables	12
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	46
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
12	Diaphragm	1
15	Jelly or cream	2
19	IUD, coil, or loop	10
20	Emergency contraception	4
21	Other method -- specify	2
26	Vaginal contraceptive ring	3
	Total	5699

Universe : Applicable if R used at least 2 methods in Sept [interview yr - 3] (see METHX33)

METHX35(2251-2252)

Variable Type : raw

ED-6 : Method(s) used in Sept [interview yr-3] - 3rd mention

value	label	Total
.	INAPPLICABLE	5656
3	Birth control pills	1
4	Condom	3
7	Withdrawal, pulling out	20
8	Depo-Provera, injectables	3
10	Calendar rhythm, Standard Days, or Cycle Beads method	5
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
13	Female condom, vaginal pouch	1
19	IUD, coil, or loop	3
20	Emergency contraception	3
25	Contraceptive patch	2
	Total	5699

Universe : Applicable if R used at least 3 methods in Sept [interview yr - 3] (see METHX33)

METHX36(2253-2254)

Variable Type : raw

ED-6 : Method(s) used in Sept [interview yr-3]-4th mention

value	label	Total
.	INAPPLICABLE	5691
7	Withdrawal, pulling out	3
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
12	Diaphragm	1
13	Female condom, vaginal pouch	1
25	Contraceptive patch	1
	Total	5699

Universe : Applicable if R used at least 4 methods in Sept [interview yr - 3] (see METHX33)

METHX37(2255-2256)

Variable Type : raw

ED-6 : Method(s) used in Oct [interview yr-3] - 1st mention

value	label	Total
.	INAPPLICABLE	1163
1	No method used	1435
3	Birth control pills	874
4	Condom	646
5	Partner's vasectomy	128
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	530
7	Withdrawal, pulling out	249
8	Depo-Provera, injectables	171
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	38
10	Calendar rhythm, Standard Days, or Cycle Beads method	28
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
12	Diaphragm	3
14	Foam	1
15	Jelly or cream	1
17	Suppository, insert	3
19	IUD, coil, or loop	316
20	Emergency contraception	3
21	Other method -- specify	6
22	Respondent was sterile	11
25	Contraceptive patch	18
26	Vaginal contraceptive ring	66
55	EMPTY (IF JAN)/Same method used thru end of year	2
98	Refused	2
99	Don't know	4
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year - 3] (cmfirm <= cmmhcalx10)

METHX38(2257-2258)

Variable Type : raw

ED-6 : Method(s) used in Oct [interview yr-3]-2nd mention

value	label	Total
.	INAPPLICABLE	5243
3	Birth control pills	17
4	Condom	161
5	Partner's vasectomy	13
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	26
7	Withdrawal, pulling out	152
8	Depo-Provera, injectables	14
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	46
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
12	Diaphragm	1
15	Jelly or cream	2
19	IUD, coil, or loop	10
20	Emergency contraception	5
21	Other method -- specify	2

26	Vaginal contraceptive ring	2
	Total	5699

Universe : Applicable if R used at least 2 methods in Oct [interview yr - 3] (see METHX37)

METHX39(2259-2260)

Variable Type : raw

ED-6 : Method(s) used in Oct [interview yr-3] - 3rd mention

value	label	Total
.	INAPPLICABLE	5653
3	Birth control pills	2
4	Condom	3
5	Partner's vasectomy	2
7	Withdrawal, pulling out	18
8	Depo-Provera, injectables	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	7
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
13	Female condom, vaginal pouch	1
17	Suppository, insert	1
19	IUD, coil, or loop	2
20	Emergency contraception	4
25	Contraceptive patch	2
	Total	5699

Universe : Applicable if R used at least 3 methods in Oct [interview yr - 3] (see METHX37)

METHX40(2261-2262)

Variable Type : raw

ED-6 : Method(s) used in Oct [interview yr-3]-4th mention

value	label	Total
.	INAPPLICABLE	5691
7	Withdrawal, pulling out	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	3
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
12	Diaphragm	1
25	Contraceptive patch	1
	Total	5699

Universe : Applicable if R used at least 4 methods in Oct [interview yr - 3] (see METHX37)

METHX41(2263-2264)

Variable Type : raw

ED-6 : Method(s) used in Nov [interview yr-3] - 1st mention

value	label	Total
.	INAPPLICABLE	1150
1	No method used	1446
3	Birth control pills	876
4	Condom	638
5	Partner's vasectomy	133
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	534
7	Withdrawal, pulling out	244
8	Depo-Provera, injectables	173
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	39
10	Calendar rhythm, Standard Days, or Cycle Beads method	27

11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
12	Diaphragm	3
14	Foam	1
17	Suppository, insert	3
19	IUD, coil, or loop	319
20	Emergency contraception	2
21	Other method -- specify	7
22	Respondent was sterile	11
25	Contraceptive patch	21
26	Vaginal contraceptive ring	63
55	EMPTY (IF JAN)/Same method used thru end of year	2
98	Refused	2
99	Don't know	4
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year - 3] (cmfirm <= cmmhcalx11)

METHX42(2265-2266)

Variable Type : raw

ED-6 : Method(s) used in Nov [interview yr-3]-2nd mention

value	label	Total
.	INAPPLICABLE	5257
3	Birth control pills	14
4	Condom	166
5	Partner's vasectomy	12
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	27
7	Withdrawal, pulling out	136
8	Depo-Provera, injectables	15
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	48
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
12	Diaphragm	1
15	Jelly or cream	2
19	IUD, coil, or loop	7
20	Emergency contraception	5
21	Other method -- specify	2
26	Vaginal contraceptive ring	1
	Total	5699

Universe : Applicable if R used at least 2 methods in Nov [interview yr - 3] (see METHX41)

METHX43(2267-2268)

Variable Type : raw

ED-6 : Method(s) used in Nov [interview yr-3] - 3rd mention

value	label	Total
.	INAPPLICABLE	5658
3	Birth control pills	2
4	Condom	4
5	Partner's vasectomy	1
7	Withdrawal, pulling out	19
10	Calendar rhythm, Standard Days, or Cycle Beads method	8
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
17	Suppository, insert	1
19	IUD, coil, or loop	2
20	Emergency contraception	1

25	Contraceptive patch	2
	Total	5699

Universe : Applicable if R used at least 3 methods in Nov [interview yr - 3] (see METHX41)

METHX44(2269-2270)

Variable Type : raw

ED-6 : Method(s) used in Nov [interview yr-3]-4th mention

value	label	Total
.	INAPPLICABLE	5693
5	Partner's vasectomy	1
7	Withdrawal, pulling out	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
20	Emergency contraception	1
	Total	5699

Universe : Applicable if R used at least 4 methods in Nov [interview yr - 3] (see METHX41)

METHX45(2271-2272)

Variable Type : raw

ED-6 : Method(s) used in Dec [interview yr-3] - 1st mention

value	label	Total
.	INAPPLICABLE	1143
1	No method used	1425
3	Birth control pills	878
4	Condom	641
5	Partner's vasectomy	135
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	541
7	Withdrawal, pulling out	252
8	Depo-Provera, injectables	173
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	41
10	Calendar rhythm, Standard Days, or Cycle Beads method	29
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
12	Diaphragm	2
14	Foam	1
15	Jelly or cream	2
17	Suppository, insert	3
19	IUD, coil, or loop	321
20	Emergency contraception	3
21	Other method -- specify	7
22	Respondent was sterile	8
25	Contraceptive patch	21
26	Vaginal contraceptive ring	62
55	EMPTY (IF JAN)/Same method used thru end of year	2
98	Refused	2
99	Don't know	4
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year - 3] (cmfirm <= cmmhcalx12)

METHX46(2273-2274)

Variable Type : raw

ED-6 : Method(s) used in Dec [interview yr-3]-2nd mention

value	label	Total
.	INAPPLICABLE	5236
3	Birth control pills	11
4	Condom	171
5	Partner's vasectomy	13
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	29
7	Withdrawal, pulling out	143
8	Depo-Provera, injectables	14
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	48
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
12	Diaphragm	1
14	Foam	1
15	Jelly or cream	1
19	IUD, coil, or loop	8
20	Emergency contraception	12
21	Other method -- specify	2
25	Contraceptive patch	3
26	Vaginal contraceptive ring	1
	Total	5699

Universe : Applicable if R used at least 2 methods in Dec [interview yr - 3] (see METHX45)

METHX47(2275-2276)

Variable Type : raw

ED-6 : Method(s) used in Dec [interview yr-3] - 3rd mention

value	label	Total
.	INAPPLICABLE	5660
3	Birth control pills	2
4	Condom	3
5	Partner's vasectomy	1
7	Withdrawal, pulling out	17
8	Depo-Provera, injectables	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	6
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
17	Suppository, insert	2
19	IUD, coil, or loop	2
20	Emergency contraception	2
25	Contraceptive patch	2
	Total	5699

Universe : Applicable if R used at least 3 methods in Dec [interview yr - 3] (see METHX45)

METHX48(2277-2278)

Variable Type : raw

ED-6 : Method(s) used in Dec [interview yr-3]-4th mention

value	label	Total
.	INAPPLICABLE	5696
7	Withdrawal, pulling out	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
	Total	5699

Universe : Applicable if R used at least 4 methods in Dec [interview yr - 3] (see METHX45)

METHX49(2279-2280)

Variable Type : raw

ED-6 : Method(s) used in Jan [interview yr-2] - 1st mention

value	label	Total
.	INAPPLICABLE	1126
1	No method used	1411
3	Birth control pills	853
4	Condom	670
5	Partner's vasectomy	144
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	565
7	Withdrawal, pulling out	255
8	Depo-Provera, injectables	162
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	43
10	Calendar rhythm, Standard Days, or Cycle Beads method	32
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
12	Diaphragm	2
13	Female condom, vaginal pouch	2
14	Foam	2
17	Suppository, insert	2
18	Today sponge	1
19	IUD, coil, or loop	319
20	Emergency contraception	3
21	Other method -- specify	5
22	Respondent was sterile	3
23	Respondent's partner was sterile	1
25	Contraceptive patch	27
26	Vaginal contraceptive ring	63
98	Refused	2
99	Don't know	3
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year - 2] (cmfirm <= cmmhcalx13)

METHX50(2281-2282)

Variable Type : raw

ED-6 : Method(s) used in Jan [interview yr-2]-2nd mention

value	label	Total
.	INAPPLICABLE	5264
3	Birth control pills	7
4	Condom	148
5	Partner's vasectomy	7
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	25
7	Withdrawal, pulling out	151
8	Depo-Provera, injectables	17
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	3
10	Calendar rhythm, Standard Days, or Cycle Beads method	42
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	5
12	Diaphragm	2
15	Jelly or cream	4
19	IUD, coil, or loop	11
20	Emergency contraception	8
21	Other method -- specify	1
26	Vaginal contraceptive ring	4
	Total	5699

Universe : Applicable if R used at least 2 methods in January [interview yr - 2] (see METHX49)

METHX51(2283-2284)

Variable Type : raw

ED-6 : Method(s) used in Jan [interview yr-2]-3rd mention

value	label	Total
.	INAPPLICABLE	5656
3	Birth control pills	3
4	Condom	3
5	Partner's vasectomy	1
7	Withdrawal, pulling out	13
8	Depo-Provera, injectables	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	12
17	Suppository, insert	2
19	IUD, coil, or loop	2
20	Emergency contraception	3
25	Contraceptive patch	2
	Total	5699

Universe : Applicable if R used at least 3 methods in January [interview yr - 2] (see METHX49)

METHX52(2285-2286)

Variable Type : raw

ED-6 : Method(s) used in Jan [interview yr-2]-4th mention

value	label	Total
.	INAPPLICABLE	5694
7	Withdrawal, pulling out	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
17	Suppository, insert	1
20	Emergency contraception	1
	Total	5699

Universe : Applicable if R used at least 4 methods in January [interview yr - 2] (see METHX49)

METHX53(2287-2288)

Variable Type : raw

ED-6 : Method(s) used in Feb [interview yr-2] - 1st mention

value	label	Total
.	INAPPLICABLE	1117
1	No method used	1415
3	Birth control pills	847
4	Condom	654
5	Partner's vasectomy	146
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	562
7	Withdrawal, pulling out	271
8	Depo-Provera, injectables	168
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	44
10	Calendar rhythm, Standard Days, or Cycle Beads method	31
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	5
12	Diaphragm	2
13	Female condom, vaginal pouch	1
14	Foam	2
17	Suppository, insert	2
18	Today sponge	1
19	IUD, coil, or loop	323
20	Emergency contraception	3

21	Other method -- specify	6
22	Respondent was sterile	3
23	Respondent's partner was sterile	1
25	Contraceptive patch	27
26	Vaginal contraceptive ring	62
55	EMPTY (IF JAN)/Same method used thru end of year	1
98	Refused	2
99	Don't know	3
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year - 3] (cmfirm <= cmmhcalx14)

METHX54(2289-2290)

Variable Type : raw

ED-6 : Method(s) used in Feb [interview yr-2]-2nd mention

value	label	Total
.	INAPPLICABLE	5275
3	Birth control pills	9
4	Condom	144
5	Partner's vasectomy	7
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	27
7	Withdrawal, pulling out	145
8	Depo-Provera, injectables	15
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	46
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	5
12	Diaphragm	2
15	Jelly or cream	3
19	IUD, coil, or loop	9
20	Emergency contraception	6
21	Other method -- specify	1
26	Vaginal contraceptive ring	3
	Total	5699

Universe : Applicable if R used at least 2 methods in February [interview yr - 2] (see METHX53)

METHX55(2291-2292)

Variable Type : raw

ED-6 : Method(s) used in Feb [interview yr-2] - 3rd mention

value	label	Total
.	INAPPLICABLE	5662
3	Birth control pills	3
4	Condom	1
5	Partner's vasectomy	1
7	Withdrawal, pulling out	13
8	Depo-Provera, injectables	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	10
17	Suppository, insert	2
19	IUD, coil, or loop	2
25	Contraceptive patch	3
	Total	5699

Universe : Applicable if R used at least 3 methods in February [interview yr - 2] (see METHX53)

METHX56(2293-2294)

Variable Type : raw

ED-6 : Method(s) used in Feb [interview yr-2]-4th mention

value	label	Total
.	INAPPLICABLE	5692
5	Partner's vasectomy	1
7	Withdrawal, pulling out	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	2
17	Suppository, insert	1
20	Emergency contraception	1
	Total	5699

Universe : Applicable if R used at least 4 methods in February [interview yr - 2] (see METHX53)

METHX57(2295-2296)

Variable Type : raw

ED-6 : Method(s) used in March [interview yr-2] - 1st mention

value	label	Total
.	INAPPLICABLE	1105
1	No method used	1417
3	Birth control pills	853
4	Condom	670
5	Partner's vasectomy	146
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	556
7	Withdrawal, pulling out	259
8	Depo-Provera, injectables	174
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	45
10	Calendar rhythm, Standard Days, or Cycle Beads method	30
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
12	Diaphragm	3
13	Female condom, vaginal pouch	1
14	Foam	2
17	Suppository, insert	2
18	Today sponge	1
19	IUD, coil, or loop	325
20	Emergency contraception	4
21	Other method -- specify	6
22	Respondent was sterile	7
23	Respondent's partner was sterile	1
25	Contraceptive patch	22
26	Vaginal contraceptive ring	63
98	Refused	2
99	Don't know	3
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year - 2] (cmfirsm <= cmmhcalx15)

METHX58(2297-2298)

Variable Type : raw

ED-6 : Method(s) used in March [interview yr-2]-2nd mention

value	label	Total
.	INAPPLICABLE	5266
3	Birth control pills	10
4	Condom	139
5	Partner's vasectomy	9

6	Female sterilizing operation, such as tubal sterilization and hysterectomy	28
7	Withdrawal, pulling out	152
8	Depo-Provera, injectables	14
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	48
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
12	Diaphragm	2
15	Jelly or cream	4
19	IUD, coil, or loop	10
20	Emergency contraception	5
21	Other method -- specify	1
25	Contraceptive patch	2
26	Vaginal contraceptive ring	4
	Total	5699

Universe : Applicable if R used at least 2 methods in March [interview yr - 2] (see METHX57)

METHX59(2299-2300)

Variable Type : raw

ED-6 : Method(s) used in March [interview yr-2] - 3rd mention

value	label	Total
.	INAPPLICABLE	5655
3	Birth control pills	3
4	Condom	1
5	Partner's vasectomy	1
7	Withdrawal, pulling out	11
8	Depo-Provera, injectables	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	16
15	Jelly or cream	1
17	Suppository, insert	2
19	IUD, coil, or loop	2
20	Emergency contraception	3
25	Contraceptive patch	3
	Total	5699

Universe : Applicable if R used at least 3 methods in March [interview yr - 2] (see METHX57)

METHX60(2301-2302)

Variable Type : raw

ED-6 : Method(s) used in March [interview yr-2]-4th mention

value	label	Total
.	INAPPLICABLE	5692
7	Withdrawal, pulling out	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	2
12	Diaphragm	1
17	Suppository, insert	1
20	Emergency contraception	1
	Total	5699

Universe : Applicable if R used at least 4 methods in March [interview yr - 2] (see METHX57)

METHX61(2303-2304)

Variable Type : raw

ED-6 : Method(s) used in April [interview yr-2] - 1st mention

value	label	Total
.	INAPPLICABLE	1087
1	No method used	1429
3	Birth control pills	841
4	Condom	669
5	Partner's vasectomy	149
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	566
7	Withdrawal, pulling out	253
8	Depo-Provera, injectables	178
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	47
10	Calendar rhythm, Standard Days, or Cycle Beads method	31
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
12	Diaphragm	2
14	Foam	2
15	Jelly or cream	1
17	Suppository, insert	2
18	Today sponge	1
19	IUD, coil, or loop	327
20	Emergency contraception	3
21	Other method -- specify	6
22	Respondent was sterile	9
23	Respondent's partner was sterile	2
25	Contraceptive patch	22
26	Vaginal contraceptive ring	63
98	Refused	2
99	Don't know	3
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year - 2] (cmfirm <= cmmhcalx16)

METHX62(2305-2306)

Variable Type : raw

ED-6 : Method(s) used in April [interview yr-2]-2nd mention

value	label	Total
.	INAPPLICABLE	5250
3	Birth control pills	7
4	Condom	150
5	Partner's vasectomy	11
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	28
7	Withdrawal, pulling out	158
8	Depo-Provera, injectables	13
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	50
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
12	Diaphragm	2
15	Jelly or cream	2
19	IUD, coil, or loop	10
20	Emergency contraception	8
21	Other method -- specify	1
26	Vaginal contraceptive ring	3
	Total	5699

Universe : Applicable if R used at least 2 methods in April [interview yr - 2] (see METHX61)

METHX63(2307-2308)

Variable Type : raw

ED-6 : Method(s) used in April [interview yr-2] - 3rd mention

value	label	Total
.	INAPPLICABLE	5658
3	Birth control pills	3
4	Condom	3
5	Partner's vasectomy	1
7	Withdrawal, pulling out	14
8	Depo-Provera, injectables	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	10
17	Suppository, insert	2
19	IUD, coil, or loop	2
25	Contraceptive patch	3
26	Vaginal contraceptive ring	2
	Total	5699

Universe : Applicable if R used at least 3 methods in April [interview yr - 2] (see METHX61)

METHX64(2309-2310)

Variable Type : raw

ED-6 : Method(s) used in April [interview yr-2]-4th mention

value	label	Total
.	INAPPLICABLE	5691
7	Withdrawal, pulling out	3
10	Calendar rhythm, Standard Days, or Cycle Beads method	2
17	Suppository, insert	2
20	Emergency contraception	1
	Total	5699

Universe : Applicable if R used at least 4 methods in April [interview yr - 2] (see METHX61)

METHX65(2311-2312)

Variable Type : raw

ED-6 : Method(s) used in May [interview yr-2] - 1st mention

value	label	Total
.	INAPPLICABLE	1075
1	No method used	1453
3	Birth control pills	847
4	Condom	662
5	Partner's vasectomy	151
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	569
7	Withdrawal, pulling out	231
8	Depo-Provera, injectables	172
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	49
10	Calendar rhythm, Standard Days, or Cycle Beads method	31
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
12	Diaphragm	2
14	Foam	1
15	Jelly or cream	1
17	Suppository, insert	2
18	Today sponge	1
19	IUD, coil, or loop	332
20	Emergency contraception	5
21	Other method -- specify	6
22	Respondent was sterile	15

23	Respondent's partner was sterile	2
25	Contraceptive patch	22
26	Vaginal contraceptive ring	64
98	Refused	2
99	Don't know	3
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year - 3] (cmfirm <= cmmhcalx17)

METHX66(2313-2314)

Variable Type : raw

ED-6 : Method(s) used in May [interview yr-2]-2nd mention

value	label	Total
.	INAPPLICABLE	5240
3	Birth control pills	11
4	Condom	160
5	Partner's vasectomy	10
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	28
7	Withdrawal, pulling out	154
8	Depo-Provera, injectables	12
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	45
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
12	Diaphragm	2
13	Female condom, vaginal pouch	1
14	Foam	1
15	Jelly or cream	1
19	IUD, coil, or loop	12
20	Emergency contraception	6
21	Other method -- specify	1
26	Vaginal contraceptive ring	9
	Total	5699

Universe : Applicable if R used at least 2 methods in May [interview yr - 2] (see METHX65)

METHX67(2315-2316)

Variable Type : raw

ED-6 : Method(s) used in May [interview yr-2] - 3rd mention

value	label	Total
.	INAPPLICABLE	5651
3	Birth control pills	3
4	Condom	3
5	Partner's vasectomy	1
7	Withdrawal, pulling out	21
8	Depo-Provera, injectables	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	12
15	Jelly or cream	1
17	Suppository, insert	1
19	IUD, coil, or loop	2
20	Emergency contraception	1
25	Contraceptive patch	2
	Total	5699

Universe : Applicable if R used at least 3 methods in May [interview yr - 2] (see METHX65)

METHX68(2317-2318)

Variable Type : raw

ED-6 : Method(s) used in May [interview yr-2]-4th mention

value	label	Total
.	INAPPLICABLE	5691
7	Withdrawal, pulling out	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
17	Suppository, insert	3
20	Emergency contraception	2
	Total	5699

Universe : Applicable if R used at least 4 methods in May [interview yr - 2] (see METHX65)

METHX69(2319-2320)

Variable Type : raw

ED-6 : Method(s) used in June [interview yr-2] - 1st mention

value	label	Total
.	INAPPLICABLE	1052
1	No method used	1453
3	Birth control pills	854
4	Condom	668
5	Partner's vasectomy	153
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	571
7	Withdrawal, pulling out	246
8	Depo-Provera, injectables	169
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	47
10	Calendar rhythm, Standard Days, or Cycle Beads method	27
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
12	Diaphragm	3
13	Female condom, vaginal pouch	1
14	Foam	1
17	Suppository, insert	3
19	IUD, coil, or loop	335
20	Emergency contraception	3
21	Other method -- specify	6
22	Respondent was sterile	16
23	Respondent's partner was sterile	2
25	Contraceptive patch	20
26	Vaginal contraceptive ring	63
98	Refused	2
99	Don't know	3
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview year - 3] (cmfirm <= cmmhcalx18)

METHX70(2321-2322)

Variable Type : raw

ED-6 : Method(s) used in June [interview yr-2]-2nd mention

value	label	Total
.	INAPPLICABLE	5245
3	Birth control pills	8
4	Condom	154
5	Partner's vasectomy	12

6	Female sterilizing operation, such as tubal sterilization and hysterectomy	29
7	Withdrawal, pulling out	154
8	Depo-Provera, injectables	8
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	49
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
12	Diaphragm	2
13	Female condom, vaginal pouch	1
15	Jelly or cream	2
19	IUD, coil, or loop	14
20	Emergency contraception	6
21	Other method -- specify	1
25	Contraceptive patch	1
26	Vaginal contraceptive ring	7
	Total	5699

Universe : Applicable if R used at least 2 methods in June [interview yr - 2] (see METHX69)

METHX71(2323-2324)

Variable Type : raw

ED-6 : Method(s) used in June [interview yr-2] - 3rd mention

value	label	Total
.	INAPPLICABLE	5665
3	Birth control pills	2
4	Condom	2
5	Partner's vasectomy	1
7	Withdrawal, pulling out	12
8	Depo-Provera, injectables	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	8
17	Suppository, insert	2
19	IUD, coil, or loop	2
20	Emergency contraception	1
25	Contraceptive patch	2
26	Vaginal contraceptive ring	1
	Total	5699

Universe : Applicable if R used at least 3 methods in June [interview yr - 2] (see METHX69)

METHX72(2325-2326)

Variable Type : raw

ED-6 : Method(s) used in June [interview yr-2]-4th mention

value	label	Total
.	INAPPLICABLE	5694
7	Withdrawal, pulling out	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
17	Suppository, insert	1
20	Emergency contraception	1
	Total	5699

Universe : Applicable if R used at least 4 methods in June [interview yr - 2] (see METHX69)

METHX73(2327-2328)

Variable Type : raw

ED-6 : Method(s) used in July [interview yr-2] - 1st mention

value	label	Total
.	INAPPLICABLE	1034
1	No method used	1461
3	Birth control pills	855
4	Condom	668
5	Partner's vasectomy	152
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	575
7	Withdrawal, pulling out	250
8	Depo-Provera, injectables	166
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	50
10	Calendar rhythm, Standard Days, or Cycle Beads method	28
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
12	Diaphragm	3
14	Foam	2
17	Suppository, insert	2
19	IUD, coil, or loop	333
20	Emergency contraception	5
21	Other method -- specify	6
22	Respondent was sterile	16
23	Respondent's partner was sterile	2
25	Contraceptive patch	19
26	Vaginal contraceptive ring	65
98	Refused	2
99	Don't know	3
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 3] (cmfirm <= cmmhcalx19)

METHX74(2329-2330)

Variable Type : raw

ED-6 : Method(s) used in July [interview yr-2]-2nd mention

value	label	Total
.	INAPPLICABLE	5234
3	Birth control pills	10
4	Condom	168
5	Partner's vasectomy	11
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	27
7	Withdrawal, pulling out	153
8	Depo-Provera, injectables	10
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	46
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
12	Diaphragm	2
13	Female condom, vaginal pouch	1
15	Jelly or cream	3
17	Suppository, insert	1
18	Today sponge	1
19	IUD, coil, or loop	13
20	Emergency contraception	4
21	Other method -- specify	1
25	Contraceptive patch	1
26	Vaginal contraceptive ring	7
	Total	5699

Universe : Applicable if R used at least 2 methods in July [interview yr - 2] (see METHX73)

METHX75(2331-2332)

Variable Type : raw

ED-6 : Method(s) used in July [interview yr-2] - 3rd mention

value	label	Total
.	INAPPLICABLE	5655
3	Birth control pills	4
4	Condom	1
5	Partner's vasectomy	1
7	Withdrawal, pulling out	16
8	Depo-Provera, injectables	3
10	Calendar rhythm, Standard Days, or Cycle Beads method	12
17	Suppository, insert	1
19	IUD, coil, or loop	2
20	Emergency contraception	1
25	Contraceptive patch	2
26	Vaginal contraceptive ring	1
	Total	5699

Universe : Applicable if R used at least 3 methods in July [interview yr - 2] (see METHX73)

METHX76(2333-2334)

Variable Type : raw

ED-6 : Method(s) used in July [interview yr-2]-4th mention

value	label	Total
.	INAPPLICABLE	5693
7	Withdrawal, pulling out	3
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
17	Suppository, insert	1
20	Emergency contraception	1
	Total	5699

Universe : Applicable if R used at least 4 methods in July [interview yr - 2] (see METHX73)

METHX77(2335-2336)

Variable Type : raw

ED-6 : Method(s) used in Aug [interview yr-2] - 1st mention

value	label	Total
.	INAPPLICABLE	1022
1	No method used	1462
3	Birth control pills	854
4	Condom	660
5	Partner's vasectomy	150
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	582
7	Withdrawal, pulling out	254
8	Depo-Provera, injectables	167
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	48
10	Calendar rhythm, Standard Days, or Cycle Beads method	27
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
12	Diaphragm	3
14	Foam	2
17	Suppository, insert	3
19	IUD, coil, or loop	342
20	Emergency contraception	6
21	Other method -- specify	5
22	Respondent was sterile	17
23	Respondent's partner was sterile	2

25	Contraceptive patch	19
26	Vaginal contraceptive ring	68
98	Refused	2
99	Don't know	3
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year - 3] (cmfirm <= cmmhcalx20)

METHX78(2337-2338)

Variable Type : raw

ED-6 : Method(s) used in Aug [interview yr-2]-2nd mention

value	label	Total
.	INAPPLICABLE	5249
3	Birth control pills	10
4	Condom	157
5	Partner's vasectomy	12
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	28
7	Withdrawal, pulling out	151
8	Depo-Provera, injectables	8
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	3
10	Calendar rhythm, Standard Days, or Cycle Beads method	47
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
12	Diaphragm	2
15	Jelly or cream	2
19	IUD, coil, or loop	12
20	Emergency contraception	3
21	Other method -- specify	1
25	Contraceptive patch	1
26	Vaginal contraceptive ring	9
	Total	5699

Universe : Applicable if R used at least 2 methods in Aug [interview yr - 2] (see METHX77)

METHX79(2339-2340)

Variable Type : raw

ED-6 : Method(s) used in Aug [interview yr-2] - 3rd mention

value	label	Total
.	INAPPLICABLE	5659
3	Birth control pills	2
4	Condom	1
5	Partner's vasectomy	1
7	Withdrawal, pulling out	14
8	Depo-Provera, injectables	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	9
17	Suppository, insert	1
19	IUD, coil, or loop	4
20	Emergency contraception	3
25	Contraceptive patch	2
26	Vaginal contraceptive ring	1
	Total	5699

Universe : Applicable if R used at least 3 methods in Aug [interview yr - 2] (see METHX77)

METHX80(2341-2342)

Variable Type : raw

ED-6 : Method(s) used in Aug [interview yr-2]-4th mention

value	label	Total
.	INAPPLICABLE	5694
7	Withdrawal, pulling out	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
17	Suppository, insert	1
20	Emergency contraception	1
	Total	5699

Universe : Applicable if R used at least 4 methods in Aug [interview yr - 2] (see METHX77)

METHX81(2343-2344)

Variable Type : raw

ED-6 : Method(s) used in Sept [interview yr-2] - 1st mention

value	label	Total
.	INAPPLICABLE	1006
1	No method used	1442
3	Birth control pills	865
4	Condom	671
5	Partner's vasectomy	153
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	587
7	Withdrawal, pulling out	257
8	Depo-Provera, injectables	169
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	49
10	Calendar rhythm, Standard Days, or Cycle Beads method	26
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
12	Diaphragm	3
14	Foam	3
17	Suppository, insert	3
19	IUD, coil, or loop	342
20	Emergency contraception	3
21	Other method -- specify	6
22	Respondent was sterile	16
23	Respondent's partner was sterile	2
25	Contraceptive patch	19
26	Vaginal contraceptive ring	71
98	Refused	2
99	Don't know	3
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year - 3] (cmfirms <= cmmhcalx21)

METHX82(2345-2346)

Variable Type : raw

ED-6 : Method(s) used in Sept [interview yr-2]-2nd mention

value	label	Total
.	INAPPLICABLE	5237
3	Birth control pills	10
4	Condom	160
5	Partner's vasectomy	13
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	29
7	Withdrawal, pulling out	152
8	Depo-Provera, injectables	9

9	Hormonal implant (Norplant, Implanon, or Nexplanon)	3
10	Calendar rhythm, Standard Days, or Cycle Beads method	47
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
12	Diaphragm	2
15	Jelly or cream	2
19	IUD, coil, or loop	13
20	Emergency contraception	7
21	Other method -- specify	2
25	Contraceptive patch	1
26	Vaginal contraceptive ring	8
	Total	5699

Universe : Applicable if R used at least 2 methods in Sept [interview yr - 2] (see METHX81)

METHX83(2347-2348)

Variable Type : raw

ED-6 : Method(s) used in Sept [interview yr-2] - 3rd mention

value	label	Total
.	INAPPLICABLE	5647
3	Birth control pills	2
4	Condom	3
5	Partner's vasectomy	1
7	Withdrawal, pulling out	16
8	Depo-Provera, injectables	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	13
17	Suppository, insert	1
19	IUD, coil, or loop	3
20	Emergency contraception	8
25	Contraceptive patch	2
26	Vaginal contraceptive ring	1
	Total	5699

Universe : Applicable if R used at least 3 methods in Sept [interview yr - 2] (see METHX81)

METHX84(2349-2350)

Variable Type : raw

ED-6 : Method(s) used in Sept [interview yr-2]-4th mention

value	label	Total
.	INAPPLICABLE	5692
7	Withdrawal, pulling out	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
17	Suppository, insert	1
20	Emergency contraception	2
	Total	5699

Universe : Applicable if R used at least 4 methods in Sept [interview yr - 2] (see METHX81)

METHX85(2351-2352)

Variable Type : raw

ED-6 : Method(s) used in Oct [interview yr-2] - 1st mention

value	label	Total
.	INAPPLICABLE	988

1	No method used	1430
3	Birth control pills	861
4	Condom	684
5	Partner's vasectomy	150
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	592
7	Withdrawal, pulling out	269
8	Depo-Provera, injectables	170
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	51
10	Calendar rhythm, Standard Days, or Cycle Beads method	29
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
12	Diaphragm	3
14	Foam	3
17	Suppository, insert	3
19	IUD, coil, or loop	344
20	Emergency contraception	4
21	Other method -- specify	7
22	Respondent was sterile	11
23	Respondent's partner was sterile	2
25	Contraceptive patch	19
26	Vaginal contraceptive ring	73
98	Refused	2
99	Don't know	3
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year - 3] (cmfirsm <= cmmhcalx22)

METHX86(2353-2354)

Variable Type : raw

ED-6 : Method(s) used in Oct [interview yr-2]-2nd mention

value	label	Total
.	INAPPLICABLE	5217
3	Birth control pills	12
4	Condom	174
5	Partner's vasectomy	13
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	30
7	Withdrawal, pulling out	148
8	Depo-Provera, injectables	12
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	4
10	Calendar rhythm, Standard Days, or Cycle Beads method	49
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	5
12	Diaphragm	2
15	Jelly or cream	3
19	IUD, coil, or loop	14
20	Emergency contraception	6
25	Contraceptive patch	2
26	Vaginal contraceptive ring	8
	Total	5699

Universe : Applicable if R used at least 2 methods in Oct [interview yr - 2] (see METHX85)

METHX87(2355-2356)

Variable Type : raw

ED-6 : Method(s) used in Oct [interview yr-2] - 3rd mention

value	label	Total
--------------	--------------	--------------

.	INAPPLICABLE	5648
3	Birth control pills	2
4	Condom	3
5	Partner's vasectomy	2
7	Withdrawal, pulling out	16
8	Depo-Provera, injectables	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	14
17	Suppository, insert	1
19	IUD, coil, or loop	3
20	Emergency contraception	5
25	Contraceptive patch	2
26	Vaginal contraceptive ring	1
	Total	5699

Universe : Applicable if R used at least 3 methods in Oct [interview yr - 2] (see METHX85)

METHX88(2357-2358)

Variable Type : raw

ED-6 : Method(s) used in Oct [interview yr-2]-4th mention

value	label	Total
.	INAPPLICABLE	5692
7	Withdrawal, pulling out	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
17	Suppository, insert	1
20	Emergency contraception	2
	Total	5699

Universe : Applicable if R used at least 4 methods in Oct [interview yr - 2] (see METHX85)

METHX89(2359-2360)

Variable Type : raw

ED-6 : Method(s) used in Nov [interview yr-2] - 1st mention

value	label	Total
.	INAPPLICABLE	971
1	No method used	1461
3	Birth control pills	862
4	Condom	653
5	Partner's vasectomy	150
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	599
7	Withdrawal, pulling out	265
8	Depo-Provera, injectables	176
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	56
10	Calendar rhythm, Standard Days, or Cycle Beads method	32
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
12	Diaphragm	3
13	Female condom, vaginal pouch	1
14	Foam	2
17	Suppository, insert	3
19	IUD, coil, or loop	347
20	Emergency contraception	3
21	Other method -- specify	7
22	Respondent was sterile	8
23	Respondent's partner was sterile	3
25	Contraceptive patch	19
26	Vaginal contraceptive ring	72

98	Refused	2
99	Don't know	3
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year - 3] (cmfirms <= cmmhcalx23)

METHX90(2361-2362)

Variable Type : raw

ED-6 : Method(s) used in Nov [interview yr-2]-2nd mention

value	label	Total
.	INAPPLICABLE	5221
3	Birth control pills	13
4	Condom	164
5	Partner's vasectomy	14
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	29
7	Withdrawal, pulling out	157
8	Depo-Provera, injectables	10
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	3
10	Calendar rhythm, Standard Days, or Cycle Beads method	53
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	5
12	Diaphragm	1
15	Jelly or cream	2
19	IUD, coil, or loop	11
20	Emergency contraception	7
26	Vaginal contraceptive ring	9
Total		5699

Universe : Applicable if R used at least 2 methods in Nov [interview yr - 2] (see METHX89)

METHX91(2363-2364)

Variable Type : raw

ED-6 : Method(s) used in Nov [interview yr-2] - 3rd mention

value	label	Total
.	INAPPLICABLE	5655
3	Birth control pills	1
4	Condom	3
5	Partner's vasectomy	1
7	Withdrawal, pulling out	19
8	Depo-Provera, injectables	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	9
17	Suppository, insert	1
19	IUD, coil, or loop	3
20	Emergency contraception	3
25	Contraceptive patch	2
Total		5699

Universe : Applicable if R used at least 3 methods in Nov [interview yr - 2] (see METHX89)

METHX92(2365-2366)

Variable Type : raw

ED-6 : Method(s) used in Nov [interview yr-2]-4th mention

value	label	Total
.	INAPPLICABLE	5692

7	Withdrawal, pulling out	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
17	Suppository, insert	1
20	Emergency contraception	2
26	Vaginal contraceptive ring	1
	Total	5699

Universe : Applicable if R used at least 4 methods in Nov [interview yr - 2] (see METHX89)

METHX93(2367-2368)

Variable Type : raw

ED-6 : Method(s) used in Dec [interview yr-2] - 1st mention

value	label	Total
.	INAPPLICABLE	957
1	No method used	1446
3	Birth control pills	859
4	Condom	679
5	Partner's vasectomy	150
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	597
7	Withdrawal, pulling out	275
8	Depo-Provera, injectables	174
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	59
10	Calendar rhythm, Standard Days, or Cycle Beads method	33
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
12	Diaphragm	2
13	Female condom, vaginal pouch	1
14	Foam	3
17	Suppository, insert	3
19	IUD, coil, or loop	347
20	Emergency contraception	3
21	Other method -- specify	8
22	Respondent was sterile	7
23	Respondent's partner was sterile	2
25	Contraceptive patch	18
26	Vaginal contraceptive ring	69
98	Refused	2
99	Don't know	2
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year - 3] (cmfirm <= cmmhcalx24)

METHX94(2369-2370)

Variable Type : raw

ED-6 : Method(s) used in Dec [interview yr-2]-2nd mention

value	label	Total
.	INAPPLICABLE	5217
3	Birth control pills	15
4	Condom	170
5	Partner's vasectomy	12
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	32
7	Withdrawal, pulling out	151
8	Depo-Provera, injectables	11
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	3
10	Calendar rhythm, Standard Days, or Cycle Beads method	52

11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	5
12	Diaphragm	1
15	Jelly or cream	1
19	IUD, coil, or loop	12
20	Emergency contraception	10
26	Vaginal contraceptive ring	7
	Total	5699

Universe : Applicable if R used at least 2 methods in Dec [interview yr - 2] (see METHX45)

METHX95(2371-2372)

Variable Type : raw

ED-6 : Method(s) used in Dec [interview yr-2] - 3rd mention

value	label	Total
.	INAPPLICABLE	5654
3	Birth control pills	1
4	Condom	3
5	Partner's vasectomy	2
7	Withdrawal, pulling out	19
8	Depo-Provera, injectables	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	10
17	Suppository, insert	1
19	IUD, coil, or loop	3
20	Emergency contraception	3
25	Contraceptive patch	1
	Total	5699

Universe : Applicable if R used at least 3 methods in Dec [interview yr - 2] (see METHX45)

METHX96(2373-2374)

Variable Type : raw

ED-6 : Method(s) used in Dec [interview yr-2]-4th mention

value	label	Total
.	INAPPLICABLE	5694
7	Withdrawal, pulling out	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
17	Suppository, insert	1
20	Emergency contraception	1
	Total	5699

Universe : Applicable if R used at least 4 methods in Dec [interview yr - 2] (see METHX45)

METHX97(2375-2376)

Variable Type : raw

ED-6 : Method(s) used in Jan [interview yr-1]-1st mention

value	label	Total
.	INAPPLICABLE	943
1	No method used	1446
3	Birth control pills	855
4	Condom	670
5	Partner's vasectomy	148
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	617
7	Withdrawal, pulling out	274

8	Depo-Provera, injectables	173
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	65
10	Calendar rhythm, Standard Days, or Cycle Beads method	32
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
12	Diaphragm	3
14	Foam	2
17	Suppository, insert	3
19	IUD, coil, or loop	354
20	Emergency contraception	5
21	Other method -- specify	5
22	Respondent was sterile	3
23	Respondent's partner was sterile	2
25	Contraceptive patch	18
26	Vaginal contraceptive ring	76
98	Refused	2
99	Don't know	1
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year - 1] (cmfirm <= cmmhcalx25)

METHX98(2377-2378)

Variable Type : raw

ED-6 : Method(s) used in Jan [interview yr-1]-2nd mention

value	label	Total
.	INAPPLICABLE	5197
3	Birth control pills	11
4	Condom	171
5	Partner's vasectomy	13
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	28
7	Withdrawal, pulling out	169
8	Depo-Provera, injectables	16
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	3
10	Calendar rhythm, Standard Days, or Cycle Beads method	53
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	5
12	Diaphragm	2
15	Jelly or cream	3
19	IUD, coil, or loop	14
20	Emergency contraception	8
26	Vaginal contraceptive ring	6
	Total	5699

Universe : Applicable if R used at least 2 methods in January [interview yr - 1] (see METHX97)

METHX99(2379-2380)

Variable Type : raw

ED-6 : Method(s) used in Jan [interview yr-1]-3rd mention

value	label	Total
.	INAPPLICABLE	5646
3	Birth control pills	1
4	Condom	2
5	Partner's vasectomy	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	2
7	Withdrawal, pulling out	23
8	Depo-Provera, injectables	2

10	Calendar rhythm, Standard Days, or Cycle Beads method	12
13	Female condom, vaginal pouch	1
15	Jelly or cream	1
19	IUD, coil, or loop	3
20	Emergency contraception	4
26	Vaginal contraceptive ring	1
	Total	5699

Universe : Applicable if R used at least 3 methods in January [interview yr - 1] (see METHX97)

METHX100(2381-2382)

Variable Type : raw

ED-6 : Method(s) used in Jan [interview yr-1]-4th mention

value	label	Total
.	INAPPLICABLE	5693
7	Withdrawal, pulling out	1
8	Depo-Provera, injectables	1
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
13	Female condom, vaginal pouch	1
17	Suppository, insert	1
20	Emergency contraception	1
	Total	5699

Universe : Applicable if R used at least 4 methods in January [interview yr - 1] (see METHX97)

METHX101(2383-2384)

Variable Type : raw

ED-6 : Method(s) used in Feb [interview yr-1] - 1st mention

value	label	Total
.	INAPPLICABLE	929
1	No method used	1444
3	Birth control pills	861
4	Condom	669
5	Partner's vasectomy	147
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	621
7	Withdrawal, pulling out	277
8	Depo-Provera, injectables	172
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	69
10	Calendar rhythm, Standard Days, or Cycle Beads method	33
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
12	Diaphragm	3
13	Female condom, vaginal pouch	1
14	Foam	3
17	Suppository, insert	3
19	IUD, coil, or loop	349
20	Emergency contraception	4
21	Other method -- specify	8
22	Respondent was sterile	5
23	Respondent's partner was sterile	2
25	Contraceptive patch	18
26	Vaginal contraceptive ring	76
55	EMPTY (IF JAN)/Same method used thru end of year	1
98	Refused	2
99	Don't know	1
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year - 1] (cmfirm <= cmmhcalx26)

METHX102(2385-2386)

Variable Type : raw

ED-6 : Method(s) used in Feb [interview yr-1]-2nd mention

value	label	Total
.	INAPPLICABLE	5193
3	Birth control pills	8
4	Condom	178
5	Partner's vasectomy	12
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	29
7	Withdrawal, pulling out	174
8	Depo-Provera, injectables	13
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	4
10	Calendar rhythm, Standard Days, or Cycle Beads method	52
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	5
12	Diaphragm	2
15	Jelly or cream	3
19	IUD, coil, or loop	12
20	Emergency contraception	8
26	Vaginal contraceptive ring	6
	Total	5699

Universe : Applicable if R used at least 2 methods in February [interview yr - 1] (see METHX101)

METHX103(2387-2388)

Variable Type : raw

ED-6 : Method(s) used in Feb [interview yr-1] - 3rd mention

value	label	Total
.	INAPPLICABLE	5639
3	Birth control pills	2
4	Condom	4
5	Partner's vasectomy	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	2
7	Withdrawal, pulling out	24
8	Depo-Provera, injectables	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	15
13	Female condom, vaginal pouch	1
15	Jelly or cream	1
19	IUD, coil, or loop	3
20	Emergency contraception	4
26	Vaginal contraceptive ring	1
	Total	5699

Universe : Applicable if R used at least 3 methods in February [interview yr - 1] (see METHX101)

METHX104(2389-2390)

Variable Type : raw

ED-6 : Method(s) used in Feb [interview yr-1]-4th mention

value	label	Total
.	INAPPLICABLE	5692
7	Withdrawal, pulling out	1
8	Depo-Provera, injectables	1

11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
13	Female condom, vaginal pouch	1
17	Suppository, insert	1
20	Emergency contraception	2
	Total	5699

Universe : Applicable if R used at least 4 methods in February [interview yr - 1] (see METHX101)

METHX105(2391-2392)

Variable Type : raw

ED-6 : Method(s) used in March [interview yr-1] - 1st mention

value	label	Total
.	INAPPLICABLE	922
1	No method used	1483
3	Birth control pills	853
4	Condom	652
5	Partner's vasectomy	150
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	618
7	Withdrawal, pulling out	272
8	Depo-Provera, injectables	177
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	71
10	Calendar rhythm, Standard Days, or Cycle Beads method	32
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
12	Diaphragm	4
14	Foam	4
17	Suppository, insert	2
18	Today sponge	1
19	IUD, coil, or loop	352
20	Emergency contraception	3
21	Other method -- specify	7
22	Respondent was sterile	7
23	Respondent's partner was sterile	2
25	Contraceptive patch	16
26	Vaginal contraceptive ring	66
98	Refused	2
99	Don't know	1
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year - 1] (cmfirsm <= cmmhcalx27)

METHX106(2393-2394)

Variable Type : raw

ED-6 : Method(s) used in March [interview yr-1]-2nd mention

value	label	Total
.	INAPPLICABLE	5213
3	Birth control pills	7
4	Condom	162
5	Partner's vasectomy	15
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	32
7	Withdrawal, pulling out	175
8	Depo-Provera, injectables	11
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	3
10	Calendar rhythm, Standard Days, or Cycle Beads method	49
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
12	Diaphragm	1

13	Female condom, vaginal pouch	1
15	Jelly or cream	3
19	IUD, coil, or loop	13
20	Emergency contraception	2
25	Contraceptive patch	1
26	Vaginal contraceptive ring	7
	Total	5699

Universe : Applicable if R used at least 2 methods in March [interview yr - 1] (see METHX105)

METHX107(2395-2396)

Variable Type : raw

ED-6 : Method(s) used in March [interview yr-1] - 3rd mention

value	label	Total
.	INAPPLICABLE	5646
3	Birth control pills	2
4	Condom	2
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	25
8	Depo-Provera, injectables	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	15
13	Female condom, vaginal pouch	1
15	Jelly or cream	1
19	IUD, coil, or loop	3
20	Emergency contraception	1
	Total	5699

Universe : Applicable if R used at least 3 methods in March [interview yr - 1] (see METHX105)

METHX108(2397-2398)

Variable Type : raw

ED-6 : Method(s) used in March [interview yr-1]-4th mention

value	label	Total
.	INAPPLICABLE	5691
7	Withdrawal, pulling out	1
8	Depo-Provera, injectables	1
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
13	Female condom, vaginal pouch	1
17	Suppository, insert	1
20	Emergency contraception	2
25	Contraceptive patch	1
	Total	5699

Universe : Applicable if R used at least 4 methods in March [interview yr - 1] (see METHX105)

METHX109(2399-2400)

Variable Type : raw

ED-6 : Method(s) used in April [interview yr-1] - 1st mention

value	label	Total
.	INAPPLICABLE	911
1	No method used	1470
3	Birth control pills	839
4	Condom	659
5	Partner's vasectomy	150

6	Female sterilizing operation, such as tubal sterilization and hysterectomy	624
7	Withdrawal, pulling out	294
8	Depo-Provera, injectables	169
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	71
10	Calendar rhythm, Standard Days, or Cycle Beads method	35
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
12	Diaphragm	3
14	Foam	3
17	Suppository, insert	2
18	Today sponge	1
19	IUD, coil, or loop	349
20	Emergency contraception	7
21	Other method -- specify	8
22	Respondent was sterile	14
23	Respondent's partner was sterile	3
25	Contraceptive patch	17
26	Vaginal contraceptive ring	65
98	Refused	2
99	Don't know	1
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year - 2] (cmfirm <= cmmhcalx28)

METHX110(2401-2402)

Variable Type : raw

ED-6 : Method(s) used in April [interview yr-1]-2nd mention

value	label	Total
.	INAPPLICABLE	5197
3	Birth control pills	10
4	Condom	167
5	Partner's vasectomy	12
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	34
7	Withdrawal, pulling out	177
8	Depo-Provera, injectables	14
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	3
10	Calendar rhythm, Standard Days, or Cycle Beads method	50
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
12	Diaphragm	2
13	Female condom, vaginal pouch	1
15	Jelly or cream	4
19	IUD, coil, or loop	12
20	Emergency contraception	7
26	Vaginal contraceptive ring	5
	Total	5699

Universe : Applicable if R used at least 2 methods in April [interview yr - 1] (see METHX109)

METHX111(2403-2404)

Variable Type : raw

ED-6 : Method(s) used in April [interview yr-1] - 3rd mention

value	label	Total
.	INAPPLICABLE	5643
3	Birth control pills	1
4	Condom	2
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1

7	Withdrawal, pulling out	21
8	Depo-Provera, injectables	4
10	Calendar rhythm, Standard Days, or Cycle Beads method	14
13	Female condom, vaginal pouch	1
15	Jelly or cream	1
19	IUD, coil, or loop	3
20	Emergency contraception	7
26	Vaginal contraceptive ring	1
	Total	5699

Universe : Applicable if R used at least 3 methods in April [interview yr - 1] (see METHX109)

METHX112(2405-2406)

Variable Type : raw

ED-6 : Method(s) used in April [interview yr-1]-4th mention

value	label	Total
.	INAPPLICABLE	5693
7	Withdrawal, pulling out	1
8	Depo-Provera, injectables	1
13	Female condom, vaginal pouch	1
17	Suppository, insert	1
19	IUD, coil, or loop	1
20	Emergency contraception	1
	Total	5699

Universe : Applicable if R used at least 4 methods in April [interview yr - 1] (see METHX109)

METHX113(2407-2408)

Variable Type : raw

ED-6 : Method(s) used in May [interview yr-1] - 1st mention

value	label	Total
.	INAPPLICABLE	898
1	No method used	1465
3	Birth control pills	841
4	Condom	671
5	Partner's vasectomy	149
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	628
7	Withdrawal, pulling out	293
8	Depo-Provera, injectables	169
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	73
10	Calendar rhythm, Standard Days, or Cycle Beads method	31
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
12	Diaphragm	4
14	Foam	3
17	Suppository, insert	3
18	Today sponge	1
19	IUD, coil, or loop	348
20	Emergency contraception	7
21	Other method -- specify	7
22	Respondent was sterile	17
23	Respondent's partner was sterile	3
25	Contraceptive patch	16
26	Vaginal contraceptive ring	66
98	Refused	2
99	Don't know	1
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year - 1] (cmfirm <= cmmhcalx29)

METHX114(2409-2410)

Variable Type : raw

ED-6 : Method(s) used in May [interview yr-1]-2nd mention

value	label	Total
.	INAPPLICABLE	5173
3	Birth control pills	10
4	Condom	176
5	Partner's vasectomy	13
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	37
7	Withdrawal, pulling out	181
8	Depo-Provera, injectables	15
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	3
10	Calendar rhythm, Standard Days, or Cycle Beads method	50
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
12	Diaphragm	1
13	Female condom, vaginal pouch	1
15	Jelly or cream	4
19	IUD, coil, or loop	14
20	Emergency contraception	8
21	Other method -- specify	1
26	Vaginal contraceptive ring	8
	Total	5699

Universe : Applicable if R used at least 2 methods in May [interview yr - 1] (see METHX113)

METHX115(2411-2412)

Variable Type : raw

ED-6 : Method(s) used in May [interview yr-1] - 3rd mention

value	label	Total
.	INAPPLICABLE	5644
3	Birth control pills	1
4	Condom	2
5	Partner's vasectomy	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	22
8	Depo-Provera, injectables	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	14
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
13	Female condom, vaginal pouch	1
15	Jelly or cream	1
19	IUD, coil, or loop	5
20	Emergency contraception	3
26	Vaginal contraceptive ring	1
	Total	5699

Universe : Applicable if R used at least 3 methods in May [interview yr - 1] (see METHX113)

METHX116(2413-2414)

Variable Type : raw

ED-6 : Method(s) used in May [interview yr-1]-4th mention

value	label	Total
-------	-------	-------

.	INAPPLICABLE	5692
7	Withdrawal, pulling out	1
8	Depo-Provera, injectables	1
13	Female condom, vaginal pouch	1
17	Suppository, insert	1
20	Emergency contraception	3
	Total	5699

Universe : Applicable if R used at least 4 methods in May [interview yr - 1] (see METHX113)

METHX117(2415-2416)

Variable Type : raw

ED-6 : Method(s) used in June [interview yr-1] - 1st mention

value	label	Total
.	INAPPLICABLE	874
1	No method used	1459
3	Birth control pills	829
4	Condom	686
5	Partner's vasectomy	152
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	637
7	Withdrawal, pulling out	308
8	Depo-Provera, injectables	162
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	69
10	Calendar rhythm, Standard Days, or Cycle Beads method	37
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
12	Diaphragm	3
14	Foam	4
17	Suppository, insert	3
19	IUD, coil, or loop	344
20	Emergency contraception	7
21	Other method -- specify	8
22	Respondent was sterile	22
23	Respondent's partner was sterile	3
25	Contraceptive patch	17
26	Vaginal contraceptive ring	70
98	Refused	2
99	Don't know	1
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview year - 1] (cmfirm <= cmmhcalx30)

METHX118(2417-2418)

Variable Type : raw

ED-6 : Method(s) used in June [interview yr-1]-2nd mention

value	label	Total
.	INAPPLICABLE	5165
3	Birth control pills	5
4	Condom	178
5	Partner's vasectomy	14
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	38
7	Withdrawal, pulling out	186
8	Depo-Provera, injectables	14
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	5
10	Calendar rhythm, Standard Days, or Cycle Beads method	52
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	6

12	Diaphragm	1
15	Jelly or cream	4
19	IUD, coil, or loop	16
20	Emergency contraception	8
26	Vaginal contraceptive ring	7
	Total	5699

Universe : Applicable if R used at least 2 methods in June [interview yr - 1] (see METHX117)

METHX119(2419-2420)

Variable Type : raw

ED-6 : Method(s) used in June [interview yr-1] - 3rd mention

value	label	Total
.	INAPPLICABLE	5646
3	Birth control pills	1
4	Condom	1
5	Partner's vasectomy	3
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	22
8	Depo-Provera, injectables	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	10
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
13	Female condom, vaginal pouch	1
15	Jelly or cream	1
19	IUD, coil, or loop	5
20	Emergency contraception	5
26	Vaginal contraceptive ring	1
	Total	5699

Universe : Applicable if R used at least 3 methods in June [interview yr - 1] (see METHX117)

METHX120(2421-2422)

Variable Type : raw

ED-6 : Method(s) used in June [interview yr-1]-4th mention

value	label	Total
.	INAPPLICABLE	5694
7	Withdrawal, pulling out	1
8	Depo-Provera, injectables	1
17	Suppository, insert	1
20	Emergency contraception	2
	Total	5699

Universe : Applicable if R used at least 4 methods in June [interview yr - 1] (see METHX117)

METHX121(2423-2424)

Variable Type : raw

ED-6 : Method(s) used in July [interview yr-1] - 1st mention

value	label	Total
.	INAPPLICABLE	859
1	No method used	1438
3	Birth control pills	833
4	Condom	695
5	Partner's vasectomy	155
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	641

7	Withdrawal, pulling out	311
8	Depo-Provera, injectables	159
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	74
10	Calendar rhythm, Standard Days, or Cycle Beads method	40
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
12	Diaphragm	3
14	Foam	4
17	Suppository, insert	3
18	Today sponge	1
19	IUD, coil, or loop	352
20	Emergency contraception	3
21	Other method -- specify	8
22	Respondent was sterile	21
23	Respondent's partner was sterile	3
25	Contraceptive patch	16
26	Vaginal contraceptive ring	74
98	Refused	2
99	Don't know	1
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 1] (cmfirm <= cmmhcalx31)

METHX122(2425-2426)

Variable Type : raw

ED-6 : Method(s) used in July [interview yr-1]-2nd mention

value	label	Total
.	INAPPLICABLE	5161
3	Birth control pills	8
4	Condom	186
5	Partner's vasectomy	14
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	36
7	Withdrawal, pulling out	184
8	Depo-Provera, injectables	12
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	3
10	Calendar rhythm, Standard Days, or Cycle Beads method	49
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	7
12	Diaphragm	1
15	Jelly or cream	5
19	IUD, coil, or loop	18
20	Emergency contraception	6
21	Other method -- specify	1
25	Contraceptive patch	1
26	Vaginal contraceptive ring	7
	Total	5699

Universe : Applicable if R used at least 2 methods in July [interview yr - 1] (see METHX121)

METHX123(2427-2428)

Variable Type : raw

ED-6 : Method(s) used in July [interview yr-1] - 3rd mention

value	label	Total
.	INAPPLICABLE	5641
3	Birth control pills	1
4	Condom	6
5	Partner's vasectomy	2

6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	25
8	Depo-Provera, injectables	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	11
13	Female condom, vaginal pouch	1
15	Jelly or cream	1
19	IUD, coil, or loop	5
20	Emergency contraception	3
26	Vaginal contraceptive ring	1
	Total	5699

Universe : Applicable if R used at least 3 methods in July [interview yr - 1] (see METHX121)

METHX124(2429-2430)

Variable Type : raw

ED-6 : Method(s) used in July [interview yr-1]-4th mention

value	label	Total
.	INAPPLICABLE	5694
7	Withdrawal, pulling out	1
8	Depo-Provera, injectables	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
17	Suppository, insert	1
20	Emergency contraception	1
	Total	5699

Universe : Applicable if R used at least 4 methods in July [interview yr - 1] (see METHX121)

METHX125(2431-2432)

Variable Type : raw

ED-6 : Method(s) used in Aug [interview yr-1] - 1st mention

value	label	Total
.	INAPPLICABLE	844
1	No method used	1422
3	Birth control pills	836
4	Condom	688
5	Partner's vasectomy	155
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	649
7	Withdrawal, pulling out	324
8	Depo-Provera, injectables	166
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	79
10	Calendar rhythm, Standard Days, or Cycle Beads method	36
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
12	Diaphragm	3
13	Female condom, vaginal pouch	1
14	Foam	3
15	Jelly or cream	1
17	Suppository, insert	3
18	Today sponge	1
19	IUD, coil, or loop	360
20	Emergency contraception	2
21	Other method -- specify	9
22	Respondent was sterile	21
23	Respondent's partner was sterile	3
25	Contraceptive patch	15
26	Vaginal contraceptive ring	73
98	Refused	2

99 Don't know 1
Total 5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year - 1] (cmfirm <= cmmhcalx32)

METHX126(2433-2434)

Variable Type : raw

ED-6 : Method(s) used in Aug [interview yr-1]-2nd mention

value	label	Total
.	INAPPLICABLE	5156
3	Birth control pills	9
4	Condom	197
5	Partner's vasectomy	13
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	34
7	Withdrawal, pulling out	178
8	Depo-Provera, injectables	11
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	3
10	Calendar rhythm, Standard Days, or Cycle Beads method	52
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	7
12	Diaphragm	1
15	Jelly or cream	5
19	IUD, coil, or loop	16
20	Emergency contraception	11
25	Contraceptive patch	1
26	Vaginal contraceptive ring	5
	Total	5699

Universe : Applicable if R used at least 2 methods in Aug [interview yr - 1] (see METHX125)

METHX127(2435-2436)

Variable Type : raw

ED-6 : Method(s) used in Aug [interview yr-1] - 3rd mention

value	label	Total
.	INAPPLICABLE	5637
3	Birth control pills	1
4	Condom	3
5	Partner's vasectomy	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	28
8	Depo-Provera, injectables	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	11
12	Diaphragm	1
13	Female condom, vaginal pouch	1
14	Foam	1
15	Jelly or cream	1
19	IUD, coil, or loop	4
20	Emergency contraception	7
26	Vaginal contraceptive ring	1
	Total	5699

Universe : Applicable if R used at least 3 methods in Aug [interview yr - 1] (see METHX125)

METHX128(2437-2438)

Variable Type : raw

ED-6 : Method(s) used in Aug [interview yr-1]-4th mention

value	label	Total
.	INAPPLICABLE	5694
7	Withdrawal, pulling out	1
8	Depo-Provera, injectables	1
15	Jelly or cream	1
17	Suppository, insert	1
20	Emergency contraception	1
	Total	5699

Universe : Applicable if R used at least 4 methods in Aug [interview yr - 1] (see METHX125)

METHX129(2439-2440)

Variable Type : raw

ED-6 : Method(s) used in Sept [interview yr-1] - 1st mention

value	label	Total
.	INAPPLICABLE	836
1	No method used	1433
3	Birth control pills	837
4	Condom	677
5	Partner's vasectomy	157
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	651
7	Withdrawal, pulling out	311
8	Depo-Provera, injectables	167
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	82
10	Calendar rhythm, Standard Days, or Cycle Beads method	39
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
12	Diaphragm	2
14	Foam	3
15	Jelly or cream	1
17	Suppository, insert	3
18	Today sponge	1
19	IUD, coil, or loop	366
20	Emergency contraception	8
21	Other method -- specify	9
22	Respondent was sterile	17
23	Respondent's partner was sterile	4
25	Contraceptive patch	15
26	Vaginal contraceptive ring	75
98	Refused	2
99	Don't know	1
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year - 1] (cmfirm <= cmmhcalx33)

METHX130(2441-2442)

Variable Type : raw

ED-6 : Method(s) used in Sept [interview yr-1]-2nd mention

value	label	Total
.	INAPPLICABLE	5156
3	Birth control pills	9
4	Condom	190
5	Partner's vasectomy	17
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	35

7	Withdrawal, pulling out	182
8	Depo-Provera, injectables	11
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	4
10	Calendar rhythm, Standard Days, or Cycle Beads method	48
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	7
12	Diaphragm	1
14	Foam	1
15	Jelly or cream	5
19	IUD, coil, or loop	15
20	Emergency contraception	9
25	Contraceptive patch	1
26	Vaginal contraceptive ring	8
	Total	5699

Universe : Applicable if R used at least 2 methods in Sept [interview yr - 1] (see METHX129)

METHX131(2443-2444)

Variable Type : raw

ED-6 : Method(s) used in Sept [interview yr-1] - 3rd mention

value	label	Total
.	INAPPLICABLE	5637
3	Birth control pills	2
4	Condom	3
5	Partner's vasectomy	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	29
8	Depo-Provera, injectables	2
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	12
13	Female condom, vaginal pouch	2
15	Jelly or cream	1
19	IUD, coil, or loop	4
20	Emergency contraception	4
	Total	5699

Universe : Applicable if R used at least 3 methods in Sept [interview yr - 1] (see METHX129)

METHX132(2445-2446)

Variable Type : raw

ED-6 : Method(s) used in Sept [interview yr-1]-4th mention

value	label	Total
.	INAPPLICABLE	5693
7	Withdrawal, pulling out	1
8	Depo-Provera, injectables	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
17	Suppository, insert	1
20	Emergency contraception	2
	Total	5699

Universe : Applicable if R used at least 4 methods in Sept [interview yr - 1] (see METHX129)

METHX133(2447-2448)

Variable Type : raw

ED-6 : Method(s) used in Oct [interview yr-1] - 1st mention

value	label	Total
.	INAPPLICABLE	817
1	No method used	1414
3	Birth control pills	846
4	Condom	694
5	Partner's vasectomy	159
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	657
7	Withdrawal, pulling out	323
8	Depo-Provera, injectables	169
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	82
10	Calendar rhythm, Standard Days, or Cycle Beads method	37
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
12	Diaphragm	2
14	Foam	4
17	Suppository, insert	3
18	Today sponge	1
19	IUD, coil, or loop	368
20	Emergency contraception	4
21	Other method -- specify	9
22	Respondent was sterile	15
23	Respondent's partner was sterile	3
25	Contraceptive patch	14
26	Vaginal contraceptive ring	72
98	Refused	2
99	Don't know	1
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year - 3] (cmfirsm <= cmmhcalx34)

METHX134(2449-2450)

Variable Type : raw

ED-6 : Method(s) used in Oct [interview yr-1]-2nd mention

value	label	Total
.	INAPPLICABLE	5154
3	Birth control pills	15
4	Condom	186
5	Partner's vasectomy	15
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	32
7	Withdrawal, pulling out	186
8	Depo-Provera, injectables	16
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	4
10	Calendar rhythm, Standard Days, or Cycle Beads method	45
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	7
12	Diaphragm	1
15	Jelly or cream	6
19	IUD, coil, or loop	16
20	Emergency contraception	6
25	Contraceptive patch	1
26	Vaginal contraceptive ring	9
	Total	5699

Universe : Applicable if R used at least 2 methods in Oct [interview yr - 1] (see METHX85)

METHX135(2451-2452)

Variable Type : raw

ED-6 : Method(s) used in Oct [interview yr-1] - 3rd mention

value	label	Total
.	INAPPLICABLE	5631
3	Birth control pills	2
4	Condom	3
5	Partner's vasectomy	2
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	28
8	Depo-Provera, injectables	2
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	12
13	Female condom, vaginal pouch	1
15	Jelly or cream	1
19	IUD, coil, or loop	5
20	Emergency contraception	9
26	Vaginal contraceptive ring	1
	Total	5699

Universe : Applicable if R used at least 3 methods in Oct [interview yr - 1] (see METHX85)

METHX136(2453-2454)

Variable Type : raw

ED-6 : Method(s) used in Oct [interview yr-1]-4th mention

value	label	Total
.	INAPPLICABLE	5693
7	Withdrawal, pulling out	1
8	Depo-Provera, injectables	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
17	Suppository, insert	1
20	Emergency contraception	2
	Total	5699

Universe : Applicable if R used at least 4 methods in Oct [interview yr - 1] (see METHX85)

METHX137(2455-2456)

Variable Type : raw

ED-6 : Method(s) used in Nov [interview yr-1] - 1st mention

value	label	Total
.	INAPPLICABLE	806
1	No method used	1437
3	Birth control pills	847
4	Condom	701
5	Partner's vasectomy	160
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	662
7	Withdrawal, pulling out	297
8	Depo-Provera, injectables	169
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	83
10	Calendar rhythm, Standard Days, or Cycle Beads method	36
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
12	Diaphragm	2
14	Foam	3
17	Suppository, insert	4
18	Today sponge	1
19	IUD, coil, or loop	362
20	Emergency contraception	7

21	Other method -- specify	9
22	Respondent was sterile	15
23	Respondent's partner was sterile	3
25	Contraceptive patch	16
26	Vaginal contraceptive ring	72
98	Refused	2
99	Don't know	1
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year - 1] (cmfirm <= cmmhcalx35)

METHX138(2457-2458)

Variable Type : raw

ED-6 : Method(s) used in Nov [interview yr-1]-2nd mention

value	label	Total
.	INAPPLICABLE	5142
3	Birth control pills	11
4	Condom	187
5	Partner's vasectomy	20
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	34
7	Withdrawal, pulling out	187
8	Depo-Provera, injectables	14
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	4
10	Calendar rhythm, Standard Days, or Cycle Beads method	44
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	6
12	Diaphragm	1
14	Foam	1
15	Jelly or cream	5
18	Today sponge	1
19	IUD, coil, or loop	21
20	Emergency contraception	12
21	Other method -- specify	1
25	Contraceptive patch	1
26	Vaginal contraceptive ring	7
	Total	5699

Universe : Applicable if R used at least 2 methods in Nov [interview yr - 1] (see METHX137)

METHX139(2459-2460)

Variable Type : raw

ED-6 : Method(s) used in Nov [interview yr-1] - 3rd mention

value	label	Total
.	INAPPLICABLE	5646
3	Birth control pills	3
4	Condom	3
5	Partner's vasectomy	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	21
8	Depo-Provera, injectables	3
10	Calendar rhythm, Standard Days, or Cycle Beads method	11
13	Female condom, vaginal pouch	1
15	Jelly or cream	2
19	IUD, coil, or loop	5
20	Emergency contraception	2
	Total	5699

Universe : Applicable if R used at least 3 methods in Nov [interview yr - 1] (see METHX137)

METHX140(2461-2462)

Variable Type : raw

ED-6 : Method(s) used in Nov [interview yr-1]-4th mention

value	label	Total
.	INAPPLICABLE	5694
7	Withdrawal, pulling out	1
8	Depo-Provera, injectables	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
17	Suppository, insert	1
20	Emergency contraception	1
	Total	5699

Universe : Applicable if R used at least 4 methods in Nov [interview yr - 1] (see METHX137)

METHX141(2463-2464)

Variable Type : raw

ED-6 : Method(s) used in Dec [interview yr-1] - 1st mention

value	label	Total
.	INAPPLICABLE	794
1	No method used	1445
3	Birth control pills	848
4	Condom	708
5	Partner's vasectomy	162
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	664
7	Withdrawal, pulling out	301
8	Depo-Provera, injectables	159
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	82
10	Calendar rhythm, Standard Days, or Cycle Beads method	39
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
12	Diaphragm	2
13	Female condom, vaginal pouch	1
14	Foam	2
17	Suppository, insert	4
18	Today sponge	1
19	IUD, coil, or loop	367
20	Emergency contraception	6
21	Other method -- specify	9
22	Respondent was sterile	8
23	Respondent's partner was sterile	3
25	Contraceptive patch	16
26	Vaginal contraceptive ring	72
98	Refused	2
99	Don't know	1
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year - 1] (cmfirm <= cmmhcalx36)

METHX142(2465-2466)

Variable Type : raw

ED-6 : Method(s) used in Dec [interview yr-1]-2nd mention

value	label	Total
-------	-------	-------

.	INAPPLICABLE	5127
3	Birth control pills	12
4	Condom	192
5	Partner's vasectomy	20
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	39
7	Withdrawal, pulling out	193
8	Depo-Provera, injectables	13
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	4
10	Calendar rhythm, Standard Days, or Cycle Beads method	47
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	7
12	Diaphragm	1
14	Foam	1
15	Jelly or cream	3
19	IUD, coil, or loop	18
20	Emergency contraception	17
25	Contraceptive patch	1
26	Vaginal contraceptive ring	4
	Total	5699

Universe : Applicable if R used at least 2 methods in Dec [interview yr - 1] (see METHX142)

METHX143(2467-2468)

Variable Type : raw

ED-6 : Method(s) used in Dec [interview yr-1] - 3rd mention

value	label	Total
.	INAPPLICABLE	5636
3	Birth control pills	3
4	Condom	3
5	Partner's vasectomy	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	30
8	Depo-Provera, injectables	3
10	Calendar rhythm, Standard Days, or Cycle Beads method	11
13	Female condom, vaginal pouch	1
15	Jelly or cream	1
19	IUD, coil, or loop	6
20	Emergency contraception	1
26	Vaginal contraceptive ring	2
	Total	5699

Universe : Applicable if R used at least 3 methods in Dec [interview yr - 1] (see METHX142)

METHX144(2469-2470)

Variable Type : raw

ED-6 : Method(s) used in Dec [interview yr-1]-4th mention

value	label	Total
.	INAPPLICABLE	5694
7	Withdrawal, pulling out	1
8	Depo-Provera, injectables	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
17	Suppository, insert	1
20	Emergency contraception	1
	Total	5699

Universe : Applicable if R used at least 4 methods in Dec [interview yr - 1] (see METHX142)

METHX145(2471-2472)

Variable Type : raw

ED-6 : Method(s) used in Jan [interview yr] - 1st mention

value	label	Total
.	INAPPLICABLE	772
1	No method used	1494
3	Birth control pills	830
4	Condom	700
5	Partner's vasectomy	165
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	671
7	Withdrawal, pulling out	303
8	Depo-Provera, injectables	158
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	86
10	Calendar rhythm, Standard Days, or Cycle Beads method	32
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	5
12	Diaphragm	2
13	Female condom, vaginal pouch	1
14	Foam	3
17	Suppository, insert	3
18	Today sponge	1
19	IUD, coil, or loop	367
20	Emergency contraception	5
21	Other method -- specify	9
22	Respondent was sterile	4
23	Respondent's partner was sterile	2
25	Contraceptive patch	14
26	Vaginal contraceptive ring	70
98	Refused	2
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year] (cmfirms <= cmmhcalx37)

METHX146(2473-2474)

Variable Type : raw

ED-6 : Method(s) used in Jan [interview yr]-2nd mention

value	label	Total
.	INAPPLICABLE	5135
3	Birth control pills	11
4	Condom	175
5	Partner's vasectomy	18
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	44
7	Withdrawal, pulling out	193
8	Depo-Provera, injectables	15
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	5
10	Calendar rhythm, Standard Days, or Cycle Beads method	44
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	5
12	Diaphragm	1
14	Foam	1
15	Jelly or cream	3
19	IUD, coil, or loop	27
20	Emergency contraception	14
25	Contraceptive patch	2
26	Vaginal contraceptive ring	6
	Total	5699

Universe : Applicable if R used at least 2 methods in January [interview yr] (see METHX145)

METHX147(2475-2476)

Variable Type : raw

ED-6 : Method(s) used in Jan [interview yr]-3rd mention

value	label	Total
.	INAPPLICABLE	5633
3	Birth control pills	2
4	Condom	4
5	Partner's vasectomy	3
7	Withdrawal, pulling out	28
8	Depo-Provera, injectables	2
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	11
13	Female condom, vaginal pouch	1
15	Jelly or cream	3
19	IUD, coil, or loop	5
20	Emergency contraception	4
26	Vaginal contraceptive ring	2
	Total	5699

Universe : Applicable if R used at least 3 methods in January [interview yr] (see METHX145)

METHX148(2477-2478)

Variable Type : raw

ED-6 : Method(s) used in Jan [interview yr]-4th mention

value	label	Total
.	INAPPLICABLE	5693
7	Withdrawal, pulling out	1
8	Depo-Provera, injectables	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
17	Suppository, insert	1
20	Emergency contraception	2
	Total	5699

Universe : Applicable if R used at least 4 methods in January [interview yr] (see METHX145)

METHX149(2479-2480)

Variable Type : raw

ED-6 : Method(s) used in Feb [interview yr] - 1st mention

value	label	Total
.	INAPPLICABLE	1150
1	No method used	1382
3	Birth control pills	781
4	Condom	620
5	Partner's vasectomy	152
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	625
7	Withdrawal, pulling out	289
8	Depo-Provera, injectables	143
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	81
10	Calendar rhythm, Standard Days, or Cycle Beads method	29
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
12	Diaphragm	3
13	Female condom, vaginal pouch	1

14	Foam	2
17	Suppository, insert	3
18	Today sponge	1
19	IUD, coil, or loop	349
20	Emergency contraception	3
21	Other method -- specify	7
22	Respondent was sterile	3
23	Respondent's partner was sterile	2
25	Contraceptive patch	9
26	Vaginal contraceptive ring	59
98	Refused	2
	Total	5699

Universe : Applicable if R ever used a method (everused=1) and date of first method use was on or before February [interview year] (cmfirm<=cmmhcalx38) and interview was on or after February [interview year] (cmintvw>=cmmhcalx38)

METHX150(2481-2482)

Variable Type : raw

ED-6 : Method(s) used in Feb [interview yr]-2nd mention

value	label	Total
.	INAPPLICABLE	5182
3	Birth control pills	11
4	Condom	164
5	Partner's vasectomy	17
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	38
7	Withdrawal, pulling out	176
8	Depo-Provera, injectables	18
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	3
10	Calendar rhythm, Standard Days, or Cycle Beads method	39
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	7
12	Diaphragm	1
14	Foam	2
15	Jelly or cream	4
19	IUD, coil, or loop	19
20	Emergency contraception	7
25	Contraceptive patch	2
26	Vaginal contraceptive ring	9
	Total	5699

Universe : Applicable if R used at least 2 methods in February [interview yr] (see METHX149)

METHX151(2483-2484)

Variable Type : raw

ED-6 : Method(s) used in Feb [interview yr] - 3rd mention

value	label	Total
.	INAPPLICABLE	5644
4	Condom	3
7	Withdrawal, pulling out	25
8	Depo-Provera, injectables	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	13
13	Female condom, vaginal pouch	1
15	Jelly or cream	3
19	IUD, coil, or loop	4
20	Emergency contraception	3
26	Vaginal contraceptive ring	1

Total**5699**

Universe : Applicable if R used at least 3 methods in February [interview yr] (see METHX149)

METHX152(2485-2486)

Variable Type : raw

ED-6 : Method(s) used in Feb [interview yr]-4th mention

value	label	Total
.	INAPPLICABLE	5690
4	Condom	2
7	Withdrawal, pulling out	1
8	Depo-Provera, injectables	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
13	Female condom, vaginal pouch	1
17	Suppository, insert	1
18	Today sponge	1
20	Emergency contraception	1
	Total	5699

Universe : Applicable if R used at least 4 methods in February [interview yr] (see METHX149)

METHX153(2487-2488)

Variable Type : raw

ED-6 : Method(s) used in March [interview yr] - 1st mention

value	label	Total
.	INAPPLICABLE	1563
1	No method used	1260
3	Birth control pills	716
4	Condom	556
5	Partner's vasectomy	140
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	542
7	Withdrawal, pulling out	263
8	Depo-Provera, injectables	143
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	77
10	Calendar rhythm, Standard Days, or Cycle Beads method	30
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
12	Diaphragm	3
14	Foam	2
17	Suppository, insert	3
18	Today sponge	1
19	IUD, coil, or loop	306
20	Emergency contraception	3
21	Other method -- specify	7
22	Respondent was sterile	5
23	Respondent's partner was sterile	1
25	Contraceptive patch	10
26	Vaginal contraceptive ring	62
98	Refused	2
	Total	5699

Universe : Applicable if R ever used a method (everused=1) and date of first method use was on or before March [interview year] (cmfirm<=cmmhcalx39) and interview was on or after March [interview year] (cmintvw>=cmmhcalx39)

METHX154(2489-2490)

Variable Type : raw

ED-6 : Method(s) used in March [interview yr]-2nd mention

value	label	Total
.	INAPPLICABLE	5225
3	Birth control pills	12
4	Condom	149
5	Partner's vasectomy	17
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	33
7	Withdrawal, pulling out	165
8	Depo-Provera, injectables	12
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	3
10	Calendar rhythm, Standard Days, or Cycle Beads method	38
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	6
13	Female condom, vaginal pouch	1
14	Foam	2
15	Jelly or cream	4
19	IUD, coil, or loop	17
20	Emergency contraception	7
25	Contraceptive patch	1
26	Vaginal contraceptive ring	7
	Total	5699

Universe : Applicable if R used at least 2 methods in March [interview yr] (see METHX153)

METHX155(2491-2492)

Variable Type : raw

ED-6 : Method(s) used in March [interview yr] - 3rd mention

value	label	Total
.	INAPPLICABLE	5644
4	Condom	4
7	Withdrawal, pulling out	21
8	Depo-Provera, injectables	4
10	Calendar rhythm, Standard Days, or Cycle Beads method	9
13	Female condom, vaginal pouch	1
15	Jelly or cream	3
19	IUD, coil, or loop	6
20	Emergency contraception	6
26	Vaginal contraceptive ring	1
	Total	5699

Universe : Applicable if R used at least 3 methods in March [interview yr] (see METHX153)

METHX156(2493-2494)

Variable Type : raw

ED-6 : Method(s) used in March [interview yr]-4th mention

value	label	Total
.	INAPPLICABLE	5693
4	Condom	1
7	Withdrawal, pulling out	1
8	Depo-Provera, injectables	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
13	Female condom, vaginal pouch	1
17	Suppository, insert	1
	Total	5699

Universe : Applicable if R used at least 4 methods in March [interview yr] (see METHX153)

METHX157(2495-2496)

Variable Type : raw

ED-6 : Method(s) used in April [interview yr] - 1st mention

value	label	Total
.	INAPPLICABLE	1943
1	No method used	1162
3	Birth control pills	659
4	Condom	476
5	Partner's vasectomy	135
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	509
7	Withdrawal, pulling out	220
8	Depo-Provera, injectables	127
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	73
10	Calendar rhythm, Standard Days, or Cycle Beads method	25
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
12	Diaphragm	1
14	Foam	2
15	Jelly or cream	1
17	Suppository, insert	1
19	IUD, coil, or loop	282
20	Emergency contraception	6
21	Other method -- specify	6
22	Respondent was sterile	6
23	Respondent's partner was sterile	1
25	Contraceptive patch	10
26	Vaginal contraceptive ring	49
98	Refused	2
	Total	5699

Universe : Applicable if R ever used a method (everused=1) and date of first method use was on or before April [interview year] (cmfirm<=cmmhcalx40) and interview was on or after April [interview year] (cmintvw>=cmmhcalx40)

METHX158(2497-2498)

Variable Type : raw

ED-6 : Method(s) used in April [interview yr]-2nd mention

value	label	Total
.	INAPPLICABLE	5268
3	Birth control pills	6
4	Condom	152
5	Partner's vasectomy	19
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	28
7	Withdrawal, pulling out	139
8	Depo-Provera, injectables	14
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	5
10	Calendar rhythm, Standard Days, or Cycle Beads method	33
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	6
13	Female condom, vaginal pouch	1
15	Jelly or cream	3
19	IUD, coil, or loop	13
20	Emergency contraception	6
25	Contraceptive patch	1
26	Vaginal contraceptive ring	5
	Total	5699

Universe : Applicable if R used at least 2 methods in April [interview yr] (see METHX157)

METHX159(2499-2500)

Variable Type : raw

ED-6 : Method(s) used in April [interview yr] - 3rd mention

value	label	Total
.	INAPPLICABLE	5653
4	Condom	3
7	Withdrawal, pulling out	21
8	Depo-Provera, injectables	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	9
13	Female condom, vaginal pouch	1
15	Jelly or cream	1
19	IUD, coil, or loop	4
20	Emergency contraception	4
26	Vaginal contraceptive ring	1
	Total	5699

Universe : Applicable if R used at least 3 methods in April [interview yr] (see METHX157)

METHX160(2501-2502)

Variable Type : raw

ED-6 : Method(s) used in April [interview yr]-4th mention

value	label	Total
.	INAPPLICABLE	5696
7	Withdrawal, pulling out	1
8	Depo-Provera, injectables	1
17	Suppository, insert	1
	Total	5699

Universe : Applicable if R used at least 4 methods in April [interview yr] (see METHX157)

METHX161(2503-2504)

Variable Type : raw

ED-6 : Method(s) used in May [interview yr] - 1st mention

value	label	Total
.	INAPPLICABLE	2364
1	No method used	1010
3	Birth control pills	592
4	Condom	423
5	Partner's vasectomy	116
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	452
7	Withdrawal, pulling out	211
8	Depo-Provera, injectables	108
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	64
10	Calendar rhythm, Standard Days, or Cycle Beads method	27
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
14	Foam	1
17	Suppository, insert	1
19	IUD, coil, or loop	257
20	Emergency contraception	2
21	Other method -- specify	5
22	Respondent was sterile	6
23	Respondent's partner was sterile	2
25	Contraceptive patch	11
26	Vaginal contraceptive ring	42

98 Refused 2
Total 5699

Universe : Applicable if R ever used a method (everused=1) and date of first method use was on or before May [interview year] (cmfirm<=cmmhcalx41) and interview was on or after May [interview year] (cmintvw>=cmmhcalx41)

METHX162(2505-2506)

Variable Type : raw

ED-6 : Method(s) used in May [interview yr]-2nd mention

value	label	Total
.	INAPPLICABLE	5322
3	Birth control pills	6
4	Condom	129
5	Partner's vasectomy	19
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	22
7	Withdrawal, pulling out	123
8	Depo-Provera, injectables	14
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	5
10	Calendar rhythm, Standard Days, or Cycle Beads method	30
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	5
15	Jelly or cream	2
19	IUD, coil, or loop	12
20	Emergency contraception	6
26	Vaginal contraceptive ring	4
	Total	5699

Universe : Applicable if R used at least 2 methods in May [interview yr] (see METHX113)

METHX163(2507-2508)

Variable Type : raw

ED-6 : Method(s) used in May [interview yr] - 3rd mention

value	label	Total
.	INAPPLICABLE	5659
4	Condom	3
7	Withdrawal, pulling out	16
8	Depo-Provera, injectables	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	6
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
13	Female condom, vaginal pouch	1
15	Jelly or cream	1
19	IUD, coil, or loop	3
20	Emergency contraception	6
26	Vaginal contraceptive ring	1
	Total	5699

Universe : Applicable if R used at least 3 methods in May [interview yr] (see METHX113)

METHX164(2509-2510)

Variable Type : raw

ED-6 : Method(s) used in May [interview yr]-4th mention

value	label	Total
.	INAPPLICABLE	5695
7	Withdrawal, pulling out	1

8	Depo-Provera, injectables	2
17	Suppository, insert	1
	Total	5699

Universe : Applicable if R used at least 4 methods in May [interview yr] (see METHX113)

METHX165(2511-2512)

Variable Type : raw

ED-6 : Method(s) used in June [interview yr] - 1st mention

value	label	Total
.	INAPPLICABLE	2897
1	No method used	826
3	Birth control pills	473
4	Condom	369
5	Partner's vasectomy	90
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	389
7	Withdrawal, pulling out	173
8	Depo-Provera, injectables	98
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	61
10	Calendar rhythm, Standard Days, or Cycle Beads method	23
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
14	Foam	1
17	Suppository, insert	1
19	IUD, coil, or loop	235
20	Emergency contraception	1
21	Other method -- specify	5
22	Respondent was sterile	5
23	Respondent's partner was sterile	2
25	Contraceptive patch	11
26	Vaginal contraceptive ring	34
98	Refused	2
	Total	5699

Universe : Applicable if R ever used a method (everused=1) and date of first method use was on or before June [interview year] (cmfirm<=cmmhcalx42) and interview was on or after June [interview year] (cmintvw>=cmmhcalx42)

METHX166(2513-2514)

Variable Type : raw

ED-6 : Method(s) used in June [interview yr]-2nd mention

value	label	Total
.	INAPPLICABLE	5378
3	Birth control pills	7
4	Condom	107
5	Partner's vasectomy	15
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	19
7	Withdrawal, pulling out	105
8	Depo-Provera, injectables	12
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	26
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
15	Jelly or cream	2
19	IUD, coil, or loop	12
20	Emergency contraception	6
26	Vaginal contraceptive ring	4
	Total	5699

Universe : Applicable if R used at least 2 methods in June [interview yr] (see METHX165)

METHX167(2515-2516)

Variable Type : raw

ED-6 : Method(s) used in June [interview yr] - 3rd mention

value	label	Total
.	INAPPLICABLE	5665
4	Condom	3
7	Withdrawal, pulling out	15
8	Depo-Provera, injectables	2
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	5
13	Female condom, vaginal pouch	1
15	Jelly or cream	1
19	IUD, coil, or loop	2
20	Emergency contraception	3
26	Vaginal contraceptive ring	1
	Total	5699

Universe : Applicable if R used at least 3 methods in June [interview yr] (see METHX165)

METHX168(2517-2517)

Variable Type : raw

ED-6 : Method(s) used in June [interview yr]-4th mention

value	label	Total
.	INAPPLICABLE	5698
7	Withdrawal, pulling out	1
	Total	5699

Universe : Applicable if R used at least 4 methods in June [interview yr] (see METHX165)

METHX169(2518-2519)

Variable Type : raw

ED-6 : Method(s) used in July [interview yr] - 1st mention

value	label	Total
.	INAPPLICABLE	3267
1	No method used	711
3	Birth control pills	418
4	Condom	324
5	Partner's vasectomy	76
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	342
7	Withdrawal, pulling out	150
8	Depo-Provera, injectables	94
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	44
10	Calendar rhythm, Standard Days, or Cycle Beads method	18
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
14	Foam	1
17	Suppository, insert	1
19	IUD, coil, or loop	199
20	Emergency contraception	2
21	Other method -- specify	5
22	Respondent was sterile	3
23	Respondent's partner was sterile	2

25	Contraceptive patch	8
26	Vaginal contraceptive ring	31
98	Refused	1
	Total	5699

Universe : Applicable if R ever used a method (everused=1) and date of first method use was on or before July [interview year] (cmfirm<=cmmhcalx43) and interview was on or after July [interview year] (cmintvw>=cmmhcalx43)

METHX170(2520-2521)

Variable Type : raw

ED-6 : Method(s) used in July [interview yr]-2nd mention

value	label	Total
.	INAPPLICABLE	5419
3	Birth control pills	6
4	Condom	101
5	Partner's vasectomy	8
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	20
7	Withdrawal, pulling out	79
8	Depo-Provera, injectables	10
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	3
10	Calendar rhythm, Standard Days, or Cycle Beads method	29
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
15	Jelly or cream	2
19	IUD, coil, or loop	10
20	Emergency contraception	5
26	Vaginal contraceptive ring	4
	Total	5699

Universe : Applicable if R used at least 2 methods in July [interview yr] (see METHX169)

METHX171(2522-2523)

Variable Type : raw

ED-6 : Method(s) used in July [interview yr] - 3rd mention

value	label	Total
.	INAPPLICABLE	5670
4	Condom	2
7	Withdrawal, pulling out	14
8	Depo-Provera, injectables	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	5
13	Female condom, vaginal pouch	1
15	Jelly or cream	1
19	IUD, coil, or loop	1
20	Emergency contraception	3
26	Vaginal contraceptive ring	1
	Total	5699

Universe : Applicable if R used at least 3 methods in July [interview yr] (see METHX169)

METHX172(2524-2524)

Variable Type : raw

ED-6 : Method(s) used in July [interview yr]-4th mention

value	label	Total
.	INAPPLICABLE	5696

7	Withdrawal, pulling out	2
8	Depo-Provera, injectables	1
Total		5699

Universe : Applicable if R used at least 4 methods in July [interview yr] (see METHX169)

METHX173(2525-2526)

Variable Type : raw

ED-6 : Method(s) used in Aug [interview yr] - 1st mention

value	label	Total
.	INAPPLICABLE	3780
1	No method used	556
3	Birth control pills	329
4	Condom	271
5	Partner's vasectomy	64
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	262
7	Withdrawal, pulling out	111
8	Depo-Provera, injectables	76
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	32
10	Calendar rhythm, Standard Days, or Cycle Beads method	13
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
14	Foam	1
17	Suppository, insert	2
19	IUD, coil, or loop	163
21	Other method -- specify	4
22	Respondent was sterile	2
23	Respondent's partner was sterile	2
25	Contraceptive patch	3
26	Vaginal contraceptive ring	26
98	Refused	1
Total		5699

Universe : Applicable if R ever used a method (everused=1) and date of first method use was on or before August [interview year] (cmfirm<=cmmhcalx44) and interview was on or after August [interview year] (cmintvw>=cmmhcalx44)

METHX174(2527-2528)

Variable Type : raw

ED-6 : Method(s) used in Aug [interview yr]-2nd mention

value	label	Total
.	INAPPLICABLE	5472
3	Birth control pills	7
4	Condom	72
5	Partner's vasectomy	8
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	13
7	Withdrawal, pulling out	67
8	Depo-Provera, injectables	9
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	4
10	Calendar rhythm, Standard Days, or Cycle Beads method	26
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
15	Jelly or cream	1
19	IUD, coil, or loop	8
20	Emergency contraception	6
25	Contraceptive patch	1
26	Vaginal contraceptive ring	3
Total		5699

Universe : Applicable if R used at least 2 methods in Aug [interview yr] (see METHX173)

METHX175(2529-2530)

Variable Type : raw

ED-6 : Method(s) used in Aug [interview yr] - 3rd mention

value	label	Total
.	INAPPLICABLE	5676
4	Condom	4
7	Withdrawal, pulling out	9
8	Depo-Provera, injectables	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	3
13	Female condom, vaginal pouch	1
19	IUD, coil, or loop	1
20	Emergency contraception	3
26	Vaginal contraceptive ring	1
	Total	5699

Universe : Applicable if R used at least 3 methods in Aug [interview yr] (see METHX173)

METHX176(2531-2531)

Variable Type : raw

ED-6 : Method(s) used in Aug [interview yr]-4th mention

value	label	Total
.	INAPPLICABLE	5696
7	Withdrawal, pulling out	2
8	Depo-Provera, injectables	1
	Total	5699

Universe : Applicable if R used at least 4 methods in Aug [interview yr] (see METHX173)

METHX177(2532-2533)

Variable Type : raw

ED-6 : Method(s) used in Sept [interview yr] - 1st mention

value	label	Total
.	INAPPLICABLE	4281
1	No method used	406
3	Birth control pills	227
4	Condom	227
5	Partner's vasectomy	48
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	190
7	Withdrawal, pulling out	72
8	Depo-Provera, injectables	63
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	23
10	Calendar rhythm, Standard Days, or Cycle Beads method	12
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
14	Foam	1
17	Suppository, insert	1
19	IUD, coil, or loop	113
20	Emergency contraception	1
21	Other method -- specify	4
22	Respondent was sterile	2
23	Respondent's partner was sterile	2
25	Contraceptive patch	2

26	Vaginal contraceptive ring	21
98	Refused	1
	Total	5699

Universe : Applicable if R ever used a method (everused=1) and date of first method use was on or before September [interview year] (cmfirsm<=cmmhcalx45) and interview was on or after September [interview year] (cmintvw>=cmmhcalx45)

METHX178(2534-2535)

Variable Type : raw

ED-6 : Method(s) used in Sept [interview yr]-2nd mention

value	label	Total
.	INAPPLICABLE	5514
3	Birth control pills	4
4	Condom	56
5	Partner's vasectomy	4
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	13
7	Withdrawal, pulling out	61
8	Depo-Provera, injectables	7
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	5
10	Calendar rhythm, Standard Days, or Cycle Beads method	19
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
15	Jelly or cream	1
18	Today sponge	1
19	IUD, coil, or loop	7
21	Other method -- specify	2
26	Vaginal contraceptive ring	3
	Total	5699

Universe : Applicable if R used at least 2 methods in Sept [interview yr] (see METHX177)

METHX179(2536-2537)

Variable Type : raw

ED-6 : Method(s) used in Sept [interview yr] - 3rd mention

value	label	Total
.	INAPPLICABLE	5681
3	Birth control pills	1
4	Condom	3
7	Withdrawal, pulling out	8
8	Depo-Provera, injectables	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	2
13	Female condom, vaginal pouch	1
20	Emergency contraception	1
26	Vaginal contraceptive ring	1
	Total	5699

Universe : Applicable if R used at least 3 methods in Sept [interview yr] (see METHX177)

METHX180(2538-2538)

Variable Type : raw

ED-6 : Method(s) used in Sept [interview yr]-4th mention

value	label	Total
.	INAPPLICABLE	5697
7	Withdrawal, pulling out	1

8	Depo-Provera, injectables	1
Total		5699

Universe : Applicable if R used at least 4 methods in Sept [interview yr] (see METHX177)

METHX181(2539-2540)

Variable Type : raw

ED-6 : Method(s) used in Oct [interview yr] - 1st mention

value	label	Total
.	INAPPLICABLE	4556
1	No method used	333
3	Birth control pills	181
4	Condom	169
5	Partner's vasectomy	40
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	156
7	Withdrawal, pulling out	56
8	Depo-Provera, injectables	53
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	21
10	Calendar rhythm, Standard Days, or Cycle Beads method	11
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
14	Foam	1
17	Suppository, insert	2
19	IUD, coil, or loop	91
20	Emergency contraception	2
21	Other method -- specify	3
22	Respondent was sterile	2
23	Respondent's partner was sterile	2
25	Contraceptive patch	2
26	Vaginal contraceptive ring	16
98	Refused	1
Total		5699

Universe : Applicable if R ever used a method (everused=1) and date of first method use was on or before October [interview year] (cmfirms<=cmmhcalx46) and interview was on or after October [interview year] (cmintvw>=cmmhcalx46)

METHX182(2541-2542)

Variable Type : raw

ED-6 : Method(s) used in Oct [interview yr]-2nd mention

value	label	Total
.	INAPPLICABLE	5557
3	Birth control pills	2
4	Condom	44
5	Partner's vasectomy	4
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	9
7	Withdrawal, pulling out	49
8	Depo-Provera, injectables	5
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	5
10	Calendar rhythm, Standard Days, or Cycle Beads method	14
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
19	IUD, coil, or loop	4
20	Emergency contraception	2
21	Other method -- specify	1
26	Vaginal contraceptive ring	1
Total		5699

Universe : Applicable if R used at least 2 methods in Oct [interview yr] (see METHX181)

METHX183(2543-2544)

Variable Type : raw

ED-6 : Method(s) used in Oct [interview yr] - 3rd mention

value	label	Total
.	INAPPLICABLE	5683
3	Birth control pills	1
4	Condom	2
7	Withdrawal, pulling out	7
8	Depo-Provera, injectables	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
13	Female condom, vaginal pouch	1
20	Emergency contraception	1
26	Vaginal contraceptive ring	1
	Total	5699

Universe : Applicable if R used at least 3 methods in Oct [interview yr] (see METHX181)

METHX184(2545-2545)

Variable Type : raw

ED-6 : Method(s) used in Oct [interview yr]-4th mention

value	label	Total
.	INAPPLICABLE	5698
7	Withdrawal, pulling out	1
	Total	5699

Universe : Applicable if R used at least 4 methods in Oct [interview yr] (see METHX181)

METHX185(2546-2547)

Variable Type : raw

ED-6 : Method(s) used in Nov [interview yr] - 1st mention

value	label	Total
.	INAPPLICABLE	5048
1	No method used	178
3	Birth control pills	115
4	Condom	91
5	Partner's vasectomy	22
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	94
7	Withdrawal, pulling out	32
8	Depo-Provera, injectables	29
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	10
10	Calendar rhythm, Standard Days, or Cycle Beads method	10
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
14	Foam	1
19	IUD, coil, or loop	51
20	Emergency contraception	1
21	Other method -- specify	1
22	Respondent was sterile	1
25	Contraceptive patch	1
26	Vaginal contraceptive ring	13
	Total	5699

Universe : Applicable if R ever used a method (everused=1) and date of first method use was on or before November [interview year] (cmfirm<=cmmhcalx47) and interview was on or after November [interview year] (cmintvw>=cmmhcalx47)

METHX186(2548-2549)

Variable Type : raw

ED-6 : Method(s) used in Nov [interview yr]-2nd mention

value	label	Total
.	INAPPLICABLE	5624
3	Birth control pills	1
4	Condom	26
5	Partner's vasectomy	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	5
7	Withdrawal, pulling out	24
8	Depo-Provera, injectables	1
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	3
10	Calendar rhythm, Standard Days, or Cycle Beads method	12
19	IUD, coil, or loop	2
	Total	5699

Universe : Applicable if R used at least 2 methods in Nov [interview yr] (see METHX185)

METHX187(2550-2550)

Variable Type : raw

ED-6 : Method(s) used in Nov [interview yr] - 3rd mention

value	label	Total
.	INAPPLICABLE	5689
4	Condom	2
5	Partner's vasectomy	1
7	Withdrawal, pulling out	6
8	Depo-Provera, injectables	1
	Total	5699

Universe : Applicable if R used at least 3 methods in Nov [interview yr] (see METHX185)

METHX188(2551-2551)

Variable Type : raw

ED-6 : Method(s) used in Nov [interview yr]-4th mention

value	label	Total
.	INAPPLICABLE	5698
7	Withdrawal, pulling out	1
	Total	5699

Universe : Applicable if R used at least 4 methods in Nov [interview yr] (see METHX185)

METHX189(2552-2553)

Variable Type : raw

ED-6 : Method(s) used in Dec [interview yr] - 1st mention

value	label	Total
.	INAPPLICABLE	5476
1	No method used	59
3	Birth control pills	42

4	Condom	28
5	Partner's vasectomy	6
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	34
7	Withdrawal, pulling out	12
8	Depo-Provera, injectables	7
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	4
10	Calendar rhythm, Standard Days, or Cycle Beads method	5
19	IUD, coil, or loop	21
26	Vaginal contraceptive ring	5
	Total	5699

Universe : Applicable if R ever used a method (everused=1) and date of first method use was on or before December [interview year] (cmfirm<=cmmhcalx48) and interview was on or after December [interview year] (cmintvw>=cmmhcalx48)

METHX190(2554-2555)

Variable Type : raw

ED-6 : Method(s) used in Dec [interview yr]-2nd mention

value	label	Total
.	INAPPLICABLE	5675
4	Condom	7
5	Partner's vasectomy	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	4
7	Withdrawal, pulling out	7
8	Depo-Provera, injectables	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	3
19	IUD, coil, or loop	1
	Total	5699

Universe : Applicable if R used at least 2 methods in Dec [interview yr] (see METHX189)

METHX191(2556-2556)

Variable Type : raw

ED-6 : Method(s) used in Dec [interview yr] - 3rd mention

value	label	Total
.	INAPPLICABLE	5697
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	1
	Total	5699

Universe : Applicable if R used at least 3 methods in Dec [interview yr] (see METHX189)

METHX192(2557-2557)

Variable Type : raw

ED-6 : Method(s) used in Dec [interview yr]-4th mention

value	label	Total
.	INAPPLICABLE	5699
	Total	5699

Universe : Applicable if R used at least 4 methods in Dec [interview yr] (see METHX189)

cmmhcalx1(2558-2561)

Variable Type : computed

Description : Century month of Jan [interview yr-3] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	694
1321-1392	Jan 2010-Dec 2015	5005
	Total	5699

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx2(2562-2565)

Variable Type : computed

Description : Century month of Feb [interview yr-3] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	694
1321-1392	Jan 2010-Dec 2015	5005
	Total	5699

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx3(2566-2569)

Variable Type : computed

Description : Century month of March [interview yr-3] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	694
1321-1392	Jan 2010-Dec 2015	5005
	Total	5699

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx4(2570-2573)

Variable Type : computed

Description : Century month of April [interview yr-3] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	694
1321-1392	Jan 2010-Dec 2015	5005
	Total	5699

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx5(2574-2577)

Variable Type : computed

Description : Century month of May [interview yr-3] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	694
1321-1392	Jan 2010-Dec 2015	5005
	Total	5699

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx6(2578-2581)

Variable Type : computed

Description : Century month of June [interview yr-3] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	694
1321-1392	Jan 2010-Dec 2015	5005
	Total	5699

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx7(2582-2585)

Variable Type : computed

Description : Century month of July [interview yr-3] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	694
1321-1392	Jan 2010-Dec 2015	5005
	Total	5699

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx8(2586-2589)

Variable Type : computed

Description : Century month of Aug [interview yr-3] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	694
1321-1392	Jan 2010-Dec 2015	5005
	Total	5699

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx9(2590-2593)

Variable Type : computed

Description : Century month of Sept [interview yr-3] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	694
1321-1392	Jan 2010-Dec 2015	5005
	Total	5699

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx10(2594-2597)

Variable Type : computed

Description : Century month of Oct [interview yr-3] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	694
1321-1392	Jan 2010-Dec 2015	5005
	Total	5699

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx11(2598-2601)

Variable Type : computed

Description : Century month of Nov [interview yr-3] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	694
1321-1392	Jan 2010-Dec 2015	5005
	Total	5699

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx12(2602-2605)

Variable Type : computed

Description : Century month of Dec [interview yr-3] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	694
1321-1392	Jan 2010-Dec 2015	5005
	Total	5699

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx13(2606-2609)

Variable Type : computed

Description : Century month of Jan [interview yr-2] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	694
1321-1392	Jan 2010-Dec 2015	5005
	Total	5699

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx14(2610-2613)

Variable Type : computed

Description : Century month of Feb [interview yr-2] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	694
1321-1392	Jan 2010-Dec 2015	5005
	Total	5699

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx15(2614-2617)

Variable Type : computed

Description : Century month of March [interview yr-2] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	694
1321-1392	Jan 2010-Dec 2015	5005
	Total	5699

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx16(2618-2621)

Variable Type : computed

Description : Century month of April [interview yr-2] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	694
1321-1392	Jan 2010-Dec 2015	5005
	Total	5699

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx17(2622-2625)

Variable Type : computed

Description : Century month of May [interview yr-2] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	694
1321-1392	Jan 2010-Dec 2015	5005
	Total	5699

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx18(2626-2629)

Variable Type : computed

Description : Century month of June [interview yr-2] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	694
1321-1392	Jan 2010-Dec 2015	5005
	Total	5699

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx19(2630-2633)

Variable Type : computed

Description : Century month of July [interview yr-2] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	694
1321-1392	Jan 2010-Dec 2015	5005
	Total	5699

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx20(2634-2637)

Variable Type : computed

Description : Century month of Aug [interview yr-2] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	694
1321-1392	Jan 2010-Dec 2015	5005
	Total	5699

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx21(2638-2641)

Variable Type : computed

Description : Century month of Sept [interview yr-2] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	694
1321-1392	Jan 2010-Dec 2015	5005
	Total	5699

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx22(2642-2645)

Variable Type : computed

Description : Century month of Oct [interview yr-2] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	694
1321-1392	Jan 2010-Dec 2015	5005
	Total	5699

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx23(2646-2649)

Variable Type : computed

Description : Century month of Nov [interview yr-2] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	694
1321-1392	Jan 2010-Dec 2015	5005
	Total	5699

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx24(2650-2653)

Variable Type : computed

Description : Century month of Dec [interview yr-2] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	694
1321-1392	Jan 2010-Dec 2015	5005
	Total	5699

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx25(2654-2657)

Variable Type : computed

Description : Century month of Jan [interview yr-1] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	694
1321-1392	Jan 2010-Dec 2015	5005
	Total	5699

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx26(2658-2661)

Variable Type : computed

Description : Century month of Feb [interview yr-1] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	694
1321-1392	Jan 2010-Dec 2015	5005
	Total	5699

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx27(2662-2665)

Variable Type : computed

Description : Century month of March [interview yr-1] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	694
1321-1392	Jan 2010-Dec 2015	5005
	Total	5699

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx28(2666-2669)

Variable Type : computed

Description : Century month of April [interview yr-1] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	694
1321-1392	Jan 2010-Dec 2015	5005
	Total	5699

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx29(2670-2673)

Variable Type : computed

Description : Century month of May [interview yr-1] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	694
1321-1392	Jan 2010-Dec 2015	5005
	Total	5699

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx30(2674-2677)

Variable Type : computed

Description : Century month of June [interview yr-1] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	694
1321-1392	Jan 2010-Dec 2015	5005
Total		5699

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx31(2678-2681)

Variable Type : computed

Description : Century month of July [interview yr-1] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	694
1321-1392	Jan 2010-Dec 2015	5005
Total		5699

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx32(2682-2685)

Variable Type : computed

Description : Century month of Aug [interview yr-1] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	694
1321-1392	Jan 2010-Dec 2015	5005
Total		5699

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx33(2686-2689)

Variable Type : computed

Description : Century month of Sept [interview yr-1] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	694
1321-1392	Jan 2010-Dec 2015	5005
Total		5699

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx34(2690-2693)

Variable Type : computed

Description : Century month of Oct [interview yr-1] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	694
1321-1392	Jan 2010-Dec 2015	5005
	Total	5699

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx35(2694-2697)

Variable Type : computed

Description : Century month of Nov [interview yr-1] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	694
1321-1392	Jan 2010-Dec 2015	5005
	Total	5699

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx36(2698-2701)

Variable Type : computed

Description : Century month of Dec [interview yr-1] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	694
1321-1392	Jan 2010-Dec 2015	5005
	Total	5699

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx37(2702-2705)

Variable Type : computed

Description : Century month of Jan [interview yr] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	694
1321-1392	Jan 2010-Dec 2015	5005
	Total	5699

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx38(2706-2709)

Variable Type : computed

Description : Century month of Feb [interview yr] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1072
1321-1392	Jan 2010-Dec 2015	4627
	Total	5699

Universe : Applicable if first method use was on or before January [interview year minus 3] (cmfirm LE cmjan3yr) or if (first method use was after January [interview year minus 3] (cmfirm GT cmjan3yr) and interview was on or after February [interview year] (cmintvw GE cmmhcalx38)).

Notes : In some cases, this set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx39(2710-2713)

Variable Type : computed

Description : Century month of March [interview yr] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1489
1321-1392	Jan 2010-Dec 2015	4210
	Total	5699

Universe : Applicable if first method use was on or before January [interview year minus 3] (cmfirm LE cmjan3yr) or if (first method use was after January [interview year minus 3] (cmfirm GT cmjan3yr) and interview was on or after March [interview year] (cmintvw GE cmmhcalx39)).

Notes : In some cases, this set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx40(2714-2717)

Variable Type : computed

Description : Century month of April [interview yr] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1868
1321-1392	Jan 2010-Dec 2015	3831

Total **5699**

Universe : Applicable if first method use was on or before January [interview year minus 3] (cmfirm LE cmjan3yr) or if (first method use was after January [interview year minus 3] (cmfirm GT cmjan3yr) and interview was on or after April [interview year] (cmintvw GE cmmhcalx40)).

Notes : In some cases, this set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx41(2718-2721)

Variable Type : computed

Description : Century month of May [interview yr] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2288
1321-1392	Jan 2010-Dec 2015	3411
	Total	5699

Universe : Applicable if first method use was on or before January [interview year minus 3] (cmfirm LE cmjan3yr) or if (first method use was after January [interview year minus 3] (cmfirm GT cmjan3yr) and interview was on or after May [interview year] (cmintvw GE cmmhcalx41)).

Notes : In some cases, this set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx42(2722-2725)

Variable Type : computed

Description : Century month of June [interview yr] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2819
1321-1392	Jan 2010-Dec 2015	2880
	Total	5699

Universe : Applicable if first method use was on or before January [interview year minus 3] (cmfirm LE cmjan3yr) or if (first method use was after January [interview year minus 3] (cmfirm GT cmjan3yr) and interview was on or after June [interview year] (cmintvw GE cmmhcalx42)).

Notes : In some cases, this set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx43(2726-2729)

Variable Type : computed

Description : Century month of July [interview yr] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	3186
1321-1392	Jan 2010-Dec 2015	2513
	Total	5699

Universe : Applicable if first method use was on or before January [interview year minus 3] (cmfirm LE cmjan3yr) or if (first method use was after January [interview year minus 3] (cmfirm GT cmjan3yr) and interview was on or after July [interview year] (cmintvw GE cmmhcalx43)).

Notes : In some cases, this set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx44(2730-2733)

Variable Type : computed

Description : Century month of Aug [interview yr] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	3706
1321-1392	Jan 2010-Dec 2015	1993
	Total	5699

Universe : Applicable if first method use was on or before January [interview year minus 3] (cmfirm LE cmjan3yr) or if (first method use was after January [interview year minus 3] (cmfirm GT cmjan3yr) and interview was on or after August [interview year] (cmintvw GE cmmhcalx44)).

Notes : In some cases, this set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx45(2734-2737)

Variable Type : computed

Description : Century month of Sept [interview yr] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	4199
1321-1392	Jan 2010-Dec 2015	1500
	Total	5699

Universe : Applicable if first method use was on or before January [interview year minus 3] (cmfirm LE cmjan3yr) or if (first method use was after January [interview year minus 3] (cmfirm GT cmjan3yr) and interview was on or after September [interview year] (cmintvw GE cmmhcalx45)).

Notes : In some cases, this set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx46(2738-2741)

Variable Type : computed

Description : Century month of Oct [interview yr] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	4465
1321-1392	Jan 2010-Dec 2015	1234
	Total	5699

Universe : Applicable if first method use was on or before January [interview year minus 3] (cmfirm LE cmjan3yr) or if (first method use was after January [interview year minus 3] (cmfirm GT cmjan3yr) and interview was on or after October [interview year] (cmintvw GE cmmhcalx46)).

Notes : In some cases, this set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx47(2742-2745)

Variable Type : computed

Description : Century month of Nov [interview yr] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	4946
1321-1392	Jan 2010-Dec 2015	753
Total		5699

Universe : Applicable if first method use was on or before January [interview year minus 3] (cmfirm LE cmjan3yr) or if (first method use was after January [interview year minus 3] (cmfirm GT cmjan3yr) and interview was on or after November [interview year] (cmintvw GE cmmhcalx47)).

Notes : In some cases, this set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx48(2746-2749)

Variable Type : computed

Description : Century month of Dec [interview yr] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	5362
1321-1392	Jan 2010-Dec 2015	337
Total		5699

Universe : Applicable if first method use was on or before January [interview year minus 3] (cmfirm LE cmjan3yr) or if (first method use was after January [interview year minus 3] (cmfirm GT cmjan3yr) and interview was on or after December [interview year] (cmintvw GE cmmhcalx48)).

Notes : In some cases, this set of variables has values through December 2015 even though no interviews took place after September 2015. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

nummultx1(2750-2750)

Variable Type : computed

Description : Number of Methods Reported in Jan [interview yr-3] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1315
0	0	1520
1	1	2441
2-96	2 OR MORE	423
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year - 3] (cmfirm <= cmjan3yr)

nummultx2(2751-2751)

Variable Type : computed

Description : Number of Methods Reported in Feb [interview yr-3] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1297
0	0	1543
1	1	2432
2-96	2 OR MORE	427
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year - 3] (cmfirsm <= cmmhcalx2)

nummultx3(2752-2752)

Variable Type : computed

Description : Number of Methods Reported in March [interview yr-3] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1283
0	0	1523
1	1	2456
2-96	2 OR MORE	437
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year - 3] (cmfirsm <= cmmhcalx3)

nummultx4(2753-2753)

Variable Type : computed

Description : Number of Methods Reported in April [interview yr-3] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1267
0	0	1524
1	1	2475
2-96	2 OR MORE	433
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year - 3] (cmfirsm <= cmmhcalx4)

nummultx5(2754-2754)

Variable Type : computed

Description : Number of Methods Reported in May [interview yr-3] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1257
0	0	1522
1	1	2487
2-96	2 OR MORE	433
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year - 3] (cmfirsm <= cmmhcalx5)

nummultx6(2755-2755)

Variable Type : computed

Description : Number of Methods Reported in June [interview yr-3] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1235
0	0	1525
1	1	2492
2-96	2 OR MORE	447
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview year - 3] (cmfirm <= cmmhcalx6)

nummultx7(2756-2756)

Variable Type : computed

Description : Number of Methods Reported in July [interview yr-3] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1209
0	0	1518
1	1	2514
2-96	2 OR MORE	458
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 3] (cmfirm <= cmmhcalx7)

nummultx8(2757-2757)

Variable Type : computed

Description : Number of Methods Reported in Aug [interview yr-3] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1193
0	0	1528
1	1	2518
2-96	2 OR MORE	460
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year - 3] (cmfirm <= cmmhcalx8)

nummultx9(2758-2758)

Variable Type : computed

Description : Number of Methods Reported in Sept [interview yr-3] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1181
0	0	1534
1	1	2527
2-96	2 OR MORE	457
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year - 3] (cmfirm <= cmmhcalx9)

nummultx10(2759-2759)

Variable Type : computed

Description : Number of Methods Reported in Oct [interview yr-3] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1168
0	0	1504
1	1	2571
2-96	2 OR MORE	456
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year - 3] (cmfirm <= cmmhcalx10)

nummultx11(2760-2760)

Variable Type : computed

Description : Number of Methods Reported in Nov [interview yr-3] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1155
0	0	1515
1	1	2587
2-96	2 OR MORE	442
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year - 3] (cmfirm <= cmmhcalx11)

nummultx12(2761-2761)

Variable Type : computed

Description : Number of Methods Reported in Dec [interview yr-3] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1148
0	0	1494
1	1	2594
2-96	2 OR MORE	463
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year - 3] (cmfirm <= cmmhcalx12)

nummultx13(2762-2762)

Variable Type : computed

Description : Number of Methods Reported in Jan [interview yr-2] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1131
0	0	1477
1	1	2656
2-96	2 OR MORE	435
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year - 2] (cmfirm <= cmjan2yr)

nummultx14(2763-2763)

Variable Type : computed

Description : Number of Methods Reported in Feb [interview yr-2] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1122
0	0	1482
1	1	2671
2-96	2 OR MORE	424
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year - 2] (cmfirm <= cmmhcalx14)

nummultx15(2764-2764)

Variable Type : computed

Description : Number of Methods Reported in March [interview yr-2] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1110
0	0	1483
1	1	2673
2-96	2 OR MORE	433
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year - 2] (cmfirm <= cmmhcalx15)

nummultx16(2765-2765)

Variable Type : computed

Description : Number of Methods Reported in April [interview yr-2] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1092
0	0	1495
1	1	2663
2-96	2 OR MORE	449
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year - 2] (cmfirm <= cmmhcalx16)

nummultx17(2766-2766)

Variable Type : computed

Description : Number of Methods Reported in May [interview yr-2] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1080
0	0	1519
1	1	2641
2-96	2 OR MORE	459
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year - 2] (cmfirm <= cmmhcalx17)

nummultx18(2767-2767)

Variable Type : computed

Description : Number of Methods Reported in June [interview yr-2] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1057
0	0	1519
1	1	2669
2-96	2 OR MORE	454
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview year - 2] (cmfirm <= cmmhcalx18)

nummultx19(2768-2768)

Variable Type : computed

Description : Number of Methods Reported in July [interview yr-2] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1039
0	0	1527
1	1	2668
2-96	2 OR MORE	465
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 2] (cmfirm <= cmmhcalx19)

nummultx20(2769-2769)

Variable Type : computed

Description : Number of Methods Reported in Aug [interview yr-2] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1027
0	0	1528
1	1	2694
2-96	2 OR MORE	450
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year - 2] (cmfirm <= cmmhcalx20)

nummultx21(2770-2770)

Variable Type : computed

Description : Number of Methods Reported in Sept [interview yr-2] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1011
0	0	1508
1	1	2718
2-96	2 OR MORE	462
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year - 2] (cmfirm <= cmmhcalx21)

nummultx22(2771-2771)

Variable Type : computed

Description : Number of Methods Reported in Oct [interview yr-2] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	993
0	0	1496
1	1	2728
2-96	2 OR MORE	482
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year - 2] (cmfirm <= cmmhcalx22)

nummultx23(2772-2772)

Variable Type : computed

Description : Number of Methods Reported in Nov [interview yr-2] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	976
0	0	1527
1	1	2718
2-96	2 OR MORE	478
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year - 2] (cmfirm <= cmmhcalx23)

nummultx24(2773-2773)

Variable Type : computed

Description : Number of Methods Reported in Dec [interview yr-2] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	962
0	0	1511
1	1	2744
2-96	2 OR MORE	482
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year - 2] (cmfirm <= cmmhcalx24)

nummultx25(2774-2774)

Variable Type : computed

Description : Number of Methods Reported in Jan [interview yr-1] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	948
0	0	1510
1	1	2739
2-96	2 OR MORE	502
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year - 1] (cmfirm <= cmmhcalx25)

nummultx26(2775-2775)

Variable Type : computed

Description : Number of Methods Reported in Feb [interview yr-1] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	934
0	0	1509
1	1	2750
2-96	2 OR MORE	506
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year - 1] (cmfirms <= cmmhcalx26)

nummultx27(2776-2776)

Variable Type : computed

Description : Number of Methods Reported in March [interview yr-1] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	926
0	0	1548
1	1	2739
2-96	2 OR MORE	486
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year - 1] (cmfirms <= cmmhcalx27)

nummultx28(2777-2777)

Variable Type : computed

Description : Number of Methods Reported in April [interview yr-1] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	915
0	0	1535
1	1	2747
2-96	2 OR MORE	502
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year - 1] (cmfirms <= cmmhcalx28)

nummultx29(2778-2778)

Variable Type : computed

Description : Number of Methods Reported in May [interview yr-1] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	902
0	0	1530
1	1	2742
2-96	2 OR MORE	525
	Total	5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year - 1] (cmfirms <= cmmhcalx29)

nummultx30(2779-2779)

Variable Type : computed

Description : Number of Methods Reported in June [interview yr-1] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	878
0	0	1524
1	1	2764
2-96	2 OR MORE	533
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview year - 1] (cmfirm <= cmmhcalx30)

nummultx31(2780-2780)

Variable Type : computed

Description : Number of Methods Reported in July [interview yr-1] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	863
0	0	1503
1	1	2795
2-96	2 OR MORE	538
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 1] (cmfirm <= cmmhcalx31)

nummultx32(2781-2781)

Variable Type : computed

Description : Number of Methods Reported in Aug [interview yr-1] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	848
0	0	1487
1	1	2821
2-96	2 OR MORE	543
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year - 1] (cmfirm <= cmmhcalx32)

nummultx33(2782-2782)

Variable Type : computed

Description : Number of Methods Reported in Sept [interview yr-1] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	840
0	0	1498
1	1	2818
2-96	2 OR MORE	543
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year - 1] (cmfirm <= cmmhcalx33)

nummultx34(2783-2783)

Variable Type : computed

Description : Number of Methods Reported in Oct [interview yr-1] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	821
0	0	1479
1	1	2854
2-96	2 OR MORE	545
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year - 1] (cmfirm <= cmmhcalx34)

nummultx35(2784-2784)

Variable Type : computed

Description : Number of Methods Reported in Nov [interview yr-1] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	810
0	0	1502
1	1	2830
2-96	2 OR MORE	557
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year - 1] (cmfirm <= cmmhcalx35)

nummultx36(2785-2785)

Variable Type : computed

Description : Number of Methods Reported in Dec [interview yr-1] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	798
0	0	1510
1	1	2819
2-96	2 OR MORE	572
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year - 1] (cmfirm <= cmmhcalx36)

nummultx37(2786-2786)

Variable Type : computed

Description : Number of Methods Reported in Jan [interview yr] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	777
0	0	1557
1	1	2801
2-96	2 OR MORE	564
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year] (cmfirm <= cmmhcalx37)

nummultx38(2787-2787)

Variable Type : computed

Description : Number of Methods Reported in Feb [interview yr] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1154
0	0	1441
1	1	2587
2-96	2 OR MORE	517
	Total	5699

Universe : Applicable if R ever used a method (everused=1) and date of first method use was on or before February [interview year] (cmfirm<cmmhcalx38)

nummultx39(2788-2788)

Variable Type : computed

Description : Number of Methods Reported in March [interview yr] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1565
0	0	1313
1	1	2348
2-96	2 OR MORE	473
	Total	5699

Universe : Applicable if R ever used a method (everused=1) and date of first method use was on or before March [interview year] (cmfirm<cmmhcalx39)

nummultx40(2789-2789)

Variable Type : computed

Description : Number of Methods Reported in April [interview yr] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1944
0	0	1214
1	1	2110
2-96	2 OR MORE	431
	Total	5699

Universe : Applicable if R ever used a method (everused=1) and date of first method use was on or before April [interview year] (cmfirm<cmmhcalx40)

nummultx41(2790-2790)

Variable Type : computed

Description : Number of Methods Reported in May [interview yr] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	2365
0	0	1057
1	1	1900
2-96	2 OR MORE	377
	Total	5699

Universe : Applicable if R ever used a method (everused=1) and date of first method use was on or before May [interview year] (cmfirm<cmmhcalx41)

nummultx42(2791-2791)

Variable Type : computed

Description : Number of Methods Reported in June [interview yr] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	2899
0	0	867
1	1	1612
2-96	2 OR MORE	321
	Total	5699

Universe : Applicable if R ever used a method (everused=1) and date of first method use was on or before June [interview year] (cmfirm<cmmhcalx42)

nummultx43(2792-2792)

Variable Type : computed

Description : Number of Methods Reported in July [interview yr] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	3269
0	0	748
1	1	1402
2-96	2 OR MORE	280
	Total	5699

Universe : Applicable if R ever used a method (everused=1) and date of first method use was on or before July [interview year] (cmfirm<cmmhcalx43)

nummultx44(2793-2793)

Variable Type : computed

Description : Number of Methods Reported in Aug [interview yr] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	3782
0	0	582
1	1	1108
2-96	2 OR MORE	227
	Total	5699

Universe : Applicable if R ever used a method (everused=1) and date of first method use was on or before August [interview year] (cmfirm<cmmhcalx44)

nummultx45(2794-2794)

Variable Type : computed

Description : Number of Methods Reported in Sept [interview yr] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	4282
0	0	423
1	1	809
2-96	2 OR MORE	185
	Total	5699

Universe : Applicable if R ever used a method (everused=1) and date of first method use was on or before September [interview year] (cmfirm<cmmhcalx45)

nummultx46(2795-2795)

Variable Type : computed

Description : Number of Methods Reported in Oct [interview yr] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	4557
0	0	350
1	1	650
2-96	2 OR MORE	142
Total		5699

Universe : Applicable if R ever used a method (everused=1) and date of first method use was on or before October [interview year] (cmfirms<cmmhcalx46)

nummultx47(2796-2796)

Variable Type : computed

Description : Number of Methods Reported in Nov [interview yr] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	5049
0	0	189
1	1	386
2-96	2 OR MORE	75
Total		5699

Universe : Applicable if R ever used a method (everused=1) and date of first method use was on or before November [interview year] (cmfirms<cmmhcalx47)

nummultx48(2797-2797)

Variable Type : computed

Description : Number of Methods Reported in Dec [interview yr] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	5475
0	0	67
1	1	133
2-96	2 OR MORE	24
Total		5699

Universe : Applicable if R ever used a method (everused=1) and date of first method use was on or before December [interview year] (cmfirms<cmmhcalx48)

salmx1(2798-2798)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Jan [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1315
0	No	4384
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year - 3] (cmfirms <= cmmhcalx2) and R gave a valid response on method used this month (ED-6 METHX1 <= 26)

salmx2(2799-2799)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Feb [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1297
0	No	3935
1	Yes	467
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year - 3] (cmfirm <= cmmhcalx2) and R gave a valid response on method used this month (ED-6 METHX5 <=26)

salmx3(2800-2800)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST -Mar [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1283
0	No	4006
1	Yes	410
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year - 3] (cmfirm <= cmmhcalx3) and R gave a valid response on method used this month (ED-6 METHX9 <= 26)

salmx4(2801-2801)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - April [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1267
0	No	4063
1	Yes	369
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year - 3] (cmfirm <= cmmhcalx4) and R gave a valid response on method used this month (ED-13 METHX13 <= 26)

salmx5(2802-2802)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - May [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1258
0	No	4099
1	Yes	342
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year - 3] (cmfirm <= cmmhcalx5) and R gave a valid response on method used this month (ED-13 METHX17 <= 26)

salmx6(2803-2803)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - June [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1236
0	No	4148
1	Yes	315
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview year - 3] (cmfirm <= cmmhcalx6) and R gave a valid response on method used this month (ED-13 METHX21 <= 26)

salmx7(2804-2804)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - July [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1210
0	No	4197
1	Yes	292
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 3] (cmfirm <= cmmhcalx7) and R gave a valid response on method used this month (ED-6 METHX25 <= 26)

salmx8(2805-2805)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Aug [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1195
0	No	4260
1	Yes	244
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year - 3] (cmfirm <= cmmhcalx8) and R gave a valid response on method used this month (ED-6 METHX29 <= 26)

salmx9(2806-2806)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Sept [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1183
0	No	4305
1	Yes	211
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year - 3] (cmfirm <= cmmhcalx9) and R gave a valid response on method used this month (ED-6 METHX33 <= 26)

salmx10(2807-2807)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Oct [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1170
0	No	4356
1	Yes	173
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year - 3] (cmfirm <= cmmhcalx10) and R gave a valid response on method used this month (ED-6 METHX37 <= 26)

salmx11(2808-2808)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Nov [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1157
0	No	4398
1	Yes	144
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year - 3] (cmfirm <= cmmhcalx11) and R gave a valid response on method used this month (ED-6 METHX41 <= 26)

salmx12(2809-2809)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Dec [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1150
0	No	4426
1	Yes	123
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year - 3] (cmfirm <= cmmhcalx12) and R gave a valid response on method used this month (ED-6 METHX45 <= 26)

salmx13(2810-2810)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Jan [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1131
0	No	4568
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year - 2] (cmfirm <= cmmhcalx13) and R gave a valid response on method used this month (ED-6 METHX49 <= 26)

salmx14(2811-2811)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Feb [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1122
0	No	4118
1	Yes	459
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year - 3] (cmfirm <= cmmhcalx14) and R gave a valid response on method used this month (ED-6 METHX53 <= 26)

salmx15(2812-2812)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Mar [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1110
0	No	4162
1	Yes	427
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year - 2] (cmfirm <= cmmhcalx15) and R gave a valid response on method used this month (ED-6 METHX57 <= 26)

salmx16(2813-2813)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - April [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1092
0	No	4233
1	Yes	374
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year - 2] (cmfirm <= cmmhcalx16) and R gave a valid response on method used this month (ED-6 METHX61 <= 26)

salmx17(2814-2814)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - May [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1080

0	No	4245
1	Yes	374
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year - 3] (cmfirm <= cmmhcalx17) and R gave a valid response on method used this month (ED-6 METHX65 <= 26)

salmx18(2815-2815)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - June [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1057
0	No	4307
1	Yes	335
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview year - 3] (cmfirm <= cmmhcalx18) and R gave a valid response on method used this month (ED-6 METHX69 <= 26)

salmx19(2816-2816)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - July [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1039
0	No	4362
1	Yes	298
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 3] (cmfirm <= cmmhcalx19) and R gave a valid response on method used this month (ED-6 METHX73 <= 26)

salmx20(2817-2817)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Aug [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1027
0	No	4410
1	Yes	262
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year - 3] (cmfirm <= cmmhcalx20) and R gave a valid response on method used this month (ED-6 METHX77 <= 26)

salmx21(2818-2818)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Sept [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1011
0	No	4483
1	Yes	205
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year - 3] (cmfirsm <= cmmhcalx21) and R gave a valid response on method used this month (ED-6 METHX81 <= 26)

salmx22(2819-2819)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Oct [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	993
0	No	4529
1	Yes	177
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year - 3] (cmfirsm <= cmmhcalx22) and R gave a valid response on method used this month (ED-6 METHX85 <= 26)

salmx23(2820-2820)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Nov [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	976
0	No	4579
1	Yes	144
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year - 3] (cmfirsm <= cmmhcalx23) and R gave a valid response on method used this month (ED-6 METHX89 <= 26)

salmx24(2821-2821)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Dec [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	962
0	No	4612
1	Yes	125
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year - 3] (cmfirsm <= cmmhcalx24) and R gave a valid response on method used this month (ED-6 METHX93 <= 26)

salmx25(2822-2822)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Jan [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	948
0	No	4751
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year - 1] (cmfirm <= cmmhcalx25) and R gave a valid response on method used this month (ED-6 METHX97 <= 26)

salmx26(2823-2823)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Feb [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	934
0	No	4293
1	Yes	472
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year - 1] (cmfirm <= cmmhcalx26) and R gave a valid response on method used this month (ED-6 METHX101 <= 26)

salmx27(2824-2824)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Mar [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	927
0	No	4329
1	Yes	443
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year - 1] (cmfirm <= cmmhcalx27) and R gave a valid response on method used this month (ED-6 METHX105 <= 26)

salmx28(2825-2825)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - April [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	916
0	No	4375
1	Yes	408
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year - 2] (cmfirm <= cmmhcalx28) and R gave a valid response on method used this month (ED-6 METHX109 <= 26)

salmx29(2826-2826)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - May [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	903
0	No	4408
1	Yes	388
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year - 1] (cmfirm <= cmmhcalx29) and R gave a valid response on method used this month (ED-6 METHX113 <= 26)

salmx30(2827-2827)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - June [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	879
0	No	4473
1	Yes	347
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview year - 1] (cmfirm <= cmmhcalx30) and R gave a valid response on method used this month (ED-6 METHX117 <= 26)

salmx31(2828-2828)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - July [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	864
0	No	4495
1	Yes	340
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 1] (cmfirm <= cmmhcalx31) and R gave a valid response on method used this month (ED-6 METHX121 <= 26)

salmx32(2829-2829)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Aug [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	849

0	No	4556
1	Yes	294
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year - 1] (cmfirm <= cmmhcalx32) and R gave a valid response on method used this month (ED-6 METHX125 <= 26)

salmx33(2830-2830)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Sept [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	841
0	No	4599
1	Yes	259
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year - 1] (cmfirm <= cmmhcalx33) and R gave a valid response on method used this month (ED-6 METHX129 <= 26)

salmx34(2831-2831)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Oct [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	822
0	No	4655
1	Yes	222
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year - 3] (cmfirm <= cmmhcalx34) and R gave a valid response on method used this month (ED-6 METHX133 <= 26)

salmx35(2832-2832)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Nov [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	811
0	No	4710
1	Yes	178
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year - 1] (cmfirm <= cmmhcalx35) and R gave a valid response on method used this month (ED-6 METHX137 <= 26)

salmx36(2833-2833)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Dec [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	799
0	No	4765
1	Yes	135
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year - 1] (cmfirm <= cmmhcalx36) and R gave a valid response on method used this month (ED-6 METHX141 <= 26)

salmx37(2834-2834)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Jan [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	777
0	No	4922
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year] (cmfirm <= cmmhcalx37) and R gave a valid response on method used this month (ED-6 METHX145 <= 26)

salmx38(2835-2835)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Feb [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1154
0	No	4145
1	Yes	400
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year] (cmfirm <= cmmhcalx38) and R gave a valid response on method used this month (ED-6 METHX149 <= 26)

salmx39(2836-2836)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Mar [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1699
0	No	3686
1	Yes	314
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year] (cmfirm <= cmmhcalx39) and R gave a valid response on method used this month (ED-6 METHX153 <= 26)

salmx40(2837-2837)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - April [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2068
0	No	3381
1	Yes	250
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year] (cmfirm <= cmmhcalx40) and R gave a valid response on method used this month (ED-6 METHX157 <= 26)

salmx41(2838-2838)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - May [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2476
0	No	3018
1	Yes	205
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year] (cmfirm <= cmmhcalx41) and R gave a valid response on method used this month (ED-6 METHX161 <= 26)

salmx42(2839-2839)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - June [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2988
0	No	2548
1	Yes	163
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview yr] (cmfirm <= cmmhcalx42) and R gave a valid response on method used this month (ED-6 METHX165 <= 26)

salmx43(2840-2840)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - July [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	3341
0	No	2222
1	Yes	136
Total		5699

Universe : Applicable if R's date of interview was July 2006 or later (cmintvw > = 1279) and R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 1] (cmfirm <= cmmhcalx43) and R gave a valid response on method used this month (ED-6 METHX169 <= 26)

salmx44(2841-2841)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Aug [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	3831
0	No	1758
1	Yes	110
Total		5699

Universe : Applicable if R's date of interview was Aug 2006 or later (cmintvw > = 1280) and R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year] (cmfirm <= cmmhcalx44) and R gave a valid response on method used this month (ED-6 METHX173 <= 26)

salmx45(2842-2842)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Sept [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	4318
0	No	1301
1	Yes	80
Total		5699

Universe : Applicable if R's date of interview was Sept 2006 or later (cmintvw > = 1281) and R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year] (cmfirm <= cmmhcalx45) and R gave a valid response on method used this month (ED-6 METHX177 <= 26)

salmx46(2843-2843)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Oct [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	4589
0	No	1055
1	Yes	55
Total		5699

Universe : Applicable if R's date of interview was Oct 2006 or later (cmintvw > = 1281) and R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year] (cmfirm <= cmmhcalx46) and R gave a valid response on method used this month (ED-6 METHX181 <= 26)

salmx47(2844-2844)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Nov [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	5062

0	No	608
1	Yes	29
Total		5699

Universe : Applicable if R's date of interview was Nov 2006 or later (cmintvw > = 1282) and R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year] (cmfirsm <= cmmhcalx47) and R gave a valid response on method used this month (ED-6 METHX185 <= 26)

salmx48(2845-2845)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Dec [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	5480
0	No	215
1	Yes	4
Total		5699

Universe : Applicable if R's date of interview was Dec 2006 or later (cmintvw > = 1284) and R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year] (cmfirsm <= cmmhcalx48) and R gave a valid response on method used this month (ED-6 METHX189 <= 26)

sayx1(2846-2846)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Jan [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1315
0	No	4384
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year - 3] (cmfirsm <= cmmhcalx2) and R gave a valid response on method used this month (ED-6 METHX1 <= 26)

sayx2(2847-2847)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Feb [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1297
0	No	2046
1	Yes	2356
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year - 3] (cmfirsm <= cmmhcalx2) and R gave a valid response on method used this month (ED-6 METHX5 <= 26)

sayx3(2848-2848)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Mar [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1283
0	No	3882
1	Yes	534
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year - 3] (cmfirsm <= cmmhcalx3) and R gave a valid response on method used this month (ED-6 METHX9 <= 26)

sayx4(2849-2849)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - April [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1267
0	No	4308
1	Yes	124
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year - 3] (cmfirsm <= cmmhcalx4) and R gave a valid response on method used this month (ED-13 METHX13 <= 26)

sayx5(2850-2850)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - May [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1258
0	No	4329
1	Yes	112
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year - 3] (cmfirsm <= cmmhcalx5) and R gave a valid response on method used this month (ED-13 METHX17 <= 26)

sayx6(2851-2851)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - June [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1236
0	No	4376
1	Yes	87
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview year - 3] (cmfirsm <= cmmhcalx6) and R gave a valid response on method used this month (ED-13 METHX21 <= 26)

sayx7(2852-2852)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - July [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1210
0	No	4397
1	Yes	92
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 3] (cmfirm <= cmmhcalx7) and R gave a valid response on method used this month (ED-6 METHX25 <= 26)

sayx8(2853-2853)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Aug [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1195
0	No	4416
1	Yes	88
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year - 3] (cmfirm <= cmmhcalx8) and R gave a valid response on method used this month (ED-6 METHX29 <= 26)

sayx9(2854-2854)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Sept [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1183
0	No	4408
1	Yes	108
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year - 3] (cmfirm <= cmmhcalx9) and R gave a valid response on method used this month (ED-6 METHX33 <= 26)

sayx10(2855-2855)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Oct [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1170
0	No	4437
1	Yes	92
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year - 3] (cmfirm <= cmmhcalx10) and R gave a valid response on method used this month (ED-6 METHX37 <= 26)

sayx11(2856-2856)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Nov [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1157
0	No	4446
1	Yes	96
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year - 3] (cmfirm <= cmmhcalx11) and R gave a valid response on method used this month (ED-6 METHX41 <= 26)

sayx12(2857-2857)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Dec [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1150
0	No	4510
1	Yes	39
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year - 3] (cmfirm <= cmmhcalx12) and R gave a valid response on method used this month (ED-6 METHX45 <= 26)

sayx13(2858-2858)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Jan [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1131
0	No	4568
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year - 2] (cmfirm <= cmmhcalx13) and R gave a valid response on method used this month (ED-6 METHX49 <= 26)

sayx14(2859-2859)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Feb [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1122
0	No	1838
1	Yes	2739
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year - 3] (cmfirm <= cmmhcalx14) and R gave a valid response on method used this month (ED-6 METHX53 <= 26)

sayx15(2860-2860)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Mar [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1110
0	No	4412
1	Yes	177
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year - 2] (cmfirm <= cmmhcalx15) and R gave a valid response on method used this month (ED-6 METHX57 <= 26)

sayx16(2861-2861)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - April [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1092
0	No	4504
1	Yes	103
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year - 2] (cmfirm <= cmmhcalx16) and R gave a valid response on method used this month (ED-6 METHX61 <= 26)

sayx17(2862-2862)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - May [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1080
0	No	4515
1	Yes	104
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year - 3] (cmfirm <= cmmhcalx17) and R gave a valid response on method used this month (ED-6 METHX65 <= 26)

sayx18(2863-2863)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - June [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1057

0	No	4545
1	Yes	97
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview year - 3] (cmfirm <= cmmhcalx18) and R gave a valid response on method used this month (ED-6 METHX69 <= 26)

sayx19(2864-2864)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - July [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1039
0	No	4581
1	Yes	79
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 3] (cmfirm <= cmmhcalx19) and R gave a valid response on method used this month (ED-6 METHX73 <= 26)

sayx20(2865-2865)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Aug [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1027
0	No	4576
1	Yes	96
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year - 3] (cmfirm <= cmmhcalx20) and R gave a valid response on method used this month (ED-6 METHX77 <= 26)

sayx21(2866-2866)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Sept [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1011
0	No	4571
1	Yes	117
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year - 3] (cmfirm <= cmmhcalx21) and R gave a valid response on method used this month (ED-6 METHX81 <= 26)

sayx22(2867-2867)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Oct [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	993
0	No	4598
1	Yes	108
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year - 3] (cmfirm <= cmmhcalx22) and R gave a valid response on method used this month (ED-6 METHX85 <= 26)

sayx23(2868-2868)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Nov [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	976
0	No	4640
1	Yes	83
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year - 3] (cmfirm <= cmmhcalx23) and R gave a valid response on method used this month (ED-6 METHX89 <= 26)

sayx24(2869-2869)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Dec [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	962
0	No	4697
1	Yes	40
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year - 3] (cmfirm <= cmmhcalx24) and R gave a valid response on method used this month (ED-6 METHX93 <= 26)

sayx25(2870-2870)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Jan [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	948
0	No	4751
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year - 1] (cmfirm <= cmmhcalx25) and R gave a valid response on method used this month (ED-6 METHX97 <= 26)

sayx26(2871-2871)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Feb [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	934
0	No	1996
1	Yes	2769
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year - 1] (cmfirm <= cmmhcalx26) and R gave a valid response on method used this month (ED-6 METHX101 <= 26)

sayx27(2872-2872)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Mar [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	927
0	No	4602
1	Yes	170
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year - 1] (cmfirm <= cmmhcalx27) and R gave a valid response on method used this month (ED-6 METHX105 <= 26)

sayx28(2873-2873)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - April [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	916
0	No	4672
1	Yes	111
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year - 2] (cmfirm <= cmmhcalx28) and R gave a valid response on method used this month (ED-6 METHX109 <= 26)

sayx29(2874-2874)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - May [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	903
0	No	4713
1	Yes	83
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year - 1] (cmfirm <= cmmhcalx29) and R gave a valid response on method used this month (ED-6 METHX113 <= 26)

sayx30(2875-2875)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - June [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	879
0	No	4720
1	Yes	100
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview year - 1] (cmfirm <= cmmhcalx30) and R gave a valid response on method used this month (ED-6 METHX117 <= 26)

sayx31(2876-2876)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - July [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	864
0	No	4728
1	Yes	107
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 1] (cmfirm <= cmmhcalx31) and R gave a valid response on method used this month (ED-6 METHX121 <= 26)

sayx32(2877-2877)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Aug [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	849
0	No	4753
1	Yes	97
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year - 1] (cmfirm <= cmmhcalx32) and R gave a valid response on method used this month (ED-6 METHX125 <= 26)

sayx33(2878-2878)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Sept [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	841

0	No	4756
1	Yes	102
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year - 1] (cmfirm <= cmmhcalx33) and R gave a valid response on method used this month (ED-6 METHX129 <= 26)

sayx34(2879-2879)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Oct [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	822
0	No	4793
1	Yes	84
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year - 3] (cmfirm <= cmmhcalx34) and R gave a valid response on method used this month (ED-6 METHX133 <= 26)

sayx35(2880-2880)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Nov [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	811
0	No	4806
1	Yes	82
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year - 1] (cmfirm <= cmmhcalx35) and R gave a valid response on method used this month (ED-6 METHX137 <= 26)

sayx36(2881-2881)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Dec [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	799
0	No	4864
1	Yes	36
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year - 1] (cmfirm <= cmmhcalx36) and R gave a valid response on method used this month (ED-6 METHX141 <= 26)

sayx37(2882-2882)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Jan [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	777
0	No	4922
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year] (cmfirm <= cmmhcalx37) and R gave a valid response on method used this month (ED-6 METHX145 <= 26)

sayx38(2883-2883)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Feb [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1154
0	No	1999
1	Yes	2546
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year] (cmfirm <= cmmhcalx38) and R gave a valid response on method used this month (ED-6 METHX149 <= 26)

sayx39(2884-2884)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Mar [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1699
0	No	3870
1	Yes	130
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year] (cmfirm <= cmmhcalx39) and R gave a valid response on method used this month (ED-6 METHX153 <= 26)

sayx40(2885-2885)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - April [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2068
0	No	3548
1	Yes	83
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year] (cmfirm <= cmmhcalx40) and R gave a valid response on method used this month (ED-6 METHX157 <= 26)

sayx41(2886-2886)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - May [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2476
0	No	3162
1	Yes	61
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year] (cmfirm <= cmmhcalx41) and R gave a valid response on method used this month (ED-6 METHX161 <= 26)

sayx42(2887-2887)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - June [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2988
0	No	2665
1	Yes	46
Total		5699

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview yr] (cmfirm <= cmmhcalx42) and R gave a valid response on method used this month (ED-6 METHX165 <= 26)

sayx43(2888-2888)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - July [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	3341
0	No	2327
1	Yes	31
Total		5699

Universe : Applicable if R's date of interview was July 2006 or later (cmintvw > = 1279) and R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 1] (cmfirm <= cmmhcalx43) and R gave a valid response on method used this month (ED-6 METHX169 <= 26)

sayx44(2889-2889)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Aug [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	3831
0	No	1829
1	Yes	39
Total		5699

Universe : Applicable if R's date of interview was Aug 2006 or later (cmintvw > = 1280) and R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year] (cmfirm <= cmmhcalx44) and R gave a valid response on method used this month (ED-6 METHX173 <= 26)

sayx45(2890-2890)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Sept [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	4318
0	No	1361
1	Yes	20
Total		5699

Universe : Applicable if R's date of interview was Sept 2006 or later (cmintvw > = 1281) and R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year] (cmfirm <= cmmhcalx45) and R gave a valid response on method used this month (ED-6 METHX177 <= 26)

sayx46(2891-2891)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Oct [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	4589
0	No	1102
1	Yes	8
Total		5699

Universe : Applicable if R's date of interview was Oct 2006 or later (cmintvw > = 1281) and R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year] (cmfirm <= cmmhcalx46) and R gave a valid response on method used this month (ED-6 METHX181 <= 26)

sayx47(2892-2892)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Nov [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	5062
0	No	633
1	Yes	4
Total		5699

Universe : Applicable if R's date of interview was Nov 2006 or later (cmintvw > = 1282) and R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year] (cmfirm <= cmmhcalx47) and R gave a valid response on method used this month (ED-6 METHX185 <= 26)

sayx48(2893-2893)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Dec [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	5480

0	No	218
1	Yes	1
Total		5699

Universe : Applicable if R's date of interview was Dec 2006 or later (cmintvw > = 1284) and R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year] (cmfirsm <= cmmhcalx48) and R gave a valid response on method used this month (ED-6 METHX189 <= 26)

SIMSEQ1(2894-2894)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Jan [interview yr-3]

value	label	Total
.	INAPPLICABLE	5692
1	Same time	4
2	Different times	3
Total		5699

Universe : Applicable if R used two methods in January [interview yr - 3] (nummultx1 = 2)

SIMSEQ2(2895-2895)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Feb [interview yr-3]

value	label	Total
.	INAPPLICABLE	5311
1	Same time	300
2	Different times	88
Total		5699

Universe : Applicable if R used two methods in February [interview yr - 3] (nummultx2 = 2)

SIMSEQ3(2896-2896)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Mar [interview yr-3]

value	label	Total
.	INAPPLICABLE	5298
1	Same time	310
2	Different times	91
Total		5699

Universe : Applicable if R used two methods in March [interview yr - 3] (nummultx3 = 2)

SIMSEQ4(2897-2897)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? April [interview yr-3]

value	label	Total
.	INAPPLICABLE	5303
1	Same time	311
2	Different times	85

Total **5699**

Universe : Applicable if R used two methods in April [interview yr - 3] (nummultx4 = 2)

SIMSEQ5(2898-2898)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? May [interview yr-3]

value	label	Total
.	INAPPLICABLE	5301
1	Same time	311
2	Different times	87
Total		5699

Universe : Applicable if R used two methods in May [interview yr - 3] (nummultx5 = 2)

SIMSEQ6(2899-2899)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? June [interview yr-3]

value	label	Total
.	INAPPLICABLE	5292
1	Same time	310
2	Different times	97
Total		5699

Universe : Applicable if R used two methods in June [interview yr - 3] (nummultx6 = 2)

SIMSEQ7(2900-2900)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? July [interview yr-3]

value	label	Total
.	INAPPLICABLE	5277
1	Same time	316
2	Different times	106
Total		5699

Universe : Applicable if R used two methods in July [interview yr - 3] (nummultx7 = 2)

SIMSEQ8(2901-2901)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Aug [interview yr-3]

value	label	Total
.	INAPPLICABLE	5277
1	Same time	318
2	Different times	104
Total		5699

Universe : Applicable if R used two methods in Aug [interview yr - 3] (nummultx8 = 2)

SIMSEQ9(2902-2902)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Sept [interview yr-3]

value	label	Total
.	INAPPLICABLE	5278
1	Same time	315
2	Different times	106
Total		5699

Universe : Applicable if R used two methods in September [interview yr - 3] (nummultx9 = 2)

SIMSEQ10(2903-2903)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Oct [interview yr-3]

value	label	Total
.	INAPPLICABLE	5284
1	Same time	311
2	Different times	104
Total		5699

Universe : Applicable if R used two methods in October [interview yr - 3] (nummultx10 = 2)

SIMSEQ11(2904-2904)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Nov [interview yr-3]

value	label	Total
.	INAPPLICABLE	5300
1	Same time	311
2	Different times	88
Total		5699

Universe : Applicable if R used two methods in November [interview yr - 3] (nummultx11 = 2)

SIMSEQ12(2905-2905)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Dec [interview yr-3]

value	label	Total
.	INAPPLICABLE	5277
1	Same time	323
2	Different times	99
Total		5699

Universe : Applicable if R used two methods in December [interview yr - 3] (nummultx12 = 2)

SIMSEQ13(2906-2906)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Jan [interview yr-2]

value	label	Total
.	INAPPLICABLE	5310
1	Same time	293
2	Different times	96
Total		5699

Universe : Applicable if R used two methods in January [interview yr - 2] (nummultx13 = 2)

SIMSEQX14(2907-2907)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Feb [interview yr-2]

value	label	Total
.	INAPPLICABLE	5320
1	Same time	283
2	Different times	96
Total		5699

Universe : Applicable if R used two methods in February [interview yr - 2] (nummultx14 = 2)

SIMSEQX15(2908-2908)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Mar [interview yr-2]

value	label	Total
.	INAPPLICABLE	5315
1	Same time	289
2	Different times	95
Total		5699

Universe : Applicable if R used two methods in March [interview yr - 2] (nummultx15 = 2)

SIMSEQX16(2909-2909)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? April [interview yr-2]

value	label	Total
.	INAPPLICABLE	5294
1	Same time	310
2	Different times	95
Total		5699

Universe : Applicable if R used two methods in April [interview yr - 2] (nummultx16 = 2)

SIMSEQX17(2910-2910)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? May [interview yr-2]

value	label	Total
-------	-------	-------

.	INAPPLICABLE	5288
1	Same time	313
2	Different times	98
	Total	5699

Universe : Applicable if R used two methods in May [interview yr - 2] (nummultx17 = 2)

SIMSEQX18(2911-2911)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? June [interview yr-2]

value	label	Total
.	INAPPLICABLE	5296
1	Same time	310
2	Different times	93
	Total	5699

Universe : Applicable if R used two methods in June [interview yr - 2] (nummultx18 = 2)

SIMSEQX19(2912-2912)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? July [interview yr-2]

value	label	Total
.	INAPPLICABLE	5283
1	Same time	321
2	Different times	95
	Total	5699

Universe : Applicable if R used two methods in July [interview yr - 2] (nummultx19 = 2)

SIMSEQX20(2913-2913)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Aug [interview yr-2]

value	label	Total
.	INAPPLICABLE	5299
1	Same time	319
2	Different times	81
	Total	5699

Universe : Applicable if R used two methods in Aug [interview yr - 2] (nummultx20 = 2)

SIMSEQX21(2914-2914)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Sept [interview yr-2]

value	label	Total
.	INAPPLICABLE	5288
1	Same time	324
2	Different times	87

Total **5699**

Universe : Applicable if R used two methods in September [interview yr - 2] (nummultx21 = 2)

SIMSEQ22(2915-2915)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Oct [interview yr-2]

value	label	Total
.	INAPPLICABLE	5273
1	Same time	340
2	Different times	86
Total		5699

Universe : Applicable if R used two methods in October [interview yr - 2] (nummultx22 = 2)

SIMSEQ23(2916-2916)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Nov [interview yr-2]

value	label	Total
.	INAPPLICABLE	5278
1	Same time	326
2	Different times	94
9	Don't know	1
Total		5699

Universe : Applicable if R used two methods in November [interview yr - 2] (nummultx23 = 2)

SIMSEQ24(2917-2917)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Dec [interview yr-2]

value	label	Total
.	INAPPLICABLE	5267
1	Same time	338
2	Different times	93
9	Don't know	1
Total		5699

Universe : Applicable if R used two methods in December [interview yr - 2] (nummultx24 = 2)

SIMSEQ25(2918-2918)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Jan [interview yr-1]

value	label	Total
.	INAPPLICABLE	5247
1	Same time	358
2	Different times	93
9	Don't know	1
Total		5699

Universe : Applicable if R used two methods in January [interview yr - 1] (nummultx25 = 2)

SIMSEQX26(2919-2919)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Feb [interview yr-1]

value	label	Total
.	INAPPLICABLE	5248
1	Same time	348
2	Different times	102
9	Don't know	1
Total		5699

Universe : Applicable if R used two methods in February [interview yr - 1] (nummultx26 = 2)

SIMSEQX27(2920-2920)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Mar [interview yr-1]

value	label	Total
.	INAPPLICABLE	5267
1	Same time	330
2	Different times	101
9	Don't know	1
Total		5699

Universe : Applicable if R used two methods in March [interview yr - 1] (nummultx27 = 2)

SIMSEQX28(2921-2921)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? April [interview yr-1]

value	label	Total
.	INAPPLICABLE	5250
1	Same time	341
2	Different times	108
Total		5699

Universe : Applicable if R used two methods in April [interview yr - 1] (nummultx28 = 2)

SIMSEQX29(2922-2922)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? May [interview yr-1]

value	label	Total
.	INAPPLICABLE	5230
1	Same time	371
2	Different times	98
Total		5699

Universe : Applicable if R used two methods in May [interview yr - 1] (nummultx29 = 2)

SIMSEQ30(2923-2923)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? June [interview yr-1]

value	label	Total
.	INAPPLICABLE	5225
1	Same time	376
2	Different times	98
Total		5699

Universe : Applicable if R used two methods in June [interview yr - 1] (nummultx30 = 2)

SIMSEQ31(2924-2924)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? July [interview yr-1]

value	label	Total
.	INAPPLICABLE	5220
1	Same time	372
2	Different times	107
Total		5699

Universe : Applicable if R used two methods in July [interview yr - 1] (nummultx31 = 2)

SIMSEQ32(2925-2925)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Aug [interview yr-1]

value	label	Total
.	INAPPLICABLE	5218
1	Same time	381
2	Different times	100
Total		5699

Universe : Applicable if R used two methods in Aug [interview yr - 1] (nummultx32 = 2)

SIMSEQ33(2926-2926)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Sept [interview yr-1]

value	label	Total
.	INAPPLICABLE	5212
1	Same time	392
2	Different times	95
Total		5699

Universe : Applicable if R used two methods in September [interview yr - 1] (nummultx33 = 2)

SIMSEQ34(2927-2927)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Oct [interview yr-1]

value	label	Total
.	INAPPLICABLE	5210
1	Same time	394
2	Different times	95
Total		5699

Universe : Applicable if R used two methods in October [interview yr - 1] (nummultx34 = 2)

SIMSEQX35(2928-2928)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Nov [interview yr-1]

value	label	Total
.	INAPPLICABLE	5198
1	Same time	401
2	Different times	100
Total		5699

Universe : Applicable if R used two methods in November [interview yr - 1] (nummultx35 = 2)

SIMSEQX36(2929-2929)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Dec [interview yr-1]

value	label	Total
.	INAPPLICABLE	5188
1	Same time	405
2	Different times	106
Total		5699

Universe : Applicable if R used two methods in December [interview yr - 1] (nummultx36 = 2)

SIMSEQX37(2930-2930)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Jan [interview yr]

value	label	Total
.	INAPPLICABLE	5195
1	Same time	394
2	Different times	110
Total		5699

Universe : Applicable if R used two methods in January [interview yr] (nummultx37 = 2)

SIMSEQX38(2931-2931)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Feb [interview yr]

value	label	Total
-------	-------	-------

.	INAPPLICABLE	5235
1	Same time	365
2	Different times	99
	Total	5699

Universe : Applicable if R used two methods in February [interview yr] (nummultx38 = 2)

SIMSEQX39(2932-2932)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Mar [interview yr]

value	label	Total
.	INAPPLICABLE	5274
1	Same time	334
2	Different times	91
	Total	5699

Universe : Applicable if R used two methods in March [interview yr] (nummultx39 = 2)

SIMSEQX40(2933-2933)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? April [interview yr]

value	label	Total
.	INAPPLICABLE	5310
1	Same time	311
2	Different times	78
	Total	5699

Universe : Applicable if R used two methods in April [interview yr] (nummultx40 = 2)

SIMSEQX41(2934-2934)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? May [interview yr]

value	label	Total
.	INAPPLICABLE	5359
1	Same time	273
2	Different times	67
	Total	5699

Universe : Applicable if R used two methods in May [interview yr] (nummultx41 = 2)

SIMSEQX42(2935-2935)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? June [interview yr]

value	label	Total
.	INAPPLICABLE	5416
1	Same time	227
2	Different times	56

Total **5699**

Universe : Applicable if R used two methods in June [interview yr] (nummultx42 = 2)

SIMSEQX43(2936-2936)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? July [interview yr]

value	label	Total
.	INAPPLICABLE	5452
1	Same time	195
2	Different times	52
Total		5699

Universe : Applicable if R used two methods in July [interview yr] (nummultx43 = 2)

SIMSEQX44(2937-2937)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Aug [interview yr]

value	label	Total
.	INAPPLICABLE	5505
1	Same time	147
2	Different times	47
Total		5699

Universe : Applicable if R used two methods in Aug [interview yr] (nummultx44 = 2)

SIMSEQX45(2938-2938)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Sept [interview yr]

value	label	Total
.	INAPPLICABLE	5543
1	Same time	123
2	Different times	33
Total		5699

Universe : Applicable if R used two methods in September [interview yr] (nummultx45 = 2)

SIMSEQX46(2939-2939)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Oct [interview yr]

value	label	Total
.	INAPPLICABLE	5574
1	Same time	91
2	Different times	34
Total		5699

Universe : Applicable if R used two methods in October [interview yr] (nummultx46 = 2)

SIMSEQX47(2940-2940)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Nov [interview yr]

value	label	Total
.	INAPPLICABLE	5634
1	Same time	48
2	Different times	17
Total		5699

Universe : Applicable if R used two methods in November [interview yr] (nummultx47 = 2)

SIMSEQX48(2941-2941)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Dec [interview yr]

value	label	Total
.	INAPPLICABLE	5678
1	Same time	16
2	Different times	5
Total		5699

Universe : Applicable if R used two methods in December [interview yr] (nummultx48 = 2)

Female Respondent File Codebook :: SECTION E: Contraceptive History and Pregnancy Wantedness :: (EF) Method use at last (and first) sex with up to 3 partners in the past 12 months

USELSTP(2942-2942)

Variable Type : raw

EF-1 : Looking at Card 33, the [time / last time] you had intercourse with [LAST PARTNER], in [DATE OF LAST SEX WITH LAST PARTNER], did you or he use any method?

value	label	Total
.	INAPPLICABLE	1358
1	Yes	3438
5	No	901
8	Refused	1
9	Don't know	1
Total		5699

Universe : Applicable if R had at least 1 sexual partner in the past 12 months (parts12 > 0 or cmlsex/cmfplast GE cmlstyr) and last partner in past 12 months was not the first partner or was the first partner but R had sex with him more than once ((parts12 and CH-1 LIFEPR ne 1) or (CH-1 LIFEPR = 1 and CG-7m LSTSEXP_M ne 96))

Notes : use recode MTHUSE12 or MTHUSE3

LSTMTHP1(2943-2944)

Variable Type : raw

EF-2 : Which method or methods on Card 33 did you or he use? - (1st Mention; LAST PARTNER)

value	label	Total
.	INAPPLICABLE	2261
3	Birth control pills	720

4	Condom	898
5	Partner's vasectomy	182
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	557
7	Withdrawal, pulling out	383
8	Depo-Provera, injectables	132
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	76
10	Calendar rhythm, Standard Days, or Cycle Beads method	39
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	6
12	Diaphragm	2
13	Female condom, vaginal pouch	2
14	Foam	2
17	Suppository, insert	3
19	IUD, coil, or loop	349
20	Emergency contraception	10
21	Other method -- specify	6
22	Respondent was sterile	3
23	Respondent's partner was sterile	3
24	Lunelle injectable (monthly shot)	1
25	Contraceptive patch	8
26	Vaginal contraceptive ring	54
98	Refused	1
99	Don't know	1
	Total	5699

Universe : Applicable if R used a method at last intercourse with last partner in the past 12 months (EF-1 USELSTP = 1)

Notes : use recode METH12M1 or METH3M1

LSTMTHP2(2945-2946)

Variable Type : raw

EF-2 : Which method or methods on Card 33 did you or he use? - (2nd Mention; LAST PARTNER)

value	label	Total
.	INAPPLICABLE	5072
3	Birth control pills	13
4	Condom	213
5	Partner's vasectomy	24
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	65
7	Withdrawal, pulling out	163
8	Depo-Provera, injectables	34
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	9
10	Calendar rhythm, Standard Days, or Cycle Beads method	43
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
12	Diaphragm	1
13	Female condom, vaginal pouch	1
14	Foam	1
15	Jelly or cream	4
18	Today sponge	1
19	IUD, coil, or loop	35
20	Emergency contraception	4
25	Contraceptive patch	2
26	Vaginal contraceptive ring	11
	Total	5699

Universe : Applicable if R used at least 2 methods at last intercourse with last partner in the past 12 months (see EF-2 LSTMTHP1)

Notes : use recode METH12M2 or METH3M2

LSTMTHP3(2947-2948)

Variable Type : raw

EF-2 : Which method or methods on Card 33 did you or he use? - (3rd Mention; LAST PARTNER)

value	label	Total
.	INAPPLICABLE	5644
3	Birth control pills	1
4	Condom	4
5	Partner's vasectomy	2
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	23
8	Depo-Provera, injectables	3
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	6
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
13	Female condom, vaginal pouch	1
19	IUD, coil, or loop	4
20	Emergency contraception	6
26	Vaginal contraceptive ring	1
	Total	5699

Universe : Applicable if R used at least 3 methods at last intercourse with last partner in the past 12 months (see EF-2 LSTMTHP1)

Notes : use recode METH12M3 or METH3M3

LSTMTHP4(2949-2950)

Variable Type : raw

EF-2 : Which method or methods on Card 33 did you or he use? - (4th Mention; LAST PARTNER)

value	label	Total
.	INAPPLICABLE	5697
10	Calendar rhythm, Standard Days, or Cycle Beads method	2
	Total	5699

Universe : Applicable if R used at least 4 methods at last intercourse with last partner in the past 12 months (see EF-2 LSTMTHP1)

Notes : use recode METH12M4 or METH3M4

USEFSTP(2951-2951)

Variable Type : raw

EF-3 : Looking at Card 33, the first time you had intercourse with [LAST PARTNER], which was in [DATE OF FIRST SEX WITH LAST PARTNER], did you or he use any method? - 1st Mention

value	label	Total
.	INAPPLICABLE	2303
1	Yes	2824
5	No	568
8	Refused	1
9	Don't know	3
	Total	5699

Universe : Applicable if R had at least 1 sexual partner in the past 12 months (parts12 > 0) and had sex more than once with last partner in past 12 months (cmfsex ne 9996) and last partner in past 12 months was not the first partner (p1yrelp ne 13)

FSTMTHP1(2952-2953)

Variable Type : raw

EF-4 : Which method or methods on Card 33 did you or he use? - (1st mention; LAST PARTNER)

value	label	Total
.	INAPPLICABLE	2875
3	Birth control pills	738
4	Condom	1391
5	Partner's vasectomy	34
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	154
7	Withdrawal, pulling out	221
8	Depo-Provera, injectables	78
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	16
10	Calendar rhythm, Standard Days, or Cycle Beads method	9
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
14	Foam	2
17	Suppository, insert	1
19	IUD, coil, or loop	119
20	Emergency contraception	7
21	Other method -- specify	2
25	Contraceptive patch	13
26	Vaginal contraceptive ring	38
	Total	5699

Universe : Applicable if R used a method at first intercourse with last partner in the past 12 months (EF-3 USEFSTP = 1)

FSTMTHP2(2954-2955)

Variable Type : raw

EF-4 : Which method or methods on Card 33 did you or he use? - (2nd mention;LAST PARTNER)

value	label	Total
.	INAPPLICABLE	4925
3	Birth control pills	48
4	Condom	409
5	Partner's vasectomy	25
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	60
7	Withdrawal, pulling out	108
8	Depo-Provera, injectables	37
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	7
10	Calendar rhythm, Standard Days, or Cycle Beads method	16
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
12	Diaphragm	1
13	Female condom, vaginal pouch	1
14	Foam	1
19	IUD, coil, or loop	42
20	Emergency contraception	1
21	Other method -- specify	1
22	Respondent was sterile	1
25	Contraceptive patch	2
26	Vaginal contraceptive ring	12
	Total	5699

Universe : Applicable if R used at least 2 methods at last intercourse with last partner in the past 12 months (see EF-4 FSTMTHP1)

FSTMTHP3(2956-2957)

Variable Type : raw

EF-4 : Which method or methods on Card 33 did you or he use? - (3rd mention; LAST PARTNER)

value	label	Total
.	INAPPLICABLE	5655
3	Birth control pills	2
4	Condom	2
5	Partner's vasectomy	3
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	2
7	Withdrawal, pulling out	16
8	Depo-Provera, injectables	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	8
14	Foam	1
19	IUD, coil, or loop	6
20	Emergency contraception	1
26	Vaginal contraceptive ring	1
	Total	5699

Universe : Applicable if R used at least 3 methods at last intercourse with last partner in the past 12 months (see EF-4 FSTMTHP1)

FSTMTHP4(2958-2959)

Variable Type : raw

EF-4 : Which method or methods on Card 33 did you or he use? - (4th mention; LAST PARTNER)

value	label	Total
.	INAPPLICABLE	5696
7	Withdrawal, pulling out	1
14	Foam	1
20	Emergency contraception	1
	Total	5699

Universe : Applicable if R used at least 4 methods at last intercourse with last partner in the past 12 months (see EF-4 FSTMTHP1)

USELSTP2(2960-2960)

Variable Type : raw

EF-1 : Looking at Card 33, the [time / last time] you had intercourse with [2ND-TO-LAST PARTNER], in [DATE OF LAST SEX WITH 2ND-TO-LAST PARTNER], did you or he use any method?

value	label	Total
.	INAPPLICABLE	5018
1	Yes	600
5	No	79
8	Refused	1
9	Don't know	1
	Total	5699

Universe : Applicable if R had at least 2 sexual partners in the past 12 months (parts12 > 1 or cmlsex2 GE cmlstyr)

LSTMTHP5(2961-2962)

Variable Type : raw

EF-2 : Which method or methods on Card 33 did you or he use? - (1ST Mention; 2ND-TO-LAST PARTNER)

value	label	Total
.	INAPPLICABLE	5099
3	Birth control pills	139

4	Condom	250
5	Partner's vasectomy	10
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	48
7	Withdrawal, pulling out	57
8	Depo-Provera, injectables	15
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	13
10	Calendar rhythm, Standard Days, or Cycle Beads method	3
19	IUD, coil, or loop	49
20	Emergency contraception	2
21	Other method -- specify	2
25	Contraceptive patch	3
26	Vaginal contraceptive ring	9
	Total	5699

Universe : Applicable if R used a method at last intercourse with 2nd-to-last partner in the past 12 months (EF-1 USELSTP2 = 1)

LSTMTHP6(2963-2964)

Variable Type : raw

EF-2 : Which method or methods on Card 33 did you or he use? - (2ND Mention; 2ND-TO-LAST PARTNER)

value	label	Total
.	INAPPLICABLE	5514
3	Birth control pills	8
4	Condom	80
5	Partner's vasectomy	4
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	19
7	Withdrawal, pulling out	34
8	Depo-Provera, injectables	10
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	3
15	Jelly or cream	1
19	IUD, coil, or loop	13
20	Emergency contraception	8
22	Respondent was sterile	1
26	Vaginal contraceptive ring	2
	Total	5699

Universe : Applicable if R used at least 2 methods at last intercourse with 2nd-to-last partner in the past 12 months (see EF-2 LSTMTHP5)

LSTMTHP7(2965-2966)

Variable Type : raw

EF-2 : Which method or methods on Card 33 did you or he use? - (3RD Mention; 2ND-TO-LAST PARTNER)

value	label	Total
.	INAPPLICABLE	5686
3	Birth control pills	1
7	Withdrawal, pulling out	6
10	Calendar rhythm, Standard Days, or Cycle Beads method	2
19	IUD, coil, or loop	3
26	Vaginal contraceptive ring	1
	Total	5699

Universe : Applicable if R used at least 3 methods at last intercourse with 2nd-to-last partner in the past 12 months (see EF-2 LSTMTHP5)

LSTMTHP8(2967-2968)

Variable Type : raw

EF-2 : Which method or methods on Card 33 did you or he use? - (4TH Mention; 2ND-TO-LAST PARTNER)

value	label	Total
.	INAPPLICABLE	5698
17	Suppository, insert	1
Total		5699

Universe : Applicable if R used at least 4 methods at last intercourse with 2nd-to-last partner in the past 12 months (see EF-2 LSTMTHP5)

USEFSTP2(2969-2969)

Variable Type : raw

EF-3 : Looking at Card 33, the first time you had intercourse with [2ND-TO-LAST PARTNER], which was in [DATE OF FIRST SEX WITH 2ND-TO-LAST PARTNER], did you or he use any method?

value	label	Total
.	INAPPLICABLE	5095
1	Yes	517
5	No	85
8	Refused	1
9	Don't know	1
Total		5699

Universe : Applicable if R had at least 2 sexual partners in the past 12 months (parts12 > 1) and had sex more than once with 2nd-to-last partner in past 12 months (cmfsex2 ne 9996) and last partner in past 12 months was not the first partner (p1yrelp2 ne 13)

FSTMTHP5(2970-2971)

Variable Type : raw

EF-4 : Which method or methods on Card 33 did you or he use? - (1ST mention; 2ND-TO-LAST PARTNER)

value	label	Total
.	INAPPLICABLE	5182
3	Birth control pills	129
4	Condom	253
5	Partner's vasectomy	4
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	28
7	Withdrawal, pulling out	42
8	Depo-Provera, injectables	15
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	10
10	Calendar rhythm, Standard Days, or Cycle Beads method	2
15	Jelly or cream	1
19	IUD, coil, or loop	23
20	Emergency contraception	1
21	Other method -- specify	1
25	Contraceptive patch	4
26	Vaginal contraceptive ring	3
99	Don't know	1
Total		5699

Universe : Applicable if R used a method at first intercourse with 2nd-to-last partner in the past 12 months (EF-3 USEFSTP2 = 1)

FSTMTHP6(2972-2973)

Variable Type : raw

EF-4 : Which method or methods on Card 33 did you or he use? - (2ND mention; 2ND-TO-LAST PARTNER)

value	label	Total
.	INAPPLICABLE	5530
3	Birth control pills	7
4	Condom	84
5	Partner's vasectomy	3
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	16
7	Withdrawal, pulling out	24
8	Depo-Provera, injectables	6
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	4
19	IUD, coil, or loop	18
20	Emergency contraception	3
26	Vaginal contraceptive ring	2
	Total	5699

Universe : Applicable if R used at least 2 methods at last intercourse with 2nd-to-last partner in the past 12 months (see EF-4 FSTMTHP5)

FSTMTHP7(2974-2975)

Variable Type : raw

EF-4 : Which method or methods on Card 33 did you or he use? - (3RD mention; 2ND-TO-LAST PARTNER)

value	label	Total
.	INAPPLICABLE	5685
3	Birth control pills	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	6
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
15	Jelly or cream	1
19	IUD, coil, or loop	2
20	Emergency contraception	1
26	Vaginal contraceptive ring	1
	Total	5699

Universe : Applicable if R used at least 3 methods at last intercourse with 2nd-to-last partner in the past 12 months (see EF-4 FSTMTHP5)

FSTMTHP8(2976-2977)

Variable Type : raw

EF-4 : Which method or methods on Card 33 did you or he use? - (4th mention; 2ND-TO-LAST PARTNER)

value	label	Total
.	INAPPLICABLE	5698
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
	Total	5699

Universe : Applicable if R used at least 4 methods at last intercourse with 2nd-to-last partner in the past 12 months (see EF-4 FSTMTHP5)

USELSTP3(2978-2978)

Variable Type : raw

EF-1 : Looking at Card 33, the [time / last time] you had intercourse with [3RD-TO-LAST PARTNER], in [DATE OF LAST SEX WITH 3RD-TO-LAST PARTNER], did you or he use any method?

value	label	Total
-------	-------	-------

.	INAPPLICABLE	5432
1	Yes	234
5	No	33
	Total	5699

Universe : Applicable if R had at least 3 sexual partners in the past 12 months (parts12 > 2 or cmlsex3 GE cmlstyr)

LSTMTHP9(2979-2980)

Variable Type : raw

EF-2 : Which method or methods on Card 33 did you or he use? - (1ST Mention; 3RD-TO-LAST PARTNER)

value	label	Total
.	INAPPLICABLE	5465
3	Birth control pills	55
4	Condom	98
5	Partner's vasectomy	2
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	19
7	Withdrawal, pulling out	21
8	Depo-Provera, injectables	6
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	5
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
19	IUD, coil, or loop	22
20	Emergency contraception	2
21	Other method -- specify	2
26	Vaginal contraceptive ring	1
	Total	5699

Universe : Applicable if R used a method at last intercourse with 3rd-to-last partner in the past 12 months (EF-1 USELSTP3 = 1)

LSTMTHP10(2981-2982)

Variable Type : raw

EF-2 : Which method or methods on Card 33 did you or he use? - (2ND Mention; 3RD-TO-LAST PARTNER)

value	label	Total
.	INAPPLICABLE	5631
3	Birth control pills	1
4	Condom	28
5	Partner's vasectomy	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	7
7	Withdrawal, pulling out	16
8	Depo-Provera, injectables	5
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	2
19	IUD, coil, or loop	6
22	Respondent was sterile	1
26	Vaginal contraceptive ring	1
	Total	5699

Universe : Applicable if R used at least 2 methods at last intercourse with 3rd-to-last partner in the past 12 months (see EF-2 LSTMTHP9)

LSTMTHP11(2983-2984)

Variable Type : raw

EF-2 : Which method or methods on Card 33 did you or he use? - (3RD Mention; 3RD-TO-LAST PARTNER)

value	label	Total
-------	-------	-------

.	INAPPLICABLE	5692
7	Withdrawal, pulling out	1
8	Depo-Provera, injectables	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
19	IUD, coil, or loop	2
20	Emergency contraception	1
26	Vaginal contraceptive ring	1
	Total	5699

Universe : Applicable if R used at least 3 methods at last intercourse with 3rd-to-last partner in the past 12 months (see EF-2 LSTMTHP9)

LSTMTHP12(2985-2986)

Variable Type : raw

EF-2 : Which method or methods on Card 33 did you or he use? - (4TH Mention; 3RD-TO-LAST PARTNER)

value	label	Total
.	INAPPLICABLE	5698
17	Suppository, insert	1
	Total	5699

Universe : Applicable if R used at least 4 methods at last intercourse with 3rd-to-last partner in the past 12 months (see EF-2 LSTMTHP9)

USEFSTP3(2987-2987)

Variable Type : raw

EF-3 : Looking at Card 33, the first time you had intercourse with [3RD-TO-LAST PARTNER], which was in [DATE OF FIRST SEX WITH 3RD-TO-LAST PARTNER], did you or he use any method?

value	label	Total
.	INAPPLICABLE	5469
1	Yes	193
5	No	37
	Total	5699

Universe : Applicable if R had at least 3 sexual partners in the past 12 months (parts12 > 2) and had sex more than once with 3rd-to-last partner in past 12 months (cmfsex3 ne 9996) and last partner in past 12 months was not the first partner (p1yrelp3 ne 13)

FSTMTHP9(2988-2989)

Variable Type : raw

EF-4 : Which method or methods on Card 33 did you or he use? - (1ST mention; 3RD-TO-LAST PARTNER)

value	label	Total
.	INAPPLICABLE	5506
3	Birth control pills	50
4	Condom	89
5	Partner's vasectomy	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	12
7	Withdrawal, pulling out	11
8	Depo-Provera, injectables	5
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	3
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
19	IUD, coil, or loop	16
21	Other method -- specify	1
22	Respondent was sterile	1
26	Vaginal contraceptive ring	1

99	Don't know	2
	Total	5699

Universe : Applicable if R used a method at first intercourse with 3rd-to-last partner in the past 12 months (EF-3 USEFSTP3 = 1)

FSTMTHP10(2990-2991)

Variable Type : raw

EF-4 : Which method or methods on Card 33 did you or he use? - (2ND mention; 3RD-TO-LAST PARTNER)

value	label	Total
.	INAPPLICABLE	5643
3	Birth control pills	2
4	Condom	24
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	4
7	Withdrawal, pulling out	13
8	Depo-Provera, injectables	4
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	2
17	Suppository, insert	1
19	IUD, coil, or loop	6
	Total	5699

Universe : Applicable if R used at least 2 methods at last intercourse with 3rd-to-last partner in the past 12 months (see EF-4 FSTMTHP9)

FSTMTHP11(2992-2993)

Variable Type : raw

EF-4 : Which method or methods on Card 33 did you or he use? - (3rd mention; 3RD-TO-LAST PARTNER)

value	label	Total
.	INAPPLICABLE	5695
4	Condom	1
7	Withdrawal, pulling out	2
19	IUD, coil, or loop	1
	Total	5699

Universe : Applicable if R used at least 3 methods at last intercourse with 3rd-to-last partner in the past 12 months (see EF-4 FSTMTHP9)

FSTMTHP12(2994-2995)

Variable Type : raw

EF-4 : Which method or methods on Card 33 did you or he use? - (4TH mention; 3RD-TO-LAST PARTNER)

value	label	Total
.	INAPPLICABLE	5698
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
	Total	5699

Universe : Applicable if R used at least 4 methods at last intercourse with 3rd-to-last partner in the past 12 months (see EF-4 FSTMTHP9)

Female Respondent File Codebook :: SECTION E: Contraceptive History and Pregnancy Wantedness :: (EH)
Open interval questions

WYNOTUSE(2996-2996)

Variable Type : raw

EH-1 : Is the reason you are not using a method of birth control now because you, yourself, want to become pregnant as soon as possible?

value	label	Total
.	INAPPLICABLE	5133
1	Yes	217
5	No	343
8	Refused	1
9	Don't know	5
Total		5699

Universe : Applicable if R is not currently pregnant (currpreg = 5) and R had sex in month of interview (EC-8 MONSX through MONSX48 corresponding to cmintvw = 1) and R is not sterilized nor sterile [(rstrstat ne 1 or 2) and (ED-6 METHX1 through METHX192 corresponding to cmintvw ne 6)] and R did not use a method in month of interview (currmeth1 = 1)

HPPREGQ(2997-2997)

Variable Type : raw

EH-2 : And your partner, does he want you to become pregnant as soon as possible?

value	label	Total
.	INAPPLICABLE	5133
1	Yes	251
5	No	286
6	(If volunteered:) no current partner	15
8	Refused	1
9	Don't know	13
Total		5699

Universe : Applicable if R is not currently pregnant (currpreg = 5) and R had sex in month of interview (EC-8 MONSX through MONSX48 corresponding to cmintvw = 1) and R is not sterilized nor sterile [(rstrstat ne 1 or 2) and (ED-6 METHX1 through METHX192 corresponding to cmintvw ne 6)] and R did not use a method in month of interview (currmeth1 = 1)

DURTRY_N(2998-2999)

Variable Type : raw

EH-2n : How long have you been trying to become pregnant? (NUMBER)

value	label	Total
.	INAPPLICABLE	5482
0-48	0-48	209
95	Not trying to get pregnant	7
99	Don't know	1
Total		5699

Universe : Applicable if R is trying to become pregnant (EH-1 WYNOTUSE = 1)

Notes : R can report duration in months or years. See DURTRY_P for unit of measurement.

DURTRY_P(3000-3000)

Variable Type : raw

EH-2p : (How long have you been trying to become pregnant?) (UNIT-MONTHS OR YEARS)

value	label	Total
.	INAPPLICABLE	5482
1	Months	124
2	Years	91
9	Don't know	2

Total **5699**

Universe : Applicable if R is trying to become pregnant (EH-1 WYNOTUSE = 1)

WHYNOUSING1(3001-3002)

Variable Type : raw

EH-2c : Please look at Card 43a. Which of the following statements applies to you right now? You are not using birth control because. . . (1st mention)

value	label	Total
.	INAPPLICABLE	5410
1	You do not expect to have sex	71
2	You do not think you can get pregnant	58
3	You don't really mind if you get pregnant	55
4	You are worried about the side effects of birth control	40
5	Your male partner does not want you to use a birth control method	3
6	Your male partner himself does not want to use a birth control method	5
7	(IF VOLUNTEERED:)Respondent is using a method	11
8	You could not get a method	21
9	You are not taking, or using, your method consistently	14
98	Refused	1
99	Don't know	10
	Total	5699

Universe : Applicable if R is not trying to become pregnant or does not know or refused to report whether she is trying to become pregnant (EH-1 WYNOTUSE = 5, dk, rf) and R's partner does not want her to become pregnant or she doesn't know or refused to report whether he wants her to become pregnant (EH-2 HPPREGQ = 5, dk, rf)

WHYNOUSING2(3003-3003)

Variable Type : raw

EH-2c : Please look at Card 43a. Which of the following statements applies to you right now? You are not using birth control because. . . (2nd mention)

value	label	Total
.	INAPPLICABLE	5646
1	You do not expect to have sex	2
2	You do not think you can get pregnant	3
3	You don't really mind if you get pregnant	15
4	You are worried about the side effects of birth control	18
5	Your male partner does not want you to use a birth control method	2
6	Your male partner himself does not want to use a birth control method	4
7	(IF VOLUNTEERED:)Respondent is using a method	1
8	You could not get a method	1
9	You are not taking, or using, your method consistently	7
	Total	5699

Universe : Applicable if R reported more than 1 reason she is not currently using birth control (see EH-2c WHYNOUSING1)

WHYNOUSING3(3004-3004)

Variable Type : raw

EH-2c : Please look at Card 43a. Which of the following statements applies to you right now? You are not using birth control because. . . (3rd mention)

value	label	Total
--------------	--------------	--------------

.	INAPPLICABLE	5686
1	You do not expect to have sex	1
2	You do not think you can get pregnant	1
3	You don't really mind if you get pregnant	1
4	You are worried about the side effects of birth control	3
5	Your male partner does not want you to use a birth control method	3
8	You could not get a method	1
9	You are not taking, or using, your method consistently	3
	Total	5699

Universe : Applicable if R reported more than 2 reasons she is not currently using birth control (see EH-2c WHYNOUSING1)

WHYNOUSING4(3005-3005)

Variable Type : raw

EH-2c : Please look at Card 43a. Which of the following statements applies to you right now? You are not using birth control because. . . (4th mention)

value	label	Total
.	INAPPLICABLE	5697
3	You don't really mind if you get pregnant	1
4	You are worried about the side effects of birth control	1
	Total	5699

Universe : Applicable if R reported more than 3 reasons she is not currently using birth control (see EH-2c WHYNOUSING1)

WHYNOUSING5(3006-3006)

Variable Type : raw

EH-2c : Please look at Card 43a. Which of the following statements applies to you right now? You are not using birth control because. . . (5th mention)

value	label	Total
.	INAPPLICABLE	5698
7	(IF VOLUNTEERED:)Respondent is using a method	1
	Total	5699

Universe : Applicable if R reported more than 4 reasons she is not currently using birth control (see EH-2c WHYNOUSING1)

whynotpg1(3007-3008)

Variable Type : computed

EH-2cc : Could you say a bit more about why you do not think you can get pregnant? (1st mention)

value	label	Total
.	INAPPLICABLE	5637
1	Diagnosis of repro problems/condition	12
2	Prior preg or attempt: problems with or treatments/ART needed	8
3	Prior unprotected sex, no preg	8
4	Perceive infertile or difficulty getting preg/carrying to term	5
5	Menopause related	6
6	One ovary/fallopian tube/low or no ovulation	6
7	Endometriosis	3
8	Breastfeeding	3
9	Partner sterile	4
10	Not having sex	2
11	Other	4

97	Not ascertained	1
	Total	5699

Universe : Applicable if R chose "do not think you can get pregnant" as reason for no current BC use, at risk of unintended preg (any EH-2c WHYNOUSING1 through EH-2c WHYNOUSING5 = 2)

whynotpg2(3009-3009)

Variable Type : computed

EH-2cc : Could you say a bit more about why you do not think you can get pregnant? (2nd mention)

value	label	Total
.	INAPPLICABLE	5696
1	Diagnosis of repro problems/condition	1
2	Prior preg or attempt: problems with or treatments/ART needed	1
3	Prior unprotected sex, no preg	1
	Total	5699

Universe : Applicable if R reported at least 2 reasons on EH-2cc WHYNOTPG (see whynotpg1)

MAINNOUSE(3010-3011)

Variable Type : raw

EH-2d : Which one of these is the main reason that you are not using birth control?

value	label	Total
.	INAPPLICABLE	5648
1	You do not expect to have sex	8
2	You do not think you can get pregnant	11
3	You don't really mind if you get pregnant	11
4	You are worried about the side effects of birth control	13
6	Your male partner himself does not want to use a birth control method	1
8	You could not get a method	3
9	You are not taking, or using, your method consistently	3
99	Don't know	1
	Total	5699

Universe : Applicable if R reported more than 1 reason she is not currently using birth control (see EH-2c WHYNOUSING1)

Female Respondent File Codebook :: SECTION E: Contraceptive History and Pregnancy Wantedness :: (EJ)
Pill for health reasons

YUSEPILL1(3012-3013)

Variable Type : raw

EJ-1 : Now I have a question about your recent pill use. Please look at Card 43b and tell me the reason or reasons for your recent pill use. - 1st mention

value	label	Total
.	INAPPLICABLE	4815
1	Birth control	647
2	Cramps, or pain during menstrual periods	86
3	Treatment for acne	26
4	Endometriosis	6
5	Other reasons	18
6	To regulate your menstrual periods	81
7	To reduce menstrual bleeding	15
8	Treatment for hot flashes or other peri-menopausal symptoms	4
98	Refused	1

Total**5699**

Universe : Applicable if R used the pill in current month or in prior month (any of currmeth1 - currmeth4 or lstmonmeth1 - lstmonmeth4 = 3)

YUSEPILL2(3014-3014)

Variable Type : raw

EJ-1 : Now I have a question about your recent pill use. Please look at Card 43b and tell me the reason or reasons for your recent pill use. - 2nd mention

value	label	Total
.	INAPPLICABLE	5202
1	Birth control	27
2	Cramps, or pain during menstrual periods	173
3	Treatment for acne	42
4	Endometriosis	10
5	Other reasons	22
6	To regulate your menstrual periods	176
7	To reduce menstrual bleeding	44
8	Treatment for hot flashes or other peri-menopausal symptoms	3
	Total	5699

Universe : Applicable if R mentioned at least 2 reasons for recent pill use (see EJ-1 YUSEPILL1)

YUSEPILL3(3015-3015)

Variable Type : raw

EJ-1 : Now I have a question about your recent pill use. Please look at Card 43b and tell me the reason or reasons for your recent pill use. - 3rd mention

value	label	Total
.	INAPPLICABLE	5420
1	Birth control	14
2	Cramps, or pain during menstrual periods	13
3	Treatment for acne	47
4	Endometriosis	4
5	Other reasons	13
6	To regulate your menstrual periods	106
7	To reduce menstrual bleeding	82
	Total	5699

Universe : Applicable if R mentioned at least 3 reasons for recent pill use (see EJ-1 YUSEPILL1)

YUSEPILL4(3016-3016)

Variable Type : raw

EJ-1 : Now I have a question about your recent pill use. Please look at Card 43b and tell me the reason or reasons for your recent pill use. - 4th mention

value	label	Total
.	INAPPLICABLE	5594
1	Birth control	4
2	Cramps, or pain during menstrual periods	6
3	Treatment for acne	3
4	Endometriosis	2
5	Other reasons	8
6	To regulate your menstrual periods	34
7	To reduce menstrual bleeding	46
8	Treatment for hot flashes or other peri-menopausal symptoms	2

Total**5699**

Universe : Applicable if R mentioned at least 4 reasons for recent pill use (see EJ-1 YUSEPILL1)

YUSEPILL5(3017-3017)

Variable Type : raw

EJ-1 : Now I have a question about your recent pill use. Please look at Card 43b and tell me the reason or reasons for your recent pill use. - 5th mention

value	label	Total
.	INAPPLICABLE	5665
1	Birth control	2
5	Other reasons	5
6	To regulate your menstrual periods	1
7	To reduce menstrual bleeding	25
8	Treatment for hot flashes or other peri-menopausal symptoms	1
	Total	5699

Universe : Applicable if R mentioned at least 5 reasons for recent pill use (see EJ-1 YUSEPILL1)

YUSEPILL6(3018-3018)

Variable Type : raw

EJ-1 : Now I have a question about your recent pill use. Please look at Card 43b and tell me the reason or reasons for your recent pill use. - 6th mention

value	label	Total
.	INAPPLICABLE	5696
6	To regulate your menstrual periods	1
8	Treatment for hot flashes or other peri-menopausal symptoms	2
	Total	5699

Universe : Applicable if R mentioned at least 6 reasons for recent pill use (see EJ-1 YUSEPILL1)

YUSEPILL7(3019-3019)

Variable Type : raw

EJ-1 : Now I have a question about your recent pill use. Please look at Card 43b and tell me the reason or reasons for your recent pill use. - 7th mention

value	label	Total
.	INAPPLICABLE	5698
7	To reduce menstrual bleeding	1
	Total	5699

Universe : Applicable if R mentioned at least 7 reasons for recent pill use (see EJ-1 YUSEPILL1)

IUDTYPE(3020-3020)

Variable Type : raw

EJ-3 : Now I have one question on your recent IUD use. You mentioned that you used the IUD within the past 2 months. Which type (are you using / did you use)? (Is / Was) it a copper-bearing IUD such as Copper-T or ParaGard, or (is/was) it a Levonorgestrel or hormonal IUD, such as Mirena or Skyla, or (is/was) it another type?

value	label	Total
.	INAPPLICABLE	5285
1	Copper-bearing (such as Copper-T or ParaGard)	116
2	Hormonal IUD (such as Mirena or Skyla)	292

3	Other	4
9	Don't know	2
	Total	5699

Universe : Applicable if R used the IUD in current month or in prior month (any of currmeth1 - currmeth4 or lstmonmeth1 - lstmonmeth4 = 19)

Female Respondent File Codebook :: SECTION E: Contraceptive History and Pregnancy Wantedness :: (EL)
Condom consistency: past 4 weeks & past 12 months

PST4WKSX(3021-3023)

Variable Type : raw

EL-1 : Now please think about the last four weeks. How many times have you had sexual intercourse with a male in the last four weeks?

value	label	Total
.	INAPPLICABLE	1275
0-995	0-995	4386
998	Refused	13
999	Don't know	25
	Total	5699

Universe : Applicable if R had sexual intercourse in the past 12 months (EC-8 MONSX through MONSX48 for any of 12 months prior to cmintvw = 1)

PSWKCOND1(3024-3024)

Variable Type : raw

EL-2 : Did you use a condom?

value	label	Total
.	INAPPLICABLE	5289
1	Yes	141
5	No	269
	Total	5699

Universe : Applicable if R only had sex once in the past 4 weeks (EL-1 PST4WKSX = 1) and R ever used the condom (EA-2 CONDOM = 1)

PSWKCOND2(3025-3027)

Variable Type : raw

EL-3 : How many of those times did you use a condom?

value	label	Total
.	INAPPLICABLE	2861
0-995	0-995	2837
999	Don't know	1
	Total	5699

Universe : Applicable if R had sex more than once in the past 4 weeks (EL-1 PST4WKSX > 1) and R ever used the condom (EA-2 CONDOM = 1)

COND1BRK(3028-3028)

Variable Type : raw

EL-3a : That time you used the condom in the past 4 weeks, did it break or completely fall off during intercourse or withdrawal?

value	label	Total
.	INAPPLICABLE	5509
1	Yes	9
5	No	181
Total		5699

Universe : Applicable if R reported using a condom once in the last 4 weeks (EL-2 PSWKCOND1=1)

COND1OFF(3029-3029)

Variable Type : raw

EL-3b : Was the condom used for only part of the time during intercourse? That is, was it put on after you started having sex, or taken off during sex but before ejaculation?

value	label	Total
.	INAPPLICABLE	5509
1	Yes	31
5	No	159
Total		5699

Universe : Applicable if R reported using a condom once in the last 4 weeks (EL-2 PSWKCOND1=1)

CONDBRFL(3030-3032)

Variable Type : raw

EL-3c : Of those (number of times from EL-3 PSWKCOND2) times that you used a condom, how many times did the condom break or completely fall off during intercourse or withdrawal?

value	label	Total
.	INAPPLICABLE	5033
0	Not at all or never	608
1-50	1 or more times	56
999	Don't know	2
Total		5699

Universe : Applicable if R reported using a condom more than once in the past 4 weeks (EL-3 PSWKCOND2 > 1)

CONDOFF(3033-3035)

Variable Type : raw

EL-3d : Of those (number of times from EL-3 PSWKCOND2) times that you used a condom, how many times was the condom used for only part of the time during intercourse? That is, how many time was the condom put on after you started having sex, or taken off during sex but before ejaculation?

value	label	Total
.	INAPPLICABLE	5033
0	Not at all or never	502
1-50	1 or more times	161
999	Don't know	3
Total		5699

Universe : Applicable if R reported using a condom more than once in the past 4 weeks (EL-3 PSWKCOND2 > 1)

MISSPILL(3036-3036)

Variable Type : raw

EL-3e : Still thinking about the past 4 weeks, how many pills that you were supposed to take did you miss? Would you say you never missed a pill, missed only one pill, or missed two or more pills?

value	label	Total
.	INAPPLICABLE	4950
1	Never missed	499
2	Missed only one	121
3	Missed two or more	112
4	Did not use pill over past 4 weeks	17
Total		5699

Universe : Applicable if R used the pill in current month or in prior month (any of currmeth1 - currmeth4 or lstmonmeth1 - lstmonmeth4 = 3)

P12MOCON(3037-3037)

Variable Type : raw

EL-4 : Please look at Card 48. Thinking back over the past 12 months, that is, since [INTERVIEW MONTH, INTERVIEW YEAR - 1], would you say you used a condom with your partner for sexual intercourse every time, most of the time, about half of the time, some of the time, or none of the time?

value	label	Total
.	INAPPLICABLE	1501
1	Every time	714
2	Most of the time	418
3	About half of the time	187
4	Some of the time	616
5	None of the time	2260
8	Refused	1
9	Don't know	2
Total		5699

Universe : Applicable if R had sexual intercourse in the past 12 months (EC-8 MONSX through MONSX48 for any of 12 months prior to cmintvw = 1) and R ever used the condom (EA-2 CONDOM = 1)

PXNOFREQ(3038-3038)

Variable Type : raw

EL-5 : Please look at Card 48. During the last 12 months, that is, since (INTERVIEW MONTH, INTERVIEW YEAR - 1), how often did you or your partner use any method to prevent pregnancy or disease when you had sex together?

value	label	Total
.	INAPPLICABLE	2017
1	Every time	1983
2	Most of the time	443
3	About half of the time	184
4	Some of the time	331
5	None of the time	737
8	Refused	1
9	Don't know	3
Total		5699

Universe : Applicable if R had sexual intercourse in the last 12 months (MONSXnn NE 5 for any month in the range cmlstyr through cmintvw), ever used any method (EVERUSED=1) and did not already say they used a condom every time in the past 12 months (EL-4 P12MOCON NE 1)