

Female Respondent File Codebook :: SECTION E: Contraceptive History and Pregnancy Wantedness :: (EA)
Contraceptive methods ever used and method discontinuation

PILL(1239-1239)

Variable Type : raw

EA-1 : Have you ever used birth control pills?

value	label	Total
1	Yes	3791
5	No	1761
8	Refused	2
Total		5554

Universe : Applicable for all respondents

Notes : use recode PILLR

CONDOM(1240-1240)

Variable Type : raw

EA-2 : Have you ever had sex with a partner who used a condom?

value	label	Total
.	INAPPLICABLE	744
1	Yes	4507
5	No	302
8	Refused	1
Total		5554

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex = 1)

Notes : Use recode CONDOMR

VASECTMY(1241-1241)

Variable Type : raw

EA-3 : Have you ever had sex with a partner who had a vasectomy?

value	label	Total
.	INAPPLICABLE	744
1	Yes	555
5	No	4232
8	Refused	1
9	Don't know	22
Total		5554

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex = 1)

DEPOPROV(1242-1242)

Variable Type : raw

EA-4 : (Have you ever used) Depo-Provera, an injectable (or shot) given once every three months?

value	label	Total
1	Yes	1337
5	No	4214
8	Refused	2
9	Don't know	1
Total		5554

Universe : Applicable for all respondents

WIDRAWAL(1243-1243)

Variable Type : raw

EA-6 : Have you ever had sex with a partner who used withdrawal or "pulling out"?

value	label	Total
.	INAPPLICABLE	744
1	Yes	3032
5	No	1775
8	Refused	1
9	Don't know	2
Total		5554

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex = 1)

RHYTHM(1244-1244)

Variable Type : raw

EA-7 : Have you ever used the calendar rhythm method to prevent pregnancy? With this method, a woman counts the days in her menstrual cycle to identify which days she can get pregnant, or "unsafe" days.

value	label	Total
.	INAPPLICABLE	744
1	Yes	823
5	No	3986
8	Refused	1
Total		5554

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex = 1)

SDAYCBDS(1245-1245)

Variable Type : raw

EA-7b : (Have you ever used) the "Standard Days Method" or "CycleBeads" to prevent pregnancy? These methods identify days 8 to 19 of the cycle as days a woman can get pregnant, or "unsafe" days.

value	label	Total
.	INAPPLICABLE	744
1	Yes	168
5	No	4641
8	Refused	1
Total		5554

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex=1)

TEMPSAFE(1246-1246)

Variable Type : raw

EA-8 : (Have you ever used) Safe period by temperature or cervical mucus test to prevent pregnancy? Some names for these methods are the Two Day Method, the Billings Ovulation Method, and the Symptothermal Method.

value	label	Total
.	INAPPLICABLE	744
1	Yes	130
5	No	4678
8	Refused	1
9	Don't know	1

Total **5554**

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex = 1)

PATCH(1247-1247)

Variable Type : raw

EA-9 : (Have you ever used) The contraceptive patch?

value	label	Total
1	Yes	441
5	No	5111
8	Refused	2
Total		5554

Universe : Applicable for all respondents

RING(1248-1248)

Variable Type : raw

EA-10 : (Have you ever used) The vaginal contraceptive ring (or "NuvaRing")?

value	label	Total
1	Yes	518
5	No	5033
8	Refused	2
9	Don't know	1
Total		5554

Universe : Applicable for all respondents

MORNPILL(1249-1249)

Variable Type : raw

EA-11 : (Have you ever used) Emergency contraception, also known as "Plan B", "Preven", "Ella", "Next Choice", or "Morning after" pills?

value	label	Total
.	INAPPLICABLE	744
1	Yes	1056
5	No	3753
8	Refused	1
Total		5554

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex = 1)

ECTIMESX(1250-1251)

Variable Type : raw

EA-12 : How many different times have you used emergency contraception?

value	label	Total
.	INAPPLICABLE	4498
1	1	531
2-96	2 OR MORE	525
Total		5554

Universe : Applicable if R has ever used emergency contraception (EA-11 MORNPILL = 1)

ECREASON1(1252-1252)

Variable Type : raw

EA-13 : Did you use emergency contraception because you were worried your birth control method would not work, you didn't use birth control that time, or for some other reason? - 1st Reason

value	label	Total
.	INAPPLICABLE	4498
1	You were worried your birth control method would not work	404
2	You didn't use birth control that time	523
3	Some other reason	129
Total		5554

Universe : Applicable if R has ever used emergency contraception (EA-11 MORNPIII = 1)

ECREASON2(1253-1253)

Variable Type : raw

EA-13 : Did you use emergency contraception because you were worried your birth control method would not work, you didn't use birth control that time, or for some other reason? - 2nd Reason

value	label	Total
.	INAPPLICABLE	5471
1	You were worried your birth control method would not work	6
2	You didn't use birth control that time	71
3	Some other reason	6
Total		5554

Universe : Applicable if R mentioned at least 2 reasons for using emergency contraception (see EA-13 ECREASON1)

ECREASON3(1254-1254)

Variable Type : raw

EA-13 : Did you use emergency contraception because you were worried your birth control method would not work, you didn't use birth control that time, or for some other reason? - 3rd Reason

value	label	Total
.	INAPPLICABLE	5550
3	Some other reason	4
Total		5554

Universe : Applicable if R mentioned at least 3 reasons for using emergency contraception (see EA-13 ECREASON1)

ECRX(1255-1255)

Variable Type : raw

EA-13aa : (The last time you used it,) Did you get the emergency contraception with or without a prescription?

value	label	Total
.	INAPPLICABLE	4498
1	With a prescription	196
2	Without a prescription	856
9	Don't know	4
Total		5554

Universe : Applicable if R has ever used emergency contraception (EA-11 MORNPIII = 1)

ECWHERE(1256-1257)

Variable Type : raw

EA-13a : Please look at Card 36. (The last time you used it, where/Where) did you get the (prescription for the) emergency contraception?

value	label	Total
.	INAPPLICABLE	4498
1	Private doctor's office	68
2	HMO facility	14
3	Community health clinic, community clinic, public health clinic	47
4	Family planning or Planned Parenthood clinic	167
5	Employer or company clinic	2
6	School or school-based clinic	17
7	Hospital outpatient clinic	3
8	Hospital emergency room	7
10	Urgent care center, urgi-care, or walk-in facility	3
11	Friend	13
12	Partner or spouse	9
13	Drug store	511
14	Mail order/Internet	1
15	In-store health clinic (like CVS, Target, or Walmart)	183
20	Some other place	10
99	Don't know	1
	Total	5554

Universe : Applicable if R has ever used emergency contraception (EA-11 MORNPIII = 1)

ECWHEN(1258-1258)

Variable Type : raw

EA-13b : (The last time you used it,) was that within the last 12 months, that is, since (INTERVIEW MONTH, INTERVIEW YEAR - 1)?

value	label	Total
.	INAPPLICABLE	4498
1	Yes (Within the last 12 months)	222
2	No (Over 12 months ago)	833
9	Don't know	1
	Total	5554

Universe : Applicable if R has ever used emergency contraception (EA-11 MORNPIII = 1)

OTHRMETH01(1259-1260)

Variable Type : raw

EA-14 : On the right side of Card 30 is a list of some other methods of birth control. Which, if any, of the methods listed on that card have you ever used? Please tell me the method even if you have only used it once. - 1st Method

value	label	Total
.	INAPPLICABLE	5
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	295
12	Diaphragm	63
13	Female condom, vaginal pouch	58
14	Foam	118
15	Jelly or cream	81
16	Cervical cap	3
17	Suppository, insert	30
18	Today sponge	42
19	IUD, coil, or loop	779
21	Other method -- specify	8

24	Lunelle	5
95	No other methods ever used	4065
98	Refused	2
	Total	5554

Universe : Applicable for all respondents.

Notes : 5 cases that are inapplicable should be 95. (No methods were used in addition to those already mentioned earlier in section EA.)

OTHRMETH02(1261-1262)

Variable Type : raw

EA-14 : On the right side of Card 30 is a list of some other methods of birth control. Which, if any, of the methods listed on that card have you ever used? Please tell me the method even if you have only used it once. - 2nd Method

value	label	Total
.	INAPPLICABLE	5309
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	11
12	Diaphragm	5
13	Female condom, vaginal pouch	15
14	Foam	33
15	Jelly or cream	39
16	Cervical cap	2
17	Suppository, insert	20
18	Today sponge	22
19	IUD, coil, or loop	91
21	Other method -- specify	3
24	Lunelle	4
	Total	5554

Universe : Applicable if R mentioned at least 2 other methods ever used (see EA-14 OTHRMETH01)

OTHRMETH03(1263-1264)

Variable Type : raw

EA-14 : On the right side of Card 30 is a list of some other methods of birth control. Which, if any, of the methods listed on that card have you ever used? Please tell me the method even if you have only used it once. - 3rd Method

value	label	Total
.	INAPPLICABLE	5496
12	Diaphragm	1
13	Female condom, vaginal pouch	1
14	Foam	8
15	Jelly or cream	12
16	Cervical cap	3
17	Suppository, insert	11
18	Today sponge	6
19	IUD, coil, or loop	16
	Total	5554

Universe : Applicable if R mentioned at least 3 other methods ever used (see EA-14 OTHRMETH01)

OTHRMETH04(1265-1266)

Variable Type : raw

EA-14 : On the right side of Card 30 is a list of some other methods of birth control. Which, if any, of the methods listed on that card have you ever used? Please tell me the method even if you have only used it once. - 4th Method

value	label	Total
.	INAPPLICABLE	5535
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	1
15	Jelly or cream	3
16	Cervical cap	2
17	Suppository, insert	2
18	Today sponge	5
19	IUD, coil, or loop	6
	Total	5554

Universe : Applicable if R mentioned at least 4 other methods ever used (see EA-14 OTHRMETH01)

OTHRMETH05(1267-1268)

Variable Type : raw

EA-14 : On the right side of Card 30 is a list of some other methods of birth control. Which, if any, of the methods listed on that card have you ever used? Please tell me the method even if you have only used it once. - 5th Method

value	label	Total
.	INAPPLICABLE	5549
17	Suppository, insert	1
18	Today sponge	2
19	IUD, coil, or loop	2
	Total	5554

Universe : Applicable if R mentioned at least 5 other methods ever used (see EA-14 OTHRMETH01)

OTHRMETH06(1269-1270)

Variable Type : raw

EA-14 : On the right side of Card 30 is a list of some other methods of birth control. Which, if any, of the methods listed on that card have you ever used? Please tell me the method even if you have only used it once. - 6th Method

value	label	Total
.	INAPPLICABLE	5553
18	Today sponge	1
	Total	5554

Universe : Applicable if R mentioned at least 6 other methods ever used (see EA-14 OTHRMETH01)

OTHRMETH07(1271-1271)

Variable Type : raw

EA-14 : On the right side of Card 30 is a list of some other methods of birth control. Which, if any, of the methods listed on that card have you ever used? Please tell me the method even if you have only used it once. - 7th Method

value	label	Total
.	INAPPLICABLE	5554
	Total	5554

Universe : Applicable if R mentioned at least 7 other methods ever used (see EA-14 OTHRMETH01)

EVIUDTYP1(1272-1272)

Variable Type : raw

EA-15a : Please look at Card 30a. Which type or types of IUD have you ever used, out of the following types: a copper-bearing IUD such as Copper-T or ParaGard, a Levonorgestrel or hormonal IUD, such as Mirena or Skyla, or another type? - 1st mention

value	label	Total
.	INAPPLICABLE	4660
1	Copper-bearing (such as Copper-T or ParaGard)	240
2	Hormonal IUD (such as Mirena or Skyla)	638
3	Other	8
9	Don't know	8
	Total	5554

Universe : Applicable if R ever reported using an IUD (any EA-14 OTHRMETH01 through OTHRMETH07 = 19)

EVIUDTYP2(1273-1273)

Variable Type : raw

EA-15a : Which type or types of IUD have you ever used, out of the following types: a copper-bearing IUD such as Copper-T or ParaGard, a Levonorgestrel or hormonal IUD, such as Mirena or Skyla, or another type? - 2nd mention

value	label	Total
.	INAPPLICABLE	5525
1	Copper-bearing (such as Copper-T or ParaGard)	4
2	Hormonal IUD (such as Mirena or Skyla)	25
	Total	5554

Universe : Applicable if R reported using more than one type of IUD (see EA-15a EVIUDTYP1)

newmeth(1274-1274)

Variable Type : computed

Description : Code for other method specified in EA-15 (computed in post-processing)

value	label	Total
.	INAPPLICABLE	5543
3	Vaginal contraceptive film	6
4	Other method, not shown separately	5
	Total	5554

Universe : Applicable if R ever used a method other than one asked about in EA-1 PILL through EA-14 OTHRMETH and any OTHRMETH01 - 6 was coded "other method" (any EA-14 OTHRMETH01 through OTHRMETH06 = 21)

Notes : All responses were volunteered by respondents. They did not appear on Card 30

everused(1275-1275)

Variable Type : computed

Description : Ever used any method or R or husband/partner ever surgically sterilized (sterilizations from D) (Computed in Flow Check E-6)

value	label	Total
1	Yes	4904
5	No	649
7	Not ascertained	1
	Total	5554

Universe : Applicable for all respondents

Notes : See recode ANYMTHD

METHDISS(1276-1276)

Variable Type : raw

EA-16 : Some people try a method and then don't use it again, or stop using it, because they are not satisfied with the method. Did you ever stop using a method because you were not satisfied with it in some way?

value	label	Total
.	INAPPLICABLE	649
1	Yes	2319
5	No	2584
8	Refused	2
Total		5554

Universe : Applicable if R ever used a method of contraception (everused = 1)

METHSTOP01(1277-1278)

Variable Type : raw

EA-17 : Please look at Card 31. What method or methods did you stop because you were not satisfied? - 1st method

value	label	Total
.	INAPPLICABLE	3234
3	Birth control pills	1189
4	Condom	145
7	Withdrawal, pulling out	60
8	Depo-Provera, injectables (shots)	416
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	65
10	Calendar rhythm, Standard Days, or Cycle Beads method	16
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
12	Diaphragm	25
13	Female condom, vaginal pouch	12
14	Foam	27
15	Jelly or cream	8
17	Suppository, insert	8
18	Today sponge	13
19	IUD, coil, or loop	164
21	Other method	10
24	Lunelle injectable (monthly shot)	1
25	Contraceptive patch	70
26	Vaginal contraceptive ring	89
99	Don't know	1
Total		5554

Universe : Applicable if R ever stopped using a method due to dissatisfaction (EA-16 METHDISS = 1)

METHSTOP02(1279-1280)

Variable Type : raw

EA-17 : Please look at Card 31. What method or methods did you stop because you were not satisfied? - 2nd method

value	label	Total
.	INAPPLICABLE	4748
3	Birth control pills	111
4	Condom	152
5	Partner's vasectomy	1
7	Withdrawal, pulling out	76

8	Depo-Provera, injectables (shots)	181
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	31
10	Calendar rhythm, Standard Days, or Cycle Beads method	7
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
12	Diaphragm	5
13	Female condom, vaginal pouch	1
14	Foam	14
15	Jelly or cream	6
16	Cervical cap	1
17	Suppository, insert	6
18	Today sponge	7
19	IUD, coil, or loop	70
21	Other method	1
25	Contraceptive patch	60
26	Vaginal contraceptive ring	73
	Total	5554

Universe : Applicable if R mentioned at least 2 methods stopped due to dissatisfaction (see EA-17 METHSTOP01)

METHSTOP03(1281-1282)

Variable Type : raw

EA-17 : Please look at Card 31. What method or methods did you stop because you were not satisfied? - 3rd method

value	label	Total
.	INAPPLICABLE	5273
3	Birth control pills	19
4	Condom	22
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	44
8	Depo-Provera, injectables (shots)	39
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	11
10	Calendar rhythm, Standard Days, or Cycle Beads method	13
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
12	Diaphragm	5
13	Female condom, vaginal pouch	3
14	Foam	9
15	Jelly or cream	7
16	Cervical cap	1
17	Suppository, insert	4
18	Today sponge	4
19	IUD, coil, or loop	28
21	Other method	3
24	Lunelle injectable (monthly shot)	1
25	Contraceptive patch	35
26	Vaginal contraceptive ring	30
	Total	5554

Universe : Applicable if R mentioned at least 3 methods stopped due to dissatisfaction (see EA-17 METHSTOP01)

METHSTOP04(1283-1284)

Variable Type : raw

EA-17 : Please look at Card 31. What method or methods did you stop because you were not satisfied? - 4th method

value	label	Total
--------------	--------------	--------------

.	INAPPLICABLE	5461
3	Birth control pills	3
4	Condom	3
7	Withdrawal, pulling out	6
8	Depo-Provera, injectables (shots)	7
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	7
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
12	Diaphragm	4
13	Female condom, vaginal pouch	4
14	Foam	1
15	Jelly or cream	3
17	Suppository, insert	1
19	IUD, coil, or loop	17
25	Contraceptive patch	16
26	Vaginal contraceptive ring	18
	Total	5554

Universe : Applicable if R mentioned at least 4 methods stopped due to dissatisfaction (see EA-17 METHSTOP01)

METHSTOP05(1285-1286)

Variable Type : raw

EA-17 : Please look at Card 31. What method or methods did you stop because you were not satisfied? - 5th method

value	label	Total
.	INAPPLICABLE	5525
4	Condom	1
7	Withdrawal, pulling out	1
8	Depo-Provera, injectables (shots)	1
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	3
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
12	Diaphragm	1
13	Female condom, vaginal pouch	3
14	Foam	2
17	Suppository, insert	1
19	IUD, coil, or loop	2
25	Contraceptive patch	5
26	Vaginal contraceptive ring	7
	Total	5554

Universe : Applicable if R mentioned at least 5 methods stopped due to dissatisfaction (see EA-17 METHSTOP01)

METHSTOP06(1287-1288)

Variable Type : raw

EA-17 : Please look at Card 31. What method or methods did you stop because you were not satisfied? - 6th method

value	label	Total
.	INAPPLICABLE	5541
3	Birth control pills	1
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	1
14	Foam	2
15	Jelly or cream	2
17	Suppository, insert	1

25	Contraceptive patch	1
26	Vaginal contraceptive ring	5
	Total	5554

Universe : Applicable if R mentioned at least 6 methods stopped due to dissatisfaction (see EA-17 METHSTOP01)

METHSTOP07(1289-1290)

Variable Type : raw

EA-17 : Please look at Card 31. What method or methods did you stop because you were not satisfied? - 7th method

value	label	Total
.	INAPPLICABLE	5549
4	Condom	1
19	IUD, coil, or loop	2
25	Contraceptive patch	1
26	Vaginal contraceptive ring	1
	Total	5554

Universe : Applicable if R mentioned at least 7 methods stopped due to dissatisfaction (see EA-17 METHSTOP01)

METHSTOP08(1291-1291)

Variable Type : raw

EA-17 : Please look at Card 31. What method or methods did you stop because you were not satisfied? - 8th method

value	label	Total
.	INAPPLICABLE	5554
	Total	5554

Universe : Applicable if R mentioned at least 8 methods stopped due to dissatisfaction (see EA-17 METHSTOP01)

METHSTOP09(1292-1292)

Variable Type : raw

EA-17 : Please look at Card 31. What method or methods did you stop because you were not satisfied? - 9th method

value	label	Total
.	INAPPLICABLE	5554
	Total	5554

Universe : Applicable if R mentioned at least 9 methods stopped due to dissatisfaction (see EA-17 METHSTOP01)

METHSTOP10(1293-1293)

Variable Type : raw

EA-17 : Please look at Card 31. What method or methods did you stop because you were not satisfied? - 10th method

value	label	Total
.	INAPPLICABLE	5554
	Total	5554

Universe : Applicable if R mentioned at least 10 methods stopped due to dissatisfaction (see EA-17 METHSTOP01)

WHENPILL(1294-1294)

Variable Type : raw

EA-17a : Now, think about the last 12 months, that is, since [INTERVIEW MONTH, INTERVIEW YEAR - 1]. During that time, did you stop using the pill because you were not satisfied with it?

value	label	Total
.	INAPPLICABLE	4231
1	Yes (stopped within the last 12 months)	192
5	No (stopped over 12 months ago)	1130
9	Don't know	1
Total		5554

Universe : Applicable if R ever stopped using the pill due to dissatisfaction (any EA-17 METHSTOP01 through METHSTOP10 = 3)

REASPILL01(1295-1296)

Variable Type : raw

EA-18 : Looking at Card 32, What was the reason or reasons you were not satisfied with the Pill? - 1st

value	label	Total
.	INAPPLICABLE	4231
1	Too expensive	22
2	Insurance did not cover it	9
3	Too difficult to use	189
4	Too messy	1
5	Your partner did not like it	5
6	You had side effects	731
7	You were worried you might have side effects	68
8	You worried the method would not work	14
9	The method failed, you became pregnant	101
10	The method did not protect against disease	3
11	Because of other health problems, a doctor told you that you should not use the method again	31
12	The method decreased your sexual pleasure	2
13	Too difficult to obtain the method	11
14	Did not like the changes to your menstrual cycle	55
15	Other -- specify	81
Total		5554

Universe : Applicable if R ever stopped using the pill due to dissatisfaction (any EA-17 METHSTOP01 through METHSTOP10 = 3)

REASPILL02(1297-1298)

Variable Type : raw

EA-18 : Looking at Card 32, What was the reason or reasons you were not satisfied with the Pill? - 2nd

value	label	Total
.	INAPPLICABLE	5202
1	Too expensive	2
2	Insurance did not cover it	9
3	Too difficult to use	26
5	Your partner did not like it	3
6	You had side effects	70
7	You were worried you might have side effects	29
8	You worried the method would not work	20

9	The method failed, you became pregnant	25
10	The method did not protect against disease	8
11	Because of other health problems, a doctor told you that you should not use the method again	26
12	The method decreased your sexual pleasure	32
13	Too difficult to obtain the method	18
14	Did not like the changes to your menstrual cycle	54
15	Other -- specify	30
	Total	5554

Universe : Applicable if R mentioned at least 2 reasons for stopping use of the pill due to dissatisfaction (see EA-18 REASPILL01)

REASPILL03(1299-1300)

Variable Type : raw

EA-18 : Looking at Card 32, What was the reason or reasons you were not satisfied with the Pill? - 3rd

value	label	Total
.	INAPPLICABLE	5438
1	Too expensive	3
2	Insurance did not cover it	2
3	Too difficult to use	8
5	Your partner did not like it	2
6	You had side effects	10
7	You were worried you might have side effects	8
8	You worried the method would not work	8
9	The method failed, you became pregnant	6
10	The method did not protect against disease	8
11	Because of other health problems, a doctor told you that you should not use the method again	9
12	The method decreased your sexual pleasure	5
13	Too difficult to obtain the method	5
14	Did not like the changes to your menstrual cycle	31
15	Other -- specify	11
	Total	5554

Universe : Applicable if R mentioned at least 3 reasons for stopping use of the pill due to dissatisfaction (see EA-18 REASPILL01)

REASPILL04(1301-1302)

Variable Type : raw

EA-18 : Looking at Card 32, What was the reason or reasons you were not satisfied with the Pill? - 4th

value	label	Total
.	INAPPLICABLE	5521
3	Too difficult to use	3
5	Your partner did not like it	2
7	You were worried you might have side effects	4
8	You worried the method would not work	2
9	The method failed, you became pregnant	3
12	The method decreased your sexual pleasure	3
13	Too difficult to obtain the method	4
14	Did not like the changes to your menstrual cycle	10
15	Other -- specify	2
	Total	5554

Universe : Applicable if R mentioned at least 4 reasons for stopping use of the pill due to dissatisfaction (see EA-18 REASPILL01)

REASPILL05(1303-1304)

Variable Type : raw

EA-18 : Looking at Card 32, What was the reason or reasons you were not satisfied with the Pill? - 5th

value	label	Total
.	INAPPLICABLE	5545
4	Too messy	1
6	You had side effects	2
11	Because of other health problems, a doctor told you that you should not use the method again	1
12	The method decreased your sexual pleasure	2
14	Did not like the changes to your menstrual cycle	2
15	Other -- specify	1
	Total	5554

Universe : Applicable if R mentioned at least 5 reasons for stopping use of the pill due to dissatisfaction (see EA-18 REASPILL01)

REASPILL06(1305-1306)

Variable Type : raw

EA-18 : Looking at Card 32, What was the reason or reasons you were not satisfied with the Pill? - 6th

value	label	Total
.	INAPPLICABLE	5552
3	Too difficult to use	1
14	Did not like the changes to your menstrual cycle	1
	Total	5554

Universe : Applicable if R mentioned at least 6 reasons for stopping use of the pill due to dissatisfaction (see EA-18 REASPILL01)

REASPILL07(1307-1308)

Variable Type : raw

EA-18 : Looking at Card 32, What was the reason or reasons you were not satisfied with the Pill? - 7th

value	label	Total
.	INAPPLICABLE	5553
15	Other -- specify	1
	Total	5554

Universe : Applicable if R mentioned at least 7 reasons for stopping use of the pill due to dissatisfaction (see EA-18 REASPILL01)

stoppill1(1309-1310)

Variable Type : computed

Description : Open-ended response to reason(s) for discontinuation of pill: 1st mention

value	label	Total
.	INAPPLICABLE	4466
1	Can't remember to take pill (regularly)	276
2	Interfered with other medications	3
3	Weight gain	200
4	Headaches/migraines	105
5	Mood swings/depression	166
6	Bleeding problems (spotting, too much, irregularly)	78
7	Hair loss	6
8	Nausea/sickness	89
9	Skin problems	19

10	Hormonal problems/changes	18
11	Didn't like/Didn't want to use	10
12	Concerns about risks, such as breast cancer	8
15	Menstrual cramps	4
16	Leg cramps	2
17	Dizziness	3
18	Decreased sex drive	7
19	High blood pressure	9
20	Blood clots	6
21	Fatigue	1
22	Other side effects	47
23	Other (Too few cases, not classifiable elsewhere)	30
97	Not ascertained	1
	Total	5554

Universe : Applicable R chose "too difficult to use", "side effects", or "other" reason for discontinuing pill (any EA-18 REASPILL01 - REASPILL06 = 3, 6, or 15). (Note: some responses were coded onto variables REASPILL01 - REASPILL06)

Notes : All responses were volunteered by respondents. They did not appear on Card 32

stoppill2(1311-1312)

Variable Type : computed

Description : Open-ended response to reason(s) for discontinuation of pill: 2nd mention

value	label	Total
.	INAPPLICABLE	5154
3	Weight gain	22
4	Headaches/migraines	22
5	Mood swings/depression	88
6	Bleeding problems (spotting, too much, irregularly)	42
7	Hair loss	7
8	Nausea/sickness	61
9	Skin problems	17
10	Hormonal problems/changes	18
11	Didn't like/Didn't want to use	8
12	Concerns about risks, such as breast cancer	3
13	Not effective at preventing cramps	1
15	Menstrual cramps	12
16	Leg cramps	1
17	Dizziness	10
18	Decreased sex drive	6
19	High blood pressure	6
20	Blood clots	1
21	Fatigue	6
22	Other side effects	57
23	Other (Too few cases, not classifiable elsewhere)	12
	Total	5554

Universe : Applicable if R reported at least 2 difficulties, side effects, or "other" reason on EA-18b SP_REASPILL, EA-18c SP_DIFFPILL, and EA-18d SP_SIDEPIII (see STOPPILL1)

Notes : All responses were volunteered by respondents. They did not appear on Card 32

stoppill3(1313-1314)

Variable Type : computed

Description : Open-ended response to reason(s) for discontinuation of pill: 3rd mention

value	label	Total
--------------	--------------	--------------

.	INAPPLICABLE	5428
4	Headaches/migraines	3
5	Mood swings/depression	7
6	Bleeding problems (spotting, too much, irregularly)	11
7	Hair loss	1
8	Nausea/sickness	19
9	Skin problems	11
10	Hormonal problems/changes	6
11	Didn't like/Didn't want to use	2
12	Concerns about risks, such as breast cancer	3
14	Weight loss	3
15	Menstrual cramps	9
17	Dizziness	5
18	Decreased sex drive	9
19	High blood pressure	1
21	Fatigue	5
22	Other side effects	26
23	Other (Too few cases, not classifiable elsewhere)	5
	Total	5554

Universe : Applicable if R reported at least 3 difficulties, side effects, or "other" reason on EA-18b SP_REASPILL, EA-18c SP_DIFFPILL, and EA-18d SP_SIDEPIILL (see STOPPILL1)

Notes : All responses were volunteered by respondents. They did not appear on Card 32

stoppill4(1315-1316)

Variable Type : computed

Description : Open-ended response to reason(s) for discontinuation of pill: 4th mention

value	label	Total
.	INAPPLICABLE	5524
5	Mood swings/depression	2
6	Bleeding problems (spotting, too much, irregularly)	1
7	Hair loss	1
8	Nausea/sickness	2
9	Skin problems	1
14	Weight loss	1
15	Menstrual cramps	1
18	Decreased sex drive	1
19	High blood pressure	1
21	Fatigue	4
22	Other side effects	11
23	Other (Too few cases, not classifiable elsewhere)	4
	Total	5554

Universe : Applicable if R reported at least 4 difficulties, side effects, or "other" reason on EA-18b SP_REASPILL, EA-18c SP_DIFFPILL, and EA-18d SP_SIDEPIILL (see STOPPILL1)

Notes : All responses were volunteered by respondents. They did not appear on Card 32

stoppill5(1317-1318)

Variable Type : computed

Description : Open-ended response to reason(s) for discontinuation of pill: 5th mention

value	label	Total
.	INAPPLICABLE	5548
6	Bleeding problems (spotting, too much, irregularly)	1
8	Nausea/sickness	1

18	Decreased sex drive	1
22	Other side effects	2
23	Other (Too few cases, not classifiable elsewhere)	1
Total		5554

Universe : Applicable if R reported at least 5 difficulties, side effects, or "other" reason on EA-18b SP_REASPILL, EA-18c SP_DIFFPILL, and EA-18d SP_SIDEPIII (see STOPPILL1)

Notes : All responses were volunteered by respondents. They did not appear on Card 32

stoppill6(1319-1320)

Variable Type : computed

Description : Open-ended response to reason(s) for discontinuation of pill: 6th mention

value	label	Total
.	INAPPLICABLE	5553
22	Other side effects	1
Total		5554

Universe : Applicable if R reported at least 6 difficulties, side effects, or "other" reason on EA-18b SP_REASPILL, EA-18c SP_DIFFPILL, and EA-18d SP_SIDEPIII (see STOPPILL1)

Notes : All responses were volunteered by respondents. They did not appear on Card 32

WHENCOND(1321-1321)

Variable Type : raw

EA-18e : Now, think about the last 12 months, that is, since [INTERVIEW MONTH, INTERVIEW YEAR - 1]. During that time, did you stop using the condom because you were not satisfied with it?

value	label	Total
.	INAPPLICABLE	5230
1	Yes (stopped within the last 12 months)	70
5	No (stopped over 12 months ago)	254
Total		5554

Universe : Applicable if R ever stopped using the condom due to dissatisfaction (any EA-17 METHSTOP01 through METHSTOP10 = 4)

REASCOND01(1322-1323)

Variable Type : raw

EA-19 : Looking at Card 32, What was the reason or reasons you were not satisfied with the condom? - 1st

value	label	Total
.	INAPPLICABLE	5230
1	Too expensive	4
2	Insurance did not cover it	1
3	Too difficult to use	27
4	Too messy	27
5	Your partner did not like it	84
6	You had side effects	53
7	You were worried you might have side effects	2
8	You worried the method would not work	15
9	The method failed, you became pregnant	14
11	Because of other health problems, a doctor told you that you should not use the method again	1
12	The method decreased your sexual pleasure	66
13	Too difficult to obtain the method	1
15	Other -- specify	29
Total		5554

Universe : Applicable if R ever stopped using the condom due to dissatisfaction (any EA-17 METHSTOP01 through METHSTOP10 = 4)

REASCOND02(1324-1325)

Variable Type : raw

EA-19 : Looking at Card 32, What was the reason or reasons you were not satisfied with the condom? - 2nd

value	label	Total
.	INAPPLICABLE	5443
1	Too expensive	1
3	Too difficult to use	3
4	Too messy	13
5	Your partner did not like it	22
6	You had side effects	8
7	You were worried you might have side effects	1
8	You worried the method would not work	16
11	Because of other health problems, a doctor told you that you should not use the method again	1
12	The method decreased your sexual pleasure	38
15	Other -- specify	8
Total		5554

Universe : Applicable if R mentioned at least 2 reasons for stopping use of the condom due to dissatisfaction (see EA-19 REASCOND01)

REASCOND03(1326-1327)

Variable Type : raw

EA-19 : Looking at Card 32, What was the reason or reasons you were not satisfied with the condom? - 3rd

value	label	Total
.	INAPPLICABLE	5514
5	Your partner did not like it	8
6	You had side effects	1
8	You worried the method would not work	5
12	The method decreased your sexual pleasure	21
15	Other -- specify	5
Total		5554

Universe : Applicable if R mentioned at least 3 reasons for stopping use of the condom due to dissatisfaction (see EA-19 REASCOND01)

REASCOND04(1328-1329)

Variable Type : raw

EA-19 : Looking at Card 32, What was the reason or reasons you were not satisfied with the condom? - 4th

value	label	Total
.	INAPPLICABLE	5547
6	You had side effects	2
8	You worried the method would not work	1
9	The method failed, you became pregnant	1
12	The method decreased your sexual pleasure	2
15	Other -- specify	1
Total		5554

Universe : Applicable if R mentioned at least 4 reasons for stopping use of the condom due to dissatisfaction (see EA-19 REASCOND01)

REASCOND05(1330-1331)

Variable Type : raw

EA-19 : Looking at Card 32, What was the reason or reasons you were not satisfied with the condom? - 5th

value	label	Total
.	INAPPLICABLE	5551
8	You worried the method would not work	1
9	The method failed, you became pregnant	1
10	The method did not protect against disease	1
	Total	5554

Universe : Applicable if R mentioned at least 5 reasons for stopping use of the condom due to dissatisfaction (see EA-19 REASCOND01)

REASCOND06(1332-1333)

Variable Type : raw

EA-19 : Looking at Card 32, What was the reason or reasons you were not satisfied with the condom? - 6th

value	label	Total
.	INAPPLICABLE	5552
12	The method decreased your sexual pleasure	2
	Total	5554

Universe : Applicable if R mentioned at least 6 reasons for stopping use of the condom due to dissatisfaction (see EA-19 REASCOND01)

REASCOND07(1334-1334)

Variable Type : raw

EA-19 : Looking at Card 32, What was the reason or reasons you were not satisfied with the condom? - 7th

value	label	Total
.	INAPPLICABLE	5554
	Total	5554

Universe : Applicable if R mentioned at least 7 reasons for stopping use of the condom due to dissatisfaction (see EA-19 REASCOND01)

stopcond1(1335-1336)

Variable Type : computed

Description : Open-ended response to reason(s) for discontinuation of condom: 1st mention

value	label	Total
.	INAPPLICABLE	5424
1	Allergy (latex/spermicide)	41
2	Didn't like it / Didn't like how it felt	18
3	Pain/discomfort/irritation	28
4	Yeast infection	6
5	Worried it would fall off / break / not prevent pregnancy	1
6	Inconvenient	5
7	Not spontaneous	5
8	Frustrating to use	7
9	Other (Too few cases, not classifiable elsewhere)	14
97	Not ascertained	5
	Total	5554

Universe : Applicable if R chose "too difficult to use", "side effects", or "other" reason for discontinuing condom (any EA-19 REASCOND01 - REASCOND07 = 3, 6, or 15). (Note: some responses were coded onto variables REASCOND01 - REASCOND07)

Notes : All responses were volunteered by respondents. They did not appear on Card 32

stopcond2(1337-1337)

Variable Type : computed

Description : Open-ended response to reason(s) for discontinuation of condom: 2nd mention

value	label	Total
.	INAPPLICABLE	5550
3	Pain/discomfort/irritation	1
5	Worried it would fall off / break / not prevent pregnancy	1
6	Inconvenient	1
8	Frustrating to use	1
	Total	5554

Universe : Applicable if R reported at least 2 difficulties, side effects, or "other" reason on EA-19b SP_REASCOND, EA-19c SP_DIFFCOND, and EA-19d SP_SIDECOND (see STOPCOND1)

Notes : All responses were volunteered by respondents. They did not appear on Card 32

WHENIUD(1338-1338)

Variable Type : raw

EA-20e : Now, think about the last 12 months, that is since, [INTERVIEW MONTH, INTERVIEW YEAR - 1]. During that time, did you stop using the IUD because were not satisfied, with it?

value	label	Total
.	INAPPLICABLE	5271
1	Yes (stopped within the last 12 months)	64
5	No (stopped over 12 months ago)	219
	Total	5554

Universe : Applicable if R ever stopped using the IUD due to dissatisfaction (any EA-17 METHSTOP01 through METHSTOP10 = 19)

TYPEIUD_1(1339-1339)

Variable Type : raw

EA-21 : Please look at Card 30a. Which type or types of IUD did you stop using because you were not satisfied, out of the following types: a copper-bearing IUD such as Copper-T or ParaGard, a Levonorgestrel or hormonal IUD, such as Mirena or Skyla, or another type? - 1st mention

value	label	Total
.	INAPPLICABLE	5270
1	Copper-bearing (such as Copper-T or ParaGard)	78
2	Hormonal IUD (such as Mirena or Skyla)	201
3	Other	3
9	Don't know	2
	Total	5554

Universe : Applicable if R ever stopped using an IUD due to dissatisfaction (any EA-17 METHSTOP01 through METHSTOP10 = 19)

TYPEIUD_2(1340-1340)

Variable Type : raw

EA-21 : Please look at Card 30a. Which type or types of IUD did you stop using because you were not satisfied, out of the following types: a copper-bearing IUD such as Copper-T or ParaGard, a Levonorgestrel or hormonal IUD, such as Mirena or Skyla, or another type? - 2nd mention

value	label	Total
.	INAPPLICABLE	5552
2	Hormonal IUD (such as Mirena or Skyla)	2
Total		5554

Universe : Applicable if R reported ever stopped using more than one type of IUD due to dissatisfaction (see EA-21 TYPEIUD_1)

REASIUD01(1341-1342)

Variable Type : raw

EA-21a : Looking at Card 32, What was the reason or reasons you were not satisfied with the IUD? - 1st

value	label	Total
.	INAPPLICABLE	5271
1	Too expensive	1
3	Too difficult to use	4
4	Too messy	2
5	Your partner did not like it	9
6	You had side effects	176
7	You were worried you might have side effects	8
9	The method failed, you became pregnant	14
11	Because of other health problems, a doctor told you that you should not use the method again	11
12	The method decreased your sexual pleasure	5
14	Did not like the changes to your menstrual cycle	23
15	Other -- specify	30
Total		5554

Universe : Applicable if R ever stopped using IUD due to dissatisfaction (any EA-17 METHSTOP01 through METHSTOP10 = 19)

REASIUD02(1343-1344)

Variable Type : raw

EA-21a : Looking at Card 32, What was the reason or reasons you were not satisfied with the IUD? - 2nd

value	label	Total
.	INAPPLICABLE	5476
2	Insurance did not cover it	1
5	Your partner did not like it	4
6	You had side effects	11
7	You were worried you might have side effects	5
8	You worried the method would not work	2
9	The method failed, you became pregnant	5
11	Because of other health problems, a doctor told you that you should not use the method again	7
12	The method decreased your sexual pleasure	7
13	Too difficult to obtain the method	1
14	Did not like the changes to your menstrual cycle	28
15	Other -- specify	7
Total		5554

Universe : Applicable if R mentioned at least 2 reasons for stopping use of IUD due to dissatisfaction (see EA-21 REASIUD01)

REASIUD03(1345-1346)

Variable Type : raw

EA-21a : Looking at Card 32, What was the reason or reasons you were not satisfied with the IUD? - 3rd

value	label	Total
.	INAPPLICABLE	5534
6	You had side effects	1
8	You worried the method would not work	3
9	The method failed, you became pregnant	1
11	Because of other health problems, a doctor told you that you should not use the method again	2
12	The method decreased your sexual pleasure	2
14	Did not like the changes to your menstrual cycle	7
15	Other -- specify	4
Total		5554

Universe : Applicable if R mentioned at least 3 reasons for stopping use of IUD due to dissatisfaction (see EA-21 REASIUD01)

REASIUD04(1347-1348)

Variable Type : raw

EA-21a : Looking at Card 32, What was the reason or reasons you were not satisfied with the IUD? - 4th

value	label	Total
.	INAPPLICABLE	5548
9	The method failed, you became pregnant	1
11	Because of other health problems, a doctor told you that you should not use the method again	1
14	Did not like the changes to your menstrual cycle	1
15	Other -- specify	3
Total		5554

Universe : Applicable if R mentioned at least 4 reasons for stopping use of IUD due to dissatisfaction (see EA-21 REASIUD01)

REASIUD05(1349-1350)

Variable Type : raw

EA-21a : Looking at Card 32, What was the reason or reasons you were not satisfied with the IUD? - 5th

value	label	Total
.	INAPPLICABLE	5552
11	Because of other health problems, a doctor told you that you should not use the method again	1
15	Other -- specify	1
Total		5554

Universe : Applicable if R mentioned at least 5 reasons for stopping use of IUD due to dissatisfaction (see EA-21 REASIUD01)

REASIUD06(1351-1352)

Variable Type : raw

EA-21a : Looking at Card 32, What was the reason or reasons you were not satisfied with the IUD? - 6th

value	label	Total
.	INAPPLICABLE	5553
12	The method decreased your sexual pleasure	1
Total		5554

Universe : Applicable if R mentioned at least 6 reasons for stopping use of IUD due to dissatisfaction (see EA-21 REASIUD01)

REASIUD07(1353-1354)

Variable Type : raw

EA-21a : Looking at Card 32, What was the reason or reasons you were not satisfied with the IUD? - 7th

value	label	Total
.	INAPPLICABLE	5553
14	Did not like the changes to your menstrual cycle	1
Total		5554

Universe : Applicable if R mentioned at least 7 reasons for stopping use of IUD due to dissatisfaction (see EA-21 REASIUD01)

REASIUD08(1355-1356)

Variable Type : raw

EA-21a : Looking at Card 32, What was the reason or reasons you were not satisfied with the IUD? - 8th

value	label	Total
.	INAPPLICABLE	5553
15	Other -- specify	1
Total		5554

Universe : Applicable if R mentioned at least 8 reasons for stopping use of IUD due to dissatisfaction (see EA-21 REASIUD01)

stopiud1(1357-1358)

Variable Type : computed

Description : Open-ended response to reason(s) for discontinuation of IUD 1st mention

value	label	Total
.	INAPPLICABLE	5328
1	Weight gain	14
2	Bleeding problems (spotting, too much, irregularly)	67
3	Headaches/migraines	9
4	Mood swings/depression	9
5	Hair loss or growth	1
6	Vaginal infection	12
7	Abdominal pain or cramping; back pain	46
8	Skin problems	2
9	Pain or discomfort during intercourse	4
10	Nausea/sickness	2
11	IUD moved or was expelled	31
12	Other side effects	21
13	Other (Too few cases, not classifiable elsewhere)	5
97	Not ascertained	3
Total		5554

Universe : Applicable if R chose "too difficult to use", "side effects", or "other" reason for discontinuing IUD (any EA-21 REASIUD01 - REASIUD05 = 3, 6, or 15). (Note: some responses were coded onto variables REASIUD01 - REASIUD05)

Notes : All responses were volunteered by respondents. They did not appear on Card 32

stopiud2(1359-1360)

Variable Type : computed

Description : Open-ended response to reason(s) for discontinuation of IUD 2nd mention

value	label	Total
.	INAPPLICABLE	5461

2	Bleeding problems (spotting, too much, irregularly)	6
3	Headaches/migraines	3
4	Mood swings/depression	12
5	Hair loss or growth	1
6	Vaginal infection	3
7	Abdominal pain or cramping; back pain	26
9	Pain or discomfort during intercourse	3
10	Nausea/sickness	5
11	IUD moved or was expelled	4
12	Other side effects	21
13	Other (Too few cases, not classifiable elsewhere)	9
Total		5554

Universe : Applicable if R reported at least 2 difficulties, side effects, or "other" reason on EA-21b SP_REASIUD, EA-21c SP_DIFFIUD, and EA-21d SP_SIDEIUD (see STOPIUD1)

stopiud3(1361-1362)

Variable Type : computed

Description : Open-ended response to reason(s) for discontinuation of IUD 3rd mention

value	label	Total
.	INAPPLICABLE	5520
4	Mood swings/depression	4
5	Hair loss or growth	2
7	Abdominal pain or cramping; back pain	4
9	Pain or discomfort during intercourse	1
10	Nausea/sickness	2
11	IUD moved or was expelled	2
12	Other side effects	18
13	Other (Too few cases, not classifiable elsewhere)	1
Total		5554

Universe : Applicable if R reported at least 3 difficulties, side effects, or "other" reason on EA-21b SP_REASIUD, EA-21c SP_DIFFIUD, and EA-21d SP_SIDEIUD (see STOPIUD1)

stopiud4(1363-1364)

Variable Type : computed

Description : Open-ended response to reason(s) for discontinuation of IUD 4th mention

value	label	Total
.	INAPPLICABLE	5548
5	Hair loss or growth	1
7	Abdominal pain or cramping; back pain	1
12	Other side effects	4
Total		5554

Universe : Applicable if R reported at least 4 difficulties, side effects, or "other" reason on EA-21b SP_REASIUD, EA-21c SP_DIFFIUD, and EA-21d SP_SIDEIUD (see STOPIUD1)

stopiud5(1365-1365)

Variable Type : computed

Description : Open-ended response to reason(s) for discontinuation of IUD 5th mention

value	label	Total
.	INAPPLICABLE	5554
Total		5554

Universe : Applicable if R reported at least 5 difficulties, side effects, or "other" reason on EA-21b SP_REASIUD, EA-21c SP_DIFFIUD, and EA-21d SP_SIDEIUD (see STOPIUD1)

Female Respondent File Codebook :: SECTION E: Contraceptive History and Pregnancy Wantedness :: (EB)
First method ever used

FIRSMETH1(1366-1367)

Variable Type : raw

EB-1 : What was the first birth control method you ever used for any reason? If you used more than one method, please tell me about each one. Please refer to Card 33. - 1st method

value	label	Total
.	INAPPLICABLE	650
3	Birth control pills	2009
4	Condom	2238
5	Partner's vasectomy	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	13
7	Withdrawal, pulling out	198
8	Depo-Provera, injectables	249
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	31
10	Calendar rhythm, Standard Days, or Cycle Beads method	19
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
12	Diaphragm	2
13	Female condom, vaginal pouch	1
14	Foam	4
17	Suppository, insert	2
18	Today sponge	9
19	IUD, coil, or loop	40
20	Emergency contraception	19
21	Other method -- specify	7
22	Respondent was sterile	2
23	Respondent's partner was sterile	1
25	Contraceptive patch	28
26	Vaginal contraceptive ring	23
98	Refused	1
99	Don't know	5
	Total	5554

Universe : Applicable if R ever used a method (everused = 1)

Notes : use recode FMETHOD1

FIRSMETH2(1368-1369)

Variable Type : raw

EB-1 : What was the first birth control method you ever used for any reason? If you used more than one method, please tell me about each one. Please refer to Card 33. - 2nd method

value	label	Total
.	INAPPLICABLE	5250
3	Birth control pills	30
4	Condom	185
7	Withdrawal, pulling out	53
8	Depo-Provera, injectables	9
10	Calendar rhythm, Standard Days, or Cycle Beads method	5
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
12	Diaphragm	1
14	Foam	4
15	Jelly or cream	3
17	Suppository, insert	3

19	IUD, coil, or loop	3
20	Emergency contraception	2
21	Other method -- specify	1
25	Contraceptive patch	3
26	Vaginal contraceptive ring	1
	Total	5554

Universe : Applicable if R mentioned at least 2 methods used the first time she used a method (see EB-1 FIRSMETH1)

Notes : use recode FMETHOD2

FIRSMETH3(1370-1371)

Variable Type : raw

EB-1 : What was the first birth control method you ever used for any reason? If you used more than one method, please tell me about each one. Please refer to Card 33. - 3rd method

value	label	Total
.	INAPPLICABLE	5511
3	Birth control pills	1
5	Partner's vasectomy	2
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	20
8	Depo-Provera, injectables	4
10	Calendar rhythm, Standard Days, or Cycle Beads method	2
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
14	Foam	1
15	Jelly or cream	1
18	Today sponge	1
19	IUD, coil, or loop	4
20	Emergency contraception	4
26	Vaginal contraceptive ring	1
	Total	5554

Universe : Applicable if R mentioned at least 3 methods used the first time she used a method (see EB-1 FIRSMETH1)

Notes : use recode FMETHOD3

FIRSMETH4(1372-1373)

Variable Type : raw

EB-1 : What was the first birth control method you ever used for any reason? If you used more than one method, please tell me about each one. Please refer to Card 33. - 4th method

value	label	Total
.	INAPPLICABLE	5545
4	Condom	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	2
15	Jelly or cream	1
20	Emergency contraception	1
25	Contraceptive patch	1
26	Vaginal contraceptive ring	1
	Total	5554

Universe : Applicable if R mentioned at least 4 methods used the first time she used a method (see EB-1 FIRSMETH1)

Notes : use recode FMETHOD4

numfirms(1374-1374)

Variable Type : computed

Description : Number of methods reported in first method use (Computed in Flow Check E-13B)

value	label	Total
.	INAPPLICABLE	650
0	0	6
1	1	4594
2-96	2 OR MORE	304
Total		5554

Universe : Applicable if R ever used a method of contraception (everused = 1)

drugdev(1375-1376)

Variable Type : computed

Description : Yes if 1st method was drug or device, no otherwise (Computed in Flow Check E-14) (1st method)

value	label	Total
.	INAPPLICABLE	650
1	Yes	4668
5	No	230
98	Refused	1
99	Don't know	5
Total		5554

Universe : Applicable if R ever used a method of contraception (everused = 1)

drugdev2(1377-1377)

Variable Type : computed

Description : Yes if 1st method was drug or device, no otherwise (Computed in Flow Check E-14) (2nd method)

value	label	Total
.	INAPPLICABLE	5250
1	Yes	244
5	No	60
Total		5554

Universe : Applicable if R ever used a method of contraception (everused = 1) and R used 2 or more methods as first method (see EB-1 FIRSMETH1)

drugdev3(1378-1378)

Variable Type : computed

Description : Yes if 1st method was drug or device, no otherwise (Computed in Flow Check E-14) (3rd method)

value	label	Total
.	INAPPLICABLE	5511
1	Yes	18
5	No	25
Total		5554

Universe : Applicable if R ever used a method of contraception (everused = 1) and R used 3 or more methods as first method (see EB-1 FIRSMETH1)

drugdev4(1379-1379)

Variable Type : computed

Description : Yes if 1st method was drug or device, no otherwise (Computed in Flow Check E-14) (4th method)

value	label	Total
.	INAPPLICABLE	5545
1	Yes	6
5	No	3
Total		5554

Universe : Applicable if R ever used a method of contraception (everused = 1) and R used 4 or more methods as first method (see EB-1 FIRSMETH1)

FIRSTIME1(1380-1380)

Variable Type : raw

EB-2 : Please look at Card 34. Thinking again of the very first time you ever used a method of birth control, when was it? Was it the first time you had intercourse, less than a month after your first intercourse, one to three months after your first intercourse, four to twelve months after your first intercourse, or more than twelve months after your first intercourse?

value	label	Total
.	INAPPLICABLE	3097
2	The first time you had intercourse	2075
3	Less than a month after your first intercourse	126
4	One to three months after first intercourse	68
5	Four to twelve months after first intercourse	51
6	More than twelve months after first intercourse	127
8	Refused	1
9	Don't know	9
Total		5554

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex = 1) and R's first method(s) ever used was not a continuous method(s) (EB-1 FIRSMETH1 - FIRSMETH4 = 4,7,10,11,12,13,14,15,16,17,18, or 20)

FIRSTIME2(1381-1381)

Variable Type : raw

EB-2 : Please look at Card 35. Thinking again of the very first time you ever used a method of birth control, when was it? Was it before your first intercourse, the first time you had intercourse, less than a month after your first intercourse, one to three months after your first intercourse, four to twelve months after your first intercourse, or more than twelve months after your first intercourse?

value	label	Total
.	INAPPLICABLE	3253
1	Before your first intercourse	1242
2	The first time you had intercourse	144
3	Less than a month after your first intercourse	147
4	One to three months after first intercourse	172
5	Four to twelve months after first intercourse	176
6	More than twelve months after first intercourse	409
8	Refused	2
9	Don't know	9
Total		5554

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex = 1) and R's first method(s) ever used was a continuous method(s) (EB-1 FIRSMETH1 - FIRSMETH4 = 3,5,8,9,19,21,22,23,24,25 or 26)

usefstsx(1382-1383)

Variable Type : computed

Description : Whether R used a method at first sex - total universe (Computed in Flow Check E-18 and E-29)

value	label	Total
.	INAPPLICABLE	796
1	YES	3378
5	NO	1363
98	Refused	3
99	Don't know	14
Total		5554

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex = 1) and has ever used a method of contraception (everused = 1)

Notes : use recode SEX1MTHD1

cmfirm(1384-1387)

Variable Type : computed

Description : Date (century month) of first method use - total universe (Computed in Flow Check E-18 and E-21)

value	label	Total
.	INAPPLICABLE	650
378-1340	Before Sept 2011	4027
1341-1352	Sept 2011-Aug 2012	138
1353-1364	Sept 2012-Aug 2013	158
1365-1376	Sept 2013-Aug 2014	144
1377-1388	Sept 2014-Aug 2015	185
1389-1400	Sept 2015-Aug 2016	110
1401-1413	Sept 2016-Sept 2017	37
9998	Refused	13
9999	Don't know	92
Total		5554

Universe : Applicable if R has ever used a method of contraception (everused = 1)

mthfstsx1(1388-1389)

Variable Type : computed

Description : Method used at first sex - total universe (1st mention)(Computed in Flow Check E-18 and E-32)

value	label	Total
.	INAPPLICABLE	2176
3	Birth control pills	1025
4	Condom	2056
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	2
7	Withdrawal, pulling out	166
8	Depo-Provera, injectables	57
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	8
10	Calendar rhythm, Standard Days, or Cycle Beads method	12
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
14	Foam	1
17	Suppository, insert	2
18	Today sponge	3

19	IUD, coil, or loop	8
20	Emergency contraception	10
21	Other method -- specify	2
25	Contraceptive patch	13
26	Vaginal contraceptive ring	12
	Total	5554

Universe : Applicable if R used a method of contraception at first sexual intercourse (EB-6 USEFRSTS = 1 or EB-2 FIRSTIME1 = 2 or EB-2 FIRSTIME2 = 2)

Notes : use recode SEX1MTHD1

mthfstx2(1390-1391)

Variable Type : computed

Description : Method used at first sex - total universe (2nd mention)(Computed in Flow Check E-18 and E-32)

value	label	Total
.	INAPPLICABLE	4843
3	Birth control pills	44
4	Condom	571
7	Withdrawal, pulling out	56
8	Depo-Provera, injectables	19
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
12	Diaphragm	1
14	Foam	2
15	Jelly or cream	5
17	Suppository, insert	3
19	IUD, coil, or loop	1
20	Emergency contraception	1
25	Contraceptive patch	1
26	Vaginal contraceptive ring	5
	Total	5554

Universe : Applicable if R used at least 2 methods of contraception at first sexual intercourse (see mthfstx1)

Notes : use recode SEX1MTHD2

mthfstx3(1392-1393)

Variable Type : computed

Description : Method used at first sex - total universe (3rd mention)(Computed in Flow Check E-18 and E-32)

value	label	Total
.	INAPPLICABLE	5518
3	Birth control pills	2
5	Partner's vasectomy	1
7	Withdrawal, pulling out	22
8	Depo-Provera, injectables	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
14	Foam	1
15	Jelly or cream	1
19	IUD, coil, or loop	2
20	Emergency contraception	4
	Total	5554

Universe : Applicable if R used at least 3 methods of contraception at first sexual intercourse (see mthfstx1)

Notes : use recode SEX1MTHD3

mthfstsx4(1394-1395)

Variable Type : computed

Description : Method used at first sex - total universe (4th mention)(Computed in Flow Check E-18 and E-32)

value	label	Total
.	INAPPLICABLE	5547
4	Condom	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	3
15	Jelly or cream	1
26	Vaginal contraceptive ring	1
	Total	5554

Universe : Applicable if R used at least 4 methods of contraception at first sexual intercourse (see mthfstsx1)

Notes : use recode SEX1MTHD4

WNFSTUSE_M(1396-1397)

Variable Type : raw

EB-3m : Now, please look at your calendar, and tell me in what month and year you first used a method (for any reason). (MONTH)

value	label	Total
.	INAPPLICABLE	2869
1-12	January-December	1880
13	Winter	88
14	Spring	125
15	Summer	182
16	Fall	128
98	Refused	5
99	Don't know	277
	Total	5554

Universe : Applicable if R's first method use was after first sex (EB-2 FIRSTIME1 = 3,4,5, or 6 or EB-2 FIRSTIME2 = 3,4,5 or 6) or before first sex (EB-2 FIRSTIME2 = 1) or R refused or did not know the timing of her first method use (EB-2 FIRSTIME1 = RF/DK or EB-2 FIRSTIME2 = RF/DK)

Notes : use recode DATEUSE1

WNFSTUSE_Y(1398-1401)

Variable Type : raw

EB-3y : Now, please look at your calendar, and tell me in what month and year you first used a method (for any reason). (YEAR)

value	label	Total
.	INAPPLICABLE	2869
1931-2017	1931-2017	2593
9998	Refused	5
9999	Don't know	87
	Total	5554

Universe : Applicable if R's first method use was after first sex (EB-2 FIRSTIME1 = 3,4,5, or 6 or EB-2 FIRSTIME2 = 3,4,5 or 6) or before first sex (EB-2 FIRSTIME2 = 1) or R refused or did not know the timing of her first method use (EB-2 FIRSTIME1 = RF/DK or EB-2 FIRSTIME2 = RF/DK)

Notes : use recode DATEUSE1

cmfstuse(1402-1405)

Variable Type : computed

Description : Date (century month) of first method use - partial universe (Computed in Flow Check E-20)

value	label	Total
.	INAPPLICABLE	2869
378-1340	Before Sept 2011	2166
1341-1352	Sept 2011-Aug 2012	75
1353-1364	Sept 2012-Aug 2013	91
1365-1376	Sept 2013-Aug 2014	81
1377-1388	Sept 2014-Aug 2015	99
1389-1400	Sept 2015-Aug 2016	64
1401-1413	Sept 2016-Sept 2017	17
9998	Refused	5
9999	Don't know	87
	Total	5554

Universe : Applicable if R's first method use was after first sex (EB-2 FIRSTIME1 = 3,4,5, or 6 or EB-2 FIRSTIME2 = 3,4,5 or 6) or before first sex (FIRSTIME2 = 1) or R refused or did not know the timing of her first method use (EB-2 FIRSTIME1 = DK/RF or FIRSTIME2 = DK/RF)

Notes : use recode DATEUSE1

fmethprs(1406-1406)

Variable Type : computed

Description : Whether 1st [drug/device] method used was prescription or non-prescription (Computed in Flow Check E-25) - 1st method

value	label	Total
.	INAPPLICABLE	4467
0	1st meth was nonprescription	539
1	1st meth was prescription	548
	Total	5554

Universe : Applicable if R is under 25 (AGE_R < 25) and if any of R's first methods ever used was a drug or device (any drugdev through drugdev4 = 1)

fmethprs2(1407-1407)

Variable Type : computed

Description : Whether 1st [drug/device] method used was prescription or non-prescription (Computed in Flow Check E-25) - 2nd method

value	label	Total
.	INAPPLICABLE	5511
0	1st meth was nonprescription	35
1	1st meth was prescription	8
	Total	5554

Universe : Applicable if R used at least 2 methods at first intercourse that were drug or device (see fmethprs)

fmethprs3(1408-1408)

Variable Type : computed

Description : Whether 1st [drug/device] method used was prescription or non-prescription (Computed in Flow Check E-25) - 3rd method

value	label	Total
.	INAPPLICABLE	5549
0	1st meth was nonprescription	1

1	1st meth was prescription	4
	Total	5554

Universe : Applicable if R used at least 3 methods at first intercourse that were drug or device (see fmethodprs)

fmethodprs4(1409-1409)

Variable Type : computed

Description : Whether 1st [drug/device] method used was prescription or non-prescription (Computed in Flow Check E-25) - 4th method

value	label	Total
.	INAPPLICABLE	5552
0	1st meth was nonprescription	1
1	1st meth was prescription	1
	Total	5554

Universe : Applicable if R used at least 4 methods at first intercourse that were drug or device (see fmethodprs)

AGEFSTUS(1410-1411)

Variable Type : raw

EB-4 : How old were you the first time you used a method for any reason?

value	label	Total
.	INAPPLICABLE	2869
0-14	UNDER 15 YEARS	489
15-17	15-17 YEARS	1180
18-19	18-19 YEARS	452
20-49	20 YEARS OR OLDER	544
98	Refused	2
99	Don't know	18
	Total	5554

Universe : Applicable if R's first method use was after first sex (EB-2 FIRSTIME1 = 3,4,5, or 6 or EB-2 FIRSTIME2 = 3,4,5 or 6) or before first sex (EB-2 FIRSTIME2 = 1) or R refused or did not know the timing of her first method use (EB-2 FIRSTIME1 = RF/DK or EB-2 FIRSTIME2 = RF/DK)

PLACGOTF(1412-1413)

Variable Type : raw

EB-5 : Please look at Card 36. [Where did you get the prescription for the (Pill / Depo-Provera / implant / diaphragm / cervical cap / IUD / Lunelle / contraceptive patch / contraceptive ring) / Where did you get the (condom / female condom / foam / jelly or cream / suppository / sponge / Emergency contraception)]? - 1st method

value	label	Total
.	INAPPLICABLE	4467
1	Private doctor's office	359
2	HMO facility	4
3	Community health clinic, community clinic, public health clinic	119
4	Family planning or Planned Parenthood clinic	60
6	School or school-based clinic	23
7	Hospital outpatient clinic	7
9	Hospital regular room	8
11	Friend	37
12	Partner or spouse	353
13	Drug store	62
15	In-store health clinic (like CVS, Target, or Walmart)	27
20	Some other place	26

99	Don't know	2
Total		5554

Universe : Applicable if R is under 25 (AGE_R < 25) and any of R's first methods used was a drug or device (any of drugdev through drugdev4 = 1)

PLACGOTF2(1414-1415)

Variable Type : raw

EB-5 : Please look at Card 36. [Where did you get the prescription for the (Pill / Depo-Provera / implant / diaphragm / cervical cap / IUD / Lunelle / contraceptive patch / contraceptive ring) / Where did you get the (condom / female condom / foam / jelly or cream / suppository / sponge / Emergency contraception)]? - 2nd method

value	label	Total
.	INAPPLICABLE	5511
1	Private doctor's office	5
3	Community health clinic, community clinic, public health clinic	6
4	Family planning or Planned Parenthood clinic	5
11	Friend	3
12	Partner or spouse	11
13	Drug store	10
15	In-store health clinic (like CVS, Target, or Walmart)	1
20	Some other place	1
99	Don't know	1
Total		5554

Universe : Applicable if R used at least 2 methods at first intercourse that were drug or device (see EB-5 PLACGOTF)

PLACGOTF3(1416-1417)

Variable Type : raw

EB-5 : Please look at Card 36. [Where did you get the prescription for the (Pill / Depo-Provera / implant / diaphragm / cervical cap / IUD / Lunelle / contraceptive patch / contraceptive ring) / Where did you get the (condom / female condom / foam / jelly or cream / suppository / sponge / Emergency contraception)]? - 3rd method

value	label	Total
.	INAPPLICABLE	5549
1	Private doctor's office	2
3	Community health clinic, community clinic, public health clinic	1
7	Hospital outpatient clinic	1
13	Drug store	1
Total		5554

Universe : Applicable if R used at least 3 methods at first intercourse that were drug or device (see EB-5 PLACGOTF)

PLACGOTF4(1418-1418)

Variable Type : raw

EB-5 : Please look at Card 36. [Where did you get the prescription for the (Pill / Depo-Provera / implant / diaphragm / cervical cap / IUD / Lunelle / contraceptive patch / contraceptive ring) / Where did you get the (condom / female condom / foam / jelly or cream / suppository / sponge / Emergency contraception)]? - 4th method

value	label	Total
.	INAPPLICABLE	5552
1	Private doctor's office	1
4	Family planning or Planned Parenthood clinic	1

Total**5554**

Universe : Applicable if R used at least 4 methods at first intercourse that were drug or device (see EB-5 PLACGOTF)

USEFRSTS(1419-1419)

Variable Type : raw

EB-6 : Did you use any birth control method the first time you had intercourse?

value	label	Total
.	INAPPLICABLE	4302
1	Yes	1159
5	No	87
8	Refused	1
9	Don't know	5
Total		5554

Universe : Applicable if first method use was before first intercourse [(EB-2 FIRTIME2 = 1) or (EB-1 FIRTIME2 = 1 or blank and cmfirm = RF/DK or cmfstsex = RF/DK)]

Notes : use recode SEX1MTHD1

MTHFRSTS1(1420-1421)

Variable Type : raw

EB-8 : Which method did you use the first time you had intercourse? The methods are listed on Card 33. If you used more than one method at the same time, please tell me about that. - 1st method

value	label	Total
.	INAPPLICABLE	4395
3	Birth control pills	916
4	Condom	144
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	2
7	Withdrawal, pulling out	7
8	Depo-Provera, injectables	50
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	7
14	Foam	1
19	IUD, coil, or loop	7
20	Emergency contraception	1
21	Other method -- specify	2
25	Contraceptive patch	11
26	Vaginal contraceptive ring	11
Total		5554

Universe : Applicable if R used a method of contraception at first sexual intercourse (EB-6 USEFRSTS = 1 or EB-2 FIRTIME1 = 2 or EB-2 FIRTIME2 = 2)

Notes : use recode SEX1MTHD1

MTHFRSTS2(1422-1423)

Variable Type : raw

EB-8 : Which method did you use the first time you had intercourse? The methods are listed on Card 33. If you used more than one method at the same time, please tell me about that. - 2nd method

value	label	Total
.	INAPPLICABLE	4968
3	Birth control pills	26
4	Condom	520
7	Withdrawal, pulling out	13

8	Depo-Provera, injectables	17
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	1
15	Jelly or cream	2
17	Suppository, insert	1
25	Contraceptive patch	1
26	Vaginal contraceptive ring	5
	Total	5554

Universe : Applicable if R used at least 2 methods at first intercourse (see EB-8 MTHFRSTS1)

Notes : use recode SEX1MTHD2

MTHFRSTS3(1424-1424)

Variable Type : raw

EB-8 : Which method did you use the first time you had intercourse? The methods are listed on Card 33. If you used more than one method at the same time, please tell me about that. - 3rd method

value	label	Total
.	INAPPLICABLE	5543
3	Birth control pills	1
7	Withdrawal, pulling out	10
	Total	5554

Universe : Applicable if R used at least 3 methods at first intercourse (see EB-8 MTHFRSTS1)

Notes : use recode SEX1MTHD3

MTHFRSTS4(1425-1425)

Variable Type : raw

EB-8 : Which method did you use the first time you had intercourse? The methods are listed on Card 33. If you used more than one method at the same time, please tell me about that. - 4th method

value	label	Total
.	INAPPLICABLE	5554
	Total	5554

Universe : Applicable if R used at least 4 methods at first intercourse (see EB-8 MTHFRSTS1)

Notes : use recode SEX1MTHD4

Female Respondent File Codebook :: SECTION E: Contraceptive History and Pregnancy Wantedness :: (EC) Periods of non intercourse

INTR_EC3(1426-1426)

Variable Type : raw

EC-3 : Since (January [YEAR OF INTERVIEW-3]/[DATE OF FIRST SEX]), have there been any times when you were not having intercourse with a male at all for one month or more?

value	label	Total
.	INAPPLICABLE	746
1	Yes	2881
5	No	1920
8	Refused	4
9	Don't know	3
	Total	5554

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex=1) and date of first sex is not equal to date of interview (cmfstsex NE cmintvw).

cmmonsx(1427-1430)

Variable Type : computed

Description : Century month being referred to in MONSX (Computed in Flow Check E-34a)

value	label	Total
1345	1345	806
1357	1357	2716
1369	1369	2032
	Total	5554

Universe : Applicable for all Rs

MONSX(1431-1431)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [January of interview year-3]

value	label	Total
1	Yes	3236
5	No	2294
8	Refused	10
9	Don't know	14
	Total	5554

Universe : Applicable for all Rs

cmmonsx2(1432-1435)

Variable Type : computed

Description : Century month being referred to in MONSX2 (Computed in Flow Check E-34a)

value	label	Total
1346	1346	806
1358	1358	2716
1370	1370	2032
	Total	5554

Universe : Applicable for all Rs

MONSX2(1436-1436)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [February of interview year-3]

value	label	Total
1	Yes	3218
5	No	2311
8	Refused	10
9	Don't know	15
	Total	5554

Universe : Applicable for all Rs

cmmonsx3(1437-1440)

Variable Type : computed

Description : Century month being referred to in MONSX3 (Computed in Flow Check E-34a)

value	label	Total
1347	1347	806
1359	1359	2716
1371	1371	2032
	Total	5554

Universe : Applicable for all Rs

MONSX3(1441-1441)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [March of interview year-3]

value	label	Total
1	Yes	3217
5	No	2312
8	Refused	9
9	Don't know	16
	Total	5554

Universe : Applicable for all Rs

cmmonsx4(1442-1445)

Variable Type : computed

Description : Century month being referred to in MONSX4 (Computed in Flow Check E-34a)

value	label	Total
1348	1348	806
1360	1360	2716
1372	1372	2032
	Total	5554

Universe : Applicable for all Rs

MONSX4(1446-1446)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [April of interview year-3]

value	label	Total
1	Yes	3200
5	No	2329
8	Refused	10
9	Don't know	15
	Total	5554

Universe : Applicable for all Rs

cmmonsx5(1447-1450)

Variable Type : computed

Description : Century month being referred to in MONSX5 (Computed in Flow Check E-34a)

value	label	Total
1349	1349	806

1361	1361	2716
1373	1373	2032
Total		5554

Universe : Applicable for all Rs

MONSX5(1451-1451)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [May of interview year-3]

value	label	Total
1	Yes	3217
5	No	2312
8	Refused	10
9	Don't know	15
Total		5554

Universe : Applicable for all Rs

cmmonsx6(1452-1455)

Variable Type : computed

Description : Century month being referred to in MONSX6 (Computed in Flow Check E-34a)

value	label	Total
1350	1350	806
1362	1362	2716
1374	1374	2032
Total		5554

Universe : Applicable for all Rs

MONSX6(1456-1456)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [June of interview year-3]

value	label	Total
1	Yes	3264
5	No	2266
8	Refused	10
9	Don't know	14
Total		5554

Universe : Applicable for all Rs

cmmonsx7(1457-1460)

Variable Type : computed

Description : Century month being referred to in MONSX7 (Computed in Flow Check E-34a)

value	label	Total
1351	1351	806
1363	1363	2716
1375	1375	2032
Total		5554

Universe : Applicable for all Rs

MONSX7(1461-1461)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [July of interview year-3]

value	label	Total
1	Yes	3257
5	No	2272
8	Refused	10
9	Don't know	15
Total		5554

Universe : Applicable for all Rs

cmmonsx8(1462-1465)

Variable Type : computed

Description : Century month being referred to in MONSX8 (Computed in Flow Check E-34a)

value	label	Total
1352	1352	806
1364	1364	2716
1376	1376	2032
Total		5554

Universe : Applicable for all Rs

MONSX8(1466-1466)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [August of interview year-3]

value	label	Total
1	Yes	3250
5	No	2279
8	Refused	10
9	Don't know	15
Total		5554

Universe : Applicable for all Rs

cmmonsx9(1467-1470)

Variable Type : computed

Description : Century month being referred to in MONSX9 (Computed in Flow Check E-34a)

value	label	Total
1353	1353	806
1365	1365	2716
1377	1377	2032
Total		5554

Universe : Applicable for all Rs

MONSX9(1471-1471)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [September of interview year-3]

value	label	Total
1	Yes	3241
5	No	2288
8	Refused	10
9	Don't know	15
Total		5554

Universe : Applicable for all Rs

cmmonsx10(1472-1475)

Variable Type : computed

Description : Century month being referred to in MONSX10 (Computed in Flow Check E-34a)

value	label	Total
1354	1354	806
1366	1366	2716
1378	1378	2032
Total		5554

Universe : Applicable for all Rs

MONSX10(1476-1476)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [October of interview year-3]

value	label	Total
1	Yes	3236
5	No	2292
8	Refused	11
9	Don't know	15
Total		5554

Universe : Applicable for all Rs

cmmonsx11(1477-1480)

Variable Type : computed

Description : Century month being referred to in MONSX11 (Computed in Flow Check E-34a)

value	label	Total
1355	1355	806
1367	1367	2716
1379	1379	2032
Total		5554

Universe : Applicable for all Rs

MONSX11(1481-1481)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [November of interview year-3]

value	label	Total
1	Yes	3276
5	No	2252
8	Refused	11
9	Don't know	15
	Total	5554

Universe : Applicable for all Rs

cmmonsx12(1482-1485)

Variable Type : computed

Description : Century month being referred to in MONSX12 (Computed in Flow Check E-34a)

value	label	Total
1356	1356	806
1368	1368	2716
1380	1380	2032
	Total	5554

Universe : Applicable for all Rs

MONSX12(1486-1486)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [December of interview year-3]

value	label	Total
1	Yes	3318
5	No	2211
8	Refused	11
9	Don't know	14
	Total	5554

Universe : Applicable for all Rs

cmmonsx13(1487-1490)

Variable Type : computed

Description : Century month being referred to in MONSX13 (Computed in Flow Check E-34a)

value	label	Total
1357	1357	806
1369	1369	2716
1381	1381	2032
	Total	5554

Universe : Applicable for all Rs

MONSX13(1491-1491)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [January of interview year-2]

value	label	Total
1	Yes	3336
5	No	2193
8	Refused	11

9	Don't know	14
Total		5554

Universe : Applicable for all Rs

cmmonsx14(1492-1495)

Variable Type : computed

Description : Century month being referred to in MONSX14 (Computed in Flow Check E-34a)

value	label	Total
1358	1358	806
1370	1370	2716
1382	1382	2032
Total		5554

Universe : Applicable for all Rs

MONSX14(1496-1496)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [February of interview year-2]

value	label	Total
1	Yes	3317
5	No	2213
8	Refused	11
9	Don't know	13
Total		5554

Universe : Applicable for all Rs

cmmonsx15(1497-1500)

Variable Type : computed

Description : Century month being referred to in MONSX15 (Computed in Flow Check E-34a)

value	label	Total
1359	1359	806
1371	1371	2716
1383	1383	2032
Total		5554

Universe : Applicable for all Rs

MONSX15(1501-1501)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [March of interview year-2]

value	label	Total
1	Yes	3344
5	No	2184
8	Refused	11
9	Don't know	15
Total		5554

Universe : Applicable for all Rs

cmmonsx16(1502-1505)

Variable Type : computed

Description : Century month being referred to in MONSX16 (Computed in Flow Check E-34a)

value	label	Total
1360	1360	806
1372	1372	2716
1384	1384	2032
	Total	5554

Universe : Applicable for all Rs

MONSX16(1506-1506)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [April of interview year-2]

value	label	Total
1	Yes	3334
5	No	2194
8	Refused	11
9	Don't know	15
	Total	5554

Universe : Applicable for all Rs

cmmonsx17(1507-1510)

Variable Type : computed

Description : Century month being referred to in MONSX17 (Computed in Flow Check E-34a)

value	label	Total
1361	1361	806
1373	1373	2716
1385	1385	2032
	Total	5554

Universe : Applicable for all Rs

MONSX17(1511-1511)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [May of interview year-2]

value	label	Total
1	Yes	3379
5	No	2148
8	Refused	11
9	Don't know	16
	Total	5554

Universe : Applicable for all Rs

cmmonsx18(1512-1515)

Variable Type : computed

Description : Century month being referred to in MONSX18 (Computed in Flow Check E-34a)

value	label	Total
1362	1362	806
1374	1374	2716
1386	1386	2032
	Total	5554

Universe : Applicable for all Rs

MONSX18(1516-1516)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [June of interview year-2]

value	label	Total
1	Yes	3397
5	No	2131
8	Refused	11
9	Don't know	15
	Total	5554

Universe : Applicable for all Rs

cmmonsx19(1517-1520)

Variable Type : computed

Description : Century month being referred to in MONSX19 (Computed in Flow Check E-34a)

value	label	Total
1363	1363	806
1375	1375	2716
1387	1387	2032
	Total	5554

Universe : Applicable for all Rs

MONSX19(1521-1521)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [July of interview year-2]

value	label	Total
1	Yes	3429
5	No	2100
8	Refused	10
9	Don't know	15
	Total	5554

Universe : Applicable for all Rs

cmmonsx20(1522-1525)

Variable Type : computed

Description : Century month being referred to in MONSX20 (Computed in Flow Check E-34a)

value	label	Total
1364	1364	806
1376	1376	2716
1388	1388	2032
	Total	5554

Universe : Applicable for all Rs

MONSX20(1526-1526)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [August of interview year-2]

value	label	Total
1	Yes	3413
5	No	2115
8	Refused	10
9	Don't know	16
	Total	5554

Universe : Applicable for all Rs

cmmonsx21(1527-1530)

Variable Type : computed

Description : Century month being referred to in MONSX21 (Computed in Flow Check E-34a)

value	label	Total
1365	1365	806
1377	1377	2716
1389	1389	2032
	Total	5554

Universe : Applicable for all Rs

MONSX21(1531-1531)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [September of interview year-2]

value	label	Total
1	Yes	3382
5	No	2147
8	Refused	10
9	Don't know	15
	Total	5554

Universe : Applicable for all Rs

cmmonsx22(1532-1535)

Variable Type : computed

Description : Century month being referred to in MONSX22 (Computed in Flow Check E-34a)

value	label	Total
1366	1366	806
1378	1378	2716
1390	1390	2032

Total 5554

Universe : Applicable for all Rs

MONSX22(1536-1536)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [October of interview year-2]

value	label	Total
1	Yes	3417
5	No	2111
8	Refused	10
9	Don't know	16
Total		5554

Universe : Applicable for all Rs

cmmonsx23(1537-1540)

Variable Type : computed

Description : Century month being referred to in MONSX23 (Computed in Flow Check E-34a)

value	label	Total
1367	1367	806
1379	1379	2716
1391	1391	2032
Total		5554

Universe : Applicable for all Rs

MONSX23(1541-1541)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [November of interview year-2]

value	label	Total
1	Yes	3398
5	No	2131
8	Refused	10
9	Don't know	15
Total		5554

Universe : Applicable for all Rs

cmmonsx24(1542-1545)

Variable Type : computed

Description : Century month being referred to in MONSX24 (Computed in Flow Check E-34a)

value	label	Total
1368	1368	806
1380	1380	2716
1392	1392	2032
Total		5554

Universe : Applicable for all Rs

MONSX24(1546-1546)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [December of interview year-2]

value	label	Total
1	Yes	3456
5	No	2073
8	Refused	10
9	Don't know	15
Total		5554

Universe : Applicable for all Rs

cmmonsx25(1547-1550)

Variable Type : computed

Description : Century month being referred to in MONSX25 (Computed in Flow Check E-34a)

value	label	Total
1369	1369	806
1381	1381	2716
1393	1393	2032
Total		5554

Universe : Applicable for all Rs

MONSX25(1551-1551)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [January of interview year-1]

value	label	Total
1	Yes	3429
5	No	2106
8	Refused	9
9	Don't know	10
Total		5554

Universe : Applicable for all Rs

cmmonsx26(1552-1555)

Variable Type : computed

Description : Century month being referred to in MONSX26 (Computed in Flow Check E-34a)

value	label	Total
1370	1370	806
1382	1382	2716
1394	1394	2032
Total		5554

Universe : Applicable for all Rs

MONSX26(1556-1556)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [February of interview year-1]

value	label	Total
1	Yes	3437
5	No	2098
8	Refused	9
9	Don't know	10
Total		5554

Universe : Applicable for all Rs

cmmonsx27(1557-1560)

Variable Type : computed

Description : Century month being referred to in MONSX27 (Computed in Flow Check E-34a)

value	label	Total
1371	1371	806
1383	1383	2716
1395	1395	2032
Total		5554

Universe : Applicable for all Rs

MONSX27(1561-1561)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [March of interview year-1]

value	label	Total
1	Yes	3433
5	No	2102
8	Refused	9
9	Don't know	10
Total		5554

Universe : Applicable for all Rs

cmmonsx28(1562-1565)

Variable Type : computed

Description : Century month being referred to in MONSX28 (Computed in Flow Check E-34a)

value	label	Total
1372	1372	806
1384	1384	2716
1396	1396	2032
Total		5554

Universe : Applicable for all Rs

MONSX28(1566-1566)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [April of interview year-1]

value	label	Total
-------	-------	-------

1	Yes	3444
5	No	2091
8	Refused	9
9	Don't know	10
	Total	5554

Universe : Applicable for all Rs

cmmonsx29(1567-1570)

Variable Type : computed

Description : Century month being referred to in MONSX29 (Computed in Flow Check E-34a)

value	label	Total
1373	1373	806
1385	1385	2716
1397	1397	2032
	Total	5554

Universe : Applicable for all Rs

MONSX29(1571-1571)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [May of interview year-1]

value	label	Total
1	Yes	3484
5	No	2051
8	Refused	9
9	Don't know	10
	Total	5554

Universe : Applicable for all Rs

cmmonsx30(1572-1575)

Variable Type : computed

Description : Century month being referred to in MONSX30 (Computed in Flow Check E-34a)

value	label	Total
1374	1374	806
1386	1386	2716
1398	1398	2032
	Total	5554

Universe : Applicable for all Rs

MONSX30(1576-1576)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [June of interview year-1]

value	label	Total
1	Yes	3488
5	No	2047
8	Refused	9

9	Don't know	10
Total		5554

Universe : Applicable for all Rs

cmmonsx31(1577-1580)

Variable Type : computed

Description : Century month being referred to in MONSX31 (Computed in Flow Check E-34a)

value	label	Total
1375	1375	806
1387	1387	2716
1399	1399	2032
Total		5554

Universe : Applicable for all Rs

MONSX31(1581-1581)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [July of interview year-1]

value	label	Total
1	Yes	3508
5	No	2028
8	Refused	9
9	Don't know	9
Total		5554

Universe : Applicable for all Rs

cmmonsx32(1582-1585)

Variable Type : computed

Description : Century month being referred to in MONSX32 (Computed in Flow Check E-34a)

value	label	Total
1376	1376	806
1388	1388	2716
1400	1400	2032
Total		5554

Universe : Applicable for all Rs

MONSX32(1586-1586)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [August of interview year-1]

value	label	Total
1	Yes	3525
5	No	2011
8	Refused	9
9	Don't know	9
Total		5554

Universe : Applicable for all Rs

cmmonsx33(1587-1590)

Variable Type : computed

Description : Century month being referred to in MONSX33 (Computed in Flow Check E-34a)

value	label	Total
1377	1377	806
1389	1389	2716
1401	1401	2032
	Total	5554

Universe : Applicable for all Rs

MONSX33(1591-1591)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [September of interview year-1]

value	label	Total
1	Yes	3536
5	No	2001
8	Refused	9
9	Don't know	8
	Total	5554

Universe : Applicable for all Rs

cmmonsx34(1592-1595)

Variable Type : computed

Description : Century month being referred to in MONSX34 (Computed in Flow Check E-34a)

value	label	Total
1378	1378	806
1390	1390	2716
1402	1402	2032
	Total	5554

Universe : Applicable for all Rs

MONSX34(1596-1596)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [October of interview year-1]

value	label	Total
1	Yes	3537
5	No	2000
8	Refused	9
9	Don't know	8
	Total	5554

Universe : Applicable for all Rs

cmmonsx35(1597-1600)

Variable Type : computed

Description : Century month being referred to in MONSX35 (Computed in Flow Check E-34a)

value	label	Total
1379	1379	806
1391	1391	2716
1403	1403	2032
Total		5554

Universe : Applicable for all Rs

MONSX35(1601-1601)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [November of interview year-1]

value	label	Total
1	Yes	3574
5	No	1963
8	Refused	9
9	Don't know	8
Total		5554

Universe : Applicable for all Rs

cmmonsx36(1602-1605)

Variable Type : computed

Description : Century month being referred to in MONSX36 (Computed in Flow Check E-34a)

value	label	Total
1380	1380	806
1392	1392	2716
1404	1404	2032
Total		5554

Universe : Applicable for all Rs

MONSX36(1606-1606)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [December of interview year-1]

value	label	Total
1	Yes	3608
5	No	1929
8	Refused	9
9	Don't know	8
Total		5554

Universe : Applicable for all Rs

cmmonsx37(1607-1610)

Variable Type : computed

Description : Century month being referred to in MONSX37 (Computed in Flow Check E-34a)

value	label	Total
1381	1381	806
1393	1393	2716
1405	1405	2032
	Total	5554

Universe : Applicable for all Rs

MONSX37(1611-1611)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [January of interview year]

value	label	Total
1	Yes	3548
5	No	1992
8	Refused	9
9	Don't know	5
	Total	5554

Universe : Applicable for all Rs

cmmonsx38(1612-1615)

Variable Type : computed

Description : Century month being referred to in MONSX38 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	531
1382	1382	806
1394	1394	2428
1406	1406	1789
	Total	5554

Universe : Applicable if interview was on or after February [interview year] (cmintvw>=cmmhcalx38).

MONSX38(1616-1616)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [February of interview year]

value	label	Total
.	INAPPLICABLE	531
1	Yes	3203
5	No	1808
8	Refused	9
9	Don't know	3
	Total	5554

Universe : Applicable if interview was on or after February [interview year] (cmintvw>=cmmhcalx38).

cmmonsx39(1617-1620)

Variable Type : computed

Description : Century month being referred to in MONSX39 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	1033

1383	1383	806
1395	1395	2180
1407	1407	1535
	Total	5554

Universe : Applicable if interview was on or after March [interview year] (cmintvw>=cmmhcalx39).

MONSX39(1621-1621)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [March of interview year]

value	label	Total
.	INAPPLICABLE	1033
1	Yes	2867
5	No	1642
8	Refused	9
9	Don't know	3
	Total	5554

Universe : Applicable if interview was on or after March [interview year] (cmintvw>=cmmhcalx39).

cmmonsx40(1622-1625)

Variable Type : computed

Description : Century month being referred to in MONSX40 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	1455
1384	1384	806
1396	1396	1991
1408	1408	1302
	Total	5554

Universe : Applicable if interview was on or after April [interview year] (cmintvw>=cmmhcalx40).

MONSX40(1626-1626)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [April of interview year]

value	label	Total
.	INAPPLICABLE	1455
1	Yes	2602
5	No	1488
8	Refused	5
9	Don't know	4
	Total	5554

Universe : Applicable if interview was on or after April [interview year] (cmintvw>=cmmhcalx40).

cmmonsx41(1627-1630)

Variable Type : computed

Description : Century month being referred to in MONSX41 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	1956

1385	1385	806
1397	1397	1745
1409	1409	1047
	Total	5554

Universe : Applicable if interview was on or after May [interview year] (cmintvw>=cmmhcalx41).

MONSX41(1631-1631)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [May of interview year]

value	label	Total
.	INAPPLICABLE	1956
1	Yes	2306
5	No	1285
8	Refused	4
9	Don't know	3
	Total	5554

Universe : Applicable if interview was on or after May [interview year] (cmintvw>=cmmhcalx41).

cmmonsx42(1632-1635)

Variable Type : computed

Description : Century month being referred to in MONSX42 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	2452
1386	1386	806
1398	1398	1495
1410	1410	801
	Total	5554

Universe : Applicable if interview was on or after June [interview year] (cmintvw>=cmmhcalx42).

MONSX42(1636-1636)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [June of interview year]

value	label	Total
.	INAPPLICABLE	2452
1	Yes	1991
5	No	1105
8	Refused	3
9	Don't know	3
	Total	5554

Universe : Applicable if interview was on or after June [interview year] (cmintvw>=cmmhcalx42).

cmmonsx43(1637-1640)

Variable Type : computed

Description : Century month being referred to in MONSX43 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	2867

1387	1387	806
1399	1399	1294
1411	1411	587
	Total	5554

Universe : Applicable if interview was on or after July [interview year] (cmintvw>=cmmhcalx43).

MONSX43(1641-1641)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [July of interview year]

value	label	Total
.	INAPPLICABLE	2867
1	Yes	1702
5	No	982
8	Refused	3
	Total	5554

Universe : Applicable if interview was on or after July [interview year] (cmintvw>=cmmhcalx43).

cmmonsx44(1642-1645)

Variable Type : computed

Description : Century month being referred to in MONSX44 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	3423
1388	1388	806
1400	1400	1013
1412	1412	312
	Total	5554

Universe : Applicable if interview was on or after August [interview year] (cmintvw>=cmmhcalx44).

MONSX44(1646-1646)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [August of interview year]

value	label	Total
.	INAPPLICABLE	3423
1	Yes	1355
5	No	773
8	Refused	3
	Total	5554

Universe : Applicable if interview was on or after August [interview year] (cmintvw>=cmmhcalx44).

cmmonsx45(1647-1650)

Variable Type : computed

Description : Century month being referred to in MONSX45 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	3933
1389	1389	806
1401	1401	760

1413	1413	55
	Total	5554

Universe : Applicable if interview was on or after September [interview year] (cmintvw>=cmmhcalx45).

MONSX45(1651-1651)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [September of interview year]

value	label	Total
.	INAPPLICABLE	3933
1	Yes	1049
5	No	570
8	Refused	2
	Total	5554

Universe : Applicable if interview was on or after September [interview year] (cmintvw>=cmmhcalx45).

cmmonsx46(1652-1655)

Variable Type : computed

Description : Century month being referred to in MONSX46 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	4228
1390	1390	753
1402	1402	573
	Total	5554

Universe : Applicable if interview was on or after October [interview year] (cmintvw>=cmmhcalx46).

MONSX46(1656-1656)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [October of interview year]

value	label	Total
.	INAPPLICABLE	4228
1	Yes	862
5	No	462
8	Refused	2
	Total	5554

Universe : Applicable if interview was on or after October [interview year] (cmintvw>=cmmhcalx46).

cmmonsx47(1657-1660)

Variable Type : computed

Description : Century month being referred to in MONSX47 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	4755
1391	1391	462
1403	1403	337
	Total	5554

Universe : Applicable if interview was on or after November [interview year] (cmintvw>=cmmhcalx47).

MONSX47(1661-1661)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [November of interview year]

value	label	Total
.	INAPPLICABLE	4755
1	Yes	498
5	No	299
8	Refused	2
Total		5554

Universe : Applicable if interview was on or after November [interview year] (cmintvw>=cmmhcalx47).

cmmonsx48(1662-1665)

Variable Type : computed

Description : Century month being referred to in MONSX48 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	5283
1392	1392	144
1404	1404	127
Total		5554

Universe : Applicable if interview was on or after December [interview year] (cmintvw>=cmmhcalx48).

MONSX48(1666-1666)

Variable Type : raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [December of interview year]

value	label	Total
.	INAPPLICABLE	5283
1	Yes	162
5	No	108
8	Refused	1
Total		5554

Universe : Applicable if interview was on or after December [interview year] (cmintvw>=cmmhcalx48).

Female Respondent File Codebook :: SECTION E: Contraceptive History and Pregnancy Wantedness :: (ED)
Contraceptive method history**cmstrtmc(1667-1670)**

Variable Type : computed

Description : Century month for starting date of method calendar (Computed in Flow Check E-39)

value	label	Total
.	INAPPLICABLE	650
1341-1352	Sept 2011-Aug 2012	666
1353-1364	Sept 2012-Aug 2013	2200
1365-1376	Sept 2013-Aug 2014	1706
1377-1388	Sept 2014-Aug 2015	185
1389-1400	Sept 2015-Aug 2016	110
1401-1413	Sept 2016-Sept 2017	37
Total		5554

Universe : Applicable if R ever used a method of contraception (everused = 1)

cmendmc(1671-1674)

Variable Type : computed

Description : Century month for ending date of method calendar (Computed in Flow Check E-39)

value	label	Total
.	INAPPLICABLE	650
1389-1400	Sept 2015-Aug 2016	2454
1401-1413	Sept 2016-Sept 2017	2450
	Total	5554

Universe : Applicable if R ever used a method of contraception (everused = 1)

INTR_ED4A(1-2)

Variable Type : raw

ED-4a : The next questions are about birth control methods you may have used between (START DATE OF METHOD CALENDAR) and (END DATE OF METHOD CALENDAR). Remember that this also refers to methods men use, such as condoms, vasectomy, and withdrawal. As we discussed earlier, you had a hysterectomy in (DATE OF HYSTERECTOMY). Since (START DATE OF METHOD CALENDAR), have you used any birth control methods for any reason, such as preventing disease?

value	label	Total
.	INAPPLICABLE	5380
1	Yes	44
5	No	130
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and had a hysterectomy and date of hysterectomy is earlier than date of start of method calendar (cmhyst < cmstrtmc)

nummcomon(1676-1677)

Variable Type : computed

Description : Number of months of method calendar asked about (Computed in Flow Check E-41)

value	label	Total
.	INAPPLICABLE	650
0-48	0-48	4904
	Total	5554

Universe : Applicable if R ever used a method (everused=1).

MC1MONS1(1678-1680)

Variable Type : raw

ED-9a : I have entered that in (DATE OF START OF METHOD CALENDAR) you used [METHOD]. For how many months altogether had you been using (METHOD) without a break, before (DATE OF START OF METHOD CALENDAR)? If it is easier to recall, you can tell me the month and year you started.

value	label	Total
.	INAPPLICABLE	3124
0-994	0-994	1293
995	R reported a month and year instead	1056
998	Refused	1
999	Don't know	80
	Total	5554

Universe : Applicable if (R ever used a method (everused = 1) or had a hysterectomy but used a method since start date for method calendar (INTR_ED4a = 1)) and date of first method use was on or before January [interview year - 3] (cmfirm <= cmjan3yr] and R used one method in month corresponding to cmjan3yr (METHX for cmjan3yr = 3-26)

Notes : Respondents had the option to report a date instead of the number of months. See ED-9y DATBEGIN_Y and ED-9m DATBEGIN_M for the reported month and year. Also see CMDATBEGIN for the computed century month of beginning of use, for all applicable respondents.

MC1SIMSQ(1681-1681)

Variable Type : raw

ED-9b : I have entered that in (DATE OF START OF METHOD CALENDAR) you used ((METHOD 1) and (METHOD 2))/(METHOD 1), (METHOD 2), (METHOD 3), etc). Did you use (any of) them at different times during the month or did you use them (all) at the same time?

value	label	Total
.	INAPPLICABLE	5142
1	Same time	307
2	Different times	105
	Total	5554

Universe : Applicable if (R ever used a method (everused = 1) or had a hysterectomy but used a method since start date for method calendar (INTR_ED4a = 1)) and date of first method use was on or before January [interview year - 3] (cmfirm <= cmjan3yr] and R used more than one method in month corresponding to cmjan3yr (METHX[n] and METHX[n+1 or more] for cmjan3yr = 3-26)

MC1MONS2(1682-1684)

Variable Type : raw

ED-9c : For how many months altogether had you been using ((METHOD 1) and (METHOD 2))/(METHOD 1), (METHOD 2), (METHOD 3), etc). together, without a break, before (DATE OF START OF METHOD CALENDAR)? If it is easier to recall, you can tell me the month and year you started.

value	label	Total
.	INAPPLICABLE	5247
0-994	0-994	143
995	R reported a month and year instead	147
999	Don't know	17
	Total	5554

Universe : Applicable if (R ever used a method (everused = 1) or had a hysterectomy but used a method since start date for method calendar (INTR_ED4a = 1)) and date of first method use was on or before January [interview year - 3] (cmfirm <= cmjan3yr] and R used more than one method in month corresponding to cmjan3yr and used the methods at the same time during the month (MC1SIMSQ=1)

Notes : Respondents had the option to report a date instead of the number of months. See ED-9y DATBEGIN_Y and ED-9m DATBEGIN_M for the reported month and year. Also see CMDATBEGIN for the computed century month of beginning of use, for all applicable respondents.

MC1MONS3(1685-1687)

Variable Type : raw

ED-9d : (For how many months altogether had you been using the (HORMONAL/LONG-ACTING METHOD)?/Think about the one you started using most recently. For how many months had you been using it, without a break, before (DATE OF START OF METHOD CALENDAR)?/For how many months altogether had you been using a combination of (METHOD1, METHOD2, etc) without a break, before (DATE OF START OF METHOD CALENDAR)? If it is easier to recall, you can tell me the month and year you started.

value	label	Total
.	INAPPLICABLE	5449

0-994	0-994	51
995	R reported a month and year instead	50
998	Refused	1
999	Don't know	3
	Total	5554

Universe : Applicable if (R ever used a method (everused = 1) or had a hysterectomy but used a method since start date for method calendar (INTR_ED4a = 1)) and date of first method use was on or before January [interview year - 3] (cmfirm <= cmjan3yr] and R used more than one method in month corresponding to cmjan3yr and used the methods at the same time during the month (MC1SIMSQ=1)

Notes : Respondents had the option to report a date instead of the number of months. See ED-9y DATBEGIN_Y and ED-9m DATBEGIN_M for the reported month and year. Also see CMDATBEGIN for the computed century month of beginning of use, for all applicable respondents.

DATBEGIN_M(1688-1689)

Variable Type : raw

ED-9m : (I have entered that in (DATE OF START OF METHOD CALENDAR), you used (METHOD))/(Think about the one you started using most recently.) In what month and year did you start using (METHOD)?/(METHOD)/(METHODS) together,)/(a combination of (METHODS))/(it), without a break, before (DATE OF START OF METHOD CALENDAR)? (month)

value	label	Total
.	INAPPLICABLE	4301
1-12	January-December	1052
13	Winter	15
14	Spring	42
15	Summer	48
16	Fall	39
98	Refused	2
99	Don't know	55
	Total	5554

Universe : Applicable if R chose to report a month and year for beginning of use rather than the number of months for method(s) reported in the month corresponding to cmjan3yr (MC1MONS1=995 or MC1MONS2=995 or MC1MONS3=995).

DATBEGIN_Y(1690-1693)

Variable Type : raw

ED-9y : (I have entered that in (DATE OF START OF METHOD CALENDAR), you used (METHOD))/(Think about the one you started using most recently.) In what month and year did you start using (METHOD)?/(METHOD)/(METHODS) together,)/(a combination of (METHODS))/(it), without a break, before (DATE OF START OF METHOD CALENDAR)? (year)

value	label	Total
.	INAPPLICABLE	4301
1931-2017	1931-2017	1248
9999	Don't know	5
	Total	5554

Universe : Applicable if R chose to report a month and year for beginning of use rather than the number of months for method(s) reported in the month corresponding to cmjan3yr (MC1MONS1=995 or MC1MONS2=995 or MC1MONS3=995).

cmdatbegin(1694-1697)

Variable Type : computed

Description : CM for date began method reported in 1st month of method calendar (Computed in Flow Check E-49)

value	label	Total
.	INAPPLICABLE	2633
378-1340	Before Sept 2011	1588
1341-1352	Sept 2011-Aug 2012	515
1353-1364	Sept 2012-Aug 2013	493
1365-1376	Sept 2013-Aug 2014	216
1377-1388	Sept 2014-Aug 2015	1
9998	Refused	2
9999	Don't know	106
	Total	5554

Universe : Applicable if (R ever used a method (everused = 1) or had a hysterectomy but used a method since start date for method calendar (INTR_ED4a = 1)) and date of first method use was on or before January [interview year - 3] (cmfirm <= cmjan3yr) and R used one or more methods in month corresponding to cmjan3yr (METHX[n], METHX[n+1], etc. for cmjan3yr = 3-26)

currmeth1(1698-1699)

Variable Type : computed

Description : Method(s) used in month of interview - 1st mention (Computed in Flow Check E-54)

value	label	Total
.	INAPPLICABLE	650
1	No method used	1547
3	Birth control pills	691
4	Condom	562
5	Partner's vasectomy	209
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	801
7	Withdrawal, pulling out	266
8	Depo-Provera, injectables	165
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	128
10	Calendar rhythm, Standard Days, or Cycle Beads method	33
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
15	Jelly or cream	2
19	IUD, coil, or loop	414
20	Emergency contraception	3
21	Other method	4
22	Respondent was sterile	12
23	Respondent's partner was sterile	1
25	Contraceptive patch	6
26	Vaginal contraceptive ring	53
98	Refused	2
99	Don't know	2
	Total	5554

Universe : Applicable if R ever used a method (everused = 1)

currmeth2(1700-1701)

Variable Type : computed

Description : Method(s) used in month of interview- 2nd mention (Computed in Flow Check E-54)

value	label	Total
.	INAPPLICABLE	5079
3	Birth control pills	8
4	Condom	112
5	Partner's vasectomy	12

6	Female sterilizing operation, such as tubal sterilization and hysterectomy	41
7	Withdrawal, pulling out	145
8	Depo-Provera, injectables	18
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	12
10	Calendar rhythm, Standard Days, or Cycle Beads method	59
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	5
13	Female condom, vaginal pouch	1
14	Foam	1
17	Suppository, insert	3
19	IUD, coil, or loop	41
20	Emergency contraception	3
21	Other method	1
22	Respondent was sterile	1
23	Respondent's partner was sterile	2
25	Contraceptive patch	3
26	Vaginal contraceptive ring	7
	Total	5554

Universe : Applicable if R used at least 2 methods in the month of interview (see currmeth1)

currmeth3(1702-1703)

Variable Type : computed

Description : Method(s) used in month of interview - 3rd mention (Computed in Flow Check E-54)

value	label	Total
.	INAPPLICABLE	5509
3	Birth control pills	2
4	Condom	3
5	Partner's vasectomy	1
7	Withdrawal, pulling out	12
10	Calendar rhythm, Standard Days, or Cycle Beads method	12
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
13	Female condom, vaginal pouch	1
14	Foam	1
15	Jelly or cream	1
17	Suppository, insert	1
19	IUD, coil, or loop	3
20	Emergency contraception	3
26	Vaginal contraceptive ring	3
	Total	5554

Universe : Applicable if R used at least 3 methods in the month of interview (see currmeth1)

currmeth4(1704-1704)

Variable Type : computed

Description : Method(s) used in month of interview - 4th mention (Computed in Flow Check E-54)

value	label	Total
.	INAPPLICABLE	5554
	Total	5554

Universe : Applicable if R used at least 4 methods in the month of interview (see currmeth1)

Istmonmeth1(1705-1706)

Variable Type : computed

Description : Method used in month before interview - 1st mention (Computed in Flow Check E-54)

value	label	Total
.	INAPPLICABLE	650
1	No method used	1431
3	Birth control pills	705
4	Condom	640
5	Partner's vasectomy	210
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	790
7	Withdrawal, pulling out	298
8	Depo-Provera, injectables	162
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	130
10	Calendar rhythm, Standard Days, or Cycle Beads method	31
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
15	Jelly or cream	1
19	IUD, coil, or loop	409
20	Emergency contraception	7
21	Other method	6
22	Respondent was sterile	13
23	Respondent's partner was sterile	1
25	Contraceptive patch	8
26	Vaginal contraceptive ring	53
98	Refused	2
99	Don't know	3
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before the month prior to interview month (cmfirmst <= cmintvw - 1)

Istmonmeth2(1707-1708)

Variable Type : computed

Description : Method used in month before interview - 2nd mention (Computed in Flow Check E-54)

value	label	Total
.	INAPPLICABLE	4996
3	Birth control pills	13
4	Condom	145
5	Partner's vasectomy	15
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	48
7	Withdrawal, pulling out	167
8	Depo-Provera, injectables	21
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	10
10	Calendar rhythm, Standard Days, or Cycle Beads method	70
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	5
13	Female condom, vaginal pouch	1
14	Foam	1
15	Jelly or cream	1
17	Suppository, insert	2
19	IUD, coil, or loop	44
20	Emergency contraception	4
21	Other method	1
22	Respondent was sterile	2
25	Contraceptive patch	1
26	Vaginal contraceptive ring	7
	Total	5554

Universe : Applicable if R used at least 2 methods in the month prior to interview month (see Istmonmeth1)

Istmonmeth3(1709-1710)

Variable Type : computed

Description : Method used in month before interview - 3rd mention (Computed in Flow Check E-54)

value	label	Total
.	INAPPLICABLE	5489
3	Birth control pills	3
5	Partner's vasectomy	2
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	2
7	Withdrawal, pulling out	26
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	12
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
13	Female condom, vaginal pouch	1
14	Foam	1
15	Jelly or cream	1
17	Suppository, insert	1
19	IUD, coil, or loop	4
20	Emergency contraception	5
26	Vaginal contraceptive ring	2
	Total	5554

Universe : Applicable if R used at least 3 methods in the month prior to interview month (see Istmonmeth1)

Istmonmeth4(1711-1712)

Variable Type : computed

Description : Method used in month before interview - 4th mention (Computed in Flow Check E-54)

value	label	Total
.	INAPPLICABLE	5551
10	Calendar rhythm, Standard Days, or Cycle Beads method	2
20	Emergency contraception	1
	Total	5554

Universe : Applicable if R used at least 4 methods in the month prior to interview month (see Istmonmeth1)

pill_12(1713-1713)

Variable Type : computed

FC E-55 : Whether used pill in the 12 months before interview (Computed in Flow Check E-55)

value	label	Total
.	INAPPLICABLE	650
1	Used in past 12 months	985
5	Not used in past 12 mos or dk/rf	3919
	Total	5554

Universe : Applicable if R ever used a method (everused = 1)

diaph_12(1714-1714)

Variable Type : computed

FC E-55 : Whether used diaphragm in the 12 months before interview (Computed in Flow Check E-55)

value	label	Total
.	INAPPLICABLE	650
5	Not used in past 12 mos or dk/rf	4904
	Total	5554

Universe : Applicable if R ever used a method (everused = 1)

iud_12(1715-1715)

Variable Type : computed

FC E-55 : Whether used IUD in the 12 months before interview (Computed in Flow Check E-55)

value	label	Total
.	INAPPLICABLE	650
1	Used in past 12 months	518
5	Not used in past 12 mos or dk/rf	4386
Total		5554

Universe : Applicable if R ever used a method (everused = 1)

implant_12(1716-1716)

Variable Type : computed

FC E-55 : Whether used hormonal implants (Norplant or Implanon) in the 12 months before interview (Computed in Flow Check E-55)

value	label	Total
.	INAPPLICABLE	650
1	Used in past 12 months	174
5	Not used in past 12 mos or dk/rf	4730
Total		5554

Universe : Applicable if R ever used a method (everused = 1)

depo_12(1717-1717)

Variable Type : computed

FC E-55 : Whether used Depo-Provera injectables in the 12 months before interview (Computed in Flow Check E-55)

value	label	Total
.	INAPPLICABLE	650
1	Used in past 12 months	276
5	Not used in past 12 mos or dk/rf	4628
Total		5554

Universe : Applicable if R ever used a method (everused = 1)

cervc_12(1718-1718)

Variable Type : computed

FC E-55 : Whether used cervical cap in the 12 months before interview (Computed in Flow Check E-55)

value	label	Total
.	INAPPLICABLE	650
5	Not used in past 12 mos or dk/rf	4904
Total		5554

Universe : Applicable if R ever used a method (everused = 1)

mpill_12(1719-1719)

Variable Type : computed

FC E-55 : Whether used emergency contraception in the 12 months before interview (Computed in Flow Check E-55)

value	label	Total
.	INAPPLICABLE	650
1	Used in past 12 months	148
5	Not used in past 12 mos or dk/rf	4756
	Total	5554

Universe : Applicable if R ever used a method (everused = 1)

patch_12(1720-1720)

Variable Type : computed

FC E-55 : Whether used contraceptive patch in the 12 months before interview (Computed in Flow Check E-55)

value	label	Total
.	INAPPLICABLE	650
1	Used in past 12 months	28
5	Not used in past 12 mos or dk/rf	4876
	Total	5554

Universe : Applicable if R ever used a method (everused = 1)

ring_12(1721-1721)

Variable Type : computed

FC E-55 : Whether used contraceptive ring in the 12 months before interview (Computed in Flow Check E-55)

value	label	Total
.	INAPPLICABLE	650
1	Used in past 12 months	89
5	Not used in past 12 mos or dk/rf	4815
	Total	5554

Universe : Applicable if R ever used a method (everused = 1)

METHX1(1722-1723)

Variable Type : raw

ED-6 : Method(s) used in Jan [interview yr-3] - 1st mention

value	label	Total
.	INAPPLICABLE	1182
1	No method used	1367
3	Birth control pills	736
4	Condom	573
5	Partner's vasectomy	160
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	633
7	Withdrawal, pulling out	228
8	Depo-Provera, injectables	162
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	59
10	Calendar rhythm, Standard Days, or Cycle Beads method	28
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	6
14	Foam	1
15	Jelly or cream	2
19	IUD, coil, or loop	320
20	Emergency contraception	4
21	Other method -- specify	3
22	Respondent was sterile	11
23	Respondent's partner was sterile	1

25	Contraceptive patch	15
26	Vaginal contraceptive ring	54
98	Refused	4
99	Don't know	5
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year - 3] (cmfirm <= cmjan3yr)

METHX2(1724-1725)

Variable Type : raw

ED-6 : Method(s) used in Jan [interview yr-3]-2nd mention

value	label	Total
.	INAPPLICABLE	5138
3	Birth control pills	18
4	Condom	130
5	Partner's vasectomy	13
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	24
7	Withdrawal, pulling out	119
8	Depo-Provera, injectables	21
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	49
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
13	Female condom, vaginal pouch	1
14	Foam	1
17	Suppository, insert	2
19	IUD, coil, or loop	19
20	Emergency contraception	5
22	Respondent was sterile	1
25	Contraceptive patch	3
26	Vaginal contraceptive ring	6
	Total	5554

Universe : Applicable if R used at least 2 methods in January [interview yr - 3] (see METHX1)

METHX3(1726-1727)

Variable Type : raw

ED-6 : Method(s) used in Jan [interview yr-3]-3rd mention

value	label	Total
.	INAPPLICABLE	5519
3	Birth control pills	2
4	Condom	2
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	9
10	Calendar rhythm, Standard Days, or Cycle Beads method	14
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
12	Diaphragm	1
19	IUD, coil, or loop	2
26	Vaginal contraceptive ring	2
	Total	5554

Universe : Applicable if R used at least 3 methods in January [interview yr - 3] (see METHX1)

METHX4(1728-1729)

Variable Type : raw

ED-6 : Method(s) used in Jan [interview yr-3]-4th mention

value	label	Total
.	INAPPLICABLE	5550
10	Calendar rhythm, Standard Days, or Cycle Beads method	2
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
25	Contraceptive patch	1
	Total	5554

Universe : Applicable if R used at least 4 methods in January [interview yr - 3] (see METHX1)

METHX5(1730-1731)

Variable Type : raw

ED-6 : Method(s) used in Feb [interview yr-3] - 1st mention

value	label	Total
.	INAPPLICABLE	1179
1	No method used	1394
3	Birth control pills	736
4	Condom	560
5	Partner's vasectomy	163
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	634
7	Withdrawal, pulling out	227
8	Depo-Provera, injectables	164
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	58
10	Calendar rhythm, Standard Days, or Cycle Beads method	27
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	7
15	Jelly or cream	2
19	IUD, coil, or loop	309
21	Other method -- specify	5
22	Respondent was sterile	8
23	Respondent's partner was sterile	1
25	Contraceptive patch	15
26	Vaginal contraceptive ring	55
98	Refused	4
99	Don't know	6
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year - 3] (cmfirm <= cmmhcalx2)

METHX6(1732-1733)

Variable Type : raw

ED-6 : Method(s) used in Feb [interview yr-3]-2nd mention

value	label	Total
.	INAPPLICABLE	5137
3	Birth control pills	14
4	Condom	136
5	Partner's vasectomy	11
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	27
7	Withdrawal, pulling out	121
8	Depo-Provera, injectables	21
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	3
10	Calendar rhythm, Standard Days, or Cycle Beads method	44
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
13	Female condom, vaginal pouch	1
14	Foam	1

17	Suppository, insert	2
19	IUD, coil, or loop	25
20	Emergency contraception	3
22	Respondent was sterile	1
25	Contraceptive patch	1
26	Vaginal contraceptive ring	4
	Total	5554

Universe : Applicable if R used at least 2 methods in February [interview yr - 3] (see METHX5)

METHX7(1734-1735)

Variable Type : raw

ED-6 : Method(s) used in Feb [interview yr-3] - 3rd mention

value	label	Total
.	INAPPLICABLE	5518
3	Birth control pills	2
4	Condom	2
5	Partner's vasectomy	2
7	Withdrawal, pulling out	10
10	Calendar rhythm, Standard Days, or Cycle Beads method	12
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
12	Diaphragm	1
13	Female condom, vaginal pouch	1
19	IUD, coil, or loop	1
26	Vaginal contraceptive ring	2
	Total	5554

Universe : Applicable if R used at least 3 methods in February [interview yr - 3] (see METHX5)

METHX8(1736-1737)

Variable Type : raw

ED-6 : Method(s) used in Feb [interview yr-3]-4th mention

value	label	Total
.	INAPPLICABLE	5552
10	Calendar rhythm, Standard Days, or Cycle Beads method	2
	Total	5554

Universe : Applicable if R used at least 4 methods in February [interview yr - 3] (see METHX5)

METHX9(1738-1739)

Variable Type : raw

ED-6 : Method(s) used in March [interview yr-3] - 1st mention

value	label	Total
.	INAPPLICABLE	1163
1	No method used	1394
3	Birth control pills	736
4	Condom	565
5	Partner's vasectomy	166
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	640
7	Withdrawal, pulling out	218
8	Depo-Provera, injectables	168
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	59
10	Calendar rhythm, Standard Days, or Cycle Beads method	27
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	6

15	Jelly or cream	2
19	IUD, coil, or loop	313
21	Other method -- specify	5
22	Respondent was sterile	13
25	Contraceptive patch	15
26	Vaginal contraceptive ring	53
98	Refused	4
99	Don't know	7
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year - 3] (cmfirm <= cmmhcalx3)

METHX10(1740-1741)

Variable Type : raw

ED-6 : Method(s) used in March [interview yr-3]-2nd mention

value	label	Total
.	INAPPLICABLE	5135
3	Birth control pills	10
4	Condom	148
5	Partner's vasectomy	11
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	24
7	Withdrawal, pulling out	125
8	Depo-Provera, injectables	16
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	43
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
13	Female condom, vaginal pouch	1
14	Foam	2
17	Suppository, insert	2
19	IUD, coil, or loop	22
20	Emergency contraception	4
22	Respondent was sterile	1
25	Contraceptive patch	1
26	Vaginal contraceptive ring	4
	Total	5554

Universe : Applicable if R used at least 2 methods in March [interview yr - 3] (see METHX9)

METHX11(1742-1743)

Variable Type : raw

ED-6 : Method(s) used in March [interview yr-3] - 3rd mention

value	label	Total
.	INAPPLICABLE	5518
3	Birth control pills	2
4	Condom	3
5	Partner's vasectomy	1
7	Withdrawal, pulling out	8
8	Depo-Provera, injectables	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	13
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
12	Diaphragm	1
19	IUD, coil, or loop	1
20	Emergency contraception	1
26	Vaginal contraceptive ring	2
	Total	5554

Universe : Applicable if R used at least 3 methods in March [interview yr - 3] (see METHX9)

METHX12(1744-1745)

Variable Type : raw

ED-6 : Method(s) used in March [interview yr-3]-4th mention

value	label	Total
.	INAPPLICABLE	5552
10	Calendar rhythm, Standard Days, or Cycle Beads method	2
	Total	5554

Universe : Applicable if R used at least 4 methods in March [interview yr - 3] (see METHX9)

METHX13(1746-1747)

Variable Type : raw

ED-6 : Method(s) used in April [interview yr-3] - 1st mention

value	label	Total
.	INAPPLICABLE	1150
1	No method used	1420
3	Birth control pills	731
4	Condom	558
5	Partner's vasectomy	167
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	638
7	Withdrawal, pulling out	219
8	Depo-Provera, injectables	168
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	55
10	Calendar rhythm, Standard Days, or Cycle Beads method	26
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	6
12	Diaphragm	1
14	Foam	1
15	Jelly or cream	2
19	IUD, coil, or loop	314
20	Emergency contraception	2
21	Other method -- specify	5
22	Respondent was sterile	15
25	Contraceptive patch	12
26	Vaginal contraceptive ring	53
98	Refused	4
99	Don't know	7
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year - 3] (cmfirm <= cmmhcalx4)

METHX14(1748-1749)

Variable Type : raw

ED-6 : Method(s) used in April [interview yr-3]-2nd mention

value	label	Total
.	INAPPLICABLE	5137
3	Birth control pills	11
4	Condom	139
5	Partner's vasectomy	12
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	26
7	Withdrawal, pulling out	125
8	Depo-Provera, injectables	17

9	Hormonal implant (Norplant, Implanon, or Nexplanon)	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	45
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
13	Female condom, vaginal pouch	1
14	Foam	1
15	Jelly or cream	1
17	Suppository, insert	2
19	IUD, coil, or loop	22
20	Emergency contraception	4
22	Respondent was sterile	1
25	Contraceptive patch	2
26	Vaginal contraceptive ring	4
	Total	5554

Universe : Applicable if R used at least 2 methods in April [interview yr - 3] (see METHX13)

METHX15(1750-1751)

Variable Type : raw

ED-6 : Method(s) used in April [interview yr-3] - 3rd mention

value	label	Total
.	INAPPLICABLE	5517
3	Birth control pills	2
4	Condom	1
5	Partner's vasectomy	1
7	Withdrawal, pulling out	10
10	Calendar rhythm, Standard Days, or Cycle Beads method	13
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
12	Diaphragm	1
17	Suppository, insert	1
19	IUD, coil, or loop	1
20	Emergency contraception	1
26	Vaginal contraceptive ring	2
	Total	5554

Universe : Applicable if R used at least 3 methods in April [interview yr - 3] (see METHX13)

METHX16(1752-1753)

Variable Type : raw

ED-6 : Method(s) used in April [interview yr-3]-4th mention

value	label	Total
.	INAPPLICABLE	5552
10	Calendar rhythm, Standard Days, or Cycle Beads method	2
	Total	5554

Universe : Applicable if R used at least 4 methods in April [interview yr - 3] (see METHX13)

METHX17(1754-1755)

Variable Type : raw

ED-6 : Method(s) used in May [interview yr-3] - 1st mention

value	label	Total
.	INAPPLICABLE	1138
1	No method used	1403
3	Birth control pills	741
4	Condom	562

5	Partner's vasectomy	168
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	640
7	Withdrawal, pulling out	223
8	Depo-Provera, injectables	169
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	57
10	Calendar rhythm, Standard Days, or Cycle Beads method	27
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	6
15	Jelly or cream	2
19	IUD, coil, or loop	319
20	Emergency contraception	2
21	Other method -- specify	5
22	Respondent was sterile	17
25	Contraceptive patch	14
26	Vaginal contraceptive ring	51
98	Refused	4
99	Don't know	6
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year - 3] (cmfirm <= cmmhcalx5)

METHX18(1756-1757)

Variable Type : raw

ED-6 : Method(s) used in May [interview yr-3]-2nd mention

value	label	Total
.	INAPPLICABLE	5140
3	Birth control pills	11
4	Condom	143
5	Partner's vasectomy	11
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	26
7	Withdrawal, pulling out	116
8	Depo-Provera, injectables	18
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	3
10	Calendar rhythm, Standard Days, or Cycle Beads method	48
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
13	Female condom, vaginal pouch	1
14	Foam	1
17	Suppository, insert	2
19	IUD, coil, or loop	21
20	Emergency contraception	2
22	Respondent was sterile	1
25	Contraceptive patch	2
26	Vaginal contraceptive ring	5
	Total	5554

Universe : Applicable if R used at least 2 methods in May [interview yr - 3] (see METHX17)

METHX19(1758-1759)

Variable Type : raw

ED-6 : Method(s) used in May [interview yr-3] - 3rd mention

value	label	Total
.	INAPPLICABLE	5516
3	Birth control pills	2
4	Condom	2
5	Partner's vasectomy	1

7	Withdrawal, pulling out	14
10	Calendar rhythm, Standard Days, or Cycle Beads method	10
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	5
12	Diaphragm	1
19	IUD, coil, or loop	1
26	Vaginal contraceptive ring	2
	Total	5554

Universe : Applicable if R used at least 3 methods in May [interview yr - 3] (see METHX17)

METHX20(1760-1761)

Variable Type : raw

ED-6 : Method(s) used in May [interview yr-3]-4th mention

value	label	Total
.	INAPPLICABLE	5552
10	Calendar rhythm, Standard Days, or Cycle Beads method	2
	Total	5554

Universe : Applicable if R used at least 4 methods in May [interview yr - 3] (see METHX17)

METHX21(1762-1763)

Variable Type : raw

ED-6 : Method(s) used in June [interview yr-3] - 1st mention

value	label	Total
.	INAPPLICABLE	1126
1	No method used	1397
3	Birth control pills	733
4	Condom	567
5	Partner's vasectomy	171
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	646
7	Withdrawal, pulling out	234
8	Depo-Provera, injectables	162
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	58
10	Calendar rhythm, Standard Days, or Cycle Beads method	29
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	7
14	Foam	1
15	Jelly or cream	2
19	IUD, coil, or loop	322
20	Emergency contraception	1
21	Other method -- specify	5
22	Respondent was sterile	18
25	Contraceptive patch	12
26	Vaginal contraceptive ring	53
98	Refused	4
99	Don't know	6
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview year - 3] (cmfirm <= cmmhcalx6)

METHX22(1764-1765)

Variable Type : raw

ED-6 : Method(s) used in June [interview yr-3]-2nd mention

value	label	Total
-------	-------	-------

.	INAPPLICABLE	5125
3	Birth control pills	12
4	Condom	143
5	Partner's vasectomy	11
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	26
7	Withdrawal, pulling out	125
8	Depo-Provera, injectables	20
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	49
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
13	Female condom, vaginal pouch	1
14	Foam	2
17	Suppository, insert	2
19	IUD, coil, or loop	22
20	Emergency contraception	3
22	Respondent was sterile	1
25	Contraceptive patch	2
26	Vaginal contraceptive ring	4
	Total	5554

Universe : Applicable if R used at least 2 methods in June [interview yr - 3] (see METHX21)

METHX23(1766-1767)

Variable Type : raw

ED-6 : Method(s) used in June [interview yr-3] - 3rd mention

value	label	Total
.	INAPPLICABLE	5511
3	Birth control pills	2
4	Condom	2
5	Partner's vasectomy	2
7	Withdrawal, pulling out	16
8	Depo-Provera, injectables	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	9
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
12	Diaphragm	1
19	IUD, coil, or loop	2
20	Emergency contraception	1
26	Vaginal contraceptive ring	3
	Total	5554

Universe : Applicable if R used at least 3 methods in June [interview yr - 3] (see METHX21)

METHX24(1768-1769)

Variable Type : raw

ED-6 : Method(s) used in June [interview yr-3]-4th mention

value	label	Total
.	INAPPLICABLE	5552
10	Calendar rhythm, Standard Days, or Cycle Beads method	2
	Total	5554

Universe : Applicable if R used at least 4 methods in June [interview yr - 3] (see METHX21)

METHX25(1770-1771)

Variable Type : raw

ED-6 : Method(s) used in July [interview yr-3] - 1st mention

value	label	Total
.	INAPPLICABLE	1106
1	No method used	1411
3	Birth control pills	743
4	Condom	558
5	Partner's vasectomy	173
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	648
7	Withdrawal, pulling out	229
8	Depo-Provera, injectables	165
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	60
10	Calendar rhythm, Standard Days, or Cycle Beads method	29
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	7
15	Jelly or cream	2
19	IUD, coil, or loop	324
21	Other method -- specify	6
22	Respondent was sterile	17
25	Contraceptive patch	12
26	Vaginal contraceptive ring	54
98	Refused	4
99	Don't know	6
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 3] (cmfirm <= cmmhcalx7)

METHX26(1772-1773)

Variable Type : raw

ED-6 : Method(s) used in July [interview yr-3]-2nd mention

value	label	Total
.	INAPPLICABLE	5119
3	Birth control pills	10
4	Condom	143
5	Partner's vasectomy	12
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	25
7	Withdrawal, pulling out	135
8	Depo-Provera, injectables	20
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	47
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
13	Female condom, vaginal pouch	1
14	Foam	1
17	Suppository, insert	2
19	IUD, coil, or loop	21
20	Emergency contraception	3
22	Respondent was sterile	1
25	Contraceptive patch	2
26	Vaginal contraceptive ring	6
	Total	5554

Universe : Applicable if R used at least 2 methods in July [interview yr - 3] (see METHX25)

METHX27(1774-1775)

Variable Type : raw

ED-6 : Method(s) used in July [interview yr-3] - 3rd mention

value	label	Total
.	INAPPLICABLE	5514
3	Birth control pills	1
4	Condom	1
5	Partner's vasectomy	1
7	Withdrawal, pulling out	14
8	Depo-Provera, injectables	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	10
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
12	Diaphragm	1
17	Suppository, insert	2
19	IUD, coil, or loop	1
20	Emergency contraception	2
26	Vaginal contraceptive ring	2
	Total	5554

Universe : Applicable if R used at least 3 methods in July [interview yr - 3] (see METHX25)

METHX28(1776-1777)

Variable Type : raw

ED-6 : Method(s) used in July [interview yr-3]-4th mention

value	label	Total
.	INAPPLICABLE	5552
10	Calendar rhythm, Standard Days, or Cycle Beads method	2
	Total	5554

Universe : Applicable if R used at least 4 methods in July [interview yr - 3] (see METHX25)

METHX29(1778-1779)

Variable Type : raw

ED-6 : Method(s) used in Aug [interview yr-3] - 1st mention

value	label	Total
.	INAPPLICABLE	1093
1	No method used	1409
3	Birth control pills	744
4	Condom	559
5	Partner's vasectomy	175
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	650
7	Withdrawal, pulling out	234
8	Depo-Provera, injectables	168
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	64
10	Calendar rhythm, Standard Days, or Cycle Beads method	30
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	7
15	Jelly or cream	2
19	IUD, coil, or loop	325
21	Other method -- specify	5
22	Respondent was sterile	17
25	Contraceptive patch	11
26	Vaginal contraceptive ring	51
98	Refused	4
99	Don't know	6
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year - 3] (cmfirm <= cmmhcalx8)

METHX30(1780-1781)

Variable Type : raw

ED-6 : Method(s) used in Aug [interview yr-3]-2nd mention

value	label	Total
.	INAPPLICABLE	5124
3	Birth control pills	10
4	Condom	146
5	Partner's vasectomy	12
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	26
7	Withdrawal, pulling out	122
8	Depo-Provera, injectables	17
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	3
10	Calendar rhythm, Standard Days, or Cycle Beads method	48
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
13	Female condom, vaginal pouch	1
14	Foam	1
17	Suppository, insert	2
19	IUD, coil, or loop	21
20	Emergency contraception	7
22	Respondent was sterile	1
25	Contraceptive patch	2
26	Vaginal contraceptive ring	7
	Total	5554

Universe : Applicable if R used at least 2 methods in Aug [interview yr - 3] (see METHX29)

METHX31(1782-1783)

Variable Type : raw

ED-6 : Method(s) used in Aug [interview yr-3] - 3rd mention

value	label	Total
.	INAPPLICABLE	5518
3	Birth control pills	1
5	Partner's vasectomy	2
7	Withdrawal, pulling out	13
8	Depo-Provera, injectables	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	9
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
12	Diaphragm	1
17	Suppository, insert	1
19	IUD, coil, or loop	1
26	Vaginal contraceptive ring	2
	Total	5554

Universe : Applicable if R used at least 3 methods in Aug [interview yr - 3] (see METHX29)

METHX32(1784-1785)

Variable Type : raw

ED-6 : Method(s) used in Aug [interview yr-3]-4th mention

value	label	Total
.	INAPPLICABLE	5552
10	Calendar rhythm, Standard Days, or Cycle Beads method	2
	Total	5554

Universe : Applicable if R used at least 4 methods in Aug [interview yr - 3] (see METHX29)

METHX33(1786-1787)

Variable Type : raw

ED-6 : Method(s) used in Sept [interview yr-3] - 1st mention

value	label	Total
.	INAPPLICABLE	1081
1	No method used	1415
3	Birth control pills	743
4	Condom	572
5	Partner's vasectomy	175
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	654
7	Withdrawal, pulling out	218
8	Depo-Provera, injectables	173
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	66
10	Calendar rhythm, Standard Days, or Cycle Beads method	30
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	8
12	Diaphragm	1
15	Jelly or cream	1
19	IUD, coil, or loop	325
20	Emergency contraception	2
21	Other method -- specify	5
22	Respondent was sterile	14
25	Contraceptive patch	11
26	Vaginal contraceptive ring	51
98	Refused	4
99	Don't know	5
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year - 3] (cmfirm <= cmmhcalx9)

METHX34(1788-1789)

Variable Type : raw

ED-6 : Method(s) used in Sept [interview yr-3]-2nd mention

value	label	Total
.	INAPPLICABLE	5125
1	No method used	1
3	Birth control pills	13
4	Condom	137
5	Partner's vasectomy	11
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	27
7	Withdrawal, pulling out	125
8	Depo-Provera, injectables	20
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	49
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	5
13	Female condom, vaginal pouch	1
14	Foam	2
15	Jelly or cream	1
17	Suppository, insert	2
19	IUD, coil, or loop	21
20	Emergency contraception	3
22	Respondent was sterile	1
25	Contraceptive patch	2
26	Vaginal contraceptive ring	6
	Total	5554

Universe : Applicable if R used at least 2 methods in Sept [interview yr - 3] (see METHX33)

METHX35(1790-1791)

Variable Type : raw

ED-6 : Method(s) used in Sept [interview yr-3] - 3rd mention

value	label	Total
.	INAPPLICABLE	5513
3	Birth control pills	1
5	Partner's vasectomy	2
7	Withdrawal, pulling out	15
8	Depo-Provera, injectables	1
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	10
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
12	Diaphragm	1
17	Suppository, insert	1
19	IUD, coil, or loop	1
20	Emergency contraception	2
26	Vaginal contraceptive ring	2
	Total	5554

Universe : Applicable if R used at least 3 methods in Sept [interview yr - 3] (see METHX33)

METHX36(1792-1793)

Variable Type : raw

ED-6 : Method(s) used in Sept [interview yr-3]-4th mention

value	label	Total
.	INAPPLICABLE	5550
10	Calendar rhythm, Standard Days, or Cycle Beads method	3
20	Emergency contraception	1
	Total	5554

Universe : Applicable if R used at least 4 methods in Sept [interview yr - 3] (see METHX33)

METHX37(1794-1795)

Variable Type : raw

ED-6 : Method(s) used in Oct [interview yr-3] - 1st mention

value	label	Total
.	INAPPLICABLE	1071
1	No method used	1407
3	Birth control pills	742
4	Condom	567
5	Partner's vasectomy	174
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	659
7	Withdrawal, pulling out	236
8	Depo-Provera, injectables	179
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	69
10	Calendar rhythm, Standard Days, or Cycle Beads method	30
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	7
15	Jelly or cream	1
19	IUD, coil, or loop	323
21	Other method -- specify	5
22	Respondent was sterile	12
25	Contraceptive patch	12

26	Vaginal contraceptive ring	50
98	Refused	4
99	Don't know	6
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year - 3] (cmfirm <= cmmhcalx10)

METHX38(1796-1797)

Variable Type : raw

ED-6 : Method(s) used in Oct [interview yr-3]-2nd mention

value	label	Total
.	INAPPLICABLE	5136
3	Birth control pills	11
4	Condom	137
5	Partner's vasectomy	12
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	29
7	Withdrawal, pulling out	113
8	Depo-Provera, injectables	20
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	47
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	5
13	Female condom, vaginal pouch	1
14	Foam	2
17	Suppository, insert	2
19	IUD, coil, or loop	22
20	Emergency contraception	5
22	Respondent was sterile	1
25	Contraceptive patch	1
26	Vaginal contraceptive ring	8
	Total	5554

Universe : Applicable if R used at least 2 methods in Oct [interview yr - 3] (see METHX37)

METHX39(1798-1799)

Variable Type : raw

ED-6 : Method(s) used in Oct [interview yr-3] - 3rd mention

value	label	Total
.	INAPPLICABLE	5519
3	Birth control pills	1
5	Partner's vasectomy	1
7	Withdrawal, pulling out	13
8	Depo-Provera, injectables	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	11
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
12	Diaphragm	1
19	IUD, coil, or loop	1
20	Emergency contraception	1
26	Vaginal contraceptive ring	2
	Total	5554

Universe : Applicable if R used at least 3 methods in Oct [interview yr - 3] (see METHX37)

METHX40(1800-1801)

Variable Type : raw

ED-6 : Method(s) used in Oct [interview yr-3]-4th mention

value	label	Total
.	INAPPLICABLE	5551
10	Calendar rhythm, Standard Days, or Cycle Beads method	3
	Total	5554

Universe : Applicable if R used at least 4 methods in Oct [interview yr - 3] (see METHX37)

METHX41(1802-1803)

Variable Type : raw

ED-6 : Method(s) used in Nov [interview yr-3] - 1st mention

value	label	Total
.	INAPPLICABLE	1059
1	No method used	1407
3	Birth control pills	744
4	Condom	571
5	Partner's vasectomy	176
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	664
7	Withdrawal, pulling out	234
8	Depo-Provera, injectables	176
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	70
10	Calendar rhythm, Standard Days, or Cycle Beads method	31
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	8
15	Jelly or cream	1
19	IUD, coil, or loop	324
21	Other method -- specify	5
22	Respondent was sterile	11
25	Contraceptive patch	12
26	Vaginal contraceptive ring	51
98	Refused	4
99	Don't know	6
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year - 3] (cmfirm <= cmmhcalx11)

METHX42(1804-1805)

Variable Type : raw

ED-6 : Method(s) used in Nov [interview yr-3]-2nd mention

value	label	Total
.	INAPPLICABLE	5124
1	No method used	1
3	Birth control pills	12
4	Condom	141
5	Partner's vasectomy	13
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	29
7	Withdrawal, pulling out	116
8	Depo-Provera, injectables	24
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	49
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	5
13	Female condom, vaginal pouch	1
14	Foam	1
17	Suppository, insert	3
19	IUD, coil, or loop	21

20	Emergency contraception	2
22	Respondent was sterile	2
25	Contraceptive patch	1
26	Vaginal contraceptive ring	7
Total		5554

Universe : Applicable if R used at least 2 methods in Nov [interview yr - 3] (see METHX41)

METHX43(1806-1807)

Variable Type : raw

ED-6 : Method(s) used in Nov [interview yr-3] - 3rd mention

value	label	Total
.	INAPPLICABLE	5508
3	Birth control pills	1
4	Condom	1
5	Partner's vasectomy	4
7	Withdrawal, pulling out	17
8	Depo-Provera, injectables	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	11
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
12	Diaphragm	1
17	Suppository, insert	1
19	IUD, coil, or loop	1
20	Emergency contraception	3
26	Vaginal contraceptive ring	2
Total		5554

Universe : Applicable if R used at least 3 methods in Nov [interview yr - 3] (see METHX41)

METHX44(1808-1809)

Variable Type : raw

ED-6 : Method(s) used in Nov [interview yr-3]-4th mention

value	label	Total
.	INAPPLICABLE	5552
10	Calendar rhythm, Standard Days, or Cycle Beads method	2
Total		5554

Universe : Applicable if R used at least 4 methods in Nov [interview yr - 3] (see METHX41)

METHX45(1810-1811)

Variable Type : raw

ED-6 : Method(s) used in Dec [interview yr-3] - 1st mention

value	label	Total
.	INAPPLICABLE	1049
1	No method used	1394
3	Birth control pills	740
4	Condom	578
5	Partner's vasectomy	174
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	663
7	Withdrawal, pulling out	242
8	Depo-Provera, injectables	184
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	70
10	Calendar rhythm, Standard Days, or Cycle Beads method	28
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	8

15	Jelly or cream	2
19	IUD, coil, or loop	332
20	Emergency contraception	2
21	Other method -- specify	5
22	Respondent was sterile	11
25	Contraceptive patch	11
26	Vaginal contraceptive ring	51
98	Refused	4
99	Don't know	6
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year - 3] (cmfirm <= cmmhcalx12)

METHX46(1812-1813)

Variable Type : raw

ED-6 : Method(s) used in Dec [interview yr-3]-2nd mention

value	label	Total
.	INAPPLICABLE	5112
3	Birth control pills	13
4	Condom	144
5	Partner's vasectomy	14
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	31
7	Withdrawal, pulling out	120
8	Depo-Provera, injectables	22
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	3
10	Calendar rhythm, Standard Days, or Cycle Beads method	50
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	5
13	Female condom, vaginal pouch	1
14	Foam	2
17	Suppository, insert	3
19	IUD, coil, or loop	22
20	Emergency contraception	3
22	Respondent was sterile	2
25	Contraceptive patch	1
26	Vaginal contraceptive ring	6
	Total	5554

Universe : Applicable if R used at least 2 methods in Dec [interview yr - 3] (see METHX45)

METHX47(1814-1815)

Variable Type : raw

ED-6 : Method(s) used in Dec [interview yr-3] - 3rd mention

value	label	Total
.	INAPPLICABLE	5504
3	Birth control pills	1
4	Condom	1
5	Partner's vasectomy	2
7	Withdrawal, pulling out	19
8	Depo-Provera, injectables	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	15
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
12	Diaphragm	1
17	Suppository, insert	2
19	IUD, coil, or loop	1
20	Emergency contraception	1

21	Other method -- specify	1
26	Vaginal contraceptive ring	2
Total		5554

Universe : Applicable if R used at least 3 methods in Dec [interview yr - 3] (see METHX45)

METHX48(1816-1817)

Variable Type : raw

ED-6 : Method(s) used in Dec [interview yr-3]-4th mention

value	label	Total
.	INAPPLICABLE	5551
10	Calendar rhythm, Standard Days, or Cycle Beads method	2
20	Emergency contraception	1
Total		5554

Universe : Applicable if R used at least 4 methods in Dec [interview yr - 3] (see METHX45)

METHX49(1818-1819)

Variable Type : raw

ED-6 : Method(s) used in Jan [interview yr-2] - 1st mention

value	label	Total
.	INAPPLICABLE	1027
1	No method used	1390
3	Birth control pills	734
4	Condom	580
5	Partner's vasectomy	182
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	681
7	Withdrawal, pulling out	248
8	Depo-Provera, injectables	178
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	79
10	Calendar rhythm, Standard Days, or Cycle Beads method	36
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	5
15	Jelly or cream	2
19	IUD, coil, or loop	324
20	Emergency contraception	4
21	Other method -- specify	4
22	Respondent was sterile	10
23	Respondent's partner was sterile	1
25	Contraceptive patch	14
26	Vaginal contraceptive ring	47
98	Refused	4
99	Don't know	4
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year - 2] (cmfirm <= cmmhcalx13)

METHX50(1820-1821)

Variable Type : raw

ED-6 : Method(s) used in Jan [interview yr-2]-2nd mention

value	label	Total
.	INAPPLICABLE	5113
3	Birth control pills	8
4	Condom	129

5	Partner's vasectomy	10
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	30
7	Withdrawal, pulling out	136
8	Depo-Provera, injectables	21
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	3
10	Calendar rhythm, Standard Days, or Cycle Beads method	47
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	8
13	Female condom, vaginal pouch	1
14	Foam	1
15	Jelly or cream	1
17	Suppository, insert	3
19	IUD, coil, or loop	32
20	Emergency contraception	3
22	Respondent was sterile	1
25	Contraceptive patch	2
26	Vaginal contraceptive ring	5
	Total	5554

Universe : Applicable if R used at least 2 methods in January [interview yr - 2] (see METHX49)

METHX51(1822-1823)

Variable Type : raw

ED-6 : Method(s) used in Jan [interview yr-2]-3rd mention

value	label	Total
.	INAPPLICABLE	5509
4	Condom	1
5	Partner's vasectomy	1
7	Withdrawal, pulling out	16
8	Depo-Provera, injectables	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	15
12	Diaphragm	1
17	Suppository, insert	1
19	IUD, coil, or loop	2
20	Emergency contraception	2
21	Other method -- specify	1
26	Vaginal contraceptive ring	3
	Total	5554

Universe : Applicable if R used at least 3 methods in January [interview yr - 2] (see METHX49)

METHX52(1824-1825)

Variable Type : raw

ED-6 : Method(s) used in Jan [interview yr-2]-4th mention

value	label	Total
.	INAPPLICABLE	5552
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
	Total	5554

Universe : Applicable if R used at least 4 methods in January [interview yr - 2] (see METHX49)

METHX53(1826-1827)

Variable Type : raw

ED-6 : Method(s) used in Feb [interview yr-2] - 1st mention

value	label	Total
.	INAPPLICABLE	1016
1	No method used	1409
3	Birth control pills	726
4	Condom	570
5	Partner's vasectomy	180
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	688
7	Withdrawal, pulling out	248
8	Depo-Provera, injectables	172
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	83
10	Calendar rhythm, Standard Days, or Cycle Beads method	36
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	5
15	Jelly or cream	1
19	IUD, coil, or loop	332
20	Emergency contraception	1
21	Other method -- specify	4
22	Respondent was sterile	14
23	Respondent's partner was sterile	1
25	Contraceptive patch	11
26	Vaginal contraceptive ring	47
55	EMPTY (IF JAN)/Same method used thru end of year	1
98	Refused	4
99	Don't know	5
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year - 3] (cmfirm <= cmmhcalx14)

METHX54(1828-1829)

Variable Type : raw

ED-6 : Method(s) used in Feb [interview yr-2]-2nd mention

value	label	Total
.	INAPPLICABLE	5118
3	Birth control pills	10
4	Condom	128
5	Partner's vasectomy	10
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	30
7	Withdrawal, pulling out	129
8	Depo-Provera, injectables	21
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	3
10	Calendar rhythm, Standard Days, or Cycle Beads method	45
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	8
13	Female condom, vaginal pouch	1
14	Foam	3
15	Jelly or cream	1
16	Cervical cap	1
17	Suppository, insert	3
19	IUD, coil, or loop	30
20	Emergency contraception	2
22	Respondent was sterile	1
25	Contraceptive patch	4
26	Vaginal contraceptive ring	6
	Total	5554

Universe : Applicable if R used at least 2 methods in February [interview yr - 2] (see METHX53)

METHX55(1830-1831)

Variable Type : raw

ED-6 : Method(s) used in Feb [interview yr-2] - 3rd mention

value	label	Total
.	INAPPLICABLE	5512
4	Condom	1
5	Partner's vasectomy	1
7	Withdrawal, pulling out	14
8	Depo-Provera, injectables	2
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	13
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
12	Diaphragm	1
17	Suppository, insert	1
19	IUD, coil, or loop	1
20	Emergency contraception	1
21	Other method -- specify	1
26	Vaginal contraceptive ring	3
	Total	5554

Universe : Applicable if R used at least 3 methods in February [interview yr - 2] (see METHX53)

METHX56(1832-1833)

Variable Type : raw

ED-6 : Method(s) used in Feb [interview yr-2]-4th mention

value	label	Total
.	INAPPLICABLE	5551
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
20	Emergency contraception	1
	Total	5554

Universe : Applicable if R used at least 4 methods in February [interview yr - 2] (see METHX53)

METHX57(1834-1835)

Variable Type : raw

ED-6 : Method(s) used in March [interview yr-2] - 1st mention

value	label	Total
.	INAPPLICABLE	1004
1	No method used	1420
3	Birth control pills	732
4	Condom	572
5	Partner's vasectomy	177
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	691
7	Withdrawal, pulling out	234
8	Depo-Provera, injectables	171
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	84
10	Calendar rhythm, Standard Days, or Cycle Beads method	36
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	5
15	Jelly or cream	1
19	IUD, coil, or loop	339
20	Emergency contraception	1
21	Other method -- specify	3
22	Respondent was sterile	15
23	Respondent's partner was sterile	1
25	Contraceptive patch	12

26	Vaginal contraceptive ring	46
55	EMPTY (IF JAN)/Same method used thru end of year	1
98	Refused	4
99	Don't know	5
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year - 2] (cmfirsm <= cmmhcalx15)

METHX58(1836-1837)

Variable Type : raw

ED-6 : Method(s) used in March [interview yr-2]-2nd mention

value	label	Total
.	INAPPLICABLE	5111
3	Birth control pills	7
4	Condom	132
5	Partner's vasectomy	12
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	30
7	Withdrawal, pulling out	137
8	Depo-Provera, injectables	19
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	4
10	Calendar rhythm, Standard Days, or Cycle Beads method	43
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	7
13	Female condom, vaginal pouch	1
14	Foam	1
15	Jelly or cream	1
17	Suppository, insert	3
19	IUD, coil, or loop	28
20	Emergency contraception	8
21	Other method -- specify	1
22	Respondent was sterile	1
25	Contraceptive patch	3
26	Vaginal contraceptive ring	5
	Total	5554

Universe : Applicable if R used at least 2 methods in March [interview yr - 2] (see METHX57)

METHX59(1838-1839)

Variable Type : raw

ED-6 : Method(s) used in March [interview yr-2] - 3rd mention

value	label	Total
.	INAPPLICABLE	5508
4	Condom	1
5	Partner's vasectomy	2
7	Withdrawal, pulling out	14
8	Depo-Provera, injectables	4
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	15
12	Diaphragm	1
17	Suppository, insert	1
19	IUD, coil, or loop	1
20	Emergency contraception	2
21	Other method -- specify	1
26	Vaginal contraceptive ring	3
	Total	5554

Universe : Applicable if R used at least 3 methods in March [interview yr - 2] (see METHX57)

METHX60(1840-1841)

Variable Type : raw

ED-6 : Method(s) used in March [interview yr-2]-4th mention

value	label	Total
.	INAPPLICABLE	5548
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
20	Emergency contraception	4
	Total	5554

Universe : Applicable if R used at least 4 methods in March [interview yr - 2] (see METHX57)

METHX61(1842-1843)

Variable Type : raw

ED-6 : Method(s) used in April [interview yr-2] - 1st mention

value	label	Total
.	INAPPLICABLE	991
1	No method used	1426
3	Birth control pills	733
4	Condom	556
5	Partner's vasectomy	174
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	692
7	Withdrawal, pulling out	241
8	Depo-Provera, injectables	176
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	88
10	Calendar rhythm, Standard Days, or Cycle Beads method	36
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	5
14	Foam	1
15	Jelly or cream	2
19	IUD, coil, or loop	343
20	Emergency contraception	1
21	Other method -- specify	4
22	Respondent was sterile	16
23	Respondent's partner was sterile	1
25	Contraceptive patch	11
26	Vaginal contraceptive ring	48
98	Refused	4
99	Don't know	5
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year - 2] (cmfirm <= cmmhcalx16)

METHX62(1844-1845)

Variable Type : raw

ED-6 : Method(s) used in April [interview yr-2]-2nd mention

value	label	Total
.	INAPPLICABLE	5124
3	Birth control pills	5
4	Condom	133
5	Partner's vasectomy	12
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	30

7	Withdrawal, pulling out	128
8	Depo-Provera, injectables	16
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	4
10	Calendar rhythm, Standard Days, or Cycle Beads method	42
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	8
13	Female condom, vaginal pouch	1
14	Foam	2
15	Jelly or cream	1
17	Suppository, insert	3
19	IUD, coil, or loop	27
20	Emergency contraception	7
22	Respondent was sterile	1
25	Contraceptive patch	4
26	Vaginal contraceptive ring	6
	Total	5554

Universe : Applicable if R used at least 2 methods in April [interview yr - 2] (see METHX61)

METHX63(1846-1847)

Variable Type : raw

ED-6 : Method(s) used in April [interview yr-2] - 3rd mention

value	label	Total
.	INAPPLICABLE	5511
3	Birth control pills	2
5	Partner's vasectomy	2
7	Withdrawal, pulling out	13
8	Depo-Provera, injectables	3
10	Calendar rhythm, Standard Days, or Cycle Beads method	15
12	Diaphragm	1
17	Suppository, insert	2
20	Emergency contraception	1
21	Other method -- specify	1
26	Vaginal contraceptive ring	3
	Total	5554

Universe : Applicable if R used at least 3 methods in April [interview yr - 2] (see METHX61)

METHX64(1848-1849)

Variable Type : raw

ED-6 : Method(s) used in April [interview yr-2]-4th mention

value	label	Total
.	INAPPLICABLE	5552
4	Condom	1
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
	Total	5554

Universe : Applicable if R used at least 4 methods in April [interview yr - 2] (see METHX61)

METHX65(1850-1851)

Variable Type : raw

ED-6 : Method(s) used in May [interview yr-2] - 1st mention

value	label	Total
.	INAPPLICABLE	970
1	No method used	1402

3	Birth control pills	742
4	Condom	578
5	Partner's vasectomy	176
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	699
7	Withdrawal, pulling out	246
8	Depo-Provera, injectables	176
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	89
10	Calendar rhythm, Standard Days, or Cycle Beads method	36
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	6
15	Jelly or cream	2
19	IUD, coil, or loop	336
20	Emergency contraception	1
21	Other method -- specify	4
22	Respondent was sterile	17
23	Respondent's partner was sterile	1
25	Contraceptive patch	13
26	Vaginal contraceptive ring	50
98	Refused	4
99	Don't know	6
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year - 3] (cmfirm <= cmmhcalx17)

METHX66(1852-1853)

Variable Type : raw

ED-6 : Method(s) used in May [interview yr-2]-2nd mention

value	label	Total
.	INAPPLICABLE	5114
3	Birth control pills	10
4	Condom	134
5	Partner's vasectomy	11
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	28
7	Withdrawal, pulling out	133
8	Depo-Provera, injectables	18
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	5
10	Calendar rhythm, Standard Days, or Cycle Beads method	40
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	9
13	Female condom, vaginal pouch	1
14	Foam	1
15	Jelly or cream	1
17	Suppository, insert	4
19	IUD, coil, or loop	29
20	Emergency contraception	6
22	Respondent was sterile	1
25	Contraceptive patch	2
26	Vaginal contraceptive ring	7
	Total	5554

Universe : Applicable if R used at least 2 methods in May [interview yr - 2] (see METHX65)

METHX67(1854-1855)

Variable Type : raw

ED-6 : Method(s) used in May [interview yr-2] - 3rd mention

value	label	Total
--------------	--------------	--------------

.	INAPPLICABLE	5510
5	Partner's vasectomy	2
7	Withdrawal, pulling out	16
8	Depo-Provera, injectables	3
10	Calendar rhythm, Standard Days, or Cycle Beads method	17
12	Diaphragm	1
17	Suppository, insert	1
25	Contraceptive patch	1
26	Vaginal contraceptive ring	3
	Total	5554

Universe : Applicable if R used at least 3 methods in May [interview yr - 2] (see METHX65)

METHX68(1856-1857)

Variable Type : raw

ED-6 : Method(s) used in May [interview yr-2]-4th mention

value	label	Total
.	INAPPLICABLE	5553
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
	Total	5554

Universe : Applicable if R used at least 4 methods in May [interview yr - 2] (see METHX65)

METHX69(1858-1859)

Variable Type : raw

ED-6 : Method(s) used in June [interview yr-2] - 1st mention

value	label	Total
.	INAPPLICABLE	954
1	No method used	1429
3	Birth control pills	730
4	Condom	565
5	Partner's vasectomy	177
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	706
7	Withdrawal, pulling out	237
8	Depo-Provera, injectables	175
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	89
10	Calendar rhythm, Standard Days, or Cycle Beads method	38
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	5
15	Jelly or cream	3
18	Today sponge	2
19	IUD, coil, or loop	341
20	Emergency contraception	5
21	Other method -- specify	4
22	Respondent was sterile	18
23	Respondent's partner was sterile	1
25	Contraceptive patch	14
26	Vaginal contraceptive ring	50
98	Refused	4
99	Don't know	7
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview year - 3] (cmfirm <= cmmhcalx18)

METHX70(1860-1861)

Variable Type : raw

ED-6 : Method(s) used in June [interview yr-2]-2nd mention

value	label	Total
.	INAPPLICABLE	5094
3	Birth control pills	9
4	Condom	150
5	Partner's vasectomy	14
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	29
7	Withdrawal, pulling out	143
8	Depo-Provera, injectables	17
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	7
10	Calendar rhythm, Standard Days, or Cycle Beads method	35
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	8
13	Female condom, vaginal pouch	1
14	Foam	2
15	Jelly or cream	1
17	Suppository, insert	4
19	IUD, coil, or loop	24
20	Emergency contraception	5
22	Respondent was sterile	1
25	Contraceptive patch	2
26	Vaginal contraceptive ring	8
	Total	5554

Universe : Applicable if R used at least 2 methods in June [interview yr - 2] (see METHX69)

METHX71(1862-1863)

Variable Type : raw

ED-6 : Method(s) used in June [interview yr-2] - 3rd mention

value	label	Total
.	INAPPLICABLE	5504
4	Condom	2
5	Partner's vasectomy	2
7	Withdrawal, pulling out	19
8	Depo-Provera, injectables	4
10	Calendar rhythm, Standard Days, or Cycle Beads method	17
12	Diaphragm	1
17	Suppository, insert	1
20	Emergency contraception	1
26	Vaginal contraceptive ring	3
	Total	5554

Universe : Applicable if R used at least 3 methods in June [interview yr - 2] (see METHX69)

METHX72(1864-1865)

Variable Type : raw

ED-6 : Method(s) used in June [interview yr-2]-4th mention

value	label	Total
.	INAPPLICABLE	5552
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
20	Emergency contraception	1
	Total	5554

Universe : Applicable if R used at least 4 methods in June [interview yr - 2] (see METHX69)

METHX73(1866-1867)

Variable Type : raw

ED-6 : Method(s) used in July [interview yr-2] - 1st mention

value	label	Total
.	INAPPLICABLE	937
1	No method used	1399
3	Birth control pills	741
4	Condom	580
5	Partner's vasectomy	180
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	710
7	Withdrawal, pulling out	249
8	Depo-Provera, injectables	177
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	90
10	Calendar rhythm, Standard Days, or Cycle Beads method	40
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	5
14	Foam	1
15	Jelly or cream	2
18	Today sponge	2
19	IUD, coil, or loop	339
20	Emergency contraception	2
21	Other method -- specify	4
22	Respondent was sterile	19
23	Respondent's partner was sterile	1
25	Contraceptive patch	15
26	Vaginal contraceptive ring	51
98	Refused	4
99	Don't know	6
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 3] (cmfirm <= cmmhcalx19)

METHX74(1868-1869)

Variable Type : raw

ED-6 : Method(s) used in July [interview yr-2]-2nd mention

value	label	Total
.	INAPPLICABLE	5085
3	Birth control pills	8
4	Condom	154
5	Partner's vasectomy	13
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	27
7	Withdrawal, pulling out	143
8	Depo-Provera, injectables	16
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	7
10	Calendar rhythm, Standard Days, or Cycle Beads method	42
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	8
13	Female condom, vaginal pouch	1
14	Foam	3
15	Jelly or cream	1
17	Suppository, insert	4
19	IUD, coil, or loop	25
20	Emergency contraception	7
22	Respondent was sterile	1
25	Contraceptive patch	2
26	Vaginal contraceptive ring	7
	Total	5554

Universe : Applicable if R used at least 2 methods in July [interview yr - 2] (see METHX73)

METHX75(1870-1871)

Variable Type : raw

ED-6 : Method(s) used in July [interview yr-2] - 3rd mention

value	label	Total
.	INAPPLICABLE	5508
4	Condom	2
5	Partner's vasectomy	1
7	Withdrawal, pulling out	15
8	Depo-Provera, injectables	2
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	16
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
12	Diaphragm	1
17	Suppository, insert	2
20	Emergency contraception	3
26	Vaginal contraceptive ring	2
	Total	5554

Universe : Applicable if R used at least 3 methods in July [interview yr - 2] (see METHX73)

METHX76(1872-1873)

Variable Type : raw

ED-6 : Method(s) used in July [interview yr-2]-4th mention

value	label	Total
.	INAPPLICABLE	5549
4	Condom	1
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
13	Female condom, vaginal pouch	1
20	Emergency contraception	2
	Total	5554

Universe : Applicable if R used at least 4 methods in July [interview yr - 2] (see METHX73)

METHX77(1874-1875)

Variable Type : raw

ED-6 : Method(s) used in Aug [interview yr-2] - 1st mention

value	label	Total
.	INAPPLICABLE	922
1	No method used	1407
3	Birth control pills	750
4	Condom	582
5	Partner's vasectomy	181
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	713
7	Withdrawal, pulling out	250
8	Depo-Provera, injectables	178
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	92
10	Calendar rhythm, Standard Days, or Cycle Beads method	33
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	5
15	Jelly or cream	2
18	Today sponge	2
19	IUD, coil, or loop	338
21	Other method -- specify	5

22	Respondent was sterile	19
23	Respondent's partner was sterile	1
25	Contraceptive patch	15
26	Vaginal contraceptive ring	49
98	Refused	4
99	Don't know	6
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year - 3] (cmfirm <= cmmhcalx20)

METHX78(1876-1877)

Variable Type : raw

ED-6 : Method(s) used in Aug [interview yr-2]-2nd mention

value	label	Total
.	INAPPLICABLE	5098
3	Birth control pills	5
4	Condom	140
5	Partner's vasectomy	14
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	28
7	Withdrawal, pulling out	141
8	Depo-Provera, injectables	16
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	6
10	Calendar rhythm, Standard Days, or Cycle Beads method	45
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	8
13	Female condom, vaginal pouch	1
14	Foam	2
15	Jelly or cream	2
17	Suppository, insert	4
19	IUD, coil, or loop	28
20	Emergency contraception	4
22	Respondent was sterile	1
25	Contraceptive patch	2
26	Vaginal contraceptive ring	9
	Total	5554

Universe : Applicable if R used at least 2 methods in Aug [interview yr - 2] (see METHX77)

METHX79(1878-1879)

Variable Type : raw

ED-6 : Method(s) used in Aug [interview yr-2] - 3rd mention

value	label	Total
.	INAPPLICABLE	5508
4	Condom	2
5	Partner's vasectomy	2
7	Withdrawal, pulling out	14
8	Depo-Provera, injectables	2
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	16
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
12	Diaphragm	1
17	Suppository, insert	1
20	Emergency contraception	3
26	Vaginal contraceptive ring	3
	Total	5554

Universe : Applicable if R used at least 3 methods in Aug [interview yr - 2] (see METHX77)

METHX80(1880-1881)

Variable Type : raw

ED-6 : Method(s) used in Aug [interview yr-2]-4th mention

value	label	Total
.	INAPPLICABLE	5552
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
14	Foam	1
	Total	5554

Universe : Applicable if R used at least 4 methods in Aug [interview yr - 2] (see METHX77)

METHX81(1882-1883)

Variable Type : raw

ED-6 : Method(s) used in Sept [interview yr-2] - 1st mention

value	label	Total
.	INAPPLICABLE	910
1	No method used	1429
3	Birth control pills	745
4	Condom	556
5	Partner's vasectomy	182
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	718
7	Withdrawal, pulling out	245
8	Depo-Provera, injectables	175
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	98
10	Calendar rhythm, Standard Days, or Cycle Beads method	39
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	6
13	Female condom, vaginal pouch	1
15	Jelly or cream	2
18	Today sponge	1
19	IUD, coil, or loop	345
20	Emergency contraception	1
21	Other method -- specify	5
22	Respondent was sterile	18
25	Contraceptive patch	14
26	Vaginal contraceptive ring	54
98	Refused	4
99	Don't know	6
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year - 3] (cmfirm <= cmmhcalx21)

METHX82(1884-1885)

Variable Type : raw

ED-6 : Method(s) used in Sept [interview yr-2]-2nd mention

value	label	Total
.	INAPPLICABLE	5099
3	Birth control pills	8
4	Condom	138
5	Partner's vasectomy	13
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	28
7	Withdrawal, pulling out	145

8	Depo-Provera, injectables	15
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	5
10	Calendar rhythm, Standard Days, or Cycle Beads method	45
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	9
13	Female condom, vaginal pouch	1
14	Foam	2
15	Jelly or cream	2
17	Suppository, insert	3
19	IUD, coil, or loop	26
20	Emergency contraception	6
22	Respondent was sterile	1
25	Contraceptive patch	2
26	Vaginal contraceptive ring	6
	Total	5554

Universe : Applicable if R used at least 2 methods in Sept [interview yr - 2] (see METHX81)

METHX83(1886-1887)

Variable Type : raw

ED-6 : Method(s) used in Sept [interview yr-2] - 3rd mention

value	label	Total
.	INAPPLICABLE	5508
4	Condom	2
5	Partner's vasectomy	2
7	Withdrawal, pulling out	17
8	Depo-Provera, injectables	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	18
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
12	Diaphragm	1
20	Emergency contraception	1
26	Vaginal contraceptive ring	2
	Total	5554

Universe : Applicable if R used at least 3 methods in Sept [interview yr - 2] (see METHX81)

METHX84(1888-1889)

Variable Type : raw

ED-6 : Method(s) used in Sept [interview yr-2]-4th mention

value	label	Total
.	INAPPLICABLE	5552
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
20	Emergency contraception	1
	Total	5554

Universe : Applicable if R used at least 4 methods in Sept [interview yr - 2] (see METHX81)

METHX85(1890-1891)

Variable Type : raw

ED-6 : Method(s) used in Oct [interview yr-2] - 1st mention

value	label	Total
.	INAPPLICABLE	898
1	No method used	1424
3	Birth control pills	750
4	Condom	574

5	Partner's vasectomy	183
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	715
7	Withdrawal, pulling out	245
8	Depo-Provera, injectables	177
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	96
10	Calendar rhythm, Standard Days, or Cycle Beads method	36
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	5
13	Female condom, vaginal pouch	1
14	Foam	1
15	Jelly or cream	3
19	IUD, coil, or loop	351
20	Emergency contraception	1
21	Other method -- specify	4
22	Respondent was sterile	17
25	Contraceptive patch	14
26	Vaginal contraceptive ring	49
98	Refused	4
99	Don't know	6
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year - 3] (cmfirm <= cmmhcalx22)

METHX86(1892-1893)

Variable Type : raw

ED-6 : Method(s) used in Oct [interview yr-2]-2nd mention

value	label	Total
.	INAPPLICABLE	5087
1	No method used	1
3	Birth control pills	4
4	Condom	145
5	Partner's vasectomy	12
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	31
7	Withdrawal, pulling out	146
8	Depo-Provera, injectables	15
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	7
10	Calendar rhythm, Standard Days, or Cycle Beads method	40
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	9
13	Female condom, vaginal pouch	2
14	Foam	1
15	Jelly or cream	3
17	Suppository, insert	3
19	IUD, coil, or loop	28
20	Emergency contraception	8
21	Other method -- specify	1
22	Respondent was sterile	1
25	Contraceptive patch	2
26	Vaginal contraceptive ring	8
	Total	5554

Universe : Applicable if R used at least 2 methods in Oct [interview yr - 2] (see METHX85)

METHX87(1894-1895)

Variable Type : raw

ED-6 : Method(s) used in Oct [interview yr-2] - 3rd mention

value	label	Total
.	INAPPLICABLE	5506
3	Birth control pills	1
4	Condom	3
5	Partner's vasectomy	2
7	Withdrawal, pulling out	16
8	Depo-Provera, injectables	2
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	18
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
12	Diaphragm	1
14	Foam	1
26	Vaginal contraceptive ring	2
	Total	5554

Universe : Applicable if R used at least 3 methods in Oct [interview yr - 2] (see METHX85)

METHX88(1896-1897)

Variable Type : raw

ED-6 : Method(s) used in Oct [interview yr-2]-4th mention

value	label	Total
.	INAPPLICABLE	5553
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
	Total	5554

Universe : Applicable if R used at least 4 methods in Oct [interview yr - 2] (see METHX85)

METHX89(1898-1899)

Variable Type : raw

ED-6 : Method(s) used in Nov [interview yr-2] - 1st mention

value	label	Total
.	INAPPLICABLE	884
1	No method used	1447
3	Birth control pills	738
4	Condom	556
5	Partner's vasectomy	183
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	717
7	Withdrawal, pulling out	256
8	Depo-Provera, injectables	179
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	100
10	Calendar rhythm, Standard Days, or Cycle Beads method	37
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	5
13	Female condom, vaginal pouch	1
14	Foam	1
15	Jelly or cream	1
19	IUD, coil, or loop	355
20	Emergency contraception	1
21	Other method -- specify	5
22	Respondent was sterile	16
25	Contraceptive patch	15
26	Vaginal contraceptive ring	48
98	Refused	4
99	Don't know	5
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year - 3] (cmfirm <= cmmhcalx23)

METHX90(1900-1901)

Variable Type : raw

ED-6 : Method(s) used in Nov [interview yr-2]-2nd mention

value	label	Total
.	INAPPLICABLE	5095
3	Birth control pills	7
4	Condom	143
5	Partner's vasectomy	13
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	31
7	Withdrawal, pulling out	141
8	Depo-Provera, injectables	13
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	7
10	Calendar rhythm, Standard Days, or Cycle Beads method	47
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	8
13	Female condom, vaginal pouch	2
14	Foam	1
15	Jelly or cream	4
17	Suppository, insert	2
19	IUD, coil, or loop	29
20	Emergency contraception	3
22	Respondent was sterile	1
25	Contraceptive patch	2
26	Vaginal contraceptive ring	5
	Total	5554

Universe : Applicable if R used at least 2 methods in Nov [interview yr - 2] (see METHX89)

METHX91(1902-1903)

Variable Type : raw

ED-6 : Method(s) used in Nov [interview yr-2] - 3rd mention

value	label	Total
.	INAPPLICABLE	5505
3	Birth control pills	1
4	Condom	3
5	Partner's vasectomy	2
7	Withdrawal, pulling out	16
8	Depo-Provera, injectables	3
10	Calendar rhythm, Standard Days, or Cycle Beads method	18
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
12	Diaphragm	1
20	Emergency contraception	2
26	Vaginal contraceptive ring	2
	Total	5554

Universe : Applicable if R used at least 3 methods in Nov [interview yr - 2] (see METHX89)

METHX92(1904-1905)

Variable Type : raw

ED-6 : Method(s) used in Nov [interview yr-2]-4th mention

value	label	Total
.	INAPPLICABLE	5553

11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
Total		5554

Universe : Applicable if R used at least 4 methods in Nov [interview yr - 2] (see METHX89)

METHX93(1906-1907)

Variable Type : raw

ED-6 : Method(s) used in Dec [interview yr-2] - 1st mention

value	label	Total
.	INAPPLICABLE	870
1	No method used	1434
3	Birth control pills	744
4	Condom	572
5	Partner's vasectomy	182
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	719
7	Withdrawal, pulling out	253
8	Depo-Provera, injectables	178
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	103
10	Calendar rhythm, Standard Days, or Cycle Beads method	37
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	7
13	Female condom, vaginal pouch	1
14	Foam	1
15	Jelly or cream	1
19	IUD, coil, or loop	359
20	Emergency contraception	1
21	Other method -- specify	5
22	Respondent was sterile	14
25	Contraceptive patch	15
26	Vaginal contraceptive ring	49
98	Refused	4
99	Don't know	5
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year - 3] (cmfirm <= cmmhcalx24)

METHX94(1908-1909)

Variable Type : raw

ED-6 : Method(s) used in Dec [interview yr-2]-2nd mention

value	label	Total
.	INAPPLICABLE	5099
3	Birth control pills	6
4	Condom	141
5	Partner's vasectomy	13
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	28
7	Withdrawal, pulling out	145
8	Depo-Provera, injectables	15
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	5
10	Calendar rhythm, Standard Days, or Cycle Beads method	49
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	7
13	Female condom, vaginal pouch	2
14	Foam	2
15	Jelly or cream	2
17	Suppository, insert	2
19	IUD, coil, or loop	26
20	Emergency contraception	2

22	Respondent was sterile	1
25	Contraceptive patch	2
26	Vaginal contraceptive ring	7
	Total	5554

Universe : Applicable if R used at least 2 methods in Dec [interview yr - 2] (see METHX45)

METHX95(1910-1911)

Variable Type : raw

ED-6 : Method(s) used in Dec [interview yr-2] - 3rd mention

value	label	Total
.	INAPPLICABLE	5500
3	Birth control pills	2
4	Condom	2
5	Partner's vasectomy	2
7	Withdrawal, pulling out	18
8	Depo-Provera, injectables	3
10	Calendar rhythm, Standard Days, or Cycle Beads method	18
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
12	Diaphragm	1
14	Foam	1
17	Suppository, insert	1
20	Emergency contraception	3
26	Vaginal contraceptive ring	2
	Total	5554

Universe : Applicable if R used at least 3 methods in Dec [interview yr - 2] (see METHX45)

METHX96(1912-1913)

Variable Type : raw

ED-6 : Method(s) used in Dec [interview yr-2]-4th mention

value	label	Total
.	INAPPLICABLE	5553
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
	Total	5554

Universe : Applicable if R used at least 4 methods in Dec [interview yr - 2] (see METHX45)

METHX97(1914-1915)

Variable Type : raw

ED-6 : Method(s) used in Jan [interview yr-1]-1st mention

value	label	Total
.	INAPPLICABLE	857
1	No method used	1455
3	Birth control pills	736
4	Condom	558
5	Partner's vasectomy	191
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	734
7	Withdrawal, pulling out	266
8	Depo-Provera, injectables	173
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	103
10	Calendar rhythm, Standard Days, or Cycle Beads method	36
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
13	Female condom, vaginal pouch	1

15	Jelly or cream	2
19	IUD, coil, or loop	357
20	Emergency contraception	2
21	Other method -- specify	3
22	Respondent was sterile	13
25	Contraceptive patch	12
26	Vaginal contraceptive ring	44
98	Refused	3
99	Don't know	4
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year - 1] (cmfirm <= cmmhcalx25)

METHX98(1916-1917)

Variable Type : raw

ED-6 : Method(s) used in Jan [interview yr-1]-2nd mention

value	label	Total
.	INAPPLICABLE	5096
3	Birth control pills	12
4	Condom	130
5	Partner's vasectomy	9
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	34
7	Withdrawal, pulling out	135
8	Depo-Provera, injectables	18
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	7
10	Calendar rhythm, Standard Days, or Cycle Beads method	56
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	5
13	Female condom, vaginal pouch	1
14	Foam	2
15	Jelly or cream	1
17	Suppository, insert	1
19	IUD, coil, or loop	31
20	Emergency contraception	6
21	Other method -- specify	1
22	Respondent was sterile	1
25	Contraceptive patch	3
26	Vaginal contraceptive ring	5
	Total	5554

Universe : Applicable if R used at least 2 methods in January [interview yr - 1] (see METHX97)

METHX99(1918-1919)

Variable Type : raw

ED-6 : Method(s) used in Jan [interview yr-1]-3rd mention

value	label	Total
.	INAPPLICABLE	5499
4	Condom	3
5	Partner's vasectomy	2
7	Withdrawal, pulling out	21
8	Depo-Provera, injectables	1
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	18
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
17	Suppository, insert	1
20	Emergency contraception	3

25	Contraceptive patch	1
26	Vaginal contraceptive ring	2
Total		5554

Universe : Applicable if R used at least 3 methods in January [interview yr - 1] (see METHX97)

METHX100(1920-1921)

Variable Type : raw

ED-6 : Method(s) used in Jan [interview yr-1]-4th mention

value	label	Total
.	INAPPLICABLE	5552
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
13	Female condom, vaginal pouch	1
Total		5554

Universe : Applicable if R used at least 4 methods in January [interview yr - 1] (see METHX97)

METHX101(1922-1923)

Variable Type : raw

ED-6 : Method(s) used in Feb [interview yr-1] - 1st mention

value	label	Total
.	INAPPLICABLE	841
1	No method used	1448
3	Birth control pills	741
4	Condom	576
5	Partner's vasectomy	189
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	746
7	Withdrawal, pulling out	260
8	Depo-Provera, injectables	166
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	100
10	Calendar rhythm, Standard Days, or Cycle Beads method	37
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	9
15	Jelly or cream	1
19	IUD, coil, or loop	359
20	Emergency contraception	2
21	Other method -- specify	4
22	Respondent was sterile	13
25	Contraceptive patch	10
26	Vaginal contraceptive ring	45
98	Refused	3
99	Don't know	4
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year - 1] (cmfirm <= cmmhcalx26)

METHX102(1924-1925)

Variable Type : raw

ED-6 : Method(s) used in Feb [interview yr-1]-2nd mention

value	label	Total
.	INAPPLICABLE	5075
3	Birth control pills	11
4	Condom	138
5	Partner's vasectomy	11

6	Female sterilizing operation, such as tubal sterilization and hysterectomy	35
7	Withdrawal, pulling out	144
8	Depo-Provera, injectables	21
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	7
10	Calendar rhythm, Standard Days, or Cycle Beads method	56
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	5
13	Female condom, vaginal pouch	1
14	Foam	2
15	Jelly or cream	1
17	Suppository, insert	2
19	IUD, coil, or loop	30
20	Emergency contraception	5
22	Respondent was sterile	2
25	Contraceptive patch	2
26	Vaginal contraceptive ring	6
	Total	5554

Universe : Applicable if R used at least 2 methods in February [interview yr - 1] (see METHX101)

METHX103(1926-1927)

Variable Type : raw

ED-6 : Method(s) used in Feb [interview yr-1] - 3rd mention

value	label	Total
.	INAPPLICABLE	5497
3	Birth control pills	1
4	Condom	6
5	Partner's vasectomy	2
7	Withdrawal, pulling out	22
8	Depo-Provera, injectables	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	15
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
17	Suppository, insert	1
20	Emergency contraception	3
25	Contraceptive patch	1
26	Vaginal contraceptive ring	2
	Total	5554

Universe : Applicable if R used at least 3 methods in February [interview yr - 1] (see METHX101)

METHX104(1928-1929)

Variable Type : raw

ED-6 : Method(s) used in Feb [interview yr-1]-4th mention

value	label	Total
.	INAPPLICABLE	5550
7	Withdrawal, pulling out	1
13	Female condom, vaginal pouch	1
20	Emergency contraception	2
	Total	5554

Universe : Applicable if R used at least 4 methods in February [interview yr - 1] (see METHX101)

METHX105(1930-1931)

Variable Type : raw

ED-6 : Method(s) used in March [interview yr-1] - 1st mention

value	label	Total
.	INAPPLICABLE	830
1	No method used	1474
3	Birth control pills	734
4	Condom	570
5	Partner's vasectomy	185
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	745
7	Withdrawal, pulling out	255
8	Depo-Provera, injectables	162
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	108
10	Calendar rhythm, Standard Days, or Cycle Beads method	35
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	6
15	Jelly or cream	2
19	IUD, coil, or loop	363
20	Emergency contraception	1
21	Other method -- specify	4
22	Respondent was sterile	17
25	Contraceptive patch	9
26	Vaginal contraceptive ring	47
98	Refused	3
99	Don't know	4
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year - 1] (cmfirm <= cmmhcalx27)

METHX106(1932-1933)

Variable Type : raw

ED-6 : Method(s) used in March [interview yr-1]-2nd mention

value	label	Total
.	INAPPLICABLE	5090
3	Birth control pills	12
4	Condom	138
5	Partner's vasectomy	13
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	34
7	Withdrawal, pulling out	151
8	Depo-Provera, injectables	19
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	5
10	Calendar rhythm, Standard Days, or Cycle Beads method	46
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	5
13	Female condom, vaginal pouch	1
14	Foam	2
15	Jelly or cream	1
17	Suppository, insert	1
19	IUD, coil, or loop	28
20	Emergency contraception	2
22	Respondent was sterile	1
25	Contraceptive patch	1
26	Vaginal contraceptive ring	4
	Total	5554

Universe : Applicable if R used at least 2 methods in March [interview yr - 1] (see METHX105)

METHX107(1934-1935)

Variable Type : raw

ED-6 : Method(s) used in March [interview yr-1] - 3rd mention

value	label	Total
.	INAPPLICABLE	5498
3	Birth control pills	1
4	Condom	4
5	Partner's vasectomy	2
7	Withdrawal, pulling out	22
8	Depo-Provera, injectables	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	19
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
17	Suppository, insert	1
25	Contraceptive patch	1
26	Vaginal contraceptive ring	2
	Total	5554

Universe : Applicable if R used at least 3 methods in March [interview yr - 1] (see METHX105)

METHX108(1936-1937)

Variable Type : raw

ED-6 : Method(s) used in March [interview yr-1]-4th mention

value	label	Total
.	INAPPLICABLE	5552
13	Female condom, vaginal pouch	1
20	Emergency contraception	1
	Total	5554

Universe : Applicable if R used at least 4 methods in March [interview yr - 1] (see METHX105)

METHX109(1938-1939)

Variable Type : raw

ED-6 : Method(s) used in April [interview yr-1] - 1st mention

value	label	Total
.	INAPPLICABLE	825
1	No method used	1491
3	Birth control pills	722
4	Condom	559
5	Partner's vasectomy	187
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	746
7	Withdrawal, pulling out	270
8	Depo-Provera, injectables	161
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	105
10	Calendar rhythm, Standard Days, or Cycle Beads method	34
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	5
15	Jelly or cream	2
19	IUD, coil, or loop	366
20	Emergency contraception	2
21	Other method -- specify	3
22	Respondent was sterile	18
25	Contraceptive patch	8
26	Vaginal contraceptive ring	44
98	Refused	2
99	Don't know	4
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year - 2] (cmfirsm <= cmmhcalx28)

METHX110(1940-1941)

Variable Type : raw

ED-6 : Method(s) used in April [interview yr-1]-2nd mention

value	label	Total
.	INAPPLICABLE	5093
3	Birth control pills	13
4	Condom	132
5	Partner's vasectomy	11
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	35
7	Withdrawal, pulling out	138
8	Depo-Provera, injectables	17
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	9
10	Calendar rhythm, Standard Days, or Cycle Beads method	54
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	6
13	Female condom, vaginal pouch	1
14	Foam	2
15	Jelly or cream	1
17	Suppository, insert	1
19	IUD, coil, or loop	26
20	Emergency contraception	7
21	Other method -- specify	1
22	Respondent was sterile	1
23	Respondent's partner was sterile	1
26	Vaginal contraceptive ring	5
	Total	5554

Universe : Applicable if R used at least 2 methods in April [interview yr - 1] (see METHX109)

METHX111(1942-1943)

Variable Type : raw

ED-6 : Method(s) used in April [interview yr-1] - 3rd mention

value	label	Total
.	INAPPLICABLE	5501
3	Birth control pills	1
4	Condom	3
5	Partner's vasectomy	2
7	Withdrawal, pulling out	19
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	18
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
17	Suppository, insert	1
19	IUD, coil, or loop	1
25	Contraceptive patch	1
26	Vaginal contraceptive ring	3
	Total	5554

Universe : Applicable if R used at least 3 methods in April [interview yr - 1] (see METHX109)

METHX112(1944-1945)

Variable Type : raw

ED-6 : Method(s) used in April [interview yr-1]-4th mention

value	label	Total
.	INAPPLICABLE	5551
13	Female condom, vaginal pouch	1

20	Emergency contraception	2
Total		5554

Universe : Applicable if R used at least 4 methods in April [interview yr - 1] (see METHX109)

METHX113(1946-1947)

Variable Type : raw

ED-6 : Method(s) used in May [interview yr-1] - 1st mention

value	label	Total
.	INAPPLICABLE	809
1	No method used	1454
3	Birth control pills	723
4	Condom	581
5	Partner's vasectomy	187
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	750
7	Withdrawal, pulling out	283
8	Depo-Provera, injectables	161
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	111
10	Calendar rhythm, Standard Days, or Cycle Beads method	34
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
15	Jelly or cream	2
19	IUD, coil, or loop	369
20	Emergency contraception	3
21	Other method -- specify	4
22	Respondent was sterile	23
25	Contraceptive patch	8
26	Vaginal contraceptive ring	42
98	Refused	2
99	Don't know	4
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year - 1] (cmfirm <= cmmhcalx29)

METHX114(1948-1949)

Variable Type : raw

ED-6 : Method(s) used in May [interview yr-1]-2nd mention

value	label	Total
.	INAPPLICABLE	5086
3	Birth control pills	11
4	Condom	135
5	Partner's vasectomy	12
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	38
7	Withdrawal, pulling out	139
8	Depo-Provera, injectables	17
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	7
10	Calendar rhythm, Standard Days, or Cycle Beads method	57
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	5
13	Female condom, vaginal pouch	1
14	Foam	2
15	Jelly or cream	1
17	Suppository, insert	1
19	IUD, coil, or loop	27
20	Emergency contraception	6
22	Respondent was sterile	1
23	Respondent's partner was sterile	1

26	Vaginal contraceptive ring	7
Total		5554

Universe : Applicable if R used at least 2 methods in May [interview yr - 1] (see METHX113)

METHX115(1950-1951)

Variable Type : raw

ED-6 : Method(s) used in May [interview yr-1] - 3rd mention

value	label	Total
.	INAPPLICABLE	5499
4	Condom	4
5	Partner's vasectomy	2
7	Withdrawal, pulling out	18
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	20
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
17	Suppository, insert	1
20	Emergency contraception	1
21	Other method -- specify	1
25	Contraceptive patch	1
26	Vaginal contraceptive ring	2
Total		5554

Universe : Applicable if R used at least 3 methods in May [interview yr - 1] (see METHX113)

METHX116(1952-1953)

Variable Type : raw

ED-6 : Method(s) used in May [interview yr-1]-4th mention

value	label	Total
.	INAPPLICABLE	5552
13	Female condom, vaginal pouch	1
20	Emergency contraception	1
Total		5554

Universe : Applicable if R used at least 4 methods in May [interview yr - 1] (see METHX113)

METHX117(1954-1955)

Variable Type : raw

ED-6 : Method(s) used in June [interview yr-1] - 1st mention

value	label	Total
.	INAPPLICABLE	796
1	No method used	1434
3	Birth control pills	725
4	Condom	594
5	Partner's vasectomy	188
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	753
7	Withdrawal, pulling out	287
8	Depo-Provera, injectables	163
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	115
10	Calendar rhythm, Standard Days, or Cycle Beads method	34
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
15	Jelly or cream	3
19	IUD, coil, or loop	369
20	Emergency contraception	1

21	Other method -- specify	3
22	Respondent was sterile	22
25	Contraceptive patch	9
26	Vaginal contraceptive ring	47
98	Refused	3
99	Don't know	5
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview year - 1] (cmfirsm <= cmmhcalx30)

METHX118(1956-1957)

Variable Type : raw

ED-6 : Method(s) used in June [interview yr-1]-2nd mention

value	label	Total
.	INAPPLICABLE	5078
3	Birth control pills	12
4	Condom	141
5	Partner's vasectomy	14
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	36
7	Withdrawal, pulling out	133
8	Depo-Provera, injectables	20
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	7
10	Calendar rhythm, Standard Days, or Cycle Beads method	55
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	6
13	Female condom, vaginal pouch	1
14	Foam	2
15	Jelly or cream	2
17	Suppository, insert	1
19	IUD, coil, or loop	27
20	Emergency contraception	10
21	Other method -- specify	1
22	Respondent was sterile	1
23	Respondent's partner was sterile	1
25	Contraceptive patch	1
26	Vaginal contraceptive ring	5
	Total	5554

Universe : Applicable if R used at least 2 methods in June [interview yr - 1] (see METHX117)

METHX119(1958-1959)

Variable Type : raw

ED-6 : Method(s) used in June [interview yr-1] - 3rd mention

value	label	Total
.	INAPPLICABLE	5498
4	Condom	3
5	Partner's vasectomy	2
7	Withdrawal, pulling out	23
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	18
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
17	Suppository, insert	1
20	Emergency contraception	3
25	Contraceptive patch	1
26	Vaginal contraceptive ring	2
	Total	5554

Universe : Applicable if R used at least 3 methods in June [interview yr - 1] (see METHX117)

METHX120(1960-1961)

Variable Type : raw

ED-6 : Method(s) used in June [interview yr-1]-4th mention

value	label	Total
.	INAPPLICABLE	5552
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
13	Female condom, vaginal pouch	1
	Total	5554

Universe : Applicable if R used at least 4 methods in June [interview yr - 1] (see METHX117)

METHX121(1962-1963)

Variable Type : raw

ED-6 : Method(s) used in July [interview yr-1] - 1st mention

value	label	Total
.	INAPPLICABLE	778
1	No method used	1438
3	Birth control pills	712
4	Condom	617
5	Partner's vasectomy	185
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	760
7	Withdrawal, pulling out	282
8	Depo-Provera, injectables	160
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	119
10	Calendar rhythm, Standard Days, or Cycle Beads method	37
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	5
15	Jelly or cream	3
19	IUD, coil, or loop	369
20	Emergency contraception	4
21	Other method -- specify	3
22	Respondent was sterile	20
25	Contraceptive patch	9
26	Vaginal contraceptive ring	45
98	Refused	3
99	Don't know	5
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 1] (cmfirm <= cmmhcalx31)

METHX122(1964-1965)

Variable Type : raw

ED-6 : Method(s) used in July [interview yr-1]-2nd mention

value	label	Total
.	INAPPLICABLE	5072
3	Birth control pills	9
4	Condom	143
5	Partner's vasectomy	13
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	34
7	Withdrawal, pulling out	146
8	Depo-Provera, injectables	24
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	8

10	Calendar rhythm, Standard Days, or Cycle Beads method	52
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	6
13	Female condom, vaginal pouch	1
14	Foam	2
15	Jelly or cream	1
17	Suppository, insert	1
19	IUD, coil, or loop	28
20	Emergency contraception	5
21	Other method -- specify	1
22	Respondent was sterile	1
23	Respondent's partner was sterile	1
25	Contraceptive patch	1
26	Vaginal contraceptive ring	5
	Total	5554

Universe : Applicable if R used at least 2 methods in July [interview yr - 1] (see METHX121)

METHX123(1966-1967)

Variable Type : raw

ED-6 : Method(s) used in July [interview yr-1] - 3rd mention

value	label	Total
.	INAPPLICABLE	5499
3	Birth control pills	2
4	Condom	3
5	Partner's vasectomy	2
7	Withdrawal, pulling out	23
10	Calendar rhythm, Standard Days, or Cycle Beads method	16
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
17	Suppository, insert	1
20	Emergency contraception	3
25	Contraceptive patch	1
26	Vaginal contraceptive ring	2
	Total	5554

Universe : Applicable if R used at least 3 methods in July [interview yr - 1] (see METHX121)

METHX124(1968-1969)

Variable Type : raw

ED-6 : Method(s) used in July [interview yr-1]-4th mention

value	label	Total
.	INAPPLICABLE	5552
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
13	Female condom, vaginal pouch	1
	Total	5554

Universe : Applicable if R used at least 4 methods in July [interview yr - 1] (see METHX121)

METHX125(1970-1971)

Variable Type : raw

ED-6 : Method(s) used in Aug [interview yr-1] - 1st mention

value	label	Total
.	INAPPLICABLE	756
1	No method used	1428
3	Birth control pills	717

4	Condom	623
5	Partner's vasectomy	191
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	761
7	Withdrawal, pulling out	286
8	Depo-Provera, injectables	171
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	122
10	Calendar rhythm, Standard Days, or Cycle Beads method	32
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
15	Jelly or cream	3
19	IUD, coil, or loop	369
20	Emergency contraception	3
21	Other method -- specify	4
22	Respondent was sterile	21
25	Contraceptive patch	6
26	Vaginal contraceptive ring	51
98	Refused	3
99	Don't know	3
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year - 1] (cmfirm <= cmmhcalx32)

METHX126(1972-1973)

Variable Type : raw

ED-6 : Method(s) used in Aug [interview yr-1]-2nd mention

value	label	Total
.	INAPPLICABLE	5064
3	Birth control pills	12
4	Condom	128
5	Partner's vasectomy	15
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	35
7	Withdrawal, pulling out	148
8	Depo-Provera, injectables	19
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	8
10	Calendar rhythm, Standard Days, or Cycle Beads method	56
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	6
13	Female condom, vaginal pouch	1
14	Foam	2
15	Jelly or cream	1
17	Suppository, insert	1
19	IUD, coil, or loop	36
20	Emergency contraception	13
21	Other method -- specify	1
22	Respondent was sterile	2
23	Respondent's partner was sterile	1
25	Contraceptive patch	1
26	Vaginal contraceptive ring	4
	Total	5554

Universe : Applicable if R used at least 2 methods in Aug [interview yr - 1] (see METHX125)

METHX127(1974-1975)

Variable Type : raw

ED-6 : Method(s) used in Aug [interview yr-1] - 3rd mention

value	label	Total
-------	-------	-------

.	INAPPLICABLE	5494
3	Birth control pills	1
4	Condom	2
5	Partner's vasectomy	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	23
8	Depo-Provera, injectables	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	20
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
17	Suppository, insert	1
19	IUD, coil, or loop	2
20	Emergency contraception	3
25	Contraceptive patch	1
26	Vaginal contraceptive ring	2
	Total	5554

Universe : Applicable if R used at least 3 methods in Aug [interview yr - 1] (see METHX125)

METHX128(1976-1977)

Variable Type : raw

ED-6 : Method(s) used in Aug [interview yr-1]-4th mention

value	label	Total
.	INAPPLICABLE	5551
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
	Total	5554

Universe : Applicable if R used at least 4 methods in Aug [interview yr - 1] (see METHX125)

METHX129(1978-1979)

Variable Type : raw

ED-6 : Method(s) used in Sept [interview yr-1] - 1st mention

value	label	Total
.	INAPPLICABLE	741
1	No method used	1429
3	Birth control pills	713
4	Condom	628
5	Partner's vasectomy	188
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	764
7	Withdrawal, pulling out	296
8	Depo-Provera, injectables	173
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	120
10	Calendar rhythm, Standard Days, or Cycle Beads method	33
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
13	Female condom, vaginal pouch	1
15	Jelly or cream	3
19	IUD, coil, or loop	371
20	Emergency contraception	3
21	Other method -- specify	4
22	Respondent was sterile	20
25	Contraceptive patch	7
26	Vaginal contraceptive ring	51
98	Refused	3
99	Don't know	3
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year - 1] (cmfirsm <= cmmhcalx33)

METHX130(1980-1981)

Variable Type : raw

ED-6 : Method(s) used in Sept [interview yr-1]-2nd mention

value	label	Total
.	INAPPLICABLE	5076
3	Birth control pills	12
4	Condom	133
5	Partner's vasectomy	15
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	38
7	Withdrawal, pulling out	137
8	Depo-Provera, injectables	19
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	9
10	Calendar rhythm, Standard Days, or Cycle Beads method	55
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	6
13	Female condom, vaginal pouch	1
14	Foam	3
15	Jelly or cream	1
17	Suppository, insert	1
19	IUD, coil, or loop	35
20	Emergency contraception	5
21	Other method -- specify	2
22	Respondent was sterile	1
23	Respondent's partner was sterile	1
25	Contraceptive patch	1
26	Vaginal contraceptive ring	3
	Total	5554

Universe : Applicable if R used at least 2 methods in Sept [interview yr - 1] (see METHX129)

METHX131(1982-1983)

Variable Type : raw

ED-6 : Method(s) used in Sept [interview yr-1] - 3rd mention

value	label	Total
.	INAPPLICABLE	5488
3	Birth control pills	1
4	Condom	6
5	Partner's vasectomy	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	23
10	Calendar rhythm, Standard Days, or Cycle Beads method	19
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
14	Foam	1
17	Suppository, insert	2
19	IUD, coil, or loop	3
20	Emergency contraception	4
25	Contraceptive patch	1
26	Vaginal contraceptive ring	2
	Total	5554

Universe : Applicable if R used at least 3 methods in Sept [interview yr - 1] (see METHX129)

METHX132(1984-1985)

Variable Type : raw

ED-6 : Method(s) used in Sept [interview yr-1]-4th mention

value	label	Total
.	INAPPLICABLE	5551
14	Foam	1
20	Emergency contraception	2
	Total	5554

Universe : Applicable if R used at least 4 methods in Sept [interview yr - 1] (see METHX129)

METHX133(1986-1987)

Variable Type : raw

ED-6 : Method(s) used in Oct [interview yr-1] - 1st mention

value	label	Total
.	INAPPLICABLE	732
1	No method used	1419
3	Birth control pills	717
4	Condom	637
5	Partner's vasectomy	189
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	767
7	Withdrawal, pulling out	289
8	Depo-Provera, injectables	181
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	120
10	Calendar rhythm, Standard Days, or Cycle Beads method	29
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
13	Female condom, vaginal pouch	1
15	Jelly or cream	3
19	IUD, coil, or loop	378
20	Emergency contraception	4
21	Other method -- specify	4
22	Respondent was sterile	16
25	Contraceptive patch	7
26	Vaginal contraceptive ring	52
98	Refused	3
99	Don't know	3
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year - 3] (cmfirm <= cmmhcalx34)

METHX134(1988-1989)

Variable Type : raw

ED-6 : Method(s) used in Oct [interview yr-1]-2nd mention

value	label	Total
.	INAPPLICABLE	5087
3	Birth control pills	11
4	Condom	129
5	Partner's vasectomy	18
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	40
7	Withdrawal, pulling out	133
8	Depo-Provera, injectables	19
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	8
10	Calendar rhythm, Standard Days, or Cycle Beads method	55
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
13	Female condom, vaginal pouch	1

14	Foam	2
15	Jelly or cream	1
17	Suppository, insert	1
19	IUD, coil, or loop	32
20	Emergency contraception	5
21	Other method -- specify	2
22	Respondent was sterile	1
23	Respondent's partner was sterile	1
25	Contraceptive patch	1
26	Vaginal contraceptive ring	3
	Total	5554

Universe : Applicable if R used at least 2 methods in Oct [interview yr - 1] (see METHX85)

METHX135(1990-1991)

Variable Type : raw

ED-6 : Method(s) used in Oct [interview yr-1] - 3rd mention

value	label	Total
.	INAPPLICABLE	5493
3	Birth control pills	1
4	Condom	3
5	Partner's vasectomy	1
7	Withdrawal, pulling out	24
10	Calendar rhythm, Standard Days, or Cycle Beads method	16
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
17	Suppository, insert	1
19	IUD, coil, or loop	1
20	Emergency contraception	7
25	Contraceptive patch	1
26	Vaginal contraceptive ring	2
	Total	5554

Universe : Applicable if R used at least 3 methods in Oct [interview yr - 1] (see METHX85)

METHX136(1992-1993)

Variable Type : raw

ED-6 : Method(s) used in Oct [interview yr-1]-4th mention

value	label	Total
.	INAPPLICABLE	5549
7	Withdrawal, pulling out	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	2
20	Emergency contraception	2
	Total	5554

Universe : Applicable if R used at least 4 methods in Oct [interview yr - 1] (see METHX85)

METHX137(1994-1995)

Variable Type : raw

ED-6 : Method(s) used in Nov [interview yr-1] - 1st mention

value	label	Total
.	INAPPLICABLE	715
1	No method used	1418
3	Birth control pills	722

4	Condom	629
5	Partner's vasectomy	198
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	771
7	Withdrawal, pulling out	292
8	Depo-Provera, injectables	174
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	121
10	Calendar rhythm, Standard Days, or Cycle Beads method	33
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
13	Female condom, vaginal pouch	1
15	Jelly or cream	2
19	IUD, coil, or loop	380
20	Emergency contraception	6
21	Other method -- specify	6
22	Respondent was sterile	16
25	Contraceptive patch	9
26	Vaginal contraceptive ring	52
98	Refused	3
99	Don't know	3
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year - 1] (cmfirm <= cmmhcalx35)

METHX138(1996-1997)

Variable Type : raw

ED-6 : Method(s) used in Nov [interview yr-1]-2nd mention

value	label	Total
.	INAPPLICABLE	5065
3	Birth control pills	14
4	Condom	136
5	Partner's vasectomy	14
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	40
7	Withdrawal, pulling out	141
8	Depo-Provera, injectables	23
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	8
10	Calendar rhythm, Standard Days, or Cycle Beads method	54
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	5
13	Female condom, vaginal pouch	3
14	Foam	2
15	Jelly or cream	3
17	Suppository, insert	2
19	IUD, coil, or loop	30
20	Emergency contraception	6
21	Other method -- specify	1
22	Respondent was sterile	1
23	Respondent's partner was sterile	1
25	Contraceptive patch	2
26	Vaginal contraceptive ring	3
	Total	5554

Universe : Applicable if R used at least 2 methods in Nov [interview yr - 1] (see METHX137)

METHX139(1998-1999)

Variable Type : raw

ED-6 : Method(s) used in Nov [interview yr-1] - 3rd mention

value	label	Total
-------	-------	-------

.	INAPPLICABLE	5498
3	Birth control pills	2
4	Condom	3
5	Partner's vasectomy	2
7	Withdrawal, pulling out	22
10	Calendar rhythm, Standard Days, or Cycle Beads method	16
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
17	Suppository, insert	1
19	IUD, coil, or loop	2
20	Emergency contraception	3
25	Contraceptive patch	1
26	Vaginal contraceptive ring	1
	Total	5554

Universe : Applicable if R used at least 3 methods in Nov [interview yr - 1] (see METHX137)

METHX140(2000-2001)

Variable Type : raw

ED-6 : Method(s) used in Nov [interview yr-1]-4th mention

value	label	Total
.	INAPPLICABLE	5550
4	Condom	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
20	Emergency contraception	1
26	Vaginal contraceptive ring	1
	Total	5554

Universe : Applicable if R used at least 4 methods in Nov [interview yr - 1] (see METHX137)

METHX141(2002-2003)

Variable Type : raw

ED-6 : Method(s) used in Dec [interview yr-1] - 1st mention

value	label	Total
.	INAPPLICABLE	708
1	No method used	1416
3	Birth control pills	727
4	Condom	638
5	Partner's vasectomy	201
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	777
7	Withdrawal, pulling out	287
8	Depo-Provera, injectables	174
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	117
10	Calendar rhythm, Standard Days, or Cycle Beads method	34
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
15	Jelly or cream	1
19	IUD, coil, or loop	376
20	Emergency contraception	6
21	Other method -- specify	6
22	Respondent was sterile	15
25	Contraceptive patch	8
26	Vaginal contraceptive ring	54
98	Refused	3
99	Don't know	3
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year - 1] (cmfirm <= cmmhcalx36)

METHX142(2004-2005)

Variable Type : raw

ED-6 : Method(s) used in Dec [interview yr-1]-2nd mention

value	label	Total
.	INAPPLICABLE	5047
3	Birth control pills	14
4	Condom	142
5	Partner's vasectomy	17
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	39
7	Withdrawal, pulling out	138
8	Depo-Provera, injectables	18
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	11
10	Calendar rhythm, Standard Days, or Cycle Beads method	59
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	6
13	Female condom, vaginal pouch	2
14	Foam	2
15	Jelly or cream	3
17	Suppository, insert	2
19	IUD, coil, or loop	34
20	Emergency contraception	10
21	Other method -- specify	1
22	Respondent was sterile	1
23	Respondent's partner was sterile	1
25	Contraceptive patch	2
26	Vaginal contraceptive ring	5
	Total	5554

Universe : Applicable if R used at least 2 methods in Dec [interview yr - 1] (see METHX142)

METHX143(2006-2007)

Variable Type : raw

ED-6 : Method(s) used in Dec [interview yr-1] - 3rd mention

value	label	Total
.	INAPPLICABLE	5498
4	Condom	2
5	Partner's vasectomy	2
7	Withdrawal, pulling out	26
10	Calendar rhythm, Standard Days, or Cycle Beads method	16
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
17	Suppository, insert	1
19	IUD, coil, or loop	4
25	Contraceptive patch	1
26	Vaginal contraceptive ring	1
	Total	5554

Universe : Applicable if R used at least 3 methods in Dec [interview yr - 1] (see METHX142)

METHX144(2008-2009)

Variable Type : raw

ED-6 : Method(s) used in Dec [interview yr-1]-4th mention

value	label	Total
-------	-------	-------

.	INAPPLICABLE	5552
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
20	Emergency contraception	1
	Total	5554

Universe : Applicable if R used at least 4 methods in Dec [interview yr - 1] (see METHX142)

METHX145(2010-2011)

Variable Type : raw

ED-6 : Method(s) used in Jan [interview yr] - 1st mention

value	label	Total
.	INAPPLICABLE	696
1	No method used	1423
3	Birth control pills	707
4	Condom	633
5	Partner's vasectomy	210
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	782
7	Withdrawal, pulling out	277
8	Depo-Provera, injectables	168
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	130
10	Calendar rhythm, Standard Days, or Cycle Beads method	44
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	5
15	Jelly or cream	1
19	IUD, coil, or loop	387
20	Emergency contraception	5
21	Other method -- specify	6
22	Respondent was sterile	12
23	Respondent's partner was sterile	2
25	Contraceptive patch	8
26	Vaginal contraceptive ring	53
98	Refused	2
99	Don't know	3
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year] (cmfirm <= cmmhcalx37)

METHX146(2012-2013)

Variable Type : raw

ED-6 : Method(s) used in Jan [interview yr]-2nd mention

value	label	Total
.	INAPPLICABLE	5038
3	Birth control pills	12
4	Condom	134
5	Partner's vasectomy	12
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	46
7	Withdrawal, pulling out	157
8	Depo-Provera, injectables	21
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	5
10	Calendar rhythm, Standard Days, or Cycle Beads method	59
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	5
13	Female condom, vaginal pouch	2
14	Foam	1
15	Jelly or cream	3
17	Suppository, insert	2
19	IUD, coil, or loop	37

20	Emergency contraception	10
21	Other method -- specify	1
22	Respondent was sterile	2
25	Contraceptive patch	1
26	Vaginal contraceptive ring	6
	Total	5554

Universe : Applicable if R used at least 2 methods in January [interview yr] (see METHX145)

METHX147(2014-2015)

Variable Type : raw

ED-6 : Method(s) used in Jan [interview yr]-3rd mention

value	label	Total
.	INAPPLICABLE	5495
3	Birth control pills	2
4	Condom	1
5	Partner's vasectomy	2
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	2
7	Withdrawal, pulling out	23
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	13
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
13	Female condom, vaginal pouch	1
15	Jelly or cream	1
17	Suppository, insert	1
19	IUD, coil, or loop	4
20	Emergency contraception	4
25	Contraceptive patch	1
26	Vaginal contraceptive ring	1
	Total	5554

Universe : Applicable if R used at least 3 methods in January [interview yr] (see METHX145)

METHX148(2016-2017)

Variable Type : raw

ED-6 : Method(s) used in Jan [interview yr]-4th mention

value	label	Total
.	INAPPLICABLE	5553
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
	Total	5554

Universe : Applicable if R used at least 4 methods in January [interview yr] (see METHX145)

METHX149(2018-2019)

Variable Type : raw

ED-6 : Method(s) used in Feb [interview yr] - 1st mention

value	label	Total
.	INAPPLICABLE	1154
1	No method used	1291
3	Birth control pills	646
4	Condom	560
5	Partner's vasectomy	192
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	704
7	Withdrawal, pulling out	260

8	Depo-Provera, injectables	148
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	120
10	Calendar rhythm, Standard Days, or Cycle Beads method	34
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	5
15	Jelly or cream	1
19	IUD, coil, or loop	353
20	Emergency contraception	3
21	Other method -- specify	4
22	Respondent was sterile	12
23	Respondent's partner was sterile	1
25	Contraceptive patch	9
26	Vaginal contraceptive ring	53
98	Refused	2
99	Don't know	2
	Total	5554

Universe : Applicable if R ever used a method (everused=1) and date of first method use was on or before February [interview year] (cmfirm<=cmmhcalx38) and interview was on or after February [interview year] (cmintvw>=cmmhcalx38)

METHX150(2020-2021)

Variable Type : raw

ED-6 : Method(s) used in Feb [interview yr]-2nd mention

value	label	Total
.	INAPPLICABLE	5059
3	Birth control pills	9
4	Condom	136
5	Partner's vasectomy	13
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	39
7	Withdrawal, pulling out	146
8	Depo-Provera, injectables	19
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	8
10	Calendar rhythm, Standard Days, or Cycle Beads method	60
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	5
13	Female condom, vaginal pouch	2
14	Foam	1
15	Jelly or cream	2
17	Suppository, insert	1
19	IUD, coil, or loop	41
20	Emergency contraception	4
21	Other method -- specify	2
22	Respondent was sterile	2
26	Vaginal contraceptive ring	5
	Total	5554

Universe : Applicable if R used at least 2 methods in February [interview yr] (see METHX149)

METHX151(2022-2023)

Variable Type : raw

ED-6 : Method(s) used in Feb [interview yr] - 3rd mention

value	label	Total
.	INAPPLICABLE	5494
3	Birth control pills	2
4	Condom	1
5	Partner's vasectomy	2
7	Withdrawal, pulling out	21

10	Calendar rhythm, Standard Days, or Cycle Beads method	15
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
13	Female condom, vaginal pouch	1
15	Jelly or cream	1
17	Suppository, insert	1
19	IUD, coil, or loop	2
20	Emergency contraception	9
25	Contraceptive patch	1
26	Vaginal contraceptive ring	1
	Total	5554

Universe : Applicable if R used at least 3 methods in February [interview yr] (see METHX149)

METHX152(2024-2025)

Variable Type : raw

ED-6 : Method(s) used in Feb [interview yr]-4th mention

value	label	Total
.	INAPPLICABLE	5551
20	Emergency contraception	3
	Total	5554

Universe : Applicable if R used at least 4 methods in February [interview yr] (see METHX149)

METHX153(2026-2027)

Variable Type : raw

ED-6 : Method(s) used in March [interview yr] - 1st mention

value	label	Total
.	INAPPLICABLE	1587
1	No method used	1188
3	Birth control pills	585
4	Condom	497
5	Partner's vasectomy	169
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	623
7	Withdrawal, pulling out	229
8	Depo-Provera, injectables	132
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	116
10	Calendar rhythm, Standard Days, or Cycle Beads method	29
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
14	Foam	1
15	Jelly or cream	2
19	IUD, coil, or loop	311
20	Emergency contraception	5
21	Other method -- specify	2
22	Respondent was sterile	12
23	Respondent's partner was sterile	1
25	Contraceptive patch	6
26	Vaginal contraceptive ring	51
98	Refused	2
99	Don't know	2
	Total	5554

Universe : Applicable if R ever used a method (everused=1) and date of first method use was on or before March [interview year] (cmfirm<=cmmhcalx39) and interview was on or after March [interview year] (cmintvw>=cmmhcalx39)

METHX154(2028-2029)

Variable Type : raw

ED-6 : Method(s) used in March [interview yr]-2nd mention

value	label	Total
.	INAPPLICABLE	5147
3	Birth control pills	8
4	Condom	119
5	Partner's vasectomy	9
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	30
7	Withdrawal, pulling out	115
8	Depo-Provera, injectables	17
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	6
10	Calendar rhythm, Standard Days, or Cycle Beads method	47
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
13	Female condom, vaginal pouch	1
14	Foam	1
15	Jelly or cream	1
17	Suppository, insert	1
19	IUD, coil, or loop	32
20	Emergency contraception	5
21	Other method -- specify	1
22	Respondent was sterile	2
25	Contraceptive patch	1
26	Vaginal contraceptive ring	8
	Total	5554

Universe : Applicable if R used at least 2 methods in March [interview yr] (see METHX153)

METHX155(2030-2031)

Variable Type : raw

ED-6 : Method(s) used in March [interview yr] - 3rd mention

value	label	Total
.	INAPPLICABLE	5496
3	Birth control pills	1
4	Condom	1
5	Partner's vasectomy	3
7	Withdrawal, pulling out	22
10	Calendar rhythm, Standard Days, or Cycle Beads method	16
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
13	Female condom, vaginal pouch	1
15	Jelly or cream	1
17	Suppository, insert	1
19	IUD, coil, or loop	2
20	Emergency contraception	4
25	Contraceptive patch	1
26	Vaginal contraceptive ring	1
	Total	5554

Universe : Applicable if R used at least 3 methods in March [interview yr] (see METHX153)

METHX156(2032-2033)

Variable Type : raw

ED-6 : Method(s) used in March [interview yr]-4th mention

value	label	Total
.	INAPPLICABLE	5553
20	Emergency contraception	1

Total **5554**

Universe : Applicable if R used at least 4 methods in March [interview yr] (see METHX153)

METHX157(2034-2035)

Variable Type : raw

ED-6 : Method(s) used in April [interview yr] - 1st mention

value	label	Total
.	INAPPLICABLE	1963
1	No method used	1074
3	Birth control pills	525
4	Condom	441
5	Partner's vasectomy	158
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	559
7	Withdrawal, pulling out	206
8	Depo-Provera, injectables	127
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	109
10	Calendar rhythm, Standard Days, or Cycle Beads method	24
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
15	Jelly or cream	1
17	Suppository, insert	1
19	IUD, coil, or loop	289
20	Emergency contraception	3
21	Other method -- specify	2
22	Respondent was sterile	10
23	Respondent's partner was sterile	1
25	Contraceptive patch	5
26	Vaginal contraceptive ring	47
98	Refused	2
99	Don't know	3
	Total	5554

Universe : Applicable if R ever used a method (everused=1) and date of first method use was on or before April [interview year] (cmfirm<=cmmhcalx40) and interview was on or after April [interview year] (cmintvw>=cmmhcalx40)

METHX158(2036-2037)

Variable Type : raw

ED-6 : Method(s) used in April [interview yr]-2nd mention

value	label	Total
.	INAPPLICABLE	5185
3	Birth control pills	6
4	Condom	98
5	Partner's vasectomy	11
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	27
7	Withdrawal, pulling out	112
8	Depo-Provera, injectables	13
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	6
10	Calendar rhythm, Standard Days, or Cycle Beads method	38
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
13	Female condom, vaginal pouch	1
14	Foam	1
17	Suppository, insert	2
19	IUD, coil, or loop	33
20	Emergency contraception	7

21	Other method -- specify	1
22	Respondent was sterile	2
25	Contraceptive patch	1
26	Vaginal contraceptive ring	6
Total		5554

Universe : Applicable if R used at least 2 methods in April [interview yr] (see METHX157)

METHX159(2038-2039)

Variable Type : raw

ED-6 : Method(s) used in April [interview yr] - 3rd mention

value	label	Total
.	INAPPLICABLE	5510
3	Birth control pills	1
4	Condom	2
5	Partner's vasectomy	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	20
8	Depo-Provera, injectables	2
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	7
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
15	Jelly or cream	1
17	Suppository, insert	1
19	IUD, coil, or loop	2
20	Emergency contraception	2
25	Contraceptive patch	1
26	Vaginal contraceptive ring	1
Total		5554

Universe : Applicable if R used at least 3 methods in April [interview yr] (see METHX157)

METHX160(2040-2041)

Variable Type : raw

ED-6 : Method(s) used in April [interview yr]-4th mention

value	label	Total
.	INAPPLICABLE	5553
26	Vaginal contraceptive ring	1
Total		5554

Universe : Applicable if R used at least 4 methods in April [interview yr] (see METHX157)

METHX161(2042-2043)

Variable Type : raw

ED-6 : Method(s) used in May [interview yr] - 1st mention

value	label	Total
.	INAPPLICABLE	2403
1	No method used	939
3	Birth control pills	444
4	Condom	401
5	Partner's vasectomy	138
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	487
7	Withdrawal, pulling out	190
8	Depo-Provera, injectables	106

9	Hormonal implant (Norplant, Implanon, or Nexplanon)	94
10	Calendar rhythm, Standard Days, or Cycle Beads method	20
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
15	Jelly or cream	1
19	IUD, coil, or loop	260
20	Emergency contraception	6
21	Other method -- specify	2
22	Respondent was sterile	9
23	Respondent's partner was sterile	1
25	Contraceptive patch	4
26	Vaginal contraceptive ring	42
98	Refused	2
99	Don't know	2
	Total	5554

Universe : Applicable if R ever used a method (everused=1) and date of first method use was on or before May [interview year] (cmfirm<=cmmhcalx41) and interview was on or after May [interview year] (cmintvw>=cmmhcalx41)

METHX162(2044-2045)

Variable Type : raw

ED-6 : Method(s) used in May [interview yr]-2nd mention

value	label	Total
.	INAPPLICABLE	5235
3	Birth control pills	7
4	Condom	82
5	Partner's vasectomy	9
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	20
7	Withdrawal, pulling out	103
8	Depo-Provera, injectables	13
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	8
10	Calendar rhythm, Standard Days, or Cycle Beads method	33
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
13	Female condom, vaginal pouch	1
17	Suppository, insert	1
19	IUD, coil, or loop	29
20	Emergency contraception	3
22	Respondent was sterile	2
26	Vaginal contraceptive ring	5
	Total	5554

Universe : Applicable if R used at least 2 methods in May [interview yr] (see METHX113)

METHX163(2046-2047)

Variable Type : raw

ED-6 : Method(s) used in May [interview yr] - 3rd mention

value	label	Total
.	INAPPLICABLE	5518
3	Birth control pills	1
7	Withdrawal, pulling out	14
8	Depo-Provera, injectables	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	8
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
17	Suppository, insert	1
19	IUD, coil, or loop	3
20	Emergency contraception	3

25	Contraceptive patch	1
26	Vaginal contraceptive ring	2
Total		5554

Universe : Applicable if R used at least 3 methods in May [interview yr] (see METHX113)

METHX164(2048-2049)

Variable Type : raw

ED-6 : Method(s) used in May [interview yr]-4th mention

value	label	Total
.	INAPPLICABLE	5553
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
Total		5554

Universe : Applicable if R used at least 4 methods in May [interview yr] (see METHX113)

METHX165(2050-2051)

Variable Type : raw

ED-6 : Method(s) used in June [interview yr] - 1st mention

value	label	Total
.	INAPPLICABLE	2839
1	No method used	810
3	Birth control pills	369
4	Condom	356
5	Partner's vasectomy	122
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	418
7	Withdrawal, pulling out	151
8	Depo-Provera, injectables	98
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	84
10	Calendar rhythm, Standard Days, or Cycle Beads method	20
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
19	IUD, coil, or loop	221
20	Emergency contraception	9
21	Other method -- specify	2
22	Respondent was sterile	10
25	Contraceptive patch	3
26	Vaginal contraceptive ring	36
98	Refused	2
99	Don't know	2
Total		5554

Universe : Applicable if R ever used a method (everused=1) and date of first method use was on or before June [interview year] (cmfirm<=cmmhcalx42) and interview was on or after June [interview year] (cmintvw>=cmmhcalx42)

METHX166(2052-2053)

Variable Type : raw

ED-6 : Method(s) used in June [interview yr]-2nd mention

value	label	Total
.	INAPPLICABLE	5276
3	Birth control pills	9
4	Condom	69
5	Partner's vasectomy	5
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	16

7	Withdrawal, pulling out	88
8	Depo-Provera, injectables	14
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	6
10	Calendar rhythm, Standard Days, or Cycle Beads method	28
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
13	Female condom, vaginal pouch	1
17	Suppository, insert	2
19	IUD, coil, or loop	24
20	Emergency contraception	5
22	Respondent was sterile	2
26	Vaginal contraceptive ring	6
	Total	5554

Universe : Applicable if R used at least 2 methods in June [interview yr] (see METHX165)

METHX167(2054-2055)

Variable Type : raw

ED-6 : Method(s) used in June [interview yr] - 3rd mention

value	label	Total
.	INAPPLICABLE	5525
3	Birth control pills	2
7	Withdrawal, pulling out	9
8	Depo-Provera, injectables	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	8
15	Jelly or cream	1
17	Suppository, insert	1
19	IUD, coil, or loop	4
25	Contraceptive patch	1
26	Vaginal contraceptive ring	1
	Total	5554

Universe : Applicable if R used at least 3 methods in June [interview yr] (see METHX165)

METHX168(2056-2056)

Variable Type : raw

ED-6 : Method(s) used in June [interview yr]-4th mention

value	label	Total
.	INAPPLICABLE	5554
	Total	5554

Universe : Applicable if R used at least 4 methods in June [interview yr] (see METHX165)

METHX169(2057-2058)

Variable Type : raw

ED-6 : Method(s) used in July [interview yr] - 1st mention

value	label	Total
.	INAPPLICABLE	3211
1	No method used	712
3	Birth control pills	318
4	Condom	288
5	Partner's vasectomy	101
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	363
7	Withdrawal, pulling out	134
8	Depo-Provera, injectables	98

9	Hormonal implant (Norplant, Implanon, or Nexplanon)	72
10	Calendar rhythm, Standard Days, or Cycle Beads method	17
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
19	IUD, coil, or loop	189
20	Emergency contraception	1
21	Other method -- specify	4
22	Respondent was sterile	9
25	Contraceptive patch	3
26	Vaginal contraceptive ring	29
98	Refused	2
99	Don't know	1
	Total	5554

Universe : Applicable if R ever used a method (everused=1) and date of first method use was on or before July [interview year] (cmfirm<=cmmhcalx43) and interview was on or after July [interview year] (cmintvw>=cmmhcalx43)

METHX170(2059-2060)

Variable Type : raw

ED-6 : Method(s) used in July [interview yr]-2nd mention

value	label	Total
.	INAPPLICABLE	5337
3	Birth control pills	4
4	Condom	51
5	Partner's vasectomy	6
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	11
7	Withdrawal, pulling out	72
8	Depo-Provera, injectables	11
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	7
10	Calendar rhythm, Standard Days, or Cycle Beads method	25
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
13	Female condom, vaginal pouch	1
17	Suppository, insert	1
19	IUD, coil, or loop	17
20	Emergency contraception	2
21	Other method -- specify	1
22	Respondent was sterile	2
26	Vaginal contraceptive ring	4
	Total	5554

Universe : Applicable if R used at least 2 methods in July [interview yr] (see METHX169)

METHX171(2061-2062)

Variable Type : raw

ED-6 : Method(s) used in July [interview yr] - 3rd mention

value	label	Total
.	INAPPLICABLE	5526
3	Birth control pills	2
7	Withdrawal, pulling out	10
8	Depo-Provera, injectables	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	6
15	Jelly or cream	1
17	Suppository, insert	1
19	IUD, coil, or loop	2
20	Emergency contraception	2

25	Contraceptive patch	1
26	Vaginal contraceptive ring	2
	Total	5554

Universe : Applicable if R used at least 3 methods in July [interview yr] (see METHX169)

METHX172(2063-2064)

Variable Type : raw

ED-6 : Method(s) used in July [interview yr]-4th mention

value	label	Total
.	INAPPLICABLE	5553
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
	Total	5554

Universe : Applicable if R used at least 4 methods in July [interview yr] (see METHX169)

METHX173(2065-2066)

Variable Type : raw

ED-6 : Method(s) used in Aug [interview yr] - 1st mention

value	label	Total
.	INAPPLICABLE	3688
1	No method used	554
3	Birth control pills	256
4	Condom	230
5	Partner's vasectomy	83
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	295
7	Withdrawal, pulling out	103
8	Depo-Provera, injectables	78
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	55
10	Calendar rhythm, Standard Days, or Cycle Beads method	13
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
19	IUD, coil, or loop	155
21	Other method -- specify	3
22	Respondent was sterile	9
25	Contraceptive patch	3
26	Vaginal contraceptive ring	24
98	Refused	2
99	Don't know	1
	Total	5554

Universe : Applicable if R ever used a method (everused=1) and date of first method use was on or before August [interview year] (cmfirms<=cmmhcalx44) and interview was on or after August [interview year] (cmintvw>=cmmhcalx44)

METHX174(2067-2068)

Variable Type : raw

ED-6 : Method(s) used in Aug [interview yr]-2nd mention

value	label	Total
.	INAPPLICABLE	5365
3	Birth control pills	4
4	Condom	41
5	Partner's vasectomy	5
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	9
7	Withdrawal, pulling out	69

8	Depo-Provera, injectables	8
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	8
10	Calendar rhythm, Standard Days, or Cycle Beads method	23
19	IUD, coil, or loop	13
20	Emergency contraception	2
22	Respondent was sterile	2
23	Respondent's partner was sterile	1
25	Contraceptive patch	2
26	Vaginal contraceptive ring	2
	Total	5554

Universe : Applicable if R used at least 2 methods in Aug [interview yr] (see METHX173)

METHX175(2069-2070)

Variable Type : raw

ED-6 : Method(s) used in Aug [interview yr] - 3rd mention

value	label	Total
.	INAPPLICABLE	5531
3	Birth control pills	2
4	Condom	2
7	Withdrawal, pulling out	7
8	Depo-Provera, injectables	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	6
15	Jelly or cream	1
19	IUD, coil, or loop	1
20	Emergency contraception	1
26	Vaginal contraceptive ring	2
	Total	5554

Universe : Applicable if R used at least 3 methods in Aug [interview yr] (see METHX173)

METHX176(2071-2071)

Variable Type : raw

ED-6 : Method(s) used in Aug [interview yr]-4th mention

value	label	Total
.	INAPPLICABLE	5554
	Total	5554

Universe : Applicable if R used at least 4 methods in Aug [interview yr] (see METHX173)

METHX177(2072-2073)

Variable Type : raw

ED-6 : Method(s) used in Sept [interview yr] - 1st mention

value	label	Total
.	INAPPLICABLE	4120
1	No method used	442
3	Birth control pills	184
4	Condom	181
5	Partner's vasectomy	63
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	221
7	Withdrawal, pulling out	84
8	Depo-Provera, injectables	60
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	39
10	Calendar rhythm, Standard Days, or Cycle Beads method	10

11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
19	IUD, coil, or loop	120
21	Other method -- specify	3
22	Respondent was sterile	6
25	Contraceptive patch	2
26	Vaginal contraceptive ring	15
98	Refused	2
99	Don't know	1
	Total	5554

Universe : Applicable if R ever used a method (everused=1) and date of first method use was on or before September [interview year] (cmfirmc<=cmmhcalx45) and interview was on or after September [interview year] (cmintvw>=cmmhcalx45)

METHX178(2074-2075)

Variable Type : raw

ED-6 : Method(s) used in Sept [interview yr]-2nd mention

value	label	Total
.	INAPPLICABLE	5408
3	Birth control pills	2
4	Condom	39
5	Partner's vasectomy	3
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	8
7	Withdrawal, pulling out	50
8	Depo-Provera, injectables	8
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	7
10	Calendar rhythm, Standard Days, or Cycle Beads method	15
19	IUD, coil, or loop	9
20	Emergency contraception	2
22	Respondent was sterile	2
26	Vaginal contraceptive ring	1
	Total	5554

Universe : Applicable if R used at least 2 methods in Sept [interview yr] (see METHX177)

METHX179(2076-2077)

Variable Type : raw

ED-6 : Method(s) used in Sept [interview yr] - 3rd mention

value	label	Total
.	INAPPLICABLE	5533
3	Birth control pills	3
4	Condom	2
5	Partner's vasectomy	1
7	Withdrawal, pulling out	5
10	Calendar rhythm, Standard Days, or Cycle Beads method	5
19	IUD, coil, or loop	2
20	Emergency contraception	1
26	Vaginal contraceptive ring	2
	Total	5554

Universe : Applicable if R used at least 3 methods in Sept [interview yr] (see METHX177)

METHX180(2078-2078)

Variable Type : raw

ED-6 : Method(s) used in Sept [interview yr]-4th mention

value	label	Total
.	INAPPLICABLE	5554
	Total	5554

Universe : Applicable if R used at least 4 methods in Sept [interview yr] (see METHX177)

METHX181(2079-2080)

Variable Type : raw

ED-6 : Method(s) used in Oct [interview yr] - 1st mention

value	label	Total
.	INAPPLICABLE	4380
1	No method used	361
3	Birth control pills	154
4	Condom	150
5	Partner's vasectomy	54
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	178
7	Withdrawal, pulling out	67
8	Depo-Provera, injectables	49
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	27
10	Calendar rhythm, Standard Days, or Cycle Beads method	11
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
14	Foam	1
19	IUD, coil, or loop	96
20	Emergency contraception	1
21	Other method -- specify	1
22	Respondent was sterile	5
25	Contraceptive patch	1
26	Vaginal contraceptive ring	14
98	Refused	2
99	Don't know	1
	Total	5554

Universe : Applicable if R ever used a method (everused=1) and date of first method use was on or before October [interview year] (cmfirms<=cmmhcalx46) and interview was on or after October [interview year] (cmintvw>=cmmhcalx46)

METHX182(2081-2082)

Variable Type : raw

ED-6 : Method(s) used in Oct [interview yr]-2nd mention

value	label	Total
.	INAPPLICABLE	5431
3	Birth control pills	4
4	Condom	29
5	Partner's vasectomy	4
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	6
7	Withdrawal, pulling out	47
8	Depo-Provera, injectables	5
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	4
10	Calendar rhythm, Standard Days, or Cycle Beads method	11
19	IUD, coil, or loop	11
23	Respondent's partner was sterile	1
26	Vaginal contraceptive ring	1
	Total	5554

Universe : Applicable if R used at least 2 methods in Oct [interview yr] (see METHX181)

METHX183(2083-2084)

Variable Type : raw

ED-6 : Method(s) used in Oct [interview yr] - 3rd mention

value	label	Total
.	INAPPLICABLE	5536
3	Birth control pills	2
4	Condom	1
7	Withdrawal, pulling out	5
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	4
19	IUD, coil, or loop	2
20	Emergency contraception	2
26	Vaginal contraceptive ring	1
	Total	5554

Universe : Applicable if R used at least 3 methods in Oct [interview yr] (see METHX181)

METHX184(2085-2085)

Variable Type : raw

ED-6 : Method(s) used in Oct [interview yr]-4th mention

value	label	Total
.	INAPPLICABLE	5554
	Total	5554

Universe : Applicable if R used at least 4 methods in Oct [interview yr] (see METHX181)

METHX185(2086-2087)

Variable Type : raw

ED-6 : Method(s) used in Nov [interview yr] - 1st mention

value	label	Total
.	INAPPLICABLE	4851
1	No method used	200
3	Birth control pills	98
4	Condom	94
5	Partner's vasectomy	33
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	110
7	Withdrawal, pulling out	42
8	Depo-Provera, injectables	23
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	18
10	Calendar rhythm, Standard Days, or Cycle Beads method	8
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
19	IUD, coil, or loop	61
20	Emergency contraception	1
22	Respondent was sterile	3
25	Contraceptive patch	1
26	Vaginal contraceptive ring	8
98	Refused	2
	Total	5554

Universe : Applicable if R ever used a method (everused=1) and date of first method use was on or before November [interview year] (cmfirm<=cmmhcalx47) and interview was on or after November [interview year] (cmintvw>=cmmhcalx47)

METHX186(2088-2089)

Variable Type : raw

ED-6 : Method(s) used in Nov [interview yr]-2nd mention

value	label	Total
.	INAPPLICABLE	5482
3	Birth control pills	2
4	Condom	15
5	Partner's vasectomy	3
7	Withdrawal, pulling out	27
8	Depo-Provera, injectables	7
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	10
19	IUD, coil, or loop	5
26	Vaginal contraceptive ring	1
	Total	5554

Universe : Applicable if R used at least 2 methods in Nov [interview yr] (see METHX185)

METHX187(2090-2091)

Variable Type : raw

ED-6 : Method(s) used in Nov [interview yr] - 3rd mention

value	label	Total
.	INAPPLICABLE	5540
4	Condom	1
7	Withdrawal, pulling out	3
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	3
14	Foam	1
19	IUD, coil, or loop	2
20	Emergency contraception	2
26	Vaginal contraceptive ring	1
	Total	5554

Universe : Applicable if R used at least 3 methods in Nov [interview yr] (see METHX185)

METHX188(2092-2092)

Variable Type : raw

ED-6 : Method(s) used in Nov [interview yr]-4th mention

value	label	Total
.	INAPPLICABLE	5554
	Total	5554

Universe : Applicable if R used at least 4 methods in Nov [interview yr] (see METHX185)

METHX189(2093-2094)

Variable Type : raw

ED-6 : Method(s) used in Dec [interview yr] - 1st mention

value	label	Total
.	INAPPLICABLE	5316
1	No method used	73
3	Birth control pills	31
4	Condom	19

5	Partner's vasectomy	13
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	35
7	Withdrawal, pulling out	17
8	Depo-Provera, injectables	5
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	10
10	Calendar rhythm, Standard Days, or Cycle Beads method	5
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
19	IUD, coil, or loop	26
25	Contraceptive patch	1
26	Vaginal contraceptive ring	1
98	Refused	1
	Total	5554

Universe : Applicable if R ever used a method (everused=1) and date of first method use was on or before December [interview year] (cmfirm<=cmmhcalx48) and interview was on or after December [interview year] (cmintvw>=cmmhcalx48)

METHX190(2095-2096)

Variable Type : raw

ED-6 : Method(s) used in Dec [interview yr]-2nd mention

value	label	Total
.	INAPPLICABLE	5539
7	Withdrawal, pulling out	8
8	Depo-Provera, injectables	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	5
26	Vaginal contraceptive ring	1
	Total	5554

Universe : Applicable if R used at least 2 methods in Dec [interview yr] (see METHX189)

METHX191(2097-2098)

Variable Type : raw

ED-6 : Method(s) used in Dec [interview yr] - 3rd mention

value	label	Total
.	INAPPLICABLE	5553
14	Foam	1
	Total	5554

Universe : Applicable if R used at least 3 methods in Dec [interview yr] (see METHX189)

METHX192(2099-2099)

Variable Type : raw

ED-6 : Method(s) used in Dec [interview yr]-4th mention

value	label	Total
.	INAPPLICABLE	5554
	Total	5554

Universe : Applicable if R used at least 4 methods in Dec [interview yr] (see METHX189)

cmmhcalx1(2100-2103)

Variable Type : computed

Description : Century month of Jan [interview yr-3] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	650
1345-1416	Jan 2012-Dec 2017	4904
	Total	5554

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx2(2104-2107)

Variable Type : computed

Description : Century month of Feb [interview yr-3] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	650
1345-1416	Jan 2012-Dec 2017	4904
	Total	5554

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx3(2108-2111)

Variable Type : computed

Description : Century month of March [interview yr-3] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	650
1345-1416	Jan 2012-Dec 2017	4904
	Total	5554

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx4(2112-2115)

Variable Type : computed

Description : Century month of April [interview yr-3] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	650
1345-1416	Jan 2012-Dec 2017	4904
	Total	5554

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx5(2116-2119)

Variable Type : computed

Description : Century month of May [interview yr-3] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	650
1345-1416	Jan 2012-Dec 2017	4904
	Total	5554

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx6(2120-2123)

Variable Type : computed

Description : Century month of June [interview yr-3] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	650
1345-1416	Jan 2012-Dec 2017	4904
	Total	5554

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx7(2124-2127)

Variable Type : computed

Description : Century month of July [interview yr-3] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	650
1345-1416	Jan 2012-Dec 2017	4904
	Total	5554

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx8(2128-2131)

Variable Type : computed

Description : Century month of Aug [interview yr-3] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	650
1345-1416	Jan 2012-Dec 2017	4904
	Total	5554

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx9(2132-2135)

Variable Type : computed

Description : Century month of Sept [interview yr-3] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	650
1345-1416	Jan 2012-Dec 2017	4904
	Total	5554

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx10(2136-2139)

Variable Type : computed

Description : Century month of Oct [interview yr-3] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	650
1345-1416	Jan 2012-Dec 2017	4904
	Total	5554

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx11(2140-2143)

Variable Type : computed

Description : Century month of Nov [interview yr-3] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	650
1345-1416	Jan 2012-Dec 2017	4904
	Total	5554

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx12(2144-2147)

Variable Type : computed

Description : Century month of Dec [interview yr-3] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	650
1345-1416	Jan 2012-Dec 2017	4904
	Total	5554

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx13(2148-2151)

Variable Type : computed

Description : Century month of Jan [interview yr-2] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	650
1345-1416	Jan 2012-Dec 2017	4904
	Total	5554

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx14(2152-2155)

Variable Type : computed

Description : Century month of Feb [interview yr-2] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	650
1345-1416	Jan 2012-Dec 2017	4904
	Total	5554

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx15(2156-2159)

Variable Type : computed

Description : Century month of March [interview yr-2] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	650
1345-1416	Jan 2012-Dec 2017	4904
	Total	5554

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx16(2160-2163)

Variable Type : computed

Description : Century month of April [interview yr-2] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	650
1345-1416	Jan 2012-Dec 2017	4904
	Total	5554

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx17(2164-2167)

Variable Type : computed

Description : Century month of May [interview yr-2] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	650
1345-1416	Jan 2012-Dec 2017	4904
	Total	5554

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx18(2168-2171)

Variable Type : computed

Description : Century month of June [interview yr-2] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	650
1345-1416	Jan 2012-Dec 2017	4904
	Total	5554

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx19(2172-2175)

Variable Type : computed

Description : Century month of July [interview yr-2] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	650
1345-1416	Jan 2012-Dec 2017	4904
	Total	5554

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx20(2176-2179)

Variable Type : computed

Description : Century month of Aug [interview yr-2] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	650
1345-1416	Jan 2012-Dec 2017	4904
	Total	5554

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx21(2180-2183)

Variable Type : computed

Description : Century month of Sept [interview yr-2] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	650
1345-1416	Jan 2012-Dec 2017	4904
	Total	5554

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx22(2184-2187)

Variable Type : computed

Description : Century month of Oct [interview yr-2] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	650
1345-1416	Jan 2012-Dec 2017	4904
	Total	5554

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx23(2188-2191)

Variable Type : computed

Description : Century month of Nov [interview yr-2] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	650
1345-1416	Jan 2012-Dec 2017	4904
	Total	5554

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx24(2192-2195)

Variable Type : computed

Description : Century month of Dec [interview yr-2] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	650
1345-1416	Jan 2012-Dec 2017	4904
	Total	5554

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx25(2196-2199)

Variable Type : computed

Description : Century month of Jan [interview yr-1] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	650
1345-1416	Jan 2012-Dec 2017	4904
	Total	5554

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx26(2200-2203)

Variable Type : computed

Description : Century month of Feb [interview yr-1] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	650
1345-1416	Jan 2012-Dec 2017	4904
	Total	5554

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx27(2204-2207)

Variable Type : computed

Description : Century month of March [interview yr-1] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	650
1345-1416	Jan 2012-Dec 2017	4904
	Total	5554

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx28(2208-2211)

Variable Type : computed

Description : Century month of April [interview yr-1] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	650
1345-1416	Jan 2012-Dec 2017	4904
	Total	5554

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx29(2212-2215)

Variable Type : computed

Description : Century month of May [interview yr-1] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	650
1345-1416	Jan 2012-Dec 2017	4904
	Total	5554

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx30(2216-2219)

Variable Type : computed

Description : Century month of June [interview yr-1] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	650
1345-1416	Jan 2012-Dec 2017	4904
Total		5554

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx31(2220-2223)

Variable Type : computed

Description : Century month of July [interview yr-1] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	650
1345-1416	Jan 2012-Dec 2017	4904
Total		5554

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx32(2224-2227)

Variable Type : computed

Description : Century month of Aug [interview yr-1] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	650
1345-1416	Jan 2012-Dec 2017	4904
Total		5554

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx33(2228-2231)

Variable Type : computed

Description : Century month of Sept [interview yr-1] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	650
1345-1416	Jan 2012-Dec 2017	4904
Total		5554

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx34(2232-2235)

Variable Type : computed

Description : Century month of Oct [interview yr-1] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	650
1345-1416	Jan 2012-Dec 2017	4904
	Total	5554

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx35(2236-2239)

Variable Type : computed

Description : Century month of Nov [interview yr-1] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	650
1345-1416	Jan 2012-Dec 2017	4904
	Total	5554

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx36(2240-2243)

Variable Type : computed

Description : Century month of Dec [interview yr-1] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	650
1345-1416	Jan 2012-Dec 2017	4904
	Total	5554

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with the METHx variables (see User's Guide, Part 2 for guidance).

cmmhcalx37(2244-2247)

Variable Type : computed

Description : Century month of Jan [interview yr] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	650
1345-1416	Jan 2012-Dec 2017	4904
	Total	5554

Universe : Applicable if R ever used a method of contraception (everused = 1)

Notes : This set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with the METHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx38(2248-2251)

Variable Type : computed

Description : Century month of Feb [interview yr] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1101
1345-1416	Jan 2012-Dec 2017	4453
	Total	5554

Universe : Applicable if first method use was on or before January [interview year minus 3] (cmfirm LE cmjan3yr) or if (first method use was after January [interview year minus 3] (cmfirm GT cmjan3yr) and interview was on or after February [interview year] (cmintvw GE cmmhcalx38)).

Notes : In some cases, this set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx39(2252-2255)

Variable Type : computed

Description : Century month of March [interview yr] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1534
1345-1416	Jan 2012-Dec 2017	4020
	Total	5554

Universe : Applicable if first method use was on or before January [interview year minus 3] (cmfirm LE cmjan3yr) or if (first method use was after January [interview year minus 3] (cmfirm GT cmjan3yr) and interview was on or after March [interview year] (cmintvw GE cmmhcalx39)).

Notes : In some cases, this set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx40(2256-2259)

Variable Type : computed

Description : Century month of April [interview yr] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1908
1345-1416	Jan 2012-Dec 2017	3646

Total **5554**

Universe : Applicable if first method use was on or before January [interview year minus 3] (cmfirsm LE cmjan3yr) or if (first method use was after January [interview year minus 3] (cmfirsm GT cmjan3yr) and interview was on or after April [interview year] (cmintvw GE cmmhcalx40)).

Notes : In some cases, this set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx41(2260-2263)

Variable Type : computed

Description : Century month of May [interview yr] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2346
1345-1416	Jan 2012-Dec 2017	3208
	Total	5554

Universe : Applicable if first method use was on or before January [interview year minus 3] (cmfirsm LE cmjan3yr) or if (first method use was after January [interview year minus 3] (cmfirsm GT cmjan3yr) and interview was on or after May [interview year] (cmintvw GE cmmhcalx41)).

Notes : In some cases, this set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx42(2264-2267)

Variable Type : computed

Description : Century month of June [interview yr] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2777
1345-1416	Jan 2012-Dec 2017	2777
	Total	5554

Universe : Applicable if first method use was on or before January [interview year minus 3] (cmfirsm LE cmjan3yr) or if (first method use was after January [interview year minus 3] (cmfirsm GT cmjan3yr) and interview was on or after June [interview year] (cmintvw GE cmmhcalx42)).

Notes : In some cases, this set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx43(2268-2271)

Variable Type : computed

Description : Century month of July [interview yr] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	3145
1345-1416	Jan 2012-Dec 2017	2409
	Total	5554

Universe : Applicable if first method use was on or before January [interview year minus 3] (cmfirm LE cmjan3yr) or if (first method use was after January [interview year minus 3] (cmfirm GT cmjan3yr) and interview was on or after July [interview year] (cmintvw GE cmmhcalx43)).

Notes : In some cases, this set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx44(2272-2275)

Variable Type : computed

Description : Century month of Aug [interview yr] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	3617
1345-1416	Jan 2012-Dec 2017	1937
	Total	5554

Universe : Applicable if first method use was on or before January [interview year minus 3] (cmfirm LE cmjan3yr) or if (first method use was after January [interview year minus 3] (cmfirm GT cmjan3yr) and interview was on or after August [interview year] (cmintvw GE cmmhcalx44)).

Notes : In some cases, this set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx45(2276-2279)

Variable Type : computed

Description : Century month of Sept [interview yr] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	4044
1345-1416	Jan 2012-Dec 2017	1510
	Total	5554

Universe : Applicable if first method use was on or before January [interview year minus 3] (cmfirm LE cmjan3yr) or if (first method use was after January [interview year minus 3] (cmfirm GT cmjan3yr) and interview was on or after September [interview year] (cmintvw GE cmmhcalx45)).

Notes : In some cases, this set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx46(2280-2283)

Variable Type : computed

Description : Century month of Oct [interview yr] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	4289
1345-1416	Jan 2012-Dec 2017	1265
	Total	5554

Universe : Applicable if first method use was on or before January [interview year minus 3] (cmfirm LE cmjan3yr) or if (first method use was after January [interview year minus 3] (cmfirm GT cmjan3yr) and interview was on or after October [interview year] (cmintvw GE cmmhcalx46)).

Notes : In some cases, this set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx47(2284-2287)

Variable Type : computed

Description : Century month of Nov [interview yr] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	4747
1345-1416	Jan 2012-Dec 2017	807
Total		5554

Universe : Applicable if first method use was on or before January [interview year minus 3] (cmfirm LE cmjan3yr) or if (first method use was after January [interview year minus 3] (cmfirm GT cmjan3yr) and interview was on or after November [interview year] (cmintvw GE cmmhcalx47)).

Notes : In some cases, this set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx48(2288-2291)

Variable Type : computed

Description : Century month of Dec [interview yr] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	5194
1345-1416	Jan 2012-Dec 2017	360
Total		5554

Universe : Applicable if first method use was on or before January [interview year minus 3] (cmfirm LE cmjan3yr) or if (first method use was after January [interview year minus 3] (cmfirm GT cmjan3yr) and interview was on or after December [interview year] (cmintvw GE cmmhcalx48)).

Notes : In some cases, this set of variables has values through December 2017 even though no interviews took place after September 2017. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

nummultx1(2292-2292)

Variable Type : computed

Description : Number of Methods Reported in Jan [interview yr-3] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1198
0	0	1487
1	1	2453
2-96	2 OR MORE	416
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year - 3] (cmfirm <= cmjan3yr)

nummultx2(2293-2293)

Variable Type : computed

Description : Number of Methods Reported in Feb [interview yr-3] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1195
0	0	1514
1	1	2428
2-96	2 OR MORE	417
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year - 3] (cmfirm <= cmmhcalx2)

nummultx3(2294-2294)

Variable Type : computed

Description : Number of Methods Reported in March [interview yr-3] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1179
0	0	1515
1	1	2441
2-96	2 OR MORE	419
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year - 3] (cmfirm <= cmmhcalx3)

nummultx4(2295-2295)

Variable Type : computed

Description : Number of Methods Reported in April [interview yr-3] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1166
0	0	1541
1	1	2430
2-96	2 OR MORE	417
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year - 3] (cmfirm <= cmmhcalx4)

nummultx5(2296-2296)

Variable Type : computed

Description : Number of Methods Reported in May [interview yr-3] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1154
0	0	1523
1	1	2463
2-96	2 OR MORE	414
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year - 3] (cmfirm <= cmmhcalx5)

nummultx6(2297-2297)

Variable Type : computed

Description : Number of Methods Reported in June [interview yr-3] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1142
0	0	1517
1	1	2466
2-96	2 OR MORE	429
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview year - 3] (cmfirm <= cmmhcalx6)

nummultx7(2298-2298)

Variable Type : computed

Description : Number of Methods Reported in July [interview yr-3] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1122
0	0	1531
1	1	2466
2-96	2 OR MORE	435
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 3] (cmfirm <= cmmhcalx7)

nummultx8(2299-2299)

Variable Type : computed

Description : Number of Methods Reported in Aug [interview yr-3] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1109
0	0	1529
1	1	2486
2-96	2 OR MORE	430
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year - 3] (cmfirm <= cmmhcalx8)

nummultx9(2300-2300)

Variable Type : computed

Description : Number of Methods Reported in Sept [interview yr-3] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1097
0	0	1535
1	1	2494
2-96	2 OR MORE	428
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year - 3] (cmfirm <= cmmhcalx9)

nummultx10(2301-2301)

Variable Type : computed

Description : Number of Methods Reported in Oct [interview yr-3] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1087
0	0	1527
1	1	2522
2-96	2 OR MORE	418
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year - 3] (cmfirm <= cmmhcalx10)

nummultx11(2302-2302)

Variable Type : computed

Description : Number of Methods Reported in Nov [interview yr-3] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1075
0	0	1528
1	1	2522
2-96	2 OR MORE	429
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year - 3] (cmfirm <= cmmhcalx11)

nummultx12(2303-2303)

Variable Type : computed

Description : Number of Methods Reported in Dec [interview yr-3] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1065
0	0	1514
1	1	2533
2-96	2 OR MORE	442
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year - 3] (cmfirm <= cmmhcalx12)

nummultx13(2304-2304)

Variable Type : computed

Description : Number of Methods Reported in Jan [interview yr-2] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1043
0	0	1508
1	1	2562
2-96	2 OR MORE	441
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year - 2] (cmfirm <= cmjan2yr)

nummultx14(2305-2305)

Variable Type : computed

Description : Number of Methods Reported in Feb [interview yr-2] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1032
0	0	1529
1	1	2558
2-96	2 OR MORE	435
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year - 2] (cmfirm <= cmmhcalx14)

nummultx15(2306-2306)

Variable Type : computed

Description : Number of Methods Reported in March [interview yr-2] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1020
0	0	1540
1	1	2551
2-96	2 OR MORE	443
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year - 2] (cmfirm <= cmmhcalx15)

nummultx16(2307-2307)

Variable Type : computed

Description : Number of Methods Reported in April [interview yr-2] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1007
0	0	1545
1	1	2572
2-96	2 OR MORE	430
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year - 2] (cmfirm <= cmmhcalx16)

nummultx17(2308-2308)

Variable Type : computed

Description : Number of Methods Reported in May [interview yr-2] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	986
0	0	1522
1	1	2606
2-96	2 OR MORE	440
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year - 2] (cmfirm <= cmmhcalx17)

nummultx18(2309-2309)

Variable Type : computed

Description : Number of Methods Reported in June [interview yr-2] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	970
0	0	1550
1	1	2574
2-96	2 OR MORE	460
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview year - 2] (cmfirm <= cmmhcalx18)

nummultx19(2310-2310)

Variable Type : computed

Description : Number of Methods Reported in July [interview yr-2] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	953
0	0	1519
1	1	2613
2-96	2 OR MORE	469
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 2] (cmfirm <= cmmhcalx19)

nummultx20(2311-2311)

Variable Type : computed

Description : Number of Methods Reported in Aug [interview yr-2] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	938
0	0	1527
1	1	2633
2-96	2 OR MORE	456
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year - 2] (cmfirm <= cmmhcalx20)

nummultx21(2312-2312)

Variable Type : computed

Description : Number of Methods Reported in Sept [interview yr-2] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	926
0	0	1549
1	1	2624
2-96	2 OR MORE	455
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year - 2] (cmfirm <= cmmhcalx21)

nummultx22(2313-2313)

Variable Type : computed

Description : Number of Methods Reported in Oct [interview yr-2] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	914
0	0	1545
1	1	2629
2-96	2 OR MORE	466
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year - 2] (cmfirm <= cmmhcalx22)

nummultx23(2314-2314)

Variable Type : computed

Description : Number of Methods Reported in Nov [interview yr-2] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	900
0	0	1566
1	1	2629
2-96	2 OR MORE	459
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year - 2] (cmfirm <= cmmhcalx23)

nummultx24(2315-2315)

Variable Type : computed

Description : Number of Methods Reported in Dec [interview yr-2] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	886
0	0	1553
1	1	2660
2-96	2 OR MORE	455
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year - 2] (cmfirm <= cmmhcalx24)

nummultx25(2316-2316)

Variable Type : computed

Description : Number of Methods Reported in Jan [interview yr-1] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	873
0	0	1572
1	1	2652
2-96	2 OR MORE	457
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year - 1] (cmfirm <= cmmhcalx25)

nummultx26(2317-2317)

Variable Type : computed

Description : Number of Methods Reported in Feb [interview yr-1] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	857
0	0	1565
1	1	2654
2-96	2 OR MORE	478
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year - 1] (cmfirm <= cmmhcalx26)

nummultx27(2318-2318)

Variable Type : computed

Description : Number of Methods Reported in March [interview yr-1] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	846
0	0	1591
1	1	2654
2-96	2 OR MORE	463
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year - 1] (cmfirm <= cmmhcalx27)

nummultx28(2319-2319)

Variable Type : computed

Description : Number of Methods Reported in April [interview yr-1] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	841
0	0	1607
1	1	2646
2-96	2 OR MORE	460
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year - 1] (cmfirm <= cmmhcalx28)

nummultx29(2320-2320)

Variable Type : computed

Description : Number of Methods Reported in May [interview yr-1] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	825
0	0	1570
1	1	2692
2-96	2 OR MORE	467
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year - 1] (cmfirm <= cmmhcalx29)

nummultx30(2321-2321)

Variable Type : computed

Description : Number of Methods Reported in June [interview yr-1] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	812
0	0	1552
1	1	2714
2-96	2 OR MORE	476
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview year - 1] (cmfirm <= cmmhcalx30)

nummultx31(2322-2322)

Variable Type : computed

Description : Number of Methods Reported in July [interview yr-1] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	794
0	0	1556
1	1	2722
2-96	2 OR MORE	482
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 1] (cmfirm <= cmmhcalx31)

nummultx32(2323-2323)

Variable Type : computed

Description : Number of Methods Reported in Aug [interview yr-1] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	772
0	0	1544
1	1	2748
2-96	2 OR MORE	490
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year - 1] (cmfirm <= cmmhcalx32)

nummultx33(2324-2324)

Variable Type : computed

Description : Number of Methods Reported in Sept [interview yr-1] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	757
0	0	1545
1	1	2774
2-96	2 OR MORE	478
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year - 1] (cmfirm <= cmmhcalx33)

nummultx34(2325-2325)

Variable Type : computed

Description : Number of Methods Reported in Oct [interview yr-1] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	748
0	0	1535
1	1	2804
2-96	2 OR MORE	467
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year - 1] (cmfirm <= cmmhcalx34)

nummultx35(2326-2326)

Variable Type : computed

Description : Number of Methods Reported in Nov [interview yr-1] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	731
0	0	1534
1	1	2800
2-96	2 OR MORE	489
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year - 1] (cmfirm <= cmmhcalx35)

nummultx36(2327-2327)

Variable Type : computed

Description : Number of Methods Reported in Dec [interview yr-1] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	724
0	0	1532
1	1	2791
2-96	2 OR MORE	507
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year - 1] (cmfirm <= cmmhcalx36)

nummultx37(2328-2328)

Variable Type : computed

Description : Number of Methods Reported in Jan [interview yr] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	712
0	0	1538
1	1	2790
2-96	2 OR MORE	514
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year] (cmfirm <= cmmhcalx37)

nummultx38(2329-2329)

Variable Type : computed

Description : Number of Methods Reported in Feb [interview yr] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1169
0	0	1393
1	1	2498
2-96	2 OR MORE	494
	Total	5554

Universe : Applicable if R ever used a method (everused=1) and date of first method use was on or before February [interview year] (cmfirm<cmmhcalx38)

nummultx39(2330-2330)

Variable Type : computed

Description : Number of Methods Reported in March [interview yr] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1600
0	0	1275
1	1	2273
2-96	2 OR MORE	406
	Total	5554

Universe : Applicable if R ever used a method (everused=1) and date of first method use was on or before March [interview year] (cmfirm<cmmhcalx39)

nummultx40(2331-2331)

Variable Type : computed

Description : Number of Methods Reported in April [interview yr] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1975
0	0	1153
1	1	2058
2-96	2 OR MORE	368
	Total	5554

Universe : Applicable if R ever used a method (everused=1) and date of first method use was on or before April [interview year] (cmfirm<cmmhcalx40)

nummultx41(2332-2332)

Variable Type : computed

Description : Number of Methods Reported in May [interview yr] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	2411
0	0	1009
1	1	1815
2-96	2 OR MORE	319
	Total	5554

Universe : Applicable if R ever used a method (everused=1) and date of first method use was on or before May [interview year] (cmfirm<cmmhcalx41)

nummultx42(2333-2333)

Variable Type : computed

Description : Number of Methods Reported in June [interview yr] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	2846
0	0	867
1	1	1563
2-96	2 OR MORE	278
	Total	5554

Universe : Applicable if R ever used a method (everused=1) and date of first method use was on or before June [interview year] (cmfirms<cmmhcalx42)

nummultx43(2334-2334)

Variable Type : computed

Description : Number of Methods Reported in July [interview yr] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	3216
0	0	761
1	1	1360
2-96	2 OR MORE	217
	Total	5554

Universe : Applicable if R ever used a method (everused=1) and date of first method use was on or before July [interview year] (cmfirms<cmmhcalx43)

nummultx44(2335-2335)

Variable Type : computed

Description : Number of Methods Reported in Aug [interview yr] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	3691
0	0	596
1	1	1079
2-96	2 OR MORE	188
	Total	5554

Universe : Applicable if R ever used a method (everused=1) and date of first method use was on or before August [interview year] (cmfirms<cmmhcalx44)

nummultx45(2336-2336)

Variable Type : computed

Description : Number of Methods Reported in Sept [interview yr] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	4122
0	0	474
1	1	812
2-96	2 OR MORE	146
	Total	5554

Universe : Applicable if R ever used a method (everused=1) and date of first method use was on or before September [interview year] (cmfirms<cmmhcalx45)

nummultx46(2337-2337)

Variable Type : computed

Description : Number of Methods Reported in Oct [interview yr] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	4380
0	0	389
1	1	662
2-96	2 OR MORE	123
	Total	5554

Universe : Applicable if R ever used a method (everused=1) and date of first method use was on or before October [interview year] (cmfirms<cmmhcalx46)

nummultx47(2338-2338)

Variable Type : computed

Description : Number of Methods Reported in Nov [interview yr] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	4851
0	0	216
1	1	415
2-96	2 OR MORE	72
	Total	5554

Universe : Applicable if R ever used a method (everused=1) and date of first method use was on or before November [interview year] (cmfirms<cmmhcalx47)

nummultx48(2339-2339)

Variable Type : computed

Description : Number of Methods Reported in Dec [interview yr] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	5316
0	0	81
1	1	142
2-96	2 OR MORE	15
	Total	5554

Universe : Applicable if R ever used a method (everused=1) and date of first method use was on or before December [interview year] (cmfirms<cmmhcalx48)

salmx1(2340-2340)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Jan [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1198
0	No	4356
	Total	5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year - 3] (cmfirms <= cmmhcalx2) and R gave a valid response on method used this month (ED-6 METHX1 <= 26)

salmx2(2341-2341)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Feb [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1195
0	No	3979
1	Yes	380
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year - 3] (cmfirm <= cmmhcalx2) and R gave a valid response on method used this month (ED-6 METHX5 <=26)

salmx3(2342-2342)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST -Mar [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1179
0	No	4051
1	Yes	324
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year - 3] (cmfirm <= cmmhcalx3) and R gave a valid response on method used this month (ED-6 METHX9 <= 26)

salmx4(2343-2343)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - April [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1166
0	No	4070
1	Yes	318
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year - 3] (cmfirm <= cmmhcalx4) and R gave a valid response on method used this month (ED-13 METHX13 <= 26)

salmx5(2344-2344)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - May [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1154
0	No	4122
1	Yes	278
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year - 3] (cmfirm <= cmmhcalx5) and R gave a valid response on method used this month (ED-13 METHX17 <= 26)

salmx6(2345-2345)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - June [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1142
0	No	4173
1	Yes	239
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview year - 3] (cmfirm <= cmmhcalx6) and R gave a valid response on method used this month (ED-13 METHX21 <= 26)

salmx7(2346-2346)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - July [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1122
0	No	4211
1	Yes	221
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 3] (cmfirm <= cmmhcalx7) and R gave a valid response on method used this month (ED-6 METHX25 <= 26)

salmx8(2347-2347)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Aug [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1109
0	No	4263
1	Yes	182
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year - 3] (cmfirm <= cmmhcalx8) and R gave a valid response on method used this month (ED-6 METHX29 <= 26)

salmx9(2348-2348)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Sept [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1097
0	No	4297
1	Yes	160
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year - 3] (cmfirm <= cmmhcalx9) and R gave a valid response on method used this month (ED-6 METHX33 <= 26)

salmx10(2349-2349)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Oct [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1087
0	No	4319
1	Yes	148
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year - 3] (cmfirm <= cmmhcalx10) and R gave a valid response on method used this month (ED-6 METHX37 <= 26)

salmx11(2350-2350)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Nov [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1075
0	No	4374
1	Yes	105
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year - 3] (cmfirm <= cmmhcalx11) and R gave a valid response on method used this month (ED-6 METHX41 <= 26)

salmx12(2351-2351)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Dec [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1065
0	No	4384
1	Yes	105
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year - 3] (cmfirm <= cmmhcalx12) and R gave a valid response on method used this month (ED-6 METHX45 <= 26)

salmx13(2352-2352)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Jan [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1043
0	No	4511
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year - 2] (cmfirm <= cmmhcalx13) and R gave a valid response on method used this month (ED-6 METHX49 <= 26)

salmx14(2353-2353)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Feb [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1032
0	No	4166
1	Yes	356
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year - 3] (cmfirm <= cmmhcalx14) and R gave a valid response on method used this month (ED-6 METHX53 <= 26)

salmx15(2354-2354)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Mar [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1020
0	No	4195
1	Yes	339
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year - 2] (cmfirm <= cmmhcalx15) and R gave a valid response on method used this month (ED-6 METHX57 <= 26)

salmx16(2355-2355)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - April [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1007
0	No	4235
1	Yes	312
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year - 2] (cmfirm <= cmmhcalx16) and R gave a valid response on method used this month (ED-6 METHX61 <= 26)

salmx17(2356-2356)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - May [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	986

0	No	4278
1	Yes	290
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year - 3] (cmfirm <= cmmhcalx17) and R gave a valid response on method used this month (ED-6 METHX65 <= 26)

salmx18(2357-2357)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - June [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	970
0	No	4336
1	Yes	248
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview year - 3] (cmfirm <= cmmhcalx18) and R gave a valid response on method used this month (ED-6 METHX69 <= 26)

salmx19(2358-2358)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - July [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	953
0	No	4364
1	Yes	237
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 3] (cmfirm <= cmmhcalx19) and R gave a valid response on method used this month (ED-6 METHX73 <= 26)

salmx20(2359-2359)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Aug [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	938
0	No	4413
1	Yes	203
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year - 3] (cmfirm <= cmmhcalx20) and R gave a valid response on method used this month (ED-6 METHX77 <= 26)

salmx21(2360-2360)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Sept [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	926
0	No	4469
1	Yes	159
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year - 3] (cmfirsm <= cmmhcalx21) and R gave a valid response on method used this month (ED-6 METHX81 <= 26)

salmx22(2361-2361)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Oct [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	914
0	No	4508
1	Yes	132
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year - 3] (cmfirsm <= cmmhcalx22) and R gave a valid response on method used this month (ED-6 METHX85 <= 26)

salmx23(2362-2362)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Nov [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	900
0	No	4547
1	Yes	107
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year - 3] (cmfirsm <= cmmhcalx23) and R gave a valid response on method used this month (ED-6 METHX89 <= 26)

salmx24(2363-2363)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Dec [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	886
0	No	4573
1	Yes	95
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year - 3] (cmfirsm <= cmmhcalx24) and R gave a valid response on method used this month (ED-6 METHX93 <= 26)

salmx25(2364-2364)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Jan [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	873
0	No	4681
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year - 1] (cmfirm <= cmmhcalx25) and R gave a valid response on method used this month (ED-6 METHX97 <= 26)

salmx26(2365-2365)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Feb [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	857
0	No	4326
1	Yes	371
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year - 1] (cmfirm <= cmmhcalx26) and R gave a valid response on method used this month (ED-6 METHX101 <= 26)

salmx27(2366-2366)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Mar [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	846
0	No	4346
1	Yes	362
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year - 1] (cmfirm <= cmmhcalx27) and R gave a valid response on method used this month (ED-6 METHX105 <= 26)

salmx28(2367-2367)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - April [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	841
0	No	4369
1	Yes	344
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year - 2] (cmfirm <= cmmhcalx28) and R gave a valid response on method used this month (ED-6 METHX109 <= 26)

salmx29(2368-2368)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - May [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	825
0	No	4427
1	Yes	302
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year - 1] (cmfirm <= cmmhcalx29) and R gave a valid response on method used this month (ED-6 METHX113 <= 26)

salmx30(2369-2369)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - June [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	812
0	No	4462
1	Yes	280
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview year - 1] (cmfirm <= cmmhcalx30) and R gave a valid response on method used this month (ED-6 METHX117 <= 26)

salmx31(2370-2370)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - July [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	794
0	No	4491
1	Yes	269
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 1] (cmfirm <= cmmhcalx31) and R gave a valid response on method used this month (ED-6 METHX121 <= 26)

salmx32(2371-2371)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Aug [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	772

0	No	4564
1	Yes	218
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year - 1] (cmfirm <= cmmhcalx32) and R gave a valid response on method used this month (ED-6 METHX125 <= 26)

salmx33(2372-2372)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Sept [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	757
0	No	4609
1	Yes	188
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year - 1] (cmfirm <= cmmhcalx33) and R gave a valid response on method used this month (ED-6 METHX129 <= 26)

salmx34(2373-2373)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Oct [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	748
0	No	4650
1	Yes	156
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year - 3] (cmfirm <= cmmhcalx34) and R gave a valid response on method used this month (ED-6 METHX133 <= 26)

salmx35(2374-2374)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Nov [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	731
0	No	4694
1	Yes	129
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year - 1] (cmfirm <= cmmhcalx35) and R gave a valid response on method used this month (ED-6 METHX137 <= 26)

salmx36(2375-2375)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Dec [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	724
0	No	4716
1	Yes	114
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year - 1] (cmfirm <= cmmhcalx36) and R gave a valid response on method used this month (ED-6 METHX141 <= 26)

salmx37(2376-2376)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Jan [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	712
0	No	4842
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year] (cmfirm <= cmmhcalx37) and R gave a valid response on method used this month (ED-6 METHX145 <= 26)

salmx38(2377-2377)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Feb [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1169
0	No	4087
1	Yes	298
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year] (cmfirm <= cmmhcalx38) and R gave a valid response on method used this month (ED-6 METHX149 <= 26)

salmx39(2378-2378)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Mar [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1600
0	No	3693
1	Yes	261
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year] (cmfirm <= cmmhcalx39) and R gave a valid response on method used this month (ED-6 METHX153 <= 26)

salmx40(2379-2379)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - April [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1975
0	No	3379
1	Yes	200
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year] (cmfirm <= cmmhcalx40) and R gave a valid response on method used this month (ED-6 METHX157 <= 26)

salmx41(2380-2380)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - May [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2411
0	No	2978
1	Yes	165
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year] (cmfirm <= cmmhcalx41) and R gave a valid response on method used this month (ED-6 METHX161 <= 26)

salmx42(2381-2381)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - June [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2846
0	No	2576
1	Yes	132
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview yr] (cmfirm <= cmmhcalx42) and R gave a valid response on method used this month (ED-6 METHX165 <= 26)

salmx43(2382-2382)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - July [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	3216
0	No	2233
1	Yes	105
Total		5554

Universe : Applicable if R's date of interview was July 2006 or later (cmintvw > = 1279) and R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 1] (cmfirm <= cmmhcalx43) and R gave a valid response on method used this month (ED-6 METHX169 <= 26)

salmx44(2383-2383)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Aug [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	3691
0	No	1776
1	Yes	87
Total		5554

Universe : Applicable if R's date of interview was Aug 2006 or later (cmintvw > = 1280) and R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year] (cmfirm <= cmmhcalx44) and R gave a valid response on method used this month (ED-6 METHX173 <= 26)

salmx45(2384-2384)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Sept [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	4122
0	No	1383
1	Yes	49
Total		5554

Universe : Applicable if R's date of interview was Sept 2006 or later (cmintvw > = 1281) and R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year] (cmfirm <= cmmhcalx45) and R gave a valid response on method used this month (ED-6 METHX177 <= 26)

salmx46(2385-2385)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Oct [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	4380
0	No	1142
1	Yes	32
Total		5554

Universe : Applicable if R's date of interview was Oct 2006 or later (cmintvw > = 1281) and R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year] (cmfirm <= cmmhcalx46) and R gave a valid response on method used this month (ED-6 METHX181 <= 26)

salmx47(2386-2386)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Nov [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	4851

0	No	682
1	Yes	21
Total		5554

Universe : Applicable if R's date of interview was Nov 2006 or later (cmintvw > = 1282) and R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year] (cmfirm <= cmmhcalx47) and R gave a valid response on method used this month (ED-6 METHX185 <= 26)

salmx48(2387-2387)

Variable Type : computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Dec [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	5316
0	No	234
1	Yes	4
Total		5554

Universe : Applicable if R's date of interview was Dec 2006 or later (cmintvw > = 1284) and R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year] (cmfirm <= cmmhcalx48) and R gave a valid response on method used this month (ED-6 METHX189 <= 26)

sayx1(2388-2388)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Jan [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1198
0	No	4356
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year - 3] (cmfirm <= cmmhcalx2) and R gave a valid response on method used this month (ED-6 METHX1 <= 26)

sayx2(2389-2389)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Feb [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1195
0	No	1949
1	Yes	2410
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year - 3] (cmfirm <= cmmhcalx2) and R gave a valid response on method used this month (ED-6 METHX5 <= 26)

sayx3(2390-2390)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Mar [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1179
0	No	3801
1	Yes	574
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year - 3] (cmfirsm <= cmmhcalx3) and R gave a valid response on method used this month (ED-6 METHX9 <= 26)

sayx4(2391-2391)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - April [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1166
0	No	4272
1	Yes	116
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year - 3] (cmfirsm <= cmmhcalx4) and R gave a valid response on method used this month (ED-13 METHX13 <= 26)

sayx5(2392-2392)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - May [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1154
0	No	4309
1	Yes	91
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year - 3] (cmfirsm <= cmmhcalx5) and R gave a valid response on method used this month (ED-13 METHX17 <= 26)

sayx6(2393-2393)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - June [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1142
0	No	4327
1	Yes	85
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview year - 3] (cmfirsm <= cmmhcalx6) and R gave a valid response on method used this month (ED-13 METHX21 <= 26)

sayx7(2394-2394)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - July [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1122
0	No	4335
1	Yes	97
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 3] (cmfirm <= cmmhcalx7) and R gave a valid response on method used this month (ED-6 METHX25 <= 26)

sayx8(2395-2395)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Aug [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1109
0	No	4369
1	Yes	76
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year - 3] (cmfirm <= cmmhcalx8) and R gave a valid response on method used this month (ED-6 METHX29 <= 26)

sayx9(2396-2396)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Sept [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1097
0	No	4358
1	Yes	99
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year - 3] (cmfirm <= cmmhcalx9) and R gave a valid response on method used this month (ED-6 METHX33 <= 26)

sayx10(2397-2397)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Oct [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1087
0	No	4399
1	Yes	68
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year - 3] (cmfirm <= cmmhcalx10) and R gave a valid response on method used this month (ED-6 METHX37 <= 26)

sayx11(2398-2398)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Nov [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1075
0	No	4394
1	Yes	85
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year - 3] (cmfirm <= cmmhcalx11) and R gave a valid response on method used this month (ED-6 METHX41 <= 26)

sayx12(2399-2399)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Dec [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1065
0	No	4443
1	Yes	46
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year - 3] (cmfirm <= cmmhcalx12) and R gave a valid response on method used this month (ED-6 METHX45 <= 26)

sayx13(2400-2400)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Jan [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1043
0	No	4511
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year - 2] (cmfirm <= cmmhcalx13) and R gave a valid response on method used this month (ED-6 METHX49 <= 26)

sayx14(2401-2401)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Feb [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1032
0	No	1615
1	Yes	2907
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year - 3] (cmfirm <= cmmhcalx14) and R gave a valid response on method used this month (ED-6 METHX53 <= 26)

sayx15(2402-2402)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Mar [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1020
0	No	4402
1	Yes	132
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year - 2] (cmfirm <= cmmhcalx15) and R gave a valid response on method used this month (ED-6 METHX57 <= 26)

sayx16(2403-2403)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - April [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1007
0	No	4471
1	Yes	76
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year - 2] (cmfirm <= cmmhcalx16) and R gave a valid response on method used this month (ED-6 METHX61 <= 26)

sayx17(2404-2404)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - May [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	986
0	No	4464
1	Yes	104
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year - 3] (cmfirm <= cmmhcalx17) and R gave a valid response on method used this month (ED-6 METHX65 <= 26)

sayx18(2405-2405)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - June [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	970

0	No	4497
1	Yes	87
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview year - 3] (cmfirm <= cmmhcalx18) and R gave a valid response on method used this month (ED-6 METHX69 <= 26)

sayx19(2406-2406)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - July [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	953
0	No	4514
1	Yes	87
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 3] (cmfirm <= cmmhcalx19) and R gave a valid response on method used this month (ED-6 METHX73 <= 26)

sayx20(2407-2407)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Aug [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	938
0	No	4515
1	Yes	101
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year - 3] (cmfirm <= cmmhcalx20) and R gave a valid response on method used this month (ED-6 METHX77 <= 26)

sayx21(2408-2408)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Sept [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	926
0	No	4534
1	Yes	94
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year - 3] (cmfirm <= cmmhcalx21) and R gave a valid response on method used this month (ED-6 METHX81 <= 26)

sayx22(2409-2409)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Oct [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	914
0	No	4550
1	Yes	90
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year - 3] (cmfirm <= cmmhcalx22) and R gave a valid response on method used this month (ED-6 METHX85 <= 26)

sayx23(2410-2410)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Nov [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	900
0	No	4583
1	Yes	71
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year - 3] (cmfirm <= cmmhcalx23) and R gave a valid response on method used this month (ED-6 METHX89 <= 26)

sayx24(2411-2411)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Dec [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	886
0	No	4631
1	Yes	37
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year - 3] (cmfirm <= cmmhcalx24) and R gave a valid response on method used this month (ED-6 METHX93 <= 26)

sayx25(2412-2412)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Jan [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	873
0	No	4681
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year - 1] (cmfirm <= cmmhcalx25) and R gave a valid response on method used this month (ED-6 METHX97 <= 26)

sayx26(2413-2413)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Feb [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	857
0	No	1778
1	Yes	2919
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year - 1] (cmfirm <= cmmhcalx26) and R gave a valid response on method used this month (ED-6 METHX101 <= 26)

sayx27(2414-2414)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Mar [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	846
0	No	4580
1	Yes	128
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year - 1] (cmfirm <= cmmhcalx27) and R gave a valid response on method used this month (ED-6 METHX105 <= 26)

sayx28(2415-2415)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - April [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	841
0	No	4625
1	Yes	88
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year - 2] (cmfirm <= cmmhcalx28) and R gave a valid response on method used this month (ED-6 METHX109 <= 26)

sayx29(2416-2416)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - May [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	825
0	No	4641
1	Yes	88
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year - 1] (cmfirm <= cmmhcalx29) and R gave a valid response on method used this month (ED-6 METHX113 <= 26)

sayx30(2417-2417)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - June [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	812
0	No	4645
1	Yes	97
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview year - 1] (cmfirm <= cmmhcalx30) and R gave a valid response on method used this month (ED-6 METHX117 <= 26)

sayx31(2418-2418)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - July [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	794
0	No	4660
1	Yes	100
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 1] (cmfirm <= cmmhcalx31) and R gave a valid response on method used this month (ED-6 METHX121 <= 26)

sayx32(2419-2419)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Aug [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	772
0	No	4689
1	Yes	93
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year - 1] (cmfirm <= cmmhcalx32) and R gave a valid response on method used this month (ED-6 METHX125 <= 26)

sayx33(2420-2420)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Sept [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	757

0	No	4690
1	Yes	107
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year - 1] (cmfirm <= cmmhcalx33) and R gave a valid response on method used this month (ED-6 METHX129 <= 26)

sayx34(2421-2421)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Oct [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	748
0	No	4703
1	Yes	103
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year - 3] (cmfirm <= cmmhcalx34) and R gave a valid response on method used this month (ED-6 METHX133 <= 26)

sayx35(2422-2422)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Nov [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	731
0	No	4752
1	Yes	71
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year - 1] (cmfirm <= cmmhcalx35) and R gave a valid response on method used this month (ED-6 METHX137 <= 26)

sayx36(2423-2423)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Dec [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	724
0	No	4794
1	Yes	36
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year - 1] (cmfirm <= cmmhcalx36) and R gave a valid response on method used this month (ED-6 METHX141 <= 26)

sayx37(2424-2424)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Jan [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	712
0	No	4842
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year] (cmfirm <= cmmhcalx37) and R gave a valid response on method used this month (ED-6 METHX145 <= 26)

sayx38(2425-2425)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Feb [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1169
0	No	1840
1	Yes	2545
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year] (cmfirm <= cmmhcalx38) and R gave a valid response on method used this month (ED-6 METHX149 <= 26)

sayx39(2426-2426)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Mar [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1600
0	No	3855
1	Yes	99
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year] (cmfirm <= cmmhcalx39) and R gave a valid response on method used this month (ED-6 METHX153 <= 26)

sayx40(2427-2427)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - April [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1975
0	No	3525
1	Yes	54
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year] (cmfirm <= cmmhcalx40) and R gave a valid response on method used this month (ED-6 METHX157 <= 26)

sayx41(2428-2428)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - May [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2411
0	No	3101
1	Yes	42
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year] (cmfirm <= cmmhcalx41) and R gave a valid response on method used this month (ED-6 METHX161 <= 26)

sayx42(2429-2429)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - June [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2846
0	No	2668
1	Yes	40
Total		5554

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview yr] (cmfirm <= cmmhcalx42) and R gave a valid response on method used this month (ED-6 METHX165 <= 26)

sayx43(2430-2430)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - July [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	3216
0	No	2309
1	Yes	29
Total		5554

Universe : Applicable if R's date of interview was July 2006 or later (cmintvw > = 1279) and R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 1] (cmfirm <= cmmhcalx43) and R gave a valid response on method used this month (ED-6 METHX169 <= 26)

sayx44(2431-2431)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Aug [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	3691
0	No	1847
1	Yes	16
Total		5554

Universe : Applicable if R's date of interview was Aug 2006 or later (cmintvw > = 1280) and R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year] (cmfirm <= cmmhcalx44) and R gave a valid response on method used this month (ED-6 METHX173 <= 26)

sayx45(2432-2432)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Sept [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	4122
0	No	1414
1	Yes	18
Total		5554

Universe : Applicable if R's date of interview was Sept 2006 or later (cmintvw > = 1281) and R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year] (cmfirm <= cmmhcalx45) and R gave a valid response on method used this month (ED-6 METHX177 <= 26)

sayx46(2433-2433)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Oct [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	4380
0	No	1161
1	Yes	13
Total		5554

Universe : Applicable if R's date of interview was Oct 2006 or later (cmintvw > = 1281) and R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year] (cmfirm <= cmmhcalx46) and R gave a valid response on method used this month (ED-6 METHX181 <= 26)

sayx47(2434-2434)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Nov [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	4851
0	No	699
1	Yes	4
Total		5554

Universe : Applicable if R's date of interview was Nov 2006 or later (cmintvw > = 1282) and R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year] (cmfirm <= cmmhcalx47) and R gave a valid response on method used this month (ED-6 METHX185 <= 26)

sayx48(2435-2435)

Variable Type : computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Dec [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	5316

0	No	237
1	Yes	1
Total		5554

Universe : Applicable if R's date of interview was Dec 2006 or later (cmintvw > = 1284) and R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year] (cmfirsm <= cmmhcalx48) and R gave a valid response on method used this month (ED-6 METHX189 <= 26)

SIMSEQ1(2436-2436)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Jan [interview yr-3]

value	label	Total
.	INAPPLICABLE	5550
1	Same time	4
Total		5554

Universe : Applicable if R used two methods in January [interview yr - 3] (nummultx1 = 2)

SIMSEQ2(2437-2437)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Feb [interview yr-3]

value	label	Total
.	INAPPLICABLE	5176
1	Same time	286
2	Different times	92
Total		5554

Universe : Applicable if R used two methods in February [interview yr - 3] (nummultx2 = 2)

SIMSEQ3(2438-2438)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Mar [interview yr-3]

value	label	Total
.	INAPPLICABLE	5177
1	Same time	287
2	Different times	90
Total		5554

Universe : Applicable if R used two methods in March [interview yr - 3] (nummultx3 = 2)

SIMSEQ4(2439-2439)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? April [interview yr-3]

value	label	Total
.	INAPPLICABLE	5181
1	Same time	280
2	Different times	93
Total		5554

Universe : Applicable if R used two methods in April [interview yr - 3] (nummultx4 = 2)

SIMSEQ5(2440-2440)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? May [interview yr-3]

value	label	Total
.	INAPPLICABLE	5181
1	Same time	283
2	Different times	90
	Total	5554

Universe : Applicable if R used two methods in May [interview yr - 3] (nummultx5 = 2)

SIMSEQ6(2441-2441)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? June [interview yr-3]

value	label	Total
.	INAPPLICABLE	5171
1	Same time	283
2	Different times	100
	Total	5554

Universe : Applicable if R used two methods in June [interview yr - 3] (nummultx6 = 2)

SIMSEQ7(2442-2442)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? July [interview yr-3]

value	label	Total
.	INAPPLICABLE	5165
1	Same time	291
2	Different times	98
	Total	5554

Universe : Applicable if R used two methods in July [interview yr - 3] (nummultx7 = 2)

SIMSEQ8(2443-2443)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Aug [interview yr-3]

value	label	Total
.	INAPPLICABLE	5169
1	Same time	289
2	Different times	96
	Total	5554

Universe : Applicable if R used two methods in Aug [interview yr - 3] (nummultx8 = 2)

SIMSEQ9(2444-2444)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Sept [interview yr-3]

value	label	Total
.	INAPPLICABLE	5174
1	Same time	285
2	Different times	95
Total		5554

Universe : Applicable if R used two methods in September [interview yr - 3] (nummultx9 = 2)

SIMSEQX10(2445-2445)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Oct [interview yr-3]

value	label	Total
.	INAPPLICABLE	5183
1	Same time	285
2	Different times	86
Total		5554

Universe : Applicable if R used two methods in October [interview yr - 3] (nummultx10 = 2)

SIMSEQX11(2446-2446)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Nov [interview yr-3]

value	label	Total
.	INAPPLICABLE	5167
1	Same time	289
2	Different times	98
Total		5554

Universe : Applicable if R used two methods in November [interview yr - 3] (nummultx11 = 2)

SIMSEQX12(2447-2447)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Dec [interview yr-3]

value	label	Total
.	INAPPLICABLE	5160
1	Same time	295
2	Different times	99
Total		5554

Universe : Applicable if R used two methods in December [interview yr - 3] (nummultx12 = 2)

SIMSEQX13(2448-2448)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Jan [interview yr-2]

value	label	Total
.	INAPPLICABLE	5164
1	Same time	293
2	Different times	97
Total		5554

Universe : Applicable if R used two methods in January [interview yr - 2] (nummultx13 = 2)

SIMSEQX14(2449-2449)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Feb [interview yr-2]

value	label	Total
.	INAPPLICABLE	5173
1	Same time	288
2	Different times	93
Total		5554

Universe : Applicable if R used two methods in February [interview yr - 2] (nummultx14 = 2)

SIMSEQX15(2450-2450)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Mar [interview yr-2]

value	label	Total
.	INAPPLICABLE	5170
1	Same time	293
2	Different times	91
Total		5554

Universe : Applicable if R used two methods in March [interview yr - 2] (nummultx15 = 2)

SIMSEQX16(2451-2451)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? April [interview yr-2]

value	label	Total
.	INAPPLICABLE	5174
1	Same time	292
2	Different times	88
Total		5554

Universe : Applicable if R used two methods in April [interview yr - 2] (nummultx16 = 2)

SIMSEQX17(2452-2452)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? May [interview yr-2]

value	label	Total
.	INAPPLICABLE	5168
1	Same time	295
2	Different times	91

Total **5554**

Universe : Applicable if R used two methods in May [interview yr - 2] (nummultx17 = 2)

SIMSEQX18(2453-2453)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? June [interview yr-2]

value	label	Total
.	INAPPLICABLE	5155
1	Same time	303
2	Different times	96
Total		5554

Universe : Applicable if R used two methods in June [interview yr - 2] (nummultx18 = 2)

SIMSEQX19(2454-2454)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? July [interview yr-2]

value	label	Total
.	INAPPLICABLE	5149
1	Same time	308
2	Different times	97
Total		5554

Universe : Applicable if R used two methods in July [interview yr - 2] (nummultx19 = 2)

SIMSEQX20(2455-2455)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Aug [interview yr-2]

value	label	Total
.	INAPPLICABLE	5157
1	Same time	304
2	Different times	93
Total		5554

Universe : Applicable if R used two methods in Aug [interview yr - 2] (nummultx20 = 2)

SIMSEQX21(2456-2456)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Sept [interview yr-2]

value	label	Total
.	INAPPLICABLE	5155
1	Same time	298
2	Different times	101
Total		5554

Universe : Applicable if R used two methods in September [interview yr - 2] (nummultx21 = 2)

SIMSEQ22(2457-2457)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Oct [interview yr-2]

value	label	Total
.	INAPPLICABLE	5149
1	Same time	304
2	Different times	101
Total		5554

Universe : Applicable if R used two methods in October [interview yr - 2] (nummultx22 = 2)

SIMSEQ23(2458-2458)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Nov [interview yr-2]

value	label	Total
.	INAPPLICABLE	5153
1	Same time	303
2	Different times	98
Total		5554

Universe : Applicable if R used two methods in November [interview yr - 2] (nummultx23 = 2)

SIMSEQ24(2459-2459)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Dec [interview yr-2]

value	label	Total
.	INAPPLICABLE	5152
1	Same time	303
2	Different times	99
Total		5554

Universe : Applicable if R used two methods in December [interview yr - 2] (nummultx24 = 2)

SIMSEQ25(2460-2460)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Jan [interview yr-1]

value	label	Total
.	INAPPLICABLE	5147
1	Same time	302
2	Different times	105
Total		5554

Universe : Applicable if R used two methods in January [interview yr - 1] (nummultx25 = 2)

SIMSEQ26(2461-2461)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Feb [interview yr-1]

value	label	Total
.	INAPPLICABLE	5127
1	Same time	316
2	Different times	111
Total		5554

Universe : Applicable if R used two methods in February [interview yr - 1] (nummultx26 = 2)

SIMSEQX27(2462-2462)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Mar [interview yr-1]

value	label	Total
.	INAPPLICABLE	5139
1	Same time	312
2	Different times	103
Total		5554

Universe : Applicable if R used two methods in March [interview yr - 1] (nummultx27 = 2)

SIMSEQX28(2463-2463)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? April [interview yr-1]

value	label	Total
.	INAPPLICABLE	5142
1	Same time	315
2	Different times	97
Total		5554

Universe : Applicable if R used two methods in April [interview yr - 1] (nummultx28 = 2)

SIMSEQX29(2464-2464)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? May [interview yr-1]

value	label	Total
.	INAPPLICABLE	5134
1	Same time	317
2	Different times	103
Total		5554

Universe : Applicable if R used two methods in May [interview yr - 1] (nummultx29 = 2)

SIMSEQX30(2465-2465)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? June [interview yr-1]

value	label	Total
-------	-------	-------

.	INAPPLICABLE	5130
1	Same time	319
2	Different times	105
	Total	5554

Universe : Applicable if R used two methods in June [interview yr - 1] (nummultx30 = 2)

SIMSEQX31(2466-2466)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? July [interview yr-1]

value	label	Total
.	INAPPLICABLE	5122
1	Same time	324
2	Different times	108
	Total	5554

Universe : Applicable if R used two methods in July [interview yr - 1] (nummultx31 = 2)

SIMSEQX32(2467-2467)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Aug [interview yr-1]

value	label	Total
.	INAPPLICABLE	5115
1	Same time	319
2	Different times	120
	Total	5554

Universe : Applicable if R used two methods in Aug [interview yr - 1] (nummultx32 = 2)

SIMSEQX33(2468-2468)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Sept [interview yr-1]

value	label	Total
.	INAPPLICABLE	5129
1	Same time	310
2	Different times	115
	Total	5554

Universe : Applicable if R used two methods in September [interview yr - 1] (nummultx33 = 2)

SIMSEQX34(2469-2469)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Oct [interview yr-1]

value	label	Total
.	INAPPLICABLE	5136
1	Same time	306
2	Different times	112

Total **5554**

Universe : Applicable if R used two methods in October [interview yr - 1] (nummultx34 = 2)

SIMSEQ35(2470-2470)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Nov [interview yr-1]

value	label	Total
.	INAPPLICABLE	5117
1	Same time	319
2	Different times	118
Total		5554

Universe : Applicable if R used two methods in November [interview yr - 1] (nummultx35 = 2)

SIMSEQ36(2471-2471)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Dec [interview yr-1]

value	label	Total
.	INAPPLICABLE	5101
1	Same time	339
2	Different times	114
Total		5554

Universe : Applicable if R used two methods in December [interview yr - 1] (nummultx36 = 2)

SIMSEQ37(2472-2472)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Jan [interview yr]

value	label	Total
.	INAPPLICABLE	5098
1	Same time	343
2	Different times	113
Total		5554

Universe : Applicable if R used two methods in January [interview yr] (nummultx37 = 2)

SIMSEQ38(2473-2473)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Feb [interview yr]

value	label	Total
.	INAPPLICABLE	5121
1	Same time	324
2	Different times	109
Total		5554

Universe : Applicable if R used two methods in February [interview yr] (nummultx38 = 2)

SIMSEQ39(2474-2474)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Mar [interview yr]

value	label	Total
.	INAPPLICABLE	5196
1	Same time	273
2	Different times	85
Total		5554

Universe : Applicable if R used two methods in March [interview yr] (nummultx39 = 2)

SIMSEQ40(2475-2475)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? April [interview yr]

value	label	Total
.	INAPPLICABLE	5234
1	Same time	248
2	Different times	72
Total		5554

Universe : Applicable if R used two methods in April [interview yr] (nummultx40 = 2)

SIMSEQ41(2476-2476)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? May [interview yr]

value	label	Total
.	INAPPLICABLE	5280
1	Same time	212
2	Different times	62
Total		5554

Universe : Applicable if R used two methods in May [interview yr] (nummultx41 = 2)

SIMSEQ42(2477-2477)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? June [interview yr]

value	label	Total
.	INAPPLICABLE	5308
1	Same time	183
2	Different times	63
Total		5554

Universe : Applicable if R used two methods in June [interview yr] (nummultx42 = 2)

SIMSEQ43(2478-2478)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? July [interview yr]

value	label	Total
.	INAPPLICABLE	5363
1	Same time	150
2	Different times	41
Total		5554

Universe : Applicable if R used two methods in July [interview yr] (nummultx43 = 2)

SIMSEQX44(2479-2479)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Aug [interview yr]

value	label	Total
.	INAPPLICABLE	5386
1	Same time	126
2	Different times	42
Total		5554

Universe : Applicable if R used two methods in Aug [interview yr] (nummultx44 = 2)

SIMSEQX45(2480-2480)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Sept [interview yr]

value	label	Total
.	INAPPLICABLE	5422
1	Same time	99
2	Different times	33
Total		5554

Universe : Applicable if R used two methods in September [interview yr] (nummultx45 = 2)

SIMSEQX46(2481-2481)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Oct [interview yr]

value	label	Total
.	INAPPLICABLE	5444
1	Same time	81
2	Different times	29
Total		5554

Universe : Applicable if R used two methods in October [interview yr] (nummultx46 = 2)

SIMSEQX47(2482-2482)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Nov [interview yr]

value	label	Total
-------	-------	-------

.	INAPPLICABLE	5485
1	Same time	51
2	Different times	18
	Total	5554

Universe : Applicable if R used two methods in November [interview yr] (nummultx47 = 2)

SIMSEQX48(2483-2483)

Variable Type : raw

ED-10 : Did you use (any of) those methods at different times during the month, or did you use them (all) at the same time? Dec [interview yr]

value	label	Total
.	INAPPLICABLE	5539
1	Same time	11
2	Different times	4
	Total	5554

Universe : Applicable if R used two methods in December [interview yr] (nummultx48 = 2)

Female Respondent File Codebook :: SECTION E: Contraceptive History and Pregnancy Wantedness :: (EF)
Method use at last (and first) sex with up to 3 partners in the past 12 months

USELSTP(2484-2484)

Variable Type : raw

EF-1 : Looking at Card 33, the [time / last time] you had intercourse with [LAST PARTNER], in [DATE OF LAST SEX WITH LAST PARTNER], did you or he use any method?

value	label	Total
.	INAPPLICABLE	1408
1	Yes	3268
5	No	875
8	Refused	2
9	Don't know	1
	Total	5554

Universe : Applicable if R had at least 1 sexual partner in the past 12 months (parts12 > 0 or cmlsex/cmfplast GE cmlstyr) and last partner in past 12 months was not the first partner or was the first partner but R had sex with him more than once ((parts12 and CH-1 LIFEPR ne 1) or (CH-1 LIFEPR = 1 and CG-7m LSTSEXP_M ne 96))

Notes : use recode MTHUSE12 or MTHUSE3

WYNOLSTP(2485-2485)

Variable Type : raw

EF-1b : Is the reason you did not use a method of birth control because you, yourself, wanted to become pregnant? (last partner)

value	label	Total
.	INAPPLICABLE	5233
1	Yes	75
5	No	243
8	Refused	1
9	Don't know	2
	Total	5554

Universe : Applicable if R did not use a method at last intercourse with last partner in the past 12 months (EF-1 USELSTP NE 1) and R did not last have intercourse in the month of interview (cmlsex NE cmintvw)

HPLSTP(2486-2486)

Variable Type : raw

EF-1c : And your partner, did he want you to become pregnant? (last partner)

value	label	Total
.	INAPPLICABLE	5233
1	Yes	91
5	No	223
8	Refused	1
9	Don't know	6
Total		5554

Universe : Applicable if R did not use a method at last intercourse with last partner in the past 12 months (EF-1 USELSTP NE 1) and R did not last have intercourse in the month of interview (cmlsex NE cmintvw)

LSTMTHP1(2487-2488)

Variable Type : raw

EF-2 : Which method or methods on Card 33 did you or he use? - (1st Mention; LAST PARTNER)

value	label	Total
.	INAPPLICABLE	2286
3	Birth control pills	590
4	Condom	782
5	Partner's vasectomy	227
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	577
7	Withdrawal, pulling out	355
8	Depo-Provera, injectables	130
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	107
10	Calendar rhythm, Standard Days, or Cycle Beads method	42
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
15	Jelly or cream	3
17	Suppository, insert	1
19	IUD, coil, or loop	373
20	Emergency contraception	5
21	Other method -- specify	3
22	Respondent was sterile	11
23	Respondent's partner was sterile	1
25	Contraceptive patch	6
26	Vaginal contraceptive ring	51
99	Don't know	1
Total		5554

Universe : Applicable if R used a method at last intercourse with last partner in the past 12 months (EF-1 USELSTP = 1)

Notes : use recode METH12M1 or METH3M1

LSTMTHP2(2489-2490)

Variable Type : raw

EF-2 : Which method or methods on Card 33 did you or he use? - (2nd Mention; LAST PARTNER)

value	label	Total
.	INAPPLICABLE	5033
3	Birth control pills	15

4	Condom	156
5	Partner's vasectomy	14
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	54
7	Withdrawal, pulling out	134
8	Depo-Provera, injectables	18
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	14
10	Calendar rhythm, Standard Days, or Cycle Beads method	42
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
13	Female condom, vaginal pouch	2
14	Foam	2
15	Jelly or cream	2
17	Suppository, insert	2
19	IUD, coil, or loop	47
20	Emergency contraception	5
21	Other method -- specify	2
22	Respondent was sterile	1
23	Respondent's partner was sterile	1
25	Contraceptive patch	1
26	Vaginal contraceptive ring	5
	Total	5554

Universe : Applicable if R used at least 2 methods at last intercourse with last partner in the past 12 months (see EF-2 LSTMTHP1)

Notes : use recode METH12M2 or METH3M2

LSTMTHP3(2491-2492)

Variable Type : raw

EF-2 : Which method or methods on Card 33 did you or he use? - (3rd Mention; LAST PARTNER)

value	label	Total
.	INAPPLICABLE	5514
3	Birth control pills	1
4	Condom	1
5	Partner's vasectomy	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	2
7	Withdrawal, pulling out	12
8	Depo-Provera, injectables	3
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	11
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
17	Suppository, insert	1
19	IUD, coil, or loop	3
20	Emergency contraception	1
	Total	5554

Universe : Applicable if R used at least 3 methods at last intercourse with last partner in the past 12 months (see EF-2 LSTMTHP1)

Notes : use recode METH12M3 or METH3M3

LSTMTHP4(2493-2494)

Variable Type : raw

EF-2 : Which method or methods on Card 33 did you or he use? - (4th Mention; LAST PARTNER)

value	label	Total
.	INAPPLICABLE	5552
10	Calendar rhythm, Standard Days, or Cycle Beads method	1

20	Emergency contraception	1
	Total	5554

Universe : Applicable if R used at least 4 methods at last intercourse with last partner in the past 12 months (see EF-2 LSTMTHP1)

Notes : use recode METH12M4 or METH3M4

LPIUDTYP(2495-2495)

Variable Type : raw

EF-2b : Please look at Card 30a. Which type of IUD did you use? Was it a copper-bearing IUD such as Copper-T or ParaGard, a Levonorgestrel or hormonal IUD, such as Mirena or Skyla, or another type? (last partner)

value	label	Total
.	INAPPLICABLE	5131
1	Copper-bearing (such as Copper-T or ParaGard)	96
2	Hormonal IUD (such as Mirena or Skyla)	324
3	Other	2
9	Don't know	1
	Total	5554

Universe : Applicable if R used an IUD at last intercourse with last partner in the past 12 months (any EF-2 LSTMTHP1 through LSTMTHP4 = 19)

USEFSTP(2496-2496)

Variable Type : raw

EF-3 : Looking at Card 33, the first time you had intercourse with [LAST PARTNER], which was in [DATE OF FIRST SEX WITH LAST PARTNER], did you or he use any method? - 1st Mention

value	label	Total
.	INAPPLICABLE	2353
1	Yes	2700
5	No	492
8	Refused	2
9	Don't know	7
	Total	5554

Universe : Applicable if R had at least 1 sexual partner in the past 12 months (parts12 > 0) and had sex more than once with last partner in past 12 months (cmfsex ne 9996) and last partner in past 12 months was not the first partner (p1yrelp ne 13)

FSTMTHP1(2497-2498)

Variable Type : raw

EF-4 : Which method or methods on Card 33 did you or he use? - (1st mention; LAST PARTNER)

value	label	Total
.	INAPPLICABLE	2854
3	Birth control pills	643
4	Condom	1349
5	Partner's vasectomy	53
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	175
7	Withdrawal, pulling out	166
8	Depo-Provera, injectables	91
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	39
10	Calendar rhythm, Standard Days, or Cycle Beads method	7
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
12	Diaphragm	1

19	IUD, coil, or loop	127
20	Emergency contraception	3
22	Respondent was sterile	3
23	Respondent's partner was sterile	1
25	Contraceptive patch	11
26	Vaginal contraceptive ring	28
99	Don't know	2
	Total	5554

Universe : Applicable if R used a method at first intercourse with last partner in the past 12 months (EF-3 USEFSTP = 1)

FSTMTHP2(2499-2500)

Variable Type : raw

EF-4 : Which method or methods on Card 33 did you or he use? - (2nd mention;LAST PARTNER)

value	label	Total
.	INAPPLICABLE	4855
3	Birth control pills	58
4	Condom	350
5	Partner's vasectomy	14
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	60
7	Withdrawal, pulling out	84
8	Depo-Provera, injectables	29
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	12
10	Calendar rhythm, Standard Days, or Cycle Beads method	16
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
14	Foam	2
15	Jelly or cream	2
17	Suppository, insert	3
19	IUD, coil, or loop	42
20	Emergency contraception	9
25	Contraceptive patch	3
26	Vaginal contraceptive ring	14
	Total	5554

Universe : Applicable if R used at least 2 methods at last intercourse with last partner in the past 12 months (see EF-4 FSTMTHP1)

FSTMTHP3(2501-2502)

Variable Type : raw

EF-4 : Which method or methods on Card 33 did you or he use? - (3rd mention; LAST PARTNER)

value	label	Total
.	INAPPLICABLE	5511
3	Birth control pills	3
4	Condom	2
5	Partner's vasectomy	2
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	3
7	Withdrawal, pulling out	19
8	Depo-Provera, injectables	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	3
14	Foam	1
17	Suppository, insert	1
19	IUD, coil, or loop	5
20	Emergency contraception	1
26	Vaginal contraceptive ring	1
	Total	5554

Universe : Applicable if R used at least 3 methods at last intercourse with last partner in the past 12 months (see EF-4 FSTMTHP1)

FSTMTHP4(2503-2504)

Variable Type : raw

EF-4 : Which method or methods on Card 33 did you or he use? - (4th mention; LAST PARTNER)

value	label	Total
.	INAPPLICABLE	5552
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
14	Foam	1
	Total	5554

Universe : Applicable if R used at least 4 methods at last intercourse with last partner in the past 12 months (see EF-4 FSTMTHP1)

USELSTP2(2505-2505)

Variable Type : raw

EF-1 : Looking at Card 33, the [time / last time] you had intercourse with [2ND-TO-LAST PARTNER], in [DATE OF LAST SEX WITH 2ND-TO-LAST PARTNER], did you or he use any method?

value	label	Total
.	INAPPLICABLE	4934
1	Yes	539
5	No	81
	Total	5554

Universe : Applicable if R had at least 2 sexual partners in the past 12 months (parts12 > 1 or cmlsex2 GE cmlstyr)

WYNOLSTP2(2506-2506)

Variable Type : raw

EF-1b : Is the reason you did not use a method of birth control because you, yourself, wanted to become pregnant? (2nd-to-last partner)

value	label	Total
.	INAPPLICABLE	5480
1	Yes	10
5	No	64
	Total	5554

Universe : Applicable if R did not use a method at last intercourse with 2nd-to-last partner in the past 12 months (EF-1 USELSTP2 NE 1) and R did not last have intercourse with this partner in the month of interview (cmlsex NE cmintvw)

HPLSTP2(2507-2507)

Variable Type : raw

EF-1c : And your partner, did he want you to become pregnant? (2nd-to-last partner)

value	label	Total
.	INAPPLICABLE	5480
1	Yes	14
5	No	60
	Total	5554

Universe : Applicable if R did not use a method at last intercourse with 2nd-to-last partner in the past 12 months (EF-1 USELSTP NE 1) and R did not last have intercourse with this partner in the month of interview (cmlsex NE cmintvw)

LSTMTHP5(2508-2509)

Variable Type : raw

EF-2 : Which method or methods on Card 33 did you or he use? - (1ST Mention; 2ND-TO-LAST PARTNER)

value	label	Total
.	INAPPLICABLE	5015
3	Birth control pills	102
4	Condom	236
5	Partner's vasectomy	6
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	46
7	Withdrawal, pulling out	52
8	Depo-Provera, injectables	18
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	22
10	Calendar rhythm, Standard Days, or Cycle Beads method	3
15	Jelly or cream	1
19	IUD, coil, or loop	43
20	Emergency contraception	4
22	Respondent was sterile	1
26	Vaginal contraceptive ring	5
	Total	5554

Universe : Applicable if R used a method at last intercourse with 2nd-to-last partner in the past 12 months (EF-1 USELSTP2 = 1)

LSTMTHP6(2510-2511)

Variable Type : raw

EF-2 : Which method or methods on Card 33 did you or he use? - (2ND Mention; 2ND-TO-LAST PARTNER)

value	label	Total
.	INAPPLICABLE	5396
3	Birth control pills	3
4	Condom	59
5	Partner's vasectomy	2
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	20
7	Withdrawal, pulling out	40
8	Depo-Provera, injectables	4
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	8
10	Calendar rhythm, Standard Days, or Cycle Beads method	2
17	Suppository, insert	1
19	IUD, coil, or loop	14
20	Emergency contraception	4
26	Vaginal contraceptive ring	1
	Total	5554

Universe : Applicable if R used at least 2 methods at last intercourse with 2nd-to-last partner in the past 12 months (see EF-2 LSTMTHP5)

LSTMTHP7(2512-2513)

Variable Type : raw

EF-2 : Which method or methods on Card 33 did you or he use? - (3RD Mention; 2ND-TO-LAST PARTNER)

value	label	Total
.	INAPPLICABLE	5540

3	Birth control pills	1
5	Partner's vasectomy	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	8
10	Calendar rhythm, Standard Days, or Cycle Beads method	2
20	Emergency contraception	1
	Total	5554

Universe : Applicable if R used at least 3 methods at last intercourse with 2nd-to-last partner in the past 12 months (see EF-2 LSTMTHP5)

LSTMTHP8(2514-2514)

Variable Type : raw

EF-2 : Which method or methods on Card 33 did you or he use? - (4TH Mention; 2ND-TO-LAST PARTNER)

value	label	Total
.	INAPPLICABLE	5554
	Total	5554

Universe : Applicable if R used at least 4 methods at last intercourse with 2nd-to-last partner in the past 12 months (see EF-2 LSTMTHP5)

LPIUDTYP2(2515-2515)

Variable Type : raw

EF-2b : Please look at Card 30a. Which type of IUD did you use? Was it a copper-bearing IUD such as Copper-T or ParaGard, a Levonorgestrel or hormonal IUD, such as Mirena or Skyla, or another type? (2nd-to-last partner)

value	label	Total
.	INAPPLICABLE	5497
1	Copper-bearing (such as Copper-T or ParaGard)	9
2	Hormonal IUD (such as Mirena or Skyla)	48
	Total	5554

Universe : Applicable if R used an IUD at last intercourse with 2nd-to-last partner in the past 12 months (any EF-2 LSTMTHP1 through LSTMTHP4 = 19)

USEFSTP2(2516-2516)

Variable Type : raw

EF-3 : Looking at Card 33, the first time you had intercourse with [2ND-TO-LAST PARTNER], which was in [DATE OF FIRST SEX WITH 2ND-TO-LAST PARTNER], did you or he use any method?

value	label	Total
.	INAPPLICABLE	5006
1	Yes	460
5	No	88
	Total	5554

Universe : Applicable if R had at least 2 sexual partners in the past 12 months (parts12 > 1) and had sex more than once with 2nd-to-last partner in past 12 months (cmfsex2 ne 9996) and last partner in past 12 months was not the first partner (p1yrelp2 ne 13)

FSTMTHP5(2517-2518)

Variable Type : raw

EF-4 : Which method or methods on Card 33 did you or he use? - (1ST mention; 2ND-TO-LAST PARTNER)

value	label	Total
.	INAPPLICABLE	5094
3	Birth control pills	93
4	Condom	231
5	Partner's vasectomy	6
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	26
7	Withdrawal, pulling out	35
8	Depo-Provera, injectables	17
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	14
10	Calendar rhythm, Standard Days, or Cycle Beads method	3
19	IUD, coil, or loop	30
20	Emergency contraception	1
22	Respondent was sterile	1
26	Vaginal contraceptive ring	3
	Total	5554

Universe : Applicable if R used a method at first intercourse with 2nd-to-last partner in the past 12 months (EF-3 USEFSTP2 = 1)

FSTMTHP6(2519-2520)

Variable Type : raw

EF-4 : Which method or methods on Card 33 did you or he use? - (2ND mention; 2ND-TO-LAST PARTNER)

value	label	Total
.	INAPPLICABLE	5409
3	Birth control pills	3
4	Condom	62
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	20
7	Withdrawal, pulling out	31
8	Depo-Provera, injectables	6
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	6
10	Calendar rhythm, Standard Days, or Cycle Beads method	2
19	IUD, coil, or loop	14
26	Vaginal contraceptive ring	1
	Total	5554

Universe : Applicable if R used at least 2 methods at last intercourse with 2nd-to-last partner in the past 12 months (see EF-4 FSTMTHP5)

FSTMTHP7(2521-2522)

Variable Type : raw

EF-4 : Which method or methods on Card 33 did you or he use? - (3RD mention; 2ND-TO-LAST PARTNER)

value	label	Total
.	INAPPLICABLE	5539
3	Birth control pills	1
5	Partner's vasectomy	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	4
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	2
10	Calendar rhythm, Standard Days, or Cycle Beads method	3
19	IUD, coil, or loop	1
20	Emergency contraception	2
	Total	5554

Universe : Applicable if R used at least 3 methods at last intercourse with 2nd-to-last partner in the past 12 months (see EF-4 FSTMTHP5)

FSTMTHP8(2523-2523)

Variable Type : raw

EF-4 : Which method or methods on Card 33 did you or he use? - (4th mention; 2ND-TO-LAST PARTNER)

value	label	Total
.	INAPPLICABLE	5554
Total		5554

Universe : Applicable if R used at least 4 methods at last intercourse with 2nd-to-last partner in the past 12 months (see EF-4 FSTMTHP5)

USELSTP3(2524-2524)

Variable Type : raw

EF-1 : Looking at Card 33, the [time / last time] you had intercourse with [3RD-TO-LAST PARTNER], in [DATE OF LAST SEX WITH 3RD-TO-LAST PARTNER], did you or he use any method?

value	label	Total
.	INAPPLICABLE	5342
1	Yes	181
5	No	31
Total		5554

Universe : Applicable if R had at least 3 sexual partners in the past 12 months (parts12 > 2 or cmlsex3 GE cmlstyr)

WYNOLSTP3(2525-2525)

Variable Type : raw

EF-1b : Is the reason you did not use a method of birth control because you, yourself, wanted to become pregnant? (3rd-to-last partner)

value	label	Total
.	INAPPLICABLE	5524
1	Yes	1
5	No	29
Total		5554

Universe : Applicable if R did not use a method at last intercourse with 3rd-to-last partner in the past 12 months (EF-1 USELSTP3 NE 1) and R did not last have intercourse with this partner in the month of interview (cmlsex NE cmintvw)

HPLSTP3(2526-2526)

Variable Type : raw

EF-1c : And your partner, did he want you to become pregnant? (3rd-to-last partner)

value	label	Total
.	INAPPLICABLE	5524
1	Yes	4
5	No	25
9	Don't know	1
Total		5554

Universe : Applicable if R did not use a method at last intercourse with 3rd-to-last partner in the past 12 months (EF-1 USELSTP NE 1) and R did not last have intercourse with this partner in the month of interview (cmlsex NE cmintvw)

LSTMTHP9(2527-2528)

Variable Type : raw

EF-2 : Which method or methods on Card 33 did you or he use? - (1ST Mention; 3RD-TO-LAST PARTNER)

value	label	Total
.	INAPPLICABLE	5373
3	Birth control pills	42
4	Condom	77
5	Partner's vasectomy	4
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	7
7	Withdrawal, pulling out	22
8	Depo-Provera, injectables	7
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	7
15	Jelly or cream	1
19	IUD, coil, or loop	9
20	Emergency contraception	1
22	Respondent was sterile	1
26	Vaginal contraceptive ring	3
Total		5554

Universe : Applicable if R used a method at last intercourse with 3rd-to-last partner in the past 12 months (EF-1 USELSTP3 = 1)

LSTMTHP10(2529-2530)

Variable Type : raw

EF-2 : Which method or methods on Card 33 did you or he use? - (2ND Mention; 3RD-TO-LAST PARTNER)

value	label	Total
.	INAPPLICABLE	5489
3	Birth control pills	2
4	Condom	22
5	Partner's vasectomy	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	9
7	Withdrawal, pulling out	12
8	Depo-Provera, injectables	2
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	5
19	IUD, coil, or loop	11
22	Respondent was sterile	1
Total		5554

Universe : Applicable if R used at least 2 methods at last intercourse with 3rd-to-last partner in the past 12 months (see EF-2 LSTMTHP9)

LSTMTHP11(2531-2531)

Variable Type : raw

EF-2 : Which method or methods on Card 33 did you or he use? - (3RD Mention; 3RD-TO-LAST PARTNER)

value	label	Total
.	INAPPLICABLE	5552
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	1
Total		5554

Universe : Applicable if R used at least 3 methods at last intercourse with 3rd-to-last partner in the past 12 months (see EF-2 LSTMTHP9)

LSTMTHP12(2532-2532)

Variable Type : raw

EF-2 : Which method or methods on Card 33 did you or he use? - (4TH Mention; 3RD-TO-LAST PARTNER)

value	label	Total
.	INAPPLICABLE	5554
	Total	5554

Universe : Applicable if R used at least 4 methods at last intercourse with 3rd-to-last partner in the past 12 months (see EF-2 LSTMTHP9)

LPIUDTYP3(2533-2533)

Variable Type : raw

EF-2b : Please look at Card 30a. Which type of IUD did you use? Was it a copper-bearing IUD such as Copper-T or ParaGard, a Levonorgestrel or hormonal IUD, such as Mirena or Skyla, or another type? (3rd-to-last partner)

value	label	Total
.	INAPPLICABLE	5534
1	Copper-bearing (such as Copper-T or ParaGard)	2
2	Hormonal IUD (such as Mirena or Skyla)	18
	Total	5554

Universe : Applicable if R used an IUD at last intercourse with 3rd-to-last partner in the past 12 months (any EF-2 LSTMTHP1 through LSTMTHP4 = 19)

USEFSTP3(2534-2534)

Variable Type : raw

EF-3 : Looking at Card 33, the first time you had intercourse with [3RD-TO-LAST PARTNER], which was in [DATE OF FIRST SEX WITH 3RD-TO-LAST PARTNER], did you or he use any method?

value	label	Total
.	INAPPLICABLE	5368
1	Yes	163
5	No	23
	Total	5554

Universe : Applicable if R had at least 3 sexual partners in the past 12 months (parts12 > 2) and had sex more than once with 3rd-to-last partner in past 12 months (cmfsex3 ne 9996) and last partner in past 12 months was not the first partner (p1yrelp3 ne 13)

FSTMTHP9(2535-2536)

Variable Type : raw

EF-4 : Which method or methods on Card 33 did you or he use? - (1ST mention; 3RD-TO-LAST PARTNER)

value	label	Total
.	INAPPLICABLE	5391
3	Birth control pills	33
4	Condom	80
5	Partner's vasectomy	3
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	6
7	Withdrawal, pulling out	17
8	Depo-Provera, injectables	7
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	7
19	IUD, coil, or loop	7
22	Respondent was sterile	2
26	Vaginal contraceptive ring	1
	Total	5554

Universe : Applicable if R used a method at first intercourse with 3rd-to-last partner in the past 12 months (EF-3 USEFSTP3 = 1)

FSTMTHP10(2537-2538)

Variable Type : raw

EF-4 : Which method or methods on Card 33 did you or he use? - (2ND mention; 3RD-TO-LAST PARTNER)

value	label	Total
.	INAPPLICABLE	5497
3	Birth control pills	1
4	Condom	23
5	Partner's vasectomy	2
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	8
7	Withdrawal, pulling out	8
8	Depo-Provera, injectables	2
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	3
15	Jelly or cream	1
19	IUD, coil, or loop	7
20	Emergency contraception	1
25	Contraceptive patch	1
	Total	5554

Universe : Applicable if R used at least 2 methods at last intercourse with 3rd-to-last partner in the past 12 months (see EF-4 FSTMTHP9)

FSTMTHP11(2539-2539)

Variable Type : raw

EF-4 : Which method or methods on Card 33 did you or he use? - (3rd mention; 3RD-TO-LAST PARTNER)

value	label	Total
.	INAPPLICABLE	5552
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	1
	Total	5554

Universe : Applicable if R used at least 3 methods at last intercourse with 3rd-to-last partner in the past 12 months (see EF-4 FSTMTHP9)

FSTMTHP12(2540-2540)

Variable Type : raw

EF-4 : Which method or methods on Card 33 did you or he use? - (4TH mention; 3RD-TO-LAST PARTNER)

value	label	Total
.	INAPPLICABLE	5554
	Total	5554

Universe : Applicable if R used at least 4 methods at last intercourse with 3rd-to-last partner in the past 12 months (see EF-4 FSTMTHP9)

Female Respondent File Codebook :: SECTION E: Contraceptive History and Pregnancy Wantedness :: (EH)
Open interval questions

WYNOTUSE(2541-2541)

Variable Type : raw

EH-1 : You may have already answered a similar question, but is the reason you are not using a method of birth control now because you, yourself, want to become pregnant as soon as possible?

value	label	Total
.	INAPPLICABLE	4980
1	Yes	203
5	No	367
9	Don't know	4
	Total	5554

Universe : Applicable if R is not currently pregnant (currpreg = 5) and R had sex in month of interview (EC-8 MONSX through MONSX48 corresponding to cmintvw = 1) and R is not sterilized nor sterile [(rstrstat ne 1 or 2) and (ED-6 METHX1 through METHX192 corresponding to cmintvw ne 6)] and R did not use a method in month of interview (currmeth1 = 1)

HPPREGQ(2542-2542)

Variable Type : raw

EH-2 : And your partner, does he want you to become pregnant as soon as possible?

value	label	Total
.	INAPPLICABLE	4980
1	Yes	234
5	No	319
6	(If volunteered:) no current partner	12
9	Don't know	9
	Total	5554

Universe : Applicable if R is not currently pregnant (currpreg = 5) and R had sex in month of interview (EC-8 MONSX through MONSX48 corresponding to cmintvw = 1) and R is not sterilized nor sterile [(rstrstat ne 1 or 2) and (ED-6 METHX1 through METHX192 corresponding to cmintvw ne 6)] and R did not use a method in month of interview (currmeth1 = 1)

DURTRY_N(2543-2544)

Variable Type : raw

EH-2n : How long have you been trying to become pregnant? (NUMBER)

value	label	Total
.	INAPPLICABLE	5351
0-48	0-48	197
95	Not trying to get pregnant	6
	Total	5554

Universe : Applicable if R is trying to become pregnant (EH-1 WYNOTUSE = 1)

Notes : R can report duration in months or years. See DURTRY_P for unit of measurement.

DURTRY_P(2545-2545)

Variable Type : raw

EH-2p : (How long have you been trying to become pregnant?) (UNIT-MONTHS OR YEARS)

value	label	Total
.	INAPPLICABLE	5351
1	Months	113
2	Years	87
9	Don't know	3
	Total	5554

Universe : Applicable if R is trying to become pregnant (EH-1 WYNOTUSE = 1)

WHYNOUSING1(2546-2547)

Variable Type : raw

EH-2c : Please look at Card 43a. Which of the following statements applies to you right now? You are not using birth control because. . . (1st mention)

value	label	Total
.	INAPPLICABLE	5237
1	You do not expect to have sex	64
2	You do not think you can get pregnant	90
3	You don't really mind if you get pregnant	52
4	You are worried about the side effects of birth control	51
5	Your male partner does not want you to use a birth control method	3
6	Your male partner himself does not want to use a birth control method	3
7	(IF VOLUNTEERED:)Respondent is using a method	10
8	You could not get a method	13
9	You are not taking, or using, your method consistently	21
98	Refused	1
99	Don't know	9
	Total	5554

Universe : Applicable if R is not trying to become pregnant or does not know or refused to report whether she is trying to become pregnant (EH-1 WYNOTUSE = 5, dk, rf) and R's partner does not want her to become pregnant or she doesn't know or refused to report whether he wants her to become pregnant (EH-2 HPPREGQ = 5, dk, rf)

WHYNOUSING2(2548-2548)

Variable Type : raw

EH-2c : Please look at Card 43a. Which of the following statements applies to you right now? You are not using birth control because. . . (2nd mention)

value	label	Total
.	INAPPLICABLE	5493
1	You do not expect to have sex	1
2	You do not think you can get pregnant	4
3	You don't really mind if you get pregnant	22
4	You are worried about the side effects of birth control	17
5	Your male partner does not want you to use a birth control method	2
6	Your male partner himself does not want to use a birth control method	4
7	(IF VOLUNTEERED:)Respondent is using a method	1
8	You could not get a method	3
9	You are not taking, or using, your method consistently	7
	Total	5554

Universe : Applicable if R reported more than 1 reason she is not currently using birth control (see EH-2c WHYNOUSING1)

WHYNOUSING3(2549-2549)

Variable Type : raw

EH-2c : Please look at Card 43a. Which of the following statements applies to you right now? You are not using birth control because. . . (3rd mention)

value	label	Total
.	INAPPLICABLE	5544
2	You do not think you can get pregnant	1
4	You are worried about the side effects of birth control	3
5	Your male partner does not want you to use a birth control method	2
6	Your male partner himself does not want to use a birth control method	1
8	You could not get a method	2
9	You are not taking, or using, your method consistently	1

Total

5554

Universe : Applicable if R reported more than 2 reasons she is not currently using birth control (see EH-2c WHYNOUSING1)

WHYNOUSING4(2550-2550)

Variable Type : raw

EH-2c : Please look at Card 43a. Which of the following statements applies to you right now? You are not using birth control because. . . (4th mention)

value	label	Total
.	INAPPLICABLE	5550
5	Your male partner does not want you to use a birth control method	1
6	Your male partner himself does not want to use a birth control method	2
9	You are not taking, or using, your method consistently	1
Total		5554

Universe : Applicable if R reported more than 3 reasons she is not currently using birth control (see EH-2c WHYNOUSING1)

WHYNOUSING5(2551-2551)

Variable Type : raw

EH-2c : Please look at Card 43a. Which of the following statements applies to you right now? You are not using birth control because. . . (5th mention)

value	label	Total
.	INAPPLICABLE	5554
Total		5554

Universe : Applicable if R reported more than 4 reasons she is not currently using birth control (see EH-2c WHYNOUSING1)

whynotpg1(2552-2553)

Variable Type : computed

EH-2cc : Could you say a bit more about why you do not think you can get pregnant? (1st mention)

value	label	Total
.	INAPPLICABLE	5459
1	Diagnosis of repro problems/condition	22
2	Prior preg or attempt: problems with or treatments/ART needed	1
3	Prior unprotected sex, no preg	18
4	Perceive infertile or difficulty getting preg/carrying to term	7
5	Menopause related	18
8	Breastfeeding	5
9	Partner sterile	7
10	Not having sex	1
11	Other	11
12	Too old (R or partner)	4
97	Not ascertained	1
Total		5554

Universe : Applicable if R chose "do not think you can get pregnant" as reason for no current BC use, at risk of unintended preg (any EH-2c WHYNOUSING1 through EH-2c WHYNOUSING5 = 2)

whynotpg2(2554-2555)

Variable Type : computed

EH-2cc : Could you say a bit more about why you do not think you can get pregnant? (2nd mention)

value	label	Total
.	INAPPLICABLE	5547
1	Diagnosis of repro problems/condition	1
3	Prior unprotected sex, no preg	1
4	Perceive infertile or difficulty getting preg/carrying to term	1
5	Menopause related	2
9	Partner sterile	1
10	Not having sex	1
Total		5554

Universe : Applicable if R reported at least 2 reasons on EH-2cc WHYNOTPG (see whynotpg1)

MAINNOUSE(2556-2556)

Variable Type : raw

EH-2d : Which one of these is the main reason that you are not using birth control?

value	label	Total
.	INAPPLICABLE	5494
1	You do not expect to have sex	7
2	You do not think you can get pregnant	17
3	You don't really mind if you get pregnant	13
4	You are worried about the side effects of birth control	17
5	Your male partner does not want you to use a birth control method	1
6	Your male partner himself does not want to use a birth control method	1
8	You could not get a method	2
9	You are not taking, or using, your method consistently	2
Total		5554

Universe : Applicable if R reported more than 1 reason she is not currently using birth control (see EH-2c WHYNOUSING1)

Female Respondent File Codebook :: SECTION E: Contraceptive History and Pregnancy Wantedness :: (EJ) Pill, IUD for health reasons

YUSEPILL1(2557-2557)

Variable Type : raw

EJ-1 : Now I have a question about your recent pill use. Please look at Card 43b and tell me the reason or reasons for your recent pill use. - 1st mention

value	label	Total
.	INAPPLICABLE	4818
1	Birth control	539
2	Cramps, or pain during menstrual periods	81
3	Treatment for acne	24
4	Treatment for endometriosis	7
5	Other reasons	11
6	To regulate your menstrual periods	66
7	To reduce menstrual bleeding	7
8	Treatment for hot flashes or other peri-menopausal symptoms	1
Total		5554

Universe : Applicable if R used the pill in current month or in prior month (any of currmeth1 - currmeth4 or 1stmonmeth1 - 1stmonmeth4 = 3)

YUSEPILL2(2558-2558)

Variable Type : raw

EJ-1 : Now I have a question about your recent pill use. Please look at Card 43b and tell me the reason or reasons for your recent pill use. - 2nd mention

value	label	Total
.	INAPPLICABLE	5128
1	Birth control	29
2	Cramps, or pain during menstrual periods	141
3	Treatment for acne	54
4	Treatment for endometriosis	9
5	Other reasons	10
6	To regulate your menstrual periods	137
7	To reduce menstrual bleeding	44
8	Treatment for hot flashes or other peri-menopausal symptoms	2
Total		5554

Universe : Applicable if R mentioned at least 2 reasons for recent pill use (see EJ-1 YUSEPILL1)

YUSEPILL3(2559-2559)

Variable Type : raw

EJ-1 : Now I have a question about your recent pill use. Please look at Card 43b and tell me the reason or reasons for your recent pill use. - 3rd mention

value	label	Total
.	INAPPLICABLE	5316
1	Birth control	11
2	Cramps, or pain during menstrual periods	17
3	Treatment for acne	30
4	Treatment for endometriosis	6
5	Other reasons	8
6	To regulate your menstrual periods	103
7	To reduce menstrual bleeding	60
8	Treatment for hot flashes or other peri-menopausal symptoms	3
Total		5554

Universe : Applicable if R mentioned at least 3 reasons for recent pill use (see EJ-1 YUSEPILL1)

YUSEPILL4(2560-2560)

Variable Type : raw

EJ-1 : Now I have a question about your recent pill use. Please look at Card 43b and tell me the reason or reasons for your recent pill use. - 4th mention

value	label	Total
.	INAPPLICABLE	5454
1	Birth control	6
2	Cramps, or pain during menstrual periods	5
3	Treatment for acne	2
5	Other reasons	2
6	To regulate your menstrual periods	26
7	To reduce menstrual bleeding	57
8	Treatment for hot flashes or other peri-menopausal symptoms	2
Total		5554

Universe : Applicable if R mentioned at least 4 reasons for recent pill use (see EJ-1 YUSEPILL1)

YUSEPILL5(2561-2561)

Variable Type : raw

EJ-1 : Now I have a question about your recent pill use. Please look at Card 43b and tell me the reason or reasons for your recent pill use. - 5th mention

value	label	Total
.	INAPPLICABLE	5531
1	Birth control	1
2	Cramps, or pain during menstrual periods	1
5	Other reasons	3
6	To regulate your menstrual periods	3
7	To reduce menstrual bleeding	13
8	Treatment for hot flashes or other peri-menopausal symptoms	2
	Total	5554

Universe : Applicable if R mentioned at least 5 reasons for recent pill use (see EJ-1 YUSEPILL1)

YUSEPILL6(2562-2562)

Variable Type : raw

EJ-1 : Now I have a question about your recent pill use. Please look at Card 43b and tell me the reason or reasons for your recent pill use. - 6th mention

value	label	Total
.	INAPPLICABLE	5550
5	Other reasons	1
7	To reduce menstrual bleeding	1
8	Treatment for hot flashes or other peri-menopausal symptoms	2
	Total	5554

Universe : Applicable if R mentioned at least 6 reasons for recent pill use (see EJ-1 YUSEPILL1)

YUSEPILL7(2563-2563)

Variable Type : raw

EJ-1 : Now I have a question about your recent pill use. Please look at Card 43b and tell me the reason or reasons for your recent pill use. - 7th mention

value	label	Total
.	INAPPLICABLE	5553
8	Treatment for hot flashes or other peri-menopausal symptoms	1
	Total	5554

Universe : Applicable if R mentioned at least 7 reasons for recent pill use (see EJ-1 YUSEPILL1)

IUDTYPE(2564-2564)

Variable Type : raw

EJ-3 : Now I'd like to ask you about your recent IUD use. You mentioned that you used the IUD within the past 2 months. Please look at Card 30a. Which type (are you using / did you use)? (Is / Was) it a copper-bearing IUD such as Copper-T or ParaGard, or (is/was) it a Levonorgestrel or hormonal IUD, such as Mirena or Skyla, or (is/was) it another type?

value	label	Total
.	INAPPLICABLE	5090
1	Copper-bearing (such as Copper-T or ParaGard)	107
2	Hormonal IUD (such as Mirena or Skyla)	354
3	Other	2
9	Don't know	1
	Total	5554

Universe : Applicable if R used the IUD in current month or in prior month (any of currmeth1 - currmeth4 or lstmonmeth1 - lstmonmeth4 = 19)

YUSEIUD1(2565-2565)

Variable Type : raw

EJ-3a : Now, please look at Card 43b and tell me the reason or reasons for your recent IUD use. - 1st mention

value	label	Total
.	INAPPLICABLE	5200
1	Birth control	316
2	Cramps, or pain during menstrual periods	15
4	Treatment for endometriosis	3
5	Other reasons	12
6	To regulate your menstrual periods	4
7	To reduce menstrual bleeding	4
	Total	5554

Universe : Applicable if R used the IUD in the current month or in prior month (any of currmeth1 - currmeth4 or lstmonmeth1 - lstmonmeth4 = 19)

YUSEIUD2(2566-2566)

Variable Type : raw

EJ-3a : Now, please look at Card 43b and tell me the reason or reasons for your recent IUD use. - 2nd mention

value	label	Total
.	INAPPLICABLE	5459
1	Birth control	2
2	Cramps, or pain during menstrual periods	41
3	Treatment for acne	2
4	Treatment for endometriosis	2
5	Other reasons	24
6	To regulate your menstrual periods	7
7	To reduce menstrual bleeding	17
	Total	5554

Universe : Applicable if R mentioned at least 2 reasons for recent IUD used (see EJ-3a YUSEIUD1)

YUSEIUD3(2567-2567)

Variable Type : raw

EJ-3a : Now, please look at Card 43b and tell me the reason or reasons for your recent IUD use. - 3rd mention

value	label	Total
.	INAPPLICABLE	5526
2	Cramps, or pain during menstrual periods	1
3	Treatment for acne	1
4	Treatment for endometriosis	2
5	Other reasons	10
6	To regulate your menstrual periods	7
7	To reduce menstrual bleeding	7
	Total	5554

Universe : Applicable if R mentioned at least 3 reasons for recent IUD used (see EJ-3a YUSEIUD1)

YUSEIUD4(2568-2568)

Variable Type : raw

EJ-3a : Now, please look at Card 43b and tell me the reason or reasons for your recent IUD use. - 4th mention

value	label	Total
.	INAPPLICABLE	5547
2	Cramps, or pain during menstrual periods	1
5	Other reasons	1
7	To reduce menstrual bleeding	5
	Total	5554

Universe : Applicable if R mentioned at least 4 reasons for recent IUD used (see EJ-3a YUSEIUD1)

YUSEIUD5(2569-2569)

Variable Type : raw

EJ-3a : Now, please look at Card 43b and tell me the reason or reasons for your recent IUD use. - 5th mention

value	label	Total
.	INAPPLICABLE	5553
5	Other reasons	1
	Total	5554

Universe : Applicable if R mentioned 5 reasons for recent IUD used (see EJ-3a YUSEIUD1)

Female Respondent File Codebook :: SECTION E: Contraceptive History and Pregnancy Wantedness :: (EK)
Recent hormonal method use: source, insurance, payment

ekmethod(2570-2571)

Variable Type : computed

Description : Recently used method chosen for EK series. (Computed in Flow Check E-98b)

value	label	Total
.	INAPPLICABLE	3966
3	Birth control pills	724
8	Depo-Provera, injectables	187
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	144
19	IUD, coil, or loop	464
25	Contraceptive patch	9
26	Vaginal contraceptive ring	60
	Total	5554

Universe : Applicable if R used the pill, Depo, patch, ring, IUD, or contraceptive implant in the current month or last month (currmeth1 - currmeth4 or lstmonmeth1 - lstmonmeth4 = 3, 8, 9, 19, 25, 26)

CURBCPLC(2572-2573)

Variable Type : raw

EK-1 : Please look at Card 25. Where did you get the [METHOD] you used recently?

value	label	Total
.	INAPPLICABLE	3966
1	Private doctor's office	1023
2	HMO facility	44
3	Community health clinic, community clinic, public health clinic	218
4	Family planning or Planned Parenthood Clinic	120
5	Employer or company clinic	2
6	School or school-based clinic	15

7	Hospital outpatient clinic	37
8	Hospital emergency room	1
9	Hospital regular room	15
10	Urgent care center, urgi-care or walk-in facility	1
11	In-store health clinic (like CVS, Target, or Walmart)	84
20	Some other place	27
99	Don't know	1
	Total	5554

Universe : Applicable if R used the pill, Depo, patch, ring, IUD, or contraceptive implant in the current month or last month (ekmethod NE BLANK)

NUMPILLS(2574-2575)

Variable Type : raw

EK-2 : How many months' supply of birth control pills did you get the last time you got some?

value	label	Total
.	INAPPLICABLE	4830
1	1 month	267
2	2 months	15
3	3 months	277
4-11	4-11 months	68
12	12 months	91
13-25	13-25 months	5
99	Don't know	1
	Total	5554

Universe : Applicable if R used the pill in the current month or last month (ekmethod = 3)

CURBCPAY1(2576-2576)

Variable Type : raw

EK-3 : Please look at Card 16a and tell me all the ways in which you paid for your [METHOD] the last time you got this method. (1st mention)

value	label	Total
.	INAPPLICABLE	3966
1	Insurance	1037
2	Co-payment	36
3	Out-of-pocket payment	64
4	Medicaid	355
5	No payment required	87
6	Some other way	7
9	Don't know	2
	Total	5554

Universe : Applicable if R used the pill, Depo, patch, ring, IUD, or contraceptive implant in the current month or last month (ekmethod NE BLANK)

CURBCPAY2(2577-2577)

Variable Type : raw

EK-3 : Please look at Card 16a and tell me all the ways in which you paid for your [METHOD] the last time you got this method. (2nd mention)

value	label	Total
.	INAPPLICABLE	5196
1	Insurance	21
2	Co-payment	277

3	Out-of-pocket payment	30
4	Medicaid	21
5	No payment required	8
6	Some other way	1
	Total	5554

Universe : Applicable if R reported at least two ways of payment (see EK-3 CURBCPAY1)

CURBCPAY3(2578-2578)

Variable Type : raw

EK-3 : Please look at Card 16a and tell me all the ways in which you paid for your [METHOD] the last time you got this method. (3rd mention)

value	label	Total
.	INAPPLICABLE	5545
2	Co-payment	1
3	Out-of-pocket payment	7
4	Medicaid	1
	Total	5554

Universe : Applicable if R reported at least three ways of payment (see EK-3 CURBCPAY1)

CURBCINS(2579-2579)

Variable Type : raw

EK-4 : The last time you got this method, did you have any kind of health insurance or Medicaid?

value	label	Total
.	INAPPLICABLE	5331
1	Yes	145
5	No	78
	Total	5554

Universe : Applicable if R did not use insurance or Medicaid or R refused or did not know how she paid for her method (none of EK-3 CURBCPAY1 - CURBCPAY3 = 1, 4, 98, 99)

NOUSEINS1(2580-2580)

Variable Type : raw

EK-5 : Please look at Card 43c. Why did you not use your insurance to pay for your method supplies? - 1ST MENTIONED

value	label	Total
.	INAPPLICABLE	5409
1	Insurance doesn't cover my method supplies	29
2	I had not yet met my insurance deductible	7
3	I did not want to use insurance because someone might find out about it	4
4	I did not need to use insurance because the method supplies were free	39
5	Some other reason	43
8	Refused	4
9	Don't know	19
	Total	5554

Universe : Applicable if R had health insurance or Medicaid the last time she got method (EK-4 CURBCINS = 1)

NOUSEINS2(2581-2581)

Variable Type : raw

EK-5 : Please look at Card 43c. Why did you not use your insurance to pay for your method supplies? - 2ND MENTIONED

value	label	Total
.	INAPPLICABLE	5549
2	I had not yet met my insurance deductible	2
4	I did not need to use insurance because the method supplies were free	1
5	Some other reason	2
	Total	5554

Universe : Applicable if R mentioned at least two reasons for not using her health insurance (see EK-5 NOUSEINS1)

NOUSEINS3(2582-2582)

Variable Type : raw

EK-5 : Please look at Card 43c. Why did you not use your insurance to pay for your method supplies? - 3RD MENTIONED

value	label	Total
.	INAPPLICABLE	5553
5	Some other reason	1
	Total	5554

Universe : Applicable if R mentioned three reasons for not using her health insurance (see EK-5 NOUSEINS1)

CURBCAMT(2583-2583)

Variable Type : raw

EK-6 : Please look at Card 43d. How much did you pay for your co-payment or out-of-pocket payment when you received the method?

value	label	Total
.	INAPPLICABLE	5147
1	Under \$10	90
2	\$10-\$25	159
3	\$26-\$50	89
4	\$51-\$100	16
5	Over \$100	42
9	Don't know	11
	Total	5554

Universe : Applicable if R mentioned paying by co-payment or out-of-pocket payment (any of EK-3 CURBCPAY1 through CURBCPAY3 = 2 or 3)

NOCOST1(2584-2584)

Variable Type : raw

EK-7 : If you did not have to worry about cost and could use any type of contraceptive method available, would you want to use a different method?

value	label	Total
.	INAPPLICABLE	2006
1	Yes	720
5	No	2795
8	Refused	2
9	Don't know	31
	Total	5554

Universe : Applicable if R used any method in the current or previous month (any of currmeth1 - currmeth4 or lstmonmeth1 - lstmonmeth4 = 3 - 26)

NOCOST2(2585-2585)

Variable Type : raw

EK-8 : If you did not have to worry about cost and could use any type of contraceptive method available, would you want to use a method?

value	label	Total
.	INAPPLICABLE	4150
1	Yes	461
5	No	934
9	Don't know	9
Total		5554

Universe : Applicable if R used no method in current and previous month or has never used a method ((currmeth1 = 1 and lstmonmeth1 = 1) or everused = 5)

Female Respondent File Codebook :: SECTION E: Contraceptive History and Pregnancy Wantedness :: (EL) Condom consistency: past 4 weeks & past 12 months

PST4WKSX(2586-2588)

Variable Type : raw

EL-1 : Now please think about the last four weeks. How many times have you had sexual intercourse with a male in the last four weeks?

value	label	Total
.	INAPPLICABLE	1268
0-995	0-995	4263
998	Refused	14
999	Don't know	9
Total		5554

Universe : Applicable if R had sexual intercourse in the past 12 months (EC-8 MONSX through MONSX48 for any of 12 months prior to cmintvw = 1)

PSWKCOND1(2589-2589)

Variable Type : raw

EL-2 : Did you use a condom?

value	label	Total
.	INAPPLICABLE	5174
1	Yes	118
5	No	262
Total		5554

Universe : Applicable if R only had sex once in the past 4 weeks (EL-1 PST4WKSX = 1) and R ever used the condom (EA-2 CONDOM = 1)

PSWKCOND2(2590-2591)

Variable Type : raw

EL-3 : How many of those times did you use a condom?

value	label	Total
.	INAPPLICABLE	2752
0-995	0-995	2802

Total **5554**

Universe : Applicable if R had sex more than once in the past 4 weeks (EL-1 PST4WKSX > 1) and R ever used the condom (EA-2 CONDOM = 1)

COND1BRK(2592-2592)

Variable Type : raw

EL-3a : That time you used the condom in the past 4 weeks, did it break or completely fall off during intercourse or withdrawal?

value	label	Total
.	INAPPLICABLE	5384
1	Yes	5
5	No	165
Total		5554

Universe : Applicable if R reported using a condom once in the last 4 weeks (EL-2 PSWKCOND1=1)

COND1OFF(2593-2593)

Variable Type : raw

EL-3b : Was the condom used for only part of the time during intercourse? That is, was it put on after you started having sex, or taken off during sex but before ejaculation?

value	label	Total
.	INAPPLICABLE	5384
1	Yes	28
5	No	142
Total		5554

Universe : Applicable if R reported using a condom once in the last 4 weeks (EL-2 PSWKCOND1=1)

CONDBRFL(2594-2594)

Variable Type : raw

EL-3c : Of those (number of times from EL-3 PSWKCOND2) times that you used a condom, how many times did the condom break or completely fall off during intercourse or withdrawal?

value	label	Total
.	INAPPLICABLE	4967
0	Not at all or never	550
1-50	1 or more times	37
Total		5554

Universe : Applicable if R reported using a condom more than once in the past 4 weeks (EL-3 PSWKCOND2 > 1)

CONDOFF(2595-2597)

Variable Type : raw

EL-3d : Of those (number of times from EL-3 PSWKCOND2) times that you used a condom, how many times was the condom used for only part of the time during intercourse? That is, how many time was the condom put on after you started having sex, or taken off during sex but before ejaculation?

value	label	Total
.	INAPPLICABLE	4967
0	Not at all or never	422
1-50	1 or more times	161
999	Don't know	4

Total 5554

Universe : Applicable if R reported using a condom more than once in the past 4 weeks (EL-3 PSWKCOND2 > 1)

MISSPILL(2598-2598)

Variable Type : raw

EL-3e : Still thinking about the past 4 weeks, how many pills that you were supposed to take did you miss? Would you say you never missed a pill, missed only one pill, or missed two or more pills?

value	label	Total
.	INAPPLICABLE	4917
1	Never missed	402
2	Missed only one	120
3	Missed two or more	98
4	Did not use pill over past 4 weeks	17
	Total	5554

Universe : Applicable if R used the pill in current month or in prior month (any of currmeth1 - currmeth4 or lstmonmeth1 - lstmonmeth4 = 3)

P12MOCON(2599-2599)

Variable Type : raw

EL-4 : Please look at Card 48. Thinking back over the past 12 months, that is, since [INTERVIEW MONTH, INTERVIEW YEAR - 1], would you say you used a condom with your partner for sexual intercourse every time, most of the time, about half of the time, some of the time, or none of the time?

value	label	Total
.	INAPPLICABLE	1504
1	Every time	671
2	Most of the time	381
3	About half of the time	161
4	Some of the time	524
5	None of the time	2310
8	Refused	2
9	Don't know	1
	Total	5554

Universe : Applicable if R had sexual intercourse in the past 12 months (EC-8 MONSX through MONSX48 for any of 12 months prior to cmintvw = 1) and R ever used the condom (EA-2 CONDOM = 1)

PXNOFREQ(2600-2600)

Variable Type : raw

EL-5 : Please look at Card 48. During the last 12 months, that is, since (INTERVIEW MONTH, INTERVIEW YEAR - 1), how often did you or your partner use any method to prevent pregnancy or disease when you had sex together?

value	label	Total
.	INAPPLICABLE	1974
1	Every time	1961
2	Most of the time	416
3	About half of the time	139
4	Some of the time	289
5	None of the time	771
9	Don't know	4
	Total	5554

Universe : Applicable if R had sexual intercourse in the last 12 months (MONSXnn NE 5 for any month in the range cmlstyr through cmintw), ever used any method (EVERUSED=1) and did not already say they used a condom every time in the past 12 months (EL-4 P12MOCON NE 1)