

**SECTION E**  
**Contraceptive History and Pregnancy Wantedness**

**VARIABLES IMPORTED FROM EARLIER SECTIONS:**

AGE_R	R's age at interview (From A)
AGESCRN	R's age at screener (From A)
CMLSTYR	CM for 12 months before interview (From A)
CMLSTYR_FILL	Mo/Yr fill for CMLSTYR (From A)
CMINTVW	CM for date of interview (From A)
CMBIRTH	CM for R's date of birth (From A)
CMJAN99	CM for January 1999 ("last 3 years") (From A)
CMJAN97	CM for January 1997 ("last 5 years") (From A)
MARSTAT	R's informal marital status (From A)
CURRPREG	Is R currently pregnant (From B)
EVERPREG	Has R ever been pregnant (From B)
NUMPREGS	Number of pregnancies (From B)
PRGOUTCOME	Outcome of each pregnancy (incl. current) (from B)
CMPRGEND	CM for date pregnancy ended (all outcomes; blank/inapp for current preg) (From B)
CMPRGBEG	CM for date pregnancy began (all outcomes; incl. current) (From B)
CMPRGEND_FILL	Mo/yr fill for CMPRGEND (From B)
CMPRGBEG_FILL	Mo/yr fill for CMPRGBEG (From B)
NBRNALIV	Number of babies born alive from pregnancy (from B)
MULTBRTH	Verifies multiple birth (from B)
BABYNAME	Baby name for live births (From B)
MULT	Fill for multiple births (from B)
BABYSEX	sex of baby (from B)
CMBABDOB	CM for date of child's birth (From B)
TIMESMAR	Number of marriages (only for ever-married) (From C)
CMMARRHX	CM for date of marriage X (From C)
CMSTPHSBX	CM date when R stopped living with former or separated husband X (From C)
CMFSTSEX	CM for date of first sex (From C)
CMFSTSEX_FILL	Mo/Yr fill for CMFSTSEX (From C)
CMSEXAFM	CM date of first sex after menarche (From C)
CMSEXAFM_FILL	Mo/Yr fill for CMSEXAFM (from C)
RHADSEX	Whether R ever had sex (From C)
FRSTPART	Name of 1st sexual partner (From C)
CMLSEAFP	CM date of last sex with first partner (from C)
CMFSEXX	CM date of 1 <sup>st</sup> sex with partner X in last 12 mos (from C)
PCURRNTX	Whether partner X in last 12 mos is current (from C)
CMLSEXX	CM date of last sex with partner X in last 12 mos (from C)
CMLSEXX_FILL	Mo/Yr fill for CMLSEXX (from C)
CMDATLST	CM date of last sex (for those with MON12PRT = 0) (from C)
PARTS12	Number of male partners in last 12 mos (from C)
PRT12NAM1	Name fill for 1 <sup>st</sup> most recent male partner in last 12 mos (From C)
PRT12NAM2	Name fill for 2 <sup>nd</sup> most recent male partner in last 12 mos (From C)
PRT12NAM3	Name fill for 3 <sup>rd</sup> most recent male partner in last 12 mos (From C)
CMPART1Y1	CM date of last or only sex with PRT12NAM1 (from C)
CMPART1Y2	CM date of last or only sex with PRT12NAM2 (from C)
CMPART1Y3	CM date of last or only sex with PRT12NAM3 (from C)
RSURGSTR	Whether R is surgically sterile at interview (From D)
PSURGSTR	Whether R's current H/P is surgically sterile at interview (From D)
RSTRSTAT	Whether R is surgically or nonsurgically sterile at interview (from D)
PSTRSTAT	Whether R's current H/P is surgically or nonsurgically sterile at interview (from D)
ANYFSTER	Has R ever had sterilizing operation (from D)
ANYMSTER	Has R's current H/P ever had sterilizing operation (from D)
CMOPER1	CM date for R's 1st sterilizing operation (from D)
CMMALEOP	CM date for R's current H/P's sterilizing operation (from D)
CMLIGREV	CM date for R's reversal of tubal sterilization (From D)
CMVASREV	CM date for R's current H/P's reversal of vasectomy (from D)

**VARIABLES CREATED WITHIN THIS SECTION**

EVERUSED	Ever used any method (including sterilizations from D) (FC E-5)
DRUGDEV	Yes if first method was a drug or device, no otherwise. (FC E-14)

CMFIRSM CM for date of first method use (FC E-18)  
 NUMDISS Number of methods stopped due to dissatisfaction (FC E-8)  
 USEFSTSX Whether R used a method at first sex (FC E-18 and FC E-29)  
 MTHFSTSX01 Method used at first sex -1st mention (FC E-18 and FC E-32)  
 MTHFSTSX02 Method used at first sex -2nd mention (FC E-18 and FC E-32)  
 MTHFSTSX03 Method used at first sex -3rd mention (FC E-18 and FC E-32)  
 MTHFSTSX04 Method used at first sex -4th mention (FC E-18 and FC E-32)  
 NUMFIRSM Number of methods reported in first method use (FC E-12)  
 CMJAN02 Century month of January 2002 (FC E-34a)  
 CMJAN01 Century month of January 2001 (FC E-34a)  
 CMJAN98 Century month of January 1998 (FC E-34a)  
 CMDATBEGIN CM for date began meth. reported in 1st mon of meth calendar (FC E-49)  
 CURRMETH1 Method(s) used in month of interview - 1st mention (FC E-54)  
 CURRMETH2 Method(s) used in month of interview - 2nd mention (FC E-54)  
 CURRMETH3 Method(s) used in month of interview - 3rd mention (FC E-54)  
 CURRMETH4 Method(s) used in month of interview - 4th mention (FC E-54)  
 LASTMONMETH1 Method used in month before interview - 1st mention (FC E-54)  
 LASTMONMETH2 Method used in month before interview - 2nd mention (FC E-54)  
 LASTMONMETH3 Method used in month before interview - 3rd mention (FC E-54)  
 LASTMONMETH4 Method used in month before interview - 4th mention (FC E-54)  
 NUMMULT Number of methods reported in month x of meth.calendar (FC E-42)  
 METHCNTR Counter for # times METHHIST asked (FC E-41)  
 NUMMCMON Number of months of meth. calendar asked about (FC E-41)  
 WANTCNTR Pregnancy counter for wantedness series (FC E-65)  
 LBCNTR Live births counter for wantedness series (FC E-65)  
 CMINTSTRXX CM for date of beginning of pregnancy interval (FC E-68)  
 CMINTFINXX CM for date of end of pregnancy interval (FC E-68)  
 CMINTSTROP Open interval: CM of date of beginning (FC E-68)  
 CMINTFINOP Open interval: CM of date of end (FC E-68)  
 CMINTSTRCR Currently pregnant: CM of date of beginning of interval (FC E-68)  
 CMINTFINCR Currently pregnant: CM of date of end of interval (FC E-68)  
 ANYUSINT Any method use in pregnancy interval (FC E-69)  
 CMFSTUSE Century month for date first used a method (FC E-20, E-21)  
 CMSTRTMC Century month for date of starting month of method calendar (FC E-39)  
 CMSTRTMC\_FILL Fill for date of starting month of method calendar  
 CMENDMC Century month for date of ending month of method calendar (FC E-39)  
 CMENDMC\_FILL Fill for Date of ending month of method calendar  
 BABYNAME\_FILL Fill for baby name (adds wording for multiples, relinquished & died)  
 FIRSMETH\_FILL Fill for first method used  
 CMSEXAFM\_FILL Fill for date of first sex after menarche  
 CMLSEXP\_FILL Fill for date of last sex with first partner  
 CMFSEXX\_FILL Fill for date of first sex with partner in past 12 mons  
 CMLSEXX\_FILL Fill for date of last sex with partner in past 12 mons  
 CMOPER1\_FILL Fill for date of R's first sterilizing operation  
 CMLIGREV\_FILL Fill for date of R's first reversal operation  
 CMMALEOP\_FILL Fill for date of R's H/P's first sterilizing operation  
 CMVASREV\_FILL Fill for date of R's H/P's first reversal operation  
 METHHIST\_FILL Fill for method(s) used in a month of the method calendar  
 PLACCNTR1 Counter for # times PLACGOTF1 or PLACGOTF2 asked (FC E-23)  
 PLACCNTR2 Counter for # times PLACCUR1 or PLACCUR2 asked (FC E-90)  
 PILL\_12 Whether used pill in the 12 months before interview (FC E-55)  
 DIAPH\_12 Whether used diaphragm in the 12 months before interview (FC E-55)  
 IUD\_12 Whether used IUD in the 12 months before interview (FC E-55)  
 NORP\_12 Whether used norplant implants in the 12 months before interview (FC E-55)  
 DEPO\_12 Whether used Depo-provera injectables in the 12 months before interview (FC E-55)  
 CERVC\_12 Whether used cervical cap in the 12 months before interview (FC E-55)  
 MPILL\_12 Whether used emergency contraception in the 12 months before interview (FC E-55)

CM VARIABLES TO CHECK AGAINST BOTH CMINTVW AND CMBIRTH:  
 CMFSTUSE

**VARIABLES CREATED WITHIN THIS SECTION to include on output data file**

EVERUSED  
DRUGDEV  
CMFIRSM  
NUMFIRSM  
CURRMETH1  
CURRMETH2  
CURRMETH3  
CURRMETH4  
NUMMULT  
METHCNTR  
NUMCMON  
WANTCNTR  
CMINTSTRXX  
CMINTFINXX  
CMINTSTROP  
CMINTFINOP  
CMINTSTRCR  
CMINTFINCR  
ANYUSINT  
CMFSTUSE  
CMSTRTMC  
CMENDMC  
PLACCNTR1  
PLACCNTR2  
PILL\_12  
DIAPH\_12  
IUD\_12  
NORP\_12  
DEPO\_12  
CERVC\_12  
MPILL\_12

----- SECTION E -----

**CONTRACEPTIVE METHODS EVER USED (EA)**

**INTR-EA1**

EA-0. Card 30 lists methods that some people use to prevent pregnancy or to prevent sexually transmitted disease. As I read each one, please tell me if you have ever used it for any reason. Just give me a "yes" or "no" answer. Please answer yes even if you have only used the method once.

*ENTER [1] to continue*

[SHOW CARD 30]

**PILL**

EA-1. Have you ever used birth control pills?

*If R answers "Yes", read the following:  
Please circle "pill" on the life history calendar.*

*If R volunteers she never used a (another) method, probe to make sure R has read the entire card and is sure of her answer.*

[HELP AVAILABLE]  
[CALENDAR REFERENCE]

Yes.....1  
No.....5

**FLOW CHECK E-1: IF RHADSEX = YES, ASK EA-2 CONDOM.  
ELSE IF RHADSEX = NO, GO TO EA-5 DEPOPROV.**

**CONDOM**

EA-2. Have you ever used condoms or rubbers with a partner?

*If R answers "Yes", read the following:  
Please circle "condom" on the life history calendar.*

*If R volunteers she never used a (another) method, probe to make sure R has read the entire card and is sure of her answer.*

[HELP AVAILABLE]  
[CALENDAR REFERENCE]

Yes.....1  
No.....5

**VASECTMY**

EA-3. Have you ever had sex with a partner who had a vasectomy?

*If R answers "Yes", read the following:  
Please circle "male sterilization" on the life history calendar.*

*If R volunteers she never used a (another) method, probe to make sure R has read the entire card and is sure of her answer.*

[HELP AVAILABLE]  
[CALENDAR REFERENCE]

Yes.....1  
No.....5

**WIDRAWAL**

EA-4. Have you ever had sex with a partner who used withdrawal or "pulling out"?

*If R answers "Yes", read the following:  
Please write "withdrawal" on the life history calendar in one of the rows marked "Other", and circle "Other".*

*If R volunteers she never used a (another) method, probe to make sure R has read the entire card and is sure of her answer.*

[HELP AVAILABLE]  
[CALENDAR REFERENCE]

Yes.....1  
No.....5

**DEPOPROV**

EA-5. (Have you ever used) Depo-Provera or injectables (or shots)?

*If R answers "Yes", read the following:  
Please circle "Depo-Provera, injectable" on the life history calendar.*

*If R volunteers she never used a (another) method, probe to make sure R has read the entire card and is sure of her answer.*

[HELP AVAILABLE]  
[CALENDAR REFERENCE]

Yes.....1  
No.....5

**NORPLANT**

EA-6. (Have you ever used) Norplant (implants)?

*If R answers "Yes", read the following:*

Please write "Norplant" on the life history calendar in one of the rows marked "Other", and circle "Other".

*If R volunteers she never used a (another) method, probe to make sure R has read the entire card and is sure of her answer.*

[HELP AVAILABLE]  
[CALENDAR REFERENCE]

Yes.....1  
No.....5

**FLOW CHECK E-2: IF RHADSEX = YES, ASK EA-7 RHYTHM.  
ELSE, IF RHADSEX = NO, GO TO EA-18 LUNELLE**

**RHYTHM**

EA-7. Have you ever used rhythm or safe period by calendar to prevent pregnancy?

*If R answers "Yes", read the following:*

Please write this method name on the life history calendar in one of the rows marked "Other", and circle "Other".

*If R volunteers she never used a (another) method, probe to make sure R has read the entire card and is sure of her answer.*

[HELP AVAILABLE]  
[CALENDAR REFERENCE]

Yes.....1  
No.....5

**TEMPSAFE**

EA-8. (Have you ever used) Natural family planning or safe period by temperature or cervical mucus test to prevent pregnancy?

*If R answers "Yes", read the following:*

Please write this method name on the life history calendar in one of the rows marked "Other", and circle "Other".

*If R volunteers she never used a (another) method, probe to make sure R has read the entire card and is sure of her answer.*

[HELP AVAILABLE]  
[CALENDAR REFERENCE]

Yes.....1  
No.....5

**MORNPILL**

EA-9. (Have you ever used) "Morning after" pills or Emergency Contraception?

*If R answers "Yes", read the following:*

Please write this method name on the life history calendar in one of the rows marked "Other", and circle "Other".

*Read if necessary:* This is a series of regular birth control pills taken within 72 hours after unprotected sex to help a woman avoid pregnancy. It is also called "Plan B" or "Preven".

*If R volunteers she never used a (another) method, probe to make sure R has read the entire card and is sure of her answer.*

*If R insists no (other) methods were used, answer "no" for the remaining methods on the card.*

[HELP AVAILABLE]

[CALENDAR REFERENCE]

Yes.....1  
No.....5

**FLOW CHECK E-3: IF EA-9 MORNPILL = YES THEN ASK EA-9a ECTIMESX.  
ELSE IF EA-9 MORNPILL NE YES, GO TO EA-10 DIAFRAGM.**

**ECTIMESX**

EA-9a. How many different times have you used emergency contraception?

*ENTER number*

{ underlying range 1 to 95

**ECREASON**

EA-9b. Did you use emergency contraception because you were worried your birth control method would not work, you didn't use birth control that time, or for some other reason?

*ENTER all that apply*

You were worried your birth control method would not work.....1  
You didn't use birth control that time.....2  
Some other reason.....3

**DIAFRAGM**

EA-10. (Have you ever used) a diaphragm with or without jelly or cream?

*If R answers "Yes", read the following:*

Please write "diaphragm" on the life history calendar in one of the rows marked "Other", and circle "Other".

*If R volunteers she never used a (another) method, probe to make sure R has read the entire card and is sure of her answer.*

*If R insists no (other) methods were used, answer "no" for the remaining methods on the card.*

[HELP AVAILABLE]

[CALENDAR REFERENCE]

Yes.....1  
No.....5

**WOCONDOM**

EA-11. (Have you ever used) Female condoms or vaginal pouches?

*If R answers "Yes", read the following:  
Please write "female condom" on the life history calendar in one of the rows marked "Other", and circle "Other".*

*If R volunteers she never used a (another) method, probe to make sure R has read the entire card and is sure of her answer.*

*If R insists no (other) methods were used, answer "no" for the remaining methods on the card.*

[HELP AVAILABLE]  
[CALENDAR REFERENCE]

Yes.....1  
No.....5

**FOAMALON**

EA-12. (Have you ever used) Foam?

*If R answers "Yes", read the following:  
Please write "foam" on the life history calendar in one of the rows marked "Other", and circle "Other".*

*If R volunteers she never used a (another) method, probe to make sure R has read the entire card and is sure of her answer.*

*If R insists no (other) methods were used, answer "no" for the remaining methods on the card.*

[HELP AVAILABLE]  
[CALENDAR REFERENCE]

Yes.....1  
No.....5

**JELCRMAL**

EA-13. IF DIAFRAGM = YES, ASK:  
(Have you ever used) Jelly or cream, other than with a diaphragm?

IF DIAFRAGM ≠ YES, ASK:  
(Have you ever used) Jelly or cream?

*If R answers "Yes", read the following:  
Please write "jelly" on the life history calendar in one of the rows marked "Other", and circle "Other".*

*If R volunteers she never used a (another) method, probe to make sure R has read the entire card and is sure of her answer.*

*If R insists no (other) methods were used, answer "no" for the remaining methods on the card.*

[HELP AVAILABLE]  
[CALENDAR REFERENCE]

Yes.....1  
No.....5

**CERVLCAP**

EA-14. (Have you ever used) A Cervical cap?

*If R answers "Yes", read the following:  
Please write "cervical cap" on the life history calendar in one of the  
rows marked "Other", and circle "Other".*

*If R volunteers she never used a (another) method, probe to make sure R  
has read the entire card and is sure of her answer.*

*If R insists no (other) methods were used, answer "no" for the remaining  
methods on the card.*

[HELP AVAILABLE]  
[CALENDAR REFERENCE]

Yes.....1  
No.....5

**SUPPOSIT**

EA-15. (Have you ever used) A Suppository or an insert?

*If R answers "Yes", read the following:  
Please write this method name on the life history calendar in one of the  
rows marked "Other", and circle "Other".*

*If R volunteers she never used a (another) method, probe to make sure R  
has read the entire card and is sure of her answer.*

*If R insists no (other) methods were used, answer "no" for the remaining  
methods on the card.*

[HELP AVAILABLE]  
[CALENDAR REFERENCE]

Yes.....1  
No.....5

**TODAYSPG**

EA-16. (Have you ever used) The Today™ sponge?

*If R answers "Yes", read the following:  
Please write "sponge" on the life history calendar in one of the rows  
marked "Other", and circle "Other".*

*If R volunteers she never used a (another) method, probe to make sure R  
has read the entire card and is sure of her answer.*

*If R insists no (other) methods were used, answer "no" for the remaining  
methods on the card.*

[HELP AVAILABLE]  
[CALENDAR REFERENCE]

Yes.....1  
No.....5

**IUD**

EA-17. (Have you ever used) An IUD, coil, or loop?

*If R answers "Yes", read the following:  
Please write "IUD" on the life history calendar in one of the rows  
marked "Other", and circle "Other".*

*If R volunteers she never used a (another) method, probe to make sure R has read the entire card and is sure of her answer.*

*If R insists no (other) methods were used, answer "no" for the remaining methods on the card.*

[HELP AVAILABLE]  
[CALENDAR REFERENCE]

Yes.....1  
No.....5

**LUNELLE**

EA-18. (Have you ever used) Lunelle, a once-a-month injection?

*If R answers "Yes", read the following:  
Please write "Lunelle" on the life history calendar in one of the rows marked "Other", and circle "Other".*

*If R volunteers she never used a (another) method, probe to make sure R has read the entire card and is sure of her answer.*

*If R insists no (other) methods were used, answer "no" for the remaining methods on the card.*

[HELP AVAILABLE]  
[CALENDAR REFERENCE]

Yes.....1  
No.....5

**PATCH**

EA-19. (Have you ever used) The contraceptive patch?

*If R answers "Yes", read the following:  
Please write "patch" on the life history calendar in one of the rows marked "Other", and circle "Other".*

*If R volunteers she never used a (another) method, probe to make sure R has read the entire card and is sure of her answer.*

*If R insists no (other) methods were used, answer "no" for the remaining methods on the card.*

[HELP AVAILABLE]  
[CALENDAR REFERENCE]

Yes.....1  
No.....5

**OTHRMETH**

EA-20. Have you used any other methods?

*Do not count partner being sterile for reasons other than a vasectomy as a birth control method.*

[HELP AVAILABLE]

Yes.....1  
No.....5

**FLOW CHECK E-4:** IF EA-20 OTHRMETH=1 THEN ASK EA-21 SP\_OTHRMETH  
ELSE IF EA-20 OTHRMETH NE 1 THEN GO TO FLOW CHECK E-5

**SP\_OTHRMETH**

EA-21. (Have you used any other methods?)

[HELP AVAILABLE]

[CALENDAR REFERENCE]

*If R answers "Yes", read the following:*

Please write the method name on the life history calendar in one of the rows marked "Other", and circle "Other".

*Specify*

**FLOW CHECK E-5:** DEFINE EVERUSED:  
"EVER USED ANY METHOD" (ever used any of the methods just asked about or R or current husband/partner ever surgically sterilized):

EVERUSED = 1 (YES) IF ANYFSTER = 1 OR ANYMSTER = 1 OR EA-1 PILL=1 OR EA-2 CONDOM=1 OR EA-3 VASECTMY=1 OR EA-4 WIDRAWAL=1 OR EA-5 DEPOPROV=1 OR EA-6 NORPLANT=1 OR EA-7 RHYTHM=1 OR EA-8 TEMPSAFE=1 OR EA-9 MORNPILL OR EA-10 DIAFRAGM=1 OR EA11 WOCONDOM=1 OR EA-12 FOAMALON=1 OR EA-13 JELCRMAL=1 OR EA-14 CERVLCAP=1 OR EA-15 SUPPOSIT=1 OR EA-16 TODAYSPG=1 OR EA-17 IUD=1 OR EA-18 LUNELLE=1 OR EA-19 PATCH=1 OR EA-20 OTHRMETH=1

= 5 (NO) IF ALL THE VARIABLES LISTED ABOVE = 5

**FLOW CHECK E-6:** IF EVERUSED=1 (YES), ASK EA-22 METHDISS  
ELSE IF EVERUSED=5 (NO), GO TO FLOW CHECK E-10

**METHDISS**

EA-22. Some people try a method and then don't use it again, or stop using it, because they are not satisfied with the method. Did you ever stop using a method because you were not satisfied with it in some way?

*Do not count stopping a method for reasons other than dissatisfaction, for example, stopped to get pregnant or because not having intercourse*

Yes.....1  
No.....5

**FLOW CHECK E-6a:** IF EA-22 METHDISS = 1(YES), ASK EA-23 METHSTOP  
ELSE IF EA-22 METHDISS NE 1, GO TO FLOW CHECK E-10

**METHSTOP**

EA-23. Please look at card 31. What method or methods did you stop because you were not satisfied?

*ENTER all that apply*

[SHOW CARD 31]

Office use only.....	1
Office use only.....	2
Birth control pills.....	3
Condom.....	4
Partner's vasectomy.....	5
Sterilizing operation/tubal ligation.....	6
Withdrawal, pulling out.....	7
Depo-Provera, injectables (shots).....	8
Norplant <sup>tm</sup> implants.....	9
Rhythm or safe period by calendar.....	10
Safe period by temperature or cervical mucus test, natural family planning.....	11
Diaphragm.....	12
Female condom, vaginal pouch.....	13
Foam.....	14
Jelly or cream.....	15
Cervical cap.....	16
Suppository, insert.....	17
Today <sup>tm</sup> sponge.....	18
IUD, coil, loop.....	19
Other method.....	20
Lunelle injectable (monthly shot).....	24
Contraceptive patch.....	25

**FLOW CHECK E-7:** IF EA-23 METHSTOP INCLUDES CODES 3 (Pill), 4 (Condom), 8 (Depo-Provera), OR 9 (Norplant) GO TO FLOW CHECK E-8 ELSE, IF EA-20 METHSTOP NE 3 OR 4 OR 8 OR 9, GO TO FLOW CHECK E-10.

**FLOW CHECK E-8:** SET REASCNTR=0  
(REASCNTR is counter for # times REASDISS asked)  
NUMDISS = TOTAL NUMBER OF RESPONSES TO EA-20 METHSTOP THAT EQUAL 3 (Pill), 4 (Condom), 8 (Depo-Provera), OR 9 (Norplant)

**REASDISS**

EA-24. Looking at Card 32, What was the reason or reasons you were not satisfied with [the Pill/the condom/Norplant/Depo-Provera]?

*ENTER all that apply*

[SHOW CARD 32]

Too expensive.....	1
Too difficult to use.....	2
Too messy.....	3
Your partner did not like it.....	4
You had side effects.....	5
You were worried you might have side effects.....	6
You worried the method would not work.....	7
The method failed, you became pregnant.....	8
The method did not protect against disease.....	9
Because of other health problems, a doctor told you that you should not use the method again....	10
The method decreased your sexual pleasure.....	11
Too difficult to obtain the method.....	12
Did not like the changes to your menstrual cycle.....	13
Other.....	14

**FLOW CHECK E-9:** INCREMENT REASCNTR BY 1

IF REASCNTR < NUMDISS THEN RETURN TO EA-21 REASDISS  
ELSE IF REASCNTR = NUMDISS THEN GO TO FLOW CHECK E-10

FLOW CHECK E-10: IF EVERUSED = 1 (YES), GO TO INTR-EB1.  
ELSE IF EVERUSED = NO AND RHADSEX = NO, GO TO FLOW CHECK F-0.  
ELSE IF EVERUSED = NO AND RHADSEX = YES, GO TO INTR-EC1.

**FIRST METHOD SERIES (EB)**

**INTR-EB1**

EB-0. Now I need to ask a few questions about the very first time in your life that you used a birth control method for any reason.

*ENTER [1] to continue*

**FIRSMETH**

EB-1. The very first time you ever used a birth control method, which method on Card 33 did you use? If you used more than one method that first time, please tell me about each one. For example, a woman's partner might use a condom and she might use the pill on the same occasion.

*ENTER all that apply*

*If R spontaneously mentions she was sterile (aside from sterilizing operation listed among categories), ENTER 22.*

*If R spontaneously mentions her partner was sterile (aside from vasectomy listed in categories), ENTER 23.*

[HELP AVAILABLE]  
[SHOW CARD 33]

Office use only.....	1
Office use only.....	2
Birth control pills.....	3
Condom.....	4
Partner's vasectomy.....	5
Sterilizing operation/tubal ligation.....	6
Withdrawal, pulling out.....	7
Depo-Provera, injectables.....	8
Norplant <sup>tm</sup> implants .....	9
Rhythm or safe period by calendar.....	10
Safe period by temperature or cervical mucus test, natural family planning.....	11
Diaphragm.....	12
Female condom, vaginal pouch.....	13
Foam.....	14
Jelly or cream.....	15
Cervical cap.....	16
Suppository, insert.....	17
Today <sup>tm</sup> sponge.....	18
IUD, coil, loop.....	19
"Morning after" pills or emergency contraception.....	20
Other method .....	21
Respondent was sterile.....	22
Respondent's partner was sterile.....	23
Lunelle injectable (monthly shot).....	24
Contraceptive patch.....	25

CODES 1 AND 2 NOT ALLOWED

FLOW CHECK E-11: IF EB-1 FIRSMETH = 21, ASK EB-1 SP\_FIRSMETH.  
ELSE IF FIRSMETH NE 21, GO TO FLOW CHECK E-13.

**SP\_FIRSMETH**

EB-1. (The very first time you ever used a birth control method, which method on Card 33 did you use? If you used more than one method that first time, please tell me about each one. For example, a woman's partner might use a condom and she might use the pill on the same occasion.)

FLOW CHECK E-12: COMPUTE NUMFIRSM  
(NUMFIRSM is total number of methods reported as first method ever used)  
NUMFIRSM=TOTAL NUMBER OF RESPONSES IN EB-1 FIRSMETH

FLOW CHECK E-13: DEFINE FIRSMETH\_FILL:  
= EB-1 FIRSMETH IF EB-1 FIRSMETH NE 21, 22, OR 23  
= EB-1 SP\_FIRSMETH IF EB-1 FIRSMETH = 21  
= "the first method you used" if EB\_1 FIRSMETH=DK/RF

EDIT CHECK EB1\_2: IF FIRSMETH NOT EQUAL TO A METHOD REPORTED IN EA-1 PILL TO EA-20 OTHRMETH, PROBE WITH THE FOLLOWING: "I do not have the (FIRSMETH\_FILL) you just told me about in my computer from our question on the types of methods that you ever used. It will just take me a moment to add it."

EDIT CHECK EB1\_3: IF FIRSMETH = 6 (STER. OP) AND RSURGSTR = NO, PROBE WITH THE FOLLOWING: "Earlier in the interview I did not record that you had a sterilizing operation. Is it correct that the first method you used was a sterilizing operation?"

FLOW CHECK E-14: DEFINE DRUGDEV (Whether first method was a drug or device):  
DRUGDEV = 1 (YES) IF EB-1 FIRSMETH = 3 (PILL), 4 (CONDOM), 6 (STERIZING OPERATION), 8 (DEPO), 9 (NORPLANT), 12 (DIAPHRAGM), 13 (FEMALE CONDOM), 14 (FOAM), 15 (JELLY/CREAM), 16(CERVICAL CAP), 17 (SUPPOSITORY), 18 (SPONGE), 19 (IUD), 20 (EMERG. CONTRACEPTION), 24 (LUNELLE), 25 (CONT. PATCH)  
DRUGDEV = 5 (NO) IF EB-1 FIRSMETH = 7 (WITHDRAWAL), 10 (RHYTHM), 5 (PARTNER'S VASECTOMY), 11 (SAFE PERIOD BY TEMPERATURE), 22 (RESPONDENT STERILE), 23 (PARTNER STERILE), OR 21 (OTHER METHOD)

FLOW CHECK E-15: IF RHADSEX = YES, GO TO FLOW CHECK E-16.  
ELSE, IF RHADSEX = NO, GO TO EB-3 WNFSTUSE\_M.

FLOW CHECK E-16: IF ANY RESPONSE TO EB-1 FIRSMETH = 3 (PILLS), 5 (VASECTOMY), 8 (DEPO-PROVERA), 9 (NORPLANT), 19 (IUD), 22 (R STERILE), 23 (H/P STERILE), 21 (OTHER METHOD), 24 (LUNELLE), OR 25 (CONT. PATCH) ASK EB-2 FIRSTIME2.

ELSE IF EB-1 FIRSMETH = 4 (CONDOM), 12 (DIAPHRAGM), 14 (FOAM), 15 (JELLY OR CREAM), 16 (CERVICAL CAP), 17 (SUPPOSITORY), 18 (TODAY SPONGE), 13 (FEMALE CONDOM), 20 (EMERGENCY CONTRACEPTION), 7 (WITHDRAWAL), 10 (RHYTHM (CALENDAR)), OR 11 (SAFE PERIOD (NFP)), ASK EB-2 FIRSTIME1.

**FIRSTIME1**

EB-2. Please look at Card 34. Thinking again of the very first time you ever used a method of birth control, when was it? Was it the first time you had intercourse, less than a month after your first intercourse, one to three months after your first intercourse, four to twelve months after your first intercourse, or more than twelve months after your first intercourse?

[SHOW CARD 34]

Office use only.....1  
The first time you had  
intercourse.....2  
Less than a month after  
your first intercourse.....3  
One to three months after  
first intercourse.....4  
Four to twelve months after  
first intercourse.....5  
More than twelve months after  
first intercourse.....6

CODE 1 NOT ALLOWED

**FLOW CHECK E-17: GO TO FLOW CHECK E-18**

**FIRSTIME2**

EB\_2. Please look at Card 35. Thinking again of the very first time you ever used a method of birth control, when was it? Was it before your first intercourse, the first time you had intercourse, less than a month after your first intercourse, one to three months after your first intercourse, four to twelve months after your first intercourse, or more than twelve months after your first intercourse?

[SHOW CARD 35]

Before your first  
intercourse.....1  
The first time you had  
intercourse .....2  
Less than a month after  
your first intercourse.....3  
One to three months after  
first intercourse.....4  
Four to twelve months after  
first intercourse.....5  
More than twelve months after  
first intercourse.....6

**FLOW CHECK E-18: DEFINE USEFSTX:**

(Whether R used a method at first sex -- here, for everyone except those who reported it was before first sex):

USEFSTX = 1 (YES) IF EB\_2 FIRSTIME1 = 2 OR EB\_2  
FIRSTIME2 = 2

USEFSTX = 5 (NO) IF EB\_2 FIRSTIME1 = 3, 4, 5, OR 6 OR  
EB\_2 FIRSTIME2 = 3, 4, 5, OR 6

**DEFINE CMFIRSM:**

(Date of first method use -- here, for those who reported that it was at first sex):

CMFIRSM = CMFSTSEX IF EB\_2 FIRSTIME1 = 2 OR EB\_2  
FIRSTIME2 = 2

**DEFINE MTHFSTSX:**

(Method used at first sex -- here, for those who reported that it was at first sex):

MTHFSTSX = EB\_1 FIRSMETH IF EB\_2 FIRSTIME1 = 2 OR EB\_2  
FIRSTIME2 = 2

FLOW CHECK E-19: IF EB\_2 FIRSTIME1 = 3, 4, 5, OR 6 OR EB\_2 FIRSTIME2 = 3, 4, 5, OR 6, THEN ASK EB\_2a NOMETH.

ELSE IF EB\_2 FIRSTIME1 = 2 OR DK OR RF OR FIRSTIME2 = 2 OR DK OR RF THEN GO TO FLOW CHECK E-22

ELSE IF EB\_2 FIRSTIME2 = 1 THEN GO TO EB\_3 WNFSTUSE\_M

ELSE IF EB\_2 FIRSTIME1 = DK/RF OR EB\_2 FIRSTIME2=DK/RF THEN GO TO EB\_3 WNFSTUSE\_M

**NOMETH**

EB-2a. Including your first sex, how many times did you have sexual intercourse before you used a method of birth control?

*ENTER number*

*If R used a method at second sex, response should be "1".*

{Underlying range 1 to 995

**WNFSTUSE\_M**

EB-3. Now, please look at your calendar, and tell me in what month and year you first used a method (for any reason).

Display if RHADSEX ^= NO:

*If respondent needs help, remind her of the date of her first intercourse which was in [CMFSTSEX].*

*ENTER month*

*PROBE for season if DK month.*

- |             |           |              |            |
|-------------|-----------|--------------|------------|
| 1. January  | 5. May    | 9. September | 13. Winter |
| 2. February | 6. June   | 10. October  | 14. Spring |
| 3. March    | 7. July   | 11. November | 15. Summer |
| 4. April    | 8. August | 12. December | 16. Fall   |

[CALENDAR REFERENCE]

**WNFSTUSE\_Y**

EB-3. Now, please look at your calendar, and tell me in what month and year you first used a method (for any reason).

[CALENDAR REFERENCE]

*After R has given the year, SAY: Please record an "x" in the*

appropriate box in one of the "Contraceptive use" rows of your calendar. If the method you used is not listed in the contraceptive use rows write the method name in the row marked "Other" and mark the method use on that row.

*ENTER year in 4 digits \_\_\_\_\_*

UNDERLYING RANGE: 1962 to 2002

**FLOW CHECK E-20:** COMPUTE CMFSTUSE = CM for date first used a method for those who did not report that it was at first sex

SET CMFSTUSE = null/blank  
IF WNFSTUSE\_Y=RF, SET CMFSTUSE=9998  
ELSE IF WNFSTUSE\_Y=DK, SET CMFSTUSE=9999

ELSE IF WNFSTUSE\_M LE 12,  
COMPUTE CMFSTUSE=(WNFSTUSE\_Y - 1900) \* 12 + WNFSTUSE\_M

ELSE IF 13 LE WNFSTUSE\_M LE 16, USE MONTH APPROPRIATE TO SEASON AND COMPUTE CMFSTUSE AS ABOVE

ELSE IF WNFSTUSE\_M =DK OR RF, ASSIGN MONTH = 6 (June) AND COMPUTE CMFSTUSE AS ABOVE

**EDIT CHECK EB3\_1:** PROBE IF EB-2 FIRSTIME2 = BEFORE YOUR FIRST INTERCOURSE, AND CMFSTUSE > CMFSTSEX WITH:  
"You reported that you used a birth control method before your first intercourse; however the date you just gave me was after your first intercourse. Do I have one of the dates wrong?"

**EDIT CHECK EB3\_2:** PROBE IF EB-2 FIRSTIME1 OR EB-2 FIRSTIME2 = LESS THAN A MONTH..., ONE TO THREE..., FOUR TO TWELVE..., OR MORE THAN 12 MONTHS AFTER 1ST INTERCOURSE AND CMFSTUSE < CMFSTSEX WITH:  
"You reported that your first use was after the first time you had intercourse; however the date you just gave me was not after your first intercourse. Do I have one of the dates wrong?"

**FLOW CHECK E-21:** CONTINUE DEFINING CMFIRSM (Date of first method use -- here, for those who did not report that it was at first sex):  
CMFIRSM=CMFSTUSE

#### AGEFSTUS

EB-4. How old were you the first time you used a method for any reason?

*ENTER Age in years*

{ underlying range 0-44

**EDIT CHECK EB4\_1:** PROBE IF EB-4 AGEFSTUS > AGE\_R.

**FLOW CHECK E-22:** IF AGE < 25, GO TO FLOW CHECK E-24. ELSE, GO TO FLOW CHECK E-28.

**FLOW CHECK E-23:** SET PLACCNTR1=0

(PLACNTR1 is counter for # of times PLACGOTF1 or PLACGOTF2 asked.)

**FLOW CHECK E-24:** IF DRUGDEV = YES FOR ANY METHOD REPORTED IN EB-1 FIRSMETH, GO TO FLOW CHECK E-25  
(ASK PLACGOTF FOR EACH METHOD REPORTED IN FIRSMETH THAT IS A DRUG OR DEVICE).  
ELSE IF DRUGDEV = NO FOR ALL METHODS REPORTED IN EB-1 FIRSMETH, GO TO FLOW CHECK E-28.

**FLOW CHECK E-25:** IF EB-1 FIRSMETH NE 3 (PILL) OR 12 (DIAPHRAGM) OR 8 (DEPO-PROVERA) OR 9 (NORPLANT) OR 19 (IUD) OR 20 (EMERGENCY CONTRACEPTION) OR 24 (LUNELLE) OR 25 (CONT. PATCH), ASK EB-5 PLACGOTF1 FOR EACH METHOD (DRUG OR DEV) REPORTED. (Non-prescription)  
ELSE IF EB-1 FIRSMETH = 3 (PILL) OR 12 (DIAPHRAGM) OR 8 (DEPO- PROVERA) OR 9 (NORPLANT) OR 19 (IUD) OR 20 (EMERGENCY CONTRACEPTION) OR 24 (LUNELLE) OR 25 (CONT. PATCH), GO TO PLACGOTF2 AND ASK FOR EACH METHOD (DRUG OR DEV) REPORTED. (Prescription)

**PLACGOTF1**

EB-5. Please look at Card 36. Where did you get the [FIRSMETH\_FILL]?

[HELP AVAILABLE]  
[SHOW CARD 36]

Private doctor's office.....	1
HMO facility.....	2
Community health clinic, community clinic, public health clinic....	3
Family planning or Planned Parenthood Clinic.....	4
Employer or company clinic.....	5
School or school-based clinic.....	6
Hospital outpatient clinic.....	7
Hospital emergency room.....	8
Hospital regular room.....	9
Urgent care center, urgi-care or walk-in facility.....	10
Friend.....	11
Partner or spouse.....	12
Drug store.....	13
Some other place.....	20

**FLOW CHECK E-26:** GO TO FLOW CHECK E-27

**PLACGOTF2**

EB\_5. Please look at Card 36. Where did you get the prescription for the [FIRSMETH\_FILL]?

[HELP AVAILABLE]  
[SHOW CARD 36]

Private doctor's office.....	1
HMO facility.....	2
Community health clinic, community clinic, public health clinic....	3
Family planning or Planned Parenthood Clinic.....	4
Employer or company clinic.....	5
School or school-based clinic.....	6
Hospital outpatient clinic.....	7
Hospital emergency room.....	8
Hospital regular room.....	9
Urgent care center, urgi-care or walk-in facility.....	10

Some other place.....20

**FLOW CHECK E-27:** INCREMENT PLACNTR1 BY 1  
IF PLACNTR1 < NUMFIRSM THEN RETURN TO FLOW CHECK E-24  
ELSE IF PLACNTR1=NUMFIRSM THEN GO TO FLOW CHECK E-28

**FLOW CHECK E-28:** (This flow check does the following:  
IF FIRST USE WAS BEFORE FIRST SEX, ASK IF R USED BIRTH CONTROL AT FIRST SEX, OTHERWISE,  
IF FIRST USE WAS AT FIRST INTERCOURSE OR AFTER FIRST INTERCOURSE, GO TO NEXT SERIES, OTHERWISE,  
IF FIRST USE TIMING UNKNOWN/REFUSED, GO TO NEXT SERIES)  
  
IF EB-2 FIRSTIME2=1 (before) OR BLANK AND (CMFIRSM <= CMFSTSEX)  
OR  
EB-2 FIRSTIME2=1 (before) OR BLANK AND (CMFIRSM=DK/RF OR CMFSTSEX=DK/RF),  
ASK EB-6 USEFRSTS.  
  
ELSE IF CMFIRSM >= CMFSTSEX, GO TO FLOW CHECK E-33  
ELSE IF EB-2 FIRSTIME2 = DK/RF GO TO FLOW CHECK E-33

**USEFRSTS**

EB-6. Did you use any birth control method the first time you had intercourse?

Yes.....1 (MTHFSTSX EB-8)  
No.....5

**FLOW CHECK E-29:** CONTINUE DEFINING USEFSTSX (Whether R used a method at first sex):  
USEFSTSX=USEFRSTS

**NOMETH2**

EB-7. Including your first sex, how many times did you have sexual intercourse before you used a method of birth control during sexual intercourse?

*ENTER number*

*If R used a method at second sex, response should be "1".*

{Underlying range 1 to 995

**FLOW CHECK E-30:** GO TO FLOW CHECK E-33

**MTHFRSTS**

EB-8. Which method did you use the first time you had intercourse? The methods are listed on Card 33. If you used more than one method at the same time, please tell me about that.

*ENTER all that apply*

*If R spontaneously mentions she was sterile (aside from sterilizing operation listed in categories), code 22.*

*If R spontaneously mentions her partner was sterile (aside from vasectomy listed in categories), code 23.*

[HELP AVAILABLE]

[SHOW CARD 33]

Office use only.....	1
Office use only.....	2
Birth control pills.....	3
Condom.....	4
Partner's vasectomy.....	5
Sterilizing operation/tubal ligation.....	6
Withdrawal, pulling out.....	7
Depo-Provera, injectables.....	8
Norplant™.....	9
Rhythm or safe period by calendar.....	10
Safe period by temperature or cervical mucus test, natural family planning.....	11
Diaphragm.....	12
Female condom, vaginal pouch.....	13
Foam.....	14
Jelly or cream.....	15
Cervical cap.....	16
Suppository, insert.....	17
Today™ sponge.....	18
IUD, coil, loop.....	19
"Morning after" pills or emergency contraception.....	20
Other method (Specify).....	21
Respondent was sterile.....	22
Respondent's partner was sterile.....	23
Lunelle injectable (monthly shot).....	24
Contraceptive patch.....	25

CODE 1 NOT ALLOWED

**FLOW CHECK E-31: IF EB-8 MTHFRSTS=21 THEN ASK SP\_MTHFRSTS  
ELSE IF EB-8 MTHFRSTS NE 21 THEN GO TO EDIT CHECK EB8\_1**

**SP\_MTHFRSTS**

EB-8. (Which method did you use the first time you had intercourse? The methods are listed on Card 33. If you used more than one method at the same time, please tell me about that. )

*Specify*

**FLOW CHECK E-31a: DEFINE MTHFRSTS\_FILL:  
= EB-8 MTHFRSTS IF EB-8 MTHFRSTS NE 21, 22, OR 23  
= EB-8 SP\_MTHFRSTS IF EB-8 MTHFRSTS = 21**

**EDIT CHECK EB8\_1: IF MTHFRSTS NOT EQUAL TO A METHOD REPORTED IN EA-1 PILL TO  
EA-20 OTHRMETH, PROBE WITH THE FOLLOWING: "I do not have  
the (MTHFRSTS\_FILL) you just told me about in my computer  
from our question on the types of methods that you ever  
used. It will just take me a moment to add it."**

**FLOW CHECK E-32: CONTINUE DEFINING MTHFRSTS (Method used at first sex -- for  
those who reported that it was before first sex):  
MTHFRSTS=MTHFRSTS**

**PERIODS OF NON INTERCOURSE (EC)**

**FLOW CHECK E-33: IF RHADSEX=YES, ASK EC-1 INTR-EC1.  
ELSE, IF RHADSEX = NO, GO TO FLOW CHECK E-38.**

**FLOW CHECK E-34: IF CMFSTSEX = CMINTVW, SET EC-8 MONSX = 1 AND GO TO FLOW  
CHECK E-38**

**FLOW CHECK E-34a: CREATE CMJAN02 = CENTURY MONTH OF JANUARY 2002**  
**CREATE CMJAN01 = CENTURY MONTH OF JANUARY 2001**  
**CREATE CMJAN98 = CENTURY MONTH OF JANUARY 1998**

**INTR-EC1**

EC-1.

IF CMFSTSEX <= CMJAN98 or CMFSTSEX=DK/RF, ASK:

Many women have times when they are not having intercourse at all, for example, because of pregnancy, separation, not dating anyone, illness, or other reasons. I'd like to know the months since January, 1998 that you did not have intercourse with a male at all for the entire month. First, let's make sure you have other information on your calendar.

IF CMFSTSEX > CMJAN98, ASK:

Many women have times when they are not having intercourse at all, for example, because of pregnancy, separation, not dating anyone, illness, or other reasons. I'd like to know the months, since the first time you had intercourse, which was in [CMFSTSEX\_FILL], that you did not have intercourse with a male at all for the entire month. First, let's make sure you have other information on your calendar.

*CHECK calendar and make sure the following information is filled in. HELP respondent fill in any missing information. If no pregnancies, go to the next screen.*

[CALENDAR REFERENCE]

Pregnancy history

Beginning Date

CMPRGBEG\_FILL

Ending Date

CMPRGEND\_FILL

ENTER [1] to continue

**INTR-EC2**

EC-2.

IF CMFSTSEX <= CMJAN98 or CMFSTSEX=DK/RF, ASK:

(Many women have times when they are not having intercourse at all, for example, because of pregnancy, separation, not dating anyone, illness, or other reasons. I'd like to know the months since January, 1998 that you did not have intercourse with a male at all for the entire month. First, let's make sure you have other information on your calendar.)

IF CMFSTSEX > CMJAN98, ASK:

(Many women have times when they are not having intercourse at all, for example, because of pregnancy, separation, not dating anyone, illness, or other reasons. I'd like to know the months, since the first time you had intercourse, which was in [CMFSTSEX\_FILL], that you did not have intercourse with a male at all for the entire month. First, let's make sure you have other information on your calendar.)

*CHECK calendar and make sure the following information is filled in. HELP respondent fill in any missing information.*

[CALENDAR REFERENCE]

Sexual history

Very first sexual intercourse: [CMFSTSEX\_FILL]

First sexual intercourse after menstrual period: [CMSEXAFM\_FILL]

*Last sex with first partner: [CMLSEXP\_FILL]*

*Partners in the past 12 months (since [CMLSTYR\_FILL]):*  
Name                      First (or only) sex              Last sex  
[PRT12NAMX]              [CMFSEXX\_FILL]              [CMLSEXX\_FILL]

*Number of partners in the past 12 months: [MON12PRT]*

*ENTER [1] to continue*

**INTR-EC3**

EC-3. IF CMFSTSEX <= CMJAN98 or CMFSTSEX=DK/RF, ASK:  
Since January 1998, have there been any times when you were not having intercourse with a male at all for one month or more?

IF CMFSTSEX > CMJAN98, ASK:  
Since [CMFSTSX\_FILL], have there been any times when you were not having intercourse with a male at all for one month or more?

*Remember,*  
*'Yes' means the respondent had at least one month of no intercourse, and*  
*'No' means R had intercourse every month.*

Yes.....1  
No.....5

**FLOW CHECK E-35: IF INTR-EC3=1 THEN GO TO INTR-EC4  
ELSE IF INTR-EC3=5 THEN GO TO FLOW CHECK E-38**

**INTR-EC4**

EC-4. IF CMFSTSX <= CMJAN02 or CMFSTSEX=DK/RF, SAY:  
Start with the current month, [CMINTVW\_FILL], and think about each month one at a time, going back to January, 2002. On the row labeled "Intercourse", please mark an "x" in the box for each month during which you had intercourse at least once. So the boxes in this row that are blank will be the ones during which you did not have intercourse at all for the whole month.

IF CMFSTSX > CMJAN02 SAY:  
Start with the current month, [CMINTVW\_FILL], and think about each month one at a time, going back to [CMFSTSX\_FILL]. On the row labeled "Intercourse", please mark an "x" in the box for each month during which you had intercourse at least once. So the boxes that are blank will be the ones during which you did not have intercourse at all for the whole month.

**FLOW CHECK E-36: IF CMFSTSX < CMJAN02 or CMFSTSEX=DK/RF THEN GO TO INTR-EC5  
ELSE IF CMFSTSX >= CMJAN02 THEN GO TO INTR-EC7**

**INTR-EC5**

EC-5. IF CMFSTSX <= CMJAN01 or CMFSTSEX=DK/RF, SAY:  
Now think about last year, 2001. Start with December, and think about each month one at a time, going back to January, 2001. Please mark an "x" in the box for each month during which you had intercourse at least once.

IF CMFSTSX > CMJAN01 SAY:  
Now think about last year, 2001. Start with December, and think about each month one at a time, going back to [CMFSTSEX\_FILL]. Please mark an "x" in the box for each month during which you had

intercourse at least once.

**FLOW CHECK E-37: IF CMFSTSX < CMJAN01 or CMFSTSEX=DK/RF THEN GO TO INTR-EC6  
ELSE IF CMFSTSX >= CMJAN01 THEN GO TO INTR-EC7**

**INTR-EC6**

EC-6. IF CMFSTSX <= CMJAN98 or CMFSTSEX=DK/RF, SAY:  
Finally, start with December 2000, and think about each month one at a time, going back to January, 1998. Please mark an "x" in the box for each month during which you had intercourse at least once.

IF CMFSTSX > CMJAN98 SAY:  
Finally, start with December 2000, and think about each month one at a time, going back to [CMFSTSEX\_FILL]. Please mark an "x" in the box for each month during which you had intercourse at least once.

**INTR-EC7**

EC-7. Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?

*If Respondent is reading the months:*

Please tell me the months that you had intercourse, starting with [January 1998/CMFSTSEX\_FILL].

*ENTER [1] to continue*

{A row of 12 boxes appears for Jan through Dec of 1998 or Year of 1st sex.  
{ if [CMFSTSEX] falls within the year, boxes prior to it are gray, indicating  
{ no data entry.

{Maximum of 4 more screens total (1999,2000,2001,2002), each with boxes for  
{ Jan through Dec. Number of screens and gray boxes depends on CMFSTSEX.

{Starting with Jan. 1998, or first non-gray box, repeat MONSX until  
{ interview month is reached. CAPI should assign 5 (no intercourse) to  
{ gray boxes, and to blank boxes (with no "1") (for purposes of later  
{ edit checks).)

{PLACE A HEADER ON SCREEN THAT IS DATE CORRESPONDING TO MONTH THAT  
{ CURSOR IS IN.

**MONSX**

EC-8. CMINTVW\_FILL

*ENTER [1] if the Respondent marked an X in this month or mentions it as  
a month that intercourse occurred. Otherwise,*

*PRESS [Enter] to continue*

**EDIT CHECK EC8\_1: PROBE IF MONSX=5 AND  
MONSX=CMFSTSEX OR  
MONSX=CMSEXAFM OR  
MONSX=CMLSEXFP OR  
MONSX=CMFSEXXX OR  
MONSX=CMLSEXXX**

**CONTRACEPTIVE METHOD HISTORY (ED)**

**FLOW CHECK E-38: IF EVERUSED = NO, GO TO FLOW CHECK E-64.**

**ELSE, IF EVERUSED=YES, GO TO FLOW CHECK E-38a.**

**FLOW CHECK E-38a: IF CMPRGBEG\_FILL=BLANK AND CMPRGEND\_FILL=BLANK THEN GO TO INTR-ED2.**

**ELSE IF CMPRGBEG\_FILL NE BLANK OR CMPRGEND\_FILL NE BLANK THEN ASK INTR-ED1.**

**INTR-ED1**

ED-1. Before we begin this next section on your birth control use, I need to make sure all of the information we need is on your calendar.

*Check calendar and make sure the following information is filled in. Help respondent fill in any missing information.*

[CALENDAR REFERENCE]

<i>Pregnancies</i>	
<i>Beginning Date</i>	<i>Ending Date</i>
<i>CMPRGBEG_FILL</i>	<i>CMPRGEND_FILL</i>

*ENTER [1] to continue*

**INTR-ED2**

ED-2. Before we begin this next section on your birth control use, I need to make sure all of the information we need is on your calendar.)

*Check calendar and make sure the following information is filled in. Help respondent fill in any missing information.*

[CALENDAR REFERENCE]

*Months of intercourse:*  
*MONSX*

*ENTER [1] to continue*

**FLOW CHECK E-38b: IF (CMOPER1\_FILL=BLANK AND CMLIGREV\_FILL=BLANK AND CMMALEOP\_FILL=BLANK AND CMVASREV\_FILL=BLANK) THEN GO TO FLOW CHECK E-39.**

**ELSE IF (CMOPER1\_FILL NE BLANK OR CMLIGREV\_FILL NE BLANK OR CMMALEOP\_FILL NE BLANK OR CMVASREV\_FILL NE BLANK) THEN ASK INTR-ED3.**

**INTR-ED3**

ED-3. (Before we begin this next section on your birth control use, I need to make sure all of the information we need is on your calendar.)

*Check calendar and make sure the following information is filled in. Help respondent fill in any missing information.*

[CALENDAR REFERENCE]

<i>R surgically sterile between:</i>	
<i>Date of operation</i>	<i>Date of reversal</i>
<i>CMOPER1_FILL</i>	<i>CMLIGREV_FILL</i>

<i>R's partner surgically sterile between:</i>	
<i>Date of operation</i>	<i>Date of reversal</i>
<i>CMMALEOP_FILL</i>	<i>CMVASREV_FILL</i>

*Once R has entered all information and/or verified that it is correct, continue.*

*PRESS [1] to continue*

**FLOW CHECK E-39: DEFINE CMSTRTMC AND CMENDMC (start and end dates for collection of method history):**

IF RHADSEX = NO, OR  
(RHADSEX=YES AND CMFSTSEX=DK/RF),  
CMSTRTMC = CMFIRSM OR CMJAN99, WHICHEVER DATE IS LATER.

ELSE IF CMFSTSEX < CMJAN99 AND CMFIRSM < CMJAN99, CMSTRTMC = CMJAN99.

ELSE IF CMFSTSEX ≥ CMJAN99 AND CMFIRSM ≥ CMJAN99, CMSTRTMC = CMFIRSM.

ELSE IF CMFSTSEX ≥ CMJAN99, CMSTRTMC = CMJAN99.

CMENDMC = CMINTVW

**FLOW CHECK E-40: CREATE CMSTRTMC\_FILL = MONTH, YEAR OF CMSTRTMC  
CREATE CMENDMC\_FILL = MONTH, YEAR OF CMENDMC**

**FLOW CHECK E-40a: IF CMFIRSM=DK/RF, FILL="the time you first used a method"  
SET CMSTRTMC=CMJAN99**

**INTR-ED4**

ED-4.

I need to find out about the birth control methods you used each month between (CMSTRTMC\_FILL) and (CMENDMC\_FILL). Remember to include methods men use -- such as condoms, vasectomy, and withdrawal -- in your answer.

*Mark method history start and end dates on calendar for R.*

Looking at the methods on Card 37, please write the methods you used each month on the calendar. I need to know about all the methods you used, so if you used more than one method in a month, please record all the methods you used that month.

To do this, write an "X" in each month since January, 1999 that you used a method, on the appropriate contraceptive method line on the calendar. If the method used is not listed on the calendar, write the method name(s) in the row(s) marked "Other" and write the X's on that row.

IF CMOPER1 NE BLANK AND CMOPER1 < 9998, ASK:  
Even though we've marked the month that your sterilization began, if you used any methods after that time, please mark an "x" on the appropriate row, in the months you used them.

*ENTER [1] to continue*

[CALENDAR REFERENCE]  
[SHOW CARD 37]

**INTR-ED5**

ED-5. Take your time.

*Help her record methods on calendar.*

*When R has recorded all methods on the calendar, SAY:*

*Now I need to enter the methods in the computer. It is important that we get these methods correct, If you notice that I have entered something incorrectly, please let me know.*

*Have R read methods to you if possible. Verify methods with R as you enter them.*

*ENTER [1] to continue.*

**FLOW CHECK E-41:** (This flow check does the following: establishes beginning of loop that contains method cal. questions - completed for every month of the calendar to be asked about)

**SET METHCNTR=0**

**(METHCNTR is counter for # times METHHIST asked)**

**NUMMCMON= number of months of method calendar between**

**CMSTRTMC and CMENDMC (max=36))**

**FLOW CHECK E-42: SET NUMMULT=0**

**(NUMMULT is total number of methods reported in each month**

**(month x) of method calendar - max = 4)**

**METHHIST**

ED-6. *ENTER method(s) used in each month (CMSTRTMC/MONTH x) of method calendar:*

*IF CMSTRTMC/MONTH x = CMOPER1, display:*

*IWER: Respondent has previously mentioned she was sterile at this point in time, based on date of operation, so enter "6" (along with other codes if she used other method(s)). You can also enter "55" or "2" if they are appropriate and if this is not JANUARY.*

*If R spontaneously mentions she was sterile (aside from "sterilizing operation", which is in the answer list), and no method was used in the month, code 22.*

*If R spontaneously mentions her partner was sterile (aside from "vasectomy", which is in the answer list), and no method was used in the month, code 23.*

*Code 55 (Same method used through the end of the year) and code 2 (Same as previous month) can be used for every month except the first month of the year.*

*Code up to 4 different methods.*

[HELP AVAILABLE]

No method used.....1  
Same as previous month.....2  
Birth control pills.....3  
Condom.....4  
Partner's vasectomy.....5  
Sterilizing operation/tubal ligation.....6  
Withdrawal, pulling out.....7  
Depo-Provera, injectables.....8  
Norplant<sup>tm</sup> implants.....9

Rhythm or safe period by calendar.....	10
Safe period by temperature or cervical mucus test, natural family planning.....	11
Diaphragm.....	12
Female condom, vaginal pouch.....	13
Foam.....	14
Jelly or cream.....	15
Cervical cap.....	16
Suppository, insert.....	17
Today™ sponge.....	18
IUD, coil, loop.....	19
"Morning after" pills or emergency contraception.....	20
Other method.....)	21
Respondent sterile.....	22
Respondent's partner sterile.....	23
Same method used through the end of the year.	55
Lunelle injectable (monthly shot).....	24
Contraceptive patch.....	25

**FLOW CHECK E-43:** if ED-6 METHHIST = 21 THEN GO TO ED-7 SP\_METHHIST  
ELSE IF ED-6 METHHIST NE 21 THEN GO TO FLOW CHECK 44

**SP\_METHHIST**

ED-7. (ENTER method(s) used in (CMSTRTMC /MONTH x OF METH.CALENDAR):)

*Specify*

**FLOW CHECK E-44:** DEFINE METHHIST\_FILL (fill for method x used in month x of  
method calendar)  
IF METHHIST=3, METHHIST\_FILL="the pill"  
ELSE IF METHHIST=4, METHHIST\_FILL="the condom"  
ELSE IF METHHIST=5, METHHIST\_FILL="your partner's vasectomy"  
ELSE IF METHHIST=6, METHHIST\_FILL="your sterilizing  
operation"  
ELSE IF METHHIST=7, METHHIST\_FILL="withdrawal"  
ELSE IF METHHIST=8, METHHIST\_FILL="Depo-Provera"  
ELSE IF METHHIST=9, METHHIST\_FILL="Norplant"  
ELSE IF METHHIST=10, METHHIST\_FILL="the rhythm method"  
ELSE IF METHHIST=11, METHHIST\_FILL="natural family planning"  
ELSE IF METHHIST=12, METHHIST\_FILL="the diaphragm"  
ELSE IF METHHIST=13, METHHIST\_FILL="the female condom"  
ELSE IF METHHIST=14, METHHIST\_FILL="foam"  
ELSE IF METHHIST=15, METHHIST\_FILL="jelly or cream"  
ELSE IF METHHIST=16, METHHIST\_FILL="the cervical cap"  
ELSE IF METHHIST=17, METHHIST\_FILL="the suppository"  
ELSE IF METHHIST=18, METHHIST\_FILL="the sponge"  
ELSE IF METHHIST=19, METHHIST\_FILL="the IUD"  
ELSE IF METHHIST=20, METHHIST\_FILL="the emergency  
contraception"  
ELSE IF METHHIST=21, METHHIST\_FILL=ED-1 SP\_METHHIST  
ELSE IF METHHIST=22, METHHIST\_FILL="your sterility"  
ELSE IF METHHIST=23, METHHIST\_FILL="your partner's sterility"  
ELSE IF METHHIST=24, METHHIST\_FILL="Lunelle"  
ELSE IF METHHIST=25, METHHIST\_FILL="the patch"

**FLOW CHECK E-45:** IF ED-6 METHHIST = 55 ASK ED-8 SAMEALLYEAR.  
ELSE IF ED-6 METHHIST NE 55 GO TO EDIT CHECK ED1\_1.

**SAMEAllYear**

ED-8. I'm about to enter that you used [METHHIST\_FILL for previous month]

every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct?

yes.....1  
No.....5

FLOW CHECK E-46: IF ED-8 SAMEALLYEAR=NO THEN RETURN TO ED-6 METHHIST  
ELSE IF ED-8 SAMEALLYEAR=YES THEN GO TO EDIT CHECK ED1\_1

EDIT CHECK ED1\_1: PROBE IF ED-6 METHHIST NE 22 OR 23 AND METHOD REPORTED IN ED-6 METHHIST OR ED-1 SP\_METHHIST WAS NOT REPORTED IN EA-1 (PILL) TO EA-21 (SP\_OTHRMETH). "I do not have (METHHIST\_FILL) that you just told me about in my computer from our question on the types of methods that you ever used. It will just take me a moment to add it."

EDIT CHECK ED1\_2: PROBE IF ED-6 METHHIST = 1 (NO METHODS USED) AND ED-6 METHHIST FOR THAT SAME MONTH > 1 (A METHOD) "You have reported that you used no method but also that you used [METHHIST\_FILL] that/this month. Do I have something wrong?"

EDIT CHECK ED1\_3: PROBE IF ED-6 METHHIST = 2 (SAME AS PREVIOUS MONTH) AND ED-6 METHHIST > 2 (A METHOD) "Interviewer: 'same as last month' cannot be selected along with another method for the same month."

EDIT CHECK ED1\_4: PROBE IF MONTH IN QUESTION = CMFIRSM AND:  
1) ED-6 METHHIST = 1 (NO METHODS USED) OR  
2) ED-6 METHHIST NE EB-1 FIRSMETH

EDIT CHECK ED1\_5: PROBE IF MONTH IN QUESTION=CMFIRSM AND USEFSTSX=YES AND ED-6 METHHIST NE MTHFSTSX

EDIT CHECK ED1\_6: PROBE IF ED-6 METHHIST= 4 (CONDOM), 12 (DIAPHRAGM), 14 (FOAM), 15 (JELLY OR CREAM), 16 (CERVICAL CAP), 17 (SUPPOSITORY), 18 (TODAY SPONGE), 13 (FEMALE CONDOM), 20 (EMER.CONTRACEPTION), 7 (WITHDRAWAL), 10 (RHYTHM) OR 11 (SAFE PERIOD), AND MONTH IS NONINTERCOURSE AS INDICATED BY MONCURSX through MON12SX and STRNOSEX, ENDNOSEX

EDIT CHECK ED1\_7: PROBE IF ED-6 METHHIST= 3 (PILL), 19 (IUD), 9 (NORPLANT), 8 (DEPO), 20 (EMERGENCY CONTRACEPTION), OR 22 (RESPONDENT STERILE) AND MONTH IN QUESTION IS WITHIN 2 MONTHS BEFORE CMBABDOB, OR IF CURRPREG=1 (YES) AND MONTH IN QUESTION IS 7TH, 8TH, OR 9TH MONTH OF PREG

FLOW CHECK E-47: IF MONTH IN QUESTION = CMJAN99 THEN ASK ED-9 DATBEGIN\_M  
ELSE IF MONTH IN QUESTION > CMJAN99 THEN GO TO FLOW CHECK E-50

FLOW CHECK E-48: NUMMULT=TOTAL NUMBER OF METHODS REPORTED IN ED-6 METHHIST  
(max = 4)

DATBEGIN\_M

ED-9. IF ONLY ONE METHOD REPORTED IN 1ST MONTH OF MC, ASK:  
When did you start using this method? If you used this method on and off prior to (CMSTRTMC\_FILL), please tell me when you started using the method most recently before (CMSTRTMC\_FILL).

IF MORE THAN ONE METHOD REPORTED IN 1ST MONTH OF MC, AND NONE OF THEM IS PILL, ASK:

When did you start using that method combination? If you used that method combination on and off prior to (CMSTRTMC\_FILL), please tell me when you started using the method combination most recently before (CMSTRTMC\_FILL).

IF MORE THAN ONE METHOD REPORTED IN 1ST MONTH OF MC, AND ONE OF THEM IS PILL, ASK:

When did you start using that method combination? If you used that method combination on and off prior to (CMSTRTMC\_FILL), please tell me when you started using the method combination most recently before (CMSTRTMC\_FILL).

If you used the methods at different times during that month, please tell me when you started using the pill most recently before (CMSTRTMC\_FILL).

*If R has difficulty remembering, REFER her to the life history calendar.*

*ENTER month*

*PROBE for season if DK month*

[CALENDAR REFERENCE]

[HELP AVAILABLE]

1. January	5. May	9. September	13. Winter
2. February	6. June	10. October	14. Spring
3. March	7. July	11. November	15. Summer
4. April	8. August	12. December	16. Fall

**DATBEGIN\_Y**

ED-9. IF ONLY ONE METHOD REPORTED IN 1ST MONTH OF MC, ASK:

(When did you start using this method? If you used this method on and off prior to (CMSTRTMC), please tell me when you started using the method most recently prior to (CMSTRTMC).)

IF MORE THAN ONE METHOD REPORTED IN 1ST MONTH OF MC, AND NONE OF THEM IS PILL, ASK:

(When did you start using that method combination? If you used that method combination on and off prior to (CMSTRTMC\_FILL), please tell me when you started using the method combination most recently prior to (CMSTRTMC\_FILL).)

IF MORE THAN ONE METHOD REPORTED IN 1ST MONTH OF MC, AND ONE OF THEM IS PILL, ASK:

(When did you start using that method combination? If you used that method combination on and off prior to (CMSTRTMC\_FILL), please tell me when you started using the method combination most recently prior to (CMSTRTMC\_FILL).

If you used the methods at different times during that month, please tell me when you started using the pill most recently prior to (CMSTRTMC\_FILL).)

*If R has difficulty remembering, REFER her to the life history calendar.*

*ENTER year in 4 digits*

{underlying range 1962 to 2002

[CALENDAR REFERENCE]

**FLOW CHECK E-49:** COMPUTE CMDATBEGIN = CM for date began method reported in first month of method calendar

SET CMDATBEGIN=null/blank

IF DATBEGIN\_Y=RF, SET CMDATBEGIN=9998.  
ELSE IF DATBEGIN\_Y=DK, SET CMDATBEGIN=9999.

ELSE IF DATBEGIN\_M <= 12,  
COMPUTE CMDATBEGIN=(DATBEGIN\_Y - 1900) \* 12 + DATBEGIN\_M.

ELSE IF 13 <= DATBEGIN\_M <= 16, USE MONTH APPROPRIATE TO SEASON AND COMPUTE CMDATBEGIN AS ABOVE

ELSE IF DATBEGIN\_M = DK OR RF, ASSIGN MONTH = 6 (June) AND COMPUTE CMDATBEGIN AS ABOVE.

EDIT CHECK ED2\_1: PROBE IF DATBEGIN > CMSTRTMC

EDIT CHECK ED2\_2: PROBE IF DATBEGIN < CMFIRSM

**FLOW CHECK E-50:** IF NUMMULT=2 (TWO METHODS USED IN THE MONTH), ASK ED-3 SIMSEQ.  
ELSE IF NUMMULT>2 (MORE THAN TWO METHODS USED IN THE MONTH), GO TO ED-11 MTHUSIMX.  
ELSE, IF NUMMULT=1 (ONLY ONE METHOD USED IN THE MONTH), GO TO FLOW CHECK E-51

**SIMSEQ**

ED-10. Did you use those methods together, that is, at the same time, or did you use them at different times during the month?

[HELP AVAILABLE]

Same time.....1  
Different times.....2

**FLOW CHECK E-51:** GO TO FLOW CHECK E-53

**MTHUSIMX**

ED-11. IF FIRST TIME QUESTION ASKED FOR THE MONTH, ASK:  
During that month, which of those methods, if any, did you use at the same time?

*Select first set of methods used simultaneously. Code all that apply.*

IF SECOND OR THIRD TIME QUESTION ASKED FOR THE MONTH, ASK:  
During that month, which other methods, if any, did you use at the same time?

*Select next set of methods used simultaneously. Code all that apply.*

None.....1  
Office use only.....2  
Birth control pills.....3  
Condom.....4

Partner's vasectomy.....	5
Sterilizing operation/tubal ligation.....	6
Withdrawal, pulling out.....	7
Depo-Provera, injectables.....	8
Norplant™ implants.....	9
Rhythm or safe period by calendar.....	10
Safe period by temperature or cervical mucus test, natural family planning.....	11
Diaphragm.....	12
Female condom, vaginal pouch.....	13
Foam.....	14
Jelly or cream.....	15
Cervical cap.....	16
Suppository, insert.....	17
Today™ sponge.....	18
IUD, coil, loop.....	19
"Morning after" pills or emergency contraception.....	20
Other method (Display specified response).....	21
R's sterility.....	22
R's partner's sterility.....	23
Lunelle injectable (monthly shot).....	24
Contraceptive patch.....	25

**EDIT CHECK ED4\_1:**            **PROBE IF METHOD REPORTED IN ED-11 MTHUSIMX NE METHOD REPORTED IN ED-6 METHHIST FOR THAT MONTH.**

**FLOW CHECK E-52:**    **REPEAT ED-11 MTHUSIMX [NUMMULT]-1 TIMES, ([NUMMULT] = NUMBER OF METHODS REPORTED IN THE MONTH), OR UNTIL ED-11 MTHUSIMX=1 (NONE). WHEN [NUMMULT]-1 TIMES REACHED, OR ED-11 MTHUSIMX =1, GO TO FLOW CHECK E-53**

**FLOW CHECK E-53:**    **(This does the following: If there are more months to record, go back to beginning of loop. Otherwise, go to next flow check)**  
**INCREMENT METHCNTR BY 1**  
**IF METHCNTR < NUMMCMON THEN RETURN TO ED-6 METHHIST**  
**ELSE IF METHCNTR = NUMMCMON THEN GO TO FLOW CHECK E-54**

**FLOW CHECK E-54:**    **COMPUTE CURRMETH1, CURRMETH2, CURRMETH3, CURRMETH4**  
**(Create variables for method(s) used in current month**  
**(interview month). Can be up to 4 different methods)**  
**COMPUTE LASTMONMETH1, LASTMONMETH2, LASTMONMETH3,**  
**LASTMONMETH4**  
**(Create variables for method(s) used in month before**  
**interview. Can be up to 4 different methods)**

**FLOW CHECK E-55:**    **COMPUTE PILL\_12, DIAPH\_12, IUD\_12, NORP\_12, DEPO\_12,**  
**CERVC\_12, MPILL\_12**  
**(Create yes/no (1/5) variable for whether she used the**  
**method at all in the 12 months prior to interview (including**  
**month of interview) for Section F)**  
  
**INITIALIZE PILL\_12, DIAPH\_12, IUD\_12, NORP\_12, DEPO\_12,**  
**CERVC\_12, MPILL\_12 TO 5**  
  
**IF METHHIST1,2,3,4 for month of interview = 3 or**

METHHIST1,2,3,4 for (month of interview - 1) = 3 or  
METHHIST1,2,3,4 for (month of interview - 2) = 3 or  
...  
METHHIST1,2,3,4 for (month of interview - 11) = 3 then  
PILL\_12 = 1

IF METHHIST1,2,3,4 for month of interview = 12 or  
METHHIST1,2,3,4 for (month of interview - 1) = 12 or  
METHHIST1,2,3,4 for (month of interview - 2) = 12 or  
...  
METHHIST1,2,3,4 for (month of interview - 11) = 12 then  
DIAPH\_12 = 1

FLOW CHECK E-56: IF RHADSEX = NO AND EA-1 PILL = YES, GO TO FLOW CHECK E-97  
(pill for health reasons - EJ).  
ELSE IF RHADSEX = NO AND EA-1 PILL NE YES, GO TO FLOW CHECK  
F-0  
ELSE IF RHADSEX = YES GO TO FLOW CHECK E-57

METHOD USE AT LAST (AND FIRST) SEX WITH THE 3 MOST RECENT PARTNERS IN THE PAST  
12 MONTHS (EF)

FLOW CHECK E-57: IF PARTS12 = 0, GO TO FLOW CHECK E-64  
ELSE IF PARTS12 > 0, CONTINUE WITH INTRBC12.

**INTRBC12**

EF\_0. IF PARTS12 = 1, SAY:

Now I have some questions about your use of birth control with your  
sexual partner within the past year, that is, since (CMLSTYR\_FILL). It  
will be helpful to refer to your calendar for any information on sexual  
partners, months you did not have intercourse, and birth control methods  
you used.

ELSE IF PARTS12 = 2 or 3, SAY:

Now I have some questions about your use of birth control with your  
(PARTS12) sexual partners within the past year, that is, since  
(CMLSTYR\_FILL). It will be helpful to refer to your calendar for any  
information on sexual partners, months you did not have intercourse, and  
birth control methods you used.

ELSE IF PARTS12 GT 3, SAY:

Now I have some questions about your use of birth control with your 3  
most recent sexual partners within the past year, that is, since  
(CMLSTYR\_FILL). It will be helpful to refer to your calendar for any  
information on sexual partners, months you did not have intercourse, and  
birth control methods you used.

*ENTER [1] to continue*

[CALENDAR REFERENCE]

FLOW CHECK E-58: INITIALIZE EF-CNTR = 1.

FLOW CHECK E-59: ASSIGN PRT12NAMX AND CMPART1YX BASED ON VALUE OF EF-CNTR,  
AND ASK EF-1 USELSTP THROUGH EF-4 FSTMTHP FOR EVERY PARTNER  
IN LAST 12 MOS (until EF-CNTR GT smaller value of 3 or  
PARTS12).

FLOW CHECK E-60: IF PRT12NAMX BEING DESCRIBED IS R's FIRST SEXUAL PARTNER AND

**CMLSEXP = 9996 (only had sex once with her first partner),  
GO TO FLOW CHECK E-63. (We already have method use info for  
first sex with first sexual partner).**

**ELSE CONTINUE WITH USELSTP EF-1**

**USELSTP**

EF-1. IF CMLSEXX = 9996 (only had sex once with this partner), ASK:  
Looking at Card 33, the time you had intercourse with [PRT12NAMX] in  
[CMLSTSXX\_FILL], did you or he use any method?

ELSE ASK:

Looking at Card 33, the last time you had intercourse with [PRT12NAMX]  
in [CMLSTSXX\_FILL], did you or he use any method?

[SHOW CARD 33]

Yes.....1  
No.....5

**EDIT CHECK EF1\_1: CHECK AGAINST METHOD CALENDAR:**

. IF METHHIST ED-1 FOR THAT MONTH = 1 (NO METHODS USED) AND  
USELSTP= 1 (YES), PROBE  
. IF METHHIST ED-1 FOR THAT MONTH = 3 (PILL), 5 (VASECTOMY),  
19 (IUD), 9 (NORPLANT), 8 (DEPO-PROVERA), 22 (RESPONDENT  
STERILE), OR 24 (LUNELLE) AND USELSTP=NO, PROBE

**FLOW CHECK E-60a: IF EF-1 USELSTP NE 1 THEN GO TO FLOW CHECK E-61  
ELSE IF EF-1 USELSTP = 1 THEN ASK EF-2 LSTMTHP.**

**LSTMTHP**

EF-2. Which method or methods on Card 33 did you use?

[SHOW CARD 33]

Office use only.....1  
Office use only.....2  
Birth control pills.....3  
Condom.....4  
Partner's vasectomy.....5  
Sterilizing operation/tubal ligation.....6  
Withdrawal, pulling out.....7  
Depo-Provera, injectables.....8  
Norplant<sup>tm</sup>.....9  
Rhythm or safe period by calendar.....10  
Safe period by temperature or cervical mucus  
test, natural family planning.....11  
Diaphragm.....12  
Female condom, vaginal pouch.....13  
Foam.....14  
Jelly or cream.....15  
Cervical cap.....16  
Suppository, insert.....17  
Today<sup>tm</sup> sponge.....18  
IUD, coil, loop.....19  
"Morning after" pills or emergency  
contraception.....20  
Other method.....21  
Respondent was sterile.....22  
Respondent's partner was sterile.....23  
Lunelle injectable (monthly shot).....24  
Contraceptive patch.....25

CODES 1 AND 2 NOT ALLOWED

**EDIT CHECK EF2\_1: PROBE IF METHHIST ED-1 FOR THAT MONTH NE LSTMTHP.**

**FLOW CHECK E-61:** (This flow check does the following: FIRST PARTNERS WITH WHOM SHE HAD SEX MORE THAN ONCE GET HERE. DON'T NEED TO ASK NEXT QUESTIONS ABOUT METH USE AT FIRST SEX W/THEM BEC. ALREADY KNOW. FIRST PARTNERS WITH WHOM SHE HAD SEX ONLY ONCE HAVE ALREADY BEEN SKIPPED TO END OF LOOP.)

IF THIS IS THE LOOP DEALING WITH LSTSEXP, GO TO FLOW CHECK E-63

**FLOW CHECK E-62:** IF CMLSEX = 9996 (only had sex with this partner once), GO TO FLOW CHECK E-63.

**USEFSTP**

EF-3. Looking at Card 33, the first time you had intercourse with [PRT12NAMX] in [CMFSEX\_FILL], did you or he use any method?

[SHOW CARD 33]

Yes.....1  
No.....5

**EDIT CHECK EF3\_1: CHECK AGAINST METHOD CALENDAR:**

IF CMFSTSEX/P3YFSEX >= CMJAN99 (WITHIN PAST 3 YRS):  
. IF METHHIST ED-1 FOR THAT MONTH =1 (NO METHODS USED) AND USELSTP= 1 (YES), PROBE  
. IF METHHIST ED-1 FOR THAT MONTH = 3 (PILL), 5 (VASECTOMY), 19 (IUD), 9 (NORPLANT), 8 (DEPO-PROVERA), 22 (RESPONDENT STERILE), OR 24 (LUNELLE) AND USEFSTP=NO, PROBE

**FLOW CHECK E-62a:** IF EF-3 USEFSTP NE 1 THEN GO TO FLOW CHECK E-63  
ELSE IF EF-3 USEFSTP = 1 THEN ASK EF-4 FSTMTHP.

**FSTMTHP**

EF-4. Which method or methods on Card 33 did you use?

[SHOW CARD 33]

Office use only.....1  
Office use only.....2  
Birth control pills.....3  
Condom.....4  
Partner's vasectomy.....5  
Sterilizing operation/tubal ligation.....6  
Withdrawal, pulling out.....7  
Depo-Provera, injectables.....8  
Norplant<sup>tm</sup>.....9  
Rhythm or safe period by calendar.....10  
Safe period by temperature or cervical mucus test, natural family planning.....11  
Diaphragm.....12  
Female condom, vaginal pouch.....13  
Foam.....14  
Jelly or cream.....15  
Cervical cap.....16  
Suppository, insert.....17

Today<sup>tm</sup> sponge.....18  
IUD, coil, loop.....19  
"Morning after" pills or emergency  
contraception.....20  
Other method.....21  
Respondent was sterile.....22  
Respondent's partner was sterile.....23  
Lunelle injectable (monthly shot).....24  
Contraceptive patch.....25

CODES 1 AND 2 NOT ALLOWED

**EDIT CHECK EF4\_1: PROBE IF METHHIST ED-1 FOR THAT MONTH NE FSTMTHP.**

**FLOW CHECK E-63: ADVANCE EF-CNTR BY 1.**  
IF EF-CNTR LE (smaller value of 3 or PARTS12), RETURN TO  
FLOW CHECK E-59 TO ASK ABOUT NEXT MOST RECENT PARTNER IN  
LAST 12 MONTHS.  
ELSE IF EF-CNTR GT 3 or PARTS12, CONTINUE WITH FLOW CHECK E-  
64.

CONDITIONS SURROUNDING R'S PREGNANCIES:

WANTEDNESS; PARTNER(S); MOTIVATION; REASONS (EG)

**FLOW CHECK E-64: IF EVERPREG=NO THEN GO TO FLOW CHECK E-86**

**FLOW CHECK E-65: BEGINNING OF PREGNANCY LOOP.**  
THIS IS THE FLOW CHECK REFERRED TO IN F.C. E-85 THAT COMES  
BACK TO THE BEGINNING OF THIS PREG. INTERVAL SERIES UNTIL  
THERE ARE NO MORE PREGS TO ASK ABOUT.  
INITIALIZE WANTCNTR TO 1  
INITIALIZE LBCNTR TO 0 (NUMBER OF LIVE BIRTHS BEFORE NTH  
PREGNANCY, WHERE N=WANTCNTR  
ALSO INITIALIZE AND INCREMENT XX FOR FILLS/DATES (BEGFILXX,  
CMPRGENDX, CMPRGBEGX)

**FLOW CHECK E-66: CREATE FILLS FOR THE BEGINNING OF THE PREGNANCY INTERVALS.**  
(1) SET BEGFIL01="your first intercourse"  
(2) SET BEGFILXX (XX > 1) = "(\_FILL) birth in (CMPRGEND)" IF  
PREVIOUS PREGNANCY ENDED IN LIVE BIRTH. ELSE, SET BEGFILXX  
(XX > 1) = "your (XX) pregnancy which ended in  
(CMPRGEND\_FILL FOR PREVIOUS PREGNANCY)".

**FLOW CHECK E-67: DEFINE BABYNAME\_FILL (Fill for name of baby for live births  
or wording for relinquished or died)**  
IF BC-2 NBRNALIV > 1 and BC-3 MULTBRTH=YES  
SET BABYNAME\_FILL TO [MULT]  
ELSE IF BD-1 BABYNAME = BPAX,  
SET BABYNAME\_FILL TO "the baby you placed for  
adoption".  
ELSE IF BD-1 BABYNAME = BDSX,  
SET BABYNAME\_FILL TO "the baby that died"  
ELSE BABYNAME\_FILL=BABYNAME

**INTR-EG1**

INTR\_EG1. IF NUMPREGS = 1, ASK:  
Now let's talk about the period of time from (BEGFILXX) until you  
became pregnant.

ELSE IF NUMPREGS>1 AND WANTCNTR<NUMPREGS, ASK:  
Now let's talk about the period of time from (BEGFILXX) until you  
became pregnant with your (NTH) pregnancy which ended in  
(CMPRGEND\_FILL).

ELSE IF NUMPREGS>1 AND WANTCNTR=NUMPREGS, AND CURRPREG NE YES,  
ASK:  
Now let's talk about the period of time from (BEGFILXX) until you  
became pregnant with your (NTH) pregnancy which ended in  
(CMPRGEND\_FILL).

ELSE IF NUMPREGS>1 AND WANTCNTR=NUMPREGS AND CURRPREG = YES, ASK:  
Now let's talk about the period of time from (BEGFILXX) until you  
became pregnant this time.

*ENTER [1] to continue*

**FLOW CHECK E-68: CREATE INTERVALS**

CLOSED INTERVALS:

1ST INTERVAL: 1ST SEX TO END OF 1ST PREG

CMINTSTR01 = CMFSTSEX

CMINTFIN01 = CMFSTPRG = CMPRGEND1

2ND INTERVAL: END OF 1ST PREG TO END OF 2ND PREG

CMINTSTR02 = CMFSTPRG = CMPRGEND1

CMINTFIN02 = CMPRGEND2

Compute remaining intervals (up to NUMPREGS if not currently  
pregnant, or up to NUMPREGS - 1 if currently pregnant).

OPEN INTERVAL:

END OF LAST PREGNANCY TO MONTH OF INTERVIEW

CMINTSTROP = CMPRGEND[NUMPREGS] OR CMPRGEND[NUMPREGS-  
1]

CMINTFINOP = CMINTVW

CURR. PREG. INTERVAL:

1ST SEX TO MONTH OF INTERVIEW OR

END OF LAST PREG TO MONTH OF INTERVIEW

(IF NUMPREGS=1):

CMINTSTRCR = CMFSTSEX

CMINTFINCR = CMINTVW

(IF NUMPREGS>1):

CMINTSTRCR = PGENDD[NUMPREGS-1]

CMINTFINCR = CMINTVW

**FLOW CHECK E-69: DEFINE ANYUSINT:**

IF R USED A METHOD IN ANY MONTH IN THE INTERVAL (METHHIST  
ED-1), SET ANYUSINT = YES.

{  
{  
{  
{  
{  
(note: THIS IS USED IN RESNOUSE EG-5 TO INDICATE  
WHETHER ANY METHOD USE DURING EACH PREGNANCY  
INTERVAL)

{  
{  
{  
{  
{  
(FOR PREGS BEGINNING >= CMJAN99)

**FLOW CHECK E-70: (DETERMINE WHAT SHOULD BE THE FIRST QUESTION ASKED)  
(FOR PREGNANCIES THAT BEGAN PRIOR TO CMJAN99:)  
IF CMPRQBEGX < CMJAN99**

```
IF EVERUSED = NO, GO TO EG-5 RESNOUSE
ELSE
IF (CMFIRSM=DK/RF OR CMINTSTRXX=DK/RF), ASK EVUSEINT
EG-1
{
  (if 1st meth use date unknown, or start date of
  interval (date of first sex) unknown, ask about use
  during interval)
}
ELSE
IF CMFIRSM < CMINTSTRXX, ASK EVUSEINT EG-1.
{
  (if 1st method use preceded first sex/end of nth preg,
  ask about use during interval)
}

IF CMINTSTRXX ≤ CMFIRSM ≤ CMINTFINXX, SET EVUSEINT
EG-1 = YES AND GO TO STOPDUSE EG-2.
{
  (if 1st method use was between (or = to) 1st sex and
  end of nth preg or end of nth preg and end of nth+1
  preg, ask if stopped before nth/nth+1 preg.
}

IF CMINTFINXX < CMFIRSM, SET EVUSEINT EG-1 = NO AND GO
TO EG-5 RESNOUSE.
{
  (if 1st method use was after end of nth preg, ask why
  no use before nth preg)
```

FLOW CHECK E-71: (FOR PREGNANCIES THAT BEGAN ON/AFTER CMJAN99):

{Note: (These could be current)

IF CMPRGBEGX ≥ CMJAN99

```
IF EVERUSED = NO, GO TO EG-5 RESNOUSE. ELSE:
USING METHOD CALENDAR MONTH (METHHIST ED-6)
CORRESPONDING TO CMPRGBEGX,
. IF R DID NOT USE A METHOD IN CMPRGBEGX, GO TO EG-5
RESNOUSE
. IF R USED A METHOD IN CMPRGBEGX BUT DID NOT USE ONE
IN THE MONTH AFTER CMPRGBEGX, GO TO STOPDUSE EG-2.
. IF R USED A METHOD IN CMPRGBEGX AND IN THE MONTH
AFTER CMPRGBEGX, GO TO WHATMETH EG-4.
```

{NOTE: DISPLAY HEADER ON SCREEN THROUGHOUT EG SERIES THAT INDICATES WHICH  
PREGNANCY IS BEING DISCUSSED.

{FOR NON-CURRENT PREGNANCIES, HEADER SHOULD SAY:

*(XX) PREGNANCY ENDED (CMPRGENDX) - (PRGOUTCOME\_FILL)*

{FOR EXAMPLE: 2ND PREGNANCY ENDED 6/1/97 - MISCARRIAGE

{FOR CURRENT PREGNANCY, HEADER SHOULD SAY:

*CURRENT PREGNANCY*

#### EVUSEINT

EG-1. IF PRGOUTCOME NE LIVE BIRTH BY CESAREAN OR VAGINAL DELIVERY, ASK:  
Did you ever use any method of birth control between (BEGFILXX) and  
(CMPRGEND\_FILL)? Remember to include methods men use--that is condoms,  
vasectomy, and withdrawal--in your answer.

IF PRGOUTCOME = LIVE BIRTH BY CESAREAN OR VAGINAL BIRTH, ASK:  
Did you ever use any method of birth control between (BEGFILXX) and  
(BABYNAME\_FILL's) birth? Remember to include methods men use--that is  
condoms, vasectomy, and withdrawal--in your answer.

Yes..... 1 (EG-2 STOPDUSE)  
No..... 5 (EG-5 RESNOUSE)

**STOPDUSE**

EG-2. IF NUMPREGS = 1, ASK:

Before you became pregnant, had you stopped using all methods of birth control?

ELSE IF NUMPREGS>1 AND WANTCNTR<NUMPREGS, ASK:

Before you became pregnant with your (NTH) pregnancy which ended in (CMPRGEND\_FILL), had you stopped using all methods of birth control?

ELSE IF NUMPREGS>1 AND WANTCNTR=NUMPREGS AND CURRPREG NE YES, ASK:

Before you became pregnant with your (NTH) pregnancy which ended in (CMPRGEND\_FILL), had you stopped using all methods of birth control?

ELSE IF NUMPREGS>1 AND WANTCNTR=NUMPREGS AND CURRPREG = YES, ASK:

Before you became pregnant this time, had you stopped using all methods of birth control?

Yes.....1  
No.....5 (EG-4 WHATMETH)

**WHYSTOPD**

EG-3. Was the reason you stopped using all methods of birth control because you yourself wanted to become pregnant?

Yes.....1 (EG-10 TIMINGOK)  
No.....5 (INTR-EG2)

**WHATMETH**

EG-4. IF NUMPREGS=1, ASK:

You may have already told me, but looking at Card 38, what methods were you using at the time you became pregnant?

ELSE IF NUMPREGS>1 AND WANTCNTR<NUMPREGS, ASK:

You may have already told me, but looking at Card 38, what methods were you using at the time you became pregnant with your (NTH) pregnancy which ended in (CMPRGEND\_FILL)?

ELSE IF NUMPREGS>1 AND WANTCNTR=NUMPREGS AND CURRPREG NE YES, ASK:

You may have already told me, but looking at Card 38, what methods were you using at the time you became pregnant with your (NTH) pregnancy which ended in (CMPRGEND\_FILL)?

ELSE IF NUMPREGS>1 AND WANTCNTR=NUMPREGS AND CURRPREG=YES, ASK:

You may have already told me, but looking at Card 38, what methods were you using at the time you became pregnant this time?

*If R spontaneously mentions "thought I was sterile" or "thought partner was sterile", ascertain whether any methods in answer list were used. If not, code "none" (1)*

[HELP AVAILABLE]  
[SHOW CARD 38]

- No method used.....1
- Office use only.....2
- Birth control pills.....3
- Condom.....4
- Partner's vasectomy.....5
- Sterilizing operation/tubal ligation.....6

Withdrawal, pulling out.....	7
Depo-Provera, injectables.....	8
Norplant™.....	9
Rhythm or safe period by calendar.....	10
Safe period by temperature or cervical mucus test, natural family planning.....	11
Diaphragm.....	12
Female condom, vaginal pouch.....	13
Foam.....	14
Jelly or cream.....	15
Cervical cap.....	16
Suppository, insert.....	17
Today™ sponge.....	18
IUD, coil, loop.....	19
"Morning after" pills or emergency contraception.....	20
Other method.....	21
Lunelle injectable (monthly shot).....	24
Contraceptive patch.....	25

**FLOW CHECK E-72: if EG-4 WHATMETH = 21 THEN GO TO EG-4 SP\_WHATMETH\_SP  
ELSE IF EG-4 WHATMETH NE 21 THEN GO TO INTR-EG2**

**WHATMETH\_SP**

EG-4. What method was that?

*Specify*

**FLOW CHECK E-72a: GO TO INTR-EG2**

**RESNOUSE**

EG-5. IF EVERUSED = NO AND NUMPREGS=1, ASK:

Before you became pregnant, was the reason you did not use any birth control methods because you, yourself, wanted to become pregnant?

ELSE IF EVERUSED = NO AND NUMPREGS>1 AND WANTCNTR<NUMPREGS, ASK:  
Before you became pregnant with your (NTH) pregnancy which ended in (CMPRGEND\_FILL), was the reason you did not use any birth control methods because you, yourself, wanted to become pregnant?

ELSE IF EVERUSED = NO AND NUMPREGS>1 AND WANTCNTR=NUMPREGS AND CURRPREG NE YES, ASK:  
Before you became pregnant with your (NTH) pregnancy which ended in (CMPRGEND\_FILL), was the reason you did not use any birth control methods because you, yourself, wanted to become pregnant?

ELSE IF EVERUSED = NO AND NUMPREGS>1 AND WANTCNTR=NUMPREGS AND CURRPREG=YES, ASK:  
Before you became pregnant this time, was the reason you did not use any birth control methods because you, yourself, wanted to become pregnant?

ELSE IF (EVUSEINT = YES OR ANYUSINT = YES) AND NUMPREGS = 1, ASK:  
You told me you had stopped using a birth control method before you became pregnant. Was the reason you had stopped using any methods because you yourself wanted to become pregnant?

ELSE IF (EVUSEINT = YES OR ANYUSINT = YES) AND NUMPREGS>1 AND WANTCNTR<NUMPREGS, ASK:  
You told me you had stopped using a birth control method before you became pregnant with your (NTH) pregnancy which ended in (CMPREGEND\_FILL). Was the reason you had stopped using any methods

because you yourself wanted to become pregnant?

ELSE IF (EVUSEINT = YES OR ANYUSINT = YES) AND NUMPREGS>1 AND  
WANTCNTR=NUMPREGS AND CURRPREG=NO, ASK:  
You told me you had stopped using a birth control method before you  
became pregnant with your (NTH) pregnancy which ended in  
(CMPRGEND\_FILL). Was the reason you had stopped using any methods  
because you yourself wanted to become pregnant?

ELSE IF (EVUSEINT = YES OR ANYUSINT = YES) AND NUMPREGS>1 AND  
WANTCNTR=NUMPREGS AND CURRPREG = YES, ASK:  
You told me you had stopped using a birth control method before you  
became pregnant this time. Was the reason you had stopped using any  
methods because you yourself wanted to become pregnant?

ELSE IF (EVUSEINT = NO AND ANYUSINT = NO) AND NUMPREGS = 1, ASK:  
You did not use any method of birth control from (BEGFILXX) until you  
became pregnant. Was the reason you were not using any methods because  
you yourself wanted to become pregnant?

ELSE IF (EVUSEINT = NO AND ANYUSINT = NO) AND NUMPREGS>1 AND  
WANTCNTR<NUMPREGS, ASK:  
You did not use any method of birth control from (BEGFILXX) until you  
became pregnant with your (NTH) pregnancy which ended in  
(CMPRGEND\_FILL). Was the reason you were not using any methods because  
you yourself wanted to become pregnant?

ELSE IF (EVUSEINT = NO AND ANYUSINT = NO) AND NUMPREGS>1 AND  
WANTCNTR=NUMPREGS AND CURRPREG NE YES, ASK:  
You did not use any method of birth control from (BEGFILXX) until you  
became pregnant with your (NTH) pregnancy which ended in  
(CMPRGEND\_FILL). Was the reason you were not using any methods because  
you yourself wanted to become pregnant?

ELSE IF (EVUSEINT = NO AND ANYUSINT = NO) AND NUMPREGS>1 AND  
WANTCNTR=NUMPREGS AND CURRPREG = YES, ASK:  
You did not use any method of birth control from (BEGFILXX) until you  
became pregnant this time. Was the reason you were not using any methods  
because you yourself wanted to become pregnant?

[HELP AVAILABLE]

Yes..... 1 (EG-10 TIMINGOK)  
No..... 5

**INTR-EG2**

INTR\_EG2. IF NUMPREGS=1, SAY:  
The next few questions are important. They are about how you felt  
right before you became pregnant.

ELSE IF NUMPREGS>1 AND WANTCNTR<NUMPREGS AND CURRPREG NE YES, SAY:  
The next few questions are important. They are about how you felt  
right before you became pregnant with your pregnancy which ended  
in (CMPRGEND\_FILL).

ELSE IF NUMPREGS>1 AND WANTCNTR<NUMPREGS AND CURRPREG = YES, SAY:  
The next few questions are important. They are about how you felt  
right before you became pregnant with your pregnancy which ended  
in (CMPRGEND\_FILL).

ELSE IF NUMPREGS>1 AND WANTCNTR=NUMPREGS AND CURRPREG NE YES, SAY:  
The next few questions are important. They are about how you felt  
right before you became pregnant with your pregnancy which ended

in (CMPRGEND\_FILL).

ELSE IF NUMPREGS>1 AND WANTCNTR=NUMPREGS AND CURRPREG = YES, SAY:  
The next few questions are important. They are about how you felt  
right before you became pregnant this time.

ENTER [1] to continue

**WANTBOLD**

EG-6. IF NUMPREGS=1, ASK:

Right before you became pregnant, did you yourself want to have a baby  
at any time in the future?

ELSE IF NUMPREGS>1 AND WANTCNTR=NUMPREGS AND CURRPREG=YES AND LBCNTR=0,  
ASK:

Right before you became pregnant this time, did you yourself want to  
have a baby at any time in the future?

ELSE IF NUMPREGS>1 AND WANTCNTR=NUMPREGS AND CURRPREG=YES AND LBCNTR>0,  
ASK:

Right before you became pregnant this time, did you yourself want to  
have another baby at any time in the future?

ELSE IF NUMPREGS>1 AND WANTCNTR LE NUMPREGS AND LBCNTR=0, ASK:

Right before you became pregnant with your (NTH) pregnancy (which ended  
in (CMPRGEND\_FILL)), did you yourself want to have a baby at any time in  
the future?

ELSE IF NUMPREGS>1 AND WANTCNTR LE NUMPREGS AND LBCNTR>0, ASK:

Right before you became pregnant with your (NTH) pregnancy (which ended  
in (CMPRGEND\_FILL)), did you yourself want to have another baby at any  
time in the future?

[HELP AVAILABLE]

Yes.....1 (FLOW CHECK E-74)

No.....5 (FLOW CHECK E-73)

Not sure, don't know.....6

**PROBBABE**

EG-7. IF WANTCNTR=NUMPREGS AND CURRPREG=YES AND LBCNTR=0, ASK:

It is sometimes difficult to recall these things but, right before this  
pregnancy began, would you say you probably wanted a baby at some time  
in the future or probably not?

ELSE IF WANTCNTR=NUMPREGS AND CURRPREG=YES AND LBCNTR>0, ASK:

It is sometimes difficult to recall these things but, right before this  
pregnancy began, would you say you probably wanted another baby at some  
time in the future or probably not?

ELSE IF LBCNTR=0, ASK:

It is sometimes difficult to recall these things but, right before that  
pregnancy began, would you say you probably wanted a baby at some time  
in the future or probably not?

ELSE IF LBCNTR>0, ASK:

It is sometimes difficult to recall these things but, right before that  
pregnancy began, would you say you probably wanted another baby at some  
time in the future or probably not?

Probably yes..... 1 (FLOW CHECK E-74)

Probably not..... 5

Didn't care..... 6 (FLOW CHECK E-74)

**FLOW CHECK E-73: IF AGE\_R < 20 YEARS, ASK EG-8 CNFRMNO  
ELSE, GO TO INTROWTH.**

**CNFRMNO**

EG-8. IF NUMPREGS = 1, ASK:

So right before you became pregnant, you thought you did not want to have any children at any time in the future, is that correct?

ELSE IF NUMPREGS>1 AND WANTCNTR=NUMPREGS AND CURRPREG=YES AND LBCNTR=0, ASK:

So right before you became pregnant this time, you thought you did not want to have any children at any time in the future, is that correct?

ELSE IF NUMPREGS>1 AND WANTCNTR=NUMPREGS AND CURRPREG=YES AND LBCNTR>0, ASK:

So right before you became pregnant this time, you thought you did not want to have a (fill for (LBCNTR + 1)) child at any time in the future, is that correct?

ELSE IF NUMPREGS>1 AND WANTCNTR LE NUMPREGS AND LBCNTR=0, ASK:

So right before you became pregnant that time, you thought you did not want to have any children at any time in the future, is that correct?

ELSE IF NUMPREGS>1 AND WANTCNTR LE NUMPREGS AND LBCNTR>0, ASK:

So right before you became pregnant that time, you thought you did not want to have a (fill for (LBCNTR + 1)) child at any time in the future, is that correct?

Correct.....1 (INTROWTH)

Incorrect.....5

**INCORTXT**

EGINCO\_1.

I must have gotten something wrong. Let me ask this question again.

*ENTER [1] to continue*

**WANTBLD2**

EG-9. IF NUMPREGS=1, ASK:

Right before you became pregnant, did you yourself want to have a baby at any time in the future?

ELSE IF NUMPREGS>1 AND WANTCNTR=NUMPREGS AND CURRPREG=YES AND LBCNTR=0, ASK:

Right before you became pregnant this time, did you yourself want to have a baby at any time in the future?

ELSE IF NUMPREGS>1 AND WANTCNTR=NUMPREGS AND CURRPREG=YES AND LBCNTR>0, ASK:

Right before you became pregnant this time, did you yourself want to have another baby at any time in the future?

ELSE IF NUMPREGS>1 AND WANTCNTR LE NUMPREGS AND LBCNTR=0, ASK:

Right before you became pregnant with your (Nth) pregnancy (which ended in (CMPRGEND\_FILL)), did you yourself want to have a baby at any time in the future?

ELSE IF NUMPREGS>1 AND WANTCNTR LE NUMPREGS AND LBCNTR>0, ASK:

Right before you became pregnant with your (Nth) pregnancy (which ended in (CMPRGEND\_FILL)), did you yourself want to have another baby at any time in the future?

- Yes.....1
- No.....5 (INTROWTH)
- Not sure, don't know.....6 (INTROWTH)
- Didn't care.....7 (INTROWTH)

**FLOW CHECK E-74: IF EG-6 WANTBOLD=YES OR EG-7 PROBBABE=YES OR EG-9 WANTBLD2 = YES, ASK EG-10 TIMINGOK.  
ELSE, (IF EG-6 WANTBOLD NE YES AND EG-7 PROBBABE NE YES AND EG-9 WANTBLD2 NE YES) GO TO INTROWTH.**

**TIMINGOK**

EG-10. So would you say you became pregnant too soon, at about the right time, or later than you wanted?

[HELP AVAILABLE]

- Too soon..... 1
- Right time.....2 (GO TO INTROWTH)
- Later.....3 (GO TO INTROWTH)
- Didn't care.....4 (GO TO INTROWTH)

**TOOSOONQ**

EG-11. How much sooner than you wanted did you become pregnant?

Enter MONTHS or YEARS

{underlying range = 1-100

**TOOSOONQQYM**

EG-11. (How much sooner than you wanted did you become pregnant? )

*Choose months or years.*

- Months.....1
- Years.....5

**INTROWTH**

INTROWTH\_1. READ only if this is the first or only pregnancy being discussed: (Sometimes how people feel about having a baby in general can be different from how they feel about having a baby with a certain partner.)

*ENTER [1] to continue*

**FLOW CHECK E-75: IF TIMINGOK EG-10 = 2 OR 3 (RIGHT TIME OR LATER) OR PROBBABE EG-7 = 6 (DIDN'T CARE), ASK EG-12a WTHPART1  
ELSE GO TO EG-12b WTHPART2**

**WTHPART1**

EG-12a. IF NUMPREGS=1, ASK:  
Right before the pregnancy, did you want to have a baby with that partner?  
Would you say definitely yes, probably yes, probably no, or definitely no?

ELSE IF NUMPREGS>1 AND WANTCNTR=NUMPREGS AND CURRPREG=YES AND

LBCNTR=0, ASK:  
Right before this pregnancy, did you want to have a baby with that partner?  
Would you say definitely yes, probably yes, probably no, or definitely no?

ELSE IF NUMPREGS>1 AND WANTCNTR=NUMPREGS AND CURRPREG=YES AND LBCNTR>0, ASK:  
Right before this pregnancy, did you want to have another baby with that partner?  
Would you say definitely yes, probably yes, probably no, or definitely no?

ELSE IF NUMPREGS>1 AND WANTCNTR LE NUMPREGS AND LBCNTR=0, ASK:  
Right before that pregnancy, did you want to have a baby with that partner?  
Would you say definitely yes, probably yes, probably no, or definitely no?

ELSE IF NUMPREGS>1 AND WANTCNTR LE NUMPREGS AND LBCNTR>0, ASK:  
Right before that pregnancy, did you want to have another baby with that partner?  
Would you say definitely yes, probably yes, probably no, or definitely no?  
Definitely yes.....1 (FLOW CHECK E-76)  
Probably yes.....2 (FLOW CHECK E-76)  
Probably no.....3 (FLOW CHECK E-76)  
Definitely no.....4 (FLOW CHECK E-76)

**WTHPART2**

EG-12b.

IF NUMPREGS=1, ASK:  
Right before the pregnancy, did you think you might ever want to have a baby with that partner?  
Would you say definitely yes, probably yes, probably no, or definitely no?

ELSE IF NUMPREGS>1 AND WANTCNTR=NUMPREGS AND CURRPREG=YES AND LBCNTR=0, ASK:  
Right before this pregnancy, did you think you might ever want to have a baby with that partner?  
Would you say definitely yes, probably yes, probably no, or definitely no?

ELSE IF NUMPREGS>1 AND WANTCNTR=NUMPREGS AND CURRPREG=YES AND LBCNTR>0, ASK:  
Right before this pregnancy, did you think you might ever want to have another baby with that partner?  
Would you say definitely yes, probably yes, probably no, or definitely no?

ELSE IF NUMPREGS>1 AND WANTCNTR LE NUMPREGS AND LBCNTR=0, ASK:  
Right before that pregnancy, did you think you might ever want to have a baby with that partner?  
Would you say definitely yes, probably yes, probably no, or definitely no?

ELSE IF NUMPREGS>1 AND WANTCNTR LE NUMPREGS AND LBCNTR>0, ASK:  
Right before that pregnancy, did you think you might ever want to have another baby with that partner?  
Would you say definitely yes, probably yes, probably no, or definitely no?

Definitely yes.....1  
Probably yes.....2  
Probably no.....3  
Definitely no.....4

**FLOW CHECK E-76: IF CMINTFINXX >= CMJAN99, ASK EG-13 FEELINPG.  
ELSE, IF CMINTFINXX < CMJAN99, GO TO EG-16 HPWNOLD.**

**FEELINPG**

EG-13. Please look at the scale on Card 39. On this scale, a one means that you were very unhappy to be pregnant and a ten means that you were very happy to be pregnant. Tell me which number on the card best describes how you felt when you found out you were pregnant.

[SHOW CARD 39]

*ENTER number*

{ Underlying range: 1 to 10

**HPWNOLD**

EG-16. IF NUMPREGS=1, ASK:  
Right before you became pregnant, did the father want you to have a baby at any time in the future?

ELSE IF NUMPREGS>1 AND WANTCNTR=NUMPREGS AND CURRPREG=YES AND LBCNTR=0, ASK:  
Right before you became pregnant this time, did the father want you to have a baby at any time in the future?

ELSE IF NUMPREGS>1 AND WANTCNTR=NUMPREGS AND CURRPREG=YES AND LBCNTR>0, ASK:  
Right before you became pregnant this time, did the father want you to have another baby at any time in the future?

ELSE IF NUMPREGS>1 AND WANTCNTR LE NUMPREGS AND LBCNTR=0, ASK:  
Right before you became pregnant that (Nth) time, did the father want you to have a baby at any time in the future?

ELSE IF NUMPREGS>1 AND WANTCNTR LE NUMPREGS AND LBCNTR>0, ASK:  
Right before you became pregnant that (Nth) time, did the father want you to have another baby at any time in the future?

[HELP AVAILABLE]

Yes.....1  
No.....5 (FLOW CHECK E-77)  
Not sure, don't know.....6 (FLOW CHECK E-77)

**TIMOKHP**

EG-17. So would you say you became pregnant sooner than he wanted, at about the right time, or later than he wanted?

[HELP AVAILABLE]

Sooner..... 1  
Right time.....2  
Later..... 3  
Didn't care..... 4

**FLOW CHECK E-77: (What this does: ASK the next question FOR ALL PREGNANCIES**

**EXCEPT:**  
CURRENTLY MARRIED AND MARR. DATE <= 2 MONTHS PRIOR TO PREG.  
BEGIN DATE, OR  
NOT CURR MARRIED, BUT MARRIED ONLY ONCE, AND MARR DATE <= 2  
MONTHS PRIOR TO PREG. BEGIN DATE AND  
STOPPED LIVING WITH DATE > PREG END DATE)

(IF FMARIT=NEVER MARRIED OR FMARIT=DK/RF) OR  
(IF MARSTAT NE MARRIED AND  
(TIMESMAR>1 OR DK/RF) OR  
(CMMARRHX>(CMPRGBEGX-2) OR CMMARRHX=DK/RF) OR  
CMSTPHSBX <=CMPRGENDX OR CMSTPHSBX=DK/RF))

OR  
IF MARSTAT=MARRIED AND  
(CMMARRHX(for current husband)>(CMPRGBEGX-2) OR  
CMMARRHX(for current husband)=DK/RF)  
THEN ASK EG-18a COHPBEG

**ELSE IF**  
MARSTAT=MARRIED AND CMMARRHX(for current  
husband)<=(CMPRGBEGX - 2)  
OR  
(MARSTAT NE MARRIED AND  
TIMESMAR=1 AND  
CMMARRHX<=(CMPRGBEGX - 2) AND CMSTPHSBX > CMPRGEND))  
GO TO FLOW CHECK E-79

**COHPBEG**

EG-18a. IF NUMPREGS=1 THEN ASK:  
Were you living with the father of the pregnancy at the beginning  
of the pregnancy?

ELSE IF NUMPREGS>1 AND WANTCNTR<NUMPREGS AND CURRPREG NE YES, ASK:  
Were you living with the father of your (Nth) pregnancy (which  
ended in (CMPRGEND\_FILL)) at the beginning of the pregnancy?

ELSE IF NUMPREGS>1 AND WANTCNTR<NUMPREGS AND CURRPREG = YES, ASK:  
Were you living with the father of your (Nth) pregnancy (which  
ended in (CMPRGEND\_FILL)) at the beginning of the pregnancy?

ELSE IF NUMPREGS>1 AND WANTCNTR=NUMPREGS AND CURRPREG NE YES THEN  
ASK:  
Were you living with the father of your (Nth) pregnancy (which  
ended in (CMPRGEND\_FILL)) at the beginning of the pregnancy?

ELSE IF NUMPREGS>1 AND WANTCNTR=NUMPREGS AND CURRPREG = YES THEN  
ASK:  
Were you living with the father of this pregnancy at the beginning  
of the pregnancy?

Yes.....1  
No.....5

**FLOW CHECK 78:** IF CURRPREG NE 1 (YES) or (CURRPREG=1 AND  
WANTCNTR<NUMPREGS), THEN ASK EG-18b COHPEND  
ELSE IF WANTCNTR=NUMPREGS AND CURRPREG = 1 (YES) THEN GO TO  
EG-19 TELLFATH

**COHPEND**

EG-18b. IF NUMPREGS=1 AND PRGOUTCOME=LIVE BIRTH BY CESAREAN OR VAGINAL

DELIVERY, and BABYSEX=1 (male) ASK:  
When [BABYNAME\_FILL] was born, were you living with his father?

IF NUMPREGS=1 AND PRGOUTCOME=LIVE BIRTH BY CESAREAN OR VAGINAL  
DELIVERY, and BABYSEX=2 (female) ASK:  
When [BABYNAME\_FILL] was born, were you living with her father?

ELSE IF NUMPREGS=1 AND PRGOUTCOME NE LIVE BIRTH BY CESAREAN OR  
VAGINAL DELIVERY, ASK:  
Were you living with the father of the pregnancy when the  
pregnancy ended?

ELSE IF NUMPREGS>1 AND PRGOUTCOME=LIVE BIRTH BY CESAREAN OR  
VAGINAL DELIVERY, AND WANTCNTR<NUMPREGS AND CURRPREG NE YES, and  
BABYSEX=1 (male) ASK:  
When [BABYNAME\_FILL] was born, were you living with his father?

ELSE IF NUMPREGS>1 AND PRGOUTCOME=LIVE BIRTH BY CESAREAN OR  
VAGINAL DELIVERY, AND WANTCNTR<NUMPREGS AND CURRPREG NE YES, and  
BABYSEX=2 (female) ASK:  
When [BABYNAME\_FILL] was born, were you living with her father?

ELSE IF NUMPREGS>1 AND PRGOUTCOME NE LIVE BIRTH BY CESAREAN OR  
VAGINAL DELIVERY, AND WANTCNTR<NUMPREGS AND CURRPREG NE YES, ASK:  
Were you living with the father of that pregnancy when the  
pregnancy ended?

ELSE IF NUMPREGS>1 PRGOUTCOME=LIVE BIRTH BY CESAREAN OR VAGINAL  
DELIVERY AND WANTCNTR<NUMPREGS AND CURRPREG = YES, and  
BABYSEX=1(male) ASK:  
When [BABYNAME\_FILL] was born, were you living with his father?

ELSE IF NUMPREGS>1 PRGOUTCOME=LIVE BIRTH BY CESAREAN OR VAGINAL  
DELIVERY AND WANTCNTR<NUMPREGS AND CURRPREG = YES, and  
BABYSEX=2(female) ASK:  
When [BABYNAME\_FILL] was born, were you living with her father?

ELSE IF NUMPREGS>1 AND PRGOUTCOME NE LIVE BIRTH BY CESAREAN OR  
VAGINAL DELIVERY AND WANTCNTR<NUMPREGS AND CURRPREG = YES, ASK:  
Were you living with the father of that pregnancy when the  
pregnancy ended?

ELSE IF NUMPREGS>1 AND PRGOUTCOME = LIVE BIRTH BY CESAREAN OR  
VAGINAL DELIVERY AND WANTCNTR=NUMPREGS AND CURRPREG NE YES and  
BABYSEX=1(male) THEN ASK:  
When [BABYNAME\_FILL] was born, were you living with his father?

ELSE IF NUMPREGS>1 AND PRGOUTCOME = LIVE BIRTH BY CESAREAN OR  
VAGINAL DELIVERY AND WANTCNTR=NUMPREGS AND CURRPREG NE YES and  
BABYSEX=2(female) THEN ASK:  
When [BABYNAME\_FILL] was born, were you living with her father?

ELSE IF NUMPREGS>1 AND PRGOUTCOME NE LIVE BIRTH BY CESAREAN OR  
VAGINAL DELIVERY AND WANTCNTR=NUMPREGS AND CURRPREG NE YES THEN  
ASK:  
Were you living with the father of that pregnancy when the  
pregnancy ended?

Yes.....1  
No.....5

**FLOW CHECK E-79: IF PRGOUTCOME NE LIVE BIRTH OR COHPEND NE 1 (YES), ASK EG-19**

**TELLFATH**

**ELSE, IF PRGOUTCOME = LIVE BIRTH AND COHPEND=1 (YES) GO TO  
FLOW CHECK E-82**

**TELLFATH**

EG-19.

IF NUMPREGS=1 THEN ASK:

Did you tell the father of the pregnancy that you were pregnant?

IF NUMPREGS>1 AND WANTCNTR<NUMPREGS AND CURRPREG NE YES, ASK:

Did you tell the father of that (Nth) pregnancy that you were pregnant?

IF NUMPREGS>1 AND WANTCNTR<NUMPREGS AND CURRPREG = YES, ASK:

Did you tell the father of that (Nth) pregnancy that you were pregnant?

IF NUMPREGS>1 AND WANTCNTR=NUMPREGS AND CURRPREG NE YES, ASK:

Did you tell the father of that (Nth) pregnancy that you were pregnant?

IF NUMPREGS>1 AND WANTCNTR=NUMPREGS AND CURRPREG = YES, ASK:

Did you tell the father of your current pregnancy that you are pregnant?

Yes.....1

No.....5

**FLOW CHECK E-80: IF EG-19 TELLFATH=1 THEN GO TO FLOW CHECK E-81**

**ELSE IF EG-19 TELLFATH NE 1, THEN GO TO FLOW CHECK E-82**

**FLOW CHECK E-81: IF CURRPREG NE 1 (YES), ASK EG-20 WHENTELL**

**ELSE IF WANTCNTR=NUMPREGS AND CURRPREG = 1 (YES) THEN GO TO  
FLOW CHECK E-82**

**WHENTELL**

EG-20.

When did you tell him that you were pregnant - during the pregnancy or after the baby was born/after the pregnancy ended?

IF PREGXEND ^= LIVE BIRTH, RESP CATEGORIES:

During the pregnancy.....1

After the pregnancy ended.....2

IF PREGXEND = LIVE BIRTH, RESP CATEGORIES:

During the pregnancy.....1

After the baby was born.....2

**FLOW CHECK E-82: IF CMPRGEND>=CMJAN99 OR (WANTCNTR=NUMPREGS AND CURRPREG=1) ,**

**ASK EG-21 TRYSCALE**

**ELSE IF CMPRGEND < CMJAN99, GO TO FLOW CHECK E-85**

**TRYSCALE**

EG-21.

IF NUMPREGS=1, ASK:

Look at the scale on Card 40, where a 0 means trying hard not to get pregnant, and a 10 means trying hard to get pregnant. If you had to rate how much you were trying to get pregnant or avoid pregnancy right before you got pregnant, how would you rate yourself?

ELSE IF NUMPREGS>1 AND WANTCNTR=NUMPREGS AND CURRPREG=YES, ASK:

Look at the scale on Card 40, where a 0 means trying hard not to get pregnant, and a 10 means trying hard to get pregnant. If you had to rate how much you were trying to get pregnant or avoid

pregnancy right before you got pregnant this time, how would you rate yourself?

ELSE IF NUMPREGS>1 AND WANTCNTR LE NUMPREGS, ASK:

Look at the scale on Card 40, where a 0 means trying hard not to get pregnant, and a 10 means trying hard to get pregnant. If you had to rate how much you were trying to get pregnant or avoid pregnancy right before you got pregnant that time, how would you rate yourself?

*ENTER number*

{UNDERLYING RANGE 0 to 10

[SHOW CARD 40]

**WANTSCAL**

EG-22.

IF NUMPREGS=1, ASK:

Look at the scale on Card 41, where a 0 means you wanted to avoid a pregnancy and a 10 means you wanted to get pregnant. If you had to rate how much you wanted or didn't want a pregnancy right before you got pregnant, how would you rate yourself?

ELSE IF NUMPREGS>1 AND WANTCNTR=NUMPREGS AND CURRPREG=YES, ASK:

Look at the scale on Card 41, where a 0 means you wanted to avoid a pregnancy and a 10 means you wanted to get pregnant. If you had to rate how much you wanted or didn't want a pregnancy right before you got pregnant this time, how would you rate yourself?

ELSE IF NUMPREGS>1, AND WANTCNTR LE NUMPREGS, ASK:

Look at the scale on Card 41, where a 0 means you wanted to avoid a pregnancy and a 10 means you wanted to get pregnant. If you had to rate how much you wanted or didn't want a pregnancy right before you got pregnant that time, how would you rate yourself?

*ENTER number*

{UNDERLYING RANGE 0 to 10

[SHOW CARD 41]

**FLOW CHECK E-83:** IF EG-10 TIMINGOK=1 (TOO SOON) OR EG-6 WANTBOLD=5 (NO) OR EG-7 PROBBABE=5 (PROBABLY NOT) OR EG-9 WANTBLD2=5 (NO) THEN GO TO FLOW CHECK E-84

ELSE IF EG-10 TIMINGOK NE 1 AND EG-6 WANTBOLD NE 5 AND EG-7 PROBBABE NE 5 AND EG-9 WANTBLD2 NE 5 THEN GO TO FLOW CHECK E-85

**FLOW CHECK E-84:** IF ED-6 METHHIST CORRESPONDING TO CMPRQBEGX NE 1 (NO METHODS USED) GO TO EG-23 WHYPRG

ELSE IF ED-6 METHHIST CORRESPONDING TO CMPRQBEGX = 1 (NO METHODS USED) OR EVERUSED = 5(NO) GO TO EG-24 WHYNOUSE.

**WHYPRG**

EG-23.

IF TIMINGOK=TOO SOON AND NUMPREGS=1, ASK:

Please look at Card 42. Earlier you told me your pregnancy occurred too soon. Which of the following statements, if any, applies to you right before you became pregnant? Your birth control method failed, or you did not use your birth control method properly?

ELSE IF TIMINGOK=TOO SOON, AND Numpregs>1 AND WANTCNTR=Numpregs  
AND CURRPREG=YES, ASK:  
Please look at Card 42. Earlier you told me this pregnancy  
occurred too soon. Which of the following statements, if any,  
applies to you right before you became pregnant this time? Your  
birth control method failed, or you did not use your birth control  
method properly?

ELSE IF TIMINGOK=TOO SOON, AND Numpregs>1 AND WANTCNTR=Numpregs  
AND CURRPREG NE YES, ASK:  
Please look at Card 42. Earlier you told me that pregnancy  
occurred too soon. Which of the following statements, any,  
applies to you right before you became pregnant that time (that  
is, with the pregnancy that ended in CMPRGENDX)? Your birth  
control method failed, or you did not use your birth control  
method properly?

ELSE IF TIMINGOK=TOO SOON, AND Numpregs>1 AND WANTCNTR<Numpregs,  
ASK:  
Please look at Card 42. Earlier you told me that pregnancy  
occurred too soon. Which of the following statements, if any,  
applies to you right before you became pregnant that time (that  
is, with the pregnancy that ended in CMPRGENDX)? Your birth  
control method failed, or you did not use your birth control  
method properly?

ELSE IF WANTBOLD=NO OR PROBBABE=PROBABLY NOT OR WANTBLD2=NO,  
AND Numpregs=1, ASK:  
Please look at Card 42. Earlier you told me that your pregnancy  
occurred at a time when you wanted no future pregnancies. Which  
of the following statements, if any, applies to you right before  
you became pregnant? Your birth control method failed, or you did  
not use your birth control method properly?

ELSE IF WANTBOLD=NO OR PROBBABE=PROBABLY NOT OR WANTBLD2=NO,  
AND Numpregs>1 AND WANTCNTR=Numpregs AND CURRPREG=YES, ASK:  
Please look at Card 42. Earlier you told me that this pregnancy  
occurred at a time when you wanted no future pregnancies. Which  
of the following statements, if any, applies to you right before  
you became pregnant this time? Your birth control method failed,  
or you did not use your birth control method properly?

ELSE IF WANTBOLD=NO OR PROBBABE=PROBABLY NOT OR WANTBLD2=NO,  
AND Numpregs>1 AND WANTCNTR=Numpregs AND CURRPREG NE YES, ASK:  
Please look at Card 42. Earlier you told me that that pregnancy  
occurred at a time when you wanted no future pregnancies. Which  
of the following statements, if any, applies to you right before  
you became pregnant that time (that is, with the pregnancy that  
ended in CMPRGENDX)? Your birth control method failed, or you did  
not use your birth control method properly?

ELSE IF WANTBOLD=NO OR PROBBABE=PROBABLY NOT OR WANTBLD2=NO,  
AND Numpregs>1 AND WANTCNTR < Numpregs, ASK:  
Please look at Card 42. Earlier you told me that that pregnancy  
occurred at a time when you wanted no future pregnancies. Which  
of the following statements, if any, applies to you right before  
you became pregnant that time (that is, with the pregnancy that  
ended in CMPRGENDX)? Your birth control method failed, or you did  
not use your birth control method properly?

*ENTER all that apply*

*If Respondent volunteers she wasn't using a method, ENTER 3*

[SHOW CARD 42]

Your birth control method failed.....1 (FLOW CHECK E-85)  
You did not use your birth control

method properly.....2 (FLOW CHECK E-85)

Respondent wasn't using a method.....3 (FLOW CHECK E-85)

**WHYNOUSE**

EG-24.

IF TIMINGOK=TOO SOON AND NUMPREGS=1, ASK:

Please look at Card 43. Earlier you told me your pregnancy occurred too soon. Which of the following statements applies to you right before you became pregnant? You did not use birth control because...

ELSE IF TIMINGOK=TOO SOON AND NUMPREGS>1, AND WANTCNTR=NUMPREGS AND CURRPREG=YES, ASK:

Please look at Card 43. Earlier you told me your pregnancy occurred too soon. Which of the following statements applies to you right before you became pregnant this time? You did not use birth control because...

ELSE IF TIMINGOK=TOO SOON, AND NUMPREGS>1 AND WANTCNTR=NUMPREGS AND CURRPREG NE YES, ASK:

Please look at Card 43. Earlier you told me that pregnancy occurred too soon. Which of the following statements applies to you right before you became pregnant that time (that is, with the pregnancy that ended in CMPRGENDX)? You did not use birth control because.....

ELSE IF TIMINGOK=TOO SOON, AND NUMPREGS>1 AND WANTCNTR<NUMPREGS, ASK:

Please look at Card 43. Earlier you told me that pregnancy occurred too soon. Which of the following statements applies to you right before you became pregnant that time (that is, with the pregnancy that ended in CMPRGENDX)? You did not use birth control because.....

ELSE IF WANTBOLD=NO OR PROBBABE=PROBABLY NOT OR WANTBLD2=NO, AND NUMPREGS=1, ASK:

Please look at Card 43. Earlier you told me that your pregnancy occurred at a time when you wanted no future pregnancies. Which of the following statements applies to you right before you became pregnant? You did not use birth control because.....

ELSE IF WANTBOLD=NO OR PROBBABE=PROBABLY NOT OR WANTBLD2=NO, AND NUMPREGS>1 AND WANTCNTR=NUMPREGS AND CURRPREG=YES, ASK:

Please look at Card 43. Earlier you told me that this pregnancy occurred at a time when you wanted no future pregnancies. Which of the following statements applies to you right before you became pregnant this time? You did not use birth control because.....

ELSE IF WANTBOLD=NO OR PROBBABE=PROBABLY NOT OR WANTBLD2=NO, AND NUMPREGS>1 AND WANTCNTR=NUMPREGS AND CURRPREG NE YES, ASK:

Please look at Card 43. Earlier you told me that that pregnancy occurred at a time when you wanted no future pregnancies. Which of the following statements applies to you right before you became pregnant that time (that is, with the pregnancy that ended in CMPRGENDX)? You did not use birth control because.....

ELSE IF WANTBOLD=NO OR PROBBABE=PROBABLY NOT OR WANTBLD2=NO,

AND NUMPREGS>1 AND WANTCNTR < NUMPREGS, ASK:  
Please look at Card 43. Earlier you told me that that pregnancy occurred at a time when you wanted no future pregnancies. Which of the following statements applies to you right before you became pregnant that time (that is, with the pregnancy that ended in CMPRGENDX)? You did not use birth control because....

*ENTER all that apply*

*If Respondent volunteers sex was forced, code 1.*

*If Respondent volunteers she was using a method, ENTER 7*

[SHOW CARD 43]

You did not expect to have sex.....1  
You did not think you could get pregnant.....2  
You didn't really mind if you got pregnant.....3  
  
You were worried about the side effects of birth control...4  
Your male partner did not want you to use a birth control method.....5  
Your male partner did not want to use a birth control method.....6  
  
Respondent was using a method.....7

**FLOW CHECK E-85: IF WANTCNTR=NUMPREGS, GO TO FLOW CHECK E-86  
ELSE IF WANTCNTR < NUMPREGS:  
. ADVANCE WANTCNTR BY 1  
. IF OUTCOME OF (WANTCNTR-1) PREGNANCY INCLUDES LIVE BIRTH (PRGOUTCOME = live birth by vaginal or Cesarean delivery), ADVANCE LBCNTR BY 1.  
. RETURN TO FLOW CHECK E-66 (AND COMPLETE EG SERIES FOR NEXT PREGNANCY INTERVAL)**

**OPEN INTERVAL QUESTIONS (EH)**

**FLOW CHECK E-86: IF CURRPREG = YES, GO TO FLOW CHECK E-97**

**FLOW CHECK E-87: (This does the following: SKIP THIS WHOLE SECTION IF SHE IS NOT CURRENTLY "AT RISK OF PREGNANCY")  
IF EC-8 MONSX CORRESPONDING TO CMINTVW = 5 (NO INTERCOURSE) OR RSTRSTAT = 1 (STERILE) OR METH[CUR]=6 (STERILIZING OPERATION), GO TO FLOW CHECK E-97**

**INTR-EH1**

INTR\_EH1. Now, I have a few more questions about birth control.

*ENTER [1] to continue*

**FLOW CHECK 88: IF METH[CUR] = 1 (NO METHODS USED) ASK EH-1 WYNOTUSE  
ELSE IF METH[CUR] NE 1 (NO METHODS USED) GO TO FLOW CHECK E-91.**

**WYNOTUSE**

EH-1. Is the reason you are not using a method of birth control now because you, yourself, want to become pregnant as soon as possible?

Yes.....1  
No.....5

**HPPREGQ**

EH-2. And your partner, does he want you to become pregnant as soon as possible?

Yes..... 1  
No..... 5

**FLOW CHECK E-89:** IF EH-1 WYNOTUSE=1 (YES) THEN ASK EH-2a DURTRY  
ELSE IF WYNOTUSE EH-1 NE 1 (YES) GO TO FLOW CHECK E-91.

**DURTRY**

EH-2a. How long have you been trying to become pregnant?  
ENTER MONTHS/YEARS

If R has been trying for less than a month ENTER 1  
If R says she is / they are not trying, ENTER 95

{underlying range = 0 to 95

**DURTRYM**

EH-2b. (How long have you been trying to become pregnant?)

Choose months or years

Months.....1  
Years.....5

**FLOW CHECK E-90:** SET PLACNTR2=0  
(PLACNTR2 is counter for # of times PLACCUR1 or PLACCUR2 asked.)

**FLOW CHECK E-91:** (This does the following: if method(s) used in month prior to interview was a drug or device, ask the next. Otherwise, skip.)  
IF METH[CUR-1]x = 3 (PILL), 4 (CONDOM), 6 (STERIZING OPERATION), 8 (DEPO), 9 (NORPLANT), 12 (DIAPHRAGM), 13 (FEMALE CONDOM), 14 (FOAM), 15 (JELLY/CREAM), 16(CERVICAL CAP), 17 (SUPPOSITORY), 18 (SPONGE), 19 (IUD), 20 (EMERG. CONTRACEPTION), 24 (LUNELLE), OR 25 (CONT. PATCH) THEN GO TO FLOW CHECK E-92

ELSE IF METH[CUR-1]x = 1 (NO METHODS USED), 7 (WITHDRAWAL), 10 (RHYTHM), 5 (PARTNER'S VASECTOMY), 11 (SAFE PERIOD BY TEMPERATURE), 22 (RESPONDENT STERILE), 23 (PARTNER STERILE), OR 21 (OTHER METHOD), DK, OR RF, GO TO FLOW CHECK E-97

**FLOW CHECK E-92:** (This does the following: if method is prescrip-only, ask source list that doesn't include friend, partner, drugstore.)  
IF METH[CUR-1]x NE 3 (PILL) OR 12 (DIAPHRAGM) OR 8 (DEPO PROVERA) OR 9 (NORPLANT) OR 20 (EMERGENCY CONTRACEPTION), 24 (LUNELLE), OR 25 (CONT. PATCH)(?) ASK PLACCUR1

ELSE (IF METH[CUR-1]x = 3 (PILL) OR 12 (DIAPHRAGM) OR 8 (DEPO PROVERA) OR 9 (NORPLANT) OR 20 (EMERGENCY CONTRACEPTION), 24 (LUNELLE), OR 25 (CONT. PATCH)(?) GO TO PLACCUR2

**PLACCUR1**

EH-3. Please look at Card 36. You may have already told me, but where did you get the [METHHIST\_FILL FOR METH[CUR-1]x] you used last month?

[SHOW CARD 36]

Private doctor's office.....1  
HMO facility.....2  
Community health clinic, Community clinic, Public health clinic...3  
Family planning or Planned Parenthood Clinic.....4  
Employer or company clinic.....5  
School or school-based clinic.....6  
Hospital outpatient clinic.....7  
Hospital emergency room.....8  
Hospital regular room.....9  
Urgent care center, urgi-care or walk-in facility.....10  
Friend.....11  
Partner or spouse.....12  
Drug store.....13  
Some other place.....20

**FLOW CHECK 93: GO TO FLOW CHECK E-94**

**PLACCUR2**

EH\_3. Please look at Card 36. You may have already told me, but where did you get the prescription for the [METHHIST\_FILL FOR METH(CUR-1)] you used last month?

[SHOW CARD 36]

Private doctor's office.....1  
HMO facility.....2  
Community health clinic, Community clinic, Public health clinic...3  
Family planning or Planned Parenthood Clinic.....4  
Employer or company clinic.....5  
School or school-based clinic.....6  
Hospital outpatient clinic.....7  
Hospital emergency room.....8  
Hospital regular room.....9  
Urgent care center, urgi-care or walk-in facility.....10  
Some other place.....20

**FLOW CHECK E-94: IF EH-3 PLACCUR1 OR EH-3 PLACCUR2 = 3 or 4 OR 6 OR 7 OR 8 OR 9 OR 10, ASK State\_name.  
ELSE IF EH-3 PLACCUR1 NE 3 or 4 OR 6 OR 7 OR 8 OR 9 OR 10,  
AND EH-3 PLACCUR2 NE 3 or 4 OR 6 OR 7 OR 8 OR 9 OR 10, GO TO FLOW CHECK E-97.**

**State\_name**

EH-3. What is the name and address of the place where you received [METHHIST\_FILL FOR METH(CUR-1)]?

What state is the place in?

*Either press <BackSpace> to see the lookup table or start typing the name of the state.*

[HELP AVAILABLE]

**CLINFST**

EH-3. What is the name and address of the place where you received [METHHIST\_FILL FOR METH(CUR-1)]?

*Either press <BackSpace> to see the lookup table or start typing the name of the city where the clinic is located.*

- 1) TYPE OR SELECT A CITY NAME
- 2) SELECT A CLINIC BY SCROLLING UP OR DOWN
- 3) PRESS ENTER

[HELP AVAILABLE]

**CityName**

**ClinicName**

**ClinicCode**

**Confirm**

I have found a clinic (by that name/in that city) at:

(Name and address of clinic)

Is this correct?

- Yes.....1
- No.....5
- Clinic not in database.....7

**FLOW CHECK E-95: IF CLINIC NOT FOUND IN DATABASE, ASK EH-3b CLINFSTN  
ELSE, IF CLINIC FOUND IN DATABASE, GO TO FLOW CHECK E-96**

**CLINFSTN**

EH-3b. *ENTER name and address of clinic you were unable to find in database*

*If necessary: (REFER R to personal records or area phone books to obtain clinic name and address. If R is unable to provide the full address, record as much information as she can provide.)*

[HELP AVAILABLE]

**FLOW CHECK E-96: INCREMENT PLACNTR BY 1  
IF PLACNTR < NUMMULT THEN RETURN TO FLOW CHECK E-91  
ELSE IF PLACNTR=NUMMULT THEN GO TO FLOW CHECK E-97**

**PILL FOR HEALTH REASONS (EJ)**

**FLOW CHECK E-97: IF METH[CUR] OR METH[CUR-1] = 3 (PILL), ASK EJ-1 YUSEPILL  
ELSE IF METH[CUR] NE 3 AND METH[CUR-1] NE 3 THEN, GO TO FLOW CHECK E-99**

**YUSEPILL**

EJ-1. Now I would like to know all of the reasons for your recent pill use. Have you used it for birth control, cramps or pain during menstrual period, treatment for acne, treatment for endometriosis, or for some other reason?

*ENTER all that apply*

- Birth control.....1
- Cramps, or pain during menstrual periods...2
- Treatment for acne.....3

Treatment for endometriosis.....4  
Other reasons.....5

**FLOW CHECK E-98: IF METH[CUR] OR METH[CUR-1] OR METH[CUR-2] = 3 (PILL), ASK TYPEPILL.  
ELSE, IF METH[CUR] NE 3 AND METH[CUR-1] NE 3 AND METH[CUR-2] NE 3, GO TO FLOW CHECK E-99.**

**TYPEPILL**

EJ-2. This chart shows types of oral contraceptive pills that are available for women today. Please tell me the number next to the type that you are currently using or used most recently.

*ENTER pill number*

{Underlying range xx to xx

[HELP AVAILABLE]

[PILL CHART]

**CONDOM CONSISTENCY: PAST 4 WEEKS & PAST 12 MONTHS (EL)**

**FLOW CHECK E-99: IF MONNOSX FOR EACH MONTH CMINTVW THROUGH CMLSTYR = 5 (NO INTERCOURSE), GO TO FLOW CHECK F-0.  
(If R did not have intercourse in any of the past 12 months, skip this series.)**

**ELSE IF MONNOSX FOR ANY MONTH CMINTVW THROUGH CMLSTYR NE 5 (HAD INTERCOURSE OR DK/RF), GO TO EL-1 PST4WKSX  
(If R had intercourse in any of the past 12 months, proceed to next question.)**

**PST4WKSX**

EL-1. Now please think about the last four weeks. How many times have you had sexual intercourse with a male in the last four weeks?

*If R says "not at all" or "none", ENTER 0*

*Enter number*

{ Underlying range = 0 to 995

**FLOW CHECK E-99a: IF EA-2 CONDOM NE YES, GO TO FLOW CHECK F-0.  
(If R has never used the condom, skip the rest of this series)  
ELSE IF EA-2 CONDOM = YES, GO TO FLOW CHECK E-100**

**FLOW CHECK E-100: IF EL-1 PST4WKSX=1, ASK EL-2 PSWKCOND1  
ELSE IF EL-1 PST4WKSX=0, GO TO EL-4 P12MOCON  
ELSE (IF EL-1 PST4WKSX>1), GO TO EL-3 PSWKCOND2**

**PSWKCOND1**

EL-2. Did you use a condom?

Yes.....1 (P12MOCON)  
No.....5 (P12MOCON)

**PSWKCOND2**

EL-3. How many of those times did you use a condom?

*If R says "every time", enter number that was reported in PST4WKSX*

If R says "not at all" or "never", enter 0

ENTER number

{ Underlying range 0 to 100

**P12MOCON**

EL-4. Please look at the card 48. Thinking back over the past 12 months, that is, since (CMLSTYR\_FILL), would you say you used a condom with your partner for sexual intercourse every time, most of the time, about half of the time, some of the time, or none of the time?

[SHOW CARD 48]

Every time.....1  
Most of the time.....2  
About half of the time.....3  
Some of the time.....4  
None of the time.....5

**VARIABLES (ASKED OR DEFINED IN THIS SECTION) TO BE PASSED FORWARD:**

EA-1 PILL	Ever use pill?
EA-5 DEPOPROV	Ever use Depo-Provera?
EA-6 NORPLANT	Ever use Norplant?
EA-9 DIAFRAGM	Ever use a diaphragm?
EA-13 CERVLCAP	Ever use a cervical cap?
EA-16 IUD	Ever use an IUD?
EA-17 MORNPILL	Ever use emergency contraception?
PILL_12	Used pill in past 12 months?
DIAPH_12	Used diaphragm in past 12 months?
DEPO_12	Used Depo-Provera in past 12 months?
NORP_12	Used Norplant in past 12 months?
CERV_12	Used cervical cap in past 12 months?
IUD_12	Used IUD in past 12 months?
MPILL_12	Used emergency contraception in past 12 months?