

SECTION B

Ever Sex, Sex Communication and Education, Vasectomy and Physical Ability to Father Children, Number of Sexual Partners, Enumeration and Relationship With Up To 3 Recent (Or Last) Sexual Partner(s)

VARIABLES BROUGHT FORWARD TO THIS SECTION:

AGE R: R's AGE AT INTERVIEW (FROM A)
AGESCRN: R's AGE AT SCREENER (FROM A)
MARSTAT: MARITAL STATUS (FROM A)
FMARIT: FORMAL MARITAL STATUS OF ALL (FROM A)
CMINTVW: CENTURY MONTH OF INTERVIEW (FROM A)
CMLSTYR: CENTURY MONTH OF MONTH OF INTERVIEW - 1 YR (FROM A)
CMLSTYR_FILL: FILL FOR CENTURY MONTH OF MONTH OF INTERVIEW - 1 YR (FROM A)
CMFIVYR: CENTURY MONTH OF MONTH OF INTERVIEW - 5 YRS (FROM A)
CMBIRTH: CENTURY MONTH OF R's BIRTH (FROM A)
EVRMARRY: WHETHER RESPONDENT EVER MARRIED (FROM A)
EVRCOHAB: WHETHER RESPONDENT EVER COHABITED WITH A WOMAN (FROM A)
NUMWIFE: NUMBER OF TIMES MARRIED (FROM A)
NUMCOHAB: NUMBER OF TIMES COHABITING (FROM A)
HIGRADE: AE-3 HIGHEST SCHOOL GRADE/YEAR ATTENDED (USED IN EDIT CHECKS BA6_1, BA9_1, BA12_1, & BA15_1)

VARIABLES CREATED IN THIS SECTION & OUTPUT TO DATA FILE

CMVASEC: CENTURY MONTH OF VASECTOMY OR OTHER MALE STERILIZATION OPERATION (FC B-4)
CMRVRS: CENTURY MONTH OF VASECTOMY REVERSAL (FC B-6)
RSURGSTR: WHETHER R SURGICALLY STERILE AT TIME OF INTERVIEW (FC B-6b)
RSTRSTAT: STERILIZATION/FERTILITY STATUS OF R (FC B-7)
RHADSEX: WHETHER R EVER HAD SEX OR NOT (FC B-1b)
LIFEPRTS: NUMBER OF FEMALE SEX PARTNERS IN LIFE (FC B-10)
MON12PRTS: NUMBER OF FEMALE SEX PARTNERS IN LAST 12 MONTHS (FC B-11)
SEXSTAT: WHETHER EVER HAD SEX, HAD MORE THAN ONE SEX PARTNER EVER, AND HAD SEX IN LAST 12 MONTHS (FC B-11a)
BIOKIDS: RUNNING COUNT OF BIOLOGICAL CHILDREN (FC B-11a)
BKIDNAM[X]: NAME OF EACH BIO CHILD (FC B-11a)
BKIDAGE[X]: AGE OF EACH BIO CHILD (FC B-11a)
BKIDAGEGP[X]: AGE GROUP OF EACH BIO CHILD (FC B-11a)
BKIDSEX[X]: SEX OF EACH BIO CHILD (FC B-11a)
BKIDHH[X]: WHETHER EACH BIO CHILD LIVES IN HH OR ELSEWHERE (FC B-11a)
BKIDMAR[X]: WHETHER EACH BIO CHILD BORN IN WEDLOCK OR NOT (FC B-11a)
BKIDLIV[X]: WHETHER R LIVING WITH MOTHER AT TIME OF BIRTH, INCLUDING MARRIED AND COHABITING (FC B-11a)
POSS_DUP[X]: WHETHER THIS CHILD IS A POTENTIAL DUPLICATE OF ANOTHER CHILD BASED ON SEX/AGE (FC B-11a)
DUPLICATE[X]: WHETHER THIS CHILD IS A DUPLICATE OF ANOTHER CHILD BASED ON DUPCHECK (FC B-11a)
GA_BKIDELG[X]: WHETHER BIO CHILD ELIGIBLE FOR SECTION GA OR NOT (FC B-11a)
GB_BKIDELG[X]: WHETHER BIO CHILD ELIGIBLE FOR SECTION GB OR NOT (FC B-11a)
ADOPKIDS: RUNNING COUNT OF ADOPTED CHILDREN (FC B-11a)
AKIDNAM[X]: NAME OF EACH ADOPTED CHILD (FC B-11a)
AKIDAGE[X]: AGE OF EACH ADOPTED CHILD (FC B-11a)
AKIDAGEGP[X]: AGE GROUP OF EACH ADOPTED CHILD (FC B-11a)
AKIDSEX[X]: SEX OF EACH ADOPTED CHILD (FC B-11a)
AKIDHH[X]: WHETHER EACH ADOPTED CHILD LIVES IN HH OR NOT (FC B-11a)
POSS_DUP[X]: WHETHER THIS CHILD IS A POTENTIAL DUPLICATE OF ANOTHER CHILD BASED ON SEX/AGE (FC B-11a)
DUPLICATE[X]: WHETHER THIS CHILD IS A DUPLICATE OF ANOTHER CHILD BASED ON DUPCHECK (FC B-11a)
GA_AKIDELG[X]: WHETHER ADOPTED CHILD ELIGIBLE FOR SECTION GA OR NOT (FC B-11a)
GB_AKIDELG[X]: WHETHER ADOPTED CHILD ELIGIBLE FOR SECTION GB OR NOT (FC B-11a)
CURRPREG: WHETHER CURRENT WIFE/COHAB/PARTNER IS PREGNANT (FC B-11a)
CURRPRTS: NUMBER OF CURRENT NONMAR/NONCOHAB PARTNERS (FC B-11a)
PREGSNOW: TOTAL NUMBER OF WOMEN PREGNANT WITH R's CHILD NOW (FC B-11a)
CURWIFE: CURRENT WIFE's NAME/INITIALS (FC B-12)
CURCOHAB: CURRENT COHABITING PARTNER's NAME/INITIALS(FC B-12)
CURSEP: NAME OF WIFE R IS CURRENTLY SEPARATED NAME/INITIALS (FC B-12)

P1NAME_FILL: NAME/INITIALS OF LAST SEXUAL PARTNER (FC B-13)
P2NAME_FILL: NAME/INITIALS OF 2ND TO LAST SEXUAL PARTNER (FC B-21)
P3NAME_FILL: NAME/INITIALS OF 3RD TO LAST SEXUAL PARTNER (FC B-29)
CMLSXP1: CENTURY MONTH OF LAST SEX WITH LAST PARTNER (FC B-19)
CMLSXP2: CENTURY MONTH OF LAST SEX WITH 2ND-TO-LAST PARTNER (FC B-27)
CMLSXP3: CENTURY MONTH OF LAST SEX WITH 3RD-TO-LAST PARTNER (FC B-35)
CMLSXP1_FILL: FILL FOR DATE OF LAST SEX WITH LAST PARTNER (FC B-19)
CMLSXP2_FILL: FILL FOR DATE OF LAST SEX WITH 2ND-TO-LAST PARTNER (FC B-27)
CMLSXP3_FILL: FILL FOR DATE OF LAST SEX WITH 3RD-TO-LAST PARTNER (FC B-35)
FRSTNAME: NAME/INITIALS OF FIRST SEX PARTNER EVER (FC B-38)
P1RELATION: RELATIONSHIP OF LAST SEX PARTNER TO R (FC B-36)
P2RELATION: RELATIONSHIP OF 2ND TO LAST SEX PARTNER TO R (FC B-36)
P3RELATION: RELATIONSHIP OF 3RD TO LAST SEX PARTNER TO R (FC B-36)
REL1_FILL: FILL FOR RELATIONSHIP WITH LAST PARTNER (FC B-37)
REL2_FILL: FILL FOR RELATIONSHIP WITH 2ND TO LAST PARTNER (FC B-37)
REL3_FILL: FILL FOR RELATIONSHIP WITH 3RD TO LAST PARTNER (FC B-37)

Ever Had Sex; Sex Communication (BA)

FLOW CHECK B-1a: IF EVRMARRY = 0 AND EVRCOHAB = 0, ASK BA-1 EVERSEX.
ELSE GO TO FLOW CHECK B-1b.

{ ASKED IF R NEVER MARRIED, NEVER COHABITED

EVERSEX

BA-1. The next section is about relationships with females.

Have you ever had sexual intercourse with a female (sometimes this is called making love, having sex, or going all the way)?

◆ *Do not count oral sex, heavy petting, or other forms of sexual activity that do not involve vaginal penetration. Do not count sex with a male partner.*

[HELP AVAILABLE]

Yes.....1
No.....5

FLOW CHECK B-1b: CREATE RHADSEX (WHETHER R EVER HAD SEX OR NOT)
SET =0 RHADSEX remains 0 if BA-1 EVERSEX=DK/RF
=1 YES IF EVRMARRY=1 OR EVRCOHAB=1 OR EVERSEX=1
=2 NO IF EVERSEX =5

IF EVERSEX =1, ASK BA-2 SXMTONCE;
ELSE IF EVERSEX =5, GO TO BA-3 YNOSEX;
ELSE IF (EVRMARRY =1 OR EVRCOHAB=1) OR EVERSEX =DK OR RF,
GO TO FLOW CHECK B-1d.

{ ASKED IF R NEVER MARRIED, NEVER COHABITED BUT HAD SEX

SXMTONCE

BA-2. Have you had sexual intercourse more than once?

[HELP AVAILABLE]

Yes1
No5

FLOW CHECK B-1c: GO TO FLOW CHECK B-1d.

{ ASKED IF R NEVER MARRIED AND NEVER COHABITED AND SAID HE NEVER HAD SEX
YNOSEX

BA-3. As you know, some people have had sexual intercourse by your age and others have not. Please look at Card 13 which lists some reasons that people give for not having sexual intercourse.

What would you say is the most important reason why you have not had sexual intercourse up to now?

[SHOW CARD 13]
[HELP AVAILABLE]

- Against religion or morals.....1
- Don't want to get a female pregnant.....2
- Don't want to get a sexually transmitted disease.....3
- Haven't found the right person yet.....4
- In a relationship, but waiting for the right time.....5
- Other6

FLOW CHECK B-1d: IF AGESCRN > 24, GO TO BB-1 EVEROPER.

TALKPAR

BA-4. IF AGE_R GE 18, SAY:

The next questions are about how you learned about sex and birth control. Before you were 18 years old, which, if any, of the topics shown on Card 23 did you ever talk with a parent or guardian about?

ELSE IF AGE_R LT 18, SAY:

The next questions are about how you learned about sex and birth control. Which, if any, of the topics shown on Card 23, have you ever talked with a parent or guardian about?

[SHOW CARD 23]

◆ ENTER all that apply.

◆ ENTER space or [-] to separate responses.

- How to say no to sex1
- Methods of birth control2
- Where to get birth control3
- Sexually transmitted diseases ...4
- How to prevent HIV/AIDS.....5
- How to use a condom6
- Waiting until marriage to have Sex.....8
- None of the above95

EDIT CHECK BA_4_1: IF BA-4 TALKPAR=7 AND ANY OTHER RESPONSE DISPLAY TEXT:

"None" cannot be selected with any other answer. Re-verify with R and then either de-select all answers but "None" or de-select "None" before continuing.

SEDNO

BA-5. IF AGE_R < 18, SAY:

Now I'm interested in knowing about formal sex education you may have had. Have you ever had any formal instruction at school, church, a community center or some other place about how to say no to sex?

ELSE, SAY:

Now I'm interested in knowing about formal sex education you may have had. Before you were 18, did you ever have any formal instruction at

school, church, a community center or some other place about how to say no to sex?

Yes.....1
No.....5

**FLOW CHECK B-1e: IF BA-5 SEDNO =1, ASK BA-5a SEDNOLC.
ELSE, GO TO BA-8 SEDBC.**

{ ASKED IF R REPORTED HAVING SEX ED ON THIS TOPIC
SEDNOLC

BA-5a. Looking at Card 23a, where did you receive that instruction about how to say no to sex?

- ◆ ENTER all that apply
- ◆ ENTER space or [-] to separate responses.

[SHOW CARD 23a]

School.....1
Church2
A community center3
Some other place4

SEDNOG

BA-6. What grade were you in when you first received instruction on how to say no to sex?

- ◆ ENTER [96] if R was not in school when he received the instruction

1st grade.....1
2nd grade.....2
3rd grade.....3
4th grade.....4
5th grade.....5
6th grade.....6
7th grade.....7
8th grade.....8
9th grade.....9
10th grade.....10
11th grade.....11
12th grade.....12
1st year of college.....13
2nd year of college.....14
3rd year of college.....15
4th year of college.....16
Not in school when received instruction.....96

UNDERLYING RANGE 1-16,96

EDIT CHECK BA6_1: PROBE IF BA-6 SEDNOG GT AE-3 HIGRADE. DISPLAY TEXT:
R has reported receiving this instruction in a grade higher than his highest grade attended. Please correct whichever item has been entered incorrectly.

**FLOW CHECK B-2a: IF RHADSEX=YES THEN ASK BA-7 SEDNOSX.
ELSE IF RHADSEX NE YES THEN GO TO BA-8 SEDBC.**

SEDNOSX

BA-7. Did you receive instruction about how to say no to sex before or after the first time you had sex?

Before.....1
After.....2

SEDBC

BA-8. IF AGE_R < 18, SAY:
Have you ever had any formal instruction at school, church, a community center or some other place about methods of birth control?

ELSE, SAY:
Before you were 18, did you ever have any formal instruction at school, church, a community center or some other place about methods of birth control?

Yes.....1
No.....5

**FLOW CHECK B-2b: IF BA-8 SEDBC =1, ASK BA-8a SEDBCLC.
ELSE, GO TO BA-11 SEDWHBC.**

{ ASKED IF R REPORTED HAVING SEX ED ON THIS TOPIC

SEDBCLC

BA-8a. Looking at Card 23a, where did you receive that instruction about methods of birth control?

- ◆ ENTER all that apply
- ◆ ENTER space or [-] to separate responses.

[SHOW CARD 23a]

School.....1
Church2
A community center3
Some other place4

SEDBCG

BA-9. What grade were you in when you first received instruction on methods of birth control?

◆ ENTER [96] if R was not in school when he received the instruction

1st grade.....1
2nd grade.....2
3rd grade.....3
4th grade.....4
5th grade.....5
6th grade.....6
7th grade.....7
8th grade.....8
9th grade.....9
10th grade.....10
11th grade.....11
12th grade.....12
1st year of college.....13
2nd year of college.....14
3rd year of college.....15

4th year of college.....16
Not in school when received instruction.....96

UNDERLYING RANGE 1-16,96

EDIT CHECK BA9_1: PROBE IF BA-9 SEDBCG GT AE-3 HIGRADE. DISPLAY TEXT:

R has reported receiving this instruction in a grade higher than his highest grade attended. Please correct whichever item has been entered incorrectly.

**FLOW CHECK B-2c: IF RHADSEX=YES THEN ASK BA-10 SEDBCSX.
ELSE IF RHADSEX NE YES THEN GO TO BA-11 SEDWHBC.**

SEDBCSX

BA-10. Did you receive instruction about methods of birth control before or after the first time you had sex?

Before.....1
After.....2

SEDWHBC

BA-11. IF AGE_R GE 18, ASK:
Before you were 18, did you ever have any formal instruction at school, church, a community center or some other place about where to get birth control?

ELSE IF AGE_R LT 18, ASK:
Have you ever had any formal instruction at school, church, a community center or some other place about where to get birth control?

Yes.....1
No.....5

**FLOW CHECK B-2d: IF BA-11 SEDWHBC=1, ASK BA-11a SEDWHLC.
ELSE, GO TO BA-14 SEDCOND.**

{ ASKED IF R REPORTED HAVING SEX ED ON THIS TOPIC

SEDWHLC

BA-11a. Looking at Card 23a, where did you receive that instruction about where to get birth control?

- ◆ ENTER all that apply
- ◆ ENTER space or [-] to separate responses.

[SHOW CARD 23a]

School.....1
Church2
A community center3
Some other place4

SEDWHBCG

BA-12. What grade were you in when you first received instruction on where to get birth control?

◆ ENTER [96] if R was not in school when he received the instruction

1st grade1

A community center3
Some other place4

SEDCONDG

BA-15. What grade were you in when you first received instruction on how to use a condom?

♦ ENTER [96] if R was not in school when he received the instruction

1st grade1
2nd grade2
3rd grade3
4th grade4
5th grade5
6th grade6
7th grade7
8th grade8
9th grade9
10th grade10
11th grade11
12th grade12
1st year of college13
2nd year of college14
3rd year of college15
4th year of college16
Not in school when received instruction96

EDIT CHECK BA15_1: PROBE IF BA-15 SEDCONDG GT AE-3 HIGRADE. DISPLAY TEXT: R has reported receiving this instruction in a grade higher than her highest grade attended. Is this correct?

FLOW CHECK B-2g: IF RHADSEX=YES THEN ASK BA-16 SEDCONX. ELSE IF RHADSEX NE YES THEN GO TO BA-17 SEDSTD.

SEDCONSX

BA-16. Did you receive instruction about how to use a condom before or after the first time you had sex?

Before.....1
After.....2

SEDSTD

BA-17. IF AGE_R LT 18, SAY:
Have you ever had any formal instruction at school, church, a community center or some other place about sexually transmitted diseases?

ELSE, SAY:
Before you were 18, did you ever have any formal instruction at school, church, a community center or some other place about sexually transmitted diseases?

Yes.....1
No.....5

FLOW CHECK B-2h: IF BA-17 SEDSTD=1, ASK BA-17a SEDSTDLC. ELSE, GO TO BA-20 SEDHIV.

{ ASKED IF R REPORTED HAVING SEX ED ON THIS TOPIC

SEDSTDLC

BA-17a. Looking at Card 23a, where did you receive that instruction about sexually transmitted diseases?

- ◆ ENTER all that apply
- ◆ ENTER space or [-] to separate responses.

[SHOW CARD 23a]

School.....1
Church2
A community center3
Some other place4

SEDSTDG

BA-18. What grade were you in when you first received instruction on sexually transmitted diseases?

- ◆ ENTER [96] if R was not in school when he received the instruction

1st grade.....1
2nd grade.....2
3rd grade.....3
4th grade.....4
5th grade.....5
6th grade.....6
7th grade.....7
8th grade.....8
9th grade.....9
10th grade.....10
11th grade.....11
12th grade.....12
1st year of college.....13
2nd year of college.....14
3rd year of college.....15
4th year of college.....16
Not in school when received instruction.....96

UNDERLYING RANGE 1-16,96

EDIT CHECK BA-18_1: PROBE IF BA-18 SEDSTDG GT AE-3 HIGRADE. DISPLAY TEXT: R has reported receiving this instruction in a grade higher than his highest grade attended. Please correct whichever item has been entered incorrectly.

FLOW CHECK B-2i: IF RHADSEX=YES THEN ASK BA-19 SEDSTDSX.
ELSE IF RHADSEX NE YES THEN GO TO BA-20 SEDHIV.

SEDSTDSX

BA-19. Did you receive instruction about sexually transmitted diseases before or after the first time you had sex?

Before.....1
After.....2

SEDHIV

BA-20. IF AGE_R LT 18, SAY:
Have you ever had any formal instruction at school, church, a

community center or some other place about how to prevent HIV/AIDS?B

ELSE, SAY:

Before you were 18, did you ever have any formal instruction at school, church, a community center or some other place about how to prevent HIV/AIDS?

Yes.....1

No.....5

**FLOW CHECK B-2j: IF BA-20 SEDHIV=1 THEN ASK BA-20a SEDHIVLC.
ELSE GO TO BA-23 SEDABST.**

{ ASKED IF R REPORTED HAVING SEX ED ON THIS TOPIC

SEDHIVLC

BA-20a. Looking at Card 23a, where did you receive that instruction about how to prevent HIV/AIDS?

◆ ENTER all that apply

◆ ENTER space or [-] to separate responses.

[SHOW CARD 23a]

School.....1

Church2

A community center3

Some other place4

SEDHIVG

BA-21. What grade were you in when you first received instruction on how to prevent HIV/AIDS?

◆ ENTER [96] if R was not in school when he received the instruction

1st grade.....1

2nd grade.....2

3rd grade.....3

4th grade.....4

5th grade.....5

6th grade.....6

7th grade.....7

8th grade.....8

9th grade.....9

10th grade.....10

11th grade.....11

12th grade.....12

1st year of college.....13

2nd year of college.....14

3rd year of college.....15

4th year of college.....16

Not in school when received instruction.....96

UNDERLYING RANGE 1-16,96

EDIT CHECK BA-21_1: PROBE IF BA-21 SEDHIVG GT AE-3 HIGRADE. DISPLAY TEXT: R has reported receiving this instruction in a grade higher than his highest grade attended. Please correct whichever item has been entered incorrectly.

**FLOW CHECK B-2k: IF RHADSEX=YES THEN ASK BA-22 SEDHIVSX.
ELSE IF RHADSEX NE YES THEN GO TO BA-23 SEDABST.**

SEDHIVSX

BA-22. Did you receive instruction about how to prevent HIV/AIDS before or after the first time you had sex?

Before.....1
After.....2

SEDABST

BA-23. IF AGE_R GE 18, ASK:

Before you were 18, did you ever have any formal instruction at school, church, a community center or some other place about waiting until marriage to have sex?

ELSE IF AGE_R LT 18, ASK:

Have you ever had any formal instruction at school, church, a community center or some other place about waiting until marriage to have sex?

Yes.....1
No.....5

**FLOW CHECK B-2L: IF BA-23 SEDABST=1 THEN ASK BA-23a SEDABLC.
ELSE GO TO BB-1 EVEROPER.**

SEDABLC

BA-23a. Looking at card 23a, where did you receive that instruction about waiting until marriage to have sex?

- ◆ ENTER all that apply
- ◆ ENTER space or [-] to separate responses.

[SHOW CARD 23a]

School.....1
Church2
A community center3
Some other place4

SEDABSTG

BA-24. What grade were you in when you first received instruction about waiting until marriage to have sex?

◆ ENTER [96] if R was not in school when he received the instruction

1st grade1
2nd grade2
3rd grade3
4th grade4
5th grade5
6th grade6
7th grade7
8th grade8
9th grade9
10th grade10
11th grade11
12th grade12

Yes1
No5 (FLOW CHECK B-6)

{ ASKED IF HAD VASECTOMY OR HAD OTHER OPERATION THAT MADE IMPOSSIBLE TO FATHER

VASEC_M

① of ②

BB-4. IF BB-2 TYPEOPER =1 OR 3 OR 4 (vasectomy) ASK:
In what month and year did you have your vasectomy?

ELSE IF TYPEOPER =2 OR DK OR RF (other sterilizing operation) ASK:
In what month and year did you have your sterilizing operation?

- ◆ ENTER MM/YYYY
- ◆ PROBE for season if DK month.

- | | | | |
|-------------|-----------|--------------|------------|
| 1. January | 5. May | 9. September | 13. Winter |
| 2. February | 6. June | 10. October | 14. Spring |
| 3. March | 7. July | 11. November | 15. Summer |
| 4. April | 8. August | 12. December | 16. Fall |

{ ASKED IF HAD VASECTOMY OR HAD OTHER OPERATION THAT MADE IMPOSSIBLE TO FATHER

VASEC_Y

② of ②

BB-4. (IF BB-2 TYPEOPER =1 OR 3 OR 4 (vasectomy) ASK:
In what month and year did you have your vasectomy?

ELSE IF TYPEOPER =2 OR DK OR RF (other sterilizing operation) ASK: In what month and year did you have your sterilizing operation?)

- ◆ ENTER VASEC_M/YYYY

UNDERLYING RANGE = 1966 to 2020

FLOW CHECK B-4: CREATE CMVASEC (CENTURY MONTH OF VASECTOMY OR OTHER MALE STERILIZING OPERATION)

```
SET CMVASEC = NULL
IF VASEC_Y =RF, CMVASEC = 9998;
ELSE IF VASEC_Y=DK, CMVASEC = 9999;
ELSE IF VASEC_M LE 12, CMVASEC = (VASEC_Y-1900)*12 +
VASREV_M
ELSE IF 13 =< VASEC_M =< 16, CMVASEC = (VASEC_Y-
1900)*12 + [1(WINTER) OR 4(SPRING) OR 7(SUMMER) OR
10(FALL)]
ELSE IF VASEC_M=DK/RF, CMVASEC = (VASEC_Y-1900)*12 +
6
```

EDIT CHECK BB4_1: IF (VASEC_M LE 12) AND CMVASEC > CMINTVW, DISPLAY: The date entered cannot be after the date of interview. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.

EDIT CHECK BB4_2: IF (VASEC_M LE 12) AND CMVASEC < CMBIRTH, DISPLAY: The date entered cannot be before his date of birth. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.

EDIT CHECK BB4_3: IF (13 LE VASEC_M LE 16) AND CMVASEC > (CMINTVW + 2) ,

DISPLAY: The date entered cannot be after the date of interview. Please correct.

HARD, NONSUPPRESSIBLE EDIT CHECK.

EDIT CHECK BB4_4: IF (13 LE VASEC_M LE 16) AND CMVASEC < (CMBIRTH - 3) ,
DISPLAY: The date entered cannot be before his date of birth. Please correct.

HARD, NONSUPPRESSIBLE EDIT CHECK.

EDIT CHECK BB4_5: IF (VASEC_M = DK OR RF) AND VASEC_Y > (CMINTVW/12 +1900),
DISPLAY: The date entered cannot be after the date of interview. Please correct.

HARD, NONSUPPRESSIBLE EDIT CHECK.

EDIT CHECK BB4_6: IF (VASEC_M = DK OR RF) AND VASEC_Y < (CMBIRTH/12 +1900) -
1, **DISPLAY:** The date entered cannot be before his date of birth. Please correct.

HARD, NONSUPPRESSIBLE EDIT CHECK.

FLOW CHECK B-4a: IF BB-4 VASEC_M NE DK/RF AND BB-4 VASEC_Y NE DK/RF AND
(CMVASEC >= CMFIVYR), ASK BB-5 PLCSTROP.
ELSE, GO TO FLOW CHECK B-5.

{ ASKED IF VASECTOMY/STERILIZING OPERATION WAS IN LAST FIVE YEARS
PLCSTROP

BB-5. IF BB-2 TYPEOPER =1 or 3 or 4 (vasectomy), ASK:
Please look at Card 25 and tell me where your vasectomy was performed.

IF TYPEOPER =2 or DK or RF (other sterilizing operation), ASK:
Please look at Card 25 and tell me where your sterilizing operation was performed.

[SHOW CARD 25]

- Private doctor's office.....1
- HMO facility2
- Community health clinic, community clinic,
public health clinic3
- Family planning or Planned Parenthood clinic4
- Employer or company clinic5
- School or school-based clinic6
- Hospital outpatient clinic7
- Hospital emergency room8
- Hospital regular room9
- Urgent care center, urgi-care, or walk-in facility ..10
- Some other place20

FLOW CHECK B-5: IF BB-2 TYPEOPER = 2 OR 3 OR DK/RF, GO TO FLOW CHECK B-6b.

{ ASKED IF R HAD VASECTOMY
RVRSVAS

BB-6. IF BB-2 TYPEOPER =1, ASK:
Have you ever had surgery to reverse your vasectomy?

ELSE IF TYPEOPER =4, ASK:
You said that you had surgery to reverse your vasectomy, is that right?

[HELP AVAILABLE]

Yes.....1
No.....5 (FLOW CHECK B-6b)

{ ASKED IF R HAD VASECTOMY REVERSAL

VASREV_M

① of ②

BB-7. In what month and year did you have the reversal?

- ◆ ENTER MM/YYYY
- ◆ PROBE for season if DK month.

1. January	5. May	9. September	13. Winter
2. February	6. June	10. October	14. Spring
3. March	7. July	11. November	15. Summer
4. April	8. August	12. December	16. Fall

{ ASKED IF R HAD VASECTOMY REVERSAL

VASREV_Y

② of ②

BB-7. (In what month and year did you have the reversal?)

- ◆ ENTER VASREV_M/YYYY

UNDERLYING RANGE = 1966 to 2020

FLOW CHECK B-6: CREATE CMRVRS (CENTURY MONTH OF VASECTOMY REVERSAL)
SET CMRVRS = NULL
IF VASREV_Y=RF, CMRVRS = 9998;
ELSE IF VASREV_Y=DK, CMRVRS = 9999;
ELSE IF VASREV_M LE 12, CMRVRS = (VASREV_Y-1900)*12 +
VASREV_M
ELSE IF 13 =< VASREV_M =< 16, CMRVRS = (VASREV_Y-
1900)*12 + [1(WINTER) OR 4(SPRING) OR 7(SUMMER) OR
10(FALL)]
ELSE IF VASREV_M=DK/RF, CMRVRS = (VASREV_Y-1900)*12 +
6

EDIT CHECK BB7_1: IF (VASREV_M LE 12) AND CMRVRS > CMINTVW, DISPLAY: The date entered cannot be after the date of interview. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.

EDIT CHECK BB7_2: IF (VASREV_M LE 12) AND CMRVRS < CMBIRTH, DISPLAY: The date entered cannot be before his date of birth. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.

EDIT CHECK BB7_3: IF (13 LE VASREV_M LE 16) AND CMRVRS > (CMINTVW + 2) , DISPLAY: The date entered cannot be after the date of interview. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.

EDIT CHECK BB7_4: IF (13 LE VASREV_M LE 16) AND CMRVRS < (CMBIRTH - 3) , DISPLAY: The date entered cannot be before his date of birth. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.

EDIT CHECK BB7_5: IF (VASREV_M = DK OR RF) AND VASREV_Y > (CMINTVW/12 +1900), DISPLAY: The date entered cannot be after the date

of interview. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

EDIT CHECK BB7_6: IF (VASREV_M = DK OR RF) AND VASREV_Y < (CMBIRTH/12 +1900)- 1, **DISPLAY:** The date entered cannot be before his date of birth. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

EDIT CHECK BB7_7: IF CMRVRS < CMVASEC, **DISPLAY:** The date of vasectomy reversal (cmrvrs) cannot be before the date of vasectomy (cmvasec). Please correct one of the 2 dates.

FLOW CHECK B-6b: CREATE RSURGSTR (WHETHER R SURGICALLY STERILE AT TIME OF INTERVIEW)
SET = 0 (NO)
= 1 (YES) IF (BB-2 TYPEOPER=1 OR 4 AND BB-6 RVRSVAS NE 1) OR (TYPEOPER=2 OR DK/RF AND BB-3 STEROPER=1)

IF RSURGSTR=0 AND BB-3 STEROPER =5 OR DK/RF, GO TO BB-9 FATHDIFF.
ELSE IF RSURGSTR=0, GO TO BB-8 FATHPOSS.
ELSE IF RSURGSTR =1, GO TO FLOW CHECK B-7.

{ ASKED IF R DID NOT HAVE STERILIZING OPERATION OR HAD A VASECTOMY THAT FAILED OR HAD AN OPERATION FOR WHICH HE ANSWERED NO, DK, OR RF ON WHETHER IT WAS FULLY STERILIZING

FATHPOSS

BB-8. Some men are not physically able to father children. As far as you know, is it physically possible for you, yourself to biologically father a child in the future?

[HELP AVAILABLE]

Yes1
No5

FLOW CHECK B-6c: IF FATHPOSS BB-8 = 1 OR DK/RF, ASK FATHDIFF BB-9;
ELSE GO TO FLOW CHECK B-7.

{ ASKED IF R DID NOT HAVE STERILIZING OPERATION AND PHYSICALLY POSSIBLE
{ (OR DK/RF) TO FATHER CHILD OR HAD OTHER STERILIZING OPERATION BUT NOT
{ IMPOSSIBLE TO HAVE CHILD

FATHDIFF

BB-9. Some men are physically able to father a child, but would have difficulty doing so. As far as you know, would you have any difficulty fathering a child?

[HELP AVAILABLE]

Yes1
No5

FLOW CHECK B-7: CREATE RSTRSTAT (STERILIZATION/FERTILITY STATUS OF R)
SET =0 FOR ALL
=1 IF RSURGSTR=1 (surgically sterile)
=2 IF FATHPOSS BB-8=5 (nonsurgically sterile)

Number of Sexual Partners; Condom Use (BC)

FLOW CHECK B-8: IF RHADSEX=NO, GO TO FLOW CHECK B-9

**FLOW CHECK B-9: IF RHADSEX = 0 OR 2 OR (BA-1 EVERSEX =1 AND BA-2 SXMTONCE NE 1), GO TO FLOW CHECK B-10.
ELSE, ASK BC-6 LIFEPR1.**

{ ASKED IF R EVER MARRIED, EVER COHABITED, OR EVER HAD SEX, EXCEPT THOSE
{ WHO ONLY HAD SEX ONCE IN THEIR LIFE

LIFEPR1

BC-6. The next questions are about relationships with females.

Please look at Card 14. How many different females have you ever had intercourse with? This includes any female you had intercourse with, even if it was only once or if you did not know her well.

[SHOW CARD 14]
[HELP AVAILABLE]

One1
Two2
Three3
Four4
Five5
Six6
Seven or more7

FLOW CHECK B-10: CREATE LIFEPR1S

SET = NULL/BLANK
IF RHADSEX=0 OR 2, SET LIFEPR1S=0;
ELSE, IF BA-1 EVERSEX =1 AND BA-2 SXMTONCE NE 1, SET LIFEPR1S=1;
ELSE, IF LIFEPR1 =DK/RF AND (EVRMARRY=1 OR EVRCOHAB=1) AND NUMWIFE NE DK/RF AND NUMCOHAB NE DK/RF, SET LIFEPR1S = NUMWIFE+NUMCOHAB;
ELSE, IF LIFEPR1 BC-6 NE DK/RF, SET LIFEPR1S=BC-6 LIFEPR1.
IF LIFEPR1 =DK/RF OR LIFEPR1S>1, GO TO BC-8 MON12PRT;
ELSE IF LIFEPR1S=0, GO TO FLOW CHECK B-11;
ELSE IF LIFEPR1S=1, ASK BC-7 SXMON12.

{ ASKED IF R HAD ONLY ONE LIFE PARTNER

SXMON12

BC-7. IF BA-1 EVERSEX =1 AND BA-2 SXMTONCE NE 1, SAY:

The next questions are about relationships with females.

You said that you had sexual intercourse with a female once in your life. Was that in the last 12 months, that is, since (CMLSTYR_FILL)?

ELSE IF SXMTONCE = 1, SAY:

Have you had sexual intercourse with this female in the last 12 months, that is, since (CMLSTYR_FILL)?

[HELP AVAILABLE]

Yes.....1
No.....5

FLOW CHECK B-10a: GO TO FLOW CHECK B-11.

{ ASKED IF R HAD MORE THAN ONE PARTNER IN LIFE
MON12PRT

BC-8. Please look at Card 15. How many different females have you had sexual intercourse with in the past 12 months, that is, since (CMLSTYR_FILL)?

[SHOW CARD 15]
[HELP AVAILABLE]

None0
One1
Two2
Three3
Four4
Five5
Six6
Seven or more7

FLOW CHECK B-11: IF BC-6 LIFEPR = DK/RF AND BC-8 MON12PRT NE DK/RF AND MON12PRT > LIFEPR, THEN SET LIFEPR = MON12PRT.

CREATE MON12PRTS (NUMBER OF FEMALE SEX PARTNERS IN LAST 12 MONTHS)

SET MON12PRTS = NULL/BLANK

[NOTE: IF MON12PRT=DK/RF AND AD-7b MARSTAT=3, 4, 5 OR 6, MON12PRTS SHOULD STAY NULL/BLANK]

IF RHADSEX=0 OR 2, SET MON12PRTS=0

ELSE, IF BC-7 SXMON12 =1 or DK/RF, SET MON12PRTS=1;

ELSE, IF SXMON12 = 5, SET MON12PRTS=0;

ELSE IF MON12PRT=DK/RF AND MARSTAT=1 OR 2, SET MON12PRTS=1;

ELSE IF MON12PRT NE DK/RF, SET MON12PRTS=MON12PRT.

EDIT CHECK FC B-11_1: IF (MON12PRTS > LIFEPR), DISPLAY: *The number of partners in the last 12 months (mon12prts) cannot be more than the number of partners in his lifetime (lifeprts). Please correct one of these two numbers.*

FLOW CHECK B-11a: CREATE SEXSTAT

SET = NULL/BLANK

=0 IF RHADSEX=0 OR 2
(NEVER HAD SEX OR DK/RF IF EVER HAD SEX)

=1 IF (EVRMARRY=0 AND EVRCOHAB=0 AND LIFEPR=1 AND BA-2 SXMTONCE NE 1 AND ((BC-7 SXMON12 =1 OR DK/RF) or BC-8 MON12PRT=1)
(ONE PARTNER EVER, SEX IN LAST 12 MOS, SEX ONLY ONCE)

=2 IF (EVRMARRY=0 AND EVRCOHAB=0 AND LIFEPR=1 AND SXMTONCE =1 AND ((SXMON12 =1 OR DK/RF) or MON12PRT=1)

OR

([EVRMARRY=1 OR EVRCOHAB=1] AND LIFEPR=1 AND
[{SXMON12=1 OR DK/RF} OR {MON12PRTS=1/NULL/BLANK}])
(ONE PARTNER EVER, SEX IN LAST 12 MOS, SEX MT ONCE)

=3 IF EVRMARRY=0 AND EVRCOHAB=0 AND LIFEPR=1 AND SXMTONCE NE 1 AND (SXMON12 =5 or MON12PRT=0)
(ONE PARTNER EVER, NO SEX IN LAST 12 MOS, SEX ONLY ONCE)

=4 IF (EVRMARRY=0 AND EVRCOHAB=0 AND LIFEPRTS=1 AND
SXMTONCE =1 AND (SXMON12 =5 or MON12PRT=0)
OR
([EVRMARRY=1 OR EVRCOHAB=1] AND LIFEPRTS=1 AND
[SXMON12 = 5 OR MON12PRTS=0])
(ONE PARTNER EVER, NO SEX IN LAST 12 MOS, SEX MT
ONCE)

=5 IF (EVRMARRY=0 AND EVRCOHAB=0 AND [LIFEPRTS >1 OR
LIFEPRTS = NULL/BLANK] AND MON12PRTS=0) OR
([EVRMARRY=1 OR EVRCOHAB=1] AND [LIFEPRTS >1 OR
LIFEPRTS = NULL/BLANK] AND MON12PRTS=0)
(MT ONE LIFE PARTNER, NO SEX IN LAST 12 MOS)

=6 IF (EVRMARRY=0 AND EVRCOHAB=0 AND [LIFEPRTS >1 OR
LIFEPRTS = NULL/BLANK] AND [MON12PRTS>=1 OR MON12PRTS
= NULL/BLANK]) OR ([EVRMARRY=1 OR EVRCOHAB=1] AND
[LIFEPRTS >1 OR LIFEPRTS = NULL/BLANK] AND
[MON12PRTS>=1 OR MON12PRTS = NULL/BLANK])
(MT ONE LIFE PARTNER, SEX IN LAST 12 MOS)

INITIALIZE BIODKIDS (RUNNING COUNT OF NUMBER OF BIOLOGICAL
CHILDREN REPORTED IN C,D,E,F)

SET = 0
RANGE = 0 TO 10

{ IF HAVE TO PREDEFINE MAXIMUM VALUE FOR AN ARRAY FOR BKID VARIABLES
{ AND AKID VARIABLES, SET X= 10 FOR EACH

INITIALIZE BKIDNAM[X] (NAME OF EACH BIO CHILD)
SET = NULL/BLANK

INITIALIZE BKIDAGE[X] (AGE OF EACH BIO CHILD)
SET = NULL/BLANK
RANGE = 0 TO 35

INITIALIZE BKIDAGEGP[X] (AGE GROUP OF EACH BIO CHILD)
SET = NULL/BLANK
=1 UNDER 5 YEARS OLD
=2 5-18 YEARS OLD
=3 19 YEARS OR OLDER

INITIALIZE BKIDSEX[X] (SEX OF EACH BIO CHILD)
SET = NULL/BLANK
=1 MALE
=2 FEMALE

INITIALIZE BKIDHH[X] (WHETHER EACH BIO CHILD IN HH OR NOT)
SET = NULL/BLANK
=1 IN HH
=2 ALIVE, NOT ADOPTED, NOT IN FOSTER CARE, BUT
NOT IN HH
=3 DEAD OR ADOPTED OR IN FOSTER CARE OR DK/RF

INITIALIZE BKIDMAR[X] (WHETHER CHILD BORN IN WEDLOCK OR
NOT)
SET = NULL/BLANK
= 0 PARENTS NOT MARRIED AT BIRTH
= 1 PARENTS MARRIED AT BIRTH

INITIALIZE BKIDLIV[X] (WHETHER PARENTS LIVING TOGETHER AT CHILD'S BIRTH OR NOT)
SET = NULL/BLANK
= 0 PARENTS NOT LIVING TOGETHER AT BIRTH
= 1 PARENTS LIVING TOGETHER AT BIRTH (INCLUDES MARRIED AT BIRTH)

INITIALIZE POSS_DUP[X] (WHETHER THIS CHILD IS A POTENTIAL DUPLICATE OF ANOTHER CHILD BASED ON SEX/AGE)
SET = NULL/BLANK
= 1 CHILD IDENTIFIED AS A POTENTIAL DUPLICATE

INITIALIZE DUPLICATE[X] (WHETHER THIS CHILD IS A DUPLICATE OF ANOTHER CHILD BASED ON DUPCHECK)
SET = NULL/BLANK
= 1 CHILD IDENTIFIED AS A DUPLICATE

INITIALIZE GA_BKIDELG[X] (WHETHER BIO CHILD ELIGIBLE FOR SECTION GA OR NOT)
SET = NULL/BLANK
= 1 CHILD ELIGIBLE FOR SECTION GA

INITIALIZE GB_BKIDELG[X] (WHETHER BIO CHILD ELIGIBLE FOR SECTION GB OR NOT)
SET = NULL/BLANK
= 1 CHILD ELIGIBLE FOR SECTION GB

INITIALIZE ADOPKIDS (RUNNING COUNT OF ADOPTED KIDS)
SET = NULL/BLANK
RANGE = 0 TO 10

INITIALIZE AKIDNAM[X] (NAME OF EACH ADOPTED CHILD)
SET = NULL/BLANK

INITIALIZE AKIDAGE[X] (AGE OF EACH ADOPTED CHILD)
SET = NULL/BLANK
RANGE = 0 TO 35

INITIALIZE AKIDAGEGP[X] (AGE GROUP OF EACH ADOPTED CHILD)
SET = NULL/BLANK
=1 UNDER 5 YEARS OLD
=2 5-18 YEARS OLD
=3 19 YEARS OR OLDER

INITIALIZE AKIDSEX[X] (SEX OF EACH ADOPTED CHILD)
SET = NULL/BLANK
=1 MALE
=2 FEMALE

INITIALIZE AKIDHH[X] (WHETHER EACH ADOPTED CHILD IN HH OR NOT)
SET = NULL/BLANK
=1 IN HH
=2 ALIVE, BUT NOT IN HH
=3 DEAD OR DK/RF

INITIALIZE POSS_DUP[X] (WHETHER THIS CHILD IS A POTENTIAL DUPLICATE OF ANOTHER CHILD BASED ON SEX/AGE)
SET = NULL/BLANK
= 1 CHILD IDENTIFIED AS A POTENTIAL DUPLICATE

INITIALIZE DUPLICATE[X] (WHETHER THIS CHILD IS A DUPLICATE
OF ANOTHER CHILD BASED ON DUPCHECK)

SET = NULL/BLANK
= 1 CHILD IDENTIFIED AS A DUPLICATE

INITIALIZE GA_AKIDELG[X] (WHETHER ADOPTED CHILD ELIGIBLE
FOR SECTION GA OR NOT)

SET = NULL/BLANK
= 1 CHILD ELIGIBLE FOR SECTION GA

INITIALIZE GB_AKIDELG[X] (WHETHER ADOPTED CHILD ELIGIBLE FOR
SECTION GB OR NOT)

SET = NULL/BLANK
= 1 CHILD ELIGIBLE FOR SECTION GB

INITIALIZE CURRPREG (WHETHER CURRENT WIFE/COHAB/PARTNER IS
PREGNANT)

SET = 0
= 1 (WIFE/COHAB/CURR PARTNER PREGNANT)
(NOTE: FOR USE IN SECTION HC, WILL BE SET =1
IF MARSTAT=1 OR 2 AND CURRENT WIFE/COHAB
PREGNANT OR IF MARSTAT NE 1 OR 2 AND ANY
CURRENT PARTNER IS PREGNANT. WILL NOT BE SET
=1 IF MARSTAT=1 OR 2 AND ANY CURRENT
NONMAR/NONCOHAB PARTNER IS PREGNANT)

INITIALIZE CURRPRTS (NUMBER OF CURRENT NONMARITAL/
NONCOHABITING PARTNERS)

SET = 0
RANGE = 0 TO 3

INITIALIZE PREGSNOW (NUMBER OF WOMEN THAT ARE PREGNANT WITH
R's CHILD NOW)

SET=0

IF SEXSTAT=0, GO TO FLOW CHECK F-1.
ELSE, IF SEXSTAT=3 OR 4 OR 5, GO TO FLOW CHECK B-12.
ELSE IF SEXSTAT=1, ASK BC-8a P12MONCONO.
ELSE, ASK BC-8b P12MOCON.

{ ASKED IF R HAD SEX PARTNER IN THE LAST 12 MONTHS, ONLY HAD SEX ONCE IN LIFE

P12MOCONO

BC-8a. Did you use a condom that time?

Yes.....1
No.....5

{ ASKED IF R HAD AT LEAST ONE SEX PARTNER IN THE LAST 12 MONTHS AND
{ HAS HAD SEX MORE THAN ONCE, OR (SEXSTAT=NULL/BLANK)

P12MOCON

BC-8b. Please look at card 48. Thinking back over the past 12 months,
that is, since (CMLSTYR_FILL), would you say you used a condom
with your partner or partners for sexual intercourse every time,
most of the time, about half of the time, some of the time, or
none of the time?

[SHOW CARD 48]

Every time.....1
Most of the time.....2
About half of the time.....3
Some of the time.....4
None of the time.....5

{ ASKED IF R HAD AT LEAST ONE SEX PARTNER IN THE LAST 12 MONTHS
{ OR (SEXSTAT=NULL/BLANK)

SEXFREQ

BC-9. Now please think about the last four weeks. How many times have you had sexual intercourse with a female in the last four weeks?

[HELP AVAILABLE]

◆ ENTER number of times

UNDERLYING RANGE = 0 TO 995

IF BC-9 SEXFREQ =0,DK,RF GO TO FLOW CHECK B-12.

{ ASKED IF R HAD AT LEAST ONE SEX PARTNER IN THE LAST 12 MONTHS
{ AND HAD SEX IN THE LAST 4 WEEKS

CONFREQ

BC-10. And, in the last four weeks, how many of the times that you had sexual intercourse with a female did you use a condom?

[HELP AVAILABLE]

◆ ENTER number of times

UNDERLYING RANGE = 0 TO 995

EDIT CHECK BC-10_1: IF SEXFREQ NE DK/RF AND CONFREQ NE DK/RF, THEN CONFREQ MUST BE <= SEXFREQ; ELSE, DISPLAY: The number of times R used a condom in the last 4 weeks cannot exceed the number of times he had sex in the last 4 weeks. HARD, NONSUPPRESSIBLE EDIT CHECK.

Enumeration of recent sex partner(s) or last partner ever (BD)

**FLOW CHECK B-12: CREATE CURWIFE (NAME OF CURRENT WIFE)
SET = NULL/BLANK**

**CREATE CURCOHAB (NAME OF CURRENT COHABITING PARTNER)
SET = NULL/BLANK**

**CREATE CURSEP (NAME OF WIFE R IS CURRENTLY SEPARATED FROM)
SET = NULL/BLANK**

{ ASKED OF ALL WHO HAD SEX, EVEN IF MORE THAN 12 MONTHS AGO

P1NAME

BD-1. IF SEXSTAT=1 OR 2 OR 3 OR 4, SAY:
So that I can refer to her in the interview, please give me the name or initials of the female with whom you had sexual intercourse.

IF SEXSTAT NE 1 OR 2 OR 3 OR 4, SAY:
So that I can refer to her in the interview, please give me the name or

initials of the female with whom you most recently had sexual intercourse.

[HELP AVAILABLE]

◆ ENTER name or initials

TYPE: STRING [30]

FLOW CHECK B-13: CREATE P1NAME_FILL
SET P1NAME_FILL = NULL
SET P1NAME_FILL = P1NAME IF P1NAME NE BLANK AND NE DK/RF
SET P1NAME_FILL = "your last partner" IF P1NAME= DK/RF

IF EVRMARRY=1, ASK BD-2 P1RLTN1.
ELSE IF EVRMARRY NE 1 AND:
IF EVRCOHAB=1, GO TO BD-5 P1RLTN2.
ELSE IF EVRCOHAB NE 1, GO TO BD-7 P1SXLAST_M.

{ ASKED IF R EVER MARRIED

P1RLTN1

BD-2. Were you ever married to (P1NAME_FILL)?

Yes1
No5

**FLOW CHECK B-14: IF BD-2 P1RLTN1 =1 AND FMARIT=1, ASK BD-3 P1CURRWIFE.
ELSE IF P1RLTN1 =1 AND FMARIT=4, ASK BD-4 P1CURRSEP.
ELSE IF P1RLTN1 =1 AND FMARIT NE 1 OR 4, GO TO BD-7 P1SXLAST_M.
ELSE IF P1RLTN1 NE 1 AND:
IF EVRCOHAB=1, ASK BD-5 P1RLTN2.
ELSE IF EVRCOHAB NE 1, GO TO BD-7 P1SXLAST_M.**

{ ASKED IF R CURRENTLY MARRIED

P1CURRWIFE

BD-3. If necessary, ASK: (Is she your current wife?)

Yes1
No5

**FLOW CHECK B-15: IF BD-3 P1CURRWIFE =1 AND BD-1 P1NAME NE DK/RF,
SET CURWIFE = P1NAME AND GO TO BD-7 P1SXLAST_M.

ELSE IF P1CURRWIFE =1 AND P1NAME =DK/RF,
SET CURWIFE = "your wife" AND GO TO P1SXLAST_M.

ELSE, IF P1CURRWIFE NE 1, LEAVE CURWIFE = NULL, AND GO TO P1SXLAST_M.**

{ ASKED IF R CURRENTLY SEPARATED

P1CURRSEP

BD-4. If necessary, ASK: (Is she the woman you are separated from now?)

Yes1
No5

FLOW CHECK B-16: IF BD-4 P1CURRSEP = 1 AND BD-1 P1NAME NE DK/RF,

SET CURSEP = P1NAME AND GO TO BD-7 P1SXLAST_M.

ELSE IF P1CURRSEP = 1 AND P1NAME =DK/RF,
SET CURSEP = "your wife" AND GO TO P1SXLAST_M.

ELSE IF P1CURRSEP NE 1, LEAVE CURSEP = NULL AND GO TO
P1SXLAST_M.

{ ASKED IF R WAS NEVER MARRIED TO THIS PARTNER BUT HE EVER COHABITED
P1RLTN2

BD-5. Did you ever live together with (P1NAME_FILL)?

[HELP AVAILABLE]

Yes1
No5

FLOW CHECK B-17: IF BD-5 P1RLTN2 = 1 AND AD-7b MARSTAT=2, ASK BD-6
P1COHABIT.
ELSE, GO TO BD-7 P1SXLAST_M.

{ ASKED IF R WAS NEVER MARRIED TO THIS PARTNER AND HE EVER LIVED WITH THIS
PARTNER AND HE IS CURRENTLY COHABITING

P1COHABIT

BD-6. *If necessary, ASK:* (Is she the woman you live with now?)

Yes1
No5

FLOW CHECK B-18: IF BD-6 P1COHABIT =1 AND BD-1 P1NAME NE DK/RF,
SET CURCOHAB = P1NAME AND GO TO BD-7 P1SXLAST_M.

ELSE IF P1COHABIT =1 AND P1NAME = DK/RF,
SET CURCOHAB = "your partner" AND GO TO P1SXLAST_M.

ELSE, IF P1COHABIT NE 1, LEAVE CURCOHAB = NULL AND GO TO
P1SXLAST_M.

P1SXLAST_M

① of ②

BD-7. IF SEXSTAT =2,4,5, or 6, SAY:

Please think of the last time that you had sexual intercourse with her.
In what month and year was that?

ELSE IF SEXSTAT=1 OR 3, SAY:

That time that you had sexual intercourse with her, in what month and
year was that?

[HELP AVAILABLE]

◆ ENTER MM/YYYY
◆ PROBE for season if DK month.

- | | | | |
|-------------|-----------|--------------|------------|
| 1. January | 5. May | 9. September | 13. Winter |
| 2. February | 6. June | 10. October | 14. Spring |
| 3. March | 7. July | 11. November | 15. Summer |
| 4. April | 8. August | 12. December | 16. Fall |

P1SXLAST_Y

② of ②

BD-8. IF SEXSTAT =2,4,5, or 6, SAY:

(Please think of the last time that you had sexual intercourse with her. In what month and year was that?)

ELSE IF SEXSTAT=1 OR 3, SAY:

(That time that you had sexual intercourse with her, in what month and year was that?)

[HELP AVAILABLE]

◆ ENTER P1SXLAST_M/YYYY

UNDERLYING RANGE = 1972 to 2020

FLOW CHECK B-19: CREATE CMLSXP1 (CENTURY MONTH OF LAST SEX WITH MOST RECENT PARTNER)

```
SET CMLSXP1 =NULL
IF P1SXLAST_Y =RF, CMLSXP1 = 9998;
ELSE IF P1SXLAST_Y =DK, CMLSXP1 = 9999;
ELSE IF P1SXLAST_M LE 12, CMLSXP1 = (P1SXLAST_Y -
1900)*12 + P1SXLAST_M
ELSE IF 13 =< P1SXLAST_M =< 16, CMLSXP1 =
(P1SXLAST_Y -1900)*12 + [1(WINTER) OR 4(SPRING) OR
7(SUMMER) OR 10(FALL)]
ELSE IF P1SXLAST_M =DK/RF, CMLSXP1 = (P1SXLAST_Y -
1900)*12 + 6
```

CREATE CMLSXP1_FILL (FILL FOR DATE OF LAST SEX WITH MOST RECENT PARTNER)

```
IF CMLSXP1 = NULL, DK, OR RF, SET CMLSXP1_FILL =
"DATE UNKNOWN".
```

```
ELSE IF CMLSXP1 LT 9997, DEFINE CMLSXP1_FILL as
follows:
```

```
IF 1 LE P1SXLAST_M LE 12, THEN ESTABLISH MO/YR
FILL IN THE FORMAT "1/1998" etc.
```

```
ELSE IF 13 P1SXLAST_M LE 16 (MONTH WAS REPORTED
AS A SEASON), THEN ESTABLISH FILL IN THE FORMAT
"SPRING, 1998" etc.
```

```
ELSE IF P1SXLAST_M = DK/RF BUT P1SXLAST_Y WAS
REPORTED, THEN ESTABLISH FILL BASED ONLY ON THE
YEAR IN THE FORMAT "1998" etc.
```

EDIT CHECK BD8_1: IF (P1SXLAST_M LE 12) AND CMLSXP1 > CMINTVW, DISPLAY: The date entered cannot be after the date of interview. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

EDIT CHECK BD8_2: IF (P1SXLAST_M LE 12) AND CMLSXP1 < CMBIRTH, DISPLAY: The date entered cannot be before his date of birth. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

EDIT CHECK BD8_3: IF (13 LE P1SXLAST_M LE 16) AND CMLSXP1 > (CMINTVW + 2) , DISPLAY: The date entered cannot be after the date of

interview. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

EDIT CHECK BD8_4: IF (13 LE P1SXLAST_M LE 16) AND CMLSXP1 < (CMBIRTH - 3) ,
DISPLAY: The date entered cannot be before his date of
birth. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

EDIT CHECK BD8_5: IF (P1SXLAST_M = DK OR RF) AND P1SXLAST_Y > (CMINTVW/12
+1900), DISPLAY: The date entered cannot be after the date
of interview. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

EDIT CHECK BD8_6: IF (P1SXLAST_M = DK OR RF) AND P1SXLAST_Y < (CMBIRTH/12
+1900)- 1, DISPLAY: The date entered cannot be before his
date of birth. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

EDIT CHECK BD8-7a: PROBE IF MON12PRTS>0 AND (CMLSXP1 < CMLSTYR) DISPLAY TEXT:
*R has reported that his last sex with this partner was
longer ago than 12 months. In this series of questions,
we are asking about partners he had sex with during the
last 12 months. Has something been entered incorrectly?*
INVOLVING: P1SXLAST_M, P1SXLAST_Y, MON12PRT (if needed,
adjust mon12prts)
HARD, NONSUPPRESSIBLE EDIT CHECK.

EDIT CHECK BD8-7b: PROBE IF MON12PRTS = 0 AND (CMLSXP1 >= CMLSTYR) DISPLAY
TEXT: R has reported that his last sex with this partner
within the past 12 months. Earlier he reported that he
had no partners in the past 12 months. Has something been
entered incorrectly?
INVOLVING: P1SXLAST_M, P1SXLAST_Y, MON12PRT (if needed,
adjust mon12prts)
HARD, NONSUPPRESSIBLE EDIT CHECK.

FLOW CHECK B-20: IF MON12PRTS <=1 OR MON12PRTS=NULL/BLANK, GO TO FLOW
CHECK B-36.
ELSE ASK BD-9 P2NAME.

P2NAME

BD-9. Now think of the last female with whom you had sexual intercourse
before (P1NAME_FILL). Please give me her name or initials.

[HELP AVAILABLE]

◆ ENTER name or initials

TYPE: STRING [30]

FLOW CHECK B-21: CREATE P2NAME_FILL
SET = NULL
SET = P2NAME IF MON12PRTS>=2 AND P2NAME NE BLANK AND
NE DK/RF
SET = "your 2nd to last partner" IF P2NAME= DK/RF

IF EVRMARRY=1, ASK BD-10 P2RLTN1.

ELSE IF EVRMARRY NE 1 AND:

IF EVRCOHAB=1, GO TO BD-13 P2RLTN2.

ELSE IF EVRCOHAB NE 1, GO TO BD-15 P2SXLAST_M.

P2RLTN1

BD-10. Were you ever married to (P2NAME_FILL)?

Yes1
No5

FLOW CHECK B-22: IF BD-10 P2RLTN1 =1 AND FMARIT=1 AND:
IF CURWIFE = NULL, ASK BD-11 P2CURRWIFE.
ELSE IF CURWIFE NE NULL, GO TO BD-15 P2SXLAST_M.

ELSE IF P2RLTN1 =1 AND FMARIT=4 AND:
IF CURSEP = NULL, ASK BD-12 P2CURRSEP.
ELSE IF CURSEP NE NULL, GO TO P2SXLAST_M.

ELSE IF P2RLTN1 =1 AND FMARIT NE 1 OR 4, GO TO P2SXLAST_M.

ELSE IF P2RLTN1 NE 1 AND:
IF EVRCOHAB=1, ASK BD-13 P2RLTN2.
ELSE IF EVRCOHAB NE 1, GO TO P2SXLAST_M.

{ ASKED IF R CURRENTLY MARRIED AND CURRENT WIFE NOT YET IDENTIFIED
P2CURRWIFE

BD-11. *If necessary, ASK: (Is she your current wife?)*

Yes1
No5

FLOW CHECK B-23: IF BD-11 P2CURRWIFE = 1 AND BD-9 P2NAME NE DK/RF,
SET CURWIFE = P2NAME AND GO TO BD-15 P2SXLAST_M.

ELSE IF P2CURRWIFE =1 AND P2NAME = DK/RF,
SET CURWIFE = "your wife" AND GO TO BD-15 P2SXLAST_M.

ELSE, IF P2CURRWIFE NE 1, LEAVE CURWIFE = NULL, AND GO TO
P2SXLAST_M.

{ ASKED IF R CURRENTLY SEPARATED AND THAT WIFE NOT IDENTIFIED YET
P2CURRSEP

BD-12. *If necessary, ASK: (Is she the woman you are separated from now?)*

Yes1
No5

FLOW CHECK B-24: IF BD-12 P2CURRSEP = 1 AND BD-9 P2NAME NE DK/RF,
SET CURSEP = P2NAME AND GO TO BD-15 P2SXLAST_M.

ELSE IF P2CURRSEP = 1 AND P2NAME = DK/RF,
SET CURSEP = "your wife" AND GO TO P2SXLAST_M.

ELSE IF P2CURRSEP NE 1, LEAVE CURSEP = NULL AND GO TO
P2SXLAST_M.

{ ASKED IF R WAS NEVER MARRIED TO THIS PARTNER BUT HE EVER COHABITED
P2RLTN2

BD-13. Did you ever live together with (P2NAME_FILL)?

[HELP AVAILABLE]

Yes1

No5

FLOW CHECK B-25:IF BD-13 P2RLTN2 = 1 AND AD-7b MARSTAT=2 AND:
 IF CURCOHAB = NULL, ASK BD-14 P2COHABIT.
 ELSE IF CURCOHAB NE NULL, GO TO BD-15 P2SXLAST_M.
 ELSE, GO TO P2SXLAST_M.

{ ASKED IF R WAS NEVER MARRIED TO THIS PARTNER AND HE EVER LIVED WITH THIS
{ PARTNER AND HE IS CURRENTLY COHABITING AND THIS COHABITING PARTNER NOT YET
{ IDENTIFIED

P2COHABIT

BD-14. *If necessary, ASK: (Is she the woman you live with now?)*

Yes1

No5

FLOW CHECK B-26: IF BD-14 P2COHABIT =1 AND BD-9 P2NAME NE DK/RF,
 SET CURCOHAB = P2NAME AND GO TO BD-15 P2SXLAST_M.

ELSE IF P2COHABIT =1 AND P2NAME = DK/RF,
 SET CURCOHAB = "your partner" AND GO TO P2SXLAST_M.

ELSE, IF P2COHABIT NE 1, LEAVE CURCOHAB = NULL AND GO TO
 P2SXLAST_M.

P2SXLAST_M

① of ②

BD-15. IF SEXSTAT =2,4,5, or 6, SAY:
 Please think of the last time that you had sexual intercourse
 with her. In what month and year was that?

ELSE IF SEXSTAT=1 OR 3, SAY:
That time that you had sexual intercourse with her, in what month
and year was that?

[HELP AVAILABLE]

- ◆ ENTER MM/YYYY
- ◆ PROBE for season if DK month.

- | | | | |
|-------------|-----------|--------------|------------|
| 1. January | 5. May | 9. September | 13. Winter |
| 2. February | 6. June | 10. October | 14. Spring |
| 3. March | 7. July | 11. November | 15. Summer |
| 4. April | 8. August | 12. December | 16. Fall |

P2SXLAST_Y

② of ②

BD-16. IF SEXSTAT =2,4,5, or 6, SAY:
 (Please think of the last time that you had sexual intercourse
 with her. In what month and year was that?)

ELSE IF SEXSTAT=1 OR 3, SAY:
 (That time that you had sexual intercourse with her, in what
 month and year was that?)

[HELP AVAILABLE]

- ◆ ENTER P2SXLAST_M/YYYY

UNDERLYING RANGE = 1972 to 2020

FLOW CHECK B-27: CREATE CMLSXP2 (CENTURY MONTH OF LAST SEX WITH 2ND MOST RECENT PARTNER)

```
SET=NULL
IF P2SXLAST_Y =RF, CMLSXP2 = 9998;
ELSE IF P2SXLAST_Y =DK, CMLSXP2 = 9999;
ELSE IF P2SXLAST_M LE 12, CMLSXP2 = (P2SXLAST_Y -
1900)*12 + P2SXLAST_M
ELSE IF 13 =< P2SXLAST_M =< 16, CMLSXP2 =
(P2SXLAST_Y -1900)*12 + [1(WINTER) OR 4(SPRING) OR
7(SUMMER) OR 10(FALL)]
ELSE IF P2SXLAST_M =DK/RF, CMLSXP2 = (P2SXLAST_Y -
1900)*12 + 6
```

CREATE CMLSXP2_FILL (FILL FOR DATE OF LAST SEX WITH 2ND MOST RECENT PARTNER)

```
IF CMLSXP2 = NULL, DK, OR RF, SET CMLSXP2_FILL =
"DATE UNKNOWN".
```

```
ELSE IF CMLSXP2 LT 9997, DEFINE CMLSXP2_FILL as
follows:
```

```
IF 1 LE P2SXLAST_M LE 12, THEN ESTABLISH MO/YR
FILL IN THE FORMAT "1/1998" etc.
ELSE IF 13 P2SXLAST_M LE 16 (MONTH WAS REPORTED
AS A SEASON), THEN ESTABLISH FILL IN THE FORMAT
"SPRING, 1998" etc.
```

```
ELSE IF P2SXLAST_M = DK/RF BUT P2SXLAST_Y WAS
REPORTED, THEN ESTABLISH FILL BASED ONLY ON THE
YEAR IN THE FORMAT "1998" etc.
```

EDIT CHECK BD16_1: IF (P2SXLAST_M LE 12) AND CMLSXP2 > CMINTVW, DISPLAY: The date entered cannot be after the date of interview. Please correct.

HARD, NONSUPPRESSIBLE EDIT CHECK.

EDIT CHECK BD16_2: IF (P2SXLAST_M LE 12) AND CMLSXP2 < CMBIRTH, DISPLAY: The date entered cannot be before his date of birth. Please correct.

HARD, NONSUPPRESSIBLE EDIT CHECK.

EDIT CHECK BD16_3: IF (13 LE P2SXLAST_M LE 16) AND CMLSXP2 > (CMINTVW + 2) , DISPLAY: The date entered cannot be after the date of interview. Please correct.

HARD, NONSUPPRESSIBLE EDIT CHECK.

EDIT CHECK BD16_4: IF (13 LE P2SXLAST_M LE 16) AND CMLSXP2 < (CMBIRTH - 3) , DISPLAY: The date entered cannot be before his date of birth. Please correct.

HARD, NONSUPPRESSIBLE EDIT CHECK.

EDIT CHECK BD16_5: IF (P2SXLAST_M = DK OR RF) AND P2SXLAST_Y > (CMINTVW/12 +1900), DISPLAY: The date entered cannot be after the date of interview. Please correct.

HARD, NONSUPPRESSIBLE EDIT CHECK.

EDIT CHECK BD16_6: IF (P2SXLAST_M = DK OR RF) AND P2SXLAST_Y < (CMBIRTH/12 +1900)- 1, DISPLAY: The date entered cannot be before his

date of birth. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

EDIT CHECK BD16_7a: PROBE IF MON12PRTS > 0 AND (CMLSXP2 < CMLSTYR) DISPLAY
TEXT: R has reported that his last sex with this partner was longer ago than 12 months. In this series of questions, we are asking about partners he had sex with during the last 12 months. Has something been entered incorrectly?
INVOLVING: P2SXLAST_M, P2SXLAST_Y, MON12PRT (if needed, adjust mon12prts)
HARD, NONSUPPRESSIBLE EDIT CHECK.

EDIT CHECK BD16_7b: PROBE IF MON12PRTS = 0 AND (CMLSXP2 >= CMLSTYR) DISPLAY
TEXT: R has reported that his last sex with this partner was within the past 12 months. Earlier he reported that he had no partners in the past 12 months. Has something been entered incorrectly?
INVOLVING: P2SXLAST_M, P2SXLAST_Y, MON12PRT (if needed, adjust mon12prts)
HARD, NONSUPPRESSIBLE EDIT CHECK.

FLOW CHECK B-28: IF MON12PRTS > 2, ASK BD-17 P3NAME.
ELSE, IF MON12PRTS=2, GO TO FLOW CHECK B-36.

P3NAME

BD-17. Think of the last female with whom you had sexual intercourse before (P2NAME_FILL). Please give me her name or initials.

[HELP AVAILABLE]

◆ ENTER name or initials

TYPE: STRING [30]

FLOW CHECK B-29: CREATE P3NAME_FILL
SET P3NAME_FILL = NULL
SET P3NAME_FILL = P3NAME IF MON12PRTS>=3 AND P3NAME
NE BLANK AND NE DK/RF
SET P3NAME_FILL = "your 3rd to last partner" IF P3NAME=
DK/RF

IF EVRMARRY=1, ASK BD-18 P3RLTN.
ELSE IF EVRMARRY NE 1 AND:
IF EVRCOHAB=1, GO TO BD-21 P3RLTN2.
ELSE IF EVRCOHAB NE 1, GO TO BD-23 P3SXLAST_M.

P3RLTN1

BD-18. Were you ever married to (P3NAME_FILL)?

Yes1
No5

FLOW CHECK B-30: IF BD-18 P3RLTN1 =1 AND FMARIT=1 AND:
IF CURWIFE = NULL, ASK BD-19 P3CURRWIFE.
ELSE IF CURWIFE NE NULL, GO TO BD-23 P3SXLAST_M.

ELSE IF P3RLTN1 =1 AND FMARIT=4 AND:
IF CURSEP = NULL, ASK BD-20 P3CURRSEP.
ELSE IF CURSEP NE NULL, GO TO P3SXLAST_M.

ELSE IF P3RLTN1 =1 AND FMARIT NE 1 OR 4, GO TO P3SXLAST_M.

ELSE IF P3RLTN1 NE 1 AND:

IF EVRCOHAB=1, ASK BD-21 P3RLTN2.

ELSE IF EVRCOHAB NE 1, GO TO P3SXLAST_M.

{ ASKED IF R CURRENTLY MARRIED AND CURRENT WIFE NOT YET IDENTIFIED

P3CURRWIFE

BD-19. *If necessary, ASK: (Is she your current wife?)*

Yes1

No5

FLOW CHECK B-31: IF BD-19 P3CURRWIFE = 1 AND BD-17 P3NAME NE DK/RF,
SET CURWIFE = P3NAME AND GO TO BD-23 P3SXLAST_M.

ELSE IF P3CURRWIFE = 1 AND P3NAME = DK/RF,
SET CURWIFE = "your wife" AND GO TO P3SXLAST_M.

ELSE, IF P3CURRWIFE NE 1, LEAVE CURWIFE = NULL, AND GO TO
P3SXLAST_M.

{ ASKED IF R CURRENTLY SEPARATED AND THAT WIFE NOT IDENTIFIED YET

P3CURRSEP

BD-20. *If necessary, ASK: (Is she the woman you are separated from now?)*

Yes1

No5

FLOW CHECK B-32: IF BD-20 P3CURRSEP = 1 AND BD-17 P3NAME NE DK/RF,
SET CURSEP = P3NAME AND GO TO BD-23 P3SXLAST_M.

ELSE IF P3CURRSEP = 1 AND P3NAME = DK/RF,
SET CURSEP = "your wife" AND GO TO P3SXLAST_M.

ELSE IF P3CURRSEP NE 1, LEAVE CURSEP = NULL AND GO TO
P3SXLAST_M.

{ ASKED IF R WAS NEVER MARRIED TO THIS PARTNER BUT HE EVER COHABITED

P3RLTN2

BD-21. *Did you ever live together with (P3NAME_FILL)?*

[HELP AVAILABLE]

Yes1

No5

FLOW CHECK B-33: IF BD-21 P3RLTN2 = 1 AND AD-7b MARSTAT=2 AND:

IF CURCOHAB = NULL, ASK BD-22 P3COHABIT.

ELSE IF CURCOHAB NE NULL, GO TO BD-23 P3SXLAST_M.

ELSE, GO TO P3SXLAST_M.

{ ASKED IF R WAS NEVER MARRIED TO THIS PARTNER AND HE EVER LIVED WITH THIS
{ PARTNER AND HE IS CURRENTLY COHABITING AND THIS COHABITING PARTNER NOT YET
{ IDENTIFIED

P3COHABIT

BD-22. *If necessary, ASK: (Is she the woman you live with now ?)*

Yes1

No5

FLOW CHECK B-34: IF BD-22 P3COHABIT =1 AND BD-17 P3NAME NE DK/RF,
SET CURCOHAB = P3NAME AND GO TO BD-23 P3SXLAST_M.

ELSE IF P3COHABIT =1 AND P3NAME = DK/RF,
SET CURCOHAB = "your partner" AND GO TO P3SXLAST_M.

ELSE, IF P3COHABIT NE 1, LEAVE CURCOHAB = NULL AND GO TO
P3SXLAST_M.

P3SXLAST_M

① of ②

BD-23. IF SEXSTAT =2,4,5, or 6, SAY:
Please think of the last time that you had sexual intercourse
with her. In what month and year was that?

ELSE IF SEXSTAT=1 OR 3, SAY:
That time that you had sexual intercourse with her, in what month
and year was that?

[HELP AVAILABLE]

- ◆ ENTER MM/YYYY
- ◆ PROBE for season if DK month.

- | | | | |
|-------------|-----------|--------------|------------|
| 1. January | 5. May | 9. September | 13. Winter |
| 2. February | 6. June | 10. October | 14. Spring |
| 3. March | 7. July | 11. November | 15. Summer |
| 4. April | 8. August | 12. December | 16. Fall |

P3SXLAST_Y

② of ②

BD-24. IF SEXSTAT =2,4,5, or 6, SAY:
(Please think of the last time that you had sexual intercourse
with her. In what month and year was that?)

ELSE IF SEXSTAT=1 OR 3, SAY:
(That time that you had sexual intercourse with her, in what
month and year was that?)

[HELP AVAILABLE]

- ◆ ENTER P3SXLAST_M/YYYY

UNDERLYING RANGE = 1972 to 2020

FLOW CHECK B-35: CREATE CMLSXP3 (CENTURY MONTH OF LAST SEX WITH 3rd MOST
RECENT PARTNER)

SET CMLSXP3 =NULL
IF P3SXLAST_Y =RF, CMLSXP3 = 9998;
ELSE IF P3SXLAST_Y =DK, CMLSXP3 = 9999;
ELSE IF P3SXLAST_M LE 12, CMLSXP3 = (P3SXLAST_Y -
1900)*12 + P3SXLAST_M
ELSE IF 13 =< P3SXLAST_M =< 16, CMLSXP3 =
(P3SXLAST_Y -1900)*12 + [1(WINTER) OR 4(SPRING) OR
7(SUMMER) OR 10(FALL)]
ELSE IF P3SXLAST_M =DK/RF, CMLSXP3 = (P3SXLAST_Y -
1900)*12 + 6

CREATE CMLSXP3_FILL (FILL FOR DATE OF LAST SEX WITH 3rd MOST RECENT PARTNER)

IF CMLSXP3 = NULL, DK, OR RF, SET CMLSXP3_FILL = "DATE UNKNOWN".

ELSE IF CMLSXP3 LT 9997, DEFINE CMLSXP3_FILL as follows:

IF 1 LE P3SXLAST_M LE 12, THEN ESTABLISH MO/YR FILL IN THE FORMAT "1/1998" etc.
ELSE IF 13 P3SXLAST_M LE 16 (MONTH WAS REPORTED AS A SEASON), THEN ESTABLISH FILL IN THE FORMAT "SPRING, 1998" etc.
ELSE IF ELSE IF P3SXLAST_M = DK/RF BUT P3SXLAST_Y WAS REPORTED, THEN ESTABLISH FILL BASED ONLY ON THE YEAR IN THE FORMAT "1998" etc.

- EDIT CHECK BD24_1: IF (P3SXLAST_M LE 12) AND CMLSXP3 > CMINTVW, DISPLAY: The date entered cannot be after the date of interview. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.
- EDIT CHECK BD24_2: IF (P3SXLAST_M LE 12) AND CMLSXP3 < CMBIRTH, DISPLAY: The date entered cannot be before his date of birth. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.
- EDIT CHECK BD24_3: IF (13 LE P3SXLAST_M LE 16) AND CMLSXP3 > (CMINTVW + 2), DISPLAY: The date entered cannot be after the date of interview. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.
- EDIT CHECK BD24_4: IF (13 LE P3SXLAST_M LE 16) AND CMLSXP3 < (CMBIRTH - 3), DISPLAY: The date entered cannot be before his date of birth. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.
- EDIT CHECK BD24_5: IF (P3SXLAST_M = DK OR RF) AND P3SXLAST_Y > (CMINTVW/12 +1900), DISPLAY: The date entered cannot be after the date of interview. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.
- EDIT CHECK BD24_6: IF (P3SXLAST_M = DK OR RF) AND P3SXLAST_Y < (CMBIRTH/12 +1900)- 1, DISPLAY: The date entered cannot be before his date of birth. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.
- EDIT CHECK BD24_7a: PROBE IF MON12PRTS>0 AND (CMLSXP3 < CMLSTYR)
DISPLAY TEXT: *R has reported that his last sex with this partner was longer ago than 12 months. In this series of questions, we are asking about partners he had sex with during the last 12 mos. Has something been entered incorrectly?*
INVOLVING: P3SXLAST_M, P3SXLAST_Y, MON12PRT (if needed, adjust mon12prts)
HARD, NONSUPPRESSIBLE EDIT CHECK.
- EDIT CHECK BD24_7b: PROBE IF MON12PRTS = 0 AND (CMLSXP3 >= CMLSTYR) DISPLAY TEXT: *R has reported that his last sex with this partner*

was within the past 12 months. Earlier he reported that he had no partners in the past 12 months. Has something been entered incorrectly?

INVOLVING: P3SXLAST_M, P3SXLAST_Y, MON12PRT (if needed, adjust mon12prts)

HARD, NONSUPPRESSIBLE EDIT CHECK.

FLOW CHECK B-36: CREATE P1RELATION (RELATIONSHIP OF MOST RECENT SEX PARTNER TO R)

```
SET P1RELATION = SYSMIS
= 1 (CURRENT WIFE, NOT SEPARATED)
  IF BD-3 P1CURRWIFE=1
= 2 (CURRENT WIFE, SEPARATED)
  IF BD-4 P1CURRSEP=1
= 3 (CURRENT COHABITING PARTNER (to whom he was
  never married))
  IF BD-6 P1COHABIT=1
= 4 (FORMER WIFE)
  IF P1RLTN1=1 AND BD-3 P1CURRWIFE NE 1
  (=5;dk/rf;sysmis) AND
  BD-4 P1CURRSEP NE 1 (=5;dk/rf;sysmis)
= 5 (FORMER COHABITING PARTNER (to whom he was
  never married))
  IF BD-5 P1RLTN2=1 AND BD-6 P1COHABIT NE 1
  (=5;dk/rf;sysmis)
= 6 (NEVER IN A MARITAL OR COHAB UNION WITH P)
  IF (P1RLTN1 = 5 or P1RLTN1 = null/blank)
  AND (P1RLTN2 = 5 or P1RLTN2 = null/blank)
= 8 (Refused)
  IF (P1RLTN1 = RF AND [P1RLTN2 = RF or
  P1RLTN2 = null/blank]) OR ([P1RLTN1 = RF or
  P1RLTN1 = null/blank] AND P1RLTN2 = RF)
= 9 (Don't Know)
  IF (P1RLTN1 = DK AND P1RLTN2 =
  DK/RF/null/blank) OR (P1RLTN1 =
  DK/RF/null/blank AND P1RLTN2 = DK)
```

[NOTE: THE ONLY RS WITH P1RELATION
REMAINING SYSMIS SHOULD BE THOSE WITH
SEXSTAT=0 (NEVER HAD SEX)]

IF MON12PRTS < 2, GO TO FLOW CHECK B-37.

CREATE P2RELATION (RELATIONSHIP OF 2ND MOST RECENT SEX PARTNER TO R)

```
SET = SYSMIS
= 1 (CURRENT WIFE, NOT SEPARATED)
  IF BD-11 P2CURRWIFE=1
= 2 (CURRENT WIFE, SEPARATED)
  IF BD-12 P2CURRSEP=1
= 3 (CURRENT COHABITING PARTNER (to whom he was
  never married))
  IF BD-14 P2COHABIT=1
= 4 (FORMER WIFE)
  IF P2RLTN1=1 AND BD-11 P2CURRWIFE NE 1
  (=5;dk/rf;sysmis) AND
  BD-12 P2CURRSEP NE 1 (=5;dk/rf;sysmis)
= 5 (FORMER COHABITING PARTNER (to whom he was
```

```
never married))  
IF BD-13 P2RLTN2=1 AND BD-14 P2COHABIT NE 1  
(=5;dk/rf;sysmis)  
= 6 (NEVER IN A MARITAL OR COHAB UNION WITH P)  
IF (P2RLTN1 = 5 or P2RLTN1 = null/blank)  
AND (P2RLTN2 = 5 or P2RLTN2 = null/blank)  
= 8 (Refused)  
IF (P2RLTN1 = RF AND [P2RLTN2 = RF or  
P2RLTN2 = null/blank]) OR ([P2RLTN1 = RF or  
P2RLTN1 = null/blank] AND P2RLTN2 = RF)  
= 9 (Don't Know)  
IF (P2RLTN1 = DK AND P2RLTN2 =  
DK/RF/null/blank) OR (P2RLTN1 =  
DK/RF/null/blank AND P2RLTN2 = DK)
```

*[NOTE: ONLY ONES THAT SHOULD REMAIN SYSMIS
ON P2RELATION ARE THOSE WITH MON12PRTS<2
AND THOSE WITH SEXSTAT=0.]*

IF MON12PRTS < 3, GO TO FLOW CHECK B-37.

CREATE P3RELATION (RELATIONSHIP OF 3RD MOST RECENT SEX
PARTNER TO R)

```
SET = SYSMIS  
= 1 (CURRENT WIFE, NOT SEPARATED)  
IF BD-19 P3CURRWIFE=1  
= 2 (CURRENT WIFE, SEPARATED)  
IF BD-20 P3CURRSEP=1  
= 3 (CURRENT COHABITING PARTNER)  
IF BD-22 P3COHABIT=1  
= 4 (FORMER WIFE)  
IF P3RLTN1=1 AND BD-19 P3CURRWIFE NE 1  
(=5;dk/rf;sysmis) AND  
BD-20 P3CURRSEP NE 1 (=5;dk/rf;sysmis)  
= 5 (FORMER COHABITING PARTNER)  
IF BD-21 P3RLTN2=1 AND BD-22 P3COHABIT NE 1  
(=5;dk/rf;sysmis)  
= 6 (NEVER IN A MARITAL OR COHAB UNION WITH P)  
IF (P3RLTN1 = 5 or P3RLTN1 = null/blank)  
AND (P3RLTN2 = 5 or P3RLTN2 = null/blank)  
= 8 (Refused)  
IF (P3RLTN1 = RF AND [P3RLTN2 = RF or  
P3RLTN2 = null/blank]) OR ([P3RLTN1 = RF or  
P3RLTN1 = null/blank] AND P3RLTN2 = RF)  
= 9 (Don't Know)  
IF (P3RLTN1 = DK AND P3RLTN2 =  
DK/RF/null/blank) OR (P3RLTN1 =  
DK/RF/null/blank AND P3RLTN2 = DK)
```

*[Note: Only ones that should remain sysmis
on P3RELATION are those with MON12PRTS<3
and those with SEXSTAT=0.]*

FLOW CHECK B-37: CREATE FILLS FOR RELATIONSHIP WITH RECENT PARTNER(S) FOR
VERIFYING. (REL[X]_FILL BELOW REPRESENTS THE FOLLOWING
THREE SETS OF FILLS DEFINED: RELP1_FILL; RELP2_FILL; &
RELX3_FILL)

```
CREATE RELP[X]_FILL  
SET=SYSMIS
```

```
IF P[X]RELATION=1,  
    SET RELP[X]_FILL = "are married to"  
IF P[X]RELATION=2  
    SET RELP[X]_FILL = "are separated from"  
IF P[X]RELATION=3,  
    SET RELP[X]_FILL= "are living with"  
ELSE IF P[X]RELATION=4,  
    SET RELP[X]_FILL= "had been married to"  
ELSE IF P[X]RELATION=5,  
    SET RELP[X]_FILL = "had lived with"  
ELSE IF P[X]RELATION=6,  
    SET RELP[X]_FILL = "have never been married to, and have  
                        never lived with"
```

```
FLOW CHECK B-38: CREATE FRSTNAME (NAME OF FIRST SEX PARTNER EVER)  
                SET FRSTNAME = NULL  
                SET FRSTNAME = P1NAME IF LIFEPRT BC-6 NE DK/RF AND  
                LIFEPRTS=1 AND P1NAME NE DK/RF
```

```
IF LIFEPRT BC-6 NE DK/RF AND (LIFEPRTS=MON12PRTS=2 OR  
LIFEPRTS=MON12PRTS=3), ASK FIRST BD-25.
```

```
ELSE, GO TO FLOW CHECK B-39.
```

FIRST
BD-25.

```
IF LIFEPRTS = 2 AND MON12PRTS = 2, ASK:  
Were either of the females we've talked about, (P2NAME_FILL) and  
(P1NAME_FILL), the first female with whom you ever had sexual  
intercourse?
```

```
ELSE, IF LIFEPRTS = 3 AND MON12PRTS = 3, ASK:  
Were any of the females we've talked about, (P1NAME_FILL),  
(P2NAME_FILL), and (P3NAME_FILL), the first female with whom you  
ever had sexual intercourse?
```

[HELP AVAILABLE]

```
Yes, (P1NAME_FILL).....1  
Yes, (P2NAME_FILL).....2  
Yes, (P3NAME_FILL).....3  
No .....5
```

```
FLOW CHECK B-38b IF BD-25 FIRST =1, 2, OR 3 THEN GO TO FLOW CHECK B-39.  
ELSE, ASK BD-26 FIRST2.
```

FIRST2

BD-26. So that I can refer to her in the interview, please tell me the name or initials of the first female with whom you ever had sexual intercourse.

[HELP AVAILABLE]

◆ ENTER name or initials

TYPE: STRING [30]

```
FLOW CHECK B-39: IF BD-25 FIRST = 1 SET FRSTNAME=P1NAME  
ELSE IF BD-25 FIRST = 2 SET FRSTNAME=P2NAME  
ELSE IF BD-25 FIRST = 3 SET FRSTNAME=P3NAME
```

ELSE IF FIRST2 NE NULL OR DK OR RF, SET FRSTNAME=FIRST2.
ELSE IF FIRST2 = DK OR RF, SET FRSTNAME= "your first
partner".

FLOW CHECK B-40: IF AD-7b MARSTAT=1 OR 2, GO TO CA-0 INTRO.
ELSE IF MARSTAT NE 1 OR 2, GO TO FLOW CHECK D-1.