

## 2006-2010 NSFG User's Guide

### Appendix 4c: Male Recode Crosswalk for 2006-2010 file and Cycle 6 (2002) file

n/a - not constructed for this file

Absence of comment in last column indicates "same universe, same code categories, same specifications"

Recode specifications for the 2006-2010 NSFG male recodes are found in Appendix 3c of the 2006-2010 User's Guide.

Recode specifications for the 2002 NSFG male recodes are found in Appendix 2 of the 2002 User's Guide.

Recode in 2006-2010 NSFG	Recode in 2002 NSFG	Short Description	User Notes
<b>Section A</b>			
AGER	AGER	R's age at interview	
FMARITAL	FMARITAL	Formal (legal) marital status	
RMARITAL	RMARITAL	Informal marital status	
EDUCAT	EDUCAT	Number of years of schooling	In both data files, this recode was bottomcoded for public use due to disclosure concerns.
HIEDUC	HIEDUC	Highest completed year of school or highest degree received	In both data files, this recode was bottomcoded for public use due to disclosure concerns.
HISPANIC	HISPANIC	Hispanic origin of respondent	
RACE	RACE	Race of respondent	
HISPRACE	HISPRACE	Race& Hispanic origin of respondent - 1977 OMB standards	
HISPRACE2	n/a	Race& Hispanic origin of respondent - 1997 OMB standards	In 2002 HISPRACE2 was defined for reports based on HISPRACE and NUMRACE. In 2006-2010, this recode was defined as part of the public use file.
NUMKDHH	NUMKDHH	Number of biological/adopted/related/legal children under age 18 in household	In both data files, this recode was topcoded for public use due to disclosure concerns.
NUMFMHH	NUMFMHH	Number of family members in HH	In both data files, this recode was topcoded for public use due to disclosure concerns.
HHFAMTYP	HHFAMTYP	Type of household/family structure	In the 2002 NSFG, this recode was not part of the initially released public use file, but was made available as part of a supplementary file based on the household roster.

## 2006-2010 NSFG User's Guide

### Appendix 4c: Male Recode Crosswalk for 2006-2010 file and Cycle 6 (2002) file

Recode in 2006-2010 NSFG	Recode in 2002 NSFG	Short Description	User Notes
HHPARTYP	HHPARTYP2	Type of parental situation in household	In the 2002 NSFG, this recode was not part of the initially released public use file, but was made available as part of a supplementary file based on the household roster. The 2002 supplementary version that is comparable to 2006-2010 version is "HHPARTYP2". It includes the category "3=Single parent (biological, adoptive, or stepparent)", whereas 2002 "HHPARTYP" does not.
NCHILDHH	NCHILDHH	Number of respondent's children (18 or younger) living in household	In the 2002 NSFG, this recode was not part of the initially released public use file, but was made available as part of a supplementary file based on the household roster.
HHKIDTYP	HHKIDTYP	Respondent's children (18 or younger) living in the household	In the 2002 NSFG, this recode was not part of the initially released public use file, but was made available as part of a supplementary file based on the household roster.
CSPBBHH	CSPBBHH	Number of R's biological children (18 or younger) with current spouse/partner who live in the household	In the 2002 NSFG, this recode was not part of the initially released public use file, but was made available as part of a supplementary file based on the household roster.
CSPSBHH	CSPSBHH	Number of female R's biological children (18 or younger) in the household who are not the biological children of her current spouse/partner	In the 2002 NSFG, this recode was not part of the initially released public use file, but was made available as part of a supplementary file based on the household roster.
CSPOKDHH	CSPOKDHH	Number of all other children living in household with R and current spouse/partner	In the 2002 NSFG, this recode was not part of the initially released public use file, but was made available as part of a supplementary file based on the household roster.
INTCTFAM	INTCTFAM	Whether R lived in intact family until 18, until interview or until lived on own	
PARAGE14	PARAGE14	Parental living situation at age 14	Differs slightly between 2002 and 2006-2010: code 2 is defined differently (see codebook or recode specifications for each data file). In both files, this recode was collapsed for public use. See recode specifications for details.

## 2006-2010 NSFG User's Guide

### Appendix 4c: Male Recode Crosswalk for 2006-2010 file and Cycle 6 (2002) file

Recode in 2006-2010 NSFG	Recode in 2002 NSFG	Short Description	User Notes
EDUCMOM	EDUCMOM	Mother (or mother-figure's) education	In both data files, this recode was collapsed for public use due to disclosure concerns.
AGEMOMB1	AGEMOMB1	Age of respondent's mother at her first birth	In both data files, this recode was collapsed for public use due to disclosure concerns.
FMARNO	FMARNO	Number of times married	
<b>Sections B-F</b>			
HADSEX	HADSEX	Whether R ever had sexual intercourse	
SEXONCE	SEXONCE	Whether R has had intercourse only once	
VRY1STSX	VRY1STSX	Century month date of 1st sexual intercourse	
VRY1STAG	VRY1STAG	R's age at 1st sexual intercourse	
SEXMAR	n/a	Months between 1st intercourse and 1st marriage	Created for 2006-2010 to be comparable to female file. Can be constructed comparably for 2002 using VRY1STSX and MARDAT01 recodes.
SEXUNION	n/a	Months between 1st intercourse and 1st coresidential union (marriage or cohabitation)	Created for 2006-2010 to be comparable to female file. Can be constructed comparably for 2002 using VRY1STSX, COHAB1, and MARDAT01 recodes.
FSEXPAGE	FSEXPAGE	Age of 1st sex partner at 1st sex	
FSEXRLTN	FSEXRLTN	Relationship with 1st sex partner at 1st sex	
SEX1MTHD1- SEX1MTHD4	SEX1MTHD1- SEX1MTHD4	Contraceptive method use at 1st sex: 1st-4th	2006-2010 version of this recode contains new categories for contraceptive methods that became available or more common since the 2002 survey.
LSEXDATE	LSEXDATE	Date of last (or most recent) sex	
LSEXDATE2	LSEXDATE2	Date of last (or most recent) sex (ordered according to partner dates)	The 2002 version of this recode was not imputed. This recode has an associated computed variable: "orderflag".
SEX3MO	SEX3MO	Whether respondent had intercourse in past 3 months	
SEX12MO	SEX12MO	Whether respondent had intercourse in past 12 months	
LSEXRAGE	LSEXRAGE	R's age at last (or most recent) intercourse	
LSEXPAGE	LSEXPAGE	Age of last (or most recent) partner at last intercourse	
LSEXPRAC	n/a	Race/ethnicity of last sex partner	

## 2006-2010 NSFG User's Guide

### Appendix 4c: Male Recode Crosswalk for 2006-2010 file and Cycle 6 (2002) file

Recode in 2006-2010 NSFG	Recode in 2002 NSFG	Short Description	User Notes
LSEXRLTN	LSEXRLTN	Relationship with last partner at last sex	Even though one of the variables used in this recode, DD-14 PXFRLTN1, contains an additional category in the 2006-2010 survey compared to the 2002 survey, this recode is consistent with the 2002 NSFG recode of the same name. This is accomplished through creating the intermediate variable DDRELATN in the recode spec.
LSEXUSE1- LSEXUSE4	LSEXUSE1- LSEXUSE4	Contraceptive method used at last sex ever: 1st-4th	2006-2010 version of this recode contains new categories for contraceptive methods that became available or more common since the 2002 survey.
METH12M1- METH12M4	METH12M1- METH12M4	Method used at last sex in the past 12 mos: 1st - 4th	2006-2010 version of this recode contains new categories for contraceptive methods that became available or more common since the 2002 survey.
METH3M1- METH3M4	METH3M1- METH3M4	Method used at last sex int the past 3 mos: 1st - 4th	2006-2010 version of this recode contains new categories for contraceptive methods that became available or more common since the 2002 survey.
NUMP3MOS	NUMP3MOS	Number of female partners in last 3 mos	
LIFPRTNR	LIFPRTNR	Number of opposite sex partners in lifetime	In both data files, this recode was topcoded for public use due to disclosure concerns.
PARTS1YR	PARTS1YR	Number of opposite sex partners in past 12 mos (C)	In both data files, this recode was topcoded for public use due to disclosure concerns.
PARTDUR1-3	n/a	Months btw/1st and most recent intercourse with each of up 3 most recent sexual partners in last year (most recent can be outside 12-mo window if no partners in last year)	
COHEVER	COHEVER	Whether R ever cohabited (including premarital cohabs)	
EVMARCOH	EVMARCOH	Whether R ever married OR cohabited	
PMARRNO	n/a	Number of premarital cohabitations	While not defined as a recode in 2002 NSFG, the raw variables are available to construct it.
NONMARR	n/a	Number of nonmarital cohabitations	While not defined as a recode in 2002 NSFG, the raw variables are available to construct it.
TIMESCOH	n/a	Number of cohabitations R ever had	While not defined as a recode in 2002 NSFG, the raw variables are available to construct it.
MARDAT01-05	MARDAT01	Century month date of Nth marriage	In 2002 NSFG, recode was only constructed for 1st marriage. In 2006-2010 NSFG, recodes were constructed for all reported marriages. No male R on 2006-2010 file reported more than 5 marriages.

## 2006-2010 NSFG User's Guide

### Appendix 4c: Male Recode Crosswalk for 2006-2010 file and Cycle 6 (2002) file

Recode in 2006-2010 NSFG	Recode in 2002 NSFG	Short Description	User Notes
MAREND01-05	MAREND01	How Nth marriage ended	In 2002 NSFG, recode was only constructed for 1st marriage. In 2006-2010 NSFG, recodes were constructed for all reported marriages. No male R on 2006-2010 file reported more than 5 marriages.
MARDIS01-05	MARDIS01	Century month date of Nth marriage's dissolution/end	In 2002 NSFG, recode was only constructed for 1st marriage. In 2006-2010 NSFG, recodes were constructed for all reported marriages. No male R on 2006-2010 file reported more than 5 marriages.
MAR1DISS	MAR1DISS	Duration (in months) from 1st marriage to dissolution (or interview)	
PREMARW1	PREMARW1	Whether R cohabited premaritally with 1st wife	
COHAB1	COHAB1	Century month date of 1st cohabitation (incl. premar cohab)	
COHSTAT	COHSTAT	Cohabitation experience relative to 1st marriage	
COHOUT	COHOUT	Outcome of 1st cohabitation (if preceded 1st marriage)	In 2006-2010, men were asked about their 1st cohabitation, regardless of timing relative to their 1st marriage. In 2002, men were only asked details about 1st cohabitation if it preceded their 1st marriage. In order to maintain comparability of this recode, it is defined for the same universe in 2006-2010 as in 2002.
COH1DUR	COH1DUR	Duration (in months) of 1st cohabitation (if preceded 1st marriage)	In 2006-2010, men were asked about their 1st cohabitation, regardless of timing relative to their 1st marriage. In 2002, men were only asked details about 1st cohabitation if it preceded their 1st marriage. In order to maintain comparability of this recode, it is defined for the same universe in 2006-2010 as in 2002.
CSPBIOKD	n/a	Total number of biological children R has had with current spouse or cohabiting partner (regardless of age and residence in HH)	While not defined as a recode in 2002 NSFG, the raw variables are available to construct it.
DATBABY1	DATBABY1	CM date when R had 1st bio child	
AGEBABY1	AGEBABY1	Age when R had 1st bio child	
MARBABY1	MARBABY1	Formal marital status at time of 1st bio child's birth	
B1PREMAR	B1PREMAR	Whether R's 1st biological child was born premaritally	
CEBOW	CEBOW	Number of children born out of wedlock	
CEBOWC	CEBOWC	Number of children born out of wedlock, in cohab	

## 2006-2010 NSFG User's Guide

### Appendix 4c: Male Recode Crosswalk for 2006-2010 file and Cycle 6 (2002) file

Recode in 2006-2010 NSFG	Recode in 2002 NSFG	Short Description	User Notes
CEBOWP	CEBOWP	Number of children born out of wedlock, paternity est	
EVRNOPAT	EVRNOPAT	If R had child out of wedlock, no paternity est	
NONLIVEB	NONLIVEB	Number of pregnancies (non-live births)	
COMPREG	COMPREG	Number of completed pregnancies (R has fathered)	Differs slightly between 2002 and 2006-2010. See recode specifications for details.
ABORTION	ABORTION	Number of abortions (fathered by R)	
LOSSNUM	LOSSNUM	Number of spontaneous preg losses (fathered by R)	
PARENT01-10	n/a	Other biological parent (mother) of this child	While not defined as a recode in 2002 NSFG, the raw variables are available to construct it.
WANTB01-10	WANTB01-10	Wantedness of Nth birth within the past 5 years	
UNINTB5	UNINTB5	Whether R fathered an unintended birth in the past 5 years	
<b>Section G</b>			
DADTYPE	DADTYPE	Type of children aged 18 or younger that R has	
DADTYPU5	DADTYPU5	Type of children under 5 that R has	
DADTYP518	DADTYP518	Type of children 5-18 that R has	
NUMCRU18	NUMCRU18	Number of coresidential children aged 18 or younger	
NUMNCU18	NUMNCU18	Number of noncoresidential biological or adopted children aged 18 or younger	
SUPP12MO	SUPP12MO	Contribution of child support in last 12 months	
<b>Section H</b>			
INTENT	INTENT	Intentions for additional births	
ADDEXP	ADDEXP	Central number of additional births expected	
<b>Section I</b>			
CURR_INS	CURR_INS	Current health insurance status	In the 2002 NSFG, this recode was not part of the initially released public use file, but was made available later for downloading from the NSFG webpage.
n/a	INSURANC	Current health insurance status	This recode was not defined for 2006-2010. See CURR_INS recode specifications for details.

## 2006-2010 NSFG User's Guide

### Appendix 4c: Male Recode Crosswalk for 2006-2010 file and Cycle 6 (2002) file

Recode in 2006-2010 NSFG	Recode in 2002 NSFG	Short Description	User Notes
n/a	n/a	Urban-rural residence (RURAL)	This recode is available through the RDC for 2002 and 2006-2010. It could not be included for public use due to disclosure concerns.
n/a	n/a	Geographic region of R's residence (REGION)	This recode is available through the RDC for 2002 and 2006-2010. It could not be included for public use due to disclosure concerns.
INFEVER	INFEVER	Ever received infertility services	
EVHIVTST	EVHIVTST	Ever had an HIV test	
<b>Section J</b>			
METRO	METRO	Place of residence (metropolitan/non-metropolitan)	In 2002, the value labels for response categories 1 & 2 were reversed in the value labels accompanying the data files on the CD-rom and downloadable on the NSFG website. Category 1 should be 'MSA, other' and category 2 should be 'MSA, central city.' Detailed information is available for download from the NSFG webpage.
RELIGION	RELIGION	Current religious affiliation	Differs between 2002 and 2006-2010. See recode specifications for details.
LABORFOR	LABORFOR	Labor force status	In both 2002 and 2006-2010 files, this recode (and the raw variables from which it was constructed) was collapsed for public use. See recode specifications for details.
<b>Section K</b>			
POVERTY	POVERTY	Poverty level income	In both data files, this recode was topcoded for public use due to disclosure concerns.
TOTINCR	TOTINCR	Total income of R's family	
PUBASSIS	PUBASSIS	Any public assistance in last 12 months	