

2011-2013 NSFG User's Guide

Appendix 4a: Male-Female Recode Crosswalk for 2011-2013 file

n/a - recode not constructed for this file

Absence of comment in last column indicates "same universe, same code categories, same specifications"

Due to the different organization of the male & female questionnaires, the specifications for some recodes are different for males & females, but universes and coding are the same. This is noted where applicable.

Recode specifications for the 2011-2013 NSFG female respondent file recodes are found in Appendix 3a of the 2011-2013 User's Guide.

Recode specifications for the 2011-2013 NSFG male respondent file recodes are found in Appendix 3c of the 2011-2013 User's Guide.

Description	Female Recode for 2011-13	Male Recode for 2011-2013	Comments on male-female comparability
Demographics/Background			
Respondent's age at interview	AGER	AGER	
Formal (legal) marital status	FMARITAL	FMARITAL	
Informal marital status	RMARITAL	RMARITAL	
Education (number of years of schooling)	EDUCAT	EDUCAT	
Highest completed year of school or highest degree received	HIEDUC	HIEDUC	
Hispanic origin	HISPANIC	HISPANIC	
Race of respondent	RACE	RACE	
Race and Hispanic origin – based on 1977 OMB guidelines	HISPRACE	HISPRACE	
Race and Hispanic origin – based on 1997 OMB guidelines	HISPRACE2	HISPRACE2	
Intact status of childhood family	INTCTFAM	INTCTFAM	
Parental living situation at age 14	PARAGE14	PARAGE14	
Mother's (or mother-figure's) education	EDUCMOM	EDUCMOM	
Age of mother (or mother-figure) at first birth	AGEMOMB1	AGEMOMB1	
Current health insurance coverage status	CURR_INS	CURR_INS	
Place of residence (metropolitan nonmetropolitan)	METRO	METRO	
Current religious affiliation	RELIGION	RELIGION	
Labor force status	LABORFOR	LABORFOR	
Poverty level income	POVERTY	POVERTY	
Total income of R's family	TOTINCR	TOTINCR	
Whether R received public assistance in the calendar year before the interview	PUBASSIS	PUBASSIS	
Marriage, Cohabitation, Marital Dissolution			
Number of formal (legal) marriages	FMARNO	FMARNO	
Date of Nth marriage	MARDATnn	MARDATnn	Different specifications, but otherwise comparable
Date of dissolution of Nth marriage	MARDISnn	MARDISnn	Different specifications, but otherwise comparable
How the Nth marriage ended	MARENDnn	MARENDnn	Different specifications, but otherwise comparable

2011-2013 NSFG User's Guide

Appendix 4a: Male-Female Recode Crosswalk for 2011-2013 file

Description	Female Recode for 2011-13	Male Recode for 2011-2013	Comments on male-female comparability
Age at first marriage	FMAR1AGE	n/a	FMAR1AGE recode can be approximated for males using date of birth (cmbirth) and the recode for date 1st marriage (MARDAT01)
Age at dissolution of first marriage	AGEDISS1	n/a	AGEDISS1 recode can be approximated for males using date of birth (cmbirth) and recode for date of 1st marriage dissolution (MARDIS01)
Age at divorce or death: 1st marriage	AGEDD1	n/a	AGEDD1 recode can be approximated for males using date of birth (cmbirth), recode for date of 1st marriage dissolution (MARDIS01), and if necessary, dates of divorce, annulment, or widowhood
Months between first marriage and dissolution of first marriage (or interview)	MAR1DISS	MAR1DISS	
Months between divorce or death (first marriage) and remarriage (or interview)	DD1REMAR	n/a	DD1REMAR recode can be approximated for males using recodes for dates of 1st marriage dissolution (MARDIS01) and 2nd marriage (MARDAT02), and if necessary, dates of divorce, annulment, or widowhood
Whether R ever cohabited outside of marriage	COHEVER	COHEVER	Different specifications, but otherwise comparable
Whether R ever married or cohabited	EVMARCOH	EVMARCOH	
Number of premarital cohabitations	PMARRNO	PMARRNO	Different specifications, but otherwise comparable
Number of nonmarital cohabitations (i.e., cohabitations not ending in marriage)	NONMARR	NONMARR	Different specifications, but otherwise comparable
Total number of cohabitations	TIMESCOH	TIMESCOH	Different specifications, but otherwise comparable
Date of first cohabitation (including premarital cohabitation)	COHAB1	COHAB1	
Cohabitation experience relative to first marriage	COHSTAT	COHSTAT, PREMARW1	The male recode PREMARW1 asks about cohabitation experience with first wife while COHSTAT obtains comparable information for females and males on cohabitation experience relative to first marriage.

2011-2013 NSFG User's Guide

Appendix 4a: Male-Female Recode Crosswalk for 2011-2013 file

Description	Female Recode for 2011-13	Male Recode for 2011-2013	Comments on male-female comparability
Outcome of first cohabitation	COHOUT	COHOUT	Male COHOUT is limited to those whose 1st cohabitations preceded marriage (COHSTAT=2). Even though data were obtained on all 1st cohabitations in the 2006-2010 and 2011-2013 NSFG, the recode was kept comparable to the 2002 NSFG recode.
Duration (in months) of R's first cohabitation	COH1DUR	COH1DUR	Male COH1DUR is limited to those whose 1st cohabitations preceded marriage (COHSTAT=2). Even though data were obtained on all 1st cohabitations in the 2006-2010 and 2011-2013 NSFG, the recode was kept comparable to the 2002 NSFG recode.
Fertility, Parenthood, and Household Structure			
Months between first marriage and first birth or date of interview	MAR1BIR1	n/a	MAR1BIR1 recode can be approximated for males using recodes for dates of 1st marriage and 1st child's birth (MARDAT01 and DATBABY1)
Whether R's first birth was premarital	B1PREMAR	B1PREMAR	
Formal marital status at Nth pregnancy outcome or Nth child's birth	FMAROUTnn	n/a	Male variables BIOMARnn are roughly equivalent but coding categories differ. See recode specifications for details on female recodes FMAROUTnn and see Part 2 of User's Guide (Male File Notes) for information on post-processing variables BIOMARnn. Also, male variables only apply to liveborn children, while female variables apply to all completed pregnancies.
Formal marital status at 1st child's birth	1st value of FMAROUTnn where OUTCOME=1	MARBABY1	Female FMAROUTnn has more categories than dichotomous MARBABY1, but can yield comparable measure.

2011-2013 NSFG User's Guide

Appendix 4a: Male-Female Recode Crosswalk for 2011-2013 file

Description	Female Recode for 2011-13	Male Recode for 2011-2013	Comments on male-female comparability
Informal marital status at Nth pregnancy outcome or Nth child's birth	RMAROUTnn	n/a	Male variables BICOHn are roughly equivalent but coding categories differ. See recode specifications for details on female recodes RMAROUTnn and see Part 2 of User's Guide (Male File Notes) for information on post-processing variables BICOHn. Also, male variables only apply to liveborn children, while female variables apply to all completed (non-current) pregnancies.
Number of children born out of wedlock	CEBOW	CEBOW	Different specifications, but otherwise comparable
Number of children born out of wedlock, but paternity established	n/a	CEBOWP	Women were not asked about paternity establishment for their children born outside marriage
Number of children born in cohabiting unions	CEBOWC	CEBOWC	Different specifications, but otherwise comparable
Number of biological/adopted/related/legal children under age 18 in household	NUMKDHH	NUMKDHH	
Number of family members in household	NUMFMHH	NUMFMHH	
Type of household/family structure	HHFAMTYP	HHFAMTYP	
Type of parental situation in household	HHPARTYP	HHPARTYP	
Number of respondent's children (18 or younger) living in household	NCHILDHH	NCHILDHH	
Whether R has children (18 or younger), and whether bio/non-bio, living in household	HHKIDTYP	HHKIDTYP	
Number of biological children R has with current spouse or cohabiting partner	CSPBIOKD	CSPBIOKD	
Number of R's biological children (aged 18 or younger) with current spouse or cohabiting partner who live in the household	CSPBBHH	CSPBBHH	
Number of female R's biological children (aged 18 or younger) in household who are not the biological children of her current spouse or cohabiting partner	CSPBSHH	n/a	Similar to male recode, CSPSBHH, woman's bio and man's step children
Number of male R's nonbiological children (aged 18 or younger) in household who are the biological children of his current spouse or cohabiting partner	n/a	CSPSBHH	Similar to female recode, CSPBSHH, woman's bio and man's step children
Number of all other children (aged 18 or younger) in household living with R and current spouse or cohabiting partner	CSPOKDHH	CSPOKDHH	

2011-2013 NSFG User's Guide

Appendix 4a: Male-Female Recode Crosswalk for 2011-2013 file

Description	Female Recode for 2011-13	Male Recode for 2011-2013	Comments on male-female comparability
Current living arrangements of liveborn child from Nth pregnancy (female) Current living arrangements of Nth biological child R fathered (male)	LIVCHILDnn	n/a	Male variables BIOLIVNGnn are roughly equivalent but coding categories differ. See recode specifications for details on female recodes LIVCHILDnn and see Part 2 of User's Guide (Male File Notes) for information on post-processing variables BIOLIVNGnn.
Sexual Activity/Contraceptive Use			
Whether R has ever had sexual intercourse with opposite sex	HADSEX	HADSEX	
Age at first intercourse	VRY1STAG	VRY1STAG	Raw variables and questionnaire structure differ for females and males but resulting recodes are comparable. Female recode is based on direct question asking for age, while for some males it is based on date of first sex.
Date of first intercourse	VRY1STSX	VRY1STSX	Raw variables and questionnaire structure differ for females and males but resulting recodes are comparable. Female recode is based on direct question asking for date, while for males, it is based on date of first sex with specific partner.
Whether R has had sex only once	SEXONCE	SEXONCE	
Age of R's 1st sexual partner at time of R's 1st sex	FSEXPAGE	FSEXPAGE	
Relationship with first sexual partner at time of first sex	n/a	FSEXRLTN	The equivalent information for females is in the raw variable CG-5 KNOWFP.
Number of months between first and last/most recent sexual intercourse with first partner ever	FPDUR	n/a	This recode cannot be created for males because they are not asked date of last sex with first partner if first partner was not a current/former wife/cohabiting partner or recent sexual partner or last partner ever.
Number of months between first and most recent sexual intercourse with (most recent / second-to-last / third-to-last) sexual partner (in the past 12 months)	PARTDUR1-3	PARTDUR1-3	
Months between first intercourse and first marriage (or interview)	SEXMAR	SEXMAR	
Months between first intercourse (even if before first menstrual period) and first coresidential union (or interview)	SEXUNION	SEXUNION	

2011-2013 NSFG User's Guide

Appendix 4a: Male-Female Recode Crosswalk for 2011-2013 file

Description	Female Recode for 2011-13	Male Recode for 2011-2013	Comments on male-female comparability
Outcome of first sexual intercourse	SEXOUT	n/a	This recode cannot be created for males because if his first sexual partner was someone other than a current/former wife or cohabiting partner, a recent sexual partner in the past year, or his last sexual partner ever, there is no other information on R's relationship with this partner.
CM date of last or most recent sexual intercourse	LSEXDATE	LSEXDATE	
Number of opposite-sex partners in last 12 months	PARTS1YR	PARTS1YR	Female recode is inapplicable (blank or system missing) if R has never had sex; Male recode is defined for all Rs. These can be made comparable by changing the system-missing on the female recode to 0.
R's age at last or most recent sexual intercourse	LSEXRAGE	LSEXRAGE	
Race of last sexual partner at last sex ever	n/a	LSEXPRAC	This recode cannot be created for females because race of last partner is only asked if he is a current partner.
Relationship with last sexual partner at last sex ever	n/a	LSEXRLTN	This recode cannot be created for females because relationship at last sex with last partner is only asked if he is a current partner.
Number of opposite-sex partners in lifetime	LIFPRTNR	LIFPRTNR	
Ever used any method for any reason	ANYMTHD	n/a	This recode cannot be created for males because they are only asked contraceptive-use questions in the context of specific sexual partners. They are not asked about ever-use of contraceptive methods in general, as are women.
Intercourse in the past 3 months (including interview month) (based on last sexual partner date -- LSEXDATE)	SEX3MO	SEX3MO	
Intercourse in the past 12 months (including interview month) (based on last sexual partner date -- LSEXDATE)	n/a	SEX12MO	The PARTS1YR recode can be used to create this measure for females.
Current contraceptive status	CONSTAT1-4	n/a	This recode relies on a higher level of detail than was asked for males, such as reasons for sterility and reasons for nonuse of methods at time of interview.

2011-2013 NSFG User's Guide

Appendix 4a: Male-Female Recode Crosswalk for 2011-2013 file

Description	Female Recode for 2011-13	Male Recode for 2011-2013	Comments on male-female comparability
Ever used the pill for any reason	PILLR	n/a	Males were not asked whether they ever had sex with a partner who used the pill. This cannot be constructed from the contraceptive use questions because 1) some sexual partners may not be covered by the questions, and 2) males do not always know about their partners' contraceptive method use if it is not observable.
Ever used a condom	CONDOMR	n/a	Males were not asked whether they ever used a condom. They were only asked about condom use in the context of particular relationships.
Method used at first intercourse, if any-1st method- 4th method	SEX1MTHD1-4	SEX1MTHD1-4	
Whether used any method at last intercourse in past 12 months	MTHUSE12	n/a	For males, METH12M1-4 contains the information for this recode
Method used at last sex in the past 12 months-1st method - 4th method	METH12M1-4	METH12M1-4	
Whether used any method at last sex in the past 3 months	MTHUSE3	n/a	For males, METH3M1-4 contains the information for this recode
Method used at last sex in past 3 months-1st method - 4th method	METH3M1-4	METH3M1-4	
Method used at last sex ever -1st method - 4th method	n/a	LSEXUSE1-4	This recode cannot be created for females because questions on method use with last partner are limited to partners in the past 12 months while for males it may also be asked for last partner ever (outside the 12 month window).
Number of opposite sex partners in past 3 months	NUMP3MOS	NUMP3MOS	
First method ever used-1st-4th method	FMETHOD1-4	n/a	Males were not asked to identify the first method they ever used.
Date R used first method for the first time	DATEUSE1	n/a	Males were not asked for the date of their first method use.
Fertility and Birth Expectations			
Whether R is currently pregnant (female) Number of women currently pregnant with R's baby (male)	RCURPREG	n/a	The male variable pregsnow is computed during the interview (not a recode). It is incremented by 1 every time R reports a partner who is currently pregnant.

2011-2013 NSFG User's Guide

Appendix 4a: Male-Female Recode Crosswalk for 2011-2013 file

Description	Female Recode for 2011-13	Male Recode for 2011-2013	Comments on male-female comparability
CAPI-based total number of pregnancies	PREGNUM	n/a	See male Section F for definition of these computed variables totpregs_r and totpregs_c that provide counts of pregnancies; see recode specifications in Appendix 3a for definition of female PREGNUM recode.
CAPI-based number of completed pregnancies	COMPREG	COMPREG	Different specifications, but otherwise comparable
CAPI-based number of completed pregnancies ending in spontaneous pregnancy loss	LOSSNUM	LOSSNUM	Different specifications, but otherwise comparable. Female LOSSNUM includes ectopics explicitly, but they are not omitted necessarily from male LOSSNUM.
CAPI-based number of completed pregnancies ending in induced abortion	ABORTION	ABORTION	Different specifications, but otherwise comparable
CAPI-based total number of live births (accounting for multiple births)	PARITY	n/a	No male recode, but computed variable biokids indicates the total number of biological children R fathered.
Number of pregnancies ending in live birth in the last 5 years	BIRTHS5	n/a	A male version of this recode can be defined based on BIODOBnn and the CM value corresponding to 5 years before interview (cmintvw - 60).
Number of non-live birth pregnancies R has had or fathered	LOSSNUM + ABORTION.	NONLIVEB	The female recodes LOSSNUM and ABORTION can be added to create a comparable measure to male NONLIVEB.
CM date Nth pregnancy ended or Nth child was born	DATENDnn	n/a	Male variables BIODOBnn only apply to liveborn children; female recodes DATENDnn apply to all completed (non-current) pregnancies. The male BIODOBnn variables are created in post-processing based on a chronologically ordering of children the respondent has fathered (see Part 2 of User's Guide, Male File Notes).
Age at Nth pregnancy outcome	AGEPRGnn	n/a	A male version of this recode can be constructed for liveborn children R has fathered, using BIODOBnn and R's date of birth (cmbirth). The BIOAGEnn variables can also be used to provide age in years.

2011-2013 NSFG User's Guide

Appendix 4a: Male-Female Recode Crosswalk for 2011-2013 file

Description	Female Recode for 2011-13	Male Recode for 2011-2013	Comments on male-female comparability
CM date of first live birth	DATBABY1	DATBABY1	Different specifications, but otherwise comparable
Age at first live birth	AGEBABY1	AGEBABY1	Different specifications, but otherwise comparable
Type of sterilization operation in effect	STRLOPER	n/a	No male recode, but male section B includes information on R's vasectomy experience (see computed variable rsurgstr in particular). For currently married or cohabiting men, section C has information on the wife/partner's surgical sterilization (see computed variable psurgstr in particular).
Fecundity status	FECUND	n/a	Male computed variable rststrat plus asked variable FATHDIFF may approximate parts of FECUND recode, but no comparable male variable exists.
Infertility status	INFERT	n/a	This recode requires month by month information on exposure to the risk of pregnancy with the same partner over the previous 12 months (i.e., sexual intercourse, contraceptive use, and pregnancy), all of which cannot be reliably obtained from males and was therefore not collected.
Wantedness of pregnancy -- Respondent	WANTRPnn	WANTBnn	Female recodes apply to all pregnancies regardless of outcome or year; male recodes apply only to live births, for children < 19 years, for which he knew about the pregnancy before the child was born.
Number of wanted pregnancies in the last 5 years	WANTP5	n/a	No equivalent male recode exists because men are not asked about wantedness of pregnancies that did not end in live birth, nor pregnancies they did not know about until after the birth.
Intentions for additional births	INTENT	INTENT	
Central number of additional births expected	ADDEXP	ADDEXP	
Health Conditions, Health Services and Health Insurance			

2011-2013 NSFG User's Guide

Appendix 4a: Male-Female Recode Crosswalk for 2011-2013 file

Description	Female Recode for 2011-13	Male Recode for 2011-2013	Comments on male-female comparability
Any medical help to become pregnant	ANYPRGHP	n/a	Men are asked about infertility services, but not asked separate questions about pregnancy help and miscarriage prevention.
Any medical help to prevent miscarriage	ANYMSCHP	n/a	Men are asked about infertility services, but not asked separate questions about pregnancy help and miscarriage prevention.
Ever used infertility services	INFEVER	INFEVER	Universe differs slightly between males and females, but otherwise comparable
Infertility services: Drugs to improve ovulation	OVULATE	n/a	No male recode defined but IE-2 INFSVCS includes information on this service
Infertility services: Surgery to correct blocked tubes	TUBES	n/a	No male recode defined but IE-2 INFSVCS includes information on this service
Infertility services: Infertility testing on respondent	INFERTR	n/a	No male recode defined but IE-2 INFSVCS and IE-3 INFTEST include information on testing
Infertility services: Infertility testing on spouse/partner	INFERTH	n/a	No male recode defined but IE-2 INFSVCS and IE-3 INFTEST include information on testing
Infertility services: Advice	ADVICE	n/a	No male recode defined but IE-2 INFSVCS includes information on this service
Infertility services: Artificial insemination	INSEM	n/a	No male recode defined but IE-2 INFSVCS includes information on this service
Infertility services: In vitro fertilization or other assisted reproduction	INVITRO	n/a	Men are asked about infertility services, but not this particular one.
Infertility services: Surgery or drug treatment for endometriosis	ENDOMET	n/a	Men are asked about infertility services, but not this particular one.
Infertility services: Surgery for uterine fibroids	FIBROIDS	n/a	Men are asked about infertility services, but not this particular one.
Ever had an HIV test	EVHIVTST	EVHIVTST	