

## 2011-2013 NSFG User's Guide

### Appendix 5: Summary of NSFG Questionnaire Changes Since 2006-2010

<u>Table of Contents</u>	<u>Page</u>
<a href="#">Overview</a> .....	1
<a href="#">Changes affecting both male &amp; female questionnaires</a> .....	1
<a href="#">Changes affecting only the female questionnaire</a> .....	5
<a href="#">Changes affecting only the male questionnaire</a> .....	8

#### Overview

This document summarizes changes to the NSFG questionnaires for the 2011-2013 NSFG. The reference point for these changes is the 2006-2010 NSFG questionnaires, as of “Year 3,” which began fieldwork in September 2008. The reason for this reference point is that no further substantive changes were made after the start of Year 3.

For more detail on the precise wording or routing associated with these questionnaire changes made for 2011-2013, please see the “Webdoc” interactive codebooks or the questionnaires posted on the [NSFG webpage](#). In the codebooks, there is a separate entry for each variable included on the public use files (see “**Description of Codebooks**” in the User’s Guide, Part 1). The questionnaires are provided in either a “CAPI-lite” or “CRQ” format (see “**Description of Questionnaires**” in the User’s Guide, Part 1). CAPI stands for “computer-assisted personal interview,” and CRQ stands for “CAPI Reference Questionnaire.” The CRQ is the most fully specified version of the questionnaires; including all questions and routing details, as well as the definitions for internally computed variables. The “CAPI-lite” is an abridged version of the CRQ that still conveys the basic questionnaire content and routing.

While a great deal of the 2011-2013 questionnaires remains the same as the 2006-2010 questionnaires, changes were made to respond to emerging data needs and to reduce respondent burden related to question complexity. At the same time, attention was paid to maintaining a consistent time series on core NSFG items, staying within the average interview length approved by the Office of Management and Budget (OMB), and controlling fieldwork and instrument testing costs associated with questionnaire revisions.

#### Changes affecting both male & female questionnaires

##### *Section A (male & female)*

- Revised response categories 1 and 4 on MARSTAT (AB-1 on female and male). Category 1 now says “Married to a person of the opposite sex” and category 4 says “Divorced or annulled.”

- Revised response category 4 on FMARSTAT (AB-2 on female and male) to say “Divorced or annulled.”
- Added PRIMLANG (AC-6 on female and male) about languages usually spoken at home.
- Narrowed the universe for VACA (AF-2 female/AE-2 male) to only ask this question for respondents aged 15-19 whose interviews are conducted in May-September (in addition to existing restriction to only ask respondents who currently attending school (GOSCHOL=1)).
- Changed the wording for DIPGED (AF-6 female/AE-6 male) to say “High school diploma only” and “GED only.”
- Dropped MOMCHILD (AG-8 female/AF-8 male) asking about the *number* of children born to the respondent’s mother or mother-figure. Added category 96 for MOMFSTCH (AG-9 female/AF-9 male) as a result of dropping of MOMCHILD to account for respondents whose mothers did not give birth to any children.
- Dropped DADDEGRE (AG-12 female/AF-12 male) asking about the highest level of education for the respondent’s father or father-figure.
- Added questions about the respondent’s experience being in foster care: EVRFSTER (AG-13 female/AF-13 male), MNYFSTER (AG-14 female/AF-14 male), and DURFSTER (AG-15 female/AF-15 male).

### ***Female Section C and Male Section B***

- Dropped PLEDGE (CF-23 female/ BA-26 male) asking respondents aged 15-24 whether s/he ever took a pledge to keep his/her virginity until marriage.

### ***Female Section C and Male Sections C, D, E and J***

- Added new response categories on questions about whether the respondent was “engaged or had definite plans to get married” at the time they began living together:
  - For the current spouse or cohabiting partner (Female C: CB-7 ENGAGHX; CC-6 CPENGAG1; Male C: CA-7 ENGATHEN)
  - For cohabiting partners the respondent had sex with in the past 12 months (Male D: DB-6 ENGAGTHNx)
  - For former wives and first cohabiting partner (Male E: EB-7 ENGAGTHNx)
- Changed question wording and response categories for questions on whether they think they will marry their current cohabiting partner (Female/Males: CC-7/CA-8 WILLMARR) or a current sexual partner (Males: DC-2 PXMARRY)
- Changed question wording and response categories for questions on whether they think they will ever get married, ever live with a person to whom they are not married, and ever live with

a future spouse before getting married (MARRCHANCE, COHCHANCE, PMARCOH -- for females see CD series; for males see JG series)

### ***Female Section G and Male Section H***

- Added JINTNEXT (GB-6 female/HB-7 male) and INTNEXT (GC-6 female/HC-6 male) to determine when respondents expect their first/next child to be born. JINTNEXT is asked for currently married or cohabiting respondents, and INTNEXT is for all other respondents.

### ***Female Section H and Male Section I***

- Replaced 2 items on disability (LIMITED & EQUIPMNT) with 6 items from the American Community Survey to assess specific types of disability. These items ask about having difficulties hearing, seeing, making decisions, dressing, walking and/or doing errands (DEAF, BLIND, DIFDECIDE, DIFWALK, DIFDRESS, DIFOUT).
- Added new questions on cancer experience – whether the respondent was ever diagnosed with cancer, and if so, what type of cancer was it, and at what age was s/he first diagnosed.
- Made several changes to the HIV testing series:
  - The DONBLD85 question is now named DONBLOOD (female HE-1/male IF-1) because the phrase “since 1985” has been removed. Also, the question now asks about donation of blood or blood products. Subsequent questions therefore ask about HIV testing outside of the donation of blood or blood products.
  - A new question NOHIVTST (HE-2b female/IF-2 male) asks respondents who were never tested (outside of the donation of blood or products) their main reason for not getting tested.
  - A new question WHYNOGET (HE-3e female/IF-3e male) asks respondents who did not receive their test results their main reason for not receiving them.
  - Response categories were modified and updated for HIVTST (HE-5 female/IF-5 male)
  - The question AIDSTALK (HE-7 female/IF-7 male) is now asked for all respondents, regardless of whether they ever were tested for HIV. Rather than asking about post-test counseling, AIDSTALK now asks about any HIV related topics discussed with a doctor or other health care provider.
  - Two questions concerning rapid HIV testing (RAPIDHIV and HIVKIND) were deleted.

### ***Section I (female and male)***

- Revised response categories of USLPLACE (IA-0b female/IA-2 male)
- Added USL12MOS (IA-0c/IA-2a male) for respondents who had a usual source of health care or advice, inquiring whether the respondent went to that place in the previous 12 months.

### ***Female Section I and Male Section J***

- Deleted address information for 2010 – ASTREET, ACITY, AZIP, CNTY2010 (female IB-3 through IB-7/male JA-2 through JB-6)
- Deleted PAYDU (IB-10 female/JA-9 male) describing the respondent’s type of residence.

- Deleted respondent's work series -- EVWRK6MO, BEGFSTWK\_M/\_Y, EVRNTWRK (female ID-1 through ID-3/male JD-1 through JD-3)
- Deleted ANYACT – respondent's agreement that, "Any sexual act between two consenting adults is all right" (IH-4 female/JG-4 male)
- Deleted ACHIEVE – respondent's agreement that, "It is much better for everyone if the man earns the main living and the woman takes care of the home and family" (IH-12 female/JG-12 male)
- Deleted GETALONG – respondent's agreement that, "Living together before marriage is a good way for a couple to make sure they get along" (IH-19 female/JG-19 male)
- Deleted APPREC1 – respondent's agreement that, "What is the chance that if you/a (new) partner used a condom, a (new) partner/you would appreciate it" (II-5 female/JH-5 male)
- Slightly modified the wording for LESSPLSR, inquiring whether condom use decreases pleasure (II-2 female/JH-2 male) and EMBARRAS, discussing whether using a condom is embarrassing (II-4 female/JH-4 male)

#### ***Female Section J and Male Section K (Audio CASI)***

- Defined additional computed variables OPPYEARNUM, OPPLIFENUM, SAMYEARNUM, SAMLIFENUM that may facilitate analysis
- Added 5 new questions to assess alcohol consumption in a manner more comparable to BRFSS: UNIT30D, DRINK30D, DRINKDAY, BINGE30, DRINKMOST (see female JC series and male KC series). Also, deleted the word "hard" to describe liquor in DRINK12 (JC-4 female/KC-1 male) to match BRFSS question wording.
- EVRINJECT and EVRSHARE (female JH-11, 12/male KK-14, 15) were moved later in ACASI to address a data quality issue in past years (see 2006-2010 NSFG ACASI User's Guide for details).
- Added 3 follow-up questions to NONMONOG (female JF-4 /male KG-4) to ask the number of other partners the respondent thinks his/her nonmonogamous partner in the past 12 months was having sex with around the same time as him/her: NONMONOG1, NONMONOG2, NONMONOG3 (female JF-5a-c /male KG-5a-c)
- Added SAMESEX1 to ask age at first sexual experience with a same-sex partner (female JG-4 /male KJ-3)
- Modified routing for GON & CHLAM (female JH-6, 7/ male KK-9,10) so that these questions about being told they had gonorrhea or chlamydia are asked regardless of how the respondent answered STDTRT12 about STD treatment in the past 12 months (female JH-5/male KK-8)

- An additional category was added to the individual earnings (JI-0b/KL-0b EARN) and to the family income variables (JI-3/KL-3 TOTINC) to distinguish amounts of \$100,000 or more from amounts between \$75,000-\$99,999. The follow-up, income cascade questions (JI-3a-33/KL-3a-33 FMINCDKn) when family income was answered “don’t know/refused” were revised to obtain more detail for amounts over \$75,000 and to more accurately estimate below poverty family incomes.
- Changed the wording of FOODSTMP question (female JI-6/male KL-6) to include a state-specific fill for the SNAP program card name
- Added 3 economic insecurity questions about the past 12 months:
  - JI-9/KL-9 FREEFOOD, whether the respondent received free or reduced-cost food or meals because she/he could not afford to buy food
  - JI-10/KL-10 HUNGRY, whether the respondent or any member of her/his family had been hungry
  - JI-11/KL-11 MED\_COST whether anyone in the respondent’s household who needed to see a doctor or go to a hospital couldn’t go because of the cost

### **Changes affecting only the female questionnaire**

#### ***Section B***

- Deleted BF series on maternity leave that was asked for all births in the past 5 years.
- Added question, BL-6 HRDEMBRYO, asking adult respondents whether they ever heard of frozen embryo donation or frozen embryo adoption as a method of family building.

#### ***Section D***

- Modified wording and routing into DB-8 WITHIMOP to make clearer when the respondent’s husband or partner had his vasectomy while with the respondent.
- Modified response categories for REASIMPR DE-2 and REASIMPP DE-4.

#### ***Section E***

- Revised wording of question about ever-use of condoms (EA-2 CONDOM)
- Deleted question separate question on ever-use of LUNELLE (EA-5) and added “Lunelle™” as a response category on EA-14 OTHRMETH
- Revised wording of EA-11 MORNPIII to include new brand/type names and to update the definition of EC in the on-screen interviewer notes.

- Deleted REASPTCH (EA-22) through SP\_SIDEPTCH (EA-22d). (Followup questions for Rs who discontinued the patch due to dissatisfaction, asking for reasons for discontinuation including open-ended questions for reasons)
- Added TYPEIUD (EA-21) and REASIUD (EA-21a) through SP\_SIDEIUD (EA-21d) ). (For Rs who discontinued the IUD due to dissatisfaction, one question asking for type of IUD that was discontinued, and questions asking for reasons for discontinuation including open-ended questions for reasons)
- Method calendar (ED series): The introduction questions were changed. Respondents were asked, only for methods she answered “yes” to having ever used (EA series), if she used the method since January 3 years before the interview, or the beginning of the method calendar period. There is one yes/no question per method ever used. She is asked to mark those methods she used during that time, on the calendar. This entails revisions to INTR-ED4b (ED-4b) and addition of PILLMC (ED-4c) through OTHMC (ED-4v).
- Method calendar (ED series): Revision to edit check ED6\_7alt: This edit check asks for confirmation or correction for contraceptive methods reported during months of the method calendar that overlap with months of pregnancy. Expanded list of methods from 3 to 12, and expanded window during pregnancy for which edit check comes up to “4<sup>th</sup> or higher month of pregnancy”.
- Added MC1MONS1 (ED-9a), MC1SIMSQ (ED-9b), MC1MONS2 (ED-9c), and MC1MONS3 (ED-9d), asking for number of months used the method (s) being used in January, three years prior to the interview (beginning of contraceptive method calendar).
- Deleted MTHUSIMX (ED-11) for methods and method combinations used simultaneously during each month
- Changed scale on EG-13 FEELINPG from “one to ten” to “zero to ten”
- Deleted series on source of method used in month of interview: PLACCUR (EH\_3) through CLINFSTN (EH-11)
- Deleted TYPEPILL (EJ-2) (Brand of pill used in month of or month before interview)
- Added IUATYPE (EJ-3) (Type if IUD used in month of or month before interview)

### **Section F**

- Added additional text to FA-3c PAP12 to provide more detailed description of Pap testing
- Added additional text to FA-3d PELVIC12 to provide more detailed description of a pelvic exam

- Revised response categories on FA-6 BC12PAYX to separate “copay” and “out of pocket payment”
- Deleted FA-13a FCONDOM, FA-13b FFOAM, FA-13c FORAL, and FA-13d RORAL, the series on free or subsidized items received at a clinic
- Deleted FA-14 SLSCRV, question on whether paid on a sliding scale fee
- Added a new series with additional questions on Pap testing FD-1 INTRPAP, FD-2 LASTPAP, FD-3 MREASPAP, FD-4 AGEFPAP, FD-4a AGEFPAP2, FD-5 ABNPAP3, and FD-6 INTPAP.
- Added a new series with additional questions on Pelvic exam FE-1 PELWPAP, FE-2 LASTPEL, FE-3 MREASPEL, FE-4 AGEFPEL, FE-4a AGEFPEL2, and FE-5 INTPEL.
- Added a new series on HPV testing FF-1 INTRHPV, FF-2 EVHPVTST, FF-3 HPVWPAP, FF-3c LASTHPV, FF-4 MREASHPV, FF-5 AGEFHPV, FF-5a AGEFHPV2, and FF-6 INTHPV.

### **Section H**

- Added follow-up “specify” question for respondents who reported “other medical help” for getting pregnant on HA-5c OTMEDHEP.
- Added follow-up “specify” question for respondents who reported “other types of medical help” to prevent miscarriage on HB-2 TYPALLMC.
- Deleted question about timing of vaginal douching (HC-2 DUCHWHEN)
- Deleted question about ever having ovarian cysts (HD-7 OVACYST)
- Added new questions on mammography and breast cancer risk assessment.
- Deleted 4 questions from the HPV vaccine series –
  - HPVKNOW and VACCKNOW on knowledge of HPV and the HPV vaccine,
  - WHYNOVAC and DAUGHTWHY on reasons for not getting the vaccine
- Added question HPVSEX1 (HF-2b) to determine, if not already clear, whether the HPV vaccine was received before or after first sexual intercourse.
- Added questions to ask about HPV vaccination for respondent’s son aged 9-18.

### **Section I:**

- Deleted childcare series (IG): IG-1 CHCARANY, whether children had been regularly cared for by others in the past four weeks, and IG-2 CHCARTYP, the type of child care used.

**Section J (ACASI):**

- Changed wording of question JC-5 BINGE12 to “4 or more drinks” to reflect accepted definition for women
- Added a wording variant for JD-3 AGEVAGM for minors 15-17 years of age who were skipped past JD-1 VAGSEX because of reporting having had sexual intercourse in the CAPI part of the interview
- Added a wording variant for JD-4 CONDVAG for respondents 18 year of age or older who were skipped past JD-1 VAGSEX because of reporting having had sexual intercourse in the CAPI part of the interview
- Added question JH-4b / STDOTHR12 asking about testing in the last 12 months for “any other sexually transmitted disease, like gonorrhea, herpes or syphilis”

**Changes affecting only the male questionnaire**

**Section B:**

- Deleted BC-4 EVRCHIL and BC-5 EVRCHILN asking men directly about experience with biological fatherhood, due to redundancy with other biological fatherhood items throughout Sections C-F.
- Added questions BC-8a P12MOCONO and BC-8b P12MOCON (variants of the same question) about condom use in the last 12 months.

**Sections C-F (questions about biological children R has fathered):**

The following revisions pertain to all series in Section C-F about the respondent’s biological children. Please see questionnaires posted on NSFG webpage or the section on **Biological children in chronological order** in Part 2 of the User’s Guide for further details.

- Two previous paternity establishment questions were replaced with 3 different questions, still to be asked about each biological child for whom the respondent was not married to the mother at time of the birth. Please see questionnaires for further details, but the variable names are shown below.

	Section C	Section D	Section E	Section F
Questions deleted	CWPCHLEG CWPCHHOP	PXCXLEG PXCXHOP	FWPCHLEG FWPCHHOP	OBCCHLEG OBCCHHOP
New question asking whether R signed the application for the child's birth certificate or a statement that he was the child's father	CG-13a CWPCHSIG	DH-13a PXCXSIG	ED-13a FWPCHSIG	FA-16a OBCCHSIG
New question asking whether R went to court to establish he was the child's legal father	CG-13b CWPCHCRT	DH-13b PXCXCRT	ED-13b FWPCHCRT	FA-16b OBCCHCRT
New question asking whether R was legally identified as the child's father by a blood or other genetic test	CG-14 CWPCHGEN	DH-14 PXCXGEN	ED-14 FWPCHGEN	FA-17 OBCCHGEN

- The universe for two wantedness questions and one “happiness about the pregnancy” question was expanded to ask for all biological children younger than 19 years. The scales for the following questions about the respondent’s happiness about a pregnancy resulting in his biological child were changed from 1-10 to 0-10 so there was a true midpoint (5).
  - CG-19 CWPCHHPY (child with R’s current wife or cohabiting partner)
  - CH-6 CWPCHHPY (current pregnancy with R’s current wife or cohabiting partner)
  - DH-19 PXHPYPG (child with one of R’s 3 most recent partners in past year, or his last partner)
  - DI-6 PXCPEEL (current pregnancy with R’s 3 most recent partners in past year, or his last partner)
  - ED-19 FWPHPYPG (child with a former wife or 1<sup>st</sup> cohabiting partner, if this woman was not already discussed in Section C or D)

### **Section D**

- Revised the routing into DF-3 PXFRLTN2. It was asked only for first partner ever. Revised to ask of all recent partners where computed variables MTONCEP(x)=1 (had sex with that partner more than once).
- See section above for changes to DH series on biological children fathered by the respondent with one of R’s 3 most recent partners in the past year or his last partner ever.
- The DK series asks about “Other Nonbiological Children” who ever lived with the respondent and a (up to 3) recent sexual partners in the past year or his last partner (if these women were not already discussed in section C). This series was revised to ask the following questions about every nonbiological child with whom the respondent ever lived, not just those he had legally adopted with these recent partners.
  - DK-4 PXNBREL - was the child a relative by blood or marriage;
  - DK-5 PXNBFOS - whether the child was placed in the home by a court or social service agency;
  - DK-6 PXNBSEX - the child’s sex;
  - DK-7 PXNBAD - whether R adopted the child or became his/her legal guardian;
  - DK-8 PXNBLIV - if R adopted the child or became child’s legal guardian, where the child usually lives now;
  - DK-9 PXNBFAR - if the child does not live in R’s household, how far away the child lives; and

- DK-10 PXNBAGE - if the child is not deceased, how old the child is now.

### **Section E**

- See section above for changes to ED series on biological children fathered by the respondent with any former wives or their first cohabiting partner.
- The EF series asks about “Other Nonbiological Children” who ever lived with the respondent and his former wives or first cohabiting partner (if these women were not already discussed in sections C or D). This series was revised to ask the following questions about every nonbiological child with whom the respondent ever lived, not just those he had legally adopted with his former wives or cohabiting partner.
  - EF-4 FWPNBREL - was the child a relative by blood or marriage;
  - EF-5 FWPNBFOS - whether the child was placed in the home by a court or social service agency;
  - EF-6 FWPNBSEX - the child’s sex;
  - EF-7 FWPNBAD - whether R adopted the child or became his/her legal guardian;
  - EF-8 FWPNB LIV - if R adopted the child or became child’s legal guardian, where the child usually lives now;
  - EF-9 FWPNB FAR - if the child does not live in R’s household, how far away the child lives; and
  - EF-10 FWPNBAGE - if the child is not deceased, how old the child is now.

### **Section F**

- See section above for changes to FA series on all other biological children fathered by the respondent.
- The FB series asks about all “Other Nonbiological Children” who ever lived with the respondent. This series was revised to ask the following questions about every nonbiological child with whom the respondent ever lived, not just those he had legally adopted:
  - FB-4 OTNBREL - was the child a relative by blood or marriage;
  - FB-5 OTNB FOS - whether the child was placed in the home by a court or social service agency;
  - FB-6 OTNBSEX - the child’s sex;
  - FB-7 OTNBAD - whether R adopted the child or became his/her legal guardian;
  - FB-8 OTNB LIV - if R adopted the child or became child’s legal guardian, where the child usually lives now;
  - FB-9 OTNB FAR - if the child does not live in R’s household, how far away the child lives; and
  - FB-10 OTNBAGE - if the child is not deceased, how old the child is now.

### **Section G**

This section on activities with children he lives with and those he does not live with has been completely revised since the 2006-2010 questionnaires. Changes include:

- A focal child is now selected among the coresidential children and among the non-coresidential children. This is the first time questions are asked about a specific child.
- Additional questions were added to get at other aspects of fathering behavior beyond *responsibility*, such as *engagement, discipline/monitoring, and accessibility*.
- All variables were renamed (see table below) to distinguish them from previous version of these questions that were asked based on all children of that age group and residential status.
- The questions in the GC series on financial support now refer to the focal child who does not live with the respondent.

Variables in Male Section G, 2011-2013 Public Use File.				
GA Series Coresidential children		GB Series Non-Coresidential children		GC-Series Child Support
		GB-1 NRVISIT04	GB-17 NRVISIT518	GC-1 NRMONEY
		GB-2 NRSATVIS04	GB-18 NRSATVIS518	GC-2 NREG
GA-1 ROUTG04	GA-14 ROUTG518	GB-3 NROUTG04	GB-19 NROUTG518	GC-3a NRAMOUNT
GA-2 RMEAL04	GA-15 RMEAL518	GB-4 NRMEAL04	GB-20 NRMEAL518	GC-3b NRUNIT
GA-3 RERRAND04	GA-16 RERRAND518	GB-5 NRERRAND04	GB-21 NRERRAND518	GC-4 NRAGREE
		GB-6 NROVRNT04	GB-22 NROVRNT518	
GA-4 RPLAY04		GB-7 NRPLAY04		
GA-5 RREAD04		GB-8 NRREAD04		
GA-6 RAFFECT04	GA-17 RAFFECT518	GB-9 NRAFFECT04	GB-23 NRAFFECT518	
GA-7 RPRAISE04	GA-18 RPRAISE518	GB-10 NRPRRAISE04	GB-24 NRPRRAISE518	
GA-8 RFEED04	GA-19 RTAKE518	GB-11 NRFEED04	GB-25 NRTAKE518	
GA-9 RBATH04	GA-20 RAPPT518	GB-12 NRBATH04	GB-26 NRAPPT518	
GA-10 RDIAPER04	GA-21 RHELP518	GB-13 NRDIAPER04	GB-27 NRHELP518	
GA-11 RBED04	GA-22 RDISC518	GB-14 NRBED04	GB-28 NRDISC518	
GA-12 RAPPT04	GA-23 RCLFR518	GB-15 NRAPPT04	GB-29 NRCLFR518	
GA-13 RDISC04	GA-24 RDO518	GB-16 NRDISC04	GB-30 NRDO518	

### Section I

- Revised ID series on health services. This included new questions ID-1 VISIT12MO, ID-2 SVC12MO, ID-6 TALKSA, ID-7 TALKEC, ID-8 TALKDM, and ID-9 BARRIER. Questions ID-3 NUMVISIT, ID-4 PLACEVIS, and ID-5 SVCPAY were kept but refer to slightly different services and are surrounded by different questions before and after.
- Revised response categories on ID-5 SVCPAY to separate “copay” and “out of pocket payment”

### Section K (ACASI):

- Added 2 questions asking additional detail about men’s experience with jail:
  - KB-4 FRQJAIL asks the frequency of having ever been in a jail, prison or juvenile detention facility
  - KB-5 FRQJAIL2 asks the length of time R had been in one of these facilities
- Modified the wording for KE-8 ANALSEX, KH-3 ANALSEX2 and KH-4b ANALSEX3 to replace the word “rectum” with “anus”

- Expanded questions asked about R's sexual experience with same-sex (male) partners:
  - Added question asking about condom use at last oral sex with a male partner (KH-2b ORALCONDM)
  - Added 2 questions on condom use at last anal sex with a male partner (KH-3b ANALCONDM1 and KH-4b ANALCONDM2)
  - Added 3 questions on the age, Hispanic origin and race of R's last male sexual partner (KH-5 MALPRTAGE, KH-6 MALPRTHISP, KH-7 MALPRTRACE)
  - Added 3 questions on the number of male partners in the past year by type of sex (KJ-2YRa SAMORAL12, KJ-2YRb RECEPANAL12, KJ-2YRc INSERANAL12)
  - Added question on the number of male partners that the respondent's sexual partner in the past 12 months was having sex with (KJ-4 MSMNONMON)
  - Added question on whether the respondent met any male partners in the past 12 months on the internet (KJ-9 MSMWEB12)
  - Added question on whether and how often the respondent limits his male partners in the past 12 months to the same HIV status (KJ-10 MSMSORT12)
  - Added question on rectal douching in the past year for adult respondents (18-44) who have had sex with a male partner in the past year (KK-6e RECTDOUCH)
  
- Added 4 questions about whether doctor or other medical care provider in the past 12 months asked about his sexual orientation or the sex of his partners (KK-6a RISKCHEK1), the number of sexual partners (KK-6b RISKCHEK2), the use of condoms (KK-6c RISKCHECK3) and the types of sex he has, whether oral, vaginal or anal (KK-6d RISKCHEK4)
  
- Added question on whether the respondent has been tested by a doctor or other medical care provider for a sexually transmitted disease like gonorrhea or chlamydia in his throat or pharynx or rectum, anus or butt (KK-7b STDSITE12)