

SECTION F
Family Planning and Medical Services

VARIABLES IMPORTED FROM EARLIER SECTIONS

CMBIRTH CENTURY MONTH OF BIRTH DATE (SECTION A)
AGESCRN AGE FROM THE SCREENER
CMLSTYR CENTURY MONTH OF INTERVIEW MINUS 1 YEAR (SECTION A)
CMINTVW CENTURY MONTH OF INTERVIEW DATE (SECTION A)
CMLSTYR_FILL FILL (M/Y) TO USE AS REFERENCE POINT FOR THE PAST 12 MONTHS
MENARCHE AGE AT FIRST MENSTRUAL PERIOD (SECTION B)
CURRPREG WHETHER R IS CURRENTLY PREGNANT (FROM B)
CMLSTPRG CENTURY MONTH DATE OF LAST COMPLETED PREGNANCY (SECTION B)
CMLASTLB CENTURY MONTH DATE OF LAST LIVE BIRTH (SECTION B)
CMFSTSEX CENTURY MONTH DATE OF FIRST SEX (SECTION C)
CMFSTSEX_FILL FILL (MONTH AND YEAR) FOR DATE OF FIRST SEX (SECTION C)
RHADSEX WHETHER R HAS EVER HAD SEX (SECTION C)
PLCFEMOP[X] PLACE WHERE STERILIZATION WAS PERFORMED[X=1,2,3,4] (SECTION D)
ANYFSTER EVER HAD A STERILIZING OPERATION (SECTION D)
CMOPER1 CM FOR R'S 1ST (OR ONLY) STERILIZING OPERATION (SECTION D)
PILL EVER USED BIRTH CONTROL PILLS (EA-1)
DEPOPROV EVER USED DEPO-PROVERA OR INJECTABLES (OR SHOTS) (EA-4)
LUNELLE EVER USED LUNELLE INJECTION (EA-5)
PATCH EVER USED CONTRACEPTIVE PATCH (EA-9)
RING EVER USED VAGINAL CONTRACEPTIVE RING (EA-10)
MORNPIII EVER USED "MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION (EA-11)
OTHRMETH EVER USED ANOTHER METHOD OF CONTRACEPTION (EA-14)
PILL_12 USED BIRTH CONTROL PILLS IN LAST 12 MONTHS (METHOD CALENDAR SEC. E)
DIAPH_12 USED DIAPHRAGM (METHOD CALENDAR SEC. E)
IUD_12 USED AN IUD, COIL, OR LOOP (METHOD CALENDAR SEC. E)
IMPLANT_12 USED HORMONAL IMPLANT (METHOD CALENDAR SEC. E)
DEPO_12 USED DEPO-PROVERA OR INJECTABLES (OR SHOTS) (METHOD CALENDAR SEC. E)
CERV_12 USED A CERVICAL CAP (METHOD CALENDAR SEC. E)
MPILL_12 USED "MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION
LUNEL_12 WHETHER USED LUNELLE INJECTABLE IN THE 12 MONS BEFORE INTERVIEW (FC E55)
PATCH_12 WHETHER USED CONTRACEPTIVE PATCH -- 12 MONTHS BEFORE INTERVIEW (FC E-55)
RING_12 WHETHER USED CONTRACEPTIVE RING IN THE 12 MONS BEFORE INTERVIEW (FC E55)

VARIABLES CREATED IN THIS SECTION & OUTPUT TO DATA FILE

NUMMTH12 NUMBER OF BIRTH CONTROL METHODS USED (DRUG OR DEVICES) IN THE LAST 12 MONTHS (FLOW CHECK F-2)
NUMSV12 NUMBER OF SERVICES RECEIVED IN LAST 12 MONTHS(FLOW CHECK F-6)
DRUGDEVE NUMBER OF BIRTH CONTROL METHODS EVER USED (DRUG OR DEVICES)(FC F-17)
IDCLINIC COUNTER FOR NUMBER OF TIMES IDENTIFIED A CLINIC (FLOW CHECK F-8AA)
CMFSTSVC CENTURY MONTH RECEIVED FIRST BIRTH CONTROL SERVICE (FC FA-17C)

VARIABLES CREATED IN THIS SECTION & ARE NOT OUTPUT TO DATA FILE:

FMPILL12 FILL FOR "MORNING AFTER PILL" OR EMERGENCY CONTRACEPTION (FC F-0)
FPILL12 FILL FOR BIRTH CONTROL PILLS (FLOW CHECK F-0)
FDIAPH12 FILL FOR DIAPHRAGM (FLOW CHECK F-0)
FIUD12 FILL FOR IUD (FLOW CHECK F-0)
FIMPLANT12 FILL FOR HORMONAL IMPLANT (FLOW CHECK F-0)
FDEPO12 FILL FOR DEPO-PROVERA (FLOW CHECK F-0)
FCERV12 FILL FOR CERVICAL CAP (FLOW CHECK F-0)
FFSTOP12 FILL FOR STERILIZING OPERATION (FLOW CHECK F-6A)
FBTHCN12 FILL FOR A METHOD OF BIRTH CONTROL OR A RX FOR A METHOD (FC F-6A)
FMEDTS12 FILL FOR A CHECK UP OR MEDICAL TEST RELATED TO USING A BIRTH CONTROL METHOD (FLOW CHECK F-6A)
FBCCNS12 FILL FOR COUNSELING OR INFORMATION ABOUT BIRTH CONTROL (FC F-6A)
FSTCNS12 FILL FOR COUNSELING OR INFORMATION ABOUT GETTING STERILIZED (FC F6A)
FEMCON12 FILL FOR EMERGENCY CONTRACEPTION OR THE MORNING AFTER PILL (FC F6A)
FECCNS12 FILL FOR COUNSELING OR INFORMATION ABOUT EMERGENCY CONTRACEPTION OR THE MORNING AFTER PILL (FLOW CHECK F-6A)
FPRGTS12 FILL FOR PREGNANCY TEST (FLOW CHECK F-6A)
FABORT12 FILL FOR ABORTION (FLOW CHECK F-6A)

FPAP12 FILL FOR PAP SMEAR (FLOW CHECK F-6A)
FPELVC12 FILL FOR PELVIC EXAM (FLOW CHECK F-6A)
FPRENT12 FILL FOR PRENATAL CARE (FLOW CHECK F-6A)
FPARTM12 FILL FOR POST-PREGNANCY CARE (FLOW CHECK F-6A)
FSTDV12 FILL FOR TESTING FOR A SEXUALLY TRANSMITTED DISEASE (FLOW CHECK F-6A)

FLOW CHECK F-0: CONSTRUCTING FILLS FOR METHODS OF CONTRACEPTION BROUGHT IN FROM SECTION E

COMPUTE FPILL12
IF PILL12 = 1 THEN FPILL12 = BIRTH CONTROL PILLS
ELSE FPILL12 = BLANK

COMPUTE FDIAPH12
IF DIAPH12 = 1 THEN FDIAPH12 = DIAPHRAGM
ELSE FDIAPH12= BLANK

COMPUTE FIUD12
IF IUD12 = 1 THEN FIUD12 = IUD, COIL OR LOOP
ELSE FIUD12 = BLANK

COMPUTE FIMPLANT12
IF IMPLANT12 = 1 THEN FIMPLANT12 = IMPLANT
ELSE FIMPLANT12 = BLANK

COMPUTE FDEPO12
IF DEPO12 = 1 THEN FDEPO12= DEPO-PROVERA OR INJECTABLES (OR SHOTS)
ELSE FDEPO12 = BLANK

COMPUTE FCERVC12
IF CERVC12 = 1 THEN FCERVC12 = CERVICAL CAP
ELSE FCERVC12 = BLANK

COMPUTE FMPILL12
IF MPILL12 = 1 THEN FMPILL12 = "MORNING AFTER" PILLS OR EMERGENCY
CONTRACEPTION
ELSE FDEPO12 = BLANK

INTRSVC

FA-0. We have already asked you a few questions about sterilizing operations. The questions in this section are about your medical visits for these and other types of birth control, pregnancy, and health care services for women.

♦ ENTER [1] to continue

{ASK SECTION FA OF ALL R

Birth control and medical services in past 12 months series (FA)

INTRO_FA

FA-1. You may have already told me this, but in the past 12 months, that is, since [CMLSTYR_FILL] have you received any of the following birth control services shown on card 49 from a doctor or other medical care provider?

[SHOW CARD 49]

♦ ENTER [1] to continue

BTHCON12

FA-1b. (In the past 12 months, have you received)
A method of birth control or a prescription for a method?

[SHOW CARD 49]

Yes.....1
No.....5

MEDTST12

FA-1c. (In the past 12 months, have you received) A check-up or medical test related to using a birth control method?

[SHOW CARD 49]

Yes.....1
No.....5

BCCNS12

FA-1d. (In the past 12 months, have you received) Counseling or information about birth control?

[SHOW CARD 49]

Yes.....1
No.....5

STEROP12

FA-1e. (In the past 12 months, have you received) a sterilizing operation?

[SHOW CARD 49]

Yes.....1
No.....5

STCNS12

FA-1f. (In the past 12 months, have you received) Counseling or information about getting sterilized?

[SHOW CARD 49]

Yes.....1
No.....5

FLOW CHECK F-1: IF EA-11 MORNPILL = 1 (YES) OR DK, ASK FA-1g EMCON12
ELSE IF EA-11 MORNPILL = 5 (NO) OR RF, GO TO FA-1h ECCNS12

EMCON12

FA-1g. (In the past 12 months, have you received) Emergency contraception, also known as "Plan B" or the "Morning-after pill," or a prescription for it?

[SHOW CARD 49]

Yes.....1
No.....5

ECCNS12

FA-1h. (In the past 12 months, have you received) Counseling or information about Emergency contraception, also known as "Plan B" or the "Morning-after pill?"

[SHOW CARD 49]

Yes.....1
No.....5

FLOW CHECK F-2: CREATE COUNTER AND INITIALIZE TO 0:
COUNTER FOR NUMBER OF THESE METHODS USED IN LAST 12 MONTHS
NUMMTH12 = ADD 1 FOR EACH OF THESE METHOD USED
VARIABLES (FROM SECTION D OR E) THAT IS EQUAL TO 1 (YES):
MPILL_12 DIAPH_12 IUD_12 IMPLANT_12 DEPO_12
CERVC_12 LUNEL_12 PATCH_12 RING_12

FLOW CHECK F-3:
IF ((FA-1b BTHCON12 = 5, OR DK, OR RF) AND
(FA-1c MEDTST12 = 5, OR DK, OR RF) AND
(FA-1d BCCNS12 = 5, OR DK, OR RF)),
AND NUMMTH12 GE 1, ASK FA-2 FOLLOW12.
IF R HAS REPORTED NONE OF THESE METHODS IN FA
SERIES, BUT DID REPORT USE OF 1 OR MORE METHODS IN
SECTION E'S METHOD HISTORY, WE ASK FOLLOW12
ELSE GO TO INTR_MED.

FOLLOW12

FA-2. IF NUMMTH12 = 1, ASK:
In the last 12 months, that is, since [CMLSTYR_FILL] have you visited a
doctor or medical care provider about the following method which you used
in that period:
[LIST FILLS THAT ARE NOT BLANK, THAT IS,
SERVICE WITH RESPONSE = 1 (YES):
FMPILL12
FPILL12
FDIAPH12
FIUD12
FIMPLANT12
FDEPO12
FCERVC12]

ELSE IF NUMMTH12 GE 2, ASK:
Earlier you mentioned you have used
[LIST FILLS THAT ARE NOT BLANK, THAT IS,
SERVICE WITH RESPONSE = 1 (YES):
FMPILL12
FPILL12
FDIAPH12
FIUD12
FIMPLANT12
FDEPO12
FCERVC12]

in the past 12 months. Did you receive any of these at a visit to a
doctor or medical care provider within the past 12 months?

Yes.....1 (SET BTHCON12= 1 YES)
No.....5
Didn't use the medical method(s) in 12 months

after all.....6

INTR_MED

FA-3. We're also interested in where women go to get other kinds of reproductive health care. Please look at Card 50.

In the past 12 months, that is, since [CMLSTYR_FILL], have you received any of the following medical services from a doctor or other medical care provider...

[SHOW CARD 50]

♦ ENTER [1] to continue

FLOW CHECK F-3a: IF RHADSEX=5 (no) THEN GO TO FA-3c PAP12

ELSE GO TO FA-3a PRGTST12

PRGTST12

FA-3a. IF CURRPREG = 1 (YES) OR (CMLSTPRG GT CMLSTYR), SAY: You may have already told me, but in the past 12 months have you received a pregnancy test?

ELSE SAY: (In the past 12 months have you received) A pregnancy test?

[SHOW CARD 50]

Yes.....1
No.....5

ABORT12

FA-3b. (In the past 12 months have you received) An abortion?

[SHOW CARD 50]

Yes.....1
No.....5

PAP12

FA-3c.(In the past 12 months have you received) A Pap test - where a doctor or nurse put an instrument in the vagina and took a sample to check for abnormal cells that could turn into cervical cancer?

[SHOW CARD 50]

Yes.....1
No.....5

PELVIC12

FA-3d. (In the past 12 months have you received) A pelvic exam -where a doctor or nurse puts one hand in the vagina and the other on the abdomen?

[SHOW CARD 50]

Yes.....1
No.....5

FLOW CHECK F-4: IF CMLSTPRG GE CMLSTYR (R had a pregnancy ending within last 12 months), ASK FA-3E PRENAT12.

ELSE GO TO FLOW CHECK F-5

PRENAT12

FA-3e. You may have told me this already, but in the past 12 months, have you received prenatal care?

[SHOW CARD 50]

Yes.....1
No.....5

FLOW CHECK F-5: IF CMLASTLB GE CMLSTYR (R's most recent live birth occurred within last 12 months), ASK FA-3F PARTUM12.

ELSE GO TO FA-3g STDSVC12

PARTUM12

FA-3f. (In the past 12 months have you received) Post-pregnancy care?

[SHOW CARD 50]

Yes.....1
No.....5

STDSVC12

FA-3g. In the past 12 months, have you been tested for a sexually transmitted disease?

[SHOW CARD 50]

Yes.....1
No.....5

FLOW CHECK F-6: CREATE COUNTER AND INITIALIZE TO 0:
NUMSVC12 = ADD 1 FOR EACH OF THESE METHODS THAT IS EQUAL TO 1
(YES): NUMBER OF SERVICES RECEIVED IN LAST 12 MONTHS
STEROP12 BTHCON12 MEDTST12 BCCNS12 STCNS12 EMCON12
ECCNS12 PRGTST12 ABORT12 PAP12 PELVIC12 PRENAT12
PARTUM12 STDSVC12

FLOW CHECK F-6a: CREATING FILLS FOR METHODS REPORTED IN FA

COMPUTE FFSTOP12

IF STEROP12= 1 THEN FFSTOP12=STERILIZING OPERATION

ELSE FFSTOP12= BLANK

COMPUTE FBTHCN12

IF BTHCON12 = 1 THEN FBTHCN12= BIRTH CONTROL OR A PRESCRIPTION FOR A METHOD

ELSE FBTHCN12= BLANK

COMPUTE FMEDTS12

IF MEDTST12 = 1 THEN FMEDTS12 = CHECK UP OR MEDICAL TEST RELATED TO USING A BIRTH CONTROL

ELSE FMEDTS12 = BLANK

```
COMPUTE FBCCNS12
IF BCCNS12 = 1 THEN FBCCNS12 = COUNSELING OR INFORMATION ABOUT BIRTH
CONTROL
ELSE FBCCNS12 = BLANK

COMPUTE FSTCNS12
IF STCNS12 = 1 THEN FSTCNS12 = COUNSELING OR INFORMATION ABOUT GETTING
STERILIZED
ELSE FSTCNS12 = BLANK

COMPUTE FEMCON12
IF EMCON12 = 1 THEN FEMCON12 = EMERGENCY CONTRACEPTION OR THE "MORNING-
AFTER PILL" OR A PRESCRIPTION FOR IT
ELSE FEMCON12 = BLANK

COMPUTE FECCNS12
IF ECCNS12 = 1 THEN FECCNS12 = COUNSELING OR INFORMATION ABOUT
EMERGENCY CONTRACEPTION OR THE AMORNING-AFTER PILL
ELSE FECCNS12 = BLANK

COMPUTE FPRGTS12
IF PRGTST12 = 1 THEN FPRGTS12 = A PREGNANCY TEST
ELSE FPRGTS12 = BLANK

COMPUTE FABORT12
IF ABORT12 = 1 THEN FABORT12 = AN ABORTION
ELSE FABORT12 = BLANK

COMPUTE FPAP12
IF PAP12 = 1 THEN FPAP12 = A PAP SMEAR
ELSE FPAP12 = BLANK

COMPUTE FPELVC12
IF PELVIC12 = 1 THEN FPELVC12 = A PELVIC EXAM
ELSE FPELVC12 = BLANK

COMPUTE FPRENT12
IF PRENAT12 = 1 THEN FPRENT12 = PRENATAL CARE
ELSE FPRENT12 = BLANK

COMPUTE FPARTM12
IF PARTUM12 = 1 THEN FPARTM12 = POST-PREGNANCY CARE
ELSE FPARTM12 = BLANK

COMPUTE FSTDSV12
IF STDSVC12 = 1 THEN FSTDSV12 = A TEST FOR A SEXUALLY TRANSMITTED DISEASE
ELSE FSTDSV12 = BLANK
```

```
FLOW CHECK F-7:  IF  STEROP12= 5 AND BTHCON12 = 5
                  AND MEDTST12 = 5  AND  BCCNS12 = 5
                  AND  STCNS12 = 5  AND  ECCNS12 = 5
                  AND (EMCON12 = 5 OR BLANK)
                  AND PRGTST12 = 5  AND  ABORT12 = 5
                  AND   PAP12 = 5  AND  PELVIC12 = 5
                  AND PRENAT12 = 5  AND  PARTUM12 = 5
                  AND STDSVC12 = 5
                  SET NUMSVC12=0 AND GO TO FA-3h BARRIER
                  IF NO SERVICE IN THE LAST 12 MONTHS GO TO FA-3h BARRIER

ELSE IF NUMSVC12 GT 1, ASK FA-4 NUMBCVIS.
      MORE THAN ONE SERVICES REPORTED IN FA-1b BTHCON12
      THROUGH FA-1h ECCNS12 AND FA-3a PRGTST12 THROUGH
      FA-3g STDSVC12, ASK NUMBER OF VISITS
```

ELSE IF NUMSVC12 = 1, GO TO FLOW CHECK F-8
(TREAT THOSE WITH NUMSVC12 = 1 AS SINGLE VISIT IN FC F-8)

BARRIER

FA-3h. You reported that you did not receive any of these services in the past 12 months. Please look at card 69c. Which of the reasons shown on this card explain why you did not receive any of these services?

- ♦ ENTER all that apply.
- ♦ ENTER space or [-] to separate responses.

[SHOW CARD 69c]

I did not need to see a doctor in the last year.....1
I did not know where to go for care.....2
I could not afford to pay for a visit.....3
I was afraid to hear bad news.....4
I had privacy/confidentiality concerns.5
I could not take time off from work.....6
Something else (please specify)20

{Asked if R said "something else" on FA-3h BARRIER
BARRIER_SP

FA-3hsp. What other reason(s) made it difficult for you to see a doctor in past 12 months?

TYPE: STRING [100]

FLOW CHECK F-7a: if FA-3h BARRIER NE missing (that is, was asked Barrier) then go TO FB (FIRST SERVICE SERIES)

NUMBCVIS

FA-4. You said that in the past 12 months you received the following services:

[LIST FILLS THAT ARE NOT BLANK, THAT IS,
SERVICE WHICH THEY RECEIVED:

FFSTOP12
FBTHCN12
FMEDTS12
FBCNS12
FSTCNS12
FEMCON12
FECCNS12
FPRGTS12
FABORT12
FPAP12
FPELVC12
FPRENT12
FPARTM12
FSTDSV12

Did you receive those services during a single visit, or in more than one visit?

Single visit.....1
More than one visit....5

FLOW CHECK F-8: IF NUMBCVIS = 1 (SINGLE VISIT),
ASK FA-5 BC12PLCX THROUGH FA-9 REGCAR12 ONE TIME.

ELSE IF NUMBCVIS = 5 (MORE THAN ONE VISIT),
ASK FA-5 BC12PLCX FOR EACH SERVICE,
THEN FA-6 BC12PAYX FOR EACH SERVICE.
{treat those with NUMSVC12 = 1 as SINGLE VISIT}

BC12PLCX

FA-5. Please look at Card 25. During the past 12 months, that is since
[CMLSTYR_FILL], where did you receive

[DISPLAY FILL FOR Nth SERVICE REPORTED
(THE FILL WILL NOT BE EQUAL TO BLANK)
FBTHCN12
FMEDTS12
FBCCNS12
FSTCNS12
FEMCON12
FECCNS12
FPRGTS12
FABORT12
FPAP12
FPELVC12
FPRENT12
FPARTM12
FSTDSV12
FFSTOP12]?

♦ If R reports having received a service multiple times during the last twelve months and at multiple places, say: Please think of the provider you visited most recently for this service(s).

[Show Card 25]

Private doctor's office.....1
HMO facility.....2
Community health clinic, Community clinic, Public health clinic....3
Family planning or Planned Parenthood Clinic.....4
Employer or company clinic.....5
School or school-based clinic.....6
Hospital outpatient clinic.....7
Hospital emergency room.....8
Hospital regular room.....9
Urgent care center, urgi-care or walk-in facility.....10
Some other place.....20

FLOW CHECK F-8aa: CREATE COUNTER IDCLINIC AND INITIALIZE TO 0.
IF BC12PLCX = 3 or 4 OR 6 OR 7, THEN ADD 1 TO THE IDCLINIC
COUNTER
(This is a counter of how many times identified a clinic)

**FLOW-CHECK F-8b: IF FA-3a PRGTST12 = 1 (YES), ASK FA-5a PGTSTBC2
ELSE GO TO FLOW CHECK F-8c.**

PGTSTBC2

FA-5a. During your visit in the past 12 months when you received a
pregnancy test, did a doctor or medical provider talk to you about
using birth control?

Yes.....1
No.....5

FLOW CHECK F-8c: IF (PAP12 = 1 (YES) OR PELVIC12 = 1 (YES) R RECEIVED A PAP

SMEAR OR PELVIC EXAM IN LAST 12 MOS), ASK FA-5B PAPPLBC2.

ELSE GO TO FLOW CHECK F-8D.

PAPPLBC2

FA-5b. (During your visit in the past 12 months) when you received a Pap smear or a pelvic exam, did a doctor or medical provider talk to you about using birth control?

Yes.....1
No.....5

PAPPELEC

FA-5c. (During your visit in the past 12 months) when you received a Pap test or a pelvic exam, did a doctor or medical provider talk to you about using emergency contraception, also known as "Plan B" or the "morning after pill?"

Yes.....1
No.....5

**FLOW CHECK F-8d: IF FA-3g STDSVC12 = 1 (YES), ASK FA-5d STDTSCON.
ELSE GO TO FA-6 BC12PAYX.**

STDTSCON

FA-5d. (During your visit in the past 12 months) when you received STD testing, did a doctor or medical provider talk to you about using condoms to prevent disease?

Yes.....1
No.....5

{ IF R RECEIVED AN STD TEST IN LAST 12 MONTHS (STDSVC12=1)

WHYPSTD

FA-5e. Please look at Card 25b. In the past 12 months you received a test for a sexually transmitted disease from a [Display response to where received STD test]. What is the main reason that you chose this place for care?

[Show Card 25b]

Could walk in or get same-day appointment.....1
Cost.....2
Privacy concern.....3
Expert care here.....4
Embarrassed to go to usual provider.....5
Other.....6

BC12PAYX

FA-6. Looking at Card 16a, please tell me all of the ways in which the bill for

[DISPLAY FILL FOR Nth SERVICE REPORTED
(THE FILL WILL NOT BE EQUAL TO BLANK)
FBTHCN12
FMEDTS12
FBCNS12
FSTCNS12
FEMCON12
FECCNS12
FPRGTS12

FABORT12
FPAP12
FPELVC12
FPRENT12
FPARTM12
FSTDSV12
FFSTOP12]

was paid?

♦ *PROBE*: Any other ways?

♦ *Ask if R volunteers bill still unpaid*, DISPLAY: how do you think that bill will be paid?

♦ PRESS [Space] or [-] to separate responses

♦ *Enter all that apply.*

[Show Card 16a]

[HELP AVAILABLE]

Insurance.....1
Co-payment.....2
out-of-pocket payment.....3
Medicaid.....4
No payment required.....5
Some other way.....6

**FLOW CHECK F-9: RETURN TO FA-6 BC12PAYX FOR NEXT SERVICE, IF APPLICABLE.
ELSE, GO TO FLOW CHECK F-10.**

**FLOW CHECK F-10: IF BC12PLCX NE 3 or 4 OR 6 OR 7, GO TO FLOW CHECK F-13.
ELSE GO TO FA-8 STATE_NAME
IF SVC REC'D IN PAST 12 MONTHS WAS NOT AT CLINIC, GO TO FLOW
CHECK F-13.
ELSE CONTINUE WITH THE CLINIC DATABASE**

STATE_NAME

FA-8. What is the name and address of the place where you received

[DISPLAY NTH SERVICE REPORTED WHERE BC12PLCX=3,4,6,or 7]

(THE FILL WILL NOT BE EQUAL TO BLANK)

FBTHCN12
FMEDTS12
FBCCNS12
FSTCNS12
FEMCON12
FECCNS12
FPRGTS12
FABORT12
FPAP12
FPELVC12
FPRENT12
FPARTM12
FSTDSV12
FFSTOP12]?

What state is the place in?

◆ Either PRESS [backspace] to see the lookup table or start typing the name of the state

[LINK TO STATE DATABASE]

CLINIC12

FA-8a. (What is the name and address of the place where you received

[DISPLAY NTH SERVICE REPORTED WHERE BC12PLCX=3,4,6,or 7]?)

[LINK TO CLINIC DATABASE]

[HELP AVAILABLE]

◆ Either PRESS [backspace] to see the lookup table or start typing the name of the city where the clinic is located

- (1) Type or select a city name;
- (2) Select a clinic by scrolling up or down;
- (3) Press [Enter]

CityName

FA-8b

ClinicName

FA-8c

ClinicCode

FA-8d

ClinicFund {Created variable for 'Title X Funding' (same as "tx9798_#" from
FA-8e C6 data) code not shown but output to dataset}

ClinicType {Created variable for 'Agency type' (same as "TYPE9798_#" from
FA-8f C6 data) code not shown but output to dataset}

CONFIRM FA-8g

I have found a clinic (by that name/in that city) at:

[Clinic.Name1]
[Clinic.Name2]
[Clinic.Address1]
[Clinic.Address2]
[Clinic.City], [Clinic.State] ...[Clinic.Zipcode]

County: [Clinic.CntyName]

Is this correct?

Yes.....1
No.....5
Clinic not in database ...6

Edit Check FA8_1: IF CONFIRM = 5, DISPLAY:
Go back to CLINIC12 and try again.
HARD, NONSUPPRESSIBLE EDIT CHECK.
INVOLVING: CLINIC12 and CONFIRM

FLOW CHECK F-10c: IF CONFIRM = 1 (CLINIC IDENTIFIED IN DATABASE),
GO TO FLOW CHECK F-11.
ELSE, ASK FA-8a ADCLIN12.

ADCLIN12

FA-8f. Interviewer checkpoint:

♦ ENTER name and address of clinic you were unable to find in database

♦ If necessary: refer R to personal records or area phone books to obtain clinic name and address. If R is unable to provide the full address, record as much information as she can provide including cross streets, etc.)

FLOW CHECK F-11: IF CLINIC CODE IN CLINIC12 IS THE SAME CLINIC CODE AS REPORTED IN EARLIER CLINIC12 FOR ANOTHER SERVICE,
SET FA-9 REGCAR12 TO EARLIER REGCAR12
AND GO TO FLOW CHECK F-12.
ELSE, ASK FA-9 REGCAR12.

REGCAR12

FA-9. Is this clinic your regular place for medical care, or do you usually go somewhere else for medical care?

Regular place.....1
Regular place, but go to more than 1 place regularly....2
Usually go somewhere else.....3
No usual place.....4

FLOW CHECK F-12: RETURN TO FLOW CHECK F-10 FOR NEXT CLINIC, IF APPLICABLE.
ELSE, GO TO FLOW CHECK F-17.

FLOW CHECK F-17: IF AGESCRN LT 25, create DRUGDEVE AND GO TO FLOW CHECK F-17a
CREATE COUNTER AND INITIALIZE TO 0:
DRUGDEVE = ADD 1 FOR EACH OF THESE EVER USED METHOD USE VARIABLES THAT IS EQUAL TO 1 (YES):
EA-1 PILL EA-4 DEPOPROV
EA-9 PATCH EA-10 RING EA-11 MORNPILL
anyfster
Or ADD 1 to DRUGDEVE if EA-14 OTHRMETH=9 (IMPLANT)
or EA-14 OTHRMETH=12 (DIAFRAGM)
or EA-14 OTHRMETH=16 (CERVLCAP)
or EA-14 OTHRMETH=19 (IUD)
or EA-14 OTHRMETH=24 (Lunelle)
THESE REFER TO EVER USE(SECTION D AND E)
ELSE IF AGESCRN GE 25, GO TO FD-1 INTRPAP.

First service ever received series (FB)

FLOW CHECK F-17a:

IF NUMSVC12 = 0 and DRUGDEVE= 0, THEN GO TO FLOW CHECK F-18
ELSE IF NUMSVC12 = 0 and DRUGDEVE GE 1, THEN GO TO
FB-2 WNFSTSVCS_M
ELSE IF NUMSVC12 GE 1, ASK FB-1 FSTSVCS12

FSTSVCS12

FB-1 IF NUMSVC12 = 1, SAY:

You told me that in the last 12 months you received a birth control service from a doctor or medical care provider. Was this the first birth control service you have ever received in your life?

ELSE IF NUMSVC12 GT 1, SAY:

You told me that in the last 12 months you received birth control services from a doctor or medical care provider. Were any of these services the first birth control service you have ever received in your life?

Yes.....1
No.....5

WNFSTSVCS_M

FB-2. Now I'd like to know about the very first time you received a birth control service from a doctor or medical care provider. In what month and year did you receive your first birth control service?

- ◆ ENTER MM/YYYY
- ◆ PROBE for season if DK month

- | | | | |
|-------------|-----------|--------------|------------|
| 1. January | 5. May | 9. September | 13. Winter |
| 2. February | 6. June | 10. October | 14. Spring |
| 3. March | 7. July | 11. November | 15. Summer |
| 4. April | 8. August | 12. December | 16. Fall |

WNFSTSVCS_Y

FB-3. (Now I'd like to know about the very first time you received a birth control service from a doctor or medical care provider. In what month and year did you receive your first birth control service?)

- ◆ ENTER WNFSTSVCS_M/YYYY

UNDERLYING RANGE: 1961 to 2020

FLOW CHECK F-17c: COMPUTE CMFSTSVCS:

(CENTURY MONTH RECEIVED 1ST BIRTH CONTROL SERVICE)

SET CMFSTSVCS = NULL/BLANK
IF WNFSTSVCS_Y = RF, THEN CMFSTSVCS = 9998 (RF)
ELSE IF WNFSTSVCS_Y = DK, THEN CMFSTSVCS = 9999 (DK)

ELSE IF WNFSTSVCS_M = 13 OR 14 OR 15 OR 16, USE MONTH APPROPRIATE TO SEASON (MONTH) THEN CMFSTSVCS = (WNFSTSVCS_Y-1900) + MONTH

ELSE IF WNFSTSVCS_M = DK OR RF, THEN CMFSTSVCS = (WNFSTSVCS_Y-1900) + 6

ELSE CMFSTSVCS = (WNFSTSVCS_Y-1900)*12 + WNFSTSVCS_M

Edit Check FB3_1:

IF (WNFSTSVCS_M LE 12) AND CMFSTSVCS > CMINTVW, DISPLAY:
The date entered cannot be after the date of interview.
Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check FB3_2:

IF (WNFSTSVCS_M LE 12) AND CMFSTSVCS < CMBIRTH, DISPLAY:
The date entered cannot be before her date of birth.
Please correct.

HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check FB3_3: IF (13 LE WNFSTSVCM LE 16) AND CMFSTSVCSVC > (CMINTVW + 2)
, **DISPLAY:** The date entered cannot be after the date of
interview. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check FB3_4: IF (13 LE WNFSTSVCM LE 16) AND CMFSTSVCSVC < (CMBIRTH - 3)
, **DISPLAY:** The date entered cannot be before her date of
birth. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check FB3_5: IF (WNFSTSVCM = DK OR RF) AND WNFSTSVCSVC_Y > (CMINTVW/12
+1900), **DISPLAY:** The date entered cannot be after the
date of interview. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check FB3_6: IF (WNFSTSVCM = DK OR RF) AND WNFSTSVCSVC_Y < (CMBIRTH/12
+1900)- 1, **DISPLAY:** The date entered cannot be before
her date of birth. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

FLOW CHECK F-17d: IF FSTSVCSVC12 = 1 and numsvcs12 = 1 (1ST SERVICE IN LAST 12
MONTHS and only received 1 service) AND CMFSTSVCSVC NE
BLANK, GO TO FLOW CHECK F-18.
1ST SERVICE IN LAST 12 MONTHS AND ONLY RECEIVED 1
SERVICE IN LAST 12 MONTHS, GOT DATE OF 1ST
SERVICE AND SKIPPED TO SECTION FC

**ELSE IF RHADSEX = 1 (YES) AND ((CMFSTSVCSVC = DK OR RF) OR
CMFSTSVCSVC = CMFSTSEX OR CMFSTSEX=DK), ASK FB-4 B4AFSTIN.**
FOR THOSE FOR WHOM DATE OF FIRST SERVICE RECEIPT
IS UNKNOWN, OR IS THE SAME AS DATE OF FIRST SEX
OR DON'T KNOW DATE OF 1ST SEX, ASK WHICH CAME
FIRST, AND RELATIVE TIMING.

ELSE, GO TO FB-6 FSTSERV (1ST service received).
{THIS IS INTENDED TO ROUTE THOSE WHOSE 1ST
SERVICE WAS IN THE LAST 12 MONTHS AND HAD MORE
THAN 1 SERVICE IN THE LAST 12 MONTHS AND THOSE
WHOSE 1ST SERVICE WAS NOT IN THE LAST 12 MONTHS.}

B4AFSTIN

FB-4. IF CMFSTSEX = BLANK, DK, OR RF, ASK:

Was it before or after the first time you had intercourse?

ELSE IF (CMFSTSEX NE BLANK, DK OR RF) OR CMFSTSVCSVC = CMFSTSEX, ASK:
Was it before or after the first time you had intercourse in
[CMFSTSEX_FILL])?

Before..... 1 FB-6 FSTSERV
After..... 2

FLOW CHECK F-17e: IF CMFSTSVCSVC = CMFSTSEX, GO TO FB-6 FSTSERV

IF THEY'RE THE SAME MONTH DON'T NEED TO ASK HOW MANY MONTHS
APART

TMAFTIN

FB-5. How long after your first intercourse did you receive your first birth
control service(s)? Was it...

◆ *READ List*

Less than a month after your first intercourse.....1
One to three months after your first intercourse.....2
Four to twelve months after your first intercourse3
More than a year after your first intercourse.....4

FSTSERV

FB-6. Please look at Show Card 86, which service or services did you get that first time? Did you get

[HELP AVAILABLE]
[SHOW CARD 86]

◆ *READ List*

◆ *ENTER all that apply*

A method of birth control or prescription for a method1
A check-up or medical test related to using a birth control method..2
Counseling or information about birth control.....3
Counseling or information about getting sterilized.....4
Emergency contraception or a prescription for EC5
Counseling or information about Emergency contraception.....6
[EMPTY/A sterilizing operation].....7

**OPTION 7 FILLS WITH "A sterilizing operation" IF ANYFSTER=1
OTHERWISE IT REMAINS EMPTY**

BCPLCFST

FB-7. IF DRUGDEVE = 1, ASK:

Please look at Card 25. Where did you receive your first birth control service?

ELSE IF DRUGDEVE GT 1 OR NUMSVC12 GT 1, ASK:

Please look at Card 25. Where did you receive your first birth control services?

[SHOW CARD 25]

Private doctor's office.....1
HMO facility.....2
Community health clinic, Community clinic, Public health clinic....3
Family planning or Planned Parenthood Clinic.....4
Employer or company clinic.....5
School or school-based clinic.....6
Hospital outpatient clinic.....7
Hospital emergency room.....8
Hospital regular room.....9
Urgent care center, urgi-care or walk-in facility.....10
Some other place.....20

{FOR R LT 25 YEARS OLD

Clinic series (FC)

**FLOW CHECK F-18: IF (BCPLCFST NE 3 OR 4 OR 6 OR 7) AND
(IDCLINIC LT 1) AND
(PLCFEMOP NE 3 OR 4 OR 6 OR 7) AND
(MENARCHE NE 96), ASK FC-1 EVERFPC.**

ELSE GO TO FD-1 INTRPAP.

EVERFPC

FC-1. IF MENARCHE NE DK OR RF, ASK:
Since your first menstrual period when you were [MENARCHE], have you ever visited a clinic for any kind of medical or birth control service?

ELSE IF MENARCHE = DK OR RF, ASK:
Since your first menstrual period, have you ever visited a clinic for any kind of medical or birth control service?

[HELP AVAILABLE]

Yes.....1
No.....5 (**FD-1 INTRPAP**)

KNDMDHLP

FC-2. What kind of medical help did you receive at the clinic?

- ♦ Enter all that apply
- ♦ PRESS [Space] or [-] to separate responses

[SHOW CARD 51]

A method of birth control (or prescription).....1
Birth control counseling.....2
Emergency contraception.....3
Counseling about Emergency Contraception.....4
A check-up or test for birth control.....5
A pregnancy test.....6
An abortion7
A Pap smear or pelvic exam.....8
Post-pregnancy care9
STD or HIV testing.....10
Other20

Pap Test Series (FD)

INTRPAP

FD-1. Now we have some additional questions about medical tests you may have received.

- ♦ ENTER [1] to continue

**FLOW CHECK F-19: IF FA-3C PAPI2=1 (YES) THEN GO TO FD-3 MREASPAP.
ELSE IF FA-3C PAPI2=5, DK, RF (NO, DK, RF) THEN GO TO FD-2 LASTPAP.**

{ Asked only if R did not have a Pap in the past 12 mos

LASTPAP

FD-2. Do you think your last Pap test was...?

A year ago or less1
More than 1 year ago but not more than 2 years2
More than 2 years ago but not more than 3 years3
More than 3 years ago but not more than 5 years4
Over 5 years ago5

Never had Pap test6

**FLOW CHECK F-20A: IF LASTPAP =6 (NEVER HAD A PAP TEST) THEN GO TO flow check FD-6
OTHERWISE GO TO FD-3 MREASPAP**

{ Asked if R ever had Pap test

MREASPAP

FD-3. What was the main reason you had your most recent Pap test? Was it part of a routine exam, because of a medical problem you were having, or some other reason?

Part of a routine exam.....1
Because of a medical problem.....2
Other reason.....3

{ Asked if R ever had Pap test

AGEFPAP

FD-4. At what age did you have your first Pap test?

- ♦ *If necessary say, "It is okay to estimate your age if you are not sure"*
- ♦ *ENTER* age in years
- ♦ *ENTER [96] if R only had 1 Pap test.*

UNDERLYING RANGE: 5 to 44, 96

**FLOW CHECK F-21: IF FD-4 AGEFPAP = DK THEN ASK FD-4A AGEFPAP2.
ELSE ASK FD-5 ABNPAP3**

AGEFPAP2

FD-4a. Were you younger than 18, 18-21, 22-29, or 30 or older at your first Pap test?

Younger than 18.....1
18-21.....2
22-29.....3
30 or older.....4

Edit Check FD-4a_1:

PROBE IF FD-4 AGEFPAP > AGE_R.

DISPLAY: R has reported an age of first Pap test (AGEFPAP) that is older than her current age (AGE_R).
Has something been entered incorrectly?

INVOLVING(AGEFPAP)

ABNPAP3

FD-5. Have you had a Pap test in the last 3 years where the results were not normal?

Yes.....1
No.....5
No Pap test in past 3 years.....6

**FLOW CHECK FD-6: IF R REPORTED A HYSTERECTOMY (HYST=1) THEN GO TO FLOW CHECK F-22
4ELSE GO TO INTPAP FD-6**

{if R has not had a hysterectomy

INTPAP

FD-6. How often do you think you will need to have a Pap test for regular cancer screening?

[SHOW CARD 51a]

♦ *READ List*

Every year.....1
Every 2 years.....2
Every 3 years.....3
Every 4 years.....4
Every 5 years.....7
Less often than every 5 years8

IF R VOLUNTEERS:

More than once a year.....95
She would never need to be tested...96

Pelvic Exam Series (FE)

**FLOW CHECK F-22: IF FA-3D PELVIC12=1 (YES) AND FA-3C PAP12=1 (PAP IN THE PAST 12 MONTHS) THEN GO TO FE-1 PELWPAP.
ELSE GO TO FE-2 LASTPEL.**

PELWPAP

FE-1. You reported you had a pelvic exam in the past 12 months. Was the pelvic exam done at the same visit as your Pap test?

Yes.....1
No.....5

**FLOW CHECK F-23: IF FE-1 PELWPAP=1 (PELVIC AT THE SAME TIME AS PAP TEST) THEN GO TO FE-3 MREASPEL.
OTHERWISE FE-2 LASTPEL.**

LASTPEL

FE-2. Do you think your last pelvic exam was...?

A year ago or less1
More than 1 year ago but not more than 2 years2
More than 2 years ago but not more than 3 years3
More than 3 years ago but not more than 5 years4
Over 5 years ago5
Never had pelvic exam.....6

**FLOW CHECK F-24: IF LASTPEL =6 (NEVER HAD A PELVIC EXAM) THEN GO TO FE-5 INTPEL.
OTHERWISE GO TO FE-3 MREASPEL.**

{ Asked if R ever had a pelvic exam

MREASPEL

FE-3. What was the main reason you had your most recent pelvic exam -was it part of a routine exam, because of a medical problem, or some other reason?

- Part of a routine exam.....1
- Because of a medical problem.....2
- Other reason.....3

{ Asked if R ever had a pelvic exam

AGEFPEL

FE-4. At what age did you have your first pelvic exam?

- ♦ *If necessary say, "It is okay to estimate your age if you are not sure"*
- ♦ *ENTER age in years*
- ♦ *ENTER [96] if R only had 1 pelvic exam.*

UNDERLYING RANGE: 5-44, 96

**FLOW CHECK F-25: IF FE-4 AGEFPEL = DK OR RF THEN ASK FE-4A AGEPEL2.
ELSE ASK FE-5 INTPEL**

AGEPEL2

FE-4a. Were you younger than 18, 18-21, 22-29, or 30 or older at your first pelvic exam?

- Younger than 18.....1
- 18-21.....2
- 22-29.....3
- 30 or older.....4

**EDIT CHECK FE-4A_1: PROBE IF FE-4 AGEFPEL > AGE_R.
DISPLAY: R has reported an age of first pelvic exam (AGEFPEL) that is older than her current age (AGE_R).
Has something been entered incorrectly?
INVOLVING(AGEFPEL)**

INTPEL

FE-5. How often do you think you will need to have a pelvic exam?

[SHOW CARD 51a]

- ♦ *READ List*
- Every year.....1
- Every 2 years.....2
- Every 3 years.....3
- Every 4 years.....4
- Every 5 years.....5
- Less often than every 5 years6

IF R VOLUNTEERS:
More than once a year.....95
She would never need to be tested...96

Human Papilloma Virus (HPV) Testing Series (FF)

INTRHPV

FF-1. The next questions are about Human Papilloma Virus (HPV) tests.

♦ ENTER [1] to continue

EVHPVTST

FF-2. Have you ever had an HPV test -where a doctor or nurse put an instrument in the vagina and took a sample to test for the HPV virus?

Yes.....1
No.....5 (FF-6 INTHPV)

**FLOW CHECK F-24A: IF FF-2 EVHPVTST=1 AND FA-3C PAP12=1 (PAP IN THE PAST 12 MONTHS) THEN GO TO FF-3 HPVWPAP.
ELSE GO TO FF-3 LASTHPV.**

HPVWPAP

FF-3. You reported you had a Pap test in the past 12 months. Was the HPV test done at the same time as your Pap test?

Yes.....1 (go to FF-4 MREASHPV)
No.....5

LASTHPV

FF-3c. When was your last HPV test?

A year ago or less1
More than 1 year ago but not more than 2 years2
More than 2 years ago but not more than 3 years3
More than 3 years ago but not more than 5 years4
Over 5 years ago5

{ Asked if R ever had an HPV test

MREASHPV

FF-4. What was the main reason you had your most recent HPV test -was it part of a routine exam, because of a medical problem, or some other reason?

Part of a routine exam.....1
Because of a problem.....2
Other reason.....3

{ Asked if R ever had an HPV test

AGEFHPV

FF-5. At what age did you have your first HPV test?

♦ ENTER age in years
♦ ENTER [96] if R only had 1 HPV exam.

UNDERLYING RANGE: 5-44, 96

**FLOW CHECK F-25A: IF FF-5 AGEFHPV = DK THEN ASK FF-5A AGEHPV2.
ELSE ASK FF-6 INTHPV**

AGEHPV2

FF-5a. Were you younger than 18, 18-21, 22-29, or 30 or older at your first HPV test?

- Younger than 18.....1
- 18-21.....2
- 22-29.....3
- 30 or older.....4

EDIT CHECK FF-5A_1: **PROBE IF FE-4 AGEFHPV > AGE_R.**
DISPLAY: R has reported an age of first HPV test
(**AGEFHPV**) that is older than her current age (**AGE_R**).
Has something been entered incorrectly?
INVOLVING(AGEFHPV)

FLOW CHECK FF-6: IF R REPORTED A HYSTERECTOMY (HYST=1) THEN GO TO GAINTR01 GA-0.
ELSE GO TO INTHPV FF-6.

{if R has not had a hysterectomy
INTHPV

FF-6. How often do you think you will need to have an HPV test?

[SHOW CARD 51a]

♦ *READ List*

- Every year.....1
- Every 2 years.....2
- Every 3 years.....3
- Every 4 years.....4
- Every 5 years.....5
- Less often than every 5 years6

IF R VOLUNTEERS:
More than once a year.....95
She would never need to be tested...96