

NSFG 2015-2017 User's Guide

Appendix 7a: List of Restricted-Use (RDC-only) Analytic Variables for Female Respondent File

**NOTE:** This appendix lists all analytic NSFG variables that have been suppressed or modified on the public-use female respondent and pregnancy files, but are made available through the NCHS Research Data Center. Pages 1-5 show RDC-only variables on the female respondent file, and page 6 shows those for the female pregnancy file. Please see Appendix 7b for a similar list for the male file. Please see Appendix 7c for further information on the variables that have been **modified** for inclusion on the public-use NSFG files.

Most of these variables have been included on the NSFG public-use female respondent file in some form – e.g., with fewer categories, with some values top- or bottom-coded, or with new variables to summarize information from several variables. Those measures were taken to minimize the risk of inadvertent disclosure, but the full detail of these analytic variables remains accessible through the NCHS Research Data Center. The variables beginning with "IN" are available on the public-use file with the same variable name, minus the "IN."

Variables in red are being suppressed or modified for the first time in 2015-2017.

Variable Name	Section	Short Description of Variable(s)	Variable Type
INRSCRRACE	screener	SC-6 R's race as reported in screener	raw
CMBIRTH	A	Century month (CM) date for R's date of birth (DOB)	computed
HISGRP_1-3	A	AC-2 Hispanic subgroup - 1st - 3rd reported	raw
RRACE_01-4	A	AC-3 Race of respondent - 1st - 4th reported	raw
RACEBEST_	A	AC-4 Race that best describes respondent (for those who reported > 1 race)	raw
OBSERVE	A	AC-5 Interviewer-observed race if R refused to report a race	raw
USUALRES[x]	A	AD-2 Whether this household is this member's usual residence [up to 15 HH members reported]	raw
SEX[x]	A	AD-3 Sex of each household member [up to 15 HH members reported]	raw
AGE[x]	A	AD-4 Age of each household member [up to 15 HH members reported]	raw
RELAR[x]	A	AD-5 Relationship of each household member to R [up to 15 HH members reported]	raw
INROSCNT	A	Number of persons in the household, as reported in main interview	computed
INNUMCHILD	A	Number of children in HH < 13 yrs with RELAR = codes 3 to 8	computed
INHHKIDS18	A	Number of children in HH < 19 yrs with RELAR = codes 3 to 10	computed
INDAUGHT918	A	Number of daughters in HH 9-18 yrs with RELAR = 3 or 5	computed
INSON918	A	Number of sons in HH 9-18 yrs with RELAR = 3 or 5	computed
INNONBIOKIDS	A	Number of children in HH < 19 yrs with RELAR = codes 4 to 10	computed
HPLOCATN	A	AD-8 Location of R's current husband or cohabiting partner, if not in household	raw
RELMAN[x]	A	AD-9 Relationship of each child in household to R's husband or cohabiting partner [data in RELMAN2 - RELMAN15]	raw
INHIGRADE	A	AF-3 Respondent's highest grade ever attended	raw
EARNHS_M	A	AF-7 Month high school diploma obtained	raw
CMHSGRAD	A	CM date for high school graduation	computed
MYSCHOL_M	A	AF-9 Month R last attended elem/jr/hi sch-R not in sch/no dipl	raw
CMLSTSCH	A	CM date when R last attended elem/jr/hi sch-not in sch/no dipl	computed
EARNBA_M	A	AF-12 Month R received Bachelor's degree	raw
CMBAGRAD	A	CM date when R received Bachelor's degree	computed
INEXPGRADE	A	AF-14 Highest grade expected to complete	raw
BOTHBIOL	A	Whether R lives with both biological parents	computed
BOTHADOP	A	Whether R lives with both adoptive parents	computed
INWTHPARNW	A	Respondent's current living situation with parents	computed
INLVSIT14F	A	AG-3 Parental figures at age 14 - female	raw
INLVSIT14M	A	AG-4 Parental figures at age 14 - male	raw
INWOMRASDU	A	AG-5 Mother or mother-figure who mostly raised R	raw
INMOMDEGRE	A	AG-6 Education of respondent's mother or mother-figure	raw
INMOMFSTCH	A	AG-9 Respondent's mother's or mother-figure's age at first birth	raw
INMANRASDU	A	AG-11 Father or father-figure who mostly raised R	raw
INCMLASTLB	B	CM date of R's most recent live birth	computed
INCMLSTPRG	B	CM date of R's most recent completed pregnancy	computed
INCMFSTPRG	B	CM date of R's first completed pregnancy	computed
INCMPG1BEG	B	CM date when R's 1st pregnancy began	computed
DATKDCAM_M[x]	B	BJ-9 Month nonbiological child began living with R (for up to 20 such children)	raw

NSFG 2015-2017 User's Guide

Appendix 7a: List of Restricted-Use (RDC-only) Analytic Variables for Female Respondent File

Variable Name	Section	Short Description of Variable(s)	Variable Type
CMOKDCAM[x]	B	CM date when nonbiological child began living with R (for up to 20 such children)	computed
OKDDOB_M[x]	B	BJ-11 Month of nonbiological child's birth (for up to 20 such children)	raw
CMOKDDOB[x]	B	CM date of nonbiological child's birth (for up to 20 such children)	computed
OTHKDSPN[x]	B	BJ-12 Nonbiological child is of Hispanic origin (for up to 20 such children)	raw
OTHKDRAC1-5	B	BJ-13 Nonbiological child's race - 1st child (up to 5 mentions)	raw
OTHKDRAC6-10	B	BJ-13 Nonbiological child's race - 2nd child (up to 5 mentions)	raw
OTHKDRAC11-15	B	BJ-13 Nonbiological child's race - 3rd child (up to 5 mentions)	raw
OTHKDRAC16-20	B	BJ-13 Nonbiological child's race - 4th child (up to 5 mentions)	raw
OTHKDRAC21-25	B	BJ-13 Nonbiological child's race - 5th child (up to 5 mentions)	raw
OTHKDRAC26-30	B	BJ-13 Nonbiological child's race - 6th child (up to 5 mentions)	raw
OTHKDRAC31-35	B	BJ-13 Nonbiological child's race - 7th child (up to 5 mentions)	raw
OTHKDRAC36-40	B	BJ-13 Nonbiological child's race - 8th child (up to 5 mentions)	raw
OTHKDRAC41-45	B	BJ-13 Nonbiological child's race - 9th child (up to 5 mentions)	raw
OTHKDRAC46-50	B	BJ-13 Nonbiological child's race - 10th child (up to 5 mentions)	raw
OTHKDRAC51-55	B	BJ-13 Nonbiological child's race - 11th child (up to 5 mentions)	raw
OTHKDRAC56-60	B	BJ-13 Nonbiological child's race - 12th child (up to 5 mentions)	raw
OTHKDRAC61-65	B	BJ-13 Nonbiological child's race - 13th child (up to 5 mentions)	raw
OTHKDRAC66-70	B	BJ-13 Nonbiological child's race - 14th child (up to 5 mentions)	raw
OTHKDRAC71-75	B	BJ-13 Nonbiological child's race - 15th child (up to 5 mentions)	raw
OTHKDRAC76-80	B	BJ-13 Nonbiological child's race - 16th child (up to 5 mentions)	raw
OTHKDRAC81-85	B	BJ-13 Nonbiological child's race - 17th child (up to 5 mentions)	raw
OTHKDRAC86-90	B	BJ-13 Nonbiological child's race - 18th child (up to 5 mentions)	raw
OTHKDRAC91-95	B	BJ-13 Nonbiological child's race - 19th child (up to 5 mentions)	raw
OTHKDRAC96-100	B	BJ-13 Nonbiological child's race - 20th child (up to 5 mentions)	raw
KDBSTRAC[x]	B	BJ-14 Race best describes nonbiological child (for up to 20 such children)	raw
WHMARHX_M[x]	C	CB-1m Month married to this husband (for up to 6 husbands)	raw
CMMARRHX[x]	C	CM date when R married this husband (for up to 6 husbands)	computed
DOBHUSBX_M[x]	C	CB-4m Month this husband was born (for up to 6 husbands)	raw
CMHSBDOB[x]	C	CM date when this husband was born (for up to 6 husbands)	computed
STRTOGHX_M[x]	C	CB-6m Month R first cohabited premaritally with this husband (for up to 6 husbands)	raw
CMPMCOHX[x]	C	CM Date When R first cohabited premaritally with this husband (for up to 6 husbands)	computed
HISPHX[x]	C	CB-8 Hispanic subgroup of husband (for up to 6 husbands)	raw
RACEHX1-5	C	CB-9 Race of 1st husband (up to 5 mentions)	raw
RACEHX6-10	C	CB-9 Race of 2nd husband (up to 5 mentions)	raw
RACEHX11-15	C	CB-9 Race of 3rd husband (up to 5 mentions)	raw
RACEHX16-20	C	CB-9 Race of 4th husband (up to 5 mentions)	raw
RACEHX21-25	C	CB-9 Race of 5th husband (up to 5 mentions)	raw
RACEHX26-30	C	CB-9 Race of 6th husband (up to 5 mentions)	raw
BSTRACHX[x]	C	CB-10 Race that best describes husband (for those who reported > 1 race) (for up to 6 husbands)	raw
WNDIEHX_M[x]	C	CB-20m Month of Death of this Husband (for up to 6 husbands)	raw
CMHSBDIEX[x]	C	CM Date When this husband died (for up to 6 husbands)	computed
DIVDATHX_M[x]	C	CB-21m Month of Divorce from this Husband (for up to 6 husbands)	raw
CMDIVORCX[x]	C	CM Date of Divorce or Annulment From This Husband (for up to 6 husbands)	computed
WNSTPHX_M[x]	C	CB-22m Month Stopped Living Together with this husband (for up to 6 husbands)	raw
CMSTPHSBX[x]	C	CM Date R Stopped Living with This Husband (for up to 6 husbands)	computed
INCMARRCH	C	CM Date of Marriage to Current Husband	computed
CMDOBCH	C	CM for Current Husband's Date of Birth	computed
WNSTRTCP_M	C	CC-2m Month Began Cohabitation - Current Partner	raw

NSFG 2015-2017 User's Guide

Appendix 7a: List of Restricted-Use (RDC-only) Analytic Variables for Female Respondent File

Variable Name	Section	Short Description of Variable(s)	Variable Type
CMSTRTCP	C	CM date when R began cohabiting w/current partner	computed
WNCPBRN_M	C	CC-5m Month Partner Was Born- Current Cohabiting Partner	raw
CMDOBCP	C	CM For Current cohabiting partner's DOB	computed
CPHISP	C	CC-8 Hispanic subgroup of current cohab partner	raw
CPRACE1-5	C	CC-9 Race of current cohab partner (up to 5 mentions)	raw
CPBESTR	C	CC-10 Race that best describes current cohab partner (for those who reported > 1 race)	raw
INCMSTRTHP	C	CM date R began living with current husband or cohab partner	computed
CMDOBHP	C	CM date for R's current husband or cohabiting partner's DOB	computed
STRTOTHX_M[x]	C	CD-4m Month Began Cohabitation (up to 4 former cohabiting partners whom she never married)	raw
CMCOHSTX[x]	C	CM Date for Start of Cohabitation (up to 4 former cohabiting partners whom she never married)	computed
WNBRNCX_M[x]	C	CD-7m Month Partner Was Born (up to 4 former cohabiting partners whom she never married)	raw
CMDOBCX[x]	C	CM date for this partner's DOB (up to 4 former cohabiting partners whom she never married)	computed
HISPCX	C	CD-9 Hispanic subgroup of 1st former partner	raw
RACECX1-5	C	CD-10 Race of 1st former cohabiting partner (up to 5 mentions)	raw
BSTRACCX	C	CD-11 Race that best describes 1st former partner (for those who reported > 1 race)	raw
STPTOGCX_M[x]	C	CD-14m Month Stopped Cohabiting (up to 4 former cohabiting partners whom she never married)	raw
CMSTPCOHX[x]	C	CM date when R stopped cohabiting with this partner (up to 4 former cohabiting partners whom she never married)	computed
INGRFSTSX	C	CE-8 Grade R Was in at First Sexual Intercourse (original value, not bottom-coded)	raw
FPAGE	C	CG-4 1st Partner's Age at R's 1st Sex	raw
FPRELAGE	C	CG-4b Was 1st Sexual Partner Older/Younger/Same Age as R	raw
FPRELYRS	C	CG-4c How Many Years Older/Younger Than R Was 1st Sex Partner	raw
FPHISP	C	CG-7c Hispanic subgroup of 1st sexual partner	raw
FPRACE1-5	C	CG-7d Race of 1st sexual partner ever (up to 5 mentions)	raw
FPRACEB	C	CG-7e Race that best describes 1st sexual partner (for those who reported > 1 race)	raw
INLIFEPR	C	CH-1 Number of male sexual partners in lifetime	raw
INLIFEPR_LO	C	CH-1b Low end of R's estimate of her number of sexual partners, for respondents who did not know the exact number	raw
INLIFEPR_HI	C	CH-1c High end of R's estimate of her number of sexual partners, for respondents who did not know the exact number	raw
INPTSB4MAR	C	CH-2 Number of sexual partners before 1st marriage	raw
INPTSB4MAR_LO	C	CH-2b Number of sexual partners before 1st marriage - low end of estimate	raw
INPTSB4MAR_HI	C	CH-2c Number of sexual partners before 1st marriage - high end of estimate	raw
INPARTS12	C	Number of Partners in Last 12 Months (original value)	computed
INLIFEPRTS	C	Number of opposite-sex sexual partners in lifetime	computed
P1YHISP	C	CI-14 Hispanic subgroup of most recent partner	raw
P1YRACE1-5	C	CI-15 Race of most recent partner (up to 5 mentions)	raw
P1YRACEB	C	CI-16 Race that best describes most recent partner (for those who reported > 1 race)	raw
P1YHISP2	C	CI-14 Hispanic subgroup of 2nd-to-last partner	raw
P1YRACE6-10	C	CI-15 Race of 2nd-to-last partner (up to 5 mentions)	raw
P1YRACEB2	C	CI-16 Race that best describes 2nd-to-last partner (for those who reported > 1 race)	raw
P1YHISP3	C	CI-14 Hispanic subgroup of 3rd-to-last partner	raw
P1YRACE11-15	C	CI-15 Race of 3rd-to-last partner (up to 5 mentions)	raw
P1YRACEB3	C	CI-16 Race that best describes 3rd-to-last partner (for those who reported > 1 race)	raw
LSEXPAGE	C	Age of R's most recent sexual partner	computed
DATFEMOP_M	D	DB-1 Month of R's tubal sterilization	raw
CMTUBLIG	D	CM Date for R's Tubal Ligation/Sterilization	computed
DATFEMOP_M2	D	DB-1 Month of R's Hysterectomy	raw

NSFG 2015-2017 User's Guide

Appendix 7a: List of Restricted-Use (RDC-only) Analytic Variables for Female Respondent File

Variable Name	Section	Short Description of Variable(s)	Variable Type
CMHYST	D	CM Date for R's Hysterectomy	computed
DATFEMOP_M3	D	DB-1 Month of R's Ovary Removal	raw
CMOVAREM	D	CM Date for R's Ovary Removal	computed
DATFEMOP_M4	D	DB-1 Month of R's Other Sterilizing Operation	raw
CMOTSURG	D	CM Date for R's Other Sterilizing Operation	computed
CMOPER1	D	CM Date for R's first (or only) sterilizing operation	computed
DATEOPMN_M	D	DB-7 Month When Current H/P Had Sterilizing Operation	raw
CMMALEOP	D	CM Date for R's Current H/P Sterilizing Operation	computed
DATRVSTB_M	D	DC-2 Month of Tubal Sterilization Reversal	raw
CMLIGREV	D	CM Date of R's Reversal of Tubal Sterilization	computed
DATRVVEX_M	D	DC-4 Month of Current H/P's Vasectomy Reversal	raw
CMVASREV	D	CM Date For R's Current H/P's Vasectomy Reversal	computed
INCOVERHOW01-03	I	IA-2 Type of current health care coverage (up to 3 mentions)	raw
STRUS_M	I	IB-9m Month R came to the US to stay	raw
STRUS_Y	I	IB-9y Year R came to the US to stay	raw
CMSTRUS	I	CM date when non-US-born R came to US to stay	computed
RELRSDD	I	IC-1 Religion in which respondent was raised	raw
RELRSDD1	I	IC-2 Religion in which respondent was raised	raw
RELNOW	I	IC-5 Current religious affiliation	raw
RELNOW1	I	IC-6 Current religious affiliation	raw
BEGMIL_M	I	ID-2m Month of active duty begin	raw
BEGMIL_Y	I	ID-2y Year/Season of active duty begin	raw
CMBEGMIL	I	CM date when R began military service	computed
ENDMIL_M	I	ID-3m Month of active duty end	raw
ENDMIL_Y	I	ID-3y year active military duty ended	raw
CMENDMIL	I	CM date when R ended military service	computed
INDOLASTWK1-5	I	IE-1 What R was doing last week (employment status) (up to 5 mentions)	raw
INSPLSTWK1-5	I	IF-1 Husband/partner doing what last week (employment status) (up to 5 mentions)	raw
ININCHES	J	Height (converted to inches)	computed in post-processing
INRWEIGHT	J	Weight (pounds)	computed in post-processing
INAGESMK	J	JC-2 Age when first began smoking cigarettes	raw
AGEVAGM	J	JD-3 R's Partner's Age at First Vaginal Intercourse w/a Male	raw
INPARTSLIF_1	J	JF-1 Number of male partners in lifetime	raw
INPARTSLIF_2	J	JF-1 Number of male partners in lifetime, if previous information was incorrect	raw
INOPPLIFENUM	J	Number of opposite-sex partners in lifetime for all types of sex	computed
INPARTS12M_1	J	JF-2 Number of male partners in past 12 months	raw
INPARTS12M_2	J	JF-2 Number of male partners in past 12 months, if previous information was incorrect	raw
INOPPYEARNUM	J	Number of opposite-sex partners in last 12 months for all types of sex	computed
CURRPAGE	J	JF-2a Age of R's 1st Current Partner at Last Sex	raw
RELAGE	J	JF-2b Is 1st Current Partner Older/Younger/Same Age	raw
HOWMUCH	J	JF-2c Age Difference between 1st Current Partner & R	raw
CURRPAGE2	J	JF-2a Age of R's 2nd Current Partner at Last Sex	raw
RELAGE2	J	JF-2b Is 2nd Current Partner Older/Younger/Same Age	raw
HOWMUCH2	J	JF-2c Age Difference between 2nd Current Partner & R	raw
CURRPAGE3	J	JF-2a Age of R's 3rd Current Partner at Last Sex	raw
RELAGE3	J	JF-2b Is 3rd Current Partner Older/Younger/Same Age	raw

NSFG 2015-2017 User's Guide

Appendix 7a: List of Restricted-Use (RDC-only) Analytic Variables for Female Respondent File

Variable Name	Section	Short Description of Variable(s)	Variable Type
HOWMUCH3	J	JF-2c Age Difference between 3rd Current Partner & R	raw
ABNHPV	J	JH-9a Had abnormal or positive HPV test in last 5 years	raw
INPUBASTYP1	J	JI-5 Types of public assistance respondent/HH received in last calendar year (original-1st mention)	raw
PUBASTYP2	J	JI-5 Types of public assistance respondent/HH received in last calendar year (2nd mention)	raw
PUBASTYP3	J	JI-5 Types of public assistance respondent/HH received in last calendar year (3rd mention)	raw
PUBASTYP4	J	JI-5 Types of public assistance respondent/HH received in last calendar year (4th mention)	raw
NUMRACE	A recode	Intermediate variable for multiple race reporting (used for HISPRACE2)	intermediate
INNUMKDHH	A recode	Number of children under 18 living in the household.	recode
INNUMFMHH	A recode	Number of family members living in the household	recode
INCSPBBHH	A recode	Number of R's and her current husband/partner's biological children (18 or younger)	recode
INCSPBSSH	A recode	Number of R's biological children (18 or younger) who are not the biological children of her current husband/partner	recode
INCSPOKDHH	A recode	Number of all other children (18 or younger) living in the household with R and her current husband/partner	recode
INEDUCAT	A recode	Numbers of years of schooling (original recode)	recode
INHIEDUC	A recode	Highest level of education (original recode)	recode
INPARAGE14	A recode	Parental living situation at age 14	recode
INEDUCMOM	A recode	Education of Repondent's mother	recode
INAGEMOMB1	A recode	Respondent's mother's age at first birth	recode
INDATEND01-20	B recode	CM date when pregnancy ended - 1st-20th (RECODE)	recode
INDATCON01-20	B recode	CM date when pregnancy began - 1st-20th (RECODE)	recode
INDATBABY1	B recode	CM date of first live birth (RECODE)	recode
INMARDAT01-06	C recode	CM date of R's marriage (up to 6 marriages)	recode
INMARDIS01-06	C recode	CM date when R's marriage ended (up to 6 marriages)	recode
INMAR1DISS	C recode	Months btw/1st marriage & dissolution (or interview) (original recode)	recode
INDD1REMAR	C recode	Months btw/divorce or death (1st marriage) and remarriage (or interview) (original recode)	recode
INMAR1BIR1	C recode	Months btw/1st marriage & 1st birth (or interview) (original recode)	recode
INMAR1CON1	C recode	Months btw/1st marriage & 1st conception (or interview) (original recode)	recode
INCON1MAR1	C recode	Months btw/1st conception & 1st marriage (or interview) (origina recode)	recode
INCOHAB1	C recode	Date of 1st cohabitation (incl. premarital cohabitation)	recode
INCOH1DUR	C recode	Duration (in months) of R's first cohabitation (original recode)	recode
FSEXPAGE	C recode	Age of R's 1st sexual partner (RECODE)	recode
FSEXPAGE_I	C recode	FSEXPAGE imputation flag	imputation flag
INSEXMAR	C recode	Mos btw/1st intercourse (even if before menarche) & 1st marriage (or interview) (RECODE)	recode
INSEX1FOR	C recode	Mos btw/1st intercourse since menarche & 1st marriage (or interview) (RECODE)	recode
INSEXUNION	C recode	Months between 1st intercourse and 1st coresidential union (marriage or cohabitation) (RECODE)	recode
INPARTS1YR	C recode	Number of opposite-sex partners in last 12 months	recode
INLIFPRTNR	C recode	Number of opposite-sex partners in lifetime	recode
INLABORFOR	I recode	Respondent's activities last week	recode
INPOVERTY	J recode	Poverty level income	recode
REGION	Geographic	Geographic region (4-category)	recode

## NSFG 2015-2017 User's Guide

### Appendix 7a: List of Restricted-Use (RDC-only) Analytic Variables for Female Pregnancy File

**NOTE:** This appendix lists all analytic NSFG variables that have been suppressed or modified on the public-use female respondent and pregnancy files, but are made available through the NCHS Research Data Center. Pages 1-5 show RDC-only variables on the female respondent file, and page 6 shows those for the female pregnancy file. Please see Appendix 7b for a similar list for the male file. Please see Appendix 7c for further information on the variables that have been **modified** for inclusion on the public-use NSFG files.

Most of these variables have been included on the NSFG public-use female pregnancy file in some form – e.g., with fewer categories, with some values top- or bottom-coded, or with new variables to summarize information from several variables. Those measures were taken to minimize the risk of inadvertent disclosure, but the full detail of these analytic variables remains accessible through the NCHS Research Data Center. The variables beginning with "IN" are available on the public-use file with the same variable name, minus the "IN."

No pregnancy file variables were restricted-use in prior NSFG PUF releases, so none are being distinguished in red font.

Variable Name	Section	Short Description of Variable(s)	Variable Type
DATPRGEN_M	B	BC-4a Month when pregnancy ended (if nonlivebirth)	raw
CMOTPREG	B	CM Date for Pregnancy End Date (if nonlivebirth)	computed
INHPAGEEND	B	BC-4c Father's age at pregnancy's end date (in single years of age)	raw
BABYDOB_M	B	BD-5 Month of delivery for this pregnancy	raw
CMBABDOB	B	CM Date for baby's or babies' date of birth (delivery date)	computed
INKIDAGE	B	Current Age (in mos) of R's child(ren) from this pregnancy	computed
INHPAGELB	B	BD-6 Father's age at time of child(ren)'s birth (in single years of age)	raw
WHENDIED_M1-3	B	BG-3 Month when child died (up to 3 from this pregnancy)	raw
CMKIDIED1-3	B	CM for child's date of death (up to 3 from this pregnancy)	computed
WHENLEFT_M1-3	B	BG-4 Month when child stopped living with R (up to 3 from this pregnancy)	raw
CMKIDLFT1-3	B	CM Date for date child stopped living w/R (up to 3 from this pregnancy)	computed
CMPRGEND	B	CM Date for Pregnancy End Date (regardless of outcome)	computed
CMENDP_S	B	CM date when pregnancy ended (based on CCSD)	computed
CMPRGBEG	B	CM Date for Pregnancy Start Date	computed
CMPBEG_S	B	CM date when pregnancy began (based on CCSD)	computed
CMINTSTR	E	CM date for beginning of pregnancy interval	computed
CMINTFIN	E	CM date of ending of pregnancy interval	computed
CMINTSTROP	E	Open interval: CM of date of beginning	computed
CMINTFINOP	E	Open interval: CM of date of end (mon of interview)	computed
CMINTSTRCR	E	Currently pregnant: CM of date of beginning of interval	computed
CMINTFINCR	E	Currently pregnant: CM of date of end of interval (mon of interview)	computed
INDATEND	B recode	CM date pregnancy ended (RECODE)	recode
INDATECON	B recode	CM date of conception (RECODE)	recode
CMBIRTH	A	Century month (CM) date for R's date of birth (DOB)	computed
INEDUCAT	A recode	Numbers of years of schooling (original recode)	recode
INHIEDUC	A recode	Highest level of education (original recode)	recode
INPOVERTY	J recode	Poverty level income	recode
INLABORFOR	I recode	Respondent's activities last week	recode
CMSTRUS	I	CM date when non-US-born R came to US to stay	computed
REGION	geographic	Geographic region (4-category)	recode