

Pregnancy File :: Section :: Respondent ID and Section B raw variables

CASEID(1-5)

Variable Type : Raw

Description : Case identification number

value	label	Total
26141-42680	Respondent ID number	20492
	Total	20492

Universe : Applicable for all pregnancies

pregordr(6-7)

Variable Type : Computed

Description : Pregnancy order (number)

value	label	Total
01	1ST PREGNANCY	7538
02	2ND PREGNANCY	5610
03	3RD PREGNANCY	3515
04	4TH PREGNANCY	1899
05	5TH PREGNANCY	942
06	6TH PREGNANCY	477
07	7TH PREGNANCY	235
08	8TH PREGNANCY	122
09	9TH PREGNANCY	57
10	10TH PREGNANCY	35
11	11TH PREGNANCY	22
12	12TH PREGNANCY	15
13	13TH PREGNANCY	9
14	14TH PREGNANCY	4
15	15TH PREGNANCY	4
16	16TH PREGNANCY	3
17	17TH PREGNANCY	2
18	18TH PREGNANCY	2
19	19TH PREGNANCY	1
	Total	20492

Universe : Applicable for all pregnancies

HOWPREG_N(8-9)

Variable Type : Raw

BB-2 : How many weeks or months pregnant are you now? (NUMBER)

value	label	Total
.	INAPPLICABLE	19075
0-50	0-50	1408
99	Don't know	9
	Total	20492

Universe : Applicable if pregnancy is a current pregnancy (prgoutcome = 3) (respondent-level variable)

HOWPREG_P(10-10)

Variable Type : Raw

BB-2 : How many weeks or months pregnant are you now? (UNITS)

value	label	Total
.	INAPPLICABLE	19084
1	Weeks	972
2	Months	436
	Total	20492

Universe : Applicable if pregnancy is a current pregnancy (prgoutcome = 3) (respondent-level variable)

moscurrp(11-16)

Variable Type : Computed

Description : Number of Months Currently Pregnant (computed in Flow Check B-5)

value	label	Total
.	INAPPLICABLE	19075
0-11	0-11 MONTHS	1416
99	Don't know	1
	Total	20492

Universe : Applicable if pregnancy is a current pregnancy (prgoutcome = 3) (respondent-level variable)

Notes : use recode PRGLNGTH

NOWPRGDK(17-17)

Variable Type : Raw

BB-3 : Are you in your first trimester, in your second trimester, or in your third trimester?

value	label	Total
.	INAPPLICABLE	20483
1	First trimester	8
9	Don't know	1
	Total	20492

Universe : Applicable if pregnancy is a current pregnancy (prgoutcome = 3) and R did not know or refused to answer current gestational length (BB-2 HOWPREG_N = DK/RF) (respondent-level variable)

PREGEND1(18-18)

Variable Type : Raw

BC-1 : In which of the ways shown on Card 13 did the pregnancy end? (1st mention)

value	label	Total
.	INAPPLICABLE	524
1	Miscarriage	2958
2	Stillbirth	165
3	Abortion	2288
4	Ectopic or tubal pregnancy	281
5	Live birth by Cesarean section	3420
6	Live birth by vaginal delivery	10849
8	Refused	2
9	Don't know	5
	Total	20492

Universe : Applicable if pregnancy is a completed pregnancy (prgoutcome = 1 or 2)

Notes : Use recode OUTCOME

PREGEND2(19-19)

Variable Type : Raw

BC-1 : In which of the ways shown on Card 13 did the pregnancy end? (2nd mention)

value	label	Total
.	INAPPLICABLE	20462
1	Miscarriage	1
2	Stillbirth	1
3	Abortion	2
5	Live birth by Cesarean section	8
6	Live birth by vaginal delivery	18
Total		20492

Universe : Applicable if more than 1 pregnancy outcome was reported for this completed pregnancy (see BC-1 PREGEND1)

Notes : Use recode OUTCOME

PREGEND3(20-20)

Variable Type : Raw

BC-1 : In which of the ways shown on Card 13 did the pregnancy end? (3rd mention)

value	label	Total
.	INAPPLICABLE	20491
4	Ectopic or tubal pregnancy	1
Total		20492

Universe : Applicable if more than 2 pregnancy outcomes was reported for this completed pregnancy (see BC-1 PREGEND1)

Notes : Use recode OUTCOME

HOWENDDK(21-21)

Variable Type : Raw

BC-1b : I understand that you may not want to answer this question in detail. If you are willing to say, did this (nth) pregnancy result in a baby or babies born alive, or did it end in some other way?

value	label	Total
.	INAPPLICABLE	20485
5	Some other way	4
9	Don't know	3
Total		20492

Universe : Applicable if R did not know or refused to answer how this pregnancy ended (BC-1 PREGEND1 = DK or RF)

NBRNALIV(22-22)

Variable Type : Raw

BC-2 : (With your (nth) pregnancy,) How many babies did you have that were born alive? Please include babies that may have died shortly after birth and babies that you placed for adoption.

value	label	Total
.	INAPPLICABLE	6206

1	1 BABY	14047
2	2 BABIES	218
3-6	3 OR MORE BABIES	21
Total		20492

Universe : Applicable if pregnancy resulted in at least 1 live birth (prgoutcome = 1)

MULTBRTH(23-23)

Variable Type : Raw

BC-3 : Did you have (twins/triplets/all of these babies with this [nth] pregnancy)?

value	label	Total
.	INAPPLICABLE	20253
1	Yes	203
5	No	36
Total		20492

Universe : Applicable if more than 1 liveborn baby reported from this pregnancy (BC-2 NBRNALIV > 1)

bornaliv(24-24)

Variable Type : Computed

Description : Number of babies born alive from this pregnancy (computed in Flow Check B-10)

value	label	Total
.	INAPPLICABLE	6206
1	1 BABY	14083
2	2 BABIES	197
3-6	3 OR MORE BABIES	6
Total		20492

Universe : Applicable if pregnancy resulted in at least 1 live birth (prgoutcome = 1)

DATPRGEN_M(25-26)

Variable Type : Raw

BC-4a : In what month and year did this pregnancy end? (MONTH)

value	label	Total
.	INAPPLICABLE	14813
1-12	January - December	4691
13	Winter	109
14	Spring	156
15	Summer	292
16	Fall	124
98	Refused	1
99	Don't know	306
Total		20492

Universe : Applicable if pregnancy is a completed pregnancy but did not end in live birth (prgoutcome = 2)

DATPRGEN_Y(27-30)

Variable Type : Raw

BC-4a : In what month and year did this pregnancy end? (YEAR)

value	label	Total
-------	-------	-------

.	INAPPLICABLE	14813
1919-2010	1919-2010	5609
9998	Refused	1
9999	Don't know	69
	Total	20492

Universe : Applicable if pregnancy is a completed pregnancy but did not end in live birth (prgoutcome = 2)

cmotpreg(31-34)

Variable Type : Computed

Description : Century Month for Pregnancy End Date (if nonlivebirth) (computed in Flow Check B-11)

value	label	Total
.	INAPPLICABLE	14813
522-1278	BEFORE JULY 2006	4789
1279-1290	JULY 2006-JUNE 2007	311
1291-1308	JULY 2007-DEC 2008	379
1309-1326	JAN 2009-JUN 2010	130
9998	Refused	1
9999	Don't know	69
	Total	20492

Universe : Applicable if pregnancy is a completed pregnancy but did not end in live birth (prgoutcome = 2)

Notes : use recode DATEND

AGEATEND(35-36)

Variable Type : Raw

BC-4b : How old were you when this pregnancy ended?

value	label	Total
.	INAPPLICABLE	19503
5-19	UNDER 20 YEARS	305
20-24	20-24 YEARS	328
25-29	25-29 YEARS	206
30-44	30-44 YEARS	123
98	Refused	1
99	Don't know	26
	Total	20492

Universe : Applicable if R did not know or refused to answer the month/year when this pregnancy ended (cmotpreg = DK/RF) or she reported season/DK/RF on the month when this pregnancy ended (BC-4a DATPRGEN_M = 13,14,15,16, or DK/RF)

Notes : use recode AGEPEG

GESTASUN_M(37-38)

Variable Type : Raw

BC-5 : How many months or weeks had you been pregnant when (the baby was born/the [twins/triplets] were born/that pregnancy ended)? (MONTHS)

value	label	Total
.	INAPPLICABLE	527
0-12	0-12 MONTHS	19840
98	Refused	1

99	Don't know	124
Total		20492

Universe : Applicable if pregnancy is a completed pregnancy (prgoutcome = 1 or 2)

GESTASUN_W(39-40)

Variable Type : Raw

BC-5 : How many months or weeks had you been pregnant when (the baby was born/the [twins/triplets] were born/that pregnancy ended)? (WEEKS)

value	label	Total
.	INAPPLICABLE	527
0-13	13 WEEKS OR LESS	12723
14-26	14-26 WEEKS	264
27-95	27 WEEKS OR LONGER	6835
98	Refused	1
99	Don't know	142
Total		20492

Universe : Applicable if pregnancy is a completed pregnancy (prgoutcome = 1 or 2)

wksgest(41-42)

Variable Type : Computed

Description : Gestational length of completed pregnancy (in weeks) (computed in Flow Check B-13)

value	label	Total
.	INAPPLICABLE	527
0-13	13 WEEKS OR LESS	4853
14-26	14-26 WEEKS	814
27-95	27 WEEKS OR LONGER	14285
98	Refused	1
99	Don't know	12
Total		20492

Universe : Applicable if pregnancy is a completed pregnancy (prgoutcome = 1 or 2)

Notes : use recode PRGLNGTH

mosgest(43-44)

Variable Type : Computed

Description : Gestational length of completed pregnancy (in months) (computed in Flow Check B-13)

value	label	Total
.	INAPPLICABLE	527
0-12	0-12 MONTHS	19951
97	NOT ASCERTAINED	1
98	Refused	1
99	Don't know	12
Total		20492

Universe : Applicable if pregnancy is a completed pregnancy (prgoutcome = 1 or 2)

Notes : use recode PRGLNGTH

DK1GEST(45-45)

Variable Type : Raw

BC-6 : Was it less than 6 months, or 6 months or more?

value	label	Total
.	INAPPLICABLE	20490
2	6 months or more	2
Total		20492

Universe : Applicable if this pregnancy ended only in stillbirth (BC-1 PREGEND1 and PREGEND2 and PREGEND3 only included code 2) and R did not know or refused to answer gestational length (BC-5 GESTASUN_M = DK/RF or GESTASUN_W = DK/RF)

DK2GEST(46-46)

Variable Type : Raw

BC-7 : A preterm delivery is one that occurs at 36 weeks or earlier in pregnancy. As far as you know, did you have a preterm delivery?

value	label	Total
.	INAPPLICABLE	20472
1	Yes	5
5	No	14
9	Don't know	1
Total		20492

Universe : Applicable if this pregnancy ended in live birth (prgoutcome = 1) and R did not know or refused to answer gestational length (BC-5 GESTASUN_M = DK/RF or GESTASUN_W = DK/RF)

DK3GEST(47-47)

Variable Type : Raw

BC-8 : Was it less than 3 months, 3 months or more but less than 6 months, or 6 months or more?

value	label	Total
.	INAPPLICABLE	20363
1	Less than 3 months	107
2	3 months or more, but less than 6 months	10
8	Refused	1
9	Don't know	11
Total		20492

Universe : Applicable if this pregnancy ended only in miscarriage, abortion, or ectopic (BC-1 PREGEND1 and PREGEND2 and PREGEND3 only included codes 1, 3, or 4) and R did not know or refused to answer gestational length (BC-5 GESTASUN_M = DK/RF or GESTASUN_W = DK/RF)

bpa_bdscheck1(48-48)

Variable Type : Computed

Description : Whether 1st liveborn baby from this pregnancy was unnamed and either placed for adoption or died shortly after birth (computed in Flow Check B-17)

value	label	Total
.	INAPPLICABLE	6206
0	Baby born alive and named	14274
1	Baby unnamed and placed for adoption	8
2	Baby unnamed and died soon after birth	4
Total		20492

Universe : Applicable if this pregnancy ended in live birth (prgoutcome = 1)

bpa_bdscheck2(49-49)

Variable Type : Computed

Description : Whether 2nd liveborn baby from this pregnancy was unnamed and either placed for adoption or died shortly after birth (computed in Flow Check B-17)

value	label	Total
.	INAPPLICABLE	6206
0	Baby born alive and named	14284
2	Baby unnamed and died soon after birth	2
Total		20492

Universe : Applicable if pregnancy ended in live birth (prgoutcome = 1) and there were 2 or more liveborn babies from this pregnancy (bornaliv > 1)

bpa_bdscheck3(50-50)

Variable Type : Computed

Description : Whether 3rd liveborn baby from this pregnancy was unnamed and either placed for adoption or died shortly after birth (computed in Flow Check B-17)

value	label	Total
.	INAPPLICABLE	6206
0	Baby born alive and named	14286
Total		20492

Universe : Applicable if pregnancy ended in live birth (prgoutcome = 1) and there were 3 or more liveborn babies from this pregnancy (bornaliv > 2)

BABYSEX1(51-51)

Variable Type : Raw

BD-2 : ((Is/Was) (BABY'S NAME/the 1st baby) male or female?)

value	label	Total
.	INAPPLICABLE	6206
1	Male	7223
2	Female	7057
9	Don't know	6
Total		20492

Universe : Applicable if pregnancy resulted in live birth (prgoutcome = 1)

BIRTHWGT_LB1(52-53)

Variable Type : Raw

BD-3 : How much did (BABY'S NAME/this 1st baby) weigh at birth? (POUNDS)

value	label	Total
.	INAPPLICABLE	6206
0-5	UNDER 6 POUNDS	1788
6	6 POUNDS	3385
7	7 POUNDS	4955
8	8 POUNDS	2861
9-95	9 POUNDS OR MORE	1140
99	Don't know	157

Total	20492
--------------	--------------

Universe : Applicable if pregnancy resulted in live birth (prgoutcome = 1)

Notes : use recode LBW1

BIRTHWGT_OZ1(54-55)

Variable Type : Raw

BD-3 : How much did (BABY'S NAME/this 1st baby) weigh at birth? (OUNCES)

value	label	Total
.	INAPPLICABLE	6363
0-15	0-15 OUNCES	14000
99	Don't know	129
Total		20492

Universe : Applicable if pregnancy resulted in live birth (prgoutcome = 1) and R did not say "don't know" or "refused" on the pounds question (BD-3 BIRTHWGT_LB1 NE DK/RF)

Notes : use recode LBW1

LOBTHWGT1(56-56)

Variable Type : Raw

BD-4 : Did (she/he) weigh 5 1/2 pounds or more, or less than 5 1/2 pounds? (1st child from this pregnancy)

value	label	Total
.	INAPPLICABLE	20320
1	5 1/2 pounds or more	119
2	Less than 5 1/2 pounds	32
9	Don't know	21
Total		20492

Universe : Applicable if R did not know or refused to answer the baby's birthweight (BD-3 BIRTHWGT_LB1 = DK/RF or (BIRTHWGT_LB1 < 6 and BIRTHWGT_OZ1 = DK/RF)

Notes : use recode LBW1

BABYSEX2(57-57)

Variable Type : Raw

BD-2 : ((Is/Was) (BABY'S NAME/the 2nd baby) male or female?)

value	label	Total
.	INAPPLICABLE	20286
1	Male	80
2	Female	124
9	Don't know	2
Total		20492

Universe : Applicable if pregnancy ended in more than 1 liveborn baby (bornaliv > 1)

BIRTHWGT_LB2(58-59)

Variable Type : Raw

BD-3 : How much did (BABY'S NAME/this 2nd baby) weigh at birth? (POUNDS)

value	label	Total
-------	-------	-------

.	INAPPLICABLE	20286
0-5	UNDER 6 POUNDS	150
6	6 POUNDS	32
7	7 POUNDS	13
8	8 POUNDS	3
9-95	9 POUNDS OR MORE	1
99	Don't know	7
Total		20492

Universe : Applicable if pregnancy ended in more than 1 liveborn baby (bornaliv > 1)

BIRTHWGT_OZ2(60-61)

Variable Type : Raw

BD-3 : How much did (BABYNAME/this 2nd baby) weigh at birth? (OUNCES)

value label	Total
.	INAPPLICABLE 20293
0-15	0-15 OUNCES 197
99	Don't know 2
Total 20492	

Universe : Applicable if pregnancy ended in more than 1 liveborn baby (bornaliv > 1) and R did not say "don't know" or "refused" on the pounds question (BD-3 BIRTHWGT_LB2 NE DK/RF)

LOBTHWGT2(62-62)

Variable Type : Raw

BD-4 : Did (she/he) weigh 5 1/2 pounds or more, or less than 5 1/2 pounds? (2nd child from this pregnancy)

value label	Total
.	INAPPLICABLE 20483
1	5 1/2 pounds or more 1
2	Less than 5 1/2 pounds 7
9	Don't know 1
Total 20492	

Universe : Applicable if R did not know or refused to answer the baby's birthweight (BD-3 BIRTHWGT_LB2 = DK/RF or (BIRTHWGT_LB2 < 6 and BIRTHWGT_OZ2 = DK/RF)

BABYSEX3(63-63)

Variable Type : Raw

BD-2 : ((Is/Was) (BABY'S NAME/the 3rd baby) male or female?)

value label	Total
.	INAPPLICABLE 20486
1	Male 2
2	Female 4
Total 20492	

Universe : Applicable if pregnancy ended in more than 2 liveborn babies (bornaliv > 2)

BIRTHWGT_LB3(64-64)

Variable Type : Raw

BD-3 : How much did (BABY'S NAME/this 3rd baby) weigh at birth? (POUNDS)

value	label	Total
.	INAPPLICABLE	20486
0-5	UNDER 6 POUNDS	6
	Total	20492

Universe : Applicable if pregnancy ended in more than 2 liveborn babies (bornaliv > 2)

BIRTHWGT_OZ3(65-66)

Variable Type : Raw

BD-3 : How much did (BABY'S NAME/this 3rd baby) weigh at birth? (OUNCES)

value	label	Total
.	INAPPLICABLE	20486
0-15	0-15 OUNCES	6
	Total	20492

Universe : Applicable if pregnancy ended in more than 2 liveborn babies (bornaliv > 2) and R did not say "don't know" or "refused" on the pounds question (BD-3 BIRTHWGT_LB3 NE DK/RF)

LOBTHWGT3(67-67)

Variable Type : Raw

BD-4 : Did (she/he) weigh 5 1/2 pounds or more, or less than 5 1/2 pounds? (3rd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	20492
	Total	20492

Universe : Applicable if R did not know or refused to answer the baby's birthweight (BD-3 BIRTHWGT_LB3 = DK/RF or (BIRTHWGT_LB3 < 6 and BIRTHWGT_OZ3 = DK/RF)

BABYDOB_M(68-69)

Variable Type : Raw

BD-5 : In what month and year ((was she/was he/were the [twins/triplets]) born)/did this pregnancy end)?

value	label	Total
.	INAPPLICABLE	6206
1-12	January - December	14259
13	Winter	2
15	Summer	5
16	Fall	2
98	Refused	7
99	Don't know	11
	Total	20492

Universe : Applicable if pregnancy resulted in live birth (prgoutcome = 1)

BABYDOB_Y(70-73)

Variable Type : Raw

BD-5 : In what month and year ((was she/was he/were the [twins/triplets]) born)/did this pregnancy end)?

value	label	Total
.	INAPPLICABLE	6206
1919-2010	1919-2010	14270
9998	Refused	6

9999	Don't know	10
	Total	20492

Universe : Applicable if pregnancy resulted in live birth (prgoutcome = 1)

cmbabdob(74-77)

Variable Type : Computed

Description : Century Month for baby's or babies' date of birth (delivery date) (computed in Flow Check B-19b)

value	label	Total
.	INAPPLICABLE	6206
522-1278	BEFORE JULY 2006	12419
1279-1290	JULY 2006-JUNE 2007	816
1291-1308	JULY 2007-DEC 2008	813
1309-1326	JAN 2009-JUN 2010	222
9998	Refused	6
9999	Don't know	10
	Total	20492

Universe : Applicable if pregnancy resulted in live birth (prgoutcome = 1)

Notes : use recode DATEND

kidage(78-80)

Variable Type : Computed

Description : Current Age (in months) of R's child(ren) from this pregnancy (computed in Flow Check B-19b)

value	label	Total
.	INAPPLICABLE	6222
0-994	0-994	14270
	Total	20492

Universe : Applicable if pregnancy resulted in live birth (prgoutcome = 1) and bpa_bdscheck1 = 0.

HPAGELB(81-82)

Variable Type : Raw

BD-6 : Asked in Years 1 and 2: How old was the father when (he/she/the [twins/triplets]) (was/were) born?
 Asked starting in Year 3: How old was the father when (BABY'S NAME/the [twins/triplets]) (was/were) born?

value	label	Total
.	INAPPLICABLE	6206
LOW-19	UNDER 20 YEARS	1388
20-24	20-24 YEARS	3817
25-29	25-29 YEARS	3814
30-44	30-44 YEARS	4807
45-95	45 YEARS OR OLDER	283
98	Refused	8
99	Don't know	169
	Total	20492

Universe : Applicable if pregnancy resulted in live birth (prgoutcome = 1)

BIRTHPLC(83-83)

Variable Type : Raw

BD-7 : Where did you give birth? Was it in a hospital, in a birthing center, in your home, or some other place?

value	label	Total
.	INAPPLICABLE	15502
1	In a hospital	4884
2	In a birthing center	72
3	In your home	22
4	Some other place	11
9	Don't know	1
	Total	20492

Universe : Applicable if pregnancy resulted in live birth (prgoutcome = 1) and delivery occurred on or after January [YEAR OF INTERVIEW - 5] (cmbabdob GE cmjan5yr)

PAYBIRTH1(84-84)

Variable Type : Raw

BD-8 : When ([BABY'S NAME] was born/your [twins/triplets] were born,) in which of the ways on Card 16 was the delivery bill paid? (1st mention)

value	label	Total
.	INAPPLICABLE	15502
1	Insurance	2190
2	Co-payment or out-of-pocket payment	147
3	Medicaid	2542
4	No payment required	47
5	Some other way	54
9	Don't know	10
	Total	20492

Universe : Applicable if pregnancy resulted in live birth (prgoutcome = 1) and delivery occurred in or after January [YEAR OF INTERVIEW - 5] (cmbabdob GE cmjan5yr)

Notes : use recode PAYDELIV

PAYBIRTH2(85-85)

Variable Type : Raw

BD-8 : When ([BABY'S NAME] was born/your [twins/triplets] were born,) in which of the ways on Card 16 was the delivery bill paid? (2nd mention)

value	label	Total
.	INAPPLICABLE	19234
1	Insurance	47
2	Co-payment or out-of-pocket payment	1057
3	Medicaid	140
5	Some other way	14
	Total	20492

Universe : Applicable if more than 1 form of payment reported for this delivery (see BD-8 PAYBIRTH1)

Notes : use recode PAYDELIV

PAYBIRTH3(86-86)

Variable Type : Raw

BD-8 : When ([BABY'S NAME] was born/your [twins/triplets] were born,) in which of the ways on Card 16 was the delivery bill paid? (3rd mention)

value	label	Total
.	INAPPLICABLE	20467
1	Insurance	1
2	Co-payment or out-of-pocket payment	7
3	Medicaid	12
5	Some other way	5
	Total	20492

Universe : Applicable if more than 2 forms of payment reported for this delivery (see BD-8 PAYBIRTH1)

Notes : use recode PAYDELIV

PAYBIRTH4(87-87)

Variable Type : Raw

BD-8 : When ([BABY'S NAME] was born/your [twins/triplets] were born,) in which of the ways on Card 16 was the delivery bill paid? (4th mention)

value	label	Total
.	INAPPLICABLE	20489
5	Some other way	3
	Total	20492

Universe : Applicable if more than 3 forms of payment reported for this delivery (see BD-8 PAYBIRTH1)

Notes : use recode PAYDELIV

CSECPRIM(88-88)

Variable Type : Raw

BD-9 : Was this your first cesarean delivery, or had you had one before this?

value	label	Total
.	INAPPLICABLE	19514
1	Yes	571
5	No	407
	Total	20492

Universe : Applicable if QuestYear >= 2 and if only pregnancy outcome was cesarean delivery (BC-1 PREGEND1 and PREGEND2 and PREGEND3 only includes code 5) and R has not already reported on her first cesarean delivery (PRIMVAR NE 1)

CSECMED1(89-89)

Variable Type : Raw

BD-10 : Please look at Card 16b. Which of these medical reasons, if any, were there for this cesarean delivery? (1st MENTION)

value	label	Total
.	INAPPLICABLE	19921
1	Labor was taking too long	131
2	Maternity care provider concerned that baby was too big	45
3	Baby was in the wrong position (e.g. breech)	115
4	Maternity care provider concerned about your health	75
5	Maternity care provider concerned about your baby's health	107
6	Some other medical reason	91
7	There was no medical reason	6
9	Don't know	1

Total

20492

Universe : Applicable if QuestYear >= 2 and if this is R's first cesarean delivery (BD-9 CSECPRIM = 1) and R has not already reported on her first cesarean delivery (PRIMVAR NE 1)

CSECMED2(90-90)

Variable Type : Raw

BD-10 : Please look at Card 16b. Which of these medical reasons, if any, were there for this cesarean delivery? (2nd MENTION)

value	label	Total
.	INAPPLICABLE	20307
1	Labor was taking too long	16
2	Maternity care provider concerned that baby was too big	22
3	Baby was in the wrong position (e.g, breech)	16
4	Maternity care provider concerned about your health	29
5	Maternity care provider concerned about your baby's health	74
6	Some other medical reason	28
Total		20492

Universe : Applicable if R reported more than 1 medical reason for her first cesarean delivery (see BD-10 CSECMED1)

CSECMED3(91-91)

Variable Type : Raw

BD-10 : Please look at Card 16b. Which of these medical reasons, if any, were there for this cesarean delivery? (3rd MENTION)

value	label	Total
.	INAPPLICABLE	20438
2	Maternity care provider concerned that baby was too big	1
3	Baby was in the wrong position (e.g, breech)	4
4	Maternity care provider concerned about your health	11
5	Maternity care provider concerned about your baby's health	26
6	Some other medical reason	12
Total		20492

Universe : Applicable if R reported more than 2 medical reasons for her first cesarean delivery (see BD-10 CSECMED1)

CSECMED4(92-92)

Variable Type : Raw

BD-10 : Please look at Card 16b. Which of these medical reasons, if any, were there for this cesarean delivery? (4th MENTION)

value	label	Total
.	INAPPLICABLE	20482
3	Baby was in the wrong position (e.g, breech)	1
4	Maternity care provider concerned about your health	1
5	Maternity care provider concerned about your baby's health	5
6	Some other medical reason	3
Total		20492

Universe : Applicable if R reported more than 3 medical reasons for her first cesarean delivery (see BD-10 CSECMED1)

CSECMED5(93-93)

Variable Type : Raw

BD-10 : Please look at Card 16b. Which of these medical reasons, if any, were there for this cesarean delivery? (5th MENTION)

value	label	Total
.	INAPPLICABLE	20491
5	Maternity care provider concerned about your baby's health	1
Total		20492

Universe : Applicable if R reported more than 4 medical reasons for her first cesarean delivery (see BD-10 CSECMED1)

CSECPLAN(94-94)

Variable Type : Raw

BD-11 : Was this cesarean the result of your own idea to have a planned cesarean before labor began?

value	label	Total
.	INAPPLICABLE	20479
1	Yes	4
5	No	9
Total		20492

Universe : Applicable if R reported no medical reason for her first cesarean delivery (BD-10 CSECMED1 = 7)

KNEWPREG(95-96)

Variable Type : Raw

BE-1 : How many weeks pregnant were you when you learned that you were pregnant this (nth) time?

value	label	Total
.	INAPPLICABLE	14126
0-13	13 WEEKS OR LESS	6024
14-26	14-26 WEEKS	252
27-50	27 WEEKS OR LONGER	18
98	Refused	1
99	Don't know	71
Total		20492

Universe : Applicable if this is a completed pregnancy ending in or after January [YEAR OF INTERVIEW - 5] (either cmbabdob or cmotpreg GE cmjan5yr) and it did not end in induced abortion (BC-1 PREGEND1 and PREGEND2 and PREGEND3 did not include code 3) and not all liveborn babies from this pregnancy were placed for adoption (not all BPA_BDScheck1 - 3 = 1)

TRIMESTR(97-97)

Variable Type : Raw

BE-2a : Was it less than 3 months, at least 3 months but less than 6 months, or six or more months?

value	label	Total
.	INAPPLICABLE	20459
1	Less than 3 months,	16
2	At least 3 months, but less than 6 months	4
3	6 months or more	1
9	Don't know	12
Total		20492

Universe : Applicable if R did not know or refused to answer when she learned she was pregnant (BE-1 KNEWPREG = DK/RF) and gestational length was 6 months or longer (mosgest GE 6)

LTRIMEST(98-98)

Variable Type : Raw

BE-2b : Was it less than 3 months or 3 months or more?

value	label	Total
.	INAPPLICABLE	20488
1	Less than 3 months	1
2	3 months or more	2
9	Don't know	1
Total		20492

Universe : Applicable if R did not know or refused to answer when she learned she was pregnant (BE-1 KNEWPREG = DK/RF) and gestational length was between 3 and 6 months (3 LE mosgest LT 6)

PRIORSMK(99-99)

Variable Type : Raw

BE-3 : Please look at Card 17. In the 6 months before you found out you were pregnant this (nth) time, how many cigarettes did you smoke a day, on the average?

value	label	Total
.	INAPPLICABLE	14126
0	None	4611
1	About one cigarette a day or less	162
2	Just a few cigarettes a day (2-4)	377
3	About half a pack a day (5-14)	676
4	About a pack a day (15-24)	443
5	About 1 1/2 packs a day (25-34)	69
6	About 2 packs a day (35-44)	17
7	More than 2 packs a day (45 or more)	10
8	Refused	1
Total		20492

Universe : Applicable if this is a completed pregnancy ending in or after January [YEAR OF INTERVIEW - 5] (either cmbabdob or cmtpreg GE cmjan5yr) and it did not end in induced abortion (BC-1 PREGEND1 and PREGEND2 and PREGEND3 did not include code 3) and not all liveborn babies from this pregnancy were placed for adoption (not all BPA_BDScheck1 - 3 = 1)

POSTSMKS(100-100)

Variable Type : Raw

BE-4 : After you found out you were pregnant this (nth) time, did you smoke cigarettes at all during the pregnancy?

value	label	Total
.	INAPPLICABLE	14126
1	Yes	905
5	No	5456
8	Refused	1
9	Don't know	4
Total		20492

Universe : Applicable if this is a completed pregnancy ending in or after January [YEAR OF INTERVIEW - 5] (either cmbabdob or cmtpreg GE cmjan5yr) and it did not end in induced abortion (BC-1 PREGEND1 and PREGEND2 and PREGEND3 did not include code 3) and not all liveborn babies from this pregnancy were placed

for adoption (not all BPA_BDScheck1 - 3 = 1)

NPOSTSMK(101-101)

Variable Type : Raw

BE-5 : Looking at Card 18, on the average, how many cigarettes did you smoke per day after you found out that you were pregnant this (nth) time?

value	label	Total
.	INAPPLICABLE	19587
1	About one cigarette a day or less	133
2	Just a few cigarettes a day (2-4)	316
3	About half a pack a day (5-14)	283
4	About a pack a day (15-24)	141
5	About 1 1/2 packs a day (25-34)	21
6	About 2 packs a day (35-44)	6
7	More than 2 packs a day (45 or more)	3
8	Refused	1
9	Don't know	1
	Total	20492

Universe : Applicable if R reported any cigarette smoking during this pregnancy (BE-4 POSTSMKS = 1)

GETPRENA(102-102)

Variable Type : Raw

BE-6 : During this (nth) pregnancy, did you ever visit a doctor or other medical care provider for prenatal care, that is, for one or more pregnancy check-ups?

value	label	Total
.	INAPPLICABLE	14126
1	Yes	5686
5	No	672
8	Refused	1
9	Don't know	7
	Total	20492

Universe : Applicable if this is a completed pregnancy ending in or after January [YEAR OF INTERVIEW - 5] (either cmbabdob or cmotpreg GE cmjan5yr) and it did not end in induced abortion (BC-1 PREGEND1 and PREGEND2 and PREGEND3 did not include code 3) and not all liveborn babies from this pregnancy were placed for adoption (not all BPA_BDScheck1 - 3 = 1)

Notes : use recode PNCAREWK

BGNPRENA(103-104)

Variable Type : Raw

BE-7 : How many weeks pregnant were you at the time of your first prenatal care visit?

value	label	Total
.	INAPPLICABLE	14806
0-13	13 WEEKS OR LESS	5102
14-26	14-26 WEEKS	510
27-50	27 WEEKS OR LONGER	33
99	Don't know	41
	Total	20492

Universe : Applicable if R reported any prenatal care during this pregnancy (BE-6 GETPRENA = 1)

Notes : use recode PNCAREWK

PNCTRIM(105-105)

Variable Type : Raw

BE-8a : Was it less than 3 months, at least 3 months but less than 6 months, or 6 or more months?

value	label	Total
.	INAPPLICABLE	20465
1	Less than 3 months,	17
2	At least 3 months , but less than 6 months	4
3	6 or more months	2
9	Don't know	4
	Total	20492

Universe : Applicable if R did not know or refused to answer when she began prenatal care (BE-7 BGNPRENA = DK/RF) and gestational length was 6 months or longer (mosgest GE 6)

Notes : use recode PNCAREWK

LPNCTRI (106-106)

Variable Type : Raw

BE-8b : Was it less than 3 months or 3 months or more?

value	label	Total
.	INAPPLICABLE	20478
1	Less than 3 months	10
9	Don't know	4
	Total	20492

Universe : Applicable if R did not know or refused to answer when she began prenatal care (BE-7 BGNPRENA = DK/RF) and gestational length was between 3 and 6 months (3 LE mosgest LT 6)

Notes : use recode PNCAREWK

WORKPREG(107-107)

Variable Type : Raw

BF-1 : At any time while you were pregnant with ([BABY'S NAME]/this baby/your [twins/triplets]), were you employed at a job for pay?

value	label	Total
.	INAPPLICABLE	15507
1	Yes	3088
5	No	1882
6	R volunteers she worked during pregnancy, but quit job before delivery	13
9	Don't know	2
	Total	20492

Universe : Applicable if pregnancy resulted in live birth (prgoutcome = 1) and delivery occurred in or after January [YEAR OF INTERVIEW - 5] (cmbabdob GE cmjan5yr) and at least 1 baby from this delivery was named and not placed for adoption (at least 1 value of BPA_BDSCheck1 - 3 = 0)

WORKBORN(108-108)

Variable Type : Raw

BF-2 : Maternity leave is any leave, paid or unpaid, due to pregnancy and childbirth that a woman takes from a job to which she expects to return, at least when she starts the leave. Did you ever take maternity leave, paid

or unpaid, from a job you held when you were pregnant with ([BABY'S NAME]/this baby/your[twins/triplets])?

value	label	Total
.	INAPPLICABLE	17404
1	Yes	1971
5	No	1116
9	Don't know	1
	Total	20492

Universe : Applicable if R reported working at all during this pregnancy (BF-1 WORKPREG = 1)

Notes : use recode MATERNLV

DIDWORK(109-109)

Variable Type : Raw

BF-3 : Was this because you did not need to take maternity leave, you were not offered or allowed to take leave, or for some other reason?

value	label	Total
.	INAPPLICABLE	19375
1	Did not need to take maternity leave	193
2	Were not offered or allowed to take maternity leave	238
3	Some other reason	686
	Total	20492

Universe : Applicable if R did not take maternity leave with this pregnancy or responded DK/RF on this question (BF-2 WORKBORN = 5, DK or RF)

Notes : use recode MATERNLV

MATWEEKS(110-111)

Variable Type : Raw

BF-4 : In total, how many weeks of maternity leave, paid or unpaid, did you take?

value	label	Total
.	INAPPLICABLE	18521
0-13	13 WEEKS OR LESS	1648
14-95	14 WEEKS OR LONGER	311
99	Don't know	12
	Total	20492

Universe : Applicable if R took maternity leave with this pregnancy (BF-2 WORKBORN = 1)

WEEKSDK(112-112)

Variable Type : Raw

BF-5 : Did you take 4 weeks or less or longer than 4 weeks?

value	label	Total
.	INAPPLICABLE	20480
1	4 weeks or less	3
2	Longer than 4 weeks	8
9	Don't know	1
	Total	20492

Universe : Applicable if R did not know or refused to answer how many weeks of maternity leave she took for this pregnancy (BF-4 MATWEEKS = DK/RF)

MATLEAVE(113-114)

Variable Type : Raw

BF-6 : Some women receive pay from their jobs during their maternity leave, through vacation pay, sick pay, maternity benefits, and other kinds of paid leave. In total, how many weeks of paid leave did you receive from your job while you were on maternity leave?

value	label	Total
.	INAPPLICABLE	18521
0-13	13 WEEKS OR LESS	1877
14-95	14 WEEKS OR LONGER	90
99	Don't know	4
	Total	20492

Universe : Applicable if R took maternity leave with this pregnancy (BF-2 WORKBORN = 1)

LIVEHERE1(115-115)

Variable Type : Raw

BG-1 : Earlier I don't think you mentioned (BABY'S NAME) when you told me who lives with you. Does (BABY'S NAME) still live with you? (1st child from this pregnancy)

value	label	Total
.	INAPPLICABLE	16352
1	Yes	3017
5	No	1123
	Total	20492

Universe : Applicable if 1st liveborn child from this pregnancy did not match any biological child reported in the household roster (no NAME[X] with RELAR[X]=3 from household roster matches BABYNAME1)

Notes : see recode LIVCHILD

ALIVENOW1(116-116)

Variable Type : Raw

BG-2 : Is (she/he) still living? (1st child from this pregnancy)

value	label	Total
.	INAPPLICABLE	19369
1	Yes	982
5	No	134
9	Don't know	7
	Total	20492

Universe : Applicable if child not living with R (BG-1 LIVEHERE1 = 5/DK/RF)

WHENDIED_M1(117-118)

Variable Type : Raw

BG-3 : When did (BABY'S NAME) die? (1st child from this pregnancy; MONTH)

value	label	Total
.	INAPPLICABLE	20358
1-12	January - December	130
15	Summer	2
99	Don't know	2
	Total	20492

Universe : Applicable if child died (BG-2 ALIVENOW1 = 5)

WHENDIED_Y1(119-122)

Variable Type : Raw

BG-3 : When did (BABY'S NAME) die? (1st child from this pregnancy; YEAR)

value	label	Total
.	INAPPLICABLE	20358
1919-2010	1919-2010	134
	Total	20492

Universe : Applicable if child died (BG-2 ALIVENOW1 = 5)

cmkidied1(123-126)

Variable Type : Computed

Description : Century Month for child's date of death - 1st from this pregnancy (computed in Flow Check B-35)

value	label	Total
.	INAPPLICABLE	20358
522-1278	BEFORE JULY 2006	117
1279-1290	JULY 2006-JUNE 2007	8
1291-1308	JULY 2007-DEC 2008	7
1309-1326	JAN 2009-JUN 2010	2
	Total	20492

Universe : Applicable if child died (BG-2 ALIVENOW1 = 5)

WHENLEFT_M1(127-128)

Variable Type : Raw

BG-4 : When did (BABY'S NAME) stop living with you? (1st child from this pregnancy; MONTH)

value	label	Total
.	INAPPLICABLE	19503
1-12	January - December	854
13	Winter	13
14	Spring	11
15	Summer	44
16	Fall	9
98	Refused	2
99	Don't know	56
	Total	20492

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW1 = 1/DK/RF)

WHENLEFT_Y1(129-132)

Variable Type : Raw

BG-4 : When did (BABY'S NAME) stop living with you? (1st child from this pregnancy; YEAR)

value	label	Total
.	INAPPLICABLE	19503
1919-2010	1919-2010	964
9998	Refused	2
9999	Don't know	23
	Total	20492

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW1 = 1/DK/RF)

cmkidlft1(133-136)

Variable Type : Computed

Description : Century Month for date child's stopped living w/R - 1st from this pregnancy (computed in Flow Check B-36)

value	label	Total
.	INAPPLICABLE	19503
522-1278	BEFORE JULY 2006	651
1279-1290	JULY 2006-JUNE 2007	133
1291-1308	JULY 2007-DEC 2008	113
1309-1326	JAN 2009-JUN 2010	67
9998	Refused	2
9999	Don't know	23
	Total	20492

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW1 = 1/DK/RF)

lastage1(137-139)

Variable Type : Computed

Description : Age (in months) when child last lived w/R-1st from this pregnancy (computed in Flow Check B-38)

value	label	Total
.	INAPPLICABLE	19394
0-994	0-994	1094
997	Not Ascertained	4
	Total	20492

Universe : Applicable if child no longer lives with R (BG-1 LIVEHERE1 = 5/DK/RF)

WHERE NOW1(140-140)

Variable Type : Raw

BG-5 : Please look at Card 19. Where does (BABY'S NAME) now live? (1st child from this pregnancy)

value	label	Total
.	INAPPLICABLE	19503
1	With biological father	360
2	With other relatives	371
3	With adoptive family	111
4	Away at school/college	14
5	Living on own	52
6	Other	74
9	Don't know	7
	Total	20492

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW1 = 1/DK/RF)

Notes : see recode LIVCHILD

LEGAGREE1(141-141)

Variable Type : Raw

BG-6 : Do you and (BABY'S NAME)'s father have a legal agreement about (BABY'S NAME) regarding

child's support, alimony, custody, visitation, or where the child lives? (1st child from this pregnancy)

value	label	Total
.	INAPPLICABLE	20132
1	Yes	240
5	No	119
9	Don't know	1
Total		20492

Universe : Applicable if child lives with biological father (BG-5 WHERE NOW1 = 1)

PARENEND1(142-142)

Variable Type : Raw

BG-7 : Are you still the legal mother of (BABY'S NAME)? (1st child from this pregnancy)

value	label	Total
.	INAPPLICABLE	19628
1	Yes	787
5	No	75
8	Refused	1
9	Don't know	1
Total		20492

Universe : Applicable if child lives with biological father, other relatives, on own, or somewhere else, or if R did not know or refused to answer where child lives (BG-5 WHERE NOW1 = 1, 2, 5, 6, DK, or RF)

ANYNURSE1(143-143)

Variable Type : Raw

BH-1 : (When (BABY'S NAME) was an infant,) (Have/did) you breastfeed (him/her) at all? (1st child from this pregnancy)

value	label	Total
.	INAPPLICABLE	7695
1	Yes	7961
5	No	4835
8	Refused	1
Total		20492

Universe : Applicable if pregnancy resulted in live birth (prgoutcome = 1), child lived with R for at least 2 months (lastage1 GE 2), and child is currently 18 years or younger (kidage LT 228)

Notes : use recode BFEEDWKS

FEDSOLID1(144-144)

Variable Type : Raw

BH-2 : Besides breastmilk, babies are sometimes given formula, baby food, or other liquid or solid foods. (Did you feed/Have you fed) [BABY'S NAME] something other than breast milk yet? (1st child from this pregnancy)

value	label	Total
.	INAPPLICABLE	19909
1	Yes	507
5	No	76
Total		20492

Universe : Applicable if child is younger than 1 year (lastage1 = blank and kidage < 12) or child stopped living with R at age younger than 1 year (lastage1 < 12 and kidage < 12)

FRSTEATD_N1(145-147)

Variable Type : Raw

BH-3 : How old was (she/he) when you first fed (her/him) something other than breast milk? (1st child from this pregnancy; NUMBER)

value	label	Total
.	INAPPLICABLE	12607
0-994	0-994	7878
999	Don't know	7
	Total	20492

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE1 = 1) and child was ever fed something other than breastmilk (BH-2 FEDSOLID1 = blank or 1)

FRSTEATD_P1(148-148)

Variable Type : Raw

BH-3 : How old was (she/he) when you first fed (her/him) something other than breast milk? (1st child from this pregnancy; UNITS)

value	label	Total
.	INAPPLICABLE	12614
1	Months	5254
2	Weeks	1385
3	Days	1239
	Total	20492

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE1 = 1) and child was ever fed something other than breastmilk (BH-2 FEDSOLID1 = blank or 1)

FRSTEATD1(149-150)

Variable Type : Raw

Description : Age (in months) when 1st supplemented - 1st from this preg (computed in Flow Check B-39b)

value	label	Total
.	INAPPLICABLE	12614
0	LESS THAN 1 MONTH	1917
1	1 MONTH	1089
2	2 MONTHS	687
3	3 MONTHS	1075
4	4 MONTHS	1042
5	5 MONTHS	468
6	6 MONTHS	994
7-95	7 OR MORE MONTHS	606
	Total	20492

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE1 = 1) and child was ever fed something other than breastmilk (BH-2 FEDSOLID1 = blank or 1)

QUITNURS1(151-151)

Variable Type : Raw

BH-4 : (Have/Had) you stopped breast-feeding (her/him) altogether? (1st child from this pregnancy)

value	label	Total
.	INAPPLICABLE	19268

1	Yes	958
5	No	266
Total		20492

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE1 = 1), child was ever fed something other than breastmilk (BH-2 FEDSOLID1 = blank or 1), and child is either 2 years or younger or last lived with R at age 2 years or younger (lastage1 LE 24 or (lastage1 = blank and kidage LE 24))

Notes : use recode BFEEDWKS

AGEQTNUR_N1(152-154)

Variable Type : Raw

BH-5 : How old was (she/he) when you stopped breast-feeding (her/him) altogether? (1st child from this pregnancy; NUMBER)

value	label	Total
.	INAPPLICABLE	12873
0-994	0-994	7608
996	Still breastfeeding this child	8
998	Refused	1
999	Don't know	2
Total		20492

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE1 = 1) and R has stopped breastfeeding child altogether (BH-4 QUITNURS1 = blank or 1)

Notes : use recode BFEEDWKS

AGEQTNUR_P1(155-155)

Variable Type : Raw

BH-5 : How old was (she/he) when you stopped breast-feeding (her/him) altogether? (1st child from this pregnancy; UNITS)

value	label	Total
.	INAPPLICABLE	12884
1	Months	6194
2	Weeks	1189
3	Days	225
Total		20492

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE1 = 1) and R has stopped breastfeeding child altogether (BH-4 QUITNURS1 = blank or 1)

Notes : use recode BFEEDWKS

AGEQTNUR1(156-157)

Variable Type : Raw

Description : Age (in months) when R stopped nursing child - 1st from this preg (computed in Flow Check B-40_1)

value	label	Total
.	INAPPLICABLE	12884
0	LESS THAN 1 MONTH OLD	658
1	1 MONTH OLD	950
2	2 MONTHS OLD	629
3	3 MONTHS OLD	786

4-6	4-6 MONTHS OLD	1604
7-12	7-12 MONTHS OLD	1976
13-24	13-24 MONTHS OLD	867
25-95	25 MONTHS OR OLDER	138
Total		20492

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE1 = 1) and R has stopped breastfeeding child altogether (BH-4 QUITNURS1 = blank or 1)

Notes : use recode BFEEDWKS

LIVEHERE2(158-158)

Variable Type : Raw

BG-1 : Earlier I don't think you mentioned (BABY'S NAME) when you told me who lives with you. Does (BABY'S NAME) still live with you? (2nd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	20424
1	Yes	45
5	No	23
Total		20492

Universe : Applicable if 2nd liveborn child from this pregnancy did not match any biological child reported in the household roster (no NAME[X] with RELAR[X]=3 from household roster matches BABYNAME2)

ALIVENOW2(159-159)

Variable Type : Raw

BG-2 : Is (she/he) still living? (2nd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	20469
1	Yes	12
5	No	11
Total		20492

Universe : Applicable if child not living with R (BG-1 LIVEHERE2 = 5/DK/RF)

WHENDIED_M2(160-161)

Variable Type : Raw

BG-3 : When did (BABY'S NAME) die? (2nd child from this pregnancy; MONTH)

value	label	Total
.	INAPPLICABLE	20481
1-12	January - December	11
Total		20492

Universe : Applicable if child died (BG-2 ALIVENOW2 = 5)

WHENDIED_Y2(162-165)

Variable Type : Raw

BG-3 : When did (BABY'S NAME) die? (2nd child from this pregnancy; YEAR)

value	label	Total
.	INAPPLICABLE	20481

1919-2010	1919-2010	11
Total		20492

Universe : Applicable if child died (BG-2 ALIVENOW2 = 5)

cmkidied2(166-169)

Variable Type : Computed

Description : Century Month for child's date of death - 2nd from this pregnancy (computed in Flow Check B-35)

value	label	Total
.	INAPPLICABLE	20481
522-1278	BEFORE JULY 2006	9
1279-1290	JULY 2006-JUNE 2007	2
Total		20492

Universe : Applicable if child died (BG-2 ALIVENOW2 = 5)

WHENLEFT_M2(170-171)

Variable Type : Raw

BG-4 : When did (BABY'S NAME) stop living with you? (2nd child from this pregnancy; MONTH)

value	label	Total
.	INAPPLICABLE	20480
1-12	January - December	11
15	Summer	1
Total		20492

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW2 = 1/DK/RF)

WHENLEFT_Y2(172-175)

Variable Type : Raw

BG-4 : When did (BABY'S NAME) stop living with you? (2nd child from this pregnancy; YEAR)

value	label	Total
.	INAPPLICABLE	20480
1919-2010	1919-2010	12
Total		20492

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW2 = 1/DK/RF)

cmkidlft2(176-179)

Variable Type : Computed

Description : Century Month for date child's stopped living w/R - 2nd from this pregnancy (computed in Flow Check B-36)

value	label	Total
.	INAPPLICABLE	20480
522-1278	BEFORE JULY 2006	9
1279-1290	JULY 2006-JUNE 2007	2
1291-1308	JULY 2007-DEC 2008	1
Total		20492

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW2 = 1/DK/RF)

lastage2(180-182)

Variable Type : Computed

Description : Age (in months) when child last lived w/R-2nd from this pregnancy (computed in Flow Check B-38)

value	label	Total
.	INAPPLICABLE	20470
0-994	0-994	20
997	Not Ascertained	2
Total		20492

Universe : Applicable if child no longer lives with R (BG-1 LIVEHERE2 = 5/DK/RF)

WHEREHOW2(183-183)

Variable Type : Raw

BG-5 : Please look at Card 19. Where does (BABY'S NAME) now live? (2nd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	20480
1	With biological father	2
2	With other relatives	6
3	With adoptive family	3
6	Other	1
Total		20492

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW2 = 1/DK/RF)

LEGAGREE2(184-184)

Variable Type : Raw

BG-6 : Do you and (BABY'S NAME)'s father have a legal agreement about (BABY'S NAME) regarding child's support, alimony, custody, visitation, or where the child lives? (2nd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	20490
5	No	1
9	Don't know	1
Total		20492

Universe : Applicable if child lives with biological father (BG-5 WHEREHOW2 = 1)

PARENEND2(185-185)

Variable Type : Raw

BG-7 : Are you still the legal mother of (BABY'S NAME)? (2nd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	20483
1	Yes	6
5	No	3
Total		20492

Universe : Applicable if child lives with biological father, other relatives, on own, or somewhere else, or if R did not know or refused to answer where child lives (BG-5 WHEREHOW2 = 1, 2, 5, 6, DK, or RF)

ANYNURSE2(186-186)

Variable Type : Raw

BH-1 : (When (BABY'S NAME) was an infant,) (Have/did) you breastfeed (him/her) at all? (2nd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	20310
1	Yes	109
5	No	73
	Total	20492

Universe : Applicable if pregnancy resulted in more than 1 liveborn baby (bornaliv > 2), child lived with R for at least 2 months (lastage2 GE 2), and child is currently 18 years or younger (kidage LT 228)

FEDSOLID2(187-187)

Variable Type : Raw

BH-2 : Besides breastmilk, babies are sometimes given formula, baby food, or other liquid or solid foods. (Did you feed/Have you fed) [BABY'S NAME] something other than breast milk yet? (2nd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	20479
1	Yes	11
5	No	2
	Total	20492

Universe : Applicable if child is younger than 1 year (lastage2 = blank and kidage < 12) or child stopped living with R at age younger than 1 year (lastage2 < 12 and kidage < 12)

FRSTEATD_N2(188-188)

Variable Type : Raw

BH-3 : How old was (she/he) when you first fed (her/him) something other than breast milk? (2nd child from this pregnancy; NUMBER)

value	label	Total
.	INAPPLICABLE	20385
0-994	0-994	107
	Total	20492

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE2 = 1) and child was ever fed something other than breastmilk (BH-2 FEDSOLID2 = blank or 1)

FRSTEATD_P2(189-189)

Variable Type : Raw

BH-3 : How old was (she/he) when you first fed (her/him) something other than breast milk? (2nd child from this pregnancy; UNITS)

value	label	Total
.	INAPPLICABLE	20385
1	Months	57
2	Weeks	21
3	Days	29
	Total	20492

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE2 = 1) and child was ever fed something other than breastmilk (BH-2 FEDSOLID2 = blank or 1)

FRSTEATD2(190-190)

Variable Type : Raw

Description : Age (in months) when 2nd supplemented - 2nd from this preg (computed in Flow Check B-39b)

value	label	Total
.	INAPPLICABLE	20385
0	LESS THAN 1 MONTH	41
1	1 MONTH	16
2	2 MONTHS	16
3	3 MONTHS	7
4	4 MONTHS	8
5	5 MONTHS	8
6	6 MONTHS	6
7-95	7 OR MORE MONTHS	5
Total		20492

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE2 = 1) and child was ever fed something other than breastmilk (BH-2 FEDSOLID2 = blank or 1)

QUITNURS2(191-191)

Variable Type : Raw

BH-4 : (Have/Had) you stopped breast-feeding (her/him) altogether? (2nd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	20462
1	Yes	27
5	No	3
Total		20492

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE2 = 1), child was ever fed something other than breastmilk (BH-2 FEDSOLID2 = blank or 1), and child is either 2 years or younger or last lived with R at age 2 years or younger (lastage2 LE 24 or (lastage2 = blank and kidage LE 24))

AGEQTNUR_N2(192-193)

Variable Type : Raw

BH-5 : How old was (she/he) when you stopped breast-feeding (her/him) altogether? (2nd child from this pregnancy; NUMBER)

value	label	Total
.	INAPPLICABLE	20388
0-994	0-994	104
Total		20492

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE2 = 1) and R has stopped breastfeeding child altogether (BH-4 QUITNURS2 = blank or 1)

AGEQTNUR_P2(194-194)

Variable Type : Raw

BH-5 : How old was (she/he) when you stopped breast-feeding (her/him) altogether? (2nd child from this pregnancy; UNITS)

value	label	Total
.	INAPPLICABLE	20388
1	Months	77

2	Weeks	25
3	Days	2
Total		20492

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE2 = 1) and R has stopped breastfeeding child altogether (BH-4 QUITNURS2 = blank or 1)

AGEQTNUR2(195-196)

Variable Type : Raw

Description : Age (in months) when R stopped nursing child - 2nd from this preg (computed in Flow Check B-40_1)

value	label	Total
.	INAPPLICABLE	20388
0	LESS THAN 1 MONTH OLD	11
1	1 MONTH OLD	18
2	2 MONTHS OLD	16
3	3 MONTHS OLD	15
4-6	4-6 MONTHS OLD	20
7-12	7-12 MONTHS OLD	19
13-24	13-24 MONTHS OLD	4
25-95	25 MONTHS OR OLDER	1
Total		20492

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE2 = 1) and R has stopped breastfeeding child altogether (BH-4 QUITNURS2 = blank or 1)

LIVEHERE3(197-197)

Variable Type : Raw

BG-1 : Earlier I don't think you mentioned (BABY'S NAME) when you told me who lives with you. Does (BABY'S NAME) still live with you? (3rd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	20489
1	Yes	2
5	No	1
Total		20492

Universe : Applicable if 3rd liveborn child from this pregnancy did not match any biological child reported in the household roster (no NAME[X] with RELAR[X]=3 from household roster matches BABYNAME3)

ALIVENOW3(198-198)

Variable Type : Raw

BG-2 : Is (she/he) still living? (3rd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	20491
5	No	1
Total		20492

Universe : Applicable if child not living with R (BG-1 LIVEHERE3 = 5/DK/RF)

WHENDIED_M3(199-199)

Variable Type : Raw

BG-3 : When did (BABY'S NAME) die? (3rd child from this pregnancy; MONTH)

value	label	Total
.	INAPPLICABLE	20491
1-12	January - December	1
	Total	20492

Universe : Applicable if child died (BG-2 ALIVENOW3 = 5)

WHENDIED_Y3(200-203)

Variable Type : Raw

BG-3 : When did (BABY'S NAME) die? (3rd child from this pregnancy; YEAR)

value	label	Total
.	INAPPLICABLE	20491
1919-2010	1919-2010	1
	Total	20492

Universe : Applicable if child died (BG-2 ALIVENOW3 = 5)

cmkidied3(204-207)

Variable Type : Computed

Description : Century Month for child's date of death - 3rd from this pregnancy (computed in Flow Check B-35)

value	label	Total
.	INAPPLICABLE	20491
1279-1290	JULY 2006-JUNE 2007	1
	Total	20492

Universe : Applicable if child died (BG-2 ALIVENOW3 = 5)

WHENLEFT_M3(208-208)

Variable Type : Raw

BG-4 : When did (BABY'S NAME) stop living with you? (3rd child from this pregnancy; MONTH)

value	label	Total
.	INAPPLICABLE	20492
	Total	20492

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW3 = 1/DK/RF)

WHENLEFT_Y3(209-209)

Variable Type : Raw

BG-4 : When did (BABY'S NAME) stop living with you? (3rd child from this pregnancy; YEAR)

value	label	Total
.	INAPPLICABLE	20492
	Total	20492

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW3 = 1/DK/RF)

cmkidlft3(210-210)

Variable Type : Computed

Description : Century Month for date child stopped living w/R - 3rd from this pregnancy (computed in Flow Check B-36)

value label	Total
. INAPPLICABLE	20492
Total	20492

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW3 = 1/DK/RF)

lastage3(211-211)

Variable Type : Computed

Description : Age (in months) when child last lived w/R-3rd from this pregnancy (computed in Flow Check B-38)

value label	Total
. INAPPLICABLE	20491
0-994 0-994	1
Total	20492

Universe : Applicable if child no longer lives with R (BG-1 LIVEHERE3 = 5/DK/RF)

WHERE NOW3(212-212)

Variable Type : Raw

BG-5 : Please look at Card 19. Where does (BABY'S NAME) now live? (3rd child from this pregnancy)

value label	Total
. INAPPLICABLE	20492
Total	20492

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW3 = 1/DK/RF)

LEGAGREE3(213-213)

Variable Type : Raw

BG-6 : Do you and (BABY'S NAME)'s father have a legal agreement about (BABY'S NAME) regarding child support, alimony, custody, visitation, or where the child lives? (3rd child from this pregnancy)

value label	Total
. INAPPLICABLE	20492
Total	20492

Universe : Applicable if child lives with biological father (BG-5 WHERE NOW3 = 1)

PARENEND3(214-214)

Variable Type : Raw

BG-7 : Are you still the legal mother of (BABY'S NAME)? (3rd child from this pregnancy)

value label	Total
. INAPPLICABLE	20492
Total	20492

Universe : Applicable if child lives with biological father, other relatives, on own, or somewhere else, or if R did not know or refused to answer where child lives (BG-5 WHERE NOW3 = 1, 2, 5, 6, DK, or RF)

ANYNURSE3(215-215)

Variable Type : Raw

BH-1 : (When (BABY'S NAME) was an infant,) (Have/did) you breastfeed (him/her) at all? (3rd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	20487
1	Yes	4
5	No	1
Total		20492

Universe : Applicable if pregnancy ended with more than 2 liveborn babies (bornaliv > 2), child lived with R for at least 2 months (lastage3 GE 2), and child is currently 18 years or younger (kidage LT 228)

FEDSOLID3(216-216)

Variable Type : Raw

BH-2 : Besides breastmilk, babies are sometimes given formula, baby food, or other liquid or solid foods. (Did you feed/Have you fed) [BABY'S NAME] something other than breast milk yet? (3rd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	20492
Total		20492

Universe : Applicable if child is younger than 1 year (lastage3 = blank and kidage < 12) or child stopped living with R at age younger than 1 year (lastage3 < 12 and kidage < 12)

FRSTEATD_N3(217-217)

Variable Type : Raw

BH-3 : How old was (she/he) when you first fed (her/him) something other than breast milk? (3rd child from this pregnancy; NUMBER)

value	label	Total
.	INAPPLICABLE	20488
0-994	0-994	4
Total		20492

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE3 = 1) and child was ever fed something other than breastmilk (BH-2 FEDSOLID3 = blank or 1)

FRSTEATD_P3(218-218)

Variable Type : Raw

BH-3 : How old was (she/he) when you first fed (her/him) something other than breast milk? (3rd child from this pregnancy; UNITS)

value	label	Total
.	INAPPLICABLE	20488
2	Weeks	1
3	Days	3
Total		20492

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE3 = 1) and child was ever fed something other than breastmilk (BH-2 FEDSOLID3 = blank or 1)

FRSTEATD3(219-219)

Variable Type : Raw

BH-3 : Age (in months) when 3rd supplemented - 3rd from this preg (computed in Flow Check B-39b)

value	label	Total
.	INAPPLICABLE	20488
0	LESS THAN 1 MONTH	3
1	1 MONTH	1
Total		20492

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE3 = 1) and child was ever fed something other than breastmilk (BH-2 FEDSOLID3 = blank or 1)

QUITNURS3(220-220)

Variable Type : Raw

BH-4 : (Have/Had) you stopped breast-feeding (her/him) altogether? (3rd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	20491
1	Yes	1
Total		20492

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE3 = 1), child was ever fed something other than breastmilk (BH-2 FEDSOLID3 = blank or 1), and child is either 2 years or younger or last lived with R at age 2 years or younger (lastage3 LE 24 or (lastage3 = blank and kidage LE 24))

AGEQTNUR_N3(221-222)

Variable Type : Raw

BH-5 : How old was (she/he) when you stopped breast-feeding (her/him) altogether? (3rd child from this pregnancy; NUMBER)

value	label	Total
.	INAPPLICABLE	20488
0-994	0-994	4
Total		20492

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE3 = 1) and R has stopped breastfeeding child altogether (BH-4 QUITNURS3 = blank or 1)

AGEQTNUR_P3(223-223)

Variable Type : Raw

BH-5 : How old was (she/he) when you stopped breast-feeding (her/him) altogether? (3rd child from this pregnancy; UNITS)

value	label	Total
.	INAPPLICABLE	20488
1	Months	2
2	Weeks	2
Total		20492

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE3 = 1) and R has stopped breastfeeding child altogether (BH-4 QUITNURS3 = blank or 1)

AGEQTNUR3(224-225)

Variable Type : Raw

Description : Age (in months) when R'stopped nursing child - 3rd from this preg (computed in Flow Check

B-40_1)

value	label	Total
.	INAPPLICABLE	20488
1	1 MONTH OLD	1
2	2 MONTHS OLD	1
3	3 MONTHS OLD	1
7-12	7-12 MONTHS OLD	1
	Total	20492

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE3 = 1) and R has stopped breastfeeding child altogether (BH-4 QUITNURS3 = blank or 1)

prgoutcome(226-226)

Variable Type : Computed

Description : Outcome of Pregnancy (based on priority ordering) (computed in Flow Check B-42a)

value	label	Total
.	INAPPLICABLE	12
1	LIVE BIRTH	14286
2	PREGNANCY LOSS OR ABORTION	5678
3	CURRENT PREGNANCY	516
	Total	20492

Universe : Applicable if this is a current pregnancy or R reported any pregnancy outcome for this pregnancy ((BC-1 PREGEND1 = 1-6) or (BC-1b HOWENDDK = 1 or 5))

Notes : use recode OUTCOME

outcom_s(227-227)

Variable Type : Computed

Description : Outcome of pregnancy (based on corrected/chron sorted data) (computed in Flow Check B-42d)

value	label	Total
1	LIVE BIRTH	14290
2	PREGNANCY LOSS OR ABORTION	5684
3	CURRENT PREGNANCY	516
7	Not Ascertained	2
	Total	20492

Universe : Applicable for all pregnancies

Notes : use recode OUTCOME

nbrnlv_s(228-228)

Variable Type : Computed

Description : Number of babies born alive from this pregnancy (based on corrected/chron sorted data) (computed in Flow Check B-42d)

value	label	Total
.	INAPPLICABLE	6199
1	1 BABY	14085
2	2 BABIES	200
3-6	3 OR MORE BABIES	8
	Total	20492

Universe : Applicable if pregnancy resulted in live birth (outcom_s = 1)

cmprgend(229-232)

Variable Type : Computed

Description : Century Month for Pregnancy End Date (regardless of outcome) (computed in Flow Check B-42a)

value	label	Total
.	INAPPLICABLE	529
522-1278	BEFORE JULY 2006	17206
1279-1290	JULY 2006-JUNE 2007	1127
1291-1308	JULY 2007-DEC 2008	1192
1309-1326	JAN 2009-JUN 2010	352
9998	Refused	7
9999	Don't know	79
	Total	20492

Universe : Applicable if pregnancy is a completed pregnancy (prgoutcome = 1 or 2)

Notes : use recode DATEND

cmendp_s(233-236)

Variable Type : Computed

Description : Century Month for Pregnancy End Date (regardless of outcome) (based on corrected/chron sorted data) (computed in Flow Check B-42d)

value	label	Total
.	INAPPLICABLE	519
522-1278	BEFORE JULY 2006	17211
1279-1290	JULY 2006-JUNE 2007	1131
1291-1308	JULY 2007-DEC 2008	1193
1309-1326	JAN 2009-JUN 2010	352
9998	Refused	7
9999	Don't know	79
	Total	20492

Universe : Applicable if pregnancy is a completed pregnancy (outcom_s = 1 or 2)

Notes : use recode DATEND

cmprgbeg(237-240)

Variable Type : Computed

Description : Century Month for Pregnancy Begin Date (regardless of outcome) (computed in Flow Check B-42a)

value	label	Total
.	INAPPLICABLE	13
522-1278	BEFORE JULY 2006	17958
1279-1290	JULY 2006-JUNE 2007	1069
1291-1308	JULY 2007-DEC 2008	1087
1309-1326	JAN 2009-JUN 2010	270
9998	Refused	8
9999	Don't know	87
	Total	20492

Universe : Applicable if R reported an end date for this completed pregnancy (cmprgend ne .) and reported a gestational length, either for this completed or current pregnancy ((prgoutcome = 1 or 2 and mosgest ne .) or

(prgoutcome = 3 and moscurrp ne .))

Notes : use recode DATECON

cmpbeg_s(241-244)

Variable Type : Computed

Description : Century Month for Pregnancy Begin Date (regardless of outcome) (based on corrected/chron sorted data) (computed in Flow Check B-42d)

value	label	Total
522-1278	BEFORE JULY 2006	17961
1279-1290	JULY 2006-JUNE 2007	1073
1291-1308	JULY 2007-DEC 2008	1086
1309-1326	JAN 2009-JUN 2010	270
9997	Not Ascertained	4
9998	Refused	11
9999	Don't know	87
	Total	20492

Universe : Applicable for all pregnancies

Notes : use recode DATECON

cmlastlb(245-248)

Variable Type : Computed

Description : Century Month for R's most recent live birth (based on corrected/chron sorted data) (computed in Flow Check B-42d; respondent variable)

value	label	Total
.	INAPPLICABLE	1254
522-1278	BEFORE JULY 2006	14531
1279-1290	JULY 2006-JUNE 2007	1928
1291-1308	JULY 2007-DEC 2008	2069
1309-1326	JAN 2009-JUN 2010	675
9998	Refused	6
9999	Don't know	29
	Total	20492

Universe : Applicable if R has ever had a live birth (nbabes_s = 1) (respondent-level variable)

cmlstprg(249-252)

Variable Type : Computed

Description : Century Month for R's most recent completed pregnancy (based on corrected/chron sorted data) (computed in Flow Check B-42d; respondent variable)

value	label	Total
.	INAPPLICABLE	172
522-1278	BEFORE JULY 2006	13984
1279-1290	JULY 2006-JUNE 2007	2307
1291-1308	JULY 2007-DEC 2008	2759
1309-1326	JAN 2009-JUN 2010	1071
9998	Refused	10
9999	Don't know	189
	Total	20492

Universe : Applicable if R has ever had a completed pregnancy ((npregs_s = 1 and currpreg = 5) or (npregs_s

> 1)) (respondent-level variable)

cmfstprg(253-256)

Variable Type : Computed

Description : Century Month for R's first completed pregnancy (based on corrected/chron sorted data) (computed in Flow Check B-42d; respondent variable)

value	label	Total
.	INAPPLICABLE	172
522-1278	BEFORE JULY 2006	19288
1279-1290	JULY 2006-JUNE 2007	519
1291-1308	JULY 2007-DEC 2008	423
1309-1326	JAN 2009-JUN 2010	74
9998	Refused	6
9999	Don't know	10
	Total	20492

Universe : Applicable if R has ever had a completed pregnancy ((npregs_s = 1 and currpreg = 5) or (npregs_s > 1)) (respondent-level variable)

cmpg1beg(257-260)

Variable Type : Computed

Description : Century Month when R's first pregnancy began (based on corrected/chron sorted data) (computed in Flow Check B-42d; respondent variable)

value	label	Total
522-1278	BEFORE JULY 2006	19626
1279-1290	JULY 2006-JUNE 2007	403
1291-1308	JULY 2007-DEC 2008	303
1309-1326	JAN 2009-JUN 2010	60
9997	Not Ascertained	47
9998	Refused	5
9999	Don't know	48
	Total	20492

Universe : Applicable for all pregnancies (respondent-level variable)

Notes : use recode DATCON01 on resp file or DATECON on preg file where PREGORDR=1

Pregnancy File :: Section :: Section E raw variables

cmintstr(261-264)

Variable Type : Computed

Description : Century Month for date of beginning of pregnancy interval (computed in Flow Check E-68)

value	label	Total
.	INAPPLICABLE	541
522-1278	BEFORE JULY 2006	19169
1279-1290	JULY 2006-JUNE 2007	370
1291-1308	JULY 2007-DEC 2008	242
1309-1326	JAN 2009-JUN 2010	11
9997	Not Ascertained	2
9998	Refused	44
9999	Don't know	113
	Total	20492

Universe : Applicable if pregnancy is a completed pregnancy (outcom_s = 1 or 2)

cmintfin(265-268)

Variable Type : Computed

Description : Century Month for date of end of pregnancy interval (computed in Flow Check E-68)

value	label	Total
.	INAPPLICABLE	553
522-1278	BEFORE JULY 2006	17180
1279-1290	JULY 2006-JUNE 2007	1130
1291-1308	JULY 2007-DEC 2008	1191
1309-1326	JAN 2009-JUN 2010	352
9998	Refused	7
9999	Don't know	79
	Total	20492

Universe : Applicable if pregnancy is a completed pregnancy (outcom_s = 1 or 2)

cmintstrop(269-272)

Variable Type : Computed

Description : Open interval: Century Month of date of beginning (computed in Flow Check E-68)

value	label	Total
.	INAPPLICABLE	194
522-1278	BEFORE JULY 2006	14086
1279-1290	JULY 2006-JUNE 2007	2321
1291-1308	JULY 2007-DEC 2008	2755
1309-1326	JAN 2009-JUN 2010	1071
9998	Refused	6
9999	Don't know	59
	Total	20492

Universe : Applicable if pregnancy is R's highest-order completed pregnancy ((pregordr = npregs_s and currpreg = 5) or (pregordr = (npregs_s - 1) and currpreg = 1))

cmintfinop(273-276)

Variable Type : Computed

Description : Open interval: Century Month of date of end (month of interview) (computed in Flow Check E-68)

value	label	Total
.	INAPPLICABLE	139
522-1278	BEFORE JULY 2006	102
1279-1290	JULY 2006-JUNE 2007	5035
1291-1308	JULY 2007-DEC 2008	6991
1309-1326	JAN 2009-JUN 2010	8225
	Total	20492

Universe : Applicable if pregnancy is R's highest-order completed pregnancy ((pregordr = npregs_s and currpreg = 5) or (pregordr = (npregs_s - 1) and currpreg = 1))

cmintstrcr(277-280)

Variable Type : Computed

Description : Currently pregnant: Century Month of date of beginning of interval (computed in Flow Check E-68)

value	label	Total
.	INAPPLICABLE	19072
522-1278	BEFORE JULY 2006	861
1279-1290	JULY 2006-JUNE 2007	225
1291-1308	JULY 2007-DEC 2008	250
1309-1326	JAN 2009-JUN 2010	81
9998	Refused	1
9999	Don't know	2
	Total	20492

Universe : Applicable if pregnancy is a current pregnancy (outcom_s = 3)

cmintfincr(281-284)

Variable Type : Computed

Description : Currently pregnant: Century Month of date of end of interval (month of interview) (computed in Flow Check E-68)

value	label	Total
.	INAPPLICABLE	19068
522-1278	BEFORE JULY 2006	2
1279-1290	JULY 2006-JUNE 2007	381
1291-1308	JULY 2007-DEC 2008	500
1309-1326	JAN 2009-JUN 2010	541
	Total	20492

Universe : Applicable if pregnancy is a current pregnancy (outcom_s = 3)

anyusint(285-285)

Variable Type : Computed

Description : Any method used in pregnancy interval? (computed in Flow Check E-69)

value	label	Total
1	Yes	6057
5	No	14435
	Total	20492

Universe : Applicable for all pregnancies

EVUSEINT(286-286)

Variable Type : Raw

EG-1 : Did you ever use any method of birth control between (your first intercourse/[BABY NAME's] birth in [DATE]/your [Nth] pregnancy which ended in [DATE]) and (DATE OF Nth+ 1 pregnancy end)/[BABY NAME's] birth)? Remember to include methods men use--that is condoms, vasectomy, and withdrawal--in your answer.

value	label	Total
.	INAPPLICABLE	4456
1	Yes	11719
5	No	4282
8	Refused	9
9	Don't know	26
	Total	20492

Universe : Applicable if R did not know or refused to answer pregnancy beginning date and ever used a method (cmpbeg_s = DK/RF and everused = 1 or .) or pregnancy began prior to January [YEAR OF INTERVIEW - 3] (cmpbeg_s < cmjan3yr) and date of first method use was unknown/refused or date of first sex was

unknown/refused (cmfirm = DK/RF or cmintstr = DK/RF) or if first method use preceded start of pregnancy interval (cmfirm < cmintstr) (note: if first method use was within pregnancy interval, EVUSEINT is set to "yes" (if cmintstr <= cmfirm <= cmintfin, EVUSEINT = 1)

STOPDUSE(287-287)

Variable Type : Raw

EG-2 : Before you became pregnant (with your (NTH) pregnancy which ended in [DATE of Nth pregnancy end]/this time), had you stopped using all methods of birth control?

value	label	Total
.	INAPPLICABLE	8195
1	Yes	7215
5	No	5063
8	Refused	2
9	Don't know	17
Total		20492

Universe : Applicable if [pregnancy began prior to January [YEAR OF INTERVIEW - 3] (cmpbeg_s < cmjan3yr) and first method use was within pregnancy interval (between 1st sex/previous pregnancy end and end of this pregnancy) (cmintstr <= cmfirm <= cmintfin)] or [pregnancy began on or after Jan [YEAR OF INTERVIEW - 3] (cmpbeg_s >= cmjan3yr) and R used a method in month pregnancy began (ED-6 METHX1 through METHX192 corresponding to cmpbeg_s NE 1) and did not use a method in month after pregnancy began (ED-6 METHX1 through METHX192 corresponding to cmpbeg_s + 1 = 1)] or R used a method in the month pregnancy began and also in the month after pregnancy began, but they were different methods (ED-6 METHX1 - METHX192 for cmpbeg_s ne 1 and ED-6 METHX1 - METHX192 for cmpbeg_s + 1 ne 1 and ne method for cmpbeg_s) or R used a method within pregnancy interval (between 1st sex/previous pregnancy end and end of this pregnancy) (EG-1 EVUSEINT = 1)

WHYSTOPD(288-288)

Variable Type : Raw

EG-3 : Was the reason you stopped using all methods of birth control because you yourself wanted to become pregnant?

value	label	Total
.	INAPPLICABLE	13277
1	Yes	4282
5	No	2927
9	Don't know	6
Total		20492

Universe : Applicable if R stopped using all methods before becoming pregnant (EG-2 STOPDUSE = 1)

WHATMETH01(289-290)

Variable Type : Raw

EG-4 : You may have already told me, but looking at Card 38, what methods were you using at the time you became pregnant (with your (NTH) pregnancy which ended in (DATE)/this time)? (1st mention)

value	label	Total
.	INAPPLICABLE	14418
1	No method used	489
3	Birth control pills	2042
4	Condom	1985
5	Partner's vasectomy	14
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	33
7	Withdrawal, pulling out	743
8	Depo-Provera, injectables	259

9	Hormonal implant (Norplant or Implanon)	14
10	Rhythm or safe period by calendar	131
11	Safe period by temperature or cervical mucus test, natural family planning	25
12	Diaphragm	30
13	Female condom, vaginal pouch	2
14	Foam	34
15	Jelly or cream	16
17	Suppository, insert	16
18	Today sponge	22
19	IUD, coil, or loop	57
20	Emergency contraception	5
21	Other method	6
22	Respondent was sterile	1
23	Respondent's partner was sterile	3
24	Lunelle injectable (monthly shot)	12
25	Contraceptive patch	92
26	Vaginal contraceptive ring	35
98	Refused	2
99	Don't know	6
	Total	20492

Universe : Applicable if (pregnancy began on or after January[$\text{YEAR OF INTERVIEW}-3$ ($\text{cmpbeg}_s \geq \text{cmjan3yr}$) and R used a method in the month pregnancy began (ED-6 METHX1 -- METHX192 corresponding to cmpbeg_s NE 1) and also in the month after pregnancy began, and it was the same method in both months (ED-6 METHX1 -- METHX192 corresponding to $\text{cmpbeg}_s + 1$ NE 1 and is equal to method for cmpbeg_s) or R had not stopped using all methods before becoming pregnant, or responded "don't know" or "refused" (EG-2 STOPDUSE = 5 / DK/ RF)

WHATMETH02(291-292)

Variable Type : Raw

EG-4 : You may have already told me, but looking at Card 38, what methods were you using at the time you became pregnant (with your (NTH) pregnancy which ended in (DATE)/this time)? (2nd mention)

value label	Total	
.	INAPPLICABLE	19546
1	No method used	3
3	Birth control pills	39
4	Condom	327
5	Partner's vasectomy	2
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	5
7	Withdrawal, pulling out	357
8	Depo-Provera, injectables	30
9	Hormonal implant (Norplant or Implanon)	1
10	Rhythm or safe period by calendar	59
11	Safe period by temperature or cervical mucus test, natural family planning	15
12	Diaphragm	8
13	Female condom, vaginal pouch	2
14	Foam	33
15	Jelly or cream	13
16	Cervical cap	1
17	Suppository, insert	12
18	Today sponge	11
19	IUD, coil, or loop	3
20	Emergency contraception	3
21	Other method	7
25	Contraceptive patch	15
	Total	20492

Universe : Applicable if more than 1 method was being used before R became pregnant this time (see EG-4 WHATMETHOD1)

WHATMETHOD3(293-294)

Variable Type : Raw

EG-4 : You may have already told me, but looking at Card 38, what methods were you using at the time you became pregnant (with your (NTH) pregnancy which ended in (DATE)/this time)? (3rd mention)

value	label	Total
.	INAPPLICABLE	20386
3	Birth control pills	5
4	Condom	6
5	Partner's vasectomy	1
7	Withdrawal, pulling out	31
8	Depo-Provera, injectables	2
9	Hormonal implant (Norplant or Implanon)	2
10	Rhythm or safe period by calendar	16
11	Safe period by temperature or cervical mucus test, natural family planning	3
12	Diaphragm	3
13	Female condom, vaginal pouch	1
14	Foam	9
15	Jelly or cream	7
16	Cervical cap	1
17	Suppository, insert	3
18	Today sponge	8
19	IUD, coil, or loop	1
20	Emergency contraception	3
21	Other method	2
25	Contraceptive patch	2
	Total	20492

Universe : Applicable if more than 2 methods were being used before R became pregnant this time (see EG-4 WHATMETHOD1)

WHATMETHOD4(295-296)

Variable Type : Raw

EG-4 : You may have already told me, but looking at Card 38, what methods were you using at the time you became pregnant (with your (NTH) pregnancy which ended in (DATE)/this time)? (4th mention)

value	label	Total
.	INAPPLICABLE	20480
3	Birth control pills	1
4	Condom	2
7	Withdrawal, pulling out	1
10	Rhythm or safe period by calendar	2
12	Diaphragm	1
15	Jelly or cream	1
17	Suppository, insert	3
18	Today sponge	1
	Total	20492

Universe : Applicable if more than 3 methods were being used before R became pregnant this time (see EG-4 WHATMETHOD1)

RESNOUSE(297-297)

Variable Type : Raw

EG-5 : (IF R NEVER USED A METHOD:) Before you became pregnant (with your (NTH) pregnancy which ended in (DATE)/this time), was the reason you did not use any birth control methods because you, yourself, wanted to become pregnant?

(IF USED A METHOD BETWEEN FIRST SEX/LAST PREGNANCY AND THIS ONE:) You told me you had stopped using a birth control method before you became pregnant (with your (NTH) pregnancy which ended in (DATE)/this time). Was the reason you had stopped using any methods because you yourself wanted to become pregnant?

(IF DID NOT USE A METHOD BETWEEN FIRST SEX/LAST PREGNANCY AND THIS ONE:) You did not use any method of birth control from (your first intercourse/[BABY NAME's] birth in [DATE]/your [Nth] pregnancy which ended in [DATE]) until you became pregnant (with your (NTH) pregnancy which ended in (DATE)/this time). Was the reason you were not using any methods because you yourself wanted to become pregnant?

value	label	Total
.	INAPPLICABLE	13421
1	Yes	3421
5	No	3593
8	Refused	13
9	Don't know	44
	Total	20492

Universe : Applicable if R did not know or refused to answer pregnancy beginning date and never used a method of birth control (cmpbeg_s = DK/RF and everused = 5) or [pregnancy began prior to January[YEAR OF INTERVIEW - 3] (cmpbeg_s < cmjan3yr) and R has never used a method of birth control (everused = 5) or R's first method use was after the end of the pregnancy (cmintfin < cmfirm)] or [pregnancy began on or after January[YEAR OF INTERVIEW - 3] (cmpbeg_s < cmjan3yr) and R did not use a method in the month pregnancy began (ED-6 METHX1 through METHX192 corresponding to cmpbeg_s = 1) or R did not use a method within pregnancy interval (between 1st sex/previous pregnancy end and end of this pregnancy) or responded "don't know" or "refused" (EG-1 EVUSEINT = 5,DK,RF)]

WANTBOLD(298-298)

Variable Type : Raw

EG-6 : Right before you became pregnant (with your (NTH) pregnancy which ended in (DATE)/this time), did you yourself want to have a(nother) baby at any time in the future?

value	label	Total
.	INAPPLICABLE	7703
1	Yes	8537
5	No	3871
6	Not sure, Don't know	351
8	Refused	10
9	Don't know	20
	Total	20492

Universe : Applicable if R responded "no" to whether she stopped using all methods of birth control because she wanted to become pregnant (EG-3 WHYSTOPD = 5) or R responded "no" to whether the reason she did not use a method in the pregnancy interval was because she wanted to become pregnant (EG-5 RESNOUSE = 5)

Notes : see recode WANTRESP

PROBBABE(299-299)

Variable Type : Raw

EG-7 : It is sometimes difficult to recall these things but, right before (this/that) pregnancy began, would you say you probably wanted a(nother) baby at some time in the future or probably not?

value	label	Total
.	INAPPLICABLE	20111

1	Probably yes	208
5	Probably not	87
6	Didn't care	53
8	Refused	11
9	Don't know	22
Total		20492

Universe : Applicable if R responded "not sure, don't know" about wanting a(nother) baby at any time in the future (EG-6 WANTBOLD = 6)

CNFRMNO(300-300)

Variable Type : Raw

EG-8 : So right before you became pregnant (this time/that time), you thought you did not want to have (any children/a Nth child from this pregnancy) at any time in the future, is that correct?

value	label	Total
.	INAPPLICABLE	20421
1	Correct	64
2	Incorrect	7
Total		20492

Universe : Applicable if R is younger than 20 years (age_r < 20) and: R responded "no" about wanting a(nother) baby at any time in the future (EG-6 WANTBOLD = 6) or R responded "probably not" about whether she probably wanted or didn't want a(nother) baby at some time in the future (EG-7 PROBBABE = 5)

WANTBLD2(301-301)

Variable Type : Raw

EG-9 : Right before you became pregnant (with your (Nth) pregnancy (which ended in (DATE)/this time), did you yourself want to have a(nother) baby at any time in the future?

value	label	Total
.	INAPPLICABLE	20485
1	Yes	6
6	Not sure, Don't know	1
Total		20492

Universe : Applicable if question confirming that R did not want to have a(nother) child at any time was answered "incorrect" or "don't know" or "refused" (EG-8 CNFRMNO = 5 or DK/RF)

TIMINGOK(302-302)

Variable Type : Raw

EG-10 : So would you say you became pregnant too soon, at about the right time, or later than you wanted?

value	label	Total
.	INAPPLICABLE	4038
1	Sooner	6402
2	Right time	8637
3	Later	1213
4	Didn't care	184
9	Don't know	18
Total		20492

Universe : Applicable if R responded "yes" to whether she stopped using all methods of birth control because she wanted to become pregnant (EG-3 WHYSTOPD = 1) or R responded "yes" to whether the reason she did not use a method in the pregnancy interval was because she wanted to become pregnant (EG-5 RESNOUSE =

1) or R responded "yes" to whether, right before pregnancy, she wanted to have a baby at any time in the future (EG-6 WANTBOLD = 1) or R responded "probably yes" to whether, right before pregnancy, she probably wanted to have a baby at some time in the future (EG-7 PROBBABE = 1) or R responded "yes" to the second time she was asked whether, right before pregnancy, she wanted to have a baby at any time in the future (EG-9 WANTBLD2 = 1)

Notes : use recode WANTRESP

TOOSOON_N(303-305)

Variable Type : Raw

EG-11 : How much sooner than you wanted did you become pregnant? (number of months or years)

value	label	Total
.	INAPPLICABLE	14090
1-100	1-100	6248
998	Refused	7
999	Don't know	147
	Total	20492

Universe : Applicable if R said she became pregnant "too soon" (EG-10 TIMINGOK = 1)

TOOSOON_P(306-306)

Variable Type : Raw

EG-11 : (How much sooner than you wanted did you become pregnant?) (unit -- months or years)

value	label	Total
.	INAPPLICABLE	14090
1	Months	575
2	Years	5710
8	Refused	7
9	Don't know	110
	Total	20492

Universe : Applicable if R said she became pregnant "too soon" (EG-10 TIMINGOK = 1)

WTHPART1(307-307)

Variable Type : Raw

EG-12a : Right before (the/this/that) pregnancy, did you want to have a(nother) baby with that partner? Would you say definitely yes, probably yes, probably no, or definitely no?

value	label	Total
.	INAPPLICABLE	10589
1	Definitely yes	8402
2	Probably yes	894
3	Probably no	258
4	Definitely no	336
9	Don't know	13
	Total	20492

Universe : Applicable if R responded that she became pregnant at the "right time" or "later" than she wanted (EG-10 TIMINGOK = 2 or 3) or R responded "didn't care " to whether she probably wanted a(nother) baby at some time in the future (EG-7 PROBBABE = 6)

WTHPART2(308-308)

Variable Type : Raw

EG-12b : Right before (the/this/that) pregnancy, did you think you might ever want to have a(nother) baby with that partner? Would you say definitely yes, probably yes, probably no, or definitely no?

value	label	Total
.	INAPPLICABLE	9903
1	Definitely yes	3646
2	Probably yes	2032
3	Probably no	1452
4	Definitely no	3398
8	Refused	10
9	Don't know	51
Total		20492

Universe : Applicable if R responded that she became pregnant "too soon" or "didn't care" about the timing or "don't know" or "refused" (EG-10 TIMINGOK = 1 or 4 or DK/RF) or R responded "no" or "don't know" or "refused" to whether she probably wanted a(nother) baby at some time in the future (EG-7 PROBBABE = 6) or R responded "no", "not sure", "don't know" or "refused" to whether, right before pregnancy, she wanted to have a baby at any time in the future (EG-6 WANTBOLD NE 1) or R responded "probably not", "didn't care ", "Don't know" or "refused" to whether she probably wanted a(nother) baby at some time in the future (EG-7 PROBBABE NE 1) or R responded "no", "not sure", "didn't care", "don't know" or "refused" to the second time she was asked whether, right before pregnancy, she wanted to have a baby at any time in the future (EG-9 WANTBLD2 NE 1)

FEELINPG(309-310)

Variable Type : Raw

EG-13 : Please look at the scale on Card 39. On this scale, a one means that you were very unhappy to be pregnant and a ten means that you were very happy to be pregnant. Tell me which number on the card best describes how you felt when you found out you were pregnant.

value	label	Total
.	INAPPLICABLE	15363
1	VERY UNHAPPY	666
2	2	125
3	3	213
4	4	177
5	5	469
6	6	210
7	7	304
8	8	391
9	9	286
10	VERY HAPPY	2256
98	REFUSED	1
99	DON'T KNOW	31
Total		20492

Universe : Applicable if pregnancy ended on or after January [YEAR OF INTERVIEW - 3] (cmendp_s GE cmjan3yr)

HPWNOLD(311-311)

Variable Type : Raw

EG-16 : Right before you became pregnant (this time/that (Nth) time,) did the father want you to have a(nother) baby at any time in the future?

value	label	Total
1	Yes	14813
5	No	4384
6	Not sure, Don't know	1249

8	Refused	13
9	Don't know	33
Total		20492

Universe : Applicable for all pregnancies

TIMOKHP(312-312)

Variable Type : Raw

EG-17 : So would you say you became pregnant sooner than he wanted, at about the right time, or later than he wanted?

value	label	Total
.	INAPPLICABLE	5679
1	Sooner	3852
2	Right time	9505
3	Later	1102
4	Didn't care	308
9	Don't know	46
Total		20492

Universe : Applicable if R responded "yes" to whether father of pregnancy wanted her to have baby at any time in the future (EG-16 HPWNOLD = 1)

Notes : use recode WANTPART

COHPBEG(313-313)

Variable Type : Raw

EG-18a : Were you either married to or living with the father of (the pregnancy/this pregnancy/your (Nth) pregnancy which ended in (DATE)) at the beginning of the pregnancy? By living together, we mean having a sexual relationship while sharing the same usual address.

value	label	Total
.	INAPPLICABLE	5849
1	Yes	8146
5	No	6463
8	Refused	9
9	Don't know	25
Total		20492

Universe : Applicable if R is not currently married (AB-1 MARSTAT ne 1) or married more than once, or times married is unknown (CA-1 TIMESMAR>1 or DK/RF) or 1st marriage began after pregnancy ended (cmmarrhx > cmendp_s) or 1st marriage start date is unknown (cmmarrhx = DK/RF) or date pregnancy ended is unknown (cmendp_s = DK/RF)

COHPEND(314-314)

Variable Type : Raw

EG-18b : (When [BABY NAME] was born, were you either married to or living with (his/her) father? / Were you either married to or living with the father of (the/that) pregnancy when ([BABY NAME] was born/the pregnancy ended))?

value	label	Total
.	INAPPLICABLE	6137
1	Yes	8150
5	No	6177
8	Refused	7

9	Don't know	21
Total		20492

Universe : Applicable if pregnancy is not current (outcom_s NE 3) and conditions for EG-18a COHPBEG are met

TELLFATH(315-315)

Variable Type : Raw

EG-19 : Did you tell the father of (the pregnancy/that (Nth) pregnancy/your current pregnancy) that you (were/are) pregnant?

value	label	Total
.	INAPPLICABLE	12250
1	Yes	7594
5	No	619
8	Refused	7
9	Don't know	22
Total		20492

Universe : Applicable if pregnancy did not result in a live birth (outcom_s NE 1) or R was not living with the father of the pregnancy when the pregnancy ended (EG-18 COHPEND NE 1) or responded "don't know/refused" (EG-18 COHPEND = DK/RF)

WHENTELL(316-316)

Variable Type : Raw

EG-20 : When did you tell him that you were pregnant - during the pregnancy or after the baby was born/after the pregnancy ended?

value	label	Total
.	INAPPLICABLE	12898
1	During the pregnancy	7202
2	After the [pregnancy ended/baby was born]	388
8	Refused	1
9	Don't know	3
Total		20492

Universe : Applicable if R told the father of the pregnancy that she was pregnant (EG-19 TELLFATH = 1) and if pregnancy is not current (outcom_s NE 3)

TRYSSCALE(317-318)

Variable Type : Raw

EG-21 : Look at the scale on Card 40, where a 0 means trying hard not to get pregnant, and a 10 means trying hard to get pregnant. If you had to rate how much you were trying to get pregnant or avoid pregnancy right before you got pregnant (this time/that time), how would you rate yourself?

value	label	Total
.	INAPPLICABLE	15363
0	0	985
1	1	233
2	2	248
3	3	262
4	4	258
5	5	1080
6	6	219
7	7	226
8	8	274

9	9	118
10	10	1201
98	Refused	1
99	Don't know	24
Total		20492

Universe : Applicable if pregnancy ended on or after January [YEAR OF INTERVIEW - 3] (cmendp_s GE cmjan3yr) or pregnancy is current (outcom_s = 3)

WANTSCAL(319-320)

Variable Type : Raw

EG-22 : Look at the scale on Card 41, where a 0 means you wanted to avoid a pregnancy and a 10 means you wanted to get pregnant. If you had to rate how much you wanted or didn't want a pregnancy right before you got pregnant (this time/that time), how would you rate yourself?

value	label	Total
.	INAPPLICABLE	15363
0	0	1212
1	1	227
2	2	191
3	3	197
4	4	165
5	5	756
6	6	181
7	7	206
8	8	222
9	9	169
10	10	1582
98	Refused	1
99	Don't know	20
Total		20492

Universe : Applicable if pregnancy ended on or after January [YEAR OF INTERVIEW - 3] (cmendp_s GE cmjan3yr) or pregnancy is current (outcom_s = 3)

WHYPRG1(321-321)

Variable Type : Raw

EG-23 : Please look at Card 42. (Earlier you told me (your/this/that) pregnancy occurred too soon / Earlier you told me that (your/this/that) pregnancy occurred at a time when you wanted no future pregnancies.) Which of the following statements applies to you right before you became pregnant (this time/that time (that is, with the pregnancy that ended in [DATE]))? Your birth control method failed, or you did not use your birth control method properly? (1st mention)

value	label	Total
.	INAPPLICABLE	19447
1	Your birth control method failed	442
2	You did not use your birth control method properly	488
3	Respondent wasn't using a method	108
8	Refused	2
9	Don't know	5
Total		20492

Universe : Applicable if pregnancy ended on or after January [YEAR OF INTERVIEW - 3] (cmendp_s GE cmjan3yr) or pregnancy is current (outcom_s = 3) and R responded that she became pregnant "too soon" (EG-10 TIMINGOK = 1) or R responded "no" to whether, right before pregnancy, she wanted to have a baby at any time in the future (EG-6 WANTBOLD = 5) or R responded "probably not" to whether she probably wanted a(nother) baby at some time in the future (EG-7 PROBBABE = 5) or R responded "no" to the second time she

was asked whether, right before pregnancy, she wanted to have a baby at any time in the future (EG-9 WANTBLD2 = 5) and R used a method in month pregnancy began (ED-6 METHX1 through METHX192 corresponding to cmpbeg_s NE 1)

WHYPRG2(322-322)

Variable Type : Raw

EG-23 : Please look at Card 42. (Earlier you told me (your/this/that) pregnancy occurred too soon / Earlier you told me that (your/this/that) pregnancy occurred at a time when you wanted no future pregnancies.) Which of the following statements applies to you right before you became pregnant (this time/that time (that is, with the pregnancy that ended in [DATE]))? Your birth control method failed, or you did not use your birth control method properly? (2nd mention)

value	label	Total
.	INAPPLICABLE	20472
2	You did not use your birth control method properly	18
3	Respondent wasn't using a method	2
Total		20492

Universe : Applicable if more than one reason became pregnant with unintended pregnancy (see EG-23 WHYPRG1)

WHYNOUSE1(323-324)

Variable Type : Raw

EG-24 : Please look at Card 43. (Earlier you told me (your/that) pregnancy occurred too soon / Earlier you told me that (your/this/that) pregnancy occurred at a time when you wanted no future pregnancies.) Which of the following statements applies to you right before you became pregnant (this time/that time (that is, with the pregnancy that ended in [DATE]))? You did not use birth control because... (1st mention)

value	label	Total
.	INAPPLICABLE	19065
1	You did not expect to have sex	223
2	You did not think you could get pregnant	435
3	You didn't really mind if you got pregnant	190
4	You were worried about the side effects of birth control	149
5	Your male partner did not want you to use a birth control method	72
6	Y1:Your male partner did not want to use a birth control method/Y2+:Your male partner himself did not want to use a birth control method	78
7	(IF VOLUNTEERED:)Respondent was using a method	111
8	Y1:[Not a response option]/Y2+:You could not get a method	27
9	Y1:[Not a response option]/Y2+:You were not taking, or using, your method consistently	118
98	Refused	1
99	Don't know	23
Total		20492

Universe : Applicable if conditions met for EG-23 WHYPRG1 and R did not use a method in month pregnancy began (ED-6 METHX1 through METHX192 corresponding to cmpbeg_s = 1)

WHYNOUSE2(325-325)

Variable Type : Raw

EG-24 : Please look at Card 43. (Earlier you told me (your/that) pregnancy occurred too soon / Earlier you told me that (your/this/that) pregnancy occurred at a time when you wanted no future pregnancies.) Which of the following statements applies to you right before you became pregnant (this time/that time (that is, with the pregnancy that ended in [DATE]))? You did not use birth control because... (2nd mention)

value	label	Total
.	INAPPLICABLE	20287
1	You did not expect to have sex	6

2	You did not think you could get pregnant	38
3	You didn t really mind if you got pregnant	31
4	You were worried about the side effects of birth control	31
5	Your male partner did not want you to use a birth control method	24
6	Y1:Your male partner did not want to use a birth control method/Y2+:Your male partner himself did not want to use a birth control method	41
7	(IF VOLUNTEERED:)Respondent was using a method	1
8	Y1:[Not a response option]/Y2+:You could not get a method	10
9	Y1:[Not a response option]/Y2+:You were not taking, or using, your method consistently	23
Total		20492

Universe : Applicable if more than one reason R didn't use a method before unintended pregnancy began (see EG-24 WHYHOUSE1)

WHYHOUSE3(326-326)

Variable Type : Raw

EG-24 : Please look at Card 43. (Earlier you told me (your/that) pregnancy occurred too soon / Earlier you told me that (your/this/that) pregnancy occurred at a time when you wanted no future pregnancies.) Which of the following statements applies to you right before you became pregnant (this time/that time (that is, with the pregnancy that ended in [DATE]))? You did not use birth control because... (3rd mention)

value	label	Total
.	INAPPLICABLE	20436
1	You did not expect to have sex	5
2	You did not think you could get pregnant	2
3	You didn t really mind if you got pregnant	8
4	You were worried about the side effects of birth control	8
5	Your male partner did not want you to use a birth control method	6
6	Y1:Your male partner did not want to use a birth control method/Y2+:Your male partner himself did not want to use a birth control method	17
8	Y1:[Not a response option]/Y2+:You could not get a method	6
9	Y1:[Not a response option]/Y2+:You were not taking, or using, your method consistently	4
Total		20492

Universe : Applicable if more than 2 reasons R didn't use a method before unintended pregnancy began (see EG-24 WHYHOUSE1)

WHYHOUSE4(327-327)

Variable Type : Raw

EG-24 : Please look at Card 43. (Earlier you told me (your/that) pregnancy occurred too soon / Earlier you told me that (your/this/that) pregnancy occurred at a time when you wanted no future pregnancies.) Which of the following statements applies to you right before you became pregnant (this time/that time (that is, with the pregnancy that ended in [DATE]))? You did not use birth control because... (4th mention)

value	label	Total
.	INAPPLICABLE	20480
2	You did not think you could get pregnant	1
4	You were worried about the side effects of birth control	3
5	Your male partner did not want you to use a birth control method	1
6	Y1:Your male partner did not want to use a birth control method/Y2+:Your male partner himself did not want to use a birth control method	3
9	Y1:[Not a response option]/Y2+:You were not taking, or using, your method consistently	4
Total		20492

Universe : Applicable if more than 3 reasons R didn't use a method before unintended pregnancy began (see EG-24 WHYHOUSE1)

WHYHOUSE5(328-328)

Variable Type : Raw

EG-24 : Please look at Card 43. (Earlier you told me (your/that) pregnancy occurred too soon / Earlier you told me that (your/this/that) pregnancy occurred at a time when you wanted no future pregnancies.) Which of the following statements applies to you right before you became pregnant (this time/that time (that is, with the pregnancy that ended in [DATE]))? You did not use birth control because... (5th mention)

value	label	Total
.	INAPPLICABLE	20490
6	Y1:Your male partner did not want to use a birth control method/Y2+:Your male partner himself did not want to use a birth control method	1
9	Y1:[Not a response option]/Y2+:You were not taking, or using, your method consistently	1
Total		20492

Universe : Applicable if more than 4 reasons R didn't use a method before unintended pregnancy began (see EG-24 WHYNOUSE1)

MAINOUSE(329-330)

Variable Type : Raw

EG-24a : Which one of these is the main reason that you did not use birth control?

value	label	Total
.	INAPPLICABLE	20355
1	You did not expect to have sex	22
2	You did not think you could get pregnant	29
3	You didn't really mind if you got pregnant	14
4	You were worried about the side effects of birth control	18
5	Your male partner did not want you to use a birth control method	8
6	Your male partner himself did not want to use a birth control method	11
8	Y1:[Not a response option]/Y2+:You could not get a method	7
9	Y1:[Not a response option]/Y2+:You were not taking, or using, your method consistently	27
99	Don't know	1
Total		20492

Universe : Applicable if QuestYear >= 3 (asked starting in year 3) and R reported more than one reason why didn't use a method before unintended pregnancy began (2 or more of EG-24 WHYNOUSE1 through WHYNOUSE5 contain a valid response)

Pregnancy File :: Section :: Section B pregnancy-based recodes

PRGLNGTH(331-332)

Variable Type : Preg recode

Description : Duration of completed pregnancy in weeks (recode)

value	label	Total
0-13	13 WEEKS OR LESS	5032
14-26	14-26 WEEKS	1013
27-95	27 WEEKS OR LONGER	14447
Total		20492

Universe : Applicable for all pregnancies

OUTCOME(333-333)

Variable Type : Preg recode

Description : Pregnancy outcome (recode)

value	label	Total
1	LIVE BIRTH	14292

2	INDUCED ABORTION	2295
3	STILLBIRTH	166
4	MISCARRIAGE	2945
5	ECTOPIC PREGNANCY	278
6	CURRENT PREGNANCY	516
	Total	20492

Universe : Applicable for all pregnancies

BIRTHORD(334-335)

Variable Type : Preg recode

Description : Birth order (recode)

value	label	Total
.	INAPPLICABLE	6200
01	1ST BIRTH	6683
02	2ND BIRTH	4415
03	3RD BIRTH	2030
04	4TH BIRTH	734
05	5TH BIRTH	269
06	6TH BIRTH	102
07	7TH BIRTH	36
08	8TH BIRTH	13
09	9TH BIRTH	7
10	10TH BIRTH	2
11	11TH BIRTH	1
	Total	20492

Universe : Applicable for all pregnancies that resulted in live birth (OUTCOME = 1)

DATEND(336-339)

Variable Type : Preg recode

Description : Century month for date pregnancy ended (recode)

value	label	Total
.	INAPPLICABLE	516
522-1278	BEFORE JULY 2006	17291
1279-1290	JULY 2006-JUNE 2007	1136
1291-1308	JULY 2007-DEC 2008	1195
1309-1326	JAN 2009-JUN 2010	354
	Total	20492

Universe : Applicable if pregnancy is a completed pregnancy (OUTCOME NE 6)

AGEPREG(340-343)

Variable Type : Preg recode

Description : Age at pregnancy outcome (recode)

value	label	Total
.	INAPPLICABLE	516
0-1999	UNDER 20 YEARS	4703
2000-2499	20-24 YEARS	6684
2500-2999	25-29 YEARS	4697
3000-4499	30-44 YEARS	3892
	Total	20492

Universe : Applicable if pregnancy is a completed pregnancy (OUTCOME NE 6)

DATECON(344-347)

Variable Type : Preg recode

Description : Century month for date of conception (recode)

value	label	Total
522-1278	BEFORE JULY 2006	18021
1279-1290	JULY 2006-JUNE 2007	1079
1291-1308	JULY 2007-DEC 2008	1110
1309-1326	JAN 2009-JUN 2010	282
	Total	20492

Universe : Applicable for all pregnancies

AGECON(348-351)

Variable Type : Preg recode

Description : Age at time of conception (recode)

value	label	Total
0-1999	UNDER 20 YEARS	5609
2000-2499	20-24 YEARS	6609
2500-2999	25-29 YEARS	4687
3000-4499	30-44 YEARS	3587
	Total	20492

Universe : Applicable for all pregnancies

FMAROUT5(352-352)

Variable Type : Preg recode

Description : Formal marital status at pregnancy outcome (recode)

value	label	Total
.	INAPPLICABLE	516
1	MARRIED	8595
2	DIVORCED	990
3	WIDOWED	35
4	SEPARATED	228
5	NEVER MARRIED	10128
	Total	20492

Universe : Applicable if pregnancy is a completed pregnancy (OUTCOME NE 6)

PMARPREG(353-353)

Variable Type : Preg recode

Description : Whether pregnancy ended before R's 1st marriage (premaritally) (recode)

value	label	Total
.	INAPPLICABLE	516
1	YES	10128
2	No	9848
	Total	20492

Universe : Applicable if pregnancy is a completed pregnancy (OUTCOME NE 6)

RMAROUT6(354-354)

Variable Type : Preg recode

Description : Informal marital status at pregnancy outcome - 6 categories (recode)

value	label	Total
.	INAPPLICABLE	516
1	MARRIED	8595
2	DIVORCED	566
3	WIDOWED	17
4	SEPARATED	228
5	COHABITING	4851
6	NEVER MARRIED, NOT COHABITING	5719
	Total	20492

Universe : Applicable if pregnancy is a completed pregnancy (OUTCOME NE 6)

FMARCON5(355-355)

Variable Type : Preg recode

Description : Formal marital status at conception - 5 categories (recode)

value	label	Total
1	MARRIED	8003
2	DIVORCED	1006
3	WIDOWED	35
4	SEPARATED	213
5	NEVER MARRIED	11235
	Total	20492

Universe : Applicable for all pregnancies

RMARCON6(356-356)

Variable Type : Preg recode

Description : Informal marital status at conception - 6 categories (recode)

value	label	Total
1	MARRIED	8003
2	DIVORCED	539
3	WIDOWED	18
4	SEPARATED	213
5	COHABITING	5073
6	NEVER MARRIED, NOT COHABITING	6646
	Total	20492

Universe : Applicable for all pregnancies

LEARNPRG(357-358)

Variable Type : Preg recode

Description : Number of weeks pregnant when R learned she was pregnant (recode)

value	label	Total
.	INAPPLICABLE	14141
0-13	13 WEEKS OR LESS	6072
14-50	14 weeks or later	279

Total	20492
--------------	--------------

Universe : Applicable if pregnancy is a completed pregnancy (other than an induced abortion) (OUTCOME = 1, 3, 4, or 5) that ended in January [YEAR OF INTERVIEW - 5] or later (DATEND GE cmjan5yr), but not with an unnamed baby placed for adoption (no BPA_BDScheck1 - 3 = 1)

PNCAREWK(359-360)

Variable Type : Preg recode

Description : Number of weeks pregnant at first prenatal care (recode)

value label	Total
. INAPPLICABLE	14142
0-13 13 WEEKS OR LESS	5115
14-50 14 WEEKS OR LATER	555
95 NO PRENATAL CARE FOR THIS PREGNANCY	680
Total	20492

Universe : Applicable if pregnancy is a completed pregnancy (other than an induced abortion) (OUTCOME = 1, 3, 4, or 5) that ended in January [YEAR OF INTERVIEW - 5] or later (DATEND GE cmjan5yr), but not with an unnamed baby placed for adoption (no BPA_BDScheck1 - 3 = 1)

PAYDELIV(361-361)

Variable Type : Preg recode

Description : Payment for delivery (recode)

value label	Total
. INAPPLICABLE	15507
1 OWN INCOME ONLY	103
2 INSURANCE ONLY	1040
3 OWN INCOME & INSURANCE ONLY	1029
4 MEDICAID/GOVT ASSISTANCE MENTIONED AT ALL	2698
5 ALL OTHER COMBINATIONS OF PAYMENT METHODS	115
Total	20492

Universe : Applicable if pregnancy ended in live birth in January [INTERVIEW YEAR - 5] or later (OUTCOME = 1 and DATEND GE cmjan5yr)

LBW1(362-362)

Variable Type : Preg recode

Description : Low birthweight - Baby 1 (recode)

value label	Total
. INAPPLICABLE	6200
1 YES, LOW BIRTH WEIGHT	1318
2 NO, NOT LOW BIRTH WEIGHT	12974
Total	20492

Universe : Applicable if pregnancy ended in live birth (OUTCOME = 1)

LIVCHILD(363-363)

Variable Type : Preg recode

Description : Current living arrangements of 1st liveborn child from this pregnancy (recode)

value label	Total
--------------------	--------------

.	INAPPLICABLE	6200
1	Child lives with R	13152
2	Child is dead	136
3	Child lives with adoptive parents/family	119
4	Child lives with biological father	360
5	Child lives with other relatives	371
6	Child's living arrangements are other or unknown	154
Total		20492

Universe : Applicable if pregnancy ended in live birth (OUTCOME = 1)

BFEEDWKS(364-366)

Variable Type : Preg recode

Description : Duration of breastfeeding in weeks (recode)

value	label	Total
.	INAPPLICABLE	7877
0	LESS THAN 1 WEEK	142
1-4	1-4 weeks	1187
5-8	5-8 weeks	328
9-26	9-26 weeks	2896
27-52	27-52 weeks (> 6mos, < 1 yr)	1966
53-993	53 WEEKS OR LONGER (> 1 yr)	1001
994	STILL BREASTFEEDING THIS CHILD	331
995	NEVER BREAST-FED THIS CHILD	4764
Total		20492

Universe : Applicable if pregnancy ended in single live birth (OUTCOME = 1 and nbrnlv_s = 1) and child is currently under age 19 lived with R at least 2 months (lastage1 GE 2 and kidage LT 228)

MATERNLV(367-367)

Variable Type : Preg recode

Description : Use of maternity leave (recode)

value	label	Total
.	INAPPLICABLE	15515
0	NOT EMPLOYED DURING THIS PREGNANCY	1890
1	TOOK MATERNITY LEAVE FROM JOB HELD DURING THIS PREGNANCY	1970
2	DID NOT TAKE -- NOT NEEDED DUE TO JOB SCHEDULE OR SELF-EMPLOYMENT	193
3	DID NOT TAKE -- NOT OFFERED OR ALLOWED BY EMPLOYER	239
4	DID NOT TAKE -- OTHER REASONS	685
Total		20492

Universe : Applicable if pregnancy ended in live birth in or after January [YEAR OF INTERVIEW - 3] (OUTCOME = 1 and DATEND GE cmjan5yr) and child was named by R (neither placed for adoption or died shortly after birth without being named) (BPA_BDScheck1 - 3 NE 1 or 2)

Pregnancy File :: Section :: Section E pregnancy-based recodes

OLDWANTR(368-368)

Variable Type : Preg recode

Description : Wantedness of pregnancy - respondent - Cycle 4 version (recode)

value	label	Total
1	LATER, OVERDUE	1215

2	RIGHT TIME	8648
3	TOO SOON, MISTIMED	6408
4	DIDN'T CARE, INDIFFERENT	186
5	UNWANTED	3959
6	DON'T KNOW, NOT SURE	76
	Total	20492

Universe : Applicable for all pregnancies

OLDWANTP(369-369)

Variable Type : Preg recode

Description : Wantedness of preg - R's partner (father of pregnancy) - Cycle 4 version (recode)

value	label	Total
1	LATER, OVERDUE	1106
2	RIGHT TIME	9526
3	TOO SOON, MISTIMED	3871
4	DIDN'T CARE, INDIFFERENT	319
5	UNWANTED	4387
6	DON'T KNOW, NOT SURE	1283
	Total	20492

Universe : Applicable for all pregnancies

WANTRESP(370-370)

Variable Type : Preg recode

Description : Wantedness of pregnancy - respondent - Cycle 5, 6 version (recode)

value	label	Total
1	LATER, OVERDUE	1215
2	RIGHT TIME	8648
3	TOO SOON, MISTIMED	6414
4	DIDN'T CARE, INDIFFERENT	186
5	UNWANTED	3953
6	DON'T KNOW, NOT SURE	76
	Total	20492

Universe : Applicable for all pregnancies

WANTPART(371-371)

Variable Type : Preg recode

Description : Wantedness of preg - R's partner (father of pregnancy) - Cycle 5, 6 version (recode)

value	label	Total
1	LATER, OVERDUE	1109
2	RIGHT TIME	9534
3	TOO SOON, MISTIMED	3877
4	DIDN'T CARE, INDIFFERENT	329
5	UNWANTED	4392
6	DON'T KNOW, NOT SURE	1251
	Total	20492

Universe : Applicable for all pregnancies

Pregnancy File :: Section :: Selected respondent file variables

cmbirth(372-375)

Variable Type : Computed

Description : Century month of R's birth (computed; respondent variable)

value	label	Total
522-1278	BEFORE JULY 2006	20492
Total		20492

Universe : Applicable for all pregnancies (respondent-level variable)

AGER(376-377)

Variable Type : Resp recode

Description : Age at interview (respondent recode)

value	label	Total
15-19	15-19 YEARS	407
20-24	20-24 YEARS	1975
25-29	25-29 YEARS	4207
30-34	30-34 YEARS	4809
35-39	35-39 YEARS	4640
40-45	40-45 YEARS	4454
Total		20492

Universe : Applicable for all pregnancies (respondent-level variable)

Notes : Respondents age 45 were 44 at screener

agescrn(378-379)

Variable Type : Computed

Description : R's age at screener (computed; respondent variable)

value	label	Total
15-19	15-19 YEARS	414
20-24	20-24 YEARS	1991
25-29	25-29 YEARS	4202
30-34	30-34 YEARS	4841
35-39	35-39 YEARS	4607
40-44	40-44 YEARS	4437
Total		20492

Universe : Applicable for all pregnancies (respondent-level variable)

FMARITAL(380-380)

Variable Type : Resp recode

Description : Formal marital status (respondent recode)

value	label	Total
1	MARRIED	9309
2	WIDOWED	162
3	DIVORCED	2762
4	SEPARATED	1594
5	NEVER MARRIED	6665
Total		20492

Universe : Applicable for all pregnancies (respondent-level variable)

RMARITAL(381-381)

Variable Type : Resp recode

Description : Informal Marital Status (respondent recode)

value	label	Total
1	CURRENTLY MARRIED	9309
2	NOT MARRIED BUT LIVING WITH OPP SEX PARTNER	3032
3	WIDOWED	110
4	DIVORCED	2091
5	SEPARATED FOR REASONS OF MARITAL DISCORD	1355
6	NEVER BEEN MARRIED	4595
	Total	20492

Universe : Applicable for all pregnancies (respondent-level variable)

EDUCAT(382-383)

Variable Type : Resp recode

Description : Education (completed years of schooling) (respondent recode)

value	label	Total
9	9TH GRADE OR LESS	3198
10	10TH GRADE	1307
11	11TH GRADE	1398
12	12TH GRADE	5785
13	1 YEAR OF COLLEGE/GRAD SCHOOL	2183
14	2 YEARS OF COLLEGE/GRAD SCHOOL	2424
15	3 YEARS OF COLLEGE/GRAD SCHOOL	844
16	4 YEARS OF COLLEGE/GRAD SCHOOL	1779
17	5 YEARS OF COLLEGE/GRAD SCHOOL	550
18	6 YEARS OF COLLEGE/GRAD SCHOOL	549
19	7+ YEARS OF COLLEGE/GRAD SCHOOL	475
	Total	20492

Universe : Applicable for all pregnancies (respondent-level variable) (This variable has been bottomcoded for public use.)

HIEDUC(384-385)

Variable Type : Resp recode

Description : Highest completed year of school or degree (respondent recode)

value	label	Total
5	9TH GRADE OR LESS	2860
6	10TH GRADE	1196
7	11TH GRADE	1252
8	12TH GRADE, NO DIPLOMA (NOR GED)	449
9	HIGH SCHOOL GRADUATE (DIPLOMA OR GED)	5920
10	SOME COLLEGE BUT NO DEGREE	3985
11	ASSOCIATE DEGREE IN COLLEGE/UNIVERSITY	1657
12	BACHELOR'S DEGREE	2259
13	MASTER'S DEGREE	696
14	DOCTORATE DEGREE	77
15	PROFESSIONAL DEGREE	141
	Total	20492

Universe : Applicable for all pregnancies (respondent-level variable) (This variable has been bottomcoded for public use.)

RACE(386-386)

Variable Type : Resp recode

Description : Race (respondent recode)

value	label	Total
1	BLACK	5616
2	WHITE	12405
3	OTHER	2471
	Total	20492

Universe : Applicable for all pregnancies (respondent-level variable)

HISPANIC(387-387)

Variable Type : Resp recode

Description : Hispanic origin (respondent recode)

value	label	Total
1	HISPANIC	5300
2	NON-HISPANIC	15192
	Total	20492

Universe : Applicable for all pregnancies (respondent-level variable)

HISPRACE(388-388)

Variable Type : Resp recode

Description : Race & Hispanic origin of respondent - 1977 OMB standards (respondent recode)

value	label	Total
1	Hispanic	5300
2	Non-Hispanic White	8929
3	Non-Hispanic Black	5235
4	Non-Hispanic Other	1028
	Total	20492

Universe : Applicable for all pregnancies (respondent-level variable)

HISPRACE2(389-389)

Variable Type : Resp recode

Description : Race & Hispanic origin of respondent - 1997 OMB standards (respondent recode)

value	label	Total
1	Hispanic	5300
2	Non-Hispanic White, Single Race	8694
3	Non-Hispanic Black, Single Race	5027
4	Non-Hispanic Other or Multiple Race	1471
	Total	20492

Universe : Applicable for all pregnancies (respondent-level variable)

RCURPREG(390-390)

Variable Type : Resp recode

Description : Pregnant at time of interview (respondent recode)

value	label	Total
1	YES (CURRENTLY PREGNANT)	1417
2	NO (NOT CURRENTLY PREGNANT)	19075
Total		20492

Universe : Applicable for all pregnancies (respondent-level variable)

PREGNUM(391-392)

Variable Type : Resp recode

Description : CAPI-based total number of pregnancies (respondent recode)

value	label	Total
1	1 PREGNANCY	1928
2	2 PREGNANCIES	4190
3	3 PREGNANCIES	4848
4	4 PREGNANCIES	3828
5	5 PREGNANCIES	2325
6	6 PREGNANCIES	1452
7-95	7 OR MORE PREGNANCIES	1921
Total		20492

Universe : Applicable for all pregnancies (respondent-level variable)

PARITY(393-394)

Variable Type : Resp recode

Description : Total number of live births (respondent recode)

value	label	Total
0	0 BABIES	1222
1	1 BABY	3737
2	2 BABIES	6432
3	3 BABIES	4840
4	4 BABIES	2355
5-95	5 OR MORE BABIES	1906
Total		20492

Universe : Applicable for all pregnancies (respondent-level variable)

CURR_INS(395-395)

Variable Type : Resp recode

Description : Current health insurance coverage status (respondent recode)

value	label	Total
1	Currently covered by private health insurance or Medi-Gap	9193
2	Currently covered by Medicaid, CHIP, or a state-sponsored health plan	5587
3	Currently covered by Medicare, military health care, or other government health care	788
4	Currently covered only by a single-service plan, only by the Indian Health Service, or currently not covered by health insurance	4924
Total		20492

Universe : Applicable for all pregnancies (respondent-level variable)

PUBASSIS(396-396)

Variable Type : Resp recode

Description : Whether R received public assistance in 2001 (respondent recode)

value	label	Total
1	YES (RECEIVED PUBLIC ASSISTANCE IN [INTERVIEW YEAR -1])	10486
2	NO (DID NOT RECEIVE PUBLIC ASSISTANCE IN [INTERVIEW YEAR -1])	10006
	Total	20492

Universe : Applicable for all pregnancies (respondent-level variable)

POVERTY(397-399)

Variable Type : Resp recode

Description : Poverty level income (respondent recode)

value	label	Total
000-099	000-99 PERCENT OF POVERTY LEVEL	7301
100-199	100-199 PERCENT OF POVERTY LEVEL	5549
200-299	200-299 PERCENT OF POVERTY LEVEL	3348
300-399	300-399 PERCENT OF POVERTY LEVEL	2514
400-499	400-499 PERCENT OF POVERTY LEVEL	1238
500	500 PERCENT OF POVERTY LEVEL OR GREATER	542
	Total	20492

Universe : Applicable for all pregnancies (respondent-level variable) (This variable has been topcoded for public use.)

LABORFOR(400-400)

Variable Type : Resp recode

Description : Labor force status (respondent recode)

value	label	Total
1	WORKING FULL-TIME	8218
2	WORKING PART-TIME	3215
3	WORKING-TEMP ILL/ETC	783
4	WORKING-MATERNITY OR FAMILY LEAVE	236
5	NOT WORKING BUT LOOKING FOR WORK	1401
6	SCHOOL	710
7	KEEPING HOUSE	5251
8	CARING FOR FAMILY	378
9	OTHER	300
	Total	20492

Universe : Applicable for all pregnancies (respondent-level variable) (This variable has been recoded for public use.)

RELIGION(401-401)

Variable Type : Resp recode

Description : Current religious affiliation (respondent recode)

value	label	Total
1	NO RELIGION	3510
2	CATHOLIC	5261
3	PROTESTANT	10245
4	OTHER RELIGIONS	1476
	Total	20492

Universe : Applicable for all pregnancies (respondent-level variable)

METRO(402-402)

Variable Type : Resp recode

Description : Place of residence (Metropolitan / Nonmetropolitan) (respondent recode)

value	label	Total
1	MSA, CENTRAL CITY	8681
2	MSA, OTHER	8677
3	NOT MSA	3134
	Total	20492

Universe : Applicable for all pregnancies (respondent-level variable)

BRNOUT(403-403)

Variable Type : Raw

IB-8 : Were you born outside of the United States? (respondent variable)

value	label	Total
1	Yes	4207
5	No	16275
8	Refused	8
9	Don't know	2
	Total	20492

Universe : Applicable for all pregnancies (respondent-level variable)

yrstrus(404-407)

Variable Type : Computed

Description : Year R came to the U.S. to stay (computed in post-processing; respondent variable)

value	label	Total
.	INAPPLICABLE	16285
1919-2010	1919-2010	4185
9998	Refused	11
9999	Don't know	11
	Total	20492

Universe : Applicable for all pregnancies (respondent-level variable) (This variable has been recoded for public use.)

Pregnancy File :: Section :: Pregnancy recode imputation flags

PRGLNGTH_I(408-408)

Variable Type : Imputation flag

Description : PRGLNGTH Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	20471
1	Model-based imputation	16
2	Logical imputation	5
	Total	20492

Universe : Applicable for all pregnancies

OUTCOME_I (409-409)

Variable Type : Imputation flag

Description : OUTCOME Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	20480
1	Model-based imputation	12
	Total	20492

Universe : Applicable for all pregnancies

BIRTHORD_I (410-410)

Variable Type : Imputation flag

Description : BIRTHORD Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	20480
2	Logical imputation	12
	Total	20492

Universe : Applicable for all pregnancies

DATEND_I (411-411)

Variable Type : Imputation flag

Description : DATEND Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	20363
1	Model-based imputation	84
2	Logical imputation	45
	Total	20492

Universe : Applicable for all pregnancies

AGEPREG_I (412-412)

Variable Type : Imputation flag

Description : AGEPREG Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	20403
1	Model-based imputation	84
2	Logical imputation	5
	Total	20492

Universe : Applicable for all pregnancies

DATECON_I (413-413)

Variable Type : Imputation flag

Description : DATECON Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	20391

1	Model-based imputation	83
2	Logical imputation	18
Total		20492

Universe : Applicable for all pregnancies

AGECON_I (414-414)

Variable Type : Imputation flag

Description : AGECON Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	20392
1	Model-based imputation	83
2	Logical imputation	17
Total		20492

Universe : Applicable for all pregnancies

FMAROUT5_I (415-415)

Variable Type : Imputation flag

Description : FMAROUT5 Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	20367
1	Model-based imputation	111
2	Logical imputation	14
Total		20492

Universe : Applicable for all pregnancies

PMARPREG_I (416-416)

Variable Type : Imputation flag

Description : PMARPREG Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	20394
1	Model-based imputation	98
Total		20492

Universe : Applicable for all pregnancies

RMAROUT6_I (417-417)

Variable Type : Imputation flag

Description : RMAROUT6 Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	20375
1	Model-based imputation	102
2	Logical imputation	15
Total		20492

Universe : Applicable for all pregnancies

FMARCON5_I (418-418)

Variable Type : Imputation flag

Description : FMARCON5 Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	20364
1	Model-based imputation	116
2	Logical imputation	12
	Total	20492

Universe : Applicable for all pregnancies

RMARCON6_I (419-419)

Variable Type : Imputation flag

Description : RMARCON6 Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	20370
1	Model-based imputation	110
2	Logical imputation	12
	Total	20492

Universe : Applicable for all pregnancies

LEARNPRG_I (420-420)

Variable Type : Imputation flag

Description : LEARNPRG Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	20283
1	Model-based imputation	70
2	Logical imputation	139
	Total	20492

Universe : Applicable for all pregnancies

PNCAREWK_I (421-421)

Variable Type : Imputation flag

Description : PNCAREWK Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	20323
1	Model-based imputation	29
2	Logical imputation	140
	Total	20492

Universe : Applicable for all pregnancies

PAYDELIV_I (422-422)

Variable Type : Imputation flag

Description : PAYDELIV Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	20456

1	Model-based imputation	25
2	Logical imputation	11
Total		20492

Universe : Applicable for all pregnancies

LBW1_I (423-423)

Variable Type : Imputation flag

Description : LBW1 Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	20454
1	Model-based imputation	23
2	Logical imputation	15
Total		20492

Universe : Applicable for all pregnancies

LIVCHILD_I (424-424)

Variable Type : Imputation flag

Description : LIVCHILD Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	20490
2	Logical imputation	2
Total		20492

Universe : Applicable for all pregnancies

BFEEDWKS_I (425-425)

Variable Type : Imputation flag

Description : BFEEDWKS Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	20413
1	Model-based imputation	11
2	Logical imputation	68
Total		20492

Universe : Applicable for all pregnancies

MATERNLV_I (426-426)

Variable Type : Imputation flag

Description : MATERNLV Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	20458
1	Model-based imputation	11
2	Logical imputation	23
Total		20492

Universe : Applicable for all pregnancies

OLDWANTR_I (427-427)

Variable Type : Imputation flag

Description : OLDWANTR Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	20463
1	Model-based imputation	25
2	Logical imputation	4
	Total	20492

Universe : Applicable for all pregnancies

OLDWANTP_I (428-428)

Variable Type : Imputation flag

Description : OLDWANTP Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	20433
1	Model-based imputation	57
2	Logical imputation	2
	Total	20492

Universe : Applicable for all pregnancies

WANTRESP_I (429-429)

Variable Type : Imputation flag

Description : WANTRESP Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	20463
1	Model-based imputation	25
2	Logical imputation	4
	Total	20492

Universe : Applicable for all pregnancies

WANTPART_I (430-430)

Variable Type : Imputation flag

Description : WANTPART Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	20400
1	Model-based imputation	90
2	Logical imputation	2
	Total	20492

Universe : Applicable for all pregnancies

Pregnancy File :: Section :: Respondent recode imputation flags included on pregnancy file

AGER_I (431-431)

Variable Type : Imputation flag

Description : AGER Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	20492
	Total	20492

Universe : Applicable for all pregnancies (respondent-level variable)

FMARITAL_I (432-432)

Variable Type : Imputation flag

Description : FMARITAL Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	20492
	Total	20492

Universe : Applicable for all pregnancies (respondent-level variable)

RMARITAL_I (433-433)

Variable Type : Imputation flag

Description : RMARITAL Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	20492
	Total	20492

Universe : Applicable for all pregnancies (respondent-level variable)

EDUCAT_I (434-434)

Variable Type : Imputation flag

Description : EDUCAT Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	20486
1	Model-based imputation	6
	Total	20492

Universe : Applicable for all pregnancies (respondent-level variable)

HIEDUC_I (435-435)

Variable Type : Imputation flag

Description : HIEDUC Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	20486
2	Logical imputation	6
	Total	20492

Universe : Applicable for all pregnancies (respondent-level variable)

RACE_I (436-436)

Variable Type : Imputation flag

Description : RACE Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	20492
	Total	20492

Universe : Applicable for all pregnancies (respondent-level variable)

HISPANIC_I (437-437)

Variable Type : Imputation flag

Description : HISPANIC Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	20489
1	Model-based imputation	3
	Total	20492

Universe : Applicable for all pregnancies (respondent-level variable)

HISPRACE_I (438-438)

Variable Type : Imputation flag

Description : HISPRACE Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	20489
1	Model-based imputation	3
	Total	20492

Universe : Applicable for all pregnancies (respondent-level variable)

HISPRACE2_I (439-439)

Variable Type : Imputation flag

Description : HISPRACE2 Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	20489
1	Model-based imputation	3
	Total	20492

Universe : Applicable for all pregnancies (respondent-level variable)

RCURPREG_I (440-440)

Variable Type : Imputation flag

Description : RCURPREG Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	20490
2	Logical imputation	2
	Total	20492

Universe : Applicable for all pregnancies (respondent-level variable)

PREGNUM_I (441-441)

Variable Type : Imputation flag

Description : PREGNUM Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	20492
	Total	20492

Universe : Applicable for all pregnancies (respondent-level variable)

PARITY_I(442-442)

Variable Type : Imputation flag

Description : PARITY Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	20488
2	Logical imputation	4
	Total	20492

Universe : Applicable for all pregnancies (respondent-level variable)

CURR_INS_I(443-443)

Variable Type : Imputation flag

Description : CURR_INS Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	20462
1	Model-based imputation	30
	Total	20492

Universe : Applicable for all pregnancies (respondent-level variable)

PUBASSIS_I(444-444)

Variable Type : Imputation flag

Description : PUBASSIS Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	20115
1	Model-based imputation	377
	Total	20492

Universe : Applicable for all pregnancies (respondent-level variable)

POVERTY_I(445-445)

Variable Type : Imputation flag

Description : POVERTY Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	19270
1	Model-based imputation	1222
	Total	20492

Universe : Applicable for all pregnancies (respondent-level variable)

LABORFOR_I(446-446)

Variable Type : Imputation flag

Description : LABORFOR Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	20481
1	Model-based imputation	11
	Total	20492

Universe : Applicable for all pregnancies (respondent-level variable)

RELIGION_I(447-447)

Variable Type : Imputation flag

Description : RELIGION Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	20444
1	Model-based imputation	48
	Total	20492

Universe : Applicable for all pregnancies (respondent-level variable)

METRO_I(448-448)

Variable Type : Imputation flag

Description : METRO Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	20492
	Total	20492

Universe : Applicable for all pregnancies (respondent-level variable)

Pregnancy File :: Section :: Weights and related variables

FINALWGT30(449-466)

Variable Type : Weight-related

Description : Final weight for the 1st 2 1/2 years of data collection (quarters 1 to 10)

value	label	Total
.	INAPPLICABLE	8271
63.415649365-169679.74488		12221
	Total	20492

Universe : Applicable if case was sampled in Quarter 1-10

WGTQ1Q16(467-484)

Variable Type : Weight-related

Description : Final weight for 4 years of data collection (quarters 1 to 16)

value	label	Total
44.023983505-30226.354508		20492
	Total	20492

Universe : Applicable for all pregnancies (respondent-level variable)

WGTQ9Q16(485-502)

Variable Type : Weight-related

Description : Final weight for years 3 and 4 of data collection (quarters 9 to 16)

value	label	Total
.	INAPPLICABLE	9815
103.44176604-55339.2214		10677
	Total	20492

Universe : Applicable if case was sampled in Quarter 9-16

Notes : Useful for analyzing questions added in year 3

WGTQ5Q16(503-520)

Variable Type : Weight-related

Description : Final weight for years 2, 3, and 4 of data collection (quarters 5 to 16)

value	label	Total
.	INAPPLICABLE	5124
12.991712209-37359.051142		15368
	Total	20492

Universe : Applicable if case was sampled in Quarter 5-16

Notes : Useful for analyzing questions added in year 2

WGTQ1Q8(521-538)

Variable Type : Weight-related

Description : Final weight for years 1 and 2 of data collection (quarters 1 to 8)

value	label	Total
.	INAPPLICABLE	10677
118.9863975-56551.782402		9815
	Total	20492

Universe : Applicable if case was sampled in Quarter 1-8

SECU(539-539)

Variable Type : Weight-related

Description : Randomized version of the sampling error computational unit

value	label	Total
1	1	8164
2	2	6929
3	3	2736
4	4	2663
	Total	20492

Universe : Applicable for all pregnancies (respondent-level variable)

SEST(540-542)

Variable Type : Weight-related

Description : Randomized version of the stratum

value	label	Total
101-156	101-156	20492

Total	20492
--------------	--------------

Universe : Applicable for all pregnancies (respondent-level variable)

Pregnancy File :: Section :: Date of interview and questionnaire model timepoints

cmintvw(543-546)

Variable Type : Computed

Description : Century month of interview date (computed in Flow Check A-1; respondent variable)

value	label	Total
1278-1326	JUNE 2006-JUNE 2010	20492
Total		20492

Universe : Applicable for all pregnancies (respondent-level variable)

cmlstyr(547-550)

Variable Type : Computed

Description : Century month of interview minus 1 year (cmintvw-12) (computed in Flow Check A-1; respondent variable)

value	label	Total
1266-1278	JUNE 2005-JUNE 2006	5174
1279-1290	JULY 2006-JUNE 2007	4671
1291-1302	JULY 2007-JUNE 2008	5091
1303-1326	JULY 2008-JUNE 2010	5556
Total		20492

Universe : Applicable for all pregnancies (respondent-level variable)

cmjan3yr(551-554)

Variable Type : Computed

Description : Century month for the January three years prior to cmintvw (computed in Flow Check A-1; respondent variable)

value	label	Total
1237-1285	Jan 2003-Jan 2007	20492
Total		20492

Universe : Applicable for all pregnancies (respondent-level variable)

cmjan5yr(555-558)

Variable Type : Computed

Description : Century month for the January five years prior to cmintvw (computed in Flow Check A-1; respondent variable)

value	label	Total
1213-1261	Jan 2001-Jan 2005	20492
Total		20492

Universe : Applicable for all pregnancies (respondent-level variable)

questyear(559-559)

Variable Type : Computed

Description : Questionnaire version year (1, 2, 3, or 4)

value	label	Total
1	Questionnaire version year 1	5124
2	Questionnaire version year 2	4691
3-4	Questionnaire version year 3	10677
	Total	20492

Universe : Applicable for all pregnancies (respondent-level variable)

Quarter(560-561)

Variable Type : Raw

Description : Quarter when case was sampled

value	label	Total
1-2	2006	2773
3-6	2007	4744
7-10	2008	4704
11-14	2009	5383
15-16	2010	2888
	Total	20492

Universe : Applicable for all pregnancies (respondent-level variable)

Phase(562-562)

Variable Type : Raw

Description : Regular- or double-sample portion of the quarter

value	label	Total
1	First 10 weeks of quarter	18754
2	Last 2 weeks of quarter (double sample)	1738
	Total	20492

Universe : Applicable for all pregnancies (respondent-level variable)