

Female File :: Section E :: Contraceptive methods ever used and method discontinuation (EA)

PILL(1904-1904)

Variable Type : Raw

EA-1 : Have you ever used birth control pills?

value	label	Total
1	Yes	8647
5	No	3629
8	Refused	3
	Total	12279

Universe : Applicable for all respondents

Notes : use recode PILLR

CONDOM(1905-1905)

Variable Type : Raw

EA-2 : Have you ever used condoms or rubbers with a partner?

value	label	Total
.	INAPPLICABLE	1672
1	Yes	9854
5	No	751
8	Refused	2
	Total	12279

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex = 1)

Notes : Use recode CONDOMR

VASECTMY(1906-1906)

Variable Type : Raw

EA-3 : Have you ever had sex with a partner who had a vasectomy?

value	label	Total
.	INAPPLICABLE	1674
1	Yes	1141
5	No	9414
8	Refused	3
9	Don't know	47
	Total	12279

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex = 1)

DEPOPROV(1907-1907)

Variable Type : Raw

EA-4 : Asked in Year 1: (Have you ever used) Depo-Provera or injectables (or shots)?

Asked starting in Year 2: (Have you ever used) Depo-Provera, an injectable (or shot) given once every three months?

value	label	Total
1	Yes	2812
5	No	9464
8	Refused	3
	Total	12279

Universe : Applicable for all respondents

LUNELLE(1908-1908)

Variable Type : Raw

EA-5 : (Have you ever used) Lunelle, a once-a-month injection?

value	label	Total
-------	-------	-------

1	Yes	190
5	No	12086
8	Refused	3
Total		12279

Universe : Applicable for all respondents

WIDRAWAL(1909-1909)

Variable Type : Raw

EA-6 : Have you ever had sex with a partner who used withdrawal or "pulling out"?

value	label	Total
.	INAPPLICABLE	1674
1	Yes	6260
5	No	4338
8	Refused	3
9	Don't know	4
Total		12279

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex = 1)

RHYTHM(1910-1910)

Variable Type : Raw

EA-7 : Have you ever used rhythm or safe period by calendar to prevent pregnancy?

value	label	Total
.	INAPPLICABLE	1674
1	Yes	1815
5	No	8785
8	Refused	2
9	Don't know	3
Total		12279

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex = 1)

TEMPSAFE(1911-1911)

Variable Type : Raw

EA-8 : (Have you ever used) Natural family planning or safe period by temperature or cervical mucus test to prevent pregnancy?

value	label	Total
.	INAPPLICABLE	1674
1	Yes	413
5	No	10187
8	Refused	2
9	Don't know	3
	Total	12279

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex = 1)

PATCH(1912-1912)

Variable Type : Raw

EA-9 : (Have you ever used) The contraceptive patch?

value	label	Total
1	Yes	1336
5	No	10940
8	Refused	3
	Total	12279

Universe : Applicable for all respondents

RING(1913-1913)

Variable Type : Raw

EA-10 : (Have you ever used) The vaginal contraceptive ring (or "NuvaRing")?

value	label	Total
1	Yes	734
5	No	11541
8	Refused	3
9	Don't know	1
	Total	12279

Universe : Applicable for all respondents

MORNPILL(1914-1914)

Variable Type : Raw

EA-11 : Asked in Year 1: (Have you ever used) "Morning after" pills or Emergency Contraception?
Asked starting in Year 2: (Have you ever used) Emergency contraception, also known as "Plan B" or "Preven", or "morning after pills"?

value	label	Total
.	INAPPLICABLE	1673
1	Yes	1310
5	No	9293
8	Refused	2
9	Don't know	1
	Total	12279

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex = 1)

ECTIMESX(1915-1916)

Variable Type : Raw

EA-12 : How many different times have you used emergency contraception?

value	label	Total
-------	-------	-------

.	INAPPLICABLE	10970
1	1 TIME	771
2-95	2 OR MORE TIMES	538
	Total	12279

Universe : Applicable if R has ever used emergency contraception (EA-11 MORNPILL = 1)

ECREASON1(1917-1917)

Variable Type : Raw

EA-13 : Did you use emergency contraception because you were worried your birth control method would not work, you didn't use birth control that time, or for some other reason? - 1st Reason

value	label	Total
.	INAPPLICABLE	10970
1	You were worried your birth control method would not work	522
2	You didn't use birth control that time	621
3	Some other reason	165
9	Don't know	1
	Total	12279

Universe : Applicable if R has ever used emergency contraception (EA-11 MORNPILL = 1)

ECREASON2(1918-1918)

Variable Type : Raw

EA-13 : Did you use emergency contraception because you were worried your birth control method would not work, you didn't use birth control that time, or for some other reason? - 2nd Reason

value	label	Total
.	INAPPLICABLE	12201
1	You were worried your birth control method would not work	10
2	You didn't use birth control that time	61
3	Some other reason	7

Total

12279

Universe : Applicable if R mentioned at least 2 reasons for using emergency contraception (see EA-13 ECREASON1)

ECREASON3(1919-1919)

Variable Type : Raw

EA-13 : Did you use emergency contraception because you were worried your birth control method would not work, you didn't use birth control that time, or for some other reason? - 3rd Reason

value	label	Total
.	INAPPLICABLE	12271
3	Some other reason	8
Total		12279

Universe : Applicable if R mentioned at least 3 reasons for using emergency contraception (see EA-13 ECREASON1)

ECRX(1920-1920)

Variable Type : Raw

EA-13aa : (The last time you used it,) Did you get the emergency contraception with or without a prescription?

value	label	Total
.	INAPPLICABLE	11530
1	With a prescription	247
2	Without a prescription	496
9	Don't know	6
Total		12279

Universe : Applicable if QuestYear \geq 3 (asked starting in Year 3) and R has ever used emergency contraception (EA-11 MORNPIII = 1)

ECWHERE(1921-1922)

Variable Type : Raw

EA-13a : Asked in Year 2: Please look at Card 36. (The last time you used it, where/Where) did you get the emergency contraception?

Asked starting in Year 3: Please look at Card 36. (The last time you used it, where/Where) did you get the (prescription for the) emergency contraception?

value	label	Total
.	INAPPLICABLE	11225
1	Private doctor's office	136
2	HMO facility	12
3	Community health clinic, community clinic, public health clinic	98
4	Family planning or Planned Parenthood clinic	395
5	Employer or company clinic	2
6	School or school-based clinic	47
7	Hospital outpatient clinic	9
8	Hospital emergency room	27
9	Hospital regular room	7
10	Urgent care center, urgi-care, or walk-in facility	10
11	Friend	21
12	Partner or spouse	5
13	Drug store	272
14	Mail order/Internet	1
20	Some other place	11
99	Don't know	1
	Total	12279

Universe : Applicable if QuestYear \geq 2 (asked starting in Year 2) and R has ever used emergency contraception (EA-11 MORNPIII = 1)

ECWHEN(1923-1923)

Variable Type : Raw

EA-13b : (The last time you used it,) was that within the last 12 months, that is, since (INTERVIEW MONTH, INTERVIEW YEAR - 1)?

value label	Total	
.	INAPPLICABLE	11225
1	Within the last 12 months	309
2	Over 12 months ago	744
9	Don't know	1
	Total	12279

Universe : Applicable if QuestYear >=2 (asked starting in Year 2) and R has ever used emergency contraception (EA-11 MORNPIII = 1)

OTHRMETH01(1924-1925)

Variable Type : Raw

EA-14 : On the right side of Card 30 is a list of some other methods of birth control. Which, if any, of the methods listed on that card have you ever used? Please tell me the method even if you have only used it once.

- 1st Method

value label	Total	
.	INAPPLICABLE	10
9	Hormonal implant (Norplant or Implanon)	200
12	Diaphragm	254
13	Female condom, vaginal pouch	195
14	Foam	490
15	Jelly or cream	201
16	Cervical cap	15
17	Suppository, insert	154
18	Today sponge	180
19	IUD, coil, or loop	828
21	Other method -- specify	42
95	No other methods ever used	9706
98	Refused	4
	Total	12279

Universe : Applicable for all respondents

OTHRMETH02(1926-1927)

Variable Type : Raw

EA-14 : On the right side of Card 30 is a list of some other methods of birth control. Which, if any, of the methods listed on that card have you ever used? Please tell me the method even if you have only used it once.

- 2nd Method

value	label	Total
.	INAPPLICABLE	11597
9	Hormonal implant (Norplant or Implanon)	4
12	Diaphragm	39
13	Female condom, vaginal pouch	40
14	Foam	155
15	Jelly or cream	176
16	Cervical cap	8
17	Suppository, insert	97
18	Today sponge	104
19	IUD, coil, or loop	45
21	Other method -- specify	14
	Total	12279

Universe : Applicable if R mentioned at least 2 other methods ever used (see EA-14 OTHRMETHOD01)

OTHRMETH03(1928-1929)

Variable Type : Raw

EA-14 : On the right side of Card 30 is a list of some other methods of birth control. Which, if any, of the methods listed on that card have you ever used? Please tell me the method even if you have only used it once.

- 3rd Method

value	label	Total
.	INAPPLICABLE	12033
9	Hormonal implant (Norplant or Implanon)	2
12	Diaphragm	8

13	Female condom, vaginal pouch	10
14	Foam	36
15	Jelly or cream	45
16	Cervical cap	2
17	Suppository, insert	66
18	Today sponge	63
19	IUD, coil, or loop	10
21	Other method -- specify	4
Total		12279

Universe : Applicable if R mentioned at least 3 other methods ever used (see EA-14 OTHRMETH01)

OTHRMETH04(1930-1931)

Variable Type : Raw

EA-14 : On the right side of Card 30 is a list of some other methods of birth control. Which, if any, of the methods listed on that card have you ever used? Please tell me the method even if you have only used it once.
- 4th Method

value	label	Total
.	INAPPLICABLE	12189
9	Hormonal implant (Norplant or Implanon)	1
12	Diaphragm	1
13	Female condom, vaginal pouch	2
14	Foam	3
15	Jelly or cream	18
17	Suppository, insert	26
18	Today sponge	29
19	IUD, coil, or loop	3
21	Other method -- specify	7
Total		12279

Universe : Applicable if R mentioned at least 4 other methods ever used (see EA-14 OTHRMETH01)

OTHRMETH05(1932-1933)

Variable Type : Raw

EA-14 : On the right side of Card 30 is a list of some other methods of birth control. Which, if any, of the methods listed on that card have you ever used? Please tell me the method even if you have only used it once.

- 5th Method

value	label	Total
.	INAPPLICABLE	12255
15	Jelly or cream	3
17	Suppository, insert	7
18	Today sponge	10
19	IUD, coil, or loop	2
21	Other method -- specify	2
	Total	12279

Universe : Applicable if R mentioned at least 5 other methods ever used (see EA-14 OTHRMETH01)

OTHRMETH06(1934-1935)

Variable Type : Raw

EA-14 : On the right side of Card 30 is a list of some other methods of birth control. Which, if any, of the methods listed on that card have you ever used? Please tell me the method even if you have only used it once.

- 6th Method

value	label	Total
.	INAPPLICABLE	12273
17	Suppository, insert	1
18	Today sponge	5
	Total	12279

Universe : Applicable if R mentioned at least 6 other methods ever used (see EA-14 OTHRMETH01)

OTHRMETH07(1936-1937)

Variable Type : Raw

EA-14 : On the right side of Card 30 is a list of some other methods of birth control. Which, if any, of the methods listed on that card have you ever used? Please tell me the method even if you have only used it once.

- 7th Method

value	label	Total
.	INAPPLICABLE	12277
15	Jelly or cream	1
16	Cervical cap	1
	Total	12279

Universe : Applicable if R mentioned at least 7 other methods ever used (see EA-14 OTHRMETH01)

newmeth(1938-1939)

Variable Type : Computed

Description : Code for other method specified in EA-15 (computed in post-processing)

value	label	Total
.	INAPPLICABLE	12199
1	Abstinence	3
2	Tubal ligation/female sterilization	6
3	Vaginal contraceptive film	45
4	Other method, not shown separately	8
5	Response was coded as a method in EA-1 through EA-14	15
97	Not ascertained	3
	Total	12279

Universe : Applicable if R ever used a method other than one asked about in EA-1 PILL through EA-14 OTHRMETH and any OTHRMETH01 - 10 was coded "other method" (any EA-14 OTHRMETH01 through OTHRMETH10 = 21)

Notes : All responses were volunteered by respondents. They did not appear on Card 30

everused(1940-1940)

Variable Type : Computed

Description : Ever used any method or R or husband/partner ever surgically sterilized (sterilizations from D)
(Computed in Flow Check E-6)

value	label	Total
1	Yes	10779
5	No	1496
7	Not ascertained	4
	Total	12279

Universe : Applicable for all respondents

Notes : see recode ANYMTHD

METHDISS(1941-1941)

Variable Type : Raw

EA-16 : Some people try a method and then don't use it again, or stop using it, because they are not satisfied with the method. Did you ever stop using a method because you were not satisfied with it in some way?

value	label	Total
.	INAPPLICABLE	1496
1	Yes	5033
5	No	5745
8	Refused	2
9	Don't know	3
	Total	12279

Universe : Applicable if R ever used a method of contraception (everused = 1)

METHSTOP01(1942-1943)

Variable Type : Raw

EA-17 : Please look at Card 31. What method or methods did you stop because you were not satisfied? - 1st method

value label	Total
. INAPPLICABLE	7246
3 Birth control pills	2515
4 Condom	437
5 Partner's vasectomy	1
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7 Withdrawal, pulling out	258
8 Depo-Provera, injectables (shots)	788
9 Hormonal implant (Norplant or Implanon)	50
10 Rhythm or safe period by calendar	26
11 Safe period by temperature or cervical mucus test, natural family planning	4
12 Diaphragm	79
13 Female condom, vaginal pouch	51
14 Foam	119
15 Jelly or cream	32
16 Cervical cap	4
17 Suppository, insert	53
18 Today sponge	81
19 IUD, coil, or loop	130
21 Other method	15
24 Lunelle injectable (monthly shot)	23
25 Contraceptive patch	264
26 Vaginal contraceptive ring	102
Total	12279

Universe : Applicable if R ever stopped using a method due to dissatisfaction (EA-16 METHDISS = 1)

METHSTOP02(1944-1945)

Variable Type : Raw

EA-17 : Please look at Card 31. What method or methods did you stop because you were not satisfied? - 2nd method

value label	Total
-------------	-------

.	INAPPLICABLE	10462
3	Birth control pills	191
4	Condom	346
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	204
8	Depo-Provera, injectables (shots)	370
9	Hormonal implant (Norplant or Implanon)	12
10	Rhythm or safe period by calendar	47
11	Safe period by temperature or cervical mucus test, natural family planning	13
12	Diaphragm	43
13	Female condom, vaginal pouch	23
14	Foam	59
15	Jelly or cream	46
16	Cervical cap	5
17	Suppository, insert	36
18	Today sponge	50
19	IUD, coil, or loop	43
21	Other method	6
24	Lunelle injectable (monthly shot)	15
25	Contraceptive patch	229
26	Vaginal contraceptive ring	78
	Total	12279

Universe : Applicable if R mentioned at least 2 methods stopped due to dissatisfaction (see EA-17 METHSTOP01)

METHSTOP03(1946-1947)

Variable Type : Raw

EA-17 : Please look at Card 31. What method or methods did you stop because you were not satisfied? - 3rd method

value	label	Total
.	INAPPLICABLE	11616

3	Birth control pills	49
4	Condom	43
7	Withdrawal, pulling out	120
8	Depo-Provera, injectables (shots)	89
9	Hormonal implant (Norplant or Implanon)	10
10	Rhythm or safe period by calendar	32
11	Safe period by temperature or cervical mucus test, natural family planning	4
12	Diaphragm	18
13	Female condom, vaginal pouch	10
14	Foam	41
15	Jelly or cream	28
17	Suppository, insert	26
18	Today sponge	22
19	IUD, coil, or loop	21
21	Other method	7
24	Lunelle injectable (monthly shot)	6
25	Contraceptive patch	92
26	Vaginal contraceptive ring	45
	Total	12279

Universe : Applicable if R mentioned at least 3 methods stopped due to dissatisfaction (see EA-17 METHSTOP01)

METHSTOP04(1948-1949)

Variable Type : Raw

EA-17 : Please look at Card 31. What method or methods did you stop because you were not satisfied? - 4th method

value	label	Total
.	INAPPLICABLE	12037
3	Birth control pills	11
4	Condom	4
7	Withdrawal, pulling out	9

8	Depo-Provera, injectables (shots)	33
9	Hormonal implant (Norplant or Implanon)	4
10	Rhythm or safe period by calendar	23
11	Safe period by temperature or cervical mucus test, natural family planning	7
12	Diaphragm	14
13	Female condom, vaginal pouch	7
14	Foam	25
15	Jelly or cream	12
16	Cervical cap	2
17	Suppository, insert	13
18	Today sponge	13
19	IUD, coil, or loop	12
21	Other method	2
24	Lunelle injectable (monthly shot)	1
25	Contraceptive patch	28
26	Vaginal contraceptive ring	22
	Total	12279

Universe : Applicable if R mentioned at least 4 methods stopped due to dissatisfaction (see EA-17 METHSTOP01)

METHSTOP05(1950-1951)

Variable Type : Raw

EA-17 : Please look at Card 31. What method or methods did you stop because you were not satisfied? - 5th method

value label	Total
. INAPPLICABLE	12185
3 Birth control pills	3
4 Condom	2
5 Partner's vasectomy	1
7 Withdrawal, pulling out	3
8 Depo-Provera, injectables (shots)	1

9	Hormonal implant (Norplant or Implanon)	1
10	Rhythm or safe period by calendar	6
11	Safe period by temperature or cervical mucus test, natural family planning	4
12	Diaphragm	4
13	Female condom, vaginal pouch	2
14	Foam	11
15	Jelly or cream	9
16	Cervical cap	1
17	Suppository, insert	8
18	Today sponge	7
19	IUD, coil, or loop	5
21	Other method	2
25	Contraceptive patch	13
26	Vaginal contraceptive ring	11
	Total	12279

Universe : Applicable if R mentioned at least 5 methods stopped due to dissatisfaction (see EA-17 METHSTOP01)

METHSTOP06(1952-1953)

Variable Type : Raw

EA-17 : Please look at Card 31. What method or methods did you stop because you were not satisfied? - 6th method

value	label	Total
.	INAPPLICABLE	12229
3	Birth control pills	1
4	Condom	2
8	Depo-Provera, injectables (shots)	1
10	Rhythm or safe period by calendar	3
11	Safe period by temperature or cervical mucus test, natural family planning	2
12	Diaphragm	5
14	Foam	4

15	Jelly or cream	3
16	Cervical cap	2
17	Suppository, insert	6
18	Today sponge	3
19	IUD, coil, or loop	2
24	Lunelle injectable (monthly shot)	2
25	Contraceptive patch	7
26	Vaginal contraceptive ring	7
Total		12279

Universe : Applicable if R mentioned at least 6 methods stopped due to dissatisfaction (see EA-17 METHSTOP01)

METHSTOP07(1954-1955)

Variable Type : Raw

EA-17 : Please look at Card 31. What method or methods did you stop because you were not satisfied? - 7th method

value	label	Total
.	INAPPLICABLE	12257
3	Birth control pills	2
4	Condom	1
12	Diaphragm	1
14	Foam	3
15	Jelly or cream	1
17	Suppository, insert	4
18	Today sponge	3
19	IUD, coil, or loop	2
21	Other method	2
25	Contraceptive patch	2
26	Vaginal contraceptive ring	1
Total		12279

Universe : Applicable if R mentioned at least 7 methods stopped due to dissatisfaction (see EA-17 METHSTOP01)

METHSTOP08(1956-1957)

Variable Type : Raw

EA-17 : Please look at Card 31. What method or methods did you stop because you were not satisfied? - 8th method

value label	Total
. INAPPLICABLE	12269
14 Foam	1
15 Jelly or cream	2
18 Today sponge	3
19 IUD, coil, or loop	1
26 Vaginal contraceptive ring	3
Total	12279

Universe : Applicable if R mentioned at least 8 methods stopped due to dissatisfaction (see EA-17 METHSTOP01)

METHSTOP09(1958-1959)

Variable Type : Raw

EA-17 : Please look at Card 31. What method or methods did you stop because you were not satisfied? - 9th method

value label	Total
. INAPPLICABLE	12276
16 Cervical cap	1
17 Suppository, insert	1
25 Contraceptive patch	1
Total	12279

Universe : Applicable if R mentioned at least 9 methods stopped due to dissatisfaction (see EA-17

METHSTOP01)

METHSTOP10(1960-1961)

Variable Type : Raw

EA-17 : Please look at Card 31. What method or methods did you stop because you were not satisfied? - 10th method

value	label	Total
.	INAPPLICABLE	12278
18	Today sponge	1
	Total	12279

Universe : Applicable if R mentioned at least 10 methods stopped due to dissatisfaction (see EA-17 METHSTOP01)

REASPILLO1(1962-1963)

Variable Type : Raw

EA-18 : Looking at Card 32, What was the reason or reasons you were not satisfied with the Pill? - 1st

value	label	Total
.	INAPPLICABLE	9508
1	Too expensive	76
2	Insurance did not cover it	27
3	Too difficult to use	240
4	Too messy	5
5	Your partner did not like it	13
6	You had side effects	1513
7	You were worried you might have side effects	145
8	You worried the method would not work	32
9	The method failed, you became pregnant	240
10	The method did not protect against disease	1
11	Because of other health problems, a doctor told you that you should not use the method again	76

12	The method decreased your sexual pleasure	13
13	Too difficult to obtain the method	34
14	Did not like the changes to your menstrual cycle	110
15	Other -- specify	244
99	Don't know	2
Total		12279

Universe : Applicable if R ever stopped using the pill due to dissatisfaction (any EA-17 METHSTOP01 through METHSTOP10 = 3)

REASPILLO2(1964-1965)

Variable Type : Raw

EA-18 : Looking at Card 32, What was the reason or reasons you were not satisfied with the Pill? - 2nd

value	label	Total
.	INAPPLICABLE	11463
1	Too expensive	18
2	Insurance did not cover it	39
3	Too difficult to use	33
4	Too messy	4
5	Your partner did not like it	8
6	You had side effects	139
7	You were worried you might have side effects	102
8	You worried the method would not work	35
9	The method failed, you became pregnant	66
10	The method did not protect against disease	22
11	Because of other health problems, a doctor told you that you should not use the method again	69
12	The method decreased your sexual pleasure	62
13	Too difficult to obtain the method	19
14	Did not like the changes to your menstrual cycle	136
15	Other -- specify	64
Total		12279

Universe : Applicable if R mentioned at least 2 reasons for stopping use of the pill due to dissatisfaction (see EA-18 REASPILL01)

REASPILL03(1966-1967)

Variable Type : Raw

EA-18 : Looking at Card 32, What was the reason or reasons you were not satisfied with the Pill? - 3rd

value	label	Total
.	INAPPLICABLE	12010
1	Too expensive	3
2	Insurance did not cover it	3
3	Too difficult to use	18
4	Too messy	2
5	Your partner did not like it	2
6	You had side effects	37
7	You were worried you might have side effects	22
8	You worried the method would not work	7
9	The method failed, you became pregnant	17
10	The method did not protect against disease	12
11	Because of other health problems, a doctor told you that you should not use the method again	20
12	The method decreased your sexual pleasure	22
13	Too difficult to obtain the method	8
14	Did not like the changes to your menstrual cycle	70
15	Other -- specify	26
	Total	12279

Universe : Applicable if R mentioned at least 3 reasons for stopping use of the pill due to dissatisfaction (see EA-18 REASPILL01)

REASPILL04(1968-1969)

Variable Type : Raw

EA-18 : Looking at Card 32, What was the reason or reasons you were not satisfied with the Pill? - 4th

value label	Total
. INAPPLICABLE	12196
1 Too expensive	1
3 Too difficult to use	4
5 Your partner did not like it	1
6 You had side effects	5
7 You were worried you might have side effects	15
8 You worried the method would not work	5
9 The method failed, you became pregnant	6
10 The method did not protect against disease	6
11 Because of other health problems, a doctor told you that you should not use the method again	7
12 The method decreased your sexual pleasure	8
13 Too difficult to obtain the method	4
14 Did not like the changes to your menstrual cycle	14
15 Other -- specify	7
Total	12279

Universe : Applicable if R mentioned at least 4 reasons for stopping use of the pill due to dissatisfaction (see EA-18 REASPILL01)

REASPILL05(1970-1971)

Variable Type : Raw

EA-18 : Looking at Card 32, What was the reason or reasons you were not satisfied with the Pill? - 5th

value label	Total
. INAPPLICABLE	12244
1 Too expensive	2
3 Too difficult to use	2
6 You had side effects	1
7 You were worried you might have side effects	3
8 You worried the method would not work	3
9 The method failed, you became pregnant	1
10 The method did not protect against disease	1

11	Because of other health problems, a doctor told you that you should not use the method again	3
12	The method decreased your sexual pleasure	6
13	Too difficult to obtain the method	2
14	Did not like the changes to your menstrual cycle	6
15	Other -- specify	5
Total		12279

Universe : Applicable if R mentioned at least 5 reasons for stopping use of the pill due to dissatisfaction (see EA-18 REASPILL01)

REASPILL06(1972-1973)

Variable Type : Raw

EA-18 : Looking at Card 32, What was the reason or reasons you were not satisfied with the Pill? - 6th

value	label	Total
.	INAPPLICABLE	12267
8	You worried the method would not work	2
10	The method did not protect against disease	2
12	The method decreased your sexual pleasure	1
13	Too difficult to obtain the method	2
14	Did not like the changes to your menstrual cycle	4
15	Other -- specify	1
Total		12279

Universe : Applicable if R mentioned at least 6 reasons for stopping use of the pill due to dissatisfaction (see EA-18 REASPILL01)

REASPILL07(1974-1975)

Variable Type : Raw

EA-18 : Looking at Card 32, What was the reason or reasons you were not satisfied with the Pill? - 7th

value	label	Total
-------	-------	-------

.	INAPPLICABLE	12273
9	The method failed, you became pregnant	1
12	The method decreased your sexual pleasure	1
14	Did not like the changes to your menstrual cycle	3
15	Other -- specify	1
	Total	12279

Universe : Applicable if R mentioned at least 7 reasons for stopping use of the pill due to dissatisfaction (see EA-18 REASPILL01)

REASPILL08(1976-1977)

Variable Type : Raw

EA-18 : Looking at Card 32, What was the reason or reasons you were not satisfied with the Pill? - 8th

value	label	Total
.	INAPPLICABLE	12277
12	The method decreased your sexual pleasure	1
13	Too difficult to obtain the method	1
	Total	12279

Universe : Applicable if R mentioned at least 8 reasons for stopping use of the pill due to dissatisfaction (see EA-18 REASPILL01)

REASPILL09(1978-1979)

Variable Type : Raw

EA-18 : Looking at Card 32, What was the reason or reasons you were not satisfied with the Pill? - 9th

value	label	Total
.	INAPPLICABLE	12277
14	Did not like the changes to your menstrual cycle	1
15	Other -- specify	1
	Total	12279

Universe : Applicable if R mentioned at least 9 reasons for stopping use of the pill due to dissatisfaction (see EA-18 REASPILL01)

stoppill1(1980-1981)

Variable Type : Computed

Description : Open-ended response to reason(s) for discontinuation of pill: 1st mention

value	label	Total
.	INAPPLICABLE	10756
1	Can't remember to take pill (regularly)	317
2	Interfered with other medications or other health conditions	10
3	Weight gain	300
4	Headaches/migraines	119
5	Mood swings/depression	185
6	Bleeding problems (spotting, too much, irregularly, absence of)	99
7	Hair loss	10
8	Nausea/sickness	169
9	Skin problems	38
10	Hormonal problems/changes	26
11	Didn't like/Didn't want to use	25
12	Concerns about risks, such as breast cancer	12
13	Not effective at preventing cramps/regulating cycle	15
14	Weight loss	8
15	Menstrual cramps	14
16	Leg cramps	10
17	Dizziness	11
18	Decreased sex drive	4
19	High blood pressure	15
20	Blood clots	12
21	Fatigue	10
22	Other side effects	44
23	Other (Too few cases, not classifiable elsewhere)	70
	Total	12279

Universe : Applicable if QuestYear >= 2 (asked starting in Year 2) and R chose "too difficult to use", "side effects", or "other" reason for discontinuing pill (any EA-18 REASPILL01 - REASPILL09 = 3, 6, or 15). (Note: some responses were coded onto variables REASPILL01 - REASPILL09)

Notes : All responses were volunteered by respondents. They did not appear on Card 32

stoppill2(1982-1983)

Variable Type : Computed

Description : Open-ended response to reason(s) for discontinuation of pill: 2nd mention

value	label	Total
.	INAPPLICABLE	11785
1	Can't remember to take pill (regularly)	11
2	Interfered with other medications or other health conditions	5
3	Weight gain	89
4	Headaches/migraines	29
5	Mood swings/depression	85
6	Bleeding problems (spotting, too much, irregularly, absence of)	45
7	Hair loss	8
8	Nausea/sickness	66
9	Skin problems	24
10	Hormonal problems/changes	10
11	Didn't like/Didn't want to use	3
12	Concerns about risks, such as breast cancer	3
13	Not effective at preventing cramps/regulating cycle	2
14	Weight loss	7
15	Menstrual cramps	14
16	Leg cramps	1
17	Dizziness	15
18	Decreased sex drive	12
19	High blood pressure	3
20	Blood clots	5
21	Fatigue	6
22	Other side effects	29

23	Other (Too few cases, not classifiable elsewhere)	22
	Total	12279

Universe : Applicable if QuestYear >= 2 (asked starting in Year 2) and R reported at least 2 difficulties, side effects, or "other" reason on EA-18b SP_REASPILL, EA-18c SP_DIFFPILL, and EA-18d SP_SIDEPIILL (see STOPPILL1)

Notes : All responses were volunteered by respondents. They did not appear on Card 32

stoppill3(1984-1985)

Variable Type : Computed

Description : Open-ended response to reason(s) for discontinuation of pill: 3rd mention

value	label	Total
.	INAPPLICABLE	12134
1	Can't remember to take pill (regularly)	1
2	Interfered with other medications or other health conditions	1
3	Weight gain	21
4	Headaches/migraines	13
5	Mood swings/depression	20
6	Bleeding problems (spotting, too much, irregularly, absence of)	15
7	Hair loss	4
8	Nausea/sickness	9
9	Skin problems	9
10	Hormonal problems/changes	2
13	Not effective at preventing cramps/regulating cycle	1
14	Weight loss	2
15	Menstrual cramps	7
16	Leg cramps	1
17	Dizziness	4
18	Decreased sex drive	5
19	High blood pressure	1
21	Fatigue	6

22	Other side effects	10
23	Other (Too few cases, not classifiable elsewhere)	13
	Total	12279

Universe : Applicable if QuestYear >= 2 (asked starting in Year 2) and R reported at least 3 difficulties, side effects, or "other" reason on EA-18b SP_REASPILL, EA-18c SP_DIFFPILL, and EA-18d SP_SIDEPIILL (see STOPPILL1)

Notes : All responses were volunteered by respondents. They did not appear on Card 32

stoppill4(1986-1987)

Variable Type : Computed

Description : Open-ended response to reason(s) for discontinuation of pill: 4th mention

value	label	Total
.	INAPPLICABLE	12247
3	Weight gain	2
4	Headaches/migraines	4
5	Mood swings/depression	3
6	Bleeding problems (spotting, too much, irregularly, absence of)	7
8	Nausea/sickness	1
9	Skin problems	2
10	Hormonal problems/changes	3
12	Concerns about risks, such as breast cancer	1
14	Weight loss	1
15	Menstrual cramps	1
17	Dizziness	1
18	Decreased sex drive	1
19	High blood pressure	1
22	Other side effects	4
	Total	12279

Universe : Applicable if QuestYear >= 2 (asked starting in Year 2) and R reported at least 4 difficulties, side effects, or "other" reason on EA-18b SP_REASPILL, EA-18c SP_DIFFPILL, and EA-18d SP_SIDEPIILL (see

STOPPILL1)

Notes : All responses were volunteered by respondents. They did not appear on Card 32

REASCOND01(1988-1989)

Variable Type : Raw

EA-19 : Looking at Card 32, What was the reason or reasons you were not satisfied with the condom? - 1st

value	label	Total
.	INAPPLICABLE	11444
1	Too expensive	14
3	Too difficult to use	50
4	Too messy	49
5	Your partner did not like it	228
6	You had side effects	122
7	You were worried you might have side effects	3
8	You worried the method would not work	50
9	The method failed, you became pregnant	24
10	The method did not protect against disease	1
11	Because of other health problems, a doctor told you that you should not use the method again	12
12	The method decreased your sexual pleasure	198
13	Too difficult to obtain the method	1
15	Other -- specify	83
	Total	12279

Universe : Applicable if R ever stopped using the condom due to dissatisfaction (any EA-17 METHSTOP01 through METHSTOP10 = 4)

REASCOND02(1990-1991)

Variable Type : Raw

EA-19 : Looking at Card 32, What was the reason or reasons you were not satisfied with the condom? - 2nd

value label	Total
. INAPPLICABLE	11993
1 Too expensive	6
2 Insurance did not cover it	2
3 Too difficult to use	13
4 Too messy	28
5 Your partner did not like it	63
6 You had side effects	14
7 You were worried you might have side effects	1
8 You worried the method would not work	35
9 The method failed, you became pregnant	11
11 Because of other health problems, a doctor told you that you should not use the method again	2
12 The method decreased your sexual pleasure	85
14 Did not like the changes to your menstrual cycle	1
15 Other -- specify	25
Total	12279

Universe : Applicable if R mentioned at least 2 reasons for stopping use of the condom due to dissatisfaction (see EA-19 REASCOND01)

REASCOND03(1992-1993)

Variable Type : Raw

EA-19 : Looking at Card 32, What was the reason or reasons you were not satisfied with the condom? - 3rd

value label	Total
. INAPPLICABLE	12179
1 Too expensive	4
2 Insurance did not cover it	1
3 Too difficult to use	3
5 Your partner did not like it	23
6 You had side effects	3
8 You worried the method would not work	22
9 The method failed, you became pregnant	6

12	The method decreased your sexual pleasure	33
15	Other -- specify	5
	Total	12279

Universe : Applicable if R mentioned at least 3 reasons for stopping use of the condom due to dissatisfaction (see EA-19 REASCOND01)

REASCOND04(1994-1995)

Variable Type : Raw

EA-19 : Looking at Card 32, What was the reason or reasons you were not satisfied with the condom? - 4th

value	label	Total
.	INAPPLICABLE	12237
2	Insurance did not cover it	1
4	Too messy	3
5	Your partner did not like it	2
6	You had side effects	1
8	You worried the method would not work	6
9	The method failed, you became pregnant	3
10	The method did not protect against disease	1
12	The method decreased your sexual pleasure	21
13	Too difficult to obtain the method	1
14	Did not like the changes to your menstrual cycle	1
15	Other -- specify	2
	Total	12279

Universe : Applicable if R mentioned at least 4 reasons for stopping use of the condom due to dissatisfaction (see EA-19 REASCOND01)

REASCOND05(1996-1997)

Variable Type : Raw

EA-19 : Looking at Card 32, What was the reason or reasons you were not satisfied with the condom? - 5th

value label	Total
. INAPPLICABLE	12265
3 Too difficult to use	1
5 Your partner did not like it	1
8 You worried the method would not work	1
12 The method decreased your sexual pleasure	9
15 Other -- specify	2
Total	12279

Universe : Applicable if R mentioned at least 5 reasons for stopping use of the condom due to dissatisfaction (see EA-19 REASCOND01)

REASCOND06(1998-1999)

Variable Type : Raw

EA-19 : Looking at Card 32, What was the reason or reasons you were not satisfied with the condom? - 6th

value label	Total
. INAPPLICABLE	12277
9 The method failed, you became pregnant	1
13 Too difficult to obtain the method	1
Total	12279

Universe : Applicable if R mentioned at least 6 reasons for stopping use of the condom due to dissatisfaction (see EA-19 REASCOND01)

stopcond1(2000-2001)

Variable Type : Computed

Description : Open-ended response to reason(s) for discontinuation of condom: 1st mention

value label	Total
. INAPPLICABLE	12029
1 Allergy (latex/spermicide)	88

2	Didn't like it / Didn't like how it felt	35
3	Pain/discomfort/irritation	51
4	Yeast infection	9
5	Worried it would fall off / break / not prevent pregnancy	14
6	Inconvenient	13
7	Not spontaneous	6
8	Frustrating to use	6
9	Other (Too few cases, not classifiable elsewhere)	21
97	Not ascertained	7
Total		12279

Universe : Applicable if QuestYear >= 2 (asked starting in Year 2) and R chose "too difficult to use", "side effects", or "other" reason for discontinuing condom (any EA-19 REASCOND01 - REASCOND06 = 3, 6, or 15). (Note: some responses were coded onto variables REASCOND01 - REASCOND06)

Notes : All responses were volunteered by respondents. They did not appear on Card 32

stopcond2(2002-2002)

Variable Type : Computed

Description : Open-ended response to reason(s) for discontinuation of condom: 2nd mention

value	label	Total
.	INAPPLICABLE	12266
1	Allergy (latex/spermicide)	1
2	Didn't like it / Didn't like how it felt	1
3	Pain/discomfort/irritation	4
4	Yeast infection	1
5	Worried it would fall off / break / not prevent pregnancy	2
9	Other (Too few cases, not classifiable elsewhere)	4
Total		12279

Universe : Applicable if QuestYear >= 2 (asked starting in Year 2) and R reported at least 2 difficulties, side effects, or "other" reason on EA-19b SP_REASCOND, EA-19c SP_DIFFCOND, and EA-19d SP_SIDECOND (see STOPCOND1)

Notes : All responses were volunteered by respondents. They did not appear on Card 32

REASDEPO01 (2003-2004)

Variable Type : Raw

EA-20 : Looking at Card 32, What was the reason or reasons you were not satisfied with Depo-Provera? - 1st

value	label	Total
.	INAPPLICABLE	10999
1	Too expensive	6
2	Insurance did not cover it	8
3	Too difficult to use	5
4	Too messy	6
5	Your partner did not like it	2
6	You had side effects	891
7	You were worried you might have side effects	40
8	You worried the method would not work	1
9	The method failed, you became pregnant	49
11	Because of other health problems, a doctor told you that you should not use the method again	20
12	The method decreased your sexual pleasure	8
13	Too difficult to obtain the method	2
14	Did not like the changes to your menstrual cycle	179
15	Other -- specify	63
	Total	12279

Universe : Applicable if R ever stopped using Depo-Provera due to dissatisfaction (any EA-17 METHSTOP01 through METHSTOP10 = 8)

REASDEPO02 (2005-2006)

Variable Type : Raw

EA-20 : Looking at Card 32, What was the reason or reasons you were not satisfied with Depo-Provera? - 2nd

value	label	Total
-------	-------	-------

.	INAPPLICABLE	11936
1	Too expensive	5
2	Insurance did not cover it	1
3	Too difficult to use	3
4	Too messy	1
5	Your partner did not like it	2
6	You had side effects	54
7	You were worried you might have side effects	38
8	You worried the method would not work	10
9	The method failed, you became pregnant	10
10	The method did not protect against disease	5
11	Because of other health problems, a doctor told you that you should not use the method again	31
12	The method decreased your sexual pleasure	32
13	Too difficult to obtain the method	2
14	Did not like the changes to your menstrual cycle	133
15	Other -- specify	16
	Total	12279

Universe : Applicable if R mentioned at least 2 reasons for stopping use of Depo-Provera to dissatisfaction (see EA-20 REASDEPO01)

REASDEPO03(2007-2008)

Variable Type : Raw

EA-20 : Looking at Card 32, What was the reason or reasons you were not satisfied with Depo-Provera? - 3rd

value	label	Total
.	INAPPLICABLE	12192
4	Too messy	1
6	You had side effects	11
7	You were worried you might have side effects	3
8	You worried the method would not work	2
9	The method failed, you became pregnant	2
10	The method did not protect against disease	4

11	Because of other health problems, a doctor told you that you should not use the method again	7
12	The method decreased your sexual pleasure	9
14	Did not like the changes to your menstrual cycle	34
15	Other -- specify	14
Total		12279

Universe : Applicable if R mentioned at least 3 reasons for stopping use of Depo-Provera to dissatisfaction (see EA-20 REASDEPO01)

REASDEPO04(2009-2010)

Variable Type : Raw

EA-20 : Looking at Card 32, What was the reason or reasons you were not satisfied with Depo-Provera? - 4th

value	label	Total
.	INAPPLICABLE	12256
5	Your partner did not like it	2
9	The method failed, you became pregnant	1
11	Because of other health problems, a doctor told you that you should not use the method again	3
12	The method decreased your sexual pleasure	2
14	Did not like the changes to your menstrual cycle	10
15	Other -- specify	5
Total		12279

Universe : Applicable if R mentioned at least 4 reasons for stopping use of Depo-Provera to dissatisfaction (see EA-20 REASDEPO01)

REASDEPO05(2011-2012)

Variable Type : Raw

EA-20 : Looking at Card 32, What was the reason or reasons you were not satisfied with Depo-Provera? - 5th

value	label	Total
.	INAPPLICABLE	12275

5	Your partner did not like it	2
14	Did not like the changes to your menstrual cycle	2
	Total	12279

Universe : Applicable if R mentioned at least 5 reasons for stopping use of Depo-Provera to dissatisfaction (see EA-20 REASDEPO01)

stopdepo1(2013-2014)

Variable Type : Computed

Description : Open-ended response to reason(s) for discontinuation of Depo-Provera: 1st mention

value	label	Total
.	INAPPLICABLE	11580
1	Weight gain	367
2	Bleeding problems (spotting, too much, irregularly)	119
3	Headaches/migraines	15
4	Mood swings/depression	48
5	Hair loss or growth	32
6	Hormonal problems/changes	4
7	Decreased sex drive	2
8	Skin problems	9
9	Menstrual periods stopped	9
10	Weight loss	7
11	Nausea/sickness	15
12	Don't like shots/needles	11
13	Safety/health concerns, such as bone density loss	3
15	Other side effects	43
16	Other (Too few cases, not classifiable elsewhere)	13
97	Not ascertained	2
	Total	12279

Universe : Applicable if QuestYear >= 2 (asked starting in Year 2) and R chose "too difficult to use", "side effects", or "other" reason for discontinuing Depo-Provera (any EA-20 REASDEPO01 - REASDEPO05 = 3, 6, or

15). (Note: some responses were coded onto variables REASDEPO01 - REASDEPO05)

Notes : All responses were volunteered by respondents. They did not appear on Card 32

stopdepo2(2015-2016)

Variable Type : Computed

Description : Open-ended response to reason(s) for discontinuation of Depo-Provera: 2nd mention

value label	Total
. INAPPLICABLE	12050
1 Weight gain	32
2 Bleeding problems (spotting, too much, irregularly)	40
3 Headaches/migraines	15
4 Mood swings/depression	30
5 Hair loss or growth	30
6 Hormonal problems/changes	2
7 Decreased sex drive	11
8 Skin problems	7
9 Menstrual periods stopped	9
10 Weight loss	8
11 Nausea/sickness	5
12 Don't like shots/needles	2
15 Other side effects	35
16 Other (Too few cases, not classifiable elsewhere)	3
Total	12279

Universe : Applicable if QuestYear >= 2 (asked starting in Year 2) and R reported at least 2 difficulties, side effects, or "other" reason on EA-20b SP_REASDEPO, EA-20c SP_DIFFDEPO, and EA-20d SP_SIDEDEPO (see STOPDEPO1)

Notes : All responses were volunteered by respondents. They did not appear on Card 32

stopdepo3(2017-2018)

Variable Type : Computed

Description : Open-ended response to reason(s) for discontinuation of Depo-Provera: 3rd mention

value	label	Total
.	INAPPLICABLE	12213
1	Weight gain	6
2	Bleeding problems (spotting, too much, irregularly)	10
3	Headaches/migraines	6
4	Mood swings/depression	9
5	Hair loss or growth	2
7	Decreased sex drive	1
8	Skin problems	3
9	Menstrual periods stopped	9
10	Weight loss	2
11	Nausea/sickness	2
12	Don't like shots/needles	1
13	Safety/health concerns, such as bone density loss	1
15	Other side effects	13
16	Other (Too few cases, not classifiable elsewhere)	1
	Total	12279

Universe : Applicable if QuestYear >= 2 (asked starting in Year 2) and R reported at least 3 difficulties, side effects, or "other" reason on EA-20b SP_REASDEPO, EA-20c SP_DIFFDEPO, and EA-20d SP_SIDEDEPO (see STOPDEPO1)

Notes : All responses were volunteered by respondents. They did not appear on Card 32

stopdepo4(2019-2020)

Variable Type : Computed

Description : Open-ended response to reason(s) for discontinuation of Depo-Provera: 4th mention

value	label	Total
.	INAPPLICABLE	12257
2	Bleeding problems (spotting, too much, irregularly)	3
4	Mood swings/depression	4

5	Hair loss or growth	1
7	Decreased sex drive	2
9	Menstrual periods stopped	3
10	Weight loss	2
11	Nausea/sickness	1
14	Worried about getting pregnant after use	1
15	Other side effects	4
16	Other (Too few cases, not classifiable elsewhere)	1
Total		12279

Universe : Applicable if QuestYear >= 2 (asked starting in Year 2) and R reported at least 4 difficulties, side effects, or "other" reason on EA-20b SP_REASDEPO, EA-20c SP_DIFFDEPO, and EA-20d SP_SIDEDEPO (see STOPDEPO1)

Notes : All responses were volunteered by respondents. They did not appear on Card 32

stopdepo5(2021-2022)

Variable Type : Computed

Description : Open-ended response to reason(s) for discontinuation of Depo-Provera: 5th mention

value	label	Total
.	INAPPLICABLE	12274
1	Weight gain	1
2	Bleeding problems (spotting, too much, irregularly)	1
14	Worried about getting pregnant after use	1
15	Other side effects	1
16	Other (Too few cases, not classifiable elsewhere)	1
Total		12279

Universe : Applicable if QuestYear >= 2 (asked starting in Year 2) and R reported at least 5 difficulties, side effects, or "other" reason on EA-20b SP_REASDEPO, EA-20c SP_DIFFDEPO, and EA-20d SP_SIDEDEPO (see STOPDEPO1)

Notes : All responses were volunteered by respondents. They did not appear on Card 32

REASLUNL01(2023-2024)

Variable Type : Raw

EA-21 : Looking at Card 32, What was the reason or reasons you were not satisfied with the Lunelle injectable?
- 1st

value	label	Total
.	INAPPLICABLE	12241
1	Too expensive	1
3	Too difficult to use	2
6	You had side effects	20
7	You were worried you might have side effects	1
9	The method failed, you became pregnant	6
14	Did not like the changes to your menstrual cycle	4
15	Other -- specify	4
	Total	12279

Universe : Applicable if R ever stopped using Lunelle due to dissatisfaction (any EA-17 METHSTOP01 through METHSTOP10 = 24)

REASLUNL02(2025-2026)

Variable Type : Raw

EA-21 : Looking at Card 32, What was the reason or reasons you were not satisfied with the Lunelle injectable?
- 2nd

value	label	Total
.	INAPPLICABLE	12277
8	You worried the method would not work	1
11	Because of other health problems, a doctor told you that you should not use the method again	1
	Total	12279

Universe : Applicable if R mentioned at least 2 reasons for stopping use of Lunelle to dissatisfaction (see EA-21 REASLUNL01)

REASLUNL03(2027-2028)

Variable Type : Raw

EA-21 : Looking at Card 32, What was the reason or reasons you were not satisfied with the Lunelle injectable?
- 3rd

value	label	Total
.	INAPPLICABLE	12278
10	The method did not protect against disease	1
	Total	12279

Universe : Applicable if R mentioned at least 3 reasons for stopping use of Lunelle to dissatisfaction (see EA-21 REASLUNL01)

stoplun1(2029-2030)

Variable Type : Computed

Description : Open-ended response to reason(s) for discontinuation of Lunelle: 1st mention

value	label	Total
.	INAPPLICABLE	12269
1	Recalled	1
2	Weight gain	5
15	Other (Too few cases, not classifiable elsewhere)	4
	Total	12279

Universe : Applicable if QuestYear \geq 2 (asked starting in Year 2) and R chose "too difficult to use", "side effects", or "other" reason for discontinuing Lunelle (any EA-21 REASLUNL01 - REASLUNL03 = 3, 6, or 15).
(Note: some responses were coded onto variables REASLUNL01 - REASLUNL03)

Notes : All responses were volunteered by respondents. They did not appear on Card 32

REASPTCH01(2031-2032)

Variable Type : Raw

EA-22 : Looking at Card 32, What was the reason or reasons you were not satisfied with the contraceptive patch? - 1st

value	label	Total
.	INAPPLICABLE	11707
1	Too expensive	11
2	Insurance did not cover it	4
3	Too difficult to use	50
4	Too messy	26
5	Your partner did not like it	1
6	You had side effects	253
7	You were worried you might have side effects	32
8	You worried the method would not work	29
9	The method failed, you became pregnant	39
11	Because of other health problems, a doctor told you that you should not use the method again	17
12	The method decreased your sexual pleasure	1
13	Too difficult to obtain the method	2
14	Did not like the changes to your menstrual cycle	30
15	Other -- specify	77
	Total	12279

Universe : Applicable if R ever stopped using the contraceptive patch due to dissatisfaction (any EA-17 METHSTOP01 through METHSTOP10 = 25)

REASPTCH02(2033-2034)

Variable Type : Raw

EA-22 : Looking at Card 32, What was the reason or reasons you were not satisfied with the contraceptive patch? - 2nd

value	label	Total
.	INAPPLICABLE	12150
1	Too expensive	2
2	Insurance did not cover it	3

3	Too difficult to use	9
4	Too messy	12
6	You had side effects	25
7	You were worried you might have side effects	11
8	You worried the method would not work	18
9	The method failed, you became pregnant	5
11	Because of other health problems, a doctor told you that you should not use the method again	9
12	The method decreased your sexual pleasure	3
13	Too difficult to obtain the method	2
14	Did not like the changes to your menstrual cycle	15
15	Other -- specify	15
	Total	12279

Universe : Applicable if R mentioned at least 2 reasons for stopping use the contraceptive patch to dissatisfaction (see EA-22 REASPTCH01)

REASPTCH03(2035-2036)

Variable Type : Raw

EA-22 : Looking at Card 32, What was the reason or reasons you were not satisfied with the contraceptive patch? - 3rd

value	label	Total
.	INAPPLICABLE	12235
1	Too expensive	1
3	Too difficult to use	3
4	Too messy	2
5	Your partner did not like it	1
6	You had side effects	3
7	You were worried you might have side effects	3
8	You worried the method would not work	7
9	The method failed, you became pregnant	3
10	The method did not protect against disease	2
11	Because of other health problems, a doctor told you that you should not use the method again	3

12	The method decreased your sexual pleasure	1
13	Too difficult to obtain the method	2
14	Did not like the changes to your menstrual cycle	8
15	Other -- specify	5
Total		12279

Universe : Applicable if R mentioned at least 3 reasons for stopping use the contraceptive patch to dissatisfaction (see EA-22 REASPTCH01)

REASPTCH04(2037-2038)

Variable Type : Raw

EA-22 : Looking at Card 32, What was the reason or reasons you were not satisfied with the contraceptive patch? - 4th

value	label	Total
.	INAPPLICABLE	12264
3	Too difficult to use	1
4	Too messy	1
7	You were worried you might have side effects	1
8	You worried the method would not work	1
10	The method did not protect against disease	1
11	Because of other health problems, a doctor told you that you should not use the method again	2
12	The method decreased your sexual pleasure	3
13	Too difficult to obtain the method	1
14	Did not like the changes to your menstrual cycle	2
15	Other -- specify	2
Total		12279

Universe : Applicable if R mentioned at least 4 reasons for stopping use the contraceptive patch to dissatisfaction (see EA-22 REASPTCH01)

REASPTCH05(2039-2040)

Variable Type : Raw

EA-22 : Looking at Card 32, What was the reason or reasons you were not satisfied with the contraceptive patch? - 5th

value	label	Total
.	INAPPLICABLE	12274
12	The method decreased your sexual pleasure	1
14	Did not like the changes to your menstrual cycle	3
15	Other -- specify	1
Total		12279

Universe : Applicable if R mentioned at least 5 reasons for stopping use the contraceptive patch to dissatisfaction (see EA-22 REASPTCH01)

REASPTCH06(2041-2042)

Variable Type : Raw

EA-22 : Looking at Card 32, What was the reason or reasons you were not satisfied with the contraceptive patch? - 6th

value	label	Total
.	INAPPLICABLE	12277
14	Did not like the changes to your menstrual cycle	1
15	Other -- specify	1
Total		12279

Universe : Applicable if R mentioned at least 6 reasons for stopping use the contraceptive patch to dissatisfaction (see EA-22 REASPTCH01)

stopptch1(2043-2044)

Variable Type : Computed

Description : Open-ended response to reason(s) for discontinuation of contraceptive patch: 1st mention

value	label	Total
.	INAPPLICABLE	11974

1	Patch came off easily/often	65
2	Skin irritation/rash/itching	84
3	Bleeding problems (spotting, too much, irregularly)	13
4	Headaches/migraines	14
5	Mood swings/depression	16
6	Hair loss	4
7	Safety/health concerns	1
8	Dizziness	3
9	Nausea/sickness	21
10	Weight gain	22
11	Other side effects	27
12	Other (Too few cases, not classifiable elsewhere)	33
97	Not ascertained	2
	Total	12279

Universe : Applicable if QuestYear >= 2 (asked starting in Year 2) and R chose "too difficult to use", "side effects", or "other" reason for discontinuing the patch (any EA-22 REASPTCH01 - REASPTCH06 = 3, 6, or 15). (Note: some responses were coded onto variables REASPTCH01 - REASPTCH06)

Notes : All responses were volunteered by respondents. They did not appear on Card 32

stopptch2(2045-2046)

Variable Type : Computed

Description : Open-ended response to reason(s) for discontinuation of contraceptive patch: 2nd mention

value	label	Total
.	INAPPLICABLE	12218
1	Patch came off easily/often	5
2	Skin irritation/rash/itching	10
3	Bleeding problems (spotting, too much, irregularly)	6
4	Headaches/migraines	5
5	Mood swings/depression	7
6	Hair loss	1

7	Safety/health concerns	1
8	Dizziness	4
9	Nausea/sickness	7
10	Weight gain	5
11	Other side effects	6
12	Other (Too few cases, not classifiable elsewhere)	4
Total		12279

Universe : Applicable if QuestYear >= 2 (asked starting in Year 2) and R reported at least 2 difficulties, side effects, or "other" reason on EA-22b SP_REASPTCH, EA-22c SP_DIFFPTCH, and EA-22d SP_SIDEPTCH (see STOPPTCH1)

Notes : All responses were volunteered by respondents. They did not appear on Card 32

stopptch3(2047-2048)

Variable Type : Computed

Description : Open-ended response to reason(s) for discontinuation of contraceptive patch: 3rd mention

value	label	Total
.	INAPPLICABLE	12264
1	Patch came off easily/often	2
2	Skin irritation/rash/itching	2
3	Bleeding problems (spotting, too much, irregularly)	1
5	Mood swings/depression	2
8	Dizziness	1
10	Weight gain	1
11	Other side effects	6
Total		12279

Universe : Applicable if QuestYear >= 2 (asked starting in Year 2) and R reported at least 3 difficulties, side effects, or "other" reason on EA-22b SP_REASPTCH, EA-22c SP_DIFFPTCH, and EA-22d SP_SIDEPTCH (see STOPPTCH1)

Notes : All responses were volunteered by respondents. They did not appear on Card 32