

Female File :: Section E :: Periods of non intercourse (EC)

INTR_EC3(2117-2117)

Variable Type : Raw

EC-3 : Since (January [YEAR OF INTERVIEW-3]/[DATE OF FIRST SEX]), have there been any times when you were not having intercourse with a male at all for one month or more?

value	label	Total
.	INAPPLICABLE	1713
1	Yes	7005
5	No	3540
8	Refused	6
9	Don't know	15
Total		12279

Universe : Year 1 (QuestYear = 1): Applicable if R has ever had sexual intercourse with a male (rhadsex = 1) and date of first sex is not equal to date of interview (cmfstsex NE cmintvw) and R did not respond dk or rf to date of first sex (cmfstsex NE dk/rf).

Year 2 (QuestYear >= 2): Applicable if R has ever had sexual intercourse with a male (rhadsex = 1) and date of first sex is not equal to date of interview (cmfstsex NE cmintvw)

cmmonsx(2118-2121)

Variable Type : Computed

Description : Century month being referred to in MONSX (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	43
1237	1237	1622
1249	1249	2792
1261	1261	2904
1273	1273	3229
1285	1285	1689
Total		12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.

Year 2 (QuestYear >= 2) Applicable for all Rs

MONSX(2122-2122)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [January of interview year-3]

value	label	Total
.	INAPPLICABLE	36
1	Yes	6886
5	No	5291
8	Refused	12
9	Don't know	54
Total		12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.

Year 2 (QuestYear >= 2) Applicable for all Rs

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx2(2123-2126)

Variable Type : Computed

Description : Century month being referred to in MONSX2 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	43
1238	1238	1622
1250	1250	2792
1262	1262	2904
1274	1274	3229
1286	1286	1689
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.

Year 2 (QuestYear >= 2) Applicable for all Rs

MONSX2(2127-2127)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [February of interview year-3]

value	label	Total
.	INAPPLICABLE	36
1	Yes	6804
5	No	5368
8	Refused	12
9	Don't know	59
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.

Year 2 (QuestYear >= 2) Applicable for all Rs

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx3(2128-2131)

Variable Type : Computed

Description : Century month being referred to in MONSX3 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	43
1239	1239	1622
1251	1251	2792
1263	1263	2904
1275	1275	3229
1287	1287	1689
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.

Year 2 (QuestYear >= 2) Applicable for all Rs

MONSX3(2132-2132)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [March of interview year-3]

value	label	Total
.	INAPPLICABLE	36
1	Yes	6786
5	No	5387
8	Refused	12
9	Don't know	58
Total		12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx4(2133-2136)

Variable Type : Computed

Description : Century month being referred to in MONSX4 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	43
1240	1240	1622
1252	1252	2792
1264	1264	2904
1276	1276	3229
1288	1288	1689
Total		12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

MONSX4(2137-2137)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [April of interview year-3]

value	label	Total
.	INAPPLICABLE	36
1	Yes	6795
5	No	5378
8	Refused	12
9	Don't know	58
Total		12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx5(2138-2141)

Variable Type : Computed

Description : Century month being referred to in MONSX5 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	43
1241	1241	1622
1253	1253	2792

1265	1265	2904
1277	1277	3229
1289	1289	1689
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

MONSX5(2142-2142)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [May of interview year-3]

value	label	Total
.	INAPPLICABLE	36
1	Yes	6877
5	No	5293
8	Refused	12
9	Don't know	61
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx6(2143-2146)

Variable Type : Computed

Description : Century month being referred to in MONSX6 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	43
1242	1242	1622
1254	1254	2792
1266	1266	2904
1278	1278	3229
1290	1290	1689
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

MONSX6(2147-2147)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [June of interview year-3]

value	label	Total
.	INAPPLICABLE	36
1	Yes	6908
5	No	5262
8	Refused	12
9	Don't know	61
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx7(2148-2151)

Variable Type : Computed

Description : Century month being referred to in MONSX7 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	43
1243	1243	1622
1255	1255	2792
1267	1267	2904
1279	1279	3229
1291	1291	1689
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

MONSX7(2152-2152)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [July of interview year-3]

value	label	Total
.	INAPPLICABLE	36
1	Yes	6970
5	No	5200
8	Refused	12
9	Don't know	61
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx8(2153-2156)

Variable Type : Computed

Description : Century month being referred to in MONSX8 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	43
1244	1244	1622
1256	1256	2792
1268	1268	2904
1280	1280	3229
1292	1292	1689
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

MONSX8(2157-2157)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [August of interview year-3]

value	label	Total
.	INAPPLICABLE	36
1	Yes	7006
5	No	5165
8	Refused	12
9	Don't know	60
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.

Year 2 (QuestYear >= 2) Applicable for all Rs

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx9(2158-2161)

Variable Type : Computed

Description : Century month being referred to in MONSX9 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	43
1245	1245	1622
1257	1257	2792
1269	1269	2904
1281	1281	3229
1293	1293	1689
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.

Year 2 (QuestYear >= 2) Applicable for all Rs

MONSX9(2162-2162)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [September of interview year-3]

value	label	Total
.	INAPPLICABLE	36
1	Yes	6975
5	No	5197
8	Refused	12
9	Don't know	59
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.

Year 2 (QuestYear >= 2) Applicable for all Rs

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx10(2163-2166)

Variable Type : Computed

Description : Century month being referred to in MONSX10 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	43
1246	1246	1622
1258	1258	2792
1270	1270	2904
1282	1282	3229
1294	1294	1689
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

MONSX10(2167-2167)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [October of interview year-3]

value	label	Total
.	INAPPLICABLE	36
1	Yes	7035
5	No	5137
8	Refused	12
9	Don't know	59
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx11(2168-2171)

Variable Type : Computed

Description : Century month being referred to in MONSX11 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	43
1247	1247	1622
1259	1259	2792
1271	1271	2904
1283	1283	3229
1295	1295	1689
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

MONSX11(2172-2172)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [November of interview year-3]

value	label	Total
.	INAPPLICABLE	36
1	Yes	7062
5	No	5107

8	Refused	12
9	Don't know	62
Total		12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx12(2173-2176)

Variable Type : Computed

Description : Century month being referred to in MONSX12 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	43
1248	1248	1622
1260	1260	2792
1272	1272	2904
1284	1284	3229
1296	1296	1689
Total		12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

MONSX12(2177-2177)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [December of interview year-3]

value	label	Total
.	INAPPLICABLE	36
1	Yes	7139
5	No	5032
8	Refused	12
9	Don't know	60
Total		12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx13(2178-2181)

Variable Type : Computed

Description : Century month being referred to in MONSX13 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	43
1249	1249	1622
1261	1261	2792
1273	1273	2904
1285	1285	3229
1297	1297	1689
Total		12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

MONSX13(2182-2182)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [January of interview year-2]

value	label	Total
.	INAPPLICABLE	36
1	Yes	7109
5	No	5071
8	Refused	12
9	Don't know	51
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx14(2183-2186)

Variable Type : Computed

Description : Century month being referred to in MONSX14 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	43
1250	1250	1622
1262	1262	2792
1274	1274	2904
1286	1286	3229
1298	1298	1689
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

MONSX14(2187-2187)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [February of interview year-2]

value	label	Total
.	INAPPLICABLE	36
1	Yes	7098
5	No	5083
8	Refused	12
9	Don't know	50
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx15(2188-2191)

Variable Type : Computed

Description : Century month being referred to in MONSX15 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	43
1251	1251	1622
1263	1263	2792
1275	1275	2904
1287	1287	3229
1299	1299	1689
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.

Year 2 (QuestYear >= 2) Applicable for all Rs

MONSX15(2192-2192)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [March of interview year-2]

value	label	Total
.	INAPPLICABLE	36
1	Yes	7096
5	No	5083
8	Refused	13
9	Don't know	51
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.

Year 2 (QuestYear >= 2) Applicable for all Rs

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx16(2193-2196)

Variable Type : Computed

Description : Century month being referred to in MONSX16 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	43
1252	1252	1622
1264	1264	2792
1276	1276	2904
1288	1288	3229
1300	1300	1689
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.

Year 2 (QuestYear >= 2) Applicable for all Rs

MONSX16(2197-2197)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [April of interview year-2]

value	label	Total
-------	-------	-------

.	INAPPLICABLE	36
1	Yes	7158
5	No	5020
8	Refused	14
9	Don't know	51
Total		12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx17(2198-2201)

Variable Type : Computed

Description : Century month being referred to in MONSX17 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	43
1253	1253	1622
1265	1265	2792
1277	1277	2904
1289	1289	3229
1301	1301	1689
Total		12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

MONSX17(2202-2202)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [May of interview year-2]

value	label	Total
.	INAPPLICABLE	36
1	Yes	7223
5	No	4954
8	Refused	14
9	Don't know	52
Total		12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx18(2203-2206)

Variable Type : Computed

Description : Century month being referred to in MONSX18 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	43
1254	1254	1622
1266	1266	2792
1278	1278	2904

1290	1290	3229
1302	1302	1689
Total		12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

MONSX18(2207-2207)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [June of interview year-2]

value	label	Total
.	INAPPLICABLE	36
1	Yes	7242
5	No	4937
8	Refused	14
9	Don't know	50
Total		12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx19(2208-2211)

Variable Type : Computed

Description : Century month being referred to in MONSX19 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	43
1255	1255	1622
1267	1267	2792
1279	1279	2904
1291	1291	3229
1303	1303	1689
Total		12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

MONSX19(2212-2212)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [July of interview year-2]

value	label	Total
.	INAPPLICABLE	36
1	Yes	7317
5	No	4859
8	Refused	15
9	Don't know	52
Total		12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.

Year 2 (QuestYear >= 2) Applicable for all Rs

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx20(2213-2216)

Variable Type : Computed

Description : Century month being referred to in MONSX20 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	43
1256	1256	1622
1268	1268	2792
1280	1280	2904
1292	1292	3229
1304	1304	1689
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.

Year 2 (QuestYear >= 2) Applicable for all Rs

MONSX20(2217-2217)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [August of interview year-2]

value	label	Total
.	INAPPLICABLE	36
1	Yes	7307
5	No	4869
8	Refused	15
9	Don't know	52
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.

Year 2 (QuestYear >= 2) Applicable for all Rs

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx21(2218-2221)

Variable Type : Computed

Description : Century month being referred to in MONSX21 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	43
1257	1257	1622
1269	1269	2792
1281	1281	2904
1293	1293	3229
1305	1305	1689
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.

Year 2 (QuestYear >= 2) Applicable for all Rs

MONSX21(2222-2222)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [September of interview year-2]

value	label	Total
.	INAPPLICABLE	36
1	Yes	7252
5	No	4926
8	Refused	15
9	Don't know	50
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.

Year 2 (QuestYear >= 2) Applicable for all Rs

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx22(2223-2226)

Variable Type : Computed

Description : Century month being referred to in MONSX22 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	43
1258	1258	1622
1270	1270	2792
1282	1282	2904
1294	1294	3229
1306	1306	1689
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.

Year 2 (QuestYear >= 2) Applicable for all Rs

MONSX22(2227-2227)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [October of interview year-2]

value	label	Total
.	INAPPLICABLE	36
1	Yes	7307
5	No	4873
8	Refused	15
9	Don't know	48
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.

Year 2 (QuestYear >= 2) Applicable for all Rs

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx23(2228-2231)

Variable Type : Computed

Description : Century month being referred to in MONSX23 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	43
1259	1259	1622
1271	1271	2792
1283	1283	2904
1295	1295	3229
1307	1307	1689
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

MONSX23(2232-2232)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [November of interview year-2]

value	label	Total
.	INAPPLICABLE	36
1	Yes	7355
5	No	4827
8	Refused	15
9	Don't know	46
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx24(2233-2236)

Variable Type : Computed

Description : Century month being referred to in MONSX24 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	43
1260	1260	1622
1272	1272	2792
1284	1284	2904
1296	1296	3229
1308	1308	1689
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

MONSX24(2237-2237)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [December of interview year-2]

value	label	Total
.	INAPPLICABLE	36
1	Yes	7500
5	No	4682

8	Refused	15
9	Don't know	46
Total		12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx25(2238-2241)

Variable Type : Computed

Description : Century month being referred to in MONSX25 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	43
1261	1261	1622
1273	1273	2792
1285	1285	2904
1297	1297	3229
1309	1309	1689
Total		12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

MONSX25(2242-2242)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [January of interview year-1]

value	label	Total
.	INAPPLICABLE	36
1	Yes	7450
5	No	4744
8	Refused	14
9	Don't know	35
Total		12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx26(2243-2246)

Variable Type : Computed

Description : Century month being referred to in MONSX26 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	43
1262	1262	1622
1274	1274	2792
1286	1286	2904
1298	1298	3229
1310	1310	1689
Total		12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

MONSX26(2247-2247)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [February of interview year-1]

value	label	Total
.	INAPPLICABLE	36
1	Yes	7401
5	No	4792
8	Refused	14
9	Don't know	36
Total		12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx27(2248-2251)

Variable Type : Computed

Description : Century month being referred to in MONSX27 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	43
1263	1263	1622
1275	1275	2792
1287	1287	2904
1299	1299	3229
1311	1311	1689
Total		12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

MONSX27(2252-2252)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [March of interview year-1]

value	label	Total
.	INAPPLICABLE	36
1	Yes	7404
5	No	4792
8	Refused	14
9	Don't know	33
Total		12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx28(2253-2256)

Variable Type : Computed

Description : Century month being referred to in MONSX28 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	43
1264	1264	1622
1276	1276	2792
1288	1288	2904
1300	1300	3229
1312	1312	1689
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.

Year 2 (QuestYear >= 2) Applicable for all Rs

MONSX28(2257-2257)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [April of interview year-1]

value	label	Total
.	INAPPLICABLE	36
1	Yes	7369
5	No	4829
8	Refused	14
9	Don't know	31
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.

Year 2 (QuestYear >= 2) Applicable for all Rs

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx29(2258-2261)

Variable Type : Computed

Description : Century month being referred to in MONSX29 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	43
1265	1265	1622
1277	1277	2792
1289	1289	2904
1301	1301	3229
1313	1313	1689
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.

Year 2 (QuestYear >= 2) Applicable for all Rs

MONSX29(2262-2262)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [May of interview year-1]

value	label	Total
-------	-------	-------

.	INAPPLICABLE	36
1	Yes	7454
5	No	4743
8	Refused	14
9	Don't know	32
Total		12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx30(2263-2266)

Variable Type : Computed

Description : Century month being referred to in MONSX30 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	43
1266	1266	1622
1278	1278	2792
1290	1290	2904
1302	1302	3229
1314	1314	1689
Total		12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

MONSX30(2267-2267)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [June of interview year-1]

value	label	Total
.	INAPPLICABLE	36
1	Yes	7512
5	No	4687
8	Refused	14
9	Don't know	30
Total		12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx31(2268-2271)

Variable Type : Computed

Description : Century month being referred to in MONSX31 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	43
1267	1267	1622
1279	1279	2792
1291	1291	2904

1303	1303	3229
1315	1315	1689
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

MONSX31(2272-2272)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [July of interview year-1]

value	label	Total
.	INAPPLICABLE	36
1	Yes	7609
5	No	4590
8	Refused	13
9	Don't know	31
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx32(2273-2276)

Variable Type : Computed

Description : Century month being referred to in MONSX32 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	43
1268	1268	1622
1280	1280	2792
1292	1292	2904
1304	1304	3229
1316	1316	1689
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

MONSX32(2277-2277)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [August of interview year-1]

value	label	Total
.	INAPPLICABLE	36
1	Yes	7626
5	No	4575
8	Refused	13
9	Don't know	29
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.

Year 2 (QuestYear >= 2) Applicable for all Rs

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx33(2278-2281)

Variable Type : Computed

Description : Century month being referred to in MONSX33 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	43
1269	1269	1622
1281	1281	2792
1293	1293	2904
1305	1305	3229
1317	1317	1689
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.

Year 2 (QuestYear >= 2) Applicable for all Rs

MONSX33(2282-2282)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [September of interview year-1]

value	label	Total
.	INAPPLICABLE	36
1	Yes	7616
5	No	4586
8	Refused	13
9	Don't know	28
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.

Year 2 (QuestYear >= 2) Applicable for all Rs

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx34(2283-2286)

Variable Type : Computed

Description : Century month being referred to in MONSX34 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	43
1270	1270	1622
1282	1282	2792
1294	1294	2904
1306	1306	3229
1318	1318	1689
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.

Year 2 (QuestYear >= 2) Applicable for all Rs

MONSX34(2287-2287)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [October of interview year-1]

value	label	Total
.	INAPPLICABLE	36
1	Yes	7653
5	No	4553
8	Refused	13
9	Don't know	24
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.

Year 2 (QuestYear >= 2) Applicable for all Rs

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx35(2288-2291)

Variable Type : Computed

Description : Century month being referred to in MONSX35 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	43
1271	1271	1622
1283	1283	2792
1295	1295	2904
1307	1307	3229
1319	1319	1689
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.

Year 2 (QuestYear >= 2) Applicable for all Rs

MONSX35(2292-2292)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [November of interview year-1]

value	label	Total
.	INAPPLICABLE	36
1	Yes	7706
5	No	4500
8	Refused	13
9	Don't know	24
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.

Year 2 (QuestYear >= 2) Applicable for all Rs

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx36(2293-2296)

Variable Type : Computed

Description : Century month being referred to in MONSX36 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	43
1272	1272	1622
1284	1284	2792
1296	1296	2904
1308	1308	3229
1320	1320	1689
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

MONSX36(2297-2297)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [December of interview year-1]

value	label	Total
.	INAPPLICABLE	36
1	Yes	7754
5	No	4456
8	Refused	13
9	Don't know	20
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx37(2298-2301)

Variable Type : Computed

Description : Century month being referred to in MONSX37 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	43
1273	1273	1622
1285	1285	2792
1297	1297	2904
1309	1309	3229
1321	1321	1689
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

MONSX37(2302-2302)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [January of interview year]

value	label	Total
.	INAPPLICABLE	36
1	Yes	7695
5	No	4524

8	Refused	14
9	Don't know	10
Total		12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx38(2303-2306)

Variable Type : Computed

Description : Century month being referred to in MONSX38 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	1168
1274	1274	1622
1286	1286	2508
1298	1298	2661
1310	1310	2959
1322	1322	1361
Total		12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

MONSX38(2307-2307)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [February of interview year]

value	label	Total
.	INAPPLICABLE	1162
1	Yes	6946
5	No	4147
8	Refused	13
9	Don't know	11
Total		12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx39(2308-2311)

Variable Type : Computed

Description : Century month being referred to in MONSX39 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	2270
1275	1275	1622
1287	1287	2228
1299	1299	2412
1311	1311	2652
1323	1323	1095
Total		12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

MONSX39(2312-2312)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [March of interview year]

value	label	Total
.	INAPPLICABLE	2264
1	Yes	6236
5	No	3759
8	Refused	11
9	Don't know	9
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx40(2313-2316)

Variable Type : Computed

Description : Century month being referred to in MONSX40 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	3186
1276	1276	1622
1288	1288	2030
1300	1300	2217
1312	1312	2384
1324	1324	840
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

MONSX40(2317-2317)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [April of interview year]

value	label	Total
.	INAPPLICABLE	3181
1	Yes	5680
5	No	3398
8	Refused	11
9	Don't know	9
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx41(2318-2321)

Variable Type : Computed

Description : Century month being referred to in MONSX41 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	4377
1277	1277	1622
1289	1289	1754
1301	1301	1942
1313	1313	2083
1325	1325	501
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.

Year 2 (QuestYear >= 2) Applicable for all Rs

MONSX41(2322-2322)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [May of interview year]

value	label	Total
.	INAPPLICABLE	4373
1	Yes	4997
5	No	2888
8	Refused	11
9	Don't know	10
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.

Year 2 (QuestYear >= 2) Applicable for all Rs

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx42(2323-2326)

Variable Type : Computed

Description : Century month being referred to in MONSX42 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	5690
1278	1278	1622
1290	1290	1442
1302	1302	1639
1314	1314	1741
1326	1326	145
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.

Year 2 (QuestYear >= 2) Applicable for all Rs

MONSX42(2327-2327)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [June of interview year]

value	label	Total
-------	-------	-------

.	INAPPLICABLE	5686
1	Yes	4142
5	No	2431
8	Refused	11
9	Don't know	9
Total		12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3.
Year 2 (QuestYear >= 2) Applicable for all Rs

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx43(2328-2331)

Variable Type : Computed

Description : Century month being referred to in MONSX43 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	6297
1279	1279	1570
1291	1291	1345
1303	1303	1489
1315	1315	1578
Total		12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3
Year 2 (QuestYear >= 2) Applicable if R's date of interview was July 2006 or later (cmintvw >= 1279)

MONSX43(2332-2332)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [July of interview year]

value	label	Total
.	INAPPLICABLE	6294
1	Yes	3736
5	No	2231
8	Refused	9
9	Don't know	9
Total		12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3
Year 2 (QuestYear >= 2) Applicable if R's date of interview was July 2006 or later (cmintvw >= 1279)

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx44(2333-2336)

Variable Type : Computed

Description : Century month being referred to in MONSX44 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	7437
1280	1280	1241
1292	1292	1101
1304	1304	1161
1316	1316	1339

Total	12279
--------------	--------------

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3
Year 2 (QuestYear >= 2) Applicable if R's date of interview was August 2006 or later (cmintvw >= 1279)

MONSX44(2337-2337)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [August of interview year]

value	label	Total
.	INAPPLICABLE	7434
1	Yes	2983
5	No	1846
8	Refused	9
9	Don't know	7
Total		12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3
Year 2 (QuestYear >= 2) Applicable if R's date of interview was August 2006 or later (cmintvw >= 1279)

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx45(2338-2341)

Variable Type : Computed

Description : Century month being referred to in MONSX45 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	8558
1281	1281	978
1293	1293	790
1305	1305	904
1317	1317	1049
Total		12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3
Year 2 (QuestYear >= 2) Applicable if R's date of interview was September 2006 or later (cmintvw >= 1279)

MONSX45(2342-2342)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [September of interview year]

value	label	Total
.	INAPPLICABLE	8556
1	Yes	2286
5	No	1421
8	Refused	9
9	Don't know	7
Total		12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3
Year 2 (QuestYear >= 2) Applicable if R's date of interview was September 2006 or later (cmintvw >= 1279)

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx46(2343-2346)

Variable Type : Computed

Description : Century month being referred to in MONSX46 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	9396
1282	1282	789
1294	1294	592
1306	1306	707
1318	1318	795
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3

Year 2 (QuestYear >= 2) Applicable if R's date of interview was October 2006 or later (cmintvw >= 1279)

MONSX46(2347-2347)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [October of interview year]

value	label	Total
.	INAPPLICABLE	9395
1	Yes	1754
5	No	1118
8	Refused	5
9	Don't know	7
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3

Year 2 (QuestYear >= 2) Applicable if R's date of interview was October 2006 or later (cmintvw >= 1279)

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx47(2348-2351)

Variable Type : Computed

Description : Century month being referred to in MONSX47 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	10638
1283	1283	426
1295	1295	303
1307	1307	422
1319	1319	490
	Total	12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3

Year 2 (QuestYear >= 2) Applicable if R's date of interview was Nov 2006 or later (cmintvw >= 1279)

MONSX47(2352-2352)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [November of interview year]

value	label	Total
-------	-------	-------

.	INAPPLICABLE	10638
1	Yes	977
5	No	656
8	Refused	2
9	Don't know	6
Total		12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3
Year 2 (QuestYear >= 2) Applicable if R's date of interview was Nov 2006 or later (cmintvw >= 1279)

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases

cmmonsx48(2353-2356)

Variable Type : Computed

Description : Century month being referred to in MONSX48 (Computed in Flow Check E-34a)

value	label	Total
.	INAPPLICABLE	11874
1284	1284	74
1296	1296	60
1308	1308	126
1320	1320	145
Total		12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3
Year 2 (QuestYear >= 2) Applicable if R's date of interview was Dec 2006 or later (cmintvw >= 1279)

MONSX48(2357-2357)

Variable Type : Raw

EC-8 : Did the respondent mark an "X" in this month or mention intercourse occurred during: [December of interview year]

value	label	Total
.	INAPPLICABLE	11874
1	Yes	230
5	No	174
9	Don't know	1
Total		12279

Universe : Year 1 (QuestYear = 1) Applicable if R has valid information on cmfstsex and INTR_EC3
Year 2 (QuestYear >= 2) Applicable if R's date of interview was Dec 2006 or later (cmintvw >= 1279)

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide for corrected information on 2 cases