

Long-Term Care Services in the United States: 2013 Overview State Web Tables and Maps

In December 2013, NCHS released the first in a series of reports from the National Study of Long-Term Care Providers (NSLTCP). Long-Term Care Services in the United States: 2013 Overview (accessible at: http://www.cdc.gov/nchs/data/series/sr_03/sr03_037.pdf) includes descriptive information on the supply, organizational characteristics, staffing, and services offered by paid, regulated providers of long-term care services; and the demographic, health, and functional characteristics of users of these services. The enclosed series of 51 state web tables (one for each state and the District of Columbia) and 6 use rate maps is a companion to Long-Term Care Services in the United States: 2013 Overview (specifically, Appendix B Detailed Tables 1-4) and provides comparable information by state.

Five of the 6 maps show the use of long-term care services by individuals aged 85 and over per 1,000 persons aged 85 and over for each of the five provider sectors; the sixth map shows use of long-term care services by individuals younger than 65 years per 1,000 persons younger than 65 for adult day services centers, because a large percentage of adult day services center participants are under age 65. These maps complement the maps in the 2013 Overview report by presenting data for the same sectors, but for different age groups.

Data are presented in the state web tables only if they meet NCHS' data reliability and confidentiality standards. Footnotes are included in the state web tables to indicate if estimates do not meet NCHS reliability and confidentiality standards. Estimates are presented as number, percent distribution (i.e., estimates total to 100%), or percentage, as appropriate. Estimates for adult day services centers are not presented for the District of Columbia, Idaho, and Wyoming because the number of respondents to the survey was fewer than the number required to meet NCHS confidentiality standards. Estimates for hospices are not presented for Alaska and the District of Columbia because the number of respondents to the survey was fewer than the number required to meet NCHS confidentiality standards. The remainder of this section briefly describes the data sources used to produce estimates for each of the five sectors. The data sources and methodology used to develop the state web tables and maps are the same as that used for the 2013 Overview report. For more information on the data sources and methodology, please see Chapter 5. Technical Notes in the Long-Term Care Services in the United States: 2013 Overview (accessible at: http://www.cdc.gov/nchs/data/series/sr_03/sr03_037.pdf)

NSLTCP is a new initiative by the National Center for Health Statistics (NCHS) to provide reliable, accurate, relevant and timely statistical information to support and inform long-term care services policy, research and practice. The main goals of NSLTCP are to: (1) estimate the supply and use of paid, regulated long-term care services providers, (2) estimate key policy-relevant characteristics and practices, (3) produce national and state-level estimates, where feasible, (4) compare among sectors, and (5) monitor trends over time.

NCHS implemented the first wave of the study in 2012 and plans to conduct NSLTCP every two years. NSLTCP comprises two components: (1) survey data collected by NCHS on adult day services centers and assisted living and similar residential care communities; and (2) administrative data on nursing homes, home health agencies, and hospices obtained from the Centers for Medicare & Medicaid Services (CMS). The restricted 2012 survey data files for adult day services centers and residential care communities are available through NCHS' Research Data Center (http://www.cdc.gov/nchs/nsltcp/nsltcp_new_data_release.html)

The residential care component and adult day services center surveys were conducted between September 2012 and February 2013. NSLTCP used a multi-mode survey protocol with mail, web, and telephone follow-up for nonresponse. The questionnaires included survey items or provider characteristics such as ownership, size, number of years in operation, services offered, selected

practices, and staffing, in addition to aggregate user characteristics, such as age, sex, race, and the number of residents/participants needing assistance with activities of daily living (ADLs). The 2012 mail questionnaires are available at: http://www.cdc.gov/nchs/nsltcp/nsltcp_questionnaires.htm. Survey data were collected by RTI International under contract to NCHS. Survey documentation is available at: http://www.cdc.gov/nchs/data/nsltcp/NSLTCP_survey_methodology_and_documentation.pdf.

Using a sampling frame obtained from the National Adult Day Services Association (NADSA) and additional centers self-identified during data collection, a total of 5,254 adult day services centers were included in the survey. About 9% (476) of the adult day services centers were found to be invalid or out of business. All remaining centers (4,778) were assumed eligible and of these centers, 3,212 completed the survey, resulting in a weighted response rate of 68%.

The sampling frame for the residential care community component was constructed from lists of licensed residential care communities obtained from the state licensing agencies in each of the 50 states and the District of Columbia. Using the same definition of residential care as in the 2010 National Survey of Residential Care Facilities (NSRCF), all residential care communities that participated in the survey were licensed, registered, listed, certified, or otherwise regulated by the state; had four or more licensed, registered, or certified beds; provided room and board with at least two meals a day, around-the-clock on-site supervision, and help with personal care, such as bathing and dressing or health related services such as medication management. These communities served a predominantly adult population. As was done for NSRCF, residential care communities licensed to serve the mentally ill or the intellectually disabled/developmentally disabled populations exclusively were excluded from NSLTCP. Of the 39,779 residential care communities on the sampling frame, a combination of probability samples (in states that had sufficient numbers of residential care communities to enable state estimates) and census-taking (in states that did not have sufficient numbers of residential care communities for state estimates) resulted in 11,690 sampled residential care communities. Eligibility was determined using a set of screener items in the questionnaire. Of the sampled cases, 4,578 (weighted 44%) could not be contacted and their eligibility was unknown. Using the eligibility rate¹ a proportion of communities with unknown eligibility was estimated to be eligible. This estimated number and the total number of eligible communities resulting from the screening process were used to estimate the total number of eligible residential care communities. A total of 4,694 communities completed the survey, resulting in a weighted response rate of 55%.

Administrative data were obtained from CMS for home health agencies, hospices, and nursing homes. Provider-specific data files from the Certification and Survey Provider Enhanced Reporting (CASPER) system drawn for the third quarter of 2012 were used for each of the providers (home health, hospice, and nursing homes). User-level data were aggregated to the provider-level using a unique provider identification (ID) number, and the data were merged to respective provider-level data files.

The home health agency file included 12,206 home health agencies coded as active providers, of which 76% were Medicare- and Medicaid-certified, 23% were Medicare-certified only, and 1.4% were Medicaid-certified only. About 90% of these agencies completed a certification survey in the last 3 years. Outcome-Based Quality Improvement (OBQI) Case Mix Roll Up data from the Outcome and Assessment Information Set were used as the primary source of information on home health patients whose episode of care ended any time in calendar year 2011, regardless of payment source. Institutional Provider and Beneficiary Summary (IPBS) home health data were used to compute percentages of home health patients of different racial and ethnic groups, and to compute percentages of those diagnosed with Alzheimer's disease and other dementias.

¹ Eligibility rate is calculated by the number of known eligible residential care communities divided by the total number of residential care communities with known eligibility status (those known to be eligible and those known to be ineligible). Communities that were invalid or out of business, and communities that screened out as ineligible were classified as "known ineligibles."

The Hospice agency file included 3,678 hospices coded as active, without information on type of certification. About 93% of Medicare hospices completed a certification in the last 8 years, including 54% within the last 3 years. IPBS contained information on hospice patients for whom Medicare-certified hospice agencies submitted a Medicare claim at any time in calendar year 2011. Given that 93% of hospice agencies were Medicare-certified in 2007 (based on findings from NCHS' 2007 National Home and Hospice Care Survey) and that no other data source was available on hospice patients, IPBS data were assumed to provide current coverage and used for NSLTCP to provide information on hospice patients.

The Nursing home file included 15,675 nursing homes coded as active providers, of which 92% were Medicare- and Medicaid-certified, 5% were Medicare-certified only, and 3.5% were Medicaid-certified only. Nearly all of these nursing homes completed a certification survey during the last 18 months. Two sources of data were used for nursing home residents: Minimum Data Set Active Resident Episode Table (MARET) and the CASPER nursing home file. MARET provided data for all residents who were residing in a Medicare-or Medicaid-certified nursing home on the last day of the third quarter of 2012, regardless of payment source. Excluded were residents whose last assessment during the third quarter of 2012 was discharge assessment. These data were used as the denominator in the calculations for percentages of nursing home residents with different demographic characteristics. The CASPER data file for the third quarter of 2012 provided information on the number of residents diagnosed with Alzheimer's disease and other dementias, number of residents diagnosed with depression, and the number of residents with ADL limitations.


Suggested citation

Sengupta M, Valverde R, Rome V, Park-Lee E, Caffrey C, Harris-Kojetin L. Long-Term Care Services in the United States: 2013 Overview State Web Tables and Maps. Hyattsville, MD: National Center for Health Statistics. 2015.

Acknowledgements

The authors greatly appreciate the guidance received from Eve Powell-Griner, Alvan Zarate, and Iris Shimizu, National Center for Health Statistics. The authors are grateful for technical support and assistance from Anthony Lefevour, Division of Health Care Statistics.

Figure 1. Adult day services center participants aged 64 and under: United States, 2012



Significance tested at $p < .05$.

Note: The national rate is 0.4.

Note: Rates based on participants enrolled in adult day services centers on any given day in 2012 per 1,000 persons aged 64 and under.

Source: CDC/NCHS, National Study of Long-Term Care Providers

Figure table 1. Adult day services center participants aged 64 and under: United States, 2012

| Area | Daily rate ¹ | Standard error |
|----------------------|-------------------------|----------------|
| United States | 0.37 | 0.01 |
| Alabama | 0.07 | 0.01 |
| Alaska | 0.22 | 0.04 |
| Arizona | 0.06 | 0.01 |
| Arkansas | 0.01 | 0 |
| California | 1.19 | 0.04 |
| Colorado | 0.28 | 0.03 |
| Connecticut | 0.07 | 0.01 |
| Delaware | 0.3 | 0.05 |
| District of Columbia | * | * |
| Florida | 0.06 | 0.01 |
| Georgia | 0.19 | 0.02 |
| Hawaii | 0.12 | 0.04 |
| Idaho | * | * |
| Illinois | 0.07 | 0.01 |
| Indiana | 0.08 | 0.01 |
| Iowa | 0.23 | 0.01 |
| Kansas | 0.11 | 0.02 |
| Kentucky | 0.7 | 0.04 |
| Louisiana | 0.11 | 0.01 |
| Maine | 0.13 | 0.04 |
| Maryland | 0.62 | 0.05 |
| Massachusetts | 0.54 | 0.04 |
| Michigan | 0.04 | 0 |
| Minnesota | 0.37 | 0.03 |
| Mississippi | 0.25 | 0.02 |
| Missouri | 0.38 | 0.03 |
| Montana | 0.06 | 0.03 |
| Nebraska | 1.13 | 0.18 |
| Nevada | 0.12 | 0.01 |
| New Hampshire | 0.18 | 0.02 |
| New Jersey | 0.58 | 0.03 |
| New Mexico | 0.09 | 0.05 |
| New York | 0.28 | 0.01 |
| North Carolina | 0.13 | 0.01 |
| North Dakota | 0.12 | 0.04 |
| Ohio | 0.13 | 0.01 |
| Oklahoma | 0.21 | 0.02 |
| Oregon | 0.02 | 0.01 |
| Pennsylvania | 0.38 | 0.03 |
| Rhode Island | 0.47 | 0.12 |
| South Carolina | 0.28 | 0.01 |
| South Dakota | 0.03 | 0 |
| Tennessee | 0.07 | 0.01 |


| | | |
|---------------|------|------|
| Texas | 0.62 | 0.02 |
| Utah | 0.01 | 0 |
| Vermont | 0.26 | 0.04 |
| Virginia | 0.06 | 0 |
| Washington | 0.19 | 0.03 |
| West Virginia | 0.03 | 0.02 |
| Wisconsin | 0.3 | 0.02 |
| Wyoming | * | * |

¹Participants enrolled in adult day services centers on any given day in 2012 per 1,000 persons aged 64 and under.

*Estimate is not presented because estimate does not meet NCHS confidentiality standards.

Source: CDC/NCHS, National Study of Long-Term Care Providers

Figure 2. Adult day services center participants aged 85 and over: United States, 2012



Significance tested at $p < .05$.

Note: The national rate is 8.

Note: Rates based on participants enrolled in adult day services centers on any given day in 2012 per 1,000 persons aged 85 and over.

Source: CDC/NCHS, National Study of Long-Term Care Providers

Figure table 2. Adult day services center participants aged 85 and over: United States, 2012

| Area | Daily rate ¹ | Standard error |
|----------------------|-------------------------|----------------|
| United States | 7.83 | 0.14 |
| Alabama | 1.15 | 0.18 |
| Alaska | 24.25 | 1.35 |
| Arizona | 2.42 | 0.2 |
| Arkansas | 2.52 | 0.32 |
| California | 17.72 | 0.93 |
| Colorado | 4.81 | 0.52 |
| Connecticut | 11.19 | 0.66 |
| Delaware | 4.43 | 0.64 |
| District of Columbia | * | * |
| Florida | 5.5 | 0.29 |
| Georgia | 4.91 | 0.49 |
| Hawaii | 23.14 | 2.73 |
| Idaho | * | * |
| Illinois | 5.64 | 0.59 |
| Indiana | 2.01 | 0.17 |
| Iowa | 2.36 | 0.21 |
| Kansas | 1.67 | 0.28 |
| Kentucky | 2.94 | 0.29 |
| Louisiana | 3.45 | 0.49 |
| Maine | 3.68 | 0.55 |
| Maryland | 14.46 | 1.2 |
| Massachusetts | 15.38 | 0.99 |
| Michigan | 3.72 | 0.21 |
| Minnesota | 8.47 | 0.71 |
| Mississippi | 3.82 | 0.39 |
| Missouri | 2.8 | 0.34 |
| Montana | 1.31 | 0.4 |
| Nebraska | 2.41 | 0.49 |
| Nevada | 5.71 | 0.75 |
| New Hampshire | 11.59 | 1.44 |
| New Jersey | 13.54 | 0.65 |
| New Mexico | 3.99 | 1.55 |
| New York | 10.68 | 0.56 |
| North Carolina | 4.4 | 0.2 |
| North Dakota | 9.01 | 3.31 |
| Ohio | 5.81 | 0.35 |
| Oklahoma | 4.29 | 0.39 |
| Oregon | 1.86 | 0.31 |
| Pennsylvania | 6.27 | 0.4 |
| Rhode Island | 13.38 | 1.02 |
| South Carolina | 6.93 | 0.61 |
| South Dakota | 6.9 | 0.82 |
| Tennessee | 3.16 | 0.31 |


| | | |
|---------------|-------|------|
| Texas | 10.5 | 0.66 |
| Utah | 1.73 | 0.22 |
| Vermont | 20.16 | 2.59 |
| Virginia | 4.72 | 0.28 |
| Washington | 5.56 | 1.05 |
| West Virginia | 0.35 | 0.25 |
| Wisconsin | 5.13 | 0.41 |
| Wyoming | * | * |

¹Participants enrolled in adult day services centers on any given day in 2012 per 1,000 persons aged 85 and over.

*Estimate is not presented because estimate does not meet NCHS confidentiality standards.

Source: CDC/NCHS, National Study of Long-Term Care Providers

Figure 3. Nursing home residents aged 85 and over: United States, 2012



Significance tested at $p < .05$.

Note: The national rate is 95.

Note: Rates based on residents in nursing homes on any given day in 2012 per 1,000 persons aged 85 and over.

Source: CDC/NCHS, National Study of Long-Term Care Providers

Figure table 3. Nursing home residents aged 85 and over: United States, 2012


| Area | Daily rate ¹ | Standard error |
|----------------------|-------------------------|----------------|
| United States | 94.79 | 0.59 |
| Alabama | 99.22 | 7.57 |
| Alaska | 28.1 | 9.02 |
| Arizona | 31.09 | 3.06 |
| Arkansas | 128.45 | 9.52 |
| California | 54.33 | 1.91 |
| Colorado | 87 | 7.22 |
| Connecticut | 128.13 | 10.01 |
| Delaware | 100.48 | 16.91 |
| District of Columbia | 77.07 | 21.93 |
| Florida | 60.92 | 2.64 |
| Georgia | 94.66 | 5.87 |
| Hawaii | 51.87 | 9.98 |
| Idaho | 54.87 | 7.41 |
| Illinois | 110.53 | 5 |
| Indiana | 136.12 | 7.06 |
| Iowa | 169.31 | 9.24 |
| Kansas | 135.97 | 9.01 |
| Kentucky | 121.94 | 8.41 |
| Louisiana | 117.84 | 8.41 |
| Maine | 94.15 | 10.61 |
| Maryland | 88.32 | 7.48 |
| Massachusetts | 130.62 | 7.42 |
| Michigan | 84.96 | 4.82 |
| Minnesota | 122.96 | 7.63 |
| Mississippi | 114.84 | 9.23 |
| Missouri | 121.64 | 6.55 |
| Montana | 91.12 | 12.69 |
| Nebraska | 143.15 | 11.44 |
| Nevada | 39.23 | 6.92 |
| New Hampshire | 127.85 | 17.03 |
| New Jersey | 100.82 | 6.18 |
| New Mexico | 61.67 | 8.38 |
| New York | 107.84 | 5.42 |
| North Carolina | 89.55 | 4.88 |
| North Dakota | 176.92 | 23.33 |
| Ohio | 121.47 | 4.72 |
| Oklahoma | 105.52 | 7.19 |
| Oregon | 30.6 | 3.21 |
| Pennsylvania | 113.57 | 5.29 |
| Rhode Island | 156.51 | 19.62 |
| South Carolina | 87.55 | 7.48 |
| South Dakota | 160.68 | 18.04 |
| Tennessee | 108 | 6.89 |

| | | |
|---------------|--------|-------|
| Texas | 107.59 | 3.6 |
| Utah | 47.25 | 6.14 |
| Vermont | 93.39 | 17.21 |
| Virginia | 84.57 | 5.77 |
| Washington | 54.05 | 4.33 |
| West Virginia | 97.5 | 10.34 |
| Wisconsin | 114.31 | 6.69 |
| Wyoming | 113.65 | 22.33 |

¹Residents in nursing homes on any given day in 2012 per 1,000 persons aged 85 and over.

Source: CDC/NCHS, National Study of Long-Term Care Providers

Figure 4. Residential care residents aged 85 and over: United States, 2012



Significance tested at $p < .05$.

Note: The national rate is 61.

Note: Rates based on residents in residential care communities on any given day in 2012 per 1,000 persons aged 85 and over.

Source: CDC/NCHS, National Study of Long-Term Care Providers

Figure table 4. Residential care residents aged 85 and over: United States, 2012


| Area | Daily rate ¹ | Standard error |
|----------------------|-------------------------|----------------|
| United States | 61.18 | 1.32 |
| Alabama | 42.17 | 2.31 |
| Alaska | 121.53 | 20.93 |
| Arizona | 53.14 | 7.43 |
| Arkansas | 10.69 | 0.75 |
| California | 73.54 | 5.35 |
| Colorado | 62.58 | 6.72 |
| Connecticut | 9.25 | 1.44 |
| Delaware | 46.12 | 4.83 |
| District of Columbia | 74.56 | 5.78 |
| Florida | 52.3 | 4.61 |
| Georgia | 53.89 | 6.23 |
| Hawaii | 42.86 | 6.31 |
| Idaho | 109.43 | 5.23 |
| Illinois | 42.04 | 3.88 |
| Indiana | 47.13 | 1.9 |
| Iowa | 6.32 | 0.8 |
| Kansas | 88.97 | 3.07 |
| Kentucky | 47.98 | 3.4 |
| Louisiana | 25.61 | 0.99 |
| Maine | 82.27 | 3.34 |
| Maryland | 75.89 | 10.27 |
| Massachusetts | 41.96 | 2.09 |
| Michigan | 45.83 | 6.12 |
| Minnesota | 105.97 | 10 |
| Mississippi | 55.48 | 3.65 |
| Missouri | 54.62 | 5.69 |
| Montana | 101.78 | 16.08 |
| Nebraska | 105.72 | 4.19 |
| Nevada | 47.92 | 3.26 |
| New Hampshire | 59.32 | 3.5 |
| New Jersey | 45.45 | 1.6 |
| New Mexico | 52.5 | 4.09 |
| New York | 28.04 | 1.75 |
| North Carolina | 54.09 | 5.96 |
| North Dakota | 138.25 | 7.87 |
| Ohio | 66.15 | 3.12 |
| Oklahoma | 35.72 | 2.11 |
| Oregon | 117.7 | 14.52 |
| Pennsylvania | 92.35 | 9.04 |
| Rhode Island | 55.8 | 4.26 |
| South Carolina | 60.32 | 4.4 |
| South Dakota | 91 | 2.58 |
| Tennessee | 56.33 | 1.9 |

| | | |
|---------------|--------|-------|
| Texas | 46.56 | 3.79 |
| Utah | 78.88 | 3.56 |
| Vermont | 93.93 | 5.67 |
| Virginia | 98.49 | 7.32 |
| Washington | 151.11 | 21.56 |
| West Virginia | 29.98 | 1.77 |
| Wisconsin | 124.03 | 13.99 |
| Wyoming | 45.96 | 2.69 |

¹Residents in residential care on any given day in 2012 per 1,000 persons aged 85 and over.

Source: CDC/NCHS, National Study of Long-Term Care Providers

Figure 5. Home health patients aged 85 and over discharged in calendar year: United States, 2011



Significance tested at $p < .05$.

Note: The national rate is 206.

Note: Rates based on home health patients whose episode of care ended anytime in 2011 per 1,000 persons aged 85 and over.

Source: CDC/NCHS, National Study of Long-Term Care Providers

Figure table 5. Home health patients aged 85 and over discharged in calendar year: United States, 2011


| Area | Annual rate ¹ | Standard error |
|----------------------|--------------------------|----------------|
| United States | 205.74 | 5.19 |
| Alabama | 267.36 | 36.94 |
| Alaska | 94.17 | 32.81 |
| Arizona | 148.32 | 24.14 |
| Arkansas | 183.42 | 24 |
| California | 177.19 | 11.49 |
| Colorado | 193.27 | 34.17 |
| Connecticut | 246.35 | 43.33 |
| Delaware | 176.4 | 64.13 |
| District of Columbia | 125.06 | 56.57 |
| Florida | 260.41 | 15.11 |
| Georgia | 228.1 | 33.29 |
| Hawaii | 66.6 | 24.43 |
| Idaho | 170.46 | 35.73 |
| Illinois | 228.79 | 18.47 |
| Indiana | 168.54 | 18.59 |
| Iowa | 111.86 | 19.44 |
| Kansas | 147.6 | 26.2 |
| Kentucky | 244.22 | 40.47 |
| Louisiana | 245.91 | 25.39 |
| Maine | 211.4 | 58.37 |
| Maryland | 176.46 | 33.35 |
| Massachusetts | 289.51 | 47.49 |
| Michigan | 272.57 | 28.81 |
| Minnesota | 130.41 | 25.69 |
| Mississippi | 263.21 | 50.15 |
| Missouri | 167.35 | 26.08 |
| Montana | 113.7 | 27.34 |
| Nebraska | 140.66 | 33.57 |
| Nevada | 201.19 | 39.42 |
| New Hampshire | 220.75 | 63 |
| New Jersey | 190.12 | 38.54 |
| New Mexico | 150.5 | 28.97 |
| New York | 205.69 | 50.44 |
| North Carolina | 204.78 | 23.79 |
| North Dakota | 86.09 | 30.21 |
| Ohio | 203.25 | 20.64 |
| Oklahoma | 225.52 | 23.49 |
| Oregon | 153.98 | 41.67 |
| Pennsylvania | 228.49 | 28.49 |
| Rhode Island | 240.57 | 68.26 |
| South Carolina | 190.44 | 34.84 |
| South Dakota | 83.04 | 19.82 |
| Tennessee | 268.16 | 33.23 |

| | | |
|---------------|--------|-------|
| Texas | 241.09 | 10.86 |
| Utah | 237.35 | 39.04 |
| Vermont | 223.15 | 79.27 |
| Virginia | 198.44 | 22.66 |
| Washington | 155.6 | 29.86 |
| West Virginia | 181.54 | 32.75 |
| Wisconsin | 109.18 | 22.37 |
| Wyoming | 106.28 | 29.41 |

¹Home health patients whose episode of care ended anytime in 2011 per 1,000 persons aged 85 and over.

Source: CDC/NCHS, National Study of Long-Term Care Providers

Figure 6. Hospice patients aged 85 and over in calendar year: United States, 2011



Significance tested at $p < .05$.

Note: The national rate is 99.

Note: Rates based on hospice patients receiving care anytime in 2011 per 1,000 persons aged 85 and over.

Source: CDC/NCHS, National Study of Long-Term Care Providers

Figure table 6. Hospice patients aged 85 and over in calendar year: United States, 2011

| Area | Annual rate ¹ | Standard error |
|----------------------|--------------------------|----------------|
| United States | 98.93 | 3.2 |
| Alabama | 129.32 | 20.41 |
| Alaska | * | * |
| Arizona | 147.72 | 31.14 |
| Arkansas | 99.41 | 24.33 |
| California | 85.74 | 8.65 |
| Colorado | 111.79 | 24.68 |
| Connecticut | 74.54 | 21.23 |
| Delaware | 146.49 | 55.26 |
| District of Columbia | * | * |
| Florida | 108.06 | 28.96 |
| Georgia | 133.47 | 15.21 |
| Hawaii | 57.74 | 26.43 |
| Idaho | 124.58 | 26.53 |
| Illinois | 89.28 | 14.31 |
| Indiana | 95.83 | 13.79 |
| Iowa | 118.25 | 20.16 |
| Kansas | 96.05 | 23.46 |
| Kentucky | 76.65 | 26.78 |
| Louisiana | 123.93 | 15.08 |
| Maine | 91.39 | 26.63 |
| Maryland | 79.46 | 23.72 |
| Massachusetts | 88.25 | 15.88 |
| Michigan | 112.1 | 17.2 |
| Minnesota | 83.7 | 18.77 |
| Mississippi | 111.63 | 18.31 |
| Missouri | 115.34 | 17.43 |
| Montana | 84.96 | 22.82 |
| Nebraska | 97.51 | 23.93 |
| Nevada | 124.77 | 38.74 |
| New Hampshire | 82.87 | 24.02 |
| New Jersey | 92.6 | 17.09 |
| New Mexico | 113.34 | 32.77 |
| New York | 48.35 | 10.63 |
| North Carolina | 101.59 | 16.86 |
| North Dakota | 63.01 | 36.7 |
| Ohio | 119.8 | 19.62 |
| Oklahoma | 131.68 | 15.85 |
| Oregon | 111.45 | 24.63 |
| Pennsylvania | 102.41 | 11.24 |
| Rhode Island | 113.34 | 61.52 |
| South Carolina | 135.99 | 21.41 |
| South Dakota | 65.79 | 22.38 |
| Tennessee | 96.07 | 19.06 |

| | | |
|---------------|--------|-------|
| Texas | 121.8 | 10.58 |
| Utah | 165.91 | 28.61 |
| Vermont | 60.14 | 22.65 |
| Virginia | 87.47 | 17.11 |
| Washington | 84.01 | 20.72 |
| West Virginia | 94.61 | 30.06 |
| Wisconsin | 100.74 | 18.53 |
| Wyoming | 45.22 | 16.11 |

¹ Hospice patients receiving care anytime in 2011 per 1,000 persons aged 85 and over.

*Estimate is not presented because estimate does not meet NCHS confidentiality standards.

Source: CDC/NCHS, National Study of Long-Term Care Providers

Table 1. Providers and Users of Long-Term Care Services in Alabama, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|--------------------|-------|---------|-------|--------------|---------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 20 | (0.0) | 200 | (12) | 100 | (10) | 200 | (15) | 200 | (2) |
| Number of beds or licensed maximum capacity ² | 1,100 | (100) | ... | ... | ... | ... | 26,700 | (1,900) | 10,300 | (400) |
| Average capacity | 49 | (3.6) | --- | --- | --- | --- | 117 | (3.1) | 45 | (1.7) |
| Average number of people served | 21 | (1.9) | --- | --- | --- | --- | 99 | (2.8) | 35 | (1.5) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | * | * | 54.7 | (4.1) | 62.2 | (4.6) | 65.8 | (3.1) | 69.6 | (2.9) |
| Metropolitan or neither | * | * | 45.3 | (4.1) | 37.8 | (4.6) | 34.2 | (3.1) | 30.4 | (2.9) |
| Ownership (percent): | | | | | | | | | | |
| For-profit | * | * | 66.0 | (3.9) | 73.9 | (4.2) | 80.3 | (2.6) | 74.8 | (2.8) |
| Not-for-profit, government, or other | * | * | 34.0 | (3.9) | 26.1 | (4.2) | 19.7 | (2.6) | 25.2 | (2.8) |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | 68.4 | (6.6) | 10.7 | (2.5) | 32.1 | (4.5) | 2.6 | (1.1) | * | * |
| Category 2 | 31.6 | (6.6) | 30.2 | (3.8) | 47.7 | (4.8) | 52.2 | (3.3) | * | * |
| Category 3 | - | - | 59.1 | (4.0) | 20.2 | (3.8) | 45.2 | (3.3) | * | * |
| Staffing⁴ | | | | | | | | | | |
| Number of nursing employee FTEs | 55 | (6) | 2,170 | (234) | 1,457 | (200) | 17,977 | (1,306) | 4,255 | (207) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 23.1 | (3.0) | 60.4 | (1.4) | 54.0 | (1.3) | 9.4 | (0.3) | 5.8 | (0.6) |
| Licensed practical nurse or licensed vocational nurse | 14.2 | (2.5) | 16.3 | (1.4) | 7.8 | (0.8) | 26.1 | (0.4) | 16.6 | (0.6) |
| Aide | 62.7 | (4.0) | 23.3 | (1.2) | 38.2 | (1.1) | 64.5 | (0.5) | 77.5 | (0.9) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 55.9 | (7.1) | 100.0 | (0.0) | 100.0 | (0.0) | 97.8 | (1.0) | 63.4 | (3.0) |
| Licensed practical nurse or licensed vocational nurse | 36.5 | (6.8) | 82.7 | (3.1) | 55.0 | (4.7) | 100.0 | (0.0) | 73.3 | (2.6) |
| Aide | 62.0 | (6.9) | 100.0 | (0.0) | 100.0 | (0.0) | † | † | † | † |
| Social worker | * | * | 75.3 | (3.5) | 100.0 | (0.0) | 69.7 | (3.0) | 9.6 | (2.0) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.8 | (0.2) | --- | --- | --- | --- | 0.4 | (0.0) | 0.2 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.2 | (0.1) | --- | --- | --- | --- | 1.1 | (0.0) | 0.4 | (0.0) |
| Aide | 1.0 | (0.2) | --- | --- | --- | --- | 2.6 | (0.0) | 2.8 | (0.1) |
| Social worker | 0.1 | (0.0) | --- | --- | --- | --- | 0.0 | (0.0) | 0.0 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | * | * | 79.3 | (3.3) | 100.0 | (0.0) | 87.7 | (2.2) | 74.2 | (2.9) |
| Mental health or counseling (percentage) | 62.0 | (6.9) | --- | --- | 95.5 | (2.0) | 87.3 | (2.2) | 69.6 | (3.0) |
| Therapy (physical, occupational, or speech) (percentage) | 49.4 | (7.1) | † | † | † | † | 100.0 | (0.0) | 92.1 | (1.8) |
| Skilled nursing or nursing (percentage) | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 74.8 | (2.9) |
| Pharmacy or pharmacist (percentage) | 30.4 | (6.5) | * | * | --- | --- | † | † | † | † |
| Hospice (percentage) | 37.6 | (6.9) | 3.3 | (1.5) | ... | ... | 88.2 | (2.1) | 93.1 | (1.6) |

Table 1. Providers and Users of Long-Term Care Services in Alabama, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|------------------------------------|-------|--------------------|----------|---------|---------|--------------|---------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Service users | | | | | | | | | | |
| Number of users ² | 600 | (100) | 98,800 | (13,100) | 26,100 | (4,200) | 22,600 | (1,600) | 7,900 | (400) |
| Age in years (percent): | | | | | | | | | | |
| Under 65 | 43.5 | (3.7) | 18.6 | (0.6) | 7.6 | (0.2) | 15.7 | (0.8) | 3.3 | (0.5) |
| 65 and over | 56.5 | (3.7) | 81.4 | (0.6) | 92.4 | (0.2) | 84.3 | (0.8) | 96.7 | (0.5) |
| 65–74 | 21.4 | (1.2) | 26.0 | (0.3) | 19.1 | (0.4) | 17.1 | (0.4) | 11.4 | (1.4) |
| 75–84 | 20.6 | (2.6) | 33.8 | (0.4) | 33.6 | (0.3) | 30.7 | (0.4) | 42.5 | (1.7) |
| 85 and over | 14.6 | (2.2) | 21.7 | (0.4) | 39.6 | (0.5) | 36.5 | (0.9) | 42.8 | (2.0) |
| Sex (percent): | | | | | | | | | | |
| Men | 47.6 | (2.0) | 35.2 | (0.3) | 40.7 | (0.5) | 28.3 | (0.7) | 24.9 | (0.9) |
| Women | 52.4 | (2.0) | 64.8 | (0.3) | 59.3 | (0.5) | 71.7 | (0.7) | 75.1 | (0.9) |
| Race and ethnicity (percent): | | | | | | | | | | |
| Hispanic | 0.5 | (0.2) | 0.4 | (0.0) | 0.3 | (0.0) | 0.2 | (0.0) | 0.4 | (0.1) |
| Non-Hispanic white | 44.0 | (4.2) | 78.1 | (1.5) | 79.6 | (1.1) | 74.1 | (1.6) | 92.7 | (1.5) |
| Non-Hispanic black | 54.0 | (4.1) | 21.0 | (1.5) | 19.5 | (1.1) | 25.4 | (1.6) | 3.3 | (0.5) |
| Non-Hispanic other | 1.6 | (0.5) | 0.6 | (0.0) | 0.5 | (0.1) | 0.3 | (0.1) | 3.6 | (1.4) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 28.1 | (5.1) | 32.2 | (0.5) | 47.6 | (0.7) | 54.2 | (1.0) | 39.7 | (2.2) |
| Diagnosed with depression | 7.2 | (1.1) | 28.2 | (0.9) | 18.1 | (0.6) | 47.4 | (1.6) | 28.8 | (1.9) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 29.0 | (6.1) | 63.1 | (1.7) | --- | --- | 55.0 | (1.3) | 13.7 | (1.3) |
| Bathing | 30.4 | (5.5) | 97.0 | (0.3) | --- | --- | 97.4 | (0.3) | 57.4 | (2.7) |
| Dressing | 25.0 | (6.3) | 90.4 | (0.9) | --- | --- | 92.8 | (0.4) | 44.2 | (2.8) |
| Toileting | 26.1 | (5.5) | 76.8 | (1.5) | --- | --- | 87.4 | (0.6) | 29.6 | (2.6) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011.

Hospice patients are patients who received care anytime in 2011.

⁴FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsitcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 2. Providers and Users of Long-Term Care Services in Alaska, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|--------------------|--------|--------------|--------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | |
| Organization | | | | | | | | |
| Number of providers ¹ | 10 | (0.0) | 10 | (4) | 20 | (4) | 100 | (1) |
| Number of beds or licensed maximum capacity ² | 400 | (0.0) | --- | --- | 700 | (200) | 1,700 | (200) |
| Average capacity | 27 | (1.0) | --- | --- | 42 | (10.5) | 13 | (1.4) |
| Average number of people served | 16 | (0.8) | --- | --- | 37 | (8.9) | 12 | (1.4) |
| Metropolitan statistical area status (percent): | | | | | | | | |
| Metropolitan | 38.5 | (3.8) | 46.2 | (13.8) | * | * | 85.4 | (2.5) |
| Micropolitan or neither | 61.6 | (3.8) | 53.8 | (13.8) | * | * | 14.6 | (2.5) |
| Ownership (percent): | | | | | | | | |
| For-profit | * | * | * | * | * | * | 82.2 | (2.4) |
| Not-for-profit, government, or other | * | * | * | * | * | * | 17.8 | (2.4) |
| Number of people served (percent): ³ | | | | | | | | |
| Category 1 | * | * | * | * | * | * | * | * |
| Category 2 | * | * | * | * | * | * | * | * |
| Category 3 | - | - | * | * | * | * | * | * |
| Staffing ⁴ | | | | | | | | |
| Number of nursing employee FTEs | 28 | (3) | 121 | (50) | 638 | (220) | 1,074 | (124) |
| Nursing employee FTEs (percent): | | | | | | | | |
| Registered nurse | 10.3 | (1.0) | 66.1 | (7.4) | 22.3 | (1.9) | 10.0 | (0.9) |
| Licensed practical nurse or licensed vocational nurse | 11.4 | (1.0) | 19.8 | (9.2) | 12.4 | (3.1) | 7.5 | (0.9) |
| Aide | 78.3 | (1.8) | 14.2 | (2.9) | 65.3 | (3.7) | 82.5 | (1.4) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | |
| Registered nurse | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 34.7 | (3.1) |
| Licensed practical nurse or licensed vocational nurse | * | * | * | * | 62.5 | (12.1) | 28.5 | (2.9) |
| Aide | 46.1 | (3.8) | * | * | * | * | † | † |
| Social worker | 38.5 | (3.8) | 61.5 | (13.5) | 62.5 | (12.1) | 9.9 | (2.0) |
| Employee hours per resident or participant per day: | | | | | | | | |
| Registered nurse | 0.1 | (0.0) | --- | --- | 1.6 | (0.2) | 0.3 | (0.1) |
| Licensed practical nurse or licensed vocational nurse | 0.1 | (0.0) | --- | --- | 0.6 | (0.1) | 0.3 | (0.0) |
| Aide | 0.6 | (0.1) | --- | --- | 4.0 | (0.5) | 3.4 | (0.1) |
| Social worker | 0.1 | (0.0) | --- | --- | 0.1 | (0.0) | 0.1 | (0.0) |
| Service provided | | | | | | | | |
| Social work (percentage) | 46.1 | (3.8) | * | * | * | * | 73.8 | (3.1) |
| Mental health or counseling (percentage) | * | * | --- | --- | 43.8 | (12.4) | 61.9 | (3.5) |
| Therapy (physical, occupational, or speech) (percentage) | * | * | † | † | 100.0 | (0.0) | 78.5 | (2.9) |
| Skilled nursing or nursing (percentage) | 46.2 | (3.8) | 100.0 | (0.0) | 100.0 | (0.0) | 77.3 | (3.0) |
| Pharmacy or pharmacist (percentage) | 38.5 | (3.8) | * | * | 100.0 | (0.0) | 73.4 | (3.2) |
| Hospice (percentage) | 38.5 | (3.8) | * | * | * | * | 74.1 | (3.1) |

Table 2. Providers and Users of Long-Term Care Services in Alaska, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | | Home health agency | | Nursing home | | Residential care community | |
|---|------------------------------------|-------|--------------------|-------|--------------|-------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | |
| Service users | | | | | | | | |
| Number of users ² | 500 | (0) | 2,500 | (900) | 600 | (200) | 1,500 | (200) |
| Age in years (percent): | | | | | | | | |
| Under 65 | 27.2 | (2.4) | 21.5 | (2.4) | 21.1 | (4.6) | 10.2 | (1.5) |
| 65 and over | 72.8 | (2.4) | 78.5 | (2.4) | 78.9 | (4.6) | 89.8 | (1.5) |
| 65–74 | 18.7 | (0.6) | 28.0 | (1.5) | 20.5 | (1.5) | 12.7 | (1.2) |
| 75–84 | 29.6 | (1.1) | 30.4 | (1.3) | 31.2 | (3.5) | 34.0 | (2.6) |
| 85 and over | 24.5 | (1.6) | 20.2 | (1.6) | 27.2 | (3.0) | 43.0 | (3.2) |
| Sex (percent): | | | | | | | | |
| Men | 37.9 | (1.5) | 39.4 | (0.9) | 37.3 | (2.5) | 33.7 | (1.5) |
| Women | 62.1 | (1.5) | 60.6 | (0.9) | 62.7 | (2.5) | 66.3 | (1.5) |
| Race and ethnicity (percent): | | | | | | | | |
| Hispanic | 2.0 | (0.2) | 2.0 | (0.4) | 1.3 | (0.4) | 0.4 | (0.1) |
| Non-Hispanic white | 58.2 | (1.9) | 76.4 | (5.1) | 66.6 | (4.0) | 79.5 | (1.3) |
| Non-Hispanic black | 4.9 | (0.3) | 3.3 | (1.0) | 3.8 | (1.9) | 1.5 | (0.3) |
| Non-Hispanic other | 34.9 | (1.7) | 18.4 | (5.4) | 28.3 | (3.6) | 18.6 | (1.2) |
| Conditions (percentage): | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 60.5 | (2.6) | 28.1 | (2.1) | 41.6 | (4.2) | 48.0 | (3.0) |
| Diagnosed with depression | 14.2 | (1.3) | 26.1 | (1.2) | 49.7 | (7.8) | 31.6 | (3.0) |
| Need assistance in physical functioning (percentage): | | | | | | | | |
| Eating | 14.4 | (1.2) | 52.5 | (5.3) | 54.8 | (6.4) | 51.7 | (3.5) |
| Bathing | 19.5 | (2.7) | 95.1 | (2.2) | 95.6 | (0.9) | 82.7 | (2.4) |
| Dressing | 19.4 | (3.3) | 85.9 | (2.9) | 92.0 | (1.5) | 63.0 | (4.4) |
| Toileting | 46.4 | (1.3) | 63.3 | (3.7) | 87.5 | (2.2) | 63.9 | (3.2) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011.

⁴FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsitcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 3. Providers and Users of Long-Term Care Services in Arizona, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|--------------------|-------|---------|-------|--------------|---------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 20 | (0.0) | 100 | (12) | 80 | (9) | 100 | (12) | 900 | (9) |
| Number of beds or licensed maximum capacity ² | 1,200 | (100) | ... | ... | ... | ... | 16,400 | (1,500) | 20,300 | (900) |
| Average capacity | 52 | (2.5) | --- | --- | --- | --- | 113 | (4.4) | 22 | (1.0) |
| Average number of people served | 28 | (2.0) | --- | --- | --- | --- | 78 | (3.6) | 17 | (1.2) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | 100.0 | (0.0) | 96.4 | (1.6) | * | * | 93.8 | (2.0) | * | * |
| Micropolitan or neither | - | - | 3.6 | (1.6) | * | * | 6.2 | (2.0) | * | * |
| Ownership (percent): | | | | | | | | | | |
| For-profit | * | * | 89.2 | (2.6) | 70.9 | (5.1) | 80.8 | (3.3) | * | * |
| Not-for-profit, government, or other | * | * | 10.8 | (2.6) | 29.1 | (5.1) | 19.2 | (3.3) | * | * |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | 58.4 | (5.6) | 27.7 | (3.9) | 29.3 | (5.3) | 8.2 | (2.3) | 83.0 | (1.6) |
| Category 2 | 41.6 | (5.6) | 28.5 | (4.0) | 29.3 | (5.3) | 67.8 | (3.9) | * | * |
| Category 3 | - | - | 43.8 | (4.4) | 41.3 | (5.7) | 24.0 | (3.5) | * | * |
| Staffing ⁴ | | | | | | | | | | |
| Number of nursing employee FTEs | 88 | (6) | 1,460 | (174) | 1,558 | (275) | 8,643 | (830) | 5,209 | (464) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 24.1 | (2.2) | 59.9 | (3.1) | 54.2 | (1.5) | 14.4 | (0.6) | 4.6 | (1.3) |
| Licensed practical nurse or licensed vocational nurse | 7.5 | (1.6) | 15.3 | (1.8) | 8.6 | (1.0) | 23.7 | (0.6) | 6.5 | (1.1) |
| Aide | 68.5 | (1.8) | 24.8 | (3.1) | 37.3 | (1.1) | 62.0 | (0.8) | 88.8 | (1.6) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | * | * | 100.0 | (0.0) | 100.0 | (0.0) | † | † | * | * |
| Licensed practical nurse or licensed vocational nurse | * | * | 63.3 | (4.1) | 53.2 | (5.6) | † | † | * | * |
| Aide | * | * | 92.1 | (2.3) | † | † | † | † | 76.4 | (5.1) |
| Social worker | 46.8 | (5.7) | 74.8 | (3.7) | † | † | 78.1 | (3.4) | * | * |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.3 | (0.1) | --- | --- | --- | --- | 1.0 | (0.2) | *0.2 | (0.1) |
| Licensed practical nurse or licensed vocational nurse | 0.1 | (0.0) | --- | --- | --- | --- | 1.0 | (0.1) | *0.1 | (0.0) |
| Aide | 0.8 | (0.1) | --- | --- | --- | --- | 2.6 | (0.2) | 2.0 | (0.2) |
| Social worker | 0.1 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | *0.1 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | † | † | 92.1 | (2.3) | 100.0 | (0.0) | 84.9 | (3.0) | 85.4 | (4.2) |
| Mental health or counseling (percentage) | 44.8 | (5.7) | --- | --- | † | † | 76.7 | (3.5) | 80.3 | (4.8) |
| Therapy (physical, occupational, or speech) (percentage) | 58.2 | (5.8) | 96.4 | (1.6) | † | † | 100.0 | (0.0) | 89.9 | (3.6) |
| Skilled nursing or nursing (percentage) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 82.6 | (4.6) |
| Pharmacy or pharmacist (percentage) | * | * | * | * | --- | --- | 96.6 | (1.5) | 93.7 | (2.8) |
| Hospice (percentage) | 44.8 | (5.7) | * | * | ... | ... | 77.4 | (3.5) | † | † |

Table 3. Providers and Users of Long-Term Care Services in Arizona, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|------------------------------------|-------|--------------------|----------|---------|---------|--------------|---------|----------------------------|---------|
| | Number or percent (standard error) | | | | | | | | | |
| Service users | | | | | | | | | | |
| Number of users ² | 1,300 | (100) | 65,500 | (11,500) | 35,400 | (7,500) | 11,400 | (1,100) | 15,800 | (1,100) |
| Age in years (percent): | | | | | | | | | | |
| Under 65 | 24.8 | (2.5) | 16.0 | (1.6) | 5.0 | (0.3) | 20.3 | (1.5) | 9.0 | (2.5) |
| 65 and over | 75.2 | (2.5) | 84.0 | (1.6) | 95.0 | (0.3) | 79.7 | (1.5) | 91.0 | (2.5) |
| 65–74 | 21.2 | (1.2) | 25.2 | (0.7) | 15.7 | (0.4) | 18.4 | (0.5) | 16.4 | (2.2) |
| 75–84 | 33.3 | (2.4) | 32.9 | (0.7) | 31.6 | (0.3) | 27.9 | (0.7) | 36.1 | (3.8) |
| 85 and over | 20.7 | (1.7) | 25.9 | (1.0) | 47.7 | (0.7) | 33.4 | (1.4) | 38.5 | (4.8) |
| Sex (percent): | | | | | | | | | | |
| Men | 49.7 | (1.0) | 39.0 | (0.4) | 41.8 | (0.6) | 38.3 | (1.3) | 31.5 | (2.7) |
| Women | 50.3 | (1.0) | 61.0 | (0.4) | 58.2 | (0.6) | 61.7 | (1.3) | 68.5 | (2.7) |
| Race and ethnicity (percent): | | | | | | | | | | |
| Hispanic | 14.0 | (1.1) | 6.9 | (0.5) | 7.8 | (0.7) | 13.9 | (1.1) | 6.7 | (1.6) |
| Non-Hispanic white | 69.7 | (2.0) | 87.4 | (0.7) | 87.7 | (0.9) | 74.2 | (1.7) | 84.2 | (3.2) |
| Non-Hispanic black | 9.8 | (0.9) | 2.8 | (0.2) | 2.3 | (0.2) | 4.8 | (0.5) | 2.3 | (0.5) |
| Non-Hispanic other | 6.5 | (0.9) | 2.9 | (0.2) | 2.2 | (0.2) | 7.1 | (1.4) | *6.8 | (2.8) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 58.8 | (3.2) | 29.7 | (1.4) | 35.7 | (1.2) | 39.8 | (1.9) | 42.5 | (5.0) |
| Diagnosed with depression | 18.2 | (3.0) | 33.4 | (0.7) | 14.2 | (0.4) | 44.2 | (1.6) | 29.8 | (4.3) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 39.6 | (3.5) | 46.3 | (2.9) | --- | --- | 51.1 | (2.5) | 26.3 | (3.3) |
| Bathing | 26.5 | (3.7) | 93.3 | (0.9) | --- | --- | 95.8 | (0.6) | 66.9 | (6.7) |
| Dressing | 22.4 | (4.1) | 79.2 | (1.9) | --- | --- | 90.3 | (0.9) | 47.7 | (5.1) |
| Toileting | 39.7 | (2.2) | 57.1 | (2.0) | --- | --- | 86.5 | (1.2) | 37.4 | (4.2) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011.

Hospice patients are patients who received care anytime in 2011.

⁴FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsitcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 4. Providers and Users of Long-Term Care Services in Arkansas, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|--------------------|-------|---------|-------|--------------|---------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 40 | (0.0) | 200 | (13) | 50 | (7) | 200 | (15) | 60 | (1) |
| Number of beds or licensed maximum capacity ² | 900 | (0.0) | --- | --- | --- | --- | 24,400 | (1,700) | 2,700 | (100) |
| Average capacity | 23 | (1.2) | --- | --- | --- | --- | 105 | (2.2) | 47 | (1.7) |
| Average number of people served | 14 | (2.2) | --- | --- | --- | --- | 78 | (1.9) | 32 | (1.1) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | 75.1 | (4.7) | 31.6 | (3.6) | 51.0 | (7.0) | 48.7 | (3.3) | 58.3 | (3.2) |
| Micropolitan or neither | 24.9 | (4.7) | 68.4 | (3.6) | 49.0 | (7.0) | 51.3 | (3.3) | 41.7 | (3.2) |
| Ownership (percent): | | | | | | | | | | |
| For-profit | 44.2 | (5.4) | 31.0 | (3.5) | 47.1 | (7.0) | 82.3 | (2.5) | 80.6 | (2.5) |
| Not-for-profit, government, or other | 55.8 | (5.4) | 69.0 | (3.5) | 52.9 | (7.0) | 17.7 | (2.5) | 19.4 | (2.5) |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | * | * | 45.0 | (3.8) | 39.2 | (6.8) | 3.0 | (1.1) | 44.5 | (2.2) |
| Category 2 | * | * | 25.4 | (3.4) | 35.3 | (6.7) | 79.7 | (2.6) | 55.5 | (2.2) |
| Category 3 | - | - | 29.6 | (3.5) | 25.5 | (6.1) | 17.2 | (2.5) | - | - |
| Staffing⁴ | | | | | | | | | | |
| Number of nursing employee FTEs | 110 | (9) | 1,994 | (205) | 825 | (197) | 13,680 | (946) | 627 | (33) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 13.2 | (2.0) | 51.8 | (2.2) | 49.7 | (2.4) | 3.9 | (0.3) | 7.1 | (1.2) |
| Licensed practical nurse or licensed vocational nurse | 11.8 | (1.9) | 15.6 | (1.2) | 8.6 | (1.6) | 25.2 | (0.3) | 8.6 | (0.8) |
| Aide | 75.0 | (2.6) | 32.7 | (2.5) | 41.7 | (2.3) | 70.9 | (0.4) | 84.3 | (1.3) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 37.5 | (5.3) | 100.0 | (0.0) | † | † | † | † | 36.5 | (3.0) |
| Licensed practical nurse or licensed vocational nurse | 29.7 | (5.0) | 69.6 | (3.5) | 62.7 | (6.8) | † | † | 32.0 | (2.6) |
| Aide | 81.1 | (4.3) | 86.5 | (2.6) | † | † | † | † | 89.3 | (2.0) |
| Social worker | * | * | 32.7 | (3.6) | † | † | 46.1 | (3.3) | * | * |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.5 | (0.1) | --- | --- | --- | --- | 0.3 | (0.1) | 0.2 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.4 | (0.1) | --- | --- | --- | --- | 1.0 | (0.0) | 0.1 | (0.0) |
| Aide | 1.8 | (0.1) | --- | --- | --- | --- | 2.8 | (0.1) | 1.5 | (0.1) |
| Social worker | 0.2 | (0.1) | --- | --- | --- | --- | 0.0 | (0.0) | 0.0 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | 42.1 | (5.5) | 43.3 | (3.8) | 100.0 | (0.0) | 61.2 | (3.2) | 69.6 | (3.0) |
| Mental health or counseling (percentage) | 22.2 | (4.5) | --- | --- | 100.0 | (0.0) | 88.4 | (2.1) | 80.4 | (2.6) |
| Therapy (physical, occupational, or speech) (percentage) | 49.4 | (5.6) | 94.7 | (1.7) | 100.0 | (0.0) | † | † | 84.8 | (2.3) |
| Skilled nursing or nursing (percentage) | 52.4 | (5.4) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 65.2 | (3.1) |
| Pharmacy or pharmacist (percentage) | 22.0 | (4.5) | * | * | --- | --- | 100.0 | (0.0) | 80.5 | (2.6) |
| Hospice (percentage) | 21.2 | (4.4) | * | * | --- | --- | 80.2 | (2.6) | 76.0 | (2.8) |

Table 4. Providers and Users of Long-Term Care Services in Arkansas, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|------------------------------------|-------|--------------------|---------|---------|---------|--------------|---------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Service users | | | | | | | | | | |
| Number of users ² | 600 | (100) | 44,500 | (5,600) | 13,500 | (3,200) | 18,000 | (1,300) | 1,800 | (100) |
| Age in years (percent): | | | | | | | | | | |
| Under 65 | 4.5 | (0.9) | 20.4 | (0.7) | 7.8 | (0.4) | 13.8 | (1.0) | 21.9 | (2.6) |
| 65 and over | 95.5 | (0.9) | 79.6 | (0.7) | 92.2 | (0.4) | 86.2 | (1.0) | 78.1 | (2.6) |
| 65–74 | 22.5 | (2.6) | 25.3 | (0.4) | 19.7 | (0.5) | 15.7 | (0.4) | 11.7 | (1.0) |
| 75–84 | 48.9 | (2.7) | 32.1 | (0.4) | 32.7 | (0.4) | 29.7 | (0.5) | 35.1 | (2.2) |
| 85 and over | 24.1 | (2.4) | 22.2 | (0.7) | 39.7 | (1.0) | 40.8 | (1.0) | 31.3 | (2.0) |
| Sex (percent): | | | | | | | | | | |
| Men | 31.1 | (1.7) | 35.6 | (0.5) | 42.7 | (0.7) | 30.0 | (0.8) | 35.2 | (1.4) |
| Women | 68.9 | (1.7) | 64.4 | (0.5) | 57.3 | (0.7) | 70.0 | (0.8) | 64.8 | (1.4) |
| Race and ethnicity (percent): | | | | | | | | | | |
| Hispanic | 0.8 | (0.3) | 0.7 | (0.1) | 0.5 | (0.1) | 0.4 | (0.1) | 0.4 | (0.1) |
| Non-Hispanic white | 60.1 | (6.6) | 86.9 | (1.5) | 90.0 | (1.2) | 85.6 | (1.4) | 93.7 | (1.1) |
| Non-Hispanic black | 36.6 | (6.4) | 11.5 | (1.5) | 8.3 | (1.4) | 13.7 | (1.4) | 5.2 | (1.1) |
| Non-Hispanic other | 2.5 | (0.9) | 0.9 | (0.1) | 1.1 | (0.3) | 0.3 | (0.1) | 0.7 | (0.1) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 76.9 | (5.2) | 30.3 | (0.8) | 48.1 | (1.3) | 49.5 | (1.1) | 30.7 | (1.7) |
| Diagnosed with depression | 12.2 | (2.4) | 31.9 | (0.8) | 23.9 | (0.8) | 47.6 | (1.6) | 18.6 | (1.5) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 21.7 | (2.5) | 49.6 | (2.0) | --- | --- | 50.2 | (1.6) | 5.2 | (0.6) |
| Bathing | 48.9 | (5.2) | 95.7 | (0.4) | --- | --- | 96.7 | (0.4) | 50.2 | (2.4) |
| Dressing | 32.2 | (3.6) | 83.3 | (1.4) | --- | --- | 89.4 | (0.6) | 28.5 | (1.9) |
| Toileting | 40.8 | (3.3) | 63.7 | (2.3) | --- | --- | 82.6 | (0.7) | 9.1 | (1.1) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011.

Hospice patients are patients who received care anytime in 2011.

⁴FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 5. Providers and Users of Long-Term Care Services in California, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|---------|--------------------|-------|---------|-------|--------------|---------|----------------------------|---------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 1,100 | (1) | 1,100 | (32) | 300 | (17) | 1,200 | (34) | 3,200 | (30) |
| Number of beds or licensed maximum capacity ² | 80,200 | (1,500) | ... | ... | ... | ... | 121,000 | (3,900) | 103,300 | (5,100) |
| Average capacity | 75 | (1.4) | --- | --- | --- | --- | 98 | (1.7) | 32 | (1.6) |
| Average number of people served | 52 | (1.1) | --- | --- | --- | --- | 83 | (1.4) | 26 | (1.3) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | 96.4 | (0.5) | 98.2 | (0.4) | 96.9 | (1.0) | 96.8 | (0.5) | * | * |
| Micropolitan or neither | 3.6 | (0.5) | 1.8 | (0.4) | 3.1 | (1.0) | 3.2 | (0.5) | * | * |
| Ownership (percent): | | | | | | | | | | |
| For-profit | 42.4 | (1.3) | 88.1 | (1.0) | 73.4 | (2.5) | 81.9 | (1.1) | 87.8 | (2.2) |
| Not-for-profit, government, or other | 57.6 | (1.3) | 11.9 | (1.0) | 26.6 | (2.5) | 18.1 | (1.1) | 12.2 | (2.2) |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | 24.7 | (1.1) | 31.8 | (1.4) | 31.0 | (2.6) | 5.7 | (0.7) | 77.7 | (0.7) |
| Category 2 | 66.6 | (1.3) | 27.4 | (1.3) | 24.5 | (2.4) | 69.6 | (1.3) | 15.0 | (1.0) |
| Category 3 | 8.7 | (0.8) | 30.7 | (1.4) | 33.4 | (2.6) | 24.7 | (1.2) | 7.4 | (0.6) |
| Missing ⁴ | ... | ... | 10.1 | (0.9) | 11.1 | (1.8) | ... | ... | ... | ... |
| Staffing⁵ | | | | | | | | | | |
| Number of nursing employee FTEs | 4,257 | (141) | 10,316 | (432) | 4,037 | (368) | 74,773 | (2,348) | 23,870 | (1,514) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 18.2 | (0.7) | 55.4 | (1.1) | 54.2 | (1.2) | 13.4 | (0.2) | 7.2 | (1.9) |
| Licensed practical nurse or licensed vocational nurse | 9.5 | (0.4) | 30.0 | (1.0) | 13.3 | (0.9) | 21.8 | (0.3) | 6.9 | (0.8) |
| Aide | 72.3 | (0.9) | 14.6 | (0.7) | 32.5 | (1.0) | 64.8 | (0.3) | 86.0 | (2.1) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 37.7 | (1.3) | 100.0 | (0.0) | 100.0 | (0.0) | 98.1 | (0.4) | 20.4 | (3.0) |
| Licensed practical nurse or licensed vocational nurse | 29.5 | (1.2) | 87.9 | (1.0) | 68.7 | (2.6) | 94.5 | (0.7) | 19.8 | (2.0) |
| Aide | 53.2 | (1.3) | 95.5 | (0.6) | 94.1 | (1.3) | 97.2 | (0.5) | 77.4 | (3.3) |
| Social worker | 45.5 | (1.3) | 36.8 | (1.4) | 98.1 | (0.8) | 58.8 | (1.4) | * | * |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.1 | (0.0) | --- | --- | --- | --- | 0.6 | (0.0) | 0.2 | (0.1) |
| Licensed practical nurse or licensed vocational nurse | 0.1 | (0.0) | --- | --- | --- | --- | 0.9 | (0.0) | *0.1 | (0.0) |
| Aide | 0.6 | (0.0) | --- | --- | --- | --- | 2.5 | (0.0) | 2.0 | (0.1) |
| Social worker | 0.1 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | *0.1 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | 56.9 | (1.3) | 95.1 | (0.6) | 100.0 | (0.0) | 84.0 | (1.0) | 70.4 | (3.6) |
| Mental health or counseling (percentage) | 50.5 | (1.3) | --- | --- | 96.3 | (1.1) | 79.5 | (1.1) | 64.5 | (3.8) |
| Therapy (physical, occupational, or speech) (percentage) | 56.9 | (1.3) | 96.1 | (0.6) | † | † | 98.1 | (0.4) | 83.6 | (3.0) |
| Skilled nursing or nursing (percentage) | 44.2 | (1.3) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 65.4 | (3.8) |
| Pharmacy or pharmacist (percentage) | 28.6 | (1.2) | 16.8 | (1.1) | --- | --- | 97.6 | (0.4) | 90.6 | (2.4) |
| Hospice (percentage) | 9.3 | (0.8) | 2.4 | (0.4) | ... | ... | 68.9 | (1.3) | 90.9 | (2.3) |

Table 5. Providers and Users of Long-Term Care Services in California, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|------------------------------------|---------|--------------------|----------|---------|----------|--------------|---------|----------------------------|---------|
| | Number or percent (standard error) | | | | | | | | | |
| Service users | | | | | | | | | | |
| Number of users ² | 80,600 | (1,800) | 399,400 | (25,700) | 107,500 | (10,600) | 102,700 | (3,300) | 83,100 | (4,200) |
| Age in years (percent): | | | | | | | | | | |
| Under 65 | 49.5 | (1.5) | 13.8 | (0.5) | 3.9 | (0.1) | 19.4 | (0.6) | 3.4 | (0.7) |
| 65 and over | 50.5 | (1.5) | 86.2 | (0.5) | 96.1 | (0.1) | 80.6 | (0.6) | 96.6 | (0.7) |
| 65–74 | 13.2 | (0.5) | 24.6 | (0.3) | 14.1 | (0.3) | 16.8 | (0.2) | 8.8 | (1.1) |
| 75–84 | 22.9 | (0.8) | 32.6 | (0.2) | 29.8 | (0.2) | 26.6 | (0.3) | 29.8 | (1.6) |
| 85 and over | 14.4 | (0.6) | 29.0 | (0.5) | 52.2 | (0.5) | 37.2 | (0.6) | 57.9 | (2.3) |
| Sex (percent): | | | | | | | | | | |
| Men | 44.2 | (0.4) | 39.1 | (0.3) | 40.3 | (0.3) | 37.3 | (0.4) | 30.6 | (0.9) |
| Women | 55.8 | (0.4) | 60.9 | (0.3) | 59.7 | (0.3) | 62.7 | (0.4) | 69.4 | (0.9) |
| Race and ethnicity (percent): | | | | | | | | | | |
| Hispanic | 19.6 | (0.8) | 18.7 | (0.6) | 11.8 | (0.6) | 17.2 | (0.5) | 5.6 | (0.9) |
| Non-Hispanic white | 43.8 | (1.2) | 61.2 | (1.1) | 77.4 | (0.9) | 60.0 | (0.8) | 79.7 | (2.3) |
| Non-Hispanic black | 7.9 | (0.5) | 8.0 | (0.4) | 4.6 | (0.4) | 11.1 | (0.4) | 2.1 | (0.5) |
| Non-Hispanic other | 28.7 | (1.3) | 12.1 | (0.7) | 6.2 | (0.4) | 11.7 | (0.6) | 12.6 | (1.8) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 23.7 | (0.9) | 31.6 | (0.4) | 31.7 | (0.8) | 39.0 | (0.6) | 32.3 | (2.3) |
| Diagnosed with depression | 23.8 | (0.9) | 32.5 | (0.4) | 13.5 | (0.4) | 35.1 | (0.5) | 17.9 | (1.8) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 25.6 | (0.9) | 64.0 | (1.1) | --- | --- | 61.7 | (0.8) | 14.0 | (1.1) |
| Bathing | 47.9 | (1.3) | 95.8 | (0.4) | --- | --- | 95.7 | (0.5) | 48.1 | (3.1) |
| Dressing | 44.4 | (1.2) | 87.6 | (0.8) | --- | --- | 92.4 | (0.5) | 37.9 | (3.0) |
| Toileting | 38.6 | (1.1) | 72.9 | (1.3) | --- | --- | 88.8 | (0.6) | 33.0 | (3.0) |

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

⁴Reported only when the percentage of missing cases is greater than 10%. If percent missing is 10% or less, the cases are dropped from the analysis.

⁵FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsitcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 6. Providers and Users of Long-Term Care Services in Colorado, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|--------------------|-------|---------|-------|--------------|---------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 60 | (0.0) | 200 | (13) | 60 | (8) | 200 | (15) | 300 | (3) |
| Number of beds or licensed maximum capacity ² | 3,500 | (200) | ... | ... | ... | ... | 20,400 | (1,500) | 12,400 | (900) |
| Average capacity | 59 | (3.7) | --- | --- | --- | --- | 95 | (3.1) | 36 | (2.7) |
| Average number of people served | 35 | (3.1) | --- | --- | --- | --- | 75 | (2.6) | 30 | (2.1) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | † | † | 76.8 | (3.3) | 71.2 | (5.9) | 73.5 | (3.0) | * | * |
| Metropolitan or neither | * | * | 23.2 | (3.3) | 28.8 | (5.9) | 26.5 | (3.0) | * | * |
| Ownership (percent): | | | | | | | | | | |
| For-profit | 34.9 | (3.8) | 73.2 | (3.5) | 49.2 | (6.5) | 73.0 | (3.0) | * | * |
| Not-for-profit, government, or other | 65.1 | (3.8) | 26.8 | (3.5) | 50.8 | (6.5) | 27.0 | (3.0) | * | * |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | * | * | 33.1 | (3.9) | 38.2 | (6.6) | 7.4 | (1.8) | 65.8 | (1.3) |
| Category 2 | * | * | 33.8 | (3.9) | 32.7 | (6.3) | 73.5 | (3.0) | * | * |
| Category 3 | * | * | 33.1 | (3.9) | 29.1 | (6.1) | 19.1 | (2.7) | * | * |
| Staffing⁴ | | | | | | | | | | |
| Number of nursing employee FTEs | 244 | (15) | 2,217 | (243) | 1,056 | (257) | 11,816 | (901) | 4,336 | (238) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 14.0 | (1.1) | 47.1 | (2.5) | 58.1 | (1.8) | 17.0 | (0.4) | 4.8 | (1.1) |
| Licensed practical nurse or licensed vocational nurse | 5.4 | (0.9) | 13.8 | (1.5) | 6.2 | (1.3) | 19.6 | (0.5) | 6.2 | (0.8) |
| Aide | 80.6 | (1.5) | 39.2 | (3.0) | 35.7 | (1.2) | 63.4 | (0.5) | 89.1 | (1.7) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 70.7 | (3.6) | † | † | † | † | † | † | 32.4 | (3.8) |
| Licensed practical nurse or licensed vocational nurse | 26.9 | (3.5) | 67.1 | (3.7) | 40.7 | (6.4) | † | † | 39.1 | (3.8) |
| Aide | † | † | 95.7 | (1.6) | 91.5 | (3.6) | † | † | 92.1 | (2.2) |
| Social worker | 24.3 | (3.4) | 65.2 | (3.7) | † | † | 75.3 | (2.9) | * | * |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.2 | (0.0) | --- | --- | --- | --- | 0.8 | (0.1) | 0.1 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.1 | (0.0) | --- | --- | --- | --- | 0.7 | (0.0) | 0.2 | (0.0) |
| Aide | 1.0 | (0.1) | --- | --- | --- | --- | 2.5 | (0.1) | 2.6 | (0.2) |
| Social worker | 0.1 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | *0.0 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | 23.1 | (3.4) | 76.2 | (3.3) | 100.0 | (0.0) | 92.6 | (1.8) | 81.4 | (3.3) |
| Mental health or counseling (percentage) | 17.7 | (3.0) | --- | --- | † | † | 87.4 | (2.3) | 81.4 | (3.3) |
| Therapy (physical, occupational, or speech) (percentage) | 40.5 | (3.9) | 96.3 | (1.5) | † | † | † | † | † | † |
| Skilled nursing or nursing (percentage) | 51.8 | (4.0) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 83.1 | (3.1) |
| Pharmacy or pharmacist (percentage) | * | * | * | * | --- | --- | 97.7 | (1.0) | 97.0 | (1.4) |
| Hospice (percentage) | 25.9 | (3.5) | 8.5 | (2.2) | ... | ... | 80.5 | (2.7) | 91.5 | (2.3) |

Table 6. Providers and Users of Long-Term Care Services in Colorado, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|------------------------------------|-------|--------------------|---------|---------|---------|--------------|---------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Service users | | | | | | | | | | |
| Number of users ² | 3,000 | (200) | 54,000 | (9,000) | 17,800 | (4,000) | 16,100 | (1,200) | 10,400 | (700) |
| Age in years (percent): | | | | | | | | | | |
| Under 65 | 42.7 | (3.9) | 15.4 | (1.2) | 5.4 | (0.3) | 14.8 | (1.2) | 9.4 | (1.9) |
| 65 and over | 57.3 | (3.9) | 84.6 | (1.2) | 94.6 | (0.3) | 85.2 | (1.2) | 90.6 | (1.9) |
| 65–74 | 21.0 | (1.6) | 24.7 | (0.6) | 15.9 | (0.5) | 14.5 | (0.5) | 12.0 | (1.3) |
| 75–84 | 23.9 | (2.0) | 32.5 | (0.7) | 30.8 | (0.5) | 27.0 | (0.6) | 32.4 | (1.7) |
| 85 and over | 12.4 | (1.3) | 27.4 | (1.1) | 47.9 | (0.9) | 43.7 | (1.3) | 46.2 | (2.6) |
| Sex (percent): | | | | | | | | | | |
| Men | 44.1 | (0.8) | 36.1 | (0.5) | 41.0 | (0.7) | 33.3 | (1.1) | 27.9 | (1.2) |
| Women | 55.9 | (0.8) | 63.9 | (0.5) | 59.0 | (0.7) | 66.6 | (1.1) | 72.1 | (1.2) |
| Race and ethnicity (percent): | | | | | | | | | | |
| Hispanic | 9.8 | (1.2) | 9.3 | (0.7) | 7.4 | (0.8) | 10.3 | (0.7) | 3.4 | (0.6) |
| Non-Hispanic white | 72.0 | (2.1) | 85.0 | (0.8) | 88.8 | (1.2) | 83.6 | (1.0) | 74.8 | (6.8) |
| Non-Hispanic black | 6.8 | (0.9) | 3.5 | (0.4) | 2.2 | (0.7) | 4.4 | (0.7) | 2.1 | (0.4) |
| Non-Hispanic other | 11.4 | (1.7) | 2.2 | (0.1) | 1.6 | (0.2) | 1.7 | (0.2) | *19.7 | (7.2) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 24.0 | (2.6) | 29.7 | (1.6) | 38.7 | (2.2) | 48.0 | (1.4) | 41.4 | (3.1) |
| Diagnosed with depression | 31.7 | (2.2) | 36.3 | (0.8) | 20.4 | (1.0) | 52.3 | (1.4) | 24.5 | (2.4) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 23.6 | (2.0) | 38.0 | (1.6) | --- | --- | 54.0 | (2.0) | 14.4 | (2.0) |
| Bathing | 32.6 | (4.2) | 93.3 | (0.7) | --- | --- | 96.7 | (0.5) | 61.0 | (5.6) |
| Dressing | 40.9 | (4.8) | 74.5 | (2.1) | --- | --- | 88.4 | (0.8) | 41.1 | (4.0) |
| Toileting | 35.8 | (2.4) | 49.5 | (2.6) | --- | --- | 84.3 | (1.0) | 31.7 | (4.0) |

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011.

Hospice patients are patients who received care anytime in 2011.

⁴FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsitcp/long_term_care_services_2013.pdf).

For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 7. Providers and Users of Long-Term Care Services in Connecticut, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|--------------------|-------|---------|-------|--------------|---------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 50 | (0.0) | 90 | (9) | 30 | (6) | 200 | (15) | 50 | (1) |
| Number of beds or licensed maximum capacity ² | 2,500 | (100) | ... | ... | ... | ... | 27,900 | (2,000) | 2,300 | (200) |
| Average capacity | 47 | (1.7) | --- | --- | --- | --- | 121 | (3.9) | 43 | (4.0) |
| Average number of people served | 29 | (1.3) | --- | --- | --- | --- | 108 | (3.6) | 39 | (3.7) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | † | † | * | * | * | * | 95.6 | (1.4) | 85.1 | (2.9) |
| Micro-politan or neither | * | * | * | * | * | * | 4.4 | (1.4) | 14.9 | (2.9) |
| Ownership (percent): | | | | | | | | | | |
| For-profit | 30.4 | (3.3) | 53.4 | (5.3) | 24.2 | (7.5) | 79.2 | (2.7) | 52.6 | (4.4) |
| Not-for-profit, government, or other | 69.6 | (3.3) | 46.6 | (5.3) | 75.8 | (7.5) | 20.8 | (2.7) | 47.4 | (4.4) |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | 55.0 | (3.5) | 20.0 | (4.3) | 27.3 | (7.8) | 2.2 | (1.0) | * | * |
| Category 2 | 45.0 | (3.5) | 25.9 | (4.8) | 24.2 | (7.5) | 42.0 | (3.2) | * | * |
| Category 3 | - | - | 54.1 | (5.4) | 36.4 | (8.4) | 55.8 | (3.3) | * | * |
| Missing ⁴ | ... | ... | ... | ... | 12.1 | (5.7) | ... | ... | ... | ... |
| Staffing⁵ | | | | | | | | | | |
| Number of nursing employee FTEs | 209 | (8) | 2,425 | (325) | 518 | (151) | 17,491 | (1,244) | 603 | (108) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 20.4 | (0.9) | 47.6 | (2.4) | 51.1 | (3.4) | 13.3 | (0.4) | 7.7 | (1.2) |
| Licensed practical nurse or licensed vocational nurse | 13.6 | (1.0) | 11.1 | (1.5) | 6.7 | (1.9) | 21.3 | (0.4) | 7.8 | (1.2) |
| Aide | 66.0 | (1.1) | 41.3 | (3.0) | 42.1 | (2.6) | 65.5 | (0.5) | 84.5 | (1.6) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 73.6 | (3.1) | 100.0 | (0.0) | 100.0 | (0.0) | † | † | 31.6 | (4.1) |
| Licensed practical nurse or licensed vocational nurse | 54.7 | (3.5) | 70.5 | (4.9) | 45.5 | (8.7) | † | † | 31.6 | (4.1) |
| Aide | † | † | † | † | 100.0 | (0.0) | 100.0 | (0.0) | 79.2 | (3.7) |
| Social worker | 55.5 | (3.5) | 72.7 | (4.7) | 100.0 | (0.0) | 93.1 | (1.7) | 23.9 | (3.8) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.2 | (0.0) | --- | --- | --- | --- | 0.5 | (0.0) | 0.1 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.2 | (0.0) | --- | --- | --- | --- | 0.7 | (0.0) | 0.1 | (0.0) |
| Aide | 0.7 | (0.0) | --- | --- | --- | --- | 2.4 | (0.0) | 1.2 | (0.1) |
| Social worker | 0.2 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | 0.0 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | † | † | † | † | 100.0 | (0.0) | † | † | 62.0 | (4.5) |
| Mental health or counseling (percentage) | 62.0 | (3.5) | --- | --- | 100.0 | (0.0) | 97.4 | (1.0) | 81.2 | (3.5) |
| Therapy (physical, occupational, or speech) (percentage) | 78.6 | (2.9) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 80.7 | (3.6) |
| Skilled nursing or nursing (percentage) | 85.6 | (2.5) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 67.6 | (4.1) |
| Pharmacy or pharmacist (percentage) | 28.5 | (3.2) | 6.8 | (2.7) | --- | --- | 97.4 | (1.0) | † | † |
| Hospice (percentage) | 31.1 | (3.3) | 8.0 | (2.9) | ... | ... | 72.7 | (2.9) | 58.3 | (4.2) |

Table 7. Providers and Users of Long-Term Care Services in Connecticut, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|------------------------------------|-------|--------------------|----------|---------|---------|--------------|---------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Service users | | | | | | | | | | |
| Number of users ² | 2,700 | (100) | 69,700 | (12,400) | 12,300 | (3,500) | 25,000 | (1,800) | 2,100 | (200) |
| Age in years (percent): | | | | | | | | | | |
| Under 65 | 7.7 | (1.1) | 18.5 | (1.3) | 3.9 | (0.3) | 11.7 | (1.0) | 25.3 | (2.9) |
| 65 and over | 92.3 | (1.1) | 81.5 | (1.3) | 96.1 | (0.3) | 88.3 | (1.0) | 74.7 | (2.9) |
| 65–74 | 18.2 | (1.0) | 19.2 | (0.5) | 12.5 | (0.7) | 12.7 | (0.5) | 16.2 | (1.1) |
| 75–84 | 37.7 | (1.3) | 31.1 | (0.5) | 30.3 | (0.6) | 25.7 | (0.4) | 19.3 | (1.2) |
| 85 and over | 36.3 | (1.6) | 31.2 | (1.1) | 53.3 | (1.2) | 49.9 | (1.3) | 39.2 | (3.1) |
| Sex (percent): | | | | | | | | | | |
| Men | 32.3 | (0.7) | 37.7 | (0.4) | 39.1 | (0.9) | 29.6 | (0.7) | 33.6 | (2.0) |
| Women | 67.7 | (0.7) | 62.3 | (0.4) | 60.9 | (0.9) | 70.4 | (0.7) | 66.4 | (2.0) |
| Race and ethnicity (percent): | | | | | | | | | | |
| Hispanic | 9.4 | (1.4) | 5.0 | (0.6) | 2.7 | (0.3) | 4.2 | (0.5) | 3.2 | (0.4) |
| Non-Hispanic white | 69.8 | (2.3) | 86.2 | (1.3) | 91.7 | (0.9) | 85.9 | (1.3) | 77.7 | (3.3) |
| Non-Hispanic black | 13.6 | (1.4) | 7.2 | (0.8) | 4.5 | (0.6) | 9.2 | (0.9) | 6.2 | (0.7) |
| Non-Hispanic other | 7.2 | (2.0) | 1.7 | (0.1) | 1.2 | (0.1) | 0.8 | (0.1) | 12.8 | (3.7) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 55.4 | (2.0) | 31.1 | (1.1) | 51.3 | (2.7) | 51.9 | (1.1) | 13.5 | (2.1) |
| Diagnosed with depression | 22.3 | (1.7) | 33.1 | (0.5) | 26.4 | (0.9) | 42.3 | (1.4) | 15.0 | (2.0) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 25.2 | (2.0) | 38.5 | (2.2) | --- | --- | 44.0 | (1.3) | 4.1 | (1.0) |
| Bathing | 38.8 | (2.2) | 90.3 | (1.2) | --- | --- | 94.5 | (0.5) | 37.5 | (4.0) |
| Dressing | 33.4 | (1.9) | 71.9 | (2.5) | --- | --- | 89.9 | (0.6) | 12.7 | (2.9) |
| Toileting | 39.7 | (2.0) | 48.7 | (3.1) | --- | --- | 83.8 | (0.7) | 7.4 | (2.9) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

⁴Reported only when the percentage of missing cases is greater than 10%. If percent missing is 10% or less, the cases are dropped from the analysis.

⁵FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsitcp/long_term_care_services_2013.pdf).

For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 8. Providers and Users of Long-Term Care Services in Delaware, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|--------------------|--------|---------|-------|--------------|-------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 10 | (0.0) | 20 | (5) | 10 | (3) | 50 | (7) | 30 | (0.0) |
| Number of beds or licensed maximum capacity ² | 700 | (0.0) | ... | ... | ... | ... | 4,900 | (800) | 2,300 | (100) |
| Average capacity | 53 | (2.0) | --- | --- | --- | --- | 107 | (8.8) | 70 | (3.5) |
| Average number of people served | 33 | (1.9) | --- | --- | --- | --- | 93 | (6.3) | 53 | (3.1) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 74.6 | (6.6) |
| Micropolitan or neither | * | * | - | - | - | - | - | - | 25.4 | (6.6) |
| Ownership (percent): | | | | | | | | | | |
| For-profit | * | * | 68.2 | (9.9) | * | * | 56.5 | (7.3) | 47.8 | (6.7) |
| Not-for-profit, government, or other | * | * | 31.8 | (9.9) | * | * | 43.5 | (7.3) | 52.2 | (6.7) |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | * | * | * | * | - | - | * | * | * | * |
| Category 2 | * | * | * | * | * | * | * | * | * | * |
| Category 3 | - | - | * | * | * | * | * | * | * | * |
| Staffing ⁴ | | | | | | | | | | |
| Number of nursing employee FTEs | 59 | (4) | 452 | (135) | 248 | (118) | 3,526 | (569) | 743 | (63) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 12.9 | (2.0) | 51.0 | (5.5) | 52.4 | (6.1) | 16.5 | (0.9) | 10.6 | (1.4) |
| Licensed practical nurse or licensed vocational nurse | 22.6 | (2.6) | 15.2 | (5.9) | 9.9 | (3.5) | 21.9 | (1.0) | 16.9 | (1.7) |
| Aide | 64.5 | (3.0) | 33.7 | (6.4) | 37.7 | (4.0) | 61.6 | (0.8) | 72.5 | (1.1) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | † | † |
| Licensed practical nurse or licensed vocational nurse | * | * | 45.5 | (10.6) | * | * | 100.0 | (0.0) | * | * |
| Aide | † | † | † | † | * | * | † | † | † | † |
| Social worker | 50.9 | (8.1) | 59.1 | (10.5) | 100.0 | (0.0) | 89.1 | (4.6) | * | * |
| Nursing hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.2 | (0.0) | --- | --- | --- | --- | 0.8 | (0.1) | 0.3 | (0.1) |
| Licensed practical nurse or licensed vocational nurse | 0.3 | (0.0) | --- | --- | --- | --- | 0.9 | (0.0) | 0.4 | (0.0) |
| Aide | 0.7 | (0.0) | --- | --- | --- | --- | 2.6 | (0.1) | 1.8 | (0.1) |
| Social worker | 0.2 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | 0.0 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | * | * | 59.1 | (10.5) | 100.0 | (0.0) | † | † | 63.5 | (7.4) |
| Mental health or counseling (percentage) | 54.4 | (8.0) | --- | --- | 100.0 | (0.0) | † | † | * | * |
| Therapy (physical, occupational, or speech) (percentage) | 100.0 | (0.0) | † | † | 100.0 | (0.0) | 100.0 | (0.0) | * | * |
| Skilled nursing or nursing (percentage) | † | † | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 58.4 | (8.1) |
| Pharmacy or pharmacist (percentage) | * | * | - | - | --- | --- | † | † | 100.0 | (0.0) |
| Hospice (percentage) | 53.9 | (8.0) | - | - | ... | ... | † | † | * | * |

Table 8. Providers and Users of Long-Term Care Services in Delaware, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|------------------------------------|-------|--------------------|---------|---------|---------|--------------|-------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Service users | | | | | | | | | | |
| Number of users ² | 600 | (0) | 15,500 | (6,000) | 5,500 | (2,100) | 4,300 | (700) | 1,800 | (100) |
| Age in years (percent): | | | | | | | | | | |
| Under 65 | 39.9 | (5.8) | 22.4 | (1.9) | 5.9 | (0.4) | 11.8 | (1.4) | 4.8 | (0.6) |
| 65 and over | 60.1 | (5.8) | 77.6 | (1.9) | 94.1 | (0.4) | 88.2 | (1.4) | 95.2 | (0.6) |
| 65–74 | 26.9 | (3.1) | 27.4 | (1.4) | 17.0 | (0.9) | 14.5 | (1.1) | 14.7 | (2.4) |
| 75–84 | 20.4 | (2.8) | 31.0 | (1.1) | 32.4 | (0.7) | 27.5 | (0.8) | 36.5 | (3.9) |
| 85 and over | 12.7 | (2.1) | 19.1 | (1.5) | 44.7 | (1.5) | 46.2 | (2.1) | 44.1 | (3.3) |
| Sex (percent): | | | | | | | | | | |
| Men | 38.0 | (1.6) | 40.5 | (0.9) | 40.3 | (1.1) | 30.5 | (2.2) | 26.4 | (1.7) |
| Women | 62.0 | (1.6) | 59.5 | (0.9) | 59.7 | (1.1) | 69.5 | (2.2) | 73.6 | (1.7) |
| Race and ethnicity (percent): | | | | | | | | | | |
| Hispanic | 3.7 | (0.4) | 1.7 | (0.3) | 1.3 | (0.2) | 1.6 | (0.3) | 0.7 | (0.2) |
| Non-Hispanic white | 59.8 | (2.4) | 77.7 | (1.9) | 85.3 | (1.4) | 78.2 | (2.3) | 93.6 | (1.1) |
| Non-Hispanic black | 35.3 | (2.2) | 18.9 | (1.5) | 11.8 | (1.3) | 19.8 | (2.1) | 4.7 | (0.8) |
| Non-Hispanic other | 1.2 | (0.2) | 1.7 | (0.2) | 1.6 | (0.2) | 0.5 | (0.1) | 1.0 | (0.2) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 49.4 | (6.1) | 24.8 | (2.2) | 52.6 | (1.8) | 50.2 | (2.4) | 45.8 | (5.1) |
| Diagnosed with depression | 8.7 | (1.6) | 32.0 | (1.2) | 24.0 | (1.0) | 44.5 | (2.0) | 31.6 | (5.2) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 25.2 | (3.4) | 48.6 | (5.6) | --- | --- | 49.0 | (3.2) | 11.4 | (2.7) |
| Bathing | 58.9 | (3.5) | 94.8 | (1.3) | --- | --- | 95.2 | (0.7) | 47.2 | (4.1) |
| Dressing | 64.9 | (3.7) | 82.0 | (3.8) | --- | --- | 90.8 | (0.8) | 35.8 | (5.7) |
| Toileting | 57.7 | (3.0) | 58.3 | (4.1) | --- | --- | 86.4 | (1.2) | 36.4 | (5.4) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

⁴FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 9. Providers and Users of Long-Term Care Services in District of Columbia, by Provider Type and Selected Characteristics

| Selected characteristic | Home health agency | | Nursing home | | Residential care community | |
|--|------------------------------------|---------|--------------|--------|----------------------------|--------|
| | Number or percent (standard error) | | | | | |
| Organization | | | | | | |
| Number of providers ¹ | 30 | (5) | 20 | (4) | 20 | (1) |
| Number of beds or licensed maximum capacity ² | ... | ... | 2,800 | (800) | 1,400 | (100) |
| Average capacity | --- | --- | 146 | (22.2) | 63 | (4.2) |
| Average number of people served | --- | --- | 137 | (21.7) | 50 | (4.6) |
| Metropolitan statistical area status (percent): | | | | | | |
| Metropolitan | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) |
| Micropolitan or neither | - | - | - | - | - | - |
| Ownership (percent): | | | | | | |
| For-profit | * | * | 52.6 | (11.5) | * | * |
| Not-for-profit, government, or other | * | * | 47.4 | (11.5) | * | * |
| Number of people served (percent): ³ | | | | | | |
| Category 1 | 36.0 | (9.6) | - | - | * | * |
| Category 2 | 20.0 | (8.0) | 42.1 | (11.3) | * | * |
| Category 3 | 20.0 | (8.0) | 57.9 | (11.3) | * | * |
| Missing ⁴ | 24.0 | (8.5) | ... | ... | ... | ... |
| Staffing ⁵ | | | | | | |
| Number of nursing employee FTEs | 447 | (111) | 1,836 | (478) | 475 | (92) |
| Nursing employee FTEs (percent): | | | | | | |
| Registered nurse | 32.3 | (5.9) | 11.4 | (2.1) | 3.3 | (0.9) |
| Licensed practical nurse or licensed vocational nurse | 18.3 | (4.0) | 25.1 | (2.7) | 22.1 | (1.6) |
| Aide | 49.4 | (7.0) | 63.5 | (2.2) | 74.6 | (1.6) |
| Providers with one or more employee FTEs (percentage): | | | | | | |
| Registered nurse | 100.0 | (0.0) | 100.0 | (0.0) | * | * |
| Licensed practical nurse or licensed vocational nurse | † | † | † | † | * | * |
| Aide | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) |
| Social worker | * | * | † | † | * | * |
| Employee hours per resident or participant per day: | | | | | | |
| Registered nurse | --- | --- | 0.6 | (0.2) | 0.1 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | --- | --- | 1.0 | (0.1) | 0.3 | (0.0) |
| Aide | --- | --- | 2.6 | (0.2) | 2.0 | (0.3) |
| Social worker | --- | --- | 0.1 | (0.0) | 0.1 | (0.1) |
| Service provided | | | | | | |
| Social work (percentage) | * | * | † | † | * | * |
| Mental health or counseling (percentage) | --- | --- | * | * | † | † |
| Therapy (physical, occupational, or speech) (percentage) | † | † | 100.0 | (0.0) | † | † |
| Skilled nursing or nursing (percentage) | 100.0 | (0.0) | 100.0 | (0.0) | * | * |
| Missing ⁴ | ... | ... | ... | ... | ... | ... |
| Pharmacy or pharmacist (percentage) | - | - | 100.0 | (0.0) | † | † |
| Hospice (percentage) | - | - | 73.7 | (10.1) | * | * |
| Service users | | | | | | |
| Number of users ² | 5,400 | (2,300) | 2,600 | (700) | 1,100 | (100) |
| Age in years (percent): | | | | | | |
| Under 65 | 20.1 | (3.2) | 21.5 | (5.3) | 2.4 | (0.4) |
| 65 and over | 79.9 | (3.2) | 78.5 | (5.3) | 97.6 | (0.4) |
| 65–74 | 24.5 | (0.8) | 19.6 | (1.8) | 4.6 | (0.6) |
| 75–84 | 29.8 | (1.5) | 25.0 | (2.2) | 18.5 | (1.7) |
| 85 and over | 25.6 | (1.8) | 33.9 | (5.0) | 74.6 | (2.1) |
| Sex (percent): | | | | | | |
| Men | 35.2 | (1.1) | 38.1 | (4.0) | 29.1 | (1.2) |
| Women | 64.8 | (1.1) | 61.9 | (4.0) | 70.9 | (1.2) |
| Race and ethnicity (percent): | | | | | | |
| Hispanic | 1.8 | (0.3) | 1.3 | (0.4) | 0.4 | (0.1) |
| Non-Hispanic white | 13.1 | (1.8) | 13.4 | (3.9) | 65.5 | (17.6) |
| Non-Hispanic black | 83.4 | (1.8) | 84.0 | (4.3) | 11.9 | (3.0) |

Table 9. Providers and Users of Long-Term Care Services in District of Columbia, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Home health agency | | Nursing home | | Residential care community |
|---|------------------------------------|-------|--------------|-------|----------------------------|
| | Number or percent (standard error) | | | | |
| Non-Hispanic other | 1.6 | (0.1) | 1.3 | (0.3) | 22.2 (16.7) |
| Conditions (percentage): | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 33.8 | (2.0) | 44.1 | (5.4) | 48.2 (6.5) |
| Diagnosed with depression | 20.6 | (0.6) | 27.2 | (3.2) | 23.6 (3.0) |
| Need assistance in physical functioning (percentage): | | | | | |
| Eating | 49.6 | (4.4) | 54.9 | (4.3) | 14.5 (2.7) |
| Bathing | 92.9 | (1.2) | 94.1 | (1.7) | 65.9 (2.8) |
| Dressing | 76.0 | (3.4) | 89.4 | (2.7) | 50.1 (6.0) |
| Toileting | 56.8 | (4.8) | 85.0 | (2.9) | 44.5 (6.4) |

— Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For nursing homes and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011.

⁴Reported only when the percentage of missing cases is greater than 10%. If percent missing is 10% or less, the cases are dropped from the analysis.

⁵FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 10. Providers and Users of Long-Term Care Services in Florida, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|--------------------|-------|---------|-------|--------------|---------|----------------------------|---------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 200 | (1) | 1,400 | (36) | 40 | (6) | 700 | (26) | 2,000 | (19) |
| Number of beds or licensed maximum capacity ² | 10,500 | (300) | ... | ... | ... | ... | 82,600 | (3,400) | 66,500 | (2,100) |
| Average capacity | 52 | (1.6) | --- | --- | --- | --- | 121 | (1.9) | 33 | (1.0) |
| Average number of people served | 26 | (0.9) | --- | --- | --- | --- | 106 | (1.7) | 29 | (1.5) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | † | † | 98.7 | (0.3) | * | * | 94.6 | (0.9) | * | * |
| Micro-politan or neither | * | * | 1.3 | (0.3) | * | * | 5.4 | (0.9) | * | * |
| Ownership (percent): | | | | | | | | | | |
| For-profit | 35.2 | (2.5) | 94.5 | (0.6) | 22.0 | (6.5) | 72.0 | (1.7) | * | * |
| Not-for-profit, government, or other | 64.8 | (2.5) | 5.5 | (0.6) | 78.0 | (6.5) | 28.0 | (1.7) | * | * |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | 57.8 | (2.6) | 42.9 | (1.4) | * | * | 2.6 | (0.6) | 64.9 | (0.0) |
| Category 2 | 42.2 | (2.6) | 27.1 | (1.2) | * | * | 34.6 | (1.8) | * | * |
| Category 3 | - | - | 30.0 | (1.3) | * | * | 62.8 | (1.9) | * | * |
| Staffing ⁴ | | | | | | | | | | |
| Number of nursing employee FTEs | 854 | (28) | 13,773 | (602) | 2,196 | (413) | 57,395 | (2,313) | 20,008 | (1,469) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 14.2 | (0.7) | 52.3 | (1.1) | 52.8 | (2.6) | 8.8 | (0.2) | *6.8 | (3.0) |
| Licensed practical nurse or licensed vocational nurse | 14.6 | (0.7) | 21.5 | (0.7) | 13.5 | (1.3) | 24.2 | (0.2) | 14.2 | (1.5) |
| Aide | 71.2 | (1.0) | 26.1 | (1.2) | 33.7 | (1.8) | 66.9 | (0.2) | 79.1 | (2.6) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 58.1 | (2.6) | 99.4 | (0.2) | 100.0 | (0.0) | † | † | 32.4 | (4.7) |
| Licensed practical nurse or licensed vocational nurse | 55.9 | (2.6) | 77.9 | (1.1) | † | † | 100.0 | (0.0) | 39.1 | (4.0) |
| Aide | 86.2 | (1.8) | 79.8 | (1.1) | 100.0 | (0.0) | 98.2 | (0.5) | 82.7 | (4.1) |
| Social worker | 47.7 | (2.6) | 48.0 | (1.3) | 100.0 | (0.0) | 88.7 | (1.2) | * | * |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.2 | (0.0) | --- | --- | --- | --- | 0.4 | (0.0) | *0.3 | (0.1) |
| Licensed practical nurse or licensed vocational nurse | 0.2 | (0.0) | --- | --- | --- | --- | 1.0 | (0.0) | *0.3 | (0.1) |
| Aide | 1.1 | (0.1) | --- | --- | --- | --- | 2.8 | (0.1) | 1.8 | (0.2) |
| Social worker | 0.1 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | *0.0 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | 74.1 | (2.3) | 80.2 | (1.1) | 100.0 | (0.0) | 92.8 | (1.0) | 77.0 | (4.6) |
| Mental health or counseling (percentage) | 37.0 | (2.5) | --- | --- | 100.0 | (0.0) | 94.0 | (0.9) | 76.7 | (4.6) |
| Therapy (physical, occupational, or speech) (percentage) | 73.9 | (2.3) | 96.6 | (0.5) | † | † | 100.0 | (0.0) | 87.1 | (3.8) |
| Skilled nursing or nursing (percentage) | 78.9 | (2.2) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 83.1 | (4.0) |
| Pharmacy or pharmacist (percentage) | 16.8 | (2.0) | 0.8 | (0.2) | --- | --- | 97.8 | (0.6) | 89.0 | (3.6) |
| Hospice (percentage) | 33.5 | (2.5) | * | * | ... | ... | 91.9 | (1.0) | 87.5 | (3.7) |

Table 10. Providers and Users of Long-Term Care Services in Florida, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|------------------------------------|-------|--------------------|----------|---------|----------|--------------|---------|----------------------------|---------|
| | Number or percent (standard error) | | | | | | | | | |
| Service users | | | | | | | | | | |
| Number of users ² | 8,300 | (300) | 447,600 | (23,800) | 110,500 | (28,000) | 72,300 | (3,000) | 57,000 | (3,000) |
| Age in years (percent): | | | | | | | | | | |
| Under 65 | 10.9 | (1.3) | 12.6 | (0.3) | 5.0 | (0.3) | 14.0 | (0.6) | 9.3 | (2.3) |
| 65 and over | 89.1 | (1.3) | 87.4 | (0.3) | 95.0 | (0.3) | 86.0 | (0.6) | 90.7 | (2.3) |
| 65–74 | 19.2 | (0.9) | 25.8 | (0.3) | 16.3 | (0.7) | 15.6 | (0.3) | 10.1 | (1.5) |
| 75–84 | 38.0 | (1.1) | 33.5 | (0.2) | 31.4 | (0.4) | 28.9 | (0.3) | 36.3 | (4.1) |
| 85 and over | 31.8 | (1.3) | 28.1 | (0.5) | 47.2 | (1.3) | 41.6 | (0.7) | 44.3 | (3.9) |
| Sex (percent): | | | | | | | | | | |
| Men | 33.7 | (0.8) | 39.1 | (0.2) | 42.9 | (0.7) | 33.9 | (0.5) | 31.6 | (1.8) |
| Women | 66.3 | (0.8) | 60.9 | (0.2) | 57.1 | (0.7) | 66.1 | (0.5) | 68.4 | (1.8) |
| Race and ethnicity (percent): | | | | | | | | | | |
| Hispanic | 30.6 | (2.0) | 19.2 | (1.0) | 10.3 | (2.9) | 10.4 | (0.9) | 7.1 | (1.8) |
| Non-Hispanic white | 47.8 | (2.0) | 71.5 | (1.1) | 81.6 | (3.7) | 72.9 | (1.1) | 83.4 | (3.2) |
| Non-Hispanic black | 18.5 | (1.3) | 8.2 | (0.3) | 6.9 | (0.9) | 16.0 | (0.7) | 4.5 | (0.8) |
| Non-Hispanic other | 3.1 | (0.3) | 1.2 | (0.0) | 1.1 | (0.1) | 0.7 | (0.0) | *5.0 | (2.5) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 67.6 | (1.9) | 33.0 | (0.4) | 44.1 | (0.7) | 47.7 | (0.6) | 43.7 | (4.3) |
| Diagnosed with depression | 21.8 | (1.5) | 39.0 | (0.4) | 24.3 | (0.4) | 46.5 | (0.7) | 23.5 | (3.3) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 31.5 | (1.6) | 50.4 | (0.9) | --- | --- | 56.9 | (0.9) | 18.7 | (2.3) |
| Bathing | 39.2 | (2.1) | 95.4 | (0.2) | --- | --- | 97.1 | (0.2) | 61.8 | (4.2) |
| Dressing | 37.8 | (1.9) | 87.2 | (0.5) | --- | --- | 92.9 | (0.3) | 46.9 | (4.1) |
| Toileting | 49.7 | (2.0) | 67.5 | (0.8) | --- | --- | 89.3 | (0.4) | 42.9 | (3.8) |

— Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011.

Hospice patients are patients who received care anytime in 2011.

⁴FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 11. Providers and Users of Long-Term Care Services in Georgia, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|--------------------|-------|---------|-------|--------------|---------|----------------------------|---------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 200 | (1) | 100 | (10) | 200 | (13) | 400 | (19) | 700 | (7) |
| Number of beds or licensed maximum capacity ² | 6,200 | (400) | ... | ... | ... | ... | 39,900 | (2,300) | 20,100 | (1,200) |
| Average capacity | 42 | (2.6) | --- | --- | --- | --- | 111 | (2.7) | 30 | (1.7) |
| Average number of people served | 21 | (1.4) | --- | --- | --- | --- | 95 | (2.3) | 23 | (1.5) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | 80.2 | (2.9) | 73.8 | (4.2) | 79.9 | (3.0) | 62.6 | (2.6) | * | * |
| Micropolitan or neither | 19.8 | (2.9) | 26.2 | (4.2) | 20.1 | (3.0) | 37.4 | (2.6) | * | * |
| Ownership (percent): | | | | | | | | | | |
| For-profit | 48.2 | (3.6) | 71.0 | (4.4) | 82.2 | (2.9) | 65.1 | (2.5) | * | * |
| Not-for-profit, government, or other | 51.8 | (3.6) | 29.0 | (4.4) | 17.8 | (2.9) | 34.9 | (2.5) | * | * |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | * | * | * | * | 29.6 | (3.6) | 2.8 | (0.9) | 73.6 | (2.5) |
| Category 2 | * | * | * | * | 45.1 | (3.9) | 60.9 | (2.6) | * | * |
| Category 3 | * | * | * | * | 25.3 | (3.4) | 36.3 | (2.5) | * | * |
| Staffing ⁴ | | | | | | | | | | |
| Number of nursing employee FTEs | 619 | (34) | 2,135 | (266) | 2,773 | (328) | 22,803 | (1,337) | 6,874 | (625) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 16.5 | (1.0) | 62.4 | (1.6) | 51.3 | (1.1) | 5.8 | (0.2) | 5.5 | (1.4) |
| Licensed practical nurse or licensed vocational nurse | 16.7 | (1.0) | 21.6 | (1.5) | 9.7 | (0.8) | 29.6 | (0.3) | 4.0 | (0.8) |
| Aide | 66.8 | (1.6) | 16.0 | (1.1) | 39.0 | (1.1) | 64.6 | (0.4) | 90.5 | (1.3) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 63.5 | (3.5) | 100.0 | (0.0) | 100.0 | (0.0) | 95.0 | (1.2) | 38.6 | (5.4) |
| Licensed practical nurse or licensed vocational nurse | 64.0 | (3.5) | 89.7 | (2.9) | 62.1 | (3.7) | † | † | * | * |
| Aide | 75.1 | (3.2) | † | † | † | † | 98.3 | (0.7) | 90.1 | (3.4) |
| Social worker | 25.3 | (3.1) | 72.0 | (4.3) | † | † | 74.0 | (2.3) | * | * |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.4 | (0.1) | --- | --- | --- | --- | 0.2 | (0.0) | 0.3 | (0.1) |
| Licensed practical nurse or licensed vocational nurse | 0.6 | (0.1) | --- | --- | --- | --- | 1.1 | (0.0) | *0.1 | (0.0) |
| Aide | 1.4 | (0.2) | --- | --- | --- | --- | 2.2 | (0.0) | 2.3 | (0.2) |
| Social worker | 0.1 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | *0.0 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | 51.8 | (3.6) | 84.1 | (3.5) | 100.0 | (0.0) | 84.1 | (1.9) | 58.1 | (5.7) |
| Mental health or counseling (percentage) | 29.8 | (3.3) | --- | --- | 97.1 | (1.3) | 87.7 | (1.7) | 68.4 | (5.4) |
| Therapy (physical, occupational, or speech) (percentage) | 53.7 | (3.6) | 100.0 | (0.0) | † | † | † | † | 80.4 | (4.7) |
| Skilled nursing or nursing (percentage) | 70.5 | (3.3) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 69.6 | (5.2) |
| Pharmacy or pharmacist (percentage) | 35.8 | (3.5) | * | * | --- | --- | 98.3 | (0.7) | 89.5 | (3.7) |
| Hospice (percentage) | 24.2 | (3.1) | * | * | ... | ... | 87.4 | (1.8) | 72.7 | (5.2) |

Table 11. Providers and Users of Long-Term Care Services in Georgia, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|------------------------------------|-------|--------------------|----------|---------|---------|--------------|---------|----------------------------|---------|
| | Number or percent (standard error) | | | | | | | | | |
| Service users | | | | | | | | | | |
| Number of users ² | 4,300 | (300) | 123,700 | (17,600) | 40,600 | (4,500) | 34,100 | (2,000) | 15,400 | (1,000) |
| Age in years (percent): | | | | | | | | | | |
| Under 65 | 38.5 | (2.9) | 19.2 | (0.6) | 7.9 | (0.3) | 16.7 | (0.8) | 6.5 | (1.1) |
| 65 and over | 61.5 | (2.9) | 80.8 | (0.6) | 92.1 | (0.3) | 83.3 | (0.8) | 93.5 | (1.1) |
| 65–74 | 22.3 | (1.4) | 26.1 | (0.4) | 19.4 | (0.5) | 18.3 | (0.4) | 14.7 | (2.6) |
| 75–84 | 25.1 | (1.9) | 32.0 | (0.3) | 32.2 | (0.3) | 29.4 | (0.4) | 35.7 | (3.2) |
| 85 and over | 14.1 | (1.2) | 22.8 | (0.6) | 40.6 | (0.7) | 35.7 | (0.8) | 43.2 | (3.3) |
| Sex (percent): | | | | | | | | | | |
| Men | 33.5 | (1.2) | 35.5 | (0.3) | 39.3 | (0.5) | 31.0 | (0.7) | 26.0 | (1.6) |
| Women | 66.5 | (1.2) | 64.5 | (0.3) | 60.7 | (0.5) | 69.0 | (0.7) | 74.0 | (1.6) |
| Race and ethnicity (percent): | | | | | | | | | | |
| Hispanic | 1.7 | (0.2) | 1.1 | (0.1) | 0.9 | (0.1) | 0.7 | (0.1) | 0.5 | (0.1) |
| Non-Hispanic white | 32.3 | (2.6) | 74.2 | (1.8) | 78.0 | (1.2) | 65.8 | (1.5) | 80.2 | (5.1) |
| Non-Hispanic black | 58.2 | (3.1) | 23.5 | (1.7) | 20.3 | (1.2) | 33.0 | (1.5) | 11.0 | (2.8) |
| Non-Hispanic other | 7.8 | (3.1) | 1.2 | (0.1) | 0.9 | (0.1) | 0.5 | (0.1) | *8.4 | (4.7) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 45.6 | (2.9) | 33.1 | (0.9) | 48.7 | (1.1) | 50.2 | (0.9) | 49.7 | (4.3) |
| Diagnosed with depression | 15.9 | (1.4) | 31.5 | (0.5) | 19.6 | (0.4) | 56.0 | (1.2) | 22.3 | (3.2) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 24.4 | (1.9) | 60.3 | (1.6) | --- | --- | 64.7 | (1.3) | 15.3 | (2.1) |
| Bathing | 40.7 | (3.4) | 97.4 | (0.3) | --- | --- | 97.1 | (0.3) | 58.6 | (3.7) |
| Dressing | 38.4 | (2.7) | 90.4 | (1.0) | --- | --- | 92.4 | (0.4) | 43.9 | (3.5) |
| Toileting | 41.2 | (2.8) | 75.8 | (1.8) | --- | --- | 87.6 | (0.5) | 29.5 | (3.5) |

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011.

Hospice patients are patients who received care anytime in 2011.

⁴FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsitcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 12. Providers and Users of Long-Term Care Services in Hawaii, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|--------------------|--------|---------|-------|--------------|-------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 40 | (1) | 10 | (4) | 10 | (3) | 50 | (7) | 200 | (2) |
| Number of beds or licensed maximum capacity ² | 1,800 | (100) | ... | ... | ... | ... | 4,100 | (700) | 2,900 | (100) |
| Average capacity | 43 | (3.1) | --- | --- | --- | --- | 87 | (9.7) | 13 | (0.4) |
| Average number of people served | 26 | (2.2) | --- | --- | --- | --- | 80 | (9.2) | 11 | (1.0) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | 73.6 | (5.7) | 64.3 | (12.8) | * | * | 70.2 | (6.7) | * | * |
| Micropolitan or neither | 26.4 | (5.7) | 35.7 | (12.8) | * | * | 29.8 | (6.7) | * | * |
| Ownership (percent): | | | | | | | | | | |
| For-profit | 22.4 | (5.7) | * | * | * | * | 51.1 | (7.3) | * | * |
| Not-for-profit, government, or other | 77.6 | (5.7) | * | * | * | * | 48.9 | (7.3) | * | * |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | 50.3 | (6.5) | - | - | * | * | 25.5 | (6.4) | 92.5 | (0.8) |
| Category 2 | 49.7 | (6.5) | 53.8 | (13.8) | * | * | 44.7 | (7.3) | * | * |
| Category 3 | - | - | 46.2 | (13.8) | * | * | 29.8 | (6.7) | * | * |
| Staffing ⁴ | | | | | | | | | | |
| Number of nursing employee FTEs | 224 | (22) | 140 | (43) | 156 | (78) | 2,771 | (481) | 931 | (88) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 11.1 | (1.6) | 64.8 | (6.6) | 65.8 | (7.7) | 21.3 | (1.4) | 16.2 | (1.7) |
| Licensed practical nurse or licensed vocational nurse | 5.2 | (1.3) | 5.0 | (3.1) | 14.0 | (3.7) | 10.4 | (1.1) | 4.7 | (1.1) |
| Aide | 83.7 | (2.2) | 30.2 | (5.7) | 20.1 | (7.2) | 68.3 | (1.1) | 79.1 | (1.9) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 48.8 | (6.5) | 100.0 | (0.0) | 100.0 | (0.0) | † | † | 54.4 | (4.5) |
| Licensed practical nurse or licensed vocational nurse | 25.4 | (5.5) | * | * | * | * | 85.1 | (5.2) | * | * |
| Aide | 73.1 | (5.7) | † | † | 100.0 | (0.0) | † | † | 71.3 | (4.1) |
| Social worker | 25.2 | (5.5) | * | * | 100.0 | (0.0) | 74.5 | (6.4) | * | * |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.2 | (0.0) | --- | --- | --- | --- | 1.3 | (0.3) | 0.6 | (0.1) |
| Licensed practical nurse or licensed vocational nurse | 0.1 | (0.0) | --- | --- | --- | --- | 0.5 | (0.1) | 0.1 | (0.0) |
| Aide | 1.4 | (0.2) | --- | --- | --- | --- | 3.1 | (0.3) | 2.2 | (0.3) |
| Social worker | 0.0 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | *0.0 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | 47.6 | (6.4) | * | * | 100.0 | (0.0) | † | † | 64.9 | (4.5) |
| Mental health or counseling (percentage) | 29.7 | (5.9) | --- | --- | 100.0 | (0.0) | 46.8 | (7.3) | 60.3 | (4.7) |
| Therapy (physical, occupational, or speech) (percentage) | 63.8 | (6.3) | 100.0 | (0.0) | 100.0 | (0.0) | † | † | 74.9 | (4.0) |
| Skilled nursing or nursing (percentage) | 55.2 | (6.5) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 66.8 | (4.4) |
| Pharmacy or pharmacist (percentage) | 23.3 | (5.5) | * | * | --- | --- | 100.0 | (0.0) | 78.5 | (3.9) |
| Hospice (percentage) | 30.7 | (6.0) | - | - | ... | ... | 53.2 | (7.3) | 62.1 | (4.5) |

Table 12. Providers and Users of Long-Term Care Services in Hawaii, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|------------------------------------|-------|--------------------|---------|---------|---------|--------------|-------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Service users | | | | | | | | | | |
| Number of users ² | 1,700 | (100) | 6,600 | (2,400) | 3,800 | (1,700) | 3,700 | (700) | 2,500 | (200) |
| Age in years (percent): | | | | | | | | | | |
| Under 65 | 8.3 | (2.9) | 12.6 | (1.2) | 3.8 | (0.4) | 9.8 | (1.5) | 6.8 | (1.4) |
| 65 and over | 91.7 | (2.9) | 87.4 | (1.2) | 96.2 | (0.4) | 90.2 | (1.5) | 93.2 | (1.4) |
| 65–74 | 10.7 | (1.2) | 19.6 | (0.8) | 15.5 | (1.3) | 11.6 | (0.8) | 5.6 | (1.2) |
| 75–84 | 34.9 | (3.0) | 32.7 | (0.8) | 27.5 | (1.3) | 24.6 | (0.9) | 27.3 | (4.9) |
| 85 and over | 46.1 | (3.9) | 35.0 | (1.0) | 53.2 | (2.2) | 53.9 | (2.0) | 60.4 | (5.1) |
| Sex (percent): | | | | | | | | | | |
| Men | 23.1 | (1.0) | 41.9 | (0.5) | 44.1 | (1.3) | 32.7 | (1.7) | 29.8 | (2.0) |
| Women | 76.9 | (1.0) | 58.1 | (0.5) | 55.9 | (1.3) | 67.3 | (1.7) | 70.2 | (2.0) |
| Race and ethnicity (percent): | | | | | | | | | | |
| Hispanic | 1.9 | (0.3) | 4.6 | (0.5) | 4.7 | (0.4) | 2.1 | (0.3) | *0.7 | (0.4) |
| Non-Hispanic white | 9.0 | (1.5) | 31.0 | (3.8) | 28.0 | (3.3) | 20.4 | (2.0) | 12.6 | (2.8) |
| Non-Hispanic black | 0.2 | (0.1) | 0.9 | (0.1) | 0.5 | (0.1) | 0.5 | (0.1) | *0.7 | (0.5) |
| Non-Hispanic other | 88.9 | (1.6) | 63.5 | (4.0) | 66.8 | (3.4) | 77.0 | (2.2) | 85.9 | (3.0) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 72.5 | (3.1) | 39.3 | (1.9) | 28.1 | (2.9) | 56.1 | (2.6) | 35.2 | (5.3) |
| Diagnosed with depression | 12.5 | (1.8) | 20.8 | (0.4) | 7.2 | (0.3) | 39.3 | (2.8) | 11.3 | (1.6) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 25.6 | (4.6) | 63.0 | (4.0) | --- | --- | 68.2 | (4.4) | 21.8 | (3.5) |
| Bathing | 34.2 | (5.4) | 95.1 | (0.9) | --- | --- | 98.7 | (0.3) | 50.0 | (7.4) |
| Dressing | 32.2 | (5.2) | 83.3 | (2.7) | --- | --- | 98.2 | (0.4) | 43.8 | (3.1) |
| Toileting | 54.5 | (4.6) | 67.0 | (5.0) | --- | --- | 95.9 | (0.8) | 43.5 | (3.1) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

⁴FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 13. Providers and Users of Long-Term Care Services in Idaho, by Provider Type and Selected Characteristics

| Selected characteristic | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|---------|-------|--------------|-------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | |
| Organization | | | | | | | | |
| Number of providers ¹ | 50 | (7) | 40 | (7) | 80 | (9) | 200 | (2) |
| Number of beds or licensed maximum capacity ² | --- | --- | --- | --- | 5,900 | (800) | 6,800 | (200) |
| Average capacity | --- | --- | --- | --- | 77 | (4.3) | 37 | (1.0) |
| Average number of people served | --- | --- | --- | --- | 53 | (2.8) | 29 | (0.8) |
| Metropolitan statistical area status (percent): | | | | | | | | |
| Metropolitan | * | * | 76.7 | (6.4) | 55.8 | (5.7) | 71.9 | (2.8) |
| Micropolitan or neither | * | * | 23.3 | (6.4) | 44.2 | (5.7) | 28.1 | (2.8) |
| Ownership (percent): | | | | | | | | |
| For-profit | 79.2 | (5.9) | 65.1 | (7.3) | 68.8 | (5.3) | 92.7 | (1.6) |
| Not-for-profit, government, or other | 20.8 | (5.9) | 34.9 | (7.3) | 31.2 | (5.3) | 7.3 | (1.6) |
| Number of people served (percent): ³ | | | | | | | | |
| Category 1 | 19.6 | (5.8) | * | * | * | * | * | * |
| Category 2 | 39.1 | (7.2) | * | * | * | * | * | * |
| Category 3 | 41.3 | (7.3) | * | * | * | * | * | * |
| Staffing⁴ | | | | | | | | |
| Number of nursing employee FTEs | 541 | (116) | 335 | (77) | 3,422 | (425) | 2,536 | (115) |
| Nursing employee FTEs (percent): | | | | | | | | |
| Registered nurse | 60.5 | (3.4) | 52.0 | (2.5) | 13.1 | (0.7) | 6.4 | (1.0) |
| Licensed practical nurse or licensed vocational nurse | 12.6 | (1.6) | 9.6 | (1.4) | 19.7 | (0.8) | 3.3 | (0.3) |
| Aide | 26.9 | (2.9) | 38.4 | (2.6) | 67.3 | (1.0) | 90.4 | (1.0) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | |
| Registered nurse | 100.0 | (0.0) | 100.0 | (0.0) | † | † | 64.9 | (2.8) |
| Licensed practical nurse or licensed vocational nurse | 66.7 | (6.8) | 55.8 | (7.6) | † | † | 36.7 | (2.9) |
| Aide | † | † | † | † | 100.0 | (0.0) | 93.9 | (1.6) |
| Social worker | 75.0 | (6.3) | † | † | 67.5 | (5.3) | 6.9 | (1.7) |
| Employee hours per resident or participant per day: | | | | | | | | |
| Registered nurse | --- | --- | --- | --- | 0.6 | (0.1) | 0.2 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | --- | --- | --- | --- | 0.9 | (0.1) | 0.1 | (0.0) |
| Aide | --- | --- | --- | --- | 3.0 | (0.1) | 2.5 | (0.1) |
| Social worker | --- | --- | --- | --- | 0.1 | (0.0) | 0.0 | (0.0) |
| Service provided | | | | | | | | |
| Social work (percentage) | 89.6 | (4.4) | 100.0 | (0.0) | 88.3 | (3.7) | 81.4 | (2.5) |
| Mental health or counseling (percentage) | --- | --- | † | † | 83.1 | (4.3) | 80.7 | (2.5) |
| Therapy (physical, occupational, or speech) (percentage) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 92.8 | (1.6) |
| Skilled nursing or nursing (percentage) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 80.9 | (2.5) |
| Pharmacy or pharmacist (percentage) | 12.5 | (4.8) | --- | --- | 100.0 | (0.0) | 94.5 | (1.4) |
| Hospice (percentage) | 18.8 | (5.6) | --- | --- | 64.9 | (5.4) | 91.7 | (1.7) |

Table 13. Providers and Users of Long-Term Care Services in Idaho, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|------------------------------------|---------|---------|---------|--------------|-------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | |
| Service users | | | | | | | | |
| Number of users ² | 16,000 | (3,300) | 6,800 | (1,500) | 4,100 | (500) | 5,300 | (200) |
| Age in years (percent): | | | | | | | | |
| Under 65 | 15.6 | (0.7) | 4.7 | (0.3) | 16.0 | (1.5) | 6.3 | (0.6) |
| 65 and over | 84.4 | (0.7) | 95.3 | (0.3) | 84.0 | (1.5) | 93.7 | (0.6) |
| 65–74 | 24.4 | (0.8) | 16.2 | (0.8) | 17.0 | (0.8) | 8.8 | (0.7) |
| 75–84 | 31.5 | (0.5) | 30.2 | (0.5) | 28.6 | (0.9) | 30.0 | (1.8) |
| 85 and over | 28.4 | (1.0) | 48.9 | (1.1) | 38.4 | (1.7) | 54.9 | (2.0) |
| Sex (percent): | | | | | | | | |
| Men | 36.1 | (0.8) | 41.0 | (0.7) | 36.3 | (2.4) | 25.9 | (0.6) |
| Women | 63.9 | (0.8) | 59.0 | (0.7) | 63.7 | (2.4) | 74.1 | (0.6) |
| Race and ethnicity (percent): | | | | | | | | |
| Hispanic | 3.1 | (0.2) | 2.0 | (0.2) | 2.1 | (0.4) | 0.8 | (0.1) |
| Non-Hispanic white | 94.8 | (0.3) | 96.2 | (0.3) | 95.9 | (0.4) | 87.7 | (3.0) |
| Non-Hispanic black | 0.3 | (0.1) | 0.2 | (0.1) | 0.2 | (0.1) | 0.1 | (0.0) |
| Non-Hispanic other | 1.9 | (0.2) | 1.6 | (0.2) | 1.8 | (0.2) | 11.4 | (3.0) |
| Conditions (percentage): | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 27.7 | (1.1) | 36.6 | (1.8) | 43.7 | (2.0) | 47.6 | (2.3) |
| Diagnosed with depression | 36.1 | (1.1) | 16.8 | (0.6) | 54.9 | (2.5) | 27.7 | (1.7) |
| Need assistance in physical functioning (percentage): | | | | | | | | |
| Eating | 46.9 | (3.2) | --- | --- | 54.4 | (2.8) | 23.9 | (1.8) |
| Bathing | 94.4 | (1.1) | --- | --- | 97.6 | (0.5) | 73.5 | (2.1) |
| Dressing | 80.7 | (3.0) | --- | --- | 91.2 | (1.0) | 52.2 | (2.3) |
| Toileting | 60.9 | (4.2) | --- | --- | 88.9 | (1.1) | 46.2 | (2.3) |

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011.

Hospice patients are patients who received care anytime in 2011.

⁴FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsitcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 14. Providers and Users of Long-Term Care Services in Illinois, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|--------------------|-------|---------|-------|--------------|---------|----------------------------|---------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 100 | (1) | 800 | (27) | 100 | (10) | 800 | (27) | 300 | (3) |
| Number of beds or licensed maximum capacity ² | 6,000 | (300) | ... | ... | ... | ... | 94,400 | (3,900) | 18,900 | (1,200) |
| Average capacity | 58 | (2.6) | --- | --- | --- | --- | 122 | (2.6) | 59 | (3.6) |
| Average number of people served | 30 | (1.4) | --- | --- | --- | --- | 95 | (2.1) | 53 | (3.7) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | 86.6 | (1.9) | 93.5 | (0.9) | 75.2 | (4.1) | 71.6 | (1.6) | * | * |
| Micropolitan or neither | 13.4 | (1.9) | 6.5 | (0.9) | 24.8 | (4.1) | 28.4 | (1.6) | * | * |
| Ownership (percent): | | | | | | | | | | |
| For-profit | 25.0 | (2.5) | 86.2 | (1.2) | 34.9 | (4.6) | 71.1 | (1.6) | 59.4 | (4.1) |
| Not-for-profit, government, or other | 75.0 | (2.5) | 13.8 | (1.2) | 65.1 | (4.6) | 28.9 | (1.6) | 40.6 | (4.1) |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | * | * | 37.6 | (1.8) | 26.5 | (4.4) | 6.7 | (0.9) | 30.8 | (2.7) |
| Category 2 | * | * | 34.6 | (1.8) | 31.4 | (4.6) | 57.1 | (1.8) | * | * |
| Category 3 | * | * | 27.8 | (1.7) | 42.2 | (4.9) | 36.2 | (1.7) | * | * |
| Staffing⁴ | | | | | | | | | | |
| Number of nursing employee FTEs | 489 | (19) | 7,050 | (348) | 1,942 | (300) | 44,719 | (1,800) | 5,956 | (441) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 20.2 | (1.1) | 72.6 | (1.0) | 56.6 | (2.3) | 15.0 | (0.4) | 14.6 | (1.6) |
| Licensed practical nurse or licensed vocational nurse | 9.7 | (0.7) | 7.8 | (0.5) | 7.7 | (1.3) | 18.7 | (0.3) | 13.5 | (1.0) |
| Aide | 70.1 | (1.2) | 19.6 | (0.9) | 35.7 | (1.4) | 66.2 | (0.3) | 71.9 | (1.5) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 75.9 | (2.4) | 100.0 | (0.0) | † | † | 99.4 | (0.3) | 68.9 | (3.9) |
| Licensed practical nurse or licensed vocational nurse | 51.2 | (2.9) | 44.3 | (1.8) | 46.8 | (4.8) | 98.2 | (0.5) | 68.7 | (4.0) |
| Aide | 84.6 | (2.1) | 96.9 | (0.6) | † | † | 98.7 | (0.4) | 86.7 | (2.9) |
| Social worker | 43.3 | (2.8) | 31.6 | (1.7) | † | † | 54.0 | (1.8) | * | * |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.4 | (0.0) | --- | --- | --- | --- | 0.6 | (0.0) | 0.3 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.2 | (0.0) | --- | --- | --- | --- | 0.6 | (0.0) | 0.3 | (0.0) |
| Aide | 1.3 | (0.2) | --- | --- | --- | --- | 2.4 | (0.1) | 1.7 | (0.1) |
| Social worker | 0.1 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | 0.0 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | 65.1 | (2.7) | 91.8 | (1.0) | † | † | 89.9 | (1.1) | 75.3 | (3.7) |
| Mental health or counseling (percentage) | 42.1 | (2.8) | --- | --- | † | † | 77.3 | (1.5) | 71.5 | (3.8) |
| Therapy (physical, occupational, or speech) (percentage) | 62.2 | (2.8) | † | † | † | † | 97.5 | (0.6) | 95.1 | (1.8) |
| Skilled nursing or nursing (percentage) | 90.0 | (1.7) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 62.4 | (4.1) |
| Pharmacy or pharmacist (percentage) | 28.3 | (2.6) | 6.8 | (0.9) | --- | --- | 98.7 | (0.4) | 94.8 | (1.8) |
| Hospice (percentage) | 23.6 | (2.5) | 0.6 | (0.3) | ... | ... | 77.0 | (1.5) | 94.3 | (1.8) |

Table 14. Providers and Users of Long-Term Care Services in Illinois, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|------------------------------------|-------|--------------------|----------|---------|---------|--------------|---------|----------------------------|---------|
| | Number or percent (standard error) | | | | | | | | | |
| Service users | | | | | | | | | | |
| Number of users ² | 7,200 | (700) | 224,500 | (17,400) | 44,800 | (7,000) | 73,700 | (3,100) | 17,200 | (1,200) |
| Age in years (percent): | | | | | | | | | | |
| Under 65 | 10.4 | (0.7) | 16.5 | (0.5) | 4.5 | (0.3) | 22.1 | (1.2) | 1.5 | (0.2) |
| 65 and over | 89.6 | (0.7) | 83.5 | (0.5) | 95.5 | (0.3) | 77.9 | (1.2) | 98.5 | (0.2) |
| 65–74 | 33.6 | (2.3) | 25.9 | (0.4) | 15.2 | (0.6) | 14.1 | (0.3) | 5.6 | (0.9) |
| 75–84 | 36.7 | (1.9) | 32.4 | (0.4) | 30.9 | (0.3) | 24.6 | (0.4) | 32.1 | (2.4) |
| 85 and over | 19.4 | (1.1) | 25.3 | (0.6) | 49.4 | (0.9) | 39.2 | (1.0) | 60.7 | (2.9) |
| Sex (percent): | | | | | | | | | | |
| Men | 35.6 | (0.7) | 36.6 | (0.3) | 38.8 | (0.4) | 35.7 | (0.7) | 23.9 | (1.1) |
| Women | 64.4 | (0.7) | 63.4 | (0.3) | 61.2 | (0.4) | 64.3 | (0.7) | 76.1 | (1.1) |
| Race and ethnicity (percent): | | | | | | | | | | |
| Hispanic | 6.3 | (1.6) | 7.1 | (0.4) | 2.9 | (0.4) | 3.6 | (0.4) | 0.6 | (0.1) |
| Non-Hispanic white | 49.3 | (5.2) | 63.5 | (1.7) | 85.6 | (2.3) | 77.2 | (1.3) | 94.9 | (1.4) |
| Non-Hispanic black | 22.5 | (3.0) | 26.1 | (1.4) | 10.2 | (1.9) | 17.3 | (1.2) | 1.6 | (0.4) |
| Non-Hispanic other | 21.8 | (4.4) | 3.3 | (0.3) | 1.3 | (0.2) | 1.8 | (0.3) | *2.9 | (1.3) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 48.4 | (3.6) | 27.7 | (0.5) | 52.0 | (1.9) | 41.9 | (0.8) | 37.5 | (3.5) |
| Diagnosed with depression | 28.4 | (3.6) | 30.9 | (0.4) | 27.6 | (0.9) | 49.6 | (0.9) | 20.1 | (2.6) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 24.6 | (1.6) | 52.1 | (1.3) | --- | --- | 48.3 | (1.2) | 13.4 | (2.0) |
| Bathing | 20.7 | (2.4) | 95.6 | (0.4) | --- | --- | 88.6 | (1.0) | 55.9 | (3.9) |
| Dressing | 24.4 | (1.9) | 84.9 | (0.9) | --- | --- | 81.5 | (1.1) | 42.3 | (3.8) |
| Toileting | 26.2 | (2.6) | 66.6 | (1.4) | --- | --- | 75.9 | (1.2) | 34.1 | (3.6) |

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011.

Hospice patients are patients who received care anytime in 2011.

⁴FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsitcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 15. Providers and Users of Long-Term Care Services in Indiana, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|--------------------|-------|---------|-------|--------------|---------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 40 | (1) | 300 | (17) | 80 | (9) | 500 | (22) | 200 | (2) |
| Number of beds or licensed maximum capacity ² | 1,500 | (100) | ... | ... | ... | ... | 50,200 | (2,400) | 16,700 | (600) |
| Average capacity | 36 | (1.4) | --- | --- | --- | --- | 97 | (2.0) | 81 | (2.6) |
| Average number of people served | 16 | (1.0) | --- | --- | --- | --- | 76 | (1.7) | 55 | (1.2) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | * | * | 82.3 | (2.3) | 74.7 | (4.8) | 66.0 | (2.1) | 77.5 | (2.1) |
| Micropolitan or neither | * | * | 17.7 | (2.3) | 25.3 | (4.8) | 34.0 | (2.1) | 22.5 | (2.1) |
| Ownership (percent): | | | | | | | | | | |
| For-profit | 27.5 | (4.0) | 79.4 | (2.4) | 48.2 | (5.5) | 57.9 | (2.2) | 65.6 | (2.4) |
| Not-for-profit, government, or other | 72.5 | (4.0) | 20.6 | (2.4) | 51.8 | (5.5) | 42.1 | (2.2) | 34.4 | (2.4) |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | 86.0 | (3.0) | 35.0 | (2.9) | 17.1 | (4.2) | 6.0 | (1.0) | 15.1 | (1.5) |
| Category 2 | 14.0 | (3.0) | 22.4 | (2.5) | 43.9 | (5.5) | 68.5 | (2.0) | 75.5 | (2.0) |
| Category 3 | - | - | 30.0 | (2.8) | 39.0 | (5.4) | 25.4 | (1.9) | 9.4 | (1.4) |
| Missing ⁴ | ... | ... | 12.6 | (2.0) | ... | ... | ... | ... | ... | ... |
| Staffing⁵ | | | | | | | | | | |
| Number of nursing employee FTEs | 128 | (8) | 4,335 | (369) | 1,311 | (198) | 27,483 | (1,350) | 3,356 | (129) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 17.0 | (1.8) | 44.9 | (2.2) | 55.8 | (2.0) | 11.1 | (0.3) | 7.4 | (0.5) |
| Licensed practical nurse or licensed vocational nurse | 14.5 | (1.1) | 15.0 | (1.2) | 9.8 | (1.4) | 28.0 | (0.3) | 30.9 | (1.0) |
| Aide | 68.5 | (1.9) | 40.1 | (2.1) | 34.4 | (1.5) | 61.0 | (0.3) | 61.7 | (0.9) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 53.2 | (4.5) | 100.0 | (0.0) | 100.0 | (0.0) | † | † | 66.6 | (2.5) |
| Licensed practical nurse or licensed vocational nurse | 52.8 | (4.6) | 66.8 | (2.8) | 57.8 | (5.4) | † | † | 91.6 | (1.5) |
| Aide | 76.6 | (3.9) | 96.0 | (1.2) | † | † | 98.3 | (0.6) | 91.4 | (1.5) |
| Social worker | 46.0 | (4.5) | 42.6 | (3.0) | † | † | 81.4 | (1.7) | 37.1 | (2.5) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.4 | (0.1) | --- | --- | --- | --- | 0.5 | (0.0) | 0.1 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.3 | (0.0) | --- | --- | --- | --- | 1.1 | (0.0) | 0.5 | (0.0) |
| Aide | 1.1 | (0.1) | --- | --- | --- | --- | 2.3 | (0.1) | 1.1 | (0.0) |
| Social worker | 0.3 | (0.1) | --- | --- | --- | --- | 0.1 | (0.0) | 0.1 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | 68.2 | (4.2) | 55.6 | (3.0) | 100.0 | (0.0) | 94.2 | (1.0) | 78.4 | (2.2) |
| Mental health or counseling (percentage) | 44.9 | (4.5) | --- | --- | 100.0 | (0.0) | 92.6 | (1.2) | 92.5 | (1.4) |
| Therapy (physical, occupational, or speech) (percentage) | 63.2 | (4.5) | 81.6 | (2.3) | 100.0 | (0.0) | 99.0 | (0.4) | 92.8 | (1.4) |
| Skilled nursing or nursing (percentage) | 73.6 | (4.0) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 69.6 | (2.4) |
| Pharmacy or pharmacist (percentage) | 15.5 | (3.3) | 5.1 | (1.3) | --- | --- | 94.2 | (1.0) | † | † |
| Hospice (percentage) | 20.4 | (3.7) | 9.0 | (1.7) | ... | ... | 82.3 | (1.7) | 95.8 | (1.1) |

Table 15. Providers and Users of Long-Term Care Services in Indiana, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|------------------------------------|-------|--------------------|---------|---------|---------|--------------|---------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Service users | | | | | | | | | | |
| Number of users ² | 1,300 | (100) | 83,000 | (9,300) | 26,400 | (3,900) | 39,400 | (1,900) | 11,400 | (300) |
| Age in years (percent): | | | | | | | | | | |
| Under 65 | 34.0 | (3.3) | 18.9 | (0.7) | 6.3 | (0.3) | 12.9 | (0.6) | 6.0 | (1.0) |
| 65 and over | 66.0 | (3.3) | 81.1 | (0.7) | 93.7 | (0.3) | 87.1 | (0.6) | 94.0 | (1.0) |
| 65–74 | 18.0 | (1.1) | 24.6 | (0.4) | 17.6 | (0.6) | 14.3 | (0.3) | 8.9 | (0.6) |
| 75–84 | 28.7 | (2.0) | 31.8 | (0.3) | 31.7 | (0.4) | 28.7 | (0.3) | 34.4 | (1.2) |
| 85 and over | 19.2 | (1.8) | 24.8 | (0.6) | 44.3 | (1.0) | 44.1 | (0.7) | 50.6 | (1.6) |
| Sex (percent): | | | | | | | | | | |
| Men | 44.7 | (1.3) | 36.2 | (0.3) | 40.8 | (0.5) | 28.6 | (0.4) | 26.9 | (0.8) |
| Women | 55.3 | (1.3) | 63.8 | (0.3) | 59.2 | (0.5) | 71.3 | (0.4) | 73.1 | (0.8) |
| Race and ethnicity (percent): | | | | | | | | | | |
| Hispanic | 1.9 | (0.3) | 1.9 | (0.3) | 0.8 | (0.1) | 0.7 | (0.1) | 0.4 | (0.1) |
| Non-Hispanic white | 69.3 | (2.4) | 85.6 | (1.2) | 93.2 | (0.7) | 91.3 | (0.8) | 94.5 | (1.0) |
| Non-Hispanic black | 27.2 | (2.2) | 11.7 | (1.1) | 5.4 | (0.7) | 7.6 | (0.8) | 4.1 | (0.9) |
| Non-Hispanic other | 1.6 | (0.3) | 0.8 | (0.0) | 0.7 | (0.1) | 0.4 | (0.0) | 1.0 | (0.4) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 52.4 | (4.0) | 29.7 | (0.8) | 46.2 | (1.8) | 50.9 | (0.7) | 34.4 | (1.4) |
| Diagnosed with depression | 12.9 | (1.4) | 36.2 | (0.7) | 26.0 | (0.7) | 45.0 | (1.0) | 26.8 | (1.2) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 38.8 | (3.4) | 43.1 | (2.1) | --- | --- | 64.7 | (1.4) | 8.4 | (0.7) |
| Bathing | 45.1 | (3.7) | 93.8 | (0.6) | --- | --- | 97.2 | (0.2) | 45.1 | (1.6) |
| Dressing | 38.8 | (2.9) | 77.3 | (1.7) | --- | --- | 92.4 | (0.4) | 31.7 | (1.7) |
| Toileting | 45.6 | (1.9) | 55.5 | (2.5) | --- | --- | 88.7 | (0.5) | 24.3 | (1.6) |

— Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For nursing homes and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011.

⁴Reported only when the percentage of missing cases is greater than 10%. If percent missing is 10% or less, the cases are dropped from the analysis.

⁵FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 16. Providers and Users of Long-Term Care Services in Iowa, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|--------------------|-------|---------|-------|--------------|---------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 30 | (0.0) | 200 | (13) | 80 | (9) | 400 | (21) | 60 | (1) |
| Number of beds or licensed maximum capacity ² | 1,100 | (0.0) | ... | ... | ... | ... | 31,300 | (1,700) | 2,100 | (100) |
| Average capacity | 35 | (1.0) | --- | --- | --- | --- | 71 | (2.0) | 38 | (1.1) |
| Average number of people served | 24 | (0.9) | --- | --- | --- | --- | 56 | (1.6) | 28 | (0.9) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | 51.6 | 3.3 | 32.0 | (3.6) | 37.3 | (5.3) | 36.5 | (2.3) | 41.2 | (3.6) |
| Micropolitan or neither | 48.4 | 3.3 | 68.0 | (3.6) | 62.7 | (5.3) | 63.5 | (2.3) | 58.8 | (3.6) |
| Ownership (percent): | | | | | | | | | | |
| For-profit | * | * | 27.8 | (3.4) | 24.1 | (4.7) | 54.7 | (2.4) | 30.4 | (3.3) |
| Not-for-profit, government, or other | * | * | 72.2 | (3.4) | 75.9 | (4.7) | 45.3 | (2.4) | 69.6 | (3.3) |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | 66.0 | (3.1) | 52.4 | (3.9) | 44.4 | (5.5) | 6.8 | (1.2) | * | * |
| Category 2 | 34.0 | (3.1) | 34.3 | (3.7) | 35.8 | (5.3) | 86.9 | (1.6) | * | * |
| Category 3 | - | - | 13.3 | (2.6) | 19.8 | (4.4) | 6.3 | (1.2) | * | * |
| Staffing ⁴ | | | | | | | | | | |
| Number of nursing employee FTEs | 146 | (5) | 2,290 | (237) | 788 | (154) | 16,286 | (877) | 612 | (27) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 12.5 | (0.6) | 52.8 | (2.0) | 67.6 | (2.3) | 13.0 | (0.4) | 20.7 | (2.2) |
| Licensed practical nurse or licensed vocational nurse | 4.5 | (0.6) | 9.5 | (1.7) | 2.7 | (0.8) | 18.7 | (0.4) | 18.3 | (1.2) |
| Aide | 83.0 | (0.9) | 37.7 | (2.0) | 29.7 | (2.3) | 68.4 | (0.4) | 61.0 | (2.2) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 75.7 | (2.8) | 100.0 | (0.0) | 100.0 | (0.0) | † | † | 77.1 | (3.0) |
| Licensed practical nurse or licensed vocational nurse | 20.0 | (2.6) | 39.1 | (3.8) | 21.7 | (4.5) | 98.0 | (0.7) | 86.1 | (2.4) |
| Aide | 100.0 | (0.0) | 91.1 | (2.2) | † | † | 98.0 | (0.7) | † | † |
| Social worker | 44.9 | (3.3) | 30.2 | (3.5) | 100.0 | (0.0) | 58.3 | (2.3) | 52.2 | (3.5) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.2 | (0.0) | --- | --- | --- | --- | 0.6 | (0.1) | 0.9 | (0.1) |
| Licensed practical nurse or licensed vocational nurse | 0.1 | (0.0) | --- | --- | --- | --- | 0.6 | (0.0) | 0.7 | (0.1) |
| Aide | 1.3 | (0.0) | --- | --- | --- | --- | 2.3 | (0.0) | 2.3 | (0.2) |
| Social worker | 0.2 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | 0.2 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | 44.8 | (3.3) | 39.6 | (3.8) | 100.0 | (0.0) | 77.5 | (2.0) | 83.3 | (2.7) |
| Mental health or counseling (percentage) | 23.9 | (2.8) | --- | --- | 100.0 | (0.0) | 75.7 | (2.0) | † | † |
| Therapy (physical, occupational, or speech) (percentage) | 58.8 | (3.2) | 94.1 | (1.8) | 100.0 | (0.0) | † | † | † | † |
| Skilled nursing or nursing (percentage) | 54.5 | (3.3) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 66.9 | (3.5) |
| Pharmacy or pharmacist (percentage) | 24.8 | (2.9) | 7.7 | (2.0) | --- | --- | 96.8 | (0.8) | † | † |
| Hospice (percentage) | * | * | 18.9 | (3.0) | ... | ... | 84.5 | (1.7) | † | † |

Table 16. Providers and Users of Long-Term Care Services in Iowa, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|------------------------------------|-------|--------------------|---------|---------|---------|--------------|---------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Service users | | | | | | | | | | |
| Number of users ² | 1,400 | (100) | 32,900 | (5,900) | 18,000 | (3,100) | 25,100 | (1,400) | 1,500 | (100) |
| Age in years (percent): | | | | | | | | | | |
| Under 65 | 43.4 | (2.1) | 18.0 | (0.8) | 4.7 | (0.2) | 8.8 | (0.6) | 29.8 | (3.1) |
| 65 and over | 56.6 | (2.1) | 81.9 | (0.8) | 95.3 | (0.2) | 91.2 | (0.6) | 70.2 | (3.1) |
| 65–74 | 19.8 | (0.7) | 22.4 | (0.4) | 14.5 | (0.5) | 10.4 | (0.4) | 15.2 | (1.3) |
| 75–84 | 23.4 | (1.0) | 33.3 | (0.5) | 29.9 | (0.4) | 26.2 | (0.4) | 23.3 | (1.7) |
| 85 and over | 13.4 | (0.9) | 26.3 | (0.6) | 50.8 | (0.8) | 54.6 | (0.9) | 31.8 | (3.8) |
| Sex (percent): | | | | | | | | | | |
| Men | 50.2 | (0.5) | 36.5 | (0.5) | 40.4 | (0.6) | 29.9 | (1.1) | 41.0 | (3.1) |
| Women | 49.8 | (0.5) | 63.5 | (0.5) | 59.6 | (0.6) | 70.0 | (1.1) | 59.0 | (3.1) |
| Race and ethnicity (percent): | | | | | | | | | | |
| Hispanic | 1.6 | (0.2) | 0.9 | (0.1) | 0.6 | (0.1) | 0.4 | (0.1) | 0.5 | (0.1) |
| Non-Hispanic white | 91.0 | (0.6) | 95.9 | (0.6) | 97.4 | (0.3) | 98.1 | (0.2) | 97.0 | (0.4) |
| Non-Hispanic black | 5.9 | (0.4) | 2.3 | (0.5) | 1.2 | (0.2) | 1.2 | (0.2) | 1.0 | (0.2) |
| Non-Hispanic other | 1.5 | (0.2) | 0.9 | (0.1) | 0.8 | (0.1) | 0.3 | (0.0) | 1.5 | (0.3) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 29.2 | (1.2) | 20.9 | (0.7) | 45.4 | (1.4) | 51.1 | (0.8) | 20.9 | (2.0) |
| Diagnosed with depression | 14.5 | (1.1) | 32.8 | (0.8) | 24.5 | (0.4) | 60.4 | (1.0) | 26.6 | (1.7) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 17.1 | (0.8) | 42.8 | (4.9) | --- | --- | 41.1 | (0.9) | 6.6 | (0.7) |
| Bathing | 20.6 | (1.2) | 94.6 | (0.8) | --- | --- | 98.8 | (0.3) | 51.3 | (3.1) |
| Dressing | 20.1 | (0.8) | 75.8 | (3.5) | --- | --- | 87.6 | (0.4) | 21.0 | (2.8) |
| Toileting | 25.8 | (0.9) | 53.6 | (4.8) | --- | --- | 81.5 | (0.6) | 9.8 | (1.8) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

⁴FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 17. Providers and Users of Long-Term Care Services in Kansas, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|--------------------|-------|---------|-------|--------------|---------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 20 | (0.0) | 100 | (11) | 60 | (8) | 300 | (18) | 300 | (3) |
| Number of beds or licensed maximum capacity ² | 900 | (100) | ... | ... | ... | ... | 22,600 | (1,400) | 12,000 | (300) |
| Average capacity | 53 | (8.8) | --- | --- | --- | --- | 66 | (1.9) | 37 | (0.9) |
| Average number of people served | 26 | (3.5) | --- | --- | --- | --- | 54 | (1.6) | 32 | (1.1) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | * | * | 46.8 | (4.4) | 61.3 | (6.2) | 40.8 | (2.7) | 52.4 | (1.8) |
| Micropolitan or neither | * | * | 53.2 | (4.4) | 38.7 | (6.2) | 59.2 | (2.7) | 47.6 | (1.8) |
| Ownership (percent): | | | | | | | | | | |
| For-profit | 39.0 | (6.1) | 42.9 | (4.4) | 43.5 | (6.3) | 51.6 | (2.7) | 71.7 | (1.6) |
| Not-for-profit, government, or other | 61.0 | (6.1) | 57.1 | (4.4) | 56.5 | (6.3) | 48.4 | (2.7) | 28.3 | (1.6) |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | * | * | 49.2 | (4.5) | 43.3 | (6.4) | 10.2 | (1.6) | 50.3 | (1.3) |
| Category 2 | * | * | 26.2 | (4.0) | 45.0 | (6.4) | 82.8 | (2.0) | 45.7 | (1.4) |
| Category 3 | - | - | 24.6 | (3.9) | 11.7 | (4.1) | 7.0 | (1.4) | 3.9 | (0.7) |
| Staffing ⁴ | | | | | | | | | | |
| Number of nursing employee FTEs | 77 | (7) | 951 | (116) | 705 | (163) | 13,497 | (855) | 4,933 | (194) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 11.0 | (1.4) | 60.2 | (3.0) | 55.8 | (2.2) | 11.2 | (0.3) | 9.4 | (0.4) |
| Licensed practical nurse or licensed vocational nurse | 6.7 | (1.1) | 12.2 | (1.9) | 11.3 | (1.6) | 17.3 | (0.4) | 13.9 | (0.4) |
| Aide | 82.3 | (1.8) | 27.6 | (3.2) | 32.9 | (2.0) | 71.5 | (0.4) | 76.8 | (0.6) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 61.0 | (6.1) | † | † | 100.0 | (0.0) | † | † | 69.0 | (1.7) |
| Licensed practical nurse or licensed vocational nurse | 46.6 | (6.2) | 54.8 | (4.4) | 53.2 | (6.3) | 98.5 | (0.6) | 77.2 | (1.5) |
| Aide | † | † | 95.2 | (1.9) | 91.9 | (3.5) | 98.0 | (0.8) | 94.7 | (0.8) |
| Social worker | * | * | 49.2 | (4.5) | † | † | 46.1 | (2.7) | 16.1 | (1.3) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.8 | (0.2) | --- | --- | --- | --- | 0.5 | (0.0) | 0.4 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.5 | (0.1) | --- | --- | --- | --- | 0.7 | (0.0) | 0.4 | (0.0) |
| Aide | 3.1 | (0.6) | --- | --- | --- | --- | 2.6 | (0.1) | 2.7 | (0.1) |
| Social worker | 0.2 | (0.1) | --- | --- | --- | --- | 0.1 | (0.0) | 0.0 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | 53.4 | (6.2) | 57.1 | (4.4) | 100.0 | (0.0) | 95.3 | (1.1) | 75.2 | (1.6) |
| Mental health or counseling (percentage) | * | * | --- | --- | † | † | 87.8 | (1.8) | 75.2 | (1.6) |
| Therapy (physical, occupational, or speech) (percentage) | * | * | 96.0 | (1.7) | † | † | † | † | 88.9 | (1.2) |
| Skilled nursing or nursing (percentage) | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 76.6 | (1.5) |
| Pharmacy or pharmacist (percentage) | 38.7 | (6.1) | 7.9 | (2.4) | --- | --- | † | † | 90.8 | (1.1) |
| Hospice (percentage) | * | * | 7.9 | (2.4) | ... | ... | 73.8 | (2.4) | 90.6 | (1.1) |

Table 17. Providers and Users of Long-Term Care Services in Kansas, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|------------------------------------|-------|--------------------|---------|---------|---------|--------------|---------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Service users | | | | | | | | | | |
| Number of users ² | 700 | (100) | 31,600 | (5,700) | 12,000 | (2,900) | 18,600 | (1,100) | 10,200 | (400) |
| Age in years (percent): | | | | | | | | | | |
| Under 65 | 37.7 | (2.3) | 15.3 | (1.0) | 5.4 | (0.5) | 12.0 | (1.0) | 2.8 | (0.2) |
| 65 and over | 62.3 | (2.3) | 84.7 | (1.0) | 94.6 | (0.5) | 88.0 | (1.0) | 97.2 | (0.2) |
| 65–74 | 23.2 | (1.5) | 21.9 | (0.6) | 14.1 | (1.0) | 11.8 | (0.4) | 10.0 | (0.7) |
| 75–84 | 24.7 | (1.1) | 33.8 | (0.6) | 30.6 | (0.6) | 27.1 | (0.5) | 33.1 | (0.9) |
| 85 and over | 14.3 | (0.9) | 29.0 | (0.9) | 49.9 | (1.9) | 49.1 | (1.1) | 54.0 | (1.1) |
| Sex (percent): | | | | | | | | | | |
| Men | 33.7 | (1.6) | 35.2 | (0.3) | 39.8 | (0.8) | 31.3 | (0.6) | 25.6 | (0.5) |
| Women | 66.3 | (1.6) | 64.8 | (0.3) | 60.2 | (0.8) | 68.7 | (0.6) | 74.4 | (0.5) |
| Race and ethnicity (percent): | | | | | | | | | | |
| Hispanic | 6.0 | (0.9) | 2.1 | (0.1) | 1.8 | (0.2) | 1.5 | (0.1) | 1.2 | (0.1) |
| Non-Hispanic white | 58.6 | (3.3) | 90.1 | (0.8) | 93.3 | (0.5) | 93.2 | (0.7) | 94.9 | (0.6) |
| Non-Hispanic black | 31.2 | (3.6) | 6.4 | (0.7) | 3.6 | (0.3) | 4.5 | (0.6) | 3.0 | (0.5) |
| Non-Hispanic other | 4.1 | (0.5) | 1.5 | (0.1) | 1.3 | (0.1) | 0.8 | (0.1) | 0.9 | (0.3) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 21.2 | (2.4) | 29.2 | (1.1) | 51.5 | (2.9) | 48.9 | (1.1) | 39.2 | (1.3) |
| Diagnosed with depression | 10.3 | (1.1) | 37.3 | (0.8) | 28.6 | (1.1) | 58.0 | (1.2) | 29.0 | (1.1) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 20.1 | (3.4) | 39.9 | (2.0) | --- | --- | 46.5 | (1.6) | 16.6 | (1.0) |
| Bathing | 32.3 | (4.6) | 96.3 | (0.6) | --- | --- | 94.7 | (0.7) | 62.3 | (1.8) |
| Dressing | 26.2 | (3.7) | 84.6 | (1.9) | --- | --- | 83.5 | (0.9) | 44.4 | (1.7) |
| Toileting | 26.1 | (3.0) | 66.2 | (2.3) | --- | --- | 78.7 | (1.0) | 33.6 | (1.6) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

⁴FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 18. Providers and Users of Long-Term Care Services in Kentucky, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|--------------------|-------|---------|--------|--------------|---------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 100 | (1) | 100 | (10) | 20 | (5) | 300 | (17) | 100 | (2) |
| Number of beds or licensed maximum capacity ² | 5,600 | (200) | ... | ... | ... | ... | 25,800 | (1,700) | 7,500 | (400) |
| Average capacity | 55 | (1.9) | --- | --- | --- | --- | 91 | (2.5) | 59 | (3.3) |
| Average number of people served | 30 | (1.3) | --- | --- | --- | --- | 81 | (2.3) | 56 | (3.3) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | 36.3 | (2.6) | 46.2 | (4.9) | 41.7 | (10.1) | 47.0 | (3.0) | 61.8 | (3.3) |
| Micropolitan or neither | 63.7 | (2.6) | 53.8 | (4.9) | 58.3 | (10.1) | 53.0 | (3.0) | 38.2 | (3.3) |
| Ownership (percent): | | | | | | | | | | |
| For-profit | 58.5 | (2.7) | 47.1 | (4.9) | 25.0 | (8.8) | 73.5 | (2.6) | 54.8 | (3.8) |
| Not-for-profit, government, or other | 41.5 | (2.7) | 52.9 | (4.9) | 75.0 | (8.8) | 26.5 | (2.6) | 45.2 | (3.8) |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | * | * | * | * | * | * | 8.8 | (1.7) | 31.0 | (2.8) |
| Category 2 | * | * | * | * | * | * | 64.3 | (2.8) | 57.9 | (3.1) |
| Category 3 | * | * | * | * | * | * | 26.9 | (2.6) | 11.1 | (2.3) |
| Staffing ⁴ | | | | | | | | | | |
| Number of nursing employee FTEs | 596 | (16) | 2,092 | (269) | 593 | (167) | 16,965 | (1,102) | 2,860 | (321) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 18.7 | (0.6) | 58.0 | (1.6) | 63.7 | (2.7) | 9.9 | (0.4) | 8.6 | (0.8) |
| Licensed practical nurse or licensed vocational nurse | 21.0 | (0.9) | 10.0 | (1.2) | 9.8 | (2.6) | 24.0 | (0.4) | 15.7 | (1.0) |
| Aide | 60.3 | (1.1) | 32.0 | (1.5) | 26.4 | (2.6) | 66.1 | (0.5) | 75.7 | (1.4) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 87.8 | (1.8) | 100.0 | (0.0) | 100.0 | (0.0) | † | † | 41.7 | (3.7) |
| Licensed practical nurse or licensed vocational nurse | 82.7 | (2.1) | 64.4 | (4.7) | 75.0 | (8.8) | † | † | 54.2 | (3.8) |
| Aide | † | † | † | † | 100.0 | (0.0) | † | † | 85.2 | (2.7) |
| Social worker | 54.0 | (2.7) | 67.3 | (4.6) | 100.0 | (0.0) | 68.2 | (2.8) | 31.4 | (3.5) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.5 | (0.1) | --- | --- | --- | --- | 0.5 | (0.1) | 0.2 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.6 | (0.1) | --- | --- | --- | --- | 1.0 | (0.1) | 0.3 | (0.0) |
| Aide | 1.1 | (0.1) | --- | --- | --- | --- | 2.6 | (0.1) | 1.9 | (0.2) |
| Social worker | 0.2 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | 0.1 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | 74.6 | (2.4) | 74.0 | (4.3) | 100.0 | (0.0) | 74.6 | (2.6) | 70.9 | (3.5) |
| Mental health or counseling (percentage) | 57.6 | (2.7) | --- | --- | 100.0 | (0.0) | 85.5 | (2.1) | 83.9 | (2.8) |
| Therapy (physical, occupational, or speech) (percentage) | 83.9 | (2.0) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 91.2 | (2.1) |
| Skilled nursing or nursing (percentage) | † | † | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 66.2 | (3.7) |
| Pharmacy or pharmacist (percentage) | 53.8 | (2.7) | 6.7 | (2.5) | --- | --- | 97.9 | (0.9) | † | † |
| Hospice (percentage) | 28.7 | (2.5) | * | * | ... | ... | 61.8 | (2.9) | 83.3 | (2.8) |

Table 18. Providers and Users of Long-Term Care Services in Kentucky, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|------------------------------------|-------|--------------------|----------|---------|---------|--------------|---------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Service users | | | | | | | | | | |
| Number of users ² | 4,300 | (200) | 83,600 | (13,500) | 15,100 | (5,000) | 23,000 | (1,500) | 7,100 | (400) |
| Age in years (percent): | | | | | | | | | | |
| Under 65 | 61.0 | (2.0) | 21.8 | (0.7) | 8.6 | (0.5) | 12.8 | (0.6) | 2.3 | (0.2) |
| 65 and over | 39.0 | (2.0) | 78.2 | (0.7) | 91.4 | (0.5) | 87.2 | (0.6) | 97.7 | (0.2) |
| 65–74 | 23.5 | (1.5) | 25.8 | (0.3) | 22.3 | (0.8) | 16.1 | (0.5) | 13.9 | (1.6) |
| 75–84 | 10.6 | (0.6) | 31.1 | (0.4) | 32.0 | (0.5) | 30.8 | (0.4) | 34.2 | (1.4) |
| 85 and over | 5.0 | (0.5) | 21.3 | (0.6) | 37.1 | (1.3) | 40.3 | (0.9) | 49.6 | (2.3) |
| Sex (percent): | | | | | | | | | | |
| Men | 41.5 | (0.7) | 36.0 | (0.4) | 43.1 | (1.0) | 28.0 | (0.6) | 21.7 | (0.6) |
| Women | 58.5 | (0.7) | 64.0 | (0.4) | 56.9 | (1.0) | 72.0 | (0.6) | 78.3 | (0.6) |
| Race and ethnicity (percent): | | | | | | | | | | |
| Hispanic | 0.5 | (0.1) | 0.4 | (0.0) | 0.4 | (0.0) | 0.2 | (0.0) | 0.6 | (0.2) |
| Non-Hispanic white | 83.2 | (1.5) | 92.6 | (1.0) | 94.8 | (1.3) | 91.6 | (0.8) | 95.6 | (1.0) |
| Non-Hispanic black | 15.4 | (1.5) | 6.4 | (1.0) | 4.4 | (1.2) | 7.9 | (0.8) | 2.6 | (0.5) |
| Non-Hispanic other | 0.9 | (0.1) | 0.6 | (0.0) | 0.5 | (0.1) | 0.3 | (0.1) | 1.2 | (0.4) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 16.2 | (1.2) | 27.8 | (0.5) | 41.1 | (0.8) | 52.6 | (0.9) | 43.5 | (1.7) |
| Diagnosed with depression | 21.7 | (1.3) | 34.0 | (0.6) | 23.0 | (0.8) | 49.6 | (1.3) | 24.2 | (1.9) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 40.2 | (2.3) | 46.7 | (2.3) | --- | --- | 52.4 | (1.5) | 24.4 | (3.0) |
| Bathing | 53.7 | (2.1) | 95.9 | (0.5) | --- | --- | 98.1 | (0.2) | 62.4 | (3.5) |
| Dressing | 50.9 | (2.2) | 83.5 | (1.9) | --- | --- | 94.4 | (0.4) | 45.7 | (2.8) |
| Toileting | 42.8 | (2.0) | 62.8 | (2.8) | --- | --- | 89.6 | (0.5) | 35.0 | (3.2) |

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

⁴FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsitcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 19. Providers and Users of Long-Term Care Services in Louisiana, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|--------------------|-------|---------|-------|--------------|---------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 50 | (1) | 200 | (15) | 100 | (11) | 300 | (17) | 80 | (1) |
| Number of beds or licensed maximum capacity ² | 2,100 | (100) | ... | ... | ... | ... | 34,900 | (2,200) | 3,800 | (100) |
| Average capacity | 41 | (2.5) | --- | --- | --- | --- | 125 | (2.7) | 49 | (1.6) |
| Average number of people served | 20 | (1.7) | --- | --- | --- | --- | 92 | (2.2) | 44 | (1.6) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | 76.7 | (4.3) | 76.2 | (2.9) | 82.2 | (3.3) | 71.4 | (2.7) | 85.1 | (2.8) |
| Micropolitan or neither | 23.3 | (4.3) | 23.8 | (2.9) | 17.8 | (3.3) | 28.6 | (2.7) | 14.9 | (2.8) |
| Ownership (percent): | | | | | | | | | | |
| For-profit | 56.4 | (5.2) | 88.3 | (2.2) | 86.7 | (2.9) | 80.0 | (2.4) | 85.1 | (3.3) |
| Not-for-profit, government, or other | 43.6 | (5.2) | 11.7 | (2.2) | 13.3 | (2.9) | 20.0 | (2.4) | 14.9 | (3.3) |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | 75.9 | (4.4) | 18.7 | (2.7) | 47.4 | (4.3) | 4.3 | (1.2) | * | * |
| Category 2 | 24.1 | (4.4) | 37.9 | (3.3) | 39.8 | (4.2) | 53.2 | (3.0) | * | * |
| Category 3 | - | - | 43.5 | (3.4) | 12.8 | (2.9) | 42.5 | (3.0) | * | * |
| Staffing ⁴ | | | | | | | | | | |
| Number of nursing employee FTEs | 210 | (12) | 4,105 | (348) | 983 | (131) | 16,696 | (1,063) | 1,081 | (83) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 13.8 | (2.3) | 51.4 | (1.4) | 50.8 | (1.9) | 3.8 | (0.3) | 1.4 | (0.4) |
| Licensed practical nurse or licensed vocational nurse | 22.0 | (1.7) | 25.1 | (1.2) | 14.1 | (1.6) | 28.6 | (0.3) | 5.8 | (0.8) |
| Aide | 64.2 | (1.9) | 23.5 | (1.3) | 35.2 | (1.1) | 67.6 | (0.4) | 92.9 | (0.9) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 50.6 | (5.2) | 100.0 | (0.0) | 100.0 | (0.0) | 96.8 | (1.1) | 10.6 | (2.8) |
| Licensed practical nurse or licensed vocational nurse | 84.5 | (3.8) | 89.7 | (2.1) | 51.9 | (4.3) | 100.0 | (0.0) | 43.5 | (4.5) |
| Aide | † | † | † | † | † | † | † | † | 89.7 | (2.7) |
| Social worker | 48.2 | (5.2) | 49.1 | (3.4) | † | † | 73.9 | (2.6) | * | * |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.2 | (0.0) | --- | --- | --- | --- | 0.2 | (0.0) | 0.1 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.6 | (0.1) | --- | --- | --- | --- | 1.2 | (0.1) | 0.1 | (0.0) |
| Aide | 1.2 | (0.1) | --- | --- | --- | --- | 2.8 | (0.3) | 2.8 | (0.3) |
| Social worker | 0.2 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | 0.0 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | * | * | 89.7 | (2.1) | 100.0 | (0.0) | 77.1 | (2.5) | 78.7 | (3.7) |
| Mental health or counseling (percentage) | 38.5 | (5.1) | --- | --- | 100.0 | (0.0) | 62.5 | (2.9) | 73.8 | (4.1) |
| Therapy (physical, occupational, or speech) (percentage) | 42.8 | (5.1) | 100.0 | (0.0) | † | † | 100.0 | (0.0) | 78.2 | (3.7) |
| Skilled nursing or nursing (percentage) | 79.2 | (4.2) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 71.7 | (4.2) |
| Pharmacy or pharmacist (percentage) | 33.5 | (4.9) | 6.1 | (1.6) | --- | --- | 97.9 | (0.9) | 82.5 | (3.5) |
| Hospice (percentage) | 21.9 | (4.3) | 3.3 | (1.2) | ... | ... | 86.8 | (2.0) | 82.8 | (3.3) |

Table 19. Providers and Users of Long-Term Care Services in Louisiana, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|------------------------------------|-------|--------------------|---------|---------|---------|--------------|---------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Service users | | | | | | | | | | |
| Number of users ² | 1,500 | (200) | 86,200 | (8,400) | 21,100 | (2,600) | 25,900 | (1,700) | 3,400 | (100) |
| Age in years (percent): | | | | | | | | | | |
| Under 65 | 29.3 | (2.2) | 21.7 | (0.6) | 6.8 | (0.2) | 20.0 | (1.1) | 2.3 | (0.4) |
| 65 and over | 70.7 | (2.2) | 78.3 | (0.6) | 93.2 | (0.2) | 80.0 | (1.1) | 97.7 | (0.4) |
| 65–74 | 23.9 | (1.8) | 26.4 | (0.3) | 18.9 | (0.4) | 18.1 | (0.4) | 6.4 | (0.7) |
| 75–84 | 30.3 | (1.9) | 31.8 | (0.4) | 32.7 | (0.4) | 28.8 | (0.5) | 38.6 | (2.0) |
| 85 and over | 16.6 | (2.3) | 20.2 | (0.4) | 41.6 | (0.6) | 33.0 | (1.0) | 52.7 | (2.2) |
| Sex (percent): | | | | | | | | | | |
| Men | 38.3 | (1.3) | 37.3 | (0.2) | 40.5 | (0.5) | 35.4 | (0.9) | 22.7 | (0.8) |
| Women | 61.7 | (1.3) | 62.7 | (0.2) | 59.5 | (0.5) | 64.6 | (0.9) | 77.3 | (0.8) |
| Race and ethnicity (percent): | | | | | | | | | | |
| Hispanic | 1.7 | (0.2) | 1.4 | (0.1) | 1.7 | (0.2) | 0.7 | (0.1) | 0.6 | (0.2) |
| Non-Hispanic white | 24.9 | (3.2) | 62.5 | (1.4) | 76.6 | (1.0) | 70.0 | (1.3) | 95.2 | (1.5) |
| Non-Hispanic black | 71.9 | (3.3) | 35.1 | (1.4) | 20.9 | (1.0) | 28.8 | (1.3) | 3.9 | (1.4) |
| Non-Hispanic other | 1.6 | (0.6) | 0.9 | (0.1) | 0.8 | (0.1) | 0.5 | (0.1) | 0.2 | (0.1) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 48.2 | (4.0) | 27.7 | (0.4) | 46.5 | (1.5) | 40.8 | (0.9) | 29.5 | (2.4) |
| Diagnosed with depression | 18.2 | (2.2) | 34.7 | (0.7) | 22.5 | (0.8) | 46.4 | (1.6) | 12.3 | (1.4) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 20.7 | (2.1) | 60.2 | (1.5) | --- | --- | 71.0 | (1.6) | 11.1 | (1.2) |
| Bathing | 58.6 | (4.5) | 95.1 | (0.4) | --- | --- | 96.6 | (0.3) | 40.8 | (2.4) |
| Dressing | 41.5 | (2.6) | 87.8 | (1.2) | --- | --- | 88.0 | (0.7) | 32.5 | (2.3) |
| Toileting | 32.2 | (1.7) | 73.6 | (1.7) | --- | --- | 83.6 | (0.9) | 22.9 | (2.3) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

⁴FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 20. Providers and Users of Long-Term Care Services in Maine, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|--------------------|--------|---------|--------|--------------|-------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 30 | (0.0) | 30 | (5) | 20 | (4) | 100 | (10) | 200 | (2) |
| Number of beds or licensed maximum capacity ² | 700 | (100) | ... | ... | ... | ... | 7,100 | (800) | 6,000 | (200) |
| Average capacity | 23 | (1.8) | --- | --- | --- | --- | 65 | (3.3) | 28 | (0.7) |
| Average number of people served | 11 | (1.3) | --- | --- | --- | --- | 59 | (3.2) | 27 | (0.6) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | 36.7 | (7.0) | 52.0 | (10.0) | 63.2 | (11.1) | 37.9 | (4.8) | 57.8 | (2.2) |
| Micropolitan or neither | 63.3 | (7.0) | 48.0 | (10.0) | 36.8 | (11.1) | 62.1 | (4.8) | 42.2 | (2.2) |
| Ownership (percent): | | | | | | | | | | |
| For-profit | 30.4 | (6.7) | 36.0 | (9.6) | 36.8 | (11.1) | 69.4 | (4.4) | 62.4 | (2.2) |
| Not-for-profit, government, or other | 69.6 | (6.7) | 64.0 | (9.6) | 63.2 | (11.1) | 30.6 | (4.4) | 37.6 | (2.2) |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | * | * | * | * | * | * | 6.5 | (2.4) | 52.4 | (0.8) |
| Category 2 | * | * | * | * | * | * | 81.5 | (3.7) | 47.6 | (0.8) |
| Category 3 | - | - | * | * | * | * | 12.0 | (3.1) | - | - |
| Staffing⁴ | | | | | | | | | | |
| Number of nursing employee FTEs | 110 | (14) | 450 | (125) | 320 | (101) | 5,442 | (589) | 2,827 | (100) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 16.2 | (2.9) | 68.3 | (5.0) | 59.0 | (3.2) | 17.6 | (0.7) | 8.7 | (0.8) |
| Licensed practical nurse or licensed vocational nurse | 3.0 | (1.1) | 5.2 | (2.9) | 0.8 | (0.4) | 10.2 | (0.4) | 4.0 | (0.3) |
| Aide | 80.9 | (3.3) | 26.6 | (5.7) | 40.2 | (3.4) | 72.2 | (0.7) | 87.4 | (0.9) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 69.6 | (6.7) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 64.5 | (2.1) |
| Licensed practical nurse or licensed vocational nurse | * | * | 36.0 | (9.6) | * | * | † | † | 34.5 | (1.9) |
| Aide | † | † | † | † | 100.0 | (0.0) | 100.0 | (0.0) | 93.9 | (1.1) |
| Social worker | 68.6 | (6.8) | * | * | 100.0 | (0.0) | † | † | 32.9 | (2.0) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.6 | (0.1) | --- | --- | --- | --- | 0.8 | (0.0) | 0.3 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.1 | (0.0) | --- | --- | --- | --- | 0.5 | (0.0) | 0.1 | (0.0) |
| Aide | 1.8 | (0.2) | --- | --- | --- | --- | 3.2 | (0.1) | 2.8 | (0.1) |
| Social worker | 0.4 | (0.1) | --- | --- | --- | --- | 0.1 | (0.0) | 0.1 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | * | * | * | * | 100.0 | (0.0) | † | † | 84.9 | (1.7) |
| Missing ⁵ | * | * | ... | ... | ... | ... | ... | ... | ... | ... |
| Mental health or counseling (percentage) | 26.5 | (6.5) | --- | --- | * | * | 81.5 | (3.7) | 89.1 | (1.4) |
| Therapy (physical, occupational, or speech) (percentage) | 48.1 | (7.4) | 100.0 | (0.0) | 100.0 | (0.0) | † | † | 89.1 | (1.4) |
| Skilled nursing or nursing (percentage) | 46.4 | (7.4) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 71.2 | (2.1) |
| Pharmacy or pharmacist (percentage) | * | * | * | * | --- | --- | † | † | 93.4 | (1.2) |
| Hospice (percentage) | 25.1 | (6.3) | * | * | ... | ... | 75.0 | (4.2) | 91.5 | (1.3) |

Table 20. Providers and Users of Long-Term Care Services in Maine, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|------------------------------------|-------|--------------------|---------|---------|---------|--------------|-------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Service users | | | | | | | | | | |
| Number of users ² | 600 | (0) | 24,100 | (7,000) | 6,000 | (1,800) | 6,400 | (700) | 5,600 | (100) |
| Age in years (percent): | | | | | | | | | | |
| Under 65 | 25.9 | (6.1) | 17.4 | (1.0) | 5.8 | (0.5) | 9.6 | (0.8) | 7.8 | (0.6) |
| 65 and over | 74.1 | (6.1) | 82.6 | (1.0) | 94.2 | (0.5) | 90.4 | (0.8) | 92.2 | (0.6) |
| 65–74 | 14.5 | (2.2) | 23.9 | (0.8) | 15.6 | (1.1) | 12.5 | (0.5) | 13.8 | (0.8) |
| 75–84 | 39.5 | (4.6) | 31.9 | (0.4) | 32.0 | (0.7) | 29.8 | (0.6) | 33.5 | (1.1) |
| 85 and over | 20.0 | (3.2) | 26.8 | (1.3) | 46.5 | (2.0) | 48.0 | (1.1) | 44.8 | (1.4) |
| Sex (percent): | | | | | | | | | | |
| Men | 44.1 | (2.2) | 38.4 | (0.8) | 40.5 | (1.7) | 30.0 | (1.7) | 29.3 | (0.9) |
| Women | 55.9 | (2.2) | 61.6 | (0.8) | 59.5 | (1.7) | 70.0 | (1.7) | 70.7 | (0.9) |
| Race and ethnicity (percent): | | | | | | | | | | |
| Hispanic | 0.0 | (0.0) | 0.4 | (0.0) | 0.3 | (0.1) | 0.3 | (0.1) | 0.3 | (0.1) |
| Non-Hispanic white | 98.2 | (0.6) | 98.2 | (0.1) | 98.9 | (0.1) | 99.1 | (0.2) | 97.8 | (0.5) |
| Non-Hispanic black | 1.2 | (0.4) | 0.3 | (0.0) | 0.2 | (0.0) | 0.3 | (0.1) | 0.2 | (0.0) |
| Non-Hispanic other | 0.6 | (0.2) | 1.1 | (0.1) | 0.7 | (0.1) | 0.4 | (0.1) | 1.8 | (0.5) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 58.4 | (5.8) | 24.2 | (1.3) | 46.0 | (3.6) | 56.1 | (1.9) | 44.2 | (1.5) |
| Diagnosed with depression | 17.0 | (2.4) | 40.3 | (0.7) | 29.8 | (1.1) | 61.1 | (1.6) | 32.7 | (1.2) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 35.4 | (4.3) | 30.7 | (2.9) | --- | --- | 57.7 | (2.9) | 28.3 | (1.5) |
| Bathing | 40.0 | (5.1) | 96.9 | (0.5) | --- | --- | 96.8 | (0.5) | 71.5 | (1.6) |
| Dressing | 32.9 | (3.8) | 83.7 | (2.6) | --- | --- | 96.5 | (0.4) | 49.7 | (1.5) |
| Toileting | 40.5 | (4.4) | 58.9 | (3.5) | --- | --- | 95.3 | (0.5) | 36.0 | (1.4) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

⁴FTE is full time equivalent.

⁵Reported only when the percentage of missing cases is greater than 10%. If percent missing is 10% or less, the cases are dropped from the analysis.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsitcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category

presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 21. Providers and Users of Long-Term Care Services in Maryland, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|--------------------|-------|---------|-------|--------------|---------|----------------------------|---------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 100 | (1) | 60 | (7) | 30 | (5) | 200 | (15) | 700 | (9) |
| Number of beds or licensed maximum capacity ² | 9,800 | (400) | ... | ... | ... | ... | 28,500 | (2,100) | 18,300 | (2,100) |
| Average capacity | 81 | (3.2) | --- | --- | --- | --- | 122 | (4.4) | 27 | (3.0) |
| Average number of people served | 54 | (2.7) | --- | --- | --- | --- | 105 | (3.9) | 23 | (2.8) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | 91.9 | (1.7) | * | * | * | * | 94.4 | (1.5) | * | * |
| Micropolitan or neither | 8.1 | (1.7) | * | * | * | * | 5.6 | (1.5) | * | * |
| Ownership (percent): | | | | | | | | | | |
| For-profit | 46.3 | (3.1) | 60.0 | (6.6) | 29.6 | (8.8) | 68.2 | (3.0) | * | * |
| Not-for-profit, government, or other | 53.7 | (3.1) | 40.0 | (6.6) | 70.4 | (8.8) | 31.8 | (3.0) | * | * |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | 25.7 | (2.7) | * | * | * | * | 8.2 | (1.8) | 74.9 | (2.5) |
| Category 2 | 64.1 | (3.0) | * | * | * | * | 41.6 | (3.2) | * | * |
| Category 3 | 10.2 | (1.9) | * | * | * | * | 50.2 | (3.3) | * | * |
| Staffing⁴ | | | | | | | | | | |
| Number of nursing employee FTEs | 680 | (30) | 949 | (174) | 568 | (143) | 17,414 | (1,250) | 7,273 | (767) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 28.9 | (1.4) | 74.7 | (2.1) | 56.4 | (3.1) | 13.8 | (0.5) | 8.4 | (1.3) |
| Licensed practical nurse or licensed vocational nurse | 5.8 | (0.6) | 10.3 | (1.6) | 5.9 | (1.2) | 24.3 | (0.5) | 8.8 | (1.6) |
| Aide | 65.3 | (1.6) | 15.1 | (1.5) | 37.7 | (3.1) | 61.9 | (0.6) | 82.8 | (2.4) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 93.6 | (1.6) | 100.0 | (0.0) | 100.0 | (0.0) | † | † | 50.3 | (5.2) |
| Licensed practical nurse or licensed vocational nurse | 35.2 | (3.0) | 61.8 | (6.6) | 48.1 | (9.6) | † | † | * | * |
| Aide | 79.9 | (2.5) | † | † | † | † | † | † | 79.1 | (4.3) |
| Social worker | 63.7 | (3.0) | 89.1 | (4.2) | 100.0 | (0.0) | 82.4 | (2.5) | * | * |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.3 | (0.0) | --- | --- | --- | --- | 0.6 | (0.0) | 0.4 | (0.1) |
| Licensed practical nurse or licensed vocational nurse | 0.1 | (0.0) | --- | --- | --- | --- | 0.9 | (0.0) | *0.1 | (0.0) |
| Aide | 0.6 | (0.0) | --- | --- | --- | --- | 2.5 | (0.1) | 2.4 | (0.3) |
| Social worker | 0.1 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | *0.0 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | † | † | † | † | 100.0 | (0.0) | 97.0 | (1.1) | 73.6 | (4.9) |
| Mental health or counseling (percentage) | 64.9 | (3.0) | --- | --- | 100.0 | (0.0) | 89.3 | (2.0) | 87.2 | (3.8) |
| Therapy (physical, occupational, or speech) (percentage) | 87.4 | (2.1) | 100.0 | (0.0) | 100.0 | (0.0) | † | † | 91.6 | (3.2) |
| Skilled nursing or nursing (percentage) | 92.6 | (1.6) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 80.7 | (4.4) |
| Pharmacy or pharmacist (percentage) | 63.5 | (3.0) | * | * | --- | --- | 91.4 | (1.8) | 92.7 | (3.0) |
| Hospice (percentage) | 26.5 | (2.7) | * | * | ... | ... | 71.2 | (3.0) | 89.3 | (3.5) |

Table 21. Providers and Users of Long-Term Care Services in Maryland, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|------------------------------------|-------|--------------------|----------|---------|---------|--------------|---------|----------------------------|---------|
| | Number or percent (standard error) | | | | | | | | | |
| Service users | | | | | | | | | | |
| Number of users ² | 9,200 | (400) | 68,900 | (13,600) | 17,800 | (5,200) | 24,500 | (1,800) | 15,900 | (1,900) |
| Age in years (percent): | | | | | | | | | | |
| Under 65 | 34.2 | (2.6) | 13.7 | (1.2) | 5.1 | (0.5) | 17.1 | (1.1) | 3.8 | (0.7) |
| 65 and over | 65.8 | (2.6) | 86.3 | (1.2) | 94.9 | (0.5) | 82.9 | (1.1) | 96.2 | (0.7) |
| 65–74 | 17.9 | (0.6) | 25.6 | (0.8) | 16.6 | (0.7) | 15.5 | (0.5) | 9.5 | (1.5) |
| 75–84 | 31.3 | (1.7) | 33.6 | (0.5) | 31.1 | (0.5) | 27.4 | (0.5) | 36.3 | (4.1) |
| 85 and over | 16.6 | (1.0) | 27.1 | (1.4) | 47.2 | (1.2) | 40.0 | (1.4) | 50.3 | (4.1) |
| Sex (percent): | | | | | | | | | | |
| Men | 40.9 | (0.8) | 36.7 | (0.3) | 39.7 | (0.7) | 33.3 | (1.0) | 24.0 | (1.5) |
| Women | 59.1 | (0.8) | 63.3 | (0.3) | 60.3 | (0.7) | 66.7 | (1.0) | 76.0 | (1.5) |
| Race and ethnicity (percent): | | | | | | | | | | |
| Hispanic | 2.2 | (0.5) | 1.3 | (0.2) | 1.1 | (0.3) | 1.0 | (0.1) | *1.1 | (0.3) |
| Non-Hispanic white | 45.8 | (2.7) | 71.6 | (2.7) | 78.7 | (2.8) | 63.8 | (2.3) | 80.7 | (3.4) |
| Non-Hispanic black | 39.0 | (2.7) | 24.9 | (2.6) | 18.5 | (2.9) | 33.3 | (2.3) | 16.3 | (3.5) |
| Non-Hispanic other | 13.0 | (2.6) | 2.2 | (0.3) | 1.8 | (0.4) | 1.9 | (0.4) | 1.9 | (0.5) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 28.6 | (1.7) | 31.2 | (1.2) | 51.2 | (1.5) | 45.2 | (1.2) | 56.7 | (5.2) |
| Diagnosed with depression | 22.8 | (1.4) | 33.1 | (0.7) | 25.2 | (0.8) | 40.4 | (1.2) | 37.3 | (3.9) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 26.3 | (1.8) | 51.9 | (1.8) | --- | --- | 56.3 | (1.5) | 22.8 | (3.0) |
| Bathing | 50.4 | (2.3) | 96.7 | (0.3) | --- | --- | 95.6 | (0.4) | 70.5 | (6.9) |
| Dressing | 46.0 | (2.3) | 86.0 | (1.1) | --- | --- | 93.6 | (0.5) | 56.8 | (6.6) |
| Toileting | 36.1 | (2.1) | 66.3 | (1.9) | --- | --- | 89.9 | (0.5) | 53.3 | (5.5) |

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011.

Hospice patients are patients who received care anytime in 2011.

⁴FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 22. Providers and Users of Long-Term Care Services in Massachusetts, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|--------------------|-------|---------|-------|--------------|---------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 200 | (1) | 200 | (13) | 70 | (8) | 400 | (20) | 200 | (2) |
| Number of beds or licensed maximum capacity ² | 9,300 | (300) | ... | ... | ... | ... | 48,000 | (2,500) | 12,900 | (400) |
| Average capacity | 59 | (1.9) | --- | --- | --- | --- | 114 | (2.3) | 57 | (1.6) |
| Average number of people served | 43 | (1.4) | --- | --- | --- | --- | 100 | (2.1) | 55 | (1.8) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | 100.0 | (0.0) | * | * | * | * | 97.3 | (0.8) | * | * |
| Micropolitan or neither | - | - | * | * | * | * | 2.7 | (0.8) | * | * |
| Ownership (percent): | | | | | | | | | | |
| For-profit | 40.6 | (2.6) | 59.1 | (3.9) | 38.9 | (5.7) | 71.1 | (2.2) | 62.3 | (3.2) |
| Not-for-profit, government, or other | 59.4 | (2.6) | 40.9 | (3.9) | 61.1 | (5.7) | 28.9 | (2.2) | 37.7 | (3.2) |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | 29.4 | (2.4) | 25.2 | (3.4) | 18.6 | (4.6) | 3.3 | (0.9) | 25.9 | (2.5) |
| Category 2 | 65.9 | (2.5) | 14.5 | (2.8) | 40.0 | (5.9) | 45.0 | (2.4) | 65.1 | (2.9) |
| Category 3 | 4.7 | (1.1) | 49.1 | (4.0) | 41.4 | (5.9) | 51.7 | (2.4) | 9.0 | (1.7) |
| Missing ⁴ | ... | ... | 11.3 | (2.5) | ... | ... | ... | ... | ... | ... |
| Staffing ⁵ | | | | | | | | | | |
| Number of nursing employee FTEs | 902 | (30) | 3,338 | (355) | 1,042 | (199) | 30,550 | (1,592) | 4,313 | (230) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 29.3 | (0.9) | 58.2 | (2.2) | 53.6 | (2.3) | 14.3 | (0.3) | 9.7 | (1.2) |
| Licensed practical nurse or licensed vocational nurse | 9.1 | (0.5) | 14.9 | (1.7) | 6.2 | (1.7) | 22.1 | (0.3) | 7.3 | (0.5) |
| Aide | 61.6 | (1.0) | 26.9 | (2.1) | 40.2 | (2.9) | 63.6 | (0.3) | 83.0 | (1.3) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 95.7 | (1.0) | † | † | 100.0 | (0.0) | † | † | 80.9 | (2.6) |
| Licensed practical nurse or licensed vocational nurse | 57.5 | (2.6) | 65.4 | (3.8) | 31.9 | (5.5) | 100.0 | (0.0) | 68.9 | (3.0) |
| Aide | 90.7 | (1.5) | 85.5 | (2.8) | 91.7 | (3.3) | † | † | 92.1 | (1.8) |
| Social worker | 79.8 | (2.1) | 61.0 | (3.9) | 100.0 | (0.0) | 96.9 | (0.8) | 34.9 | (3.2) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.3 | (0.0) | --- | --- | --- | --- | 0.6 | (0.0) | 0.2 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.1 | (0.0) | --- | --- | --- | --- | 0.8 | (0.0) | 0.2 | (0.0) |
| Aide | 0.6 | (0.0) | --- | --- | --- | --- | 2.4 | (0.0) | 1.7 | (0.1) |
| Social worker | 0.2 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | 0.0 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | † | † | 79.9 | (3.2) | 100.0 | (0.0) | 100.0 | (0.0) | 79.0 | (2.7) |
| Mental health or counseling (percentage) | 66.8 | (2.5) | --- | --- | † | † | 98.6 | (0.6) | 83.3 | (2.5) |
| Therapy (physical, occupational, or speech) (percentage) | 92.7 | (1.4) | 95.0 | (1.7) | † | † | 100.0 | (0.0) | 91.2 | (1.9) |
| Skilled nursing or nursing (percentage) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 79.8 | (2.6) |
| Pharmacy or pharmacist (percentage) | 51.1 | (2.7) | 5.0 | (1.7) | --- | --- | 98.3 | (0.6) | 92.1 | (1.8) |
| Hospice (percentage) | 33.8 | (2.5) | 16.4 | (2.9) | ... | ... | 87.9 | (1.6) | 86.8 | (2.3) |

Table 22. Providers and Users of Long-Term Care Services in Massachusetts, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|------------------------------------|-------|--------------------|----------|---------|---------|--------------|---------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Service users | | | | | | | | | | |
| Number of users ² | 11,700 | (400) | 155,400 | (26,200) | 25,900 | (4,700) | 42,200 | (2,200) | 12,500 | (400) |
| Age in years (percent): | | | | | | | | | | |
| Under 65 | 26.5 | (1.6) | 18.2 | (1.2) | 4.5 | (0.3) | 11.6 | (0.8) | 7.8 | (1.1) |
| 65 and over | 73.5 | (1.6) | 81.8 | (1.2) | 95.5 | (0.3) | 88.4 | (0.8) | 92.2 | (1.1) |
| 65–74 | 20.0 | (0.7) | 21.3 | (0.5) | 14.0 | (0.6) | 12.3 | (0.4) | 10.0 | (0.8) |
| 75–84 | 33.4 | (1.6) | 32.0 | (0.6) | 29.3 | (0.4) | 26.7 | (0.4) | 30.6 | (1.4) |
| 85 and over | 20.2 | (1.1) | 28.5 | (1.0) | 52.2 | (1.1) | 49.4 | (0.9) | 51.6 | (1.9) |
| Sex (percent): | | | | | | | | | | |
| Men | 37.6 | (0.6) | 37.9 | (0.4) | 38.1 | (0.7) | 30.5 | (0.7) | 28.2 | (0.9) |
| Women | 62.4 | (0.6) | 62.1 | (0.4) | 61.9 | (0.7) | 69.5 | (0.7) | 71.8 | (0.9) |
| Race and ethnicity (percent): | | | | | | | | | | |
| Hispanic | 14.5 | (2.1) | 4.2 | (0.5) | 2.4 | (0.2) | 2.7 | (0.2) | 1.6 | (0.3) |
| Non-Hispanic white | 69.8 | (2.5) | 88.5 | (1.6) | 92.8 | (0.7) | 90.8 | (0.8) | 89.2 | (2.0) |
| Non-Hispanic black | 9.7 | (1.3) | 4.8 | (1.1) | 2.9 | (0.4) | 5.1 | (0.6) | 2.7 | (0.7) |
| Non-Hispanic other | 6.0 | (0.9) | 2.5 | (0.3) | 1.9 | (0.3) | 1.5 | (0.3) | 6.4 | (1.9) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 29.3 | (1.6) | 26.8 | (1.4) | 49.8 | (2.6) | 55.7 | (0.8) | 34.2 | (1.8) |
| Diagnosed with depression | 32.0 | (1.5) | 37.0 | (0.7) | 27.5 | (0.8) | 51.5 | (0.9) | 19.9 | (1.3) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 24.0 | (1.3) | 39.1 | (2.2) | --- | --- | 47.3 | (0.9) | 12.3 | (1.0) |
| Bathing | 43.6 | (2.0) | 93.4 | (1.0) | --- | --- | 96.0 | (0.3) | 59.3 | (1.9) |
| Dressing | 41.8 | (1.9) | 79.1 | (2.3) | --- | --- | 94.1 | (0.3) | 42.3 | (1.9) |
| Toileting | 34.0 | (1.3) | 55.9 | (2.9) | --- | --- | 87.4 | (0.5) | 25.2 | (1.9) |

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

⁴Reported only when the percentage of missing cases is greater than 10%. If percent missing is 10% or less, the cases are dropped from the analysis.

⁵FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsitcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 23. Providers and Users of Long-Term Care Services in Michigan, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|--------------------|-------|---------|-------|--------------|---------|----------------------------|---------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 60 | (0.0) | 700 | (25) | 100 | (10) | 400 | (20) | 800 | (9) |
| Number of beds or licensed maximum capacity ² | 1,600 | (100) | ... | ... | ... | ... | 46,600 | (2,500) | 23,900 | (1,700) |
| Average capacity | 31 | (1.3) | --- | --- | --- | --- | 109 | (2.5) | 28 | (2.0) |
| Average number of people served | 20 | (1.0) | --- | --- | --- | --- | 92 | (2.2) | 24 | (1.8) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | 78.8 | (2.3) | 92.8 | (1.0) | 67.3 | (4.6) | 70.7 | (2.2) | * | * |
| Micropolitan or neither | 21.2 | (2.3) | 7.2 | (1.0) | 32.7 | (4.6) | 29.3 | (2.2) | * | * |
| Ownership (percent): | | | | | | | | | | |
| For-profit | 10.4 | (1.7) | 89.8 | (1.2) | 47.1 | (4.9) | 68.3 | (2.3) | * | * |
| Not-for-profit, government, or other | 89.6 | (1.7) | 10.2 | (1.2) | 52.9 | (4.9) | 31.7 | (2.3) | * | * |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | 81.1 | (2.2) | 32.0 | (1.8) | 19.2 | (3.9) | 4.0 | (0.9) | 71.1 | (2.5) |
| Category 2 | 18.9 | (2.2) | 33.6 | (1.8) | 38.5 | (4.8) | 59.2 | (2.4) | * | * |
| Category 3 | - | - | 24.0 | (1.6) | 42.3 | (4.8) | 36.9 | (2.3) | * | * |
| Missing ⁴ | ... | ... | 10.5 | (1.2) | ... | ... | ... | ... | ... | ... |
| Staffing ⁵ | | | | | | | | | | |
| Number of nursing employee FTEs | 199 | (8) | 3,742 | (273) | 1,925 | (302) | 28,760 | (1,559) | 11,398 | (1,620) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 16.7 | (0.9) | 67.6 | (1.4) | 56.9 | (1.5) | 12.6 | (0.3) | 5.0 | (1.0) |
| Licensed practical nurse or licensed vocational nurse | 7.5 | (0.6) | 9.7 | (0.8) | 5.5 | (0.8) | 21.0 | (0.4) | 5.7 | (1.0) |
| Aide | 75.8 | (1.1) | 22.7 | (1.2) | 37.6 | (1.4) | 66.5 | (0.4) | 89.3 | (1.6) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 58.5 | (2.8) | 99.3 | (0.3) | 100.0 | (0.0) | † | † | * | * |
| Licensed practical nurse or licensed vocational nurse | 31.5 | (2.6) | 35.1 | (1.8) | 47.1 | (4.9) | 97.9 | (0.7) | 37.1 | (5.7) |
| Aide | 80.5 | (2.2) | 94.8 | (0.8) | † | † | 97.4 | (0.8) | 80.3 | (5.9) |
| Social worker | 50.6 | (2.8) | 72.3 | (1.7) | 100.0 | (0.0) | 88.5 | (1.5) | * | * |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.3 | (0.0) | --- | --- | --- | --- | 0.5 | (0.0) | *0.2 | (0.1) |
| Licensed practical nurse or licensed vocational nurse | 0.1 | (0.0) | --- | --- | --- | --- | 0.8 | (0.0) | 0.1 | (0.0) |
| Aide | 1.3 | (0.1) | --- | --- | --- | --- | 2.5 | (0.0) | 2.8 | (0.4) |
| Social worker | 0.3 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | *0.2 | (0.1) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | 76.0 | (2.4) | 97.2 | (0.6) | 100.0 | (0.0) | 95.3 | (1.0) | 80.9 | (5.8) |
| Mental health or counseling (percentage) | 54.8 | (2.8) | --- | --- | † | † | 95.5 | (1.0) | 80.9 | (5.8) |
| Therapy (physical, occupational, or speech) (percentage) | 63.4 | (2.7) | † | † | † | † | † | † | 87.1 | (5.0) |
| Skilled nursing or nursing (percentage) | 56.7 | (2.8) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 75.1 | (6.2) |
| Pharmacy or pharmacist (percentage) | 21.9 | (2.4) | 3.1 | (0.7) | --- | --- | 98.1 | (0.7) | 99.1 | (0.9) |
| Hospice (percentage) | 39.9 | (2.8) | 1.5 | (0.5) | ... | ... | 84.7 | (1.7) | 95.3 | (1.9) |

Table 23. Providers and Users of Long-Term Care Services in Michigan, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|------------------------------------|-------|--------------------|----------|---------|---------|--------------|---------|----------------------------|---------|
| | Number or percent (standard error) | | | | | | | | | |
| Service users | | | | | | | | | | |
| Number of users ² | 2,400 | (100) | 231,200 | (23,400) | 47,900 | (7,300) | 39,300 | (2,100) | 20,400 | (1,500) |
| Age in years (percent): | | | | | | | | | | |
| Under 65 | 15.3 | (0.9) | 22.1 | (0.7) | 5.7 | (0.2) | 11.9 | (0.6) | 9.2 | (1.9) |
| 65 and over | 84.7 | (0.9) | 77.9 | (0.7) | 94.3 | (0.2) | 88.1 | (0.6) | 90.8 | (1.9) |
| 65–74 | 21.9 | (0.7) | 24.4 | (0.3) | 16.0 | (0.5) | 14.3 | (0.3) | 7.9 | (1.5) |
| 75–84 | 31.5 | (0.7) | 29.5 | (0.4) | 30.6 | (0.3) | 28.3 | (0.3) | 37.1 | (3.7) |
| 85 and over | 31.2 | (1.1) | 24.0 | (0.6) | 47.7 | (0.9) | 45.5 | (0.7) | 45.9 | (4.1) |
| Sex (percent): | | | | | | | | | | |
| Men | 35.0 | (0.7) | 38.1 | (0.3) | 39.9 | (0.6) | 29.4 | (0.5) | 29.9 | (2.0) |
| Women | 65.0 | (0.7) | 61.9 | (0.3) | 60.1 | (0.6) | 70.6 | (0.5) | 70.1 | (2.0) |
| Race and ethnicity (percent): | | | | | | | | | | |
| Hispanic | 2.0 | (0.2) | 1.5 | (0.1) | 1.1 | (0.1) | 0.9 | (0.1) | 0.7 | (0.2) |
| Non-Hispanic white | 78.1 | (1.3) | 69.5 | (1.7) | 89.1 | (1.2) | 82.2 | (1.4) | 93.5 | (1.6) |
| Non-Hispanic black | 17.3 | (1.3) | 27.0 | (1.6) | 8.7 | (1.2) | 16.2 | (1.4) | 2.5 | (0.6) |
| Non-Hispanic other | 2.6 | (0.5) | 2.0 | (0.1) | 1.1 | (0.1) | 0.6 | (0.1) | *3.3 | (1.5) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 62.0 | (2.2) | 30.7 | (0.7) | 49.8 | (1.8) | 56.0 | (0.9) | 59.6 | (3.5) |
| Diagnosed with depression | 23.5 | (2.0) | 36.2 | (0.6) | 25.1 | (0.6) | 46.1 | (1.0) | 29.6 | (4.2) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 28.4 | (2.0) | 50.5 | (1.6) | --- | --- | 48.2 | (1.2) | 34.1 | (5.2) |
| Bathing | 41.8 | (2.0) | 95.8 | (0.3) | --- | --- | 98.0 | (0.2) | 82.8 | (3.3) |
| Dressing | 46.3 | (1.4) | 84.5 | (1.2) | --- | --- | 93.6 | (0.3) | 68.9 | (5.3) |
| Toileting | 45.5 | (1.5) | 66.6 | (1.9) | --- | --- | 89.8 | (0.5) | 64.0 | (5.7) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011.

Hospice patients are patients who received care anytime in 2011.

⁴Reported only when the percentage of missing cases is greater than 10%. If percent missing is 10% or less, the cases are dropped from the analysis.

⁵FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsitcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 24. Providers and Users of Long-Term Care Services in Minnesota, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|--------------------|-------|---------|-------|--------------|---------|----------------------------|---------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 100 | (1) | 200 | (14) | 70 | (8) | 400 | (19) | 700 | (8) |
| Number of beds or licensed maximum capacity ² | 5,000 | (200) | ... | ... | ... | ... | 30,700 | (1,800) | 27,300 | (2,200) |
| Average capacity | 34 | (1.2) | --- | --- | --- | --- | 81 | (2.5) | 38 | (2.9) |
| Average number of people served | 21 | (1.0) | --- | --- | --- | --- | 73 | (2.3) | 36 | (2.8) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | 75.2 | (2.1) | 61.6 | (3.5) | 49.2 | (6.2) | 54.1 | (2.6) | 55.5 | (4.2) |
| Micropolitan or neither | 24.8 | (2.1) | 38.4 | (3.5) | 50.8 | (6.2) | 45.9 | (2.6) | 44.5 | (4.2) |
| Ownership (percent): | | | | | | | | | | |
| For-profit | 42.1 | (2.4) | 43.4 | (3.5) | 13.8 | (4.3) | 29.3 | (2.3) | 67.9 | (3.6) |
| Not-for-profit, government, or other | 57.9 | (2.4) | 56.6 | (3.5) | 86.2 | (4.3) | 70.7 | (2.3) | 32.1 | (3.6) |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | * | * | 54.3 | (3.7) | 35.9 | (6.0) | 4.0 | (1.0) | 57.6 | (3.1) |
| Category 2 | * | * | 28.8 | (3.3) | 37.5 | (6.1) | 77.0 | (2.2) | * | * |
| Category 3 | * | * | 16.8 | (2.8) | 26.6 | (5.5) | 19.0 | (2.0) | * | * |
| Staffing⁴ | | | | | | | | | | |
| Number of nursing employee FTEs | 466 | (21) | 3,109 | (309) | 787 | (181) | 19,866 | (1,184) | 11,506 | (1,181) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 13.5 | (0.8) | 47.9 | (2.2) | 60.6 | (2.5) | 13.4 | (0.4) | 10.0 | (1.2) |
| Licensed practical nurse or licensed vocational nurse | 10.9 | (0.7) | 11.9 | (1.2) | 9.6 | (2.5) | 20.4 | (0.4) | 8.3 | (0.9) |
| Aide | 75.5 | (1.0) | 40.3 | (2.5) | 29.8 | (1.7) | 66.2 | (0.4) | 81.7 | (1.7) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 50.7 | (2.4) | † | † | † | † | 98.7 | (0.6) | 93.1 | (2.2) |
| Licensed practical nurse or licensed vocational nurse | 32.8 | (2.2) | 62.1 | (3.4) | 55.4 | (6.2) | † | † | 57.6 | (4.3) |
| Aide | 76.6 | (2.1) | 97.0 | (1.2) | † | † | † | † | 92.2 | (2.3) |
| Social worker | 33.9 | (2.3) | 30.8 | (3.3) | † | † | 81.5 | (2.0) | * | * |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.3 | (0.0) | --- | --- | --- | --- | 0.5 | (0.0) | 0.5 | (0.1) |
| Licensed practical nurse or licensed vocational nurse | 0.3 | (0.0) | --- | --- | --- | --- | 0.8 | (0.0) | 0.2 | (0.0) |
| Aide | 1.3 | (0.1) | --- | --- | --- | --- | 2.4 | (0.0) | 2.6 | (0.2) |
| Social worker | 0.1 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | *0.1 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | 56.9 | (2.4) | 47.5 | (3.5) | 100.0 | (0.0) | 85.2 | (1.8) | 73.7 | (3.9) |
| Mental health or counseling (percentage) | 42.1 | (2.4) | --- | --- | † | † | 77.8 | (2.1) | 85.2 | (3.1) |
| Therapy (physical, occupational, or speech) (percentage) | 78.4 | (2.0) | 90.9 | (2.0) | † | † | † | † | 89.3 | (2.7) |
| Skilled nursing or nursing (percentage) | 78.2 | (2.0) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 81.9 | (3.4) |
| Pharmacy or pharmacist (percentage) | 31.8 | (2.2) | 13.6 | (2.4) | --- | --- | 97.1 | (0.9) | 91.2 | (2.5) |
| Hospice (percentage) | 23.2 | (2.0) | 17.2 | (2.7) | ... | ... | 70.2 | (2.3) | 92.8 | (2.3) |

Table 24. Providers and Users of Long-Term Care Services in Minnesota, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|------------------------------------|-------|--------------------|---------|---------|---------|--------------|---------|----------------------------|---------|
| | Number or percent (standard error) | | | | | | | | | |
| Service users | | | | | | | | | | |
| Number of users ² | 5,600 | (300) | 50,200 | (9,900) | 18,700 | (4,200) | 27,800 | (1,700) | 25,600 | (2,100) |
| Age in years (percent): | | | | | | | | | | |
| Under 65 | 30.6 | (2.2) | 19.1 | (1.4) | 4.6 | (0.3) | 9.7 | (1.0) | 5.4 | (1.1) |
| 65 and over | 69.4 | (2.2) | 80.9 | (1.4) | 95.4 | (0.3) | 90.3 | (1.0) | 94.6 | (1.1) |
| 65–74 | 24.1 | (1.3) | 20.5 | (0.8) | 15.3 | (0.4) | 11.1 | (0.4) | 14.2 | (1.9) |
| 75–84 | 28.3 | (1.3) | 31.2 | (0.5) | 29.8 | (0.4) | 25.7 | (0.4) | 33.8 | (1.9) |
| 85 and over | 17.0 | (1.1) | 29.2 | (1.4) | 50.3 | (0.7) | 53.5 | (1.1) | 46.5 | (3.0) |
| Sex (percent): | | | | | | | | | | |
| Men | 43.8 | (0.8) | 35.7 | (0.5) | 40.4 | (0.7) | 30.9 | (0.7) | 27.1 | (1.3) |
| Women | 56.2 | (0.8) | 64.3 | (0.5) | 59.6 | (0.7) | 69.1 | (0.7) | 72.9 | (1.3) |
| Race and ethnicity (percent): | | | | | | | | | | |
| Hispanic | 2.3 | (0.5) | 0.7 | (0.1) | 0.5 | (0.1) | 0.6 | (0.1) | *0.7 | (0.2) |
| Non-Hispanic white | 59.1 | (2.9) | 94.4 | (0.6) | 96.0 | (0.5) | 95.3 | (0.5) | 90.1 | (2.6) |
| Non-Hispanic black | 16.7 | (2.7) | 3.0 | (0.4) | 1.4 | (0.3) | 2.6 | (0.4) | *1.6 | (0.6) |
| Non-Hispanic other | 21.9 | (2.6) | 1.9 | (0.1) | 2.0 | (0.2) | 1.5 | (0.2) | *7.6 | (2.5) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 36.3 | (2.4) | 25.0 | (1.5) | 36.0 | (1.6) | 48.0 | (0.9) | 35.5 | (3.9) |
| Diagnosed with depression | 40.4 | (2.1) | 35.2 | (0.6) | 19.3 | (0.6) | 55.5 | (1.0) | 25.1 | (2.9) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 23.8 | (2.0) | 36.8 | (3.4) | --- | --- | 45.4 | (1.2) | 21.4 | (2.2) |
| Bathing | 31.3 | (3.1) | 93.5 | (1.1) | --- | --- | 96.5 | (0.8) | 63.3 | (3.0) |
| Dressing | 26.5 | (2.4) | 74.8 | (3.3) | --- | --- | 88.5 | (0.8) | 45.8 | (3.3) |
| Toileting | 25.4 | (1.4) | 56.6 | (4.1) | --- | --- | 84.5 | (0.9) | 44.1 | (3.6) |

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011.

Hospice patients are patients who received care anytime in 2011.

⁴FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nstcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 25. Providers and Users of Long-Term Care Services in Mississippi, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|--------------------|-------|---------|-------|--------------|---------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 40 | (0.0) | 50 | (7) | 100 | (11) | 200 | (14) | 100 | (2) |
| Number of beds or licensed maximum capacity ² | 2,100 | (100) | ... | ... | ... | ... | 18,500 | (1,400) | 6,100 | (200) |
| Average capacity | 55 | (3.1) | --- | --- | --- | --- | 91 | (2.8) | 45 | (1.6) |
| Average number of people served | 24 | (1.2) | --- | --- | --- | --- | 80 | (2.5) | 38 | (1.6) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | 24.1 | (4.4) | 29.4 | (6.4) | 36.0 | (4.5) | 31.4 | (3.2) | 37.5 | (3.9) |
| Micropolitan or neither | 75.9 | (4.4) | 70.6 | (6.4) | 64.0 | (4.5) | 68.6 | (3.2) | 62.5 | (3.9) |
| Ownership (percent): | | | | | | | | | | |
| For-profit | 59.4 | (5.2) | 62.7 | (6.8) | 78.1 | (3.9) | 76.0 | (3.0) | 79.5 | (3.1) |
| Not-for-profit, government, or other | 40.6 | (5.2) | 37.3 | (6.8) | 21.9 | (3.9) | 24.0 | (3.0) | 20.5 | (3.1) |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | 61.0 | (5.0) | * | * | 52.6 | (4.7) | 3.9 | (1.4) | * | * |
| Category 2 | 39.0 | (5.0) | * | * | 20.2 | (3.8) | 66.2 | (3.3) | * | * |
| Category 3 | - | - | * | * | 12.3 | (3.1) | 29.9 | (3.2) | * | * |
| Missing ⁴ | ... | ... | ... | ... | 14.9 | (3.3) | ... | ... | ... | ... |
| Staffing ⁵ | | | | | | | | | | |
| Number of nursing employee FTEs | 126 | (13) | 896 | (172) | 1,149 | (152) | 11,843 | (915) | 2,286 | (157) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 19.0 | (1.7) | 59.0 | (2.0) | 51.2 | (2.2) | 9.4 | (0.4) | 6.2 | (0.6) |
| Licensed practical nurse or licensed vocational nurse | 10.6 | (1.3) | 6.9 | (1.3) | 12.3 | (1.4) | 27.2 | (0.6) | 19.3 | (1.1) |
| Aide | 70.4 | (1.9) | 34.1 | (2.1) | 36.5 | (1.8) | 63.4 | (0.7) | 74.5 | (1.4) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 59.3 | (5.0) | 100.0 | (0.0) | 100.0 | (0.0) | † | † | 51.8 | (4.0) |
| Licensed practical nurse or licensed vocational nurse | 33.8 | (4.8) | 52.9 | (7.0) | 58.8 | (4.6) | † | † | 73.0 | (3.3) |
| Aide | 64.0 | (5.0) | 100.0 | (0.0) | 94.7 | (2.1) | 96.1 | (1.4) | 84.5 | (2.9) |
| Social worker | 30.5 | (4.7) | 88.2 | (4.5) | † | † | 62.7 | (3.4) | 22.5 | (3.4) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.2 | (0.0) | --- | --- | --- | --- | 0.5 | (0.1) | 0.3 | (0.1) |
| Licensed practical nurse or licensed vocational nurse | 0.1 | (0.0) | --- | --- | --- | --- | 1.0 | (0.1) | 0.4 | (0.1) |
| Aide | 0.6 | (0.1) | --- | --- | --- | --- | 2.5 | (0.1) | 2.1 | (0.1) |
| Social worker | 0.1 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | 0.1 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | 78.4 | (4.3) | † | † | 100.0 | (0.0) | 76.5 | (3.0) | 83.3 | (2.9) |
| Mental health or counseling (percentage) | 58.0 | (5.1) | --- | --- | † | † | 83.8 | (2.6) | 73.3 | (3.6) |
| Therapy (physical, occupational, or speech) (percentage) | 66.2 | (5.0) | † | † | † | † | 100.0 | (0.0) | 91.9 | (2.2) |
| Skilled nursing or nursing (percentage) | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 73.0 | (3.6) |
| Pharmacy or pharmacist (percentage) | 32.9 | (4.9) | * | * | --- | --- | † | † | 91.6 | (2.2) |
| Hospice (percentage) | 21.8 | (4.4) | 21.6 | (5.8) | ... | ... | 66.2 | (3.3) | 87.6 | (2.6) |

Table 25. Providers and Users of Long-Term Care Services in Mississippi, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|------------------------------------|-------|--------------------|----------|---------|---------|--------------|---------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Service users | | | | | | | | | | |
| Number of users ² | 1,400 | (100) | 60,600 | (11,400) | 14,200 | (2,200) | 16,300 | (1,200) | 5,200 | (200) |
| Age in years (percent): | | | | | | | | | | |
| Under 65 | 44.1 | (2.7) | 21.3 | (0.7) | 10.1 | (0.6) | 17.2 | (0.9) | 6.0 | (1.3) |
| 65 and over | 55.9 | (2.7) | 78.7 | (0.7) | 89.9 | (0.6) | 82.8 | (0.9) | 94.0 | (1.3) |
| 65–74 | 22.8 | (1.3) | 26.1 | (0.3) | 20.0 | (0.5) | 18.5 | (0.5) | 9.8 | (0.9) |
| 75–84 | 20.6 | (1.4) | 32.1 | (0.5) | 32.7 | (0.4) | 29.5 | (0.5) | 33.4 | (2.4) |
| 85 and over | 12.5 | (0.8) | 20.5 | (0.5) | 37.2 | (0.9) | 34.7 | (1.0) | 50.8 | (3.1) |
| Sex (percent): | | | | | | | | | | |
| Men | 31.0 | (1.4) | 35.9 | (0.4) | 42.2 | (0.7) | 31.3 | (0.9) | 20.7 | (1.4) |
| Women | 69.0 | (1.4) | 64.1 | (0.4) | 57.8 | (0.7) | 68.7 | (0.9) | 79.3 | (1.4) |
| Race and ethnicity (percent): | | | | | | | | | | |
| Hispanic | 0.2 | (0.1) | 0.4 | (0.0) | 0.3 | (0.0) | 0.2 | (0.0) | 0.2 | (0.1) |
| Non-Hispanic white | 27.0 | (2.6) | 65.7 | (2.8) | 71.9 | (2.0) | 64.6 | (1.6) | 91.1 | (1.9) |
| Non-Hispanic black | 72.7 | (2.6) | 33.2 | (2.8) | 27.1 | (2.0) | 34.8 | (1.6) | 8.4 | (1.9) |
| Non-Hispanic other | 0.1 | (0.1) | 0.7 | (0.1) | 0.7 | (0.1) | 0.4 | (0.2) | 0.3 | (0.1) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 24.4 | (2.5) | 28.3 | (0.6) | 48.7 | (1.6) | 48.4 | (1.0) | 36.8 | (2.1) |
| Diagnosed with depression | 14.9 | (1.7) | 29.2 | (1.3) | 23.7 | (0.8) | 49.4 | (1.6) | 18.9 | (2.5) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 12.1 | (1.7) | 60.7 | (2.4) | --- | --- | 63.4 | (1.7) | 12.9 | (2.1) |
| Bathing | 20.8 | (2.7) | 96.4 | (0.5) | --- | --- | 97.5 | (0.3) | 62.2 | (3.0) |
| Dressing | 21.5 | (2.6) | 88.3 | (1.7) | --- | --- | 90.2 | (0.6) | 49.7 | (3.1) |
| Toileting | 25.4 | (3.3) | 72.3 | (2.7) | --- | --- | 85.7 | (0.7) | 37.2 | (3.3) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

⁴Reported only when the percentage of missing cases is greater than 10%. If percent missing is 10% or less, the cases are dropped from the analysis.

⁵FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 26. Providers and Users of Long-Term Care Services in Missouri, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|--------------------|-------|---------|-------|--------------|---------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 100 | (1) | 200 | (13) | 100 | (10) | 500 | (22) | 400 | (4) |
| Number of beds or licensed maximum capacity ² | 4,400 | (200) | ... | ... | ... | ... | 52,400 | (2,500) | 20,700 | (900) |
| Average capacity | 37 | (1.6) | --- | --- | --- | --- | 102 | (2.1) | 51 | (2.1) |
| Average number of people served | 19 | (1.3) | --- | --- | --- | --- | 74 | (1.8) | 36 | (1.8) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | 85.4 | (2.4) | 61.8 | (3.7) | 72.0 | (4.3) | 57.4 | (2.2) | 59.8 | (4.0) |
| Micropolitan or neither | 14.6 | (2.4) | 38.2 | (3.7) | 28.0 | (4.3) | 42.6 | (2.2) | 40.2 | (4.0) |
| Ownership (percent): | | | | | | | | | | |
| For-profit | 50.1 | (3.5) | 52.6 | (3.8) | 54.2 | (4.8) | 74.6 | (1.9) | 62.8 | (4.1) |
| Not-for-profit, government, or other | 49.9 | (3.5) | 47.4 | (3.8) | 45.8 | (4.8) | 25.4 | (1.9) | 37.2 | (4.1) |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | * | * | 25.2 | (3.4) | 27.5 | (4.4) | 4.1 | (0.9) | 44.3 | (3.2) |
| Category 2 | * | * | 33.3 | (3.7) | 42.2 | (4.9) | 76.2 | (1.9) | * | * |
| Category 3 | * | * | 41.5 | (3.9) | 30.4 | (4.6) | 19.7 | (1.8) | * | * |
| Staffing⁴ | | | | | | | | | | |
| Number of nursing employee FTEs | 534 | (45) | 1,787 | (207) | 1,445 | (198) | 25,747 | (1,273) | 5,294 | (401) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 15.2 | (1.0) | 71.8 | (1.5) | 58.9 | (1.9) | 7.5 | (0.2) | 5.2 | (0.7) |
| Licensed practical nurse or licensed vocational nurse | 22.3 | (1.5) | 13.2 | (1.3) | 13.1 | (1.6) | 22.0 | (0.3) | 11.9 | (1.1) |
| Aide | 62.4 | (1.5) | 15.0 | (1.0) | 28.0 | (1.1) | 70.5 | (0.4) | 82.9 | (1.1) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 57.0 | (3.4) | 100.0 | (0.0) | 100.0 | (0.0) | † | † | 59.6 | (4.3) |
| Licensed practical nurse or licensed vocational nurse | 83.2 | (2.6) | 64.2 | (3.6) | 67.3 | (4.5) | † | † | 75.9 | (3.3) |
| Aide | 79.0 | (2.8) | 96.0 | (1.5) | † | † | 100.0 | (0.0) | † | † |
| Social worker | 23.0 | (2.9) | 59.5 | (3.7) | 100.0 | (0.0) | 58.2 | (2.2) | * | * |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.7 | (0.1) | --- | --- | --- | --- | 0.3 | (0.0) | 0.2 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.9 | (0.1) | --- | --- | --- | --- | 0.8 | (0.0) | 0.2 | (0.0) |
| Aide | 1.5 | (0.2) | --- | --- | --- | --- | 2.5 | (0.0) | 1.7 | (0.1) |
| Social worker | 0.2 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | 0.0 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | 59.6 | (3.4) | 76.3 | (3.2) | 100.0 | (0.0) | 66.4 | (2.1) | 73.1 | (3.8) |
| Mental health or counseling (percentage) | 48.8 | (3.5) | --- | --- | † | † | 84.4 | (1.6) | 79.9 | (3.4) |
| Therapy (physical, occupational, or speech) (percentage) | 72.2 | (3.1) | † | † | † | † | † | † | 91.4 | (2.4) |
| Skilled nursing or nursing (percentage) | 89.3 | (2.2) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 56.4 | (4.4) |
| Pharmacy or pharmacist (percentage) | 28.5 | (3.2) | * | * | --- | --- | † | † | 96.0 | (1.7) |
| Hospice (percentage) | 23.3 | (2.9) | 11.0 | (2.4) | ... | ... | 88.3 | (1.4) | 86.4 | (2.9) |

Table 26. Providers and Users of Long-Term Care Services in Missouri, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|------------------------------------|-------|--------------------|----------|---------|---------|--------------|---------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Service users | | | | | | | | | | |
| Number of users ² | 3,200 | (200) | 93,400 | (15,500) | 30,000 | (4,500) | 38,100 | (1,900) | 14,500 | (800) |
| Age in years (percent): | | | | | | | | | | |
| Under 65 | 60.8 | (2.8) | 20.6 | (1.1) | 6.0 | (0.2) | 18.1 | (1.0) | 17.4 | (3.0) |
| 65 and over | 39.2 | (2.8) | 79.4 | (1.1) | 94.0 | (0.2) | 81.9 | (1.0) | 82.6 | (3.0) |
| 65–74 | 14.4 | (1.4) | 26.6 | (0.7) | 16.8 | (0.7) | 14.6 | (0.3) | 10.8 | (1.4) |
| 75–84 | 14.2 | (1.2) | 31.2 | (0.6) | 31.1 | (0.4) | 27.2 | (0.4) | 26.6 | (2.1) |
| 85 and over | 10.5 | (0.9) | 21.6 | (0.9) | 46.2 | (1.1) | 40.1 | (0.9) | 45.2 | (3.6) |
| Sex (percent): | | | | | | | | | | |
| Men | 45.1 | (1.1) | 37.3 | (0.5) | 39.3 | (0.7) | 31.5 | (0.7) | 27.4 | (1.7) |
| Women | 54.9 | (1.1) | 62.7 | (0.5) | 60.7 | (0.7) | 68.5 | (0.7) | 72.6 | (1.7) |
| Race and ethnicity (percent): | | | | | | | | | | |
| Hispanic | 1.2 | (0.1) | 0.8 | (0.1) | 0.8 | (0.1) | 0.5 | (0.0) | 0.4 | (0.1) |
| Non-Hispanic white | 52.0 | (3.3) | 85.0 | (1.8) | 91.7 | (0.9) | 87.2 | (1.1) | 91.2 | (3.1) |
| Non-Hispanic black | 42.8 | (3.2) | 13.1 | (1.8) | 6.8 | (0.8) | 11.8 | (1.1) | 3.9 | (1.0) |
| Non-Hispanic other | 4.1 | (1.0) | 1.0 | (0.1) | 0.8 | (0.1) | 0.6 | (0.0) | *4.4 | (3.0) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 22.1 | (2.2) | 24.3 | (1.0) | 48.1 | (1.8) | 46.1 | (0.7) | 29.6 | (2.5) |
| Diagnosed with depression | 13.4 | (1.5) | 37.6 | (0.8) | 28.1 | (0.8) | 51.4 | (1.0) | 28.5 | (1.8) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 21.6 | (1.8) | 45.5 | (2.7) | --- | --- | 49.6 | (1.3) | 10.6 | (2.1) |
| Bathing | 31.4 | (2.9) | 95.2 | (0.5) | --- | --- | 94.6 | (0.6) | 59.2 | (3.2) |
| Dressing | 34.4 | (2.7) | 82.3 | (1.6) | --- | --- | 83.5 | (0.7) | 29.4 | (3.8) |
| Toileting | 34.0 | (1.9) | 59.8 | (3.0) | --- | --- | 76.9 | (0.9) | 16.4 | (2.3) |

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011.

Hospice patients are patients who received care anytime in 2011.

⁴FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsitcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 27. Providers and Users of Long-Term Care Services in Montana, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|--------|--------------------|-------|---------|-------|--------------|-------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 40 | (0.0) | 30 | (6) | 30 | (5) | 90 | (9) | 200 | (2) |
| Number of beds or licensed maximum capacity ² | 300 | (0.0) | ... | ... | ... | ... | 6,800 | (900) | 5,000 | (600) |
| Average capacity | 8 | (1.1) | --- | --- | --- | --- | 80 | (5.3) | 30 | (3.4) |
| Average number of people served | 3 | (0.6) | --- | --- | --- | --- | 55 | (3.8) | 24 | (2.5) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | 39.8 | (9.9) | 22.6 | (7.5) | 25.0 | (8.2) | 21.2 | (4.4) | 43.4 | (3.0) |
| Micropolitan or neither | 60.3 | (9.9) | 77.4 | (7.5) | 75.0 | (8.2) | 78.8 | (4.4) | 56.6 | (3.0) |
| Ownership (percent): | | | | | | | | | | |
| For-profit | 66.9 | (9.5) | 16.1 | (6.6) | 25.0 | (8.2) | 42.4 | (5.4) | 77.4 | (2.6) |
| Not-for-profit, government, or other | 33.1 | (9.5) | 83.9 | (6.6) | 75.0 | (8.2) | 57.6 | (5.4) | 22.6 | (2.6) |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | 100.0 | (0.0) | 33.3 | (8.6) | * | * | 20.0 | (4.3) | * | * |
| Category 2 | - | - | 40.0 | (8.9) | * | * | 69.4 | (5.0) | * | * |
| Category 3 | - | - | 26.7 | (8.1) | * | * | 10.6 | (3.3) | * | * |
| Staffing ⁴ | | | | | | | | | | |
| Number of nursing employee FTEs | 152 | (26) | 200 | (47) | 216 | (64) | 3,262 | (436) | 1,838 | (158) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 9.0 | (2.1) | 66.0 | (6.2) | 58.3 | (3.0) | 16.8 | (1.0) | 6.5 | (0.6) |
| Licensed practical nurse or licensed vocational nurse | 15.9 | (2.4) | 10.3 | (2.3) | 11.5 | (2.8) | 14.5 | (0.8) | 6.1 | (0.6) |
| Aide | 75.1 | (2.7) | 23.8 | (7.3) | 30.2 | (3.7) | 68.7 | (1.0) | 87.4 | (0.9) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 46.9 | (10.1) | 100.0 | (0.0) | 100.0 | (0.0) | † | † | 53.7 | (2.9) |
| Licensed practical nurse or licensed vocational nurse | 60.2 | (9.9) | 51.6 | (9.0) | 46.4 | (9.4) | † | † | 30.6 | (2.7) |
| Aide | * | * | 83.9 | (6.6) | † | † | † | † | 93.7 | (1.4) |
| Social worker | * | * | 71.0 | (8.2) | † | † | 49.4 | (5.4) | 10.3 | (1.8) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 1.6 | (0.4) | --- | --- | --- | --- | 0.7 | (0.1) | 0.3 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 3.6 | (0.9) | --- | --- | --- | --- | 0.5 | (0.1) | 0.2 | (0.0) |
| Aide | 9.9 | (1.9) | --- | --- | --- | --- | 2.4 | (0.1) | 2.6 | (0.1) |
| Social worker | 0.9 | (0.4) | --- | --- | --- | --- | 0.1 | (0.1) | 0.1 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | 60.2 | (9.9) | 80.6 | (7.1) | 100.0 | (0.0) | 60.0 | (5.3) | 68.2 | (2.8) |
| Mental health or counseling (percentage) | 40.2 | (9.9) | --- | --- | * | * | 75.3 | (4.7) | 66.1 | (2.8) |
| Therapy (physical, occupational, or speech) (percentage) | * | * | 100.0 | (0.0) | 100.0 | (0.0) | † | † | 91.6 | (1.7) |
| Skilled nursing or nursing (percentage) | 60.2 | (9.9) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 82.9 | (2.1) |
| Pharmacy or pharmacist (percentage) | 64.6 | (10.0) | 32.3 | (8.4) | --- | --- | † | † | 93.2 | (1.5) |
| Hospice (percentage) | * | * | 38.7 | (8.7) | ... | ... | 51.8 | (5.4) | 95.3 | (1.3) |

Table 27. Providers and Users of Long-Term Care Services in Montana, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|------------------------------------|--------|--------------------|---------|---------|---------|--------------|-------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Service users | | | | | | | | | | |
| Number of users ² | 200 | (0) | 7,700 | (1,900) | 3,800 | (1,000) | 4,700 | (600) | 4,000 | (400) |
| Age in years (percent): | | | | | | | | | | |
| Under 65 | 30.8 | (5.0) | 12.2 | (0.6) | 4.8 | (0.4) | 12.3 | (1.3) | 4.8 | (0.6) |
| 65 and over | 69.2 | (5.0) | 87.8 | (0.6) | 95.2 | (0.4) | 87.7 | (1.3) | 95.2 | (0.6) |
| 65–74 | 20.4 | (3.1) | 22.0 | (0.8) | 16.8 | (0.7) | 15.2 | (0.8) | 9.4 | (0.8) |
| 75–84 | 32.5 | (4.2) | 34.7 | (0.6) | 31.0 | (0.7) | 27.7 | (0.7) | 32.9 | (3.1) |
| 85 and over | 16.4 | (4.1) | 31.1 | (0.9) | 47.4 | (1.3) | 44.9 | (2.0) | 53.0 | (3.5) |
| Sex (percent): | | | | | | | | | | |
| Men | 58.0 | (5.0) | 36.0 | (0.7) | 43.5 | (1.1) | 33.9 | (1.7) | 25.5 | (1.3) |
| Women | 42.0 | (5.0) | 64.0 | (0.7) | 56.5 | (1.1) | 66.1 | (1.7) | 74.5 | (1.3) |
| Race and ethnicity (percent): | | | | | | | | | | |
| Hispanic | 0.0 | (0.0) | 0.8 | (0.1) | 0.8 | (0.2) | 0.6 | (0.1) | 0.5 | (0.1) |
| Non-Hispanic white | 89.3 | (3.1) | 96.1 | (0.7) | 96.4 | (0.5) | 94.0 | (1.2) | 84.2 | (3.3) |
| Non-Hispanic black | 1.3 | (0.7) | 0.1 | (0.0) | 0.2 | (0.1) | 0.2 | (0.1) | 0.0 | (0.0) |
| Non-Hispanic other | 9.4 | (2.7) | 3.0 | (0.6) | 2.6 | (0.5) | 5.2 | (1.1) | 15.2 | (3.3) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 55.7 | (9.7) | 26.4 | (1.4) | 38.7 | (1.7) | 47.3 | (1.6) | 31.6 | (5.0) |
| Diagnosed with depression | 10.8 | (4.6) | 36.2 | (1.1) | 20.2 | (1.0) | 56.8 | (1.8) | 30.8 | (2.1) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 26.7 | (8.1) | 33.8 | (5.2) | --- | --- | 58.6 | (3.4) | 17.6 | (1.4) |
| Bathing | 35.7 | (13.0) | 93.6 | (1.3) | --- | --- | 98.0 | (0.4) | 56.1 | (2.4) |
| Dressing | 20.4 | (6.9) | 74.0 | (3.3) | --- | --- | 86.9 | (1.2) | 40.4 | (2.0) |
| Toileting | 40.7 | (10.5) | 53.6 | (4.7) | --- | --- | 83.1 | (1.7) | 34.1 | (2.5) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

⁴FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 28. Providers and Users of Long-Term Care Services in Nebraska, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|--------------------|-------|---------|-------|--------------|---------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 40 | (1) | 80 | (9) | 40 | (6) | 200 | (15) | 200 | (2) |
| Number of beds or licensed maximum capacity ² | 2,100 | (200) | ... | ... | ... | ... | 15,700 | (1,200) | 10,200 | (300) |
| Average capacity | 52 | (5.5) | --- | --- | --- | --- | 72 | (2.8) | 45 | (1.3) |
| Average number of people served | 30 | (3.7) | --- | --- | --- | --- | 56 | (2.3) | 36 | (1.1) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | 34.8 | (5.4) | 53.2 | (5.6) | 51.2 | (7.8) | 31.7 | (3.2) | 36.1 | (1.8) |
| Micropolitan or neither | 65.2 | (5.4) | 46.8 | (5.6) | 48.8 | (7.8) | 68.3 | (3.2) | 63.9 | (1.8) |
| Ownership (percent): | | | | | | | | | | |
| For-profit | 30.0 | (5.3) | 46.8 | (5.6) | 41.5 | (7.7) | 49.1 | (3.4) | 51.9 | (1.9) |
| Not-for-profit, government, or other | 70.0 | (5.3) | 53.2 | (5.6) | 58.5 | (7.7) | 50.9 | (3.4) | 48.1 | (1.9) |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | * | * | 41.8 | (5.5) | 53.8 | (8.0) | 7.8 | (1.8) | 49.4 | (1.4) |
| Category 2 | * | * | 29.1 | (5.1) | 23.1 | (6.7) | 82.6 | (2.6) | 45.4 | (1.5) |
| Category 3 | * | * | 19.0 | (4.4) | 23.1 | (6.7) | 9.6 | (2.0) | 5.2 | (0.8) |
| Missing ⁴ | ... | ... | 10.1 | (3.4) | ... | ... | ... | ... | ... | ... |
| Staffing ⁵ | | | | | | | | | | |
| Number of nursing employee FTEs | 136 | (20) | 985 | (171) | 349 | (73) | 9,097 | (764) | 3,365 | (116) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 19.2 | (3.9) | 54.9 | (4.3) | 61.2 | (3.7) | 12.2 | (0.6) | 9.9 | (0.8) |
| Licensed practical nurse or licensed vocational nurse | 13.4 | (1.9) | 16.7 | (3.3) | 9.5 | (2.2) | 20.5 | (0.6) | 11.9 | (0.5) |
| Aide | 67.4 | (3.6) | 28.3 | (3.4) | 29.3 | (3.5) | 67.3 | (0.8) | 78.2 | (0.9) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 40.0 | (5.6) | 100.0 | (0.0) | 100.0 | (0.0) | † | † | 75.6 | (1.6) |
| Licensed practical nurse or licensed vocational nurse | 42.1 | (5.7) | 59.5 | (5.5) | 58.5 | (7.7) | † | † | 67.2 | (1.8) |
| Aide | 62.0 | (5.6) | 87.3 | (3.7) | 100.0 | (0.0) | † | † | † | † |
| Social worker | 42.2 | (5.7) | 38.0 | (5.5) | 100.0 | (0.0) | 70.2 | (3.1) | 23.7 | (1.6) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.6 | (0.2) | --- | --- | --- | --- | 0.5 | (0.1) | 0.3 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.5 | (0.1) | --- | --- | --- | --- | 0.8 | (0.0) | 0.3 | (0.0) |
| Aide | 3.6 | (0.8) | --- | --- | --- | --- | 2.5 | (0.1) | 2.1 | (0.1) |
| Social worker | 0.5 | (0.2) | --- | --- | --- | --- | 0.1 | (0.0) | 0.0 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | 81.8 | (4.4) | 48.1 | (5.6) | 100.0 | (0.0) | 77.1 | (2.8) | 70.9 | (1.8) |
| Mental health or counseling (percentage) | 71.8 | (5.1) | --- | --- | 100.0 | (0.0) | 80.3 | (2.7) | 74.8 | (1.7) |
| Therapy (physical, occupational, or speech) (percentage) | 49.1 | (5.8) | 92.4 | (3.0) | 100.0 | (0.0) | † | † | 91.6 | (1.1) |
| Skilled nursing or nursing (percentage) | 47.0 | (5.8) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 65.8 | (1.9) |
| Pharmacy or pharmacist (percentage) | 51.7 | (5.8) | 10.1 | (3.4) | --- | --- | 96.8 | (1.2) | 92.3 | (1.1) |
| Hospice (percentage) | 43.0 | (5.7) | 30.4 | (5.2) | --- | --- | 77.1 | (2.8) | 90.6 | (1.1) |

Table 28. Providers and Users of Long-Term Care Services in Nebraska, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | Home health agency | Hospice | Nursing home | Residential care community |
|---|------------------------------------|--------------------|---------------|----------------|----------------------------|
| | Number or percent (standard error) | | | | |
| Service users | | | | | |
| Number of users ² | 2,300 (300) | 19,800 (4,900) | 7,700 (1,800) | 12,200 (1,000) | 8,200 (300) |
| Age in years (percent): | | | | | |
| Under 65 | 77.6 (4.1) | 15.6 (1.5) | 4.8 (0.5) | 11.6 (1.2) | 10.3 (2.5) |
| 65 and over | 22.4 (4.1) | 84.4 (1.5) | 95.2 (0.5) | 88.4 (1.2) | 89.7 (2.5) |
| 65–74 | 7.3 (1.0) | 21.6 (0.8) | 13.6 (0.9) | 11.9 (0.7) | 9.4 (0.5) |
| 75–84 | 10.9 (2.7) | 33.7 (0.6) | 29.5 (0.6) | 26.5 (0.6) | 27.6 (1.2) |
| 85 and over | 4.2 (1.0) | 29.1 (1.7) | 52.2 (1.6) | 49.9 (1.5) | 52.7 (1.8) |
| Sex (percent): | | | | | |
| Men | 48.5 (1.4) | 36.2 (0.7) | 39.9 (0.8) | 31.1 (0.8) | 30.3 (1.3) |
| Women | 51.5 (1.4) | 63.8 (0.7) | 60.1 (0.8) | 68.9 (0.8) | 69.7 (1.3) |
| Race and ethnicity (percent): | | | | | |
| Hispanic | 5.8 (0.7) | 1.7 (0.2) | 1.1 (0.2) | 1.0 (0.1) | 0.9 (0.1) |
| Non-Hispanic white | 81.8 (2.3) | 92.9 (1.1) | 95.2 (0.9) | 94.7 (0.8) | 96.3 (0.5) |
| Non-Hispanic black | 9.0 (2.0) | 4.2 (1.0) | 2.5 (0.7) | 3.4 (0.7) | 0.8 (0.1) |
| Non-Hispanic other | 3.4 (0.4) | 1.2 (0.1) | 1.2 (0.2) | 0.9 (0.2) | 2.0 (0.4) |
| Conditions (percentage): | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 15.1 (3.6) | 25.5 (1.6) | 48.5 (2.5) | 44.0 (1.2) | 29.2 (1.5) |
| Diagnosed with depression | 20.2 (4.1) | 33.6 (0.6) | 25.6 (1.1) | 59.5 (1.5) | 27.6 (1.2) |
| Need assistance in physical functioning (percentage): | | | | | |
| Eating | 13.0 (4.8) | 41.0 (6.3) | --- | 52.2 (1.7) | 14.3 (1.0) |
| Bathing | 11.2 (3.6) | 95.3 (1.0) | --- | 98.5 (0.4) | 65.9 (2.0) |
| Dressing | 14.6 (4.9) | 75.9 (3.9) | --- | 89.0 (0.7) | 33.9 (1.6) |
| Toileting | 15.4 (5.1) | 53.7 (5.5) | --- | 86.2 (0.8) | 22.1 (1.5) |

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

⁴Reported only when the percentage of missing cases is greater than 10%. If percent missing is 10% or less, the cases are dropped from the analysis.

⁵FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 29. Providers and Users of Long-Term Care Services in Nevada, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|--------------------|-------|---------|--------|--------------|---------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 20 | (0.0) | 100 | (11) | 20 | (5) | 50 | (7) | 100 | (1) |
| Number of beds or licensed maximum capacity ² | 1,200 | (100) | ... | ... | ... | ... | 6,000 | (1,000) | 3,900 | (200) |
| Average capacity | 64 | (4.0) | --- | --- | --- | --- | 117 | (9.8) | 30 | (1.2) |
| Average number of people served | 37 | (2.2) | --- | --- | --- | --- | 91 | (7.8) | 25 | (1.0) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | † | † | * | * | * | * | 78.4 | (5.8) | 88.5 | (2.4) |
| Micro-politan or neither | * | * | * | * | * | * | 21.6 | (5.8) | 11.5 | (2.4) |
| Ownership (percent): | | | | | | | | | | |
| For-profit | 60.7 | (5.3) | 94.2 | (2.1) | * | * | 76.5 | (5.9) | * | * |
| Not-for-profit, government, or other | 39.3 | (5.3) | 5.8 | (2.1) | * | * | 23.5 | (5.9) | * | * |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | 47.6 | (5.5) | 20.7 | (3.7) | * | * | 11.8 | (4.5) | 73.3 | (1.1) |
| Category 2 | 52.4 | (5.5) | 47.9 | (4.5) | * | * | 47.1 | (7.0) | 20.1 | (1.8) |
| Category 3 | - | - | 19.8 | (3.6) | * | * | 41.2 | (6.9) | 6.6 | (1.5) |
| Missing ⁴ | ... | ... | 11.6 | (2.9) | ... | ... | ... | ... | ... | ... |
| Staffing ⁵ | | | | | | | | | | |
| Number of nursing employee FTEs | 110 | (7) | 806 | (109) | 419 | (144) | 3,013 | (497) | 960 | (56) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 13.1 | (0.8) | 59.0 | (3.7) | 49.9 | (2.2) | 17.0 | (1.3) | 3.5 | (0.7) |
| Licensed practical nurse or licensed vocational nurse | 11.1 | (1.1) | 23.7 | (2.8) | 10.0 | (2.2) | 24.5 | (1.3) | 4.1 | (0.8) |
| Aide | 75.8 | (1.7) | 17.3 | (1.9) | 40.0 | (2.6) | 58.5 | (1.7) | 92.4 | (1.1) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | * | * | 100.0 | (0.0) | 100.0 | (0.0) | † | † | 17.9 | (2.7) |
| Licensed practical nurse or licensed vocational nurse | 53.8 | (5.4) | 82.6 | (3.4) | 63.6 | (10.3) | † | † | 16.8 | (2.0) |
| Aide | * | * | † | † | 100.0 | (0.0) | 88.2 | (4.5) | 89.5 | (2.3) |
| Social worker | 53.1 | (5.5) | 71.9 | (4.1) | 100.0 | (0.0) | 88.2 | (4.5) | * | * |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.2 | (0.0) | --- | --- | --- | --- | 0.9 | (0.2) | 0.1 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.1 | (0.0) | --- | --- | --- | --- | 1.0 | (0.2) | 0.0 | (0.0) |
| Aide | 0.9 | (0.1) | --- | --- | --- | --- | 3.8 | (1.9) | 2.0 | (0.1) |
| Social worker | 0.1 | (0.0) | --- | --- | --- | --- | 0.1 | (0.1) | 0.0 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | * | * | 95.0 | (2.0) | 100.0 | (0.0) | 100.0 | (0.0) | 76.4 | (3.2) |
| Mental health or counseling (percentage) | 58.5 | (5.4) | --- | --- | † | † | 68.6 | (6.5) | 65.5 | (3.6) |
| Therapy (physical, occupational, or speech) (percentage) | * | * | † | † | † | † | † | † | 83.4 | (2.8) |
| Skilled nursing or nursing (percentage) | † | † | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 68.8 | (3.6) |
| Pharmacy or pharmacist (percentage) | 33.8 | (5.2) | 10.7 | (2.8) | --- | --- | † | † | 86.6 | (2.6) |
| Hospice (percentage) | 46.9 | (5.5) | * | * | --- | --- | 58.8 | (6.9) | 90.7 | (2.2) |

Table 29. Providers and Users of Long-Term Care Services in Nevada, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | Home health agency | Hospice | Nursing home | Residential care community |
|---|------------------------------------|--------------------|----------------|--------------|----------------------------|
| | Number or percent (standard error) | | | | |
| Service users | | | | | |
| Number of users ² | 1,100 (100) | 34,700 (6,600) | 10,700 (3,400) | 4,600 (800) | 3,300 (100) |
| Age in years (percent): | | | | | |
| Under 65 | 26.8 (3.1) | 16.3 (0.8) | 5.4 (0.4) | 20.3 (2.1) | 4.3 (0.5) |
| 65 and over | 73.2 (3.1) | 83.7 (0.8) | 94.6 (0.4) | 79.7 (2.1) | 95.7 (0.5) |
| 65–74 | 21.8 (1.9) | 31.5 (0.8) | 19.8 (1.6) | 19.1 (1.1) | 8.9 (1.0) |
| 75–84 | 32.8 (2.2) | 32.0 (0.6) | 34.4 (0.7) | 29.0 (1.1) | 37.0 (2.5) |
| 85 and over | 18.6 (1.8) | 20.1 (1.2) | 40.5 (2.2) | 31.7 (2.3) | 49.8 (2.7) |
| Sex (percent): | | | | | |
| Men | 37.3 (1.5) | 40.0 (0.4) | 41.8 (1.2) | 37.8 (1.8) | 25.9 (1.4) |
| Women | 62.7 (1.5) | 60.0 (0.4) | 58.2 (1.2) | 62.2 (1.8) | 74.1 (1.4) |
| Race and ethnicity (percent): | | | | | |
| Hispanic | 21.8 (3.5) | 10.7 (0.9) | 5.6 (0.3) | 6.0 (0.6) | 2.9 (0.3) |
| Non-Hispanic white | 50.0 (2.7) | 71.4 (2.2) | 84.9 (1.3) | 79.0 (2.1) | 83.1 (3.7) |
| Non-Hispanic black | 18.3 (1.7) | 11.0 (1.0) | 5.9 (0.8) | 10.6 (1.5) | 2.8 (0.6) |
| Non-Hispanic other | 9.9 (0.9) | 6.9 (0.6) | 3.6 (0.3) | 4.5 (0.5) | 11.3 (3.8) |
| Conditions (percentage): | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 47.2 (3.1) | 27.6 (0.9) | 32.3 (3.1) | 39.1 (2.6) | 30.3 (2.7) |
| Diagnosed with depression | 19.2 (3.3) | 33.2 (0.7) | 15.4 (1.2) | 37.2 (2.6) | 13.1 (1.9) |
| Need assistance in physical functioning (percentage): | | | | | |
| Eating | 39.9 (4.0) | 51.0 (3.2) | --- | 53.8 (3.7) | 14.3 (1.1) |
| Bathing | 44.7 (4.8) | 93.0 (2.4) | --- | 95.5 (1.0) | 53.4 (3.2) |
| Dressing | 56.0 (2.7) | 82.4 (3.6) | --- | 91.5 (1.4) | 44.5 (3.2) |
| Toileting | 52.0 (2.0) | 64.5 (4.8) | --- | 88.4 (1.5) | 35.6 (2.3) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

⁴Reported only when the percentage of missing cases is greater than 10%. If percent missing is 10% or less, the cases are dropped from the analysis.

⁵FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsitcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 30. Providers and Users of Long-Term Care Services in New Hampshire, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|--------------------|-------|---------|--------|--------------|---------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 20 | (0.0) | 30 | (6) | 20 | (5) | 80 | (9) | 100 | (1) |
| Number of beds or licensed maximum capacity ² | 900 | (100) | ... | ... | ... | ... | 7,700 | (1,000) | 4,200 | (200) |
| Average capacity | 38 | (2.8) | --- | --- | --- | --- | 100 | (6.3) | 39 | (1.6) |
| Average number of people served | 19 | (2.3) | --- | --- | --- | --- | 90 | (6.1) | 29 | (0.9) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | 66.4 | (6.3) | 50.0 | (8.8) | 47.8 | (10.4) | 53.4 | (5.8) | 53.4 | (3.3) |
| Micropolitan or neither | 33.6 | (6.3) | 50.0 | (8.8) | 52.2 | (10.4) | 46.6 | (5.8) | 46.6 | (3.3) |
| Ownership (percent): | | | | | | | | | | |
| For-profit | * | * | 28.1 | (7.9) | 30.4 | (9.6) | 53.2 | (5.7) | 62.8 | (3.2) |
| Not-for-profit, government, or other | * | * | 71.9 | (7.9) | 69.6 | (9.6) | 46.8 | (5.7) | 37.2 | (3.2) |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | * | * | 21.9 | (7.3) | 47.8 | (10.4) | * | * | * | * |
| Category 2 | * | * | 21.9 | (7.3) | 26.1 | (9.2) | * | * | * | * |
| Category 3 | - | - | 56.3 | (8.8) | 26.1 | (9.2) | * | * | * | * |
| Staffing ⁴ | | | | | | | | | | |
| Number of nursing employee FTEs | 97 | (7) | 709 | (152) | 242 | (65) | 4,891 | (630) | 1,525 | (76) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 27.8 | (2.3) | 58.5 | (3.7) | 60.1 | (2.9) | 16.4 | (0.8) | 11.5 | (0.6) |
| Licensed practical nurse or licensed vocational nurse | 9.1 | (1.2) | 12.1 | (2.8) | 6.7 | (1.5) | 17.0 | (0.8) | 11.7 | (0.7) |
| Aide | 63.1 | (2.2) | 29.5 | (4.3) | 33.2 | (2.5) | 66.6 | (1.0) | 76.8 | (1.0) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | † | † | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 73.5 | (2.5) |
| Licensed practical nurse or licensed vocational nurse | 51.1 | (6.8) | 68.8 | (8.2) | 47.8 | (10.4) | † | † | 54.6 | (2.9) |
| Aide | † | † | † | † | † | † | † | † | 91.7 | (1.8) |
| Social worker | 28.9 | (6.1) | 75.0 | (7.7) | 100.0 | (0.0) | 81.8 | (4.4) | 16.6 | (2.4) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.7 | (0.1) | --- | --- | --- | --- | 0.6 | (0.0) | 0.3 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.3 | (0.1) | --- | --- | --- | --- | 0.6 | (0.0) | 0.3 | (0.0) |
| Aide | 1.4 | (0.3) | --- | --- | --- | --- | 2.5 | (0.1) | 2.5 | (0.2) |
| Social worker | 0.3 | (0.1) | --- | --- | --- | --- | 0.1 | (0.0) | 0.0 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | 70.3 | (6.2) | * | * | 100.0 | (0.0) | 85.7 | (4.0) | 73.0 | (2.9) |
| Mental health or counseling (percentage) | 65.3 | (6.4) | --- | --- | † | † | 92.2 | (3.1) | 79.0 | (2.6) |
| Therapy (physical, occupational, or speech) (percentage) | * | * | † | † | 100.0 | (0.0) | 100.0 | (0.0) | † | † |
| Skilled nursing or nursing (percentage) | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 75.1 | (3.0) |
| Pharmacy or pharmacist (percentage) | * | * | * | * | --- | --- | † | † | † | † |
| Hospice (percentage) | 51.6 | (6.8) | 18.8 | (6.9) | ... | ... | 79.2 | (4.6) | 90.2 | (1.8) |

Table 30. Providers and Users of Long-Term Care Services in New Hampshire, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | Home health agency | Hospice | Nursing home | | Residential care community |
|---|------------------------------------|--------------------|---------------|--------------|------------|----------------------------|
| | Number or percent (standard error) | | | | | |
| Service users | | | | | | |
| Number of users ² | 900 (100) | 21,800 (5,900) | 4,600 (1,300) | 6,900 | (900) | 3,100 (100) |
| Age in years (percent): | | | | | | |
| Under 65 | 22.4 (1.8) | 16.0 (1.0) | 5.5 (0.4) | 8.0 | (1.1) | 5.0 (0.7) |
| 65 and over | 77.6 (1.8) | 84.0 (1.0) | 94.5 (0.4) | 92.0 | (1.1) | 95.0 (0.7) |
| 65–74 | 18.5 (0.9) | 24.5 (0.8) | 15.7 (0.8) | 12.7 | (0.8) | 13.5 (1.4) |
| 75–84 | 26.3 (1.1) | 32.7 (0.7) | 31.4 (0.9) | 28.7 | (0.7) | 31.2 (1.9) |
| 85 and over | 32.9 (1.9) | 26.8 (1.0) | 47.4 (1.2) | 50.7 | (1.6) | 50.4 (2.7) |
| Sex (percent): | | | | | | |
| Men | 34.0 (0.9) | 37.8 (0.7) | 38.5 (1.0) | 26.7 | (1.1) | 25.1 (0.9) |
| Women | 66.0 (0.9) | 62.2 (0.7) | 61.5 (1.0) | 73.3 | (1.1) | 74.9 (0.9) |
| Race and ethnicity (percent): | | | | | | |
| Hispanic | 1.5 (0.3) | 0.7 (0.1) | 0.6 (0.1) | 0.3 | (0.1) | 0.2 (0.1) |
| Non-Hispanic white | 96.9 (0.5) | 97.7 (0.3) | 98.0 (0.2) | 99.0 | (0.1) | 89.3 (3.7) |
| Non-Hispanic black | 0.6 (0.1) | 0.6 (0.1) | 0.5 (0.2) | 0.3 | (0.1) | 0.2 (0.1) |
| Non-Hispanic other | 1.0 (0.2) | 1.0 (0.1) | 0.9 (0.1) | 0.4 | (0.1) | 10.2 (3.8) |
| Conditions (percentage): | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 54.8 (2.0) | 25.2 (1.3) | 50.8 (2.7) | 56.5 | (1.9) | 47.1 (2.4) |
| Diagnosed with depression | 22.9 (1.9) | 37.1 (0.8) | 32.4 (1.8) | 54.8 | (1.9) | 36.6 (2.5) |
| Need assistance in physical functioning (percentage): | | | | | | |
| Eating | 25.8 (3.4) | 37.1 (3.2) | --- | --- | 47.8 (3.5) | 15.7 (1.2) |
| Bathing | 40.2 (3.9) | 95.8 (0.7) | --- | --- | 95.8 (0.5) | 56.6 (1.8) |
| Dressing | 33.4 (3.3) | 79.3 (3.3) | --- | --- | 90.5 (0.7) | 37.8 (1.6) |
| Toileting | 37.6 (2.6) | 55.0 (4.7) | --- | --- | 83.7 (1.1) | 32.3 (2.1) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

⁴FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 31. Providers and Users of Long-Term Care Services in New Jersey, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|--------------------|-------|---------|-------|--------------|---------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 200 | (1) | 50 | (7) | 60 | (8) | 400 | (19) | 200 | (2) |
| Number of beds or licensed maximum capacity ² | 17,500 | (700) | ... | ... | ... | ... | 51,900 | (3,100) | 18,000 | (400) |
| Average capacity | 117 | (4.9) | --- | --- | --- | --- | 143 | (4.1) | 87 | (1.8) |
| Average number of people served | 92 | (4.7) | --- | --- | --- | --- | 125 | (3.9) | 72 | (1.5) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) |
| Micropolitan or neither | - | - | - | - | - | - | - | - | - | - |
| Ownership (percent): | | | | | | | | | | |
| For-profit | 68.4 | (2.3) | 24.0 | (6.0) | 39.0 | (6.4) | 69.8 | (2.4) | 58.6 | (2.9) |
| Not-for-profit, government, or other | 31.6 | (2.3) | 76.0 | (6.0) | 61.0 | (6.4) | 30.2 | (2.4) | 41.4 | (2.9) |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | 14.1 | (1.8) | * | * | 10.9 | (4.2) | 3.0 | (0.9) | 9.1 | (1.1) |
| Category 2 | 54.2 | (2.5) | * | * | 30.9 | (6.2) | 32.7 | (2.5) | 76.5 | (2.1) |
| Category 3 | 31.7 | (2.3) | * | * | 58.2 | (6.7) | 64.3 | (2.5) | 14.4 | (1.9) |
| Staffing ⁴ | | | | | | | | | | |
| Number of nursing employee FTEs | 886 | (31) | 1,784 | (293) | 1,497 | (285) | 29,041 | (1,672) | 4,825 | (187) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 36.3 | (1.1) | 67.5 | (2.5) | 54.0 | (3.2) | 16.1 | (0.4) | 9.8 | (0.6) |
| Licensed practical nurse or licensed vocational nurse | 8.3 | (0.6) | 7.6 | (1.4) | 7.3 | (1.1) | 22.3 | (0.4) | 16.7 | (0.7) |
| Aide | 55.4 | (1.3) | 24.9 | (2.4) | 38.7 | (3.6) | 61.6 | (0.4) | 73.5 | (0.8) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 93.6 | (1.2) | 100.0 | (0.0) | 100.0 | (0.0) | † | † | 95.6 | (1.3) |
| Licensed practical nurse or licensed vocational nurse | 39.0 | (2.4) | 66.0 | (6.7) | 42.4 | (6.4) | 97.0 | (0.9) | 88.1 | (2.0) |
| Aide | 83.0 | (1.9) | 88.0 | (4.6) | 88.1 | (4.2) | 97.0 | (0.9) | 90.5 | (1.8) |
| Social worker | 92.1 | (1.3) | 90.0 | (4.2) | † | † | 96.7 | (0.9) | 38.6 | (2.7) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.2 | (0.0) | --- | --- | --- | --- | 0.6 | (0.0) | 0.2 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.0 | (0.0) | --- | --- | --- | --- | 0.7 | (0.0) | 0.3 | (0.0) |
| Aide | 0.4 | (0.0) | --- | --- | --- | --- | 2.1 | (0.0) | 1.3 | (0.1) |
| Social worker | 0.1 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | 0.1 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | 95.2 | (1.0) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 87.9 | (2.0) |
| Mental health or counseling (percentage) | 64.4 | (2.4) | --- | --- | † | † | 96.7 | (0.9) | † | † |
| Therapy (physical, occupational, or speech) (percentage) | 89.0 | (1.5) | 100.0 | (0.0) | † | † | 100.0 | (0.0) | † | † |
| Skilled nursing or nursing (percentage) | 94.3 | (1.1) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 80.2 | (2.5) |
| Pharmacy or pharmacist (percentage) | 80.7 | (1.9) | * | * | --- | --- | 98.6 | (0.6) | † | † |
| Hospice (percentage) | 36.9 | (2.4) | 18.0 | (5.4) | ... | ... | 83.8 | (1.9) | † | † |

Table 31. Providers and Users of Long-Term Care Services in New Jersey, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | Home health agency | Hospice | Nursing home | Residential care community |
|---|------------------------------------|--------------------|----------------|----------------|----------------------------|
| | Number or percent (standard error) | | | | |
| Service users | | | | | |
| Number of users ² | 18,800 (600) | 118,600 (23,900) | 33,100 (6,200) | 45,400 (2,700) | 14,800 (300) |
| Age in years (percent): | | | | | |
| Under 65 | 23.6 (1.2) | 12.5 (1.0) | 3.8 (0.2) | 15.1 (1.0) | 2.1 (0.2) |
| 65 and over | 76.4 (1.2) | 87.5 (1.0) | 96.2 (0.2) | 84.9 (1.0) | 97.9 (0.2) |
| 65–74 | 27.7 (0.8) | 22.3 (0.4) | 13.1 (0.5) | 14.2 (0.4) | 6.7 (0.4) |
| 75–84 | 35.1 (1.2) | 34.9 (0.5) | 30.1 (0.6) | 26.8 (0.4) | 33.0 (1.2) |
| 85 and over | 13.6 (0.6) | 30.3 (0.8) | 53.0 (1.1) | 43.9 (1.2) | 58.1 (1.3) |
| Sex (percent): | | | | | |
| Men | 38.4 (0.6) | 37.4 (0.3) | 37.3 (0.7) | 33.3 (0.9) | 22.9 (0.7) |
| Women | 61.6 (0.6) | 62.6 (0.3) | 62.7 (0.7) | 66.7 (0.9) | 77.1 (0.7) |
| Race and ethnicity (percent): | | | | | |
| Hispanic | 23.6 (1.8) | 6.0 (1.0) | 3.8 (0.5) | 7.2 (0.8) | 1.7 (0.3) |
| Non-Hispanic white | 33.2 (2.1) | 79.9 (2.1) | 87.3 (1.0) | 73.1 (1.6) | 85.9 (2.0) |
| Non-Hispanic black | 17.8 (1.4) | 11.4 (1.5) | 7.3 (0.8) | 17.1 (1.2) | 2.8 (0.4) |
| Non-Hispanic other | 25.5 (2.0) | 2.6 (0.2) | 1.6 (0.1) | 2.6 (0.5) | 9.5 (2.0) |
| Conditions (percentage): | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 33.7 (1.7) | 32.2 (0.7) | 54.8 (2.0) | 46.0 (0.9) | 41.1 (1.3) |
| Diagnosed with depression | 27.4 (1.3) | 30.3 (0.5) | 25.1 (0.6) | 35.7 (1.0) | 26.4 (1.3) |
| Need assistance in physical functioning (percentage): | | | | | |
| Eating | 26.3 (1.4) | 52.6 (2.9) | --- | 53.5 (1.2) | 15.9 (0.8) |
| Bathing | 42.1 (2.2) | 96.2 (0.6) | --- | 95.4 (0.4) | 64.5 (1.5) |
| Dressing | 42.1 (2.0) | 87.0 (1.8) | --- | 91.0 (0.5) | 50.4 (1.6) |
| Toileting | 45.1 (1.7) | 70.8 (3.1) | --- | 85.4 (0.7) | 36.6 (1.6) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

⁴FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 32. Providers and Users of Long-Term Care Services in New Mexico, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|--------|--------------------|-------|---------|-------|--------------|-------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 20 | (0.0) | 80 | (9) | 40 | (6) | 70 | (9) | 200 | (2) |
| Number of beds or licensed maximum capacity ² | 800 | (100) | ... | ... | ... | ... | 6,900 | (900) | 4,500 | (200) |
| Average capacity | 32 | (3.7) | --- | --- | --- | --- | 96 | (5.9) | 30 | (1.4) |
| Average number of people served | 15 | (3.8) | --- | --- | --- | --- | 79 | (5.1) | 25 | (1.9) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | * | * | 50.6 | (5.7) | 50.0 | (7.9) | 44.4 | (5.9) | 74.1 | (2.8) |
| Micropolitan or neither | * | * | 49.4 | (5.7) | 50.0 | (7.9) | 55.6 | (5.9) | 25.9 | (2.8) |
| Ownership (percent): | | | | | | | | | | |
| For-profit | * | * | 71.4 | (5.1) | 62.5 | (7.7) | 70.8 | (5.4) | 82.3 | (2.5) |
| Not-for-profit, government, or other | * | * | 28.6 | (5.1) | 37.5 | (7.7) | 29.2 | (5.4) | 17.7 | (2.5) |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | * | * | 29.3 | (5.3) | 53.8 | (8.0) | * | * | * | * |
| Category 2 | * | * | 40.0 | (5.7) | 30.8 | (7.4) | * | * | * | * |
| Category 3 | - | - | 30.7 | (5.3) | 15.4 | (5.8) | * | * | * | * |
| Staffing⁴ | | | | | | | | | | |
| Number of nursing employee FTEs | 33 | (12) | 757 | (121) | 465 | (128) | 3,427 | (464) | 1,810 | (124) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 29.2 | (9.9) | 60.5 | (2.8) | 62.0 | (1.9) | 13.2 | (0.8) | 9.1 | (1.6) |
| Licensed practical nurse or licensed vocational nurse | 7.3 | (5.2) | 14.1 | (1.8) | 6.0 | (1.7) | 16.7 | (0.9) | 5.6 | (0.8) |
| Aide | 63.5 | (5.6) | 25.4 | (1.7) | 32.0 | (2.9) | 70.1 | (1.3) | 85.3 | (1.6) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 42.3 | (3.4) |
| Licensed practical nurse or licensed vocational nurse | * | * | 61.0 | (5.6) | 42.5 | (7.8) | † | † | 29.5 | (2.5) |
| Aide | * | * | 100.0 | (0.0) | † | † | † | † | 93.0 | (1.9) |
| Social worker | * | * | 75.3 | (4.9) | † | † | 75.0 | (5.1) | 8.7 | (1.8) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.1 | (0.1) | --- | --- | --- | --- | 0.5 | (0.1) | 0.2 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.4 | (0.3) | --- | --- | --- | --- | 0.6 | (0.1) | 0.1 | (0.0) |
| Aide | 1.3 | (0.7) | --- | --- | --- | --- | 2.2 | (0.1) | 2.8 | (0.1) |
| Social worker | 0.3 | (0.1) | --- | --- | --- | --- | 0.1 | (0.0) | 0.0 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | * | * | 80.5 | (4.5) | 100.0 | (0.0) | 86.1 | (4.1) | 79.6 | (2.8) |
| Mental health or counseling (percentage) | * | * | --- | --- | † | † | 87.5 | (3.9) | 77.0 | (3.1) |
| Therapy (physical, occupational, or speech) (percentage) | 50.0 | (12.7) | † | † | † | † | † | † | 94.3 | (1.6) |
| Skilled nursing or nursing (percentage) | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 78.7 | (2.9) |
| Pharmacy or pharmacist (percentage) | * | * | 9.1 | (3.3) | --- | --- | † | † | 90.7 | (2.1) |
| Hospice (percentage) | * | * | 13.0 | (3.8) | ... | ... | 69.4 | (5.4) | † | † |

Table 32. Providers and Users of Long-Term Care Services in New Mexico, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|------------------------------------|--------|--------------------|---------|---------|---------|--------------|-------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Service users | | | | | | | | | | |
| Number of users ² | 500 | (100) | 20,700 | (3,800) | 8,400 | (2,400) | 5,700 | (800) | 3,800 | (300) |
| Age in years (percent): | | | | | | | | | | |
| Under 65 | 34.2 | (15.6) | 15.6 | (0.8) | 5.2 | (0.2) | 15.3 | (1.1) | 3.0 | (0.5) |
| 65 and over | 65.8 | (15.6) | 84.4 | (0.8) | 94.8 | (0.2) | 84.7 | (1.1) | 97.0 | (0.5) |
| 65–74 | 11.6 | (3.3) | 25.0 | (0.5) | 16.2 | (0.8) | 15.3 | (0.7) | 10.7 | (1.3) |
| 75–84 | 23.7 | (6.4) | 34.1 | (0.5) | 31.7 | (0.8) | 30.3 | (0.8) | 38.0 | (1.3) |
| 85 and over | 30.5 | (10.9) | 25.3 | (0.8) | 47.0 | (1.6) | 39.2 | (1.6) | 48.3 | (1.8) |
| Sex (percent): | | | | | | | | | | |
| Men | 35.3 | (4.9) | 37.4 | (0.5) | 40.7 | (0.7) | 36.4 | (1.5) | 30.7 | (1.4) |
| Women | 64.7 | (4.9) | 62.6 | (0.5) | 59.3 | (0.7) | 63.6 | (1.5) | 69.3 | (1.4) |
| Race and ethnicity (percent): | | | | | | | | | | |
| Hispanic | 46.8 | (5.1) | 29.7 | (1.9) | 27.0 | (1.2) | 31.8 | (2.3) | 13.5 | (1.8) |
| Non-Hispanic white | 46.8 | (5.2) | 63.2 | (1.8) | 68.5 | (1.4) | 56.3 | (2.5) | 80.1 | (2.1) |
| Non-Hispanic black | 1.6 | (0.8) | 1.7 | (0.2) | 1.5 | (0.2) | 2.0 | (0.3) | 1.2 | (0.2) |
| Non-Hispanic other | 4.7 | (1.3) | 5.5 | (1.5) | 3.1 | (0.5) | 9.9 | (2.5) | 5.2 | (1.3) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 41.6 | (10.6) | 30.3 | (0.8) | 37.6 | (2.8) | 46.9 | (2.3) | 38.4 | (3.9) |
| Diagnosed with depression | 14.8 | (4.5) | 36.3 | (0.9) | 19.7 | (1.3) | 52.8 | (2.4) | 21.4 | (2.6) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 27.2 | (6.0) | 57.7 | (4.4) | --- | --- | 62.3 | (3.2) | 23.5 | (2.7) |
| Bathing | 49.2 | (9.7) | 93.4 | (1.1) | --- | --- | 98.3 | (0.4) | 62.8 | (4.4) |
| Dressing | 33.3 | (5.9) | 81.8 | (2.4) | --- | --- | 92.6 | (1.0) | 44.6 | (3.0) |
| Toileting | 29.4 | (4.9) | 64.9 | (3.9) | --- | --- | 89.5 | (1.2) | 43.1 | (3.6) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

⁴FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 33. Providers and Users of Long-Term Care Services in New York, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|--------------------|-------|---------|-------|--------------|---------|----------------------------|---------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 300 | (1) | 200 | (13) | 50 | (7) | 600 | (25) | 400 | (4) |
| Number of beds or licensed maximum capacity ² | 12,600 | (300) | ... | ... | ... | ... | 117,300 | (5,600) | 29,600 | (1,000) |
| Average capacity | 45 | (1.2) | --- | --- | --- | --- | 186 | (5.1) | 76 | (2.4) |
| Average number of people served | 42 | (2.3) | --- | --- | --- | --- | 170 | (4.7) | 66 | (2.1) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | 88.1 | (1.1) | 87.3 | (2.5) | 75.5 | (6.1) | 86.4 | (1.4) | * | * |
| Micropolitan or neither | 12.0 | (1.1) | 12.7 | (2.5) | 24.5 | (6.1) | 13.6 | (1.4) | * | * |
| Ownership (percent): | | | | | | | | | | |
| For-profit | 18.4 | (1.3) | 21.5 | (3.1) | * | * | 53.0 | (2.0) | 53.6 | (3.9) |
| Not-for-profit, government, or other | 81.6 | (1.3) | 78.5 | (3.1) | * | * | 47.0 | (2.0) | 46.4 | (3.9) |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | 46.2 | (1.7) | 21.7 | (3.1) | * | * | 2.1 | (0.6) | * | * |
| Category 2 | 49.0 | (1.7) | 21.1 | (3.1) | * | * | 26.1 | (1.7) | 66.8 | (2.6) |
| Category 3 | 4.7 | (0.7) | 57.1 | (3.7) | * | * | 71.8 | (1.8) | * | * |
| Staffing ⁴ | | | | | | | | | | |
| Number of nursing employee FTEs | 1,321 | (36) | 3,846 | (381) | 1,708 | (328) | 59,184 | (2,552) | 7,013 | (405) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 27.7 | (0.6) | 72.3 | (2.1) | 57.1 | (3.7) | 11.8 | (0.2) | 4.6 | (0.5) |
| Licensed practical nurse or licensed vocational nurse | 7.2 | (0.4) | 10.1 | (1.2) | 12.8 | (2.0) | 23.7 | (0.3) | 12.5 | (1.0) |
| Aide | 65.1 | (0.6) | 17.5 | (1.9) | 30.1 | (3.6) | 64.5 | (0.4) | 82.9 | (1.2) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 70.3 | (1.5) | † | † | 100.0 | (0.0) | 96.7 | (0.7) | 55.5 | (3.8) |
| Licensed practical nurse or licensed vocational nurse | 33.2 | (1.6) | 46.4 | (3.7) | 71.4 | (6.5) | 98.7 | (0.4) | 61.6 | (3.9) |
| Aide | 86.1 | (1.2) | 42.5 | (3.7) | 67.3 | (6.7) | 98.9 | (0.4) | 91.8 | (2.2) |
| Social worker | 79.6 | (1.4) | 75.7 | (3.2) | 100.0 | (0.0) | 92.7 | (1.0) | 31.8 | (3.8) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.3 | (0.0) | --- | --- | --- | --- | 0.4 | (0.0) | 0.1 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.1 | (0.0) | --- | --- | --- | --- | 0.7 | (0.0) | 0.2 | (0.0) |
| Aide | 1.0 | (0.1) | --- | --- | --- | --- | 2.0 | (0.0) | 1.4 | (0.1) |
| Social worker | 0.2 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | 0.0 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | 89.2 | (1.0) | 96.7 | (1.3) | 100.0 | (0.0) | 98.9 | (0.4) | 64.8 | (3.8) |
| Mental health or counseling (percentage) | 71.1 | (1.5) | --- | --- | † | † | 92.2 | (1.1) | 85.2 | (2.8) |
| Therapy (physical, occupational, or speech) (percentage) | 75.1 | (1.5) | 100.0 | (0.0) | 100.0 | (0.0) | † | † | 93.6 | (1.9) |
| Skilled nursing or nursing (percentage) | 70.5 | (1.5) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 78.3 | (3.3) |
| Pharmacy or pharmacist (percentage) | 51.2 | (1.7) | 11.0 | (2.3) | --- | --- | 89.9 | (1.2) | 93.6 | (2.0) |
| Hospice (percentage) | 28.3 | (1.5) | * | * | ... | ... | 56.6 | (2.0) | 80.4 | (3.1) |

Table 33. Providers and Users of Long-Term Care Services in New York, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | Home health agency | Hospice | Nursing home | Residential care community |
|---|------------------------------------|--------------------|----------------|-----------------|----------------------------|
| | Number or percent (standard error) | | | | |
| Service users | | | | | |
| Number of users ² | 20,100 (900) | 307,300 (76,800) | 42,300 (9,200) | 107,500 (5,100) | 25,600 (900) |
| Age in years (percent): | | | | | |
| Under 65 | 23.4 (1.0) | 18.3 (0.8) | 4.8 (0.2) | 14.1 (0.7) | 6.9 (1.4) |
| 65 and over | 76.6 (1.0) | 81.7 (0.8) | 95.2 (0.2) | 85.9 (0.7) | 93.1 (1.4) |
| 65–74 | 21.5 (0.7) | 21.8 (0.3) | 16.3 (0.4) | 14.4 (0.3) | 13.5 (1.5) |
| 75–84 | 33.2 (0.7) | 32.2 (0.5) | 31.5 (0.4) | 27.4 (0.3) | 34.2 (1.9) |
| 85 and over | 22.0 (0.7) | 27.7 (0.6) | 47.4 (0.7) | 44.0 (0.8) | 45.4 (2.6) |
| Sex (percent): | | | | | |
| Men | 34.9 (0.5) | 36.9 (0.3) | 40.0 (0.4) | 33.6 (0.6) | 30.5 (1.3) |
| Women | 65.1 (0.5) | 63.1 (0.3) | 60.0 (0.4) | 66.4 (0.6) | 69.5 (1.3) |
| Race and ethnicity (percent): | | | | | |
| Hispanic | 13.1 (0.8) | 9.1 (1.7) | 5.5 (1.4) | 8.5 (0.6) | 1.5 (0.3) |
| Non-Hispanic white | 57.9 (1.6) | 73.4 (3.7) | 83.3 (3.4) | 70.6 (1.6) | 92.7 (1.4) |
| Non-Hispanic black | 18.8 (1.0) | 12.0 (1.3) | 8.6 (1.5) | 18.2 (1.1) | 4.0 (1.1) |
| Non-Hispanic other | 10.1 (1.1) | 5.5 (0.9) | 2.6 (0.6) | 2.7 (0.4) | *1.8 (0.6) |
| Conditions (percentage): | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 30.1 (1.4) | 31.9 (0.9) | 38.0 (1.5) | 50.6 (0.7) | 34.6 (2.4) |
| Diagnosed with depression | 24.5 (1.2) | 30.2 (0.7) | 18.6 (0.6) | 42.8 (0.9) | 19.1 (1.7) |
| Need assistance in physical functioning (percentage): | | | | | |
| Eating | 23.7 (1.2) | 54.6 (2.6) | --- | 63.7 (1.0) | 10.5 (1.2) |
| Bathing | 33.6 (1.8) | 93.7 (0.6) | --- | 96.0 (0.4) | 66.6 (2.9) |
| Dressing | 32.8 (1.2) | 83.8 (1.5) | --- | 92.2 (0.5) | 38.5 (2.8) |
| Toileting | 30.4 (0.9) | 62.1 (1.7) | --- | 88.5 (0.6) | 23.7 (2.5) |

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

⁴FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 34. Providers and Users of Long-Term Care Services in North Carolina, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|--------------------|-------|---------|-------|--------------|---------|----------------------------|---------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 100 | (0.0) | 200 | (13) | 80 | (9) | 400 | (20) | 700 | (8) |
| Number of beds or licensed maximum capacity ² | 4,300 | (100) | ... | ... | ... | ... | 43,400 | (2,300) | 29,100 | (1,100) |
| Average capacity | 42 | (1.4) | --- | --- | --- | --- | 104 | (2.2) | 43 | (1.4) |
| Average number of people served | 24 | (0.7) | --- | --- | --- | --- | 89 | (1.9) | 35 | (1.4) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | 78.4 | (1.8) | 65.5 | (3.6) | 56.0 | (5.4) | 68.5 | (2.3) | * | * |
| Micropolitan or neither | 21.6 | (1.8) | 34.5 | (3.6) | 44.0 | (5.4) | 31.5 | (2.3) | * | * |
| Ownership (percent): | | | | | | | | | | |
| For-profit | 13.9 | (1.5) | 46.3 | (3.7) | 32.1 | (5.1) | 76.6 | (2.1) | * | * |
| Not-for-profit, government, or other | 86.1 | (1.5) | 53.7 | (3.7) | 67.9 | (5.1) | 23.4 | (2.1) | * | * |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | 64.6 | (2.1) | 8.2 | (2.1) | 20.0 | (4.5) | 5.7 | (1.1) | 54.5 | (1.8) |
| Category 2 | 35.4 | (2.1) | 19.9 | (3.1) | 33.8 | (5.3) | 57.5 | (2.4) | * | * |
| Category 3 | - | - | 71.9 | (3.4) | 46.3 | (5.6) | 36.8 | (2.4) | * | * |
| Staffing⁴ | | | | | | | | | | |
| Number of nursing employee FTEs | 467 | (18) | 2,423 | (239) | 1,835 | (304) | 27,020 | (1,409) | 10,162 | (844) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 16.6 | (0.8) | 74.8 | (1.2) | 59.7 | (2.1) | 10.9 | (0.3) | 2.5 | (0.4) |
| Licensed practical nurse or licensed vocational nurse Aide | 9.3 | (0.6) | 5.9 | (0.6) | 5.4 | (1.1) | 23.4 | (0.3) | 2.2 | (0.5) |
| Aide | 74.1 | (1.0) | 19.3 | (1.2) | 34.9 | (1.9) | 65.6 | (0.3) | 95.3 | (0.9) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 59.7 | (2.2) | † | † | 100.0 | (0.0) | † | † | * | * |
| Licensed practical nurse or licensed vocational nurse Aide | 39.9 | (2.2) | 46.3 | (3.7) | 58.3 | (5.4) | † | † | * | * |
| Aide | 80.8 | (1.8) | 95.5 | (1.6) | † | † | † | † | 87.6 | (3.6) |
| Social worker | 32.8 | (2.1) | 81.9 | (2.9) | 100.0 | (0.0) | 89.3 | (1.5) | * | * |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.3 | (0.0) | --- | --- | --- | --- | 0.7 | (0.1) | 0.1 | (0.0) |
| Licensed practical nurse or licensed vocational nurse Aide | 0.2 | (0.0) | --- | --- | --- | --- | 1.2 | (0.2) | *0.1 | (0.0) |
| Aide | 1.0 | (0.0) | --- | --- | --- | --- | 3.6 | (0.7) | 2.2 | (0.2) |
| Social worker | 0.1 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | *0.0 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | 55.8 | (2.2) | 89.8 | (2.3) | 100.0 | (0.0) | 92.6 | (1.3) | 79.6 | (4.4) |
| Mental health or counseling (percentage) | 31.6 | (2.1) | --- | --- | † | † | 93.1 | (1.2) | 82.1 | (4.3) |
| Therapy (physical, occupational, or speech) (percentage) | 50.7 | (2.2) | 100.0 | (0.0) | † | † | 100.0 | (0.0) | 87.0 | (3.7) |
| Skilled nursing or nursing (percentage) | 71.1 | (2.0) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 75.3 | (4.9) |
| Pharmacy or pharmacist (percentage) | 19.0 | (1.8) | 6.2 | (1.8) | --- | --- | † | † | 98.9 | (1.1) |
| Hospice (percentage) | 18.7 | (1.7) | 23.2 | (3.2) | ... | ... | 79.2 | (2.0) | 80.9 | (3.9) |

Table 34. Providers and Users of Long-Term Care Services in North Carolina, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | Home health agency | Hospice | Nursing home | Residential care community |
|---|------------------------------------|--------------------|----------------|----------------|----------------------------|
| | Number or percent (standard error) | | | | |
| Service users | | | | | |
| Number of users ² | 3,800 (100) | 155,900 (18,200) | 39,700 (6,500) | 37,300 (2,000) | 24,000 (1,000) |
| Age in years (percent): | | | | | |
| Under 65 | 28.7 (1.1) | 22.0 (0.5) | 7.1 (0.2) | 13.8 (0.6) | 17.9 (2.8) |
| 65 and over | 71.3 (1.1) | 78.0 (0.5) | 92.9 (0.2) | 86.2 (0.6) | 82.1 (2.8) |
| 65–74 | 22.6 (0.6) | 26.2 (0.3) | 19.5 (0.3) | 16.2 (0.3) | 16.7 (1.7) |
| 75–84 | 30.2 (0.8) | 30.8 (0.2) | 32.5 (0.3) | 29.8 (0.3) | 29.3 (2.5) |
| 85 and over | 18.5 (0.6) | 21.0 (0.5) | 40.9 (0.7) | 40.2 (0.8) | 36.1 (3.5) |
| Sex (percent): | | | | | |
| Men | 40.9 (0.7) | 35.9 (0.3) | 40.9 (0.5) | 29.7 (0.6) | 28.9 (2.1) |
| Women | 59.1 (0.7) | 64.1 (0.3) | 59.1 (0.5) | 70.3 (0.6) | 71.1 (2.1) |
| Race and ethnicity (percent): | | | | | |
| Hispanic | 1.6 (0.1) | 0.9 (0.1) | 0.7 (0.1) | 0.5 (0.0) | 1.1 (0.2) |
| Non-Hispanic white | 55.7 (1.4) | 77.3 (1.2) | 83.3 (1.3) | 72.7 (1.1) | 74.0 (3.5) |
| Non-Hispanic black | 41.4 (1.4) | 20.3 (1.1) | 14.7 (1.2) | 25.8 (1.1) | 23.2 (3.4) |
| Non-Hispanic other | 1.2 (0.1) | 1.6 (0.2) | 1.2 (0.2) | 1.0 (0.2) | *1.8 (0.5) |
| Conditions (percentage): | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 56.8 (1.4) | 29.6 (0.8) | 44.8 (1.0) | 44.9 (0.8) | 40.3 (3.6) |
| Diagnosed with depression | 16.8 (1.2) | 33.0 (0.6) | 21.4 (0.5) | 47.5 (1.0) | 17.0 (2.2) |
| Need assistance in physical functioning (percentage): | | | | | |
| Eating | 27.2 (1.2) | 44.6 (1.6) | --- | 59.7 (1.2) | 18.8 (1.9) |
| Bathing | 55.9 (1.9) | 94.4 (0.4) | --- | 96.3 (0.2) | 70.7 (3.6) |
| Dressing | 51.2 (1.5) | 78.9 (1.0) | --- | 93.8 (0.3) | 49.2 (3.1) |
| Toileting | 49.0 (1.4) | 56.4 (1.6) | --- | 91.3 (0.4) | 45.3 (3.7) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

⁴FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 35. Providers and Users of Long-Term Care Services in North Dakota, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|--------------------|--------|---------|--------|--------------|-------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 20 | (0.0) | 20 | (5) | 10 | (4) | 80 | (9) | 100 | (1) |
| Number of beds or licensed maximum capacity ² | 500 | (100) | ... | ... | ... | ... | 6,300 | (800) | 4,500 | (200) |
| Average capacity | 24 | (5.2) | --- | --- | --- | --- | 76 | (5.6) | 45 | (1.8) |
| Average number of people served | 20 | (4.9) | --- | --- | --- | --- | 69 | (5.2) | 42 | (1.9) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | * | * | 33.3 | (10.3) | * | * | 28.9 | (5.0) | 39.1 | (2.8) |
| Micropolitan or neither | * | * | 66.7 | (10.3) | * | * | 71.1 | (5.0) | 60.9 | (2.8) |
| Ownership (percent): | | | | | | | | | | |
| For-profit | - | - | * | * | * | * | * | * | 31.8 | (2.4) |
| Not-for-profit, government, or other | 100.0 | (0.0) | * | * | * | * | * | * | 68.2 | (2.4) |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | * | * | 42.9 | (10.8) | * | * | 6.0 | (2.6) | 38.7 | (2.0) |
| Category 2 | * | * | 28.6 | (9.9) | * | * | 74.7 | (4.8) | 54.5 | (2.2) |
| Category 3 | - | - | 28.6 | (9.9) | * | * | 19.3 | (4.3) | 6.8 | (1.5) |
| Staffing ⁴ | | | | | | | | | | |
| Number of nursing employee FTEs | 111 | (23) | 236 | (80) | 123 | (74) | 4,197 | (560) | 1,556 | (99) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 17.8 | (5.7) | 66.0 | (2.2) | 58.8 | (3.0) | 12.5 | (0.9) | 10.3 | (0.5) |
| Licensed practical nurse or licensed vocational nurse | 6.5 | (2.0) | 11.0 | (3.8) | 6.9 | (1.2) | 16.7 | (0.9) | 13.3 | (0.6) |
| Aide | 75.7 | (6.5) | 23.1 | (4.2) | 34.2 | (2.7) | 70.9 | (1.2) | 76.4 | (1.0) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 89.6 | (1.8) |
| Licensed practical nurse or licensed vocational nurse | * | * | 38.1 | (10.6) | 42.9 | (13.2) | 100.0 | (0.0) | 80.7 | (2.3) |
| Aide | * | * | 100.0 | (0.0) | 100.0 | (0.0) | † | † | 91.0 | (1.6) |
| Social worker | * | * | 52.4 | (10.9) | 100.0 | (0.0) | 80.7 | (4.3) | 23.5 | (2.2) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.8 | (0.4) | --- | --- | --- | --- | 0.6 | (0.1) | 0.3 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.5 | (0.3) | --- | --- | --- | --- | 0.6 | (0.0) | 0.3 | (0.0) |
| Aide | 5.8 | (2.0) | --- | --- | --- | --- | 2.7 | (0.1) | 1.6 | (0.1) |
| Social worker | 0.9 | (0.6) | --- | --- | --- | --- | 0.1 | (0.0) | 0.1 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | * | * | 61.9 | (10.6) | 100.0 | (0.0) | 100.0 | (0.0) | 75.0 | (2.5) |
| Mental health or counseling (percentage) | * | * | --- | --- | 100.0 | (0.0) | † | † | 79.0 | (2.4) |
| Therapy (physical, occupational, or speech) (percentage) | 100.0 | (0.0) | † | † | 100.0 | (0.0) | 100.0 | (0.0) | 85.8 | (2.0) |
| Skilled nursing or nursing (percentage) | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 65.2 | (2.8) |
| Pharmacy or pharmacist (percentage) | * | * | * | * | --- | --- | † | † | † | † |
| Hospice (percentage) | * | * | 38.1 | (10.6) | ... | ... | 54.2 | (5.5) | 78.0 | (2.4) |

Table 35. Providers and Users of Long-Term Care Services in North Dakota, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|------------------------------------|--------|--------------------|---------|---------|---------|--------------|-------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Service users | | | | | | | | | | |
| Number of users ² | 400 | (100) | 5,300 | (1,900) | 2,200 | (1,300) | 5,700 | (800) | 4,300 | (200) |
| Age in years (percent): | | | | | | | | | | |
| Under 65 | 15.9 | (4.8) | 12.6 | (1.0) | 4.9 | (0.5) | 7.8 | (0.7) | 5.2 | (0.5) |
| 65 and over | 84.1 | (4.8) | 87.4 | (1.0) | 95.1 | (0.5) | 92.2 | (0.7) | 94.8 | (0.5) |
| 65–74 | 34.9 | (13.5) | 21.1 | (0.7) | 15.3 | (0.7) | 9.2 | (0.6) | 8.4 | (0.7) |
| 75–84 | 13.8 | (3.5) | 37.9 | (0.8) | 31.1 | (1.6) | 26.0 | (0.7) | 30.6 | (1.1) |
| 85 and over | 35.4 | (11.6) | 28.3 | (1.4) | 48.7 | (1.9) | 57.0 | (1.2) | 55.9 | (1.2) |
| Sex (percent): | | | | | | | | | | |
| Men | 28.1 | (4.9) | 35.9 | (0.7) | 42.7 | (1.8) | 30.3 | (0.9) | 28.9 | (0.6) |
| Women | 71.9 | (4.9) | 64.1 | (0.7) | 57.3 | (1.8) | 69.7 | (0.9) | 71.1 | (0.6) |
| Race and ethnicity (percent): | | | | | | | | | | |
| Hispanic | 0.0 | (0.0) | 0.3 | (0.1) | 0.2 | (0.1) | 0.1 | (0.0) | 0.1 | (0.0) |
| Non-Hispanic white | 95.8 | (1.7) | 97.2 | (0.5) | 97.8 | (0.4) | 97.6 | (0.6) | 91.6 | (2.0) |
| Non-Hispanic black | 0.0 | (0.0) | 0.1 | (0.0) | 0.3 | (0.1) | 0.1 | (0.0) | 0.0 | (0.0) |
| Non-Hispanic other | 4.2 | (1.7) | 2.4 | (0.5) | 1.8 | (0.3) | 2.3 | (0.6) | 8.3 | (2.0) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 36.5 | (10.3) | 17.1 | (1.3) | 40.5 | (1.9) | 49.8 | (1.5) | 30.0 | (1.6) |
| Diagnosed with depression | 26.4 | (9.4) | 33.1 | (0.7) | 27.8 | (1.0) | 64.6 | (1.4) | 20.8 | (1.5) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 38.1 | (9.9) | 27.5 | (3.5) | --- | --- | 45.0 | (2.2) | 9.5 | (1.1) |
| Bathing | 57.7 | (17.0) | 95.5 | (1.0) | --- | --- | 98.2 | (0.3) | 52.3 | (2.0) |
| Dressing | 40.7 | (10.6) | 68.7 | (3.1) | --- | --- | 88.8 | (0.9) | 35.9 | (2.1) |
| Toileting | 41.8 | (11.4) | 40.7 | (3.8) | --- | --- | 83.0 | (1.1) | 18.1 | (1.5) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

⁴FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 36. Providers and Users of Long-Term Care Services in Ohio, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|--------------------|-------|---------|-------|--------------|---------|----------------------------|---------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 200 | (1) | 700 | (25) | 100 | (11) | 1,000 | (30) | 500 | (5) |
| Number of beds or licensed maximum capacity ² | 5,500 | (200) | ... | ... | ... | ... | 92,100 | (3,200) | 38,600 | (1,200) |
| Average capacity | 37 | (1.2) | --- | --- | --- | --- | 96 | (1.5) | 71 | (2.0) |
| Average number of people served | 23 | (1.2) | --- | --- | --- | --- | 82 | (1.3) | 50 | (1.3) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | 80.1 | (2.0) | 83.8 | (1.4) | 71.5 | (4.1) | 71.7 | (1.5) | 77.9 | (3.1) |
| Micropolitan or neither | 19.9 | (2.0) | 16.2 | (1.4) | 28.5 | (4.1) | 28.3 | (1.5) | 22.1 | (3.1) |
| Ownership (percent): | | | | | | | | | | |
| For-profit | 23.0 | (2.2) | 78.5 | (1.6) | 39.0 | (4.4) | 78.2 | (1.3) | 68.1 | (3.6) |
| Not-for-profit, government, or other | 77.0 | (2.2) | 21.5 | (1.6) | 61.0 | (4.4) | 21.8 | (1.3) | 31.9 | (3.6) |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | * | * | 45.6 | (1.9) | 12.4 | (3.1) | 5.2 | (0.7) | * | * |
| Category 2 | * | * | 18.9 | (1.5) | 37.2 | (4.5) | 71.2 | (1.5) | 72.7 | (2.7) |
| Category 3 | * | * | 24.6 | (1.7) | 50.4 | (4.7) | 23.6 | (1.4) | * | * |
| Missing ⁴ | ... | ... | 10.9 | (1.2) | ... | ... | ... | ... | ... | ... |
| Staffing ⁵ | | | | | | | | | | |
| Number of nursing employee FTEs | 606 | (21) | 10,648 | (569) | 2,991 | (380) | 54,759 | (1,948) | 9,982 | (454) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 19.1 | (0.7) | 35.6 | (1.4) | 55.2 | (1.9) | 11.4 | (0.2) | 7.6 | (1.1) |
| Licensed practical nurse or licensed vocational nurse | 9.0 | (0.6) | 18.1 | (0.9) | 11.3 | (1.0) | 24.9 | (0.2) | 23.4 | (1.0) |
| Aide | 71.9 | (0.9) | 46.3 | (1.6) | 33.5 | (1.7) | 63.7 | (0.2) | 69.0 | (1.2) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 79.8 | (2.1) | 100.0 | (0.0) | † | † | 99.1 | (0.3) | 76.6 | (3.3) |
| Licensed practical nurse or licensed vocational nurse | 36.9 | (2.5) | 74.5 | (1.7) | 67.5 | (4.2) | † | † | 93.7 | (1.9) |
| Aide | 87.0 | (1.7) | 95.9 | (0.8) | † | † | 97.4 | (0.5) | 94.6 | (1.8) |
| Social worker | 40.1 | (2.5) | 34.1 | (1.8) | † | † | 75.4 | (1.4) | 30.9 | (3.5) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.5 | (0.0) | --- | --- | --- | --- | 0.5 | (0.0) | 0.3 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.2 | (0.0) | --- | --- | --- | --- | 0.9 | (0.0) | 0.5 | (0.0) |
| Aide | 1.3 | (0.1) | --- | --- | --- | --- | 2.4 | (0.1) | 1.6 | (0.1) |
| Social worker | 0.2 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | 0.1 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | 69.2 | (2.4) | 59.7 | (1.9) | 100.0 | (0.0) | 88.3 | (1.0) | 74.5 | (3.4) |
| Mental health or counseling (percentage) | 40.5 | (2.5) | --- | --- | 95.1 | (1.9) | 93.7 | (0.8) | 92.2 | (2.1) |
| Therapy (physical, occupational, or speech) (percentage) | 73.3 | (2.3) | 93.2 | (1.0) | † | † | 100.0 | (0.0) | † | † |
| Skilled nursing or nursing (percentage) | 81.2 | (2.0) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 89.3 | (2.4) |
| Pharmacy or pharmacist (percentage) | 23.3 | (2.2) | 3.5 | (0.7) | --- | --- | 98.5 | (0.4) | 100.0 | (0.0) |
| Hospice (percentage) | 34.2 | (2.5) | 5.3 | (0.9) | ... | ... | 88.4 | (1.0) | 95.9 | (1.6) |

Table 36. Providers and Users of Long-Term Care Services in Ohio, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|------------------------------------|--|--------------------|--|-----------------|--|----------------|--|----------------------------|--|
| | Number or percent (standard error) | | | | | | | | | |
| Service users | | | | | | | | | | |
| Number of users ² | 6,300 (300) | | 203,800 (21,800) | | 61,800 (10,200) | | 78,200 (2,800) | | 26,900 (800) | |
| Age in years (percent): | | | | | | | | | | |
| Under 65 | 20.6 (1.8) | | 20.5 (0.7) | | 5.4 (0.2) | | 17.7 (0.6) | | 1.9 (0.3) | |
| 65 and over | 79.4 (1.8) | | 79.5 (0.7) | | 94.6 (0.2) | | 82.3 (0.6) | | 98.1 (0.3) | |
| 65–74 | 22.3 (0.8) | | 23.7 (0.4) | | 15.7 (0.4) | | 15.3 (0.2) | | 6.1 (0.7) | |
| 75–84 | 34.6 (1.2) | | 31.5 (0.3) | | 31.7 (0.3) | | 27.4 (0.3) | | 32.2 (1.9) | |
| 85 and over | 22.5 (0.9) | | 24.3 (0.6) | | 47.2 (0.8) | | 39.5 (0.6) | | 59.8 (2.1) | |
| Sex (percent): | | | | | | | | | | |
| Men | 36.3 (0.8) | | 35.8 (0.3) | | 39.4 (0.5) | | 32.1 (0.6) | | 24.4 (0.7) | |
| Women | 63.7 (0.8) | | 64.2 (0.3) | | 60.6 (0.5) | | 67.9 (0.6) | | 75.6 (0.7) | |
| Race and ethnicity (percent): | | | | | | | | | | |
| Hispanic | 0.9 (0.1) | | 1.0 (0.1) | | 0.7 (0.1) | | 0.7 (0.1) | | 0.3 (0.1) | |
| Non-Hispanic white | 69.2 (1.7) | | 84.5 (1.0) | | 90.7 (0.9) | | 85.1 (0.8) | | 89.8 (2.5) | |
| Non-Hispanic black | 26.8 (1.7) | | 13.4 (0.9) | | 7.9 (0.8) | | 13.8 (0.8) | | 2.9 (0.9) | |
| Non-Hispanic other | 3.1 (0.5) | | 1.1 (0.1) | | 0.7 (0.0) | | 0.3 (0.0) | | *7.0 (2.3) | |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 55.8 (1.8) | | 29.0 (0.8) | | 44.5 (1.4) | | 48.2 (0.6) | | 40.4 (2.3) | |
| Diagnosed with depression | 19.8 (1.1) | | 38.3 (0.5) | | 23.6 (0.6) | | 59.4 (0.7) | | 25.4 (1.9) | |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 31.9 (1.7) | | 42.4 (1.8) | | --- --- | | 59.7 (1.0) | | 14.1 (1.3) | |
| Bathing | 46.3 (2.2) | | 93.0 (0.5) | | --- --- | | 96.4 (0.3) | | 64.7 (2.1) | |
| Dressing | 41.3 (1.6) | | 73.7 (1.5) | | --- --- | | 92.3 (0.3) | | 43.2 (2.2) | |
| Toileting | 45.0 (1.3) | | 52.1 (2.3) | | --- --- | | 88.5 (0.4) | | 36.3 (2.3) | |

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

⁴Reported only when the percentage of missing cases is greater than 10%. If percent missing is 10% or less, the cases are dropped from the analysis.

⁵FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsitcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 37. Providers and Users of Long-Term Care Services in Oklahoma, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|--------------------|-------|---------|-------|--------------|---------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 40 | (0.0) | 300 | (16) | 100 | (12) | 300 | (17) | 100 | (1) |
| Number of beds or licensed maximum capacity ² | 2,000 | (100) | ... | ... | ... | ... | 28,500 | (1,700) | 6,300 | (200) |
| Average capacity | 57 | (2.3) | --- | --- | --- | --- | 92 | (2.2) | 56 | (1.5) |
| Average number of people served | 31 | (1.5) | --- | --- | --- | --- | 63 | (1.6) | 39 | (1.4) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | 72.7 | (3.5) | 51.8 | (3.1) | 53.2 | (4.2) | 47.1 | (2.8) | 62.7 | (3.4) |
| Micropolitan or neither | 27.3 | (3.5) | 48.2 | (3.1) | 46.8 | (4.2) | 52.9 | (2.8) | 37.3 | (3.4) |
| Ownership (percent): | | | | | | | | | | |
| For-profit | 17.5 | (3.0) | 81.6 | (2.4) | 69.5 | (3.9) | 85.4 | (2.0) | 78.5 | (2.9) |
| Not-for-profit, government, or other | 82.5 | (3.0) | 18.4 | (2.4) | 30.5 | (3.9) | 14.6 | (2.0) | 21.5 | (2.9) |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | 45.7 | (3.9) | 35.7 | (3.0) | 41.9 | (4.3) | 4.9 | (1.2) | * | * |
| Category 2 | 54.3 | (3.9) | 34.5 | (3.0) | 48.1 | (4.4) | 85.1 | (2.0) | * | * |
| Category 3 | - | - | 29.7 | (2.9) | 10.1 | (2.7) | 10.1 | (1.7) | * | * |
| Staffing⁴ | | | | | | | | | | |
| Number of nursing employee FTEs | 214 | (10) | 3,717 | (321) | 1,069 | (138) | 13,527 | (860) | 1,723 | (76) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 12.4 | (1.8) | 47.7 | (1.3) | 48.6 | (1.9) | 4.8 | (0.2) | 6.9 | (2.2) |
| Licensed practical nurse or licensed vocational nurse | 10.9 | (0.8) | 27.9 | (1.3) | 15.9 | (1.4) | 23.1 | (0.4) | 9.2 | (0.7) |
| Aide | 76.8 | (1.5) | 24.4 | (1.3) | 35.5 | (1.2) | 72.1 | (0.5) | 84.0 | (2.0) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 44.9 | (3.9) | 100.0 | (0.0) | † | † | 97.7 | (0.8) | 60.4 | (3.3) |
| Licensed practical nurse or licensed vocational nurse | 61.4 | (3.8) | 89.4 | (1.9) | 76.6 | (3.6) | 100.0 | (0.0) | 73.9 | (2.4) |
| Aide | † | † | 93.7 | (1.5) | † | † | 100.0 | (0.0) | 93.3 | (1.7) |
| Social worker | 44.4 | (3.9) | 34.1 | (3.0) | † | † | 40.3 | (2.8) | * | * |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.2 | (0.0) | --- | --- | --- | --- | 0.2 | (0.0) | 0.2 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.2 | (0.0) | --- | --- | --- | --- | 0.9 | (0.0) | 0.2 | (0.0) |
| Aide | 1.3 | (0.1) | --- | --- | --- | --- | 2.5 | (0.0) | 1.9 | (0.1) |
| Social worker | 0.2 | (0.0) | --- | --- | --- | --- | 0.0 | (0.0) | 0.0 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | 61.8 | (3.8) | 67.8 | (2.9) | 100.0 | (0.0) | 49.4 | (2.8) | 62.4 | (3.4) |
| Mental health or counseling (percentage) | 61.8 | (3.8) | --- | --- | † | † | 73.7 | (2.5) | 63.9 | (3.5) |
| Therapy (physical, occupational, or speech) (percentage) | 82.4 | (3.0) | † | † | 100.0 | (0.0) | † | † | 89.9 | (2.2) |
| Skilled nursing or nursing (percentage) | 78.1 | (3.3) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 62.3 | (3.6) |
| Pharmacy or pharmacist (percentage) | 17.0 | (2.9) | 4.3 | (1.3) | --- | --- | † | † | 90.2 | (2.1) |
| Hospice (percentage) | 37.7 | (3.8) | * | * | ... | ... | 91.9 | (1.6) | 83.5 | (2.6) |

Table 37. Providers and Users of Long-Term Care Services in Oklahoma, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | Home health agency | Hospice | Nursing home | Residential care community |
|---|------------------------------------|--------------------|----------------|----------------|----------------------------|
| | Number or percent (standard error) | | | | |
| Service users | | | | | |
| Number of users ² | 1,600 (100) | 70,000 (7,300) | 20,000 (2,400) | 19,300 (1,200) | 4,400 (200) |
| Age in years (percent): | | | | | |
| Under 65 | 42.2 (2.8) | 20.1 (0.6) | 6.4 (0.2) | 16.9 (0.8) | 6.0 (1.7) |
| 65 and over | 57.8 (2.8) | 79.9 (0.6) | 93.6 (0.2) | 83.1 (0.8) | 94.0 (1.7) |
| 65–74 | 15.9 (0.8) | 26.7 (0.4) | 18.1 (0.4) | 16.4 (0.4) | 7.7 (0.8) |
| 75–84 | 24.7 (1.5) | 32.1 (0.4) | 32.3 (0.3) | 29.0 (0.5) | 32.6 (1.3) |
| 85 and over | 17.3 (1.2) | 21.1 (0.5) | 43.2 (0.7) | 37.7 (0.9) | 53.7 (2.1) |
| Sex (percent): | | | | | |
| Men | 37.0 (0.9) | 36.3 (0.3) | 39.2 (0.7) | 29.6 (0.7) | 24.6 (0.7) |
| Women | 63.0 (0.9) | 63.7 (0.3) | 60.8 (0.7) | 70.4 (0.7) | 75.4 (0.7) |
| Race and ethnicity (percent): | | | | | |
| Hispanic | 2.6 (0.2) | 1.4 (0.1) | 1.0 (0.1) | 1.1 (0.1) | 0.7 (0.2) |
| Non-Hispanic white | 61.8 (2.5) | 82.1 (0.7) | 86.7 (0.5) | 87.3 (0.7) | 82.1 (3.3) |
| Non-Hispanic black | 21.9 (2.9) | 6.6 (0.4) | 4.9 (0.3) | 7.3 (0.7) | 0.7 (0.1) |
| Non-Hispanic other | 13.7 (1.7) | 9.9 (0.6) | 7.4 (0.5) | 4.4 (0.3) | 16.4 (3.3) |
| Conditions (percentage): | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 35.4 (2.2) | 28.3 (0.6) | 52.0 (1.6) | 45.1 (1.0) | 41.7 (2.7) |
| Diagnosed with depression | 18.6 (1.4) | 41.7 (0.8) | 28.8 (0.9) | 52.3 (1.3) | 28.7 (1.8) |
| Need assistance in physical functioning (percentage): | | | | | |
| Eating | 24.3 (1.6) | 48.7 (2.1) | --- --- | 45.8 (1.5) | 7.3 (0.6) |
| Bathing | 26.7 (1.9) | 95.0 (0.4) | --- --- | 94.5 (0.4) | 46.9 (2.0) |
| Dressing | 31.8 (1.5) | 80.9 (1.3) | --- --- | 81.7 (0.7) | 28.3 (1.8) |
| Toileting | 34.1 (1.9) | 60.1 (2.2) | --- --- | 74.9 (0.8) | 20.8 (1.8) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

⁴FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 38. Providers and Users of Long-Term Care Services in Oregon, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|--------------------|-------|---------|-------|--------------|---------|----------------------------|---------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 20 | (1) | 60 | (8) | 50 | (7) | 100 | (12) | 900 | (10) |
| Number of beds or licensed maximum capacity ² | 500 | (100) | ... | ... | ... | ... | 12,200 | (1,100) | 25,100 | (1,300) |
| Average capacity | 30 | (3.6) | --- | --- | --- | --- | 89 | (3.3) | 30 | (1.5) |
| Average number of people served | 19 | (2.3) | --- | --- | --- | --- | 53 | (2.1) | 26 | (1.4) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | * | * | 56.1 | (6.6) | 54.3 | (7.3) | 78.1 | (3.5) | * | * |
| Micropolitan or neither | * | * | 43.9 | (6.6) | 45.7 | (7.3) | 21.9 | (3.5) | * | * |
| Ownership (percent): | | | | | | | | | | |
| For-profit | * | * | 38.6 | (6.4) | 43.5 | (7.3) | 81.8 | (3.3) | * | * |
| Not-for-profit, government, or other | * | * | 61.4 | (6.4) | 56.5 | (7.3) | 18.2 | (3.3) | * | * |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | * | * | 15.1 | (4.9) | 23.9 | (6.3) | 11.7 | (2.7) | 59.7 | (2.2) |
| Category 2 | * | * | 26.4 | (6.1) | 32.6 | (6.9) | 84.7 | (3.1) | * | * |
| Category 3 | - | - | 58.5 | (6.8) | 43.5 | (7.3) | 3.6 | (1.6) | * | * |
| Staffing ⁴ | | | | | | | | | | |
| Number of nursing employee FTEs | 53 | (8) | 670 | (119) | 746 | (161) | 5,988 | (578) | 9,540 | (1,167) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 5.8 | (1.1) | 76.1 | (2.6) | 70.9 | (1.7) | 13.3 | (0.6) | 6.6 | (0.9) |
| Licensed practical nurse or licensed vocational nurse | 1.4 | (0.9) | 10.9 | (2.6) | 3.6 | (0.8) | 13.8 | (0.5) | 1.7 | (0.4) |
| Aide | 92.7 | (1.6) | 13.0 | (1.4) | 25.4 | (1.4) | 72.9 | (0.5) | 91.7 | (1.1) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | * | * | 100.0 | (0.0) | 100.0 | (0.0) | † | † | 59.2 | (3.9) |
| Licensed practical nurse or licensed vocational nurse | * | * | 43.9 | (6.6) | 37.0 | (7.1) | 96.4 | (1.6) | * | * |
| Aide | † | † | † | † | 100.0 | (0.0) | † | † | 80.2 | (4.2) |
| Social worker | * | * | 86.0 | (4.6) | 100.0 | (0.0) | 73.0 | (3.8) | * | * |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.1 | (0.0) | --- | --- | --- | --- | 0.7 | (0.2) | 0.3 | (0.1) |
| Licensed practical nurse or licensed vocational nurse | 0.0 | (0.0) | --- | --- | --- | --- | 0.6 | (0.0) | *0.1 | (0.0) |
| Aide | 1.3 | (0.2) | --- | --- | --- | --- | 3.1 | (0.1) | 1.9 | (0.2) |
| Social worker | 0.1 | (0.1) | --- | --- | --- | --- | 0.1 | (0.0) | *0.0 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | * | * | 89.5 | (4.1) | 100.0 | (0.0) | 88.3 | (2.7) | 85.4 | (3.8) |
| Mental health or counseling (percentage) | * | * | --- | --- | 87.0 | (5.0) | 77.4 | (3.6) | 86.8 | (3.6) |
| Therapy (physical, occupational, or speech) (percentage) | * | * | † | † | † | † | † | † | † | † |
| Skilled nursing or nursing (percentage) | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 83.0 | (3.9) |
| Pharmacy or pharmacist (percentage) | * | * | 14.0 | (4.6) | --- | --- | † | † | 96.0 | (2.1) |
| Hospice (percentage) | * | * | 31.6 | (6.2) | ... | ... | 74.5 | (3.7) | 93.5 | (2.6) |

Table 38. Providers and Users of Long-Term Care Services in Oregon, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | Home health agency | Hospice | Nursing home | Residential care community |
|---|------------------------------------|--------------------|----------------|--------------|----------------------------|
| | Number or percent (standard error) | | | | |
| Service users | | | | | |
| Number of users ² | 600 (100) | 37,500 (9,900) | 17,900 (3,900) | 7,300 (700) | 22,300 (1,300) |
| Age in years (percent): | | | | | |
| Under 65 | 12.4 (2.0) | 13.3 (0.8) | 4.7 (0.3) | 16.2 (1.3) | 9.0 (2.3) |
| 65 and over | 87.6 (2.0) | 86.7 (0.8) | 95.3 (0.3) | 83.8 (1.3) | 91.0 (2.3) |
| 65–74 | 15.7 (3.6) | 21.9 (0.5) | 15.6 (0.5) | 17.8 (0.7) | 15.5 (3.3) |
| 75–84 | 48.3 (5.6) | 31.1 (0.7) | 28.7 (0.5) | 28.1 (0.7) | 32.3 (3.1) |
| 85 and over | 23.6 (3.0) | 33.7 (0.8) | 51.0 (0.8) | 37.9 (1.4) | 43.2 (4.7) |
| Sex (percent): | | | | | |
| Men | 39.2 (4.0) | 37.5 (0.9) | 40.7 (0.6) | 36.5 (1.3) | 29.0 (1.5) |
| Women | 60.8 (4.0) | 62.5 (0.9) | 59.3 (0.6) | 63.5 (1.3) | 71.0 (1.5) |
| Race and ethnicity (percent): | | | | | |
| Hispanic | 1.9 (0.5) | 1.9 (0.1) | 1.3 (0.1) | 1.5 (0.2) | 1.4 (0.3) |
| Non-Hispanic white | 80.2 (5.3) | 93.7 (0.8) | 95.7 (0.3) | 93.9 (0.7) | 90.8 (3.6) |
| Non-Hispanic black | 11.1 (5.0) | 1.3 (0.3) | 0.9 (0.2) | 2.1 (0.4) | *0.5 (0.2) |
| Non-Hispanic other | 6.8 (0.9) | 3.1 (0.4) | 2.0 (0.2) | 2.5 (0.5) | *7.2 (3.6) |
| Conditions (percentage): | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 78.5 (6.9) | 32.7 (1.0) | 28.6 (2.2) | 40.4 (1.5) | 46.1 (4.6) |
| Diagnosed with depression | 38.2 (8.0) | 33.4 (0.7) | 11.3 (0.8) | 41.8 (1.9) | 30.4 (2.8) |
| Need assistance in physical functioning (percentage): | | | | | |
| Eating | 16.5 (2.6) | 49.6 (2.3) | --- --- | 48.6 (1.9) | 27.4 (3.0) |
| Bathing | 31.7 (9.8) | 96.2 (0.4) | --- --- | 98.0 (0.3) | 72.4 (4.0) |
| Dressing | 32.4 (7.9) | 81.1 (1.7) | --- --- | 94.3 (0.5) | 51.6 (3.9) |
| Toileting | 34.6 (7.4) | 64.1 (2.6) | --- --- | 91.3 (0.6) | 45.9 (4.0) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

⁴FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nslltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 39. Providers and Users of Long-Term Care Services in Pennsylvania, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|--------------------|-------|---------|-------|--------------|---------|----------------------------|---------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 200 | (1) | 400 | (20) | 200 | (13) | 700 | (26) | 900 | (9) |
| Number of beds or licensed maximum capacity ² | 13,600 | (400) | ... | ... | ... | ... | 88,500 | (4,000) | 60,500 | (2,300) |
| Average capacity | 55 | (1.7) | --- | --- | --- | --- | 125 | (3.2) | 66 | (2.4) |
| Average number of people served | 30 | (1.2) | --- | --- | --- | --- | 113 | (3.0) | 55 | (3.8) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | 82.6 | (1.4) | 88.0 | (1.6) | 87.2 | (2.4) | 83.2 | (1.4) | * | * |
| Micropolitan or neither | 17.4 | (1.4) | 12.0 | (1.6) | 12.8 | (2.4) | 16.8 | (1.4) | * | * |
| Ownership (percent): | | | | | | | | | | |
| For-profit | 23.4 | (1.6) | 71.0 | (2.2) | 54.8 | (3.6) | 51.5 | (1.9) | 60.9 | (4.3) |
| Not-for-profit, government, or other | 76.6 | (1.6) | 29.0 | (2.2) | 45.2 | (3.6) | 48.5 | (1.9) | 39.1 | (4.3) |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | * | * | 26.5 | (2.2) | 23.0 | (3.1) | 5.1 | (0.8) | * | * |
| Category 2 | * | * | 17.2 | (1.9) | 39.9 | (3.6) | 41.9 | (1.9) | 59.3 | (3.1) |
| Category 3 | * | * | 37.8 | (2.4) | 37.2 | (3.6) | 53.0 | (1.9) | * | * |
| Missing ⁴ | ... | ... | 18.4 | (1.9) | ... | ... | ... | ... | ... | ... |
| Staffing ⁵ | | | | | | | | | | |
| Number of nursing employee FTEs | 1,250 | (47) | 7,259 | (502) | 3,384 | (357) | 51,625 | (2,131) | 19,742 | (1,428) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 17.2 | (0.9) | 53.7 | (2.0) | 53.8 | (1.5) | 14.8 | (0.3) | 8.5 | (1.9) |
| Licensed practical nurse or licensed vocational nurse | 10.3 | (0.5) | 13.9 | (1.1) | 7.3 | (0.7) | 23.7 | (0.3) | 15.1 | (1.2) |
| Aide | 72.5 | (1.0) | 32.4 | (1.9) | 38.9 | (1.5) | 61.4 | (0.3) | 76.4 | (2.1) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 60.1 | (1.9) | † | † | 100.0 | (0.0) | † | † | 39.1 | (4.2) |
| Licensed practical nurse or licensed vocational nurse | 51.8 | (1.9) | 62.7 | (2.4) | 56.9 | (3.6) | 99.0 | (0.4) | 71.3 | (3.2) |
| Aide | 80.7 | (1.5) | 91.6 | (1.4) | 97.3 | (1.2) | 98.4 | (0.5) | 93.7 | (1.9) |
| Social worker | 25.8 | (1.7) | 50.9 | (2.5) | 100.0 | (0.0) | 92.1 | (1.0) | 31.7 | (4.1) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.3 | (0.0) | --- | --- | --- | --- | 0.6 | (0.0) | 0.2 | (0.1) |
| Licensed practical nurse or licensed vocational nurse | 0.2 | (0.0) | --- | --- | --- | --- | 0.8 | (0.0) | 0.3 | (0.0) |
| Aide | 1.2 | (0.0) | --- | --- | --- | --- | 2.1 | (0.0) | 1.7 | (0.1) |
| Social worker | 0.1 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | 0.0 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | 51.6 | (1.9) | 69.8 | (2.3) | 100.0 | (0.0) | 96.6 | (0.7) | 71.9 | (4.0) |
| Mental health or counseling (percentage) | 44.1 | (1.9) | --- | --- | † | † | 89.3 | (1.2) | 84.1 | (3.3) |
| Therapy (physical, occupational, or speech) (percentage) | 61.5 | (1.9) | 83.3 | (1.8) | † | † | † | † | 91.6 | (2.6) |
| Skilled nursing or nursing (percentage) | 75.7 | (1.7) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 67.3 | (4.2) |
| Pharmacy or pharmacist (percentage) | 25.6 | (1.7) | 2.5 | (0.8) | --- | --- | 95.0 | (0.8) | 96.5 | (1.7) |
| Hospice (percentage) | 35.7 | (1.8) | 18.2 | (1.9) | ... | ... | 85.6 | (1.3) | 93.4 | (2.1) |

Table 39. Providers and Users of Long-Term Care Services in Pennsylvania, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | Home health agency | Hospice | Nursing home | Residential care community |
|---|------------------------------------|--------------------|----------------|----------------|----------------------------|
| | Number or percent (standard error) | | | | |
| Service users | | | | | |
| Number of users ² | 11,000 (500) | 275,700 (37,000) | 64,600 (7,200) | 80,000 (3,600) | 49,900 (3,500) |
| Age in years (percent): | | | | | |
| Under 65 | 37.2 (2.2) | 17.9 (0.9) | 4.4 (0.2) | 11.0 (0.5) | 5.4 (1.0) |
| 65 and over | 62.8 (2.2) | 82.1 (0.9) | 95.6 (0.2) | 89.0 (0.5) | 94.6 (1.0) |
| 65–74 | 19.3 (0.7) | 22.6 (0.4) | 14.1 (0.4) | 13.0 (0.3) | 9.8 (1.4) |
| 75–84 | 25.1 (1.2) | 32.8 (0.4) | 30.5 (0.3) | 28.0 (0.2) | 25.2 (1.7) |
| 85 and over | 18.3 (0.9) | 26.7 (0.7) | 51.0 (0.8) | 48.0 (0.7) | 59.6 (2.8) |
| Sex (percent): | | | | | |
| Men | 40.6 (0.8) | 38.3 (0.3) | 38.5 (0.5) | 29.3 (0.4) | 27.9 (1.2) |
| Women | 59.4 (0.8) | 61.7 (0.3) | 61.5 (0.5) | 70.7 (0.4) | 72.1 (1.2) |
| Race and ethnicity (percent): | | | | | |
| Hispanic | 2.1 (0.2) | 1.7 (0.2) | 1.2 (0.2) | 1.3 (0.1) | *0.3 (0.1) |
| Non-Hispanic white | 78.0 (2.2) | 88.5 (1.5) | 91.4 (1.5) | 88.3 (1.0) | 96.3 (1.1) |
| Non-Hispanic black | 18.8 (2.1) | 8.5 (1.4) | 6.5 (1.3) | 9.9 (0.9) | *3.1 (1.1) |
| Non-Hispanic other | 1.1 (0.1) | 1.4 (0.1) | 1.0 (0.1) | 0.5 (0.1) | 0.3 (0.1) |
| Conditions (percentage): | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 38.4 (1.8) | 27.5 (0.8) | 41.9 (1.3) | 50.1 (0.7) | 35.7 (3.0) |
| Diagnosed with depression | 23.1 (1.6) | 33.9 (0.4) | 21.8 (0.6) | 48.3 (0.9) | 26.3 (2.5) |
| Need assistance in physical functioning (percentage): | | | | | |
| Eating | 44.6 (1.6) | 43.4 (1.6) | --- | 55.6 (1.0) | 18.5 (2.8) |
| Bathing | 55.3 (2.0) | 93.6 (0.6) | --- | 96.0 (0.2) | 66.4 (4.7) |
| Dressing | 49.2 (1.8) | 79.4 (1.7) | --- | 93.4 (0.3) | 49.8 (2.9) |
| Toileting | 50.2 (1.6) | 56.8 (2.2) | --- | 89.9 (0.4) | 38.9 (3.1) |

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

⁴Reported only when the percentage of missing cases is greater than 10%. If percent missing is 10% or less, the cases are dropped from the analysis.

⁵FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 40. Providers and Users of Long-Term Care Services in Rhode Island, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|--------------------|-------|---------|-------|--------------|---------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 20 | (0.0) | 30 | (5) | 10 | (3) | 80 | (9) | 50 | (1) |
| Number of beds or licensed maximum capacity ² | 1,100 | (100) | ... | ... | ... | ... | 8,700 | (1,100) | 3,400 | (100) |
| Average capacity | 48 | (3.2) | --- | --- | --- | --- | 103 | (5.5) | 63 | (2.6) |
| Average number of people served | 35 | (3.0) | --- | --- | --- | --- | 95 | (5.2) | 58 | (2.9) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) |
| Micropolitan or neither | - | - | - | - | - | - | - | - | - | - |
| Ownership (percent): | | | | | | | | | | |
| For-profit | * | * | 66.7 | (9.1) | * | * | 79.8 | (4.4) | 68.9 | (4.9) |
| Not-for-profit, government, or other | * | * | 33.3 | (9.1) | * | * | 20.2 | (4.4) | 31.1 | (4.9) |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | * | * | * | * | * | * | * | * | * | * |
| Category 2 | * | * | * | * | * | * | * | * | * | * |
| Category 3 | * | * | * | * | * | * | * | * | * | * |
| Staffing ⁴ | | | | | | | | | | |
| Number of nursing employee FTEs | 115 | (6) | 594 | (145) | 253 | (132) | 5,427 | (662) | 942 | (66) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 28.0 | (2.2) | 53.0 | (6.7) | 47.6 | (6.0) | 17.2 | (0.7) | 13.2 | (2.5) |
| Licensed practical nurse or licensed vocational nurse | 3.8 | (0.7) | 6.0 | (1.4) | 3.2 | (2.2) | 10.8 | (0.5) | 7.7 | (0.8) |
| Aide | 68.1 | (2.0) | 40.9 | (7.3) | 49.2 | (7.8) | 72.0 | (0.8) | 79.1 | (2.5) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | * | * |
| Licensed practical nurse or licensed vocational nurse | 32.0 | (4.8) | 59.3 | (9.5) | * | * | 89.3 | (3.4) | 53.2 | (4.9) |
| Aide | 100.0 | (0.0) | † | † | * | * | 100.0 | (0.0) | † | † |
| Social worker | 62.0 | (5.0) | 81.5 | (7.5) | 100.0 | (0.0) | 88.1 | (3.5) | 17.5 | (4.0) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.3 | (0.0) | --- | --- | --- | --- | 0.6 | (0.0) | 0.2 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.1 | (0.0) | --- | --- | --- | --- | 0.3 | (0.0) | 0.1 | (0.0) |
| Aide | 1.1 | (0.1) | --- | --- | --- | --- | 2.5 | (0.1) | 1.3 | (0.1) |
| Social worker | 0.1 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | 0.0 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | * | * | * | * | 100.0 | (0.0) | † | † | † | † |
| Mental health or counseling (percentage) | * | * | --- | --- | 100.0 | (0.0) | 90.5 | (3.2) | † | † |
| Therapy (physical, occupational, or speech) (percentage) | * | * | 100.0 | (0.0) | 100.0 | (0.0) | † | † | † | † |
| Skilled nursing or nursing (percentage) | † | † | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 81.4 | (4.3) |
| Pharmacy or pharmacist (percentage) | 27.5 | (4.6) | * | * | --- | --- | 84.5 | (3.9) | † | † |
| Hospice (percentage) | 72.5 | (4.6) | * | * | ... | ... | 91.7 | (3.0) | 82.0 | (3.4) |

Table 40. Providers and Users of Long-Term Care Services in Rhode Island, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | Home health agency | Hospice | Nursing home | Residential care community |
|---|------------------------------------|--------------------|---------------|---------------|----------------------------|
| | Number or percent (standard error) | | | | |
| Service users | | | | | |
| Number of users ² | 1,400 (100) | 21,700 (6,300) | 5,700 (3,100) | 8,000 (1,000) | 3,100 (200) |
| Age in years (percent): | | | | | |
| Under 65 | 29.9 (5.4) | 14.2 (1.2) | 5.4 (0.4) | 7.9 (1.0) | 6.1 (1.0) |
| 65 and over | 70.1 (5.4) | 85.8 (1.2) | 94.6 (0.4) | 92.1 (1.0) | 93.9 (1.0) |
| 65–74 | 16.5 (1.4) | 22.0 (0.7) | 11.6 (1.2) | 10.9 (0.8) | 13.4 (1.5) |
| 75–84 | 27.4 (2.5) | 33.2 (0.6) | 27.9 (0.6) | 26.3 (0.7) | 30.9 (2.3) |
| 85 and over | 26.2 (2.7) | 30.6 (1.4) | 55.1 (2.1) | 54.8 (2.0) | 49.6 (2.8) |
| Sex (percent): | | | | | |
| Men | 34.2 (2.0) | 37.6 (0.7) | 37.9 (2.2) | 27.1 (1.2) | 26.5 (1.2) |
| Women | 65.8 (2.0) | 62.4 (0.7) | 62.1 (2.2) | 72.8 (1.2) | 73.5 (1.2) |
| Race and ethnicity (percent): | | | | | |
| Hispanic | 11.2 (1.7) | 5.6 (1.4) | 2.6 (0.3) | 2.0 (0.4) | 1.2 (0.2) |
| Non-Hispanic white | 78.6 (2.7) | 88.4 (2.2) | 94.0 (0.4) | 93.8 (1.0) | 94.9 (0.9) |
| Non-Hispanic black | 7.7 (0.8) | 3.3 (0.6) | 2.2 (0.2) | 3.4 (0.6) | 0.9 (0.2) |
| Non-Hispanic other | 2.5 (0.5) | 2.6 (0.5) | 1.3 (0.2) | 0.8 (0.2) | 3.0 (0.7) |
| Conditions (percentage): | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 46.2 (4.9) | 26.0 (1.8) | 44.3 (5.1) | 50.8 (1.9) | 33.2 (3.0) |
| Diagnosed with depression | 23.2 (1.7) | 35.7 (0.9) | 19.8 (0.7) | 48.9 (2.3) | 21.3 (2.0) |
| Need assistance in physical functioning (percentage): | | | | | |
| Eating | 27.6 (3.1) | 41.8 (4.7) | --- --- | 40.5 (1.8) | 9.9 (1.7) |
| Bathing | 40.9 (3.0) | 93.2 (2.0) | --- --- | 95.6 (0.6) | 56.5 (2.9) |
| Dressing | 38.7 (3.3) | 76.1 (5.5) | --- --- | 90.1 (0.9) | 39.6 (3.3) |
| Toileting | 42.6 (3.6) | 53.4 (6.0) | --- --- | 81.5 (1.1) | 15.6 (1.8) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

⁴FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 41. Providers and Users of Long-Term Care Services in South Carolina, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|--------------------|-------|---------|-------|--------------|---------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 80 | (0.0) | 70 | (8) | 90 | (9) | 200 | (14) | 300 | (3) |
| Number of beds or licensed maximum capacity ² | 3,500 | (100) | ... | ... | ... | ... | 19,300 | (1,600) | 12,500 | (500) |
| Average capacity | 42 | (1.6) | --- | --- | --- | --- | 102 | (4.0) | 48 | (1.7) |
| Average number of people served | 27 | (1.2) | --- | --- | --- | --- | 90 | (3.6) | 39 | (1.5) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | 63.9 | (2.8) | 78.3 | (5.0) | 90.1 | (3.1) | 79.8 | (2.9) | * | * |
| Micropolitan or neither | 36.2 | (2.8) | 21.7 | (5.0) | 9.9 | (3.1) | 20.2 | (2.9) | * | * |
| Ownership (percent): | | | | | | | | | | |
| For-profit | 60.4 | (2.9) | 55.1 | (6.0) | 72.5 | (4.7) | 76.1 | (3.1) | * | * |
| Not-for-profit, government, or other | 39.6 | (2.9) | 44.9 | (6.0) | 27.5 | (4.7) | 23.9 | (3.1) | * | * |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | 59.7 | (2.8) | * | * | 31.4 | (5.0) | 10.6 | (2.2) | * | * |
| Category 2 | 40.3 | (2.8) | * | * | 36.0 | (5.2) | 50.0 | (3.6) | 58.9 | (2.5) |
| Category 3 | - | - | * | * | 32.6 | (5.1) | 39.4 | (3.6) | * | * |
| Staffing⁴ | | | | | | | | | | |
| Number of nursing employee FTEs | 417 | (14) | 1,143 | (188) | 1,364 | (230) | 12,373 | (1,013) | 4,745 | (283) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 28.1 | (1.0) | 79.8 | (1.3) | 54.6 | (2.1) | 10.5 | (0.4) | *5.2 | (1.6) |
| Licensed practical nurse or licensed vocational nurse | 4.8 | (0.5) | 7.8 | (1.3) | 6.4 | (1.2) | 24.8 | (0.4) | 4.6 | (0.7) |
| Aide | 67.0 | (0.9) | 12.4 | (1.1) | 39.0 | (2.0) | 64.7 | (0.4) | 90.2 | (2.0) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 85.7 | (2.1) | 100.0 | (0.0) | 100.0 | (0.0) | † | † | * | * |
| Licensed practical nurse or licensed vocational nurse | 27.1 | (2.5) | 44.9 | (6.0) | 33.0 | (4.9) | † | † | 38.4 | (3.9) |
| Aide | † | † | † | † | † | † | † | † | 92.7 | (2.2) |
| Social worker | 19.7 | (2.3) | 85.5 | (4.2) | † | † | 80.3 | (2.9) | * | * |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.5 | (0.0) | --- | --- | --- | --- | 0.5 | (0.1) | *0.2 | (0.1) |
| Licensed practical nurse or licensed vocational nurse | 0.2 | (0.1) | --- | --- | --- | --- | 1.0 | (0.0) | 0.1 | (0.0) |
| Aide | 1.3 | (0.1) | --- | --- | --- | --- | 2.5 | (0.1) | 2.1 | (0.1) |
| Social worker | 0.1 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | *0.0 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | 48.1 | (2.9) | 92.8 | (3.1) | 100.0 | (0.0) | 85.6 | (2.6) | 67.6 | (4.2) |
| Mental health or counseling (percentage) | 31.9 | (2.7) | --- | --- | 93.4 | (2.6) | 74.5 | (3.2) | 77.4 | (3.8) |
| Therapy (physical, occupational, or speech) (percentage) | 61.6 | (2.8) | 100.0 | (0.0) | † | † | 100.0 | (0.0) | 87.9 | (2.8) |
| Skilled nursing or nursing (percentage) | 84.5 | (2.1) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 75.3 | (3.9) |
| Pharmacy or pharmacist (percentage) | 34.5 | (2.7) | * | * | --- | --- | † | † | 94.0 | (2.1) |
| Hospice (percentage) | 24.7 | (2.5) | 7.2 | (3.1) | ... | ... | 83.5 | (2.7) | 90.6 | (2.4) |

Table 41. Providers and Users of Long-Term Care Services in South Carolina, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | Home health agency | Hospice | Nursing home | Residential care community |
|---|------------------------------------|--------------------|----------------|----------------|----------------------------|
| | Number or percent (standard error) | | | | |
| Service users | | | | | |
| Number of users ² | 3,000 (100) | 70,600 (12,700) | 25,500 (4,000) | 16,900 (1,400) | 10,300 (400) |
| Age in years (percent): | | | | | |
| Under 65 | 37.9 (1.6) | 21.0 (0.7) | 7.4 (0.3) | 11.4 (0.7) | 10.1 (1.6) |
| 65 and over | 62.1 (1.6) | 79.0 (0.7) | 92.6 (0.3) | 88.6 (0.7) | 89.9 (1.6) |
| 65–74 | 19.9 (0.8) | 27.4 (0.4) | 19.5 (0.6) | 16.8 (0.5) | 11.1 (1.4) |
| 75–84 | 24.7 (1.5) | 31.0 (0.4) | 32.5 (0.4) | 30.8 (0.5) | 34.2 (2.3) |
| 85 and over | 17.5 (1.1) | 20.5 (0.6) | 40.6 (0.9) | 41.0 (1.0) | 44.7 (2.9) |
| Sex (percent): | | | | | |
| Men | 38.6 (0.9) | 37.1 (0.4) | 40.8 (0.5) | 30.7 (1.5) | 30.0 (1.6) |
| Women | 61.4 (0.9) | 62.9 (0.4) | 59.2 (0.5) | 69.3 (1.5) | 70.0 (1.6) |
| Race and ethnicity (percent): | | | | | |
| Hispanic | 0.8 (0.1) | 0.6 (0.0) | 0.6 (0.1) | 0.3 (0.0) | 0.4 (0.1) |
| Non-Hispanic white | 28.5 (1.5) | 74.4 (2.0) | 78.7 (1.2) | 69.3 (1.6) | 84.0 (2.5) |
| Non-Hispanic black | 67.3 (1.7) | 24.4 (2.0) | 20.2 (1.2) | 30.2 (1.6) | 12.0 (1.5) |
| Non-Hispanic other | 3.4 (1.1) | 0.7 (0.0) | 0.6 (0.0) | 0.3 (0.0) | *3.6 (2.3) |
| Conditions (percentage): | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 42.5 (2.1) | 29.8 (0.9) | 49.4 (1.4) | 57.6 (1.2) | 38.6 (2.4) |
| Diagnosed with depression | 12.5 (1.1) | 31.0 (0.8) | 21.4 (0.6) | 48.8 (1.5) | 23.4 (2.9) |
| Need assistance in physical functioning (percentage): | | | | | |
| Eating | 52.3 (2.2) | 57.8 (3.1) | --- | 62.7 (1.8) | 12.1 (1.3) |
| Bathing | 64.6 (2.5) | 97.3 (0.5) | --- | 98.7 (0.2) | 57.8 (2.9) |
| Dressing | 63.8 (2.5) | 90.0 (1.5) | --- | 97.3 (0.3) | 39.8 (2.8) |
| Toileting | 66.6 (1.8) | 73.7 (3.3) | --- | 94.8 (0.5) | 29.9 (2.7) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

⁴FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 42. Providers and Users of Long-Term Care Services in South Dakota, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|--------------------|-------|---------|--------|--------------|-------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 20 | (0.0) | 40 | (6) | 20 | (4) | 100 | (11) | 100 | (1) |
| Number of beds or licensed maximum capacity ² | 400 | (0) | ... | ... | ... | ... | 7,000 | (700) | 3,700 | (100) |
| Average capacity | 19 | (1.7) | --- | --- | --- | --- | 62 | (2.9) | 30 | (0.6) |
| Average number of people served | 13 | (1.5) | --- | --- | --- | --- | 57 | (2.8) | 27 | (0.7) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | * | * | 30.6 | (7.7) | 33.3 | (12.2) | 29.5 | (4.3) | 39.7 | (2.3) |
| Micropolitan or neither | * | * | 69.4 | (7.7) | 66.7 | (12.2) | 70.5 | (4.3) | 60.3 | (2.3) |
| Ownership (percent): | | | | | | | | | | |
| For-profit | - | - | 33.3 | (7.9) | * | * | 34.8 | (4.5) | 51.5 | (2.4) |
| Not-for-profit, government, or other | 100.0 | (0.0) | 66.7 | (7.9) | * | * | 65.2 | (4.5) | 48.5 | (2.4) |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | * | * | 50.0 | (8.6) | * | * | 4.5 | (2.0) | * | * |
| Category 2 | * | * | 35.3 | (8.2) | * | * | 86.6 | (3.2) | * | * |
| Category 3 | - | - | 14.7 | (6.1) | * | * | 8.9 | (2.7) | * | * |
| Staffing ⁴ | | | | | | | | | | |
| Number of nursing employee FTEs | 87 | (5) | 263 | (74) | 122 | (45) | 4,118 | (444) | 1,797 | (55) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 23.1 | (2.1) | 64.3 | (4.3) | 61.9 | (7.5) | 18.2 | (0.7) | 14.3 | (1.0) |
| Licensed practical nurse or licensed vocational nurse | 15.5 | (1.0) | 12.7 | (3.9) | 5.3 | (3.5) | 11.0 | (0.6) | 6.0 | (0.4) |
| Aide | 61.3 | (1.9) | 23.0 | (5.9) | 32.8 | (4.5) | 70.7 | (0.7) | 79.7 | (1.0) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 83.4 | (1.7) |
| Licensed practical nurse or licensed vocational nurse | 64.8 | (3.9) | 41.7 | (8.2) | * | * | † | † | 47.6 | (2.3) |
| Aide | † | † | * | * | † | † | 100.0 | (0.0) | † | † |
| Social worker | 53.0 | (4.0) | 19.4 | (6.6) | 100.0 | (0.0) | 56.3 | (4.7) | 26.8 | (2.1) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 2.0 | (0.2) | --- | --- | --- | --- | 0.6 | (0.0) | 1.0 | (0.1) |
| Licensed practical nurse or licensed vocational nurse | 1.6 | (0.2) | --- | --- | --- | --- | 0.4 | (0.0) | 0.4 | (0.1) |
| Aide | 6.4 | (0.6) | --- | --- | --- | --- | 2.3 | (0.1) | 3.5 | (0.2) |
| Social worker | 1.2 | (0.2) | --- | --- | --- | --- | 0.1 | (0.0) | 0.1 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | * | * | 38.9 | (8.1) | 100.0 | (0.0) | 92.9 | (2.4) | 61.8 | (2.3) |
| Mental health or counseling (percentage) | 41.5 | (4.0) | --- | --- | * | * | 90.2 | (2.8) | 62.9 | (2.3) |
| Therapy (physical, occupational, or speech) (percentage) | * | * | † | † | 100.0 | (0.0) | † | † | 85.5 | (1.6) |
| Skilled nursing or nursing (percentage) | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 70.4 | (2.2) |
| Pharmacy or pharmacist (percentage) | 47.5 | (4.1) | * | * | --- | --- | † | † | 92.8 | (1.2) |
| Hospice (percentage) | 47.3 | (4.1) | 30.6 | (7.7) | ... | ... | 50.0 | (4.7) | 55.2 | (2.3) |

Table 42. Providers and Users of Long-Term Care Services in South Dakota, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|------------------------------------|-------|--------------------|---------|---------|-------|--------------|-------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Service users | | | | | | | | | | |
| Number of users ² | 400 | (0) | 4,800 | (1,100) | 2,700 | (900) | 6,400 | (700) | 3,300 | (100) |
| Age in years (percent): | | | | | | | | | | |
| Under 65 | 5.0 | (0.2) | 9.9 | (0.7) | 4.9 | (0.5) | 8.5 | (0.7) | 4.6 | (0.3) |
| 65 and over | 95.0 | (0.2) | 90.1 | (0.7) | 95.1 | (0.5) | 91.5 | (0.7) | 95.4 | (0.3) |
| 65–74 | 17.4 | (1.2) | 18.2 | (0.8) | 14.9 | (1.2) | 10.3 | (0.5) | 9.3 | (0.8) |
| 75–84 | 40.7 | (3.7) | 36.8 | (0.8) | 30.8 | (1.0) | 26.4 | (0.6) | 30.2 | (0.9) |
| 85 and over | 36.9 | (3.1) | 35.2 | (1.4) | 49.4 | (2.4) | 54.8 | (1.4) | 55.9 | (1.2) |
| Sex (percent): | | | | | | | | | | |
| Men | 43.8 | (1.8) | 32.6 | (0.8) | 39.2 | (1.4) | 30.6 | (1.0) | 28.5 | (0.7) |
| Women | 56.2 | (1.8) | 67.4 | (0.8) | 60.8 | (1.4) | 69.4 | (1.0) | 71.5 | (0.7) |
| Race and ethnicity (percent): | | | | | | | | | | |
| Hispanic | 0.9 | (0.1) | 0.3 | (0.1) | 0.5 | (0.2) | 0.3 | (0.1) | 0.2 | (0.1) |
| Non-Hispanic white | 97.3 | (0.2) | 94.4 | (1.7) | 96.5 | (0.8) | 94.4 | (1.1) | 87.6 | (2.8) |
| Non-Hispanic black | 0.9 | (0.2) | 0.2 | (0.1) | 0.2 | (0.1) | 0.2 | (0.1) | 0.2 | (0.0) |
| Non-Hispanic other | 0.9 | (0.2) | 5.1 | (1.7) | 2.8 | (0.7) | 5.1 | (1.1) | 12.1 | (2.8) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 68.3 | (2.9) | 22.0 | (1.1) | 40.8 | (3.6) | 47.8 | (1.4) | 30.0 | (1.5) |
| Diagnosed with depression | 21.0 | (3.3) | 33.9 | (1.1) | 27.6 | (1.3) | 62.4 | (1.7) | 30.4 | (1.6) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 55.4 | (2.7) | 31.0 | (4.8) | --- | --- | 46.4 | (2.3) | 9.9 | (1.1) |
| Bathing | 72.1 | (3.2) | 95.5 | (0.9) | --- | --- | 98.5 | (0.4) | 59.9 | (1.7) |
| Dressing | 62.5 | (3.8) | 71.8 | (3.4) | --- | --- | 87.7 | (0.8) | 30.5 | (1.7) |
| Toileting | 63.5 | (3.1) | 47.7 | (5.9) | --- | --- | 82.4 | (1.0) | 21.6 | (2.1) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

⁴FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 43. Providers and Users of Long-Term Care Services in Tennessee, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|--------------------|-------|---------|-------|--------------|---------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 50 | (0.0) | 100 | (12) | 60 | (8) | 300 | (18) | 300 | (3) |
| Number of beds or licensed maximum capacity ² | 2,000 | (200) | ... | ... | ... | ... | 36,900 | (2,300) | 14,900 | (300) |
| Average capacity | 45 | (3.7) | --- | --- | --- | --- | 115 | (3.1) | 56 | (1.1) |
| Average number of people served | 25 | (3.0) | --- | --- | --- | --- | 97 | (2.7) | 46 | (1.2) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | † | † | 69.7 | (3.8) | 73.7 | (5.8) | 62.7 | (2.7) | 71.9 | (1.8) |
| Micropolitan or neither | * | * | 30.3 | (3.8) | 26.3 | (5.8) | 37.3 | (2.7) | 28.1 | (1.8) |
| Ownership (percent): | | | | | | | | | | |
| For-profit | 28.9 | (4.2) | 76.6 | (3.5) | 57.9 | (6.5) | 77.3 | (2.3) | 77.9 | (1.8) |
| Not-for-profit, government, or other | 71.1 | (4.2) | 23.4 | (3.5) | 42.1 | (6.5) | 22.7 | (2.3) | 22.1 | (1.8) |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | * | * | 7.0 | (2.1) | 19.3 | (5.2) | 3.7 | (1.1) | 29.8 | (1.4) |
| Category 2 | * | * | 24.6 | (3.6) | 31.6 | (6.2) | 53.4 | (2.8) | 62.5 | (1.7) |
| Category 3 | * | * | 68.3 | (3.9) | 49.1 | (6.6) | 42.9 | (2.8) | 7.7 | (1.1) |
| Staffing⁴ | | | | | | | | | | |
| Number of nursing employee FTEs | 159 | (13) | 3,531 | (388) | 1,078 | (203) | 21,257 | (1,304) | 4,694 | (168) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 16.1 | (2.5) | 53.1 | (1.9) | 52.4 | (2.9) | 8.9 | (0.3) | 4.1 | (0.3) |
| Licensed practical nurse or licensed vocational nurse | 11.9 | (2.3) | 18.8 | (1.3) | 11.0 | (1.2) | 28.1 | (0.4) | 17.6 | (0.5) |
| Aide | 72.0 | (4.4) | 28.1 | (2.0) | 36.6 | (2.5) | 63.0 | (0.4) | 78.2 | (0.6) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 50.2 | (4.6) | † | † | 100.0 | (0.0) | † | † | 44.0 | (2.1) |
| Licensed practical nurse or licensed vocational nurse | 27.7 | (4.1) | 84.8 | (3.0) | 71.9 | (6.0) | 98.4 | (0.7) | 83.8 | (1.4) |
| Aide | 69.7 | (4.2) | 95.9 | (1.7) | † | † | 98.4 | (0.7) | 91.9 | (1.1) |
| Social worker | 52.5 | (4.6) | 78.6 | (3.4) | 100.0 | (0.0) | 84.5 | (2.0) | 22.7 | (1.8) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.3 | (0.0) | --- | --- | --- | --- | 0.5 | (0.1) | 0.1 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.1 | (0.0) | --- | --- | --- | --- | 1.1 | (0.0) | 0.3 | (0.0) |
| Aide | 0.9 | (0.1) | --- | --- | --- | --- | 2.3 | (0.1) | 1.7 | (0.0) |
| Social worker | 0.2 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | 0.0 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | 68.9 | (4.3) | 91.0 | (2.4) | 100.0 | (0.0) | 87.6 | (1.8) | 79.0 | (1.8) |
| Mental health or counseling (percentage) | 43.3 | (4.6) | --- | --- | † | † | 92.5 | (1.5) | 83.1 | (1.6) |
| Therapy (physical, occupational, or speech) (percentage) | 67.9 | (4.4) | † | † | † | † | † | † | 94.1 | (1.0) |
| Skilled nursing or nursing (percentage) | 46.6 | (4.6) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 68.8 | (2.0) |
| Pharmacy or pharmacist (percentage) | 18.8 | (3.6) | 5.5 | (1.9) | --- | --- | 96.0 | (1.1) | 95.0 | (0.9) |
| Hospice (percentage) | 13.9 | (3.1) | 4.8 | (1.8) | ... | ... | 76.4 | (2.4) | 87.3 | (1.4) |

Table 43. Providers and Users of Long-Term Care Services in Tennessee, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | Home health agency | Hospice | Nursing home | Residential care community |
|---|------------------------------------|--------------------|----------------|----------------|----------------------------|
| | Number or percent (standard error) | | | | |
| Service users | | | | | |
| Number of users ² | 1,500 (100) | 118,600 (14,100) | 26,300 (5,200) | 31,300 (1,900) | 12,200 (300) |
| Age in years (percent): | | | | | |
| Under 65 | 26.3 (2.7) | 19.0 (1.0) | 8.0 (0.2) | 13.9 (0.7) | 4.2 (0.4) |
| 65 and over | 73.7 (2.7) | 81.0 (1.0) | 92.0 (0.2) | 86.1 (0.7) | 95.8 (0.4) |
| 65–74 | 24.4 (2.3) | 24.5 (0.4) | 20.1 (0.5) | 16.6 (0.4) | 9.2 (0.5) |
| 75–84 | 27.5 (1.9) | 32.4 (0.4) | 33.0 (0.3) | 30.7 (0.4) | 37.5 (1.0) |
| 85 and over | 21.8 (2.1) | 24.1 (0.8) | 38.9 (0.9) | 38.8 (0.8) | 49.0 (1.4) |
| Sex (percent): | | | | | |
| Men | 38.7 (1.3) | 35.2 (0.3) | 41.1 (0.7) | 29.8 (0.6) | 23.4 (0.4) |
| Women | 61.3 (1.3) | 64.8 (0.3) | 58.9 (0.7) | 70.2 (0.6) | 76.6 (0.4) |
| Race and ethnicity (percent): | | | | | |
| Hispanic | 1.5 (0.2) | 0.5 (0.0) | 0.4 (0.0) | 0.3 (0.0) | 0.4 (0.1) |
| Non-Hispanic white | 57.2 (3.1) | 86.3 (1.5) | 88.9 (1.8) | 84.0 (1.4) | 94.1 (0.6) |
| Non-Hispanic black | 40.0 (3.2) | 12.6 (1.5) | 10.1 (1.8) | 15.4 (1.4) | 3.6 (0.4) |
| Non-Hispanic other | 1.3 (0.2) | 0.6 (0.0) | 0.6 (0.0) | 0.3 (0.0) | 1.9 (0.4) |
| Conditions (percentage): | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 58.8 (3.3) | 34.4 (0.8) | 44.1 (1.9) | 55.1 (0.8) | 43.9 (1.1) |
| Diagnosed with depression | 28.8 (2.7) | 37.0 (0.7) | 22.9 (0.7) | 52.1 (1.2) | 24.5 (1.2) |
| Need assistance in physical functioning (percentage): | | | | | |
| Eating | 26.9 (3.5) | 57.8 (1.6) | --- | 61.5 (1.3) | 17.7 (1.0) |
| Bathing | 40.5 (2.6) | 97.4 (0.3) | --- | 98.1 (0.2) | 61.6 (1.3) |
| Dressing | 30.6 (2.1) | 89.9 (1.0) | --- | 94.9 (0.4) | 45.7 (1.3) |
| Toileting | 33.1 (2.9) | 74.8 (1.8) | --- | 91.2 (0.5) | 35.7 (1.4) |

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

⁴FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 44. Providers and Users of Long-Term Care Services in Texas, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|--------------------|-------|---------|-------|--------------|---------|----------------------------|---------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 400 | (1) | 2,600 | (46) | 400 | (19) | 1,200 | (33) | 1,000 | (10) |
| Number of beds or licensed maximum capacity ² | 38,400 | (700) | ... | ... | ... | ... | 130,700 | (3,900) | 41,300 | (2,200) |
| Average capacity | 86 | (1.6) | --- | --- | --- | --- | 109 | (1.2) | 42 | (2.2) |
| Average number of people served | 62 | (1.7) | --- | --- | --- | --- | 78 | (1.1) | 34 | (2.1) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | 86.4 | (1.3) | 91.2 | (0.6) | 85.1 | (1.8) | 69.3 | (1.3) | * | * |
| Micro-politan or neither | 13.6 | (1.3) | 8.8 | (0.6) | 14.9 | (1.8) | 30.7 | (1.3) | * | * |
| Ownership (percent): | | | | | | | | | | |
| For-profit | 78.9 | (1.6) | 94.0 | (0.5) | 76.8 | (2.1) | 86.4 | (1.0) | * | * |
| Not-for-profit, government, or other | 21.1 | (1.6) | 6.0 | (0.5) | 23.2 | (2.1) | 13.6 | (1.0) | * | * |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | 15.4 | (1.4) | 62.5 | (1.0) | 43.6 | (2.6) | 5.4 | (0.7) | 48.9 | (2.2) |
| Category 2 | 74.6 | (1.7) | 24.1 | (0.9) | 29.3 | (2.4) | 69.1 | (1.3) | * | * |
| Category 3 | 10.0 | (1.1) | 13.3 | (0.7) | 27.1 | (2.3) | 25.5 | (1.3) | * | * |
| Staffing⁴ | | | | | | | | | | |
| Number of nursing employee FTEs | 1,879 | (69) | 22,596 | (633) | 6,078 | (493) | 60,165 | (1,924) | 13,934 | (1,359) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 12.1 | (0.9) | 46.7 | (0.5) | 48.0 | (0.9) | 6.1 | (0.2) | *6.7 | (2.7) |
| Licensed practical nurse or licensed vocational nurse | 22.5 | (0.8) | 33.0 | (0.5) | 13.1 | (0.7) | 26.7 | (0.2) | 8.7 | (1.3) |
| Aide | 65.5 | (1.3) | 20.3 | (0.5) | 38.9 | (0.9) | 67.2 | (0.2) | 84.6 | (2.7) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 51.3 | (1.9) | † | † | † | † | 96.6 | (0.5) | 37.3 | (4.9) |
| Licensed practical nurse or licensed vocational nurse | 86.0 | (1.3) | 76.7 | (0.8) | 65.7 | (2.4) | 96.1 | (0.6) | 52.2 | (4.8) |
| Aide | 58.6 | (1.9) | 84.6 | (0.7) | 97.7 | (0.7) | 97.3 | (0.5) | 84.1 | (3.7) |
| Social worker | 12.4 | (1.3) | 19.2 | (0.8) | † | † | 81.5 | (1.1) | * | * |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.1 | (0.0) | --- | --- | --- | --- | 0.3 | (0.0) | *0.3 | (0.1) |
| Licensed practical nurse or licensed vocational nurse | 0.2 | (0.0) | --- | --- | --- | --- | 1.0 | (0.0) | 0.2 | (0.0) |
| Aide | 0.5 | (0.1) | --- | --- | --- | --- | 2.3 | (0.0) | 2.3 | (0.2) |
| Social worker | 0.1 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | *0.0 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | 37.3 | (1.9) | 90.7 | (0.6) | 100.0 | (0.0) | 98.7 | (0.3) | 78.3 | (3.9) |
| Mental health or counseling (percentage) | 37.2 | (1.9) | --- | --- | 97.0 | (0.9) | 91.9 | (0.8) | 80.4 | (4.0) |
| Therapy (physical, occupational, or speech) (percentage) | 44.9 | (1.9) | 98.6 | (0.2) | 96.7 | (0.9) | 98.6 | (0.3) | 94.9 | (2.2) |
| Skilled nursing or nursing (percentage) | 89.5 | (1.2) | 100.0 | (0.0) | 100.0 | (0.0) | † | † | 87.6 | (3.3) |
| Pharmacy or pharmacist (percentage) | 52.5 | (1.9) | 2.4 | (0.3) | --- | --- | 98.8 | (0.3) | 96.5 | (2.0) |
| Hospice (percentage) | 14.6 | (1.4) | 0.7 | (0.2) | ... | ... | 89.7 | (0.9) | 88.5 | (3.1) |

Table 44. Providers and Users of Long-Term Care Services in Texas, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | Home health agency | Hospice | Nursing home | Residential care community |
|---|------------------------------------|--------------------|----------------|----------------|----------------------------|
| | Number or percent (standard error) | | | | |
| Service users | | | | | |
| Number of users ² | 33,000 (800) | 381,100 (15,200) | 93,000 (8,200) | 93,600 (2,900) | 33,500 (2,100) |
| Age in years (percent): | | | | | |
| Under 65 | 43.4 (1.3) | 20.0 (0.4) | 6.3 (0.1) | 15.7 (0.4) | 5.5 (0.8) |
| 65 and over | 56.6 (1.3) | 80.0 (0.4) | 93.7 (0.1) | 84.3 (0.4) | 94.5 (0.8) |
| 65–74 | 23.3 (0.5) | 26.9 (0.2) | 17.5 (0.2) | 16.3 (0.2) | 11.2 (1.5) |
| 75–84 | 22.6 (0.8) | 31.9 (0.2) | 32.2 (0.2) | 29.9 (0.2) | 36.6 (2.6) |
| 85 and over | 10.7 (0.5) | 21.2 (0.3) | 44.0 (0.4) | 38.1 (0.5) | 46.7 (3.1) |
| Sex (percent): | | | | | |
| Men | 42.3 (0.6) | 37.2 (0.2) | 39.7 (0.3) | 33.4 (0.4) | 23.6 (1.3) |
| Women | 57.7 (0.6) | 62.8 (0.2) | 60.3 (0.3) | 66.6 (0.4) | 76.4 (1.3) |
| Race and ethnicity (percent): | | | | | |
| Hispanic | 74.8 (1.8) | 23.7 (0.9) | 14.8 (1.3) | 16.7 (0.8) | *6.7 (3.6) |
| Non-Hispanic white | 10.0 (0.9) | 55.7 (1.0) | 75.2 (1.2) | 69.2 (0.8) | 86.0 (4.3) |
| Non-Hispanic black | 9.8 (1.0) | 18.5 (0.5) | 8.6 (0.5) | 13.1 (0.5) | 2.3 (0.5) |
| Non-Hispanic other | 5.4 (1.2) | 2.1 (0.1) | 1.4 (0.1) | 1.0 (0.1) | *5.0 (2.9) |
| Conditions (percentage): | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 14.2 (0.9) | 31.1 (0.3) | 52.8 (1.0) | 54.6 (0.5) | 43.4 (4.1) |
| Diagnosed with depression | 22.3 (0.9) | 37.6 (0.3) | 27.7 (0.5) | 52.8 (0.7) | 25.2 (2.9) |
| Need assistance in physical functioning (percentage): | | | | | |
| Eating | 10.0 (0.8) | 59.3 (0.7) | --- | 61.0 (0.8) | 18.5 (2.4) |
| Bathing | 13.5 (0.9) | 96.1 (0.2) | --- | 96.9 (0.2) | 60.4 (4.0) |
| Dressing | 15.3 (1.2) | 88.4 (0.4) | --- | 90.0 (0.3) | 47.2 (3.2) |
| Toileting | 13.5 (1.1) | 71.5 (0.7) | --- | 85.6 (0.4) | 38.7 (3.7) |

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

⁴FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 45. Providers and Users of Long-Term Care Services in Utah, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|--------------------|-------|---------|-------|--------------|---------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 10 | (0.0) | 100 | (10) | 80 | (9) | 100 | (10) | 100 | (1) |
| Number of beds or licensed maximum capacity ² | 200 | (0) | ... | ... | ... | ... | 8,500 | (1,000) | 5,800 | (200) |
| Average capacity | 28 | (1.5) | --- | --- | --- | --- | 85 | (4.7) | 42 | (1.1) |
| Average number of people served | 15 | (1.2) | --- | --- | --- | --- | 54 | (3.1) | 35 | (0.9) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | 100.0 | (0.0) | 93.3 | (2.4) | 91.4 | (3.1) | 86.0 | (3.5) | 88.1 | (2.0) |
| Micropolitan or neither | - | - | 6.7 | (2.4) | 8.6 | (3.1) | 14.0 | (3.5) | 11.9 | (2.0) |
| Ownership (percent): | | | | | | | | | | |
| For-profit | * | * | 81.9 | (3.8) | 80.2 | (4.4) | 81.0 | (3.9) | * | * |
| Not-for-profit, government, or other | * | * | 18.1 | (3.8) | 19.8 | (4.4) | 19.0 | (3.9) | * | * |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | 100.0 | (0.0) | 34.3 | (4.6) | 62.3 | (5.5) | 15.0 | (3.6) | * | * |
| Category 2 | - | - | 31.4 | (4.5) | 23.4 | (4.8) | 76.0 | (4.3) | * | * |
| Category 3 | - | - | 23.8 | (4.2) | 14.3 | (4.0) | 9.0 | (2.9) | * | * |
| Missing ⁴ | ... | ... | 10.5 | (3.0) | ... | ... | ... | ... | ... | ... |
| Staffing ⁵ | | | | | | | | | | |
| Number of nursing employee FTEs | 4 | (1) | 1,358 | (210) | 747 | (145) | 3,814 | (449) | 2,110 | (86) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 0.0 | (0.0) | 49.2 | (2.3) | 47.8 | (2.0) | 21.1 | (1.1) | 4.8 | (0.4) |
| Licensed practical nurse or licensed vocational nurse | 0.0 | (0.0) | 10.9 | (2.2) | 6.8 | (1.0) | 13.1 | (0.7) | 1.3 | (0.4) |
| Aide | 100.0 | (0.0) | 39.9 | (2.8) | 45.4 | (1.7) | 65.8 | (1.1) | 93.9 | (0.6) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | - | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 65.7 | (2.9) |
| Licensed practical nurse or licensed vocational nurse | - | (0.0) | 51.4 | (4.9) | 45.7 | (5.5) | 93.0 | (2.6) | 10.3 | (1.9) |
| Aide | * | * | † | † | † | † | 92.0 | (2.7) | † | † |
| Social worker | * | * | 71.4 | (4.4) | † | † | 65.0 | (4.8) | 6.7 | (1.6) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.0 | (0.0) | --- | --- | --- | --- | 1.1 | (0.1) | 0.2 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.0 | (0.0) | --- | --- | --- | --- | 0.5 | (0.0) | 0.0 | (0.0) |
| Aide | 0.2 | (0.1) | --- | --- | --- | --- | 2.3 | (0.1) | 2.4 | (0.1) |
| Social worker | 0.1 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | 0.0 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | * | * | 91.4 | (2.7) | 100.0 | (0.0) | † | † | 84.4 | (2.3) |
| Mental health or counseling (percentage) | * | * | --- | --- | † | † | 86.0 | (3.5) | 79.7 | (2.5) |
| Therapy (physical, occupational, or speech) (percentage) | * | * | 100.0 | (0.0) | † | † | † | † | † | † |
| Skilled nursing or nursing (percentage) | - | - | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 94.0 | (1.4) |
| Pharmacy or pharmacist (percentage) | - | - | 21.0 | (4.0) | --- | --- | 100.0 | (0.0) | † | † |
| Hospice (percentage) | - | - | 41.9 | (4.8) | ... | ... | 70.0 | (4.6) | † | † |

Table 45. Providers and Users of Long-Term Care Services in Utah, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|------------------------------------|-------|--------------------|---------|---------|---------|--------------|-------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Service users | | | | | | | | | | |
| Number of users ² | 200 | (0) | 27,900 | (5,100) | 10,700 | (1,900) | 5,400 | (600) | 4,900 | (100) |
| Age in years (percent): | | | | | | | | | | |
| Under 65 | 12.3 | (1.6) | 13.3 | (1.4) | 4.1 | (0.3) | 24.1 | (2.0) | 6.2 | (0.6) |
| 65 and over | 87.7 | (1.6) | 86.7 | (1.4) | 95.9 | (0.3) | 75.9 | (2.0) | 93.8 | (0.6) |
| 65–74 | 21.4 | (2.2) | 24.8 | (1.0) | 12.9 | (0.5) | 18.4 | (0.7) | 9.4 | (0.7) |
| 75–84 | 35.1 | (2.8) | 33.4 | (0.8) | 31.0 | (0.6) | 27.2 | (1.1) | 30.3 | (1.4) |
| 85 and over | 31.2 | (4.7) | 28.4 | (1.5) | 52.0 | (1.1) | 30.3 | (1.6) | 54.0 | (1.7) |
| Sex (percent): | | | | | | | | | | |
| Men | 39.2 | (2.4) | 35.8 | (0.8) | 40.2 | (0.9) | 38.1 | (1.9) | 27.5 | (1.3) |
| Women | 60.8 | (2.4) | 64.2 | (0.8) | 59.8 | (0.9) | 61.9 | (1.9) | 72.5 | (1.3) |
| Race and ethnicity (percent): | | | | | | | | | | |
| Hispanic | 9.1 | (1.6) | 3.6 | (0.2) | 2.5 | (0.2) | 4.0 | (0.3) | 5.7 | (2.2) |
| Non-Hispanic white | 81.8 | (1.9) | 93.4 | (0.4) | 95.1 | (0.3) | 91.3 | (0.9) | 85.5 | (2.6) |
| Non-Hispanic black | 0.7 | (0.3) | 0.6 | (0.1) | 0.5 | (0.1) | 1.2 | (0.2) | 0.3 | (0.1) |
| Non-Hispanic other | 8.5 | (0.4) | 2.4 | (0.2) | 1.9 | (0.2) | 3.5 | (0.8) | 8.5 | (1.5) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 75.4 | (4.1) | 31.5 | (1.5) | 40.8 | (1.7) | 38.4 | (2.0) | 34.1 | (1.8) |
| Diagnosed with depression | 23.6 | (3.1) | 37.9 | (0.8) | 17.8 | (0.6) | 57.5 | (2.3) | 23.8 | (1.7) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | * | * | 47.0 | (2.4) | --- | --- | 64.7 | (3.6) | 18.1 | (1.0) |
| Bathing | * | * | 96.1 | (0.7) | --- | --- | 96.5 | (0.7) | 58.1 | (2.1) |
| Dressing | * | * | 84.3 | (2.0) | --- | --- | 92.4 | (1.1) | 44.8 | (1.6) |
| Toileting | * | * | 61.1 | (4.1) | --- | --- | 89.2 | (1.4) | 42.0 | (1.9) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

⁴Reported only when the percentage of missing cases is greater than 10%. If percent missing is 10% or less, the cases are dropped from the analysis.

⁵FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsitcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 46. Providers and Users of Long-Term Care Services in Vermont, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|--------------------|-------|---------|-------|--------------|-------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 20 | (0.0) | 10 | (4) | 10 | (3) | 40 | (6) | 90 | (1) |
| Number of beds or licensed maximum capacity ² | 700 | (100) | ... | ... | ... | ... | 3,200 | (600) | 2,800 | (200) |
| Average capacity | 43 | (4.0) | --- | --- | --- | --- | 84 | (7.2) | 33 | (2.0) |
| Average number of people served | 27 | (2.6) | --- | --- | --- | --- | 73 | (6.1) | 28 | (1.3) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | * | * | * | * | * | * | 15.2 | (6.2) | 24.6 | (3.3) |
| Micropolitan or neither | * | * | * | * | * | * | 84.8 | (6.2) | 75.4 | (3.3) |
| Ownership (percent): | | | | | | | | | | |
| For-profit | * | * | * | * | * | * | 65.8 | (7.7) | 52.9 | (3.7) |
| Not-for-profit, government, or other | * | * | * | * | * | * | 34.2 | (7.7) | 47.1 | (3.7) |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | 41.6 | (8.1) | - | - | * | * | * | * | 57.6 | (2.2) |
| Category 2 | 58.4 | (8.1) | * | * | * | * | * | * | 42.4 | (2.2) |
| Category 3 | - | - | * | * | * | * | * | * | - | - |
| Staffing ⁴ | | | | | | | | | | |
| Number of nursing employee FTEs | 104 | (8) | 435 | (141) | 189 | (89) | 2,117 | (383) | 1,184 | (110) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 17.7 | (2.0) | 62.7 | (3.6) | 59.2 | (2.8) | 14.6 | (0.7) | 10.6 | (1.0) |
| Licensed practical nurse or licensed vocational nurse | 9.0 | (1.9) | 10.6 | (2.9) | 9.1 | (2.3) | 21.5 | (0.9) | 8.6 | (0.8) |
| Aide | 73.4 | (2.1) | 26.7 | (3.0) | 31.8 | (4.0) | 63.9 | (0.7) | 80.8 | (1.4) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 86.0 | (1.9) |
| Licensed practical nurse or licensed vocational nurse | 42.3 | (8.1) | † | † | * | * | 100.0 | (0.0) | 61.3 | (3.2) |
| Aide | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | † | † |
| Social worker | 41.2 | (8.1) | 100.0 | (0.0) | 100.0 | (0.0) | 73.7 | (7.1) | 14.6 | (2.8) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.4 | (0.1) | --- | --- | --- | --- | 0.6 | (0.0) | 0.3 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.1 | (0.0) | --- | --- | --- | --- | 0.8 | (0.0) | 0.2 | (0.0) |
| Aide | 1.5 | (0.1) | --- | --- | --- | --- | 2.5 | (0.1) | 2.2 | (0.1) |
| Social worker | 0.2 | (0.1) | --- | --- | --- | --- | 0.1 | (0.0) | 0.0 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 73.7 | (7.1) | 77.5 | (3.1) |
| Mental health or counseling (percentage) | * | * | --- | --- | * | * | 81.6 | (6.3) | 86.0 | (2.6) |
| Therapy (physical, occupational, or speech) (percentage) | † | † | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 91.5 | (2.1) |
| Skilled nursing or nursing (percentage) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 79.2 | (3.0) |
| Pharmacy or pharmacist (percentage) | 57.0 | (8.1) | - | - | --- | --- | 100.0 | (0.0) | 87.9 | (2.2) |
| Hospice (percentage) | 49.1 | (8.2) | * | * | ... | ... | 23.7 | (6.9) | 91.3 | (2.0) |

Table 46. Providers and Users of Long-Term Care Services in Vermont, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | Home health agency | Hospice | Nursing home | Residential care community |
|---|------------------------------------|--------------------|-------------|--------------|----------------------------|
| | Number or percent (standard error) | | | | |
| Service users | | | | | |
| Number of users ² | 900 (100) | 12,000 (4,300) | 1,800 (700) | 2,800 (500) | 2,400 (100) |
| Age in years (percent): | | | | | |
| Under 65 | 15.9 (1.6) | 20.1 (0.6) | 4.5 (0.4) | 8.7 (1.1) | 7.4 (1.0) |
| 65 and over | 84.1 (1.6) | 79.9 (0.6) | 95.5 (0.4) | 91.3 (1.1) | 92.6 (1.0) |
| 65–74 | 17.0 (1.2) | 24.0 (0.5) | 18.2 (1.4) | 12.9 (1.0) | 10.1 (1.0) |
| 75–84 | 36.2 (1.7) | 30.7 (0.3) | 31.8 (1.2) | 29.4 (1.1) | 28.7 (1.8) |
| 85 and over | 30.9 (1.7) | 25.2 (0.5) | 45.4 (1.7) | 49.0 (2.4) | 53.8 (2.1) |
| Sex (percent): | | | | | |
| Men | 34.2 (1.2) | 40.2 (0.6) | 40.8 (1.0) | 32.2 (2.9) | 27.1 (1.4) |
| Women | 65.8 (1.2) | 59.8 (0.6) | 59.2 (1.0) | 67.7 (2.9) | 72.9 (1.4) |
| Race and ethnicity (percent): | | | | | |
| Hispanic | 0.1 (0.1) | 0.4 (0.1) | 0.4 (0.2) | 0.4 (0.1) | 0.2 (0.1) |
| Non-Hispanic white | 79.8 (9.0) | 97.8 (0.2) | 98.4 (0.3) | 98.9 (0.3) | 87.4 (4.1) |
| Non-Hispanic black | 0.9 (0.2) | 0.4 (0.1) | 0.3 (0.1) | 0.4 (0.2) | 0.1 (0.1) |
| Non-Hispanic other | 19.1 (9.0) | 1.3 (0.1) | 0.9 (0.2) | 0.3 (0.1) | 12.2 (4.1) |
| Conditions (percentage): | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 43.3 (4.5) | 21.8 (0.5) | 36.1 (1.2) | 53.6 (2.4) | 38.9 (2.6) |
| Diagnosed with depression | 33.4 (1.5) | 35.4 (0.8) | 23.4 (1.2) | 57.9 (2.6) | 29.1 (1.9) |
| Need assistance in physical functioning (percentage): | | | | | |
| Eating | 25.2 (2.3) | 48.9 (3.9) | --- --- | 50.3 (3.6) | 19.4 (2.2) |
| Bathing | 58.4 (6.0) | 95.7 (0.8) | --- --- | 96.0 (1.2) | 66.6 (3.1) |
| Dressing | 46.5 (4.9) | 83.5 (3.4) | --- --- | 93.7 (1.0) | 45.8 (2.8) |
| Toileting | 42.6 (2.8) | 60.1 (3.9) | --- --- | 89.4 (1.4) | 33.8 (3.0) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

⁴FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 47. Providers and Users of Long-Term Care Services in Virginia, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|--------------------|-------|---------|-------|--------------|---------|----------------------------|---------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 80 | (0.0) | 200 | (15) | 80 | (9) | 30 | (17) | 400 | (4) |
| Number of beds or licensed maximum capacity ² | 3,100 | (100) | ... | ... | ... | ... | 32,100 | (2,100) | 26,700 | (1,100) |
| Average capacity | 41 | (1.6) | --- | --- | --- | --- | 113 | (3.5) | 69 | (2.7) |
| Average number of people served | 24 | (1.3) | --- | --- | --- | --- | 100 | (3.2) | 61 | (4.3) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | 83.4 | (2.2) | 75.7 | (2.9) | 70.7 | (5.0) | 73.6 | (2.6) | * | * |
| Micropolitan or neither | 16.6 | (2.2) | 24.3 | (2.9) | 29.3 | (5.0) | 26.4 | (2.6) | * | * |
| Ownership (percent): | | | | | | | | | | |
| For-profit | 23.8 | (2.5) | 79.7 | (2.7) | 58.5 | (5.4) | 69.4 | (2.7) | 64.3 | (4.3) |
| Not-for-profit, government, or other | 76.2 | (2.5) | 20.3 | (2.7) | 41.5 | (5.4) | 30.6 | (2.7) | 35.7 | (4.3) |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | * | * | 28.7 | (3.1) | 28.4 | (5.0) | 4.9 | (1.3) | * | * |
| Category 2 | * | * | 18.2 | (2.7) | 37.0 | (5.4) | 45.4 | (3.0) | 59.5 | (3.4) |
| Category 3 | * | * | 53.1 | (3.5) | 34.6 | (5.3) | 49.6 | (3.0) | * | * |
| Staffing⁴ | | | | | | | | | | |
| Number of nursing employee FTEs | 452 | (26) | 2,762 | (255) | 1,229 | (195) | 19,754 | (1,309) | 8,883 | (641) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 21.5 | (0.9) | 59.3 | (1.8) | 59.1 | (2.4) | 9.3 | (0.3) | 7.1 | (1.6) |
| Licensed practical nurse or licensed vocational nurse | 5.0 | (0.5) | 18.9 | (1.4) | 7.8 | (1.0) | 28.5 | (0.4) | 15.4 | (1.3) |
| Aide | 73.5 | (1.0) | 21.8 | (1.6) | 33.1 | (2.0) | 62.2 | (0.5) | 77.6 | (1.8) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 86.7 | (2.0) | † | † | 100.0 | (0.0) | † | † | 49.8 | (4.5) |
| Licensed practical nurse or licensed vocational nurse | 25.8 | (2.6) | 72.1 | (3.0) | 52.4 | (5.5) | † | † | 76.3 | (3.2) |
| Aide | † | † | 93.7 | (1.6) | † | † | † | † | 94.8 | (2.0) |
| Social worker | 31.3 | (2.7) | 62.2 | (3.3) | 100.0 | (0.0) | 93.7 | (1.4) | * | * |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.5 | (0.0) | --- | --- | --- | --- | 0.5 | (0.1) | 0.1 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.1 | (0.0) | --- | --- | --- | --- | 1.0 | (0.0) | 0.3 | (0.0) |
| Aide | 1.6 | (0.1) | --- | --- | --- | --- | 2.3 | (0.1) | 1.8 | (0.1) |
| Social worker | 0.1 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | 0.0 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | 57.1 | (2.9) | 74.8 | (2.9) | 100.0 | (0.0) | 96.8 | (1.0) | 77.7 | (3.8) |
| Mental health or counseling (percentage) | 51.3 | (2.9) | --- | --- | † | † | 93.0 | (1.5) | 92.7 | (2.3) |
| Therapy (physical, occupational, or speech) (percentage) | 70.2 | (2.7) | 97.3 | (1.1) | † | † | 100.0 | (0.0) | † | † |
| Skilled nursing or nursing (percentage) | 66.7 | (2.8) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 74.0 | (4.0) |
| Pharmacy or pharmacist (percentage) | 18.7 | (2.3) | 2.7 | (1.1) | --- | --- | 98.2 | (0.8) | 100.0 | (0.0) |
| Hospice (percentage) | 37.5 | (2.9) | 11.3 | (2.1) | ... | ... | 71.5 | (2.7) | 94.8 | (1.9) |

Table 47. Providers and Users of Long-Term Care Services in Virginia, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|------------------------------------|-------|--------------------|----------|---------|---------|--------------|---------|----------------------------|---------|
| | Number or percent (standard error) | | | | | | | | | |
| Service users | | | | | | | | | | |
| Number of users ² | 2,600 | (100) | 110,200 | (13,800) | 26,000 | (5,000) | 28,300 | (1,900) | 23,900 | (1,700) |
| Age in years (percent): | | | | | | | | | | |
| Under 65 | 17.7 | (1.0) | 17.6 | (0.9) | 5.1 | (0.3) | 14.5 | (0.8) | 4.9 | (1.1) |
| 65 and over | 82.3 | (1.0) | 82.4 | (0.9) | 94.9 | (0.3) | 85.5 | (0.8) | 95.1 | (1.1) |
| 65–74 | 21.3 | (0.9) | 26.4 | (0.5) | 17.6 | (0.5) | 15.7 | (0.4) | 9.8 | (1.4) |
| 75–84 | 36.9 | (1.2) | 32.2 | (0.4) | 32.7 | (0.3) | 28.7 | (0.4) | 30.7 | (2.7) |
| 85 and over | 24.1 | (0.8) | 23.8 | (0.7) | 44.5 | (0.8) | 41.0 | (0.9) | 54.6 | (2.8) |
| Sex (percent): | | | | | | | | | | |
| Men | 34.8 | (1.2) | 37.3 | (0.4) | 39.6 | (0.5) | 31.3 | (0.8) | 27.4 | (1.0) |
| Women | 65.2 | (1.2) | 62.7 | (0.4) | 60.4 | (0.5) | 68.7 | (0.8) | 72.6 | (1.0) |
| Race and ethnicity (percent): | | | | | | | | | | |
| Hispanic | 2.4 | (0.3) | 1.3 | (0.1) | 1.1 | (0.3) | 0.9 | (0.1) | 0.6 | (0.1) |
| Non-Hispanic white | 52.3 | (2.4) | 77.0 | (1.3) | 83.3 | (1.5) | 73.1 | (1.4) | 92.0 | (1.5) |
| Non-Hispanic black | 33.2 | (2.2) | 19.3 | (1.4) | 13.7 | (1.7) | 24.7 | (1.3) | 4.3 | (0.8) |
| Non-Hispanic other | 12.0 | (2.6) | 2.4 | (0.3) | 1.9 | (0.4) | 1.3 | (0.2) | *3.1 | (1.3) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 60.1 | (2.0) | 29.8 | (0.8) | 49.2 | (1.1) | 47.1 | (1.0) | 40.9 | (2.3) |
| Diagnosed with depression | 25.2 | (1.4) | 32.5 | (0.6) | 22.4 | (0.5) | 47.0 | (1.1) | 28.6 | (2.7) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 43.8 | (2.3) | 52.5 | (2.1) | --- | --- | 62.9 | (1.6) | 17.8 | (2.5) |
| Bathing | 62.1 | (2.5) | 95.8 | (0.6) | --- | --- | 96.6 | (0.3) | 58.1 | (3.9) |
| Dressing | 61.3 | (2.6) | 85.1 | (1.4) | --- | --- | 92.8 | (0.5) | 47.0 | (4.3) |
| Toileting | 62.0 | (2.1) | 65.9 | (2.3) | --- | --- | 89.1 | (0.6) | 42.4 | (4.6) |

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

⁴FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 48. Providers and Users of Long-Term Care Services in Washington, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|--------|--------------------|-------|---------|-------|--------------|---------|----------------------------|---------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 30 | (1) | 60 | (8) | 30 | (6) | 200 | (15) | 1,600 | (16) |
| Number of beds or licensed maximum capacity ² | 2,200 | (400) | ... | ... | ... | ... | 21,800 | (1,600) | 33,200 | (1,600) |
| Average capacity | 79 | (14.7) | --- | --- | --- | --- | 96 | (2.8) | 20 | (0.9) |
| Average number of people served | 63 | (14.1) | --- | --- | --- | --- | 76 | (2.4) | 21 | (1.6) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | † | † | 84.7 | (4.7) | 77.4 | (7.5) | 86.3 | (2.3) | * | * |
| Metropolitan or neither | * | * | 15.3 | (4.7) | 22.6 | (7.5) | 13.7 | (2.3) | * | * |
| Ownership (percent): | | | | | | | | | | |
| For-profit | * | * | 52.5 | (6.5) | 16.1 | (6.6) | 74.9 | (2.9) | * | * |
| Not-for-profit, government, or other | * | * | 47.5 | (6.5) | 83.9 | (6.6) | 25.1 | (2.9) | * | * |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | * | * | - | - | * | * | 6.6 | (1.6) | 78.5 | (0.9) |
| Category 2 | * | * | 17.9 | (5.1) | * | * | 70.5 | (3.0) | * | * |
| Category 3 | * | * | 82.1 | (5.1) | * | * | 22.9 | (2.8) | * | * |
| Staffing⁴ | | | | | | | | | | |
| Number of nursing employee FTEs | 153 | (20) | 922 | (170) | 857 | (223) | 12,791 | (964) | 14,004 | (1,267) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 22.3 | (2.0) | 77.1 | (1.7) | 65.3 | (1.9) | 17.7 | (0.5) | 10.6 | (1.6) |
| Licensed practical nurse or licensed vocational nurse | 7.6 | (1.0) | 11.7 | (1.6) | 4.6 | (1.3) | 17.8 | (0.5) | 11.7 | (1.4) |
| Aide | 70.0 | (2.4) | 11.2 | (0.6) | 30.1 | (1.3) | 64.5 | (0.5) | 77.6 | (2.1) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | * | * | 100.0 | (0.0) | 100.0 | (0.0) | † | † | 46.9 | (4.8) |
| Licensed practical nurse or licensed vocational nurse | 48.9 | (6.4) | 66.1 | (6.2) | 38.7 | (8.7) | 95.2 | (1.4) | 29.0 | (4.1) |
| Aide | * | * | † | † | 100.0 | (0.0) | 95.6 | (1.4) | 86.7 | (3.6) |
| Social worker | 53.8 | (6.4) | † | † | 100.0 | (0.0) | 82.4 | (2.5) | * | * |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.2 | (0.0) | --- | --- | --- | --- | 0.8 | (0.1) | 0.3 | (0.1) |
| Licensed practical nurse or licensed vocational nurse | 0.1 | (0.0) | --- | --- | --- | --- | 0.6 | (0.0) | 0.2 | (0.1) |
| Aide | 0.5 | (0.1) | --- | --- | --- | --- | 2.5 | (0.1) | 2.3 | (0.2) |
| Social worker | 0.1 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | *0.0 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 90.7 | (1.9) | 81.6 | (4.0) |
| Mental health or counseling (percentage) | 63.9 | (6.2) | --- | --- | 100.0 | (0.0) | 87.7 | (2.2) | 82.2 | (4.1) |
| Therapy (physical, occupational, or speech) (percentage) | * | * | † | † | 100.0 | (0.0) | 100.0 | (0.0) | 86.4 | (3.7) |
| Skilled nursing or nursing (percentage) | * | * | 100.0 | (0.0) | 100.0 | (0.0) | † | † | 86.7 | (3.2) |
| Pharmacy or pharmacist (percentage) | 26.1 | (5.8) | 10.2 | (3.9) | --- | --- | † | † | 85.0 | (3.9) |
| Hospice (percentage) | 24.6 | (5.5) | 28.8 | (5.9) | ... | ... | 68.7 | (3.1) | 91.6 | (3.1) |

Table 48. Providers and Users of Long-Term Care Services in Washington, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | Home health agency | Hospice | Nursing home | Residential care community |
|---|------------------------------------|--------------------|----------------|----------------|----------------------------|
| | Number or percent (standard error) | | | | |
| Service users | | | | | |
| Number of users ² | 3,700 (500) | 57,300 (10,500) | 21,400 (5,200) | 17,400 (1,300) | 35,100 (2,600) |
| Age in years (percent): | | | | | |
| Under 65 | 30.5 (4.6) | 12.7 (0.9) | 5.2 (0.4) | 15.3 (1.2) | 8.7 (1.8) |
| 65 and over | 69.5 (4.6) | 87.3 (0.9) | 94.8 (0.4) | 84.7 (1.2) | 91.3 (1.8) |
| 65–74 | 28.0 (4.4) | 21.4 (0.5) | 16.4 (0.7) | 15.9 (0.5) | 9.4 (1.8) |
| 75–84 | 23.0 (1.5) | 32.0 (0.3) | 29.5 (0.4) | 26.9 (0.5) | 28.3 (3.0) |
| 85 and over | 18.5 (3.2) | 33.9 (1.2) | 49.0 (1.3) | 41.9 (1.2) | 53.6 (4.5) |
| Sex (percent): | | | | | |
| Men | 37.7 (2.3) | 36.7 (0.5) | 41.6 (0.5) | 34.8 (1.1) | 30.3 (2.0) |
| Women | 62.3 (2.3) | 63.3 (0.5) | 58.4 (0.5) | 65.2 (1.1) | 69.7 (2.0) |
| Race and ethnicity (percent): | | | | | |
| Hispanic | 3.9 (0.7) | 2.1 (0.2) | 1.7 (0.2) | 2.2 (0.3) | 1.4 (0.3) |
| Non-Hispanic white | 50.5 (6.6) | 91.1 (0.7) | 92.4 (1.0) | 89.0 (1.3) | 86.5 (3.4) |
| Non-Hispanic black | 12.3 (3.1) | 2.2 (0.4) | 1.6 (0.4) | 3.7 (0.6) | 1.6 (0.4) |
| Non-Hispanic other | 33.4 (8.0) | 4.6 (0.4) | 4.2 (0.5) | 5.1 (1.0) | *10.4 (3.4) |
| Conditions (percentage): | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 25.6 (3.6) | 34.1 (1.2) | 37.1 (2.6) | 45.0 (1.2) | 46.7 (4.9) |
| Diagnosed with depression | 21.2 (2.1) | 34.5 (0.5) | 17.1 (1.2) | 52.3 (1.6) | 31.9 (4.0) |
| Need assistance in physical functioning (percentage): | | | | | |
| Eating | 22.4 (3.5) | 48.0 (1.9) | --- | 52.8 (1.7) | 25.2 (3.9) |
| Bathing | 36.9 (5.7) | 97.1 (0.4) | --- | 98.3 (0.2) | 64.9 (5.7) |
| Dressing | 44.2 (4.7) | 83.5 (1.6) | --- | 93.4 (0.4) | 52.2 (4.4) |
| Toileting | 41.5 (3.0) | 64.4 (2.6) | --- | 90.7 (0.6) | 45.2 (5.6) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

⁴FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 49. Providers and Users of Long-Term Care Services in West Virginia, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|------------------------------------|--------|--------------------|---------|---------|---------|--------------|-------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | | | |
| Service users | | | | | | | | | | |
| Number of users ² | 100 | (0) | 31,400 | (5,600) | 8,900 | (2,800) | 9,500 | (900) | 2,200 | (100) |
| Age in years (percent): | | | | | | | | | | |
| Under 65 | 36.1 | (18.2) | 22.4 | (0.8) | 6.4 | (0.5) | 12.7 | (0.8) | 5.4 | (1.1) |
| 65 and over | 63.9 | (18.2) | 77.6 | (0.8) | 93.6 | (0.5) | 87.3 | (0.8) | 94.6 | (1.1) |
| 65–74 | 30.1 | (10.2) | 24.2 | (0.4) | 19.6 | (0.5) | 15.3 | (0.6) | 8.8 | (1.2) |
| 75–84 | 24.2 | (7.5) | 31.6 | (0.5) | 33.7 | (0.7) | 30.7 | (0.7) | 35.6 | (3.3) |
| 85 and over | 9.5 | (6.8) | 21.8 | (0.6) | 40.3 | (0.9) | 41.4 | (1.3) | 50.2 | (3.2) |
| Sex (percent): | | | | | | | | | | |
| Men | 35.7 | (6.7) | 37.1 | (0.5) | 40.7 | (0.6) | 26.9 | (0.8) | 23.4 | (1.0) |
| Women | 64.3 | (6.7) | 62.9 | (0.5) | 59.3 | (0.6) | 73.1 | (0.8) | 76.6 | (1.0) |
| Race and ethnicity (percent): | | | | | | | | | | |
| Hispanic | 0.0 | (0.0) | 0.3 | (0.1) | 0.1 | (0.0) | 0.2 | (0.0) | 0.1 | (0.0) |
| Non-Hispanic white | 90.5 | (3.2) | 96.0 | (0.4) | 97.3 | (0.3) | 96.5 | (0.4) | 86.3 | (4.6) |
| Non-Hispanic black | 8.2 | (3.7) | 3.1 | (0.4) | 2.2 | (0.3) | 3.2 | (0.3) | 1.2 | (0.3) |
| Non-Hispanic other | 1.4 | (1.0) | 0.6 | (0.1) | 0.4 | (0.1) | 0.1 | (0.0) | 12.5 | (4.7) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 44.4 | (14.4) | 29.7 | (1.0) | 41.1 | (1.2) | 52.8 | (1.6) | 45.9 | (2.8) |
| Diagnosed with depression | 8.4 | (4.5) | 36.1 | (0.7) | 21.3 | (0.7) | 58.4 | (1.5) | 20.9 | (2.4) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 44.0 | (11.1) | 58.2 | (2.4) | --- | --- | 53.3 | (2.3) | 20.9 | (2.4) |
| Bathing | 54.9 | (12.1) | 96.8 | (0.6) | --- | --- | 97.2 | (0.4) | 71.7 | (3.4) |
| Dressing | 51.9 | (12.3) | 89.3 | (1.6) | --- | --- | 91.2 | (0.7) | 54.7 | (3.4) |
| Toileting | 48.7 | (11.0) | 75.4 | (2.7) | --- | --- | 87.2 | (0.8) | 49.3 | (3.7) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

⁴FTE is full time equivalent.

⁵Reported only when the percentage of missing cases is greater than 10%. If percent missing is 10% or less, the cases are dropped from the analysis.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsitcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 50. Providers and Users of Long-Term Care Services in Wisconsin, by Provider Type and Selected Characteristics

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|--------------------|-------|---------|-------|--------------|---------|----------------------------|---------|
| | Number or percent (standard error) | | | | | | | | | |
| Organization | | | | | | | | | | |
| Number of providers ¹ | 100 | (1) | 100 | (11) | 70 | (8) | 400 | (20) | 1,200 | (22) |
| Number of beds or licensed maximum capacity ² | 3,600 | (200) | ... | ... | ... | ... | 35,200 | (2,000) | 34,400 | (2,800) |
| Average capacity | 29 | (1.4) | --- | --- | --- | --- | 90 | (2.4) | 29 | (2.2) |
| Average number of people served | 18 | (0.9) | --- | --- | --- | --- | 74 | (2.1) | 26 | (2.2) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | 61.9 | (2.6) | 66.7 | (4.2) | 70.1 | (5.6) | 58.4 | (2.5) | 63.9 | (4.4) |
| Micropolitan or neither | 38.1 | (2.6) | 33.3 | (4.2) | 29.9 | (5.6) | 41.6 | (2.5) | 36.1 | (4.4) |
| Ownership (percent): | | | | | | | | | | |
| For-profit | 25.2 | (2.4) | 49.2 | (4.5) | 29.9 | (5.6) | 51.8 | (2.5) | 71.3 | (4.1) |
| Not-for-profit, government, or other | 74.8 | (2.4) | 50.8 | (4.5) | 70.1 | (5.6) | 48.2 | (2.5) | 28.7 | (4.1) |
| Number of people served (percent): ³ | | | | | | | | | | |
| Category 1 | * | * | 34.2 | (4.3) | 19.4 | (4.8) | 5.9 | (1.2) | 69.4 | (2.4) |
| Category 2 | * | * | 37.5 | (4.4) | 40.3 | (6.0) | 73.2 | (2.2) | * | * |
| Category 3 | * | * | 28.3 | (4.1) | 40.3 | (6.0) | 20.9 | (2.1) | * | * |
| Staffing ⁴ | | | | | | | | | | |
| Number of nursing employee FTEs | 388 | (20) | 1,825 | (229) | 1,272 | (232) | 21,104 | (1,206) | 15,431 | (1,654) |
| Nursing employee FTEs (percent): | | | | | | | | | | |
| Registered nurse | 7.8 | (0.5) | 52.4 | (2.8) | 56.2 | (1.7) | 17.6 | (0.3) | 10.7 | (2.8) |
| Licensed practical nurse or licensed vocational nurse | 4.7 | (0.6) | 8.5 | (1.2) | 7.6 | (1.5) | 14.4 | (0.4) | 4.2 | (1.3) |
| Aide | 87.5 | (0.8) | 39.2 | (2.6) | 36.2 | (1.5) | 67.9 | (0.4) | 85.1 | (3.3) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 34.9 | (2.5) | 100.0 | (0.0) | 100.0 | (0.0) | † | † | 68.0 | (3.7) |
| Licensed practical nurse or licensed vocational nurse | 15.5 | (1.9) | 43.7 | (4.4) | 46.3 | (6.1) | 98.5 | (0.6) | 24.4 | (3.6) |
| Aide | 83.6 | (2.0) | † | † | † | † | 98.5 | (0.6) | 93.9 | (2.2) |
| Social worker | 35.0 | (2.5) | 45.2 | (4.4) | 100.0 | (0.0) | 88.5 | (1.6) | * | * |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.2 | (0.0) | --- | --- | --- | --- | 0.7 | (0.0) | 0.2 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.2 | (0.1) | --- | --- | --- | --- | 0.6 | (0.0) | *0.1 | (0.0) |
| Aide | 1.8 | (0.2) | --- | --- | --- | --- | 2.5 | (0.0) | 3.3 | (0.2) |
| Social worker | 0.2 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | 0.1 | (0.0) |
| Service provided | | | | | | | | | | |
| Social work (percentage) | 44.6 | (2.6) | 57.1 | (4.4) | 100.0 | (0.0) | 96.9 | (0.9) | 73.3 | (4.1) |
| Mental health or counseling (percentage) | 25.7 | (2.3) | --- | --- | 100.0 | (0.0) | 81.4 | (2.0) | 71.6 | (4.3) |
| Therapy (physical, occupational, or speech) (percentage) | 37.2 | (2.6) | 85.7 | (3.1) | † | † | † | † | 83.0 | (3.6) |
| Skilled nursing or nursing (percentage) | 44.4 | (2.6) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 74.3 | (4.2) |
| Pharmacy or pharmacist (percentage) | 18.7 | (2.1) | 8.7 | (2.5) | --- | --- | 96.4 | (0.9) | 91.8 | (3.0) |
| Hospice (percentage) | 25.6 | (2.3) | 23.0 | (3.8) | ... | ... | 74.5 | (2.2) | 87.8 | (3.3) |

Table 50. Providers and Users of Long-Term Care Services in Wisconsin, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Adult day services center | Home health agency | Hospice | Nursing home | Residential care community |
|---|------------------------------------|--------------------|----------------|----------------|----------------------------|
| | Number or percent (standard error) | | | | |
| Service users | | | | | |
| Number of users ² | 3,600 (200) | 49,700 (10,900) | 25,100 (4,600) | 29,100 (1,700) | 30,900 (2,700) |
| Age in years (percent): | | | | | |
| Under 65 | 41.0 (2.2) | 17.8 (1.4) | 4.8 (0.2) | 8.9 (0.6) | 6.0 (0.9) |
| 65 and over | 59.0 (2.2) | 82.2 (1.4) | 95.2 (0.2) | 91.1 (0.6) | 94.0 (0.9) |
| 65–74 | 16.6 (0.7) | 22.0 (0.4) | 15.3 (0.7) | 11.7 (0.4) | 7.7 (1.2) |
| 75–84 | 24.6 (1.1) | 32.9 (0.5) | 30.1 (0.5) | 27.1 (0.3) | 36.4 (4.3) |
| 85 and over | 17.7 (1.1) | 27.3 (1.1) | 49.8 (1.2) | 52.4 (0.9) | 49.8 (4.3) |
| Sex (percent): | | | | | |
| Men | 43.8 (1.1) | 38.4 (0.3) | 40.1 (0.6) | 31.6 (0.8) | 27.4 (1.3) |
| Women | 56.2 (1.1) | 61.6 (0.3) | 59.9 (0.6) | 68.4 (0.8) | 72.6 (1.3) |
| Race and ethnicity (percent): | | | | | |
| Hispanic | 5.8 (1.9) | 1.4 (0.2) | 0.9 (0.1) | 0.7 (0.1) | 0.5 (0.2) |
| Non-Hispanic white | 67.9 (2.6) | 91.7 (1.6) | 94.8 (0.8) | 94.7 (0.7) | 93.3 (3.2) |
| Non-Hispanic black | 18.8 (2.0) | 5.2 (1.4) | 3.0 (0.7) | 3.6 (0.6) | *3.2 (2.5) |
| Non-Hispanic other | 7.4 (1.3) | 1.7 (0.1) | 1.3 (0.1) | 1.0 (0.1) | *2.9 (2.1) |
| Conditions (percentage): | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 41.7 (2.0) | 26.6 (0.9) | 41.3 (2.0) | 51.1 (0.8) | 34.2 (3.0) |
| Diagnosed with depression | 15.2 (1.3) | 35.1 (0.5) | 20.7 (0.7) | 52.2 (1.1) | 27.1 (3.2) |
| Need assistance in physical functioning (percentage): | | | | | |
| Eating | 32.3 (1.6) | 36.9 (2.6) | --- --- | 43.7 (1.1) | 15.6 (2.2) |
| Bathing | 32.6 (1.7) | 93.9 (0.9) | --- --- | 97.1 (0.3) | 60.0 (5.6) |
| Dressing | 35.1 (1.5) | 74.2 (3.0) | --- --- | 90.8 (0.5) | 42.4 (4.5) |
| Toileting | 44.4 (2.4) | 51.0 (4.6) | --- --- | 85.2 (0.6) | 31.5 (4.0) |

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For nursing homes and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011.

⁴Reported only when the percentage of missing cases is greater than 10%. If percent missing is 10% or less, the cases are dropped from the analysis.

⁵FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 51. Providers and Users of Long-Term Care Services in Wyoming, by Provider Type and Selected Characteristics

| Selected characteristic | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|--|------------------------------------|-------|---------|-------|--------------|-------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | |
| Organization | | | | | | | | |
| Number of providers ¹ | 30 | (5) | 20 | (4) | 40 | (6) | 20 | (1) |
| Number of beds or licensed maximum capacity ² | --- | --- | --- | --- | 3,000 | (500) | 1,200 | (100) |
| Average capacity | --- | --- | --- | --- | 76 | (6.8) | 49 | (1.6) |
| Average number of people served | --- | --- | --- | --- | 62 | (5.9) | 36 | (1.4) |
| Metropolitan statistical area status (percent): | | | | | | | | |
| Metropolitan | * | * | * | * | 20.5 | (6.5) | 25.6 | (4.0) |
| Micropolitan or neither | * | * | * | * | 79.5 | (6.5) | 74.4 | (4.0) |
| Ownership (percent): | | | | | | | | |
| For-profit | 44.8 | (9.2) | * | * | 41.0 | (7.9) | * | * |
| Not-for-profit, government, or other | 55.2 | (9.2) | * | * | 59.0 | (7.9) | * | * |
| Number of people served (percent): ³ | | | | | | | | |
| Category 1 | * | * | * | * | 15.4 | (5.8) | 44.6 | (2.3) |
| Category 2 | * | * | * | * | 69.2 | (7.4) | 55.4 | (2.3) |
| Category 3 | * | * | - | - | 15.4 | (5.8) | - | - |
| Staffing ⁴ | | | | | | | | |
| Number of nursing employee FTEs | 255 | (62) | 136 | (39) | 1,570 | (297) | 327 | (19) |
| Nursing employee FTEs (percent): | | | | | | | | |
| Registered nurse | 50.5 | (3.1) | 62.4 | (2.8) | 20.6 | (1.4) | 14.2 | (1.7) |
| Licensed practical nurse or licensed vocational nurse | 4.9 | (1.3) | 3.7 | (2.4) | 14.9 | (1.0) | 14.2 | (1.3) |
| Aide | 44.6 | (2.4) | 34.0 | (3.2) | 64.5 | (1.7) | 71.6 | (1.2) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | |
| Registered nurse | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | * | * |
| Licensed practical nurse or licensed vocational nurse | 34.5 | (8.8) | * | * | † | † | 60.3 | (3.4) |
| Aide | † | † | 100.0 | (0.0) | † | † | 100.0 | (0.0) |
| Social worker | 69.0 | (8.6) | 100.0 | (0.0) | 76.9 | (6.7) | * | * |
| Employee hours per resident or participant per day: | | | | | | | | |
| Registered nurse | --- | --- | --- | --- | 1.1 | (0.3) | 0.3 | (0.1) |
| Licensed practical nurse or licensed vocational nurse | --- | --- | --- | --- | 0.5 | (0.0) | 0.3 | (0.0) |
| Aide | --- | --- | --- | --- | 2.0 | (0.1) | 2.6 | (0.4) |
| Social worker | --- | --- | --- | --- | 0.1 | (0.0) | 0.0 | (0.0) |
| Service provided | | | | | | | | |
| Social work (percentage) | 75.9 | (7.9) | 100.0 | (0.0) | † | † | * | * |
| Mental health or counseling (percentage) | --- | --- | † | † | † | † | 72.2 | (4.3) |
| Therapy (physical, occupational, or speech) (percentage) | 100.0 | (0.0) | † | † | 100.0 | (0.0) | * | * |
| Skilled nursing or nursing (percentage) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | * | * |
| Missing ⁵ | --- | --- | --- | --- | --- | --- | * | * |
| Pharmacy or pharmacist (percentage) | * | * | --- | --- | † | † | * | * |
| Missing ⁵ | --- | --- | --- | --- | --- | --- | * | * |
| Hospice (percentage) | 24.1 | (7.9) | --- | --- | 28.2 | (7.2) | * | * |

Table 51. Providers and Users of Long-Term Care Services in Wyoming, by Provider Type and Selected Characteristics-Con.

| Selected characteristic | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|------------------------------------|---------|---------|-------|--------------|-------|----------------------------|-------|
| | Number or percent (standard error) | | | | | | | |
| Service users | | | | | | | | |
| Number of users ² | 3,700 | (1,000) | 1,100 | (400) | 2,400 | (500) | 900 | (0) |
| Age in years (percent): | | | | | | | | |
| Under 65 | 17.0 | (1.0) | 8.0 | (0.8) | 9.3 | (1.0) | 8.9 | (2.6) |
| 65 and over | 83.0 | (1.0) | 92.0 | (0.8) | 90.7 | (1.0) | 91.1 | (2.6) |
| 65–74 | 23.7 | (1.1) | 21.1 | (0.9) | 12.8 | (1.0) | 14.3 | (1.3) |
| 75–84 | 33.2 | (0.8) | 34.2 | (1.6) | 29.5 | (1.1) | 27.2 | (2.3) |
| 85 and over | 26.1 | (1.0) | 36.7 | (1.6) | 48.4 | (2.1) | 49.5 | (2.9) |
| Sex (percent): | | | | | | | | |
| Men | 37.4 | (1.0) | 47.0 | (1.3) | 30.7 | (1.4) | 32.2 | (3.1) |
| Women | 62.6 | (1.0) | 53.0 | (1.3) | 69.3 | (1.4) | 67.8 | (3.1) |
| Race and ethnicity (percent): | | | | | | | | |
| Hispanic | 4.0 | (0.7) | 3.4 | (0.6) | 3.4 | (0.7) | 2.0 | (0.3) |
| Non-Hispanic white | 92.8 | (1.0) | 92.8 | (1.2) | 93.7 | (1.1) | 81.6 | (3.4) |
| Non-Hispanic black | 0.5 | (0.2) | 0.4 | (0.4) | 0.7 | (0.2) | 0.4 | (0.1) |
| Non-Hispanic other | 2.7 | (1.2) | 3.3 | (1.0) | 2.3 | (0.9) | 16.0 | (3.4) |
| Conditions (percentage): | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 24.7 | (1.3) | 32.0 | (1.8) | 48.5 | (2.2) | 44.5 | (3.9) |
| Diagnosed with depression | 33.9 | (1.2) | 26.3 | (1.2) | 61.1 | (3.2) | 26.3 | (2.8) |
| Need assistance in physical functioning (percentage): | | | | | | | | |
| Eating | 40.0 | (3.3) | --- | --- | 50.5 | (5.0) | 18.1 | (3.9) |
| Bathing | 91.3 | (1.2) | --- | --- | 96.6 | (0.8) | 59.1 | (4.8) |
| Dressing | 71.8 | (3.2) | --- | --- | 85.1 | (1.9) | 30.1 | (3.1) |
| Toileting | 46.8 | (4.8) | --- | --- | 82.6 | (2.1) | 21.1 | (2.9) |

— Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

³For nursing homes and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

⁴Reported only when the percentage of missing cases is greater than 10%. If percent missing is 10% or less, the cases are dropped from the analysis.

⁵FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.