# Acute Conditions

# Incidence and Associated Disability United States, July 1974-June 1975

Statistics on the incidence of acute conditions and the associated days of restricted activity, bed disability, and time lost from work and school, by age, sex, calendar quarter, place of residence, and geographic region. Based on data collected in household interviews during the period July 1974-June 1975.

DHEW Publication No. (HRA) 77-1541

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
Public Health Service
Health Resources Administration
National Center for Health Statistics
Rockville, Md. Febuary 1977



# Library of Congress Cataloging in Publication Data

Wilder, Charles S
Acute conditions.

(Data from the National Health Survey: Series; 10, no. 114) (DHEW publication; no. (HRA) 77-1541)

Includes bibliographical references.

Supt. of Docs. no.: HE 20.6209:10/114

1. United States—Statistics, Medical. 2. Health surveys—United States. 3. Public health—United States—Statistics. I. Title. II. Series: United States. National Center for Health Statistics. Vital and health statistics: Series 10, Data from the National Health Survey, Data from the health interview survey; no. 114. III. Series: United States. Dept. of Health, Education, and Welfare. DHEW publication; no. (HRA) 77-1541. [DNLM: 1. Acute disease—Occurrence—U.S. W2 A N148vj no. 114]

RA407.3.A346

no. 114

312'.0973s

[312'.3]

76-608244

ISBN 0-8406-0082-8

# NATIONAL CENTER FOR HEALTH STATISTICS

DOROTHY P. RICE, Director

ROBERT A. ISRAEL, Deputy Director

JACOB J. FELDMAN, Ph.D., Associate Director for Analysis

GAIL F. FISHER, Associate Director for the Cooperative Health Statistics System

ELIJAH L. WHITE, Associate Director for Data Systems

ANDERS S. LUNDE, Ph.D., Associate Director for International Statistics

ROBERT C. HUBER, Acting Associate Director for Management

MONROE G. SIRKEN, Ph.D., Associate Director for Mathematical Statistics

PETER L. HURLEY, Associate Director for Operations

JAMES M. ROBEY, Ph.D., Associate Director for Program Development

ALICE HAYWOOD, Information Officer

### DIVISION OF HEALTH INTERVIEW STATISTICS

ROBERT R. FUCHSBERG, Director
PETER RIES, Ph.D., Chief, Illness and Disability Statistics Branch
ROBERT A. WRIGHT, Acting Chief, Utilization and Expenditure Statistics Branch
CLINTON E. BURNHAM, Chief, Survey Planning and Development Branch

### **COOPERATION OF THE BUREAU OF THE CENSUS**

Under the legislation establishing the National Health Survey, the Public Health Service is authorized to use, insofar as possible, the services or facilities of other Federal, State, or private agencies.

In accordance with specifications established by the Health Interview Survey, the Bureau of the Census, under a contractual arrangement, participates in most aspects of survey planning, selects the sample, and collects the data.

Vital and Health Statistics-Series 10-No. 114

# **CONTENTS**

	Page
Introduction	1
Source of Data	1
Incidence of Acute Conditions and Associated Disability Days	2
Geographic Distribution	5
Seasonal Variation: Calendar Quarter	6
List of Detailed Tables	7
Appendixes  I. Technical Notes on Methods	45 58 64
List of Figures	
Incidence of acute conditions per 100 persons per quarter by condition group	2
2. Incidence of acute conditions per 100 persons per year by sex and age	5
3. Incidence of acute conditions per 100 persons per year by place of residence and age	6
4. Incidence of acute conditions per 100 persons per year by place of residence and age	6
List of Text Tables	
Comparative incidence and disability-day rates per 100 persons per year for selected statistics on acute conditions: United States, July 1967-June 1975	3
B. Incidence of acute conditions per 100 persons per year and average duration of days of re- stricted activity and bed disability per condition by selected characteristics: United States, July 1974-June 1975	4
C. Number and percent distribution of acute conditions by measures of impact of illness, according to condition group: United States, July 1974-June 1975	E

# 

# **ACUTE CONDITIONS**

# Incidence and Associated Disability

Charles S. Wilder, Division of Health Interview Statistics

### INTRODUCTION

During July 1974-June 1975 an estimated 407,831,000 acute illnesses or injuries involving either medical attention or restriction of usual daily activity occurred in the United States civilian noninstitutionalized population. The annual incidence of acute conditions was 195.9 cases per 100 persons.

Acute respiratory illnesses accounted for 53.9 percent of the annual incidence, or an incidence rate of 105.7. Contributing to this rate were influenza-like illnesses with an incidence of 49.1 conditions per 100 persons per year. The annual incidence of injuries was 34.3 per 100 persons per year, representing 17.5 percent of the annual incidence of acute conditions. Infective and parasitic diseases accounted for 10.3 percent and digestive system conditions for 4.6 percent of the annual incidence.

This report is one of an annual series of reports on the incidence of acute conditions based on data collected in the Health Interview Survey. The last report, Series 10, No. 102, covered the period July 1973-June 1974; other such reports in Series 10 are Numbers 1, 10, 15, 26, 38, 44, 54, 69, 77, 82, 88, and 98. The incidence of acute conditions on a calendar year basis is summarized in the Current Estimates reports in Series 10, Numbers 52, 60, 63, 72, 79, 85, 95, and 100, for 1967 through 1974.

### SOURCE OF DATA

The information in this report is based on data collected in a continuing nationwide survey conducted by household interview. Each week a probability sample of the civilian noninstitution-alized population is interviewed by trained personnel of the U.S. Bureau of the Census to obtain information about the health and other characteristics of each member of the household. During July 1974-June 1975, the sample was composed of about 40,000 households containing some 116,000 persons living at the time of the interview. A description of the design of the survey, the methods used in estimation, and the general qualifications of data obtained from surveys is presented in appendix I.

Since estimates shown in this report are based on a sample of the population rather than on the entire population, they are subject to sampling error. Therefore particular attention should be paid to the section entitled "Reliability of Estimates." Sampling errors for most of the estimates are of relatively low magnitude. However, where an estimated number of the numerator or the denominator of a rate or percentage is small, the sampling error may be high.

Certain terms used in this report are defined in appendix II. Some of the terms have specialized meanings for the purpose of the survey. For example, estimates of the incidence of acute conditions include, with certain exceptions, only those conditions which had started within the 2 weeks prior to the week of interview and which had involved either medical attention or restricted activity. The exceptions, listed in appendix II, are certain conditions such as heart trouble and diabetes which are always considered chronic regardless of duration or onset.

Annual estimates of the number of disability days associated with each acute condition are derived from the number of such days experienced during the 2-week period prior to week of interview and include all those reported even if the acute illness causing the disability had its onset prior to the 2-week period. Since any particular day of disability may be associated with more than one condition, the sum of days for all conditions adds to more than the total number of person-days of disability.

The questionnaire used for the Health Interview Survey during 1974 is illustrated in the Current Estimates report for that year (Series 10, Number 100). Appendix III of this report

shows the probe questions for acute conditions and the condition pages used in 1975. The entire questionnaire for 1975 will be illustrated in the Current Estimates report for 1975.

# INCIDENCE OF ACUTE CONDITIONS AND ASSOCIATED DISABILITY DAYS

During July 1974-June 1975 the incidence of acute illnesses and injuries involving medical attention or activity restriction experienced by the civilian population not confined in institutions was about 407.8 million, or 195.9 cases per 100 persons per year (table 1). Table A shows that this incidence rate closely resembles that of July 1972-June 1973. The factors leading to the decline in incidence in 1973 and 1974 did not continue in 1975.<sup>a</sup> Figure 1 shows that

<sup>&</sup>lt;sup>a</sup>This decline was wholly or in part a function of the data collection procedure used during 1973 and 1974, which is explained on pages 2-4 of Series 10, No. 102.




Figure 1. Incidence of acute conditions per 100 persons per quarter by condition group.

Table A. Comparative incidence and disability-day rates per 100 persons per year for selected statistics on acute conditions: United States, July 1967-June 1975

				<del></del>		-		
Characteristic and type of day	July 1967- June 1968	July 1968- June 1969	July 1969- June 1970	July 1970- June 1971	July 1971- June 1972	July 1972- June 1973	July 1973- June 1974	July 1974- June 1975
			Incid	ence per 100	persons per	year		
All acute conditions	189.4	206.8	204.8	210,1	220.2	198.1	172.0	195.9
Condition group								
Infective and parasitic diseases Respiratory conditions Upper respiratory conditions Influenza Other respiratory conditions Digestive system conditions Injuries	21.9 106.2 61.0 41.3 3.9 8.9 28.9 23.5	23.0 121.6 63.1 54.7 3.8 10.9 24.2 27.9	24.5 113.0 65.8 41.1 6.1 11.0 27.7 28.7	27.0 110.3 65.2 39.0 6.1 11.5 31.8 29.4	23.3 120.7 67.9 47.5 5.3 11.5 32.6 32.1	20.7 105.6 56.7 43.6 5.4 9.5 32.6 29.7	19.8 91.5 48.2 39.4 3.9 8.1 30.1 22.4	20.2 105.7 52.0 49.1 4.5 9.0 34.3 26.0
Sex								
Male Female	182.5 195.8	202.4 210.9	196.9 212.2	200.0 219.5	207.8 231.8	191.0 204.7	169.7 174.1	186.8 204.4
Age								
Under 6 years	327.9 232.6 125.5 97.4	317.3 267.8 139.5 100.6	346.6 263.1 132.8 103.0	361.5 286.4 125.3 105.6	366.1 280.4 144.0 109.2	343.1 250.8 124.6 98.1	303.4 232.2 98.3 75.7	346.9 253.1 123.4 91.3
Place of residence							i	
All SMSA	192.3	217.5	209.4	214.0	228.2	200,8	177.1	202.7
NonfarmFarm	186.4 170.5	194.3 143.6	199.9 167.3	208.2 163.8	207.4 193.9	197.0 161.1	162.8 142.8	185.2 145.8
Geographic region								
Northeast North Central South West	188.9 174.1 194,9 206.1	210.3 197.4 193.1 242.7	199.2 193.6 204.6 233.1	212.0 197.1 196.3 253.3	213.0 227.1 205.6 245.1	184.0 208.6 187.4 220.5	152.8 179.5 167.0 195.1	178.9 201.5 181.7 235.1
Type of disability			Number	of disability	days per 100	persons		
Days of restricted activity  Days of bed disability  Days lost from work among	786.9 337.2	915.7 419.4	850.6 377.1	855.9 381.2	929.5 404.7	916.9 397.5	922.2 400.4	973.1 422.5
currently employed persons  Days lost from school among	339.1	392,3	379,0	329.6	369.2	367.9	355.8	369.8
children aged 6-16 years	401.6	487.7	451.6	482.9	466.8	440.2	493.2	451.0

for the two quarters in 1975—January-March and April-June—there is a similarity in rates for some of the condition groups with these rates for earlier years. The incidence rates per quarter for respiratory illnesses resemble those for the same two quarters in 1970 and 1971. The digestive system conditions rates resemble those for 1971. The rates of injuries resemble those for

1972, but the incidence rate of 11.2 per quarter for April-June 1975 is the highest ever reported in the Health Interview Survey.

The incidence of influenza-like illnesses per 100 persons per year during July 1974-June 1975 was the second highest in the past 8 years (table A). The annual incidence rate of injuries was comparable with those reported for the

years ending in June of 1972 and 1973. The difference in rates of 34.3 for the current year and 32.6 for the earlier years can be explained by sampling variability.

Acute conditions caused 9.7 days of restricted activity and 4.2 days in bed per person per year (tables 2 and 3). The average duration of these disability days per condition was 5.0 days of restricted activity and 2.2 days of bed disability (table B). Average duration per condition is computed by dividing the number of days by the number of cases of the condition.

About 55.6 percent of all acute conditions

were medically attended (tables C and 4). An estimated 37.8 percent of the medically attended conditions also caused activity restriction. When this latter percentage is added to the 44.4 percent of conditions that were activity restricting but not medically attended, a total of 82.2 percent of all conditions caused some degree of activity restriction. Influenza-like illnesses had the highest percentage of activity restricting conditions with 97.2 percent. The lowest percentage of activity-restricting conditions was reported for injuries with 63.4 percent.

Table B. Incidence of acute conditions per 100 persons per year and average duration of days of restricted activity and bed disability per condition by selected characteristics: United States, July 1974-June 1975

	Incidence of acute conditions	Average duration of disability			
Characteristic	per 100 persons per year	Restricted activity	Beds disability		
		Duration in	n days per condition		
All acute conditions	195.9	5.0	2.2		
Condition group					
Infective and parasitic diseases Respiratory conditions Upper respiratory conditions Influenza Other respiratory conditions Digestive system conditions Injuries All other acute conditions	20.2 105.7 32.0 49.1 4.5 9.0 34.3 26.8	4.4 4.0 3.1 4.5 10.0 5.4 6.9 6.5	2.1 2.0 1.2 2.5 5.2 2.5 2.2 2.7		
<u>Sex</u>					
Male Female	186.8 204.4	4.7 5.2	1.9 2.3		
Age					
Under 6 years 6-16 years 17-44 years 45-64 years 65 years and over	346.9 253.1 194.7 123.4 91.3	3.1 3.4 4.8 8.0 13.3	1.3 1.5 2.2 3.3 5.8		
Place of residence					
All SMSA	202.7	4.9	2.2		
Nonfarm	185.2 145.8	5.1 4.7	2.1 1.7		
Geographic region					
Northeast North Central South West	178.9 201.5 181.7 235.1	5.0 4.6 5.1 5.2	2.2 2.0 2.3 2.2		

Table C. Number and percent distribution of incidence of acute conditions by measures of impact of illness, according to condition group: United States, July 1974-June 1975

Condition every	Incidenc acute cond			Medically attended	Activity	
Condition group	Number in thousands	Percent		and activity restricting	restricting	
	Percent dist					
All acute conditions	407,831	100.0	17.8	37.8	44.4	
Infective and parasitic diseases Respiratory conditions Upper respiratory conditions Influenza Other respiratory conditions Digestive system conditions njuries All other acute conditions	42,114 219,958 108,312 102,231 9,415 18,737 71,342 55,681	100.0 100.0 100.0 100.0 100.0 100.0 100.0	11.2 9.4 14.9 2.8 16.7 16.2 36.6 32.3	44.1 31.8 27.6 32.6 72.4 33.2 47.8 45.3	37.8 58.8 57.8 64.6 10.9 50.6 15.6	




Figure 2. Incidence of acute conditions per 100 persons per year by sex and age

The incidence of acute conditions per 100 persons per year declined as age increased (table 5 and figure 2). The age-specific rates for females exceeded those for males for most of the lifespan. Only among children under 6 years of age does the rate for males usually exceed that for females.

The average duration of restricted activity and bed disability per condition rose with advance in age (tables B, 6, and 7). Persons 65 years and over experience an average of 13.3 days of restricted activity per condition, including 5.8

days spent in bed. The incidence rate of acute conditions in this age group is relatively low, but the effect of the conditions is more severe than at earlier ages.

Acute conditions caused 4.5 days lost from school per child 6-16 years of age (table 8). More than half of this disability, 2.6 days, was caused by respiratory illness.

The incidence of acute conditions per 100 currently employed persons per year was 168.9 (table 9). These conditions caused 3.7 days lost from work per currently employed person, or an average duration per condition of 2.2 days (table 10). The rate per 100 persons of absence from work due to acute illness or injury was higher for females (419.2) than for males (337.7).

### **GEOGRAPHIC DISTRIBUTION**

Following the usual pattern residents of standard metropolitan statistical areas (SMSA's) had the highest incidence of acute illnesses and injuries per 100 persons per year, and farm residents outside metropolitan areas had the lowest rates (table 11). Figure 3 shows that the lower rates for farm residents occurred primarily among youths and young adults. Rates of restricted activity and bed disability days for residents of SMSA's and nonfarm areas differed substantially from those of farm residents (tables 12 and 13).

Influenza-like illness occurred at somewhat




Figure 3. Incidence of acute conditions per 100 persons per year by place of residence and age

the same rate in each of the three places of residence (table 14). The average duration of restricted activity and bed disability per case of influenza-like illness was substantially the same for SMSA's and the nonfarm areas (tables 15 and 16). Farm residents reported about a day less restricted activity per case.

The incidence rate of acute conditions was highest in the West Region and lowest in the Northeast and South Regions (table 17). Figure 4 shows the age-specific incidence rates for the four regions. It shows that the higher incidence in the West occurred primarily among persons in the age group 15-54. The rates of restricted activity and bed disability were substantially higher in the West Region than elsewhere (tables 18 and 19).

The incidence rates of influenza-like illness




Figure 4. Incidence of acute conditions per 100 persons per year by geographic region and age.

were higher in the North Central and West Regions than in the Northeast and South Regions (table 20). This also occurred for the rates of disability days (tables 21 and 22).

### SEASONAL VARIATION: CALENDAR QUARTER

Figure 1 has been mentioned as showing that for certain condition groups the incidence rates for the January-March and April-June 1975 quarters resumed the pattern of earlier years before the decline in 1973 and 1974. Tables 23-28 show the incidence and disability day rates per quarter by age, sex, and condition group. Tables 29 and 30 show seasonal rates of respiratory conditions and injuries.

# LIST OF DETAILED TABLES

## EXTENDED LIST OF CONDITION GROUPS, BY SEX

1.	Incidence of acute conditions, percent distribution, and number of acute conditions per 100 persons per year, by condition group, according to sex: United States, July 1974-June 1975	9
2.	Days of restricted activity associated with acute conditions and days of restricted activity per 100 persons per year, by sex and condition group: United States, July 1974-June 1975	10
3.	Days of bed disability associated with acute conditions and days of bed disability per 100 persons per year, by sex and condition group: United States, July 1974-June 1975	11
	MEASURES OF THE IMPACT OF ILLNESS	
4.	Incidence of acute conditions and number of acute conditions per 100 persons per year, by measures of the impact of illness, sex, and condition group: United States, July 1974-June 1975	12
	SEX AND AGE	
5.	Incidence of acute conditions and number of acute conditions per 100 persons per year, by age, sex, and condition group: United States, July 1974-June 1975	13
6.	Days of restricted activity associated with acute conditions and days of restricted activity per 100 persons per year, by age, sex, and condition group: United States, July 1974-June 1975	14
7.	Days of bed disability associated with acute conditions and days of bed disability per 100 persons per year, by age, sex, and condition group: United States, July 1974-June 1975	15
	TIME LOST FROM SCHOOL AND WORK	
8.	Days lost from school associated with acute conditions and days lost from school per 100 children (6-16 years) per year, by sex and condition group: United States, July 1974-June 1975	16
9.	Incidence of acute conditions among currently employed persons and number of acute conditions per 100 currently employed persons per year, by age, sex, and condition group: United States, July 1974-June 1975 .	17
10.	Days lost from work associated with acute conditions and days lost from work per 100 currently employed persons per year, by age, sex, and condition group: United States, July 1974-June 1975	18
	PLACE OF RESIDENCE	
11.	Incidence of acute conditions and number of acute conditions per 100 persons per year, by place of residence, sex, and age: United States, July 1974-June 1975	19
12.	Days of restricted activity associated with acute conditions and days of restricted activity per 100 persons per year, by place of residence, sex, and age: United States, July 1974-June 1975	20
13.	Days of bed disability associated with acute conditions and days of bed disability per 100 persons per year, by place of residence, sex, and age: United States, July 1974-June 1975	21
14.	Incidence of acute conditions and number of acute conditions per 100 persons per year, by place of residence, sex, and condition group: United States, July 1974-June 1975	22
15.	Days of restricted activity associated with acute conditions and days of restricted activity per 100 persons per year, by place of residence, sex, and condition group: United States, July 1974-June 1975	23

16.	Days of bed disability associated with acute conditions and days of bed disability per 100 persons per year, by place of residence, sex, and condition group: United States, July 1974-June 1975	24
	GEOGRAPHIC REGION	
17.	Incidence of acute conditions and number of acute conditions per 100 persons per year, by geographic region, sex, and age: United States, July 1974-June 1975	25
18.	Days of restricted activity associated with acute conditions and days of restricted activity per 100 persons per year, by geographic region, sex, and age: United States, July 1974-June 1975	26
19.	Days of bed disability associated with acute conditions and days of bed disability per 100 persons per year, by geographic region, sex, and age: United States, July 1974-June 1975	27
20.	Incidence of acute conditions and number of acute conditions per 100 persons per year, by geographic region, sex, and condition group: United States, July 1974-June 1975	28
21.	Days of restricted activity associated with acute conditions and days of restricted activity per 100 persons per year, by geographic region, sex, and condition group: United States, July 1974-June 1975	29
22.	Days of bed disability associated with acute conditions and days of bed disability per 100 persons per year, by geographic region, sex, and condition group: United States, July 1974-June 1975	30
	CALENDAR QUARTER	
23.	Incidence of acute conditions per quarter and number of acute conditions per 100 persons per quarter, by sex and age: United States, July 1974-June 1975	31
24.	Incidence of acute conditions per quarter and number of acute conditions per 100 persons per quarter, by sex and condition group: United States, July 1974-June 1975	32
25.	Days of restricted activity associated with acute conditions per quarter and days of restricted activity per 100 persons per quarter, by sex and age: United States, July 1974-June 1975	33
26.	Days of restricted activity associated with acute conditions per quarter and days of restricted activity per 100 persons per quarter, by sex and condition group: United States, July 1974-June 1975	34
27.	Days of bed disability associated with acute conditions per quarter and days of bed disability per 100 persons per quarter, by sex and age: United States, July 1974-June 1975	35
28.	Days of bed disability associated with acute conditions per quarter and days of bed disability per 100 persons per quarter, by sex and condition group: United States, July 1974-June 1975	36
29.	Incidence of acute respiratory conditions and associated disability days per quarter and number per 100 persons per quarter, by age: United States, July 1974-June 1975	37
30.	Incidence of injuries and associated disability days per quarter and number per 100 persons per quarter, by age: United States, July 1974-June 1975	38
	POPULATION	
31.	Population used in obtaining rates shown in this publication, by place of residence, geographic region, sex, and age: United States, July 1974-June 1975	39
32.	Population of currently employed persons, by sex and age: United States, July 1974-June 1975	40
33.	Population used in obtaining rates shown in this publication, by quarter, sex, and age: United States, July 1974-June 1975	41

TABLE 1. INCIDENCE OF ACUTE CONDITIONS, PERCENT DISTRIBUTION, AND NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR, BY CONDITION GROUP, ACCORDING TO SEX: UNITED STATES, JULY 1974—JUNE 1975

CONDITION GROUP	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
		DENCE OF A ONS IN THO		DI	PERCENT STRIBUT:		NUMBER OF ACUTE CON- DITIONS PER 100 PERSONS PER YEAR		
ALL ACUTE CONDITIONS	407,831	187,588	220,244	100:0	100.0	100.0	195.9	186.8	204.4
INFECTIVE AND PARASITIC DISEASES	42,114	18,474	23,640	10.3	9.8	10.7	20.2	18.4	21.9
COMMON CHILDHOOD DISEASES VIRUS, N.O.S	4,760 16,814	2,391 7,377	2,369 9,436	1.2 4.1	1.3 3.9	1.1 4.3	2•3 8•1	2.4 7.3	2•2 8•8
DISEASES	20,540	8,706	11,834	5.0	4.6	5.4	9.9	8.7	11.0
RESPIRATORY CONDITIONS	219,958	100,019	119,939	53.9	53.3	54.5	105.7	99.6	111.3
UPPER RESPIRATORY CONDITIONS COMMON COLD	108,312 80,341	49,819 37,995	58,493 42,346	26.6 19.7	26.6 20.3	26.6 19.2	52.0 38.6	49.6 37.8	54.3 39.3
CONDITIONS————————————————————————————————————	27,971 102,231	11,824 45,949	16,147 56,282	6.9 25.1	6.3 24.5	7.3 25.6	13.4 49.1	11.8 45.8	15.0 52.2
MANIFESTATIONS	14,252 87,979	6,013 39,936	8,239 48,043	3.5 21.6	3.2 21.3	3.7 21.8	6.8 42.3	6.0 39.8	7.6 44.6
OTHER RESPIRATORY CONDITIONS PNEUMONIA	9,415 2,164	4,251 1,142	5,163 1,021	2.3 0.5	2.3	2.3 0.5	4.5 1.0	4.2 1.1	4.8 0.9
BRONCHITIS———————————————————————————————————	4,282 2,969	1,654	2,628 1,514	1.0 0.7	0.9	1.2 0.7	2.1 1.4	1.6 1.4	2.4 1.4
DIGESTIVE SYSTEM CONDITIONS	18,737	8,224	10,512	4.6	4.4	4.8	9.0	8.2	9.8
DENTAL CONDITIONS	4,744	2,409	2,335	1.2	1.3	1.1	2.3	2.4	2.2
N.E.C	7,906	3,432	4,475	1.9	1.8	2.0	3.8	3.4	4.2
CONDITIONS	6,086	2,384	3,702	1.5	1.3	1.7	2.9	2.4	3.4
INJURIES	71,342	39,573	31,769	17.5	21.1	14.4	34.3	39.4	29.5
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS	22,484	12,357	10,127	5.5	6.6	4.6	10.8	12.3	9.4
FRACTURES AND DISLOCATIONS SPRAINS AND STRAINS	7,582 14,902	4,278 8,079	3,304 6,823	1.9 3.7	2.3 4.3	1.5 3.1	3.6 7.2	4.3 8.0	3.1 6.3
OPEN WOUNDS AND LACERATIONS	19,517	12,338	7,179	4.8	6.6	3.3	9.4	12.3	6.7
OTHER CURRENT INJURIES	14,811	7,537 7,340	7,273 7,191	3.6 3.6	4.0 3.9	3.3 3.3	7.1 7.0	7.5 7.3	6.8 6.7
ALL OTHER ACUTE CONDITIONS	55,681	21,297	34,384	13.7	11.4	15.6	26.8	21.2	31.9
DISEASES OF THE EAR	12,561	7,019	5,543	3.1	3.7	2.5	6.0	7-0	5.1
GENITOURINARY DISORDERS———————————————————————————————————	3,627 9,384	1,673 1,045	1,955 8,339	0.9	0.9 0.6	0.9 3.8	1.7 4.5	1.7	1.8 7.7
PREGNANCY AND THE PUERPERIUM DISEASES OF THE SKIN DISEASES OF THE MUSCULOSKELETAL	3,574 2,607	1,391	3,574 1,216	0.9	0.7	1.6 0.6	1.7	1.4	3.3 1.1
SYSTEM	5,666 18,261	2,374 7,796	3,292 10,465	1.4 4.5	1.3 4.2	1.5 4.8	2.7 8.8	2.4 7.8	3.1 9.7

NOTE: EXCLUDED FROM THESE STATISTICS ARE ALL CONDITIONS INVOLVING NEITHER RESTRICTED ACTIVITY NOR MEDICAL ATTENTION.
N.O.S.--NOT OTHERWISE SPECIFIED; N.E.C.--NOT ELSEWHERE CLASSIFIED.

TABLE 2. DAYS OF RESTRICTED ACTIVITY ASSOCIATED WITH ACUTE CONDITIONS AND DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER YEAR, BY SEX AND CONDITION GROUP: UNITED STATES, JULY 1974—JUNE 1975

ALL ACUTE CONDITIONS—  ALL ACUTE CONDITIONS—  2.025,592   888,395   1,137,187   973.1   884.7   1,05  INFECTIVE AND PARASITIC DISEASES—  COMMON CHILDHOOD DISEASES—  OTHER INFECTIVE AND PARASITIC DISEASES—  COMMON CHILDHOOD DISEASES—  OTHER INFECTIVE AND PARASITIC DISEASES—  OTHER INFERDINATION DISEASES—  OTHER CONDITIONS—  OTHER INFERDINATION DISEASES—  OTHER CONDITIONS—  OTH				r			
ALL ACUTE CONDITIONS—  2.025,582   888,395   1,137,187   973,1   884,7   1,057    INFECTIVE AND PARASITIC DISEASES—  COMMIN CHILDHODD DISEASES—  35,124   19,096   16,028   16,9   19,0   1    VINUS, N. JO. SCO.	CONDITION GROUP		MALE	FEMALE		MALE	FEMALE
INFECTIVE AND PARASITIC DISEASES				CTIVITY			
COMMON CHILDHOOD DISEASES 35,124 19,096 16,028 16.9 19.0 1 10.0 1	ALL ACUTE CONDITIONS	2,025,582	888,395	1,137,187	973.1	884.7	1,055.6
VIRUS, N.O.S AND PARASITIC DISEASES	INFECTIVE AND PARASITIC DISEASES	184,687	84,045	100,642	88.7	83.7	93.4
B9,401   39,517   49,884   43.0   39,4   4	VIRUS, N.O.S						14.9 32.2
UPPER RESPIRATORY CONDITIONS— COMMON COLD— C		89,401	39,517	49,884	43.0	39.4	46.3
COMMON COLD— OTHER UPPER RESPIRATORY CONDITIONS— 89,943 85,153 15,751 259,245 220.0 197.9 24 1NFLUENZA— INFLUENZA— INFLUE	RESPIRATORY CONDITIONS	887, 847	383,949	503,898	426.5	382.3	467.8
OTHER UPPER RESPIRATORY   89,943   35,153   54,789   43,2   35,0   5							172.7
INFLUENZA WITH DIGESTIVE		245,560	114,265	131,295	118.0	113.8	121.9
MANIFESTATIONS————————————————————————————————————	INFLUENZA						50.9 240.6
OTHER RESPIRATORY CONDITIONS	MANIFESTATIONS						22.3 218.4
PREUMONIA	OTHER RESPIRATORY CONDITIONS						54.4
DIGESTIVE SYSTEM CONDITIONS	PNEUMON I A						24.5
DENTAL CONDITIONS————————————————————————————————————							19.9 10.0
FUNCTIONAL AND SYMPTOMATIC UPPER GASTROINTESTINAL DISORDERS, N.E.C.——————————————————————————————————	DIGESTIVE SYSTEM CONDITIONS	100,509	42,282	58,227	48.3	42-1	54.1
N.E.C.	FUNCTIONAL AND SYMPTOMATIC UPPER	27,255	13,198	14,057	13.1	13.1	13.0
Total Conditions	N.E.C	17,279	7,904	9,376	8.3	7.9	8.7
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS————————————————————————————————————		55,975	21,180	34,795	26.9	21.1	32.3
AND STRAINS————————————————————————————————————	INJURIES	492,145	260,753	231,393	236.4	259.7	214.8
FRACTURES AND DISLOCATIONS—— 154,496 81,912 72,584 74.2 81.6 6 SPRAINS AND STRAINS————————————————————————————————————		350 049	120 215	120 722	124 5	127 7	112.1
SPRAINS AND STRAINS       104,552       56,403       48,149       50.2       56.2       4         OPEN MOUNDS AND LACERATIONS       69,385       41,256       28,128       33.3       41.1       2         CONTUSIONS AND SUPERFICIAL       66,621       33,913       32,708       32.0       33.8       3         OTHER CURRENT INJURIES       97,092       47,268       49,824       46.6       47.1       4         ALL OTHER ACUTE CONDITIONS       360,393       117,367       243,026       173.1       116.9       22         DISEASES OF THE EAR       51,201       24,453       26,748       24.6       24.4       2         HEADACHES       8,703       *       *       4.2       *         HEADACHES       66,213       12,273       53,940       31.8       12.2       5         DELIVERIES AND DISORDERS OF PREGNANCY AND THE PUERPERIUM       43,839        43,839       21.1        4         DISEASES OF THE SKIN       14,531       6,569       7,962       7.0       6.5         DISEASES OF THE MUSCULOSKELETAL SYSTEM       59,188       24,037       35,151       28.4       23.9       3							67.4
CONTUSIONS AND SUPERFICIAL INJURIES————————————————————————————————————	SPRAINS AND STRAINS	104,552	56,403	48,149	50.2		44.7
OTHER CURRENT INJURIES————————————————————————————————————		69,385	41,256	28,128	33.3	41.1	26.1
DISEASES OF THE EAR							30.4 46.3
HEADACHES————————————————————————————————————	ALL OTHER ACUTE CONDITIONS	360,393	117,367	243,026	173.1	116.9	225.6
GENITOURINARY DISORDERS			24,453			24.4	24.8
PREGNANCY AND THE PUERPERIUM 43,839 43,839 21.1 4 DISEASES OF THE SKIN	GENITOURINARY DISORDERS	66,213	12,273	53,940	31.8	12.2	50 <b>.</b> 1
SYSTEM 59,188 24,037 35,151 28.4 23.9 3.	PREGNANCY AND THE PUERPERIUM DISEASES OF THE SKIN		6,569				40.7 7.4
ALL UIHER ACUTE CUNDITIONS 116,717 46,600 70,117 56.1 46.4 6		59,188 116,717	24,037 46,600	35,151 70,117	28.4 56.1	23.9 46.4	32.6 65.1

NOTE: N.O.S.--NOT OTHERWISE SPECIFIED; N.E.C.--NOT ELSEWHERE CLASSIFIED.

TABLE 3. DAYS OF BED DISABILITY ASSOCIATED WITH ACUTE CONDITIONS AND DAYS OF BED DISABILITY PER 100 PERSONS PER YEAR, BY SEX AND CONDITION GROUP: UNITED STATES, JULY 1974-JUNE 1975

CONDITION GROUP	BOTH Sexes	MALE	FEMALE	BOTH S exes	MALE	FEMALE		
		BED DISABI THOUSANDS	LITY		DAYS OF BED DISABILITY PER 100 PERSONS PER YEAR			
ALL ACUTE CONDITIONS	879,399	362,046	517,353	422.5	360.5	480-2		
INFECTIVE AND PARASITIC DISEASES	86,877	38,244	48,634	41.7	38.1	45.1		
COMMON CHILDHOOD DISEASESVIRUS, N.O.S	14,571 32,717	7,307 13,699	7,264 19,018	7.0 15.7	7.3 13.6	6.7 17.7		
OTHER INFECTIVE AND PARASITIC DISEASES	39,589	17,238	22,351	19•0	17-2	20.7		
RESPIRATORY CONDITIONS	439,409	181,696	257,712	211.1	180.9	239.2		
UPPER RESPIRATORY CONDITIONS————————————————————————————————————	134,729 97,003	57,090 43,601	77,639 53,403	64.7 46.6	56.9 43.4	72.1 49.6		
CONDITIONSINFLUENZAINFLUENZA	37,725 255,447	13,489 105,588	24,236 149,858	18.1 122.7	13.4 105.1	22.5 139.1		
MANIFESTATIONS	21,170 234,276	8,149 97,440	13,022 136,837	10.2 112.6	8.1 97.0	12.1 127.0		
OTHER RESPIRATORY CONDITIONS	49,233	19,018	30,216	23.7	18.9	28.0		
PNEUMON I A	25,712	10,594	15,118	12.4	10.5	14.0		
OTHER RESPIRATORY CONDITIONS	14,428 9,093	*	10,000	6.9 4.4	*	9•3 *		
DIGESTIVE SYSTEM CONDITIONS	47,441	18,297	29,144	22.8	18.2	27.1		
DENTAL CONDITIONS	9,304	*	*	4.5	*	*		
GASTROINTESTINAL DISORDERS, N.E.C.——————————————————————————————————	7,740	*	* .	3.7	*	*		
CONDITIONS	30,397	10,534	19,863	14.6	10.5	18.4		
INJURI ES	156,404	78,153	78,251	75.1	77.8	72.6		
FRACTURES, DISLOCATIONS, SPRAINS,				25.0		31.9		
FRACTURES AND DISLOCATIONS	72,897 44,119	38,574 22,772	34,323 21,346	35.0 21.2	38.4	19.8		
SPRAINS AND STRAINS	28,778	15,801	12,977	13.8	15.7	12.0		
OPEN WOUNDS AND LACERATIONS	16,901	7,921	8,980	8.1	7.9	8.3		
CONTUSIONS AND SUPERFICIAL INJURIES	22,996	11,215	11,782	11.0	11.2	10.9		
OTHER CURRENT INJURIES	43,609	20,443	23, 166	21.0	20-4	21.5		
ALL OTHER ACUTE CONDITIONS	149,269	45,656	103,612	71.7	45.5	96.2		
DISEASES OF THE EAR	20,682	8,764	11,918	9.9	8.7	11-1		
HEADACHESGENITOURINARY DISORDERS	27,582	*	23,035	13.3	* *	21.4		
PREGNANCY AND THE PUERPERIUM DISEASES OF THE SKIN	23,178	*	23,178 *	11-1	*	21.5 *		
DISEASES OF THE MUSCULOSKELETAL SYSTEM————————————————————————————————————	18,904 52,398	7,536 22,184	11,368 30,214	9.1 25.2	7.5 22.1	10.6 28.0		
			L	· · · · · · · · · · · · · · · · · · ·	<del> </del>	<del></del>		

NOTE: N.O.S.-NOT OTHERWISE SPECIFIED; N.E.C.--NCT ELSEWHERE CLASSIFIED.

TABLE 4. INCIDENCE OF ACUTE CONDITIONS AND NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR, BY MEASURES OF THE IMPACT OF ILLNESS, SEX, AND CONDITION GROUP: UNITED STATES, JULY 1974-JUNE 1975

			MEASUR	ES OF THE I	MPACT OF	ILLNESS		
SEX AND CONDITION GROUP	TOTAL	MEDICALLY ATTENDED ONLY	MEDICALLY ATTENDED AND ACTIV- ITY RE- STRICTING	ACTIVITY RESTRICT- ING ONLY	TOTAL	MEDICALLY ATTENDED GNLY	MEDICALLY ATTENDED AND ACTIV- ITY RE- STRICTING	ACTIVITY RESTRICT- ING ONLY
BOTH SEXES	INCIDENCE OF ACUTE CONDITIONS NUMBER OF ACUTE CONDITION IN THOUSANDS PER 100 PERSONS PER YEAR							
ALL ACUTE CONDITIONS-	407,831	72,483	154,227	181,121	195.9	34.8	74.1	87.0
INFECTIVE AND PARASITIC DISEASES	42,114 219,958	4,726 20,608	18,615 70,053	18,772 129,296	20•2 105•7	2.3 9.9	8.9 33.7	9.0 62.1
UPPER RESPIRATORY CONDITIONS INFLUENZA OTHER RESPIRATORY	108,312 102,231	16+176 2+859	29,861 33,373	62,276 65 <u>1</u> 999	52.0 49.1	7.8 1.4	14.3 16.0	29.9 31.7
CONDITIONS DIGESTIVE SYSTEM	9,415	1,574	6,819	1,022	4.5	0.8	3.3	0.5
CONDITIONS INJURIES ALL OTHER ACUTE	18,737 71,342	3,041 26,130	6,224 34,095	9,472 11,118	9•0 34•3	1.5 12.6	3.0 16.4	4.6 5.3
CONDITIONS	55,681	17,978	25,239	12,464	26.8	8.6	12.1	6.0
MALE								
ALL ACUTE CONDITIONS-	187,588	34,155	70,493	82,939	186.8	34.0	70.2	82.6
INFECTIVE AND PARASITIC DISEASES RESPIRATORY CONDITIONS UPPER RESPIRATORY	18,474 100,019	1,806 9,104	8,813 31,219	7,855 59,697	18.4 99.6	1.8 9.1	8.8 31.1	7.8 59.4
CONDITIONSINFLUENZA	49,819 45,949	7,112 1,156	12,946 15,246	29,760 29,547	49.6 45.8	7.1 1.2	12.9 15.2	29.6 29.4
OTHER RESPIRATORY CONDITIONS DIGESTIVE SYSTEM	4,251	835	3,026	*	4.2	0.8	3.0	*
CONDIT IONS	8,224 39,573	1,259 14,725	2,858 19,010	4,108 5,839	8 • 2 39 • 4	1.3 14.7	2.8 18.9	4.1 5.8
ALL OTHER ACUTE CONDITIONS	21,297	7,262	8,594	5,441	21.2	7.2	8.6	5.4
FEMAL E								
ALL ACUTE CONDITIONS-	220,244	38,328	83,734	98,182	204.4	35.6	77.7	91.1
INFECTIVE AND PARASITIC DISEASES RESPIRATORY CONDITIONS UPPER RESPIRATORY	23,640 119,939	2,921 11,504	9,802 38,835	10,917 69,599	21.9 111.3	2.7 10.7	9.1 36.0	10.1 64.6
CONDITIONS	58,493 56,282	9,063 1,702	16,914 18,127	32,515 36,452	54.3 52.2	8.4 1.6	15.7 16.8	30.2 33.8
OTHER RESPIRATORY CONDITIONS DIGESTIVE SYSTEM	5,163	739	3,793	632	4.8	0.7	3.5	0.6
CONDITIONSINJURIESALL OTHER ACUTE	10,512 31,769	1,782 11,405	3,366 15,085	5,364 5,279	9.8 29.5	1.7 10.6	3.1 14.0	5.0 4.9
CONDITIONS	34,384	10,716	16,645	7,022	31.9	9.9	15.5	6.5

NOTE: EXCLUDED FROM THESE STATISTICS ARE ALL CONDITIONS INVOLVING NEITHER RESTRICTED ACTIVITY NOR MEDICAL ATTENTION.

TABLE 5. INCIDENCE OF ACUTE CONDITIONS AND NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR, BY AGE, SEX, AND CONDITION GROUP: UNITED STATES, JULY 1974-JUNF 1975

SEX AND CONDITION GROUP	ALL AGES	UNDER 6 YEARS	6-16 YEARS	17-44 YEARS	45 YEARS & OVER	ALL AGES	UNDER 6 YEARS	6-16 YEARS	17-44 YEAR S	45 YEARS & OVER
BOTH SEXES	11	NCIDENCE O	F ACUTE O		NUMB	ER OF AC 100 PER			PER	
ALL ACUTE CONDITIONS-	407,831	68,198	108,312	159,127	72,194	195.9	346.9	253.1	194.7	112.8
INFECTIVE AND PARASITIC DISEASES—————— RESPIRATORY CONDITIONS—— UPPER RESPIRATORY CONDITIONS——————	42,114 219,958 108,312	9,540 38,719 24,446	13,389 59,106 30,963	13,517 84,769 36,733	5,667 37,365 16,170	20.2 105.7 52.0	48.5 196.9 124.3	31.3 138.1 72.4	16.5 103.7 45.0	8.9 58.4 25.3
INFLUENZAOTHER RESPIRATORY	102,231	11,729	26,624	45,008	18,870	49.1	59.7	62.2	55.1	29.5
CONDITIONSDIGESTIVE SYSTEM	9,415	2,545	1,518	3,027 7,797	2,325 3,674	4.5 9.0	12.9	3.5 12.8	3.7 9.5	3.6 5.7
INJURIESALL OTHER ACUTE	71,342	8,861	18,402	29,833	14,246	34.3	45.1	43.0	36.5	22.3
CONDITIONS	55,681	9,285	11,941	23,211	11,243	26.8	47.2	27.9	28.4	17.6
MALE	:									
ALL ACUTE CONDITIONS-	187,588	36,609	54,320	67,908	28,751	186.8	363.0	249.9	172.2	98.6
INFECTIVE AND PARASITIC DISEASES—————————————————————————————————	18,474 100,019 49,819 45,949	4,701 20,232 12,777 5,960	6,475 28,194 14,697 12,762	5,507 36,412 16,391 18,915	1,791 15,182 5,955 8,312	18.4 99.6 49.6 45.8	46.6 200.6 126.7 59.1	29.8 129.7 67.6 58.7	14.0 92.3 41.6 48.0	6.1 52.1 20.4 28.5
CONDITIONS	4,251	1,495	736 2,669	1,106 3,037	914	4•2 8•2	14.8	3.4 12.3	2.8 7.7	3.1 4.9
INJURIESALL OTHER ACUTE	8,224 39,573	4,881	11,513	17,287	5,892	39.4	48.4	53.0	43.8	20-2
CONDITIONS	21,297	5,713	5,468	5,665	4,450	21.2	56.7	25•2	14.4	15.3
FEMAL E										
ALL ACUTE CONDITIONS-	220,244	31,589	53,992	91,219	43,443	204.4	329.8	256.5	215.8	124.7
INFECTIVE AND PARASITIC DISEASES—————— RESPIRATORY CONDITIONS—— UPPER RESPIRATORY CONDITIONS——————	23,640 119,939 58,493	4,840 18,487 11,669	6,914 30,911 16,267	8,010 48,357 20,343	3,876 22,183 10,215	21.9 111.3 54.3	50.5 193.0 121.8	32.8 146.9 77.3	18.9 114.4 48.1	11.1 63.7 29.3
INFLUENZAOTHER RESPIRATORY	56,282	5,769	13,862	26,093	10,558	52.2	60.2	65.9	61.7	30.3
CONDITIONS————————————————————————————————————	5,163	1,050 710	782 2,805	1,921 4,760	2,238	4.8 9.8	11.0 7.4	3.7 13.3	4.5 11.3	4.1 6.4
CONDITIONSINJURIES	10,512 31,769	3,980	6,889	12,546	8,354	29.5	41.6	32.7	29.7	24.0
CONDITIONS	34,384	3,572	6,473	17,546	6,793	31.9	37.3	30.8	41.5	19.5

NOTE: EXCLUDED FROM THESE STATISTICS ARE ALL CONDITIONS INVOLVING NEITHER RESTRICTED ACTIVITY NOR MEDICAL ATTENTION.

TABLE 6. DAYS OF RESTRICTED ACTIVITY ASSOCIATED WITH ACUTE CONDITIONS AND DAYS OF RESTRICTED ACTIVITY PER 100 PER SUNS PER YEAR, BY AGE, SEX, AND CONDITION GROUP: UNITED STATES, JULY 1974-JUNE 1975

			nanci senin			·				
SEX AND CONDITION GROUP	ALL AGES	UNDER 6 YEARS	6-16 YEARS	17-44 YEARS	45 YEARS & OVER	ALL AGES	UNDER 6 YEARS	6-16 YEARS	17-44 YEARS	45 YEARS & OVER
BOTH SEXES	ĐAYS OI	= RESTRICT	ED ACTIVI	TY IN THO	US ANDS		YS OF REST ER 100 PER			Y
ALL ACUTE CONDITIONS-	2,025,582	213,544	370,361	764,742	676,935	973.1	1,086.1	865.6	935.8	1,058.0
INFECTIVE AND PARASITIC DISEASES—————————————————————————————————	184,687 887,847	36,747 125,909	56,869 187,101	53,815 311,729	37,256 263,108	88.7 426.5	186.9 640.4	132.9 437.3	65.9 381.5	58.2 411.2
CONDITIONS INFLUENZA OTHER RESPIRATORY	335,503 457,996	66,768 44,645	85,854 89,824	109,447 172,344	73,434 151,183	161.2 220.0	339.6 227.1	200.7 209.9	133.9 210.9	114.8 236.3
CONDITIONS DIGESTIVE SYSTEM	94,349	14,497	11,423	29,938	38,491	45.3	73.7	26.7	36.6	60.2
INJURIESALL OTHER ACUTE	100,509 492,145	7,727 14,761	14,391 73,785	40,704 202,127	27,688 201,472	48.3 236.4	39.3 75.1	33.6 172.4	49.8 247.3	58.9 314.9
CONDITIONS	360,393	28,399	38,214	156,368	137,411	173.1	144.4	89•3	191.4	214.8
MALE						į				
ALL ACUTE CONDITIONS-	888,395	118,320	190,520	310,801	268,755	884.7	1,173.3	876.4	787.9	921.9
INFECTIVE AND PARASITIC DISEASES RESPIRATORY CONDITIONS UPPER RESPIRATORY	84,045 383,949	21,059 66,800	31,181 86,978	21,954 124,583	9,850 105,588	83.7 382.3	208.8	143.4 400.1	55.7 315.8	33.8 362.2
CONDITIONS INFLUENZA OTHER RESPIRATORY	149,419 198,751	35,712 23,614	40,364 40,691	45,345 70,207	27,998 64,239	148.8 197.9	354.1 234.2	185.7 187.2	115.0 178.0	96.0 220.4
CONDITIONSDIGESTIVE SYSTEM	35,780	7,475	5,922	9,031	13,352	35.6	74.1	27.2 33.0	22.9	45.8 63.7
INJURIESALL OTHER ACUTE	42,282 260,753	9,914	7,175 48,006	13,691 117,811	18,583 85,021	42.1 259.7	98.3	220.8	34.7 298.7	291.6
CONDIT IONS	117,367	17,713	17,180	32,762	49,711	116.9	175.7	79.0	83.1	170.5
FEMAL E										
ALL ACUTE CONDITIONS-	1,137,187	95,224	179,841	453,941	408,181	1,055.6	994.3	854.4	1,073.8	1,172.0
INFECTIVE AND PARASITIC DISEASES RESPIRATORY CONDITIONS UPPER RESPIRATORY	100,642 503,898	15,688 59,109	25,688 100,124	31,860 187,147	27,406 157,519	93.4 467.8	163.8 617.2	122.0 475.7	75.4 442.7	78.7 452.3
CONDITIONS INFLUENZA OTHER RESPIRATORY	186,084 259,245	31,056 21,031	45,490 49,133	64,102 102,137	45,435 86,945	172.7 240.6	324.3 219.6	216.1 233.4	151.6 241.6	130.5 249.6
CONDITIONS DIGESTIVE SYSTEM	58,569	7,022	5,501	20,907	25,139	54.4	73.3	26.1	49.5	72.2
INJURIESALL OTHER ACUTE	58,227 231,393	*	7,216 25,779	27,013 84,315	19,104 116,451	54.1 214.8	*	34.3 122.5	63.9 199.5	54.9 334.4
CONDITIONS	243,026	10,686	21,034	123,605	87,700	225.6	111.6	99.9	292.4	251.8

TABLE 7. DAYS OF BED DISABILITY ASSOCIATED WITH ACUTE CONDITIONS AND DAYS OF BED DISABILITY PER 100 PERSONS PER YEAR, BY AGE, SEX, AND CONDITION GROUP: UNITED STATES, JULY 1974-JUNE 1975

SEX AND CONDITION GROUP	ALL AGES	UNDER 6 YEARS	6-16 YEARS	17-44 YEARS	45 YEARS & OVER	ALL AGES	UNDER 6 YEARS	6-16 YEARS	17-44 YEARS	45 YEARS & OVER
BOTH SEXES	DAY	S OF BED O	)ISABILITY	'IN THOUS	ANDS	DA	AYS OF BEC 100 PERS			
ALL ACUTE CONDITIONS-	879,399	85,331	166,853	343,619	283,596	422.5	434.0	390.0	420.5	443.3
INFECTIVE AND PARASITIC DISEASES RESPIRATORY CONDITIONS UPPER RESPIRATORY	86,877 439,409	15,557 49,828	27,848 99,396	26,592 167,387	16,880 122,798	41.7 211.1	79•1 253•4	65.1 232.3	32 <b>-</b> 5 204-8	26.4 191.9
CONDITIONS	134,729 255,447	22,654 20,350	36,390 56,070	45,868 104,265	29,816 74,761	64.7 122.7	115.2 103.5	85.0 131.0	56.1 127.6	46.6 116.8
CONDITIONS DIGESTIVE SYSTEM	49,233	6,823	6,936	17,253	18,221	23.7	34.7	16.2	21.1	28.5
INJURIESALL OTHER ACUTE	47,441 156,404	6,114	7,053 17,639	17,791 62,847	20,046 69,804	22.8 75.1	31.1	16.5 41.2	21.8 76.9	31.3 109.1
CONDITIONS	149,269	11,281	14,917	69,003	54,067	71.7	57.4	34.9	84.4	84.5
MALE								į		
ALL ACUTE CONDITIONS-	362,046	47,273	79,772	122,704	112,297	360.5	468.8	367.0	311.1	385.2
INFECTIVE AND PARASITIC DISEASES RESPIRATORY CONDITIONS UPPER RESPIRATORY CONDITIONS	38,244 181,696 57,090	8,037 25,922 12,955	14,419 44,101 15,453	10,811 64,387 18,631	* 47,286 10,051	38.1 180.9 56.9	79•7 257•1 128•5	66.3 202.9 71.1	27.4 163.2 47.2	* 162.2 34.5
INFLUENZAOTHER RESPIRATORY	105,588	9,395	25,416	40,934	29,843	105.1	93.2	116.9	103.8	102.4
CONDITIONS————— DIGESTIVE SYSTEM CONDITIONS————— INJURIES————— ALL OTHER ACUTE	19,018 18,297 78,153	*	* 11,127	5,851 31,415	7,392 7,640 30,844	18.9 18.2 77.8	*	* * 51.2	14.8 79.6	25.4 26.2 105.8
CONDITIONS	45,656	7,236	6,631	10,240	21,549	45.5	71.8	30.5	<b>26∙</b> 0	73.9
FEMALE										
ALL ACUTE CONDITIONS-	517,353	38,057	87,081	220,915	171,299	480•2	397.4	413.7	522.6	491.8
INFECTIVE AND PARASITIC DISEASES	48,634 257,712 77,639	7,521 23,906 9,699	13,429 55,295 20,938	15,781 102,999 27,237	11,903 75,512 19,765	45.1 239.2 72.1	78.5 249.6 101.3	63.8 262.7 99.5	37.3 243.7	34.2 216.8 56.8
INFLUENZA	149,858	10,955	30,654	63,331	44,918	139.1	114-4	145.6	149.8	129.0
CONDITIONS	30,216 29,144	*	*	12,431	10,829	28.0 27.1	*	*	29.4	31.1 35.6
INJURIESALL OTHER ACUTE	78,251	*	6,512	31,432	38,960	72.6	*	30.9	74.4	111.9
CONDITIONS	103,612	*	8,286	58,763	32,518	96.2	*	39.4	139.0	93.4

TABLE 8. DAYS LOST FROM SCHOOL ASSOCIATED WITH ACUTE CONDITIONS AND DAYS LOST FROM SCHOOL PER 100 CHILDREN (6-16 YEARS) PER YEAR, BY SEX AND CONDITION GROUP: UNITED STATES, JULY 1974-JUNE 1975

CONDITION GROUP	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
		.OST FROM SO N THOUSANDS	DAYS LOST FROM SCHOOL PER 100 CHILDREN PER-YEAR			
ALL ACUTE CONDITIONS	192,983	97,088	95,895	451.0	446.6	455.6
INFECTIVE AND PARASITIC DISEASES	34,820	18,723	16,097	81.4	86.1	76.5
RESPIRATORY CONDITIONS UPPER RESPIRATORY CONDITIONS INFLUENZA OTHER RESPIRATORY CONDITIONS	111,793 51,963 54,022 5,808	24,552 23,801	59,768 27,411 30,221	261.3 121.4 126.3 13.6	239.3 112.9 109.5 16.9	284.0 130.2 143.6
DIGESTIVE SYSTEM CONDITIONS	8,846	4,435	4,411	20.7	20.4	21.0
INJURIES	22,039	14,454	7,586	51.5	66.5	36.0
ALL OTHER ACUTE CONDITIONS	15,485	7,453	8,032	36.2	34.3	38.2

TABLE 9. INCIDENCE OF ACUTE CONDITIONS AMONG CURRENTLY EMPLOYED PERSONS AND NUMBER OF ACUTE CONDITIONS PER 100 CURRENTLY EMPLOYED PERSONS PER YEAR, BY AGE, SEX, AND CONDITION GROUP: UNITED STATES, JULY 1974—JUNE 1975

SEX AND CONDITION GROUP	ALL AGES- 17 YEARS & OVER	17-44 YEARS	45 YEARS & OVER	ALL AGES- 17 YEARS & OVER	17-44 YEAR S	45 YEARS & OVER
BOTH SEXES		CE OF ACU S IN THOU:		NUMBER OF PER 100 CU PERSON		MPLOYED
ALL ACUTE CONDITIONS	140,593	105,875	34,718	168.9	197.7	116.9
INFECTIVE AND PARASITIC DISEASES RESPIRATORY CONDITIONS UPPER RESPIRATORY CONDITIONS INFLUENZA	11,625 76,606 33,701 40,193 2,712 6,746 27,865 17,750	8,802 57,326 24,887 30,737 1,701 5,007 21,101 13,639	19,281	92.0 40.5 48.3 3.3 8.1 33.5	16.4 107.1 46.5 57.4 3.2 9.4 39.4 25.5	9.5 64.9 29.7 31.8 3.4 5.9 22.8 13.8
MALE						
ALL ACUTE CONDITIONS	74,830	56,023	18,807	148.5	175.0	102.4
INFECTIVE AND PARASITIC DISEASES RESPIRATORY CONDITIONS UPPER RESPIRATORY CONDITIONS OTHER RESPIRATORY CONDITIONS DIGESTIVE SYSTEM CONDITIONS INJURIES	5,750 40,445 17,554 21,428 1,462 3,416 18,502 6,716	4,625 30,050 13,150 15,986 914 2,487 14,252 4,608	1,125 10,395 4,404 5,442 * 929 4,250 2,108	34.8 42.5 2.9 6.8	14.4 93.9 41.1 49.9 2.9 7.8 44.5	6.1 56.6 24.0 29.6 * 5.1 23.1 11.5
FEMALE						
ALL ACUTE CONDITIONS	65,764	49,852	15,911	200•2	231.6	140.6
INFECTIVE AND PARASITIC DISEASES RESPIRATORY CONDITIONS UPPER RESPIRATORY CONDITIONS INFLUENZA OTHER RESPIRATORY CONDITIONS DIGESTIVE SYSTEM CONDITIONS INJURIES	5,875 36,161 16,147 18,764 1,250 3,330 9,363 11,034	4,177 27,276 11,737 14,751 788 2,519 6,849 9,031	1,699 8,885 4,410 4,013 * 811 2,514 2,003	17.9 110.1 49.2 57.1 3.8 10.1 28.5 33.6	19.4 126.7 54.5 68.5 3.7 11.7 31.8 42.0	15.0 78.5 39.0 35.5 * 7.2 22.2 17.7

NOTE: EXCLUDED FROM THESE STATISTICS ARE ALL CONDITIONS INVOLVING NEITHER RESTRICTED ACTIVITY NOR MEDICAL ATTENTION.

TABLE 10. DAYS LOST FROM WORK ASSOCIATED WITH ACUTE CONDITIONS AND DAYS LOST FROM WORK PER 100 CURRENTLY EMPLOYED PERSONS PER YEAR, BY AGE, SEX, AND CONDITION GROUP: UNITED STATES, JULY 1974—JUNE 1975

SEX AND CONDITION GROUP	ALL AGES- 17 YEARS & OVER	17-44 YEARS	45 YEARS & OVER	ALL AGES- 17 YEARS & OVER	17-44 YEARS	45 YEARS & OVER	
BOTH SEXES	DAYS LOST FROM WORK  IN THOUSANDS  DAYS LOST FROM WO  100 CURRENTLY EMP  PERSONS PER YE					LOYED	
ALL ACUTE CONDITIONS	307,819	205,396	102,423	369.8	383.6	345.0	
INFECTIVE AND PARASITIC DISEASES RESPIRATORY CONDITIONS UPPER RESPIRATORY CONDITIONS OTHER RESPIRATORY CONDITIONS DIGESTIVE SYSTEM CONDITIONS INJURIES	17,742 130,487 44,445 74,282 11,759 14,117 98,645 46,828	12,487 88,121 30,491 50,862 6,768 10,013 62,462 32,314	5,255 42,366 13,954 23,421 4,991 4,105 36,183 14,514	21.3 156.8 53.4 89.2 14.1 17.0 118.5 56.3	23.3 164.6 56.9 95.0 12.6 18.7 116.7	17.7 142.7 47.0 78.9 16.8 13.8 121.9 48.9	
MALE							
ALL ACUTE CONDITIONS	170,133	109,300	60,833	337.7	341.4	331.1	
INFECTIVE AND PARASITIC DISEASES———— RESPIRATORY CONDITIONS———— UPPER RESPIRATORY CONDITIONS———— INFLUENZA————————————————————————————————————	8,668 68,916 21,712 42,279 4,925 8,086 66,655 17,809	6,534 45,404 15,118 27,892 * 5,476 41,263 10,623	23,512 6,594 14,387 * 25,392 7,186	17.2 136.8 43.1 83.9 9.8 16.0 132.3 35.3	20.4 141.8 47.2 87.1 * 17.1 128.9 33.2	128.0 35.9 78.3 * 138.2 39.1	
FEMALE							
ALL ACUTE CONDITIONS	137,686	96,096	41,590	419.2	446.4	367.5	
INFECTIVE AND PARASITIC DISEASES RESPIRATORY CONDITIONS UPPER RESPIRATORY CONDITIONS DIFFER RESPIRATORY CONDITIONS DIGESTIVE SYSTEM CONDITIONS INJURIES	9,075 61,571 22,733 32,004 6,834 6,032 31,990 29,019	5,953 42,717 15,373 22,970 4,374 4,536 21,199 21,691	18,854 7,360 9,034 * 10,791 7,328	27.6 187.5 69.2 97.4 20.8 18.4 97.4	27.7 198.4 71.4 106.7 20.3 21.1 98.5 100.8	* 166.6 65.0 79.8 * * * * * 95.4	

TABLE 11. INCIDENCE OF ACUTE CONDITIONS AND NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR, BY PLACE OF RESIDENCE, SEX, AND AGE: UNITED STATES, JULY 1974—JUNE 1975

	T	1	· · · · · · · · · · · · · · · · · · ·			R	<del></del>	
			OUTSIDE	SMSA			OUTSIDE	SMSA
SEX AND AGE	ALL	ALL	NOUE LOW	E 4DM	ALL	ALL SMSA	NONEARK	FARM
	AREAS	SMSA	NONFARM	FARM	AREAS	SMSA	NONFARM	PARM
		·		•		<u> </u>	<u> </u>	<del></del>
	INCIDE	NCE OF ACUTE	CONDITIO	NS	NUMBER	OF ACUTE	CONDITION	S PER
BOTH SEXES	IN THOUSANDS 100 PERSONS PER							
ALL AGES	407,831	290,443	107,221	10,168	195.9	202.7	185.2	145.8
						<del> </del>		
UNDER 5 YEARS	57,084	40,407	15,236	1,441	353.5	365.3	324.0	375.3
5-14 YEAR S	100,317		26,698	2,920	264.4	273.2	248.4	222.4
15-24 YEAR S	82,046	58,309	22,091	1,645	214.3	219.5	208.5	145.1
25-44 YEARS	96,191	70,590	24,000	1,601	185.7	193.4	173.2	112.1
45 YEARS AND OVER	72,194	50,438	19,195	2,561	112.8	116.6	106.6	94.3
45-64 YEAR S	53,027	37,928	13,203	1,896	123.4	127.9	115.2	101.3
65 YEARS AND OVER	19,167	12,510	5,992	665	91.3	91.9	91.5	78.8
UNDER 6 YEARS	68,198	48,555	18,080	1,564	346.9	359.9	318.4	319.2
6-16 YEARS	108,312	75,956	29,030	3,325	253.1	261.2	237.9	221.2
17-44 YEARS	159,127	115,494	40,916	2,717	194.7		185.8	120.0
MALE								
MALE								
ALL AGES	187,588	132,414	50,528	4,646	186.8	192.7	180.1	127.7
						li I		
UNDER 5 YEARS	30,728	20,795	9,364	*	372.5	373.4	374.6	*
5-14 YEARS	50,774	35,275	14,182	1,318	262.7	269.4	255.5	193.5
15-24 YEARS	35,523	25,667	9,045	812	189.9	199.5	173.9	125.7
25-44 YEARS	41,811	29,533	11,508	770	167.4	168.4	171.1	106.8
45 YEARS AND OVER	28,751	21,145	6,428	1, 178	98.6	107.5	79.6	83.5
45-64 YEARS	22,076	16,700	4,658	719	107.8	118.3	86.3	75.0
65 YEARS AND OVER	6,675	4,445	1,771	*	77.0	80.2	66-1	*
UNDER 6 YEARS	36,609	24,926	11,068	616	363.0	365-1	365.6	269.0
6-16 YEARS	54,320	37,743	14,978	1,598	249.9	257.2	239.1	199.0
17-44 YEAR S	67,908	48,601	18,054	1,254	172.2	176.3	168.9	104.8
FEMALE						j		
LENGLE								
ALL AGES	220,244	158,028	56,693	5,522	204-4	212-0	189.9	165.6
						1		
UNDER 5 YEARS	26,356	19,612	5,872	872	333.7	357.0	266.7	427.5
5-14 YEARS	49,543	35,424	12,516	1,603	266.2	277.1	240.8	253.6
15-24 YEARS	46,522	32,643	13,046	833	237.6	238.3	242.0	170-7
25-44 YEARS	54,379	41,056	12,492	831	202.9	216.4	175.3	117.7
45 YEARS AND OVER	43,443	29,293	12,767	1,383	124.7	124-2	128-6	106.0
45-64 YEARS	30,951	21,228	8,545	1,177	137.6	136.7	141.1	129.1
OD TEAKS AND UVEK	12,493	8,065	4,221	*	101.3	100.0	109.0	*
UNDER 6 YEAR S	31,589	23,629	7,012	948	329.8	354.5	264.5	363.2
6-16 YEARS	53,992	38,213	14,052	1,727	256.5	265.2	236.6	246.7
17-44 YEARS	91,219	66,893	22,863	1,463	215.8	223-9	201-8	136.9
	L	L				<u></u>		

NOTE: EXCLUDED FROM THESE STATISTICS ARE ALL CONDITIONS INVOLVING NEITHER RESTRICTED ACTIVITY NOR MEDICAL ATTENTION.

TABLE 12. DAYS OF RESTRICTED ACTIVITY ASSOCIATED WITH ACUTE CONDITIONS AND DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER YEAR, BY PLACE OF RESIDENCE, SEX, AND AGE: UNITED STATES, JULY 1974-JUNE 1975

			OUTSIDE	SMSA			QUTSIDE	SMSA
SEX AND AGE	ALL Areas	ALL SMSA	NONFARM	FARM	ALL AREAS	ALL SMSA	NONFARM	FARM
	DAYS	05 056701676	I ACT IVITA	<u>,                                     </u>	DAVE OF	DECTRICE		4 DED
BOTH SEXES	DATS	OF RESTRICTE IN THOUSAN				O PERSONS	D ACTIVITY PER YEAR	r PEK
ALL AGES	2,025,582	1,425,771	551,527	48,284	973.1	995.2	952.4	692.3
UNDER 5 YEARS	176,402	123,902	49,623	*	1,092.3	1,120.1		*
5-14 YEARS	342,233	242,612	91,090	8,530	902.0	937.4	847-4	649.7
15-24 YEARS	350,740	249,604	93,992	7,144	916.0	939.6	887.3	630.0
25-44 YEARS	479,271	348,870	121,762	8,639	925.5	955.7	878.8	605.0
45 YEARS AND OVER	676,935	460,783	195,060	21,092	1,058.0	1,065.2	1,083.2	776.6
45-64 YEAR S	422 • 227	292,664	114,485	15,078	982.4	987.0	999.3	805.9
65 YEARS AND OVER	254,708	168,119	80,575	6,015	1,212.8	1,235.6	1,230.0	712.7
UNDER 6 YEARS	213,544	153,327	57,216	*	1,086.1	1,136.3	1,007.5	*
6-16 YEARS	370,361		106,353	9,883	865.6		871.5	657.6
17-44 YEAR S	764,742	557,536	192,898	14,308	935.8	970.7	876.1	631.7
MALE								
ALL AGES	888,395	620,547	245,122	22,726	884.7	903.0	873.6	624.5
UNDER 5 YEARS	96,774	65,938	30,213	*	1,173.0	1,184.0	1,208.5	*
5-14 YEARS	176,274	122,231	50,714	*	912.1	933.3	913.6	*
				*				*
15-24 YEARS	151,424	107,776	39,274	*	809.4	837.9	755-1	*
25-44 YEAR S	195,168	141,230	49,536		781.2	805.5	736.4	
45 YEARS AND OVER	268,755	183,372	75,385	9,998	921.9	932.5	933.1	709.1
45-64 YEAR S	185,712	125,112	53,514	7,086	906.9	886.1	991.0	738.9
65 YEARS AND OVER	83,043	58,260	21,871	*	957.4	1,050.9	816.4	*
UNDER 6 YEAR S	118,320	82,882	34,768	*	1,173.3	1,213.9	1,148.6	*
6-16 YEARS	190,520	126,477	60,270	*	876.4	862.0	962.2	*
17-44 YEARS	310,801	227,816	74,699	8,286	787.9	826.6	698.9	692.8
FEMALE								
ALL AGES	1,137,187	805,223	306,405	25,558	1,055.6	1,080.2	1,026.5	766.4
ANDER S VEARS	70 (00	E7 044	10 (00			1 055 0	001	*
UNDER 5 YEAR S	79,629	57,964	19,409	*	1,008.1	1,055.2	881.4	1
5-14 YEARS	165,958	120,381	40,376	*	891.6	941.6	776.8	*
15-24 YEAR S	199,316	141,828	54,718	*	1,017.9	1,035.2	1,014.8	1 **
25-44 YEAR S	284,103	207,639	72,227	*	1,059.9	1,094.6	1,013.3	1 '
45 YEARS AND OVER	408,181	277,411	119,675	11,094	1,172.0	1,175.8	1,205.3	850.1
45-64 YEAR S	236,516 171,665	167,552 109,859	60,971 58,704	7,992	1,051.1 1,392.6	1,078.8	1,006.6	876.3
UNDER 6 YEARS	95,224	70,445	22,448	*	994.3	1,056.9	846.8	.80
6-16 YEARS	179,841	127,648	46,083	6,111	854.4	886.0	775.8	873.0
17-44 YEAR S	453,941	329,719	118,200	6,022	1	1,103.7	1,043.3	563.3
AT TEAMS	4,5,7,741	32 /7/119	120,200					

TABLE 13. DAYS OF BED DISABILITY ASSOCIATED WITH ACUTE CONDITIONS AND DAYS OF BED DISABILITY PER 100 PERSONS PER YEAR, BY PLACE OF RESIDENCE, SEX, AND AGE: UNITED STATES, JULY 1974—JUNE 1975

		"	OUTSIDE	CHCA			OUTSIDE	CHCA
SEX AND AGE	ALL	ALL	0013102	SMSA	ALL	ALL	OUTSIDE	SMSA
	AREAS	SMSA	NONFARM	FARM	AREAS	SMSA	NONFARM	FARM
				ļ			<u> </u>	<u></u>
	DA	YS OF BED DI	SABILITY		DAYS OF	BED DISAB	BILITY PER	100
BOTH SEXES		IN THOUS				PER SONS F		
ALL AGES	970 300	1 424 027	1 222 225		(00.5	1		
ALL AGES	879,399	654,921	227,335	17,143	422.5	443.2	392.6	245.8
UNDER 5 YEARS	70,700	49,906	19,712	*	437.8	451.1	419.2	*
5-14 YEARS	152,560	111,506	38,041	*	402.1	430.9	353.9	*
15-24 YEARS	154,735	114,498	36,672	*	404-1	431.0	346.2	*
25-44 YEARS	217,808	162,170	54,151	*	420.6	444.3	390.8	*
45 YEARS AND DVER	283,596 173,181	196,841 124,766	78,759 42,382	7,996 6,033	443•3 402•9	455.1	437.4	294.4
65 YEARS AND OVER	110,415	72,075	36,377	*	525.8	420.8 529.7	369.9	322.4
OS TEARS AND OVER	110,415	12,013	30,511	T .	222.0	229.1	555.3	_
UNDER 6 YEARS	85,331	61,587	22,584	*	434.0	456.4	397.7	*
6-16 YEARS	166,853	119,390	44,229	*	390.0			*
17-44 YEARS	343,619	257,102	81,763	*	420.5	447.6	371.4	*
		1						
								•
<u>MALE</u>								Ì
		1						]
ALL AGES	362,046	261,420	92,526	8,100	360.5	380.4	330 0	222.6
ALL AGES	302 1040	201 1420	92,520	8,100	260.5	380.4	329.8	222.6
								1
UNDER 5 YEARS	40,395	27,459	12,661	*	489.6	493.1	506.4	*
5-14 YEARS	72,331	51,719	19,200	*	374.2	394.9	345.9	*
15-24 YEARS	60,071	42,308	15,540	*	321.1	328.9	298.8	*
25-44 YEARS	76,953	57,828	18,271	*	308-0	329.8	271.6	*
45 YEARS AND OVER	112,297	82,106	26,854	*	385.2	417.5	332.4	*
45-64 YEAR S	74,607 37,689	54,612	17,522	*	364.3	386.8	324.5	*
65 TEARS AND OVER	31,009	27,494	9,332	*	434.5	495.9	348.3	*
UNDER 6 YEARS	47,273	33,001	13,997	*	468.8	483.3	462.4	*
6-16 YEARS	79,772	55,156	23,090	*	367.0		368.6	*
17-44 YEARS	122,704	91,157	28,584	*	311.1		267.4	*
55	ł l							
FEMALE								
ALL AGES	517,353	373,501	134,810	9,042	480.2	501-1	451.6	271.1
		3137701	1317010	77072	700.2	301.1	471.0	211.1
					1			
UNDER 5 YEARS	30,305	22,447	7,051	*	383.7	408-6	320.2	*
5-14 YEARS	80,229	59,787	18,842	*	431.0	467.6	362.5	*
15-24 YEARS	94,664	72,190	21,133	*	483.4	526.9	391.9	*
25-44 YEARS	140,855	104,341	35,880	*	525.5	550.0	503.4	*
45-64 YEAR S	171,299 98,573	114,735 70,154	51,905 24,861	* *	491.8 438.1	486.3 451.7	522-8	*
65 YEARS AND OVER	72,726	44,581	27,044	*	590.0	553.0	410.5 698.5	*
. z - c.a. z - me e ren	,	,,,,,,	21,044		7,0.0	انوور	090.9	T
UNDER 6 YEAR S	38,057	28,586	8,587	*	397.4	428.9	323.9	*
6-16 YEARS	87,081	64,234	21,139	*	413.7	445.8	355.9	*
17-44 YEARS	220,915	165,945	53,179	*	522.6	555.5	469.4	*
	L	<u> </u>						

TABLE 14. INCIDENCE OF ACUTE CONDITIONS AND NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR, BY PLACE OF RESIDENCE, SEX, AND CONDITION GROUP: UNITED STATES, JULY 1974-JUNE 1975

				ж.,						
		ļ <u></u>	OUTSIDE	SMSA			OUTSIDE	SMSA		
SEX AND CONDITION GROUP	ALL AREAS	ALL SMSA	NONFARM	FARM	ALL AREAS	ALL SMSA	185.2  17.9 101.3 48.8 48.1 4.4 9.4 33.2 11.3 8.1 6.4 7.4 23.4  180.1  180.1  18.7 97.9 49.3 43.9 4.6 8.5 37.1 10.2 11.5 6.5 8.9 18.0	FARM		
BOTH SEXES	INCIDEN	NCE OF ACUTE IN THOUSAN		NS				CONDITIONS PER PER YEAR		
ALL ACUTE CONDITIONS	407,831	290,443	107,221	10,168	195.9	202.7	185.2	145.8		
INFECTIVE AND PARASITIC DISEASES— RESPIRATORY CONDITIONS——— UPPER RESPIRATORY CONDITIONS——— INFLUENZA————————————————————————————————————	42,114 219,958 108,312 102,231 9,415 18,737 71,342	30,533 155,931 77,663 71,515 6,753 12,876 50,138	10,350 58,680 28,277 27,869 2,534 5,432 19,197	1,230 5,347 2,372 2,847 * 2,008	20.2 105.7 52.0 49.1 4.5 9.0 34.3	21.3 108.8 54.2 49.9 4.7 9.0 35.0	101.3 48.8 48.1 4.4 9.4 33.2	17.6 76.7 34.0 40.8 * 28.8		
SPRAINS, AND STRAINS OPEN WOUNDS AND LACERATIONS CONTUSIONS AND SUPERFICIAL	22,484 19,517	15,271 14,322	4,665	*	9•4	10.0	8.1	*		
OTHER CURRENT INJURIES————— ALL OTHER ACUTE CONDITIONS————	14,811 14,531 55,681	10,769 9,776 40,965	3,697 4,272 13,562	* * 1,154	7.1 7.0 26.8	7.5 6.8 28.6	7.4	* * 16.5		
MALE										
ALL ACUTE CONDITIONS	187,588	132,414	50,528	4,646	186.8	192.7	180.1	127.7		
INFECTIVE AND PARASITIC DISEASES— RESPIRATORY CONDITIONS——— UPPER RESPIRATORY CONDITIONS——— INFLUENZA————————————————————————————————————	18,474 100,019 49,819 45,949 4,251 8,224 39,573	12,766 70,011 34,775 32,363 2,873 5,592 28,115	5,239 27,458 13,846 12,324 1,289 2,375 10,402	2,551 1,199 1,262 * * 1,056	18.4 99.6 49.6 45.8 4.2 8.2 39.4	18.6 101.9 50.6 47.1 4.2 8.1 40.9	97.9 49.3 43.9 4.6 8.5	* 70.1 32.9 34.7 * * 29.0		
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS OPEN WOUNDS AND LACERATIONS CONTUSIONS AND SUPERFICIAL	12,357 12,338	9,181 8,887	2,858 3,232	*	12.3 12.3	13.4 12.9		*		
INJURIES	7,537 7,340 21,297	5,469 4,577 15,932	1,812 2,500 5,054	* *	7.5 7.3 21.2	8.0 6.7 23.2	8.9	*		
FEMALE										
ALL ACUTE CONDITIONS	220,244	158,028	56,693	5,522	204-4	212.0	189.9	165.6		
INFECTIVE AND PARASITIC DISEASES— RESPIRATORY CONDITIONS————————————————————————————————————	23,640 119,939 58,493 56,282 5,163 10,512 31,769	17,768 85,920 42,888 39,152 3,880 7,284 22,023 6,091 5,435	5,111 31,222 14,432 15,546 1,245 3,057 8,795	761 2,796 1,173 1,585 * * 951	21.9 111.3 54.3 52.2 4.8 9.8 29.5	23.8 115.3 57.5 52.5 5.2 9.8 29.5	104.6 48.4 52.1 4.2 10.2 29.5	22.8 83.8 35.2 47.5 * 28.5		
CONTUSIONS AND SUPERFICIAL INJURIES OTHER CURRENT INJURIESALL OTHER ACUTE CONDITIONS	7,273 7,191 34,384	5,300 5,198 25,033	1,885 1,773 8,508	* * 842	6.8 6.7 31.9	7.1 7.0 33.6	6.3 5.9 28.5	* * 25•2		

NOTE: EXCLUDED FROM THESE STATISTICS ARE ALL CONDITIONS INVOLVING NEITHER RESTRICTED ACTIVITY NOR MEDICAL ATTENTION.

TABLE 15. DAYS OF RESTRICTED ACTIVITY ASSOCIATED WITH ACUTE CONDITIONS AND DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER YEAR, BY PLACE OF RESIDENCE, SEX, AND CONDITION GROUP: UNITED STATES, JULY 1974-JUNE 1975

CEN AND CONDITION CROWD	A1.4	411	OUTSIDE	SMSA	ALL	ALL	OUTSIDE	SHSA
SEX AND CONDITION GROUP	ALL AREAS	ALL SMSA	NONFARM	FARM	AREAS	SMSA	NONFARM	FARM
BOTH SEXES	DAYS	OF RESTRICT		ſΥ		RESTRICTE PERSONS		Y PER
ALL ACUTE CONDITIONS	2,025,582	1,425,771	551,527	48,284	973.1	995•2	952.4	692.3
INFECTIVE AND PARASITIC DISEASES— RESPIRATORY CONDITIONS—— UPPER RESPIRATORY CONDITIONS—— INFLUENZA————————————————————————————————————	184,687 887,847 335,503 457,996 94,349 100,509 492,145 259,048 69,385	132,049 638,696 248,893 323,300 66,503 64,493 337,260 174,409 47,030	47,412 229,713 79,848 124,164 25,701 32,187 143,535 78,799 21,567	19,438 6,762 10,532 * * 11,351	88.7 426.5 161.2 220.0 45.3 48.3 236.4	92.2 445.8 173.7 225.7 46.4 45.0 235.4	81.9 396.7 137.9 214.4 44.4 55.6 247.9	278.7 97.0 151.0 * * 162.8
OPEN WOUNDS AND LACERATIONS——— CONTUSIONS AND SUPERFICIAL INJURIES————————————————————————————————————	66,621 97,092 360,393	46,707 69,114 253,273	17,521 25,648 98,680	* * 8,440	32.0 46.6 173.1	32.6 48.2 176.8	30.3 44.3 170.4	* * 121.0
MALE								
ALL ACUTE CONDITIONS	888,395	620,547	245,122	22,726	884.7	903.0	873.6	624.5
INFECTIVE AND PARASITIC DISEASES— RESPIRATORY CONDITIONS——— UPPER RESPIRATORY CONDITIONS——— INFLUENZA————————————————————————————————————	84,045 383,949 149,419 198,751 35,780 42,282 260,753	58,086 271,009 105,864 140,772 24,373 25,473 181,858	23,963 103,624 39,682 53,223 10,719 15,135 71,784	* 9,316 * * * * * *	83.7 382.3 148.8 197.9 35.6 42.1 259.7	84.5 394.3 154.0 204.8 35.5 37.1 264.6	85.4 369.3 141.4 189.7 38.2 53.9 255.8	* 256.0 * * * * 195.4
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS	138,315 41,256 33,913 47,268	99,427 26,810 24,407 31,214	35,766 14,026 7,407 14,585	* *	137.7 41.1 33.8 47.1	144.7 39.0 35.5 45.4	127.5 50.0 26.4 52.0 109.1	* *
ALL OTHER AGUTE CONDITIONS	117,367	84,120	30,616	•	116.9	122.4	109-1	_
ALL ACUTE CONDITIONS	1,137,187	805,223	306,405	25,558	1,055.6	1,080.2	1,026.5	766.4
IN FECTIVE AND PARASITIC DISEASES— RESPIRATORY CONDITIONS————————————————————————————————————	100,642 503,898 186,084 259,245 58,569 58,227 231,393	73,963 367,687 143,029 182,528 42,130 39,019 155,402	23,449 126,089 40,166 70,941 14,982 17,052 71,750	* 10,122 * 5,776 * *	93.4 467.8 172.7 240.6 54.4 54.1 214.8	99.2 493.3 191.9 244.9 56.5 52.3 208.5	78.6 422.4 134.6 237.7 50.2 57.1 240.4	* 303.5 * 173.2 * *
SPRAINS, AND STRAINS————————————————————————————————————	120,733 28,128 32,708 49,824 243,026	74,982 20,220 22,300 37,899 169,153	43,032 7,541 10,114 11,063 68,064	* * * * 5,809	112-1 26-1 30-4 46-3 225-6	100.6 27.1 29.9 50.8 226.9	144.2 25.3 33.9 37.1 228.0	* * * 174•2

TABLE 16. DAYS OF BED DISABILITY ASSOCIATED WITH ACUTE CONDITIONS AND DAYS OF BED DISABILITY PER 100 PERSONS PER YEAR, BY PLACE OF RESIDENCE, SEX, AND CONDITION GROUP: UNITED STATES, JULY 1974-JUNE 1975

SEX AND CONDITION GROUP	44.1	ALL	OUTSIDE	SMSA			OUTSIDE	SMSA		
SEX AND CONDITION GROUP	ALL AREAS	SMSA	NONFARM	FARM	ALL AREAS	ALL SMSA	NONFARM	FARM		
BOTH SEXES	DA	YS OF BED DI IN THOUSA			DAYS O		BED DISABILITY PER 100 PERSONS PER YEAR			
ALL ACUTE CONDITIONS	879,399	634,921	227,335	17,143	422.5	443.2	392.6	245.8		
INFECTIVE AND PARASITIC DISEASES— RESPIRATORY CONDITIONS——— UPPER RESPIRATORY CONDITIONS——— INFLUENZA————————————————————————————————————	86,877 439,409 134,729 255,447 49,233 47,441 156,404	63,017 324,117 100,851 186,577 36,689 31,475 110,197	22,530 106,770 31,071 63,665 12,035 14,374 43,385	* 8,521 * * * *	41.7 211.1 64.7 122.7 23.7 22.8 75.1	44.0 226.2 70.4 130.2 25.6 22.0 76.9	38.9 184.4 53.7 109.9 20.8 24.8 74.9	* 122°2 * * * *		
SPRAINS, AND STRAINS———————  OPEN WOUNDS AND LACERATIONS———— CONTUSIONS AND SUPERFICIAL	72,897 16,901	49,214 13,594	23,104 *	*	35.0 8.1	34.4 9.5	39•9 *	*		
INJURIES	22,996 43,609 149,269	16,030 31,358 106,115	5,733 11,288 40,277	* *	11.0 21.0 71.7	11.2 21.9 74.1	9.9 19.5 69.6	* *		
MALE										
ALL ACUTE CONDITIONS	362,046	261,420	92,526	8,100	360.5	380-4	329.8	222.6		
INFECTIVE AND PARASITIC DISEASES— RESPIRATORY CONDITIONS——— UPPER RESPIRATORY CONDITIONS——— INFLUENZA————————————————————————————————————	38,244 181,696 57,090 105,588 19,018 18,297 78,153	26,513 132,080 40,889 77,838 13,352 11,663 58,084	11,162 44,551 14,732 24,581 * 6,372 18,788	* *	38.1 180.9 56.9 105.1 18.9 18.2 77.8	38.6 192.2 59.5 113.3 19.4 17.0 84.5	39.8 158.8 52.5 87.6 * 22.7 67.0	* * * * * *		
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS OPEN MOUNDS AND LACERATIONS CONTUSIONS AND SUPERFICIAL	38,574 7,921	29 ,256 5 ,897	9,270 *	*	38.4 7.9	42•6 8•6	33 <b>.</b> 0 *	*		
INJURIES OTHER CURRENT INJURIES ALL OTHER ACUTE CONDITIONS	11,215 20,443 45,656	8,561 14,370 33,081	* 5,828 11,651	* *	11.2 20.4 45.5	12.5 20.9 48.1	20.8 41.5	* *		
<u>FEMALE</u>										
ALL ACUTE CONDITIONS	517,353	373,501	134,810	9,042	480•2	501.1	451.6	271.1		
INFECTIVE AND PARASITIC DISEASES— RESPIRATORY CONDITIONS—— UPPER RESPIRATORY CONDITIONS—— OTHER RESPIRATORY CONDITIONS—— DIGESTIVE SYSTEM CONDITIONS—— INJURIES————— FRACTURES, DISLOCATIONS,	48,634 257,712 77,639 149,858 30,216 29,144 78,251	36,505 192,037 59,961 108,739 23,337 19,811 52,113	11,367 62,219 16,339 39,083 6,797 8,002 24,597	* * * * * * * *	45.1 239.2 72.1 139.1 28.0 27.1 72.6	49.0 257.6 80.4 145.9 31.3 26.6 69.9	38.1 208.4 54.7 130.9 22.8 26.8 82.4	**		
SPRAINS, AND STRAINS	34,323 8,980	19,958 7,698 7,469	13,834	*	31.9 8.3 10.9	26.8 10.3	46.3 *	*		
OTHER CURRENT INJURIESALL OTHER ACUTE CONDITIONS	11,782 23,166 103,612	16,989 73,034	28,625	*	21.5 96.2	22.8 98.0	* 95.9	**		

TABLE 17. INCIDENCE OF ACUTE CONDITIONS AND NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR, BY GEOGRAPHIC REGION, SEX, AND AGE: UNITED STATES, JULY 1974—JUNE 1975

SEX AND AGE	ALL REGIONS	NORTH- EAST	NCRTH CENTRAL	SOUTH	WEST	ALL REGIONS	NORTH- EAST	NORTH CENTRAL	SOUTH	WEST
BOTH SEXES	I	NCIDENCE (	CF ACUTE ( N THOUSAND			NUMB		ITE CONDIT	IONS PER 1 EAR	.00
ALL AGES	407,831	87,312	113,563	119,613	87,344	195.9	178.9	201.5	181.7	235.1
UNDER 5 YEARS	57,084 100,317 82,046 96,191 72,194 53,027 19,167	12,075 22,388 17,327 19,980 15,542 11,816 3,725	17,233 28,927 21,605 26,981 18,816 13,391 5,426	17,299 27,328 24,873 27,406 22,706 16,225 6,481	10,477 21,674 18,240 21,823 15,129 11,594 3,535	264.4 214.3 185.7 112.8 123.4 91.3	350.1 259.2 197.5 170.3 95.8 108.4 70.0	384.8 277.2 201.9 194.2 111.7 120.2 95.1	322.8 226.4 208.7 165.5 114.0 121.8 98.3	365.9 319.0 264.3 227.3 137.6 152.3 104.5
UNDER 6 YEARS	68,198 108,312 159,127	15,119 24,093 32,558		20,114 30,105 46,687	12,625 23,624 35,965	346.9 253.1 194.7	356.9 246.5 175.2	373.8 258.6 197.1	310.6 221.8 180.5	359.9 308.8 239.8
MALE										
ALL AGES	187,588	39,745	53,245	54,971	39,627	186.8	170-2	195•0	172.9	220.5
UNDER 5 YEARS	30,728 50,774 35,523 41,811 28,751 22,076 6,675	6,492 11,391 6,855 9,137 5,870 4,582 1,288	9,255 14,661 9,545 11,318 8,466 6,175 2,291	9,362 14,025 11,236 12,092 8,255 6,035 2,220	5,619 10,696 7,888 9,264 6,159 5,283 876	372.5 262.7 189.9 167.4 98.6 107.8 77.0	370.1 258.4 165.0 160.0 80.1 89.2 58.9	410.6 277.9 177.1 168.2 110.5 115.1 99.9	336.0 223.8 194.0 152.5 91.6 96.2 80.9	385.7 317.1 234.1 200.7 119.5 142.7 60.4
6-16 YEARS	54,320 67,908	11,999	15,366 18,468	15,205 20,428	11,750 15,112	363.0 249.9 172.2	370.2 242.7 155.7	400.8 257.1 168.8	327.4 216.1 165.3	364.2 310.5 209.4
FEMALE										
ALL AGES	220,244	47,566	60,318	64,642	47,717	204.4	186.8	207.7	189.9	248.7
UNDER 5 YEARS	26,356 49,543 46,522 54,379 43,443 30,951 12,493	5,583 10,996 10,473 10,843 9,671 7,234 2,437	7,978 14,266 12,060 15,663 10,351 7,216 3,135	7,937 13,302 13,637 15,314 14,451 10,190 4,261	4,858 10,978 10,352 12,559 8,970 6,311 2,659 6,019	333.7 266.2 237.6 202.9 124.7 137.6 101.3	329.4 260.0 226.7 180.1 108.7 125.6 77.7	358.7 276.5 227.2 218.6 112.7 125.0 91.9	308.5 229.2 222.8 177.4 132.5 144.4 110.7	345.5 320.9 293.1 252.0 153.5 161.3 137.6
6-16 YEARS	53,992 91,219	12,094 18,656	15,124 25,450	14,900 26,260	11,875 20,854	256.5 215.8	250.3 193.3	260.1 224.5	292.2 228.0 194.4	355.3 307.2 267.9

NOTE: EXCLUDED FROM THESE STATISTICS ARE ALL CONDITIONS INVOLVING NEITHER RESTRICTED ACTIVITY NOR MEDICAL ATTENTION.

TABLE 18. DAYS OF RESTRICTED ACTIVITY ASSOCIATED WITH ACUTE CONDITIONS AND DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER YEAR, BY GEOGRAPHIC REGION, SEX, AND AGE: UNITED STATES, JULY 1974-JUNE 1975

SEX AND AGE	ALL REGIONS	NORTH- EAST	NORTH CENTRAL	SOUTH	WEST	ALL REGIONS	NORTH- EAST	NOR TH CENTRAL	SOUTH	WEST	
BOTH SEXES	DAYS OF	RESTRICTE	D ACTIVIT	Y IN THOU	SANDS	DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER YEAR					
ALL AGES	2,025,582	432,442	526,635	614,459	452,046	973.1	886.0	934.5	933.5	1,216.6	
UNDER 5 YEARS 5-14 YEARS	176,402 342,233 350,740 479,271 676,935 422,227 254,708	40,204 77,345 80,217 97,922 136,754 90,717 46,038	43,416 92,476 89,486 125,374 175,882 99,630 76,252	54,026 96,161 105,998 148,834 209,439 128,295 81,144	38,756 76,250 75,039 107,141 154,859 103,585 51,274	1,092.3 902.0 916.0 925.5 1,058.0 982.4 1,212.8	1,165.7 895.4 914.4 834.7 843.2 832.4 865.2	886.1 836.3 902.3	1,008.1 796.5 889.5 898.7 1,051.5 962.7 1,230.9	1,353.7 1,122.1 1.087.2 1,116.1 1,408.1 1,360.3 1,515.2	
UNDER 6 YEARS	213,544 370,361 764,742			64,716 104,559 235,744	46,807 81,082 169,298	1,086.1 865.6 935.8	1, 196.4 847.6 872.7	943.6 864.0 886.8		1,334.3 1,059.9 1,128.6	
MALE											
ALL AGES	888,395	190,396	224,980	278,983	194,036	884•7	815•4	823.8	877.6	1,079.8	
UNDER 5 YEARS 5-14 YEARS 15-24 YEARS	96,774 176,274 151,424 195,168 268,755 185,712 83,043	22,973 38,615 32,012 40,714 56,083 38,676 17,407	23,412 46,625 35,034 46,237 73,671 48,119 25,552 27,707	29,566 51,749 50,831 64,678 82,159 57,078 25,080	20,822 39,285 33,548 43,539 56,841 41,838 15,004	1,173.0 912.1 809.4 781.2 921.9 906.9 957.4	1,309.7 875.8 770.6 713.2 765.7 752.6 796.3	883.7 649.9 687.2 961.6 896.6 1,113.9	1,061.2 825.6 877.5 815.7 911.4 910.2 914.0	1,429.1 1,164.7 995.5 943.2 1,103.1 1,130.1 1,034.0	
6-16 YEARS	190,520 310,801	41,624 64,171	51,722 71,880	54,735 104,222	42,439 70,529	876.4 787.9	842•1 718•7	865.5 656.9	777.9 843.6	1,121.5 977.1	
<u>FEMALE</u>					<u> </u>						
ALL AGES	1,137,187	242,046	301,655	335,476	258,010	1,055.6	950.7	1,038.6	985.7	1,344.6	
UNDER 5 YEARS	79,629 165,958 199,316 284,103 408,181 236,516 171,665 95,224 179,841 453,941	17,231 38,731 48,205 57,208 80,671 52,041 28,631 22,159 41,232 97,982	20,004 45,851 54,453 79,136 102,211 51,511 50,700 23,637 50,141 125,666	24,460 44,411 55,167 84,157 127,280 71,217 56,063 26,849 49,824 131,523	17,934 36,965 41,491 63,602 98,018 61,747 36,271 22,580 38,644 98,769	1,008.1 891.6 1,017.9 1,059.9 1,172.0 1,051.1 1,392.6 994.3 854.4 1,073.8		892.1 1,486.8 872.2 862.4	950.6 765.2 901.1 974.9 1,167.4 1,009.5 1,456.9 868.6 762.3 973.9	1,275.5 1,080.5 1,174.7 1,276.1 1,578.0 1,578.0 1,876.4 1,332.9 999.6 1,269.0	

TABLE 19. DAYS OF BED DISABILITY ASSOCIATED WITH ACUTE CONDITIONS AND DAYS OF BED DISABILITY PER 100 PERSONS PER YEAR, BY GEOGRAPHIC REGION, SEX, AND AGE: UNITED STATES, JULY 1974-JUNE 1975

SEX AND AGE	ALL REGIONS	NORTH- EAST	NCRTH CENTRAL	SOUTH	WEST	ALL REGIONS	NORTH- EAST	NORTH CENTRAL	SOUTH	WEST	
BOTH SEXES	DAYS	OF BED DIS	ABILITY 1	N THOUSAN	DAYS OF BED DISABILITY PER 100 PERSONS PER YEAR						
ALL AGES	879,399	188,253	227,672	272,656	190,818	422.5	385.7	404.0	414.2	513.5	
UNDER 5 YEARS	70,700 152,560 154,735 217,808 283,596 173,181 110,415	17,908 35,358 38,834 41,520 54,633 37,956 16,676	19,234 41,093 37,569 55,568 74,208 38,439 35,769	18,116 42,353 47,044 75,031 90,112 56,779 33,333	15, 443 33, 756 31, 287 45, 689 64, 643 40, 007 24, 636	437.8 402.1 404.1 420.6 443.3 402.9 525.8	519.2 409.3 442.7 353.9 336.8 348.3 313.4	429.5 393.8 351.1 399.9 440.5 345.0 627.1	338.0 350.8 394.8 453.1 452.4 426.1 505.7	539.4 496.8 453.3 475.9 587.8 525.4 728.0	
UNDER 6 YEARS	85,331 166,853 343,619	21,320 40,671 71,629	22,492 45,537 85,434	22,116 46,201 114,227	19,403 34,444 72,328	434.0 390.0 420.5	503.3 416.1 385.5	413.4 386.2 383.5	341.5 340.4 441.7	553.1 450.2 482.2	
MALE											
ALL AGES	362,046	77,603	96,155	114,374	73,915	360.5	332.3	352.1	359.8	411.3	
UNDER 5 YEARS	40,395 72,331 60,071 76,953 112,297 74,607 37,689	10,616 15,201 13,185 13,771 24,831 15,839 8,991	11,707 19,902 14,577 18,455 31,514 18,078 13,436	10,976 20,516 19,549 27,372 35,960 25,813 10,147	7,096 16,712 12,760 17,355 19,992 14,878	489.6 374.2 321.1 308.0 385.2 364.3 434.5	605.2 344.8 317.4 241.2 339.0 308.2 411.3	519.4 377.2 270.4 274.3 411.4 336.8 585.7	394.0 327.3 337.5 345.2 398.9 411.6 369.8	487.0 495.5 378.6 376.0 388.0 401.9	
UNDER 6 YEARS	47,273 79,772 122,704	11,785 18,398 22,590	13,093 21,945 29,603	13,895 22,016 42,502	8,500 17,413 28,010	468.8 367.0 311.1	547.1 372.2 253.0	479.4 367.2 270.5	410.5 312.9 344.0	468.6 460.2 388.1	
FEMALE											
ALL AGES	517,353	110,650	131,517	158,282	116,904	480-2	434.6	452.8	465.1	609•3	
UNDER 5 YEARS	30,305 80,229 94,664 140,855 171,299 98,573 72,726	7,292 20,157 25,650 27,749 29,802 22,117 7,685	7,527 21,191 22,992 37,113 42,694 20,361 22,333	7,140 21,837 27,495 47,659 54,152 30,966 23,186	8,347 17,045 18,527 28,334 44,651 25,129 19,522	383.7 431.0 483.4 525.5 491.8 438.1 590.0	430.2 476.6 555.3 460.8 335.0 384.0 245.1	338.4 410.7 433.2 517.9 464.8 352.6 654.9	277.5 376.2 449.1 552.1 496.7 438.9 602.5	593.7 498.2 524.5 568.5 763.9 642.2	
UNDER 6 YEARS	38,057 87,081 220,915	9,535 22,273 49,040	9,399 23,592 55,832	8,221 24,185 71,725	10,903 17,031 44,319	397.4 413.7 522.6	458.0 461.0 508.1	346.8 405.8 492.6	266.0 370.0 531.1	643.6 440.5 569.4	

TABLE 20. INCIDENCE OF ACUTE CONDITIONS AND NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR. BY GEOGRAPHIC REGION, SEX, AND CONDITION GROUP: UNITED STATES, JULY 1974-JUNE 1975

SEX AND CONDITION GROUP	ALL REGIONS	NORTH- EAST	NORTH CENTRAL	SOUTH	WEST	ALL REGIONS	NORTH- EAST	NORTH CENTRAL	SOUTH	WEST
BOTH SEXES	1	NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR								
ALL ACUTE CONDITIONS	407,831	87,312	113,563	119,613	87,344	195.9	178.9	201.5	181.7	235-1
INFECTIVE AND PARASITIC	42,114	11,928	8,990	14,984	6,212	20.2	24.4	16.0	22.8	16.7
RESPIRATORY CONDITIONS UPPER RESPIRATORY CONDITIONS INFLUENZA	219,958 108,312 102,231	45,578 27,450 15,874	64,487 27,784 34,501	58,834 31,874 24,079	51,059 21,204	105.7 52.0 49.1	93.4 56.2 32.5	114.4 49.3 61.2	89.4 48.4 36.6	137.4 57.1 74.8
OTHER RESPIRATORY CONDITIONS	9,415	2,254	2,202	2,881	27,777	4.5	4.6	3.9	4.4	5.6
DIGESTIVE SYSTEM CONDITIONS	18,737	3,406	5,445	6,686	3,200	9.0	7.0	9.7	10.2	8.6
FRACTURES, DISLOCATIONS,	71,342	15,175	18,820	21,850	15,497	34.3	31.1	33.4	33.2	41.7
SPRAINS, AND STRAINS————————————————————————————————————	22,484 19,517	4,620 4,439	5,780 4,541	6,980 5,831	5,104 4,706	10.8 9.4	9.5 9.1	10.3	10.6 8.9	13.7 12.7
OTHER CURRENT INJURIES	14,811 14,531	3,381 2,735	4,201 4,298	4,040 5,000	3,189 2,499	7.1 7.0	6.9 5.6	7.5 7.6	6.1 7.6	8.6 6.7
ALL OTHER ACUTE CONDITIONS	55,681	11,225	15,821	17,259	11,375	26.8	23.0	28.1	26.2	30.6
MALE			}							
ALL ACUTE CONDITIONS	187,588	39,745	53,245	54,971	39,627	186.8	170.2	195.0	172.9	220.5
INFECTIVE AND PARASITIC DISEASES	18,474	4,530	3,921	7,391	2,633	18•4	19.4	14-4	23.2	14.7
RESPIRATORY CONDITIONS————————————————————————————————————	100,019 49,819 45,949 4,251	20,313 12,370 6,958 985	29,822 13,120 15,653 1,049	26,671 14,363 10,974 1,334	23,213 9,966 12,363 883	99.6 49.6 45.8 4.2	87.0 53.0 29.8 4.2	109.2 48.0 57.3 3.8	83.9 45.2 34.5 4.2	129.2 55.5 68.8 4.9
DIGESTIVE SYSTEM CONDITIONS	8,224	1,378	2,328	3,037	1,480	8.2	5.9	8.5	9.6	8.2
INJURIES	39,573	8,965	10,819	11,489	8,300	39.4	38.4	39.6	36.1	46.2
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS—————— OPEN WOUNDS AND LACERATIONS—— CONTUSIONS AND SUPERFICIAL	12,357 12,338	2,804 3,050	3,206 2,816	3,503 3,826	2,843 2,646	12.3 12.3	12.0 13.1	11.7 10.3	11.0 12.0	15.8 14.7
OTHER CURRENT INJURIES	7,537 7,340	1,875	2,302 2,495	1,846 2,315	1,515 1,296	7.5 7.3	8.0 5.3	8.4 9.1	5.8 7.3	8.4 7.2
ALL OTHER ACUTE CONDITIONS	21,297	4,559	6,355	6,382	4,001	21.2	19.5	23.3	20.1	22.3
FEMALE				}			}			
ALL ACUTE CONDITIONS	220,244	47,566	60,318	64,642	47,717	204-4	186.8	207.7	189.9	248.7
INFECTIVE AND PARASITIC DISEASES	23,640	7,398	5,069	7,593	3,580	21.9	29•1	17.5	22.3	18.7
RESPIRATORY CONDITIONS————————————————————————————————————	119,939 58,493 56,282	25,264 15,080 8,916	34,665 14,664 18,847	32,163 17,511 13,105	27,846 11,238 15,414	111.3 54.3 52.2	99.2 59.2 35.0	119.4 50.5 64.9	94.5 51.4 38.5	145.1 58.6 80.3
OTHER RESPIRATORY CONDITIONS	5,163	1,269	1,153	1,547	1,195	4.8	5.0	4-0	10.7	9.0
INJURIES	31,769	2,027 6,210	3,117 8,001	3,648	1,720 7,198	9.8	24.4	27.5	30.4	37.5
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS———————— OPEN WOUNDS AND LACERATIONS———	10,127	1,816 1,389	2,574 1,725	3,476 2,005	2,261 2,060	9.4 6.7	7-1 5-5	8.9 5.9	10.2 5.9	11.8
CONTUSIONS AND SUPERFICIAL INJURIES————————————————————————————————————	7,273 7,191	1,506 1,500	1,899	2,194 2,685	1,674 1,203	6.8	5.9 5.9	6.5 6.2	6.4 7.9	8.7 6.3
ALL OTHER ACUTE CONDITIONS	34,384	6,666	9,466	10,877	7,374	31.9	26.2	32.6	32.0	38.4
			·		<u> </u>		·			

NOTE: EXCLUDED FROM THESE STATISTICS ARE ALL CONDITIONS INVOLVING NEITHER RESTRICTED ACTIVITY NOR MEDICAL ATTENTION.

TABLE 21. DAYS OF RESTRICTED ACTIVITY ASSOCIATED WITH ACUTE CONDITIONS AND DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER YEAR, BY GEOGRAPHIC REGION, SEX, AND CONDITION GROUP: UNITED STATES, JULY 1974—JUNE 1975

			<del>-</del> -							
SEX AND CONDITION GROUP	ALL REGIONS	NORTH- EAST	NORTH CENTRAL	SOUTH	WEST	ALL REGIONS	NORTH- EAST	NORTH CENTRAL	SOUTH	WEST
BOTH SEXES	DAYS OF	RE STRICTE	D ACTIVIT	Y IN THOU	DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER YEAR					
ALL ACUTE CONDITIONS	2,025,582	432,442	526,635	614,459	452,046	973•1	886.0	934.5	933.5	L+216+6
INFECTIVE AND PARASITIC	184,687	47,336	37,939	57,445	41,968	88.7	97•0	67.3	87.3	112.9
RESPIRATORY CONDITIONS————————————————————————————————————	887,847 335,503 457,996 94,349	183,919 89,822 70,543 23,553	239,280 80,350 136,106 22,823	248,958 93,788 126,904 28,266	215,690 71,542 124,441 19,707	426.5 161.2 220.0 45.3	376.8 184.0 144.5 48.3	424.6 142.6 241.5 40.5	378.2 142.5 192.8 42.9	580.5 192.5 334.9 53.0
DIGESTIVE SYSTEM CONDITIONS	100,509	19,841	26,525	35,984	18,159	48.3	40.6	47.1	54.7	48.9
	492,145	104,990	126,425	156,599	104,132	236.4	215.1	224.3	237.9	280-2
INJURIES- FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS- OPEN WOUNDS AND LACERATIONS- CONTUSIONS AND SUPERFICIAL	259,048 69,385	54,100 14,808	64,577 16,076	79,579 25,770	60,791	124.5 33.3	110.8 30.3	114.6 28.5	120.9 39.1	163.6 34.3
INJURIES	66,621 97,092	14,017 22,064	18,184 27,588	19,215 32,035	15, 205 15, 404	32.0 46.6	28.7 45.2	32.3 49.0	29.2 48.7	40.9 41.5
ALL OTHER ACUTE CONDITIONS	360,393	76,356	96,465	115,473	72,098	173.1	156.4	171.2	175.4	194-0
MALE					į					
ALL ACUTE CONDITIONS	888,395	190,396	224,980	278,983	194,036	884.7	815.4	823.8	877.6	1,079.8
INFECTIVE AND PARASITIC DISEASES	84,045	17,785	18,732	29,025	18,503	83.7	76.2	68.6	91.3	103.0
RESPIRATORY CONDITIONS————————————————————————————————————	383,949 149,419 198,751 35,780	76,793 39,178 30,627 6,988	101,270 32,776 58,847 9,647	109,769 45,057 52,383 12,328	96,118 32,407 56,894 6,816	382.3 148.8 197.9 35.6	328.9 167.8 131.2 29.9	370.8 120.0 215.5 35.3	345.3 141.7 164.8 38.8	534.9 180.3 316.6 37.9
DIGESTIVE SYSTEM CONDITIONS	42,282	10,083	9,117	14,923	8,158	42-1	43.2	33.4	46.9	45.4
INJURIES	260,753	55,549	63,206	91,842	50,156	259.7	237.9	231-4	288.9	279.1
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS	138,315 41,256	30,812 7,801	33,980 8,361	44,445 17,245	29,079 7,848	137•7 41•1	132.0 33.4	124.4 30.6	139.8 54.2	161.8 43.7
INJURIES OTHER CURRENT INJURIES	33,913 47,268	6,658 10,277	8,018 12,847	12,534 17,618	6,703 6,526	33.8 47.1	28.5 44.0	29.4 47.0	39.4 55.4	37.3 36.3
ALL OTHER ACUTE CONDITIONS	117,367	30,187	32,654	33,425	21,101	116-9	129-3	119.6	105.1	117.4
FEMALE										ł I
ALL ACUTE CONDITIONS	1,137,187	242,046	301,655	335,476	258,010	1,055.6	950.7	1,038.6	985.7	1,344.6
INFECTIVE AND PARASITIC DISEASES	100,642	29,551	19,206	28,420	23,465	93•4	116.1	66-1	83.5	122.3
RESPIRATORY CONDITIONS UPPER RESPIRATORY CONDITIONS INFLUENZA	503,898 186,084 259,245 58,569	107,126 50,644 39,917 16,565	138,011 47,575 77,260 13,176	139,190 48,731 74,521 15,937	119,572 39,134 67,547 12,891	172.7 240.6	420.8 198.9 156.8 65.1		409.0 143.2 219.0 46.3	623.2 204.0 352.0 67.2
DIGESTIVE SYSTEM CONDITIONS	58,227	9,758	17,408	21,061	10,000	54.1	38.3	į.	61.9	52.1
INJURIES	231,393	49,441	63,219	64,757	53,976	214.8	194.2	1	190.3	281.3
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS OPEN WOUNDS AND LACERATIONS	120,733	23+289 7,006	30,597 7,715	35,135 8,524	31,713	112.1 26.1	91.5 27.5		103.2 25.0	165.3
CONTUSIONS AND SUPERFICIAL INJURIES OTHER CURRENT INJURIES	32,708 49,824	7,359 11,787	10,166 14,741	6,680 14,418	8,503 8,878		28.9 46.3		19.6 42.4	44.3 46.3
ALL OTHER ACUTE CONDITIONS	243,026	46,170	63,811	82,048	50,997	225.6	181.3	219.7	241.1	265.8

TABLE 22. DAYS OF BED DISABILITY ASSOCIATED WITH ACUTE CONDITIONS AND DAYS OF BED DISABILITY PER 100 PERSONS PER YEAR, BY GEO-GRAPHIC REGION, SEX, AND CONDITION GROUP: UNITED STATES, JULY 1974—JUNE 1975

SEX AND CONDITION GROUP	ALL REGIONS	NORTH- EAST	NCRTH CENTRAL	SOUTH	WEST	ALL REGIONS	NORTH- EAST	NOR TH CENTRAL	SOUTH	WEST
BOTH SEXES	DAYS	OF BED DI	SABILITY	IN THOUSA	INDS	DAYS OF		ABILITY PI PER YEAR	ER 100 PER	SONS
ALL ACUTE CONDITIONS	879,399	188,253	227,672	272,656	190,818	422.5	385.7	404.0	414.2	513.5
INFECTIVE AND PARASITIC DISEASES	86,877	23,072	17,900	28,069	17,838	41.7	47.3	31.8	42.6	48.0
RESPIRATORY CONDITIONS	439,409 134,729	94,532 42,001	117,162	119,757	107,957 29,382	211.1 64.7	193.7 86.0	207.9 56.4	181.9 48.0	290.5 79.1
OTHER RESPIRATORY CONDITIONS	255,447 49,233	40,160 12,372	76,380 9,015	71,135	67,772 10,804	122.7 23.7	82.3 25.3	135.5 16.0	108.1 25.9	182.4 29.1
DIGESTIVE SYSTEM CONDITIONS	47,441	10,087	15,557	15,479	6,317	22.8	20.7	27.6	23.5	1.7.0
INJURIES FRACTURES, DISLOCATIONS,	156,404	31,169	38,656	59,835	26,743	75.1	63.9	68.6	90.9	72.0
SPRAINS, AND STRAINS————— DPEN WOUNDS AND LACERATIONS—— CONTUSIONS AND SUPERFICIAL	72,897 16,901	13,059 *	17,840 *	27,781 7,817	14,217	35.0 8.1	26.8	31.7 *	42.2 11.9	38.3 *
INJURIESOTHER CURRENT INJURIES	22,996 43,609	* 10,381	6,253 11,468	8,572 15,666	* 6,094	11.0 21.0	* 21.3	11.1 20.3	13.0 23.8	* 16.4
ALL OTHER ACUTE CONDITIONS	149,269	29,393	38,397	49,516	31,963	71.7	60.2	68-1	75.2	86.0
MALE										
ALL ACUTE CONDITIONS	362,046	77,603	96,155	114,374	73,915	360.5	332.3	352.1	359.8	411-3
INFECTIVE AND PARASITIC DISEASES-	38,244	7,887	7,912	13,576	8,868	38•1	33 • 8	29.0	42.7	49.4
RESPIRATORY CONDITIONS————————————————————————————————————	181,696 57,090 105,588 19,018	37,580 18,224 15,397	49,904 13,086 32,947	48,941 13,386 28,354 7,201	45,271 12,394 28,891 *	180.9 56.9 105.1 18.9	160.9 78.0 65.9	182.7 47.9 120.6 *	153.9 42.1 89.2 22.7	251.9 69.0 160.8 *
DIGESTIVE SYSTEM CONDITIONS	18,297	*	*	6,922	*	18.2	*	*	21.8	*
INJURIES	78,153	16,729	20,635	31,409	9,380	77.8	71.6	75.6	98.8	52.2
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS OPEN WOUNDS AND LACERATIONS CONTUSIONS AND SUPERFICIAL	38,574 7,921	7,862 *	10,227	15,015	*	38.4 7.9	33.7 *	37 <b>.</b> 4 *	47•2 . *	*
OTHER CURRENT INJURIES	11,215 20,443	6,202	*	7,282	*	11.2 20.4	26.6	*	22.9	*
ALL OTHER ACUTE CONDITIONS	45,656	10,886	13,291	13,525	7,955	45.5	46.6	48.7	42.5	44.3
FEMALE										
ALL ACUTE CONDITIONS	517,353	110,650	131,517	158,282	116,904	480-2	434.6	452.8	465.1	609.3
INFECTIVE AND PARASITIC DISEASES	48,634	15,184	9,987	14,492	8,970	45.1	59•6	34.4	42.6	46.7
RESPIRATORY CONDITIONS———— UPPER RESPIRATORY CONDITIONS—— INFLUENZA————————————————————————————————————	257,712 77,639 149,858	56,952 23,777 24,763	67,258 18,681 43,433	70,815 18,193 42,781	62,686 16,988 38,881	239.2 72.1 139.1	223.7 93.4 97.3	231.6 64.3 149.5	208.1 53.5 125.7	326.7 88.5 202.6
OTHER RESPIRATORY CONDITIONS	30,216	8,412	*	9,841	6,818	28.0	33.0	*	28.9	35.5
INJURIES	29,144 78,251	5,566	11,144	8,557 28,426	17,363	72.6	21.9 56.7	38.4 62.0	25 <b>.1</b> 83.5	* 90.5
FRACTURES, DISLOCATIONS, SPRAINS, AND STRAINS OPEN WOUNDS AND LACERATIONS	34,323 8,980	*	7,614	12,766	8,746 *	31.9 8.3	*	26.2	37.5	45.6 *
CONTUSIONS AND SUPERFICIAL INJURIES OTHER CURRENT INJURIES	11,782 23,166	*	* 6,088	* 8,383	*	10.9 21.5	*	* 21.0	* 24•6	*
ALL OTHER ACUTE CONDITIONS	103,612	18,507	25,106	35,991	24,008	96.2	72.7	86.4	105.7	125.1

TABLE 23. INCIDENCE OF ACUTE CONDITIONS PER QUARTER AND NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER QUARTER, BY SEX AND AGE: UNITED STATES, JULY 1974-JUNE 1975

		T	<del></del>		1	<del>-</del>	<u> </u>	T	
SEX AND AGE	JULY-	OCTOBER-	JANUARY-	APRIL-	JULY-	OCTOBER-	JANUARY-	APRIL-	
	SEPTEMBER	DECEMBER	MARCH	JUNE	SEPTEMBER	DECEMBER	MARCH	JUNE	
BOTH SEXES	INCIDE	NCE OF ACU IN THOUS		NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER QUARTER					
ALL AGES	70,139	103,406	143,421	90,865	33.8	49.7	68.8	43.5	
UNDER 5 YEARS	10,105	14,804	19,028	13,147	62.1	91.2	£ 118.1	82.3	
	16,325	25,213	37,093	21,685	42.8	66.3	98.0	57.5	
	14,570	20,459	29,386	17,631	38.3	53.6	76.6	45.7	
	17,231	25,846	31,812	21,302	33.5	50.1	61.2	40.8	
	11,908	17,083	26,103	17,100	18.7	26.8	40.7	26.6	
	8,474	12,615	19,986	11,951	19.8	29.4	46.5	27.8	
	3,434	4,467	6,117	5,149	16.5	21.4	29.0	24.3	
UNDER 6 YEARS	11,663	17,901	23,502	15,131	59.1	90.8	119.5	77.5	
	18,547	26,781	39,453	23,532	43.1	62.4	92.5	55.4	
	28,021	41,641	54,363	35,102	34.6	51.2	66.3	42.6	
MAL E									
ALL AGES	32,789	46,737	65,953	42,108	32.8	46.6	65.6	41.8	
UNDER 5 YEARS	5,303	7,994	10,454	6,977	63.8	96.4	126.9	85.5	
	8,524	12,625	18,829	10,796	43.9	65.1	97.6	56.2	
	7,076	8,598	11,733	8,117	38.1	46.1	62.5	43.0	
	7,355	10,946	13,983	9,527	29.7	44.0	55.8	37.8	
	4,531	6,575	10,954	6,691	15.6	22.6	37.5	22.9	
	3,237	5,243	8,638	4,958	15.8	25.6	42.1	24.2	
	1,294	1,332	2,316	1,733	15.1	15.4	26.6	19.8	
UNDER 6 YEARS————————————————————————————————————	6,275	9,427	12,830	8,077	61.3	93.9	127.0	81.1	
	9,592	13,464	19,612	11,651	44.1	61.5	90.6	53.8	
	12,391	17,271	22,558	15,689	31.7	44.0	57.0	39.4	
FEMAL E									
ALL AGES	37,350	56,668	77,468	48,757	34.8	52.7	71.8	45.1	
UNDER 5 YEARS	4,802	6,811	8,573	6,170	60.3	85.8	108.8	79.0	
	7,801	12,588	18,264	10,890	41.7	67.4	98.3	58.9	
	7,494	11,861	17,653	9,514	38.5	60.8	90.0	48.3	
	9,875	14,901	17,828	11,775	37.1	55.8	66.3	43.6	
	7,377	10,508	15,150	10,408	21.3	30.2	43.4	29.7	
	5,237	7,372	11,348	6,993	23.3	32.8	50.4	31.0	
	2,140	3,136	3,801	3,415	17.5	25.6	30.7	27.4	
UNDER 6 YEARS	5,388	8,474	10,672	7,055	56.7	87.6	111.5	73.7	
	8,954	13,316	19,841	11,880	42.0	63.3	94.5	57.0	
	15,631	24,370	31,805	19,413	37.3	57.9	75.0	45.5	

NOTE: EXCLUDED FROM THESE STATISTICS ARE ALL CONDITIONS INVOLVING NEITHER RESTRICTED ACTIVITY NOR MEDICAL ATTENTION.

TABLE 24. INCIDENCE OF ACUTE CONDITIONS PER QUARTER AND NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER QUARTER, BY SEX AND CONDITION GROUP: UNITED STATES, JULY 1974—JUNE 1975

SEX AND CONDITION GROUP	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- MARCH	APRIL- JUNE	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- MARCH	APRIL- JUNE
BOTH SEXES	INCIDE	INCIDENCE OF ACUTE CONDITIONS IN THOUSANDS			NUMBER OF ACUTE CONDITIONS PER 10 PERSONS PER QUARTER			
ALL ACUTE CONDITIONS-	70,139	103,406	143,421	90,865	33.8	49.7	68.8	43.5
INFECTIVE AND PARASITIC DISEASES RESPIRATORY CONDITIONS UPPER RESPIRATORY	7,876 29,498	11,201 61,357	12,303 94,280	10,732 34,824	3.8 14.2	5.4 29.5	5.9 45.2	5.1 16.7
CONDITIONS—————— INFLUENZA————— OTHER RESPIRATORY	16,900 10,937	28,272 30,727	40,979 50,019	22,162 10,548	8.1 5.3	13.6 14.8	19.7 24.0	10.6 5.1
CONDITIONS DIGESTIVE SYSTEM CONDITIONS	1,661	2,358 3,829	3,282 5,885	2,113 5,340	0.8	1.1	1.6 2.8	1.0 2.6
INJURIESALL OTHER ACUTE CONDITIONS	16,924 12,158	14,749	16,313	23,356	8 • 2 5 • 9	7•1 5•9	7.8 7.0	11.2
MALE	12,130		14,037	107013	3.9	J. 9	7.0	0.0
ALL ACUTE CONDITIONS-	32,789	46,737	65,953	42,108	32.8	46•6	65∙6	41.8
INFECTIVE AND PARASITIC DISEASES RESPIRATORY CONDITIONS UPPER RESPIRATORY	3,692 12,815	4,486 28,051	5,570 42,949	4,725 16,204	3.7 12.8	4.5 28.0	5.5 42.7	4.7 16.1
CONDITIONS  INFLUENZA  OTHER RESPIRATORY  CONDITIONS	7,639 4,307 868	12,878 14,205 968	18,707 22,581 1,661	10,594 4,855 754	7.6 4.3	12.8 14.2	18.6 22.5	10.5 4.8 0.7
DIGESTIVE SYSTEM CONDITIONS INJURIES CONDITIONS	1,488 9,966	1,456 8,146	2,642 8,971	2,638 12,490	1.5 10.0	1.5 8.1	2.6 8.9	2.6 12.4
ALL OTHER ACUTE CONDITIONS	4,828	4,597	5,820	6,051	4.8	4.6	5.8	6.0
FEMAL E								
ALL ACUTE CONDITIONS-	37,350	56,668	77,468	48,757	34.8	52.7	71.8	45.1
INFECTIVE AND PARASITIC DISEASES RESPIRATORY CONDITIONS UPPER RESPIRATORY	4,184 16,683	6,715 33,306	6,733 51,330	6,007 18,619	3.9 15.5	6.2 31.0	6•2 47•6	5.6 17.2
CONDITIONSINFLUENZAOTHER RESPIRATORY	9,261 6,630	15,393 16,522	22,272 27,438	11,568 5,693	8.6 6.2	14.3 15.4	20•6 25•4	10.7 5.3
CONDITIONSDIGESTIVE SYSTEM CONDITIONS	793 2,195	1,390	1,621 3,243	1,359 2,703	0.7 2.0	1.3	1.5	1.3
ALL OTHER ACUTE CONDITIONS	6,958	6,602	7,342	10,866	6.5	6.1	3.0 6.8	2.5
COMP.L. TOM2	7,330	7,673	8,819	10,561	6.8	7.1	8.2	9.8

NOTE: EXCLUDED FROM THESE STATISTICS ARE ALL CONDITIONS INVOLVING NEITHER RESTRICTED ACTIVITY NOR MEDICAL ATTENTION.

TABLE 25. DAYS OF RESTRICTED ACTIVITY ASSOCIATED WITH ACUTE CONDITIONS PER QUARTER AND DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER QUARTER, BY SEX AND AGE: UNITED STATES, JULY 1974-JUNE 1975

SEX AND AGE	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- March	APRIL- JUNE	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- MARCH	APRIL- JUNE
BOTH SEXES	DAYS	OF RESTRI		ITY		RESTRICTED PERSONS PER	ACTIVITY P QUARTER	ER 100
ALL AGES	390,320	517,316	693,845	424,101	188.1	248.9	332.9	203.2
UNDER 5 YEARS	31,526 52,797 69,492 105,901 130,604 85,693 44,911	46,963 81,205 83,493 120,672 184,984 109,669 75,314 57,125 89,501	64,120 140,187 114,489 158,888 216,161 138,127 78,034 82,880 140,936	33,793 68,043 83,267 93,810 145,187 88,738 56,449 37,464 79,993	193.7 138.4 182.7 206.1 205.0 199.8 215.9	289.3 213.4 218.8 234.0 289.7 255.4 360.3	397.8 370.3 298.3 305.9 337.2 321.1 370.0	211.6 180.4 215.5 179.6 225.5 206.1 266.3
17-44 YEARS	163,711	185,707	253,868	161,457		228.2	309.7	195.8
ALL AGES	175,338	229,065	290,597	193,394	175.1	228•4	289.0	192.0
UNDER 5 YEARS	16,470 27,976 30,042 43,294 57,555 40,689 16,867 18,726 31,826 67,232	29,043 42,457 33,717 48,948 74,900 51,300 23,600 35,081 46,426 72,659	34,245 70,035 43,699 62,547 80,071 52,803 27,268 45,345 68,292 96,889	17,015 35,806 43,966 40,378 56,229 40,920 15,308 19,168 43,976 74,022	198.1 144.0 161.8 174.7 198.3 199.1 196.3 183.1 146.3	350.3 219.1 180.9 196.8 257.3 250.7 273.0 349.4 212.2 185.1	415.8 363.2 232.9 249.5 274.2 257.6 313.1 448.7 315.3 244.8	208.5 186.4 233.0 160.2 192.1 199.4 175.0 192.4 203.1 185.9
FEMAL E								
ALL AGES	214,982	288,251	403,248	230,707	200.1	268.0	373.9	213.6
UNDER 5 YEARS	15,057 24,820 39,449 62,607 73,048 45,004 28,044 17,349 28,105 96,479	17,920 38,748 49,776 71,724 110,084 58,369 51,715 22,044 43,075 113,048	29,874 70,152 70,790 96,341 136,090 85,324 50,766 37,535 72,644 156,978	16,778 32,238 39,301 53,431 88,959 47,818 41,141 18,296 36,017 87,435	189.1 132.6 202.6 235.3 210.7 200.4 229.7 182.7 132.0 229.9	225.7 207.6 255.0 268.7 316.9 259.6 421.8 228.0 204.6 268.5	379.0 377.8 360.7 358.4 390.0 378.9 410.1 392.3 346.0 370.2	214.9 174.3 199.5 197.7 254.2 212.1 330.3 191.1 172.8

TABLE 26. DAYS OF RESTRICTED ACTIVITY ASSOCIATED WITH ACUTE CONDITIONS PER QUARTER AND DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER QUARTER, BY SEX AND CONDITION GROUP: UNITED STATES, JULY 1974—JUNE 1975

							====	
SEX AND CONDITION GROUP	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- MARCH	APRIL- JUNE	JULY~ SEPTEMBER	OCTOBER- DECEMBER	JANUARY- March	APRIL- JUNE
BOTH SEXES	DAYS	DAYS OF RESTRICTED ACTIVITY IN THOUSANDS			DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER QUARTER			
ALL ACUTE CONDITIONS-	390,320	517,316	693,845	424,101	188.1	248.9	332.9	203.2
INFECTIVE AND PARASITIC DISEASES—————————————————————————————————	34,215 110,005	47,764 249,665	61,161 403,750	41,547 124,427	16.5 53.0	23.0 120.1	29.3 193.7	19.9 59.6
CONDITIONSINFLUENZA	53,529 38,573	96,603 130,041	119,700 250,271	65,671 39,111	25.8 18.6	46.5 62.6	57.4 120.1	31.5 18.7
CONDITIONS DIGESTIVE SYSTEM CONDITIONS	17,903	23,021	33,780	19,645	8.6	11.1	16.2	9.4
INJURIESALL OTHER ACUTE	21,444 135,204	24,609 102,867	31,577 114,272	22,880 139,802	10.3 65.1	11.8 49.5	15•2 54•8	11.0 67.0
CONDITIONS	89,452	92,411	83,084	95,445	43.1	44.5	39.9	45.7
MALE								
ALL ACUTE CONDITIONS-	175,338	229,065	290,597	193,394	175•1	228.4	289.0	192.0
INFECTIVE AND PARASITIC DISEASES	18,395	19,773	27,824	18,053	18.4	19.7	27.7	17.9
RESPIRATORY CONDITIONS UPPER RESPIRATORY CONDITIONS	43,098 23,406	114,698 44,635	170,484	55,669 29,731	43.1 23.4	114.4	169.5	55.3 29.5
INFLUENZAOTHER RESPIRATORY	14,032	59,489	107,905	17,324	14.0	59•3	107.3	17.2
CONDITIONS DIGESTIVE SYSTEM CONDITIONS	10,137	10,574	10,933	8,613	10.1	10.5	10.9	8.6
ALL OTHER ACUTE CONDITIONS	73,862	51,033	51,902 27,977	83,955 27,007	73.8	50.9 32.4	51.6 27.8	83.4 26.8
<u>FEMALE</u>						ļ		
ALL ACUTE CONDITIONS-	214,982	288,251	403,248	230,707	200.1	268.0	373.9	213.6
INFECTIVE AND PARASITIC DISEASES	15,820 66,908	27,991 134,967	33,337 233,266	23,494 68,758	14.7 62.3	26.0 125.5	30.9 216.3	21.7 63.6
UPPER RESPIRATORY CONDITIONS INFLUENZA	30,123 24,541	51,967 70,552	68,054 142,366	35,940 21,786	28.0 22.8	48.3 65.6	63.1 132.0	33.3 20.2
OTHER RESPIRATORY CONDITIONS————— DIGESTIVE SYSTEM	12,244	12,447	22,846	11,032	11.4	11.6	21.2	10.2
CONDITIONSINJURIES	11,307 61,341	13,584 51,834	19,167 62,370	14,169 55,848	10.5 57.1	12.6 48.2	17•8 57•8	13.1 51.7
ALL OTHER ACUTE CONDITIONS	59,606	59,875	55,107	68,438	55.5	55.7	51.1	63.4

TABLE 27. DAYS OF BED DISABILITY ASSOCIATED WITH ACUTE CONDITIONS PER QUARTER AND DAYS OF BED DISABILITY PER 100 PERSONS PER QUARTER, BY SEX AND AGE: UNITED STATES, JULY 1974-JUNE 1975

SEX AND AGE	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- MARCH	APRIL- JUNE	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- March	APRIL- JUNE
BOTH SEXES	DA	YS OF BED IN THOU	DISABILITY Sands		DAYS OF BED DISABILITY PER 100 PERSONS PER QUARTER			
ALL AGES	156,366	227,342	334,642	161,049	75.3	109.4	160.6	77.2
UNDER 5 YEARS	13,188 21,879 30,042 45,418 45,839 27,757 18,082 15,070 25,598	18,850 33,255 38,841 54,419 81,978 45,765 36,213 22,246 38,970	26,275 72,034 54,819 80,094 101,420 66,753 34,666 34,527 73,901	12,388 25,392 31,033 37,876 54,359 32,906 21,453 13,487 28,386	81.0 57.4 79.0 88.4 72.0 64.7 86.9 76.4	116-1 87-4 101-8 105-5 128-4 106-6 173-2 112-9 90-8	163.0 190.3 142.8 154.2 158.2 155.2 164.4	77.6 67.3 80.5 72.5 84.6 76.4 101.2
17-44 YEARS	69,859	84,149	124,794	64,817	86.2		152.2	78.6
ALL AGES	66,600	97,241	128,141	70,064	66•5	97.0	127.4	69.6
UNDER 5 YEARS————————————————————————————————————	7,875 11,561 13,413 15,691 18,060 10,758 7,302 8,824 13,773 25,943	12,983 14,751 13,620 20,896 34,992 23,981 11,011 14,210 17,569 30,470	12,824 33,253 18,903 25,691 37,471 24,172 13,299 16,671 34,366 39,634	6,714 12,766 14,135 14,676 21,774 15,697 6,077 7,569 14,064 26,657	94.7 59.5 72.3 63.3 62.2 52.7 85.0 86.3 63.3 66.4	156.6 76.1 73.1 84.0 120.2 117.2 127.4 141.5 80.3 77.6	155.7 172.4 100.8 102.5 128.3 117.9 152.7	82-3 66-4 74-9 58-2 74-4 76-5 69-5 76-0 65-0 66-9
<u>FEMAL E</u>								
ALL AGES	89,766	130,101	206,501	90,985	83.6	121.0	191.5	84.2
UNDER 5 YEARS	* 10,317 16,629 29,728 27,780 16,999 10,780 6,246 11,825 43,915	5,868 18,504 25,221 33,523 46,986 21,784 25,202 8,036 21,401 53,679	13,451 38,781 35,916 54,404 63,949 42,581 21,367 17,857 39,534 85,161	5,674 12,626 16,898 23,201 32,585 17,209 15,376 5,918 14,321 38,160	* 55-1 85-4 111-7 80-1 75-7 88-3 65-8 55-5 104-7	73.9 99.1 129.2 125.6 135.2 96.9 205.5 83.1 101.7 127.5	170.7 208.8 183.0 202.4 183.3 189.1 172.6 186.6 188.3 200.9	72.7 68.2 85.8 85.9 93.1 76.3 123.5

TABLE 28. DAYS OF BED DISABILITY ASSOCIATED WITH ACUTE CONDITIONS PER QUARTER AND DAYS OF BED DISABILITY PER 100 PERSONS PER QUARTER, BY SEX AND CONDITION GROUP: UNITED STATES, JULY 1974-JUNE 1975

	1	1	1	1	1	T	1	T
SEX AND CONDITION GROUP	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- MARCH	APRIL- JUNE	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- March	APR IL JUNE
BOTH SEXES	DA	YS OF BED IN THOU		,	DAYS OF BED DISABILITY PER 100 PERSONS PER QUARTER			
ALL ACUTE CONDITIONS-	156,366	227,342	334,642	161,049	75.3	109.4	160.6	77.
INFECTIVE AND PARASITIC DISEASES ESPIRATORY CONDITIONS- UPPER RESPIRATORY	15,835 53,387	21,475 119,848	31,088 209,730	18,479 56,444	7.6 25.7	10.3 57.7	14.9 100.6	8. 27.
CONDITIONS INFLUENZA OTHER RESPIRATORY	21,472 22,535	37,769 71,162	50,169 141,549	25,318 20,200	10.3 10.9	18.2 34.2	24.1 67.9	12 <b>.</b> 9.
CONDITIONS—————— DIGESTIVE SYSTEM CONDITIONS——————	9,379 9,942	10,917 11,186	18,011	10,926	4.5 4.8	5.3	8.6	5. 5.
INJURIESALL OTHER ACUTE	42,481	36,109	38,446	39,368	20.5	5.4 17.4	7.3 18.4	18.
CONDITIONS	34,721	38,724	40,064	35,759	16.7	18.6	19.2	17.
MAL E								
ALL ACUTE CONDITIONS-	66,600	97,241	128,141	70,064	66.5	97.0	127.4	69•
INFECTIVE AND PARASITIC DISEASESRESPIRATORY CONDITIONS	7,943 20,899	7,658 54,639	13,822 81,709	8,821 24,449	7.9 20.9	7.6 54.5	13.7 81.3	8. 24.
UPPER RESPIRATORY CONDITIONS INFLUENZA	9,882 8,575	16,509 32,438	18,917 56,796	11,782 7,779	9.9 8.6	16.5 32.3	18.8 56.5	11.
OTHER RESPIRATORY . CONDITIONS DIGESTIVE SYSTEM	*	5,692	5,996	*	*	5.7	6.0	
CONDITIONS INJURIES ALL OTHER ACUTE	5,555 21,222	18,013	16,385	22,532	5.5 21.2	18.0	* 16•3	22.
CONDITIONS	10,980	12,964	11,512	10,200	11.0	12.9	11.4	10.
FEMAL E				i				
ALL ACUTE CONDITIONS-	89,766	130,101	206,501	90,985	83.6	121.0	191.5	84.
NFECTIVE AND PARASITIC DISEASES	7,892	13,818	17,266	9,658	7.3	12.8	16.0	8.
ESPIRATORY CONDITIONS UPPER RESPIRATORY CONDITIONS	32,488	65,208 21,260	128,021 31,252	31,995 13,536	30 • 2 10 • 8	19.8	118.7 29.0	29. 12.
INFLUENZAOTHER RESPIRATORY CONDITIONS	13,961	38,723	84,753 12,015	6,039	13.0 6.5	36.0 *	78.6 11.1	11. 5.
IGESTIVE SYSTEM CONDITIONS	* 21,258	7,219 18,096	10,602 22,061	6,937 16,836	* 19.8	6.7 16.8	9.8 20.5	6. 15.
ALL OTHER ACUTE CONDITIONS	23,741	25,761	28,551	25,559	22.1	23.9	26.5	23.

TABLE 29. INCIDENCE OF ACUTE RESPIRATORY CONDITIONS AND ASSOCIATED DISABILITY DAYS PER QUARTER AND NUMBER PER 100 PERSONS PER QUARTER, BY AGE: UNITED STATES, JULY 1974-JUNE 1975

AGE	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- MARCH	APRIL- JUNE	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- MARCH	APRIL- JUNE
		NCE OF ACU			NUMBER OF ACUTE RESPIRATORY CONDITIONS PER 100 PERSONS PER QUARTER			
ALL AGES	29,498	61,357	94,280	34,824	14.2	29.5	45.2	16.7
UNDER 5 YEARS	5,712 6,289 5,898 7,526 4,072 3,284 788 6,572 6,992 11,861	8,887 15,517 11,201 15,870 9,883 7,381 2,502 10,871 16,127 24,476	21,377 17,065 13,534 3,531 15,695 26,835		16.5 15.5 14.6 6.4 7.7 3.8 33.3	40.8 29.4 30.8 15.5 17.2 12.0 55.2 37.6	66.1 46.5 41.1 26.6 31.5 16.7 79.8 62.9	
	DAYS OF RESTRICTED ACTIVITY IN THOUSANDS				DAYS OF RESTRICTED ACTIVITY PER 10 PERSONS PER QUARTER			
ALL AGES	110,005	249,665	403,750	124,427	53.0	120.1	193.7	59.6
UNDER 5 YEARS	14,655 18,454 19,059 28,869 28,969 18,055 10,913 17,082 19,793 44,162	29,302 49,710 35,941 58,254 76,457 49,108 27,349 35,254 52,153 85,801	88,744 61,577 89,365 115,684 77,007 38,677	21,591 20,179 26,499 41,999 30,812 11,187 14,878 24,937	48.4 50.1 56.2 45.5 42.1 52.5 86.6 46.0	130.7 94.2 113.0 119.7 114.4 130.8	234.4 160.4 172.0 180.5 179.0 183.4	88.7 57.3 52.3 50.7 65.4 71.6 52.8 76.2 58.7 51.7
	DA	YS OF BED IN THOU				BED DISAB RSONS PER	ILITY PER 1 QUARTER	100
ALL AGES	53,387	119,848	209,730	56,444	25.7	57.7	100.6	27.0
UNDER 5 YEARS	6,529 8,068 10,051 13,503 15,235 9,409 5,826 7,325 9,226 21,600	10,000 22,277 21,600 29,757 36,215 23,987 12,228 12,486 24,999 46,149	21,231 47,840 36,505 50,020 54,134 36,620 17,514 24,923 52,088 78,585	* 11,477 9,766 12,934 17,215 13,333 * * 13,083 21,052	21.2 26.4 26.3 23.9	61.6 58.6 56.6 57.7 55.7 55.9 58.5 63.4 58.2 56.7	131.7 126.4 95.1 96.3 84.4 85.1 83.0 126.7 122.1 95.9	* 30.4 25.3 24.8 26.8 31.0 * 30.8 25.5

NOTE: EXCLUDED FROM THE INCIDENCE DATA ARE ALL CONDITIONS INVOLVING NEITHER RESTRICTED ACTIVITY NOR MEDICAL ATTENTION.

TABLE 30. INCIDENCE OF INJURIES AND ASSOCIATED DISABILITY DAYS PER QUARTER AND NUMBER PER 100 PERSONS PER QUARTER, BY AGE: UNITED STATES, JULY 1974-JUNE 1975

AGE	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- MARCH	APRIL- JUNE	JULY- SEPTEMBER	OCTOBER- DECEMBER	JANUARY- MARCH	APRIL- JUNE		
	1	INCIDENCE OF INJURIES IN THOUSANDS				NUMBER OF INJURIES PER 100 PERSONS PER QUARTER				
ALL AGES	16,924	14,749	16,313	23,356	8•2	7.1	7.8	11.2		
UNDER 15 YEARS	5,208	4,553	4,972	8,415	9.6	8.4	9•2	15.7		
15-44 YEARS	8,174	7,425	7,972	10,377	9.1	8.3	8.8	11.4		
45 YEARS AND OVER	3,542	2,770	3,369	4,564	5.6	4.3	5.3	7.1		
	DAYS OF RESTRICTED ACTIVITY IN THOUSANDS				DAYS OF RESTRICTED ACTIVITY PER 100 PERSONS PER QUARTER					
ALL AGES	135,204	102,867	114,272	139,802	65.1	49.5	54.8	67.0		
UNDER 15 YEARS	15,950	11,948	15,690	24,384	29.3	22.0	29.1	45.4		
15-44 YEARS	65,024	45,439	49,307	62,932	72.7	50.6	54.6	69.3		
45 YEARS AND OVER	54,230	45,480	49,276	52,486	85.1	71.2	76.9	81.7		
	DAYS OF BED DISABILITY IN THOUSANDS				DAYS OF BED DISABILITY PER 100 PERSONS PER QUARTER					
ALL AGES	42,481	36,109	38,446	39,368	20.5	17.4	18.4	18.9		
UNDER 15 YEARS	*	*	*	*	*	*	*	*		
15-44 YEARS	24,140	14,215	13,368	15,841	27.0	15.8	14.8	17.4		
45 YEARS AND OVER	12,845	18,769	20,106	18,083	20•2	29.4	31.4	28.1		
	L				L	<u> </u>	L			

NOTE: EXCLUDED FROM THE INCIDENCE DATA ARE ALL CONDITIONS INVOLVING NEITHER RESTRICTED ACTIVITY NOR MEDICAL ATTENTION.

TABLE 31. POPULATION USED IN OBTAINING RATES SHOWN IN THIS PUBLICATION, BY PLACE OF RESIDENCE, GEOGRAPHIC REGION, SEX, AND AGE: UNITED STATES, JULY 1974-JUNE 1975

			OUTSID	E SMSA				
SEX AND AGE	TOTAL	ALL SMSA	NONFARM	FARM	NORTH- EAST	NORTH CENTRAL	SOUTH	WEST
				===				
BOTH SEXES		POPULATION IN THOUSANDS						
ALL AGES	208,148	143,267	57,907	6,974	48,810	56,354	65,826	37,158
UNDER 5 YEARS	16,149	11,062	4,702	384	3, 449	4,478	5,359	2,863
5-14 YEARS	37,942	25,880	10,749	1,313	8, 638	10,436	12,073	6,795
15-24 YEARS	38,291	26,564	10,593	1,134	8,773	10,700	11,916	6,902
25-44 YEARS	51,786	36,503	13,855	1,428	11,731	13,895	16,561	9,600
45 YEARS AND OVER	63,981	43,257	18,008	2,716	16,219	16,846	19,918	10,998
45-64 YEARS	42,980	29,651	11,457	1,871	10,898	11,141	13,326	7,615
65 YEARS AND OVER	21,001	13,606	6,551	844	5, 321	5,704	6, 592	3,384
UNDER 6 YEARS	19,662	13,493	5,679	490	4, 236	5,441	6,476	3,508
6-16 YEARS	42,787	29,080	12,204	1,503	9,775	11,790	13,572	7,650
17-44 YEARS	81,718	57,436	22,017	2,265	18,580	22,277	25,860	15,001
IT THE PERIOD	017,110	317430	[ 22,021	2,200	20,300		25,000	15,001
			[					
MALE								ŀ
ALL AGES	100,421	68,724	28,058	3,639	23,350	27,311	31,791	17,969
ALL AOLS	1007121	007.24	20,000	3,037	237330	217311	31, 1, 1	117303
			l l					
UNDER 5 YEARS	8,250	5,569	2,500	181	1,754	2,254	2,786	1,457
5-14 YEAR S	19,327	13,096	5,551	681	4, 409	5,276	6,268	3,373
15-24 YEARS	18,709	12,863	5,201	646	4, 154	5,391	5, 793	3,370
25-44 YEARS	24,982	17,533	6,727	721	5,709	6,728	7,929	4,616
45 YEARS AND OVER	29,153	19,664	8,079	1,410	7,324	7,661	9,015	5,153
45-64 YEARS	20,478	14,119	5,400	959	5,139	5,367	6,271	3,702
65 YEARS AND OVER	8,674	5,544	2,679	451	2,186	2, 294	2,744	1,451
UNDER 6 YEARS	10,084	6,828	3,027	229	2,154	2,731	3,385	1,814
6-16 YEAR S	21,739	14,672	6,264	803	4,943	5,976	7,036	3,784
17-44 YEARS	39,445	27,561	10,688	1,196	8,929	10,943	12,355	7,218
_,,				_,				•
FEMALE								
LITALE		]]						
		_, _,						
ALL AGES	107,727	74,543	29,849	3,335	25,460	29,044	34,035	19,188
UNDER 5 YEARS	7,899	5,493	2,202	204	1,695	2,224	2,573	1,406
5-14 YEARS	18,614	12,785	5,198	632	4,229	5,160	5,804	3,421
15-24 YEARS	19,581	13,701	5,392	488	4,619	5,308	6,122	3,532
25-44 YEARS	26,804	18,970	7,128	706	6,022	7,166	8,632	4,984
45 YEARS AND OVER	34,828	23,594	9,929	1,305	8,895	9,185	10,903	5,845
45-64 YEARS	22,501	15,532	6,057	912	5,759	5,774	7,055	3,913
65 YEARS AND OVER	12,327	8,062	3,872	393	3, 136	3,410	3,848	1,933
IMPER A VEAR	0.575		2 (5.	26.	2 200	] , ,,,	2 001	1 (0)
UNDER 6 YEARS	9,577	6 + 665	2,651	261	2,082	2,710	3,091	1,694
6-16 YEARS	21,048	14,408	5,940	700	4,831	5,814	6,536	3,866
17-44 YEARS	42,273	29,875	11,329	1,069	9,651	11,335	13,505	7,783
	[ . i							
	•							

NOTE: FOR OFFICIAL POPULATION ESTIMATES FOR MCRE GENERAL USE, SEE BUREAU OF THE CENSUS REPORTS ON THE CIVILIAN POPULATION OF THE UNITED STATES, IN CURRENT POPULATION REPORTS, SERIES P-20, P-25, AND P-60.

TABLE 32. POPULATION OF CURRENTLY EMPLOYED PERSONS, BY SEX AND AGE: UNITED STATES, JULY 1974-JUNE 1975

AGE	вотн	SEXES	MALE	FEMALE	
	POPULATION IN THOUSANDS				
ALL AGES-17 YEARS AND OVER		83,230	50,387	32,843	
17-44 YEARS		53,540	32,013	21,526	
45 YEARS AND OVER		29, 690	18,374	11,316	

NOTE: FOR OFFICIAL POPULATION ESTIMATES FOR MORE GENERAL USE, SEE BUREAU OF THE CENSUS REPORTS ON THE CIVILIAN POPULATION OF THE UNITED STATES, IN <u>CURRENT POPULATION REPORTS</u>, SERIES P-20, P-25, AND P-60; AND BUREAU OF LABOR STATISTICS MONTHLY REPORT, EMPLOYMENT AND EARNINGS.

TABLE 33. POPULATION USED IN OBTAINING RATES SHOWN IN THIS PUBLICATION, BY QUARTER, SEX, AND AGE: UNITED STATES, JULY 1974-JUNE 1975

SEX AND AGE	JULY- September	OCTOBER- DECEMBER	JANUARY— March	APRIL- June
BOTH SEXES		POPULATION I	N THOUSANDS	
ALL AGES	207,528	207,853	208,410	208,738
UNDER 5 YEARS	16,274	16,231	16, 117	15,968
5-14 YFARS	38,141	38,045	37, 855	37,712
15-24 YEARS	38,031	38,160	38,386	38,571
25-44 YEARS	51,388	51,568		
45 YEARS AND OVER	63,694	63,849	51,949	52,225
45-64 YEARS	42,891		64, 104	64, 261
65 YEARS AND OVER		42,943	43,014	43,060
OF TEAMS AND DVER	20,803	20,906	21,089	21,201
UNDER 6 YEARS	19,724	19,707	10 474	10 527
6-16 YEARS	43,055	42,932	19,674 42,652	19,536
17-44 YEARS	81,055			42,493
II 44 ICANS	81,055	81,365	81,980	82,447
MALE				
ALL AGES	100,110	100,288	100,552	100,706
UNDER 5 YEARS	8,312	0.202	0.005	
5-14 YEARS		8,292	8, 235	8,160
15-24 YEARS	19,428	19,380	19,284	19,212
25-44 YEARS	18,563	18,638	18,761	18,869
45 YEARS AND OVER	24,782	24,873	25,066	25,200
45-64 YEARS	29,026	29,106	29,207	29,266
65 YEARS AND OVER	20,432 8,594	20,461 8,645	20,497 8,710	20,519 8,747
UNDER 6 YEARS	10,229	10.039	10,106	9,961
6-16 YEARS	21,760	21,881	21,658	21,652
17-44 YEARS	39,095	39,262	39,582	39,828
<u>FEMALE</u>				
ALL AGES	107,418	107,564	107,857	108,031
INDED STATES				
JNDER 5'YEARS	7,962	7,939	7,882	7,809
15-24 YEARS	18,713	18,665	18,571	18,500
25-44 YEARS	19,468	19,522	19,625	19,702
77-44 YEAKS	26,606	26,695	26,88 <del>4</del>	27,025
45 YEARS AND OVER	34,668	34,743	34, 897	34,995
	22,459	22,481	22,517	22,541
65 YEARS AND OVER	12,210	12,261	12,379	12,454
INDER 6 YEARS	9,495	9,668	9,568	9,575
17-44 YEARS	21,295	21,051	20,995	20,841
I TT I CAR 3	41,959	42,103	42,398	42,620

NOTE: FOR OFFICIAL POPULATION ESTIMATES FOR MORE GENERAL USE, SEE BUREAU OF THE CENSUS REPORTS ON THE CIVILIAN POPULATION OF THE UNITED STATES, IN CURRENT POPULATION REPORTS, SERIES P-20, P-25, AND P-60.

## **APPENDIXES**

### **CONTENTS**

		Page
I.	Technical Notes on Methods	45
	Background of This Report	45
	Statistical Design of the Health Interview Survey	45
	General Qualifications	47
	Reliability of Estimates	48
II.	Definitions of Certain Terms Used in This Report	58
	Terms Relating to Conditions	58
	Terms Relating to Disability	60
	Demographic Terms	61
111.	Probe Questions on Disability Days and Physician Visits During 2-Week Reference Period,	
	and Condition Pages	64
	Disability Day Probe Questions	64
	Physician Visit Probe Questions	65
	Condition Page	66

### APPENDIX I

### TECHNICAL NOTES ON METHODS

### **Background of This Report**

This report is one of a series of statistical reports prepared by the National Center for Health Statistics (NCHS). It is based on information collected in a continuing nationwide sample of households in the Health Interview Survey (HIS).

The Health Interview Survey utilizes a questionnaire which obtains information on personal and demographic characteristics, illnesses, injuries, impairments, chronic conditions, and other health topics. As data relating to each of these various broad topics are tabulated and analyzed, separate reports are issued which cover one or more of the specific topics. The present report is based on data collected in household interviews during July 1974-June 1975.

The population covered by the sample for the Health Interview Survey is the civilian, noninstitutionalized population of the United States living at the time of the interview. The sample does not include members of the Armed Forces or U.S. nationals living in foreign countries. It should also be noted that the estimates shown do not represent a complete measure of any given topic during the specified calendar period since data are not collected in the interview for persons who died during the reference period. For many types of statistics collected in the survey, the reference period covers the 2 weeks prior to the interview week. For such a short period, the contribution by decedents to a total inventory of conditions or services should be very small. However, the contribution by decedents during a long reference period (e.g., 1 year) might be sizable, especially for older persons.

## Statistical Design of the Health Interview Survey

General plan.—The sampling plan of the survey follows a multistage probability design which permits a continuous sampling of the civilian, noninstitutionalized population of the United States. The sample is designed in such a way that the sample of households interviewed each week is representative of the target population and that weekly samples are additive over time. This feature of the design permits both continuous measurement of characteristics of samples and more detailed analysis of less common characteristics and smaller categories of health-related items. The continuous collection has administrative and operational advantages as well as technical assets since it permits fieldwork to be handled with an experienced, stable staff.

The overall sample was designed so that tabulations can be provided for each of the four major geographic regions and for urban and rural sectors of the United States.

The first stage of the sample design consists of drawing a sample of 376 primary sampling units (PSU's) from approximately 1,900 geographically defined PSU's. A PSU consists of a county, a small group of contiguous counties, or a standard metropolitan statistical area. The PSU's collectively cover the 50 States and the District of Columbia.

With no loss in general understanding, the remaining stages can be combined and treated in this discussion as an ultimate stage. Within PSU's, then, ultimate stage units called segments are defined in such a manner that each segment contains an expected six households. Three general types of segments are used.

Area segments which are defined geographically.

List segments, using 1960 census registers as the frame.

Permit segments, using updated lists of building permits issued in sample PSU's since 1960.

Census address listings were used for all areas of the country where addresses were well defined and could be used to locate housing units. In general the list frame included the larger urban areas of the United States from which about two-thirds of the HIS sample was selected.

The total HIS sample of approximately 12,000 segments yields a probability sample of about 116,000 persons in 40,000 interviewed households in a year.

Descriptive material on data collection, field procedures, and questionnaire development in the HIS has been published as well as a detailed description of the sample design and a report on the estimation procedure and the method used to calculate sampling errors of estimates derived from the survey.

Collection of data.—Field operations for the survey are performed by the U.S. Bureau of the Census under specifications established by the National Center for Health Statistics. In accordance with these specifications the Bureau of the Census participates in survey planning, selects the sample, and conducts the field interviewing as an agent of NCHS. The data are coded, edited, and tabulated by NCHS.

Estimating procedures.—Since the design of the HIS is a complex multistage probability sample, it is necessary to use complex procedures in the derivation of estimates. Four basic operations are involved:

- 1. Inflation by the reciprocal of the probability of selection.—The probability of selection is the product of the probabilities of selection from each step of selection in the design (PSU, segment, and household).
- 2. Nonresponse adjustment.—The estimates are inflated by a multiplication factor which has as its numerator the number of sample households in a given segment and as its denominator the number of households interviewed in that segment.
- 3. First-stage ratio adjustment.—Sampling theory indicates that the use of auxiliary information which is highly correlated with the variables being estimated improves the reliability of the estimates. To reduce the variability between PSU's within a region, the estimates are ratio adjusted to the 1960 populations within six color-residence classes.
- 4. Poststratification by age-sex-color.—The estimates are ratio adjusted within each of 60 age-sex-color cells to an independent estimate of the population of each cell for the survey period. These independent estimates are prepared by the Bureau of the Census. Both the first-stage and poststratified ratio adjustments take the form of multiplication factors applied to the weight of each elementary unit (person, household, condition, and hospitalization).

The effect of the ratio-estimating process is to make the sample more closely representative of the civilian, noninstitutionalized population by age, sex, color, and residence, which thereby reduces sampling variance.

<sup>&</sup>lt;sup>1</sup>National Center\_for Health Statistics: Health survey procedure: concepts, questionnaire development, and definitions in the Health Interview Survey. *Vital and Health Statistics.* PHS Pub. No. 1000-Series 1-No. 2. Public Health Service. Washington. U.S. Government Printing Office, May 1964.

<sup>&</sup>lt;sup>2</sup> National Center for Health Statistics: Health Interview Survey Procedure, 1957-1974. Vital and Health Statistics. Series 1-No. 11. DHEW Pub. No. (HRA) 75-1311. Health Resources Administration. Washington. U.S. Government Printing Office, Apr. 1975.

<sup>&</sup>lt;sup>3</sup>U.S. National Health Survey: The statistical design of the health household interview survey. *Health Statistics*. PHS Pub. No. 584-A2. Public Health Service. Washington, D.C., July 1958.

<sup>&</sup>lt;sup>4</sup> National Center for Health Statistics: Estimation and sampling variance in the Health Interview Survey. *Vital and Health Statistics*. PHS Pub. No. 1000-Series 2-No. 38. Public Health Service. Washington. U.S. Government Printing Office, June 1970.

As noted, each week's sample represents the population living during that week and characteristics of the population. Consolidation of samples over a time period, e.g., a calendar quarter, produces estimates of average characteristics of the U.S. population for the calendar quarter. Similarly, population data for a year are averages of the four quarterly figures.

For prevalence statistics, such as number of persons with speech impairments or number of persons classified by time interval since last physician visit, figures are first calculated for each calendar quarter by averaging estimates for all weeks of interviewing in the quarter. Prevalence data for a year are then obtained by averaging the four quarterly figures.

For other types of statistics—namely those measuring the number of occurrences during a specified time period—such as incidence of acute conditions, number of disability days, or number of visits to a doctor or dentist, a similar computational procedure is used, but the statistics are interpreted differently. For these items, the questionnaire asks for the respondent's experience over the 2 calendar weeks prior to the week of interview. In such instances the estimated quarterly total for the statistic is 6.5 times the average 2-week estimate produced by the 13 successive samples taken during the period. The annual total is the sum of the four quarters. Thus the experience of persons interviewed during a year—experience which actually occurred for each person in a 2-calendar-week interval prior to week of interview—is treated as though it measured the total of such experience during the year. Such interpretation leads to no significant bias.

#### **General Qualifications**

Nonresponse.—Data were adjusted for nonresponse by a procedure which imputes to persons in a household which was not interviewed the characteristics of persons in households in the same segment which were interviewed. The total noninterview rate was about 3 percent—1.4 percent was refusal, and the remainder was primarily due to the failure to find an eligible respondent at home after repeated calls. The interview process.—The statistics presented in this report are based on replies obtained in interviews with persons in the sample households. Each person 19 years of age and over present at the time of interview was interviewed individually. For children and for adults not present in the home at the time of the interview, the information was obtained from a related household member such as a spouse or the mother of a child.

There are limitations to the accuracy of diagnostic and other information collected in household interviews. For diagnostic information, the household respondent can usually pass on to the interviewer only the information the physician has given to the family. For conditions not medically attended, diagnostic information is often no more than a description of symptoms. However, other facts, such as the number of disability days caused by the condition, can be obtained more accurately from household members than from any other source since only the persons concerned are in a position to report this information.

Rounding of numbers.—The original tabulations on which the data in this report are based show all estimates to the nearest whole unit. All consolidations were made from the original tabulations using the estimates to the nearest unit. In the final published tables, the figures are rounded to the nearest thousand, although these are not necessarily accurate to that detail. Devised statistics such as rates and percent distributions are computed after the estimates on which these are based have been rounded to the nearest thousand.

Population figures.—Some of the published tables include population figures for specified categories. Except for certain overall totals by age, sex, and color, which are adjusted to independent estimates, these figures are based on the sample of households in the HIS. These are given primarily to provide denominators for rate computation, and for this purpose are more appropriate for use with the accompanying measures of health characteristics than other population data that may be available. With the exception of the overall totals by age, sex, and color mentioned above, the population figures differ from figures (which are derived from different

sources) published in reports of the Bureau of the Census. Official population estimates are presented in Bureau of the Census reports in Series P-20, P-25, and P-60.

### Reliability of Estimates

Since the statistics presented in this report are based on a sample, they will differ somewhat from the figures that would have been obtained if a complete census had been taken using the same schedules, instructions, and interviewing personnel and procedures.

As in any survey, the results are also subject to reporting and processing errors and errors due to nonresponse. To the extent possible, these types of errors were kept to a minimum by methods built into survey procedures. Although it is very difficult to measure the extent of bias in the Health Interview Survey, a number of studies have been conducted to study this problem. The results have been published in several reports.6-9

<sup>5</sup>National Center for Health Statistics: Quality control and measurement of nonsampling errors in the Health Interview Survey, Vital and Health Statistics. Series 2-No. 54. DHEW Pub. No. (HSM) 73-1328. Health Services and Mental Health Administration. Washington. U.S. Government Printing Office, Mar. 1973.

<sup>6</sup>National Center for Health Statistics: Health interview responses compared with medical records. Vital and Health Statistics. PHS Pub. No. 1000-Series 2-No. 7. Public Health Service. Washington. U.S. Government Printing Office, July 1965.

National Center for Health Statistics: Comparison of hospitalization reporting in three survey procedures. Vital and Health Statistics. PHS Pub. No. 1000-Series 2-No. 8. Public Health Service. Washington.

U.S. Government Printing Office, July 1965.

8 National Center for Health Statistics: Interview data on chronic conditions compared with information derived from medical records. Vital and Health Statistics. PHS Pub. No. 1000-Series 2-No. 23. Public Health Service. Washington. U.S. Government Printing Office, May 1967.

<sup>9</sup>National Center for Health Statistics: The influence of interviewer and respondent psychological and behavioral variables on the reporting in household interviews. Vital and Health Statistics. PHS Pub. No. 1000-Series 2-No. 26. Public Health Service. Washington. U.S. Government Printing Office, Mar. 1968.

The standard error is primarily a measure of sampling variability, that is, the variations that might occur by chance because only a sample of the population is surveyed. As calculated for this report, the standard error also reflects part of the variation which arises in the measurement process. It does not include estimates of any biases which might be in the data. The chances are about 68 out of 100 that an estimate from the sample would differ from a complete census by less than the standard error. The chances are about 95 out of 100 that the difference would be less than twice the standard error and about 99 out of 100 that it would be less than 2½ times as large.

The relative standard error of an estimate is obtained by dividing the standard error of the estimate by the estimate itself and is expressed as a percentage of the estimate. For this report, asterisks are shown for any cell with more than a 30-percent relative standard error. Included in this appendix are charts from which the relative standard errors can be determined for estimates shown in the report. In order to derive relative errors which would be applicable to a wide variety of health statistics and which could be prepared at a moderate cost, a number of approximations were required. As a result, the charts provide an estimate of the approximate relative standard error rather than the precise error for any specific aggregate or percentage.

Three classes of statistics for the health survey are identified for purposes of estimating variances.

Narrow range.—This class consists of (1) statistics which estimate a population attribute, e.g., the number of persons in a particular income group, and (2) statistics for which the measure for a single individual during the reference period used in data collection is usually either 0 or 1 or on occasion may take on the value 2 or very rarely 3.

Medium range.—This class consists of other statistics for which the measure for a single individual during the reference period used in data collection will rarely lie outside the range 0 to 5.

Wide range.-This class consists of statistics for which the measure for a single individual during the reference period used in data collection can range from 0 to a number in excess of 5, e.g., the number of days of bed disability.

In addition to classifying variables according to whether they are narrow-, medium-, or widerange, statistics in the survey are further defined as to whether they are based on a reference period of 2 weeks, 6 months, or 12 months.

General rules for determining relative standard errors.—The following rules will enable the reader to determine approximate relative standard errors from the charts for estimates presented in this report. These charts represent new and better approximations of the relative standard errors of HIS data. They should be used in preference to these appearing in all previous Series 10 publications.

Rule 1. Estimates of aggregates: Approximate relative standard errors for estimates of aggregates such as the number of persons with a given characteristic are obtained from appropriate curves on page. The number of persons in the total U.S. population or in an agesex-color class of the total population is adjusted to official Bureau of the Census figures and is not subject to sampling error.

Rule 2. Estimates of percentages in a percent distribution: Relative standard errors for percentages in a percent distribution of a total are obtained from appropriate curves on page . For values which do not fall on one of the curves presented in the chart, visual interpolation will provide a satisfactory approximation.

Rule 3. Estimates of rates where the numerator is a subclass of the denominator: This rule applies for prevalence rates or where a unit of the numerator occurs, with few exceptions, only once in the year for any one unit in the denominator. For example, in computing the rate of visual impairments per 1,000 population, the numerator consisting of persons with the impairment is a subclass of the denominator, which in-

cludes all persons in the population. Such rates if converted to rates per 100 may be treated as though they were percentages and the relative standard errors obtained from the chart P4AN-M. Rates per 1,000, or on any other base, must first be converted to rates per 100; then the percentage chart will provide the relative standard error per 100.

- Rule 4. Estimates of rates where the numerator is not a subclass of the denominator:

  This rule applies where a unit of the numerator often occurs more than once for any one unit in the denominator.

  For example, in the computation of the number of persons injured per 100 currently employed persons per year, it is possible that a person in the denominator could have sustained more than one of the injuries included in the numerator. Approximate relative standard errors for rates of this kind may be computed as follows:
  - (a) Where the denominator is the total U.S. population or includes all persons in one or more of the age-sexcolor groups of the total population, the relative error of the rate is equivalent to the relative error of the numerator, which can be obtained directly from the appropriate chart.
  - (b) In other cases the relative standard error of the numerator and of the denominator can be obtained from the appropriate curve. Square each of these relative errors, add the resulting values, and extract the square root of the sum. This procedure will result in an upper bound on the standard error and often will overstate the error.
- Rule 5. Estimates of difference between two statistics (mean, rate, total, etc.): The standard error of a difference is approximately the square root of the sum of the squares of each standard error considered separately. A formula for the standard error of a difference,

$$d = X_1 - X_2$$


is

$$\sigma_d = \sqrt{(X_1 \ V_{x1})^2 + (X_2 \ V_{x2})^2}$$

where  $X_1$  is the estimate for class 1,  $X_2$  is the estimate for class 2, and  $V_{x\,1}$  and  $V_{x\,2}$  are the relative errors of  $X_1$  and

 $X_2$  respectively. This formula will represent the actual standard error quite accurately for the difference between separate and uncorrelated characteristics although it is only a rough approximation in most other cases. The relative standard error of each estimate involved in such a difference can be determined by one of the four rules above, whichever is appropriate.


## RELATIVE STANDARD ERRORS FOR NUMBER OF ACUTE CONDITIONS OR PERSONS INJURED 1



<sup>1</sup>This curve represents estimates of relative standard errors based on 1 to 4 quarters of data collection for narrow range estimates of aggregates using a 2-week reference period.

Example of use of chart: An estimate of 1,000,000 acute respiratory conditions (on scale at bottom of chart) has a relative standard error of 23 percent (read from scale at left side of chart), or a standard error of 230,000 (23 percent of 1,000,000).


## RELATIVE STANDARD ERRORS FOR DAYS OF RESTRICTED ACTIVITY OR BED DISABILITY (A) AND FOR DAYS LOST FROM WORK OR SCHOOL (B) $^{\rm I}$



<sup>1</sup>These curves represent estimates of relative standard errors based on 1 to 4 quarters of data collection for wide range estimates of aggregates using a 2-week reference period.

Example of use of chart: An estimate of 10,000,000 days of restricted activity (on scale at bottom of chart) has a relative standard error of 22 percent (read from Curve A on scale at left side of chart), or a standard error of 2,200,000 (22 percent of 10,000,000).


### RELATIVE STANDARD ERRORS FOR POPULATION CHARACTERISTICS<sup>1</sup>



<sup>1</sup>This curve represents estimates of relative standard errors based on 4 quarters of data collection for narrow range estimates of population characteristics or narrow range estimates of aggregates using a 12-month reference period

Example of use of chart: An estimate of 10,000,000 persons with annual family income of \$15,000 or more, or 10,000,000 persons who were hospitalized one or more times in the past year (on scale at bottom of chart) has a relative standard error of 1. percent (read from scale at left side of chart), or a standard error of 170,000 (1.7 percent of 10,000,000).


## RELATIVE STANDARD ERRORS OF PERCENTAGES OF POPULATION CHARACTERISTICS<sup>1</sup>



<sup>1</sup>These curves represent estimates of relative standard errors of percentages of population characteristics based on 4 quarters of data collection for narrow range estimates.

Example of use of chart: An estimate of 20 percent (on scale at bottom of chart) based on an estimate of 10,000,000 has a relative standard error of 3.6 percent (read from the scale at the left side of chart), the point at which the curve for a base of 10,000,000 intersects the vertical line for 20 percent. The standard error in percentage points is equal to 20 percent X 3.6 percent or 0.72 percentage points.

## RELATIVE STANDARD ERRORS OF PERCENTAGES OF ACUTE CONDITIONS OR PERSONS INJURED 1



1 These curves represent estimates of relative standard errors of percentages of acute conditions or persons injured based on 1 to 4 quarters of data collection for narrow range data using a 2-week reference period.


**ESTIMATED PERCENTAGE** 

100

10

Example of use of chart: An estimate of 20 percent (on scale at bottom of chart) based on an estimate of 10,000,000 has a relative standard error of 14.5 percent (read from the scale at the left side of chart), the point at which the curve for a base of 10,000,000 intersects the vertical line for 20 percent. The standard error in percentage points is equal to 20 percent X 14.5 percent; or 2.9 percentage points.


## RELATIVE STANDARD ERRORS OF PERCENTAGES OF DAYS OF RESTRICTED ACTIVITY OR BED DISABILITY 1




### <sup>1</sup> These curves represent estimates of relative standard errors of percentages of days of restricted activity or bed disability based on 1 to 4 quarters of data collection for wide range data using a 2 week reference period.

Example of use of chart: An estimate of 20 percent (on scale at bottom of chart) based on an estimate of 50,000,000 days has a relative standard error of 19.7 percent (read from scale at the left side of chart), the point at which the curve for a base of 50,000,000 intersects the vertical line for 20 percent. The standard error in percentage points is equal to 20 percent X 19.7 percent, or 3.9 percentage points.

## RELATIVE STANDARD ERRORS OF PERCENTAGES OF DAYS LOST FROM WORK OR SCHOOL<sup>1</sup>





<sup>1</sup>These curves represent estimates of relative standard errors of percentages of days lost from work or school based on 1 to 4 quarters of data collection for wide range data using a 2 week reference period.

Example of use of chart: An estimate of 20 percent (on scale at bottom of chart) based on an estimate of 50,000,000 days has a relative standard error of 15.6 percent (read from scale at the left side of chart), the point at which the curve for a base of 50,000,000 intersects the vertical line for 20 percent. The standard error in percentage points is equal to 20 percent X 15.6 percent, or 3.1 percentage points.

### APPENDIX II

### DEFINITIONS OF CERTAIN TERMS USED IN THIS REPORT

### **Terms Relating to Conditions**

Condition.-A morbidity condition, or simply a condition, is any entry on the questionnaire which describes a departure from a state of physical or mental well-being. It results from a positive response to one of a series of "medicaldisability impact" or "illness-recall" questions. In the coding and tabulating process conditions are selected or classified according to a number of different criteria such as whether they were medically attended, whether they resulted in disability, or whether they were acute or chronic; or according to the type of disease, injury, impairment, or symptom reported. For the purposes of each published report or set of tables, only those conditions recorded on the questionnaire which satisfy certain stated criteria are included.

Conditions except impairments are classified by type according to the Eighth Revision International Classification of Diseases, Adapted for Use in the United States, 10 with certain modifications adopted to make the code more suitable for a household interview survey.

Acute condition.—An acute condition is defined as a condition which has lasted less than 3 months and which has involved either medical attention or restricted activity. Because of the procedures used to estimate incidence, the acute conditions included in this report are the conditions which had their onset during the 2 weeks

Allergy, any Arthritis or rheumatism Asthma Cancer Cleft palate Club foot Condition present since birth Deafness or serious trouble with hearing Diabetes **Epilepsy** Hardening of the arteries Hav fever Heart trouble Hemorrhoids or piles Hernia or rupture High blood pressure Kidney stones Mental illness Missing fingers, hand, or arm-toes, foot, or leg Palsy Paralysis of any kind Permanent stiffness or deformity of the foot, leg, fingers, arm, or back Prostate trouble Repeated trouble with back or spine Rheumatic fever Serious trouble with seeing, even when wearing glasses Sinus trouble, repeated attacks of

Speech defect, any

prior to the interview week and which involved either medical attention or restricted activity during the 2-week period. However, excluded are the following conditions which are always classified as chronic even though the onset occurred within 3 months prior to week of interview:

<sup>10</sup> National Center for Health Statistics: Eighth Revision International Classification of Diseases, Adapted for Use in the United States. PHS Pub. No. 1693. Public Health Service. Washington. U.S. Government Printing Office, 1967.

Stomach ulcer Stroke Thyroid trouble or goiter Tuberculosis Tumor, cyst, or growth Varicose veins, trouble with Acute condition groups.—In this report all tables which have data classified by type of condition employ a 5-category regrouping plus several selected subgroups. The condition groups and the International Classification code numbers included in each category are shown in figure I.

Condition Group	International Classification Code Number
Infective and parasitic diseases	000-136
Common childhood diseases	033, 052, 055, 056, 072
Virus not otherwise specified	079.9
Other infective and parasitic diseases	000-032, 034-051, 053, 054, 057-071, 073-136
Respiratory conditions	460-486, 501, 508-516, 519, 783
Upper respiratory conditions	460-465, 501, 508
Common cold	460
Other upper respiratory conditions	461-465, 501, 508
Influenza	470-474
Influenza with digestive manifestations	473
Other influenza	470-472, 474
Other respiratory conditions	466, 480-486, 510-516, 519, 783
Pneumonia	480-486
Bronchitis	466
Other respiratory conditions	510-516, 519, 783
Digestive system conditions	520.6-521.5, 521.7-523.9, 525-530, 535-543, 560, 561, 564- 577, 784, 785
Dental conditions	520.6-521.5, 521.7-523.9, 525 536, 784.0, 784.1, 784.3, 784.7, 785.4 pt.
Other digestive system conditions	526-530, 535, 537, 540-543, 560, 561, 564-577, 784.2, 784.4-784.6, 785 pt.
Injuries	N800-N870, N872-N884, N890-N894, N900-N994, N996-N996
Fractures, dislocations, sprains, and strains	N800-N848
Fractures and dislocations	N800-N839
Sprains and strains	N840-N848
Open wounds and lacerations	N870, N872-N884, N890-N894, N900-N907
Contusions and superficial injuries	N910-N929
Other current injuries	N850-N869, N930-N994, N996-N999
All other acute conditions	All other acute code numbers
Diseases of the ear	200 207 745 0 745 2 704 2
Headaches	380-387, 745.0-745.3, 781.3
Genitourinary disorders	791
Deliveries and disorders of pregnancy and the puerperium	580-629, 786, 789
Diseases of the skin	630-678
Discases Of the SKIT	1 680-709
Diseases of the muscular kaletal auctom	
Diseases of the musculoskeletal system	717-733, 787 Other acute code numbers

Figure !

Incidence of conditions.—The incidence of conditions is the estimated number of conditions having their onset in a specified time period. As previously mentioned, minor acute conditions involving neither restricted activity nor medical attention are excluded from the statistics. The incidence data shown in some reports are further limited to various subclasses of conditions, such as "incidence of conditions involving bed disability."

Onset of condition.—A condition is considered to have had its onset when it was first noticed. This could be the time the person first felt sick or became injured, or it could be the time when the person or his family was first told by a physician that he had a condition of which he was previously unaware.

Activity-restricting condition.—An activity-restricting condition is one which had its onset in the past 2 weeks and which caused at least 1 day of restricted activity during the 2 calendar weeks before the interview week. (See "Restricted-activity day" under "Terms Relating to Disability.")

Bed-disabling condition.—A condition with onset in the past 2 weeks involving at least 1 day of bed disability is called a bed-disabling condition. (See "Bed-disability day" under "Terms Relating to Disability.")

Medically attended condition.—A condition with onset in the past 2 weeks is considered medically attended if a physician has been consulted about it either at its onset or at any time thereafter. However, when the first medical attention for a condition does not occur until after the end of the 2-week period, the case is treated as though there was no medical attention. Medical attention includes consultation either in person or by telephone for treatment or advice. Advice from the physician transmitted to the patient through the nurse is counted as well as visits to physicians in clinics or hospitals. If during the course of a single visit the physician is consulted about more than one condition for each of several patients, each condition of each patient is counted as medically attended.

Discussions of a child's condition by the physician and a responsible member of the

household are considered as medical attention even if the child was not seen at that time.

For the purpose of this definition the term "physician" includes doctors of medicine and osteopathic physicians.

### Terms Relating to Disability

Disability.—Disability is the general term used to describe any temporary or long-term reduction of a person's activity as a result of an acute or chronic condition.

Disability day.—Short-term disability days are classified according to whether they are days of restricted activity, bed days, hospital days, work-loss days, or school-loss days. All hospital days are, by definition, days of bed disability; all days of bed disability are, by definition, days of restricted activity. The converse form of these statements is, of course, not true. Days lost from work and days lost from school are special terms which apply to the working and school-age populations only, but these too are days of restricted activity. Hence "days of restricted activity" is the most inclusive term used to describe disability days.

Restricted-activity day.—A day of restricted activity is one on which a person cuts down on his usual activities for the whole of that day because of an illness or an injury. The term "usual activities" for any day means the things that the person would ordinarily do on that day. For children under school age, usual activities depend on whatever the usual pattern is for the child's day, which will in turn be affected by the age of the child, weather conditions, and so forth. For retired or elderly persons, usual activities might consist of almost no activity, but cutting down on even a small amount for as much as a day would constitute restricted activity. On Sundays or holidays, usual activities are the things the person usually does on such days-going to church, playing golf, visiting friends or relatives, or staying at home and listening to the radio, reading, looking at television, and so forth. Persons who have permanently reduced their usual activities because of a chronic condition might not report any restricted-activity days during a 2-week

period. Therefore absence of restricted-activity days does *not* imply normal health.

Restricted activity does not imply complete inactivity, but it does imply only the minimum of usual activities. A special nap for an hour after lunch does not constitute cutting down on usual activities, nor does the elimination of a heavy chore such as cleaning ashes out of the furnace or hanging out the wash. If a farmer or housewife carries on only the minimum of the day's chores, however, this is a day of restricted activity.

A day spent in bed or a day home from work or school because of illness or injury is, of course, a restricted-activity day.

Bed-disability day.—A day of bed disability is one on which a person stays in bed for all or most of the day because of a specific illness or injury. All or most of the day is defined as more than half of the daylight hours. All hospital days for inpatients are considered to be days of bed disability even if the patient was not actually in bed at the hospital.

Work-loss day.—A day lost from work is a day on which a person did not work at his job or business for at least half of his normal workday because of a specific illness or injury. The number of days lost from work is determined only for persons 17 years of age and over who reported that at any time during the 2-week period covered by the interview they either worked at or had a job or business. (See "Currently employed persons" under "Demographic Terms.")

School-loss day.—A day lost from school is a normal school day on which a child did not attend school because of a specific illness or injury. The number of days lost from school is determined only for children 6-16 years of age.

Condition-day.—Condition-days of restricted activity, bed disability, and so forth are days of the various forms of disability associated with any one condition. Since any particular day of disability may be associated with more than one condition, the sum of days for conditions may add to more than the total number of person-days.

### **Demographic Terms**

Age.—The age recorded for each person is the age at last birthday. Age is recorded in single years and grouped in a variety of distributions depending on the purpose of the table.

Geographic region.—For the purpose of classifying the population by geographic area, the States are grouped into four regions. These regions, which correspond to those used by the U.S. Bureau of the Census, are shown in figure II.

Region		States Included
Northeast	•	Maine, New Hampshire, Vermont, Massachusetts, Rhode Island, Connecticut, New York, New Jersey, Pennsylvania
North Central .	•	Michigan, Ohio, Indiana, Illinois, Wisconsin, Minnesota, Iowa, Missouri, North Dakota, South Dakota, Kansas, Nebraska
South	•	Delaware, Maryland, District of Columbia, Virginia, West Virginia, North Carolina, South Carolina, Georgia, Florida, Kentucky, Texas, Tennessee, Alabama, Mississippi, Arkansas, Louisiana, Oklahoma
West	•	Montana, Idaho, Wyoming, Colorado, New Mexico, Arizona, Utah, Nevada, Washington, Alaska, Oregon, California, Hawaii

Figure II

Place of residence.—The place of residence of a member of the civilian, noninstitutionalized population is classified as inside a standard metropolitan statistical area (SMSA) or outside an SMSA and either farm or nonfarm.

Standard metropolitan statistical areas.—The definitions and titles of SMSA's are established by the U.S. Office of Management and Budget with the advice of the Federal Committee on Standard Metropolitan Statistical Areas.

The definition of an individual SMSA involves two considerations: first, a city or cities of specified population which constitute the central city and identify the county in which it is located as the central county; second, economic and social relationships with contiguous counties (except in New England) which are metropolitan in character so that the periphery of the specific metropolitan area may be determined. SMSA's are not limited by State boundaries. In New England SMSA's consist of towns and cities, rather than counties.

Central cities.—Each SMSA must include at least one central city. The complete title of an SMSA identifies the central city or cities. If only one central city is designated, then it must have 50,000 inhabitants or more. The area title may include, in addition to the largest city, up to two city names on the basis and in the order of the following criteria: (1) the additional city has at least 250,000 inhabitants or (2) the additional city has a population of one-third or more of that of the largest city and a minimum population of 25,000. An exception occurs where two cities have contiguous boundaries and constitute, for economic and social purposes, a single community of at least 50,000, the smaller of which must have a population of at least 15,000.

Farm and nonfarm residence.—The population residing outside SMSA's is subdivided into the farm population, which comprises all non-SMSA residents living on farms, and the nonfarm population, which comprises the remaining outside SMSA population. The farm population includes persons living on places of 10 acres or more from which sales of farm products amounted to

\$50 or more during the previous 12 months or on places of less than 10 acres from which sales of farm products amounted to \$250 or more during the preceding 12 months. Other persons living outside an SMSA were classified as nonfarm if their household paid rent for the house but their rent did not include any land used for farming.

Sales of farm products refer to the gross receipts from the sale of field crops, vegetables, fruits, nuts, livestock and livestock products (milk, wool, etc.), poultry and poultry products, and nursery and forest products produced on the place and sold at any time during the preceding 12 months.

In labor force.—All persons 17 years and older who worked at or had a job or business or were looking for work or on layoff from work during the 2-week period prior to the week of interview are in the labor force. The labor force consists of persons currently employed and those not employed as defined below.

Currently employed.—Persons 17 years of age and over who reported that at any time during the 2-week period covered by the interview they either worked at or had a job or business are currently employed. Current employment includes paid work as an employee of someone else; self-employment in business, farming, or professional practice; and unpaid work in a family business or farm. Persons who were temporarily absent from a job or business because of a temporary illness, vacation, strike, or bad weather are considered as currently employed if they expected to work as soon as the particular event causing the absence no longer existed.

Free-lance workers are considered currently employed if they had a definite arrangement with one employer or more to work for pay according to a weekly or monthly schedule, either full time or part time.

Excluded from the currently employed population are persons who have no definite employment schedule but work only when their services are needed. Also excluded from the currently employed population are (1) persons receiving revenue from an enterprise but not participating

in its operation, (2) persons doing housework or charity work for which they receive no pay, (3) seasonal workers during the portion of the year they were not working, and (4) persons who were not working, even though having a job or business, but were on layoff or looking for work.

The number of currently employed persons estimated from the Health Interview Survey (HIS) will differ from the estimates prepared from the Current Population Survey (CPS) of the U.S. Bureau of the Census for several reasons. In addition to sampling variability they include three primary conceptual differences, namely: (1) HIS estimates are for persons 17 years of age and over; CPS estimates are for persons 16 years of age and over. (2) HIS uses a 2-week reference period, while CPS uses a 1-week reference period. (3) HIS is a continuing survey with separate samples taken weekly; CPS is a monthly

sample taken for the survey week which includes the 12th of the month.

Currently unemployed.—Persons 17 years and over who during the 2-week period prior to interview did not work or had no job or business but were looking for work and those who had a job but were on layoff or looking for work are considered currently unemployed.

Quarter.—The quarters used by the Health Interview Survey are actually 13-week periods rather than 3 calendar months. Since each 13-week period begins on a Monday and ends on a Sunday, the actual dates of the beginning and end of each 13-week period may overlap into another calendar quarter. Therefore the time periods in the table headings are the approximate rather than the precise periods during which the interviewing was conducted.

### APPENDIX III

# PROBE QUESTIONS ON DISABILITY DAYS AND PHYSICIAN VISITS DURING 2-WEEK REFERENCE PERIOD, AND CONDITION PAGES

This survey is being conducted to collect information on the Nation's health. I will ask about visits to doctors and dentists, illness in the family, and other health related items. (Hand calendar)  The next few questions refer to the past 2 weeks, the 2 weeks outlined in red on that calendar, beginning Monday, (date), and ending this past Sunday, (date).  4a. During those 2 weeks, did —— stay in bed because of any illness or injury?	40.	Y (4b)
b. During that 2-week period, how many days did —— stay in bed all or most of the day?	ь.	17+ (5) 6-16 (6) Under 6 (8)
5. During those 2 weeks, how many days did illness or injury keep —— from work? (For females): not counting work a rund the house?	5.	WL days (7)
6. During those 2 weeks, how many days did illness or injury keep —— from school?	6.	SL days 00  None (8)
If one or more days in 4b, ask 7; otherwise go to 8.  7. On how many of these —— days lost from \( \begin{array}{c} \text{work} \\ \text{school} \end{array} \) did —— stay in bed all or most of the day?	7.	Days
8a. (NOT COUNTING the day(s) { in bed last from work lost from school } )	8a.	1 Y
Were there any (other) days during the past 2 weeks that —— cut down on the things he usually does because of illness or injury?		2 N (9)
b. (Again, not counting the day(s) { in bed   lost from work   } )  During that period, how many (other) days did he cut down for as much as a day?	ь.	Days
If one or more days in 4–8, ask 9; otherwise go to next person.	-	
9a. What condition caused —— to   Stay in bed miss work miss school cut down  during the past 2 weeks?	9a.	Enter condition in item C Ask 9b
b. Did any other condition cause him to stay in bed miss work miss school cut down	ь.	Y N (NP)
c. What condition?	c.	Enter condition in Item C Reask 9b
and the second s	*:7	
10a. During the past 2 weeks, did anyone in the family, that is you, your, etc., have any (other) accidents or injuries? Y N (11)	, J	
b. Who was this? — Mark "'Accident or injury" box in person's column.	10Ь.	. Accident or injury
c. What was the injury?	c.	Injury
d. Did anyone have any other accidents or injuries during that period?  Y (Reask 10b and c)  N		
If "Accident or injury," ask:  e. As a result of the accident, did ~— see a doctor or did he cut down on the things he usually does?	•.	Y (Enter injury in item C) N

**DISABILITY DAY PROBE QUESTIONS** 

13.	During the past 2 weeks (the 2 weeks outlined in red on that calendar) how many times did see a medical doctor?  Do not count doctors seen while a patient in a hospital.	13.	00 None None Number of visits
2.			SACREMENT FOR STATE
	(Besides those visits)	2.5	Grand Williams
140.	During that 2-week period did anyone in the family go to a doctor's office or		
	clinic for shots, X-rays, tests, or examinations? N (15)	. O	
١.			
ј ь.	Who was this? - Mark "Doctor visit" box in person's column.	146.	Doctor visit
c.	Anyone else? Y (Reask I4b and c)		
1	· N		
	If "Doctor visit," ask:		
l a.	How many times did visit the doctor during that period?	1,	Number of visits (NP)
<del></del>		- "	
15a.	During that period, did anyone in the family get any medical advice from a doctor over the telephone?  N (16)	i	
1	a doctor over the telephone? N (16)		
١.	. Who was the phone call about? - Mark "Phone call" box in person's column.	15Ь.	Phone call
1		- 138.	- I noise can
c.	. Any calls about anyone else? Y (Reask 15b and c)		
1	N N		
1	If "Phone call," ask:	1	
d.	. How many telephone calls were made to get medical advice about ?	d.	Number of calls (NP)
	and the Addition of the Additi	( week	Famous Vi
	Fill item C, (DOCTOR), from 13-15 for all persons.	T	Condition (Item C THEN 18d)
7	Ask I6a for each person with visits in DOCTOR box.	1	
160	For what condition did —— see or talk to a doctor during the past 2 weeks?	١.,	Pregnancy (16e) No condition
1.00.	. To what condition did see of talk to a doctor auting the past 2 weeks;	16a.	
Ь.	Did see or talk to a doctor about any specific condition?	Ь.	Y N (NP)
Ι.	What is the O'	<del> </del>	Enter condition in item C
F.	What condition?	c.	Ask 16d
	But a district the second the second transfer of the second	i	
1 4		1.	V (180) N (ND)
d.	During that period, did see or talk to a doctor about any other condition?	d.	Y (16c) N (NP)
	During that period, did —— see or talk to a doctor about any other condition?  During the past 2 weeks was —— sick because of her pregnancy?	d.	
•.	During the past 2 weeks was sick because of her pregnancy?	•	Y N (16d)
•.	During the past 2 weeks was sick because of her pregnancy?  What was the matter?	•. f.	Y N (16d)  Enter condition in item C (16d)
e. f.	During the past 2 weeks was —— sick because of her pregnancy? What was the matter?	•. f.	Y N (16d)  Enter condition in item C (16d)
•. f. 17a.	During the past 2 weeks was sick because of her pregnancy?  What was the matter?  During the past 12 months, (that is since (date) a year ago), about how many times did see or	•. f.	Y N (16d)  Enter condition in item C (16d)  Ooc Only when in hospital
•. f. 17a.	During the past 2 weeks was — sick because of her pregnancy?  What was the matter?  During the past 12 months, (that is since <u>(date)</u> a year ago), about how many times did — see or talk to a medical doctor? (Do not count doctors seen while a patient in a hospital.)	•. f.	Y N (18d)  Enter condition in Item C (18d)  ooo Only when in hospital
f. 17a.	During the past 2 weeks was — sick because of her pregnancy?  What was the matter?  During the past 12 months, (that is since <u>(date)</u> a year ago), about how many times did — see or talk to a medical doctor? (Do not count doctors seen while a patient in a hospital.)  (Include the — visits you already told me about.)	•. f.	Y N (16d)  Enter condition in item C (16d)  Ooc Only when in hospital
f. 17a. b.	During the past 2 weeks was — sick because of her pregnancy?  What was the matter?  During the past 12 months, (that is since (date) a year ago), about how many times did — see or talk to a medical doctor? (Do not count doctors seen while a patient in a hospital.) (Include the — visits you already told me about.)  ABOUT how long has it been since — LAST saw or talked to a medical doctor?	•. f.	Y N (18d)  Enter condition in Item C (18d)  ooo Only when in hospital
f. 17a. b.	During the past 2 weeks was — sick because of her pregnancy?  What was the matter?  During the past 12 months, (that is since <u>(date)</u> a year ago), about how many times did — see or talk to a medical doctor? (Do not count doctors seen while a patient in a hospital.)  (Include the — visits you already told me about.)	•. f.	Y N (16d)  Enter condition in item C (18d)  000 Only when in hospital 000 None Number of visits  1 2-week DV
f. 17a. b.	During the past 2 weeks was — sick because of her pregnancy?  What was the matter?  During the past 12 months, (that is since (date) a year ago), about how many times did — see or talk to a medical doctor? (Do not count doctors seen while a patient in a hospital.) (Include the — visits you already told me about.)  ABOUT how long has it been since — LAST saw or talked to a medical doctor?	•. f.	Y N (16d)  Enter condition in item C (18d)  000 Only when in hospital 000 None Number of visits  1 2-week DV  2 Past 2 weeks not reported
f. 17a. b.	During the past 2 weeks was — sick because of her pregnancy?  What was the matter?  During the past 12 months, (that is since (date) a year ago), about how many times did — see or talk to a medical doctor? (Do not count doctors seen while a patient in a hospital.) (Include the — visits you already told me about.)  ABOUT how long has it been since — LAST saw or talked to a medical doctor?	•. f.	Y N (16d)  Enter condition in item C (18d)  000 Only when in hospital  000 None Number of visits  1 2-week DV  2 Past 2 weeks not reported (13 and 16)
f. 17a. b.	During the past 2 weeks was — sick because of her pregnancy?  What was the matter?  During the past 12 months, (that is since (date) a year ago), about how many times did — see or talk to a medical doctor? (Do not count doctors seen while a patient in a hospital.) (Include the — visits you already told me about.)  ABOUT how long has it been since — LAST saw or talked to a medical doctor?	•. f.	Y N (16d)  Enter condition in item C (16d)  OOO Only when in hospital OOO None Number of visits  1 2-week DV  2 Past 2 weeks not reported (13 and 16) 3 2 wks6 mos.
f. 17a. b.	During the past 2 weeks was — sick because of her pregnancy?  What was the matter?  During the past 12 months, (that is since (date) a year ago), about how many times did — see or talk to a medical doctor? (Do not count doctors seen while a patient in a hospital.) (Include the — visits you already told me about.)  ABOUT how long has it been since — LAST saw or talked to a medical doctor?	•. f.	Y N (16d)  Enter condition in Item C (16d)  000 Only when in hospital 000 None Number of visits  1 2-week DV  2 Past 2 weeks not reported (13 and 16) 3 2 wks6 mos. 4 Over 6-12 mos.
f. 17a. b.	During the past 2 weeks was — sick because of her pregnancy?  What was the matter?  During the past 12 months, (that is since (date) a year ago), about how many times did — see or talk to a medical doctor? (Do not count doctors seen while a patient in a hospital.) (Include the — visits you already told me about.)  ABOUT how long has it been since — LAST saw or talked to a medical doctor?	•. f.	Y N (16d)  Enter condition in Item C (18d)  000 Only when in hospital 000 None Number of visits  1 2-week DV  2 Past 2 weeks not reported (13 and 18)  3 2 wks6 mos.  4 Over 6-12 mos.  5 I year
f. 17a. b.	During the past 2 weeks was — sick because of her pregnancy?  What was the matter?  During the past 12 months, (that is since (date) a year ago), about how many times did — see or talk to a medical doctor? (Do not count doctors seen while a patient in a hospital.) (Include the — visits you already told me about.)  ABOUT how long has it been since — LAST saw or talked to a medical doctor?	•. f.	Y N (16d)  Enter condition in Item C (16d)  000 Only when in hospital 000 None Number of visits  1 2-week DV  2 Past 2 weeks not reported (13 and 16) 3 2 wks6 mos. 4 Over 6-12 mos.
f. 17a. b.	During the past 2 weeks was — sick because of her pregnancy?  What was the matter?  During the past 12 months, (that is since (date) a year ago), about how many times did — see or talk to a medical doctor? (Do not count doctors seen while a patient in a hospital.) (Include the — visits you already told me about.)  ABOUT how long has it been since — LAST saw or talked to a medical doctor?	•. f.	Y N (16d)  Enter condition in Item C (18d)  000 Only when in hospital 000 None Number of visits  1 2-week DV  2 Past 2 weeks not reported (13 and 18)  3 2 wks6 mos.  4 Over 6-12 mos.  5 I year
f. 17a. b.	During the past 2 weeks was — sick because of her pregnancy?  What was the matter?  During the past 12 months, (that is since (date) a year ago), about how many times did — see or talk to a medical doctor? (Do not count doctors seen while a patient in a hospital.) (Include the — visits you already told me about.)  ABOUT how long has it been since — LAST saw or talked to a medical doctor?	•. f.	Y N (16d)  Enter condition in item C (18d)  000 Only when in hospital 000 None Number of visits  1 2-week DV  2 Past 2 weeks not reported (13 and 16)  3 2 wks6 mos.  4 Over 6-12 mos.  5 1 year  6 2-4 years
f. 17a. b.	During the past 2 weeks was — sick because of her pregnancy?  What was the matter?  During the past 12 months, (that is since (date) a year ago), about how many times did — see or talk to a medical doctor? (Do not count doctors seen while a patient in a hospital.)  (Include the — visits you already told me about.)  ABOUT how long has it been since — LAST saw or talked to a medical doctor?  Include doctors seen while a patient in a hospital.	•. f.	Y N (18d)  Enter condition in item C (18d)  000
f. 17a. b.	During the past 2 weeks was — sick because of her pregnancy?  What was the matter?  During the past 12 months, (that is since (date) a year ago), about how many times did — see or talk to a medical doctor? (Do not count doctors seen while a patient in a hospital.)  (Include the — visits you already told me about.)  ABOUT how long has it been since — LAST saw or talked to a medical doctor?  Include doctors seen while a patient in a hospital.	•. f.	Y N (18d)  Enter condition in item C (18d)  000
f. 17a. b.	During the past 2 weeks was — sick because of her pregnancy?  What was the matter?  During the past 12 months, (that is since (date) a year ago), about how many times did — see or talk to a medical doctor? (Do not count doctors seen while a patient in a hospital.)  (Include the — visits you already told me about.)  ABOUT how long has it been since — LAST saw or talked to a medical doctor?  Include doctors seen while a patient in a hospital.  18a. What was — doing MOST OF THE PAST 12 MONTHS — (For males): working or doing something else?  If "Something else," ask: (For females): working, or doing something, or doing something else?	6. 17a. b.	Y N (18d)  Enter condition in item C (18d)  ooo Only when in hospital ooo None Number of visits  1 2-week DV  2 Past 2 weeks not reported (13 and 18)  3 2 wks6 mos. 4 Over 6-12 mos. 5 I year 6 2-4 years 7 5 + years 8 Never
f. 17a. b.	During the past 2 weeks was — sick because of her pregnancy?  What was the matter?  During the past 12 months, (that is since <u>(date)</u> a year ago), about how many times did — see or talk to a medical doctor? (Do not count doctors seen while a patient in a hospital.) (Include the — visits you already told me about.)  ABOUT how long has it been since — LAST saw or talked to a medical doctor? Include doctors seen while a patient in a hospital.  Include doctors seen while a patient in a hospital.  If "something else," ask: (For females): keeping house, working, or doing something else?  Ages  If "something else," ask: (For females): keeping house, working, or doing something else?	f. 17a. b. 18. a. a.	Y N (18d)  Enter condition in item C (18d)  000
f. 17a. b.	During the past 2 weeks was — sick because of her pregnancy?  What was the matter?  During the past 12 months, (that is since (date) a year ago), about how many times did — see or talk to a medical doctor? (Do not count doctors seen while a patient in a hospital.)  (Include the — visits you already told me about.)  ABOUT how long has it been since — LAST saw or talked to a medical doctor?  Include doctors seen while a patient in a hospital.  18a. What was — doing MOST OF THE PAST 12 MONTHS — (For males): working or doing something else?  If "Something else," ask: (For females): working, or doing something, or doing something else?	f. 17a. b. 18. a. a.	Y N (16d)  Enter condition in Item C (18d)  OOC Only when in hospital OOC None Number of visits  1 2-week DV  2 Past 2 weeks not reported (13 and 16)  3 2 wks6 mos. 4 Over 6-12 mos. 5 1 year 6 2-4 years 7 5 + years 8 Never  1 Working (23a) 2 Keeping house (23b) 3 Retired, health (22)
f. 17a. b.	During the past 2 weeks was — sick because of her pregnancy?  What was the matter?  During the past 12 months, (that is since (date) a year ago), about how many times did — see or talk to a medical doctor? (Do not count doctors seen while a patient in a hospital.)  (Include the — visits you already told me about.)  ABOUT how long has it been since — LAST saw or talked to a medical doctor?  Include doctors seen while a patient in a hospital.  18a. What was — doing MOST OF THE PAST 12 MONTHS — (For males): working or doing something else?  If "Something else," ask: (For females): keeping house, working, or doing something else?  If 45 years and was not "working," "keeping house," or "going to school," ask:  c. Is — retired?	f. 17a. b. 18. a. a.	Y N (16d)  Enter condition in Item C (18d)  000 Only when in hospital 000 None Number of visits  1 2-week DV  2 Past 2 weeks not reported (13 and 18)  3 2 wks6 mos. 4 Over 6-12 mos. 5 I year 6 2-4 years 7 5 + years 8 Never  1 Working (23a) 2 Keeping house (23b) 3 Retired, health (22) 4 Retired, other (22)
f. 17a. b.	During the past 2 weeks was — sick because of her pregnancy?  What was the matter?  During the past 12 months, (that is since (date) a year ago), about how many times did — see or talk to a medical doctor? (Do not count doctors seen while a patient in a hospital.)  (Include the — visits you already told me about.)  ABOUT how long has it been since — LAST saw or talked to a medical doctor?  Include doctors seen while a patient in a hospital.  If "something else," ask: (For females): working or doing something else?  If "something else," ask: (For females): keeping house, working, or doing something else?  If 45+ years and was not "working," "keeping house," or "going to school," ask:  c. Is — retired?  d. If "retired," ask: Did he retire because of his health?	f. 17a. b. 18. a. a.	Y N (16d)  Enter condition in Item C (18d)  000 Only when in hospital 000 None Number of visits  1 2-week DV  2 Past 2 weeks not reported (13 and 18)  3 2 wks6 mos. 4 Over 6-12 mos. 5 1 year 6 2-4 years 7 5+ years 8 Never  1 Working (23a) 2 Keeping house (23b) 3 Retired, health (22) 4 Retired, other (22) 5 Going to school (25)
f. 17a. b.	During the past 2 weeks was — sick because of her pregnancy?  What was the matter?  During the past 12 months, (that is since (date) a year ago), about how many times did — see or talk to a medical doctor? (Do not count doctors seen while a patient in a hospital.) (Include the — visits you already told me about.)  ABOUT how long has it been since — LAST saw or talked to a medical doctor? Include doctors seen while a patient in a hospital.  If "something else," ask: (For females): keeping house, working, or doing something else? If "Something else," ask: (For females): keeping house, working, or doing something else?  If 45 years and was not "working," "keeping house," or "going to school," ask: c. is — retired?  d. If "fretired," ask: Did he retire because of his health?  Iga. What was — doing MOST OF THE PAST 12 MONTHS — going to school or doing something else?	f. 17a. b. 18. a. a.	Y N (16d)  Enter condition in Item C (18d)  000
f. 17a. b.	During the past 2 weeks was — sick because of her pregnancy?  What was the matter?  During the past 12 months, (that is since (date) a year ago), about how many times did — see or talk to a medical doctor? (Do not count doctors seen while a patient in a hospital.) (Include the — visits you already told me about.)  ABOUT how long has it been since — LAST saw or talked to a medical doctor?  Include doctors seen while a patient in a hospital.  If "something else," ask: (For males): working or doing something else?  If "something else," ask: (For females): keeping house, working, or doing something else?  If 45+ years and was not "working," "keeping house," or "going to school," ask:  c. Is — retired?  d. If "retired," ask: Did he retire because of his health?  19a. What was — doing MOST OF THE PAST 12 MONTHS — going to school or doing something else?  If "something else," ask:	f. 17a. b. 18. a. a.	Y N (16d)  Enter condition in Item C (18d)  000 Only when in hospital 000 None Number of visits  1 2-week DV  2 Past 2 weeks not reported (13 and 18)  3 2 wks6 mos. 4 Over 6-12 mos. 5 1 year 6 2-4 years 7 5+ years 8 Never  1 Working (23a) 2 Keeping house (23b) 3 Retired, health (22) 4 Retired, other (22) 5 Going to school (25)
f. 17a. b.	During the past 2 weeks was — sick because of her pregnancy?  What was the matter?  During the past 12 months, (that is since (date) a year ago), about how many times did — see or talk to a medical doctor? (Do not count doctors seen while a patient in a hospital.) (Include the — visits you already told me about.)  ABOUT how long has it been since — LAST saw or talked to a medical doctor? Include doctors seen while a patient in a hospital.  If "something else," ask: (For females): keeping house, working, or doing something else? If "Something else," ask: (For females): keeping house, working, or doing something else?  If 45 years and was not "working," "keeping house," or "going to school," ask: c. is — retired?  d. If "fretired," ask: Did he retire because of his health?  Iga. What was — doing MOST OF THE PAST 12 MONTHS — going to school or doing something else?	f. 17a. b. 18. a. a.	Y N (16d)  Enter condition in Item C (18d)  000

PHYSICIAN VISIT PROBE QUESTIONS

CONDITION 1	A Ask remaining questions as appropriate for the condition entered in:					
1. Person number Name of condition						
2. When did —— last see or talk to a doctor about his?  1  In interview 1  Past 2 wks. (Item C) 5  2-4 yrs.	4. During the past 2 weeks, did his cause him to cut down on the things he usually does?  1 Y 2 N (9)					
week 2 □ 2 wks.~6 mos. 6 □ 5+ vrs.	5. During that period, how many days did he cut					
(Reask 2) 3  Over 6–12 mos. 7 Never	down for as much as a day?					
4	6. During that 2-week period, how many days did					
A T Examine "Name of condition" entry and mark	his keep him in bed all or most of the day?					
Al Examine "Name of condition" entry and mark  Accident or injury (A2) On Card C (A2) Neither (3a)	Ask if 17+ years:					
If "Doctor not talked to," transcribe entry from item 1.	7. How many days did his keep him from work during that 2-week period? (For females): not counting work around the house?					
If "Doctor talked to," ask:  3a. What did the doctor say it was? — Did he give it a medical name?						
and the fire action say it was Did no give it a medical name:	Ask if 6-16 years:					
	8. How many days did his keep him fromDays school during that 2-week period? None					
Do not ask for Cancer b. What was the cause of?	9. When did —— first notice his ?					
Accident or injury (A2)	1 ☐ Last week 4 ☐ 2 weeks—3 months					
If the entry in 3a or 3b includes the words:	2 ☐ Week before 5 ☐ Over 3—12 months					
Ailment Condition Disorder Trouble	3 ☐ Past 2 weeks—DK which 6 ☐ More than 12 months ago (Was it during the past 12 months or before that time?)					
Anemia Cyst Growth Tumor	(Was it during the past 3 months or before that time?)					
Asthma Defect Measles Ulcer Ask C: Attack Disease Rupture	(Was it during the past 2 weeks or before that time?)					
c. What kind of is it?	A3  1 Not an eye cond. (AA)  2 First eye condition (under 6) (AA)  3 First eye cond. (6+ yrs.) (10)  4 Not first eye cond. (AA)					
For allergy or stroke, ask:	10. Can — see well enough to read ordinary newspaper					
d. How does the allergy (stroke) affect him?	print WITH GLASSES with his { left } eye?1 Y 2 N					
	Cright J1Y 2N					
If in 3a-d there is an impairment or any of the following entries:	1 ☐ Missing extremity or organ (A4)					
Abscess Damage Paralysis	2 Condition not listed or reported in probe question 31 (A4)					
Ache (except headache) Growth Rupture Bleeding Hemorrhage Sore	AA Condition listed or reported in probe question 3!					
Blood clot Infection Soreness Boil Inflammation Tumor Ask e:	3 Doctor seen (12)					
Cancer Neuralgia Ulcer	4 Doctor not seen (II)					
Cramps (except Neuritis Varicose veins menstrual) Pain Weak	FOOTNOTES					
Cyst Palsy Weakness						
e. What part of the body is affected?						
Show the following detail:						
Head skull, scalp, face Back/spine/vertebra upper, middle, lower						
Ear or eye						
Arm one or both; shoulder, upper, elbow, lower, wrist, hand						
Leg one or both; hip, upper, knee, lower, ankle, foot						

CONDITION PAGE

11. During the past 12 months what did —— do or take for his ? (Write in	A4 [ Accident of injury [ Other (NC)					
Anything else?(18)	20a. Did the accident happen during the past 2 years or before that time?					
12. After — first noticed something was wrong, about how long was it	☐ During the past 2 years ☐ Before 2 years (21a)					
before he talked to a doctor about it — was it a matter of days, weeks, or months?	b. When did the accident happen?					
000 Discovered by dr. (14) 2 Days 4 Months	☐ Last week ☐ Over 3—12 months ☐ Week before ☐ 1—2 years (21 g)					
100 Less than one day 3 Weeks , 5 Years	2 weeks-3 months					
13. BEFORE — talked to a doctor about his ,	Complete from 20b; if not clear, ask:					
did he do or take anything for it?	c. Did the accident happen since <u>(date)</u> ?					
If "Diabetes," ask I4a; otherwise go to I4c. 1 Y (15)	1 Y (Item C, THEN 2I) 2 N					
14a. Does take insulin injections for his diabetes? 2 N	21a. At the time of the accident what part of the body was hurt?					
b. Does he take diabetes pills?	What kind of injury was it? Anything else?					
2 N	Part(s) of body Kind of injury					
c. Does NOW take any medicine or treatment						
for his ? 2 N (15)						
d. Was any of this medicine or treatment recommended 1 Y by a doctor?						
15. Has he ever had surgery for this condition? 1 Y 2 N	If accident happened more than 3 months ago, ask:					
16. Was he ever hospitalized for this condition?	b. What part of the body is affected now?					
2 N	How is his — affected? Is he affected in any other way?					
17. During the past 12 months, about how many times has	Part(s) of body Present effects					
seen or talked to a doctor about his ?Times						
(Do not count visits while a patient in a hospital.) 000 None						
18a. About how many days during the past 12 months has this condition kept him in bed all or most of the day?						
000 ☐ None						
Ask if 17+ years:	22. Where did the accident happen?					
b. About how many days during the past 12 months has Days this condition kept him from work?	1 At home (inside house) 2 At home (adjacent premises)					
For females: Not counting work around the house? ooo 🔲 None	3 Street and highway (includes roadway and public sidewalk)					
19a. How often does his bother him — all of the time, often,	4 Farm					
once in a while, or never?	s ☐ Industrial place (includes premises) s ☐ School (includes premises)					
1 All the time 2 Often 3 Once in a while	7 Place of recreation and sports, except at school					
o ☐ Never (19c) s ☐ Other — Specify	■ Other – Specify — P					
b. When it does bother him, is he bothered a great deal, some, or very little 1 ☐ Great deal 2 ☐ Some 3 ☐ Very little	, and the second					
4 □ Other - Specify	20 W					
All the time in 19a (A4)	23. Was — at work at his job or business when the accident happened?  1 Y  3   While in Armed Services					
c. Does still have this condition?	2 N 4 Under 17 at time of accident					
1 Y (A4) N						
d. Is this condition completely cured or is it under control?	24a. Was a car, truck, bus, or other motor vehicle involved in the accident in any way? 1 Y 2 N (NC)					
2 Cured 3 Under control (A4)						
4 Other — Specify(A4)	b. Was more than one vehicle involved? Y N					
e. About how long did have this condition before it was cured?						
o 🗀 Less than one month Months Years	c. Was it (either one) moving at the time? 1 Y 2 N					

### **CONDITION PAGE**

**☆U.S. GOVERNMENT PRINTING OFFICE:** 1977— 241-180:1

#### VITAL AND HEALTH STATISTICS PUBLICATIONS SERIES

Formerly Public Health Service Publication No. 1000

- Series 1. Programs and Collection Procedures.—Reports which describe the general programs of the National Center for Health Statistics and its offices and divisions, data collection methods used, definitions, and other material necessary for understanding the data.
- Series 2. Data Evaluation and Methods Research.—Studies of new statistical methodology including experimental tests of new survey methods, studies of vital statistics collection methods, new analytical techniques, objective evaluations of reliability of collected data, contributions to statistical theory.
- Series 3. Analytical Studies.—Reports presenting analytical or interpretive studies based on vital and health statistics, carrying the analysis further than the expository types of reports in the other series.
- Series 4. Documents and Committee Reports.—Final reports of major committees concerned with vital and health statistics, and documents such as recommended model vital registration laws and revised birth and death certificates.
- Series 10. Data from the Health Interview Survey.—Statistics on illness; accidental injuries; disability; use of hospital, medical, dental, and other services; and other health-related topics, based on data collected in a continuing national household interview survey.
- Series 11. Data from the Health Examination Survey.—Data from direct examination, testing, and measurement of national samples of the civilian, noninstitutionalized population provide the basis for two types of reports: (1) estimates of the medically defined prevalence of specific diseases in the United States and the distributions of the population with respect to physical, physiological, and psychological characteristics; and (2) analysis of relationships among the various measurements without reference to an explicit finite universe of persons.
- Series 12. Data from the Institutionalized Population Surveys.—Discontinued effective 1975. Future reports from these surveys will be in Series 13.
- Series 13. Data on Health Resources Utilization.—Statistics on the utilization of health manpower and facilities providing long-term care, ambulatory care, hospital care, and family planning services.
- Series 14. Data on Health Resources: Manpower and Facilities.—Statistics on the numbers, geographic distribution, and characteristics of health resources including physicians, dentists, nurses, other health occupations, hospitals, nursing homes, and outpatient facilities.
- Series 20. Data on Mortality.—Various statistics on mortality other than as included in regular annual or monthly reports. Special analyses by cause of death, age, and other demographic variables; geographic and time series analyses; and statistics on characteristics of deaths not available from the vital records, based on sample surveys of those records.
- Series 21. Data on Natality, Marriage, and Divorce.—Various statistics on natality, marriage, and divorce other than as included in regular annual or monthly reports. Special analyses by demographic variables; geographic and time series analyses; studies of fertility; and statistics on characteristics of births not available from the vital records, based on sample surveys of those records.
- Series 22. Data from the National Mortality and Natality Surveys.—Discontinued effective 1975. Future reports from these sample surveys based on vital records will be included in Series 20 and 21, respectively.
- Series 23. Data from the National Survey of Family Growth.—Statistics on fertility, family formation and dissolution, family planning, and related maternal and infant health topics derived from a biennial survey of a nationwide probability sample of ever-married women 15-44 years of age.
- For a list of titles of reports published in these series, write to:

Scientific and Technical Information Branch National Center for Health Statistics Public Health Service, HRA Rockville, Md. 20852

### DHEW Publication No. (HRA) 77-1541 Series 10-No. 114



U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE Public Health Service Health Resources Administration 5600 Fishers Lane Rockville, Md. 20857

OFFICIAL BUSINESS
Penalty for Private Use, \$300

For information about the Vital and Health Statistics Series call 301-443-NCHS.

POSTAGE AND FEES PAID U.S. DEPARTMENT OF HEW

**HEW 390** 

THIRD CLASS BLK. RATE

