





## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS
Tuberculosis (A16-A19)									
All races, both sexes	764	2	1	-	-	6	6	11	14
Male	453	-	-	-	-	5	3	7	7
Female	311	2	1	-	-	1	3	4	7
White, both sexes	469	1	1	-	-	4	4	7	3
Male	271	-	-	-	-	4	2	6	2
Female	198	1	1	-	-	-	2	1	1
Black, both sexes	203	-	-	-	-	-	1	3	7
Male	127	-	-	-	-	-	-	1	3
Female	76	-	-	-	-	-	1	2	4
American Indian 1/, both sexes	13	-	-	-	-	-	-	1	-
Male	5	-	-	-	-	-	-	-	-
Female	8	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes	79	1	-	-	-	2	1	-	4
Male	50	-	-	-	-	1	1	-	2
Female	29	1	-	-	-	1	-	-	2
Respiratory tuberculosis (A16)									
All races, both sexes	600	2	1	-	-	3	4	8	9
Male	371	-	-	-	-	3	2	5	5
Female	229	2	1	-	-	-	2	3	4
White, both sexes	368	1	1	-	-	2	2	5	2
Male	221	-	-	-	-	2	1	4	1
Female	147	1	1	-	-	-	1	1	1
Black, both sexes	160	-	-	-	-	-	1	3	4
Male	106	-	-	-	-	-	-	1	2
Female	54	-	-	-	-	-	1	2	2
American Indian 1/, both sexes	8	-	-	-	-	-	-	-	-
Male	3	-	-	-	-	-	-	-	-
Female	5	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	64	1	-	-	-	1	1	-	3
Male	41	-	-	-	-	1	1	-	2
Female	23	1	-	-	-	-	-	-	1



## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS
Scarlet fever and erysipelas (A38,A46)									
All races, both sexes	3	-	-	1	-	-	-	-	-
Male	2	-	-	1	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-
White, both sexes	3	-	-	1	-	-	-	-	-
Male	2	-	-	1	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
Meningococcal infection (A39)									
All races, both sexes	199	16	19	12	14	43	12	6	4
Male	94	6	9	6	9	20	7	4	2
Female	105	10	10	6	5	23	5	2	2
White, both sexes	158	14	14	8	12	31	9	5	2
Male	72	5	7	4	8	15	5	3	1
Female	86	9	7	4	4	16	4	2	1
Black, both sexes	36	2	4	4	2	10	3	-	2
Male	18	1	1	2	1	4	2	-	1
Female	18	1	3	2	1	6	1	-	1
American Indian 1/, both sexes	1	-	1	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	-	-	-	-	2	-	1	-
Male	3	-	-	-	-	1	-	1	-
Female	1	-	-	-	-	1	-	-	-









## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)									
All races, both sexes	5,715	191	64	34	30	40	46	58	89
Male	2,931	101	37	14	15	23	28	31	52
Female	2,784	90	27	20	15	17	18	27	37
White, both sexes	4,688	120	44	28	21	27	31	39	57
Male	2,405	62	25	11	11	14	19	24	37
Female	2,283	58	19	17	10	13	12	15	20
Black, both sexes	825	62	16	6	7	9	14	17	28
Male	427	36	10	3	3	7	8	7	12
Female	398	26	6	3	4	2	6	10	16
American Indian 1/, both sexes	51	5	3	-	2	1	1	-	-
Male	21	2	2	-	1	1	1	-	-
Female	30	3	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	151	4	1	-	-	3	-	2	4
Male	78	1	-	-	-	1	-	-	3
Female	73	3	1	-	-	2	-	2	1
Malignant neoplasms (C00-C97)									
All races, both sexes	553,768	66	420	493	515	732	972	1,389	2,605
Male	287,075	31	229	253	280	447	577	694	1,166
Female	266,693	35	191	240	235	285	395	695	1,439
White, both sexes	479,651	54	353	387	393	587	772	1,074	2,020
Male	248,146	24	189	195	203	360	464	549	944
Female	231,505	30	164	192	190	227	308	525	1,076
Black, both sexes	62,170	6	48	80	96	113	149	242	455
Male	32,679	3	30	43	59	68	85	107	163
Female	29,491	3	18	37	37	45	64	135	292
American Indian 1/, both sexes	2,155	3	4	-	5	10	12	16	18
Male	1,103	3	3	-	3	7	8	12	7
Female	1,052	-	1	-	2	3	4	4	11
Asian or Pacific Islander 2/, both sexes	9,792	3	15	26	21	22	39	57	112
Male	5,147	1	7	15	15	12	20	26	52
Female	4,645	2	8	11	6	10	19	31	60



## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS
Malignant neoplasm of stomach (C16)									
All races, both sexes	12,319	-	-	-	-	5	15	33	89
Male	7,191	-	-	-	-	4	5	20	51
Female	5,128	-	-	-	-	1	10	13	38
White, both sexes	9,501	-	-	-	-	2	8	25	59
Male	5,568	-	-	-	-	2	2	14	34
Female	3,933	-	-	-	-	-	6	11	25
Black, both sexes	2,067	-	-	-	-	1	4	4	21
Male	1,186	-	-	-	-	1	1	3	11
Female	881	-	-	-	-	-	3	1	10
American Indian 1/, both sexes	79	-	-	-	-	-	1	1	1
Male	51	-	-	-	-	-	1	1	1
Female	28	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	672	-	-	-	-	2	2	3	8
Male	386	-	-	-	-	1	1	2	5
Female	286	-	-	-	-	1	1	1	3
Malignant neoplasms of colon, rectum and anus (C18-C21)									
All races, both sexes	56,887	-	-	-	-	11	35	81	218
Male	28,225	-	-	-	-	6	18	38	119
Female	28,662	-	-	-	-	5	17	43	99
White, both sexes	48,748	-	-	-	-	7	27	60	163
Male	24,335	-	-	-	-	5	11	28	91
Female	24,413	-	-	-	-	2	16	32	72
Black, both sexes	6,905	-	-	-	-	2	6	13	43
Male	3,251	-	-	-	-	1	6	6	24
Female	3,654	-	-	-	-	1	-	7	19
American Indian 1/, both sexes	192	-	-	-	-	-	-	-	1
Male	95	-	-	-	-	-	-	-	-
Female	97	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	1,042	-	-	-	-	2	2	8	11
Male	544	-	-	-	-	-	1	4	4
Female	498	-	-	-	-	2	1	4	7













## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)									
All races, both sexes	12,609	16	100	170	130	104	120	134	282
Male	7,015	8	52	81	64	63	66	88	174
Female	5,594	8	48	89	66	41	54	46	108
White, both sexes	11,638	12	84	144	100	88	95	120	254
Male	6,498	6	46	66	47	54	53	81	157
Female	5,140	6	38	78	53	34	42	39	97
Black, both sexes	741	1	10	19	25	12	17	8	20
Male	382	-	3	12	13	6	10	4	10
Female	359	1	7	7	12	6	7	4	10
American Indian 1/, both sexes	43	2	1	-	-	1	-	1	1
Male	25	2	1	-	-	-	-	1	1
Female	18	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	187	1	5	7	5	3	8	5	7
Male	110	-	2	3	4	3	3	2	6
Female	77	1	3	4	1	-	5	3	1
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)									
All races, both sexes	56,341	27	157	165	202	311	394	436	552
Male	30,060	12	82	95	122	192	234	246	328
Female	26,281	15	75	70	80	119	160	190	224
White, both sexes	49,989	22	136	125	156	253	309	318	435
Male	26,767	9	69	72	85	159	187	182	269
Female	23,222	13	67	53	71	94	122	136	166
Black, both sexes	5,227	4	14	29	36	48	63	85	98
Male	2,676	3	9	14	30	29	32	48	52
Female	2,551	1	5	15	6	19	31	37	46
American Indian 1/, both sexes	225	-	1	-	4	3	7	11	3
Male	113	-	1	-	2	2	5	8	1
Female	112	-	-	-	2	1	2	3	2
Asian or Pacific Islander 2/, both sexes	900	1	6	11	6	7	15	22	16
Male	504	-	3	9	5	2	10	8	6
Female	396	1	3	2	1	5	5	14	10

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

## CAUSE OF DEATH (BASED ON

THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS
Hodgkin's disease (C81)									
All races, both sexes	1,323	-	-	1	5	25	53	76	91
Male	725	-	-	1	2	15	28	39	51
Female	598	-	-	-	3	10	25	37	40
White, both sexes	1,170	-	-	1	4	21	41	56	69
Male	644	-	-	1	2	13	25	27	42
Female	526	-	-	-	2	8	16	29	27
Black, both sexes	137	-	-	-	1	4	11	19	21
Male	73	-	-	-	-	2	2	12	9
Female	64	-	-	-	1	2	9	7	12
American Indian 1/, both sexes	3	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	13	-	-	-	-	-	1	1	-
Male	8	-	-	-	-	-	1	-	-
Female	5	-	-	-	-	-	-	1	-
Non-Hodgkin's lymphoma (C82-C85)									
All races, both sexes	22,305	1	1	11	27	61	87	129	169
Male	11,710	1	1	8	21	43	51	72	107
Female	10,595	-	-	3	6	18	36	57	62
White, both sexes	20,335	1	1	10	22	44	65	90	131
Male	10,642	1	1	7	16	31	37	52	88
Female	9,693	-	-	3	6	13	28	38	43
Black, both sexes	1,496	-	-	1	4	16	16	29	34
Male	804	-	-	1	4	11	11	15	18
Female	692	-	-	-	-	5	5	14	16
American Indian 1/, both sexes	93	-	-	-	1	1	-	3	1
Male	48	-	-	-	1	1	-	2	-
Female	45	-	-	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes	381	-	-	-	-	-	6	7	3
Male	216	-	-	-	-	-	3	3	1
Female	165	-	-	-	-	-	3	4	2



## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)									
All races, both sexes	90	1	1	-	-	-	-	-	1
Male	51	1	-	-	-	-	-	-	1
Female	39	-	1	-	-	-	-	-	-
White, both sexes	77	1	1	-	-	-	-	-	-
Male	44	1	-	-	-	-	-	-	-
Female	33	-	1	-	-	-	-	-	-
Black, both sexes	12	-	-	-	-	-	-	-	1
Male	7	-	-	-	-	-	-	-	1
Female	5	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-

All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)

All races, both sexes	62,708	17	117	116	163	242	274	316	412
Male	31,663	7	73	64	89	152	194	190	252
Female	31,045	10	44	52	74	90	80	126	160
White, both sexes	54,510	15	98	91	125	196	226	255	317
Male	27,506	6	59	50	67	120	163	153	198
Female	27,004	9	39	41	58	76	63	102	119
Black, both sexes	6,799	1	16	19	28	38	39	52	73
Male	3,436	-	13	12	15	24	28	31	39
Female	3,363	1	3	7	13	14	11	21	34
American Indian 1/, both sexes	289	-	1	-	1	4	4	2	4
Male	150	-	-	-	1	4	2	1	3
Female	139	-	1	-	-	-	2	1	1
Asian or Pacific Islander 2/, both sexes	1,110	1	2	6	9	4	5	7	18
Male	571	1	1	2	6	4	1	5	12
Female	539	-	1	4	3	-	4	2	6

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------

## In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)

All races, both sexes	13,676	51	58	52	53	47	55	60	91
Male	6,735	26	30	26	26	20	33	33	44
Female	6,941	25	28	26	27	27	22	27	47
White, both sexes	12,261	37	48	38	39	33	41	53	73
Male	6,089	20	24	19	18	12	25	29	35
Female	6,172	17	24	19	21	21	16	24	38
Black, both sexes	1,157	11	5	13	13	12	9	6	12
Male	525	5	3	6	7	7	6	3	8
Female	632	6	2	7	6	5	3	3	4
American Indian 1/, both sexes	58	1	-	1	-	2	2	-	1
Male	29	1	-	1	-	1	1	-	-
Female	29	-	-	-	-	1	1	-	1
Asian or Pacific Islander 2/, both sexes	200	2	5	-	1	-	3	1	5
Male	92	-	3	-	1	-	1	1	1
Female	108	2	2	-	-	-	2	-	4

## Anemias (D50-D64)

All races, both sexes	4,627	16	22	25	30	48	61	65	95
Male	1,774	11	12	12	15	26	33	40	55
Female	2,853	5	10	13	15	22	28	25	40
White, both sexes	3,543	6	11	11	16	17	16	15	24
Male	1,303	5	5	6	10	8	10	9	11
Female	2,240	1	6	5	6	9	6	6	13
Black, both sexes	1,001	6	11	13	13	28	45	50	69
Male	446	4	7	5	5	18	23	31	43
Female	555	2	4	8	8	10	22	19	26
American Indian 1/, both sexes	27	-	-	-	1	2	-	-	-
Male	7	-	-	-	-	-	-	-	-
Female	20	-	-	-	1	2	-	-	-
Asian or Pacific Islander 2/, both sexes	56	4	-	1	-	1	-	-	2
Male	18	2	-	1	-	-	-	-	1
Female	38	2	-	-	-	1	-	-	1







## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS
Alzheimer's disease (G30)									
All races, both sexes	53,852	-	-	-	-	-	-	-	2
Male	15,762	-	-	-	-	-	-	-	2
Female	38,090	-	-	-	-	-	-	-	-
White, both sexes	50,348	-	-	-	-	-	-	-	2
Male	14,714	-	-	-	-	-	-	-	2
Female	35,634	-	-	-	-	-	-	-	-
Black, both sexes	3,114	-	-	-	-	-	-	-	-
Male	910	-	-	-	-	-	-	-	-
Female	2,204	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	93	-	-	-	-	-	-	-	-
Male	29	-	-	-	-	-	-	-	-
Female	64	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	297	-	-	-	-	-	-	-	-
Male	109	-	-	-	-	-	-	-	-
Female	188	-	-	-	-	-	-	-	-
Major cardiovascular diseases (I00-I78)									
All races, both sexes	922,334	600	285	139	226	443	837	1,351	2,687
Male	428,065	315	149	65	119	278	529	840	1,715
Female	494,269	285	136	74	107	165	308	511	972
White, both sexes	801,052	383	185	100	158	307	531	876	1,802
Male	370,918	212	95	49	87	189	346	563	1,185
Female	430,134	171	90	51	71	118	185	313	617
Black, both sexes	104,316	186	87	34	54	124	275	434	789
Male	48,237	94	46	13	27	81	163	256	462
Female	56,079	92	41	21	27	43	112	178	327
American Indian 1/, both sexes	3,162	11	3	3	1	2	8	12	24
Male	1,663	3	2	2	-	1	7	4	16
Female	1,499	8	1	1	1	1	1	8	8
Asian or Pacific Islander 2/, both sexes	13,804	20	10	2	13	10	23	29	72
Male	7,247	6	6	1	5	7	13	17	52
Female	6,557	14	4	1	8	3	10	12	20







## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS
Other acute ischemic heart diseases (I24)									
All races, both sexes	3,351	3	-	-	2	-	7	2	12
Male	1,720	2	-	-	1	-	6	2	8
Female	1,631	1	-	-	1	-	1	-	4
White, both sexes	2,821	3	-	-	2	-	4	2	9
Male	1,431	2	-	-	1	-	3	2	7
Female	1,390	1	-	-	1	-	1	-	2
Black, both sexes	454	-	-	-	-	-	3	-	2
Male	249	-	-	-	-	-	3	-	-
Female	205	-	-	-	-	-	-	-	2
American Indian 1/, both sexes	47	-	-	-	-	-	-	-	1
Male	28	-	-	-	-	-	-	-	1
Female	19	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	29	-	-	-	-	-	-	-	-
Male	12	-	-	-	-	-	-	-	-
Female	17	-	-	-	-	-	-	-	-
Other forms of chronic ischemic heart disease (I20,I25)									
All races, both sexes	314,081	8	7	3	8	16	76	172	455
Male	156,410	5	1	2	6	10	55	140	347
Female	157,671	3	6	1	2	6	21	32	108
White, both sexes	276,772	4	4	3	6	10	48	125	329
Male	137,753	3	-	2	5	5	36	108	253
Female	139,019	1	4	1	1	5	12	17	76
Black, both sexes	31,898	4	3	-	2	6	23	44	105
Male	15,627	2	1	-	1	5	15	30	77
Female	16,271	2	2	-	1	1	8	14	28
American Indian 1/, both sexes	1,003	-	-	-	-	-	3	-	3
Male	563	-	-	-	-	-	3	-	2
Female	440	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	4,408	-	-	-	-	-	2	3	18
Male	2,467	-	-	-	-	-	1	2	15
Female	1,941	-	-	-	-	-	1	1	3

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS
Atherosclerotic cardiovascular disease, so described (I25.0)									
All races, both sexes	68,103	-	-	-	-	3	17	39	140
Male	35,440	-	-	-	-	2	14	30	103
Female	32,663	-	-	-	-	1	3	9	37
White, both sexes	56,414	-	-	-	-	2	10	28	105
Male	29,039	-	-	-	-	1	7	23	80
Female	27,375	-	-	-	-	1	3	5	25
Black, both sexes	10,321	-	-	-	-	1	6	11	27
Male	5,578	-	-	-	-	1	6	7	17
Female	4,743	-	-	-	-	-	-	4	10
American Indian 1/, both sexes	335	-	-	-	-	-	1	-	2
Male	196	-	-	-	-	-	1	-	1
Female	139	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	1,033	-	-	-	-	-	-	-	6
Male	627	-	-	-	-	-	-	-	5
Female	406	-	-	-	-	-	-	-	1
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)									
All races, both sexes	245,978	8	7	3	8	13	59	133	315
Male	120,970	5	1	2	6	8	41	110	244
Female	125,008	3	6	1	2	5	18	23	71
White, both sexes	220,358	4	4	3	6	8	38	97	224
Male	108,714	3	-	2	5	4	29	85	173
Female	111,644	1	4	1	1	4	9	12	51
Black, both sexes	21,577	4	3	-	2	5	17	33	78
Male	10,049	2	1	-	1	4	9	23	60
Female	11,528	2	2	-	1	1	8	10	18
American Indian 1/, both sexes	668	-	-	-	-	-	2	-	1
Male	367	-	-	-	-	-	2	-	1
Female	301	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3,375	-	-	-	-	-	2	3	12
Male	1,840	-	-	-	-	-	1	2	10
Female	1,535	-	-	-	-	-	1	1	2















## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS
Pneumonia (J12-J18)									
All races, both sexes	61,777	292	106	37	43	62	112	120	209
Male	27,241	161	55	20	23	33	67	61	124
Female	34,536	131	51	17	20	29	45	59	85
White, both sexes	54,545	161	73	28	32	43	78	81	144
Male	23,656	94	39	15	16	22	53	39	85
Female	30,889	67	34	13	16	21	25	42	59
Black, both sexes	5,751	106	26	7	8	15	29	31	56
Male	2,803	53	14	4	5	10	12	16	35
Female	2,948	53	12	3	3	5	17	15	21
American Indian 1/, both sexes	315	17	2	-	2	2	1	5	4
Male	160	11	-	-	1	-	1	5	1
Female	155	6	2	-	1	2	-	-	3
Asian or Pacific Islander 2/, both sexes	1,166	8	5	2	1	2	4	3	5
Male	622	3	2	1	1	1	1	1	3
Female	544	5	3	1	-	1	3	2	2
Other acute lower respiratory infections (J20-J22)									
All races, both sexes	347	50	18	3	-	-	1	1	1
Male	117	26	8	2	-	-	1	-	-
Female	230	24	10	1	-	-	-	1	1
White, both sexes	299	31	13	3	-	-	1	-	1
Male	94	16	5	2	-	-	1	-	-
Female	205	15	8	1	-	-	-	-	1
Black, both sexes	34	15	2	-	-	-	-	1	-
Male	16	9	1	-	-	-	-	-	-
Female	18	6	1	-	-	-	-	1	-
American Indian 1/, both sexes	7	2	3	-	-	-	-	-	-
Male	4	1	2	-	-	-	-	-	-
Female	3	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	7	2	-	-	-	-	-	-	-
Male	3	-	-	-	-	-	-	-	-
Female	4	2	-	-	-	-	-	-	-





## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS
Emphysema (J43)									
All races, both sexes	16,242	3	-	-	1	1	1	1	6
Male	8,415	1	-	-	1	1	-	-	4
Female	7,827	2	-	-	-	-	1	1	2
White, both sexes	15,243	2	-	-	-	1	-	1	3
Male	7,798	-	-	-	-	1	-	-	2
Female	7,445	2	-	-	-	-	-	1	1
Black, both sexes	811	1	-	-	1	-	1	-	3
Male	487	1	-	-	1	-	-	-	2
Female	324	-	-	-	-	-	1	-	1
American Indian 1/, both sexes	52	-	-	-	-	-	-	-	-
Male	29	-	-	-	-	-	-	-	-
Female	23	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	136	-	-	-	-	-	-	-	-
Male	101	-	-	-	-	-	-	-	-
Female	35	-	-	-	-	-	-	-	-
Asthma (J45-J46)									
All races, both sexes	4,269	10	31	41	58	60	80	88	145
Male	1,479	6	22	24	33	35	45	49	67
Female	2,790	4	9	17	25	25	35	39	78
White, both sexes	2,990	5	11	17	28	31	36	43	71
Male	937	4	6	10	16	15	20	25	26
Female	2,053	1	5	7	12	16	16	18	45
Black, both sexes	1,108	4	20	23	29	27	40	44	72
Male	459	1	16	14	16	19	22	24	39
Female	649	3	4	9	13	8	18	20	33
American Indian 1/, both sexes	33	1	-	1	-	-	1	1	1
Male	11	1	-	-	-	-	1	-	1
Female	22	-	-	1	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes	138	-	-	-	1	2	3	-	1
Male	72	-	-	-	1	1	2	-	1
Female	66	-	-	-	-	1	1	-	-



## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS
Pneumonitis due to solids and liquids (J69)									
All races, both sexes	17,301	12	14	5	10	10	24	31	48
Male	8,576	6	6	3	4	5	17	15	25
Female	8,725	6	8	2	6	5	7	16	23
White, both sexes	15,425	9	12	4	7	8	17	26	36
Male	7,705	6	4	3	2	4	14	14	21
Female	7,720	3	8	1	5	4	3	12	15
Black, both sexes	1,599	3	2	1	3	1	6	5	11
Male	741	-	2	-	2	-	2	1	3
Female	858	3	-	1	1	1	4	4	8
American Indian 1/, both sexes	59	-	-	-	-	-	1	-	1
Male	23	-	-	-	-	-	1	-	1
Female	36	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	218	-	-	-	-	1	-	-	-
Male	107	-	-	-	-	1	-	-	-
Female	111	-	-	-	-	-	-	-	-

## Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)

All races, both sexes	26,178	294	93	30	48	55	86	97	119
Male	12,495	186	47	18	25	30	46	45	59
Female	13,683	108	46	12	23	25	40	52	60
White, both sexes	23,133	156	61	22	37	38	62	61	78
Male	11,085	95	28	14	20	21	34	26	38
Female	12,048	61	33	8	17	17	28	35	40
Black, both sexes	2,491	117	26	6	11	15	23	29	39
Male	1,131	77	14	3	5	8	11	14	20
Female	1,360	40	12	3	6	7	12	15	19
American Indian 1/, both sexes	177	7	3	-	-	1	1	3	1
Male	89	5	3	-	-	-	1	3	1
Female	88	2	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	377	14	3	2	-	1	-	4	1
Male	190	9	2	1	-	1	-	2	-
Female	187	5	1	1	-	-	-	2	1







## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS
Cholelithiasis and other disorders of gallbladder (K80-K82)									
All races, both sexes	2,965	1	-	-	1	2	5	11	8
Male	1,341	1	-	-	-	1	2	5	4
Female	1,624	-	-	-	1	1	3	6	4
White, both sexes	2,567	1	-	-	1	2	3	9	6
Male	1,157	1	-	-	-	1	1	3	3
Female	1,410	-	-	-	1	1	2	6	3
Black, both sexes	310	-	-	-	-	-	2	2	2
Male	130	-	-	-	-	-	1	2	1
Female	180	-	-	-	-	-	1	-	1
American Indian 1/, both sexes	15	-	-	-	-	-	-	-	-
Male	11	-	-	-	-	-	-	-	-
Female	4	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	73	-	-	-	-	-	-	-	-
Male	43	-	-	-	-	-	-	-	-
Female	30	-	-	-	-	-	-	-	-

## Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)

All races, both sexes	39,480	133	16	9	9	21	71	82	143
Male	18,852	76	7	3	3	14	31	45	67
Female	20,628	57	9	6	6	7	40	37	76
White, both sexes	31,345	77	13	5	5	15	46	45	80
Male	15,241	45	4	3	2	11	19	22	33
Female	16,104	32	9	2	3	4	27	23	47
Black, both sexes	7,274	53	3	4	3	5	22	35	60
Male	3,186	29	3	-	-	2	10	22	34
Female	4,088	24	-	4	3	3	12	13	26
American Indian 1/, both sexes	236	2	-	-	1	-	2	-	1
Male	105	2	-	-	1	-	2	-	-
Female	131	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	625	1	-	-	-	1	1	2	2
Male	320	-	-	-	-	1	-	1	-
Female	305	1	-	-	-	-	1	1	2







## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS
Inflammatory diseases of female pelvic organs (N70-N76)									
All races, both sexes	127	1	-	-	-	-	2	2	1
Female	127	1	-	-	-	-	2	2	1
White, both sexes	103	1	-	-	-	-	2	2	1
Female	103	1	-	-	-	-	2	2	1
Black, both sexes	23	-	-	-	-	-	-	-	-
Female	23	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
Pregnancy, childbirth and the puerperium (000-099)									
All races, both sexes	416	...	...	...	3	37	73	93	97
Female	416	...	...	...	3	37	73	93	97
White, both sexes	235	...	...	...	2	22	42	50	64
Female	235	...	...	...	2	22	42	50	64
Black, both sexes	158	...	...	...	1	14	31	36	30
Female	158	...	...	...	1	14	31	36	30
American Indian 1/, both sexes	5	...	...	...	-	-	-	3	2
Female	5	...	...	...	-	-	-	3	2
Asian or Pacific Islander 2/, both sexes	18	...	...	...	-	1	-	4	1
Female	18	...	...	...	-	1	-	4	1

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS
Pregnancy with abortive outcome (000-007)									
All races, both sexes	38	...	...	...	2	6	7	6	8
Female	38	...	...	...	2	6	7	6	8
White, both sexes	20	...	...	...	1	3	4	4	4
Female	20	...	...	...	1	3	4	4	4
Black, both sexes	16	...	...	...	1	3	3	2	3
Female	16	...	...	...	1	3	3	2	3
American Indian 1/, both sexes	1	...	...	...	-	-	-	-	1
Female	1	...	...	...	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	1	...	...	...	-	-	-	-	-
Female	1	...	...	...	-	-	-	-	-
Other complications of pregnancy, childbirth and the puerperium (010-099)									
All races, both sexes	378	...	...	...	1	31	66	87	89
Female	378	...	...	...	1	31	66	87	89
White, both sexes	215	...	...	...	1	19	38	46	60
Female	215	...	...	...	1	19	38	46	60
Black, both sexes	142	...	...	...	-	11	28	34	27
Female	142	...	...	...	-	11	28	34	27
American Indian 1/, both sexes	4	...	...	...	-	-	-	3	1
Female	4	...	...	...	-	-	-	3	1
Asian or Pacific Islander 2/, both sexes	17	...	...	...	-	1	-	4	1
Female	17	...	...	...	-	1	-	4	1

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------

## Certain conditions originating in the perinatal period (P00-P96)

All races, both sexes	13,887	13,734	72	22	14	8	9	5	1
Male	7,868	7,775	44	16	8	3	4	2	-
Female	6,019	5,959	28	6	6	5	5	3	1
White, both sexes	8,551	8,444	47	14	7	5	8	5	1
Male	4,846	4,780	28	11	5	2	4	2	-
Female	3,705	3,664	19	3	2	3	4	3	1
Black, both sexes	4,847	4,808	23	6	5	3	1	-	-
Male	2,746	2,725	14	3	2	1	-	-	-
Female	2,101	2,083	9	3	3	2	1	-	-
American Indian 1/, both sexes	126	124	1	1	-	-	-	-	-
Male	72	70	1	1	-	-	-	-	-
Female	54	54	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	363	358	1	1	2	-	-	-	-
Male	204	200	1	1	1	-	-	-	-
Female	159	158	-	-	1	-	-	-	-

## Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

All races, both sexes	10,442	5,513	557	182	194	255	250	225	233
Male	5,448	2,954	282	101	109	161	145	121	128
Female	4,994	2,559	275	81	85	94	105	104	105
White, both sexes	8,338	4,247	387	137	145	189	185	178	197
Male	4,376	2,301	195	79	90	117	105	104	108
Female	3,962	1,946	192	58	55	72	80	74	89
Black, both sexes	1,720	1,032	131	34	41	61	53	36	32
Male	882	537	69	17	18	41	31	12	19
Female	838	495	62	17	23	20	22	24	13
American Indian 1/, both sexes	98	60	15	1	2	-	5	5	-
Male	46	30	5	-	1	-	5	1	-
Female	52	30	10	1	1	-	-	4	-
Asian or Pacific Islander 2/, both sexes	286	174	24	10	6	5	7	6	4
Male	144	86	13	5	-	3	4	4	1
Female	142	88	11	5	6	2	3	2	3

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)									
All races, both sexes	32,326	3,491	272	79	102	361	588	663	867
Male	15,779	2,041	162	44	55	249	405	461	579
Female	16,547	1,450	110	35	47	112	183	202	288
White, both sexes	26,877	2,231	185	53	71	288	459	519	683
Male	12,868	1,320	106	25	41	198	318	379	461
Female	14,009	911	79	28	30	90	141	140	222
Black, both sexes	4,691	1,104	69	20	22	55	111	123	147
Male	2,465	626	44	15	11	38	75	69	85
Female	2,226	478	25	5	11	17	36	54	62
American Indian 1/, both sexes	263	81	6	1	3	4	5	6	14
Male	160	52	5	1	-	3	4	3	13
Female	103	29	1	-	3	1	1	3	1
Asian or Pacific Islander 2/, both sexes	495	75	12	5	6	14	13	15	23
Male	286	43	7	3	3	10	8	10	20
Female	209	32	5	2	3	4	5	5	3

All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)

All races, both sexes	186,406	1,131	646	389	471	772	1,027	1,225	1,847
Male	75,162	649	358	187	267	463	601	699	1,030
Female	111,244	482	288	202	204	309	426	526	817
White, both sexes	161,293	745	471	308	355	575	760	860	1,303
Male	64,020	416	272	152	200	358	466	509	755
Female	97,273	329	199	156	155	217	294	351	548
Black, both sexes	21,970	334	133	67	100	167	225	304	459
Male	9,671	195	64	26	57	89	111	155	229
Female	12,299	139	69	41	43	78	114	149	230
American Indian 1/, both sexes	1,109	15	11	2	6	11	13	30	41
Male	547	11	5	1	3	7	11	19	23
Female	562	4	6	1	3	4	2	11	18
Asian or Pacific Islander 2/, both sexes	2,034	37	31	12	10	19	29	31	44
Male	924	27	17	8	7	9	13	16	23
Female	1,110	10	14	4	3	10	16	15	21

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS
Accidents (unintentional injuries) (V01-X59,Y85-Y86)									
All races, both sexes	101,537	976	1,714	1,283	1,553	6,646	7,765	5,935	5,904
Male	66,060	541	1,045	786	1,017	4,722	6,110	4,605	4,487
Female	35,477	435	669	497	536	1,924	1,655	1,330	1,417
White, both sexes	85,964	647	1,309	906	1,154	5,563	6,475	4,877	4,850
Male	55,493	356	815	536	749	3,930	5,137	3,803	3,715
Female	30,471	291	494	370	405	1,633	1,338	1,074	1,135
Black, both sexes	12,462	281	339	319	325	775	967	806	832
Male	8,537	162	194	216	226	576	733	609	611
Female	3,925	119	145	103	99	199	234	197	221
American Indian 1/, both sexes	1,361	32	30	29	44	145	148	102	114
Male	908	14	15	20	26	95	108	80	83
Female	453	18	15	9	18	50	40	22	31
Asian or Pacific Islander 2/, both sexes	1,750	16	36	29	30	163	175	150	108
Male	1,122	9	21	14	16	121	132	113	78
Female	628	7	15	15	14	42	43	37	30
Transport accidents (V01-V99,Y85)									
All races, both sexes	47,288	151	678	769	1,054	5,393	5,746	3,953	3,501
Male	32,794	68	392	447	668	3,694	4,417	3,015	2,646
Female	14,494	83	286	322	386	1,699	1,329	938	855
White, both sexes	39,544	115	511	558	820	4,563	4,722	3,227	2,826
Male	27,407	52	299	320	515	3,107	3,667	2,473	2,147
Female	12,137	63	212	238	305	1,456	1,055	754	679
Black, both sexes	5,906	19	130	179	184	590	757	556	524
Male	4,214	7	72	113	127	423	563	419	394
Female	1,692	12	58	66	57	167	194	137	130
American Indian 1/, both sexes	832	11	17	16	32	121	126	73	74
Male	558	5	8	8	18	78	86	56	55
Female	274	6	9	8	14	43	40	17	19
Asian or Pacific Islander 2/, both sexes	1,006	6	20	16	18	119	141	97	77
Male	615	4	13	6	8	86	101	67	50
Female	391	2	7	10	10	33	40	30	27

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)									
All races, both sexes	43,788	144	626	718	968	5,208	5,517	3,710	3,227
Male	30,064	66	356	418	611	3,546	4,232	2,826	2,410
Female	13,724	78	270	300	357	1,662	1,285	884	817
White, both sexes	36,576	109	466	522	753	4,409	4,520	3,014	2,599
Male	25,084	50	268	298	472	2,982	3,506	2,306	1,949
Female	11,492	59	198	224	281	1,427	1,014	708	650
Black, both sexes	5,506	19	123	165	166	568	740	533	492
Male	3,900	7	67	106	113	406	547	402	369
Female	1,606	12	56	59	53	162	193	131	123
American Indian 1/, both sexes	764	10	17	16	31	116	121	69	65
Male	506	5	8	8	18	74	82	53	47
Female	258	5	9	8	13	42	39	16	18
Asian or Pacific Islander 2/, both sexes	942	6	20	15	18	115	136	94	71
Male	574	4	13	6	8	84	97	65	45
Female	368	2	7	9	10	31	39	29	26

Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)

All races, both sexes	1,405	3	28	25	55	95	103	85	92
Male	1,067	-	20	13	36	72	86	71	81
Female	338	3	8	12	19	23	17	14	11
White, both sexes	1,105	2	23	16	40	72	89	74	67
Male	850	-	17	9	25	57	75	63	61
Female	255	2	6	7	15	15	14	11	6
Black, both sexes	226	-	5	9	14	16	7	8	17
Male	168	-	3	4	11	11	6	6	13
Female	58	-	2	5	3	5	1	2	4
American Indian 1/, both sexes	39	1	-	-	1	4	4	3	6
Male	30	-	-	-	-	3	3	2	6
Female	9	1	-	-	1	1	1	1	-
Asian or Pacific Islander 2/, both sexes	35	-	-	-	-	3	3	-	2
Male	19	-	-	-	-	1	2	-	1
Female	16	-	-	-	-	2	1	-	1

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)									
All races, both sexes	2,095	4	24	26	31	90	126	158	182
Male	1,663	2	16	16	21	76	99	118	155
Female	432	2	8	10	10	14	27	40	27
White, both sexes	1,863	4	22	20	27	82	113	139	160
Male	1,473	2	14	13	18	68	86	104	137
Female	390	2	8	7	9	14	27	35	23
Black, both sexes	174	-	2	5	4	6	10	15	15
Male	146	-	2	3	3	6	10	11	12
Female	28	-	-	2	1	-	-	4	3
American Indian 1/, both sexes	29	-	-	-	-	1	1	1	3
Male	22	-	-	-	-	1	1	1	2
Female	7	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	29	-	-	1	-	1	2	3	4
Male	22	-	-	-	-	1	2	2	4
Female	7	-	-	1	-	-	-	1	-

## Nontransport accidents (W00-X59,Y86)

All races, both sexes	54,249	825	1,036	514	499	1,253	2,019	1,982	2,403
Male	33,266	473	653	339	349	1,028	1,693	1,590	1,841
Female	20,983	352	383	175	150	225	326	392	562
White, both sexes	46,420	532	798	348	334	1,000	1,753	1,650	2,024
Male	28,086	304	516	216	234	823	1,470	1,330	1,568
Female	18,334	228	282	132	100	177	283	320	456
Black, both sexes	6,556	262	209	140	141	185	210	250	308
Male	4,323	155	122	103	99	153	170	190	217
Female	2,233	107	87	37	42	32	40	60	91
American Indian 1/, both sexes	529	21	13	13	12	24	22	29	40
Male	350	9	7	12	8	17	22	24	28
Female	179	12	6	1	4	7	-	5	12
Asian or Pacific Islander 2/, both sexes	744	10	16	13	12	44	34	53	31
Male	507	5	8	8	8	35	31	46	28
Female	237	5	8	5	4	9	3	7	3

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS
Falls (W00-W19)									
All races, both sexes	15,019	23	32	33	33	88	168	160	180
Male	8,089	15	25	22	24	79	153	142	153
Female	6,930	8	7	11	9	9	15	18	27
White, both sexes	13,827	15	28	27	29	80	157	140	157
Male	7,331	10	21	20	20	71	146	126	134
Female	6,496	5	7	7	9	9	11	14	23
Black, both sexes	854	6	3	5	2	4	9	10	18
Male	547	4	3	2	2	4	5	7	14
Female	307	2	-	3	-	-	4	3	4
American Indian 1/, both sexes	86	-	-	-	1	2	1	4	-
Male	51	-	-	-	1	2	1	3	-
Female	35	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes	252	2	1	1	1	2	1	6	5
Male	160	1	1	-	1	2	1	6	5
Female	92	1	-	1	-	-	-	-	-
Accidental discharge of firearms (W32-W34)									
All races, both sexes	802	-	15	18	39	110	96	71	51
Male	690	-	12	14	35	102	91	63	40
Female	112	-	3	4	4	8	5	8	11
White, both sexes	675	-	10	14	31	79	73	55	48
Male	580	-	8	11	30	72	69	48	39
Female	95	-	2	3	1	7	4	7	9
Black, both sexes	112	-	5	2	6	26	23	14	3
Male	99	-	4	1	5	25	22	13	1
Female	13	-	1	1	1	1	1	1	2
American Indian 1/, both sexes	9	-	-	2	1	3	-	1	-
Male	6	-	-	2	-	3	-	1	-
Female	3	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	6	-	-	-	1	2	-	1	-
Male	5	-	-	-	-	2	-	1	-
Female	1	-	-	-	1	-	-	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS
Accidental drowning and submersion (W65-W74)									
All races, both sexes	3,281	68	458	168	165	322	274	212	162
Male	2,560	30	291	120	117	295	249	186	142
Female	721	38	167	48	48	27	25	26	20
White, both sexes	2,515	52	397	97	78	207	217	150	122
Male	1,936	25	257	61	54	191	193	128	104
Female	579	27	140	36	24	16	24	22	18
Black, both sexes	579	12	48	56	78	90	44	33	30
Male	478	3	28	47	56	83	44	33	29
Female	101	9	20	9	22	7	-	-	1
American Indian 1/, both sexes	52	2	6	6	3	3	2	8	5
Male	46	1	3	6	3	3	2	8	5
Female	6	1	3	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	135	2	7	9	6	22	11	21	5
Male	100	1	3	6	4	18	10	17	4
Female	35	1	4	3	2	4	1	4	1
Accidental exposure to smoke, fire and flames (X00-X09)									
All races, both sexes	3,309	50	225	164	88	76	133	114	133
Male	1,998	30	142	104	48	45	92	73	88
Female	1,311	20	83	60	40	31	41	41	45
White, both sexes	2,387	34	142	102	57	55	102	71	103
Male	1,436	19	95	62	30	33	73	52	68
Female	951	15	47	40	27	22	29	19	35
Black, both sexes	846	15	82	60	28	14	28	38	28
Male	511	10	46	40	16	8	16	17	18
Female	335	5	36	20	12	6	12	21	10
American Indian 1/, both sexes	45	1	1	1	3	4	1	3	1
Male	30	1	1	1	2	2	1	2	1
Female	15	-	-	-	1	2	-	1	-
Asian or Pacific Islander 2/, both sexes	31	-	-	1	-	3	2	2	1
Male	21	-	-	1	-	2	2	2	1
Female	10	-	-	-	-	1	-	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS
Accidental poisoning and exposure to noxious substances (X40-X49)									
All races, both sexes	14,078	15	31	18	32	406	956	1,078	1,429
Male	9,885	8	21	7	16	311	769	832	1,030
Female	4,193	7	10	11	16	95	187	246	399
White, both sexes	11,662	9	21	14	26	362	866	949	1,227
Male	8,232	5	15	6	13	286	694	731	907
Female	3,430	4	6	8	13	76	172	218	320
Black, both sexes	2,169	6	8	4	2	27	68	107	175
Male	1,490	3	5	1	1	15	54	85	108
Female	679	3	3	3	1	12	14	22	67
American Indian 1/, both sexes	149	-	1	-	3	9	9	11	20
Male	90	-	-	-	1	4	9	8	8
Female	59	-	1	-	2	5	-	3	12
Asian or Pacific Islander 2/, both sexes	98	-	1	-	1	8	13	11	7
Male	73	-	1	-	1	6	12	8	7
Female	25	-	-	-	-	2	1	3	-
Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)									
All races, both sexes	17,760	669	275	113	142	251	392	347	448
Male	10,044	390	162	72	109	196	339	294	388
Female	7,716	279	113	41	33	55	53	53	60
White, both sexes	15,354	422	200	94	113	217	338	285	367
Male	8,571	245	120	56	87	170	295	245	316
Female	6,783	177	80	38	26	47	43	40	51
Black, both sexes	1,996	223	63	13	25	24	38	48	54
Male	1,198	135	36	12	19	18	29	35	47
Female	798	88	27	1	6	6	9	13	7
American Indian 1/, both sexes	188	18	5	4	1	3	9	2	14
Male	127	7	3	3	1	3	9	2	14
Female	61	11	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	222	6	7	2	3	7	7	12	13
Male	148	3	3	1	2	5	6	12	11
Female	74	3	4	1	1	2	1	-	2

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS
Intentional self-harm (suicide) (*U03,X60-X84,Y87.0) /3									
All races, both sexes	30,622	...	...	7	272	1,611	2,360	2,389	2,681
Male	24,672	...	...	7	207	1,345	2,064	2,015	2,184
Female	5,950	...	...	-	65	266	296	374	497
White, both sexes	27,710	...	...	5	213	1,379	1,955	2,012	2,344
Male	22,328	...	...	5	163	1,156	1,704	1,699	1,905
Female	5,382	...	...	-	50	223	251	313	439
Black, both sexes	1,957	...	...	2	39	136	297	254	238
Male	1,627	...	...	2	30	116	279	223	202
Female	330	...	...	-	9	20	18	31	36
American Indian 1/, both sexes	321	...	...	-	12	52	34	40	36
Male	259	...	...	-	7	41	28	35	28
Female	62	...	...	-	5	11	6	5	8
Asian or Pacific Islander 2/, both sexes	634	...	...	-	8	44	74	83	63
Male	458	...	...	-	7	32	53	58	49
Female	176	...	...	-	1	12	21	25	14

## Intentional self-harm (suicide) by discharge of firearms (X72-X74)

All races, both sexes	16,869	...	...	-	90	838	1,292	1,263	1,301
Male	14,758	...	...	-	69	743	1,192	1,122	1,124
Female	2,111	...	...	-	21	95	100	141	177
White, both sexes	15,467	...	...	-	73	714	1,039	1,068	1,152
Male	13,521	...	...	-	58	628	953	946	990
Female	1,946	...	...	-	15	86	86	122	162
Black, both sexes	1,091	...	...	-	13	88	208	153	114
Male	971	...	...	-	10	80	200	137	105
Female	120	...	...	-	3	8	8	16	9
American Indian 1/, both sexes	132	...	...	-	2	22	18	12	17
Male	115	...	...	-	-	21	16	11	15
Female	17	...	...	-	2	1	2	1	2
Asian or Pacific Islander 2/, both sexes	179	...	...	-	2	14	27	30	18
Male	151	...	...	-	1	14	23	28	14
Female	28	...	...	-	1	-	4	2	4

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------

Intentional self-harm (suicide) by other and unspecified means and their sequelae (\*U03,X60-X71,X75-X84,Y87.0) /3

All races, both sexes	13,753	...	...	7	182	773	1,068	1,126	1,380
Male	9,914	...	...	7	138	602	872	893	1,060
Female	3,839	...	...	-	44	171	196	233	320
White, both sexes	12,243	...	...	5	140	665	916	944	1,192
Male	8,807	...	...	5	105	528	751	753	915
Female	3,436	...	...	-	35	137	165	191	277
Black, both sexes	866	...	...	2	26	48	89	101	124
Male	656	...	...	2	20	36	79	86	97
Female	210	...	...	-	6	12	10	15	27
American Indian 1/, both sexes	189	...	...	-	10	30	16	28	19
Male	144	...	...	-	7	20	12	24	13
Female	45	...	...	-	3	10	4	4	6
Asian or Pacific Islander 2/, both sexes	455	...	...	-	6	30	47	53	45
Male	307	...	...	-	6	18	30	30	35
Female	148	...	...	-	-	12	17	23	10

Assault (homicide) (\*U01-\*U02,X85-Y09,Y87.1) /3

All races, both sexes	20,308	332	415	137	189	1,899	3,398	2,817	2,387
Male	15,555	197	238	75	118	1,632	2,909	2,308	1,849
Female	4,753	135	177	62	71	267	489	509	538
White, both sexes	11,328	196	228	102	116	809	1,455	1,329	1,294
Male	8,254	118	132	52	67	652	1,159	1,032	956
Female	3,074	78	96	50	49	157	296	297	338
Black, both sexes	8,226	123	169	29	65	1,027	1,843	1,392	979
Male	6,780	70	101	20	48	928	1,672	1,211	817
Female	1,446	53	68	9	17	99	171	181	162
American Indian 1/, both sexes	211	6	12	1	3	27	32	25	29
Male	146	3	5	-	1	21	24	22	17
Female	65	3	7	1	2	6	8	3	12
Asian or Pacific Islander 2/, both sexes	543	7	6	5	5	36	68	71	85
Male	375	6	-	3	2	31	54	43	59
Female	168	1	6	2	3	5	14	28	26

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS
Assault (homicide) by discharge of firearms (*U01.4,X93-X95)									
All races, both sexes	11,348	11	55	59	121	1,525	2,675	1,940	1,368
Male	9,532	7	27	35	90	1,377	2,419	1,708	1,156
Female	1,816	4	28	24	31	148	256	232	212
White, both sexes	5,188	8	33	47	72	593	985	741	586
Male	4,042	5	17	28	50	508	843	627	456
Female	1,146	3	16	19	22	85	142	114	130
Black, both sexes	5,885	2	18	12	45	902	1,635	1,155	746
Male	5,279	1	9	7	37	842	1,531	1,050	673
Female	606	1	9	5	8	60	104	105	73
American Indian 1/, both sexes	87	1	4	-	2	12	17	13	14
Male	64	1	1	-	1	10	14	12	8
Female	23	-	3	-	1	2	3	1	6
Asian or Pacific Islander 2/, both sexes	188	-	-	-	2	18	38	31	22
Male	147	-	-	-	2	17	31	19	19
Female	41	-	-	-	-	1	7	12	3

## Assault (homicide) by other and unspecified means and their sequelae (\*U01.0-\*U01.3,\*U01.5-\*U01.9,\*U02,X85-X92,X96-Y09,Y87.1)/3

All races, both sexes	8,960	321	360	78	68	374	723	877	1,019
Male	6,023	190	211	40	28	255	490	600	693
Female	2,937	131	149	38	40	119	233	277	326
White, both sexes	6,140	188	195	55	44	216	470	588	708
Male	4,212	113	115	24	17	144	316	405	500
Female	1,928	75	80	31	27	72	154	183	208
Black, both sexes	2,341	121	151	17	20	125	208	237	233
Male	1,501	69	92	13	11	86	141	161	144
Female	840	52	59	4	9	39	67	76	89
American Indian 1/, both sexes	124	5	8	1	1	15	15	12	15
Male	82	2	4	-	-	11	10	10	9
Female	42	3	4	1	1	4	5	2	6
Asian or Pacific Islander 2/, both sexes	355	7	6	5	3	18	30	40	63
Male	228	6	-	3	-	14	23	24	40
Female	127	1	6	2	3	4	7	16	23

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS
Legal intervention (Y35,Y89.0)									
All races, both sexes	396	-	-	-	-	26	62	47	60
Male	380	-	-	-	-	25	59	46	58
Female	16	-	-	-	-	1	3	1	2
White, both sexes	292	-	-	-	-	15	45	35	43
Male	283	-	-	-	-	14	44	34	43
Female	9	-	-	-	-	1	1	1	-
Black, both sexes	84	-	-	-	-	10	16	9	12
Male	79	-	-	-	-	10	14	9	11
Female	5	-	-	-	-	-	2	-	1
American Indian 1/, both sexes	11	-	-	-	-	1	1	-	2
Male	9	-	-	-	-	1	1	-	1
Female	2	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	9	-	-	-	-	-	-	3	3
Male	9	-	-	-	-	-	-	3	3
Female	-	-	-	-	-	-	-	-	-

## Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)

All races, both sexes	4,198	83	44	17	34	132	280	311	417
Male	2,833	49	19	10	28	102	214	231	284
Female	1,365	34	25	7	6	30	66	80	133
White, both sexes	3,453	45	31	9	30	116	235	259	353
Male	2,283	28	13	4	25	89	174	190	241
Female	1,170	17	18	5	5	27	61	69	112
Black, both sexes	646	36	13	7	4	12	32	39	54
Male	480	20	6	5	3	10	28	31	36
Female	166	16	7	2	1	2	4	8	18
American Indian 1/, both sexes	43	1	-	-	-	3	4	2	5
Male	32	-	-	-	-	3	4	2	5
Female	11	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	56	1	-	1	-	1	9	11	5
Male	38	1	-	1	-	-	8	8	2
Female	18	-	-	-	-	1	1	3	3

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS
Discharge of firearms, undetermined intent (Y22-Y24)									
All races, both sexes	231	-	-	2	4	24	40	32	16
Male	190	-	-	2	4	23	36	27	15
Female	41	-	-	-	-	1	4	5	1
White, both sexes	188	-	-	-	4	17	27	26	14
Male	150	-	-	-	4	16	24	22	13
Female	38	-	-	-	-	1	3	4	1
Black, both sexes	32	-	-	2	-	7	8	4	1
Male	29	-	-	2	-	7	7	3	1
Female	3	-	-	-	-	-	1	1	-
American Indian 1/, both sexes	4	-	-	-	-	-	2	-	1
Male	4	-	-	-	-	-	2	-	1
Female	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	7	-	-	-	-	-	3	2	-
Male	7	-	-	-	-	-	3	2	-
Female	-	-	-	-	-	-	-	-	-

Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)

All races, both sexes	3,967	83	44	15	30	108	240	279	401
Male	2,643	49	19	8	24	79	178	204	269
Female	1,324	34	25	7	6	29	62	75	132
White, both sexes	3,265	45	31	9	26	99	208	233	339
Male	2,133	28	13	4	21	73	150	168	228
Female	1,132	17	18	5	5	26	58	65	111
Black, both sexes	614	36	13	5	4	5	24	35	53
Male	451	20	6	3	3	3	21	28	35
Female	163	16	7	2	1	2	3	7	18
American Indian 1/, both sexes	39	1	-	-	-	3	2	2	4
Male	28	-	-	-	-	3	2	2	4
Female	11	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	49	1	-	1	-	1	6	9	5
Male	31	1	-	1	-	-	5	6	2
Female	18	-	-	-	-	1	1	3	3



## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
All causes									
All races, both sexes	36,895	54,779	73,684	94,381	109,523	134,616	178,232	252,728	333,677
Male	23,727	34,437	46,567	58,281	65,801	79,157	102,110	139,471	171,311
Female	13,168	20,342	27,117	36,100	43,722	55,459	76,122	113,257	162,366
White, both sexes	27,238	40,899	55,634	73,065	87,807	110,046	148,608	218,520	295,048
Male	17,880	26,363	35,774	45,629	53,120	65,233	86,088	121,705	152,517
Female	9,358	14,536	19,860	27,436	34,687	44,813	62,520	96,815	142,531
Black, both sexes	8,385	12,302	15,867	18,651	18,852	21,124	25,367	29,012	32,590
Male	5,022	7,113	9,495	11,099	10,984	11,921	13,763	15,012	15,616
Female	3,363	5,189	6,372	7,552	7,868	9,203	11,604	14,000	16,974
American Indian 1/, both sexes	531	601	747	812	821	947	1,060	1,146	1,148
Male	355	367	437	503	475	529	546	619	547
Female	176	234	310	309	346	418	514	527	601
Asian or Pacific Islander 2/, both sexes	741	977	1,436	1,853	2,043	2,499	3,197	4,050	4,891
Male	470	594	861	1,050	1,222	1,474	1,713	2,135	2,631
Female	271	383	575	803	821	1,025	1,484	1,915	2,260

## Salmonella infections (A01-A02)

All races, both sexes	1	-	1	2	2	1	4	3	5
Male	1	-	1	2	2	-	3	3	3
Female	-	-	-	-	-	1	1	-	2
White, both sexes	-	-	1	2	2	1	2	2	5
Male	-	-	1	2	2	-	2	2	3
Female	-	-	-	-	-	1	-	-	2
Black, both sexes	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	2	-	-
Male	1	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	1	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Shigellosis and amebiasis (A03,A06)									
All races, both sexes	-	-	1	2	-	-	-	-	1
Male	-	-	1	2	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	1
White, both sexes	-	-	1	2	-	-	-	-	1
Male	-	-	1	2	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (A04,A07-A09)									
All races, both sexes	4	8	9	33	28	53	73	162	237
Male	4	4	4	11	14	21	32	76	107
Female	-	4	5	22	14	32	41	86	130
White, both sexes	3	7	6	31	24	42	60	151	222
Male	3	3	2	10	12	19	27	69	99
Female	-	4	4	21	12	23	33	82	123
Black, both sexes	1	1	3	2	4	9	12	11	11
Male	1	1	2	1	2	2	4	7	4
Female	-	-	1	1	2	7	8	4	7
American Indian 1/, both sexes	-	-	-	-	-	1	-	-	2
Male	-	-	-	-	-	-	-	-	2
Female	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	1	1	-	2
Male	-	-	-	-	-	-	1	-	2
Female	-	-	-	-	-	1	-	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Tuberculosis (A16-A19)									
All races, both sexes	18	22	37	47	63	53	60	92	102
Male	12	15	27	36	47	38	40	58	53
Female	6	7	10	11	16	15	20	34	49
White, both sexes	7	15	20	22	35	32	38	52	73
Male	5	11	14	16	29	22	24	29	38
Female	2	4	6	6	6	10	14	23	35
Black, both sexes	9	7	14	23	23	15	19	25	16
Male	6	4	11	19	16	11	13	17	7
Female	3	3	3	4	7	4	6	8	9
American Indian 1/, both sexes	-	-	2	-	1	1	-	2	1
Male	-	-	1	-	-	1	-	1	1
Female	-	-	1	-	1	-	-	1	-
Asian or Pacific Islander 2/, both sexes	2	-	1	2	4	5	3	13	12
Male	1	-	1	1	2	4	3	11	7
Female	1	-	-	1	2	1	-	2	5
Respiratory tuberculosis (A16)									
All races, both sexes	14	14	27	34	51	45	47	68	82
Male	9	9	20	29	41	37	31	45	46
Female	5	5	7	5	10	8	16	23	36
White, both sexes	4	10	14	16	30	27	29	40	59
Male	3	7	9	14	26	22	18	24	34
Female	1	3	5	2	4	5	11	16	25
Black, both sexes	8	4	12	17	18	13	15	17	13
Male	5	2	10	15	14	10	10	13	6
Female	3	2	2	2	4	3	5	4	7
American Indian 1/, both sexes	-	-	-	-	-	1	-	1	1
Male	-	-	-	-	-	1	-	-	1
Female	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes	2	-	1	1	3	4	3	10	9
Male	1	-	1	-	1	4	3	8	5
Female	1	-	-	1	2	-	-	2	4









## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Measles (B05)									
All races, both sexes	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
Viral hepatitis (B15-B19)									
All races, both sexes	202	595	1,101	959	586	428	407	429	375
Male	133	420	833	737	406	237	207	189	156
Female	69	175	268	222	180	191	200	240	219
White, both sexes	166	480	898	734	447	331	314	341	322
Male	111	345	691	580	319	189	170	161	143
Female	55	135	207	154	128	142	144	180	179
Black, both sexes	27	94	167	188	103	67	47	46	35
Male	15	64	115	128	65	36	18	16	9
Female	12	30	52	60	38	31	29	30	26
American Indian 1/, both sexes	4	9	10	12	1	4	5	3	2
Male	3	3	6	10	-	3	2	-	-
Female	1	6	4	2	1	1	3	3	2
Asian or Pacific Islander 2/, both sexes	5	12	26	25	35	26	41	39	16
Male	4	8	21	19	22	9	17	12	4
Female	1	4	5	6	13	17	24	27	12



## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)									
All races, both sexes	162	207	307	356	338	433	537	606	698
Male	93	134	211	215	209	240	275	290	350
Female	69	73	96	141	129	193	262	316	348
White, both sexes	111	147	237	271	262	347	447	518	615
Male	65	95	166	166	165	195	229	251	312
Female	46	52	71	105	97	152	218	267	303
Black, both sexes	42	52	62	69	63	67	66	73	56
Male	23	36	41	40	35	36	38	31	22
Female	19	16	21	29	28	31	28	42	34
American Indian 1/, both sexes	4	4	3	2	2	5	5	3	4
Male	2	1	1	1	1	1	1	1	2
Female	2	3	2	1	1	4	4	2	2
Asian or Pacific Islander 2/, both sexes	5	4	5	14	11	14	19	12	23
Male	3	2	3	8	8	8	7	7	14
Female	2	2	2	6	3	6	12	5	9
Malignant neoplasms (C00-C97)									
All races, both sexes	5,466	11,103	19,199	30,363	39,827	50,396	64,172	82,846	89,967
Male	2,331	4,966	9,377	15,694	21,390	27,854	35,900	45,799	47,951
Female	3,135	6,137	9,822	14,669	18,437	22,542	28,272	37,047	42,016
White, both sexes	4,278	8,681	15,127	24,559	33,051	42,552	54,773	72,631	80,120
Male	1,861	3,922	7,421	12,648	17,679	23,476	30,684	40,191	42,585
Female	2,417	4,759	7,706	11,911	15,372	19,076	24,089	32,440	37,535
Black, both sexes	959	2,022	3,395	4,850	5,741	6,582	7,951	8,596	8,251
Male	370	847	1,642	2,593	3,164	3,669	4,468	4,754	4,486
Female	589	1,175	1,753	2,257	2,577	2,913	3,483	3,842	3,765
American Indian 1/, both sexes	45	69	105	177	209	261	298	298	263
Male	16	37	47	88	108	136	159	169	127
Female	29	32	58	89	101	125	139	129	136
Asian or Pacific Islander 2/, both sexes	184	331	572	777	826	1,001	1,150	1,321	1,333
Male	84	160	267	365	439	573	589	685	753
Female	100	171	305	412	387	428	561	636	580

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)									
All races, both sexes	93	190	427	649	861	879	893	1,019	1,004
Male	61	141	325	521	687	685	631	696	598
Female	32	49	102	128	174	194	262	323	406
White, both sexes	55	123	296	497	664	697	720	881	900
Male	37	93	227	400	525	537	509	594	529
Female	18	30	69	97	139	160	211	287	371
Black, both sexes	24	48	106	124	173	146	142	117	82
Male	14	32	80	100	142	122	100	87	54
Female	10	16	26	24	31	24	42	30	28
American Indian 1/, both sexes	2	3	1	4	6	7	4	4	4
Male	2	2	1	3	6	6	4	4	1
Female	-	1	-	1	-	1	-	-	3
Asian or Pacific Islander 2/, both sexes	12	16	24	24	18	29	27	17	18
Male	8	14	17	18	14	20	18	11	14
Female	4	2	7	6	4	9	9	6	4
Malignant neoplasm of esophagus (C15)									
All races, both sexes	68	241	492	916	1,114	1,440	1,765	2,014	1,941
Male	52	203	417	787	940	1,197	1,436	1,553	1,423
Female	16	38	75	129	174	243	329	461	518
White, both sexes	59	191	389	718	860	1,168	1,455	1,714	1,741
Male	45	164	338	624	741	985	1,200	1,350	1,290
Female	14	27	51	94	119	183	255	364	451
Black, both sexes	9	46	92	172	225	245	274	266	177
Male	7	35	69	141	176	191	204	178	119
Female	2	11	23	31	49	54	70	88	58
American Indian 1/, both sexes	-	3	2	4	7	7	8	8	7
Male	-	3	2	3	6	4	6	7	4
Female	-	-	-	1	1	3	2	1	3
Asian or Pacific Islander 2/, both sexes	-	1	9	22	22	20	28	26	16
Male	-	1	8	19	17	17	26	18	10
Female	-	-	1	3	5	3	2	8	6

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Malignant neoplasm of stomach (C16)									
All races, both sexes	178	286	452	675	751	1,020	1,308	1,713	2,004
Male	98	155	288	443	514	724	858	1,070	1,194
Female	80	131	164	232	237	296	450	643	810
White, both sexes	112	198	321	473	565	750	964	1,350	1,595
Male	67	109	207	312	385	536	627	850	973
Female	45	89	114	161	180	214	337	500	622
Black, both sexes	49	72	90	150	130	198	251	258	294
Male	25	38	57	106	88	135	172	161	163
Female	24	34	33	44	42	63	79	97	131
American Indian 1/, both sexes	1	-	4	3	7	8	6	11	18
Male	1	-	2	2	7	6	4	6	7
Female	-	-	2	1	-	2	2	5	11
Asian or Pacific Islander 2/, both sexes	16	16	37	49	49	64	87	94	97
Male	5	8	22	23	34	47	55	53	51
Female	11	8	15	26	15	17	32	41	46

## Malignant neoplasms of colon, rectum and anus (C18-C21)

All races, both sexes	505	928	1,744	2,804	3,610	4,374	5,997	7,794	8,988
Male	290	491	967	1,545	2,116	2,536	3,479	4,294	4,568
Female	215	437	777	1,259	1,494	1,838	2,518	3,500	4,420
White, both sexes	384	707	1,324	2,211	2,906	3,609	5,004	6,722	7,831
Male	226	373	746	1,254	1,735	2,132	2,949	3,766	4,036
Female	158	334	578	957	1,171	1,477	2,055	2,956	3,795
Black, both sexes	99	187	356	495	611	651	842	894	994
Male	53	102	187	244	328	333	449	436	448
Female	46	85	169	251	283	318	393	458	546
American Indian 1/, both sexes	5	6	3	16	17	25	22	39	20
Male	3	2	2	11	10	10	14	19	6
Female	2	4	1	5	7	15	8	20	14
Asian or Pacific Islander 2/, both sexes	17	28	61	82	76	89	129	139	143
Male	8	14	32	36	43	61	67	73	78
Female	9	14	29	46	33	28	62	66	65

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Malignant neoplasms of liver and intrahepatic bile ducts (C22)									
All races, both sexes	137	264	795	1,073	1,063	1,288	1,556	1,884	2,003
Male	100	202	618	872	780	911	1,036	1,188	1,200
Female	37	62	177	201	283	377	520	696	803
White, both sexes	82	155	549	764	772	1,000	1,239	1,566	1,729
Male	56	119	427	617	561	719	851	1,009	1,037
Female	26	36	122	147	211	281	388	557	692
Black, both sexes	30	66	175	214	215	160	185	178	155
Male	23	48	133	172	162	105	110	97	85
Female	7	18	42	42	53	55	75	81	70
American Indian 1/, both sexes	2	1	9	13	9	11	15	21	9
Male	1	-	7	12	6	7	10	17	5
Female	1	1	2	1	3	4	5	4	4
Asian or Pacific Islander 2/, both sexes	23	42	62	82	67	117	117	119	110
Male	20	35	51	71	51	80	65	65	73
Female	3	7	11	11	16	37	52	54	37
Malignant neoplasm of pancreas (C25)									
All races, both sexes	167	407	833	1,577	2,111	2,757	3,525	4,633	4,987
Male	99	222	503	964	1,269	1,605	1,921	2,294	2,360
Female	68	185	330	613	842	1,152	1,604	2,339	2,627
White, both sexes	134	327	652	1,293	1,753	2,354	2,989	3,998	4,398
Male	77	182	403	801	1,081	1,385	1,647	2,008	2,118
Female	57	145	249	492	672	969	1,342	1,990	2,280
Black, both sexes	26	64	157	244	294	353	449	526	489
Male	16	31	90	140	155	188	236	234	205
Female	10	33	67	104	139	165	213	292	284
American Indian 1/, both sexes	-	3	5	6	11	4	18	14	12
Male	-	1	1	3	5	3	10	7	3
Female	-	2	4	3	6	1	8	7	9
Asian or Pacific Islander 2/, both sexes	7	13	19	34	53	46	69	95	88
Male	6	8	9	20	28	29	28	45	34
Female	1	5	10	14	25	17	41	50	54

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Malignant neoplasm of larynx (C32)									
All races, both sexes	18	68	149	270	414	499	531	639	553
Male	12	54	123	223	339	398	417	502	442
Female	6	14	26	47	75	101	114	137	111
White, both sexes	11	50	98	190	308	392	432	522	465
Male	10	40	79	155	251	316	339	412	366
Female	1	10	19	35	57	76	93	110	99
Black, both sexes	7	17	48	77	101	99	88	103	77
Male	2	13	41	65	83	78	69	78	66
Female	5	4	7	12	18	21	19	25	11
American Indian 1/, both sexes	-	1	1	1	1	2	6	4	2
Male	-	1	1	1	1	1	4	3	1
Female	-	-	-	-	-	1	2	1	1
Asian or Pacific Islander 2/, both sexes	-	-	2	2	4	6	5	10	9
Male	-	-	2	2	4	3	5	9	9
Female	-	-	-	-	-	3	-	1	-
Malignant neoplasms of trachea, bronchus and lung (C33-C34)									
All races, both sexes	640	2,156	4,255	7,786	12,595	17,182	22,850	28,375	27,723
Male	315	1,189	2,487	4,703	7,523	10,350	13,798	16,901	15,968
Female	325	967	1,768	3,083	5,072	6,832	9,052	11,474	11,755
White, both sexes	522	1,692	3,328	6,346	10,669	14,837	19,915	25,344	25,025
Male	253	912	1,907	3,753	6,261	8,834	11,917	14,992	14,290
Female	269	780	1,421	2,593	4,408	6,003	7,998	10,352	10,735
Black, both sexes	103	416	804	1,275	1,692	2,034	2,534	2,583	2,275
Male	54	247	515	854	1,113	1,321	1,648	1,642	1,420
Female	49	169	289	421	579	713	886	941	855
American Indian 1/, both sexes	1	7	24	39	51	82	90	91	82
Male	1	7	13	22	28	47	48	52	46
Female	-	-	11	17	23	35	42	39	36
Asian or Pacific Islander 2/, both sexes	14	41	99	126	183	229	311	357	341
Male	7	23	52	74	121	148	185	215	212
Female	7	18	47	52	62	81	126	142	129

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Malignant melanoma of skin (C43)									
All races, both sexes	213	409	536	672	653	680	746	943	919
Male	130	250	331	425	430	463	524	632	600
Female	83	159	205	247	223	217	222	311	319
White, both sexes	211	404	529	663	647	665	724	920	903
Male	129	247	328	421	427	456	513	622	592
Female	82	157	201	242	220	209	211	298	311
Black, both sexes	2	5	3	6	5	8	18	19	9
Male	1	3	2	1	3	1	9	8	2
Female	1	2	1	5	2	7	9	11	7
American Indian 1/, both sexes	-	-	-	1	-	3	-	-	3
Male	-	-	-	1	-	3	-	-	2
Female	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	-	-	4	2	1	4	4	4	4
Male	-	-	1	2	-	3	2	2	4
Female	-	-	3	-	1	1	2	2	-
Malignant neoplasm of breast (C50)									
All races, both sexes	960	1,863	2,790	3,803	3,843	3,789	3,972	4,743	5,130
Male	5	9	13	33	32	40	54	66	69
Female	955	1,854	2,777	3,770	3,811	3,749	3,918	4,677	5,061
White, both sexes	697	1,372	2,135	3,008	3,137	3,170	3,362	4,150	4,604
Male	4	4	10	24	27	34	46	55	59
Female	693	1,368	2,125	2,984	3,110	3,136	3,316	4,095	4,545
Black, both sexes	221	424	556	665	602	529	537	523	481
Male	-	5	3	9	4	6	7	10	9
Female	221	419	553	656	598	523	530	513	472
American Indian 1/, both sexes	9	6	15	20	14	18	12	13	3
Male	-	-	-	-	-	-	-	1	-
Female	9	6	15	20	14	18	12	12	3
Asian or Pacific Islander 2/, both sexes	33	61	84	110	90	72	61	57	42
Male	1	-	-	-	1	-	1	-	1
Female	32	61	84	110	89	72	60	57	41

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Malignant neoplasm of cervix uteri (C53)									
All races, both sexes	291	420	475	478	371	352	279	306	298
Female	291	420	475	478	371	352	279	306	298
White, both sexes	226	325	371	363	283	272	195	235	227
Female	226	325	371	363	283	272	195	235	227
Black, both sexes	54	85	80	89	65	66	73	57	56
Female	54	85	80	89	65	66	73	57	56
American Indian 1/, both sexes	5	2	9	3	5	1	1	1	1
Female	5	2	9	3	5	1	1	1	1
Asian or Pacific Islander 2/, both sexes	6	8	15	23	18	13	10	13	14
Female	6	8	15	23	18	13	10	13	14
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)									
All races, both sexes	47	92	192	374	457	648	785	999	1,075
Female	47	92	192	374	457	648	785	999	1,075
White, both sexes	33	74	150	296	380	492	595	809	911
Female	33	74	150	296	380	492	595	809	911
Black, both sexes	8	14	34	59	65	130	174	180	153
Female	8	14	34	59	65	130	174	180	153
American Indian 1/, both sexes	2	-	-	3	-	6	2	4	3
Female	2	-	-	3	-	6	2	4	3
Asian or Pacific Islander 2/, both sexes	4	4	8	16	12	20	14	6	8
Female	4	4	8	16	12	20	14	6	8

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Malignant neoplasm of ovary (C56)									
All races, both sexes	152	320	610	1,016	1,171	1,441	1,682	1,984	2,246
Female	152	320	610	1,016	1,171	1,441	1,682	1,984	2,246
White, both sexes	120	270	536	890	1,030	1,254	1,486	1,803	2,062
Female	120	270	536	890	1,030	1,254	1,486	1,803	2,062
Black, both sexes	25	41	48	88	112	141	151	154	151
Female	25	41	48	88	112	141	151	154	151
American Indian 1/, both sexes	3	1	5	6	8	8	14	6	8
Female	3	1	5	6	8	8	14	6	8
Asian or Pacific Islander 2/, both sexes	4	8	21	32	21	38	31	21	25
Female	4	8	21	32	21	38	31	21	25
Malignant neoplasm of prostate (C61)									
All races, both sexes	3	27	99	313	647	1,260	2,379	4,164	6,119
Male	3	27	99	313	647	1,260	2,379	4,164	6,119
White, both sexes	3	16	70	215	474	922	1,820	3,267	4,994
Male	3	16	70	215	474	922	1,820	3,267	4,994
Black, both sexes	-	11	28	96	167	320	532	852	1,041
Male	-	11	28	96	167	320	532	852	1,041
American Indian 1/, both sexes	-	-	-	2	3	6	11	11	20
Male	-	-	-	2	3	6	11	11	20
Asian or Pacific Islander 2/, both sexes	-	-	1	-	3	12	16	34	64
Male	-	-	1	-	3	12	16	34	64

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Malignant neoplasms of kidney and renal pelvis (C64-C65)									
All races, both sexes	74	284	498	813	1,006	1,322	1,395	1,826	1,810
Male	58	182	355	586	722	912	928	1,165	1,052
Female	16	102	143	227	284	410	467	661	758
White, both sexes	51	223	424	687	878	1,152	1,259	1,649	1,639
Male	41	151	312	495	640	786	841	1,060	947
Female	10	72	112	192	238	366	418	589	692
Black, both sexes	21	51	64	101	105	136	108	143	138
Male	15	25	40	72	67	101	67	87	84
Female	6	26	24	29	38	35	41	56	54
American Indian 1/, both sexes	1	3	4	11	9	16	12	10	9
Male	1	1	2	8	5	9	9	8	5
Female	-	2	2	3	4	7	3	2	4
Asian or Pacific Islander 2/, both sexes	1	7	6	14	14	18	16	24	24
Male	1	5	1	11	10	16	11	10	16
Female	-	2	5	3	4	2	5	14	8
Malignant neoplasm of bladder (C67)									
All races, both sexes	35	93	161	314	484	781	1,147	1,667	2,179
Male	14	56	118	233	359	597	859	1,229	1,554
Female	21	37	43	81	125	184	288	438	625
White, both sexes	30	74	133	274	426	694	1,039	1,534	2,012
Male	13	44	103	205	323	546	798	1,148	1,462
Female	17	30	30	69	103	148	241	386	550
Black, both sexes	4	19	21	35	48	77	93	105	143
Male	1	12	10	26	27	45	50	61	74
Female	3	7	11	9	21	32	43	44	69
American Indian 1/, both sexes	-	-	2	2	2	2	4	4	1
Male	-	-	2	-	1	1	2	2	1
Female	-	-	-	2	1	1	2	2	-
Asian or Pacific Islander 2/, both sexes	1	-	5	3	8	8	11	24	23
Male	-	-	3	2	8	5	9	18	17
Female	1	-	2	1	-	3	2	6	6

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)									
All races, both sexes	399	629	830	1,121	1,174	1,290	1,354	1,469	1,506
Male	245	393	500	673	734	736	763	826	777
Female	154	236	330	448	440	554	591	643	729
White, both sexes	374	568	753	1,030	1,073	1,197	1,250	1,378	1,433
Male	232	357	461	620	676	679	717	783	734
Female	142	211	292	410	397	518	533	595	699
Black, both sexes	18	45	64	69	76	72	83	70	54
Male	8	25	34	41	44	45	36	34	27
Female	10	20	30	28	32	27	47	36	27
American Indian 1/, both sexes	5	2	2	7	5	3	5	3	3
Male	4	2	-	1	3	2	3	1	3
Female	1	-	2	6	2	1	2	2	-
Asian or Pacific Islander 2/, both sexes	2	14	11	15	20	18	16	18	16
Male	1	9	5	11	11	10	7	8	13
Female	1	5	6	4	9	8	9	10	3

## Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

All races, both sexes	768	1,089	1,674	2,390	3,224	4,231	5,602	8,057	9,580
Male	464	669	1,002	1,440	1,900	2,512	3,316	4,543	5,065
Female	304	420	672	950	1,324	1,719	2,286	3,514	4,515
White, both sexes	612	858	1,364	1,980	2,704	3,614	4,856	7,252	8,751
Male	360	532	833	1,209	1,607	2,163	2,910	4,130	4,672
Female	252	326	531	771	1,097	1,451	1,946	3,122	4,079
Black, both sexes	133	190	257	332	429	501	628	674	672
Male	90	110	136	194	240	280	346	339	304
Female	43	80	121	138	189	221	282	335	368
American Indian 1/, both sexes	5	13	7	17	21	25	34	21	19
Male	-	9	5	8	11	15	17	11	7
Female	5	4	2	9	10	10	17	10	12
Asian or Pacific Islander 2/, both sexes	18	28	46	61	70	91	84	110	138
Male	14	18	28	29	42	54	43	63	82
Female	4	10	18	32	28	37	41	47	56

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Hodgkin's disease (C81)									
All races, both sexes	81	80	91	91	61	82	103	108	151
Male	50	51	54	56	40	45	65	64	75
Female	31	29	37	35	21	37	38	44	76
White, both sexes	69	69	77	84	52	72	99	101	138
Male	41	44	46	51	35	39	63	61	70
Female	28	25	31	33	17	33	36	40	68
Black, both sexes	11	10	12	5	9	9	4	7	9
Male	8	7	7	4	5	5	2	3	3
Female	3	3	5	1	4	4	2	4	6
American Indian 1/, both sexes	-	1	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	2	1	-	1	-	-	4
Male	1	-	1	1	-	1	-	-	2
Female	-	-	1	-	-	-	-	-	2
Non-Hodgkin's lymphoma (C82-C85)									
All races, both sexes	301	455	711	1,021	1,367	1,731	2,193	3,165	3,776
Male	195	305	450	663	817	1,008	1,286	1,739	1,873
Female	106	150	261	358	550	723	907	1,426	1,903
White, both sexes	234	367	584	877	1,188	1,544	1,967	2,936	3,554
Male	149	247	377	570	710	899	1,166	1,615	1,766
Female	85	120	207	307	478	645	801	1,321	1,788
Black, both sexes	59	70	105	119	139	137	177	174	148
Male	42	46	58	80	78	76	97	94	66
Female	17	24	47	39	61	61	80	80	82
American Indian 1/, both sexes	3	7	3	6	6	11	18	6	11
Male	-	5	3	2	4	7	9	4	5
Female	3	2	-	4	2	4	9	2	6
Asian or Pacific Islander 2/, both sexes	5	11	19	19	34	39	31	49	63
Male	4	7	12	11	25	26	14	26	36
Female	1	4	7	8	9	13	17	23	27

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Leukemia (C91-C95)									
All races, both sexes	346	433	630	845	1,073	1,462	1,963	2,923	3,541
Male	196	236	346	467	632	920	1,216	1,746	2,023
Female	150	197	284	378	441	542	747	1,177	1,518
White, both sexes	279	349	531	696	928	1,282	1,719	2,667	3,255
Male	155	187	299	392	555	812	1,070	1,611	1,879
Female	124	162	232	304	373	470	649	1,056	1,376
Black, both sexes	53	66	75	112	112	137	207	208	238
Male	32	36	32	61	63	84	127	108	111
Female	21	30	43	51	49	53	80	100	127
American Indian 1/, both sexes	2	3	2	6	10	8	8	7	1
Male	-	3	2	3	5	5	3	4	-
Female	2	-	-	3	5	3	5	3	1
Asian or Pacific Islander 2/, both sexes	12	15	22	31	23	35	29	41	47
Male	9	10	13	11	9	19	16	23	33
Female	3	5	9	20	14	16	13	18	14
Multiple myeloma and immunoproliferative neoplasms (C88,C90)									
All races, both sexes	39	118	241	430	721	950	1,332	1,849	2,101
Male	22	75	151	252	410	535	741	984	1,089
Female	17	43	90	178	311	415	591	865	1,012
White, both sexes	30	70	171	320	536	711	1,061	1,537	1,795
Male	15	52	110	194	307	409	604	833	953
Female	15	18	61	126	229	302	457	704	842
Black, both sexes	9	44	65	96	167	217	239	284	276
Male	7	21	39	49	93	115	119	134	123
Female	2	23	26	47	74	102	120	150	153
American Indian 1/, both sexes	-	2	2	4	5	6	8	8	6
Male	-	1	-	3	2	3	5	3	2
Female	-	1	2	1	3	3	3	5	4
Asian or Pacific Islander 2/, both sexes	-	2	3	10	13	16	24	20	24
Male	-	1	2	6	8	8	13	14	11
Female	-	1	1	4	5	8	11	6	13

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)									
All races, both sexes	1	3	1	3	2	6	11	12	11
Male	1	2	1	2	1	4	8	10	5
Female	-	1	-	1	1	2	3	2	6
White, both sexes	-	3	1	3	-	5	10	11	9
Male	-	2	1	2	-	4	7	10	4
Female	-	1	-	1	-	1	3	1	5
Black, both sexes	1	-	-	-	2	1	1	1	1
Male	1	-	-	-	1	-	1	-	1
Female	-	-	-	-	1	1	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-

All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)

All races, both sexes	718	1,337	2,187	3,319	4,278	5,163	6,406	8,617	9,902
Male	385	723	1,231	1,933	2,398	2,928	3,501	4,676	4,962
Female	333	614	956	1,386	1,880	2,235	2,905	3,941	4,940
White, both sexes	562	1,054	1,705	2,661	3,522	4,313	5,469	7,537	8,900
Male	308	579	970	1,543	1,965	2,446	3,000	4,145	4,486
Female	254	475	735	1,118	1,557	1,867	2,469	3,392	4,414
Black, both sexes	126	221	412	559	626	716	789	894	810
Male	61	110	217	332	365	398	433	450	385
Female	65	111	195	227	261	318	356	444	425
American Indian 1/, both sexes	4	18	12	19	33	27	34	33	39
Male	3	9	9	11	16	16	17	20	16
Female	1	9	3	8	17	11	17	13	23
Asian or Pacific Islander 2/, both sexes	26	44	58	80	97	107	114	153	153
Male	13	25	35	47	52	68	51	61	75
Female	13	19	23	33	45	39	63	92	78

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

## In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)

All races, both sexes	156	210	304	415	553	700	1,000	1,574	2,192
Male	79	114	173	218	279	394	563	876	1,199
Female	77	96	131	197	274	306	437	698	993
White, both sexes	124	166	257	353	476	599	884	1,404	2,017
Male	64	95	149	193	243	340	506	798	1,111
Female	60	71	108	160	233	259	378	606	906
Black, both sexes	26	35	35	55	64	85	101	138	141
Male	13	17	16	22	29	45	51	68	68
Female	13	18	19	33	35	40	50	70	73
American Indian 1/, both sexes	2	4	2	1	2	1	4	12	10
Male	1	1	2	1	1	1	3	4	4
Female	1	3	-	-	1	-	1	8	6
Asian or Pacific Islander 2/, both sexes	4	5	10	6	11	15	11	20	24
Male	1	1	6	2	6	8	3	6	16
Female	3	4	4	4	5	7	8	14	8

## Anemias (D50-D64)

All races, both sexes	83	132	112	120	119	130	186	306	525
Male	42	49	57	58	53	58	91	146	220
Female	41	83	55	62	66	72	95	160	305
White, both sexes	16	37	31	61	69	99	146	247	446
Male	9	12	12	28	31	44	74	113	193
Female	7	25	19	33	38	55	72	134	253
Black, both sexes	62	92	79	58	46	29	36	55	72
Male	30	36	45	30	21	14	15	31	26
Female	32	56	34	28	25	15	21	24	46
American Indian 1/, both sexes	1	3	1	-	1	-	-	1	4
Male	1	1	-	-	1	-	-	1	1
Female	-	2	1	-	-	-	-	-	3
Asian or Pacific Islander 2/, both sexes	4	-	1	1	3	2	4	3	3
Male	2	-	-	-	-	-	2	1	-
Female	2	-	1	1	3	2	2	2	3

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Diabetes mellitus (E10-E14)									
All races, both sexes	735	1,223	2,063	3,280	4,188	5,382	7,195	9,536	11,546
Male	436	745	1,234	1,920	2,362	2,879	3,734	4,703	5,244
Female	299	478	829	1,360	1,826	2,503	3,461	4,833	6,302
White, both sexes	511	888	1,474	2,368	3,066	4,027	5,501	7,584	9,488
Male	302	574	898	1,428	1,801	2,230	2,986	3,931	4,452
Female	209	314	576	940	1,265	1,797	2,515	3,653	5,036
Black, both sexes	203	308	517	807	988	1,166	1,460	1,685	1,757
Male	120	158	292	421	490	553	638	658	663
Female	83	150	225	386	498	613	822	1,027	1,094
American Indian 1/, both sexes	7	11	40	50	62	80	76	95	90
Male	5	2	21	30	28	37	33	35	41
Female	2	9	19	20	34	43	43	60	49
Asian or Pacific Islander 2/, both sexes	14	16	32	55	72	109	158	172	211
Male	9	11	23	41	43	59	77	79	88
Female	5	5	9	14	29	50	81	93	123

## Nutritional deficiencies (E40-E64)

All races, both sexes	16	28	48	62	64	89	131	243	439
Male	8	13	27	29	35	46	63	111	172
Female	8	15	21	33	29	43	68	132	267
White, both sexes	11	18	34	39	45	72	98	205	365
Male	5	7	14	14	22	33	43	90	145
Female	6	11	20	25	23	39	55	115	220
Black, both sexes	5	10	12	21	17	13	28	33	62
Male	3	6	11	14	12	10	18	20	25
Female	2	4	1	7	5	3	10	13	37
American Indian 1/, both sexes	-	-	-	2	1	2	3	3	3
Male	-	-	-	1	-	2	1	1	-
Female	-	-	-	1	1	-	2	2	3
Asian or Pacific Islander 2/, both sexes	-	-	2	-	1	2	2	2	9
Male	-	-	2	-	1	1	1	-	2
Female	-	-	-	-	-	1	1	2	7



## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Meningitis (G00,G03)									
All races, both sexes	31	38	55	50	58	55	46	48	46
Male	23	19	30	30	30	31	24	27	26
Female	8	19	25	20	28	24	22	21	20
White, both sexes	15	25	37	35	40	44	35	43	40
Male	10	14	20	21	21	24	17	24	21
Female	5	11	17	14	19	20	18	19	19
Black, both sexes	13	13	18	13	16	9	9	5	5
Male	12	5	10	8	8	6	6	3	4
Female	1	8	8	5	8	3	3	2	1
American Indian 1/, both sexes	-	-	-	2	1	-	2	-	-
Male	-	-	-	1	1	-	1	-	-
Female	-	-	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	1	2	-	-	1
Male	1	-	-	-	-	1	-	-	1
Female	2	-	-	-	1	1	-	-	-
Parkinson's disease (G20-G21)									
All races, both sexes	3	12	13	32	100	201	554	1,593	3,446
Male	1	10	8	25	69	145	362	1,032	2,104
Female	2	2	5	7	31	56	192	561	1,342
White, both sexes	2	9	10	30	90	180	513	1,498	3,288
Male	-	8	7	23	62	135	339	972	2,019
Female	2	1	3	7	28	45	174	526	1,269
Black, both sexes	1	3	3	2	5	15	25	66	109
Male	1	2	1	2	4	9	15	44	55
Female	-	1	2	-	1	6	10	22	54
American Indian 1/, both sexes	-	-	-	-	-	3	5	5	10
Male	-	-	-	-	-	-	2	4	7
Female	-	-	-	-	-	3	3	1	3
Asian or Pacific Islander 2/, both sexes	-	-	-	-	5	3	11	24	39
Male	-	-	-	-	3	1	6	12	23
Female	-	-	-	-	2	2	5	12	16

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Alzheimer's disease (G30)									
All races, both sexes	1	2	17	56	165	364	858	2,564	6,568
Male	1	2	11	27	61	167	397	1,075	2,616
Female	-	-	6	29	104	197	461	1,489	3,952
White, both sexes	1	2	13	54	158	341	767	2,369	6,032
Male	1	2	9	25	56	154	353	996	2,423
Female	-	-	4	29	102	187	414	1,373	3,609
Black, both sexes	-	-	3	2	6	21	81	173	500
Male	-	-	1	2	5	13	39	72	182
Female	-	-	2	-	1	8	42	101	318
American Indian 1/, both sexes	-	-	1	-	-	1	3	7	8
Male	-	-	1	-	-	-	2	2	3
Female	-	-	-	-	-	1	1	5	5
Asian or Pacific Islander 2/, both sexes	-	-	-	-	1	1	7	15	28
Male	-	-	-	-	-	-	3	5	8
Female	-	-	-	-	1	1	4	10	20
Major cardiovascular diseases (I00-I78)									
All races, both sexes	5,568	11,118	17,768	26,682	33,335	42,889	59,066	89,343	130,631
Male	3,672	7,508	12,418	18,442	22,489	27,831	36,221	51,535	67,972
Female	1,896	3,610	5,350	8,240	10,846	15,058	22,845	37,808	62,659
White, both sexes	3,858	7,770	12,789	19,791	25,782	33,849	47,754	75,867	114,196
Male	2,622	5,535	9,346	14,225	17,886	22,557	30,079	44,549	60,332
Female	1,236	2,235	3,443	5,566	7,896	11,292	17,675	31,318	53,864
Black, both sexes	1,509	3,034	4,482	6,171	6,683	7,970	9,795	11,509	13,950
Male	905	1,750	2,713	3,748	4,013	4,594	5,284	5,906	6,336
Female	604	1,284	1,769	2,423	2,670	3,376	4,511	5,603	7,614
American Indian 1/, both sexes	63	99	151	179	230	261	349	391	392
Male	39	64	103	117	154	171	192	228	191
Female	24	35	48	62	76	90	157	163	201
Asian or Pacific Islander 2/, both sexes	138	215	346	541	640	809	1,168	1,576	2,093
Male	106	159	256	352	436	509	666	852	1,113
Female	32	56	90	189	204	300	502	724	980

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Diseases of heart (I00-I09,I11,I13,I20-I51)									
All races, both sexes	4,419	8,907	14,390	22,009	27,564	34,922	47,131	69,168	98,099
Male	3,038	6,308	10,491	15,789	19,200	23,319	29,643	40,994	52,960
Female	1,381	2,599	3,899	6,220	8,364	11,603	17,488	28,174	45,139
White, both sexes	3,112	6,398	10,646	16,826	21,672	28,047	38,550	59,214	86,105
Male	2,216	4,765	8,100	12,520	15,516	19,208	24,899	35,716	47,230
Female	896	1,633	2,546	4,306	6,156	8,839	13,651	23,498	38,875
Black, both sexes	1,168	2,283	3,380	4,664	5,245	6,103	7,500	8,620	10,252
Male	719	1,373	2,109	2,907	3,216	3,594	4,092	4,512	4,767
Female	449	910	1,271	1,757	2,029	2,509	3,408	4,108	5,485
American Indian 1/, both sexes	49	76	120	150	197	219	260	294	289
Male	33	52	92	99	138	149	152	180	158
Female	16	24	28	51	59	70	108	114	131
Asian or Pacific Islander 2/, both sexes	90	150	244	369	450	553	821	1,040	1,453
Male	70	118	190	263	330	368	500	586	805
Female	20	32	54	106	120	185	321	454	648

## Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)

All races, both sexes	45	85	107	125	168	193	307	437	599
Male	18	36	46	41	73	62	106	125	182
Female	27	49	61	84	95	131	201	312	417
White, both sexes	28	57	70	87	127	166	261	388	558
Male	12	28	32	32	61	54	88	114	172
Female	16	29	38	55	66	112	173	274	386
Black, both sexes	15	26	27	33	31	22	31	38	28
Male	6	7	11	9	10	7	11	6	5
Female	9	19	16	24	21	15	20	32	23
American Indian 1/, both sexes	-	1	3	1	2	2	4	3	2
Male	-	1	2	-	-	1	1	2	2
Female	-	-	1	1	2	1	3	1	-
Asian or Pacific Islander 2/, both sexes	2	1	7	4	8	3	11	8	11
Male	-	-	1	-	2	-	6	3	3
Female	2	1	6	4	6	3	5	5	8

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Hypertensive heart disease (I11)									
All races, both sexes	352	739	1,050	1,414	1,380	1,389	1,557	2,062	2,719
Male	234	506	715	931	879	870	906	1,055	1,188
Female	118	233	335	483	501	519	651	1,007	1,531
White, both sexes	197	389	572	810	843	870	999	1,435	2,051
Male	149	292	412	574	571	573	613	760	905
Female	48	97	160	236	272	297	386	675	1,146
Black, both sexes	149	330	459	571	506	487	517	578	605
Male	81	199	287	338	288	275	274	272	252
Female	68	131	172	233	218	212	243	306	353
American Indian 1/, both sexes	1	5	2	6	6	4	7	3	10
Male	1	2	2	3	3	3	5	2	4
Female	-	3	-	3	3	1	2	1	6
Asian or Pacific Islander 2/, both sexes	5	15	17	27	25	28	34	46	53
Male	3	13	14	16	17	19	14	21	27
Female	2	2	3	11	8	9	20	25	26
Hypertensive heart and renal disease (I13)									
All races, both sexes	40	59	64	82	109	138	169	248	374
Male	20	43	46	53	61	65	94	112	158
Female	20	16	18	29	48	73	75	136	216
White, both sexes	7	18	17	35	45	71	87	152	258
Male	3	14	11	21	24	32	50	68	114
Female	4	4	6	14	21	39	37	84	144
Black, both sexes	29	39	46	47	62	64	78	88	106
Male	15	28	34	32	36	31	42	40	39
Female	14	11	12	15	26	33	36	48	67
American Indian 1/, both sexes	2	-	-	-	-	2	-	-	1
Male	2	-	-	-	-	2	-	-	-
Female	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	2	2	1	-	2	1	4	8	9
Male	-	1	1	-	1	-	2	4	5
Female	2	1	-	-	1	1	2	4	4

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Ischemic heart diseases (I20-I25)									
All races, both sexes	2,212	5,322	9,461	15,612	20,270	26,304	35,502	51,961	73,082
Male	1,667	4,045	7,323	11,818	14,794	18,212	23,181	31,891	40,894
Female	545	1,277	2,138	3,794	5,476	8,092	12,321	20,070	32,188
White, both sexes	1,714	4,128	7,426	12,441	16,436	21,493	29,456	44,934	64,552
Male	1,316	3,244	5,958	9,682	12,284	15,253	19,729	28,066	36,733
Female	398	884	1,468	2,759	4,152	6,240	9,727	16,868	27,819
Black, both sexes	437	1,049	1,787	2,789	3,349	4,203	5,210	6,025	7,193
Male	298	685	1,165	1,847	2,133	2,536	2,927	3,247	3,406
Female	139	364	622	942	1,216	1,667	2,283	2,778	3,787
American Indian 1/, both sexes	18	46	77	119	149	175	204	224	207
Male	12	34	58	82	111	122	121	138	112
Female	6	12	19	37	38	53	83	86	95
Asian or Pacific Islander 2/, both sexes	43	99	171	263	336	433	632	778	1,130
Male	41	82	142	207	266	301	404	440	643
Female	2	17	29	56	70	132	228	338	487
Acute myocardial infarction (I21-I22)									
All races, both sexes	924	2,252	4,097	6,720	8,704	11,126	14,690	20,690	27,766
Male	691	1,693	3,146	5,012	6,271	7,587	9,446	12,517	15,151
Female	233	559	951	1,708	2,433	3,539	5,244	8,173	12,615
White, both sexes	730	1,783	3,321	5,484	7,257	9,369	12,411	18,058	24,674
Male	556	1,395	2,654	4,225	5,373	6,564	8,205	11,150	13,690
Female	174	388	667	1,259	1,884	2,805	4,206	6,908	10,984
Black, both sexes	169	410	684	1,068	1,265	1,518	1,955	2,261	2,604
Male	110	250	416	658	768	858	1,042	1,148	1,181
Female	59	160	268	410	497	660	913	1,113	1,423
American Indian 1/, both sexes	9	21	30	57	53	72	76	86	69
Male	9	17	24	41	40	49	44	52	38
Female	-	4	6	16	13	23	32	34	31
Asian or Pacific Islander 2/, both sexes	16	38	62	111	129	167	248	285	419
Male	16	31	52	88	90	116	155	167	242
Female	-	7	10	23	39	51	93	118	177

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Other acute ischemic heart diseases (I24)									
All races, both sexes	32	62	120	187	200	263	281	364	397
Male	18	47	89	141	134	186	180	213	206
Female	14	15	31	46	66	77	101	151	191
White, both sexes	23	40	89	137	154	201	219	312	345
Male	14	32	69	103	107	143	135	187	179
Female	9	8	20	34	47	58	84	125	166
Black, both sexes	8	21	27	42	40	58	49	46	40
Male	4	15	17	33	22	40	36	23	24
Female	4	6	10	9	18	18	13	23	16
American Indian 1/, both sexes	1	-	3	7	5	2	9	5	6
Male	-	-	2	5	5	1	7	3	3
Female	1	-	1	2	-	1	2	2	3
Asian or Pacific Islander 2/, both sexes	-	1	1	1	1	2	4	1	6
Male	-	-	1	-	-	2	2	-	-
Female	-	1	-	1	1	-	2	1	6
Other forms of chronic ischemic heart disease (I20,I25)									
All races, both sexes	1,256	3,008	5,244	8,705	11,366	14,915	20,531	30,907	44,919
Male	958	2,305	4,088	6,665	8,389	10,439	13,555	19,161	25,537
Female	298	703	1,156	2,040	2,977	4,476	6,976	11,746	19,382
White, both sexes	961	2,305	4,016	6,820	9,025	11,923	16,826	26,564	39,533
Male	746	1,817	3,235	5,354	6,804	8,546	11,389	16,729	22,864
Female	215	488	781	1,466	2,221	3,377	5,437	9,835	16,669
Black, both sexes	260	618	1,076	1,679	2,044	2,627	3,206	3,718	4,549
Male	184	420	732	1,156	1,343	1,638	1,849	2,076	2,201
Female	76	198	344	523	701	989	1,357	1,642	2,348
American Indian 1/, both sexes	8	25	44	55	91	101	119	133	132
Male	3	17	32	36	66	72	70	83	71
Female	5	8	12	19	25	29	49	50	61
Asian or Pacific Islander 2/, both sexes	27	60	108	151	206	264	380	492	705
Male	25	51	89	119	176	183	247	273	401
Female	2	9	19	32	30	81	133	219	304

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Atherosclerotic cardiovascular disease, so described (I25.0)									
All races, both sexes	402	1,055	1,838	3,209	3,924	4,514	5,272	6,733	9,041
Male	315	815	1,488	2,549	2,978	3,267	3,483	4,185	4,897
Female	87	240	350	660	946	1,247	1,789	2,548	4,144
White, both sexes	304	785	1,370	2,413	2,897	3,335	3,941	5,375	7,447
Male	244	620	1,145	1,968	2,270	2,466	2,665	3,379	4,090
Female	60	165	225	445	627	869	1,276	1,996	3,357
Black, both sexes	89	236	413	717	911	1,054	1,186	1,208	1,405
Male	64	167	294	517	620	708	722	716	711
Female	25	69	119	200	291	346	464	492	694
American Indian 1/, both sexes	3	11	15	29	31	46	45	38	37
Male	1	8	10	22	18	37	26	24	17
Female	2	3	5	7	13	9	19	14	20
Asian or Pacific Islander 2/, both sexes	6	23	40	50	85	79	100	112	152
Male	6	20	39	42	70	56	70	66	79
Female	-	3	1	8	15	23	30	46	73

## All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

All races, both sexes	854	1,953	3,406	5,496	7,442	10,401	15,259	24,174	35,878
Male	643	1,490	2,600	4,116	5,411	7,172	10,072	14,976	20,640
Female	211	463	806	1,380	2,031	3,229	5,187	9,198	15,238
White, both sexes	657	1,520	2,646	4,407	6,128	8,588	12,885	21,189	32,086
Male	502	1,197	2,090	3,386	4,534	6,080	8,724	13,350	18,774
Female	155	323	556	1,021	1,594	2,508	4,161	7,839	13,312
Black, both sexes	171	382	663	962	1,133	1,573	2,020	2,510	3,144
Male	120	253	438	639	723	930	1,127	1,360	1,490
Female	51	129	225	323	410	643	893	1,150	1,654
American Indian 1/, both sexes	5	14	29	26	60	55	74	95	95
Male	2	9	22	14	48	35	44	59	54
Female	3	5	7	12	12	20	30	36	41
Asian or Pacific Islander 2/, both sexes	21	37	68	101	121	185	280	380	553
Male	19	31	50	77	106	127	177	207	322
Female	2	6	18	24	15	58	103	173	231

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Other heart diseases (I26-I51)									
All races, both sexes	1,770	2,702	3,708	4,776	5,637	6,898	9,596	14,460	21,325
Male	1,099	1,678	2,361	2,946	3,393	4,110	5,356	7,811	10,538
Female	671	1,024	1,347	1,830	2,244	2,788	4,240	6,649	10,787
White, both sexes	1,166	1,806	2,561	3,453	4,221	5,447	7,747	12,305	18,686
Male	736	1,187	1,687	2,211	2,576	3,296	4,419	6,708	9,306
Female	430	619	874	1,242	1,645	2,151	3,328	5,597	9,380
Black, both sexes	538	839	1,061	1,224	1,297	1,327	1,664	1,891	2,320
Male	319	454	612	681	749	745	838	947	1,065
Female	219	385	449	543	548	582	826	944	1,255
American Indian 1/, both sexes	28	24	38	24	40	36	45	64	69
Male	18	15	30	14	24	21	25	38	40
Female	10	9	8	10	16	15	20	26	29
Asian or Pacific Islander 2/, both sexes	38	33	48	75	79	88	140	200	250
Male	26	22	32	40	44	48	74	118	127
Female	12	11	16	35	35	40	66	82	123
Acute and subacute endocarditis (I33)									
All races, both sexes	46	71	93	93	72	88	102	145	162
Male	25	37	68	61	39	56	49	83	94
Female	21	34	25	32	33	32	53	62	68
White, both sexes	30	44	64	61	53	64	74	117	134
Male	16	25	45	42	28	42	35	63	82
Female	14	19	19	19	25	22	39	54	52
Black, both sexes	15	26	27	30	19	22	21	22	27
Male	8	12	21	18	11	13	10	16	12
Female	7	14	6	12	8	9	11	6	15
American Indian 1/, both sexes	-	-	2	1	-	-	2	-	-
Male	-	-	2	-	-	-	2	-	-
Female	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	1	-	1	-	2	5	6	1
Male	1	-	-	1	-	1	2	4	-
Female	-	1	-	-	-	1	3	2	1

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Diseases of pericardium and acute myocarditis (I30-I31,I40)									
All races, both sexes	43	50	57	54	54	52	47	73	87
Male	24	17	30	29	28	33	28	31	39
Female	19	33	27	25	26	19	19	42	48
White, both sexes	28	32	43	38	42	43	36	68	80
Male	15	14	21	21	22	26	20	31	35
Female	13	18	22	17	20	17	16	37	45
Black, both sexes	10	15	14	16	11	8	9	4	6
Male	5	3	9	8	5	6	8	-	3
Female	5	12	5	8	6	2	1	4	3
American Indian 1/, both sexes	2	1	-	-	1	-	-	-	-
Male	2	-	-	-	1	-	-	-	-
Female	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	2	-	-	-	1	2	1	1
Male	2	-	-	-	-	1	-	-	1
Female	1	2	-	-	-	-	2	1	-
Heart failure (I50)									
All races, both sexes	115	192	353	601	926	1,448	2,270	4,004	6,879
Male	76	106	227	361	556	791	1,235	2,109	3,300
Female	39	86	126	240	370	657	1,035	1,895	3,579
White, both sexes	76	112	237	418	693	1,149	1,849	3,428	6,108
Male	49	69	166	259	429	647	1,021	1,828	2,961
Female	27	43	71	159	264	502	828	1,600	3,147
Black, both sexes	35	77	111	174	223	275	382	528	697
Male	26	35	57	96	121	130	195	256	303
Female	9	42	54	78	102	145	187	272	394
American Indian 1/, both sexes	2	1	3	5	5	7	13	20	22
Male	-	-	3	4	4	4	6	11	13
Female	2	1	-	1	1	3	7	9	9
Asian or Pacific Islander 2/, both sexes	2	2	2	4	5	17	26	28	52
Male	1	2	1	2	2	10	13	14	23
Female	1	-	1	2	3	7	13	14	29

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)									
All races, both sexes	1,566	2,389	3,205	4,028	4,585	5,310	7,177	10,238	14,197
Male	974	1,518	2,036	2,495	2,770	3,230	4,044	5,588	7,105
Female	592	871	1,169	1,533	1,815	2,080	3,133	4,650	7,092
White, both sexes	1,032	1,618	2,217	2,936	3,433	4,191	5,788	8,692	12,364
Male	656	1,079	1,455	1,889	2,097	2,581	3,343	4,786	6,228
Female	376	539	762	1,047	1,336	1,610	2,445	3,906	6,136
Black, both sexes	478	721	909	1,004	1,044	1,022	1,252	1,337	1,590
Male	280	404	525	559	612	596	625	675	747
Female	198	317	384	445	432	426	627	662	843
American Indian 1/, both sexes	24	22	33	18	34	29	30	44	47
Male	16	15	25	10	19	17	17	27	27
Female	8	7	8	8	15	12	13	17	20
Asian or Pacific Islander 2/, both sexes	32	28	46	70	74	68	107	165	196
Male	22	20	31	37	42	36	59	100	103
Female	10	8	15	33	32	32	48	65	93

## Essential (primary) hypertension and hypertensive renal disease (I10,I12)

All races, both sexes	101	230	385	546	630	832	1,167	1,665	2,638
Male	59	147	239	330	354	430	603	776	1,100
Female	42	83	146	216	276	402	564	889	1,538
White, both sexes	45	95	183	280	356	507	753	1,186	2,049
Male	27	66	119	172	206	270	395	567	864
Female	18	29	64	108	150	237	358	619	1,185
Black, both sexes	53	126	191	252	256	302	374	418	517
Male	30	74	115	151	139	149	192	184	205
Female	23	52	76	101	117	153	182	234	312
American Indian 1/, both sexes	2	3	1	1	2	4	6	10	7
Male	1	2	-	1	1	2	2	6	2
Female	1	1	1	-	1	2	4	4	5
Asian or Pacific Islander 2/, both sexes	1	6	10	13	16	19	34	51	65
Male	1	5	5	6	8	9	14	19	29
Female	-	1	5	7	8	10	20	32	36

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Cerebrovascular diseases (I60-I69)									
All races, both sexes	840	1,651	2,507	3,403	4,093	5,515	8,170	14,428	23,772
Male	435	832	1,354	1,851	2,251	3,026	4,345	7,304	10,671
Female	405	819	1,153	1,552	1,842	2,489	3,825	7,124	13,101
White, both sexes	553	1,052	1,597	2,139	2,907	3,967	6,188	11,859	20,546
Male	281	553	876	1,179	1,594	2,196	3,337	6,056	9,291
Female	272	499	721	960	1,313	1,771	2,851	5,803	11,255
Black, both sexes	236	529	802	1,104	1,002	1,308	1,651	2,063	2,650
Male	121	240	418	590	560	705	860	999	1,129
Female	115	289	384	514	442	603	791	1,064	1,521
American Indian 1/, both sexes	11	19	27	23	26	28	67	74	82
Male	4	9	9	13	11	12	29	35	25
Female	7	10	18	10	15	16	38	39	57
Asian or Pacific Islander 2/, both sexes	40	51	81	137	158	212	264	432	494
Male	29	30	51	69	86	113	119	214	226
Female	11	21	30	68	72	99	145	218	268
Atherosclerosis (I70)									
All races, both sexes	14	26	65	121	198	275	471	864	1,624
Male	8	18	43	75	118	168	273	470	765
Female	6	8	22	46	80	107	198	394	859
White, both sexes	11	22	54	97	166	216	406	760	1,475
Male	5	16	35	59	101	136	237	418	692
Female	6	6	19	38	65	80	169	342	783
Black, both sexes	2	4	11	20	28	56	58	90	132
Male	2	2	8	13	14	29	30	45	65
Female	-	2	3	7	14	27	28	45	67
American Indian 1/, both sexes	-	-	-	2	3	1	2	6	4
Male	-	-	-	2	2	1	2	3	1
Female	-	-	-	-	1	-	-	3	3
Asian or Pacific Islander 2/, both sexes	1	-	-	2	1	2	5	8	13
Male	1	-	-	1	1	2	4	4	7
Female	-	-	-	1	-	-	1	4	6

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Other diseases of circulatory system (I71-I78)									
All races, both sexes	194	304	421	603	850	1,345	2,127	3,218	4,498
Male	132	203	291	397	566	888	1,357	1,991	2,476
Female	62	101	130	206	284	457	770	1,227	2,022
White, both sexes	137	203	309	449	681	1,112	1,857	2,848	4,021
Male	93	135	216	295	469	747	1,211	1,792	2,255
Female	44	68	93	154	212	365	646	1,056	1,766
Black, both sexes	50	92	98	131	152	201	212	318	399
Male	33	61	63	87	84	117	110	166	170
Female	17	31	35	44	68	84	102	152	229
American Indian 1/, both sexes	1	1	3	3	2	9	14	7	10
Male	1	1	2	2	2	7	7	4	5
Female	-	-	1	1	-	2	7	3	5
Asian or Pacific Islander 2/, both sexes	6	8	11	20	15	23	44	45	68
Male	5	6	10	13	11	17	29	29	46
Female	1	2	1	7	4	6	15	16	22
Aortic aneurysm and dissection (I71)									
All races, both sexes	134	198	287	374	532	862	1,430	2,087	2,899
Male	105	159	219	287	398	633	981	1,401	1,722
Female	29	39	68	87	134	229	449	686	1,177
White, both sexes	96	131	208	270	431	736	1,276	1,905	2,639
Male	77	106	163	212	333	544	892	1,293	1,588
Female	19	25	45	58	98	192	384	612	1,051
Black, both sexes	33	59	67	88	88	104	107	137	198
Male	24	46	45	64	55	72	59	79	93
Female	9	13	22	24	33	32	48	58	105
American Indian 1/, both sexes	1	1	2	1	2	6	9	3	7
Male	1	1	2	1	2	4	4	3	5
Female	-	-	-	-	-	2	5	-	2
Asian or Pacific Islander 2/, both sexes	4	7	10	15	11	16	38	42	55
Male	3	6	9	10	8	13	26	26	36
Female	1	1	1	5	3	3	12	16	19

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Other diseases of arteries, arterioles and capillaries (I72-I78)									
All races, both sexes	60	106	134	229	318	483	697	1,131	1,599
Male	27	44	72	110	168	255	376	590	754
Female	33	62	62	119	150	228	321	541	845
White, both sexes	41	72	101	179	250	376	581	943	1,382
Male	16	29	53	83	136	203	319	499	667
Female	25	43	48	96	114	173	262	444	715
Black, both sexes	17	33	31	43	64	97	105	181	201
Male	9	15	18	23	29	45	51	87	77
Female	8	18	13	20	35	52	54	94	124
American Indian 1/, both sexes	-	-	1	2	-	3	5	4	3
Male	-	-	-	1	-	3	3	1	-
Female	-	-	1	1	-	-	2	3	3
Asian or Pacific Islander 2/, both sexes	2	1	1	5	4	7	6	3	13
Male	2	-	1	3	3	4	3	3	10
Female	-	1	-	2	1	3	3	-	3
Other disorders of circulatory system (I80-I99)									
All races, both sexes	100	185	222	232	272	291	366	475	572
Male	51	98	127	135	149	155	174	231	254
Female	49	87	95	97	123	136	192	244	318
White, both sexes	61	128	163	177	213	219	294	398	480
Male	32	67	102	102	118	113	140	193	215
Female	29	61	61	75	95	106	154	205	265
Black, both sexes	36	53	52	48	55	68	64	67	81
Male	17	30	20	29	30	42	31	31	35
Female	19	23	32	19	25	26	33	36	46
American Indian 1/, both sexes	2	-	4	4	2	1	2	4	2
Male	1	-	3	3	-	-	1	4	-
Female	1	-	1	1	2	1	1	-	2
Asian or Pacific Islander 2/, both sexes	1	4	3	3	2	3	6	6	9
Male	1	1	2	1	1	-	2	3	4
Female	-	3	1	2	1	3	4	3	5

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Influenza and pneumonia (J10-J18)									
All races, both sexes	393	590	810	991	1,155	1,549	2,323	4,327	7,510
Male	219	337	497	602	686	901	1,338	2,394	3,995
Female	174	253	313	389	469	648	985	1,933	3,515
White, both sexes	275	403	571	745	906	1,235	1,921	3,723	6,543
Male	151	231	357	434	536	703	1,090	2,054	3,452
Female	124	172	214	311	370	532	831	1,669	3,091
Black, both sexes	109	167	221	215	220	260	318	488	770
Male	62	94	130	145	133	165	197	282	438
Female	47	73	91	70	87	95	121	206	332
American Indian 1/, both sexes	6	13	6	14	9	16	19	23	37
Male	5	8	3	9	4	9	11	12	18
Female	1	5	3	5	5	7	8	11	19
Asian or Pacific Islander 2/, both sexes	3	7	12	17	20	38	65	93	160
Male	1	4	7	14	13	24	40	46	87
Female	2	3	5	3	7	14	25	47	73

## Influenza (J10-J11)

All races, both sexes	1	5	8	7	8	13	10	11	18
Male	1	1	5	4	4	5	3	5	6
Female	-	4	3	3	4	8	7	6	12
White, both sexes	1	3	8	7	7	10	8	11	18
Male	1	1	5	4	3	3	1	5	6
Female	-	2	3	3	4	7	7	6	12
Black, both sexes	-	1	-	-	1	2	2	-	-
Male	-	-	-	-	1	2	2	-	-
Female	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	1	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	-	1	-	-	-	1	-	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Pneumonia (J12-J18)									
All races, both sexes	392	585	802	984	1,147	1,536	2,313	4,316	7,492
Male	218	336	492	598	682	896	1,335	2,389	3,989
Female	174	249	310	386	465	640	978	1,927	3,503
White, both sexes	274	400	563	738	899	1,225	1,913	3,712	6,525
Male	150	230	352	430	533	700	1,089	2,049	3,446
Female	124	170	211	308	366	525	824	1,663	3,079
Black, both sexes	109	166	221	215	219	258	316	488	770
Male	62	94	130	145	132	163	195	282	438
Female	47	72	91	70	87	95	121	206	332
American Indian 1/, both sexes	6	13	6	14	9	16	19	23	37
Male	5	8	3	9	4	9	11	12	18
Female	1	5	3	5	5	7	8	11	19
Asian or Pacific Islander 2/, both sexes	3	6	12	17	20	37	65	93	160
Male	1	4	7	14	13	24	40	46	87
Female	2	2	5	3	7	13	25	47	73
Other acute lower respiratory infections (J20-J22)									
All races, both sexes	7	5	4	10	4	12	10	18	24
Male	4	3	1	6	1	5	3	7	10
Female	3	2	3	4	3	7	7	11	14
White, both sexes	7	5	4	6	3	11	9	13	21
Male	4	3	1	3	1	4	3	5	8
Female	3	2	3	3	2	7	6	8	13
Black, both sexes	-	-	-	4	1	-	-	4	-
Male	-	-	-	3	-	-	-	1	-
Female	-	-	-	1	1	-	-	3	-
American Indian 1/, both sexes	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	1	1	3
Male	-	-	-	-	-	-	-	1	2
Female	-	-	-	-	-	-	1	-	1





## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Emphysema (J43)									
All races, both sexes	24	51	141	307	705	1,124	1,892	2,912	3,481
Male	17	35	89	177	395	571	988	1,566	1,809
Female	7	16	52	130	310	553	904	1,346	1,672
White, both sexes	22	42	127	256	624	1,039	1,771	2,726	3,302
Male	16	28	82	146	344	515	920	1,442	1,698
Female	6	14	45	110	280	524	851	1,284	1,604
Black, both sexes	1	9	13	46	70	72	107	149	126
Male	1	7	6	27	44	47	62	94	74
Female	-	2	7	19	26	25	45	55	52
American Indian 1/, both sexes	-	-	-	-	5	5	7	12	15
Male	-	-	-	-	5	2	2	10	6
Female	-	-	-	-	-	3	5	2	9
Asian or Pacific Islander 2/, both sexes	1	-	1	5	6	8	7	25	38
Male	-	-	1	4	2	7	4	20	31
Female	1	-	-	1	4	1	3	5	7
Asthma (J45-J46)									
All races, both sexes	207	248	279	324	265	288	288	346	384
Male	93	102	103	116	84	98	104	116	116
Female	114	146	176	208	181	190	184	230	268
White, both sexes	99	148	164	211	172	177	215	262	312
Male	48	56	58	69	57	54	76	84	91
Female	51	92	106	142	115	123	139	178	221
Black, both sexes	100	90	107	99	84	88	58	70	59
Male	42	39	43	42	23	29	18	29	18
Female	58	51	64	57	61	59	40	41	41
American Indian 1/, both sexes	4	3	2	2	5	2	1	3	1
Male	-	2	-	-	2	2	1	-	-
Female	4	1	2	2	3	-	-	3	1
Asian or Pacific Islander 2/, both sexes	4	7	6	12	4	21	14	11	12
Male	3	5	2	5	2	13	9	3	7
Female	1	2	4	7	2	8	5	8	5



## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Pneumonitis due to solids and liquids (J69)									
All races, both sexes	61	118	142	236	259	400	589	1,241	2,259
Male	42	75	81	151	160	224	362	744	1,253
Female	19	43	61	85	99	176	227	497	1,006
White, both sexes	45	97	114	184	221	329	490	1,051	2,003
Male	31	63	71	118	139	182	307	638	1,118
Female	14	34	43	66	82	147	183	413	885
Black, both sexes	13	21	25	48	34	67	86	166	222
Male	8	12	8	31	20	40	49	92	121
Female	5	9	17	17	14	27	37	74	101
American Indian 1/, both sexes	2	-	2	3	-	1	4	6	9
Male	2	-	1	1	-	1	2	2	2
Female	-	-	1	2	-	-	2	4	7
Asian or Pacific Islander 2/, both sexes	1	-	1	1	4	3	9	18	25
Male	1	-	1	1	1	1	4	12	12
Female	-	-	-	-	3	2	5	6	13
Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)									
All races, both sexes	218	352	542	814	1,030	1,402	2,174	3,336	4,590
Male	105	199	295	442	530	792	1,197	1,828	2,330
Female	113	153	247	372	500	610	977	1,508	2,260
White, both sexes	136	252	388	603	845	1,177	1,894	2,997	4,212
Male	72	155	216	340	450	661	1,059	1,672	2,156
Female	64	97	172	263	395	516	835	1,325	2,056
Black, both sexes	72	94	141	186	155	190	224	268	289
Male	27	43	71	87	67	106	110	117	130
Female	45	51	70	99	88	84	114	151	159
American Indian 1/, both sexes	5	4	6	12	10	17	16	21	23
Male	4	1	3	6	2	10	7	13	11
Female	1	3	3	6	8	7	9	8	12
Asian or Pacific Islander 2/, both sexes	5	2	7	13	20	18	40	50	66
Male	2	-	5	9	11	15	21	26	33
Female	3	2	2	4	9	3	19	24	33

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Peptic ulcer (K25-K28)									
All races, both sexes	36	82	137	147	183	235	294	424	615
Male	25	62	91	95	123	150	179	218	315
Female	11	20	46	52	60	85	115	206	300
White, both sexes	19	59	102	112	138	193	245	374	548
Male	12	44	65	68	91	122	148	184	277
Female	7	15	37	44	47	71	97	190	271
Black, both sexes	16	19	27	32	35	34	33	41	45
Male	13	14	21	25	26	22	21	27	23
Female	3	5	6	7	9	12	12	14	22
American Indian 1/, both sexes	1	1	4	1	4	2	4	3	4
Male	-	1	3	1	1	2	2	3	3
Female	1	-	1	-	3	-	2	-	1
Asian or Pacific Islander 2/, both sexes	-	3	4	2	6	6	12	6	18
Male	-	3	2	1	5	4	8	4	12
Female	-	-	2	1	1	2	4	2	6
Diseases of appendix (K35-K38)									
All races, both sexes	9	17	25	15	22	23	34	55	37
Male	7	10	17	11	13	17	23	34	22
Female	2	7	8	4	9	6	11	21	15
White, both sexes	7	10	14	14	13	16	28	52	33
Male	6	6	10	10	10	12	19	33	20
Female	1	4	4	4	3	4	9	19	13
Black, both sexes	2	6	9	1	9	7	6	1	3
Male	1	4	6	1	3	5	4	-	2
Female	1	2	3	-	6	2	2	1	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	1	2	-	-	-	-	2	1
Male	-	-	1	-	-	-	-	1	-
Female	-	1	1	-	-	-	-	1	1

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Hernia (K40-K46)									
All races, both sexes	13	21	24	58	57	74	81	132	185
Male	5	11	13	31	23	41	40	54	71
Female	8	10	11	27	34	33	41	78	114
White, both sexes	10	15	20	47	45	62	69	116	164
Male	5	8	9	23	16	34	36	49	64
Female	5	7	11	24	29	28	33	67	100
Black, both sexes	3	6	4	11	12	11	10	15	17
Male	-	3	4	8	7	6	2	5	6
Female	3	3	-	3	5	5	8	10	11
American Indian 1/, both sexes	-	-	-	-	-	1	1	-	-
Male	-	-	-	-	-	1	1	-	-
Female	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	1	1	4
Male	-	-	-	-	-	-	1	-	1
Female	-	-	-	-	-	-	-	1	3
Chronic liver disease and cirrhosis (K70,K73-K74)									
All races, both sexes	1,108	2,228	3,557	3,702	2,999	2,751	2,752	2,734	2,325
Male	713	1,493	2,581	2,714	2,161	1,867	1,749	1,586	1,151
Female	395	735	976	988	838	884	1,003	1,148	1,174
White, both sexes	919	1,826	2,958	3,031	2,513	2,411	2,442	2,497	2,165
Male	590	1,236	2,184	2,247	1,814	1,628	1,546	1,457	1,076
Female	329	590	774	784	699	783	896	1,040	1,089
Black, both sexes	118	304	472	539	393	264	249	168	121
Male	78	196	323	390	280	189	170	100	58
Female	40	108	149	149	113	75	79	68	63
American Indian 1/, both sexes	57	78	95	92	56	44	31	27	11
Male	34	48	48	51	36	32	19	10	7
Female	23	30	47	41	20	12	12	17	4
Asian or Pacific Islander 2/, both sexes	14	20	32	40	37	32	30	42	28
Male	11	13	26	26	31	18	14	19	10
Female	3	7	6	14	6	14	16	23	18

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Alcoholic liver disease (K70)									
All races, both sexes	745	1,400	2,121	2,082	1,582	1,331	1,062	786	515
Male	492	954	1,563	1,536	1,235	1,007	789	590	370
Female	253	446	558	546	347	324	273	196	145
White, both sexes	613	1,158	1,812	1,709	1,332	1,166	918	711	472
Male	407	795	1,363	1,287	1,045	886	683	533	343
Female	206	363	449	422	287	280	235	178	129
Black, both sexes	75	170	221	295	200	128	120	58	33
Male	51	110	148	206	150	92	90	45	19
Female	24	60	73	89	50	36	30	13	14
American Indian 1/, both sexes	47	63	68	61	34	27	18	10	3
Male	27	41	34	32	26	21	11	6	2
Female	20	22	34	29	8	6	7	4	1
Asian or Pacific Islander 2/, both sexes	10	9	20	17	16	10	6	7	7
Male	7	8	18	11	14	8	5	6	6
Female	3	1	2	6	2	2	1	1	1
Other chronic liver disease and cirrhosis (K73-K74)									
All races, both sexes	363	828	1,436	1,620	1,417	1,420	1,690	1,948	1,810
Male	221	539	1,018	1,178	926	860	960	996	781
Female	142	289	418	442	491	560	730	952	1,029
White, both sexes	306	668	1,146	1,322	1,181	1,245	1,524	1,786	1,693
Male	183	441	821	960	769	742	863	924	733
Female	123	227	325	362	412	503	661	862	960
Black, both sexes	43	134	251	244	193	136	129	110	88
Male	27	86	175	184	130	97	80	55	39
Female	16	48	76	60	63	39	49	55	49
American Indian 1/, both sexes	10	15	27	31	22	17	13	17	8
Male	7	7	14	19	10	11	8	4	5
Female	3	8	13	12	12	6	5	13	3
Asian or Pacific Islander 2/, both sexes	4	11	12	23	21	22	24	35	21
Male	4	5	8	15	17	10	9	13	4
Female	-	6	4	8	4	12	15	22	17

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

## Cholelithiasis and other disorders of gallbladder (K80-K82)

All races, both sexes	21	23	69	68	94	148	193	333	432
Male	9	16	39	40	61	81	96	173	231
Female	12	7	30	28	33	67	97	160	201
White, both sexes	14	19	49	50	72	119	150	283	379
Male	7	13	26	31	48	64	73	152	209
Female	7	6	23	19	24	55	77	131	170
Black, both sexes	7	4	14	17	20	22	32	46	35
Male	2	3	9	9	12	12	16	18	10
Female	5	1	5	8	8	10	16	28	25
American Indian 1/, both sexes	-	-	2	-	1	1	1	-	5
Male	-	-	2	-	1	1	1	-	3
Female	-	-	-	-	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes	-	-	4	1	1	6	10	4	13
Male	-	-	2	-	-	4	6	3	9
Female	-	-	2	1	1	2	4	1	4

## Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)

All races, both sexes	299	469	749	1,073	1,404	1,880	3,026	4,330	6,105
Male	158	256	445	608	751	963	1,610	2,216	3,074
Female	141	213	304	465	653	917	1,416	2,114	3,031
White, both sexes	166	266	406	637	881	1,220	2,124	3,334	4,984
Male	103	153	238	375	488	656	1,173	1,777	2,603
Female	63	113	168	262	393	564	951	1,557	2,381
Black, both sexes	117	192	309	397	461	593	821	890	992
Male	47	94	189	211	241	273	398	389	407
Female	70	98	120	186	220	320	423	501	585
American Indian 1/, both sexes	7	6	17	15	26	25	24	30	32
Male	3	5	9	10	6	10	7	12	17
Female	4	1	8	5	20	15	17	18	15
Asian or Pacific Islander 2/, both sexes	9	5	17	24	36	42	57	76	97
Male	5	4	9	12	16	24	32	38	47
Female	4	1	8	12	20	18	25	38	50

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)									
All races, both sexes	4	4	1	5	9	4	13	14	28
Male	4	2	1	4	6	3	6	4	10
Female	-	2	-	1	3	1	7	10	18
White, both sexes	4	4	1	4	7	4	9	12	25
Male	4	2	1	4	4	3	3	3	10
Female	-	2	-	-	3	1	6	9	15
Black, both sexes	-	-	-	1	1	-	4	2	3
Male	-	-	-	-	1	-	3	1	-
Female	-	-	-	1	-	-	1	1	3
American Indian 1/, both sexes	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03, N05-N07,N26)									
All races, both sexes	16	11	15	26	17	23	47	64	69
Male	7	6	9	15	10	15	23	40	39
Female	9	5	6	11	7	8	24	24	30
White, both sexes	8	7	8	13	13	14	35	58	61
Male	5	3	3	7	7	9	17	37	34
Female	3	4	5	6	6	5	18	21	27
Black, both sexes	4	4	6	9	2	7	10	4	6
Male	2	3	5	7	2	5	5	2	3
Female	2	1	1	2	-	2	5	2	3
American Indian 1/, both sexes	1	-	1	1	1	-	-	-	2
Male	-	-	1	-	-	-	-	-	2
Female	1	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	3	1	2	2	2	-
Male	-	-	-	1	1	1	1	1	-
Female	3	-	-	2	-	1	1	1	-





## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Inflammatory diseases of female pelvic organs (N70-N76)									
All races, both sexes	2	8	9	3	4	8	8	10	13
Female	2	8	9	3	4	8	8	10	13
White, both sexes	-	6	6	2	4	4	6	8	11
Female	-	6	6	2	4	4	6	8	11
Black, both sexes	2	2	3	1	-	4	2	2	2
Female	2	2	3	1	-	4	2	2	2
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
Pregnancy, childbirth and the puerperium (000-099)									
All races, both sexes	73	33	5	1	-	-	-	-	-
Female	73	33	5	1	-	-	-	-	-
White, both sexes	33	18	2	1	-	-	-	-	-
Female	33	18	2	1	-	-	-	-	-
Black, both sexes	30	13	3	-	-	-	-	-	-
Female	30	13	3	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	10	2	-	-	-	-	-	-	-
Female	10	2	-	-	-	-	-	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Pregnancy with abortive outcome (000-007)									
All races, both sexes	8	1	-	-	-	-	-	-	-
Female	8	1	-	-	-	-	-	-	-
White, both sexes	3	1	-	-	-	-	-	-	-
Female	3	1	-	-	-	-	-	-	-
Black, both sexes	4	-	-	-	-	-	-	-	-
Female	4	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth and the puerperium (010-099)									
All races, both sexes	65	32	5	1	-	-	-	-	-
Female	65	32	5	1	-	-	-	-	-
White, both sexes	30	17	2	1	-	-	-	-	-
Female	30	17	2	1	-	-	-	-	-
Black, both sexes	26	13	3	-	-	-	-	-	-
Female	26	13	3	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	9	2	-	-	-	-	-	-	-
Female	9	2	-	-	-	-	-	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

## Certain conditions originating in the perinatal period (P00-P96)

All races, both sexes	6	3	3	2	2	-	2	1	1
Male	4	2	3	2	1	-	1	1	1
Female	2	1	-	-	1	-	1	-	-
White, both sexes	6	2	3	2	1	-	2	1	1
Male	4	1	3	2	-	-	1	1	1
Female	2	1	-	-	1	-	1	-	-
Black, both sexes	-	1	-	-	-	-	-	-	-
Male	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-

## Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

All races, both sexes	259	327	303	333	298	283	214	234	244
Male	137	180	156	167	146	130	109	119	110
Female	122	147	147	166	152	153	105	115	134
White, both sexes	206	273	249	293	267	260	193	210	226
Male	113	148	131	148	130	119	103	110	106
Female	93	125	118	145	137	141	90	100	120
Black, both sexes	45	46	44	33	27	21	15	21	17
Male	19	28	18	17	13	10	4	8	4
Female	26	18	26	16	14	11	11	13	13
American Indian 1/, both sexes	-	2	3	1	1	-	-	1	-
Male	-	1	2	-	-	-	-	1	-
Female	-	1	1	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	8	6	7	6	3	2	6	2	1
Male	5	3	5	2	3	1	2	-	-
Female	3	3	2	4	-	1	4	2	1

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

All races, both sexes	1,379	1,747	1,882	1,622	1,192	1,100	1,207	1,567	2,209
Male	888	1,119	1,220	1,066	758	699	685	812	1,014
Female	491	628	662	556	434	401	522	755	1,195
White, both sexes	1,089	1,423	1,517	1,286	956	892	975	1,329	1,956
Male	702	933	994	857	600	558	552	704	914
Female	387	490	523	429	356	334	423	625	1,042
Black, both sexes	241	282	326	294	203	172	201	207	222
Male	145	158	198	175	139	125	116	94	88
Female	96	124	128	119	64	47	85	113	134
American Indian 1/, both sexes	14	14	10	13	14	12	15	7	6
Male	12	10	7	12	8	3	8	4	3
Female	2	4	3	1	6	9	7	3	3
Asian or Pacific Islander 2/, both sexes	35	28	29	29	19	24	16	24	25
Male	29	18	21	22	11	13	9	10	9
Female	6	10	8	7	8	11	7	14	16

All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)

All races, both sexes	3,145	4,939	6,667	7,536	7,549	8,499	10,676	15,127	21,941
Male	1,869	2,905	3,970	4,427	4,112	4,540	5,480	7,252	9,406
Female	1,276	2,034	2,697	3,109	3,437	3,959	5,196	7,875	12,535
White, both sexes	2,274	3,615	4,951	5,783	6,014	6,915	8,959	13,096	19,411
Male	1,406	2,190	3,025	3,455	3,278	3,736	4,613	6,306	8,308
Female	868	1,425	1,926	2,328	2,736	3,179	4,346	6,790	11,103
Black, both sexes	781	1,184	1,553	1,594	1,356	1,363	1,515	1,761	2,190
Male	409	633	855	886	734	696	775	812	959
Female	372	551	698	708	622	667	740	949	1,231
American Indian 1/, both sexes	55	83	92	84	78	96	76	79	91
Male	36	49	52	51	46	47	40	44	27
Female	19	34	40	33	32	49	36	35	64
Asian or Pacific Islander 2/, both sexes	35	57	71	75	101	125	126	191	249
Male	18	33	38	35	54	61	52	90	112
Female	17	24	33	40	47	64	74	101	137

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

## Accidents (unintentional injuries) (V01-X59,Y85-Y86)

All races, both sexes	7,589	8,356	7,469	5,875	4,159	3,499	3,506	4,329	5,972
Male	5,502	6,110	5,519	4,224	2,872	2,356	2,200	2,551	3,310
Female	2,087	2,246	1,950	1,651	1,287	1,143	1,306	1,778	2,662
White, both sexes	6,269	6,874	6,011	4,814	3,464	2,903	2,995	3,783	5,387
Male	4,571	5,076	4,443	3,454	2,371	1,948	1,880	2,239	2,978
Female	1,698	1,798	1,568	1,360	1,093	955	1,115	1,544	2,409
Black, both sexes	1,049	1,272	1,233	900	576	488	421	431	450
Male	735	898	934	663	421	343	272	245	257
Female	314	374	299	237	155	145	149	186	193
American Indian 1/, both sexes	152	108	113	80	57	41	33	28	40
Male	117	71	70	60	42	26	17	16	22
Female	35	37	43	20	15	15	16	12	18
Asian or Pacific Islander 2/, both sexes	119	102	112	81	62	67	57	87	95
Male	79	65	72	47	38	39	31	51	53
Female	40	37	40	34	24	28	26	36	42

## Transport accidents (V01-V99,Y85)

All races, both sexes	3,881	3,946	3,379	2,872	2,152	1,709	1,567	1,715	1,943
Male	2,744	2,869	2,452	2,032	1,467	1,164	974	1,041	1,106
Female	1,137	1,077	927	840	685	545	593	674	837
White, both sexes	3,179	3,272	2,743	2,432	1,834	1,443	1,346	1,511	1,767
Male	2,249	2,383	1,992	1,735	1,246	984	836	921	997
Female	930	889	751	697	588	459	510	590	770
Black, both sexes	531	556	504	338	252	208	172	141	127
Male	375	413	387	237	183	152	111	78	84
Female	156	143	117	101	69	56	61	63	43
American Indian 1/, both sexes	91	55	61	44	34	16	20	11	16
Male	73	39	33	32	23	9	11	7	9
Female	18	16	28	12	11	7	9	4	7
Asian or Pacific Islander 2/, both sexes	80	63	71	58	32	42	29	52	33
Male	47	34	40	28	15	19	16	35	16
Female	33	29	31	30	17	23	13	17	17

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Motor vehicle accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)									
All races, both sexes	3,545	3,538	3,011	2,553	1,939	1,526	1,409	1,581	1,823
Male	2,473	2,543	2,164	1,774	1,296	1,013	846	940	1,027
Female	1,072	995	847	779	643	513	563	641	796
White, both sexes	2,904	2,924	2,447	2,153	1,654	1,282	1,213	1,386	1,661
Male	2,026	2,107	1,756	1,509	1,106	846	730	828	925
Female	878	817	691	644	548	436	483	558	736
Black, both sexes	491	506	447	308	226	189	153	136	116
Male	343	370	342	214	158	140	94	73	78
Female	148	136	105	94	68	49	59	63	38
American Indian 1/, both sexes	79	50	53	38	29	15	18	9	16
Male	63	35	30	27	18	8	9	6	9
Female	16	15	23	11	11	7	9	3	7
Asian or Pacific Islander 2/, both sexes	71	58	64	54	30	40	25	50	30
Male	41	31	36	24	14	19	13	33	15
Female	30	27	28	30	16	21	12	17	15
Other land transport accidents (V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9)									
All races, both sexes	141	144	142	105	67	66	64	53	59
Male	117	118	105	84	56	48	50	34	38
Female	24	26	37	21	11	18	14	19	21
White, both sexes	99	109	106	88	56	51	48	49	52
Male	84	89	80	72	46	42	37	30	35
Female	15	20	26	16	10	9	11	19	17
Black, both sexes	28	32	29	13	9	13	12	3	5
Male	22	27	22	9	8	6	10	3	3
Female	6	5	7	4	1	7	2	-	2
American Indian 1/, both sexes	8	1	4	2	2	-	1	-	-
Male	7	1	2	1	2	-	1	-	-
Female	1	-	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	6	2	3	2	-	2	3	1	2
Male	4	1	1	2	-	-	2	1	-
Female	2	1	2	-	-	2	1	-	2

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)									
All races, both sexes	195	264	226	214	146	117	94	81	61
Male	154	208	183	174	115	103	78	67	41
Female	41	56	43	40	31	14	16	14	20
White, both sexes	176	239	190	191	124	110	85	76	54
Male	139	187	156	154	94	96	69	63	37
Female	37	52	34	37	30	14	16	13	17
Black, both sexes	12	18	28	17	17	6	7	2	6
Male	10	16	23	14	17	6	7	2	3
Female	2	2	5	3	-	-	-	-	3
American Indian 1/, both sexes	4	4	4	4	3	1	1	2	-
Male	3	3	1	4	3	1	1	1	-
Female	1	1	3	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes	3	3	4	2	2	-	1	1	1
Male	2	2	3	2	1	-	1	1	1
Female	1	1	1	-	1	-	-	-	-
Nontransport accidents (W00-X59,Y86)									
All races, both sexes	3,708	4,410	4,090	3,003	2,007	1,790	1,939	2,614	4,029
Male	2,758	3,241	3,067	2,192	1,405	1,192	1,226	1,510	2,204
Female	950	1,169	1,023	811	602	598	713	1,104	1,825
White, both sexes	3,090	3,602	3,268	2,382	1,630	1,460	1,649	2,272	3,620
Male	2,322	2,693	2,451	1,719	1,125	964	1,044	1,318	1,981
Female	768	909	817	663	505	496	605	954	1,639
Black, both sexes	518	716	729	562	324	280	249	290	323
Male	360	485	547	426	238	191	161	167	173
Female	158	231	182	136	86	89	88	123	150
American Indian 1/, both sexes	61	53	52	36	23	25	13	17	24
Male	44	32	37	28	19	17	6	9	13
Female	17	21	15	8	4	8	7	8	11
Asian or Pacific Islander 2/, both sexes	39	39	41	23	30	25	28	35	62
Male	32	31	32	19	23	20	15	16	37
Female	7	8	9	4	7	5	13	19	25



## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Accidental drowning and submersion (W65-W74)									
All races, both sexes	221	241	214	145	109	97	78	81	85
Male	181	195	182	117	83	72	61	63	55
Female	40	46	32	28	26	25	17	18	30
White, both sexes	173	188	170	125	85	81	66	73	76
Male	138	154	145	99	63	58	52	57	50
Female	35	34	25	26	22	23	14	16	26
Black, both sexes	35	37	34	17	21	11	7	6	5
Male	31	29	27	15	17	9	7	5	4
Female	4	8	7	2	4	2	-	1	1
American Indian 1/, both sexes	4	5	3	2	2	1	-	-	-
Male	3	4	3	2	2	1	-	-	-
Female	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	9	11	7	1	1	4	5	2	4
Male	9	8	7	1	1	4	2	1	1
Female	-	3	-	-	-	-	3	1	3

## Accidental exposure to smoke, fire and flames (X00-X09)

All races, both sexes	190	251	213	206	215	163	190	221	225
Male	132	176	151	137	142	94	112	117	106
Female	58	75	62	69	73	69	78	104	119
White, both sexes	139	187	154	149	155	122	138	163	170
Male	94	134	107	95	105	67	80	83	76
Female	45	53	47	54	50	55	58	80	94
Black, both sexes	45	59	56	51	53	37	48	54	49
Male	34	39	42	39	32	24	29	33	26
Female	11	20	14	12	21	13	19	21	23
American Indian 1/, both sexes	6	3	1	5	5	2	3	2	2
Male	4	1	1	2	4	2	2	1	1
Female	2	2	-	3	1	-	1	1	1
Asian or Pacific Islander 2/, both sexes	-	2	2	1	2	2	1	2	4
Male	-	2	1	1	1	1	1	-	3
Female	-	-	1	-	1	1	-	2	1

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Accidental poisoning and exposure to noxious substances (X40-X49)									
All races, both sexes	2,307	2,729	2,266	1,281	530	268	161	130	153
Male	1,626	1,896	1,610	893	341	159	88	82	83
Female	681	833	656	388	189	109	73	48	70
White, both sexes	1,939	2,258	1,801	952	416	200	135	110	131
Male	1,384	1,600	1,274	651	252	107	73	69	66
Female	555	658	527	301	164	93	62	41	65
Black, both sexes	326	437	437	310	105	60	24	17	17
Male	213	274	320	229	81	47	15	12	14
Female	113	163	117	81	24	13	9	5	3
American Indian 1/, both sexes	28	21	21	11	5	6	1	2	-
Male	18	13	12	7	4	4	-	1	-
Female	10	8	9	4	1	2	1	1	-
Asian or Pacific Islander 2/, both sexes	14	13	7	8	4	2	1	1	5
Male	11	9	4	6	4	1	-	-	3
Female	3	4	3	2	-	1	1	1	2
Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)									
All races, both sexes	648	738	816	825	646	696	744	1,082	1,669
Male	529	599	647	614	461	472	480	617	897
Female	119	139	169	211	185	224	264	465	772
White, both sexes	548	596	657	684	545	565	632	921	1,478
Male	459	489	530	504	384	390	410	530	801
Female	89	107	127	180	161	175	222	391	677
Black, both sexes	75	113	134	117	84	116	96	139	157
Male	51	89	98	88	63	72	62	75	76
Female	24	24	36	29	21	44	34	64	81
American Indian 1/, both sexes	17	19	13	16	5	10	6	8	14
Male	14	12	10	15	4	5	3	5	8
Female	3	7	3	1	1	5	3	3	6
Asian or Pacific Islander 2/, both sexes	8	10	12	8	12	5	10	14	20
Male	5	9	9	7	10	5	5	7	12
Female	3	1	3	1	2	-	5	7	8

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

## Intentional self-harm (suicide) (\*U03,X60-X84,Y87.0) /3

All races, both sexes	3,176	3,459	3,260	2,682	1,985	1,332	1,212	1,220	1,219
Male	2,518	2,662	2,484	2,020	1,534	1,029	1,001	1,039	1,033
Female	658	797	776	662	451	303	211	181	186
White, both sexes	2,849	3,168	3,030	2,510	1,859	1,247	1,132	1,150	1,169
Male	2,248	2,443	2,325	1,893	1,438	958	942	979	990
Female	601	725	705	617	421	289	190	171	179
Black, both sexes	230	195	159	118	82	49	43	48	30
Male	191	145	115	89	65	41	32	42	26
Female	39	50	44	29	17	8	11	6	4
American Indian 1/, both sexes	44	36	19	20	7	10	3	3	2
Male	37	28	14	19	6	7	1	3	2
Female	7	8	5	1	1	3	2	-	-
Asian or Pacific Islander 2/, both sexes	53	60	52	34	37	26	34	19	18
Male	42	46	30	19	25	23	26	15	15
Female	11	14	22	15	12	3	8	4	3

## Intentional self-harm (suicide) by discharge of firearms (X72-X74)

All races, both sexes	1,429	1,601	1,552	1,471	1,195	888	857	901	920
Male	1,200	1,351	1,309	1,242	1,020	751	761	831	846
Female	229	250	243	229	175	137	96	70	74
White, both sexes	1,296	1,474	1,467	1,397	1,137	851	820	860	889
Male	1,082	1,249	1,243	1,181	969	717	731	794	818
Female	214	225	224	216	168	134	89	66	71
Black, both sexes	109	91	64	60	43	27	27	35	26
Male	98	73	50	50	39	25	22	31	23
Female	11	18	14	10	4	2	5	4	3
American Indian 1/, both sexes	14	18	9	5	2	5	1	3	2
Male	10	16	9	4	2	4	-	3	2
Female	4	2	-	1	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes	10	18	12	9	13	5	9	3	3
Male	10	13	7	7	10	5	8	3	3
Female	-	5	5	2	3	-	1	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

Intentional self-harm (suicide) by other and unspecified means and their sequelae (\*U03,X60-X71,X75-X84,Y87.0) /3

All races, both sexes	1,747	1,858	1,708	1,211	790	444	355	319	299
Male	1,318	1,311	1,175	778	514	278	240	208	187
Female	429	547	533	433	276	166	115	111	112
White, both sexes	1,553	1,694	1,563	1,113	722	396	312	290	280
Male	1,166	1,194	1,082	712	469	241	211	185	172
Female	387	500	481	401	253	155	101	105	108
Black, both sexes	121	104	95	58	39	22	16	13	4
Male	93	72	65	39	26	16	10	11	3
Female	28	32	30	19	13	6	6	2	1
American Indian 1/, both sexes	30	18	10	15	5	5	2	-	-
Male	27	12	5	15	4	3	1	-	-
Female	3	6	5	-	1	2	1	-	-
Asian or Pacific Islander 2/, both sexes	43	42	40	25	24	21	25	16	15
Male	32	33	23	12	15	18	18	12	12
Female	11	9	17	13	9	3	7	4	3

Assault (homicide) (\*U01-\*U02,X85-Y09,Y87.1) /3

All races, both sexes	2,306	1,962	1,463	1,004	628	390	310	222	183
Male	1,698	1,424	1,085	747	461	262	204	128	98
Female	608	538	378	257	167	128	106	94	85
White, both sexes	1,406	1,266	958	681	461	283	225	167	139
Male	1,058	914	700	496	328	190	142	91	73
Female	348	352	258	185	133	93	83	76	66
Black, both sexes	827	623	445	274	141	84	71	48	40
Male	590	461	343	213	111	59	52	35	25
Female	237	162	102	61	30	25	19	13	15
American Indian 1/, both sexes	17	19	13	13	3	2	5	1	-
Male	11	13	9	10	3	2	3	1	-
Female	6	6	4	3	-	-	2	-	-
Asian or Pacific Islander 2/, both sexes	56	54	47	36	23	21	9	6	4
Male	39	36	33	28	19	11	7	1	-
Female	17	18	14	8	4	10	2	5	4

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Assault (homicide) by discharge of firearms (*U01.4,X93-X95)									
All races, both sexes	1,142	836	552	382	213	151	114	78	61
Male	892	636	434	292	159	105	79	44	38
Female	250	200	118	90	54	46	35	34	23
White, both sexes	583	482	324	236	142	113	84	57	47
Male	443	348	242	173	94	76	51	29	27
Female	140	134	82	63	48	37	33	28	20
Black, both sexes	540	333	207	130	61	33	27	18	13
Male	434	274	175	109	55	25	25	14	11
Female	106	59	32	21	6	8	2	4	2
American Indian 1/, both sexes	4	8	4	2	2	1	2	1	-
Male	2	6	2	1	2	1	2	1	-
Female	2	2	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	15	13	17	14	8	4	1	2	1
Male	13	8	15	9	8	3	1	-	-
Female	2	5	2	5	-	1	-	2	1

Assault (homicide) by other and unspecified means and their sequelae (\*U01.0-\*U01.3,\*U01.5-\*U01.9,\*U02,X85-X92,X96-Y09,Y87.1)/3

All races, both sexes	1,164	1,126	911	622	415	239	196	144	122
Male	806	788	651	455	302	157	125	84	60
Female	358	338	260	167	113	82	71	60	62
White, both sexes	823	784	634	445	319	170	141	110	92
Male	615	566	458	323	234	114	91	62	46
Female	208	218	176	122	85	56	50	48	46
Black, both sexes	287	290	238	144	80	51	44	30	27
Male	156	187	168	104	56	34	27	21	14
Female	131	103	70	40	24	17	17	9	13
American Indian 1/, both sexes	13	11	9	11	1	1	3	-	-
Male	9	7	7	9	1	1	1	-	-
Female	4	4	2	2	-	-	2	-	-
Asian or Pacific Islander 2/, both sexes	41	41	30	22	15	17	8	4	3
Male	26	28	18	19	11	8	6	1	-
Female	15	13	12	3	4	9	2	3	3

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Legal intervention (Y35,Y89.0)									
All races, both sexes	65	50	33	18	15	9	4	2	3
Male	63	45	33	18	15	7	4	2	3
Female	2	5	-	-	-	2	-	-	-
White, both sexes	46	40	23	17	10	8	4	2	3
Male	44	37	23	17	10	7	4	2	3
Female	2	3	-	-	-	1	-	-	-
Black, both sexes	15	8	9	1	3	-	-	-	-
Male	15	6	9	1	3	-	-	-	-
Female	-	2	-	-	-	-	-	-	-
American Indian 1/, both sexes	3	2	-	-	1	1	-	-	-
Male	3	2	-	-	1	-	-	-	-
Female	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	1	-	1	-	-	-	-
Male	1	-	1	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-

## Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)

All races, both sexes	674	722	619	371	152	73	58	41	53
Male	438	493	433	229	105	41	40	24	28
Female	236	229	186	142	47	32	18	17	25
White, both sexes	548	598	508	297	129	60	46	37	48
Male	347	398	345	175	85	32	32	20	26
Female	201	200	163	122	44	28	14	17	22
Black, both sexes	112	115	101	67	21	11	10	2	2
Male	81	89	80	50	19	8	8	2	-
Female	31	26	21	17	2	3	2	-	2
American Indian 1/, both sexes	8	6	5	4	-	1	1	-	1
Male	6	3	3	2	-	1	-	-	1
Female	2	3	2	2	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	6	3	5	3	2	1	1	2	2
Male	4	3	5	2	1	-	-	2	1
Female	2	-	-	1	1	1	1	-	1

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
Discharge of firearms, undetermined intent (Y22-Y24)									
All races, both sexes	33	17	16	13	9	3	6	4	6
Male	20	13	12	9	8	3	6	2	6
Female	13	4	4	4	1	-	-	2	-
White, both sexes	31	14	14	11	6	3	6	4	6
Male	18	11	10	7	5	3	6	2	6
Female	13	3	4	4	1	-	-	2	-
Black, both sexes	-	2	2	2	3	-	-	-	-
Male	-	1	2	2	3	-	-	-	-
Female	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	1	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-

## Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)

All races, both sexes	641	705	603	358	143	70	52	37	47
Male	418	480	421	220	97	38	34	22	22
Female	223	225	182	138	46	32	18	15	25
White, both sexes	517	584	494	286	123	57	40	33	42
Male	329	387	335	168	80	29	26	18	20
Female	188	197	159	118	43	28	14	15	22
Black, both sexes	112	113	99	65	18	11	10	2	2
Male	81	88	78	48	16	8	8	2	-
Female	31	25	21	17	2	3	2	-	2
American Indian 1/, both sexes	7	6	5	4	-	1	1	-	1
Male	5	3	3	2	-	1	-	-	1
Female	2	3	2	2	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	5	2	5	3	2	1	1	2	2
Male	3	2	5	2	1	-	-	2	1
Female	2	-	-	1	1	1	1	-	1

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

## Operations of war and their sequelae (Y36,Y89.1)

All races, both sexes	1	-	1	1	-	-	-	4	7
Male	1	-	1	1	-	-	-	4	6
Female	-	-	-	-	-	-	-	-	1
White, both sexes	1	-	1	1	-	-	-	3	7
Male	1	-	1	1	-	-	-	3	6
Female	-	-	-	-	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-

## Complications of medical and surgical care (Y40-Y84,Y88)

All races, both sexes	71	101	142	141	178	206	247	320	439
Male	39	44	75	68	91	105	116	149	192
Female	32	57	67	73	87	101	131	171	247
White, both sexes	47	70	100	107	137	156	198	247	387
Male	24	30	53	49	66	79	95	112	171
Female	23	40	47	58	71	77	103	135	216
Black, both sexes	22	28	39	31	38	47	43	63	46
Male	14	13	20	18	22	25	21	33	17
Female	8	15	19	13	16	22	22	30	29
American Indian 1/, both sexes	-	2	-	2	1	-	1	2	3
Male	-	1	-	1	1	-	-	-	2
Female	-	1	-	1	-	-	1	2	1
Asian or Pacific Islander 2/, both sexes	2	1	3	1	2	3	5	8	3
Male	1	-	2	-	2	1	-	4	2
Female	1	1	1	1	-	2	5	4	1

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
All causes						
All races, both sexes	368,252	339,775	221,314	85,954	18,488	422
Male	169,431	130,405	65,527	18,732	2,869	331
Female	198,821	209,370	155,787	67,222	15,619	91
White, both sexes	332,704	311,165	203,570	78,462	16,068	320
Male	153,761	119,811	60,027	16,916	2,425	255
Female	178,943	191,354	143,543	61,546	13,643	65
Black, both sexes	29,643	23,803	14,999	6,466	2,119	88
Male	12,779	8,389	4,292	1,428	380	67
Female	16,864	15,414	10,707	5,038	1,739	21
American Indian 1/, both sexes	998	782	407	167	46	6
Male	436	308	131	46	7	5
Female	562	474	276	121	39	1
Asian or Pacific Islander 2/, both sexes	4,907	4,025	2,338	859	255	8
Male	2,455	1,897	1,077	342	57	4
Female	2,452	2,128	1,261	517	198	4

## Salmonella infections (A01-A02)

All races, both sexes	9	6	3	-	-	-
Male	4	1	-	-	-	-
Female	5	5	3	-	-	-
White, both sexes	7	6	2	-	-	-
Male	4	1	-	-	-	-
Female	3	5	2	-	-	-
Black, both sexes	2	-	1	-	-	-
Male	-	-	-	-	-	-
Female	2	-	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

W.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	-----------------------	-------------------

## Shigellosis and amebiasis (A03,A06)

All races, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
White, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-

## Certain other intestinal infections (A04,A07-A09)

All races, both sexes	329	293	187	75	10	-
Male	120	93	50	14	-	-
Female	209	200	137	61	10	-
White, both sexes	305	284	178	68	10	-
Male	109	88	49	12	-	-
Female	196	196	129	56	10	-
Black, both sexes	19	7	7	5	-	-
Male	8	3	1	2	-	-
Female	11	4	6	3	-	-
American Indian 1/, both sexes	2	-	-	1	-	-
Male	1	-	-	-	-	-
Female	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	3	2	2	1	-	-
Male	2	2	-	-	-	-
Female	1	-	2	1	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Tuberculosis (A16-A19)						
All races, both sexes	104	85	30	10	-	1
Male	47	34	18	5	-	1
Female	57	51	12	5	-	-
White, both sexes	67	59	21	7	-	1
Male	31	22	11	4	-	1
Female	36	37	10	3	-	-
Black, both sexes	19	11	8	3	-	-
Male	7	5	6	1	-	-
Female	12	6	2	2	-	-
American Indian 1/, both sexes	3	2	-	-	-	-
Male	1	-	-	-	-	-
Female	2	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes	15	13	1	-	-	-
Male	8	7	1	-	-	-
Female	7	6	-	-	-	-
Respiratory tuberculosis (A16)						
All races, both sexes	84	71	28	7	-	1
Male	38	29	17	4	-	1
Female	46	42	11	3	-	-
White, both sexes	55	46	19	5	-	1
Male	25	17	10	3	-	1
Female	30	29	9	2	-	-
Black, both sexes	15	10	8	2	-	-
Male	6	5	6	1	-	-
Female	9	5	2	1	-	-
American Indian 1/, both sexes	3	2	-	-	-	-
Male	1	-	-	-	-	-
Female	2	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes	11	13	1	-	-	-
Male	6	7	1	-	-	-
Female	5	6	-	-	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other tuberculosis (A17-A19)						
All races, both sexes	20	14	2	3	-	-
Male	9	5	1	1	-	-
Female	11	9	1	2	-	-
White, both sexes	12	13	2	2	-	-
Male	6	5	1	1	-	-
Female	6	8	1	1	-	-
Black, both sexes	4	1	-	1	-	-
Male	1	-	-	-	-	-
Female	3	1	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	-	-	-	-	-
Male	2	-	-	-	-	-
Female	2	-	-	-	-	-
Whooping cough (A37)						
All races, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
White, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Scarlet fever and erysipelas (A38,A46)						
All races, both sexes	-	-	1	-	-	-
Male	-	-	1	-	-	-
Female	-	-	-	-	-	-
White, both sexes	-	-	1	-	-	-
Male	-	-	1	-	-	-
Female	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Meningococcal infection (A39)						
All races, both sexes	1	6	1	2	-	-
Male	1	1	-	1	-	-
Female	-	5	1	1	-	-
White, both sexes	1	5	1	2	-	-
Male	1	-	-	1	-	-
Female	-	5	1	1	-	-
Black, both sexes	-	1	-	-	-	-
Male	-	1	-	-	-	-
Female	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Septicemia (A40-A41)						
All races, both sexes	5,351	4,856	3,001	1,020	192	-
Male	2,360	1,788	869	225	32	-
Female	2,991	3,068	2,132	795	160	-
White, both sexes	4,585	4,179	2,596	861	146	-
Male	2,034	1,541	737	193	20	-
Female	2,551	2,638	1,859	668	126	-
Black, both sexes	713	630	366	149	43	-
Male	295	225	111	27	11	-
Female	418	405	255	122	32	-
American Indian 1/, both sexes	11	9	4	1	-	-
Male	6	4	2	1	-	-
Female	5	5	2	-	-	-
Asian or Pacific Islander 2/, both sexes	42	38	35	9	3	-
Male	25	18	19	4	1	-
Female	17	20	16	5	2	-
Syphilis (A50-A53)						
All races, both sexes	9	2	2	1	-	-
Male	3	1	-	-	-	-
Female	6	1	2	1	-	-
White, both sexes	6	2	-	1	-	-
Male	1	1	-	-	-	-
Female	5	1	-	1	-	-
Black, both sexes	3	-	2	-	-	-
Male	2	-	-	-	-	-
Female	1	-	2	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Acute poliomyelitis (A80)						
All races, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
White, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Arthropod-borne viral encephalitis (A83-A84,A85.2)						
All races, both sexes	1	-	-	-	-	-
Male	1	-	-	-	-	-
Female	-	-	-	-	-	-
White, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-
Male	1	-	-	-	-	-
Female	-	-	-	-	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Measles (B05)						
All races, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
White, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Viral hepatitis (B15-B19)						
All races, both sexes	238	120	41	5	-	1
Male	107	42	13	2	-	1
Female	131	78	28	3	-	-
White, both sexes	205	104	34	5	-	-
Male	98	41	10	2	-	-
Female	107	63	24	3	-	-
Black, both sexes	19	12	4	-	-	1
Male	4	-	2	-	-	1
Female	15	12	2	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	14	4	3	-	-	-
Male	5	1	1	-	-	-
Female	9	3	2	-	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease (B20-B24)						
All races, both sexes	20	5	3	2	-	2
Male	18	4	1	2	-	2
Female	2	1	2	-	-	-
White, both sexes	6	3	2	2	-	-
Male	6	2	1	2	-	-
Female	-	1	1	-	-	-
Black, both sexes	13	1	1	-	-	2
Male	11	1	-	-	-	2
Female	2	-	1	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-
Male	1	-	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	1	-	-	-	-
Male	-	1	-	-	-	-
Female	-	-	-	-	-	-
Malaria (B50-B54)						
All races, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
White, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)						
All races, both sexes	632	483	288	98	18	-
Male	306	185	101	21	-	-
Female	326	298	187	77	18	-
White, both sexes	565	438	261	88	14	-
Male	278	169	92	19	-	-
Female	287	269	169	69	14	-
Black, both sexes	49	35	20	8	4	-
Male	20	10	7	2	-	-
Female	29	25	13	6	4	-
American Indian 1/, both sexes	3	3	1	-	-	-
Male	1	2	-	-	-	-
Female	2	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes	15	7	6	2	-	-
Male	7	4	2	-	-	-
Female	8	3	4	2	-	-
Malignant neoplasms (C00-C97)						
All races, both sexes	75,478	49,680	21,660	5,684	727	8
Male	38,175	23,140	8,628	1,951	235	7
Female	37,303	26,540	13,032	3,733	492	1
White, both sexes	67,885	45,136	19,572	5,040	602	4
Male	34,197	20,922	7,722	1,710	196	4
Female	33,688	24,214	11,850	3,330	406	-
Black, both sexes	6,339	3,803	1,801	571	116	4
Male	3,296	1,843	745	204	37	3
Female	3,043	1,960	1,056	367	79	1
American Indian 1/, both sexes	190	109	50	13	-	-
Male	98	46	23	6	-	-
Female	92	63	27	7	-	-
Asian or Pacific Islander 2/, both sexes	1,064	632	237	60	9	-
Male	584	329	138	31	2	-
Female	480	303	99	29	7	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)						
All races, both sexes	783	502	240	67	5	1
Male	427	232	83	18	2	1
Female	356	270	157	49	3	-
White, both sexes	720	463	222	66	5	-
Male	391	213	77	18	2	-
Female	329	250	145	48	3	-
Black, both sexes	49	25	16	1	-	1
Male	26	12	5	-	-	1
Female	23	13	11	1	-	-
American Indian 1/, both sexes	2	1	-	-	-	-
Male	2	1	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	12	13	2	-	-	-
Male	8	6	1	-	-	-
Female	4	7	1	-	-	-
Malignant neoplasm of esophagus (C15)						
All races, both sexes	1,366	757	317	56	7	1
Male	942	452	153	18	2	1
Female	424	305	164	38	5	-
White, both sexes	1,251	700	287	53	7	1
Male	867	420	135	17	2	1
Female	384	280	152	36	5	-
Black, both sexes	102	51	23	3	-	-
Male	67	27	13	1	-	-
Female	35	24	10	2	-	-
American Indian 1/, both sexes	3	2	1	-	-	-
Male	1	1	1	-	-	-
Female	2	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	10	4	6	-	-	-
Male	7	4	4	-	-	-
Female	3	-	2	-	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant neoplasm of stomach (C16)						
All races, both sexes	1,789	1,216	620	149	16	-
Male	954	550	222	36	5	-
Female	835	666	398	113	11	-
White, both sexes	1,441	1,008	503	116	11	-
Male	771	463	183	30	3	-
Female	670	545	320	86	8	-
Black, both sexes	258	161	94	27	5	-
Male	133	59	25	6	2	-
Female	125	102	69	21	3	-
American Indian 1/, both sexes	10	4	4	-	-	-
Male	7	2	4	-	-	-
Female	3	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes	80	43	19	6	-	-
Male	43	26	10	-	-	-
Female	37	17	9	6	-	-
Malignant neoplasms of colon, rectum and anus (C18-C21)						
All races, both sexes	8,539	6,618	3,482	1,028	131	-
Male	3,883	2,520	1,068	251	36	-
Female	4,656	4,098	2,414	777	95	-
White, both sexes	7,618	6,015	3,146	908	106	-
Male	3,486	2,288	962	217	30	-
Female	4,132	3,727	2,184	691	76	-
Black, both sexes	779	509	296	105	23	-
Male	328	188	86	27	5	-
Female	451	321	210	78	18	-
American Indian 1/, both sexes	22	12	4	-	-	-
Male	10	6	2	-	-	-
Female	12	6	2	-	-	-
Asian or Pacific Islander 2/, both sexes	120	82	36	15	2	-
Male	59	38	18	7	1	-
Female	61	44	18	8	1	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant neoplasms of liver and intrahepatic bile ducts (C22)						
All races, both sexes	1,646	1,009	386	97	8	-
Male	847	481	140	31	2	-
Female	799	528	246	66	6	-
White, both sexes	1,415	896	344	82	7	-
Male	746	426	129	27	2	-
Female	669	470	215	55	5	-
Black, both sexes	151	71	32	10	1	-
Male	61	31	6	-	-	-
Female	90	40	26	10	1	-
American Indian 1/, both sexes	10	6	1	-	-	-
Male	5	1	-	-	-	-
Female	5	5	1	-	-	-
Asian or Pacific Islander 2/, both sexes	70	36	9	5	-	-
Male	35	23	5	4	-	-
Female	35	13	4	1	-	-

## Malignant neoplasm of pancreas (C25)

All races, both sexes	4,335	2,861	1,214	293	42	1
Male	1,831	984	310	64	7	1
Female	2,504	1,877	904	229	35	-
White, both sexes	3,876	2,581	1,072	261	33	1
Male	1,657	907	281	60	5	1
Female	2,219	1,674	791	201	28	-
Black, both sexes	387	233	124	29	9	-
Male	136	60	22	4	2	-
Female	251	173	102	25	7	-
American Indian 1/, both sexes	6	7	1	1	-	-
Male	3	2	-	-	-	-
Female	3	5	1	1	-	-
Asian or Pacific Islander 2/, both sexes	66	40	17	2	-	-
Male	35	15	7	-	-	-
Female	31	25	10	2	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant neoplasm of larynx (C32)						
All races, both sexes	357	208	74	13	1	-
Male	268	171	58	8	1	-
Female	89	37	16	5	-	-
White, both sexes	315	183	68	11	1	-
Male	232	152	55	7	1	-
Female	83	31	13	4	-	-
Black, both sexes	34	20	6	1	-	-
Male	28	15	3	-	-	-
Female	6	5	3	1	-	-
American Indian 1/, both sexes	3	1	-	1	-	-
Male	3	1	-	1	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	5	4	-	-	-	-
Male	5	3	-	-	-	-
Female	-	1	-	-	-	-
Malignant neoplasms of trachea, bronchus and lung (C33-C34)						
All races, both sexes	18,977	9,623	3,064	587	57	4
Male	10,438	5,026	1,370	237	23	4
Female	8,539	4,597	1,694	350	34	-
White, both sexes	17,272	8,812	2,799	514	45	2
Male	9,421	4,562	1,247	215	20	2
Female	7,851	4,250	1,552	299	25	-
Black, both sexes	1,367	643	199	61	11	2
Male	822	377	89	15	3	2
Female	545	266	110	46	8	-
American Indian 1/, both sexes	52	17	8	2	-	-
Male	27	7	-	1	-	-
Female	25	10	8	1	-	-
Asian or Pacific Islander 2/, both sexes	286	151	58	10	1	-
Male	168	80	34	6	-	-
Female	118	71	24	4	1	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant melanoma of skin (C43)						
All races, both sexes	759	489	213	72	11	-
Male	463	256	99	31	2	-
Female	296	233	114	41	9	-
White, both sexes	742	481	209	71	10	-
Male	458	253	99	31	2	-
Female	284	228	110	40	8	-
Black, both sexes	16	5	4	1	1	-
Male	4	1	-	-	-	-
Female	12	4	4	1	1	-
American Indian 1/, both sexes	-	2	-	-	-	-
Male	-	2	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	1	-	-	-	-
Male	1	-	-	-	-	-
Female	-	1	-	-	-	-
Malignant neoplasm of breast (C50)						
All races, both sexes	4,533	3,330	1,848	644	89	-
Male	46	31	9	6	-	-
Female	4,487	3,299	1,839	638	89	-
White, both sexes	4,103	3,021	1,699	585	69	-
Male	41	26	9	4	-	-
Female	4,062	2,995	1,690	581	69	-
Black, both sexes	391	275	142	59	19	-
Male	5	4	-	2	-	-
Female	386	271	142	57	19	-
American Indian 1/, both sexes	5	9	1	-	-	-
Male	-	-	-	-	-	-
Female	5	9	1	-	-	-
Asian or Pacific Islander 2/, both sexes	34	25	6	-	1	-
Male	-	1	-	-	-	-
Female	34	24	6	-	1	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant neoplasm of cervix uteri (C53)						
All races, both sexes	285	193	90	30	2	-
Female	285	193	90	30	2	-
White, both sexes	219	150	69	26	2	-
Female	219	150	69	26	2	-
Black, both sexes	56	39	19	4	-	-
Female	56	39	19	4	-	-
American Indian 1/, both sexes	1	1	1	-	-	-
Female	1	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes	9	3	1	-	-	-
Female	9	3	1	-	-	-
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)						
All races, both sexes	988	662	312	104	10	1
Female	988	662	312	104	10	1
White, both sexes	865	601	275	92	7	-
Female	865	601	275	92	7	-
Black, both sexes	115	55	36	11	3	1
Female	115	55	36	11	3	1
American Indian 1/, both sexes	2	2	-	1	-	-
Female	2	2	-	1	-	-
Asian or Pacific Islander 2/, both sexes	6	4	1	-	-	-
Female	6	4	1	-	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant neoplasm of ovary (C56)						
All races, both sexes	1,924	1,181	451	96	15	-
Female	1,924	1,181	451	96	15	-
White, both sexes	1,794	1,088	426	85	10	-
Female	1,794	1,088	426	85	10	-
Black, both sexes	103	80	24	10	5	-
Female	103	80	24	10	5	-
American Indian 1/, both sexes	6	2	-	1	-	-
Female	6	2	-	1	-	-
Asian or Pacific Islander 2/, both sexes	21	11	1	-	-	-
Female	21	11	1	-	-	-
Malignant neoplasm of prostate (C61)						
All races, both sexes	6,857	5,500	2,575	689	85	-
Male	6,857	5,500	2,575	689	85	-
White, both sexes	5,736	4,729	2,195	557	67	-
Male	5,736	4,729	2,195	557	67	-
Black, both sexes	1,035	704	343	118	17	-
Male	1,035	704	343	118	17	-
American Indian 1/, both sexes	15	11	9	4	-	-
Male	15	11	9	4	-	-
Asian or Pacific Islander 2/, both sexes	71	56	28	10	1	-
Male	71	56	28	10	1	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant neoplasms of kidney and renal pelvis (C64-C65)						
All races, both sexes	1,496	947	390	82	5	-
Male	814	500	164	23	-	-
Female	682	447	226	59	5	-
White, both sexes	1,371	873	354	77	5	-
Male	750	467	151	22	-	-
Female	621	406	203	55	5	-
Black, both sexes	104	63	29	5	-	-
Male	53	30	10	1	-	-
Female	51	33	19	4	-	-
American Indian 1/, both sexes	4	1	4	-	-	-
Male	1	-	2	-	-	-
Female	3	1	2	-	-	-
Asian or Pacific Islander 2/, both sexes	17	10	3	-	-	-
Male	10	3	1	-	-	-
Female	7	7	2	-	-	-
Malignant neoplasm of bladder (C67)						
All races, both sexes	2,309	1,865	864	265	42	-
Male	1,562	1,129	482	123	17	-
Female	747	736	382	142	25	-
White, both sexes	2,126	1,743	792	247	38	-
Male	1,467	1,069	455	121	15	-
Female	659	674	337	126	23	-
Black, both sexes	152	97	62	17	3	-
Male	72	44	21	2	2	-
Female	80	53	41	15	1	-
American Indian 1/, both sexes	6	3	-	-	-	-
Male	5	2	-	-	-	-
Female	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	25	22	10	1	1	-
Male	18	14	6	-	-	-
Female	7	8	4	1	1	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)						
All races, both sexes	1,060	528	157	31	5	-
Male	511	202	48	9	2	-
Female	549	326	109	22	3	-
White, both sexes	1,007	500	148	26	4	-
Male	488	190	43	7	1	-
Female	519	310	105	19	3	-
Black, both sexes	40	24	8	5	1	-
Male	15	8	4	2	1	-
Female	25	16	4	3	-	-
American Indian 1/, both sexes	2	-	-	-	-	-
Male	1	-	-	-	-	-
Female	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	11	4	1	-	-	-
Male	7	4	1	-	-	-
Female	4	-	-	-	-	-

## Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

All races, both sexes	8,677	5,848	2,344	536	77	-
Male	4,262	2,537	846	168	25	-
Female	4,415	3,311	1,498	368	52	-
White, both sexes	8,040	5,451	2,187	494	72	-
Male	3,969	2,381	791	154	24	-
Female	4,071	3,070	1,396	340	48	-
Black, both sexes	527	330	135	38	4	-
Male	238	124	45	12	1	-
Female	289	206	90	26	3	-
American Indian 1/, both sexes	17	10	6	1	-	-
Male	6	4	1	-	-	-
Female	11	6	5	1	-	-
Asian or Pacific Islander 2/, both sexes	93	57	16	3	1	-
Male	49	28	9	2	-	-
Female	44	29	7	1	1	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Hodgkin's disease (C81)						
All races, both sexes	127	66	24	7	-	-
Male	55	26	7	1	-	-
Female	72	40	17	6	-	-
White, both sexes	122	64	24	7	-	-
Male	52	24	7	1	-	-
Female	70	40	17	6	-	-
Black, both sexes	3	2	-	-	-	-
Male	2	2	-	-	-	-
Female	1	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-
Male	1	-	-	-	-	-
Female	1	-	-	-	-	-
Non-Hodgkin's lymphoma (C82-C85)						
All races, both sexes	3,593	2,392	904	186	24	-
Male	1,685	1,020	305	55	5	-
Female	1,908	1,372	599	131	19	-
White, both sexes	3,398	2,267	855	178	22	-
Male	1,599	965	289	52	5	-
Female	1,799	1,302	566	126	17	-
Black, both sexes	140	83	36	7	2	-
Male	59	35	11	2	-	-
Female	81	48	25	5	2	-
American Indian 1/, both sexes	8	4	4	-	-	-
Male	2	2	1	-	-	-
Female	6	2	3	-	-	-
Asian or Pacific Islander 2/, both sexes	47	38	9	1	-	-
Male	25	18	4	1	-	-
Female	22	20	5	-	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Leukemia (C91-C95)						
All races, both sexes	3,155	2,256	1,008	271	50	-
Male	1,676	1,041	380	89	17	-
Female	1,479	1,215	628	182	33	-
White, both sexes	2,968	2,132	946	248	48	-
Male	1,579	992	358	81	17	-
Female	1,389	1,140	588	167	31	-
Black, both sexes	155	109	55	21	1	-
Male	76	43	18	7	-	-
Female	79	66	37	14	1	-
American Indian 1/, both sexes	4	2	1	1	-	-
Male	2	-	-	-	-	-
Female	2	2	1	1	-	-
Asian or Pacific Islander 2/, both sexes	28	13	6	1	1	-
Male	19	6	4	1	-	-
Female	9	7	2	-	1	-
Multiple myeloma and immunoproliferative neoplasms (C88,C90)						
All races, both sexes	1,785	1,123	400	71	3	-
Male	837	446	152	23	3	-
Female	948	677	248	48	-	-
White, both sexes	1,538	978	354	60	2	-
Male	731	397	135	20	2	-
Female	807	581	219	40	-	-
Black, both sexes	226	135	44	10	1	-
Male	100	43	16	3	1	-
Female	126	92	28	7	-	-
American Indian 1/, both sexes	5	4	1	-	-	-
Male	2	2	-	-	-	-
Female	3	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes	16	6	1	1	-	-
Male	4	4	1	-	-	-
Female	12	2	-	1	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)						
All races, both sexes	17	11	8	1	-	-
Male	9	4	2	-	-	-
Female	8	7	6	1	-	-
White, both sexes	14	10	8	1	-	-
Male	8	3	2	-	-	-
Female	6	7	6	1	-	-
Black, both sexes	3	1	-	-	-	-
Male	1	1	-	-	-	-
Female	2	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-

All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)

All races, both sexes	8,798	6,343	3,019	845	119	-
Male	4,070	2,569	1,001	239	26	-
Female	4,728	3,774	2,018	606	93	-
White, both sexes	7,974	5,841	2,777	769	103	-
Male	3,717	2,376	910	223	22	-
Female	4,257	3,465	1,867	546	81	-
Black, both sexes	673	418	209	66	14	-
Male	273	159	73	14	4	-
Female	400	259	136	52	10	-
American Indian 1/, both sexes	24	18	10	2	-	-
Male	12	6	4	-	-	-
Female	12	12	6	2	-	-
Asian or Pacific Islander 2/, both sexes	127	66	23	8	2	-
Male	68	28	14	2	-	-
Female	59	38	9	6	2	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	-----------------------	-------------------

## In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)

All races, both sexes	2,462	2,102	1,141	351	49	-
Male	1,204	882	404	102	10	-
Female	1,258	1,220	737	249	39	-
White, both sexes	2,275	1,941	1,050	314	39	-
Male	1,116	813	377	94	8	-
Female	1,159	1,128	673	220	31	-
Black, both sexes	157	119	78	33	9	-
Male	73	47	22	7	2	-
Female	84	72	56	26	7	-
American Indian 1/, both sexes	4	7	2	-	-	-
Male	2	4	1	-	-	-
Female	2	3	1	-	-	-
Asian or Pacific Islander 2/, both sexes	26	35	11	4	1	-
Male	13	18	4	1	-	-
Female	13	17	7	3	1	-

## Anemias (D50-D64)

All races, both sexes	701	808	659	294	90	-
Male	276	276	177	52	15	-
Female	425	532	482	242	75	-
White, both sexes	613	728	599	266	69	-
Male	248	259	159	46	11	-
Female	365	469	440	220	58	-
Black, both sexes	79	66	50	24	18	-
Male	25	15	13	6	3	-
Female	54	51	37	18	15	-
American Indian 1/, both sexes	3	6	-	3	1	-
Male	-	2	-	-	-	-
Female	3	4	-	3	1	-
Asian or Pacific Islander 2/, both sexes	6	8	10	1	2	-
Male	3	-	5	-	1	-
Female	3	8	5	1	1	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Diabetes mellitus (E10-E14)						
All races, both sexes	11,259	8,366	4,259	1,350	196	1
Male	4,674	2,966	1,188	269	34	1
Female	6,585	5,400	3,071	1,081	162	-
White, both sexes	9,582	7,224	3,685	1,145	143	1
Male	4,068	2,665	1,046	229	27	1
Female	5,514	4,559	2,639	916	116	-
Black, both sexes	1,411	988	509	179	49	-
Male	499	240	121	29	7	-
Female	912	748	388	150	42	-
American Indian 1/, both sexes	66	37	16	3	-	-
Male	22	14	2	-	-	-
Female	44	23	14	3	-	-
Asian or Pacific Islander 2/, both sexes	200	117	49	23	4	-
Male	85	47	19	11	-	-
Female	115	70	30	12	4	-

## Nutritional deficiencies (E40-E64)

All races, both sexes	661	798	684	324	83	-
Male	254	228	171	55	3	-
Female	407	570	513	269	80	-
White, both sexes	557	716	604	286	76	-
Male	214	203	145	48	2	-
Female	343	513	459	238	74	-
Black, both sexes	88	72	69	30	7	-
Male	31	24	21	5	1	-
Female	57	48	48	25	6	-
American Indian 1/, both sexes	6	5	2	1	-	-
Male	3	-	-	-	-	-
Female	3	5	2	1	-	-
Asian or Pacific Islander 2/, both sexes	10	5	9	7	-	-
Male	6	1	5	2	-	-
Female	4	4	4	5	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malnutrition (E40-E46)						
All races, both sexes	619	756	643	302	71	-
Male	244	220	164	50	2	-
Female	375	536	479	252	69	-
White, both sexes	521	679	566	266	64	-
Male	205	195	139	44	1	-
Female	316	484	427	222	63	-
Black, both sexes	82	67	66	28	7	-
Male	30	24	20	4	1	-
Female	52	43	46	24	6	-
American Indian 1/, both sexes	6	5	2	1	-	-
Male	3	-	-	-	-	-
Female	3	5	2	1	-	-
Asian or Pacific Islander 2/, both sexes	10	5	9	7	-	-
Male	6	1	5	2	-	-
Female	4	4	4	5	-	-
Other nutritional deficiencies (E50-E64)						
All races, both sexes	42	42	41	22	12	-
Male	10	8	7	5	1	-
Female	32	34	34	17	11	-
White, both sexes	36	37	38	20	12	-
Male	9	8	6	4	1	-
Female	27	29	32	16	11	-
Black, both sexes	6	5	3	2	-	-
Male	1	-	1	1	-	-
Female	5	5	2	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Meningitis (G00,G03)						
All races, both sexes	50	25	12	4	-	-
Male	21	11	3	1	-	-
Female	29	14	9	3	-	-
White, both sexes	42	20	9	2	-	-
Male	18	7	2	-	-	-
Female	24	13	7	2	-	-
Black, both sexes	6	4	2	2	-	-
Male	2	4	1	1	-	-
Female	4	-	1	1	-	-
American Indian 1/, both sexes	1	-	-	-	-	-
Male	-	-	-	-	-	-
Female	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	1	1	-	-	-
Male	1	-	-	-	-	-
Female	-	1	1	-	-	-
Parkinson's disease (G20-G21)						
All races, both sexes	4,679	3,786	1,655	425	43	-
Male	2,733	2,012	759	134	10	-
Female	1,946	1,774	896	291	33	-
White, both sexes	4,484	3,628	1,585	402	37	-
Male	2,622	1,934	725	127	9	-
Female	1,862	1,694	860	275	28	-
Black, both sexes	129	116	54	18	4	-
Male	72	55	29	4	-	-
Female	57	61	25	14	4	-
American Indian 1/, both sexes	4	7	1	1	-	-
Male	3	2	-	-	-	-
Female	1	5	1	1	-	-
Asian or Pacific Islander 2/, both sexes	62	35	15	4	2	-
Male	36	21	5	3	1	-
Female	26	14	10	1	1	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Alzheimer's disease (G30)						
All races, both sexes	11,974	14,843	11,168	4,474	796	-
Male	4,179	4,225	2,312	608	79	-
Female	7,795	10,618	8,856	3,866	717	-
White, both sexes	11,194	13,961	10,565	4,182	707	-
Male	3,904	3,968	2,178	576	67	-
Female	7,290	9,993	8,387	3,606	640	-
Black, both sexes	678	784	525	261	80	-
Male	231	219	110	25	11	-
Female	447	565	415	236	69	-
American Indian 1/, both sexes	32	19	14	8	-	-
Male	14	6	1	-	-	-
Female	18	13	13	8	-	-
Asian or Pacific Islander 2/, both sexes	70	79	64	23	9	-
Male	30	32	23	7	1	-
Female	40	47	41	16	8	-
Major cardiovascular diseases (I00-I78)						
All races, both sexes	161,364	164,000	116,097	47,232	10,601	72
Male	72,817	59,914	32,127	9,565	1,491	53
Female	88,547	104,086	83,970	37,667	9,110	19
White, both sexes	145,321	150,129	107,073	43,220	9,266	45
Male	66,225	55,249	29,612	8,672	1,269	34
Female	79,096	94,880	77,461	34,548	7,997	11
Black, both sexes	13,377	11,562	7,643	3,467	1,156	25
Male	5,338	3,665	1,934	702	189	18
Female	8,039	7,897	5,709	2,765	967	7
American Indian 1/, both sexes	391	318	173	75	26	-
Male	164	127	57	18	3	-
Female	227	191	116	57	23	-
Asian or Pacific Islander 2/, both sexes	2,275	1,991	1,208	470	153	2
Male	1,090	873	524	173	30	1
Female	1,185	1,118	684	297	123	1

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Diseases of heart (I00-I09,I11,I13,I20-I51)						
All races, both sexes	118,893	119,848	85,878	35,479	8,234	66
Male	55,616	45,298	24,606	7,394	1,175	47
Female	63,277	74,550	61,272	28,085	7,059	19
White, both sexes	107,420	110,058	79,431	32,522	7,230	42
Male	50,776	41,956	22,737	6,722	1,000	31
Female	56,644	68,102	56,694	25,800	6,230	11
Black, both sexes	9,672	8,243	5,499	2,561	878	22
Male	3,964	2,658	1,469	533	152	15
Female	5,708	5,585	4,030	2,028	726	7
American Indian 1/, both sexes	279	224	121	53	17	-
Male	127	92	38	14	2	-
Female	152	132	83	39	15	-
Asian or Pacific Islander 2/, both sexes	1,522	1,323	827	343	109	2
Male	749	592	362	125	21	1
Female	773	731	465	218	88	1

## Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)

All races, both sexes	589	468	235	67	10	-
Male	148	106	50	10	-	-
Female	441	362	185	57	10	-
White, both sexes	567	447	228	62	10	-
Male	141	101	48	8	-	-
Female	426	346	180	54	10	-
Black, both sexes	12	13	4	5	-	-
Male	3	4	-	2	-	-
Female	9	9	4	3	-	-
American Indian 1/, both sexes	2	1	-	-	-	-
Male	1	1	-	-	-	-
Female	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	8	7	3	-	-	-
Male	3	-	2	-	-	-
Female	5	7	1	-	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Hypertensive heart disease (I11)						
All races, both sexes	3,400	3,658	2,958	1,398	331	11
Male	1,226	957	565	197	27	9
Female	2,174	2,701	2,393	1,201	304	2
White, both sexes	2,754	3,073	2,611	1,225	262	6
Male	983	786	493	162	14	5
Female	1,771	2,287	2,118	1,063	248	1
Black, both sexes	571	526	315	156	65	5
Male	214	149	62	28	12	4
Female	357	377	253	128	53	1
American Indian 1/, both sexes	6	3	5	4	-	-
Male	2	-	1	-	-	-
Female	4	3	4	4	-	-
Asian or Pacific Islander 2/, both sexes	69	56	27	13	4	-
Male	27	22	9	7	1	-
Female	42	34	18	6	3	-
Hypertensive heart and renal disease (I13)						
All races, both sexes	481	499	348	155	24	-
Male	181	174	102	35	3	-
Female	300	325	246	120	21	-
White, both sexes	384	395	295	132	16	-
Male	152	146	90	29	2	-
Female	232	249	205	103	14	-
Black, both sexes	84	84	51	21	7	-
Male	24	22	11	5	1	-
Female	60	62	40	16	6	-
American Indian 1/, both sexes	1	2	-	-	-	-
Male	-	1	-	-	-	-
Female	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	12	18	2	2	1	-
Male	5	5	1	1	-	-
Female	7	13	1	1	1	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Ischemic heart diseases (I20-I25)						
All races, both sexes	86,772	84,880	59,558	24,206	5,665	48
Male	42,059	33,466	17,702	5,124	814	33
Female	44,713	51,414	41,856	19,082	4,851	15
White, both sexes	78,643	78,104	55,084	22,157	4,976	30
Male	38,597	31,119	16,373	4,664	698	21
Female	40,046	46,985	38,711	17,493	4,278	9
Black, both sexes	6,783	5,626	3,775	1,772	600	16
Male	2,797	1,820	1,046	362	99	11
Female	3,986	3,806	2,729	1,410	501	5
American Indian 1/, both sexes	199	153	83	31	11	-
Male	90	67	25	10	2	-
Female	109	86	58	21	9	-
Asian or Pacific Islander 2/, both sexes	1,147	997	616	246	78	2
Male	575	460	258	88	15	1
Female	572	537	358	158	63	1
Acute myocardial infarction (I21-I22)						
All races, both sexes	31,488	29,242	18,525	6,606	1,354	10
Male	14,974	11,411	5,778	1,576	219	6
Female	16,514	17,831	12,747	5,030	1,135	4
White, both sexes	28,512	26,793	16,980	5,981	1,171	6
Male	13,744	10,533	5,289	1,410	187	5
Female	14,768	16,260	11,691	4,571	984	1
Black, both sexes	2,478	2,028	1,309	544	157	4
Male	987	679	377	134	28	1
Female	1,491	1,349	932	410	129	3
American Indian 1/, both sexes	70	62	28	15	5	-
Male	35	33	11	6	-	-
Female	35	29	17	9	5	-
Asian or Pacific Islander 2/, both sexes	428	359	208	66	21	-
Male	208	166	101	26	4	-
Female	220	193	107	40	17	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other acute ischemic heart diseases (I24)						
All races, both sexes	474	455	317	142	31	-
Male	218	165	72	25	7	-
Female	256	290	245	117	24	-
White, both sexes	426	406	298	125	26	-
Male	203	148	66	23	7	-
Female	223	258	232	102	19	-
Black, both sexes	40	45	12	16	5	-
Male	11	15	4	2	-	-
Female	29	30	8	14	5	-
American Indian 1/, both sexes	2	3	3	-	-	-
Male	-	1	-	-	-	-
Female	2	2	3	-	-	-
Asian or Pacific Islander 2/, both sexes	6	1	4	1	-	-
Male	4	1	2	-	-	-
Female	2	-	2	1	-	-
Other forms of chronic ischemic heart disease (I20,I25)						
All races, both sexes	54,810	55,183	40,716	17,458	4,280	38
Male	26,867	21,890	11,852	3,523	588	27
Female	27,943	33,293	28,864	13,935	3,692	11
White, both sexes	49,705	50,905	37,806	16,051	3,779	24
Male	24,650	20,438	11,018	3,231	504	16
Female	25,055	30,467	26,788	12,820	3,275	8
Black, both sexes	4,265	3,553	2,454	1,212	438	12
Male	1,799	1,126	665	226	71	10
Female	2,466	2,427	1,789	986	367	2
American Indian 1/, both sexes	127	88	52	16	6	-
Male	55	33	14	4	2	-
Female	72	55	38	12	4	-
Asian or Pacific Islander 2/, both sexes	713	637	404	179	57	2
Male	363	293	155	62	11	1
Female	350	344	249	117	46	1

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Atherosclerotic cardiovascular disease, so described (I25.0)						
All races, both sexes	10,155	9,984	7,556	3,323	873	25
Male	4,774	3,630	2,167	616	108	19
Female	5,381	6,354	5,389	2,707	765	6
White, both sexes	8,869	8,927	6,867	2,978	745	16
Male	4,206	3,272	1,958	548	86	11
Female	4,663	5,655	4,909	2,430	659	5
Black, both sexes	1,113	922	602	299	113	8
Male	484	295	174	51	17	7
Female	629	627	428	248	96	1
American Indian 1/, both sexes	34	19	17	5	2	-
Male	17	7	5	-	2	-
Female	17	12	12	5	-	-
Asian or Pacific Islander 2/, both sexes	139	116	70	41	13	1
Male	67	56	30	17	3	1
Female	72	60	40	24	10	-

## All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

All races, both sexes	44,655	45,199	33,160	14,135	3,407	13
Male	22,093	18,260	9,685	2,907	480	8
Female	22,562	26,939	23,475	11,228	2,927	5
White, both sexes	40,836	41,978	30,939	13,073	3,034	8
Male	20,444	17,166	9,060	2,683	418	5
Female	20,392	24,812	21,879	10,390	2,616	3
Black, both sexes	3,152	2,631	1,852	913	325	4
Male	1,315	831	491	175	54	3
Female	1,837	1,800	1,361	738	271	1
American Indian 1/, both sexes	93	69	35	11	4	-
Male	38	26	9	4	-	-
Female	55	43	26	7	4	-
Asian or Pacific Islander 2/, both sexes	574	521	334	138	44	1
Male	296	237	125	45	8	-
Female	278	284	209	93	36	1

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other heart diseases (I26-I51)						
All races, both sexes	27,651	30,343	22,779	9,653	2,204	7
Male	12,002	10,595	6,187	2,028	331	5
Female	15,649	19,748	16,592	7,625	1,873	2
White, both sexes	25,072	28,039	21,213	8,946	1,966	6
Male	10,903	9,804	5,733	1,859	286	5
Female	14,169	18,235	15,480	7,087	1,680	1
Black, both sexes	2,222	1,994	1,354	607	206	1
Male	926	663	350	136	40	-
Female	1,296	1,331	1,004	471	166	1
American Indian 1/, both sexes	71	65	33	18	6	-
Male	34	23	12	4	-	-
Female	37	42	21	14	6	-
Asian or Pacific Islander 2/, both sexes	286	245	179	82	26	-
Male	139	105	92	29	5	-
Female	147	140	87	53	21	-
Acute and subacute endocarditis (I33)						
All races, both sexes	154	79	30	2	-	-
Male	83	37	11	1	-	-
Female	71	42	19	1	-	-
White, both sexes	140	76	27	2	-	-
Male	75	35	10	1	-	-
Female	65	41	17	1	-	-
Black, both sexes	12	2	3	-	-	-
Male	7	1	1	-	-	-
Female	5	1	2	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	1	-	-	-	-
Male	1	1	-	-	-	-
Female	1	-	-	-	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Diseases of pericardium and acute myocarditis (I30-I31,I40)						
All races, both sexes	67	49	28	7	1	1
Male	22	14	8	2	-	1
Female	45	35	20	5	1	-
White, both sexes	61	43	27	7	-	1
Male	20	13	8	2	-	1
Female	41	30	19	5	-	-
Black, both sexes	5	5	1	-	1	-
Male	2	-	-	-	-	-
Female	3	5	1	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	1	-	-	-	-
Male	-	1	-	-	-	-
Female	1	-	-	-	-	-
Heart failure (I50)						
All races, both sexes	10,255	12,793	10,735	4,971	1,209	1
Male	4,372	4,320	2,886	1,020	172	-
Female	5,883	8,473	7,849	3,951	1,037	1
White, both sexes	9,358	11,903	10,063	4,645	1,092	1
Male	4,001	4,038	2,703	947	151	-
Female	5,357	7,865	7,360	3,698	941	1
Black, both sexes	789	787	589	295	100	-
Male	320	246	148	63	20	-
Female	469	541	441	232	80	-
American Indian 1/, both sexes	29	29	14	9	5	-
Male	13	6	4	3	-	-
Female	16	23	10	6	5	-
Asian or Pacific Islander 2/, both sexes	79	74	69	22	12	-
Male	38	30	31	7	1	-
Female	41	44	38	15	11	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)						
All races, both sexes	17,175	17,422	11,986	4,673	994	5
Male	7,525	6,224	3,282	1,005	159	4
Female	9,650	11,198	8,704	3,668	835	1
White, both sexes	15,513	16,017	11,096	4,292	874	4
Male	6,807	5,718	3,012	909	135	4
Female	8,706	10,299	8,084	3,383	739	-
Black, both sexes	1,416	1,200	761	312	105	1
Male	597	416	201	73	20	-
Female	819	784	560	239	85	1
American Indian 1/, both sexes	42	36	19	9	1	-
Male	21	17	8	1	-	-
Female	21	19	11	8	1	-
Asian or Pacific Islander 2/, both sexes	204	169	110	60	14	-
Male	100	73	61	22	4	-
Female	104	96	49	38	10	-

## Essential (primary) hypertension and hypertensive renal disease (I10,I12)

All races, both sexes	3,355	3,606	2,573	1,136	257	-
Male	1,182	1,129	610	192	28	-
Female	2,173	2,477	1,963	944	229	-
White, both sexes	2,727	3,058	2,243	998	211	-
Male	956	956	534	161	21	-
Female	1,771	2,102	1,709	837	190	-
Black, both sexes	547	481	288	126	43	-
Male	197	148	61	27	7	-
Female	350	333	227	99	36	-
American Indian 1/, both sexes	9	7	6	2	1	-
Male	2	3	2	-	-	-
Female	7	4	4	2	1	-
Asian or Pacific Islander 2/, both sexes	72	60	36	10	2	-
Male	27	22	13	4	-	-
Female	45	38	23	6	2	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Cerebrovascular diseases (I60-I69)						
All races, both sexes	32,050	33,465	22,650	8,398	1,553	4
Male	12,630	10,731	5,482	1,506	211	4
Female	19,420	22,734	17,168	6,892	1,342	-
White, both sexes	28,719	30,444	20,767	7,672	1,342	1
Male	11,373	9,749	5,019	1,351	184	1
Female	17,346	20,695	15,748	6,321	1,158	-
Black, both sexes	2,645	2,412	1,538	609	172	3
Male	957	733	320	116	20	3
Female	1,688	1,679	1,218	493	152	-
American Indian 1/, both sexes	78	68	39	17	7	-
Male	26	24	13	4	1	-
Female	52	44	26	13	6	-
Asian or Pacific Islander 2/, both sexes	608	541	306	100	32	-
Male	274	225	130	35	6	-
Female	334	316	176	65	26	-
Atherosclerosis (I70)						
All races, both sexes	2,532	3,214	2,786	1,471	417	1
Male	1,026	1,123	710	285	54	1
Female	1,506	2,091	2,076	1,186	363	-
White, both sexes	2,339	3,034	2,624	1,374	377	1
Male	946	1,067	666	268	44	1
Female	1,393	1,967	1,958	1,106	333	-
Black, both sexes	158	151	139	87	32	-
Male	61	45	35	13	7	-
Female	97	106	104	74	25	-
American Indian 1/, both sexes	10	8	6	1	1	-
Male	5	2	3	-	-	-
Female	5	6	3	1	1	-
Asian or Pacific Islander 2/, both sexes	25	21	17	9	7	-
Male	14	9	6	4	3	-
Female	11	12	11	5	4	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other diseases of circulatory system (I71-I78)						
All races, both sexes	4,534	3,867	2,210	748	140	1
Male	2,363	1,633	719	188	23	1
Female	2,171	2,234	1,491	560	117	-
White, both sexes	4,116	3,535	2,008	654	106	1
Male	2,174	1,521	656	170	20	1
Female	1,942	2,014	1,352	484	86	-
Black, both sexes	355	275	179	84	31	-
Male	159	81	49	13	3	-
Female	196	194	130	71	28	-
American Indian 1/, both sexes	15	11	1	2	-	-
Male	4	6	1	-	-	-
Female	11	5	-	2	-	-
Asian or Pacific Islander 2/, both sexes	48	46	22	8	3	-
Male	26	25	13	5	-	-
Female	22	21	9	3	3	-
Aortic aneurysm and dissection (I71)						
All races, both sexes	2,852	2,122	1,022	242	26	1
Male	1,591	1,000	406	78	7	1
Female	1,261	1,122	616	164	19	-
White, both sexes	2,654	1,987	943	221	24	1
Male	1,499	950	385	73	7	1
Female	1,155	1,037	558	148	17	-
Black, both sexes	157	98	64	16	2	-
Male	68	28	13	2	-	-
Female	89	70	51	14	2	-
American Indian 1/, both sexes	8	6	-	1	-	-
Male	3	4	-	-	-	-
Female	5	2	-	1	-	-
Asian or Pacific Islander 2/, both sexes	33	31	15	4	-	-
Male	21	18	8	3	-	-
Female	12	13	7	1	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other diseases of arteries, arterioles and capillaries (I72-I78)						
All races, both sexes	1,682	1,745	1,188	506	114	-
Male	772	633	313	110	16	-
Female	910	1,112	875	396	98	-
White, both sexes	1,462	1,548	1,065	433	82	-
Male	675	571	271	97	13	-
Female	787	977	794	336	69	-
Black, both sexes	198	177	115	68	29	-
Male	91	53	36	11	3	-
Female	107	124	79	57	26	-
American Indian 1/, both sexes	7	5	1	1	-	-
Male	1	2	1	-	-	-
Female	6	3	-	1	-	-
Asian or Pacific Islander 2/, both sexes	15	15	7	4	3	-
Male	5	7	5	2	-	-
Female	10	8	2	2	3	-

## Other disorders of circulatory system (I80-I99)

All races, both sexes	611	568	414	140	27	1
Male	234	164	97	19	6	1
Female	377	404	317	121	21	-
White, both sexes	551	519	369	127	23	-
Male	211	149	87	15	4	-
Female	340	370	282	112	19	-
Black, both sexes	55	42	40	13	3	1
Male	19	12	8	4	2	1
Female	36	30	32	9	1	-
American Indian 1/, both sexes	-	1	1	-	-	-
Male	-	1	-	-	-	-
Female	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	5	6	4	-	1	-
Male	4	2	2	-	-	-
Female	1	4	2	-	1	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Influenza and pneumonia (J10-J18)						
All races, both sexes	11,167	13,382	10,692	4,836	1,281	5
Male	5,299	5,373	3,587	1,282	260	4
Female	5,868	8,009	7,105	3,554	1,021	1
White, both sexes	10,078	12,309	9,852	4,424	1,114	4
Male	4,773	4,931	3,263	1,160	224	4
Female	5,305	7,378	6,589	3,264	890	-
Black, both sexes	827	795	637	322	139	-
Male	385	292	228	83	27	-
Female	442	503	409	239	112	-
American Indian 1/, both sexes	48	41	31	17	2	-
Male	24	19	10	8	1	-
Female	24	22	21	9	1	-
Asian or Pacific Islander 2/, both sexes	214	237	172	73	26	1
Male	117	131	86	31	8	-
Female	97	106	86	42	18	1

## Influenza (J10-J11)

All races, both sexes	38	37	39	14	6	-
Male	14	15	8	4	2	-
Female	24	22	31	10	4	-
White, both sexes	34	34	38	13	6	-
Male	14	14	7	4	2	-
Female	20	20	31	9	4	-
Black, both sexes	4	3	1	1	-	-
Male	-	1	1	-	-	-
Female	4	2	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Pneumonia (J12-J18)						
All races, both sexes	11,129	13,345	10,653	4,822	1,275	5
Male	5,285	5,358	3,579	1,278	258	4
Female	5,844	7,987	7,074	3,544	1,017	1
White, both sexes	10,044	12,275	9,814	4,411	1,108	4
Male	4,759	4,917	3,256	1,156	222	4
Female	5,285	7,358	6,558	3,255	886	-
Black, both sexes	823	792	636	321	139	-
Male	385	291	227	83	27	-
Female	438	501	409	238	112	-
American Indian 1/, both sexes	48	41	31	17	2	-
Male	24	19	10	8	1	-
Female	24	22	21	9	1	-
Asian or Pacific Islander 2/, both sexes	214	237	172	73	26	1
Male	117	131	86	31	8	-
Female	97	106	86	42	18	1
Other acute lower respiratory infections (J20-J22)						
All races, both sexes	34	60	55	25	5	-
Male	10	15	10	4	1	-
Female	24	45	45	21	4	-
White, both sexes	33	58	52	23	5	-
Male	10	14	9	4	1	-
Female	23	44	43	19	4	-
Black, both sexes	-	2	3	2	-	-
Male	-	1	1	-	-	-
Female	-	1	2	2	-	-
American Indian 1/, both sexes	1	-	-	-	-	-
Male	-	-	-	-	-	-
Female	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Acute bronchitis and bronchiolitis (J20-J21)						
All races, both sexes	21	38	36	13	4	-
Male	4	9	5	2	1	-
Female	17	29	31	11	3	-
White, both sexes	21	37	33	11	4	-
Male	4	9	4	2	1	-
Female	17	28	29	9	3	-
Black, both sexes	-	1	3	2	-	-
Male	-	-	1	-	-	-
Female	-	1	2	2	-	-
American Indian 1/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Unspecified acute lower respiratory infection (J22)						
All races, both sexes	13	22	19	12	1	-
Male	6	6	5	2	-	-
Female	7	16	14	10	1	-
White, both sexes	12	21	19	12	1	-
Male	6	5	5	2	-	-
Female	6	16	14	10	1	-
Black, both sexes	-	1	-	-	-	-
Male	-	1	-	-	-	-
Female	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-
Male	-	-	-	-	-	-
Female	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	-----------------------	-------------------

## Chronic lower respiratory diseases (J40-J47)

All races, both sexes	23,320	17,542	8,125	2,345	379	1
Male	11,258	7,806	3,279	733	94	1
Female	12,062	9,736	4,846	1,612	285	-
White, both sexes	22,035	16,625	7,617	2,193	337	-
Male	10,518	7,317	3,039	666	76	-
Female	11,517	9,308	4,578	1,527	261	-
Black, both sexes	1,021	700	377	117	30	-
Male	584	363	166	51	12	-
Female	437	337	211	66	18	-
American Indian 1/, both sexes	47	44	19	3	2	1
Male	21	21	8	1	1	1
Female	26	23	11	2	1	-
Asian or Pacific Islander 2/, both sexes	217	173	112	32	10	-
Male	135	105	66	15	5	-
Female	82	68	46	17	5	-

## Bronchitis, chronic and unspecified (J40-J42)

All races, both sexes	132	188	123	67	23	-
Male	48	70	33	14	2	-
Female	84	118	90	53	21	-
White, both sexes	124	182	116	63	22	-
Male	43	67	31	11	2	-
Female	81	115	85	52	20	-
Black, both sexes	3	5	3	3	-	-
Male	2	2	-	3	-	-
Female	1	3	3	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	5	1	4	1	1	-
Male	3	1	2	-	-	-
Female	2	-	2	1	1	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Emphysema (J43)						
All races, both sexes	2,856	1,827	727	161	21	-
Male	1,446	929	326	54	6	-
Female	1,410	898	401	107	15	-
White, both sexes	2,732	1,744	681	150	20	-
Male	1,368	874	305	51	6	-
Female	1,364	870	376	99	14	-
Black, both sexes	97	65	40	9	1	-
Male	61	40	18	2	-	-
Female	36	25	22	7	1	-
American Indian 1/, both sexes	4	3	1	-	-	-
Male	1	3	-	-	-	-
Female	3	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	23	15	5	2	-	-
Male	16	12	3	1	-	-
Female	7	3	2	1	-	-
Asthma (J45-J46)						
All races, both sexes	418	371	239	77	22	-
Male	109	86	57	11	3	-
Female	309	285	182	66	19	-
White, both sexes	361	325	213	71	18	-
Male	89	76	47	9	1	-
Female	272	249	166	62	17	-
Black, both sexes	41	34	13	3	3	-
Male	12	8	3	1	1	-
Female	29	26	10	2	2	-
American Indian 1/, both sexes	1	2	1	1	-	-
Male	-	-	1	-	-	-
Female	1	2	-	1	-	-
Asian or Pacific Islander 2/, both sexes	15	10	12	2	1	-
Male	8	2	6	1	1	-
Female	7	8	6	1	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other chronic lower respiratory diseases (J44,J47)						
All races, both sexes	19,914	15,156	7,036	2,040	313	1
Male	9,655	6,721	2,863	654	83	1
Female	10,259	8,435	4,173	1,386	230	-
White, both sexes	18,818	14,374	6,607	1,909	277	-
Male	9,018	6,300	2,656	595	67	-
Female	9,800	8,074	3,951	1,314	210	-
Black, both sexes	880	596	321	102	26	-
Male	509	313	145	45	11	-
Female	371	283	176	57	15	-
American Indian 1/, both sexes	42	39	17	2	2	1
Male	20	18	7	1	1	1
Female	22	21	10	1	1	-
Asian or Pacific Islander 2/, both sexes	174	147	91	27	8	-
Male	108	90	55	13	4	-
Female	66	57	36	14	4	-
Pneumoconioses and chemical effects (J60-J66,J68)						
All races, both sexes	264	188	66	16	2	-
Male	255	181	63	16	2	-
Female	9	7	3	-	-	-
White, both sexes	249	177	64	16	2	-
Male	240	170	61	16	2	-
Female	9	7	3	-	-	-
Black, both sexes	13	10	2	-	-	-
Male	13	10	2	-	-	-
Female	-	-	-	-	-	-
American Indian 1/, both sexes	2	-	-	-	-	-
Male	2	-	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	1	-	-	-	-
Male	-	1	-	-	-	-
Female	-	-	-	-	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Pneumonitis due to solids and liquids (J69)						
All races, both sexes	3,500	3,958	2,960	1,160	264	-
Male	1,892	1,893	1,180	379	59	-
Female	1,608	2,065	1,780	781	205	-
White, both sexes	3,169	3,620	2,707	1,054	222	-
Male	1,731	1,745	1,091	350	53	-
Female	1,438	1,875	1,616	704	169	-
Black, both sexes	281	274	203	93	34	-
Male	135	118	69	23	5	-
Female	146	156	134	70	29	-
American Indian 1/, both sexes	12	8	7	1	2	-
Male	6	3	1	-	-	-
Female	6	5	6	1	2	-
Asian or Pacific Islander 2/, both sexes	38	56	43	12	6	-
Male	20	27	19	6	1	-
Female	18	29	24	6	5	-
Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)						
All races, both sexes	4,612	3,627	1,895	643	118	3
Male	2,123	1,415	618	143	21	1
Female	2,489	2,212	1,277	500	97	2
White, both sexes	4,295	3,389	1,751	573	105	1
Male	1,987	1,327	571	124	19	-
Female	2,308	2,062	1,180	449	86	1
Black, both sexes	247	171	116	57	13	2
Male	106	65	34	13	2	1
Female	141	106	82	44	11	1
American Indian 1/, both sexes	20	17	4	6	-	-
Male	11	5	1	2	-	-
Female	9	12	3	4	-	-
Asian or Pacific Islander 2/, both sexes	50	50	24	7	-	-
Male	19	18	12	4	-	-
Female	31	32	12	3	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Peptic ulcer (K25-K28)						
All races, both sexes	823	788	458	184	40	1
Male	334	277	125	47	5	1
Female	489	511	333	137	35	-
White, both sexes	755	731	431	171	39	1
Male	303	257	115	43	5	1
Female	452	474	316	128	34	-
Black, both sexes	41	38	20	9	1	-
Male	19	15	5	1	-	-
Female	22	23	15	8	1	-
American Indian 1/, both sexes	2	-	1	-	-	-
Male	-	-	1	-	-	-
Female	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	25	19	6	4	-	-
Male	12	5	4	3	-	-
Female	13	14	2	1	-	-
Diseases of appendix (K35-K38)						
All races, both sexes	53	51	30	11	1	-
Male	30	20	12	4	1	-
Female	23	31	18	7	-	-
White, both sexes	44	44	28	10	1	-
Male	26	14	11	3	1	-
Female	18	30	17	7	-	-
Black, both sexes	8	3	2	1	-	-
Male	3	3	1	1	-	-
Female	5	-	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	4	-	-	-	-
Male	1	3	-	-	-	-
Female	-	1	-	-	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Hernia (K40-K46)						
All races, both sexes	258	269	190	88	6	-
Male	102	88	48	19	1	-
Female	156	181	142	69	5	-
White, both sexes	235	251	179	77	4	-
Male	91	75	45	18	1	-
Female	144	176	134	59	3	-
Black, both sexes	17	16	9	9	2	-
Male	9	11	3	1	-	-
Female	8	5	6	8	2	-
American Indian 1/, both sexes	1	1	1	-	-	-
Male	-	1	-	-	-	-
Female	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	5	1	1	2	-	-
Male	2	1	-	-	-	-
Female	3	-	1	2	-	-
Chronic liver disease and cirrhosis (K70,K73-K74)						
All races, both sexes	1,476	714	221	43	1	6
Male	682	307	89	19	1	6
Female	794	407	132	24	-	-
White, both sexes	1,396	675	208	40	1	5
Male	652	293	82	18	1	5
Female	744	382	126	22	-	-
Black, both sexes	54	22	10	2	-	1
Male	18	7	4	-	-	1
Female	36	15	6	2	-	-
American Indian 1/, both sexes	7	3	1	-	-	-
Male	1	1	1	-	-	-
Female	6	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes	19	14	2	1	-	-
Male	11	6	2	1	-	-
Female	8	8	-	-	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Alcoholic liver disease (K70)						
All races, both sexes	202	86	12	6	-	5
Male	135	60	8	4	-	5
Female	67	26	4	2	-	-
White, both sexes	188	74	10	6	-	5
Male	126	53	6	4	-	5
Female	62	21	4	2	-	-
Black, both sexes	11	8	1	-	-	-
Male	7	4	1	-	-	-
Female	4	4	-	-	-	-
American Indian 1/, both sexes	1	1	1	-	-	-
Male	-	1	1	-	-	-
Female	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	3	-	-	-	-
Male	2	2	-	-	-	-
Female	-	1	-	-	-	-
Other chronic liver disease and cirrhosis (K73-K74)						
All races, both sexes	1,274	628	209	37	1	1
Male	547	247	81	15	1	1
Female	727	381	128	22	-	-
White, both sexes	1,208	601	198	34	1	-
Male	526	240	76	14	1	-
Female	682	361	122	20	-	-
Black, both sexes	43	14	9	2	-	1
Male	11	3	3	-	-	1
Female	32	11	6	2	-	-
American Indian 1/, both sexes	6	2	-	-	-	-
Male	1	-	-	-	-	-
Female	5	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes	17	11	2	1	-	-
Male	9	4	2	1	-	-
Female	8	7	-	-	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

W.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	-----------------------	-------------------

## Cholelithiasis and other disorders of gallbladder (K80-K82)

All races, both sexes	513	542	364	106	31	-
Male	233	209	111	21	8	-
Female	280	333	253	85	23	-
White, both sexes	456	493	335	97	29	-
Male	211	187	101	19	7	-
Female	245	306	234	78	22	-
Black, both sexes	43	33	21	8	2	-
Male	11	15	6	2	1	-
Female	32	18	15	6	1	-
American Indian 1/, both sexes	1	4	-	-	-	-
Male	-	3	-	-	-	-
Female	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	13	12	8	1	-	-
Male	11	4	4	-	-	-
Female	2	8	4	1	-	-

## Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)

All races, both sexes	6,992	6,612	4,225	1,528	303	1
Male	3,411	2,996	1,619	435	64	-
Female	3,581	3,616	2,606	1,093	239	1
White, both sexes	5,952	5,803	3,697	1,337	251	1
Male	2,962	2,683	1,448	387	56	-
Female	2,990	3,120	2,249	950	195	1
Black, both sexes	918	714	459	176	50	-
Male	386	262	143	39	7	-
Female	532	452	316	137	43	-
American Indian 1/, both sexes	20	15	10	2	1	-
Male	7	10	4	-	-	-
Female	13	5	6	2	1	-
Asian or Pacific Islander 2/, both sexes	102	80	59	13	1	-
Male	56	41	24	9	1	-
Female	46	39	35	4	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)						
All races, both sexes	20	24	12	1	1	-
Male	9	10	5	-	-	-
Female	11	14	7	1	1	-
White, both sexes	18	20	9	1	1	-
Male	9	8	4	-	-	-
Female	9	12	5	1	1	-
Black, both sexes	2	2	2	-	-	-
Male	-	1	-	-	-	-
Female	2	1	2	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	2	1	-	-	-
Male	-	1	1	-	-	-
Female	-	1	-	-	-	-

Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03, N05-N07,N26)

All races, both sexes	78	70	38	13	1	-
Male	45	32	10	6	-	-
Female	33	38	28	7	1	-
White, both sexes	68	66	36	12	-	-
Male	41	31	10	6	-	-
Female	27	35	26	6	-	-
Black, both sexes	7	3	2	1	1	-
Male	2	1	-	-	-	-
Female	5	2	2	1	1	-
American Indian 1/, both sexes	1	-	-	-	-	-
Male	1	-	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	1	-	-	-	-
Male	1	-	-	-	-	-
Female	1	1	-	-	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Renal failure (N17-N19)						
All races, both sexes	6,891	6,517	4,174	1,514	300	1
Male	3,356	2,953	1,604	429	64	-
Female	3,535	3,564	2,570	1,085	236	1
White, both sexes	5,865	5,717	3,651	1,324	250	1
Male	2,912	2,644	1,434	381	56	-
Female	2,953	3,073	2,217	943	194	1
Black, both sexes	908	708	455	175	48	-
Male	383	259	143	39	7	-
Female	525	449	312	136	41	-
American Indian 1/, both sexes	19	15	10	2	1	-
Male	6	10	4	-	-	-
Female	13	5	6	2	1	-
Asian or Pacific Islander 2/, both sexes	99	77	58	13	1	-
Male	55	40	23	9	1	-
Female	44	37	35	4	-	-
Other disorders of kidney (N25,N27)						
All races, both sexes	3	1	1	-	1	-
Male	1	1	-	-	-	-
Female	2	-	1	-	1	-
White, both sexes	1	-	1	-	-	-
Male	-	-	-	-	-	-
Female	1	-	1	-	-	-
Black, both sexes	1	1	-	-	1	-
Male	1	1	-	-	-	-
Female	-	-	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-
Male	-	-	-	-	-	-
Female	1	-	-	-	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	-----------------------	-------------------

## Infections of kidney (N10-N12,N13.6,N15.1)

All races, both sexes	123	129	100	33	3	-
Male	40	32	16	8	-	-
Female	83	97	84	25	3	-
White, both sexes	104	117	92	33	3	-
Male	35	28	14	8	-	-
Female	69	89	78	25	3	-
Black, both sexes	14	10	6	-	-	-
Male	3	3	1	-	-	-
Female	11	7	5	-	-	-
American Indian 1/, both sexes	1	-	1	-	-	-
Male	1	-	-	-	-	-
Female	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	4	2	1	-	-	-
Male	1	1	1	-	-	-
Female	3	1	-	-	-	-

## Hyperplasia of prostate (N40)

All races, both sexes	81	110	94	33	5	-
Male	81	110	94	33	5	-
White, both sexes	74	102	90	31	5	-
Male	74	102	90	31	5	-
Black, both sexes	7	6	4	1	-	-
Male	7	6	4	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	2	-	1	-	-
Male	-	2	-	1	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Inflammatory diseases of female pelvic organs (N70-N76)						
All races, both sexes	18	23	11	4	-	-
Female	18	23	11	4	-	-
White, both sexes	16	22	8	4	-	-
Female	16	22	8	4	-	-
Black, both sexes	2	-	3	-	-	-
Female	2	-	3	-	-	-
American Indian 1/, both sexes	-	1	-	-	-	-
Female	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-
Female	-	-	-	-	-	-
Pregnancy, childbirth and the puerperium (000-099)						
All races, both sexes	-	-	1	-	-	-
Female	-	-	1	-	-	-
White, both sexes	-	-	1	-	-	-
Female	-	-	1	-	-	-
Black, both sexes	-	-	-	-	-	-
Female	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-
Female	-	-	-	-	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Pregnancy with abortive outcome (000-007)						
All races, both sexes	-	-	-	-	-	-
Female	-	-	-	-	-	-
White, both sexes	-	-	-	-	-	-
Female	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-
Female	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-
Female	-	-	-	-	-	-
Other complications of pregnancy, childbirth and the puerperium (010-099)						
All races, both sexes	-	-	1	-	-	-
Female	-	-	1	-	-	-
White, both sexes	-	-	1	-	-	-
Female	-	-	1	-	-	-
Black, both sexes	-	-	-	-	-	-
Female	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-
Female	-	-	-	-	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	-----------------------	-------------------

## Certain conditions originating in the perinatal period (P00-P96)

All races, both sexes	-	1	-	-	-	1
Male	-	-	-	-	-	1
Female	-	1	-	-	-	-
White, both sexes	-	1	-	-	-	1
Male	-	-	-	-	-	1
Female	-	1	-	-	-	-
Black, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-

## Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

All races, both sexes	221	182	87	38	10	-
Male	93	70	17	9	4	-
Female	128	112	70	29	6	-
White, both sexes	203	172	81	34	6	-
Male	81	64	14	9	1	-
Female	122	108	67	25	5	-
Black, both sexes	11	7	5	4	4	-
Male	8	4	2	-	3	-
Female	3	3	3	4	1	-
American Indian 1/, both sexes	2	-	-	-	-	-
Male	-	-	-	-	-	-
Female	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	5	3	1	-	-	-
Male	4	2	1	-	-	-
Female	1	1	-	-	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	-----------------------	-------------------

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

All races, both sexes	2,794	3,239	3,220	1,882	748	115
Male	1,170	1,017	760	392	105	78
Female	1,624	2,222	2,460	1,490	643	37
White, both sexes	2,509	2,985	2,978	1,732	673	88
Male	1,063	933	696	358	95	61
Female	1,446	2,052	2,282	1,374	578	27
Black, both sexes	246	214	214	131	65	22
Male	88	71	54	28	10	13
Female	158	143	160	103	55	9
American Indian 1/, both sexes	10	7	9	5	3	4
Male	6	1	1	1	-	3
Female	4	6	8	4	3	1
Asian or Pacific Islander 2/, both sexes	29	33	19	14	7	1
Male	13	12	9	5	-	1
Female	16	21	10	9	7	-

All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)

All races, both sexes	27,770	30,312	22,714	9,872	2,134	17
Male	10,411	9,265	5,258	1,740	257	16
Female	17,359	21,047	17,456	8,132	1,877	1
White, both sexes	25,187	27,782	20,985	9,088	1,845	11
Male	9,477	8,497	4,817	1,566	208	10
Female	15,710	19,285	16,168	7,522	1,637	1
Black, both sexes	2,260	2,172	1,495	688	263	6
Male	822	625	349	142	42	6
Female	1,438	1,547	1,146	546	221	-
American Indian 1/, both sexes	77	97	43	20	9	-
Male	24	27	14	8	2	-
Female	53	70	29	12	7	-
Asian or Pacific Islander 2/, both sexes	246	261	191	76	17	-
Male	88	116	78	24	5	-
Female	158	145	113	52	12	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Accidents (unintentional injuries) (V01-X59,Y85-Y86)						
All races, both sexes	6,716	6,266	4,074	1,519	312	120
Male	3,342	2,730	1,486	381	60	104
Female	3,374	3,536	2,588	1,138	252	16
White, both sexes	6,201	5,858	3,819	1,419	283	103
Male	3,072	2,542	1,386	348	53	91
Female	3,129	3,316	2,433	1,071	230	12
Black, both sexes	386	299	200	74	25	14
Male	205	124	74	21	6	12
Female	181	175	126	53	19	2
American Indian 1/, both sexes	23	21	14	7	-	-
Male	12	9	4	1	-	-
Female	11	12	10	6	-	-
Asian or Pacific Islander 2/, both sexes	106	88	41	19	4	3
Male	53	55	22	11	1	1
Female	53	33	19	8	3	2

## Transport accidents (V01-V99,Y85)

All races, both sexes	1,564	903	304	63	2	43
Male	877	492	163	28	1	37
Female	687	411	141	35	1	6
White, both sexes	1,450	843	287	58	2	35
Male	817	453	155	27	1	31
Female	633	390	132	31	1	4
Black, both sexes	73	38	14	5	-	8
Male	39	23	7	1	-	6
Female	34	15	7	4	-	2
American Indian 1/, both sexes	9	4	1	-	-	-
Male	6	2	-	-	-	-
Female	3	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes	32	18	2	-	-	-
Male	15	14	1	-	-	-
Female	17	4	1	-	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)						
All races, both sexes	1,489	868	294	59	2	33
Male	832	478	157	28	1	27
Female	657	390	137	31	1	6
White, both sexes	1,382	813	279	55	2	29
Male	776	441	150	27	1	25
Female	606	372	129	28	1	4
Black, both sexes	70	37	13	4	-	4
Male	38	23	7	1	-	2
Female	32	14	6	3	-	2
American Indian 1/, both sexes	7	4	1	-	-	-
Male	4	2	-	-	-	-
Female	3	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes	30	14	1	-	-	-
Male	14	12	-	-	-	-
Female	16	2	1	-	-	-
Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)						
All races, both sexes	39	20	7	2	-	10
Male	18	6	4	-	-	10
Female	21	14	3	2	-	-
White, both sexes	34	17	5	2	-	6
Male	15	4	3	-	-	6
Female	19	13	2	2	-	-
Black, both sexes	1	-	1	-	-	4
Male	-	-	-	-	-	4
Female	1	-	1	-	-	-
American Indian 1/, both sexes	2	-	-	-	-	-
Male	2	-	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	3	1	-	-	-
Male	1	2	1	-	-	-
Female	1	1	-	-	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)						
All races, both sexes	36	15	3	2	-	-
Male	27	8	2	-	-	-
Female	9	7	1	2	-	-
White, both sexes	34	13	3	1	-	-
Male	26	8	2	-	-	-
Female	8	5	1	1	-	-
Black, both sexes	2	1	-	1	-	-
Male	1	-	-	-	-	-
Female	1	1	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	1	-	-	-	-
Male	-	-	-	-	-	-
Female	-	1	-	-	-	-
Nontransport accidents (W00-X59,Y86)						
All races, both sexes	5,152	5,363	3,770	1,456	310	77
Male	2,465	2,238	1,323	353	59	67
Female	2,687	3,125	2,447	1,103	251	10
White, both sexes	4,751	5,015	3,532	1,361	281	68
Male	2,255	2,089	1,231	321	52	60
Female	2,496	2,926	2,301	1,040	229	8
Black, both sexes	313	261	186	69	25	6
Male	166	101	67	20	6	6
Female	147	160	119	49	19	-
American Indian 1/, both sexes	14	17	13	7	-	-
Male	6	7	4	1	-	-
Female	8	10	9	6	-	-
Asian or Pacific Islander 2/, both sexes	74	70	39	19	4	3
Male	38	41	21	11	1	1
Female	36	29	18	8	3	2

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Falls (W00-W19)						
All races, both sexes	2,567	2,647	1,850	718	135	4
Male	1,236	1,149	655	188	31	3
Female	1,331	1,498	1,195	530	104	1
White, both sexes	2,439	2,521	1,767	687	125	4
Male	1,167	1,088	622	172	27	3
Female	1,272	1,433	1,145	515	98	1
Black, both sexes	81	71	51	16	7	-
Male	45	30	19	8	3	-
Female	36	41	32	8	4	-
American Indian 1/, both sexes	4	10	7	4	-	-
Male	2	2	2	1	-	-
Female	2	8	5	3	-	-
Asian or Pacific Islander 2/, both sexes	43	45	25	11	3	-
Male	22	29	12	7	1	-
Female	21	16	13	4	2	-

## Accidental discharge of firearms (W32-W34)

All races, both sexes	17	6	2	-	-	2
Male	14	5	2	-	-	1
Female	3	1	-	-	-	1
White, both sexes	15	6	2	-	-	2
Male	12	5	2	-	-	1
Female	3	1	-	-	-	1
Black, both sexes	2	-	-	-	-	-
Male	2	-	-	-	-	-
Female	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Accidental drowning and submersion (W65-W74)						
All races, both sexes	72	56	15	4	-	34
Male	47	37	8	-	-	29
Female	25	19	7	4	-	5
White, both sexes	62	50	14	4	-	28
Male	41	33	8	-	-	25
Female	21	17	6	4	-	3
Black, both sexes	8	3	1	-	-	3
Male	5	3	-	-	-	3
Female	3	-	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	3	-	-	-	3
Male	1	1	-	-	-	1
Female	1	2	-	-	-	2
Accidental exposure to smoke, fire and flames (X00-X09)						
All races, both sexes	198	159	72	18	2	3
Male	98	69	30	8	1	3
Female	100	90	42	10	1	-
White, both sexes	151	126	53	10	1	3
Male	78	57	21	4	-	3
Female	73	69	32	6	1	-
Black, both sexes	43	31	18	8	1	-
Male	18	11	8	4	1	-
Female	25	20	10	4	-	-
American Indian 1/, both sexes	-	1	-	-	-	-
Male	-	1	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	1	1	-	-	-
Male	2	-	1	-	-	-
Female	2	1	-	-	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Accidental poisoning and exposure to noxious substances (X40-X49)						
All races, both sexes	126	91	47	12	2	10
Male	54	28	18	2	1	10
Female	72	63	29	10	1	-
White, both sexes	106	80	41	10	-	9
Male	47	25	17	1	-	9
Female	59	55	24	9	-	-
Black, both sexes	17	11	6	2	2	1
Male	6	3	1	1	1	1
Female	11	8	5	1	1	-
American Indian 1/, both sexes	1	-	-	-	-	-
Male	1	-	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-
Male	-	-	-	-	-	-
Female	2	-	-	-	-	-

## Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)

All races, both sexes	2,172	2,404	1,784	704	171	24
Male	1,016	950	610	155	26	21
Female	1,156	1,454	1,174	549	145	3
White, both sexes	1,978	2,232	1,655	650	155	22
Male	910	881	561	144	25	19
Female	1,068	1,351	1,094	506	130	3
Black, both sexes	162	145	110	43	15	2
Male	90	54	39	7	1	2
Female	72	91	71	36	14	-
American Indian 1/, both sexes	9	6	6	3	-	-
Male	3	4	2	-	-	-
Female	6	2	4	3	-	-
Asian or Pacific Islander 2/, both sexes	23	21	13	8	1	-
Male	13	11	8	4	-	-
Female	10	10	5	4	1	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	-----------------------	-------------------

## Intentional self-harm (suicide) (\*U03,X60-X84,Y87.0) /3

All races, both sexes	973	538	200	28	3	15
Male	852	468	168	25	3	14
Female	121	70	32	3	-	1
White, both sexes	931	518	195	27	3	14
Male	820	455	164	25	3	13
Female	111	63	31	2	-	1
Black, both sexes	24	8	4	1	-	-
Male	20	5	4	-	-	-
Female	4	3	-	1	-	-
American Indian 1/, both sexes	3	-	-	-	-	-
Male	3	-	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	15	12	1	-	-	1
Male	9	8	-	-	-	1
Female	6	4	1	-	-	-

## Intentional self-harm (suicide) by discharge of firearms (X72-X74)

All races, both sexes	728	382	135	18	2	6
Male	685	360	126	18	2	6
Female	43	22	9	-	-	-
White, both sexes	700	374	131	18	2	5
Male	662	353	122	18	2	5
Female	38	21	9	-	-	-
Black, both sexes	23	6	4	-	-	-
Male	19	5	4	-	-	-
Female	4	1	-	-	-	-
American Indian 1/, both sexes	2	-	-	-	-	-
Male	2	-	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	2	-	-	-	1
Male	2	2	-	-	-	1
Female	1	-	-	-	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Intentional self-harm (suicide) by other and unspecified means and their sequelae (*U03,X60-X71,X75-X84,Y87.0) /3						
All races, both sexes	245	156	65	10	1	9
Male	167	108	42	7	1	8
Female	78	48	23	3	-	1
White, both sexes	231	144	64	9	1	9
Male	158	102	42	7	1	8
Female	73	42	22	2	-	1
Black, both sexes	1	2	-	1	-	-
Male	1	-	-	-	-	-
Female	-	2	-	1	-	-
American Indian 1/, both sexes	1	-	-	-	-	-
Male	1	-	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	12	10	1	-	-	-
Male	7	6	-	-	-	-
Female	5	4	1	-	-	-
Assault (homicide) (*U01-*U02,X85-Y09,Y87.1) /3						
All races, both sexes	129	71	29	4	1	32
Male	57	33	7	1	1	23
Female	72	38	22	3	-	9
White, both sexes	101	63	22	3	-	24
Male	45	28	5	-	-	16
Female	56	35	17	3	-	8
Black, both sexes	23	7	6	1	1	8
Male	9	4	2	1	1	7
Female	14	3	4	-	-	1
American Indian 1/, both sexes	2	-	1	-	-	-
Male	1	-	-	-	-	-
Female	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	3	1	-	-	-	-
Male	2	1	-	-	-	-
Female	1	-	-	-	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Assault (homicide) by discharge of firearms (*U01.4,X93-X95)						
All races, both sexes	38	12	2	2	-	11
Male	16	6	-	1	-	11
Female	22	6	2	1	-	-
White, both sexes	31	12	2	1	-	9
Male	10	6	-	-	-	9
Female	21	6	2	1	-	-
Black, both sexes	5	-	-	1	-	2
Male	4	-	-	1	-	2
Female	1	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-
Male	2	-	-	-	-	-
Female	-	-	-	-	-	-

## Assault (homicide) by other and unspecified means and their sequelae (\*U01.0-\*U01.3,\*U01.5-\*U01.9,\*U02,X85-X92,X96-Y09,Y87.1)/3

All races, both sexes	91	59	27	2	1	21
Male	41	27	7	-	1	12
Female	50	32	20	2	-	9
White, both sexes	70	51	20	2	-	15
Male	35	22	5	-	-	7
Female	35	29	15	2	-	8
Black, both sexes	18	7	6	-	1	6
Male	5	4	2	-	1	5
Female	13	3	4	-	-	1
American Indian 1/, both sexes	2	-	1	-	-	-
Male	1	-	-	-	-	-
Female	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	1	1	-	-	-	-
Male	-	1	-	-	-	-
Female	1	-	-	-	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Legal intervention (Y35,Y89.0)						
All races, both sexes	1	1	-	-	-	-
Male	1	1	-	-	-	-
Female	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-
Male	1	-	-	-	-	-
Female	-	-	-	-	-	-
Black, both sexes	-	1	-	-	-	-
Male	-	1	-	-	-	-
Female	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)						
All races, both sexes	55	22	11	9	2	18
Male	29	12	6	2	-	16
Female	26	10	5	7	2	2
White, both sexes	48	20	11	8	2	15
Male	27	11	6	2	-	13
Female	21	9	5	6	2	2
Black, both sexes	3	2	-	1	-	2
Male	1	1	-	-	-	2
Female	2	1	-	1	-	-
American Indian 1/, both sexes	1	-	-	-	-	1
Male	1	-	-	-	-	1
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	-	-
Male	-	-	-	-	-	-
Female	3	-	-	-	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Discharge of firearms, undetermined intent (Y22-Y24)						
All races, both sexes	5	1	-	-	-	-
Male	3	1	-	-	-	-
Female	2	-	-	-	-	-
White, both sexes	4	1	-	-	-	-
Male	2	1	-	-	-	-
Female	2	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-
Male	1	-	-	-	-	-
Female	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)						
All races, both sexes	50	21	11	9	2	18
Male	26	11	6	2	-	16
Female	24	10	5	7	2	2
White, both sexes	44	19	11	8	2	15
Male	25	10	6	2	-	13
Female	19	9	5	6	2	2
Black, both sexes	2	2	-	1	-	2
Male	-	1	-	-	-	2
Female	2	1	-	1	-	-
American Indian 1/, both sexes	1	-	-	-	-	1
Male	1	-	-	-	-	1
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	-	-
Male	-	-	-	-	-	-
Female	3	-	-	-	-	-

## WORK TABLE 210F. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Operations of war and their sequelae (Y36,Y89.1)						
All races, both sexes	1	1	-	-	-	-
Male	1	1	-	-	-	-
Female	-	-	-	-	-	-
White, both sexes	1	1	-	-	-	-
Male	1	1	-	-	-	-
Female	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-

## Complications of medical and surgical care (Y40-Y84,Y88)

All races, both sexes	425	315	186	56	7	1
Male	191	119	55	13	2	-
Female	234	196	131	43	5	1
White, both sexes	380	267	160	50	6	1
Male	176	103	45	11	1	-
Female	204	164	115	39	5	1
Black, both sexes	41	46	23	6	1	-
Male	14	14	9	2	1	-
Female	27	32	14	4	-	-
American Indian 1/, both sexes	1	-	1	-	-	-
Male	-	-	-	-	-	-
Female	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	3	2	2	-	-	-
Male	1	2	1	-	-	-
Female	2	-	1	-	-	-

- QUANTITY ZERO.

... CATEGORY NOT APPLICABLE.

1/ INCLUDES ALEUTS AND ESKIMOS.

2/ INCLUDES CHINESE, FILIPINO, HAWAIIAN, JAPANESE, AND OTHER ASIAN OR PACIFIC ISLANDER.

3/ FIGURES INCLUDE SEPTEMBER 11, 2001 RELATED DEATHS FOR WHICH DEATH CERTIFICATES WERE FILED AS OF 10/24/02; SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001."

SOURCE: CDC/NCHS, NATIONAL VITAL STATISTICS SYSTEM, MORTALITY.