

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Measles (B05)									
All races 3/, both sexes	*	*	*	*	*	*	*	*	*
Male	*	*	*	*	*	*	*	*	*
Female	*	*	*	*	*	*	*	*	*
White, both sexes	*	*	*	*	*	*	*	*	*
Male	*	*	*	*	*	*	*	*	*
Female	*	*	*	*	*	*	*	*	*
Black, both sexes	*	*	*	*	*	*	*	*	*
Male	*	*	*	*	*	*	*	*	*
Female	*	*	*	*	*	*	*	*	*
Viral hepatitis (B15-B19)									
All races 3/, both sexes	2.0	*	*	*	0.1	0.2	1.8	5.3	4.0
Male	2.5	*	*	*	*	0.2	2.5	8.2	5.3
Female	1.4	*	*	*	*	0.2	1.1	2.5	2.8
White, both sexes	1.9	*	*	*	*	0.2	1.8	5.0	3.6
Male	2.5	*	*	*	*	0.2	2.5	7.8	4.8
Female	1.3	*	*	*	*	0.1	1.0	2.2	2.4
Black, both sexes	2.2	*	*	*	*	*	2.1	7.9	6.7
Male	2.7	*	*	*	*	*	2.9	11.8	8.9
Female	1.8	*	*	*	*	*	1.4	4.7	4.9

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)									
All races 3/, both sexes	2.0	4.7	0.4	0.2	0.2	0.4	0.8	1.7	3.0
Male	2.1	4.9	0.5	0.1	0.2	0.4	1.0	2.2	3.7
Female	1.9	4.6	0.4	0.2	0.2	0.3	0.6	1.2	2.4
White, both sexes	2.0	3.8	0.4	0.2	0.2	0.3	0.7	1.6	2.8
Male	2.1	3.9	0.4	0.1	0.2	0.4	0.9	2.0	3.4
Female	1.9	3.8	*	0.2	0.2	0.2	0.5	1.1	2.2
Black, both sexes	2.2	9.5	*	*	0.4	0.8	1.6	2.9	5.1
Male	2.4	10.8	*	*	*	*	2.2	3.9	6.3
Female	2.0	8.2	*	*	*	0.9	1.1	2.1	4.2
Malignant neoplasms (C00-C97)									
All races 3/, both sexes	194.4	1.6	2.7	2.5	4.3	10.1	36.8	126.5	356.5
Male	205.3	1.5	2.9	2.5	5.0	9.3	32.6	130.3	405.2
Female	183.9	1.8	2.5	2.4	3.5	10.9	41.0	122.7	311.5
White, both sexes	206.4	1.7	3.0	2.4	4.3	9.8	35.3	121.2	349.1
Male	216.4	1.5	3.1	2.4	5.1	9.3	31.3	123.6	392.1
Female	196.7	2.0	2.8	2.5	3.5	10.4	39.3	118.9	308.6
Black, both sexes	167.1	*	1.9	2.6	4.3	12.9	51.4	184.4	486.1
Male	184.5	*	2.4	2.9	5.0	10.5	44.6	204.8	604.2
Female	151.3	*	*	2.2	3.6	15.0	57.3	166.8	390.9

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)									
All races 3/, both sexes	2.7	*	*	*	0.1	0.1	0.6	2.7	6.9
Male	3.7	*	*	*	*	0.2	0.9	4.4	11.3
Female	1.8	*	*	*	*	0.1	0.4	1.2	2.8
White, both sexes	2.7	*	*	*	0.1	0.1	0.5	2.4	6.3
Male	3.6	*	*	*	*	0.1	0.7	3.9	10.1
Female	1.9	*	*	*	*	*	0.3	1.0	2.7
Black, both sexes	2.9	*	*	*	*	*	1.2	5.1	12.6
Male	4.4	*	*	*	*	*	1.7	8.7	23.3
Female	1.5	*	*	*	*	*	0.8	2.1	3.9
Malignant neoplasm of esophagus (C15)									
All races 3/, both sexes	4.4	*	*	*	*	0.1	0.7	3.6	10.1
Male	6.9	*	*	*	*	0.1	1.1	6.3	17.6
Female	2.0	*	*	*	*	*	0.2	1.0	3.2
White, both sexes	4.6	*	*	*	*	0.1	0.7	3.4	9.4
Male	7.2	*	*	*	*	0.1	1.1	5.9	16.4
Female	2.1	*	*	*	*	*	0.2	0.9	2.7
Black, both sexes	4.5	*	*	*	*	*	0.9	5.9	18.5
Male	7.0	*	*	*	*	*	1.5	10.2	32.5
Female	2.3	*	*	*	*	*	*	2.2	7.3

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Malignant neoplasm of stomach (C16)									
All races 3/, both sexes	4.3	*	*	*	0.1	0.3	1.0	2.9	7.0
Male	5.1	*	*	*	*	0.4	1.1	3.8	10.2
Female	3.5	*	*	*	*	0.3	0.9	2.0	4.1
White, both sexes	4.1	*	*	*	*	0.3	0.8	2.4	6.1
Male	4.9	*	*	*	*	0.3	1.0	3.2	8.8
Female	3.3	*	*	*	*	0.2	0.7	1.7	3.5
Black, both sexes	5.6	*	*	*	*	0.5	2.1	5.4	12.9
Male	6.7	*	*	*	*	*	2.3	7.9	19.7
Female	4.5	*	*	*	*	*	1.9	3.2	7.5
Malignant neoplasms of colon, rectum and anus (C18-C21)									
All races 3/, both sexes	20.0	*	*	*	0.1	0.8	3.2	11.6	31.5
Male	20.2	*	*	*	0.1	0.8	3.5	13.1	38.3
Female	19.8	*	*	*	0.1	0.7	2.9	10.2	25.3
White, both sexes	21.0	*	*	*	0.1	0.7	3.0	10.8	30.1
Male	21.2	*	*	*	*	0.7	3.2	12.3	36.8
Female	20.7	*	*	*	*	0.7	2.7	9.3	23.7
Black, both sexes	18.6	*	*	*	*	1.0	4.9	19.0	49.8
Male	18.4	*	*	*	*	1.2	5.7	20.8	58.4
Female	18.8	*	*	*	*	0.9	4.3	17.5	42.8

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Malignant neoplasms of liver and intrahepatic bile ducts (C22)									
All races 3/, both sexes	4.7	*	*	*	0.1	0.2	0.9	4.8	9.3
Male	6.1	*	*	*	*	0.2	1.3	7.7	13.9
Female	3.4	*	*	*	*	0.2	0.4	1.9	5.0
White, both sexes	4.6	*	*	*	0.1	0.2	0.6	4.0	8.2
Male	5.9	*	*	*	*	0.1	0.9	6.4	12.2
Female	3.3	*	*	*	*	0.2	0.3	1.6	4.4
Black, both sexes	4.5	*	*	*	*	*	1.7	8.7	14.8
Male	5.9	*	*	*	*	*	2.6	14.8	23.6
Female	3.2	*	*	*	*	*	0.8	3.5	7.7
Malignant neoplasm of pancreas (C25)									
All races 3/, both sexes	10.5	*	*	*	*	0.1	1.3	6.1	19.2
Male	10.3	*	*	*	*	0.1	1.4	7.6	23.6
Female	10.6	*	*	*	*	0.1	1.1	4.7	15.2
White, both sexes	11.1	*	*	*	*	0.1	1.3	5.9	19.0
Male	11.0	*	*	*	*	0.2	1.4	7.4	23.5
Female	11.2	*	*	*	*	*	1.1	4.5	14.7
Black, both sexes	9.1	*	*	*	*	*	1.6	9.0	25.5
Male	8.6	*	*	*	*	*	1.7	11.1	30.3
Female	9.6	*	*	*	*	*	1.4	7.1	21.6

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Malignant neoplasm of larynx (C32)									
All races 3/, both sexes	1.3	*	*	*	*	*	0.2	1.1	3.6
Male	2.2	*	*	*	*	*	0.3	1.8	6.1
Female	0.5	*	*	*	*	*	0.1	0.4	1.3
White, both sexes	1.3	*	*	*	*	*	0.2	0.9	3.2
Male	2.1	*	*	*	*	*	0.3	1.4	5.4
Female	0.5	*	*	*	*	*	*	0.3	1.2
Black, both sexes	1.8	*	*	*	*	*	0.4	2.8	7.9
Male	3.1	*	*	*	*	*	*	5.1	14.2
Female	0.7	*	*	*	*	*	*	*	2.8
Malignant neoplasms of trachea, bronchus and lung (C33-C34)									
All races 3/, both sexes	54.8	*	*	*	0.1	0.4	6.2	30.7	117.7
Male	64.7	*	*	*	*	0.4	6.7	37.4	147.1
Female	45.3	*	*	*	*	0.4	5.7	24.3	90.5
White, both sexes	59.1	*	*	*	*	0.4	6.0	29.6	117.8
Male	68.6	*	*	*	*	0.4	6.3	34.9	143.8
Female	49.8	*	*	*	*	0.4	5.7	24.3	93.3
Black, both sexes	43.1	*	*	*	*	*	8.9	46.5	147.0
Male	57.2	*	*	*	*	*	11.0	66.2	215.2
Female	30.2	*	*	*	*	*	7.1	29.5	92.0

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Malignant melanoma of skin (C43)									
All races 3/, both sexes	2.6	*	*	*	0.1	0.5	1.4	3.1	5.3
Male	3.4	*	*	*	0.1	0.5	1.7	3.9	7.3
Female	1.9	*	*	*	*	0.4	1.1	2.3	3.3
White, both sexes	3.2	*	*	*	0.1	0.6	1.7	3.6	6.1
Male	4.1	*	*	*	0.1	0.6	2.0	4.6	8.4
Female	2.3	*	*	*	*	0.5	1.3	2.7	3.8
Black, both sexes	0.3	*	*	*	*	*	*	*	*
Male	0.2	*	*	*	*	*	*	*	*
Female	0.3	*	*	*	*	*	*	*	*
Malignant neoplasm of breast (C50)									
All races 3/, both sexes	14.7	*	*	*	*	1.2	6.3	16.8	30.2
Male	0.3	*	*	*	*	*	*	0.2	0.6
Female	28.6	*	*	*	*	2.4	12.4	32.8	57.5
White, both sexes	15.2	*	*	*	*	1.0	5.6	15.7	29.1
Male	0.3	*	*	*	*	*	*	0.2	0.6
Female	29.8	*	*	*	*	2.0	11.3	31.0	56.0
Black, both sexes	15.0	*	*	*	*	2.6	11.1	27.3	44.6
Male	0.4	*	*	*	*	*	*	*	*
Female	28.3	*	*	*	*	5.0	20.8	50.3	79.8

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Malignant neoplasm of cervix uteri (C53)									
All races 3/, both sexes	1.4	*	*	*	*	0.5	1.6	2.4	2.9
Female	2.8	*	*	*	*	1.1	3.1	4.8	5.5
White, both sexes	1.3	*	*	*	*	0.5	1.5	2.2	2.6
Female	2.7	*	*	*	*	1.1	3.0	4.5	5.0
Black, both sexes	2.1	*	*	*	*	0.8	2.4	3.8	5.2
Female	4.0	*	*	*	*	1.5	4.5	7.0	9.3
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)									
All races 3/, both sexes	2.4	*	*	*	*	0.1	0.3	1.4	4.4
Female	4.7	*	*	*	*	0.2	0.6	2.8	8.4
White, both sexes	2.4	*	*	*	*	0.1	0.3	1.4	4.0
Female	4.8	*	*	*	*	0.2	0.6	2.7	7.8
Black, both sexes	2.8	*	*	*	*	*	0.4	2.1	7.7
Female	5.4	*	*	*	*	*	0.7	3.9	13.9

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Malignant neoplasm of ovary (C56)									
All races 3/, both sexes	5.1	*	*	*	0.1	0.3	1.0	4.1	10.3
Female	9.9	*	*	*	0.1	0.5	2.1	8.1	19.9
White, both sexes	5.6	*	*	*	*	0.3	1.1	4.4	10.5
Female	11.0	*	*	*	*	0.5	2.1	8.6	20.5
Black, both sexes	3.1	*	*	*	*	*	1.1	3.0	10.0
Female	5.9	*	*	*	*	*	2.1	5.7	18.0
Malignant neoplasm of prostate (C61)									
All races 3/, both sexes	10.8	*	*	*	*	*	0.1	1.1	7.5
Male	22.0	*	*	*	*	*	0.1	2.1	15.7
White, both sexes	10.8	*	*	*	*	*	*	0.9	6.4
Male	21.9	*	*	*	*	*	*	1.8	13.3
Black, both sexes	14.2	*	*	*	*	*	*	2.8	19.2
Male	29.7	*	*	*	*	*	*	6.0	43.1

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Malignant neoplasms of kidney and renal pelvis (C64-C65)									
All races 3/, both sexes	4.2	*	0.1	0.1	0.1	0.1	0.8	3.3	9.2
Male	5.4	*	*	*	*	0.1	1.1	4.9	13.4
Female	3.1	*	*	0.1	*	0.1	0.5	1.9	5.3
White, both sexes	4.6	*	*	0.1	*	0.1	0.7	3.4	9.4
Male	5.8	*	*	*	*	*	1.0	5.0	13.6
Female	3.4	*	*	*	*	*	0.4	1.8	5.4
Black, both sexes	3.0	*	*	*	*	*	1.2	3.7	9.5
Male	3.8	*	*	*	*	*	1.5	5.4	14.9
Female	2.2	*	*	*	*	*	1.0	2.2	5.2
Malignant neoplasm of bladder (C67)									
All races 3/, both sexes	4.3	*	*	*	*	*	0.3	1.2	5.0
Male	6.0	*	*	*	*	*	0.3	1.8	7.9
Female	2.7	*	*	*	*	*	0.3	0.6	2.3
White, both sexes	4.8	*	*	*	*	*	0.3	1.2	5.2
Male	6.8	*	*	*	*	*	0.3	1.9	8.3
Female	2.9	*	*	*	*	*	0.3	0.6	2.2
Black, both sexes	2.4	*	*	*	*	*	0.4	1.3	4.9
Male	2.5	*	*	*	*	*	*	1.7	6.4
Female	2.2	*	*	*	*	*	*	0.8	3.8

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)									
All races 3/, both sexes	4.4	*	0.7	0.7	0.6	1.1	2.3	5.0	9.7
Male	5.0	*	0.7	0.7	0.6	1.3	2.8	6.1	12.1
Female	3.9	*	0.6	0.8	0.5	0.8	1.7	3.9	7.6
White, both sexes	5.0	*	0.7	0.8	0.6	1.2	2.6	5.4	10.5
Male	5.7	*	0.8	0.7	0.7	1.5	3.2	6.7	12.9
Female	4.4	*	0.7	0.8	0.5	0.9	1.9	4.3	8.2
Black, both sexes	2.0	*	*	0.6	0.5	0.5	1.1	3.0	5.8
Male	2.2	*	*	0.7	*	*	1.2	3.6	7.9
Female	1.8	*	*	*	*	*	1.0	2.4	4.2
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)									
All races 3/, both sexes	19.8	0.7	1.0	0.9	1.8	2.5	4.1	10.4	29.5
Male	21.5	*	1.0	1.0	2.1	2.9	5.1	12.7	36.3
Female	18.1	*	1.0	0.7	1.4	2.1	3.2	8.1	23.1
White, both sexes	21.5	0.7	1.1	0.9	1.8	2.4	4.0	10.2	29.2
Male	23.3	*	1.1	1.0	2.1	2.8	4.8	12.6	35.9
Female	19.7	*	1.1	0.8	1.4	2.0	3.2	7.9	22.8
Black, both sexes	14.1	*	*	1.0	1.8	3.4	5.6	13.2	36.7
Male	15.1	*	*	1.3	2.0	3.9	7.3	16.0	46.0
Female	13.1	*	*	0.6	1.6	2.9	4.0	10.8	29.2

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Hodgkin's disease (C81)									
All races 3/, both sexes	0.5	*	*	*	0.2	0.4	0.4	0.5	0.6
Male	0.5	*	*	*	0.2	0.4	0.5	0.6	0.7
Female	0.4	*	*	*	0.2	0.4	0.3	0.4	0.4
White, both sexes	0.5	*	*	*	0.2	0.4	0.4	0.5	0.6
Male	0.6	*	*	*	0.2	0.4	0.5	0.6	0.7
Female	0.4	*	*	*	0.2	0.4	0.3	0.4	0.4
Black, both sexes	0.4	*	*	*	*	0.7	0.4	*	*
Male	0.4	*	*	*	*	0.8	*	*	*
Female	0.3	*	*	*	*	*	*	*	*
Non-Hodgkin's lymphoma (C82-C85)									
All races 3/, both sexes	7.8	*	*	0.1	0.4	0.8	1.7	4.4	12.2
Male	8.4	*	*	0.1	0.5	0.9	2.2	5.8	15.0
Female	7.3	*	*	*	0.3	0.6	1.1	3.1	9.7
White, both sexes	8.8	*	*	0.1	0.3	0.7	1.6	4.5	12.6
Male	9.3	*	*	0.1	0.4	0.9	2.1	5.8	15.3
Female	8.2	*	*	*	0.3	0.5	1.1	3.1	10.1
Black, both sexes	4.0	*	*	*	0.5	1.2	2.2	5.0	10.9
Male	4.5	*	*	*	0.7	1.3	3.2	6.7	13.6
Female	3.6	*	*	*	*	1.1	1.3	3.6	8.7

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Leukemia (C91-C95)									
All races 3/, both sexes	7.5	0.6	1.0	0.8	1.2	1.3	1.7	3.8	10.0
Male	8.5	*	1.0	0.9	1.4	1.5	1.9	4.2	12.8
Female	6.6	*	1.0	0.7	1.0	1.1	1.5	3.3	7.5
White, both sexes	8.3	0.6	1.1	0.8	1.2	1.3	1.7	3.7	10.2
Male	9.3	*	1.1	0.8	1.5	1.5	1.9	4.3	13.0
Female	7.3	*	1.1	0.7	1.0	1.1	1.6	3.2	7.6
Black, both sexes	4.7	*	*	0.9	1.1	1.4	2.1	4.2	9.8
Male	5.2	*	*	1.1	1.2	1.7	2.5	4.5	13.0
Female	4.3	*	*	0.6	1.0	1.1	1.7	3.9	7.3
Multiple myeloma and immunoproliferative neoplasms (C88,C90)									
All races 3/, both sexes	3.9	*	*	*	*	*	0.3	1.7	6.6
Male	4.1	*	*	*	*	*	0.4	2.1	7.8
Female	3.8	*	*	*	*	*	0.3	1.3	5.5
White, both sexes	3.9	*	*	*	*	*	0.3	1.5	5.8
Male	4.2	*	*	*	*	*	0.4	1.9	6.8
Female	3.7	*	*	*	*	*	0.2	1.1	4.8
Black, both sexes	4.9	*	*	*	*	*	0.9	3.6	15.1
Male	4.9	*	*	*	*	*	1.0	4.3	18.4
Female	4.9	*	*	*	*	*	0.8	3.0	12.5

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)									
All races 3/, both sexes	0.0	*	*	*	*	*	*	*	*
Male	0.0	*	*	*	*	*	*	*	*
Female	0.0	*	*	*	*	*	*	*	*
White, both sexes	0.0	*	*	*	*	*	*	*	*
Male	0.0	*	*	*	*	*	*	*	*
Female	0.0	*	*	*	*	*	*	*	*
Black, both sexes	*	*	*	*	*	*	*	*	*
Male	*	*	*	*	*	*	*	*	*
Female	*	*	*	*	*	*	*	*	*
All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)									
All races 3/, both sexes	22.0	*	0.8	0.7	1.3	1.8	4.6	14.1	37.3
Male	22.6	*	0.9	0.7	1.7	2.2	4.9	16.4	43.8
Female	21.4	*	0.6	0.6	0.9	1.5	4.2	11.7	31.3
White, both sexes	23.5	*	0.8	0.7	1.3	1.8	4.4	13.3	36.2
Male	24.0	*	1.0	0.7	1.7	2.2	4.8	15.5	42.0
Female	22.9	*	0.7	0.6	0.9	1.4	4.0	11.2	30.7
Black, both sexes	18.3	*	*	0.7	1.3	2.3	6.0	21.7	52.9
Male	19.4	*	*	0.8	1.7	2.7	6.3	26.6	67.5
Female	17.3	*	*	0.6	0.8	1.9	5.7	17.6	41.2

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)									
All races 3/, both sexes	4.8	1.3	0.4	0.3	0.3	0.4	0.8	1.8	5.0
Male	4.8	1.3	0.4	0.2	0.3	0.4	0.9	2.0	5.5
Female	4.8	1.3	0.4	0.3	0.3	0.4	0.8	1.6	4.4
White, both sexes	5.3	1.2	0.4	0.2	0.2	0.4	0.8	1.9	5.0
Male	5.3	1.2	0.4	0.2	0.2	0.4	0.9	2.1	5.6
Female	5.2	*	0.4	0.3	0.2	0.4	0.7	1.6	4.4
Black, both sexes	3.1	*	*	0.4	0.3	*	1.1	2.0	5.9
Male	3.0	*	*	*	*	*	1.1	1.8	6.5
Female	3.2	*	*	*	*	*	1.0	2.2	5.3
Anemias (D50-D64)									
All races 3/, both sexes	1.6	*	0.1	0.1	0.3	0.4	0.5	0.6	1.0
Male	1.3	*	*	0.1	0.3	0.5	0.4	0.6	0.9
Female	2.0	*	*	0.1	0.3	0.3	0.5	0.6	1.0
White, both sexes	1.5	*	*	0.1	0.1	0.1	0.1	0.3	0.8
Male	1.1	*	*	*	*	0.1	0.1	0.2	0.7
Female	1.9	*	*	*	*	*	0.2	0.3	0.8
Black, both sexes	2.7	*	*	0.4	1.2	2.2	2.7	3.1	3.0
Male	2.5	*	*	*	1.4	2.9	2.4	3.6	3.1
Female	2.8	*	*	*	1.1	1.6	2.9	2.6	2.8

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Alzheimer's disease (G30)									
All races 3/, both sexes	18.9	*	*	*	*	*	*	0.2	2.1
Male	11.3	*	*	*	*	*	*	0.2	1.9
Female	26.3	*	*	*	*	*	*	0.2	2.3
White, both sexes	21.7	*	*	*	*	*	*	0.2	2.3
Male	12.8	*	*	*	*	*	*	0.2	2.0
Female	30.3	*	*	*	*	*	*	0.2	2.6
Black, both sexes	8.4	*	*	*	*	*	*	*	1.1
Male	5.1	*	*	*	*	*	*	*	*
Female	11.3	*	*	*	*	*	*	*	*
Major cardiovascular diseases (I00-I78)									
All races 3/, both sexes	323.9	14.9	1.9	0.9	3.2	10.2	37.1	113.4	301.2
Male	306.2	15.3	1.9	0.9	3.9	12.8	49.9	160.4	414.0
Female	340.9	14.5	1.8	0.9	2.4	7.6	24.3	68.1	196.9
White, both sexes	344.8	12.2	1.5	0.8	2.7	8.5	31.7	99.5	275.3
Male	323.5	13.2	1.6	0.8	3.3	10.9	44.2	145.1	385.3
Female	365.5	11.1	1.5	0.8	2.0	6.0	19.0	54.6	171.9
Black, both sexes	280.4	28.6	3.5	1.3	6.6	22.6	78.3	238.2	578.0
Male	272.4	28.1	3.6	1.2	8.0	27.9	97.4	312.5	761.1
Female	287.8	29.0	3.4	1.4	5.1	17.7	61.4	174.3	430.5

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Diseases of heart (I00-I09,I11,I13,I20-I51)									
All races 3/, both sexes	245.8	11.9	1.5	0.7	2.5	8.0	29.6	92.9	246.9
Male	242.5	11.8	1.5	0.7	3.2	10.3	41.7	136.6	349.8
Female	249.0	12.0	1.4	0.7	1.8	5.6	17.6	50.7	151.8
White, both sexes	262.8	9.9	1.2	0.6	2.0	6.6	25.9	83.9	229.6
Male	257.8	10.6	1.2	0.6	2.6	8.7	37.8	127.0	330.8
Female	267.7	9.2	1.1	0.6	1.5	4.4	13.9	41.5	134.3
Black, both sexes	208.8	21.6	3.0	1.1	5.4	17.9	59.5	179.9	447.6
Male	209.0	19.5	3.2	1.0	6.9	22.8	76.7	242.6	602.2
Female	208.6	23.9	2.7	1.1	3.8	13.5	44.2	125.9	323.1
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)									
All races 3/, both sexes	1.2	*	*	*	*	0.1	0.3	0.6	1.4
Male	0.7	*	*	*	*	*	0.2	0.5	1.1
Female	1.7	*	*	*	*	*	0.3	0.7	1.7
White, both sexes	1.3	*	*	*	*	*	0.2	0.5	1.4
Male	0.8	*	*	*	*	*	0.2	0.4	1.1
Female	1.8	*	*	*	*	*	0.2	0.6	1.6
Black, both sexes	0.8	*	*	*	*	*	0.7	1.3	2.1
Male	0.5	*	*	*	*	*	*	1.0	*
Female	1.1	*	*	*	*	*	0.9	1.7	2.6

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Hypertensive heart disease (I11)									
All races 3/, both sexes	8.7	*	*	*	0.1	0.6	2.4	6.3	10.9
Male	7.5	*	*	*	*	0.8	3.3	8.6	14.4
Female	9.8	*	*	*	*	0.4	1.6	4.1	7.8
White, both sexes	7.8	*	*	*	*	0.4	1.6	4.2	7.9
Male	6.4	*	*	*	*	0.6	2.4	6.1	10.9
Female	9.2	*	*	*	*	0.2	0.8	2.4	5.1
Black, both sexes	16.0	*	*	*	*	2.1	8.3	23.0	39.2
Male	15.9	*	*	*	*	2.6	10.3	30.2	49.8
Female	16.2	*	*	*	*	1.7	6.5	16.8	30.6
Hypertensive heart and renal disease (I13)									
All races 3/, both sexes	1.0	*	*	*	*	0.1	0.2	0.4	1.0
Male	0.8	*	*	*	*	*	0.3	0.5	1.0
Female	1.1	*	*	*	*	*	0.2	0.2	0.9
White, both sexes	0.8	*	*	*	*	*	0.1	0.2	0.5
Male	0.7	*	*	*	*	*	*	0.2	0.5
Female	1.0	*	*	*	*	*	*	0.1	0.5
Black, both sexes	2.2	*	*	*	*	0.4	1.2	2.1	5.0
Male	2.1	*	*	*	*	*	1.6	3.2	5.9
Female	2.3	*	*	*	*	*	0.8	1.1	4.2

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Ischemic heart diseases (I20-I25)									
All races 3/, both sexes	176.3	0.6	*	0.0	0.4	2.8	16.7	64.0	184.0
Male	181.7	*	*	*	0.6	4.1	25.5	99.5	271.6
Female	171.2	*	*	*	0.2	1.5	8.1	29.7	103.1
White, both sexes	190.5	*	*	*	0.3	2.6	15.9	60.7	175.1
Male	195.8	*	*	*	0.5	3.9	24.7	96.3	262.3
Female	185.3	*	*	*	0.2	1.3	7.0	25.6	93.1
Black, both sexes	136.9	*	*	*	0.9	4.6	25.6	102.3	297.9
Male	138.9	*	*	*	1.2	6.6	36.0	145.7	412.8
Female	135.2	*	*	*	*	2.8	16.4	65.0	205.3
Acute myocardial infarction (I21-I22)									
All races 3/, both sexes	64.9	*	*	*	0.2	1.2	7.1	27.6	78.4
Male	68.6	*	*	*	0.2	1.7	10.6	42.4	114.0
Female	61.3	*	*	*	*	0.7	3.5	13.3	45.4
White, both sexes	70.1	*	*	*	0.1	1.1	6.8	26.9	76.8
Male	74.4	*	*	*	0.2	1.6	10.6	42.4	113.7
Female	66.0	*	*	*	*	0.7	3.1	11.7	42.0
Black, both sexes	50.0	*	*	*	0.3	1.8	10.0	39.2	109.8
Male	49.2	*	*	*	*	2.5	13.2	51.9	143.8
Female	50.6	*	*	*	*	1.2	7.1	28.2	82.4

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Other acute ischemic heart diseases (I24)									
All races 3/, both sexes	1.2	*	*	*	*	*	0.2	0.8	1.8
Male	1.2	*	*	*	*	*	0.3	1.2	2.6
Female	1.1	*	*	*	*	*	0.1	0.4	1.1
White, both sexes	1.2	*	*	*	*	*	0.2	0.7	1.6
Male	1.2	*	*	*	*	*	0.2	1.1	2.4
Female	1.2	*	*	*	*	*	*	0.3	0.9
Black, both sexes	1.2	*	*	*	*	*	0.5	1.5	3.9
Male	1.4	*	*	*	*	*	*	2.4	5.5
Female	1.1	*	*	*	*	*	*	*	2.6
Other forms of chronic ischemic heart disease (I20,I25)									
All races 3/, both sexes	110.3	*	*	*	0.2	1.6	9.5	35.6	103.8
Male	111.9	*	*	*	0.3	2.4	14.6	55.9	154.9
Female	108.8	*	*	*	0.1	0.7	4.4	16.0	56.7
White, both sexes	119.1	*	*	*	0.2	1.4	8.9	33.1	96.7
Male	120.1	*	*	*	0.3	2.2	13.9	52.9	146.2
Female	118.1	*	*	*	0.6	3.9	13.6	50.2	
Black, both sexes	85.8	*	*	*	0.5	2.7	15.1	61.6	184.2
Male	88.2	*	*	*	0.7	4.2	22.2	91.3	263.6
Female	83.5	*	*	*	1.5	8.9	36.1	120.3	

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Atherosclerotic cardiovascular disease, so described (I25.0)									
All races 3/, both sexes	23.9	*	*	*	0.1	0.5	3.2	12.9	33.3
Male	25.3	*	*	*	*	0.7	5.0	21.0	51.4
Female	22.5	*	*	*	*	0.2	1.4	5.1	16.7
White, both sexes	24.3	*	*	*	*	0.4	3.0	11.6	28.8
Male	25.3	*	*	*	*	0.6	4.7	19.2	45.1
Female	23.3	*	*	*	*	0.2	1.2	4.1	13.4
Black, both sexes	27.7	*	*	*	*	0.7	5.6	25.3	77.5
Male	31.5	*	*	*	*	0.9	8.5	39.2	117.4
Female	24.3	*	*	*	*	*	3.1	13.3	45.4
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)									
All races 3/, both sexes	86.4	*	*	*	0.2	1.1	6.2	22.7	70.5
Male	86.5	*	*	*	0.2	1.8	9.5	34.9	103.5
Female	86.2	*	*	*	0.1	0.5	3.0	11.0	40.0
White, both sexes	94.8	*	*	*	0.1	1.0	5.9	21.5	67.9
Male	94.8	*	*	*	0.2	1.6	9.2	33.7	101.1
Female	94.9	*	*	*	*	0.4	2.6	9.6	36.7
Black, both sexes	58.0	*	*	*	0.4	2.0	9.5	36.3	106.7
Male	56.7	*	*	*	*	3.2	13.7	52.1	146.2
Female	59.2	*	*	*	*	1.0	5.9	22.8	75.0

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Other heart diseases (I26-I51)									
All races 3/, both sexes	58.6	11.1	1.4	0.6	2.0	4.4	9.9	21.6	49.5
Male	51.8	10.8	1.5	0.6	2.4	5.2	12.4	27.6	61.7
Female	65.2	11.5	1.3	0.6	1.5	3.6	7.5	15.9	38.3
White, both sexes	62.3	9.3	1.1	0.5	1.6	3.6	8.1	18.4	44.6
Male	54.1	9.6	1.2	0.5	2.0	4.2	10.4	24.0	55.9
Female	70.4	8.9	1.1	0.5	1.3	2.9	5.7	12.8	34.0
Black, both sexes	52.8	20.1	2.9	1.0	4.2	10.5	23.7	51.1	103.5
Male	51.7	17.7	3.2	0.9	5.3	12.8	28.3	62.5	132.1
Female	53.8	22.7	2.5	1.0	3.0	8.5	19.6	41.3	80.5
Acute and subacute endocarditis (I33)									
All races 3/, both sexes	0.4	*	*	*	*	0.1	0.3	0.5	0.6
Male	0.5	*	*	*	*	*	0.3	0.7	0.8
Female	0.4	*	*	*	*	*	0.2	0.3	0.5
White, both sexes	0.4	*	*	*	*	0.1	0.2	0.4	0.5
Male	0.5	*	*	*	*	*	0.2	0.5	0.7
Female	0.3	*	*	*	*	*	0.2	0.2	0.4
Black, both sexes	0.6	*	*	*	*	*	0.7	1.3	1.6
Male	0.8	*	*	*	*	*	0.7	1.9	2.1
Female	0.5	*	*	*	*	*	0.7	*	*

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Diseases of pericardium and acute myocarditis (I30-I31,I40)									
All races 3/, both sexes	0.3	0.8	0.2	0.1	0.1	0.1	0.2	0.3	0.4
Male	0.3	*	*	*	0.1	0.2	0.2	0.3	0.5
Female	0.3	*	*	*	*	*	0.2	0.3	0.3
White, both sexes	0.3	*	*	*	0.1	0.1	0.2	0.2	0.4
Male	0.3	*	*	*	*	0.2	0.2	0.3	0.5
Female	0.3	*	*	*	*	*	0.2	0.2	0.3
Black, both sexes	0.4	*	*	*	*	*	0.4	0.7	*
Male	0.4	*	*	*	*	*	*	*	*
Female	0.4	*	*	*	*	*	*	*	*
Heart failure (I50)									
All races 3/, both sexes	20.0	0.6	*	*	0.1	0.2	0.7	2.4	9.4
Male	15.5	*	*	*	*	0.3	0.8	3.1	11.1
Female	24.3	*	*	*	*	0.2	0.6	1.8	7.8
White, both sexes	22.1	*	*	*	*	0.2	0.5	2.0	8.5
Male	16.9	*	*	*	*	0.2	0.6	2.6	10.3
Female	27.1	*	*	*	*	0.2	0.4	1.4	6.9
Black, both sexes	13.8	*	*	*	*	0.6	1.9	6.4	19.6
Male	11.6	*	*	*	*	0.9	2.2	7.4	22.2
Female	15.8	*	*	*	*	*	1.7	5.5	17.6

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)									
All races 3/, both sexes	37.9	9.7	1.1	0.5	1.8	4.0	8.8	18.5	39.1
Male	35.6	9.1	1.2	0.5	2.2	4.7	11.1	23.6	49.4
Female	40.2	10.4	1.0	0.5	1.3	3.2	6.5	13.5	29.6
White, both sexes	39.6	8.2	0.9	0.4	1.5	3.2	7.2	15.7	35.2
Male	36.5	8.2	0.9	0.5	1.8	3.8	9.4	20.6	44.6
Female	42.6	8.2	0.8	0.4	1.1	2.6	5.0	11.0	26.4
Black, both sexes	38.0	17.2	2.3	0.9	3.7	9.6	20.7	42.8	81.5
Male	38.9	15.0	2.6	0.8	4.8	11.4	25.1	52.4	106.8
Female	37.2	19.5	2.0	0.9	2.6	7.9	16.7	34.5	61.1
Essential (primary) hypertension and hypertensive renal disease (I10,I12)									
All races 3/, both sexes	6.8	*	*	*	0.1	0.3	0.7	2.4	5.8
Male	5.2	*	*	*	*	0.3	0.9	3.0	6.5
Female	8.3	*	*	*	*	0.2	0.6	1.8	5.2
White, both sexes	6.3	*	*	*	*	0.1	0.4	1.4	4.0
Male	4.7	*	*	*	*	0.2	0.5	1.8	4.5
Female	8.0	*	*	*	*	*	0.3	1.0	3.5
Black, both sexes	10.9	*	*	*	*	1.0	3.1	9.9	22.0
Male	9.7	*	*	*	*	1.1	3.8	12.9	25.5
Female	11.9	*	*	*	*	0.9	2.4	7.4	19.2

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Other diseases of circulatory system (I71-I78)									
All races 3/, both sexes	8.9	*	*	*	0.2	0.4	1.1	2.6	8.7
Male	9.6	*	*	*	0.2	0.6	1.5	3.6	12.0
Female	8.2	*	*	*	0.1	0.3	0.7	1.7	5.6
White, both sexes	9.6	*	*	*	0.1	0.4	0.9	2.3	8.3
Male	10.4	*	*	*	0.2	0.6	1.2	3.1	11.6
Female	8.8	*	*	*	*	0.3	0.6	1.5	5.2
Black, both sexes	7.1	*	*	*	*	0.7	2.4	5.1	13.9
Male	6.9	*	*	*	*	0.9	3.4	7.3	17.8
Female	7.2	*	*	*	*	*	1.6	3.3	10.8
Aortic aneurysm and dissection (I71)									
All races 3/, both sexes	5.3	*	*	*	0.1	0.3	0.7	1.7	5.5
Male	6.5	*	*	*	0.2	0.4	1.2	2.6	8.5
Female	4.2	*	*	*	*	0.1	0.3	0.8	2.8
White, both sexes	5.9	*	*	*	0.1	0.3	0.6	1.5	5.4
Male	7.2	*	*	*	0.1	0.5	1.0	2.3	8.4
Female	4.6	*	*	*	*	*	0.2	0.6	2.6
Black, both sexes	3.4	*	*	*	*	0.4	1.6	3.5	7.6
Male	3.8	*	*	*	*	*	2.6	5.3	11.2
Female	3.0	*	*	*	*	*	0.7	1.9	4.6

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Other diseases of arteries, arterioles and capillaries (I72-I78)									
All races 3/, both sexes	3.5	*	*	*	*	0.1	0.4	0.9	3.2
Male	3.1	*	*	*	*	0.1	0.3	0.9	3.5
Female	4.0	*	*	*	*	0.1	0.4	0.9	2.9
White, both sexes	3.7	*	*	*	*	0.1	0.3	0.9	2.9
Male	3.2	*	*	*	*	*	0.2	0.8	3.2
Female	4.2	*	*	*	*	0.1	0.4	0.9	2.6
Black, both sexes	3.7	*	*	*	*	*	0.9	1.7	6.4
Male	3.2	*	*	*	*	*	0.9	2.0	6.5
Female	4.2	*	*	*	*	*	0.8	1.4	6.2
Other disorders of circulatory system (I80-I99)									
All races 3/, both sexes	1.6	0.5	*	*	0.1	0.3	0.6	1.2	2.2
Male	1.4	*	*	*	*	0.3	0.7	1.4	2.5
Female	1.9	*	*	*	0.1	0.4	0.6	1.0	2.0
White, both sexes	1.7	*	*	*	0.1	0.3	0.5	1.0	2.0
Male	1.4	*	*	*	*	0.2	0.5	1.3	2.2
Female	1.9	*	*	*	*	0.3	0.5	0.8	1.8
Black, both sexes	2.0	*	*	*	*	0.8	1.5	2.2	4.9
Male	1.9	*	*	*	*	*	1.7	2.4	6.4
Female	2.1	*	*	*	*	0.9	1.4	2.1	3.6

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Emphysema (J43)									
All races 3/, both sexes	5.7	*	*	*	*	*	0.2	1.1	7.2
Male	6.0	*	*	*	*	*	0.2	1.4	7.9
Female	5.4	*	*	*	*	*	0.1	0.9	6.6
White, both sexes	6.6	*	*	*	*	*	0.2	1.2	7.7
Male	6.8	*	*	*	*	*	0.2	1.4	8.2
Female	6.3	*	*	*	*	*	0.1	0.9	7.2
Black, both sexes	2.2	*	*	*	*	*	*	1.3	5.6
Male	2.7	*	*	*	*	*	*	1.6	8.0
Female	1.7	*	*	*	*	*	*	1.1	3.6
Asthma (J45-J46)									
All races 3/, both sexes	1.5	*	0.2	0.2	0.4	0.6	1.0	1.5	2.2
Male	1.1	*	0.3	0.3	0.4	0.6	0.9	1.1	1.5
Female	1.9	*	*	0.2	0.3	0.6	1.1	1.9	2.8
White, both sexes	1.3	*	*	0.1	0.2	0.4	0.7	1.1	1.6
Male	0.8	*	*	0.2	0.2	0.3	0.6	0.8	1.1
Female	1.7	*	*	*	0.2	0.4	0.8	1.5	2.1
Black, both sexes	3.0	*	0.8	0.8	1.1	2.1	3.3	4.6	6.8
Male	2.6	*	*	0.9	1.4	2.4	3.0	4.1	4.6
Female	3.3	*	*	0.7	0.9	1.9	3.5	5.0	8.5

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Pneumonitis due to solids and liquids (J69)									
All races 3/, both sexes	6.1	*	*	*	0.1	0.2	0.4	1.0	2.6
Male	6.1	*	*	*	0.1	0.2	0.5	1.2	3.2
Female	6.0	*	*	*	*	0.2	0.3	0.7	2.1
White, both sexes	6.6	*	*	*	0.1	0.2	0.4	0.9	2.5
Male	6.7	*	*	*	*	0.2	0.5	1.2	3.1
Female	6.6	*	*	*	*	0.2	0.3	0.7	2.1
Black, both sexes	4.3	*	*	*	*	*	0.6	1.6	4.0
Male	4.2	*	*	*	*	*	0.7	1.9	5.3
Female	4.4	*	*	*	*	*	*	1.4	2.9
Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)									
All races 3/, both sexes	9.2	7.3	0.6	0.2	0.4	0.5	1.3	3.5	9.6
Male	8.9	9.0	0.6	0.2	0.4	0.5	1.4	3.8	10.9
Female	9.4	5.5	0.6	0.2	0.3	0.6	1.2	3.1	8.4
White, both sexes	10.0	5.0	0.5	0.2	0.3	0.4	1.1	3.0	9.3
Male	9.7	5.9	0.5	0.2	0.3	0.4	1.2	3.4	10.6
Female	10.2	4.0	0.6	0.2	0.3	0.5	0.9	2.6	8.2
Black, both sexes	6.7	18.0	1.0	*	0.6	1.3	2.9	7.3	13.6
Male	6.4	23.1	*	*	*	1.3	2.6	7.6	15.3
Female	7.0	12.6	*	*	*	1.2	3.1	7.0	12.2

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Hernia (K40-K46)									
All races 3/, both sexes	0.5	1.1	*	*	*	*	0.1	0.2	0.5
Male	0.4	1.4	*	*	*	*	*	0.2	0.5
Female	0.6	*	*	*	*	*	*	0.2	0.5
White, both sexes	0.6	1.0	*	*	*	*	0.1	0.2	0.5
Male	0.4	*	*	*	*	*	*	0.2	0.5
Female	0.7	*	*	*	*	*	*	0.2	0.5
Black, both sexes	0.4	*	*	*	*	*	*	*	0.9
Male	0.4	*	*	*	*	*	*	*	*
Female	0.4	*	*	*	*	*	*	*	*
Chronic liver disease and cirrhosis (K70,K73-K74)									
All races 3/, both sexes	9.5	*	*	*	0.1	1.0	7.4	18.5	22.7
Male	12.4	*	*	*	*	1.3	9.8	27.5	33.1
Female	6.7	*	*	*	*	0.7	5.0	9.8	13.1
White, both sexes	10.1	*	*	*	*	1.0	7.5	18.3	22.7
Male	13.1	*	*	*	*	1.3	9.9	27.3	32.8
Female	7.1	*	*	*	*	0.6	5.0	9.4	13.3
Black, both sexes	7.5	*	*	*	*	0.9	7.3	22.6	25.9
Male	10.4	*	*	*	*	1.0	10.0	34.5	41.5
Female	4.8	*	*	*	*	0.7	4.8	12.4	13.4

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Alcoholic liver disease (K70)									
All races 3/, both sexes	4.3	*	*	*	*	0.7	4.8	10.7	11.5
Male	6.4	*	*	*	*	0.9	6.5	16.1	18.4
Female	2.3	*	*	*	*	0.4	3.1	5.5	5.1
White, both sexes	4.5	*	*	*	*	0.7	4.8	10.8	11.5
Male	6.7	*	*	*	*	0.9	6.5	16.3	18.4
Female	2.3	*	*	*	*	0.4	3.1	5.3	5.1
Black, both sexes	3.6	*	*	*	*	0.5	4.2	11.5	12.9
Male	5.3	*	*	*	*	*	5.9	17.1	21.4
Female	2.1	*	*	*	*	*	2.7	6.7	6.1
Other chronic liver disease and cirrhosis (K73-K74)									
All races 3/, both sexes	5.2	*	*	*	*	0.3	2.6	7.8	11.2
Male	6.1	*	*	*	*	0.4	3.4	11.4	14.7
Female	4.4	*	*	*	*	0.2	1.9	4.3	8.0
White, both sexes	5.6	*	*	*	*	0.3	2.7	7.5	11.2
Male	6.4	*	*	*	*	0.4	3.4	11.0	14.4
Female	4.8	*	*	*	*	0.2	1.9	4.2	8.2
Black, both sexes	3.8	*	*	*	*	0.4	3.1	11.1	13.0
Male	5.1	*	*	*	*	*	4.1	17.4	20.1
Female	2.7	*	*	*	*	*	2.1	5.7	7.3

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Cholelithiasis and other disorders of gallbladder (K80-K82)									
All races 3/, both sexes	1.0	*	*	*	*	*	0.1	0.3	1.0
Male	1.0	*	*	*	*	*	0.1	0.4	1.2
Female	1.1	*	*	*	*	*	*	0.3	0.8
White, both sexes	1.1	*	*	*	*	*	0.1	0.3	0.9
Male	1.0	*	*	*	*	*	0.1	0.4	1.1
Female	1.2	*	*	*	*	*	*	0.3	0.7
Black, both sexes	0.8	*	*	*	*	*	*	0.7	1.7
Male	0.7	*	*	*	*	*	*	*	2.1
Female	0.9	*	*	*	*	*	*	*	*
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)									
All races 3/, both sexes	13.9	3.3	*	*	0.2	0.6	1.7	4.6	13.0
Male	13.5	3.7	*	*	0.2	0.6	1.8	5.5	14.1
Female	14.2	2.9	*	*	0.2	0.6	1.6	3.9	11.9
White, both sexes	13.5	2.4	*	*	0.2	0.4	1.2	3.2	9.7
Male	13.3	2.8	*	*	0.2	0.3	1.4	3.8	10.9
Female	13.7	2.1	*	*	0.2	0.5	1.0	2.6	8.6
Black, both sexes	19.6	8.1	*	*	0.4	1.8	5.3	15.8	41.6
Male	18.0	8.7	*	*	*	2.2	5.2	19.3	45.4
Female	21.0	7.6	*	*	*	1.4	5.5	12.7	38.5

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Inflammatory diseases of female pelvic organs (N70-N76)									
All races 3/, both sexes	0.0	*	*	*	*	*	*	*	*
Female	0.1	*	*	*	*	*	*	*	*
White, both sexes	0.0	*	*	*	*	*	*	*	*
Female	0.1	*	*	*	*	*	*	*	*
Black, both sexes	0.1	*	*	*	*	*	*	*	*
Female	0.1	*	*	*	*	*	*	*	*
Pregnancy, childbirth and the puerperium (000-099)									
All races 3/, both sexes	0.1	*	0.3	0.5	0.2	*	...
Female	0.3	*	0.6	1.0	0.5	*	...
White, both sexes	0.1	*	0.2	0.4	0.1	*	...
Female	0.2	*	0.4	0.7	0.3	*	...
Black, both sexes	0.4	*	0.7	1.2	0.7	*	...
Female	0.8	*	1.5	2.3	1.4	*	...

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Pregnancy with abortive outcome (000-007)									
All races 3/, both sexes	0.0	*	*	*	*	*	...
Female	0.0	*	*	*	*	*	...
White, both sexes	0.0	*	*	*	*	*	...
Female	0.0	*	*	*	*	*	...
Black, both sexes	*	*	*	*	*	*	...
Female	*	*	*	*	*	*	...
Other complications of pregnancy, childbirth and the puerperium (010-099)									
All races 3/, both sexes	0.1	*	0.2	0.4	0.2	*	...
Female	0.3	*	0.5	0.9	0.4	*	...
White, both sexes	0.1	*	0.2	0.3	0.1	*	...
Female	0.2	*	0.4	0.7	0.3	*	...
Black, both sexes	0.4	*	0.6	1.1	0.7	*	...
Female	0.7	*	1.3	2.1	1.3	*	...

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Certain conditions originating in the perinatal period (P00-P96)									
All races 3/, both sexes	4.9	340.5	0.5	0.1	*	*	*	*	*
Male	5.6	376.6	0.6	0.1	*	*	*	*	*
Female	4.2	302.6	0.4	*	*	*	*	*	*
White, both sexes	3.7	268.5	0.4	0.1	*	*	*	*	*
Male	4.2	297.1	0.5	*	*	*	*	*	*
Female	3.1	238.6	*	*	*	*	*	*	*
Black, both sexes	13.0	738.1	0.9	*	*	*	*	*	*
Male	15.5	815.9	*	*	*	*	*	*	*
Female	10.8	656.2	*	*	*	*	*	*	*
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)									
All races 3/, both sexes	3.7	136.7	3.6	0.9	1.3	1.2	1.3	1.6	2.3
Male	3.9	143.1	3.6	1.0	1.5	1.2	1.4	1.7	2.3
Female	3.4	129.9	3.7	0.8	1.0	1.1	1.2	1.6	2.3
White, both sexes	3.6	135.0	3.2	0.9	1.2	1.2	1.3	1.7	2.4
Male	3.8	143.0	3.2	1.0	1.4	1.3	1.4	1.7	2.4
Female	3.4	126.7	3.3	0.7	1.0	1.1	1.2	1.6	2.5
Black, both sexes	4.6	158.4	5.3	1.1	1.9	1.3	1.6	1.7	1.9
Male	5.0	160.8	5.5	1.0	2.4	1.2	1.7	1.7	2.0
Female	4.3	155.9	5.1	1.2	1.4	1.3	1.4	1.7	1.8

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)									
All races 3/, both sexes	11.4	86.5	1.8	0.4	2.4	3.9	6.9	8.9	9.1
Male	11.3	98.9	2.1	0.5	3.2	5.2	9.0	11.9	12.0
Female	11.4	73.6	1.5	0.4	1.5	2.5	4.9	6.1	6.3
White, both sexes	11.6	70.9	1.5	0.4	2.4	3.8	6.8	8.6	8.5
Male	11.2	82.0	1.7	0.4	3.2	5.2	8.9	11.4	11.0
Female	11.9	59.3	1.4	0.4	1.5	2.4	4.8	5.8	6.2
Black, both sexes	12.6	169.5	2.8	0.6	2.7	5.0	9.0	13.9	14.8
Male	13.9	187.4	3.5	0.8	3.7	6.0	11.1	18.0	23.3
Female	11.4	150.6	2.0	*	1.7	4.1	7.2	10.3	7.9
All other diseases (Residual) (D65-E07, E15-E34, E65-F99, G04-G12, G23-G25, G31-H93, K00-K22, K29-K31, K50-K66, K71-K72, K75-K76, K83-M99, N13.0-N13.5, N13.7-N13.9, N14, N15.0, N15.8-N15.9, N20-N23, N28-N39, N41-N64, N80-N98)									
All races 3/, both sexes	65.5	28.0	4.2	2.1	4.5	7.8	18.0	36.2	63.4
Male	53.8	31.4	4.6	2.2	5.2	8.6	21.3	43.7	71.2
Female	76.7	24.5	3.8	2.0	3.8	6.9	14.6	29.1	56.2
White, both sexes	69.4	23.7	3.9	2.1	4.2	6.9	16.0	32.8	59.7
Male	55.8	25.9	4.4	2.1	5.1	7.8	19.5	39.9	66.8
Female	82.7	21.4	3.4	2.0	3.4	5.8	12.6	25.8	53.0
Black, both sexes	59.1	51.3	5.4	2.4	6.5	14.1	33.9	70.4	107.2
Male	54.6	58.4	5.1	2.4	6.6	14.9	38.2	84.2	126.4
Female	63.1	43.8	5.6	2.5	6.3	13.3	30.0	58.5	91.8

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Accidents (unintentional injuries) (V01-X59,Y85-Y86)									
All races 3/, both sexes	35.7	24.2	11.2	6.9	36.1	29.9	35.4	34.1	30.3
Male	47.2	26.2	13.3	8.6	52.9	45.4	51.8	50.6	43.0
Female	24.5	22.1	8.9	5.2	18.4	14.0	19.2	18.0	18.5
White, both sexes	37.0	20.6	11.0	6.4	38.2	30.9	35.8	33.1	29.4
Male	48.4	22.1	13.3	7.8	55.8	46.7	52.3	48.6	41.1
Female	25.9	18.9	8.5	5.0	19.5	14.4	19.2	17.8	18.3
Black, both sexes	33.5	43.1	13.6	9.4	28.7	30.2	40.0	47.7	42.0
Male	48.2	48.5	15.4	12.8	43.2	47.4	59.9	77.2	67.6
Female	20.1	37.5	11.9	6.0	14.2	14.7	22.4	22.3	21.4
Transport accidents (V01-V99,Y85)									
All races 3/, both sexes	16.6	3.7	4.4	4.4	27.9	18.8	17.4	16.0	15.3
Male	23.5	3.3	5.0	5.3	39.6	28.3	25.1	23.3	21.6
Female	10.0	4.2	3.8	3.5	15.6	9.2	9.8	8.9	9.4
White, both sexes	17.0	3.7	4.3	4.3	29.5	19.2	17.6	15.8	15.1
Male	23.9	3.2	4.9	5.1	41.7	28.7	25.1	22.9	21.2
Female	10.3	4.1	3.6	3.5	16.5	9.3	10.0	8.8	9.4
Black, both sexes	15.9	*	5.2	5.3	22.2	19.9	18.7	18.8	18.1
Male	23.8	*	5.7	6.9	32.5	31.6	28.9	30.2	29.6
Female	8.7	*	4.7	3.7	11.9	9.4	9.7	9.1	8.9

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)									
All races 3/, both sexes	0.7	*	0.2	0.1	0.5	0.9	1.0	1.1	1.0
Male	1.2	*	*	0.2	0.9	1.4	1.6	1.9	1.8
Female	0.3	*	*	0.1	0.2	0.3	0.4	0.4	0.3
White, both sexes	0.8	*	0.2	0.1	0.6	0.9	1.1	1.2	1.1
Male	1.3	*	*	0.2	0.9	1.5	1.8	1.9	1.8
Female	0.3	*	*	*	0.3	0.4	0.5	0.4	0.4
Black, both sexes	0.5	*	*	*	*	0.6	0.5	1.0	0.9
Male	0.8	*	*	*	*	0.9	1.0	1.8	2.0
Female	0.1	*	*	*	*	*	*	*	*
Nontransport accidents (W00-X59,Y86)									
All races 3/, both sexes	19.0	20.5	6.8	2.5	8.2	11.1	18.0	18.1	15.0
Male	23.8	22.9	8.3	3.3	13.3	17.1	26.8	27.3	21.4
Female	14.5	17.9	5.1	1.6	2.8	4.9	9.4	9.2	9.1
White, both sexes	20.0	16.9	6.7	2.1	8.7	11.7	18.2	17.3	14.3
Male	24.5	18.9	8.4	2.7	14.1	18.0	27.2	25.7	19.9
Female	15.6	14.8	4.8	1.5	3.0	5.0	9.2	9.0	9.0
Black, both sexes	17.6	40.2	8.4	4.1	6.5	10.3	21.3	28.9	23.8
Male	24.4	46.4	9.7	5.8	10.7	15.8	31.0	47.1	37.9
Female	11.5	33.7	7.1	2.4	2.4	5.3	12.6	13.2	12.5

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Accidental drowning and submersion (W65-W74)									
All races 3/, both sexes	1.2	1.7	3.0	0.8	1.5	0.9	1.0	0.9	0.8
Male	1.8	1.5	3.7	1.1	2.7	1.6	1.7	1.6	1.3
Female	0.5	1.9	2.2	0.5	0.3	0.2	0.4	0.3	0.4
White, both sexes	1.1	1.7	3.3	0.5	1.3	0.9	1.0	0.9	0.8
Male	1.7	1.6	4.2	0.7	2.4	1.4	1.6	1.5	1.2
Female	0.5	1.8	2.4	0.4	0.3	0.3	0.4	0.3	0.4
Black, both sexes	1.6	*	1.9	2.0	2.2	1.2	1.2	1.1	1.3
Male	2.7	*	2.2	3.0	4.2	2.4	2.2	2.0	2.3
Female	0.5	*	1.6	0.9	*	*	*	*	*
Accidental exposure to smoke, fire and flames (X00-X09)									
All races 3/, both sexes	1.2	1.2	1.5	0.6	0.5	0.6	1.0	1.1	1.5
Male	1.4	1.5	1.8	0.7	0.7	0.8	1.4	1.5	1.9
Female	0.9	1.0	1.1	0.5	0.4	0.4	0.6	0.7	1.1
White, both sexes	1.0	1.1	1.2	0.5	0.5	0.6	0.9	0.9	1.3
Male	1.3	*	1.6	0.6	0.7	0.7	1.2	1.2	1.6
Female	0.8	*	0.8	0.4	0.3	0.4	0.5	0.6	0.9
Black, both sexes	2.3	*	3.3	1.3	0.7	1.2	1.8	2.4	3.5
Male	2.9	*	3.6	1.6	0.8	1.4	2.7	3.9	5.0
Female	1.7	*	2.9	1.0	*	1.1	1.0	1.1	2.4

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Accidental poisoning and exposure to noxious substances (X40-X49)									
All races 3/, both sexes	4.9	*	0.2	0.1	3.4	6.3	11.2	9.1	3.2
Male	7.1	*	0.3	0.1	5.3	9.3	15.7	13.0	4.1
Female	2.9	*	*	0.1	1.4	3.3	6.7	5.2	2.3
White, both sexes	5.0	*	0.2	0.1	3.9	6.9	11.4	8.4	2.8
Male	7.2	*	*	*	6.0	10.2	16.2	11.9	3.4
Female	2.9	*	*	0.1	1.6	3.5	6.6	5.0	2.3
Black, both sexes	5.8	*	*	*	1.6	5.2	13.1	16.7	6.5
Male	8.4	*	*	*	2.3	7.5	17.9	26.6	11.3
Female	3.5	*	*	*	0.9	3.1	9.0	8.2	2.6
Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)									
All races 3/, both sexes	6.2	16.6	1.8	0.6	1.6	2.0	3.1	4.2	5.3
Male	7.2	18.9	2.1	0.9	2.6	3.4	5.0	6.6	7.7
Female	5.3	14.2	1.5	0.4	0.6	0.6	1.1	1.9	3.1
White, both sexes	6.6	13.4	1.7	0.6	1.8	2.1	3.1	4.1	5.1
Male	7.5	15.2	2.0	0.9	2.9	3.5	5.1	6.4	7.4
Female	5.8	11.5	1.4	0.4	0.6	0.6	1.1	1.9	3.0
Black, both sexes	5.4	34.2	2.5	0.6	1.0	1.9	3.2	5.6	7.9
Male	6.8	40.4	2.8	0.9	1.5	3.2	5.1	9.0	11.9
Female	4.1	27.7	2.2	*	*	0.7	1.6	2.7	4.6

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Intentional self-harm (suicide) (*U03,X60-X84,Y87.0) /4									
All races 3/, both sexes	10.8	0.7	9.9	12.8	14.7	15.2	13.1
Male	17.6	1.0	16.6	21.0	23.1	23.4	21.1
Female	4.1	0.3	2.9	4.4	6.4	7.2	5.7
White, both sexes	11.9	0.7	10.6	13.8	16.4	16.9	14.3
Male	19.5	1.0	17.6	22.4	25.4	26.0	22.8
Female	4.6	0.3	3.1	4.9	7.3	8.0	6.4
Black, both sexes	5.3	0.6	7.1	9.1	7.3	6.2	5.2
Male	9.2	0.9	13.0	16.5	12.3	9.9	9.4
Female	1.7	*	1.3	2.4	2.9	3.0	1.8

Intentional self-harm (suicide) by discharge of firearms (X72-X74)

All races 3/, both sexes	5.9	0.2	5.3	6.5	6.7	7.7	8.2
Male	10.6	0.3	9.4	11.2	11.4	13.3	14.6
Female	1.5	0.1	1.0	1.6	2.1	2.4	2.4
White, both sexes	6.7	0.2	5.6	7.1	7.5	8.7	9.2
Male	11.8	0.4	9.7	12.0	12.6	14.9	16.1
Female	1.7	*	1.1	1.8	2.4	2.7	2.7
Black, both sexes	2.9	*	4.9	4.9	3.4	2.8	2.8
Male	5.5	*	9.2	9.4	6.3	4.8	5.7
Female	0.6	*	*	0.9	0.9	1.0	*

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Intentional self-harm (suicide) by other and unspecified means and their sequelae (*U03,X60-X71,X75-X84,Y87.0) /4									
All races 3/, both sexes	4.8	0.5	4.6	6.3	8.0	7.4	4.9
Male	7.1	0.7	7.2	9.8	11.7	10.2	6.5
Female	2.6	0.2	1.9	2.8	4.3	4.8	3.4
White, both sexes	5.3	0.5	5.0	6.8	8.8	8.2	5.2
Male	7.7	0.7	7.9	10.4	12.8	11.0	6.8
Female	2.9	0.2	2.0	3.0	4.9	5.3	3.7
Black, both sexes	2.3	0.4	2.3	4.2	3.9	3.4	2.4
Male	3.7	0.6	3.8	7.1	6.1	5.0	3.7
Female	1.1	*	0.7	1.5	2.0	2.0	*
Assault (homicide) (*U01-*U02,X85-Y09,Y87.1) /4									
All races 3/, both sexes	7.1	8.2	2.7	0.8	13.3	13.1	9.5	6.3	4.0
Male	11.1	9.5	3.0	0.9	22.2	20.8	13.9	9.5	5.9
Female	3.3	6.9	2.4	0.7	3.9	5.3	5.1	3.2	2.2
White, both sexes	4.9	6.2	1.9	0.7	7.2	8.3	7.3	5.0	3.4
Male	7.2	7.3	2.2	0.7	11.2	12.3	10.7	7.4	4.9
Female	2.6	5.1	1.6	0.6	3.0	4.1	3.8	2.7	2.0
Black, both sexes	22.1	18.9	6.8	1.4	47.3	43.7	25.0	16.1	8.9
Male	38.3	21.0	8.0	2.0	85.7	78.8	38.5	26.9	15.0
Female	7.4	16.7	5.6	0.8	8.9	12.1	13.0	6.8	3.9

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Assault (homicide) by discharge of firearms (*U01.4,X93-X95)									
All races 3/, both sexes	4.0	*	0.4	0.4	10.5	8.4	4.4	2.4	1.4
Male	6.8	*	0.3	0.6	18.5	14.3	6.8	3.8	2.2
Female	1.3	*	0.4	0.3	2.1	2.3	2.0	1.0	0.8
White, both sexes	2.2	*	0.3	0.4	5.0	4.2	2.9	1.7	1.2
Male	3.5	*	*	0.5	8.3	6.7	4.3	2.6	1.6
Female	1.0	*	*	0.3	1.5	1.6	1.5	0.9	0.8
Black, both sexes	15.8	*	*	0.8	41.8	35.1	15.0	7.5	3.7
Male	29.8	*	*	1.3	78.2	66.9	26.0	13.7	7.1
Female	3.1	*	*	*	5.4	6.3	5.4	2.2	*
Assault (homicide) by other and unspecified means and their sequelae (*U01.0-*U01.3,*U01.5-*U01.9,*U02,X85-X92,X96-Y09,Y87.1) /4									
All races 3/, both sexes	3.1	8.0	2.3	0.4	2.7	4.8	5.1	3.9	2.6
Male	4.3	9.2	2.7	0.3	3.6	6.5	7.1	5.7	3.8
Female	2.0	6.7	2.0	0.4	1.8	3.1	3.1	2.1	1.5
White, both sexes	2.6	6.0	1.6	0.3	2.2	4.1	4.4	3.3	2.3
Male	3.7	7.0	1.9	0.3	2.8	5.6	6.4	4.8	3.3
Female	1.6	4.9	1.4	0.4	1.5	2.5	2.3	1.8	1.3
Black, both sexes	6.3	18.6	6.1	0.5	5.5	8.7	9.9	8.5	5.2
Male	8.5	20.7	7.3	0.7	7.5	11.8	12.6	13.2	8.0
Female	4.3	16.4	4.8	*	3.5	5.8	7.6	4.6	2.9

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Legal intervention (Y35,Y89.0)									
All races 3/, both sexes	0.1	*	*	*	0.2	0.3	0.3	0.1	0.1
Male	0.3	*	*	*	0.4	0.5	0.5	0.3	0.2
Female	*	*	*	*	*	*	*	*	*
White, both sexes	0.1	*	*	*	0.2	0.2	0.2	0.1	*
Male	0.2	*	*	*	0.4	0.5	0.4	0.2	*
Female	*	*	*	*	*	*	*	*	*
Black, both sexes	0.2	*	*	*	0.4	0.4	0.4	*	*
Male	0.4	*	*	*	0.8	0.8	0.8	*	*
Female	*	*	*	*	*	*	*	*	*
Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)									
All races 3/, both sexes	1.5	2.1	0.3	0.1	1.0	1.8	3.1	2.5	0.9
Male	2.0	2.4	*	0.2	1.5	2.6	4.2	3.4	1.2
Female	0.9	1.7	0.3	*	0.5	1.1	2.1	1.6	0.6
White, both sexes	1.5	1.4	0.3	0.1	1.1	1.9	3.1	2.5	0.9
Male	2.0	1.7	*	0.2	1.6	2.7	4.0	3.2	1.1
Female	1.0	*	*	*	0.6	1.2	2.2	1.7	0.6
Black, both sexes	1.7	5.5	*	*	0.7	1.7	3.9	3.8	1.3
Male	2.7	6.0	*	*	1.3	2.6	6.2	6.3	2.4
Female	0.9	*	*	*	*	0.9	1.9	1.6	*

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Discharge of firearms, undetermined intent (Y22-Y24)									
All races 3/, both sexes	0.1	*	*	*	0.2	0.1	0.1	0.1	*
Male	0.1	*	*	*	0.3	0.2	0.1	0.1	*
Female	0.0	*	*	*	*	*	*	*	*
White, both sexes	0.1	*	*	*	0.1	0.1	0.1	0.1	*
Male	0.1	*	*	*	0.2	0.2	0.2	*	*
Female	0.0	*	*	*	*	*	*	*	*
Black, both sexes	0.1	*	*	*	*	*	*	*	*
Male	0.2	*	*	*	*	*	*	*	*
Female	*	*	*	*	*	*	*	*	*
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)									
All races 3/, both sexes	1.4	2.1	0.3	0.1	0.9	1.7	3.0	2.5	0.8
Male	1.9	2.4	*	0.2	1.3	2.4	4.0	3.3	1.1
Female	0.9	1.7	0.3	*	0.5	1.1	2.0	1.6	0.6
White, both sexes	1.4	1.4	0.3	0.1	1.0	1.8	3.0	2.4	0.8
Male	1.9	1.7	*	0.2	1.4	2.5	3.9	3.1	1.0
Female	1.0	*	*	*	0.6	1.1	2.1	1.7	0.6
Black, both sexes	1.7	5.5	*	*	0.5	1.6	3.9	3.7	1.1
Male	2.5	6.0	*	*	0.8	2.4	6.2	6.1	2.1
Female	0.8	*	*	*	*	0.9	1.8	1.6	*

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Operations of war and their sequelae (Y36,Y89.1)									
All races 3/, both sexes	*	*	*	*	*	*	*	*	*
Male	*	*	*	*	*	*	*	*	*
Female	*	*	*	*	*	*	*	*	*
White, both sexes	*	*	*	*	*	*	*	*	*
Male	*	*	*	*	*	*	*	*	*
Female	*	*	*	*	*	*	*	*	*
Black, both sexes	*	*	*	*	*	*	*	*	*
Male	*	*	*	*	*	*	*	*	*
Female	*	*	*	*	*	*	*	*	*
Complications of medical and surgical care (Y40-Y84,Y88)									
All races 3/, both sexes	1.1	0.6	0.2	*	0.1	0.2	0.4	0.7	1.5
Male	1.0	*	*	*	*	0.2	0.4	0.7	1.6
Female	1.1	*	*	*	0.1	0.2	0.4	0.7	1.4
White, both sexes	1.1	*	*	*	0.1	0.2	0.3	0.6	1.4
Male	0.9	*	*	*	*	0.2	0.3	0.6	1.4
Female	1.2	*	*	*	*	0.2	0.3	0.6	1.3
Black, both sexes	1.4	*	*	*	*	0.4	0.9	1.6	3.4
Male	1.4	*	*	*	*	*	1.0	1.8	4.2
Female	1.4	*	*	*	*	*	0.7	1.3	2.7

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
All causes			
All races 3/, both sexes	2,353.3	5,582.4	15,112.8
Male	2,911.5	6,833.0	16,744.8
Female	1,890.8	4,760.5	14,429.9
White, both sexes	2,298.9	5,560.9	15,287.5
Male	2,842.3	6,799.7	16,935.4
Female	1,840.2	4,738.5	14,597.6
Black, both sexes	3,257.6	6,585.6	14,550.8
Male	4,166.6	8,355.9	16,439.9
Female	2,616.1	5,591.6	13,849.9
Salmonella infections (A01-A02)			
All races 3/, both sexes	*	*	*
Male	*	*	*
Female	*	*	*
White, both sexes	*	*	*
Male	*	*	*
Female	*	*	*
Black, both sexes	*	*	*
Male	*	*	*
Female	*	*	*

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Shigellosis and amebiasis (A03,A06)			
All races 3/, both sexes	*	*	*
Male	*	*	*
Female	*	*	*
White, both sexes	*	*	*
Male	*	*	*
Female	*	*	*
Black, both sexes	*	*	*
Male	*	*	*
Female	*	*	*
Certain other intestinal infections (A04,A07-A09)			
All races 3/, both sexes	1.3	4.5	12.8
Male	1.3	4.6	12.1
Female	1.3	4.5	13.1
White, both sexes	1.3	4.7	13.5
Male	1.3	4.6	12.7
Female	1.3	4.7	13.9
Black, both sexes	1.4	3.2	*
Male	*	*	*
Female	*	*	*

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Tuberculosis (A16-A19)			
All races 3/, both sexes	0.8	1.6	2.8
Male	1.2	2.0	4.4
Female	0.5	1.4	2.2
White, both sexes	0.6	1.2	2.2
Male	0.7	1.5	3.1
Female	0.4	1.0	1.8
Black, both sexes	2.6	3.7	6.8
Male	4.3	*	*
Female	*	3.5	*
Respiratory tuberculosis (A16)			
All races 3/, both sexes	0.6	1.3	2.4
Male	0.9	1.7	3.8
Female	0.4	1.1	1.8
White, both sexes	0.4	1.0	1.8
Male	0.6	1.3	2.6
Female	0.3	0.8	1.4
Black, both sexes	1.9	3.0	6.1
Male	3.3	*	*
Female	*	*	*

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Other tuberculosis (A17-A19)			
All races 3/, both sexes	0.2	0.3	*
Male	0.3	*	*
Female	*	0.3	*
White, both sexes	0.1	0.2	*
Male	*	*	*
Female	*	*	*
Black, both sexes	*	*	*
Male	*	*	*
Female	*	*	*
Whooping cough (A37)			
All races 3/, both sexes	*	*	*
Male	*	*	*
Female	*	*	*
White, both sexes	*	*	*
Male	*	*	*
Female	*	*	*
Black, both sexes	*	*	*
Male	*	*	*
Female	*	*	*

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

65-74
YEARS 75-84
YEARS 85 YEARS
AND OVER

Scarlet fever and erysipelas (A38,A46)

All races 3/, both sexes	*	*	*
Male	*	*	*
Female	*	*	*
White, both sexes	*	*	*
Male	*	*	*
Female	*	*	*
Black, both sexes	*	*	*
Male	*	*	*
Female	*	*	*

Meningococcal infection (A39)

All races 3/, both sexes	*	*	*
Male	*	*	*
Female	*	*	*
White, both sexes	*	*	*
Male	*	*	*
Female	*	*	*
Black, both sexes	*	*	*
Male	*	*	*
Female	*	*	*

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Septicemia (A40-A41)			
All races 3/, both sexes	32.8	82.3	205.9
Male	36.7	95.5	224.3
Female	29.5	73.7	198.3
White, both sexes	29.3	77.1	195.3
Male	32.5	89.4	211.8
Female	26.6	69.0	188.3
Black, both sexes	71.8	160.2	364.8
Male	85.6	195.1	424.4
Female	62.0	140.6	342.7
Syphilis (A50-A53)			
All races 3/, both sexes	*	*	*
Male	*	*	*
Female	*	*	*
White, both sexes	*	*	*
Male	*	*	*
Female	*	*	*
Black, both sexes	*	*	*
Male	*	*	*
Female	*	*	*

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

65-74
YEARS 75-84
YEARS 85 YEARS
AND OVER

Acute poliomyelitis (A80)

All races 3/, both sexes	*	*	*
Male	*	*	*
Female	*	*	*
White, both sexes	*	*	*
Male	*	*	*
Female	*	*	*
Black, both sexes	*	*	*
Male	*	*	*
Female	*	*	*

Arthropod-borne viral encephalitis (A83-A84,A85.2)

All races 3/, both sexes	*	*	*
Male	*	*	*
Female	*	*	*
White, both sexes	*	*	*
Male	*	*	*
Female	*	*	*
Black, both sexes	*	*	*
Male	*	*	*
Female	*	*	*

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Measles (B05)			
All races 3/, both sexes	*	*	*
Male	*	*	*
Female	*	*	*
White, both sexes	*	*	*
Male	*	*	*
Female	*	*	*
Black, both sexes	*	*	*
Male	*	*	*
Female	*	*	*
Viral hepatitis (B15-B19)			
All races 3/, both sexes	4.6	4.9	3.8
Male	4.8	5.3	4.4
Female	4.4	4.6	3.5
White, both sexes	4.1	4.7	3.6
Male	4.5	5.4	4.5
Female	3.7	4.2	3.2
Black, both sexes	5.6	5.7	*
Male	4.9	*	*
Female	6.0	6.8	*

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Human immunodeficiency virus (HIV) disease (B20-B24)			
All races 3/, both sexes	2.1	0.7	*
Male	3.5	1.5	*
Female	0.9	*	*
White, both sexes	1.0	0.3	*
Male	1.9	0.7	*
Female	0.3	*	*
Black, both sexes	12.8	5.3	*
Male	21.7	11.5	*
Female	6.5	*	*
Malaria (B50-B54)			
All races 3/, both sexes	*	*	*
Male	*	*	*
Female	*	*	*
White, both sexes	*	*	*
Male	*	*	*
Female	*	*	*
Black, both sexes	*	*	*
Male	*	*	*
Female	*	*	*

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)			
All races 3/, both sexes	6.2	10.6	20.1
Male	6.8	13.2	23.6
Female	5.8	8.9	18.7
White, both sexes	6.0	10.5	20.1
Male	6.6	13.1	23.8
Female	5.6	8.7	18.5
Black, both sexes	8.3	11.1	20.6
Male	10.0	12.4	*
Female	7.2	10.4	20.2
Malignant neoplasms (C00-C97)			
All races 3/, both sexes	802.8	1,315.8	1,765.6
Male	984.6	1,727.1	2,613.6
Female	652.2	1,045.4	1,410.7
White, both sexes	797.8	1,311.1	1,765.2
Male	969.4	1,704.6	2,597.6
Female	652.9	1,049.8	1,416.7
Black, both sexes	991.2	1,543.9	1,931.7
Male	1,335.3	2,290.0	3,209.9
Female	748.4	1,125.0	1,457.5

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)			
All races 3/, both sexes	10.4	14.2	18.5
Male	16.0	20.6	25.8
Female	5.8	10.0	15.4
White, both sexes	10.0	14.4	19.0
Male	15.1	20.4	26.4
Female	5.8	10.3	15.9
Black, both sexes	15.5	13.9	12.9
Male	27.1	23.5	*
Female	7.4	8.4	10.5
Malignant neoplasm of esophagus (C15)			
All races 3/, both sexes	20.6	26.3	25.8
Male	36.0	47.4	48.1
Female	7.9	12.4	16.5
White, both sexes	19.8	26.5	26.3
Male	34.9	47.9	48.8
Female	7.1	12.3	16.8
Black, both sexes	32.3	29.5	23.6
Male	55.3	54.7	46.5
Female	16.1	15.4	15.2

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Malignant neoplasm of stomach (C16)			
All races 3/, both sexes	16.5	30.2	45.4
Male	23.2	43.1	62.6
Female	10.9	21.7	38.3
White, both sexes	14.5	26.9	41.1
Male	20.2	38.7	57.7
Female	9.7	19.0	34.1
Black, both sexes	30.5	58.4	88.1
Male	48.2	87.1	104.4
Female	18.0	42.3	82.1
Malignant neoplasms of colon, rectum and anus (C18-C21)			
All races 3/, both sexes	75.3	139.4	255.7
Male	93.7	169.5	298.3
Female	60.1	119.6	237.8
White, both sexes	73.4	136.9	255.3
Male	91.8	167.0	297.3
Female	57.9	116.8	237.7
Black, both sexes	104.0	187.6	286.5
Male	128.1	228.4	347.2
Female	87.0	164.7	264.0

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Malignant neoplasms of liver and intrahepatic bile ducts (C22)			
All races 3/, both sexes	18.8	29.0	34.1
Male	26.8	41.0	50.3
Female	12.1	21.1	27.2
White, both sexes	17.6	27.9	33.3
Male	25.4	39.6	49.7
Female	10.9	20.1	26.5
Black, both sexes	21.7	32.4	35.0
Male	30.0	43.0	42.0
Female	15.9	26.4	32.4
Malignant neoplasm of pancreas (C25)			
All races 3/, both sexes	44.5	74.1	100.1
Male	50.8	84.0	105.1
Female	39.4	67.6	98.1
White, both sexes	43.8	73.3	99.0
Male	50.0	83.8	106.5
Female	38.5	66.3	95.9
Black, both sexes	58.4	92.7	121.3
Male	68.1	100.3	99.8
Female	51.6	88.4	129.2

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Malignant neoplasm of larynx (C32)			
All races 3/, both sexes	6.4	7.2	6.7
Male	11.1	14.2	18.3
Female	2.5	2.6	1.9
White, both sexes	6.0	6.9	6.6
Male	10.3	13.3	18.3
Female	2.3	2.7	1.7
Black, both sexes	11.4	11.7	8.3
Male	21.3	27.7	*
Female	4.5	*	*
Malignant neoplasms of trachea, bronchus and lung (C33-C34)			
All races 3/, both sexes	279.7	371.4	302.7
Male	370.0	529.5	512.4
Female	204.9	267.5	215.0
White, both sexes	283.4	374.7	305.4
Male	368.1	526.4	513.9
Female	211.9	274.0	218.1
Black, both sexes	306.5	385.4	280.7
Male	476.4	659.8	549.2
Female	186.7	231.3	181.0

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Malignant melanoma of skin (C43)			
All races 3/, both sexes	9.2	13.3	17.8
Male	13.9	21.3	29.9
Female	5.3	8.1	12.8
White, both sexes	10.3	14.6	19.3
Male	15.5	23.3	32.7
Female	5.9	8.8	13.7
Black, both sexes	2.2	2.6	*
Male	*	*	*
Female	2.0	*	*
Malignant neoplasm of breast (C50)			
All races 3/, both sexes	47.6	76.8	134.2
Male	1.4	2.3	3.5
Female	85.8	125.8	188.9
White, both sexes	47.0	77.1	134.8
Male	1.4	2.2	3.3
Female	85.6	126.9	189.9
Black, both sexes	63.5	92.3	152.0
Male	*	*	*
Female	106.6	141.8	205.9

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Malignant neoplasm of cervix uteri (C53)			
All races 3/, both sexes	3.2	4.6	7.2
Female	5.8	7.7	10.1
White, both sexes	2.7	4.0	6.2
Female	5.0	6.6	8.8
Black, both sexes	7.8	11.9	19.0
Female	13.3	18.5	26.1
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)			
All races 3/, both sexes	9.7	16.4	24.7
Female	17.8	27.2	35.0
White, both sexes	8.8	15.7	24.5
Female	16.2	26.2	34.7
Black, both sexes	21.2	28.4	32.2
Female	36.2	44.3	44.2

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Malignant neoplasm of ovary (C56)			
All races 3/, both sexes	20.0	33.2	39.6
Female	36.6	55.0	56.1
White, both sexes	20.6	34.2	40.4
Female	38.0	56.8	57.3
Black, both sexes	18.3	26.9	36.5
Female	31.2	42.0	50.1
Malignant neoplasm of prostate (C61)			
All races 3/, both sexes	35.7	103.2	200.9
Male	78.9	260.2	681.2
White, both sexes	31.9	95.1	189.4
Male	69.6	238.2	641.8
Black, both sexes	82.9	219.7	362.9
Male	200.4	610.9	1,341.2

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Malignant neoplasms of kidney and renal pelvis (C64-C65)			
All races 3/, both sexes	17.6	26.3	32.3
Male	25.2	37.4	52.9
Female	11.3	19.0	23.7
White, both sexes	18.2	26.7	32.8
Male	26.0	37.7	54.4
Female	11.6	19.4	23.8
Black, both sexes	15.0	25.6	29.8
Male	22.3	40.3	46.5
Female	9.9	17.4	23.6
Malignant neoplasm of bladder (C67)			
All races 3/, both sexes	15.4	35.7	68.9
Male	25.2	62.5	134.8
Female	7.2	18.1	41.4
White, both sexes	16.1	36.7	70.8
Male	26.6	65.0	141.1
Female	7.2	17.8	41.3
Black, both sexes	11.9	31.2	55.0
Male	16.1	43.0	78.3
Female	8.9	24.6	46.3

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)			
All races 3/, both sexes	15.4	20.4	16.4
Male	19.2	25.8	20.1
Female	12.3	16.8	14.8
White, both sexes	16.5	21.6	17.0
Male	20.5	27.1	20.5
Female	13.0	18.0	15.6
Black, both sexes	9.2	9.9	11.7
Male	10.1	12.4	*
Female	8.5	8.6	9.7
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)			
All races 3/, both sexes	74.6	145.2	199.9
Male	94.7	187.0	275.3
Female	57.9	117.7	168.4
White, both sexes	75.8	148.7	205.9
Male	96.3	191.8	284.8
Female	58.5	120.1	172.8
Black, both sexes	78.0	126.9	155.7
Male	99.2	159.5	206.5
Female	63.0	108.6	136.8

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Hodgkin's disease (C81)			
All races 3/, both sexes	1.2	2.2	2.2
Male	1.6	2.6	2.6
Female	0.8	2.0	2.0
White, both sexes	1.3	2.3	2.4
Male	1.7	2.7	2.7
Female	0.9	2.0	2.2
Black, both sexes	*	*	*
Male	*	*	*
Female	*	*	*
Non-Hodgkin's lymphoma (C82-C85)			
All races 3/, both sexes	29.3	58.6	79.6
Male	36.5	71.3	106.6
Female	23.3	50.2	68.3
White, both sexes	30.7	61.6	83.4
Male	38.0	74.7	111.5
Female	24.5	52.9	71.6
Black, both sexes	21.0	30.5	39.3
Male	27.7	36.8	54.5
Female	16.3	26.9	33.7

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Leukemia (C91-C95)			
All races 3/, both sexes	26.7	53.3	81.4
Male	35.7	74.2	117.5
Female	19.2	39.5	66.3
White, both sexes	27.5	55.1	84.7
Male	36.7	76.8	123.1
Female	19.7	40.8	68.6
Black, both sexes	24.9	41.6	57.1
Male	34.0	55.0	77.2
Female	18.4	34.0	49.7
Multiple myeloma and immunoproliferative neoplasms (C88,C90)			
All races 3/, both sexes	17.4	30.9	36.3
Male	20.8	38.6	48.0
Female	14.5	25.8	31.3
White, both sexes	16.3	29.5	35.0
Male	19.7	37.4	47.1
Female	13.4	24.3	29.9
Black, both sexes	31.3	53.1	58.3
Male	36.6	65.6	71.5
Female	27.6	46.1	53.5

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)			
All races 3/, both sexes	0.1	0.2	0.5
Male	*	*	*
Female	*	*	*
White, both sexes	0.1	0.2	*
Male	*	*	*
Female	*	*	*
Black, both sexes	*	*	*
Male	*	*	*
Female	*	*	*

All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)

All races 3/, both sexes	82.0	148.7	234.5
Male	98.5	181.1	295.2
Female	68.4	127.4	209.1
White, both sexes	81.4	149.5	238.1
Male	97.7	182.1	300.2
Female	67.7	127.8	212.1
Black, both sexes	100.8	156.9	217.1
Male	127.9	193.6	283.7
Female	81.7	136.3	192.4

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

65-74 YEARS 75-84 YEARS 85 YEARS AND OVER

In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)

All races 3/, both sexes	14.1	37.0	82.7
Male	17.3	48.2	107.6
Female	11.3	29.7	72.3
White, both sexes	14.3	38.0	83.9
Male	17.8	49.4	109.9
Female	11.4	30.4	73.0
Black, both sexes	14.3	31.5	73.4
Male	17.2	41.5	88.5
Female	12.3	25.9	67.8

Anemias (D50-D64)

All races 3/, both sexes	2.7	9.8	42.0
Male	2.9	9.9	40.0
Female	2.5	9.6	42.9
White, both sexes	2.5	9.4	41.7
Male	2.6	9.8	40.4
Female	2.4	9.1	42.3
Black, both sexes	5.5	16.0	48.5
Male	6.7	15.0	42.0
Female	4.6	16.5	50.9

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Diabetes mellitus (E10-E14)			
All races 3/, both sexes	91.4	181.4	321.8
Male	101.7	198.9	343.1
Female	82.8	169.9	312.9
White, both sexes	81.9	168.9	306.0
Male	94.6	189.2	337.3
Female	71.2	155.5	293.0
Black, both sexes	188.4	335.2	529.7
Male	187.7	341.9	450.5
Female	188.9	331.5	559.1
Nutritional deficiencies (E40-E64)			
All races 3/, both sexes	2.0	8.7	42.9
Male	2.1	8.5	35.2
Female	2.0	8.9	46.1
White, both sexes	1.9	8.2	42.2
Male	1.8	8.0	33.8
Female	2.0	8.3	45.7
Black, both sexes	3.7	15.9	54.7
Male	5.5	16.5	57.9
Female	2.4	15.5	53.5

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Malnutrition (E40-E46)			
All races 3/, both sexes	1.9	8.2	40.2
Male	1.9	8.0	33.6
Female	1.9	8.2	43.0
White, both sexes	1.8	7.6	39.5
Male	1.7	7.4	32.2
Female	1.9	7.7	42.6
Black, both sexes	3.4	14.8	51.6
Male	4.9	15.9	55.6
Female	2.2	14.2	50.1
Other nutritional deficiencies (E50-E64)			
All races 3/, both sexes	0.1	0.6	2.7
Male	*	0.5	1.6
Female	*	0.6	3.1
White, both sexes	0.1	0.6	2.7
Male	*	0.5	*
Female	*	0.6	3.1
Black, both sexes	*	*	*
Male	*	*	*
Female	*	*	*

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Meningitis (G00,G03)			
All races 3/, both sexes	0.5	0.8	0.9
Male	0.6	0.9	*
Female	0.4	0.6	0.8
White, both sexes	0.5	0.7	0.8
Male	0.6	0.9	*
Female	0.4	0.6	0.8
Black, both sexes	*	*	*
Male	*	*	*
Female	*	*	*
Parkinson's disease (G20-G21)			
All races 3/, both sexes	11.7	64.6	134.2
Male	16.8	97.0	224.4
Female	7.5	43.3	96.4
White, both sexes	12.6	68.8	141.8
Male	17.9	103.0	237.6
Female	8.1	46.2	101.7
Black, both sexes	5.5	25.2	59.0
Male	8.5	37.4	99.8
Female	3.3	18.3	43.8

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Alzheimer's disease (G30)			
All races 3/, both sexes	18.7	147.5	710.3
Male	17.7	136.3	556.1
Female	19.5	154.8	774.9
White, both sexes	19.6	152.6	738.1
Male	18.5	140.5	577.2
Female	20.6	160.6	805.4
Black, both sexes	15.2	124.7	506.7
Male	16.1	121.5	414.1
Female	14.6	126.4	541.0
Major cardiovascular diseases (I00-I78)			
All races 3/, both sexes	810.4	2,322.2	7,673.7
Male	1,057.6	2,823.3	7,936.0
Female	605.6	1,992.9	7,563.9
White, both sexes	774.1	2,298.9	7,770.6
Male	1,020.8	2,809.7	8,060.7
Female	565.8	1,959.8	7,649.2
Black, both sexes	1,276.2	2,891.8	7,316.7
Male	1,620.3	3,435.3	7,363.9
Female	1,033.4	2,586.6	7,299.2

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Diseases of heart (I00-I09,I11,I13,I20-I51)			
All races 3/, both sexes	635.1	1,725.7	5,664.2
Male	851.3	2,177.3	6,040.5
Female	455.9	1,428.9	5,506.8
White, both sexes	612.2	1,714.3	5,752.1
Male	829.1	2,175.8	6,157.2
Female	429.0	1,407.9	5,582.5
Black, both sexes	965.7	2,108.4	5,275.7
Male	1,245.8	2,569.3	5,459.9
Female	768.0	1,849.6	5,207.3

Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)

All races 3/, both sexes	4.1	9.4	17.7
Male	2.8	6.6	12.8
Female	5.1	11.3	19.8
White, both sexes	4.1	10.0	18.7
Male	2.8	6.9	13.3
Female	5.2	12.0	21.0
Black, both sexes	4.1	4.2	6.8
Male	*	*	*
Female	5.3	5.3	*

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Hypertensive heart disease (I11)			
All races 3/, both sexes	19.8	48.7	189.5
Male	23.6	48.4	134.4
Female	16.6	48.8	212.6
White, both sexes	15.2	42.6	179.9
Male	18.8	41.9	123.7
Female	12.3	43.0	203.5
Black, both sexes	65.6	124.4	326.1
Male	79.1	137.1	284.8
Female	56.1	117.3	341.4
Hypertensive heart and renal disease (I13)			
All races 3/, both sexes	2.3	6.8	23.3
Male	2.5	6.8	24.2
Female	2.1	6.8	22.9
White, both sexes	1.5	5.7	21.0
Male	1.6	5.9	22.7
Female	1.4	5.5	20.3
Black, both sexes	9.9	20.1	50.1
Male	11.9	18.5	44.3
Female	8.6	21.0	52.2

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Ischemic heart diseases (I20-I25)			
All races 3/, both sexes	477.6	1,271.3	3,958.2
Male	663.7	1,663.5	4,395.8
Female	323.4	1,013.6	3,775.1
White, both sexes	465.8	1,268.5	4,022.7
Male	653.8	1,672.4	4,494.0
Female	307.2	1,000.3	3,825.5
Black, both sexes	673.0	1,479.0	3,615.1
Male	894.0	1,825.4	3,775.0
Female	517.1	1,284.5	3,555.7
Acute myocardial infarction (I21-I22)			
All races 3/, both sexes	193.2	471.2	1,265.4
Male	264.7	604.1	1,461.3
Female	134.0	383.9	1,183.5
White, both sexes	190.8	471.1	1,277.8
Male	264.7	609.1	1,481.1
Female	128.4	379.6	1,192.7
Black, both sexes	252.6	537.8	1,239.9
Male	317.1	638.0	1,382.0
Female	207.0	481.5	1,187.2

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Other acute ischemic heart diseases (I24)			
All races 3/, both sexes	3.5	6.9	21.5
Male	4.7	8.5	20.7
Female	2.5	5.9	21.8
White, both sexes	3.3	6.8	21.5
Male	4.4	8.5	20.7
Female	2.4	5.7	21.7
Black, both sexes	5.7	8.5	24.0
Male	8.5	10.3	23.8
Female	3.7	7.4	24.0
Other forms of chronic ischemic heart disease (I20,I25)			
All races 3/, both sexes	280.9	793.1	2,671.3
Male	394.3	1,050.9	2,913.8
Female	186.9	623.7	2,569.8
White, both sexes	271.7	790.5	2,723.5
Male	384.6	1,054.9	2,992.2
Female	176.4	615.0	2,611.0
Black, both sexes	414.8	932.7	2,351.2
Male	568.3	1,177.1	2,369.1
Female	306.4	795.5	2,344.5

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Atherosclerotic cardiovascular disease, so described (I25.0)			
All races 3/, both sexes	65.6	152.7	493.6
Male	92.4	193.9	502.0
Female	43.3	125.5	490.1
White, both sexes	58.3	144.5	489.7
Male	82.7	184.2	498.6
Female	37.8	118.2	486.0
Black, both sexes	143.4	266.5	594.5
Male	208.2	351.7	609.3
Female	97.7	218.6	589.0

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

All races 3/, both sexes	215.3	640.5	2,177.7
Male	301.9	856.9	2,411.8
Female	143.6	498.2	2,079.8
White, both sexes	213.4	646.0	2,233.8
Male	301.9	870.7	2,493.6
Female	138.6	496.8	2,125.0
Black, both sexes	271.4	666.3	1,756.7
Male	360.1	825.4	1,759.8
Female	208.7	576.9	1,755.5

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Other heart diseases (I26-I51)			
All races 3/, both sexes	131.4	389.5	1,475.5
Male	158.7	452.0	1,473.4
Female	108.7	348.4	1,476.4
White, both sexes	125.6	387.6	1,509.6
Male	152.2	448.7	1,503.4
Female	103.1	347.1	1,512.2
Black, both sexes	213.0	480.6	1,277.7
Male	258.5	585.9	1,349.1
Female	180.9	421.5	1,251.2
Acute and subacute endocarditis (I33)			
All races 3/, both sexes	1.3	2.5	2.5
Male	1.6	3.5	3.8
Female	1.1	1.8	2.0
White, both sexes	1.2	2.4	2.6
Male	1.3	3.5	3.9
Female	1.1	1.7	2.1
Black, both sexes	2.6	4.1	*
Male	3.8	*	*
Female	*	3.3	*

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Diseases of pericardium and acute myocarditis (I30-I31,I40)			
All races 3/, both sexes	0.7	1.2	1.9
Male	0.7	1.2	1.8
Female	0.6	1.2	2.0
White, both sexes	0.7	1.2	1.9
Male	0.7	1.2	2.0
Female	0.6	1.3	1.9
Black, both sexes	*	*	*
Male	*	*	*
Female	*	*	*
Heart failure (I50)			
All races 3/, both sexes	34.3	136.3	674.6
Male	40.3	153.8	646.4
Female	29.3	124.7	686.4
White, both sexes	33.0	137.0	695.1
Male	39.0	154.6	666.5
Female	28.0	125.3	707.1
Black, both sexes	54.5	157.3	543.8
Male	65.3	183.3	541.2
Female	46.9	142.6	544.8

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)			
All races 3/, both sexes	95.1	249.5	796.5
Male	116.1	293.4	821.3
Female	77.7	220.7	786.1
White, both sexes	90.7	246.9	809.9
Male	111.2	289.4	831.0
Female	73.3	218.8	801.1
Black, both sexes	155.1	318.1	730.2
Male	188.2	395.5	805.6
Female	131.7	274.6	702.2
Essential (primary) hypertension and hypertensive renal disease (I10,I12)			
All races 3/, both sexes	15.5	47.7	171.9
Male	16.6	45.8	150.8
Female	14.5	48.9	180.8
White, both sexes	12.1	42.3	163.3
Male	13.2	40.4	142.2
Female	11.3	43.6	172.2
Black, both sexes	47.4	112.6	288.0
Male	54.4	118.3	275.7
Female	42.5	109.4	292.6

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Cerebrovascular diseases (I60-I69)			
All races 3/, both sexes	123.4	443.9	1,500.2
Male	140.4	467.3	1,380.2
Female	109.3	428.6	1,550.4
White, both sexes	113.0	436.4	1,511.2
Male	128.5	458.8	1,386.2
Female	99.9	421.6	1,563.5
Black, both sexes	222.5	560.3	1,452.7
Male	269.2	613.9	1,349.1
Female	189.5	530.3	1,491.2
Atherosclerosis (I70)			
All races 3/, both sexes	7.3	33.1	179.1
Male	9.0	35.9	167.2
Female	5.9	31.2	184.1
White, both sexes	7.3	33.8	185.9
Male	9.0	36.4	173.9
Female	5.9	32.1	190.9
Black, both sexes	8.9	30.7	125.6
Male	10.9	37.1	113.5
Female	7.5	27.1	130.1

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Other diseases of circulatory system (I71-I78)			
All races 3/, both sexes	29.2	71.8	158.2
Male	40.3	97.0	197.3
Female	19.9	55.3	141.8
White, both sexes	29.5	72.1	158.2
Male	41.1	98.3	201.3
Female	19.7	54.7	140.1
Black, both sexes	31.7	79.8	174.7
Male	40.0	96.8	165.7
Female	26.0	70.2	178.1
Aortic aneurysm and dissection (I71)			
All races 3/, both sexes	19.2	45.7	77.5
Male	28.7	66.4	114.8
Female	11.3	32.1	61.9
White, both sexes	19.9	46.9	79.7
Male	29.9	68.5	120.3
Female	11.5	32.5	62.6
Black, both sexes	14.6	37.6	55.3
Male	20.0	47.4	48.8
Female	10.8	32.1	57.7

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Other diseases of arteries, arterioles and capillaries (I72-I78)			
All races 3/, both sexes	10.0	26.1	80.7
Male	11.6	30.6	82.5
Female	8.6	23.1	79.9
White, both sexes	9.5	25.2	78.5
Male	11.2	29.8	80.9
Female	8.2	22.1	77.5
Black, both sexes	17.1	42.2	119.4
Male	20.0	49.4	116.9
Female	15.1	38.2	120.4
Other disorders of circulatory system (I80-I99)			
All races 3/, both sexes	4.6	9.4	26.1
Male	4.9	9.8	22.0
Female	4.4	9.2	27.8
White, both sexes	4.3	9.1	26.0
Male	4.6	9.5	21.7
Female	4.1	8.9	27.9
Black, both sexes	7.8	14.4	30.1
Male	9.0	15.9	29.5
Female	7.1	13.6	30.3

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Influenza and pneumonia (J10-J18)			
All races 3/, both sexes	36.3	148.5	685.6
Male	45.0	186.4	808.4
Female	29.1	123.7	634.2
White, both sexes	35.3	147.2	695.0
Male	43.0	182.6	814.4
Female	28.9	123.8	645.0
Black, both sexes	48.3	169.0	581.3
Male	69.4	242.2	714.8
Female	33.4	127.9	531.7
Influenza (J10-J11)			
All races 3/, both sexes	0.1	0.4	2.2
Male	*	0.4	2.2
Female	*	0.5	2.2
White, both sexes	*	0.5	2.3
Male	*	0.4	2.3
Female	*	0.5	2.3
Black, both sexes	*	*	*
Male	*	*	*
Female	*	*	*

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Pneumonia (J12-J18)			
All races 3/, both sexes	36.2	148.1	683.4
Male	44.9	186.0	806.2
Female	29.0	123.2	632.0
White, both sexes	35.2	146.8	692.7
Male	42.9	182.2	812.1
Female	28.7	123.3	642.8
Black, both sexes	48.2	168.6	579.7
Male	69.1	242.2	712.6
Female	33.4	127.2	530.5
Other acute lower respiratory infections (J20-J22)			
All races 3/, both sexes	0.2	0.5	3.3
Male	*	0.4	2.3
Female	*	0.5	3.7
White, both sexes	0.1	0.5	3.5
Male	*	*	2.4
Female	*	0.5	3.9
Black, both sexes	*	*	*
Male	*	*	*
Female	*	*	*

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Acute bronchitis and bronchiolitis (J20-J21)			
All races 3/, both sexes	0.1	0.3	2.1
Male	*	*	*
Female	*	0.4	2.4
White, both sexes	*	0.3	2.1
Male	*	*	*
Female	*	0.4	2.5
Black, both sexes	*	*	*
Male	*	*	*
Female	*	*	*
Unspecified acute lower respiratory infection (J22)			
All races 3/, both sexes	*	*	1.2
Male	*	*	*
Female	*	*	1.3
White, both sexes	*	*	1.3
Male	*	*	*
Female	*	*	1.5
Black, both sexes	*	*	*
Male	*	*	*
Female	*	*	*

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Chronic lower respiratory diseases (J40-J47)			
All races 3/, both sexes	167.9	379.8	644.7
Male	191.3	475.1	916.9
Female	148.5	317.3	530.8
White, both sexes	177.7	398.6	671.8
Male	198.3	489.4	943.6
Female	160.4	338.3	557.9
Black, both sexes	118.9	234.1	375.8
Male	168.0	380.8	671.7
Female	84.3	151.7	266.1
Bronchitis, chronic and unspecified (J40-J42)			
All races 3/, both sexes	0.7	2.1	9.1
Male	0.9	2.3	9.2
Female	0.6	1.9	9.1
White, both sexes	0.7	2.1	9.6
Male	0.9	2.3	9.4
Female	0.6	2.0	9.7
Black, both sexes	*	*	*
Male	*	*	*
Female	*	*	*

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Emphysema (J43)			
All races 3/, both sexes	26.2	50.4	62.1
Male	30.8	65.3	101.2
Female	22.5	40.6	45.8
White, both sexes	28.2	53.5	65.1
Male	32.3	68.1	105.1
Female	24.7	43.7	48.4
Black, both sexes	15.3	23.6	35.3
Male	22.6	39.7	68.1
Female	10.2	14.5	23.2
Asthma (J45-J46)			
All races 3/, both sexes	3.5	6.4	16.1
Male	2.7	4.5	12.1
Female	4.1	7.6	17.8
White, both sexes	3.0	6.0	15.7
Male	2.2	4.0	11.3
Female	3.7	7.3	17.6
Black, both sexes	7.7	10.6	16.3
Male	6.8	8.8	*
Female	8.3	11.6	16.8

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Other chronic lower respiratory diseases (J44,J47)			
All races 3/, both sexes	137.5	321.0	557.4
Male	157.0	403.0	794.5
Female	121.3	267.1	458.2
White, both sexes	145.9	337.0	581.3
Male	162.9	415.0	817.8
Female	131.5	285.3	482.3
Black, both sexes	95.0	198.7	320.9
Male	137.4	330.5	583.2
Female	65.1	124.8	223.5
Pneumoconioses and chemical effects (J60-J66,J68)			
All races 3/, both sexes	1.5	4.1	6.2
Male	3.1	9.9	20.2
Female	*	0.3	*
White, both sexes	1.6	4.4	6.5
Male	3.4	10.5	21.2
Female	*	0.3	*
Black, both sexes	*	2.2	*
Male	*	6.2	*
Female	*	*	*

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Pneumonitis due to solids and liquids (J69)			
All races 3/, both sexes	10.0	45.8	189.4
Male	13.3	63.1	270.3
Female	7.2	34.5	155.6
White, both sexes	9.6	45.8	190.8
Male	12.9	63.3	275.4
Female	6.9	34.2	155.3
Black, both sexes	15.1	53.2	185.5
Male	20.4	75.3	243.9
Female	11.3	40.8	163.8
Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)			
All races 3/, both sexes	30.1	73.2	142.7
Male	36.5	89.3	169.1
Female	24.8	62.6	131.6
White, both sexes	30.6	75.4	146.0
Male	37.4	92.0	173.5
Female	24.9	64.3	134.4
Black, both sexes	29.5	56.7	109.6
Male	32.9	69.4	129.3
Female	27.1	49.6	102.3

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Peptic ulcer (K25-K28)			
All races 3/, both sexes	3.9	11.4	33.4
Male	4.8	13.0	34.9
Female	3.2	10.4	32.7
White, both sexes	3.9	11.5	34.4
Male	4.5	12.9	35.7
Female	3.3	10.7	33.9
Black, both sexes	4.4	9.1	20.9
Male	7.0	12.4	23.8
Female	2.7	7.3	19.8
Diseases of appendix (K35-K38)			
All races 3/, both sexes	0.5	0.7	2.1
Male	0.7	1.0	2.8
Female	0.3	0.5	1.8
White, both sexes	0.5	0.7	2.1
Male	0.7	1.0	2.5
Female	0.3	0.5	1.9
Black, both sexes	*	*	*
Male	*	*	*
Female	*	*	*

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Hernia (K40-K46)			
All races 3/, both sexes	1.2	3.5	12.6
Male	1.1	3.5	12.0
Female	1.2	3.6	12.8
White, both sexes	1.2	3.5	12.8
Male	1.2	3.4	11.8
Female	1.2	3.6	13.2
Black, both sexes	1.5	3.6	11.1
Male	*	*	*
Female	*	*	8.8
Chronic liver disease and cirrhosis (K70,K73-K74)			
All races 3/, both sexes	30.0	30.2	22.2
Male	40.2	36.8	32.0
Female	21.5	25.9	18.1
White, both sexes	30.9	31.5	23.2
Male	41.1	38.4	33.5
Female	22.4	27.0	18.9
Black, both sexes	25.0	18.5	10.4
Male	39.1	22.4	*
Female	15.0	16.4	9.7

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Alcoholic liver disease (K70)			
All races 3/, both sexes	10.1	5.7	2.4
Male	16.6	10.1	5.5
Female	4.7	2.8	1.0
White, both sexes	10.2	5.8	2.3
Male	16.6	10.4	5.4
Female	4.8	2.8	1.0
Black, both sexes	10.7	4.7	*
Male	19.5	7.7	*
Female	4.4	*	*
Other chronic liver disease and cirrhosis (K73-K74)			
All races 3/, both sexes	19.9	24.5	19.9
Male	23.6	26.6	26.5
Female	16.8	23.1	17.1
White, both sexes	20.7	25.7	20.9
Male	24.4	28.0	28.1
Female	17.6	24.2	17.9
Black, both sexes	14.3	13.9	7.7
Male	19.5	14.7	*
Female	10.6	13.4	*

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

65-74
YEARS 75-84
YEARS 85 YEARS
AND OVER

Cholelithiasis and other disorders of gallbladder (K80-K82)

All races 3/, both sexes	2.9	7.5	23.7
Male	3.2	9.3	26.9
Female	2.6	6.3	22.4
White, both sexes	2.7	7.4	23.9
Male	3.1	9.3	26.7
Female	2.4	6.1	22.8
Black, both sexes	4.7	8.3	19.7
Male	4.9	6.2	27.2
Female	4.5	9.4	16.8

Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)

All races 3/, both sexes	40.2	104.2	287.7
Male	46.1	130.0	393.7
Female	35.2	87.1	243.3
White, both sexes	34.2	96.9	278.2
Male	40.4	123.5	388.9
Female	29.0	79.2	231.9
Black, both sexes	102.5	202.1	429.6
Male	114.0	233.4	511.7
Female	94.4	184.6	399.1

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)			
All races 3/, both sexes	0.1	0.4	0.9
Male	*	*	*
Female	*	0.4	0.7
White, both sexes	0.1	0.4	0.8
Male	*	*	*
Female	*	0.4	*
Black, both sexes	*	*	*
Male	*	*	*
Female	*	*	*
Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03, N05-N07,N26)			
All races 3/, both sexes	0.6	1.2	2.8
Male	0.8	1.7	3.7
Female	0.5	0.8	2.4
White, both sexes	0.6	1.1	2.9
Male	0.7	1.7	4.0
Female	0.5	0.8	2.4
Black, both sexes	*	*	*
Male	*	*	*
Female	*	*	*

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Renal failure (N17-N19)			
All races 3/, both sexes	39.4	102.6	284.0
Male	45.2	128.0	388.7
Female	34.5	85.9	240.1
White, both sexes	33.4	95.3	274.6
Male	39.5	121.5	383.9
Female	28.3	78.0	228.8
Black, both sexes	101.3	200.0	425.6
Male	112.4	231.6	508.3
Female	93.5	182.3	394.9
Other disorders of kidney (N25,N27)			
All races 3/, both sexes	*	*	*
Male	*	*	*
Female	*	*	*
White, both sexes	*	*	*
Male	*	*	*
Female	*	*	*
Black, both sexes	*	*	*
Male	*	*	*
Female	*	*	*

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Infections of kidney (N10-N12,N13.6,N15.1)			
All races 3/, both sexes	0.5	2.0	6.0
Male	0.5	1.5	4.3
Female	0.5	2.3	6.7
White, both sexes	0.5	1.9	6.1
Male	0.4	1.4	4.3
Female	0.5	2.3	6.9
Black, both sexes	*	2.3	*
Male	*	*	*
Female	*	*	*
Hyperplasia of prostate (N40)			
All races 3/, both sexes	0.2	1.1	5.5
Male	0.5	2.8	18.6
White, both sexes	0.3	1.1	5.7
Male	0.5	2.9	19.4
Black, both sexes	*	*	*
Male	*	*	*

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Inflammatory diseases of female pelvic organs (N70-N76)			
All races 3/, both sexes	*	0.2	0.9
Female	*	0.4	1.2
White, both sexes	*	0.2	0.9
Female	*	0.4	1.2
Black, both sexes	*	*	*
Female	*	*	*

Pregnancy, childbirth and the puerperium (000-099)

All races 3/, both sexes
Female
White, both sexes
Female
Black, both sexes
Female

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

65-74 75-84 85 YEARS
YEARS YEARS AND OVER

Pregnancy with abortive outcome (000-007)

All races 3/, both sexes
Female
White, both sexes
Female
Black, both sexes
Female

Other complications of pregnancy, childbirth and the puerperium (010-099)

All races 3/, both sexes
Female
White, both sexes
Female
Black, both sexes
Female

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

65-74 75-84 85 YEARS
YEARS YEARS AND OVER

Certain conditions originating in the perinatal period (P00-P96)

All races 3/, both sexes	*	*	*
Male	*	*	*
Female	*	*	*
White, both sexes	*	*	*
Male	*	*	*
Female	*	*	*
Black, both sexes	*	*	*
Male	*	*	*
Female	*	*	*

Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

All races 3/, both sexes	2.4	3.7	7.2
Male	2.7	4.1	7.7
Female	2.2	3.5	7.0
White, both sexes	2.5	3.8	7.4
Male	2.9	4.2	7.5
Female	2.2	3.6	7.3
Black, both sexes	2.2	3.0	6.1
Male	*	*	*
Female	2.5	*	*

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

65-74 YEARS 75-84 YEARS 85 YEARS AND OVER

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

All races 3/, both sexes	15.1	39.8	206.4
Male	18.0	43.8	175.0
Female	12.7	37.2	219.5
White, both sexes	14.4	39.6	210.0
Male	17.2	43.9	177.0
Female	12.1	36.7	223.8
Black, both sexes	24.4	49.5	191.6
Male	30.4	51.8	184.9
Female	20.2	48.3	194.1

All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)

All races 3/, both sexes	140.9	395.3	1,476.7
Male	153.4	397.4	1,271.6
Female	130.5	394.0	1,562.6
White, both sexes	138.1	395.1	1,498.0
Male	149.4	394.8	1,282.9
Female	128.6	395.2	1,588.0
Black, both sexes	196.2	470.9	1,418.0
Male	229.8	524.1	1,313.9
Female	172.6	441.0	1,456.6

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Accidents (unintentional injuries) (V01-X59,Y85-Y86)			
All races 3/, both sexes	42.8	100.9	276.4
Male	57.3	133.4	358.5
Female	30.8	79.6	242.0
White, both sexes	42.4	102.7	285.5
Male	56.3	134.3	368.1
Female	30.7	81.6	251.0
Black, both sexes	51.0	88.5	183.6
Male	74.9	136.0	255.3
Female	34.2	61.8	157.0
Transport accidents (V01-V99,Y85)			
All races 3/, both sexes	17.9	27.9	28.9
Male	24.3	39.8	52.7
Female	12.7	20.1	18.9
White, both sexes	17.9	28.5	29.9
Male	24.0	40.3	54.1
Female	12.7	20.7	19.7
Black, both sexes	18.8	21.2	17.5
Male	27.4	36.2	35.2
Female	12.7	12.7	10.9

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Motor vehicle accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)			
All races 3/, both sexes	16.3	26.3	27.8
Male	21.5	37.3	51.1
Female	12.0	19.2	18.0
White, both sexes	16.3	27.0	28.8
Male	21.3	37.8	52.6
Female	12.0	19.8	18.9
Black, both sexes	17.3	19.7	16.6
Male	24.2	34.1	35.2
Female	12.5	11.6	9.7
Other land transport accidents (V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9)			
All races 3/, both sexes	0.6	0.8	0.7
Male	1.0	1.1	*
Female	0.3	0.6	*
White, both sexes	0.6	0.8	0.6
Male	0.9	1.1	*
Female	0.3	0.5	*
Black, both sexes	*	*	*
Male	*	*	*
Female	*	*	*

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)			
All races 3/, both sexes	1.0	0.8	0.5
Male	1.7	1.4	*
Female	0.3	0.4	*
White, both sexes	1.0	0.8	*
Male	1.8	1.4	*
Female	0.3	0.4	*
Black, both sexes	*	*	*
Male	*	*	*
Female	*	*	*

Nontransport accidents (W00-X59,Y86)

All races 3/, both sexes	24.9	73.0	247.5
Male	33.0	93.6	305.8
Female	18.1	59.5	223.1
White, both sexes	24.6	74.2	255.7
Male	32.3	94.0	314.0
Female	18.0	60.9	231.2
Black, both sexes	32.3	67.3	166.1
Male	47.5	99.8	220.1
Female	21.6	49.1	146.1

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Falls (W00-W19)			
All races 3/, both sexes	10.0	35.3	121.5
Male	13.1	45.7	155.7
Female	7.4	28.5	107.2
White, both sexes	10.4	37.0	128.0
Male	13.5	47.4	162.3
Female	7.7	30.2	113.6
Black, both sexes	8.7	18.5	44.5
Male	12.6	28.5	68.1
Female	5.9	12.9	35.8
Accidental discharge of firearms (W32-W34)			
All races 3/, both sexes	0.2	0.3	*
Male	0.3	0.7	*
Female	*	*	*
White, both sexes	0.2	0.3	*
Male	0.3	0.7	*
Female	*	*	*
Black, both sexes	*	*	*
Male	*	*	*
Female	*	*	*

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Accidental drowning and submersion (W65-W74)			
All races 3/, both sexes	0.9	1.2	1.7
Male	1.5	2.0	3.5
Female	0.3	0.7	1.0
White, both sexes	0.9	1.2	1.7
Male	1.5	2.0	3.5
Female	0.3	0.7	1.0
Black, both sexes	*	*	*
Male	*	*	*
Female	*	*	*
Accidental exposure to smoke, fire and flames (X00-X09)			
All races 3/, both sexes	2.2	3.4	5.7
Male	2.8	4.1	8.3
Female	1.8	2.9	4.6
White, both sexes	1.9	2.8	4.8
Male	2.2	3.4	7.0
Female	1.6	2.5	3.8
Black, both sexes	6.1	9.7	17.8
Male	9.0	12.9	27.2
Female	4.1	7.9	14.3

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Accidental poisoning and exposure to noxious substances (X40-X49)			
All races 3/, both sexes	1.6	2.2	3.5
Male	2.0	2.7	3.8
Female	1.2	1.9	3.3
White, both sexes	1.5	2.1	3.3
Male	1.9	2.5	3.7
Female	1.2	1.8	3.1
Black, both sexes	2.5	3.6	6.4
Male	3.9	5.9	*
Female	*	*	*

Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)

All races 3/, both sexes	10.0	30.5	115.0
Male	13.2	38.4	134.0
Female	7.3	25.4	107.0
White, both sexes	9.7	30.6	117.7
Male	12.9	38.0	137.0
Female	7.1	25.7	109.7
Black, both sexes	14.1	33.8	96.1
Male	19.8	48.8	114.6
Female	10.0	25.3	89.3

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

65-74
YEARS 75-84
YEARS 85 YEARS
AND OVER

Intentional self-harm (suicide) (*U03,X60-X84,Y87.0) /4

All races 3/, both sexes	13.3	17.4	17.5
Male	24.6	37.8	51.1
Female	3.9	4.0	3.4
White, both sexes	14.3	18.6	18.6
Male	26.3	40.2	55.0
Female	4.2	4.3	3.4
Black, both sexes	5.5	5.7	*
Male	10.7	13.5	*
Female	*	*	*

Intentional self-harm (suicide) by discharge of firearms (X72-X74)

All races 3/, both sexes	9.6	13.1	12.2
Male	19.2	30.7	38.9
Female	1.7	1.5	1.0
White, both sexes	10.5	14.1	13.2
Male	20.9	32.9	42.1
Female	1.8	1.6	1.1
Black, both sexes	3.7	5.2	*
Male	7.7	12.4	*
Female	*	*	*

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

65-74
YEARS 75-84
YEARS 85 YEARS
AND OVER

Intentional self-harm (suicide) by other and unspecified means and their sequelae (*U03,X60-X71,X75-X84,Y87.0) /4

All races 3/, both sexes	3.7	4.3	5.3
Male	5.4	7.1	12.2
Female	2.3	2.5	2.4
White, both sexes	3.8	4.5	5.5
Male	5.4	7.3	12.9
Female	2.4	2.7	2.3
Black, both sexes	1.7	*	*
Male	3.0	*	*
Female	*	*	*

Assault (homicide) (*U01-*U02,X85-Y09,Y87.1) /4

All races 3/, both sexes	2.9	2.5	2.4
Male	4.0	3.1	3.2
Female	2.0	2.1	2.0
White, both sexes	2.5	2.1	2.2
Male	3.2	2.6	2.8
Female	1.8	1.8	2.0
Black, both sexes	7.1	6.7	*
Male	12.6	10.0	*
Female	3.3	4.8	*

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

65-74
YEARS 75-84
YEARS 85 YEARS
AND OVER

Assault (homicide) by discharge of firearms (*U01.4,X93-X95)

All races 3/, both sexes	1.0	0.8	*
Male	1.5	1.1	*
Female	0.7	0.6	*
White, both sexes	0.9	0.7	*
Male	1.1	0.8	*
Female	0.7	0.6	*
Black, both sexes	2.7	*	*
Male	5.6	*	*
Female	*	*	*

Assault (homicide) by other and unspecified means and their sequelae (*U01.0-*U01.3,*U01.5-*U01.9,*U02,X85-X92,X96-Y09,Y87.1) /4

All races 3/, both sexes	1.9	1.7	2.0
Male	2.5	2.0	2.7
Female	1.3	1.5	1.7
White, both sexes	1.6	1.4	1.8
Male	2.1	1.8	2.3
Female	1.1	1.2	1.6
Black, both sexes	4.4	4.8	*
Male	7.0	*	*
Female	2.7	4.3	*

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON
THE TENTH REVISION, INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Legal intervention (Y35,Y89.0)			
All races 3/, both sexes	*	*	*
Male	*	*	*
Female	*	*	*
White, both sexes	*	*	*
Male	*	*	*
Female	*	*	*
Black, both sexes	*	*	*
Male	*	*	*
Female	*	*	*
Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)			
All races 3/, both sexes	0.5	0.9	1.0
Male	0.8	1.1	1.5
Female	0.3	0.7	0.8
White, both sexes	0.5	0.9	1.0
Male	0.7	1.2	*
Female	0.4	0.6	0.8
Black, both sexes	*	*	*
Male	*	*	*
Female	*	*	*

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Discharge of firearms, undetermined intent (Y22-Y24)			
All races 3/, both sexes	*	*	*
Male	*	*	*
Female	*	*	*
White, both sexes	*	*	*
Male	*	*	*
Female	*	*	*
Black, both sexes	*	*	*
Male	*	*	*
Female	*	*	*
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)			
All races 3/, both sexes	0.5	0.8	1.0
Male	0.7	1.0	*
Female	0.3	0.6	0.8
White, both sexes	0.5	0.8	1.0
Male	0.6	1.0	*
Female	0.3	0.6	0.8
Black, both sexes	*	*	*
Male	*	*	*
Female	*	*	*

WORK TABLE 250R. DEATH RATES FOR 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. POPULATIONS USED FOR COMPUTING DEATH RATES ARE POSTCENSAL ESTIMATES BASED ON THE 2000 CENSUS, ESTIMATED AS OF JULY 1, 2001. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES,SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Operations of war and their sequelae (Y36,Y89.1)			
All races 3/, both sexes	*	*	*
Male	*	*	*
Female	*	*	*
White, both sexes	*	*	*
Male	*	*	*
Female	*	*	*
Black, both sexes	*	*	*
Male	*	*	*
Female	*	*	*

Complications of medical and surgical care (Y40-Y84,Y88)

All races 3/, both sexes	3.1	6.9	12.8
Male	3.2	7.7	14.5
Female	3.0	6.3	12.1
White, both sexes	2.8	6.8	12.1
Male	2.8	7.7	13.6
Female	2.7	6.2	11.5
Black, both sexes	6.3	9.2	23.3
Male	7.8	9.1	29.5
Female	5.3	9.3	21.0

* FIGURE DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ FIGURES FOR AGE NOT STATED INCLUDED IN "ALL AGES" BUT NOT DISTRIBUTED AMONG AGE GROUPS.

2/ DEATH RATES FOR "UNDER 1 YEAR" (BASED ON POPULATION ESTIMATES) DIFFER FROM INFANT MORTALITY RATES (BASED ON LIVE BIRTHS).

3/ INCLUDES RACES OTHER THAN WHITE AND BLACK.

4/ FIGURES INCLUDE SEPTEMBER 11, 2001 RELATED DEATHS FOR WHICH DEATH CERTIFICATES WERE FILED AS OF 10/24/02; SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTIC OF THE UNITED STATES: MORTALITY, 2001."

SOURCE: CDC/NCHS, NATIONAL VITAL STATISTICS SYSTEM, MORTALITY.