

Long-Term Care Providers and Services Users in the United States—State Estimates Supplement: National Study of Long-Term Care Providers, 2013–2014

In February 2016, the National Center for Health Statistics (NCHS) released a report entitled *Long-Term Care Providers and Services Users in the United States: Data from the National Study of Long-Term Care Providers, 2013 – 2014* (accessible at: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

That report includes national descriptive information on the supply, organizational characteristics, staffing, and services offered by paid, regulated providers of long-term care services; and the demographic, health, and functional characteristics of users of these services. The enclosed online-only series of **51 state tables** (one for each state and the District of Columbia) and **10 use rate maps** is a companion to that national report, providing state-level estimates for the topics covered in Appendix B (Tables 1-4) of that report.

Five of the 10 maps show the use rate of long-term care services by individuals aged 65 and over per 1,000 persons aged 65 and over for each of the five sectors (adult day, home health, hospice, nursing home, residential care). The other five maps show the use rate of long-term care services by individuals aged 85 and over per 1,000 persons aged 85 and over for each of the five sectors. The adult day, nursing home, and residential care maps present data for 2014 and the home health and hospice maps present data for 2013.

Data are presented in the state tables and maps only if they meet data reliability and confidentiality standards. Footnotes are included in the state tables and maps to indicate if estimates do not meet reliability and confidentiality standards. Estimates in the state tables are presented as a number,

percent distribution (i.e., estimates total to 100%), or percentage, as appropriate; estimates in the maps are presented as rates. No estimates for adult day services centers are presented for the District of Columbia, Idaho, Kansas, Utah, West Virginia and Wyoming, and no estimates for hospices are presented for Alaska, because these estimates do not meet reliability or confidentiality standards.

The data sources and methodology used to develop these state tables and maps are the same as used for *Long-Term Care Providers and Services Users in the United States: Data from the National Study of Long-Term Care Providers, 2013 – 2014*. For information on the data sources and methodology used, please see Chapter 4. Technical Notes and Appendix A of that report (accessible at: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

NSLTCP was initiated by NCHS to provide reliable, accurate, relevant, and timely statistical information to support and inform long-term care services policy, research and practice. The main goals of NSLTCP are to: (1) estimate the supply and use of paid, regulated long-term care services providers, (2) estimate key policy-relevant characteristics and practices, (3) produce national and state-level estimates, where feasible, (4) compare among sectors, and (5) monitor trends over time. NCHS implemented the first wave of the study in 2012 followed by the second wave in 2014, and plans to conduct NSLTCP every two years. NSLTCP comprises two components: (1) survey data collected by NCHS about adult day services centers and participants, and assisted living and similar residential care communities and residents; and (2) administrative data (claims, assessment, and survey and certification regulatory information) on nursing homes and residents, home health agencies and patients, and hospices and patients obtained from the Centers for Medicare & Medicaid Services

(CMS). The restricted 2014 survey data files for the adult day services and residential care sectors are available through NCHS's Research Data Center (http://www.cdc.gov/nchs/nsltcp/nsltcp_rdc.htm).


Suggested citation

Sengupta M, Valverde R, Lendon JP, Rome V, Caffrey C, Harris-Kojetin L. Long-Term Care Providers and Services Users in the United States—State Estimates Supplement: National Study of Long-Term Care Providers, 2013–2014. Hyattsville, MD: National Center for Health Statistics. 2016.

Acknowledgements

The authors greatly appreciate the guidance received from Eve Powell-Griner, Alvan Zarate, and Iris Shimizu, National Center for Health Statistics, in designing the first wave of tables using the 2012 NSLTCP. The same design was used for the current tables. The authors are grateful for technical support and assistance from Anthony Quintana, National Center for Health Statistics, in making the document 508 compliant.

Figure 1. Use rate of adult day services center participants aged 65 and over: United States, 2014



Statistical significance tested at $p < 0.05$.

Note: The national rate is 4.

Note: Rates based on participants enrolled in adult day services centers on any given day in 2014 per 1,000 persons aged 65 and over.

Source: NCHS, National Study of Long-Term Care Providers, 2014

Figure table 1. Use rate of adult day services center participants aged 65 and over: United States, 2014

Area	Daily rate ¹	Standard error
United States	3.88	0.07
Alabama	0.56	0.23
Alaska	5.49	0.52
Arizona	1.23	0.10
Arkansas	1.18	0.15
California	10.12	0.46
Colorado	3.47	0.39
Connecticut	4.12	0.25
Delaware	2.43	0.21
DC	*	*
Florida	1.79	0.10
Georgia	1.21	0.11
Hawaii	6.57	0.69
Idaho	*	*
Illinois	2.80	0.19
Indiana	0.94	0.07
Iowa	1.44	0.20
Kansas	*	*
Kentucky	2.76	0.20
Louisiana	2.08	0.44
Maine	0.91	0.09
Maryland	9.01	0.83
Massachusetts	8.80	0.60
Michigan	1.92	0.22
Minnesota	6.56	0.47
Mississippi	4.71	0.50
Missouri	1.58	0.19
Montana	0.51	0.16
Nebraska	1.14	0.25
Nevada	2.71	0.29
New Hampshire	2.30	0.37
New Jersey	9.94	0.51
New Mexico	0.99	0.22
New York	3.84	0.27
North Carolina	2.03	0.10
North Dakota	1.80	0.59
Ohio	2.32	0.18
Oklahoma	1.26	0.13
Oregon	0.72	0.08
Pennsylvania	3.80	0.26
Rhode Island	5.09	0.50
South Carolina	2.28	0.20


South Dakota	2.34	0.48
Tennessee	0.88	0.08
Texas	6.21	0.23
Utah	*	*
Vermont	5.85	0.81
Virginia	2.06	0.14
Washington	1.60	0.20
West Virginia	*	*
Wisconsin	2.78	0.23
Wyoming	*	*

¹Participants enrolled in adult day services centers on any given day in 2014 per 1,000 persons aged 65 and over.

*Estimate is not presented because estimate does not meet reliability or confidentiality standards.

Source: NCHS, National Study of Long-Term Care Providers, 2014.

Figure 2. Use rate of adult day services center participants aged 85 and over: United States, 2014



Statistical significance tested at $p < 0.05$.

Note: The national rate is 6.

Note: Rates based on participants enrolled in adult day services centers on any given day in 2014 per 1,000 persons aged 85 and over.

Source: NCHS, National Study of Long-Term Care Providers, 2014

Figure table 2. Use rate of adult day services center participants aged 85 and over: United States, 2014

Area	Daily rate ¹	Standard error
United States	6.43	0.16
Alabama	0.85	0.29
Alaska	7.00	1.62
Arizona	1.89	0.45
Arkansas	1.93	0.35
California	17.80	1.12
Colorado	5.04	1.01
Connecticut	7.44	0.75
Delaware	2.76	1.13
DC	*	*
Florida	3.61	0.34
Georgia	2.02	0.34
Hawaii	23.44	3.04
Idaho	*	*
Illinois	3.45	0.19
Indiana	2.20	0.25
Iowa	1.56	0.24
Kansas	*	*
Kentucky	3.77	0.66
Louisiana	2.91	1.30
Maine	1.66	0.28
Maryland	18.44	2.39
Massachusetts	11.52	0.94
Michigan	3.65	0.60
Minnesota	7.92	1.06
Mississippi	3.73	1.32
Missouri	2.41	0.39
Montana	0.55	0.24
Nebraska	1.61	0.46
Nevada	6.67	0.86
New Hampshire	4.59	0.77
New Jersey	11.01	0.93
New Mexico	1.61	1.09
New York	5.82	0.39
North Carolina	4.01	0.24
North Dakota	3.63	1.81
Ohio	4.14	0.45
Oklahoma	2.63	0.40
Oregon	1.67	0.21
Pennsylvania	6.21	0.56
Rhode Island	12.51	1.46
South Carolina	6.17	0.78


South Dakota	3.15	1.37
Tennessee	2.35	0.27
Texas	7.05	0.73
Utah	*	*
Vermont	16.59	3.71
Virginia	4.99	0.49
Washington	2.47	0.33
West Virginia	*	*
Wisconsin	3.58	0.45
Wyoming	*	*

¹Participants enrolled in adult day services centers on any given day in 2014 per 1,000 persons aged 85 and over.

*Estimate is not presented because estimate does not meet reliability or confidentiality standards.

Source: NCHS, National Study of Long-Term Care Providers, 2014.

Figure 3. Use rate of home health patients aged 65 and over discharged in calendar year: United States, 2013



Statistical significance tested at $p < 0.05$.

Note: The national rate is 91.

Note: Rates based on home health patients whose episode of care ended anytime in 2013 per 1,000 persons aged 65 and over.

Source: NCHS, National Study of Long-Term Care Providers, 2014

Figure table 3. Use rate of home health patients aged 65 and over discharged in calendar year: United States, 2013


Area	Annual rate ¹	Standard error
United States	91.12	2.12
Alabama	115.22	16.04
Alaska	28.72	11.57
Arizona	58.11	10.41
Arkansas	85.88	11.08
California	77.92	4.89
Colorado	72.74	12.97
Connecticut	114.11	22.50
Delaware	93.12	35.82
DC	62.04	25.99
Florida	106.69	6.27
Georgia	88.58	12.88
Hawaii	27.02	9.57
Idaho	69.70	13.96
Illinois	107.29	9.49
Indiana	75.00	8.53
Iowa	63.81	12.01
Kansas	72.91	13.03
Kentucky	105.63	17.24
Louisiana	116.99	11.64
Maine	89.37	25.56
Maryland	79.49	15.78
Massachusetts	133.85	24.34
Michigan	118.22	12.89
Minnesota	61.19	12.70
Mississippi	124.55	23.54
Missouri	87.35	14.00
Montana	40.48	10.39
Nebraska	66.69	16.05
Nevada	78.65	15.98
New Hampshire	100.09	27.81
New Jersey	83.73	16.45
New Mexico	65.86	12.98
New York	87.52	20.22
North Carolina	90.68	10.08
North Dakota	42.24	16.05
Ohio	97.85	11.15
Oklahoma	106.08	11.40
Oregon	57.86	14.62
Pennsylvania	115.26	15.02
Rhode Island	125.91	34.57
South Carolina	85.21	15.37

South Dakota	33.35	8.12
Tennessee	106.17	12.00
Texas	103.11	4.40
Utah	91.64	15.84
Vermont	98.02	34.65
Virginia	88.67	10.45
Washington	59.99	11.09
West Virginia	84.69	14.76
Wisconsin	53.06	11.36
Wyoming	41.56	10.60

¹Home health patients whose episode of care ended anytime in 2013 per 1,000 persons aged 65 and over.

Source: NCHS, National Study of Long-Term Care Providers, 2014.

Figure 4. Use rate of home health patients aged 85 and over discharged in calendar year: United States, 2013



Statistical significance tested at $p < 0.05$.

Note: The national rate is 212.

Note: Rates based on home health patients whose episode of care ended anytime in 2013 per 1,000 persons aged 85 and over.

Source: NCHS, National Study of Long-Term Care Providers, 2014

Figure table 4. Use rate of home health patients aged 85 and over discharged in calendar year: United States, 2013


Area	Annual rate ¹	Standard error
United States	212.22	5.17
Alabama	269.14	37.96
Alaska	78.40	28.51
Arizona	154.37	27.23
Arkansas	197.52	26.20
California	186.53	11.93
Colorado	191.64	34.74
Connecticut	267.65	51.39
Delaware	202.07	75.38
DC	129.79	55.53
Florida	262.54	15.97
Georgia	232.61	34.93
Hawaii	69.85	25.71
Idaho	187.27	38.15
Illinois	232.83	20.70
Indiana	168.72	18.59
Iowa	126.14	22.86
Kansas	164.59	29.33
Kentucky	245.99	40.35
Louisiana	255.94	25.87
Maine	214.47	59.79
Maryland	183.92	35.20
Massachusetts	301.32	52.77
Michigan	263.31	29.16
Minnesota	150.37	30.96
Mississippi	277.53	52.85
Missouri	174.74	27.03
Montana	111.86	28.20
Nebraska	151.10	36.39
Nevada	192.92	42.38
New Hampshire	235.51	67.13
New Jersey	199.98	39.27
New Mexico	170.78	33.91
New York	202.68	46.20
North Carolina	208.00	23.23
North Dakota	81.11	30.31
Ohio	212.93	22.58
Oklahoma	228.83	24.33
Oregon	163.92	44.19
Pennsylvania	242.53	30.07
Rhode Island	272.10	73.54
South Carolina	197.56	35.55

South Dakota	78.23	18.73
Tennessee	275.36	31.57
Texas	236.70	10.71
Utah	231.18	36.37
Vermont	236.09	82.63
Virginia	207.87	23.25
Washington	173.11	33.42
West Virginia	198.23	35.23
Wisconsin	124.32	24.95
Wyoming	113.11	29.71

¹Home health patients whose episode of care ended anytime in 2013 per 1,000 persons aged 85 and over.

Source: NCHS, National Study of Long-Term Care Providers, 2014.

Figure 5. Use rate of hospice patients aged 65 and over: United States, 2013



Statistical significance tested at $p < 0.05$.

Note: The national rate is 28.

Note: Rates based on hospice patients receiving care anytime in 2013 per 1,000 persons aged 65 and over.
 Source: NCHS, National Study of Long-Term Care Providers, 2014

Figure table 5. Use rate of hospice patients aged 65 and over in calendar year: United States, 2013

Area	Annual rate ¹	Standard error
United States	28.31	0.86
Alabama	37.08	5.78
Alaska	*	*
Arizona	34.46	6.87
Arkansas	29.99	7.35
California	24.31	2.08
Colorado	27.04	5.95
Connecticut	24.07	6.88
Delaware	31.15	12.19
DC	19.07	10.78
Florida	30.19	7.68
Georgia	34.44	3.62
Hawaii	20.54	8.76
Idaho	32.88	6.98
Illinois	25.19	3.87
Indiana	29.73	4.30
Iowa	34.96	5.86
Kansas	31.73	6.58
Kentucky	23.85	7.84
Louisiana	33.89	3.94
Maine	25.50	7.83
Maryland	23.33	6.92
Massachusetts	26.26	4.81
Michigan	32.73	4.77
Minnesota	26.73	6.03
Mississippi	34.86	5.15
Missouri	32.27	4.56
Montana	23.31	6.27
Nebraska	30.00	6.46
Nevada	27.44	8.29
New Hampshire	23.62	6.49
New Jersey	24.97	4.69
New Mexico	27.85	7.50
New York	15.52	3.47
North Carolina	28.33	4.66
North Dakota	22.19	13.39
Ohio	35.48	5.70
Oklahoma	34.95	4.38
Oregon	30.89	6.83
Pennsylvania	30.84	3.45
Rhode Island	34.54	20.76
South Carolina	36.97	5.69


South Dakota	21.24	6.98
Tennessee	27.33	5.26
Texas	32.17	2.64
Utah	37.82	6.33
Vermont	20.10	7.70
Virginia	24.26	4.51
Washington	23.89	5.93
West Virginia	26.38	8.52
Wisconsin	30.77	5.42
Wyoming	14.58	4.93

¹Hospice patients receiving care anytime in 2013 per 1,000 persons aged 65 and over.

*Estimate is not presented because estimate does not meet reliability or confidentiality standards.

Source: NCHS, National Study of Long-Term Care Providers, 2014.

Figure 6. Use rate of hospice patients aged 85 and over: United States, 2013



Statistical significance tested at $p < 0.05$.

Note: The national rate is 105.

Note: Rates based on hospice patients receiving care anytime in 2013 per 1,000 persons aged 85 and over.
 Source: NCHS, National Study of Long-Term Care Providers, 2014

Figure table 6. Use rate of hospice patients aged 85 and over in calendar year: United States, 2013

Area	Annual rate ¹	Standard error
United States	105.03	3.32
Alabama	140.42	21.38
Alaska	*	*
Arizona	147.06	29.47
Arkansas	104.47	26.21
California	96.17	8.49
Colorado	114.58	24.34
Connecticut	85.24	24.14
Delaware	123.54	47.96
DC	70.12	39.23
Florida	110.25	29.39
Georgia	142.08	15.37
Hawaii	74.36	31.98
Idaho	135.31	28.23
Illinois	91.24	14.08
Indiana	103.60	15.19
Iowa	114.78	18.95
Kansas	109.11	22.27
Kentucky	80.94	27.49
Louisiana	126.08	14.67
Maine	97.70	29.17
Maryland	85.57	25.51
Massachusetts	93.10	16.64
Michigan	119.90	17.56
Minnesota	94.67	21.44
Mississippi	123.08	18.44
Missouri	116.53	16.59
Montana	88.30	24.02
Nebraska	106.21	23.34
Nevada	124.28	35.41
New Hampshire	89.97	24.78
New Jersey	94.89	17.56
New Mexico	118.14	32.37
New York	53.00	12.06
North Carolina	106.92	17.98
North Dakota	69.00	43.03
Ohio	127.32	20.20
Oklahoma	133.23	16.74
Oregon	120.09	27.05
Pennsylvania	106.23	11.75
Rhode Island	116.49	67.82
South Carolina	152.02	23.64


South Dakota	66.00	21.43
Tennessee	101.72	19.82
Texas	128.67	10.34
Utah	168.72	26.95
Vermont	74.94	29.73
Virginia	95.57	18.14
Washington	95.02	24.03
West Virginia	95.54	31.14
Wisconsin	110.28	19.57
Wyoming	49.06	16.23

¹Hospice patients receiving care anytime in 2013 per 1,000 persons aged 85 and over.

*Estimate is not presented because estimate does not meet reliability or confidentiality standards.

Source: NCHS, National Study of Long-Term Care Providers, 2014.

Figure 7. Use rate of nursing home residents aged 65 and over:
United States, 2014



Statistical significance tested at $p < 0.05$.

Note: The national rate is 24.

Note: Rates based on nursing home residents on any given day in 2014 per 1,000 persons aged 65 and over.

Source: NCHS, National Study of Long-Term Care Providers, 2014

Figure table 7. Use rate of nursing home residents aged 65 and over: United States, 2014


Area	Daily rate ¹	Standard error
Unite States	23.64	0.13
Alabama	24.56	1.78
Alaska	6.50	1.93
Arizona	7.59	0.72
Arkansas	31.01	2.18
California	15.14	0.51
Colorado	19.23	1.49
Connecticut	34.49	2.58
Delaware	21.39	3.65
DC	25.55	7.02
Florida	15.80	0.65
Georgia	21.16	1.23
Hawaii	12.45	2.42
Idaho	13.00	1.66
Illinois	29.98	1.27
Indiana	33.92	1.66
Iowa	43.11	2.40
Kansas	35.06	2.22
Kentucky	29.88	1.96
Louisiana	31.56	2.06
Maine	22.07	2.49
Maryland	23.26	1.79
Massachusetts	34.09	1.86
Michigan	21.47	1.15
Minnesota	28.17	1.70
Mississippi	29.23	2.26
Missouri	31.95	1.61
Montana	20.43	2.73
Nebraska	37.06	2.94
Nevada	8.39	1.41
New Hampshire	27.95	3.80
New Jersey	27.14	1.63
New Mexico	13.41	1.81
New York	29.18	1.42
North Carolina	20.74	1.08
North Dakota	45.88	6.22
Ohio	33.07	1.20
Oklahoma	25.94	1.66
Oregon	8.32	0.81
Pennsylvania	31.18	1.42
Rhode Island	42.97	5.22
South Carolina	17.85	1.49

South Dakota	41.19	4.43
Tennessee	23.34	1.44
Texas	24.89	0.78
Utah	13.27	1.54
Vermont	21.23	3.93
Virginia	19.91	1.33
Washington	13.31	1.00
West Virginia	23.29	2.32
Wisconsin	26.11	1.51
Wyoming	23.25	4.39

¹Residents in nursing homes on any given day in 2014 per 1,000 persons aged 65 and over.

Source: NCHS, National Study of Long-Term Care Providers, 2014.

Figure 8. Use rate of nursing home residents aged 85 and over: United States, 2014



Statistical significance tested at $p < 0.05$.

Note: The national rate is 87.

Note: Rates based on residents in nursing homes on any given day in 2014 per 1,000 persons aged 85 and over.
 Source: NCHS, National Study of Long-Term Care Providers, 2014

Figure table 8. Use rate of nursing home residents aged 85 and over: United States, 2014


Area	Daily rate ¹	Standard error
United States	86.89	0.54
Alabama	94.74	7.20
Alaska	27.48	8.63
Arizona	26.46	2.62
Arkansas	124.14	9.20
California	49.73	1.77
Colorado	80.10	6.56
Connecticut	120.44	9.41
Delaware	92.70	15.72
DC	75.07	21.53
Florida	54.79	2.38
Georgia	84.29	5.21
Hawaii	45.62	9.04
Idaho	49.25	6.61
Illinois	104.50	4.72
Indiana	126.69	6.52
Iowa	159.49	8.83
Kansas	125.45	8.28
Kentucky	118.37	8.17
Louisiana	109.26	7.78
Maine	91.39	10.35
Maryland	81.25	6.84
Massachusetts	122.67	7.05
Michigan	77.81	4.35
Minnesota	110.23	6.84
Mississippi	102.39	8.29
Missouri	116.19	6.22
Montana	81.96	11.55
Nebraska	134.33	10.68
Nevada	33.29	5.91
New Hampshire	116.95	16.01
New Jersey	93.82	5.82
New Mexico	52.58	7.07
New York	100.32	5.06
North Carolina	81.88	4.41
North Dakota	166.04	22.43
Ohio	112.08	4.39
Oklahoma	94.28	6.40
Oregon	26.86	2.87
Pennsylvania	107.84	5.01
Rhode Island	151.29	18.83
South Carolina	74.78	6.47

South Dakota	156.05	17.18
Tennessee	91.73	5.88
Texas	94.75	3.13
Utah	43.07	5.51
Vermont	84.28	15.41
Virginia	77.05	5.27
Washington	49.20	3.97
West Virginia	91.34	9.52
Wisconsin	101.10	5.99
Wyoming	98.34	18.54

¹Residents in nursing homes on any given day in 2014 per 1,000 persons aged 85 and over.

Source: NCHS, National Study of Long-Term Care Providers, 2014.

Figure 9. Use rate of residential care residents aged 65 and over:
United States, 2014



Statistical significance tested at $p < 0.05$.

Note: The national rate is 17.

Note: Rates based on residents in residential care communities on any given day in 2014 per 1,000 persons aged 65 and over.

Source: NCHS, National Study of Long-Term Care Providers, 2014

Figure table 9. Use rate of residential care residents aged 65 and over: United States, 2014


Area	Daily rate ¹	Standard error
United States	16.77	0.27
Alabama	9.96	0.49
Alaska	19.07	3.91
Arizona	17.00	0.90
Arkansas	8.12	0.30
California	19.49	0.78
Colorado	16.50	0.90
Connecticut	1.93	0.21
Delaware	10.59	1.16
DC	7.54	0.14
Florida	16.91	1.05
Georgia	15.64	0.79
Hawaii	20.01	3.10
Idaho	26.35	1.02
Illinois	15.04	1.13
Indiana	14.73	0.42
Iowa	1.90	0.10
Kansas	21.89	1.61
Kentucky	15.01	0.68
Louisiana	7.09	0.35
Maine	23.53	0.81
Maryland	18.34	1.50
Massachusetts	12.07	0.42
Michigan	17.66	0.95
Minnesota	33.36	2.76
Mississippi	10.99	0.77
Missouri	10.98	0.73
Montana	25.73	1.24
Nebraska	31.99	1.02
Nevada	8.25	0.24
New Hampshire	15.62	0.54
New Jersey	13.50	0.37
New Mexico	10.02	0.59
New York	9.00	0.46
North Carolina	16.80	0.96
North Dakota	40.22	1.93
Ohio	17.88	0.87
Oklahoma	13.14	0.44
Oregon	41.94	2.42
Pennsylvania	23.07	1.93
Rhode Island	18.92	0.84
South Carolina	13.51	2.07

South Dakota	31.17	1.09
Tennessee	13.56	0.43
Texas	11.02	0.68
Utah	19.69	0.69
Vermont	18.16	0.61
Virginia	15.30	0.90
Washington	41.59	3.67
West Virginia	8.19	0.48
Wisconsin	30.50	2.36
Wyoming	7.57	0.87

¹Residents in residential care on any given day in 2014 per 1,000 persons aged 65 and over.

Source: NCHS, National Study of Long-Term Care Providers, 2014.

Figure 10. Use rate of residential care residents aged 85 and over:
United States, 2014



Statistical significance tested at $p < 0.05$.

Note: The national rate is 62.

Note: Rates based on residents in residential care communities on any given day in 2014 per 1,000 persons aged 85 and over.

Source: NCHS, National Study of Long-Term Care Providers, 2014

Figure table 10. Use of residential care residents aged 85 and over: United States, 2014

Area	Daily rate ¹	Standard error
United States	61.71	1.46
Alabama	43.46	2.81
Alaska	84.24	31.28
Arizona	69.41	7.83
Arkansas	29.20	1.71
California	60.93	5.55
Colorado	72.56	8.26
Connecticut	6.04	0.94
Delaware	45.09	7.06
DC	22.50	5.19
Florida	63.50	6.23
Georgia	61.85	7.73
Hawaii	65.90	14.74
Idaho	105.24	8.76
Illinois	53.27	6.20
Indiana	54.59	2.89
Iowa	6.72	0.84
Kansas	64.59	5.21
Kentucky	64.25	4.31
Louisiana	29.24	2.33
Maine	85.82	4.50
Maryland	72.05	7.80
Massachusetts	44.21	2.05
Michigan	57.64	6.55
Minnesota	124.69	15.92
Mississippi	37.80	4.36
Missouri	37.12	4.74
Montana	90.50	8.05
Nebraska	107.96	4.87
Nevada	31.32	3.56
New Hampshire	66.97	3.81
New Jersey	57.95	2.14
New Mexico	37.50	3.41
New York	24.03	2.88
North Carolina	58.52	5.97
North Dakota	118.10	7.38
Ohio	70.61	4.85
Oklahoma	56.36	3.53
Oregon	166.28	16.13
Pennsylvania	88.63	8.55
Rhode Island	58.73	3.93
South Carolina	56.57	11.14

South Dakota	111.01	7.26
Tennessee	62.15	2.99
Texas	42.97	4.86
Utah	78.88	5.82
Vermont	72.10	4.24
Virginia	55.98	6.27
Washington	165.28	21.69
West Virginia	40.31	3.02
Wisconsin	90.07	10.80
Wyoming	35.39	4.29

¹Residents in residential care on any given day in 2014 per 1,000 persons aged 85 and over.

Source: NCHS, National Study of Long-Term Care Providers, 2014.

Table 1. Providers and Users of Long-Term Care Services in Alabama, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Organization										
	Number or percent (standard error)									
Number of providers ¹	20	(0.0)	100	(12)	100	(11)	200	(15)	300	(3)
Number of beds or licensed maximum capacity ²	800	(200)	26,400	(1,900)	9,700	(400)
Average capacity	48	(13.9)	---	---	---	---	117	(3.1)	38	(1.5)
Average number of people served	19	(5.2)	---	---	---	---	100	(2.7)	30	(1.4)
Metropolitan statistical area status (percent distribution):										
Metropolitan	*	*	55.7	(4.1)	63.7	(4.5)	65.9	(3.2)	71.5	(2.8)
Micropolitan or neither	*	*	44.3	(4.1)	36.3	(4.5)	34.1	(3.2)	28.5	(2.8)
Ownership (percent distribution):										
For-profit	*	*	70.5	(3.7)	67.3	(4.4)	81.0	(2.6)	78.2	(2.6)
Not-for-profit, government, or other	*	*	29.5	(3.7)	32.7	(4.4)	19.0	(2.6)	21.8	(2.6)
Number of people served (percent distribution): ³										
Category 1	*	*	6.1	(2.0)	26.1	(4.2)	*	*	*	*
Category 2	*	*	34.5	(3.9)	48.6	(4.7)	*	*	*	*
Category 3	-	-	59.5	(4.0)	25.2	(4.1)	*	*	*	*
Certification (percentage):										
Medicare-certified	100.0	(0.0)	---	---	99.1	(0.6)
Medicaid-certified	*	*	95.3	(1.7)	---	---	96.9	(1.2)	*	*
Chain-affiliated (percentage)	0.0	(0.0)	---	---	---	---	58.8	(3.3)	65.2	(3.1)
Staffing⁴										
Number of nursing and social work staff employee FTEs	83	(37)	2,217	(237)	2,128	(272)	17,432	(1,273)	4,194	(292)
Nursing and social work employee FTEs (percent distribution):										
Registered nurse	29.5	(6.0)	60.1	(1.6)	49.4	(1.1)	10.1	(0.3)	7.3	(0.7)
Licensed practical nurse or licensed vocational nurse	11.7	(1.8)	16.0	(1.4)	6.1	(0.7)	26.1	(0.4)	18.1	(1.0)
Aide	50.4	(4.6)	20.6	(1.3)	33.6	(0.7)	62.6	(0.6)	73.9	(1.3)
Social worker	8.4	(1.5)	3.4	(0.3)	10.9	(0.4)	1.2	(0.1)	0.7	(0.1)
Providers with one or more employee FTEs (percentage):										
Registered nurse	*	*	100.0	(0.0)	100.0	(0.0)	97.8	(1.0)	54.6	(3.2)
Licensed practical nurse or licensed vocational nurse	*	*	84.6	(3.0)	59.3	(4.6)	100.0	(0.0)	66.1	(2.8)
Aide	*	*	†	(†)	†	(†)	†	(†)	91.3	(1.8)

Table 1. Providers and Users of Long-Term Care Services in Alabama, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Social worker	*	*	77.9	(3.4)	100.0	(0.0)	69.0	(3.1)	10.1	(2.0)
Activities staff	*	*	---	---	---	---	96.0	(1.3)	75.8	(2.5)
Employee hours per resident or participant per day:										
Registered nurse	0.8	(0.2)	---	---	---	---	0.4	(0.0)	0.2	(0.0)
Licensed practical nurse or licensed vocational nurse	0.2	(0.1)	---	---	---	---	1.0	(0.0)	0.4	(0.0)
Aide	0.6	(0.2)	---	---	---	---	2.4	(0.1)	2.4	(0.1)
Social worker	0.1	(0.0)	---	---	---	---	0.0	(0.0)	0.0	(0.0)
Activities staff	0.8	(0.2)	---	---	---	---	0.2	(0.0)	0.3	(0.0)
Service provided										
Social work (percentage)	*	*	79.2	(3.3)	100.0	(0.0)	85.4	(2.3)	33.6	(3.2)
Mental health or counseling (percentage)	*	*	---	---	†	(†)	82.7	(2.5)	39.8	(3.4)
Therapy (physical, occupational, or speech) (percentage)	*	*	†	(†)	†	(†)	†	(†)	59.6	(3.4)
Skilled nursing or nursing (percentage)	*	*	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	43.1	(3.4)
Pharmacy or pharmacist (percentage)	*	*	*	*	---	---	96.9	(1.2)	81.4	(2.5)
Hospice (percentage)	*	*	*	*	89.8	(2.0)	47.1	(3.4)
Dental (percentage)	*	*	---	---	---	---	73.5	(2.9)	32.6	(3.2)
Podiatrist (percentage)	*	*	---	---	---	---	87.6	(2.2)	67.6	(3.1)
Practices										
Depression screening (percentage)	*	*	100.0	(0.0)	---	---	---	---	76.6	(2.5)
Special care										
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	---	---	24.8	(2.9)	34.7	(3.1)

Table 1. Providers and Users of Long-Term Care Services in Alabama, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Service users										
Number of users ²	600	(200)	102,800	(14,000)	29,000	(4,500)	22,700	(1,600)	7,600	(400)
Age in years (percent distribution):										
Under 65	32.8	(7.1)	19.2	(0.6)	7.8	(0.2)	16.5	(0.7)	2.4	(0.3)
65 and over	67.5	(7.2)	80.8	(0.6)	92.2	(0.2)	83.5	(0.7)	97.6	(0.3)
65–74	36.1	(4.3)	26.9	(0.3)	19.8	(0.3)	17.9	(0.5)	8.2	(0.8)
75–84	20.1	(2.7)	32.5	(0.4)	32.7	(0.3)	29.4	(0.4)	35.5	(1.6)
85 and over	11.2	(2.1)	21.5	(0.5)	39.7	(0.6)	36.2	(0.9)	54.0	(1.9)
Sex (percent distribution):										
Men	51.0	(3.1)	36.3	(0.3)	40.9	(0.7)	29.3	(0.7)	26.1	(1.4)
Women	49.0	(3.1)	63.7	(0.3)	59.1	(0.7)	70.7	(0.7)	73.9	(1.4)
Race and ethnicity (percent distribution):										
Hispanic	0.7	(0.3)	0.4	(0.0)	0.3	(0.0)	0.2	(0.0)	0.2	(0.1)
Non-Hispanic white	41.1	(6.0)	78.1	(1.5)	80.6	(1.1)	72.9	(1.6)	94.3	(0.7)
Non-Hispanic black	57.2	(6.0)	20.8	(1.5)	18.5	(1.1)	25.7	(1.6)	4.8	(0.7)
Non-Hispanic other	1.0	(0.3)	0.7	(0.0)	0.5	(0.1)	1.2	(0.2)	0.6	(0.2)
Used Medicaid for long-term care services (percent distribution)	63.0	(18.0)	5.2	(0.9)	---	---	67.9	(0.9)	4.2	(2.0)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	35.3	(3.6)	33.2	(0.5)	48.6	(0.7)	56.0	(0.9)	42.1	(2.8)
Diagnosed with depression	8.0	(2.1)	31.4	(0.8)	19.7	(0.6)	52.8	(1.1)	25.8	(2.3)
Diagnosed with diabetes	38.6	(8.2)	45.8	(0.4)	33.2	(0.5)	35.1	(0.5)	18.7	(1.4)
Need assistance in physical functioning (percentage):										
Eating	13.8	(4.1)	71.1	(1.7)	---	---	52.3	(1.4)	17.3	(2.4)
Bathing	32.2	(4.8)	98.5	(0.2)	---	---	97.4	(0.3)	62.9	(2.4)
Dressing	30.3	(5.4)	95.7	(0.4)	---	---	93.1	(0.5)	50.0	(2.7)
Toileting	18.6	(2.8)	86.8	(1.0)	---	---	87.6	(0.6)	33.4	(3.0)
Transferring in and out of a chair or bed	14.9	(2.6)	94.2	(0.5)	---	---	85.5	(0.7)	24.4	(2.7)
Walking	20.3	(3.6)	97.2	(0.3)	---	---	92.6	(0.5)	35.1	(3.1)
Adverse events (percentage):										
Overnight hospital stay	4.7	(1.0)	22.3	(0.8)	---	---	---	---	8.6	(0.7)

Table 1. Providers and Users of Long-Term Care Services in Alabama, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Emergency department visit	10.7	(3.1)	18.4	(0.8)	---	---	---	---	11.0	(1.1)
Falls	13.5	(3.8)	0.1	(0.0)	---	---	15.7	(0.5)	23.9	(1.8)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 2. Providers and Users of Long-Term Care Services in Alaska, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Nursing home		Residential care community	
	Number or percent (standard error)							
Organization								
Number of providers ¹	10	(0)	10	(4)	20	(4)	100	(2)
Number of beds or licensed maximum capacity ²	400	(100)	700	(200)	1,800	(300)
Average capacity	33	(4.4)	---	---	39	(7.0)	12	(1.8)
Average number of people served	16	(1.3)	---	---	33	(6.7)	10	(1.7)
Metropolitan statistical area status (percent distribution):								
Metropolitan	*	*	50.0	(14.4)	*	*	84.3	(2.9)
Micropolitan or neither	*	*	50.0	(14.4)	*	*	15.7	(2.9)
Ownership (percent distribution):								
For-profit	-	-	*	*	*	*	88.2	(2.6)
Not-for-profit, government, or other	100.0	(0.0)	*	*	†	(†)	11.8	(2.6)
Number of people served (percent distribution): ³								
Category 1	*	*	*	*	61.1	(11.5)	†	(†)
Category 2	*	*	*	*	38.9	(11.5)	*	*
Category 3	-	-	*	*	-	-	*	*
Certification (percentage):								
Medicare-certified	100.0	(0.0)	100.0	(0.0)
Medicaid-certified	*	*	91.7	(8.3)	100.0	(0.0)	†	(†)
Chain-affiliated (percentage)	*	*	---	---	33.3	(11.4)	56.7	(4.5)
Staffing⁴								
Number of nursing and social work staff employee FTEs	30	(8)	103	(38)	615	(180)	1,083	(187)
Nursing and social work employee FTEs (percent distribution):								
Registered nurse	6.4	(1.2)	74.1	(3.7)	18.3	(1.9)	8.5	(1.0)
Licensed practical nurse or licensed vocational nurse	4.2	(0.9)	6.9	(3.0)	12.0	(2.1)	6.4	(1.5)
Aide	85.1	(2.4)	15.5	(3.1)	68.0	(2.2)	84.6	(2.2)
Social worker	4.2	(0.9)	3.5	(1.1)	1.7	(0.4)	0.5	(0.1)
Providers with one or more employee FTEs (percentage):								
Registered nurse	*	*	100.0	(0.0)	100.0	(0.0)	26.4	(3.7)
Licensed practical nurse or licensed vocational nurse	*	*	*	*	*	*	15.6	(2.5)

Table 2. Providers and Users of Long-Term Care Services in Alaska, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Nursing home		Residential care community	
Aide	*	*	*	*	†	(†)	89.5	(2.8)
Social worker	*	*	*	*	72.2	(10.6)	*	*
Activities staff	100.0	(0.0)	---	---	†	(†)	22.3	(3.2)
Employee hours per resident or participant per day:								
Registered nurse	0.0	(0.0)	---	---	1.3	(0.2)	0.2	(0.0)
Licensed practical nurse or licensed vocational nurse	0.0	(0.0)	---	---	0.6	(0.1)	0.1	(0.0)
Aide	0.8	(0.2)	---	---	3.7	(0.4)	3.3	(0.3)
Social worker	0.0	(0.0)	---	---	0.2	(0.0)	0.0	(0.0)
Activities staff	1.3	(0.2)	---	---	0.4	(0.1)	0.1	(0.0)
Service provided								
Social work (percentage)	*	*	†	(†)	*	*	31.7	(4.2)
Mental health or counseling (percentage)	*	*	---	---	61.1	(11.5)	34.3	(4.2)
Therapy (physical, occupational, or speech) (percentage)	*	*	100.0	(0.0)	100.0	(0.0)	40.9	(4.4)
Skilled nursing or nursing (percentage)	*	*	100.0	(0.0)	100.0	(0.0)	51.6	(4.4)
Pharmacy or pharmacist (percentage)	*	*	*	*	100.0	(0.0)	50.1	(4.4)
Hospice (percentage)	*	*	*	*	*	*	40.6	(4.4)
Dental (percentage)	*	*	---	---	61.1	(11.5)	41.7	(4.5)
Podiatrist (percentage)	*	*	---	---	38.9	(11.5)	52.0	(4.6)
Practices								
Depression screening (percentage)	*	*	†	(†)	---	---	87.7	(3.0)
Special care								
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	*	*	23.6	(3.7)

Table 2. Providers and Users of Long-Term Care Services in Alaska, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Nursing home		Residential care community	
Service users								
Number of users ²	400	(0)	2,400	(1,000)	600	(200)	1,500	(300)
Age in years (percent distribution):								
Under 65	10.9	(0.9)	20.5	(1.7)	20.9	(4.3)	13.7	(2.8)
65 and over	89.1	(0.9)	79.5	(1.7)	79.1	(4.3)	86.6	(2.8)
65–74	25.2	(3.5)	31.9	(1.6)	23.2	(1.7)	17.7	(2.6)
75–84	49.2	(4.7)	29.0	(0.9)	27.4	(2.8)	30.6	(2.3)
85 and over	14.8	(2.0)	18.7	(1.9)	28.6	(4.3)	38.3	(5.5)
Sex (percent distribution):								
Men	33.5	(2.9)	38.3	(0.8)	40.2	(1.8)	36.3	(3.2)
Women	66.5	(2.9)	61.7	(0.8)	59.8	(1.8)	63.7	(3.2)
Race and ethnicity (percent distribution):								
Hispanic	2.1	(0.5)	2.2	(0.5)	1.4	(0.4)	1.8	(0.5)
Non-Hispanic white	58.1	(6.3)	76.1	(4.5)	67.4	(4.3)	74.0	(2.6)
Non-Hispanic black	2.4	(0.4)	2.8	(0.8)	4.6	(1.9)	1.5	(0.4)
Non-Hispanic other	37.3	(6.7)	18.9	(4.6)	26.7	(4.4)	23.1	(2.4)
Used Medicaid for long-term care services (percent distribution)	34.0	(6.6)	20.5	(3.4)	80.7	(5.0)	43.4	(4.8)
Conditions (percentage):								
Diagnosed with Alzheimer's disease or other dementias	42.0	(5.6)	27.4	(2.7)	36.1	(4.6)	46.3	(3.7)
Diagnosed with depression	10.6	(2.3)	30.6	(1.8)	42.8	(3.4)	21.1	(2.4)
Diagnosed with diabetes	16.7	(1.6)	39.2	(1.2)	33.3	(3.3)	18.1	(1.9)
Need assistance in physical functioning (percentage):								
Eating	24.5	(4.6)	49.8	(5.2)	51.0	(7.9)	44.8	(4.0)
Bathing	38.1	(7.2)	96.0	(1.6)	95.8	(1.0)	69.9	(5.1)
Dressing	39.5	(7.3)	86.0	(3.2)	91.0	(1.9)	59.3	(4.6)
Toileting	33.7	(6.1)	66.8	(3.2)	87.5	(3.0)	57.4	(4.6)
Transferring in and out of a chair or bed	34.9	(5.6)	89.5	(3.0)	84.8	(3.6)	40.0	(3.1)
Walking	40.8	(3.7)	95.0	(1.9)	93.7	(1.7)	42.4	(4.9)
Adverse events (percentage):								

Table 2. Providers and Users of Long-Term Care Services in Alaska, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Nursing home		Residential care community	
Overnight hospital stay	5.3	(0.6)	13.1	(2.5)	---	---	9.6	(0.9)
Emergency department visit	5.2	(0.6)	18.7	(2.2)	---	---	13.8	(0.9)
Falls	7.3	(1.3)	0.5	(0.1)	16.1	(2.5)	19.1	(2.5)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

Estimates for hospices are not presented because these estimates do not meet reliability or confidentiality standards.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 3. Providers and Users of Long-Term Care Services in Arizona, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers ¹	20	(1)	200	(13)	100	(10)	100	(12)	1,400	(17)
Number of beds or licensed maximum capacity ²	1,200	(100)	16,500	(1,500)	24,900	(1,200)
Average capacity	55	(4.6)	---	---	---	---	112	(4.4)	17	(0.8)
Average number of people served	34	(3.5)	---	---	---	---	78	(3.4)	14	(0.6)
Metropolitan statistical area status (percent distribution):										
Metropolitan	100.0	(0.0)	96.8	(1.4)	93.7	(2.5)	93.9	(2.0)	†	(†)
Micropolitan or neither	-	-	3.2	(1.4)	6.3	(2.5)	6.1	(2.0)	*	*
Ownership (percent distribution):										
For-profit	*	*	87.9	(2.6)	72.6	(4.6)	78.9	(3.4)	92.0	(2.3)
Not-for-profit, government, or other	*	*	12.1	(2.6)	27.4	(4.6)	21.1	(3.4)	*	*
Number of people served (percent distribution): ³										
Category 1	51.3	(9.4)	29.9	(3.8)	27.8	(4.7)	8.2	(2.3)	88.0	(1.0)
Category 2	48.7	(9.4)	27.1	(3.7)	32.2	(4.9)	70.7	(3.8)	*	*
Category 3	-	-	43.1	(4.1)	40.0	(5.2)	21.1	(3.4)	*	*
Certification (percentage):										
Medicare-certified	100.0	(0.0)	---	---	100.0	(0.0)
Medicaid-certified	60.6	9.2	85.4	(2.8)	---	---	79.6	(3.3)	48.9	(4.5)
Chain-affiliated (percentage)	*	*	---	---	---	---	63.9	(4.0)	47.0	(4.5)
Staffing⁴										
Number of nursing and social work staff employee FTEs	110	(11)	1,661	(198)	2,013	(338)	9,039	(847)	7,485	(570)
Nursing and social work employee FTEs (percent distribution):										
Registered nurse	29.5	(4.1)	62.1	(2.6)	49.1	(1.9)	14.2	(0.5)	5.0	(1.1)
Licensed practical nurse or licensed vocational nurse	7.0	(2.0)	15.6	(2.6)	7.2	(1.2)	23.9	(0.6)	*10.6	(3.5)
Aide	53.1	(4.5)	18.2	(2.1)	33.1	(1.9)	60.3	(0.7)	83.3	(3.5)
Social worker	10.3	(1.8)	4.1	(0.4)	10.6	(0.6)	1.6	(0.1)	*1.1	(0.5)
Providers with one or more employee FTEs (percentage):										
Registered nurse	†	(†)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	*	*
Licensed practical nurse or licensed vocational nurse	*	*	66.9	(3.8)	49.5	(5.1)	100.0	(0.0)	*	*
Aide	*	*	91.7	(2.2)	†	(†)	†	(†)	64.7	(4.2)

Table 3. Providers and Users of Long-Term Care Services in Arizona, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Social worker	*	*	72.6	(3.6)	†	(†)	74.1	(3.6)	*	*
Activities staff	100.0	(0.0)	---	---	---	---	†	(†)	35.0	(4.0)
Employee hours per resident or participant per day:										
Registered nurse	0.4	(0.1)	---	---	---	---	0.8	(0.1)	0.2	(0.1)
Licensed practical nurse or licensed vocational nurse	0.1	(0.1)	---	---	---	---	1.1	(0.1)	*0.1	(0.1)
Aide	0.6	(0.1)	---	---	---	---	2.8	(0.3)	1.7	(0.2)
Social worker	0.1	(0.0)	---	---	---	---	0.1	(0.0)	*0.0	(0.0)
Activities staff	0.5	(0.1)	---	---	---	---	0.2	(0.0)	0.3	(0.1)
Service provided										
Social work (percentage)	*	*	90.4	(2.3)	100.0	(0.0)	81.6	(3.2)	42.0	(4.5)
Mental health or counseling (percentage)	*	*	---	---	†	(†)	78.9	(3.4)	43.3	(4.5)
Therapy (physical, occupational, or speech) (percentage)	42.3	(9.4)	†	(†)	†	(†)	100.0	(0.0)	67.3	(4.2)
Skilled nursing or nursing (percentage)	*	*	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	60.0	(4.4)
Pharmacy or pharmacist (percentage)	—	—	5.1	(1.8)	---	---	†	(†)	*	*
Hospice (percentage)	*	*	*	*	81.6	(3.2)	66.2	(4.3)
Dental (percentage)	—	—	---	---	---	---	81.6	(3.2)	42.4	(4.4)
Podiatrist (percentage)	*	*	---	---	---	---	87.1	(2.8)	72.4	(4.0)
Practices										
Depression screening (percentage)	†	(†)	86.1	(2.9)	---	---	---	---	84.4	(3.2)
Special care										
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	---	---	22.4	(3.4)	*	*

Table 3. Providers and Users of Long-Term Care Services in Arizona, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Service users										
Number of users ²	1,600	(100)	69,200	(12,200)	36,900	(7,400)	11,400	(1,100)	19,500	(900)
Age in years (percent distribution):										
Under 65	17.7	(3.4)	14.5	(1.5)	4.9	(0.2)	21.6	(1.6)	6.7	(2.0)
65 and over	82.0	(3.3)	85.5	(1.5)	95.1	(0.2)	78.4	(1.6)	93.4	(2.0)
65–74	23.8	(2.5)	26.8	(0.8)	17.0	(0.4)	19.8	(0.6)	11.1	(1.8)
75–84	31.5	(2.8)	32.1	(0.7)	30.6	(0.4)	26.7	(0.7)	32.9	(3.0)
85 and over	26.7	(3.1)	26.6	(0.9)	47.5	(0.8)	31.9	(1.4)	49.3	(3.8)
Sex (percent distribution):										
Men	50.3	(1.7)	39.1	(0.4)	42.4	(0.4)	40.1	(1.3)	31.1	(1.6)
Women	49.7	(1.7)	60.9	(0.4)	57.6	(0.4)	59.9	(1.3)	69.0	(1.6)
Race and ethnicity (percent distribution):										
Hispanic	15.5	(1.7)	7.2	(0.6)	8.6	(0.8)	14.6	(1.1)	4.6	(0.6)
Non-Hispanic white	75.3	(3.2)	86.7	(0.7)	86.6	(0.9)	70.7	(1.7)	86.4	(3.2)
Non-Hispanic black	4.4	(0.9)	2.7	(0.2)	2.4	(0.2)	4.9	(0.4)	1.4	(0.4)
Non-Hispanic other	4.9	(1.4)	3.3	(0.2)	2.5	(0.2)	9.7	(1.5)	*7.6	(3.1)
Used Medicaid for long-term care services (percent distribution)	19.7	(5.4)	7.6	(1.6)	---	---	58.5	(2.2)	15.6	(3.0)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	61.9	(4.0)	30.0	(1.3)	35.8	(1.1)	41.3	(1.7)	46.3	(4.1)
Diagnosed with depression	19.2	(4.5)	35.7	(0.7)	14.5	(0.5)	46.3	(1.2)	24.2	(3.1)
Diagnosed with diabetes	17.4	(1.2)	38.7	(0.8)	20.2	(0.4)	33.5	(0.8)	15.8	(1.5)
Need assistance in physical functioning (percentage):										
Eating	23.6	(5.7)	51.5	(3.6)	---	---	54.7	(2.6)	25.5	(2.8)
Bathing	18.6	(4.9)	95.6	(0.8)	---	---	96.4	(0.6)	66.8	(4.1)
Dressing	16.4	(3.7)	86.4	(1.9)	---	---	90.6	(0.9)	56.3	(4.2)
Toileting	32.8	(4.5)	69.8	(2.3)	---	---	88.5	(1.0)	46.9	(3.9)
Transferring in and out of a chair or bed	24.8	(3.9)	87.9	(1.5)	---	---	86.6	(1.2)	38.5	(2.9)
Walking	22.8	(5.1)	94.2	(0.9)	---	---	93.0	(0.7)	33.0	(3.8)
Adverse events (percentage):										
Overnight hospital stay	6.0	(1.0)	12.6	(0.6)	---	---	---	---	8.2	(1.2)

Table 3. Providers and Users of Long-Term Care Services in Arizona, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Emergency department visit	6.1	(0.8)	13.0	(0.5)	---	---	---	---	12.4	(1.7)
Falls	8.3	(0.8)	0.2	(0.0)	---	---	17.2	(0.9)	23.8	(2.7)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 4. Providers and Users of Long-Term Care Services in Arkansas, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers ¹	40	(0)	200	(13)	50	(7)	200	(15)	100	(1)
Number of beds or licensed maximum capacity ²	1,100	(100)	24,600	(1,700)	5,800	(100)
Average capacity	30	(4.0)	---	---	---	---	107	(2.1)	52	(1.0)
Average number of people served	15	(2.6)	---	---	---	---	76	(1.8)	39	(1.0)
Metropolitan statistical area status (percent distribution):										
Metropolitan	79.5	(5.2)	32.0	(3.6)	50.0	(6.9)	49.4	(3.3)	64.3	(2.7)
Micropolitan or neither	20.5	(5.2)	68.0	(3.6)	50.0	(6.9)	50.6	(3.3)	35.7	(2.7)
Ownership (percent distribution):										
For-profit	44.0	(6.6)	29.1	(3.5)	46.2	(6.9)	84.8	(2.4)	75.9	(2.4)
Not-for-profit, government, or other	56.0	(6.6)	70.9	(3.5)	53.8	(6.9)	15.2	(2.4)	24.1	(2.4)
Number of people served (percent distribution): ³										
Category 1	*	*	43.8	(3.8)	39.2	(6.8)	2.2	(1.0)	*	*
Category 2	*	*	28.4	(3.5)	29.4	(6.4)	82.7	(2.5)	*	*
Category 3	*	*	27.8	(3.4)	31.4	(6.5)	15.2	(2.4)	*	*
Certification (percentage):										
Medicare-certified	100.0	(0.0)	---	---	97.8	(1.0)
Medicaid-certified	100.0	(0.0)	100.0	(0.0)	---	---	97.8	(1.0)	56.0	(3.0)
Chain-affiliated (percentage)	*	*	---	---	---	---	7.8	(1.8)	57.7	(3.0)
Staffing⁴										
Number of nursing and social work staff employee FTEs	118	(11)	1,831	(188)	975	(219)	13,372	(927)	1,568	(65)
Nursing and social work employee FTEs (percent distribution):										
Registered nurse	9.3	(2.3)	51.9	(2.5)	46.6	(2.1)	4.4	(0.2)	7.9	(1.5)
Licensed practical nurse or licensed vocational nurse	11.2	(2.3)	14.7	(1.3)	7.4	(1.3)	25.4	(0.3)	13.2	(0.9)
Aide	71.6	(3.8)	32.3	(3.1)	36.3	(1.8)	69.4	(0.4)	78.7	(1.3)
Social worker	7.9	(1.9)	1.1	(0.2)	9.7	(0.6)	0.8	(0.1)	0.1	(0.0)
Providers with one or more employee FTEs (percentage):										
Registered nurse	27.9	(6.1)	100.0	(0.0)	100.0	(0.0)	†	(†)	42.9	(2.7)
Licensed practical nurse or licensed vocational nurse	36.3	(6.5)	59.3	(3.7)	65.4	(6.6)	100.0	(0.0)	52.8	(2.7)
Aide	*	*	83.7	(2.8)	†	(†)	†	(†)	†	(†)

Table 4. Providers and Users of Long-Term Care Services in Arkansas, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Social worker	23.6	(5.8)	26.2	(3.4)	†	(†)	43.7	(3.3)	*	*
Activities staff	*	*	---	---	---	---	96.5	(1.2)	74.1	(2.4)
Employee hours per resident or participant per day:										
Registered nurse	0.3	(0.1)	---	---	---	---	0.2	(0.0)	0.1	(0.0)
Licensed practical nurse or licensed vocational nurse	0.7	(0.2)	---	---	---	---	1.0	(0.0)	0.2	(0.0)
Aide	1.6	(0.2)	---	---	---	---	2.6	(0.0)	1.5	(0.1)
Social worker	0.2	(0.1)	---	---	---	---	0.0	(0.0)	0.0	(0.0)
Activities staff	1.2	(0.2)	---	---	---	---	0.1	(0.0)	0.1	(0.0)
Service provided										
Social work (percentage)	37.5	(6.8)	35.5	(3.6)	100.0	(0.0)	59.7	(3.2)	40.9	(2.7)
Mental health or counseling (percentage)	23.7	(6.0)	---	---	100.0	(0.0)	83.1	(2.5)	48.7	(2.9)
Therapy (physical, occupational, or speech) (percentage)	37.0	(6.8)	94.8	(1.7)	100.0	(0.0)	†	(†)	67.8	(2.9)
Skilled nursing or nursing (percentage)	55.0	(7.0)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	55.7	(3.1)
Pharmacy or pharmacist (percentage)	*	*	*	*	---	---	100.0	(0.0)	81.9	(2.5)
Hospice (percentage)	*	*	*	*	82.7	(2.5)	56.3	(2.9)
Dental (percentage)	*	*	---	---	---	---	93.5	(1.6)	47.9	(3.1)
Podiatrist (percentage)	*	*	---	---	---	---	92.6	(1.7)	56.2	(3.2)
Practices										
Depression screening (percentage)	78.6	(5.4)	†	(†)	---	---	---	---	85.9	(2.0)
Special care										
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	---	---	7.4	(1.7)	13.6	(2.0)

Table 4. Providers and Users of Long-Term Care Services in Arkansas, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Service users										
Number of users ²	800	(100)	49,200	(6,300)	14,800	(3,600)	17,700	(1,200)	4,400	(100)
Age in years (percent distribution):										
Under 65	29.4	(11.6)	20.6	(0.7)	7.8	(0.3)	14.1	(1.0)	13.1	(2.1)
65 and over	70.6	(11.6)	79.4	(0.7)	92.2	(0.3)	85.9	(1.0)	86.9	(2.1)
65–74	17.7	(3.3)	26.6	(0.6)	21.2	(0.6)	16.8	(0.5)	13.7	(1.0)
75–84	37.3	(6.7)	31.0	(0.4)	32.6	(0.5)	28.5	(0.5)	28.9	(1.1)
85 and over	15.6	(3.1)	21.9	(0.7)	38.4	(0.9)	40.6	(1.1)	44.3	(1.6)
Sex (percent distribution):										
Men	38.2	(2.5)	36.9	(0.4)	42.1	(0.7)	30.9	(0.8)	31.9	(1.2)
Women	61.8	(2.5)	63.1	(0.4)	57.9	(0.7)	69.1	(0.8)	68.1	(1.2)
Race and ethnicity (percent distribution):										
Hispanic	0.4	(0.1)	0.9	(0.1)	0.7	(0.1)	0.4	(0.1)	0.5	(0.1)
Non-Hispanic white	56.7	(5.1)	87.4	(1.4)	89.3	(1.3)	80.0	(1.6)	93.0	(0.8)
Non-Hispanic black	41.0	(5.1)	10.9	(1.4)	8.9	(1.4)	12.9	(1.2)	5.1	(0.7)
Non-Hispanic other	1.9	(0.3)	0.9	(0.1)	1.2	(0.2)	6.8	(1.2)	1.5	(0.4)
Used Medicaid for long-term care services (percent distribution)	47.7	(8.5)	9.9	(0.7)	---	---	67.1	(1.0)	27.3	(1.9)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	56.6	(10.0)	31.5	(1.0)	47.1	(1.3)	48.7	(1.1)	37.9	(2.0)
Diagnosed with depression	13.0	(3.4)	35.0	(0.7)	24.4	(0.8)	50.5	(1.0)	23.8	(1.1)
Diagnosed with diabetes	15.7	(3.2)	40.4	(0.5)	30.3	(0.5)	29.0	(0.5)	16.8	(0.6)
Need assistance in physical functioning (percentage):										
Eating	25.2	(2.7)	55.5	(2.1)	---	---	50.5	(1.8)	11.4	(1.7)
Bathing	35.4	(5.4)	96.6	(0.4)	---	---	96.6	(0.4)	52.2	(2.2)
Dressing	28.8	(4.0)	88.5	(1.2)	---	---	88.8	(0.7)	30.6	(2.0)
Toileting	51.2	(6.8)	73.4	(2.1)	---	---	82.8	(0.7)	21.4	(1.9)
Transferring in and out of a chair or bed	35.1	(6.2)	87.9	(1.0)	---	---	78.0	(0.9)	12.9	(1.3)
Walking	36.7	(5.6)	94.1	(0.6)	---	---	88.5	(0.6)	18.1	(1.6)
Adverse events (percentage):										
Overnight hospital stay	3.5	(1.2)	20.2	(0.7)	---	---	---	---	9.4	(0.5)

Table 4. Providers and Users of Long-Term Care Services in Arkansas, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Emergency department visit	5.7	(1.1)	17.8	(0.6)	---	---	---	---	13.3	(0.6)
Falls	11.9	(1.8)	0.3	(0.0)	---	---	18.8	(0.5)	20.1	(1.1)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards).

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 5. Providers and Users of Long-Term Care Services in California, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers ¹	1,200	(2)	1,300	(34)	500	(21)	1,200	(34)	5,900	(68)
Number of beds or licensed maximum capacity ²	88,900	(1,900)	119,700	(3,800)	127,000	(4,600)
Average capacity	77	(1.6)	---	---	---	---	98	(1.6)	21	(0.7)
Average number of people served	54	(1.2)	---	---	---	---	84	(1.4)	17	(0.6)
Metropolitan statistical area status (percent distribution):										
Metropolitan	95.8	(0.6)	98.4	(0.3)	98.0	(0.6)	96.8	(0.5)	98.1	(0.8)
Micropolitan or neither	4.2	(0.6)	1.6	(0.3)	2.0	(0.6)	3.2	(0.5)	*	*
Ownership (percent distribution):										
For-profit	48.4	(1.5)	90.2	(0.8)	81.5	(1.7)	83.3	(1.1)	90.3	(1.9)
Not-for-profit, government, or other	51.6	(1.5)	9.8	(0.8)	18.5	(1.7)	16.7	(1.1)	*	*
Number of people served (percent distribution): ³										
Category 1	26.9	(1.3)	37.8	(1.4)	35.2	(2.1)	5.5	(0.7)	84.9	(1.0)
Category 2	62.7	(1.4)	31.6	(1.4)	19.9	(1.8)	69.3	(1.3)	11.7	(1.1)
Category 3	10.4	(0.9)	30.6	(1.4)	25.0	(1.9)	25.2	(1.2)	*	*
Missing	19.9	(1.8)
Certification (percentage):										
Medicare-certified	97.2	(0.5)	---	---	95.7	(0.6)
Medicaid-certified	37.4	(1.4)	92.0	(0.8)	---	---	94.9	(0.6)	11.6	(2.2)
Chain-affiliated (percentage)	52.6	(1.5)	---	---	---	---	49.0	(1.4)	56.8	(3.3)
Staffing⁴										
Number of nursing and social work staff employee FTEs	5,699	(218)	11,231	(464)	7,314	(566)	77,597	(2,442)	32,250	(2,209)
Nursing and social work employee FTEs (percent distribution):										
Registered nurse	15.2	(0.6)	53.2	(1.0)	46.1	(0.9)	13.1	(0.2)	3.2	(0.6)
Licensed practical nurse or licensed vocational nurse	8.3	(0.4)	30.4	(1.0)	13.3	(0.7)	21.7	(0.2)	8.1	(1.3)
Aide	56.3	(1.3)	12.8	(0.6)	27.0	(0.8)	63.9	(0.3)	88.0	(1.4)
Social worker	20.2	(0.7)	3.5	(0.2)	13.5	(0.4)	1.2	(0.0)	0.7	(0.2)
Providers with one or more employee FTEs (percentage):										
Registered nurse	39.6	(1.5)	100.0	(0.0)	100.0	(0.0)	98.4	(0.4)	16.2	(2.4)
Licensed practical nurse or licensed vocational nurse	31.6	(1.4)	87.6	(0.9)	83.5	(1.7)	95.3	(0.6)	16.8	(1.9)
Aide	46.8	(1.5)	95.7	(0.6)	96.0	(0.9)	98.5	(0.3)	64.7	(3.3)

Table 5. Providers and Users of Long-Term Care Services in California, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Social worker	43.2	(1.5)	47.4	(1.4)	98.8	(0.5)	60.7	(1.4)	*	*
Activities staff	85.1	(1.1)	---	---	---	---	95.9	(0.6)	39.9	(3.0)
Employee hours per resident or participant per day:										
Registered nurse	0.1	(0.0)	---	---	---	---	0.6	(0.0)	0.1	(0.0)
Licensed practical nurse or licensed vocational nurse	0.1	(0.0)	---	---	---	---	0.9	(0.0)	0.1	(0.0)
Aide	0.5	(0.1)	---	---	---	---	2.6	(0.0)	1.8	(0.2)
Social worker	0.1	(0.0)	---	---	---	---	0.1	(0.0)	*0.0	(0.0)
Activities staff	0.8	(0.0)	---	---	---	---	0.2	(0.0)	0.4	(0.1)
Service provided										
Social work (percentage)	48.9	(1.5)	96.0	(0.6)	100.0	(0.0)	83.5	(1.1)	41.1	(3.3)
Mental health or counseling (percentage)	41.2	(1.5)	---	---	97.8	(0.7)	79.7	(1.2)	41.0	(3.3)
Therapy (physical, occupational, or speech) (percentage)	48.1	(1.5)	96.1	(0.5)	98.4	(0.6)	98.2	(0.4)	61.8	(3.3)
Skilled nursing or nursing (percentage)	41.9	(1.5)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	42.7	(3.4)
Pharmacy or pharmacist (percentage)	19.2	(1.2)	13.1	(0.9)	---	---	98.6	(0.3)	77.9	(2.9)
Hospice (percentage)	4.2	(0.6)	1.8	(0.4)	---	---	70.4	(1.3)	57.5	(3.4)
Dental (percentage)	6.7	(0.8)	---	---	94.5	(0.7)	53.5	(3.4)
Podiatrist (percentage)	12.8	(1.0)	---	---	---	---	94.7	(0.6)	69.3	(3.2)
Practices										
Depression screening (percentage)	78.7	(1.2)	94.0	(0.7)	---	---	---	---	81.4	(2.6)
Special care										
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	---	---	3.6	(0.5)	17.7	(2.3)

Table 5. Providers and Users of Long-Term Care Services in California, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Service users										
Number of users ²	91,000	(2,300)	432,700	(27,800)	121,200	(10,300)	102,200	(3,300)	101,700	(3,900)
Age in years (percent distribution):										
Under 65	44.4	(1.5)	13.7	(0.7)	3.9	(0.1)	19.5	(0.6)	4.2	(0.6)
65 and over	55.6	(1.5)	86.3	(0.7)	96.1	(0.1)	80.5	(0.6)	95.7	(0.6)
65–74	14.0	(0.6)	25.8	(0.3)	14.5	(0.3)	18.1	(0.3)	12.2	(1.2)
75–84	26.1	(0.9)	31.7	(0.3)	28.5	(0.3)	25.9	(0.3)	30.3	(1.7)
85 and over	15.4	(0.7)	28.8	(0.5)	53.1	(0.6)	36.5	(0.6)	53.2	(2.3)
Sex (percent distribution):										
Men	44.4	(0.5)	39.9	(0.2)	40.6	(0.3)	38.0	(0.4)	30.2	(1.2)
Women	55.6	(0.5)	60.1	(0.2)	59.4	(0.3)	62.0	(0.4)	69.9	(1.2)
Race and ethnicity (percent distribution):										
Hispanic	20.2	(0.9)	19.0	(0.6)	12.7	(0.6)	17.6	(0.5)	6.7	(0.7)
Non-Hispanic white	40.1	(1.4)	60.9	(1.0)	75.4	(0.9)	57.3	(0.8)	70.7	(3.0)
Non-Hispanic black	7.4	(0.5)	7.6	(0.3)	4.9	(0.3)	11.0	(0.4)	3.3	(0.5)
Non-Hispanic other	32.3	(1.5)	12.5	(0.7)	7.0	(0.4)	14.0	(0.6)	19.4	(3.1)
Used Medicaid for long-term care services (percent distribution)	40.0	(1.9)	11.8	(0.8)	---	---	66.9	(0.7)	3.4	(1.0)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	25.4	(1.0)	33.0	(0.3)	33.4	(0.8)	41.2	(0.6)	40.4	(3.2)
Diagnosed with depression	27.6	(1.1)	36.1	(0.4)	14.5	(0.4)	35.1	(0.4)	20.5	(2.2)
Diagnosed with diabetes	27.4	(0.9)	47.4	(0.5)	19.2	(0.5)	35.0	(0.3)	14.3	(1.1)
Need assistance in physical functioning (percentage):										
Eating	25.2	(1.0)	67.9	(1.2)	---	---	66.1	(0.9)	24.1	(1.9)
Bathing	53.3	(1.4)	96.4	(0.4)	---	---	96.4	(0.4)	69.1	(2.3)
Dressing	45.8	(1.3)	89.9	(0.8)	---	---	93.6	(0.5)	57.3	(2.6)
Toileting	36.2	(1.3)	77.6	(1.3)	---	---	90.5	(0.6)	50.6	(2.5)
Transferring in and out of a chair or bed	33.8	(1.4)	89.1	(0.8)	---	---	88.6	(0.6)	38.0	(2.1)
Walking	34.3	(1.4)	94.6	(0.5)	---	---	91.4	(0.6)	38.4	(2.3)
Adverse events (percentage):										
Overnight hospital stay	4.7	(0.3)	12.8	(0.2)	---	---	---	---	6.8	(0.6)
Emergency department visit	5.5	(0.3)	11.5	(0.2)	---	---	---	---	12.8	(1.1)

Table 5. Providers and Users of Long-Term Care Services in California, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Falls	8.7	(0.6)	0.3	(0.0)	---	---	11.1	(0.2)	12.9	(1.2)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 6. Providers and Users of Long-Term Care Services in Colorado, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers ¹	80	(1)	200	(13)	60	(8)	200	(15)	400	(6)
Number of beds or licensed maximum capacity ²	4,800	(600)	20,400	(1,500)	14,600	(700)
Average capacity	64	(7.7)	---	---	---	---	95	(3.0)	33	(1.4)
Average number of people served	25	(2.7)	---	---	---	---	76	(2.5)	27	(1.3)
Metropolitan statistical area status (percent distribution):										
Metropolitan	90.0	(2.8)	80.8	(3.0)	73.3	(5.7)	74.3	(3.0)	85.4	(2.8)
Micropolitan or neither	10.0	(2.8)	19.2	(3.0)	26.7	(5.7)	25.7	(3.0)	*	*
Ownership (percent distribution):										
For-profit	44.1	(4.9)	70.7	(3.5)	55.0	(6.4)	76.2	(2.9)	85.3	(3.0)
Not-for-profit, government, or other	55.9	(4.9)	29.3	(3.5)	45.0	(6.4)	23.8	(2.9)	*	*
Number of people served (percent distribution): ³										
Category 1	*	*	33.5	(3.7)	36.2	(6.3)	6.5	(1.7)	67.1	(1.6)
Category 2	*	*	24.0	(3.3)	36.2	(6.3)	72.9	(3.0)	*	*
Category 3	*	*	30.5	(3.6)	27.6	(5.9)	20.6	(2.8)	*	*
Missing	12.0	(2.5)
Certification (percentage):										
Medicare-certified	100.0	(0.0)	---	---	94.9	(1.5)
Medicaid-certified	†	(†)	96.4	(1.4)	---	---	86.9	(2.3)	64.0	(4.5)
Chain-affiliated (percentage)	30.6	(4.6)	---	---	---	---	67.8	(3.2)	*	*
Staffing⁴										
Number of nursing and social work staff employee FTEs	246	(26)	2,238	(266)	1,126	(253)	12,227	(925)	4,915	(387)
Nursing and social work employee FTEs (percent distribution):										
Registered nurse	21.8	(2.0)	47.0	(2.8)	49.4	(2.1)	16.8	(0.5)	*2.9	(1.2)
Licensed practical nurse or licensed vocational nurse	7.7	(1.4)	10.5	(1.3)	5.0	(0.9)	18.9	(0.5)	5.6	(1.3)
Aide	62.7	(3.4)	40.0	(3.4)	33.4	(1.8)	62.3	(0.4)	90.8	(1.7)
Social worker	7.8	(2.4)	2.4	(0.3)	12.3	(1.5)	2.1	(0.1)	*0.6	(0.2)
Providers with one or more employee FTEs (percentage):										
Registered nurse	78.2	(4.2)	†	(†)	†	(†)	100.0	(0.0)	*	*
Licensed practical nurse or licensed vocational nurse	28.1	(4.7)	60.5	(3.8)	51.7	(6.5)	†	(†)	*	*

Table 6. Providers and Users of Long-Term Care Services in Colorado, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	†	(†)		()	†	(†)		()		()
Aide	†	(†)	95.8	(1.6)	†	(†)	100.0	(0.0)	88.3	(3.0)
Social worker	18.3	(4.1)	58.7	(3.8)	†	(†)	79.9	(2.7)	*	*
Activities staff	85.5	(3.6)	---	---	---	---	95.8	(1.4)	57.4	(4.3)
Employee hours per resident or participant per day:										
Registered nurse	0.5	(0.1)	---	---	---	---	0.8	(0.1)	0.1	(0.0)
Licensed practical nurse or licensed vocational nurse	0.1	(0.0)	---	---	---	---	0.7	(0.0)	0.1	(0.0)
Aide	1.1	(0.1)	---	---	---	---	2.5	(0.1)	2.0	(0.1)
Social worker	0.1	(0.0)	---	---	---	---	0.1	(0.0)	*0.0	(0.0)
Activities staff	0.8	(0.1)	---	---	---	---	0.2	(0.0)	0.4	(0.1)
Service provided										
Social work (percentage)	15.7	(3.8)	74.3	(3.4)	100.0	(0.0)	96.3	(1.3)	51.5	(5.0)
Mental health or counseling (percentage)	16.0	(3.8)	---	---	†	(†)	89.7	(2.1)	51.5	(5.0)
Therapy (physical, occupational, or speech) (percentage)	32.6	(5.0)	95.8	(1.6)	†	(†)	†	(†)	*	*
Skilled nursing or nursing (percentage)	52.0	(5.3)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	58.5	(4.9)
Pharmacy or pharmacist (percentage)	*	*	4.8	(1.7)	---	---	†	(†)	*	*
Hospice (percentage)	*	*	4.8	(1.7)	---	---	80.4	(2.7)	*	*
Dental (percentage)	11.8	(3.4)	---	---	88.3	(2.2)	55.8	(5.0)
Podiatrist (percentage)	25.2	(4.6)	---	---	---	---	88.8	(2.2)	*	*
Practices										
Depression screening (percentage)	68.7	(4.8)	91.1	(2.4)	---	---	---	---	80.5	(3.9)
Special care										
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	---	---	25.7	(3.0)	*	*

Table 6. Providers and Users of Long-Term Care Services in Colorado, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Service users										
Number of users ²	3,800	(300)	56,200	(9,600)	18,500	(4,100)	16,200	(1,200)	12,200	(600)
Age in years (percent distribution):										
Under 65	37.7	(5.1)	16.2	(1.1)	5.3	(0.3)	14.8	(1.1)	7.7	(1.7)
65 and over	62.3	(5.1)	83.8	(1.1)	94.7	(0.3)	85.2	(1.1)	92.3	(1.7)
65–74	22.7	(3.2)	25.2	(0.7)	16.4	(0.7)	16.0	(0.6)	10.4	(1.3)
75–84	24.8	(2.9)	31.5	(0.6)	29.2	(0.5)	26.6	(0.5)	25.3	(2.5)
85 and over	14.8	(1.8)	27.0	(1.1)	49.1	(1.3)	42.6	(1.3)	56.6	(3.2)
Sex (percent distribution):										
Men	42.2	(1.5)	37.1	(0.5)	41.4	(0.9)	34.7	(1.1)	30.2	(1.1)
Women	57.8	(1.5)	62.9	(0.5)	58.6	(0.9)	65.3	(1.1)	69.8	(1.1)
Race and ethnicity (percent distribution):										
Hispanic	9.7	(1.8)	9.5	(0.7)	8.1	(1.1)	9.6	(0.6)	4.8	(1.1)
Non-Hispanic white	71.5	(3.4)	84.6	(0.8)	87.7	(1.4)	81.7	(1.0)	80.9	(4.2)
Non-Hispanic black	5.8	(0.9)	3.5	(0.4)	2.5	(0.6)	4.8	(0.6)	1.6	(0.4)
Non-Hispanic other	13.0	(3.4)	2.4	(0.2)	1.7	(0.1)	3.9	(0.4)	*12.6	(4.2)
Used Medicaid for long-term care services (percent distribution)	54.7	(6.1)	11.9	(1.7)	---	---	60.2	(1.6)	20.9	(3.2)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	26.9	(3.6)	30.9	(1.6)	38.3	(2.3)	49.7	(1.1)	43.1	(3.8)
Diagnosed with depression	34.0	(4.6)	39.7	(0.9)	20.1	(1.0)	45.6	(0.8)	27.9	(3.6)
Diagnosed with diabetes	20.7	(2.4)	33.2	(0.6)	18.1	(1.0)	26.6	(0.5)	15.3	(1.7)
Need assistance in physical functioning (percentage):										
Eating	13.7	(2.1)	41.5	(1.7)	---	---	55.1	(2.2)	17.7	(2.5)
Bathing	22.9	(3.2)	93.9	(0.6)	---	---	96.5	(0.5)	62.7	(4.4)
Dressing	27.4	(4.0)	79.1	(2.0)	---	---	88.4	(0.9)	47.0	(4.3)
Toileting	23.7	(2.7)	59.5	(3.0)	---	---	85.1	(1.0)	32.4	(4.0)
Transferring in and out of a chair or bed	17.4	(2.1)	82.2	(1.5)	---	---	81.9	(1.2)	18.8	(3.3)
Walking	21.6	(3.8)	92.2	(0.7)	---	---	90.0	(0.8)	22.6	(3.5)
Adverse events (percentage):										
Overnight hospital stay	2.2	(0.4)	12.9	(0.8)	---	---	---	---	7.9	(0.8)

Table 6. Providers and Users of Long-Term Care Services in Colorado, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Emergency department visit	3.7	(0.5)	13.9	(0.6)	---	---	---	---	11.6	(1.1)
Falls	6.9	(1.3)	0.3	(0.0)	---	---	22.1	(0.6)	21.9	(2.5)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 7. Providers and Users of Long-Term Care Services in Connecticut, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Organization	Number or percent (standard error)									
Number of providers ¹	50	(0.0)	90	(10)	30	(6)	200	(15)	60	(1)
Number of beds or licensed maximum capacity ²	2,300	(100)	27,700	(2,000)	1,700	(100)
Average capacity	50	(3.0)	---	---	---	---	121	(3.9)	28	(1.7)
Average number of people served	33	(3.4)	---	---	---	---	106	(3.6)	25	(1.6)
Metropolitan statistical area status (percent distribution):										
Metropolitan	†	(†)	94.4	(2.4)	*	*	93.4	(1.6)	87.4	(3.4)
Micropolitan or neither	*	*	5.6	(2.4)	*	*	6.6	(1.6)	12.6	(3.4)
Ownership (percent distribution):										
For-profit	33.8	(4.9)	56.7	(5.2)	25.8	(7.9)	80.3	(2.6)	49.5	(6.0)
Not-for-profit, government, or other	66.2	(4.9)	43.3	(5.2)	74.2	(7.9)	19.7	(2.6)	50.5	(6.0)
Number of people served (percent distribution): ³										
Category 1	*	*	16.5	(4.0)	29.0	(8.2)	*	*	67.8	(3.3)
Category 2	*	*	31.8	(5.0)	35.5	(8.6)	*	*	32.2	(3.3)
Category 3	*	*	51.8	(5.4)	35.5	(8.6)	*	*	-	-
Certification (percentage):										
Medicare-certified	100.0	(0.0)	---	---	100.0	(0.0)
Medicaid-certified	78.7	(4.2)	11.1	(3.3)	---	---	95.2	(1.4)	†	(†)
Chain-affiliated (percentage)	25.8	(4.6)	---	---	---	---	51.5	(3.3)	26.3	(5.5)
Staffing⁴										
Number of nursing and social work staff employee FTEs	206	(11)	2,382	(328)	541	(148)	17,638	(1,264)	500	(59)
Nursing and social work employee FTEs (percent distribution):										
Registered nurse	16.6	(1.7)	48.1	(2.7)	45.4	(3.7)	13.5	(0.3)	13.5	(3.0)
Licensed practical nurse or licensed vocational nurse	16.9	(1.8)	11.0	(1.5)	7.1	(1.6)	20.4	(0.4)	7.5	(2.0)
Aide	56.9	(1.6)	39.0	(3.2)	36.0	(3.1)	64.1	(0.4)	75.3	(3.7)
Social worker	9.6	(1.2)	1.9	(0.2)	11.5	(1.1)	2.0	(0.1)	3.6	(0.6)
Providers with one or more employee FTEs (percentage):										
Registered nurse	63.6	(5.1)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	46.1	(6.4)
Licensed practical nurse or licensed vocational nurse	55.8	(5.1)	70.0	(4.8)	54.8	(8.9)	†	(†)	24.9	(5.1)
Aide	*	*	†	(†)	100.0	(0.0)	100.0	(0.0)	78.0	(5.3)

Table 7. Providers and Users of Long-Term Care Services in Connecticut, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Social worker	50.4	(5.2)	72.2	(4.7)	100.0	(0.0)	93.9	(1.6)	38.3	(6.1)
Activities staff	100.0	(0.0)	---	---	---	---	78.6	(2.7)	71.7	(5.4)
Employee hours per resident or participant per day:										
Registered nurse	0.2	(0.0)	---	---	---	---	0.6	(0.0)	0.4	(0.2)
Licensed practical nurse or licensed vocational nurse	0.2	(0.0)	---	---	---	---	0.7	(0.0)	0.1	(0.0)
Aide	0.8	(0.1)	---	---	---	---	2.4	(0.0)	1.3	(0.1)
Social worker	0.2	(0.0)	---	---	---	---	0.1	(0.0)	0.1	(0.0)
Activities staff	0.7	(0.1)	---	---	---	---	0.1	(0.0)	0.2	(0.0)
Service provided										
Social work (percentage)	72.5	(4.7)	100.0	(0.0)	100.0	(0.0)	†	(†)	62.2	(5.4)
Mental health or counseling (percentage)	28.3	(4.8)	---	---	100.0	(0.0)	†	(†)	61.6	(5.7)
Therapy (physical, occupational, or speech) (percentage)	49.3	(5.3)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	61.8	(5.7)
Skilled nursing or nursing (percentage)	80.6	(4.3)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	55.7	(6.1)
Pharmacy or pharmacist (percentage)	27.0	(4.7)	*	*	---	---	95.6	(1.4)	*	*
Hospice (percentage)	*	*	*	*	79.5	(2.7)	20.8	(5.0)
Dental (percentage)	*	*	---	---	---	---	96.5	(1.2)	61.8	(5.7)
Podiatrist (percentage)	61.8	(5.2)	---	---	---	---	†	(†)	73.6	(5.3)
Practices										
Depression screening (percentage)	80.7	(4.2)	91.7	(3.0)	---	---	---	---	82.5	(4.8)
Special care										
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	---	---	17.0	(2.5)	*	*

Table 7. Providers and Users of Long-Term Care Services in Connecticut, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Service users										
Number of users ²	2,600	(200)	77,500	(15,400)	13,700	(3,900)	24,300	(1,800)	1,600	(100)
Age in years (percent distribution):										
Under 65	12.5	(3.9)	19.7	(1.4)	3.8	(0.2)	12.4	(1.0)	33.1	(4.4)
65 and over	87.4	(3.9)	80.3	(1.4)	96.2	(0.2)	87.6	(1.0)	66.9	(4.4)
65–74	25.0	(2.3)	20.5	(0.5)	13.6	(0.6)	13.3	(0.6)	15.5	(1.5)
75–84	34.6	(2.1)	29.0	(0.5)	26.8	(0.5)	24.9	(0.4)	17.6	(2.0)
85 and over	27.9	(2.0)	30.9	(1.2)	55.8	(1.0)	49.4	(1.4)	33.8	(4.2)
Sex (percent distribution):										
Men	35.9	(1.2)	38.5	(0.3)	39.0	(0.6)	31.2	(0.8)	36.1	(2.7)
Women	64.1	(1.2)	61.5	(0.3)	61.0	(0.6)	68.8	(0.8)	63.9	(2.7)
Race and ethnicity (percent distribution):										
Hispanic	13.5	(2.2)	4.9	(0.5)	3.2	(0.4)	4.1	(0.5)	4.3	(1.0)
Non-Hispanic white	66.9	(2.8)	86.1	(1.2)	90.8	(1.0)	82.5	(1.3)	72.1	(5.7)
Non-Hispanic black	15.4	(1.9)	7.1	(0.8)	4.7	(0.7)	8.8	(0.9)	8.0	(2.0)
Non-Hispanic other	4.2	(0.8)	2.0	(0.1)	1.3	(0.1)	4.6	(0.6)	15.6	(6.4)
Used Medicaid for long-term care services (percent distribution)	49.9	(4.0)	17.4	(1.6)	---	---	68.6	(1.0)	78.8	(4.0)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	51.3	(3.4)	32.3	(1.1)	52.9	(2.6)	55.6	(0.9)	22.3	(3.3)
Diagnosed with depression	22.3	(1.8)	37.7	(0.5)	29.3	(1.1)	49.2	(0.8)	30.4	(2.8)
Diagnosed with diabetes	30.6	(2.6)	39.2	(0.6)	27.1	(0.6)	29.2	(0.6)	24.4	(1.8)
Need assistance in physical functioning (percentage):										
Eating	23.4	(2.0)	45.1	(2.4)	---	---	44.4	(1.4)	7.9	(2.9)
Bathing	38.0	(3.2)	91.3	(1.4)	---	---	94.5	(0.5)	38.5	(4.3)
Dressing	32.1	(2.8)	78.5	(2.4)	---	---	90.1	(0.6)	13.4	(4.3)
Toileting	30.7	(2.5)	58.2	(3.0)	---	---	83.2	(0.8)	12.0	(4.2)
Transferring in and out of a chair or bed	18.7	(1.9)	78.8	(1.9)	---	---	79.4	(0.9)	9.3	(4.4)
Walking	28.1	(2.5)	88.0	(1.4)	---	---	86.9	(0.8)	18.6	(4.7)
Adverse events (percentage):										
Overnight hospital stay	6.3	(0.6)	19.8	(1.0)	---	---	---	---	10.6	(1.4)

Table 7. Providers and Users of Long-Term Care Services in Connecticut, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Emergency department visit	6.4	(0.7)	18.9	(0.6)	---	---	---	---	15.7	(1.6)
Falls	7.1	(0.6)	0.1	(0.0)	---	---	16.0	(0.4)	9.9	(1.6)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 8. Providers and Users of Long-Term Care Services in Delaware, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Organization	Number or percent (standard error)									
Number of providers ¹	10	(0.0)	20	(5)	10	(3)	50	(7)	30	(2)
Number of beds or licensed maximum capacity ²	600	(0)	4,900	(800)	2,100	(200)
Average capacity	46	(2.4)	---	---	---	---	106	(6.4)	60	(4.0)
Average number of people served	30	(2.3)	---	---	---	---	94	(6.0)	50	(3.7)
Metropolitan statistical area status (percent distribution):										
Metropolitan	*	*	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	74.4	(7.3)
Micropolitan or neither	*	*	-	-	-	-	-	-	25.6	(7.3)
Ownership (percent distribution):										
For-profit	*	*	69.6	(9.6)	*	*	65.2	(7.0)	45.2	(7.8)
Not-for-profit, government, or other	†	(†)	30.4	(9.6)	*	*	34.8	(7.0)	54.8	(7.8)
Number of people served (percent distribution): ³										
Category 1	*	*	*	*	-	-	*	*	*	*
Category 2	*	*	*	*	*	*	*	*	*	*
Category 3	-	-	*	*	*	*	*	*	*	*
Missing	*	*
Certification (percentage):										
Medicare-certified	100.0	(0.0)	---	---	89.1	(4.6)
Medicaid-certified	100.0	(0.0)	100.0	(0.0)	---	---	93.5	(3.7)	50.2	(8.6)
Chain-affiliated (percentage)	49.5	(8.0)	---	---	---	---	63.0	(7.2)	72.1	(5.4)
Staffing⁴										
Number of nursing and social work staff employee FTEs	62	(4)	535	(152)	278	(134)	3,274	(526)	774	(75)
Nursing and social work employee FTEs (percent distribution):										
Registered nurse	6.5	(1.7)	53.2	(8.2)	44.9	(5.5)	16.9	(1.0)	7.1	(0.6)
Licensed practical nurse or licensed vocational nurse	25.4	(1.5)	13.0	(5.2)	8.8	(3.2)	22.3	(1.0)	23.7	(1.4)
Aide	59.6	(2.4)	31.8	(7.8)	33.9	(3.4)	59.2	(1.4)	68.3	(1.4)
Social worker	8.5	(1.4)	2.0	(0.7)	12.4	(0.7)	1.6	(0.1)	1.0	(0.3)
Providers with one or more employee FTEs (percentage):										
Registered nurse	*	*	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)
Licensed practical nurse or licensed vocational nurse	100.0	(0.0)	56.5	(10.3)	*	*	100.0	(0.0)	†	(†)

Table 8. Providers and Users of Long-Term Care Services in Delaware, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Aide	100.0	(0.0)	†	(†)	*	*	100.0	(0.0)	100.0	(0.0)
Social worker	*	*	47.8	(10.4)	100.0	(0.0)	80.4	(5.8)	*	*
Activities staff	100.0	(0.0)	---	---	---	---	†	(†)	†	(†)
Employee hours per resident or participant per day:										
Registered nurse	0.1	(0.0)	---	---	---	---	0.7	(0.0)	0.2	(0.0)
Licensed practical nurse or licensed vocational nurse	0.3	(0.0)	---	---	---	---	0.8	(0.1)	0.5	(0.1)
Aide	0.6	(0.0)	---	---	---	---	2.4	(0.1)	1.8	(0.1)
Social worker	0.1	(0.0)	---	---	---	---	0.1	(0.0)	0.0	(0.0)
Activities staff	0.4	(0.1)	---	---	---	---	0.2	(0.0)	0.3	(0.0)
Service provided										
Social work (percentage)	*	*	60.9	(10.2)	100.0	(0.0)	†	(†)	39.5	(7.8)
Mental health or counseling (percentage)	*	*	---	---	100.0	(0.0)	†	(†)	71.9	(7.8)
Therapy (physical, occupational, or speech) (percentage)	*	*	*	*	100.0	(0.0)	100.0	(0.0)	*	*
Skilled nursing or nursing (percentage)	*	*	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	55.6	(8.6)
Pharmacy or pharmacist (percentage)	*	*	-	-	---	---	100.0	(0.0)	*	*
Hospice (percentage)	*	*	-	-	---	---	89.1	(4.6)	67.3	(7.8)
Dental (percentage)	*	*	---	---	---	---	82.6	(5.6)	*	*
Podiatrist (percentage)	*	*	---	---	---	---	†	(†)	*	*
Practices										
Depression screening (percentage)	†	(†)	*	*	---	---	---	---	*	*
Special care										
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	---	---	30.4	(6.8)	63.8	(7.3)

Table 8. Providers and Users of Long-Term Care Services in Delaware, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Service users										
Number of users ²	600	(0)	17,500	(6,900)	4,900	(1,900)	4,300	(700)	1,700	(200)
Age in years (percent distribution):										
Under 65	34.5	(5.2)	21.6	(1.6)	6.9	(0.3)	11.8	(1.5)	4.0	(1.2)
65 and over	65.7	(5.3)	78.4	(1.6)	93.1	(0.3)	88.2	(1.5)	96.0	(1.2)
65–74	21.2	(1.0)	28.1	(1.3)	18.0	(1.1)	15.2	(1.1)	7.8	(1.5)
75–84	29.0	(3.1)	30.2	(0.8)	31.4	(1.0)	28.4	(0.9)	40.1	(4.5)
85 and over	15.5	(2.6)	20.2	(1.6)	43.8	(2.0)	44.6	(2.1)	48.0	(4.9)
Sex (percent distribution):										
Men	37.9	(1.4)	39.9	(0.8)	43.8	(1.1)	31.9	(2.3)	35.5	(4.2)
Women	62.1	(1.4)	60.1	(0.8)	56.2	(1.1)	68.1	(2.3)	64.5	(4.2)
Race and ethnicity (percent distribution):										
Hispanic	4.1	(0.4)	1.9	(0.3)	1.5	(0.3)	1.5	(0.2)	1.2	(0.5)
Non-Hispanic white	56.0	(2.6)	78.2	(1.9)	85.0	(1.6)	74.4	(2.3)	94.0	(1.1)
Non-Hispanic black	37.6	(2.8)	18.1	(1.6)	11.9	(1.4)	19.8	(2.0)	3.6	(0.9)
Non-Hispanic other	2.3	(0.4)	1.7	(0.2)	1.7	(0.1)	4.1	(1.3)	1.3	(0.3)
Used Medicaid for long-term care services (percent distribution)	44.6	(4.2)	12.1	(1.5)	---	---	59.9	(2.8)	12.2	(2.3)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	50.8	(5.0)	27.6	(2.7)	48.6	(2.7)	52.0	(1.8)	42.5	(3.8)
Diagnosed with depression	15.6	(3.0)	37.2	(1.4)	26.1	(1.1)	48.8	(1.8)	27.8	(2.7)
Diagnosed with diabetes	25.7	(1.5)	46.7	(0.8)	33.9	(1.1)	31.1	(1.1)	17.2	(2.8)
Need assistance in physical functioning (percentage):										
Eating	40.4	(4.8)	53.6	(5.0)	---	---	51.5	(3.1)	18.9	(4.1)
Bathing	53.2	(5.7)	96.4	(1.0)	---	---	95.1	(0.7)	50.1	(3.7)
Dressing	53.6	(3.5)	89.0	(2.7)	---	---	91.2	(1.0)	37.1	(4.5)
Toileting	57.4	(2.5)	63.7	(4.6)	---	---	87.3	(1.3)	32.0	(3.9)
Transferring in and out of a chair or bed	30.4	(2.7)	88.4	(2.2)	---	---	84.2	(1.6)	20.9	(3.2)
Walking	39.8	(3.8)	94.7	(1.5)	---	---	90.5	(1.1)	14.9	(2.4)
Adverse events (percentage):										
Overnight hospital stay	4.7	(0.6)	13.7	(0.8)	---	---	---	---	8.9	(1.1)

Table 8. Providers and Users of Long-Term Care Services in Delaware, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Emergency department visit	6.5	(0.9)	12.9	(0.8)	---	---	---	---	15.1	(1.8)
Falls	7.9	(0.7)	0.1	(0.0)	---	---	18.6	(1.1)	33.6	(4.2)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 9. Providers and Users of Long-Term Care Services in the District of Columbia, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)							
Organization								
Number of providers ¹	30	(5)	10	(2)	20	(4)	10	(0.0)
Number of beds or licensed maximum capacity ²	2,700	(700)	700	(0)
Average capacity	---	---	---	---	142	(21.6)	56	(2.9)
Average number of people served	---	---	---	---	135	(21.5)	48	(0.6)
Metropolitan statistical area status (percent distribution):								
Metropolitan	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)
Micropolitan or neither	-	-	-	-	-	-	-	-
Ownership (percent distribution):								
For-profit	*	*	*	*	42.1	(11.3)	*	*
Not-for-profit, government, or other	*	*	*	*	57.9	(11.3)	*	*
Number of people served (percent distribution): ³								
Category 1	32.0	(9.3)	*	*	*	*	*	*
Category 2	20.0	(8.0)	*	*	*	*	*	*
Category 3	20.0	(8.0)	*	*	*	*	*	*
Missing	28.0	(9.0)
Certification (percentage):								
Medicare-certified	100.0	(0.0)	---	---	94.7	(5.3)
Medicaid-certified	96.0	(4.0)	---	---	100.0	(0.0)	*	*
Chain-affiliated (percentage)	---	---	---	---	31.6	(11.0)	*	*
Staffing⁴								
Number of nursing and social work staff employee FTEs	474	(110)	78	(48)	1,963	(512)	377	(68)
Nursing and social work employee FTEs (percent distribution):								
Registered nurse	34.4	(5.4)	41.8	(1.7)	14.4	(1.3)	7.0	(2.0)
Licensed practical nurse or licensed vocational nurse	25.8	(4.8)	12.7	(2.4)	20.0	(1.1)	19.3	(3.5)
Aide	37.2	(6.1)	31.3	(1.9)	63.9	(1.9)	72.1	(4.4)
Social worker	2.5	(0.8)	14.1	(1.9)	1.7	(0.2)	1.6	(0.5)
Providers with one or more employee FTEs (percentage):								
Registered nurse	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	*	*

Table 9. Providers and Users of Long-Term Care Services in the District of Columbia, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Home health agency		Hospice		Nursing home		Residential care community	
Licensed practical nurse or licensed vocational nurse	*	*	*	*	100.0	(0.0)	*	*
Aide	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	*	*
Social worker	*	*	100.0	(0.0)	*	*	*	*
Activities staff	---	---	---	---	†	(†)	*	*
Employee hours per resident or participant per day:								
Registered nurse	---	---	---	---	0.7	(0.1)	0.2	(0.1)
Licensed practical nurse or licensed vocational nurse	---	---	---	---	0.9	(0.1)	0.4	(0.0)
Aide	---	---	---	---	2.8	(0.2)	2.2	(0.7)
Social worker	---	---	---	---	0.1	(0.0)	0.0	(0.0)
Activities staff	---	---	---	---	0.2	(0.0)	0.7	(0.3)
Service provided								
Social work (percentage)	*	*	100.0	(0.0)	†	(†)	*	*
Mental health or counseling (percentage)	---	---	100.0	(0.0)	†	(†)	*	*
Therapy (physical, occupational, or speech) (percentage)	†	(†)	100.0	(0.0)	100.0	(0.0)	*	*
Skilled nursing or nursing (percentage)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	*	*
Pharmacy or pharmacist (percentage)	-	-	---	---	†	(†)	*	*
Hospice (percentage)	*	*	73.7	(10.1)	*	*
Dental (percentage)	---	---	---	---	100.0	(0.0)	*	*
Podiatrist (percentage)	---	---	---	---	100.0	(0.0)	*	*
Practices								
Depression screening (percentage)	*	*	---	---	---	---	*	*
Special care								
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	*	*	*	*

Table 9. Providers and Users of Long-Term Care Services in the District of Columbia, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Home health agency		Hospice		Nursing home		Residential care community	
Service users								
Number of users ²	5,700	(2,300)	1,500	(800)	2,600	(700)	600	(0)
Age in years (percent distribution):								
Under 65	20.2	(3.1)	5.7	(0.5)	20.6	(4.9)	1.5	(0.3)
65 and over	79.8	(3.1)	94.3	(0.5)	79.4	(4.9)	98.8	(0.3)
65–74	25.2	(0.9)	17.5	(1.2)	20.0	(1.9)	8.9	(1.7)
75–84	29.2	(1.4)	23.9	(1.0)	24.4	(1.6)	37.5	(8.3)
85 and over	25.5	(2.2)	52.9	(2.3)	35.0	(5.3)	52.4	(8.3)
Sex (percent distribution):								
Men	34.9	(0.8)	35.7	(1.0)	38.7	(4.2)	24.4	(1.6)
Women	65.1	(0.8)	64.3	(1.0)	61.3	(4.2)	75.6	(1.6)
Race and ethnicity (percent distribution):								
Hispanic	2.3	(0.4)	2.4	(0.3)	1.5	(0.5)	2.3	(0.4)
Non-Hispanic white	14.2	(2.6)	33.8	(1.0)	11.7	(3.6)	53.6	(8.4)
Non-Hispanic black	81.9	(2.8)	60.5	(1.1)	80.8	(4.5)	22.6	(5.1)
Non-Hispanic other	1.5	(0.1)	3.4	(0.3)	5.8	(3.2)	21.5	(12.6)
Used Medicaid for long-term care services (percent distribution)	19.8	(6.9)	---	---	80.8	(3.2)	7.3	(2.9)
Conditions (percentage):								
Diagnosed with Alzheimer's disease or other dementias	35.9	(1.9)	56.3	(4.3)	51.3	(4.1)	37.7	(8.4)
Diagnosed with depression	23.4	(1.0)	17.8	(1.4)	36.5	(1.9)	18.4	(5.5)
Diagnosed with diabetes	53.6	(1.5)	33.6	(1.2)	39.4	(2.2)	11.1	(2.1)
Need assistance in physical functioning (percentage):								
Eating	56.3	(5.3)	---	---	49.3	(3.3)	20.8	(6.8)
Bathing	95.4	(1.4)	---	---	92.1	(1.8)	68.7	(6.9)
Dressing	82.9	(3.9)	---	---	88.8	(2.0)	60.5	(7.4)
Toileting	64.4	(6.7)	---	---	83.1	(2.3)	38.0	(12.8)
Transferring in and out of a chair or bed	83.5	(2.5)	---	---	80.7	(2.7)	28.9	(8.3)
Walking	94.4	(1.3)	---	---	90.8	(0.9)	26.0	(8.4)
Adverse events (percentage):								

Table 9. Providers and Users of Long-Term Care Services in the District of Columbia, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Home health agency		Hospice		Nursing home		Residential care community	
Overnight hospital stay	14.8	(1.0)	---	---	---	---	10.0	(1.7)
Emergency department visit	10.1	(1.3)	---	---	---	---	14.0	(0.4)
Falls	0.3	(0.1)	---	---	12.1	(1.8)	15.0	(3.6)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 10 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For nursing homes and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

Estimates for adult day services centers are not presented because these estimates do not meet reliability or confidentiality standards.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 10. Providers and Users of Long-Term Care Services in Florida, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Organization										
	Number or percent (standard error)									
Number of providers ¹	200	(2)	1,300	(34)	40	(6)	700	(26)	2,400	(28)
Number of beds or licensed maximum capacity ²	11,300	(400)	83,100	(3,400)	75,100	(2,900)
Average capacity	52	(1.9)	---	---	---	---	121	(1.9)	32	(1.1)
Average number of people served	24	(1.1)	---	---	---	---	106	(1.7)	28	(1.7)
Metropolitan statistical area status (percent distribution):										
Metropolitan	96.1	(1.2)	98.6	(0.3)	†	(†)	94.6	(0.9)	96.6	(1.2)
Micropolitan or neither	3.9	(1.2)	1.4	(0.3)	*	*	5.4	(0.9)	*	*
Ownership (percent distribution):										
For-profit	51.6	(3.2)	93.6	(0.7)	22.0	(6.5)	72.6	(1.7)	85.0	(3.2)
Not-for-profit, government, or other	48.4	(3.2)	6.4	(0.7)	78.0	(6.5)	27.4	(1.7)	*	*
Number of people served (percent distribution): ³										
Category 1	63.8	(3.1)	40.4	(1.4)	-	-	2.6	(0.6)	69.6	(1.7)
Category 2	36.2	(3.1)	27.5	(1.3)	12.2	(5.1)	35.3	(1.8)	23.2	(2.1)
Category 3	-	-	32.0	(1.4)	87.8	(5.1)	62.1	(1.8)	*	*
Certification (percentage):										
Medicare-certified	95.3	(0.6)	---	---	99.7	(2.1)
Medicaid-certified	88.9	(2.0)	43.0	(1.4)	---	---	95.8	(0.8)	77.9	(2.1)
Chain-affiliated (percentage)	28.2	(3.0)	---	---	---	---	62.1	(1.8)	47.6	(4.3)
Staffing⁴										
Number of nursing and social work staff employee FTEs	935	(47)	12,254	(532)	2,549	(461)	58,889	(2,364)	22,671	(1,438)
Nursing and social work employee FTEs (percent distribution):										
Registered nurse	15.6	(1.5)	51.9	(1.1)	49.2	(1.8)	9.7	(0.2)	3.8	(0.6)
Licensed practical nurse or licensed vocational nurse	11.9	(1.1)	22.1	(0.8)	9.9	(1.1)	23.0	(0.2)	14.2	(1.4)
Aide	64.2	(1.9)	23.5	(1.2)	30.0	(1.7)	65.8	(0.2)	81.4	(1.7)
Social worker	8.4	(0.8)	2.5	(0.1)	10.9	(0.6)	1.5	(0.0)	*0.6	(0.2)
Providers with one or more employee FTEs (percentage):										
Registered nurse	53.6	(3.3)	99.5	(0.2)	100.0	(0.0)	†	(†)	31.1	(4.1)
Licensed practical nurse or licensed vocational nurse	46.3	(3.3)	79.9	(1.1)	†	(†)	†	(†)	39.8	(3.8)
Aide	83.1	(2.5)	80.3	(1.1)	100.0	(0.0)	99.1	(0.4)	81.4	(3.7)
Social worker	35.0	(3.2)	52.4	(1.4)	†	(†)	88.8	(1.2)	*	*

Table 10. Providers and Users of Long-Term Care Services in Florida, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Activities staff	81.0	(2.6)	---	---	---	---	97.1	(0.6)	55.2	(4.1)
Employee hours per resident or participant per day:										
Registered nurse	0.3	(0.0)	---	---	---	---	0.5	(0.0)	0.2	(0.1)
Licensed practical nurse or licensed vocational nurse	0.2	(0.0)	---	---	---	---	1.0	(0.0)	0.2	(0.1)
Aide	1.0	(0.1)	---	---	---	---	2.8	(0.0)	2.3	(0.3)
Social worker	0.2	(0.0)	---	---	---	---	0.1	(0.0)	*0.1	(0.1)
Activities staff	0.6	(0.1)	---	---	---	---	0.2	(0.0)	*0.7	(0.3)
Service provided										
Social work (percentage)	45.7	(3.3)	84.0	(1.0)	†	(†)	93.3	(1.0)	51.4	(4.6)
Mental health or counseling (percentage)	16.6	(2.5)	---	---	†	(†)	95.1	(0.8)	49.0	(4.6)
Therapy (physical, occupational, or speech) (percentage)	35.3	(3.2)	96.9	(0.5)	†	(†)	100.0	(0.0)	71.1	(4.1)
Skilled nursing or nursing (percentage)	61.5	(3.2)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	64.7	(4.3)
Pharmacy or pharmacist (percentage)	6.3	(1.6)	0.7	(0.2)	---	---	97.8	(0.6)	*	*
Hospice (percentage)	7.0	(1.7)	-	-	91.7	(1.0)	57.5	(4.6)
Dental (percentage)	5.4	(1.5)	---	---	---	---	89.6	(1.2)	50.0	(4.6)
Podiatrist (percentage)	31.2	(3.0)	---	---	---	---	96.2	(0.7)	76.1	(3.8)
Practices										
Depression screening (percentage)	85.3	(2.3)	94.5	(0.7)	---	---	---	---	79.8	(3.6)
Special care										
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	---	---	15.2	(1.4)	17.8	(2.6)

Table 10. Providers and Users of Long-Term Care Services in Florida, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Service users										
Number of users ²	7,600	(400)	443,300	(25,700)	116,100	(29,400)	73,100	(3,000)	66,900	(4,000)
Age in years (percent distribution):										
Under 65	11.2	(1.8)	12.2	(0.3)	5.1	(0.3)	13.6	(0.6)	4.2	(0.7)
65 and over	88.9	(1.8)	87.8	(0.3)	94.9	(0.3)	86.4	(0.6)	95.8	(0.7)
65–74	20.4	(1.5)	25.4	(0.3)	16.8	(0.6)	16.6	(0.3)	9.4	(1.2)
75–84	39.6	(1.6)	32.5	(0.2)	30.0	(0.4)	28.6	(0.3)	31.1	(3.0)
85 and over	28.8	(1.5)	30.0	(0.5)	48.0	(1.2)	41.3	(0.7)	55.4	(3.0)
Sex (percent distribution):										
Men	33.0	(1.1)	39.5	(0.2)	43.2	(0.7)	34.3	(0.5)	29.2	(1.3)
Women	67.0	(1.1)	60.5	(0.2)	56.8	(0.7)	65.7	(0.5)	70.8	(1.3)
Race and ethnicity (percent distribution):										
Hispanic	37.9	(2.9)	15.1	(0.9)	11.1	(3.0)	10.5	(0.9)	8.3	(1.6)
Non-Hispanic white	40.8	(2.8)	75.3	(1.0)	80.6	(3.8)	70.5	(1.1)	76.0	(3.9)
Non-Hispanic black	18.9	(1.8)	8.2	(0.3)	7.1	(0.9)	15.9	(0.7)	3.4	(0.6)
Non-Hispanic other	2.4	(0.4)	1.4	(0.0)	1.2	(0.1)	3.1	(0.2)	12.3	(3.5)
Used Medicaid for long-term care services (percent distribution)	33.2	(2.8)	1.3	(0.2)	---	---	57.3	(0.7)	14.0	(1.8)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	60.3	(2.7)	35.7	(0.5)	45.4	(0.7)	49.1	(0.6)	39.8	(3.7)
Diagnosed with depression	20.4	(2.2)	41.9	(0.4)	25.2	(0.5)	51.4	(0.5)	15.7	(1.8)
Diagnosed with diabetes	23.6	(1.3)	45.4	(0.4)	28.8	(0.7)	32.8	(0.4)	14.7	(1.4)
Need assistance in physical functioning (percentage):										
Eating	23.8	(1.8)	58.0	(0.9)	---	---	57.3	(1.0)	16.7	(2.0)
Bathing	38.0	(2.6)	97.2	(0.2)	---	---	97.1	(0.2)	61.9	(3.8)
Dressing	40.3	(2.5)	92.1	(0.5)	---	---	93.2	(0.3)	49.1	(3.6)
Toileting	50.5	(2.3)	78.9	(0.9)	---	---	89.8	(0.4)	41.4	(3.4)
Transferring in and out of a chair or bed	36.2	(2.6)	90.4	(0.5)	---	---	88.3	(0.4)	32.8	(3.2)
Walking	35.7	(2.5)	95.0	(0.3)	---	---	93.5	(0.3)	36.0	(3.1)
Adverse events (percentage):										
Overnight hospital stay	5.3	(0.4)	15.3	(0.4)	---	---	---	---	7.5	(0.9)
Emergency department visit	7.3	(0.6)	11.9	(0.3)	---	---	---	---	13.4	(1.7)

Table 10. Providers and Users of Long-Term Care Services in Florida, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice	Nursing home		Residential care community		
Falls	6.2	(0.5)	0.3	(0.0)	---	---	13.5	(0.2)	17.3	(2.0)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 11. Providers and Users of Long-Term Care Services in Georgia, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers ¹	90	(1)	100	(10)	200	(13)	400	(19)	900	(13)
Number of beds or licensed maximum capacity ²	4,700	(500)	39,900	(2,300)	25,200	(1,000)
Average capacity	52	(4.9)	---	---	---	---	112	(2.7)	27	(1.0)
Average number of people served	20	(1.4)	---	---	---	---	95	(2.2)	23	(1.0)
Metropolitan statistical area status (percent distribution):										
Metropolitan	76.4	(3.6)	75.0	(4.2)	80.5	(2.9)	63.0	(2.6)	69.4	(4.0)
Micropolitan or neither	23.6	(3.6)	25.0	(4.2)	19.5	(2.9)	37.0	(2.6)	30.6	(4.0)
Ownership (percent distribution):										
For-profit	60.0	(4.5)	70.4	(4.4)	80.5	(2.9)	65.5	(2.5)	83.3	(3.6)
Not-for-profit, government, or other	40.0	(4.5)	29.6	(4.4)	19.5	(2.9)	34.5	(2.5)	*	*
Number of people served (percent distribution): ³										
Category 1	73.1	(3.9)	*	*	31.1	(3.5)	2.5	(0.8)	67.8	(1.9)
Category 2	26.9	(3.9)	*	*	41.2	(3.7)	59.9	(2.6)	32.2	(1.9)
Category 3	-	-	*	*	27.7	(3.4)	37.5	(2.6)	-	-
Certification (percentage):										
Medicare-certified	100.0	(0.0)	---	---	99.2	(0.5)
Medicaid-certified	85.1	(3.2)	93.5	(2.4)	---	---	96.6	(1.0)	46.4	(3.8)
Chain-affiliated (percentage)	41.9	(4.3)	---	---	---	---	73.9	(2.3)	49.7	(4.4)
Staffing⁴										
Number of nursing and social work staff employee FTEs	510	(30)	2,036	(248)	3,544	(382)	23,438	(1,360)	9,128	(796)
Nursing and social work employee FTEs (percent distribution):										
Registered nurse	18.4	(1.5)	59.8	(1.5)	47.3	(1.1)	6.2	(0.2)	2.9	(0.6)
Licensed practical nurse or licensed vocational nurse	17.2	(1.4)	22.3	(1.5)	7.6	(0.6)	28.9	(0.3)	6.5	(0.9)
Aide	60.7	(2.3)	14.2	(1.1)	35.0	(1.1)	63.3	(0.4)	90.4	(1.0)
Social worker	3.7	(0.8)	3.6	(0.3)	10.2	(0.4)	1.6	(0.1)	*0.1	(0.1)
Providers with one or more employee FTEs (percentage):										
Registered nurse	79.6	(3.7)	100.0	(0.0)	100.0	(0.0)	96.4	(1.0)	31.4	(4.4)
Licensed practical nurse or licensed vocational nurse	74.8	(3.9)	90.7	(2.8)	60.0	(3.6)	†	(†)	35.1	(3.7)
Aide	†	(†)	†	(†)	†	(†)	†	(†)	82.5	(3.7)

Table 11. Providers and Users of Long-Term Care Services in Georgia, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Social worker	18.7	(3.5)	72.2	(4.3)	†	(†)	75.9	(2.3)	*	*
Activities staff	84.4	(3.3)	---	---	---	---	†	(†)	62.5	(4.2)
Employee hours per resident or participant per day:										
Registered nurse	0.5	(0.1)	---	---	---	---	0.3	(0.0)	0.1	(0.0)
Licensed practical nurse or licensed vocational nurse	1.0	(0.3)	---	---	---	---	1.1	(0.0)	0.2	(0.0)
Aide	1.7	(0.3)	---	---	---	---	2.2	(0.0)	2.1	(0.2)
Social worker	0.1	(0.0)	---	---	---	---	0.1	(0.0)	*0.0	(0.0)
Activities staff	0.8	(0.2)	---	---	---	---	0.1	(0.0)	0.3	(0.1)
Service provided										
Social work (percentage)	42.3	(4.4)	81.5	(3.7)	100.0	(0.0)	86.0	(1.8)	39.0	(4.7)
Mental health or counseling (percentage)	22.2	(3.7)	---	---	†	(†)	84.6	(1.9)	39.5	(4.7)
Therapy (physical, occupational, or speech) (percentage)	50.7	(4.7)	100.0	(0.0)	†	(†)	†	(†)	61.5	(4.4)
Skilled nursing or nursing (percentage)	80.2	(3.7)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	57.6	(4.7)
Pharmacy or pharmacist (percentage)	34.8	(4.3)	6.5	(2.4)	---	---	96.9	(0.9)	*	*
Hospice (percentage)	18.6	(3.5)	*	*	87.1	(1.8)	52.8	(4.5)
Dental (percentage)	26.0	(3.9)	---	---	---	---	86.0	(1.8)	38.3	(4.5)
Podiatrist (percentage)	26.3	(4.1)	---	---	---	---	91.3	(1.5)	56.0	(4.4)
Practices										
Depression screening (percentage)	81.8	(3.4)	100.0	(0.0)	---	---	---	---	87.5	(3.0)
Special care										
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	---	---	12.6	(1.8)	*	*

Table 11. Providers and Users of Long-Term Care Services in Georgia, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Service users										
Number of users ²	2,900	(200)	131,600	(19,200)	44,600	(4,700)	34,000	(1,900)	20,900	(1,000)
Age in years (percent distribution):										
Under 65	47.4	(3.4)	19.5	(0.6)	7.7	(0.3)	17.1	(0.8)	6.4	(0.9)
65 and over	52.6	(3.4)	80.5	(0.6)	92.3	(0.3)	82.9	(0.8)	93.6	(0.8)
65–74	21.2	(1.7)	27.2	(0.4)	20.3	(0.5)	19.8	(0.4)	10.6	(1.2)
75–84	19.6	(1.8)	30.7	(0.3)	31.3	(0.3)	28.5	(0.4)	31.3	(2.5)
85 and over	11.7	(1.3)	22.6	(0.7)	40.8	(0.8)	34.6	(0.8)	51.8	(3.1)
Sex (percent distribution):										
Men	38.3	(1.7)	36.4	(0.4)	40.6	(0.5)	31.9	(0.7)	26.8	(1.3)
Women	61.7	(1.7)	63.6	(0.4)	59.4	(0.5)	68.1	(0.7)	73.2	(1.3)
Race and ethnicity (percent distribution):										
Hispanic	1.8	(0.2)	1.2	(0.1)	1.0	(0.1)	0.6	(0.1)	0.7	(0.2)
Non-Hispanic white	30.2	(2.8)	74.4	(1.8)	77.2	(1.2)	64.0	(1.5)	88.3	(1.9)
Non-Hispanic black	66.4	(2.8)	23.0	(1.7)	20.8	(1.2)	33.4	(1.4)	8.1	(0.9)
Non-Hispanic other	1.6	(0.2)	1.4	(0.1)	1.0	(0.1)	2.0	(0.3)	*3.0	(1.5)
Used Medicaid for long-term care services (percent distribution)	67.0	(3.4)	7.4	(0.7)	---	---	70.8	(0.9)	11.0	(1.7)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	39.6	(3.4)	34.4	(1.0)	47.8	(1.1)	53.3	(0.7)	41.6	(3.6)
Diagnosed with depression	22.0	(3.1)	33.8	(0.5)	20.2	(0.4)	53.1	(0.7)	14.7	(2.5)
Diagnosed with diabetes	31.6	(2.0)	45.2	(0.5)	30.2	(0.4)	36.2	(0.4)	15.7	(1.0)
Need assistance in physical functioning (percentage):										
Eating	27.2	(1.9)	65.9	(1.7)	---	---	64.2	(1.4)	11.9	(1.7)
Bathing	38.2	(3.7)	98.3	(0.3)	---	---	96.9	(0.3)	56.2	(3.5)
Dressing	36.5	(2.9)	93.9	(0.8)	---	---	93.0	(0.4)	40.6	(3.3)
Toileting	49.4	(3.2)	83.0	(1.4)	---	---	88.9	(0.5)	32.0	(3.2)
Transferring in and out of a chair or bed	30.0	(2.2)	92.7	(0.8)	---	---	86.3	(0.6)	18.6	(2.2)
Walking	37.1	(3.2)	96.9	(0.3)	---	---	91.7	(0.5)	15.5	(3.1)
Adverse events (percentage):										
Overnight hospital stay	5.1	(0.5)	16.9	(0.5)	---	---	---	---	7.8	(1.1)

Table 11. Providers and Users of Long-Term Care Services in Georgia, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Emergency department visit	7.4	(0.6)	15.6	(0.4)	---	---	---	---	13.4	(1.6)
Falls	6.9	(0.7)	0.1	(0.0)	---	---	17.1	(0.4)	24.4	(2.9)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 12. Providers and Users of Long-Term Care Services in Hawaii, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers ¹	50	(1)	20	(4)	10	(3)	50	(7)	300	(3)
Number of beds or licensed maximum capacity ²	1,800	(100)	4,100	(700)	5,200	(700)
Average capacity	36	(3.1)	---	---	---	---	88	(9.8)	18	(2.3)
Average number of people served	22	(2.1)	---	---	---	---	79	(9.0)	17	(2.4)
Metropolitan statistical area status (percent distribution):										
Metropolitan	72.1	(5.7)	66.7	(12.2)	*	*	69.6	(6.8)	92.5	(2.2)
Micropolitan or neither	27.9	(5.7)	33.3	(12.2)	*	*	30.4	(6.8)	*	*
Ownership (percent distribution):										
For-profit	39.5	(6.4)	*	*	*	*	47.8	(7.4)	75.6	(3.5)
Not-for-profit, government, or other	60.5	(6.4)	*	*	*	*	52.2	(7.4)	*	*
Number of people served (percent distribution): ³										
Category 1	62.4	(6.2)	*	*	*	*	23.9	(6.3)	88.8	(1.0)
Category 2	37.6	(6.2)	*	*	*	*	47.8	(7.4)	*	*
Category 3	-	-	*	*	*	*	28.3	(6.6)	*	*
Certification (percentage):										
Medicare-certified	100.0	(0.0)	---	---	100.0	(0.0)
Medicaid-certified	54.9	(6.4)	93.3	(6.7)	---	---	95.7	(3.0)	58.4	(4.3)
Chain-affiliated (percentage)	46.2	(6.4)	---	---	---	---	58.7	(7.3)	*	*
Staffing⁴										
Number of nursing and social work staff employee FTEs	249	(29)	134	(43)	223	(112)	2,668	(472)	2,051	(278)
Nursing and social work employee FTEs (percent distribution):										
Registered nurse	7.3	(1.5)	64.6	(5.0)	47.8	(3.9)	19.0	(1.7)	13.8	(1.6)
Licensed practical nurse or licensed vocational nurse	5.0	(0.9)	3.7	(3.0)	10.7	(1.8)	12.2	(1.5)	8.5	(1.5)
Aide	79.7	(1.6)	24.9	(4.3)	29.4	(2.1)	66.9	(1.8)	76.2	(2.9)
Social worker	8.1	(1.0)	6.7	(1.6)	12.1	(1.2)	1.9	(0.2)	1.5	(0.4)
Providers with one or more employee FTEs (percentage):										
Registered nurse	32.6	(6.1)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	45.5	(4.3)
Licensed practical nurse or licensed vocational nurse	25.0	(5.9)	*	*	*	*	87.0	(5.0)	*	*
Aide	*	*	†	(†)	100.0	(0.0)	†	(†)	69.3	(4.1)

Table 12. Providers and Users of Long-Term Care Services in Hawaii, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Social worker	47.5	(6.5)	*	*	100.0	(0.0)	76.1	(6.3)	*	*
Activities staff	81.8	(5.0)	---	---	---	---	100.0	(0.0)	33.4	(3.8)
Employee hours per resident or participant per day:										
Registered nurse	0.2	(0.1)	---	---	---	---	1.3	(0.2)	0.5	(0.1)
Licensed practical nurse or licensed vocational nurse	0.1	(0.0)	---	---	---	---	0.6	(0.2)	*0.2	(0.1)
Aide	1.8	(0.4)	---	---	---	---	3.2	(0.4)	2.2	(0.2)
Social worker	0.2	(0.1)	---	---	---	---	0.1	(0.0)	*0.0	(0.0)
Activities staff	0.6	(0.1)	---	---	---	---	0.4	(0.1)	0.4	(0.1)
Service provided										
Social work (percentage)	43.3	(6.6)	*	*	100.0	(0.0)	100.0	(0.0)	33.3	(4.3)
Mental health or counseling (percentage)	*	*	---	---	100.0	(0.0)	56.5	(7.3)	35.9	(4.3)
Therapy (physical, occupational, or speech) (percentage)	36.1	(6.5)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	46.6	(4.7)
Skilled nursing or nursing (percentage)	44.7	(6.6)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	49.4	(4.8)
Pharmacy or pharmacist (percentage)	*	*	*	*	---	---	100.0	(0.0)	60.7	(4.4)
Hospice (percentage)	*	*	-	-	56.5	(7.3)	39.2	(4.4)
Dental (percentage)	*	*	---	---	---	---	89.1	(4.6)	47.2	(4.6)
Podiatrist (percentage)	*	*	---	---	---	---	76.1	(6.3)	44.2	(4.6)
Practices										
Depression screening (percentage)	66.0	(6.0)	*	*	---	---	---	---	80.0	(3.6)
Special care										
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	---	---	*	*	*	*

Table 12. Providers and Users of Long-Term Care Services in Hawaii, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Service users										
Number of users ²	1,600	(200)	6,700	(2,400)	4,700	(2,000)	3,700	(700)	4,800	(700)
Age in years (percent distribution):										
Under 65	6.5	(1.9)	11.9	(1.5)	3.5	(0.4)	11.4	(1.5)	*4.7	(1.7)
65 and over	93.5	(1.9)	88.1	(1.5)	96.5	(0.4)	88.6	(1.5)	95.3	(1.7)
65–74	10.0	(2.4)	20.8	(1.2)	14.9	(1.3)	12.5	(1.0)	7.9	(1.0)
75–84	29.6	(2.5)	30.7	(0.9)	25.5	(1.1)	23.6	(0.8)	22.4	(3.6)
85 and over	53.9	(4.1)	36.6	(1.4)	56.1	(2.4)	52.5	(2.3)	65.0	(2.6)
Sex (percent distribution):										
Men	22.2	(1.3)	41.1	(0.7)	42.8	(1.2)	34.4	(1.7)	32.3	(2.4)
Women	77.8	(1.3)	58.9	(0.7)	57.2	(1.2)	65.6	(1.7)	67.7	(2.4)
Race and ethnicity (percent distribution):										
Hispanic	3.4	(1.0)	5.3	(0.4)	4.1	(0.5)	2.2	(0.3)	*0.3	(0.2)
Non-Hispanic white	8.4	(1.2)	29.6	(4.1)	27.3	(3.2)	22.7	(2.1)	20.8	(4.3)
Non-Hispanic black	0.3	(0.1)	0.7	(0.2)	0.5	(0.1)	0.6	(0.1)	0.5	(0.1)
Non-Hispanic other	87.9	(1.5)	64.4	(4.4)	68.1	(3.4)	74.5	(2.3)	78.6	(4.2)
Used Medicaid for long-term care services (percent distribution)	15.6	(2.9)	11.1	(2.2)	---	---	62.5	(3.4)	*9.0	(2.8)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	63.2	(3.4)	41.2	(2.0)	31.0	(2.8)	53.6	(3.8)	38.9	(6.1)
Diagnosed with depression	9.1	(1.5)	21.6	(0.7)	8.5	(0.2)	25.5	(2.3)	11.0	(2.8)
Diagnosed with diabetes	22.5	(2.4)	46.4	(1.0)	17.3	(0.7)	29.6	(1.0)	15.1	(3.7)
Need assistance in physical functioning (percentage):										
Eating	23.2	(4.8)	60.0	(4.8)	---	---	71.2	(4.1)	19.1	(2.7)
Bathing	32.6	(5.9)	95.1	(1.3)	---	---	99.0	(0.4)	48.0	(7.0)
Dressing	36.9	(4.3)	84.8	(2.6)	---	---	98.4	(0.5)	36.4	(4.1)
Toileting	44.4	(4.0)	71.9	(4.6)	---	---	97.1	(0.8)	35.9	(4.8)
Transferring in and out of a chair or bed	41.3	(4.6)	88.1	(3.2)	---	---	96.4	(0.9)	32.4	(4.0)
Walking	50.9	(4.9)	94.9	(1.2)	---	---	96.8	(1.1)	33.2	(4.1)
Adverse events (percentage):										
Overnight hospital stay	8.6	(2.9)	10.1	(0.7)	---	---	---	---	7.5	(0.8)

Table 12. Providers and Users of Long-Term Care Services in Hawaii, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Emergency department visit	8.9	(1.3)	14.4	(0.9)	---	---	---	---	9.5	(2.0)
Falls	10.5	(1.0)	0.2	(0.1)	---	---	13.0	(1.2)	14.3	(2.1)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 13. Providers and Users of Long-Term Care Services in Idaho, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)							
Organization								
Number of providers ¹	50	(7)	50	(7)	80	(9)	200	(3)
Number of beds or licensed maximum capacity ²	6,000	(700)	8,300	(300)
Average capacity	---	---	---	---	76	(4.1)	38	(1.1)
Average number of people served	---	---	---	---	49	(2.8)	30	(1.0)
Metropolitan statistical area status (percent distribution):								
Metropolitan	71.7	(6.6)	77.8	(6.2)	56.4	(5.6)	69.4	(3.0)
Micropolitan or neither	28.3	(6.6)	22.2	(6.2)	43.6	(5.6)	30.6	(3.0)
Ownership (percent distribution):								
For-profit	78.3	(6.1)	68.9	(6.9)	73.1	(5.0)	91.6	(1.8)
Not-for-profit, government, or other	21.7	(6.1)	31.1	(6.9)	26.9	(5.0)	8.4	(1.8)
Number of people served (percent distribution): ³								
Category 1	*	*	34.1	(7.4)	*	*	*	*
Category 2	*	*	53.7	(7.8)	*	*	*	*
Category 3	*	*	12.2	(5.1)	*	*	*	*
Certification (percentage):								
Medicare-certified	100.0	(0.0)	---	---	100.0	(0.0)
Medicaid-certified	95.6	(3.0)	---	---	92.3	(3.0)	89.9	(2.0)
Chain-affiliated (percentage)	---	---	---	---	70.5	(5.2)	73.4	(3.0)
Staffing⁴								
Number of nursing and social work staff employee FTEs	509	(108)	399	(87)	3,347	(417)	2,953	(140)
Nursing and social work employee FTEs (percent distribution):								
Registered nurse	58.0	(3.0)	45.8	(1.8)	14.9	(0.8)	4.9	(0.3)
Licensed practical nurse or licensed vocational nurse	11.0	(1.6)	7.7	(1.1)	18.1	(0.8)	4.4	(0.4)
Aide	24.8	(2.4)	31.2	(2.4)	64.8	(0.9)	90.3	(0.6)
Social worker	6.2	(0.7)	15.3	(1.5)	2.1	(0.2)	0.5	(0.1)
Providers with one or more employee FTEs (percentage):								
Registered nurse	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	71.2	(3.0)
Licensed practical nurse or licensed vocational nurse	58.7	(7.3)	53.3	(7.4)	†	(†)	46.9	(3.2)

Table 13. Providers and Users of Long-Term Care Services in Idaho, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Home health agency		Hospice		Nursing home		Residential care community	
	†	(†)	†	(†)	†	(†)	†	(†)
Aide	†	(†)	†	(†)	100.0	(0.0)	93.5	(1.7)
Social worker	78.3	(6.1)	†	(†)	82.1	(4.3)	5.5	(1.5)
Activities staff	---	---	---	---	†	(†)	72.1	(2.9)
Employee hours per resident or participant per day:								
Registered nurse	---	---	---	---	0.9	(0.2)	0.2	(0.0)
Licensed practical nurse or licensed vocational nurse	---	---	---	---	1.0	(0.2)	0.1	(0.0)
Aide	---	---	---	---	3.2	(0.3)	2.4	(0.1)
Social worker	---	---	---	---	0.2	(0.1)	0.0	(0.0)
Activities staff	---	---	---	---	0.3	(0.1)	0.2	(0.0)
Service provided								
Social work (percentage)	†	(†)	100.0	(0.0)	†	(†)	61.5	(3.4)
Mental health or counseling (percentage)	---	---	†	(†)	82.1	(4.3)	65.7	(3.4)
Therapy (physical, occupational, or speech) (percentage)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	80.9	(2.8)
Skilled nursing or nursing (percentage)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	81.9	(2.7)
Pharmacy or pharmacist (percentage)	21.7	(6.1)	---	---	†	(†)	89.6	(2.1)
Hospice (percentage)	28.3	(6.6)	---	---	57.7	(5.6)	77.6	(2.9)
Dental (percentage)	---	---	---	---	76.9	(4.8)	57.1	(3.6)
Podiatrist (percentage)	---	---	---	---	85.9	(3.9)	81.0	(2.8)
Practices								
Depression screening (percentage)	†	(†)	---	---	---	---	86.1	(2.3)
Special care								
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	10.3	(3.4)	25.9	(2.8)

Table 13. Providers and Users of Long-Term Care Services in Idaho, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Home health agency		Hospice		Nursing home		Residential care community	
Service users								
Number of users ²	18,600	(3,700)	7,700	(1,600)	3,900	(500)	6,500	(200)
Age in years (percent distribution):								
Under 65	16.6	(0.9)	5.2	(0.4)	16.4	(1.5)	6.0	(0.9)
65 and over	83.4	(0.9)	94.8	(0.4)	83.6	(1.5)	94.0	(0.9)
65–74	25.4	(0.8)	16.7	(0.8)	18.6	(0.7)	11.9	(1.8)
75–84	30.8	(0.5)	30.6	(0.6)	27.8	(1.0)	29.2	(1.7)
85 and over	27.3	(1.0)	47.4	(1.3)	37.1	(1.7)	52.8	(2.4)
Sex (percent distribution):								
Men	37.1	(0.7)	41.5	(0.8)	37.4	(2.4)	28.0	(0.9)
Women	62.9	(0.7)	58.5	(0.8)	62.6	(2.4)	72.0	(0.9)
Race and ethnicity (percent distribution):								
Hispanic	3.5	(0.3)	2.1	(0.3)	2.5	(0.4)	1.4	(0.2)
Non-Hispanic white	94.0	(0.4)	95.9	(0.3)	92.2	(1.2)	82.2	(3.3)
Non-Hispanic black	0.3	(0.1)	0.2	(0.0)	0.1	(0.1)	0.1	(0.0)
Non-Hispanic other	2.2	(0.2)	1.8	(0.1)	5.1	(1.2)	16.3	(3.3)
Used Medicaid for long-term care services (percent distribution)	7.6	(0.9)	---	---	63.9	(1.9)	28.1	(2.1)
Conditions (percentage):								
Diagnosed with Alzheimer's disease or other dementias	28.6	(1.2)	37.3	(1.7)	40.8	(1.8)	45.8	(2.7)
Diagnosed with depression	42.6	(1.3)	19.0	(0.8)	52.8	(1.3)	29.4	(2.2)
Diagnosed with diabetes	38.4	(0.8)	22.2	(0.8)	34.5	(0.9)	14.6	(0.8)
Need assistance in physical functioning (percentage):								
Eating	56.1	(3.5)	---	---	53.7	(3.3)	23.2	(1.6)
Bathing	95.7	(1.0)	---	---	98.2	(0.4)	68.9	(2.2)
Dressing	85.6	(2.6)	---	---	91.4	(0.9)	53.9	(2.1)
Toileting	68.2	(4.6)	---	---	88.8	(1.1)	46.9	(2.3)
Transferring in and out of a chair or bed	87.9	(1.9)	---	---	86.2	(1.2)	38.8	(2.2)
Walking	94.6	(1.1)	---	---	92.6	(0.9)	28.9	(1.7)
Adverse events (percentage):								

Table 13. Providers and Users of Long-Term Care Services in Idaho, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Home health agency		Hospice		Nursing home		Residential care community	
Overnight hospital stay	11.1	(0.5)	---	---	---	---	7.5	(1.2)
Emergency department visit	13.7	(0.6)	---	---	---	---	9.9	(0.6)
Falls	0.2	(0.0)	---	---	19.3	(1.0)	28.9	(2.2)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For nursing homes and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

Estimates for adult day services centers are not presented because these estimates do not meet reliability or confidentiality standards.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 14. Providers and Users of Long-Term Care Services in Illinois, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Organization	Number or percent (standard error)									
Number of providers ¹	80	(0.0)	800	(27)	100	(11)	800	(27)	400	(6)
Number of beds or licensed maximum capacity ²	4,900	(200)	94,300	(3,900)	31,000	(2,100)
Average capacity	61	(2.9)	---	---	---	---	124	(2.6)	73	(4.9)
Average number of people served	33	(1.7)	---	---	---	---	96	(2.1)	65	(4.9)
Metropolitan statistical area status (percent distribution):										
Metropolitan	86.0	(2.0)	93.7	(0.9)	77.3	(3.8)	72.0	(1.6)	74.9	(3.9)
Micropolitan or neither	14.0	(2.0)	6.3	(0.9)	22.7	(3.8)	28.0	(1.6)	*	*
Ownership (percent distribution):										
For-profit	28.6	(2.6)	87.3	(1.2)	38.7	(4.5)	71.8	(1.6)	54.2	(4.9)
Not-for-profit, government, or other	71.4	(2.6)	12.7	(1.2)	61.3	(4.5)	28.2	(1.6)	45.8	(4.9)
Number of people served (percent distribution): ³										
Category 1	*	*	42.5	(1.8)	31.0	(4.4)	6.2	(0.9)	*	*
Category 2	*	*	37.1	(1.7)	31.0	(4.4)	57.4	(1.8)	65.6	(4.0)
Category 3	*	*	20.4	(1.4)	38.1	(4.6)	36.4	(1.7)	*	*
Certification (percentage):										
Medicare-certified	99.7	(0.2)	---	---	92.5	(1.0)
Medicaid-certified	67.2	(2.7)	68.8	(1.6)	---	---	94.2	(0.8)	*	*
Chain-affiliated (percentage)	56.3	(2.8)	---	---	---	---	48.1	(1.8)	62.7	(4.8)
Staffing⁴										
Number of nursing and social work staff employee FTEs	379	(14)	6,827	(337)	2,248	(333)	45,218	(1,824)	10,435	(1,061)
Nursing and social work employee FTEs (percent distribution):										
Registered nurse	21.1	(0.9)	71.5	(1.0)	51.2	(2.0)	15.2	(0.3)	12.2	(1.2)
Licensed practical nurse or licensed vocational nurse	11.2	(0.9)	8.3	(0.6)	6.3	(1.2)	18.3	(0.3)	16.6	(1.0)
Aide	60.7	(1.6)	18.3	(0.9)	31.2	(1.6)	65.1	(0.3)	70.3	(1.4)
Social worker	7.0	(0.7)	2.0	(0.2)	11.2	(0.7)	1.4	(0.1)	0.9	(0.1)
Providers with one or more employee FTEs (percentage):										
Registered nurse	85.7	(2.0)	100.0	(0.0)	†	(†)	†	(†)	68.6	(4.5)
Licensed practical nurse or licensed vocational nurse	50.8	(2.9)	48.0	(1.8)	47.1	(4.6)	96.6	(0.7)	78.5	(3.9)
Aide	80.6	(2.3)	96.9	(0.6)	95.0	(2.0)	99.2	(0.3)	88.8	(3.2)

Table 14. Providers and Users of Long-Term Care Services in Illinois, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Social worker	27.0	(2.5)	29.3	(1.6)	†	(†)	54.7	(1.8)	*	*
Activities staff	90.5	(1.7)	---	---	---	---	97.2	(0.6)	94.6	(2.2)
Employee hours per resident or participant per day:										
Registered nurse	0.4	(0.0)	---	---	---	---	0.7	(0.1)	0.2	(0.0)
Licensed practical nurse or licensed vocational nurse	0.2	(0.0)	---	---	---	---	0.6	(0.0)	0.3	(0.0)
Aide	0.8	(0.1)	---	---	---	---	2.3	(0.1)	1.5	(0.2)
Social worker	0.1	(0.0)	---	---	---	---	0.1	(0.0)	0.0	(0.0)
Activities staff	0.6	(0.0)	---	---	---	---	0.2	(0.0)	0.3	(0.0)
Service provided										
Social work (percentage)	50.8	(3.0)	92.6	(0.9)	†	(†)	89.9	(1.1)	58.5	(4.5)
Mental health or counseling (percentage)	27.0	(2.6)	---	---	†	(†)	76.7	(1.5)	53.9	(4.6)
Therapy (physical, occupational, or speech) (percentage)	50.7	(3.0)	†	(†)	†	(†)	97.9	(0.5)	*	*
Skilled nursing or nursing (percentage)	79.3	(2.4)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	58.0	(4.5)
Pharmacy or pharmacist (percentage)	25.4	(2.6)	5.9	(0.8)	---	---	98.4	(0.5)	*	*
Hospice (percentage)	12.9	(2.1)	1.4	(0.4)	79.7	(1.5)	66.5	(4.4)
Dental (percentage)	12.7	(2.0)	---	---	---	---	86.5	(1.2)	48.9	(4.6)
Podiatrist (percentage)	33.8	(2.9)	---	---	---	---	96.6	(0.7)	*	*
Practices										
Depression screening (percentage)	84.1	(2.1)	94.0	(0.8)	---	---	---	---	81.7	(3.9)
Special care										
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	---	---	17.4	(1.4)	41.1	(4.8)

Table 14. Providers and Users of Long-Term Care Services in Illinois, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Service users										
Number of users ²	5,700	(400)	223,400	(19,200)	46,100	(7,100)	73,200	(3,000)	27,700	(2,100)
Age in years (percent distribution):										
Under 65	12.3	(1.3)	16.2	(0.5)	4.6	(0.2)	21.0	(1.1)	3.0	(0.8)
65 and over	87.7	(1.3)	83.8	(0.5)	95.4	(0.2)	79.0	(1.1)	97.0	(0.8)
65–74	32.4	(1.4)	26.1	(0.4)	15.9	(0.5)	15.5	(0.3)	7.8	(1.0)
75–84	38.0	(1.4)	31.3	(0.3)	29.4	(0.4)	24.1	(0.4)	30.1	(2.0)
85 and over	17.3	(1.0)	26.3	(0.6)	50.1	(0.8)	39.4	(1.0)	59.0	(3.0)
Sex (percent distribution):										
Men	34.6	(1.3)	37.0	(0.2)	39.0	(0.4)	36.0	(0.7)	26.0	(1.2)
Women	65.4	(1.3)	63.0	(0.2)	61.0	(0.4)	64.0	(0.7)	74.0	(1.2)
Race and ethnicity (percent distribution):										
Hispanic	6.2	(1.6)	6.9	(0.4)	3.2	(0.4)	3.7	(0.4)	1.2	(0.3)
Non-Hispanic white	31.2	(3.0)	64.2	(1.7)	85.0	(2.4)	75.6	(1.3)	91.7	(1.9)
Non-Hispanic black	22.5	(2.5)	25.3	(1.4)	10.3	(2.0)	17.1	(1.2)	*2.7	(0.9)
Non-Hispanic other	40.2	(4.8)	3.6	(0.2)	1.5	(0.2)	3.4	(0.3)	*4.4	(1.7)
Used Medicaid for long-term care services (percent distribution)	19.6	(2.1)	7.5	(0.5)	---	---	60.1	(1.1)	*8.3	(2.6)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	45.0	(3.2)	29.6	(0.6)	51.9	(1.3)	45.4	(0.8)	38.0	(3.0)
Diagnosed with depression	31.5	(3.1)	34.5	(0.5)	28.2	(0.7)	43.1	(0.6)	21.2	(2.1)
Diagnosed with diabetes	27.5	(1.7)	48.2	(0.6)	32.3	(0.6)	31.0	(0.3)	18.5	(2.4)
Need assistance in physical functioning (percentage):										
Eating	16.7	(1.4)	57.0	(1.2)	---	---	55.1	(1.3)	20.6	(2.6)
Bathing	21.2	(2.1)	96.9	(0.3)	---	---	91.1	(1.0)	59.3	(4.0)
Dressing	23.3	(2.0)	89.1	(0.7)	---	---	86.0	(1.1)	46.5	(3.8)
Toileting	28.2	(2.3)	73.9	(1.3)	---	---	80.7	(1.2)	38.7	(3.8)
Transferring in and out of a chair or bed	20.5	(1.7)	88.7	(0.5)	---	---	78.5	(1.2)	35.8	(3.5)
Walking	24.1	(2.0)	94.5	(0.4)	---	---	82.5	(1.2)	30.7	(3.8)
Adverse events (percentage):										
Overnight hospital stay	6.2	(0.3)	15.6	(0.4)	---	---	---	---	9.3	(1.7)

Table 14. Providers and Users of Long-Term Care Services in Illinois, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Emergency department visit	6.6	(0.4)	13.1	(0.3)	---	---	---	---	9.3	(0.9)
Falls	4.8	(0.5)	0.4	(0.0)	---	---	15.2	(0.3)	24.7	(2.7)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 15. Providers and Users of Long-Term Care Services in Indiana, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers ¹	40	(1)	290	(17)	90	(9)	500	(23)	200	(3)
Number of beds or licensed maximum capacity ²	1,400	(100)	50,900	(2,400)	20,300	(700)
Average capacity	35	(2.1)	---	---	---	---	97	(1.9)	89	(3.1)
Average number of people served	20	(1.4)	---	---	---	---	74	(1.6)	63	(1.6)
Metropolitan statistical area status (percent distribution):										
Metropolitan	†	(†)	85.0	(2.1)	76.7	(4.6)	66.5	(2.1)	78.4	(2.0)
Micropolitan or neither	*	*	15.0	(2.1)	23.3	(4.6)	33.5	(2.1)	21.6	(2.0)
Ownership (percent distribution):										
For-profit	29.4	(5.3)	80.9	(2.3)	47.7	(5.4)	44.7	(2.2)	65.6	(2.7)
Not-for-profit, government, or other	70.6	(5.3)	19.1	(2.3)	52.3	(5.4)	55.3	(2.2)	34.4	(2.7)
Number of people served (percent distribution): ³										
Category 1	68.4	(5.3)	45.8	(3.1)	17.9	(4.2)	6.3	(1.1)	18.0	(1.7)
Category 2	31.6	(5.3)	23.9	(2.6)	38.1	(5.3)	71.9	(2.0)	64.7	(2.6)
Category 3	-	-	30.3	(2.8)	44.0	(5.4)	21.9	(1.8)	17.4	(2.1)
Certification (percentage):										
Medicare-certified	77.8	(2.4)	---	---	98.1	(0.6)
Medicaid-certified	†	(†)	87.7	(1.9)	---	---	94.7	(1.0)	31.7	(2.6)
Chain-affiliated (percentage)	*	*	---	---	---	---	78.1	(1.8)	72.2	(2.5)
Staffing⁴										
Number of nursing and social work staff employee FTEs	156	(12)	4,396	(369)	1,624	(243)	29,092	(1,415)	4,881	(217)
Nursing and social work employee FTEs (percent distribution):										
Registered nurse	13.1	(2.0)	41.8	(2.3)	51.2	(1.5)	11.9	(0.2)	10.7	(1.3)
Licensed practical nurse or licensed vocational nurse	11.3	(1.5)	15.5	(1.5)	7.2	(1.0)	26.3	(0.3)	30.2	(0.8)
Aide	64.5	(3.2)	41.1	(2.3)	30.1	(1.3)	59.6	(0.3)	57.0	(1.1)
Social worker	11.0	(1.6)	1.5	(0.2)	11.5	(0.6)	2.2	(0.1)	2.1	(0.2)
Providers with one or more employee FTEs (percentage):										
Registered nurse	47.8	(5.8)	†	(†)	100.0	(0.0)	†	(†)	71.9	(2.6)
Licensed practical nurse or licensed vocational nurse	47.4	(6.0)	60.4	(2.9)	48.8	(5.4)	†	(†)	95.1	(1.0)
Aide	70.2	(5.3)	94.9	(1.3)	†	(†)	†	(†)	93.7	(1.2)

Table 15. Providers and Users of Long-Term Care Services in Indiana, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Social worker	36.7	(5.6)	42.3	(2.9)	100.0	(0.0)	84.4	(1.6)	43.4	(2.8)
Activities staff	81.1	(4.6)	---	---	---	---	98.1	(0.6)	†	(†)
Employee hours per resident or participant per day:										
Registered nurse	0.3	(0.1)	---	---	---	---	0.6	(0.0)	0.2	(0.0)
Licensed practical nurse or licensed vocational nurse	0.2	(0.0)	---	---	---	---	1.2	(0.1)	0.6	(0.0)
Aide	1.1	(0.2)	---	---	---	---	2.5	(0.1)	1.2	(0.1)
Social worker	0.2	(0.0)	---	---	---	---	0.1	(0.0)	0.1	(0.0)
Activities staff	1.0	(0.1)	---	---	---	---	0.3	(0.0)	0.2	(0.0)
Service provided										
Social work (percentage)	57.8	(5.7)	52.9	(2.9)	100.0	(0.0)	95.8	(0.9)	67.1	(2.7)
Mental health or counseling (percentage)	38.9	(5.6)	---	---	†	(†)	94.5	(1.0)	72.1	(2.5)
Therapy (physical, occupational, or speech) (percentage)	42.0	(5.7)	78.5	(2.4)	†	(†)	†	(†)	88.8	(1.8)
Skilled nursing or nursing (percentage)	64.6	(5.6)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	75.0	(2.5)
Pharmacy or pharmacist (percentage)	*	*	4.4	(1.2)	---	---	95.6	(0.9)	91.1	(1.6)
Hospice (percentage)	*	*	6.8	(1.5)	81.9	(1.7)	73.0	(2.5)
Dental (percentage)	16.9	(4.2)	---	---	---	---	94.5	(1.0)	61.7	(2.8)
Podiatrist (percentage)	27.4	(5.0)	---	---	---	---	96.6	(0.8)	88.4	(1.9)
Practices										
Depression screening (percentage)	81.3	(4.5)	87.0	(2.1)	---	---	---	---	85.4	(2.1)
Special care										
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	---	---	37.5	(2.1)	40.1	(2.8)

Table 15. Providers and Users of Long-Term Care Services in Indiana, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Service users										
Number of users ²	1,500	(100)	85,200	(9,700)	29,100	(4,200)	38,800	(1,900)	14,400	(400)
Age in years (percent distribution):										
Under 65	41.5	(4.6)	19.4	(0.7)	6.5	(0.2)	13.5	(0.7)	3.8	(0.6)
65 and over	58.5	(4.6)	80.6	(0.7)	93.5	(0.2)	86.5	(0.7)	96.2	(0.6)
65–74	17.4	(1.5)	25.0	(0.4)	18.1	(0.6)	15.0	(0.3)	10.7	(1.0)
75–84	22.6	(2.0)	30.9	(0.3)	30.9	(0.3)	28.2	(0.3)	30.9	(0.8)
85 and over	18.5	(2.3)	24.7	(0.7)	44.4	(1.0)	43.4	(0.8)	54.6	(1.5)
Sex (percent distribution):										
Men	41.7	(1.3)	36.8	(0.3)	41.3	(0.5)	30.1	(0.5)	30.6	(0.9)
Women	58.3	(1.3)	63.2	(0.3)	58.7	(0.5)	69.9	(0.5)	69.4	(0.9)
Race and ethnicity (percent distribution):										
Hispanic	2.4	(0.4)	1.9	(0.3)	0.9	(0.2)	0.7	(0.1)	0.9	(0.2)
Non-Hispanic white	70.6	(3.2)	86.1	(1.1)	93.2	(0.7)	88.1	(0.8)	89.3	(1.9)
Non-Hispanic black	25.1	(2.9)	11.0	(1.0)	5.2	(0.6)	7.9	(0.7)	3.5	(1.1)
Non-Hispanic other	1.8	(0.3)	1.0	(0.1)	0.7	(0.1)	3.2	(0.3)	6.4	(1.4)
Used Medicaid for long-term care services (percent distribution)	47.9	(3.9)	9.2	(0.8)	---	---	62.6	(0.8)	13.0	(1.7)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	47.3	(4.8)	31.1	(0.9)	46.8	(1.8)	53.0	(0.7)	37.8	(1.8)
Diagnosed with depression	18.8	(2.1)	40.9	(0.7)	26.5	(0.8)	51.8	(0.6)	28.8	(1.7)
Diagnosed with diabetes	18.4	(1.7)	46.0	(0.4)	31.4	(0.6)	31.9	(0.4)	19.1	(1.1)
Need assistance in physical functioning (percentage):										
Eating	31.9	(3.1)	48.5	(2.2)	---	---	65.4	(1.5)	13.5	(1.3)
Bathing	44.7	(5.0)	95.2	(0.5)	---	---	97.5	(0.2)	48.4	(2.0)
Dressing	37.2	(4.6)	81.5	(1.6)	---	---	93.4	(0.3)	36.6	(1.8)
Toileting	45.4	(3.4)	63.1	(2.5)	---	---	89.9	(0.5)	26.4	(1.7)
Transferring in/out of chair	29.0	(2.8)	83.7	(1.3)	---	---	87.4	(0.6)	25.1	(1.8)
Walking	24.0	(2.4)	92.4	(0.6)	---	---	91.6	(0.4)	22.4	(1.8)
Adverse events (percentage):										
Overnight hospital stay	6.3	(0.9)	18.4	(0.5)	---	---	---	---	7.6	(0.6)

Table 15. Providers and Users of Long-Term Care Services in Indiana, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Emergency department visit	9.2	(0.9)	16.7	(0.5)	---	---	---	---	11.1	(1.1)
Falls	8.3	(0.9)	0.3	(0.0)	---	---	18.1	(0.3)	25.5	(1.5)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served is based daily on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 16. Providers and Users of Long-Term Care Services in Iowa, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Organization	Number or percent (standard error)									
Number of providers ¹	30	(1)	200	(13)	80	(9)	400	(21)	50	(1)
Number of beds or licensed maximum capacity ²	1,100	(100)	31,200	(1,700)	1,700	(0)
Average capacity	35	(2.2)	---	---	---	---	71	(2.0)	32	(0.7)
Average number of people served	21	(1.9)	---	---	---	---	56	(1.6)	23	(0.6)
Metropolitan statistical area status (percent distribution):										
Metropolitan	38.8	(7.1)	32.7	(3.7)	38.0	(5.5)	36.4	(2.3)	50.7	(3.5)
Micropolitan or neither	61.2	(7.1)	67.3	(3.7)	62.0	(5.5)	63.6	(2.3)	49.3	(3.5)
Ownership (percent distribution):										
For-profit	*	*	30.3	(3.6)	21.5	(4.6)	54.5	(2.4)	34.3	(3.5)
Not-for-profit, government, or other	†	(†)	69.7	(3.6)	78.5	(4.6)	45.5	(2.4)	65.7	(3.5)
Number of people served (percent distribution): ³										
Category 1	70.9	(6.6)	48.4	(4.0)	40.5	(5.5)	7.5	(1.3)	*	*
Category 2	29.1	(6.6)	37.1	(3.8)	39.2	(5.5)	86.0	(1.7)	*	*
Category 3	-	-	14.5	(2.8)	20.3	(4.5)	6.6	(1.2)	*	*
Certification (percentage):										
Medicare-certified	100.0	(0.0)	---	---	94.1	(1.1)
Medicaid-certified	†	(†)	100.0	(0.0)	---	---	98.2	(0.6)	72.9	(3.5)
Chain-affiliated (percentage)	23.5	(6.1)	---	---	---	---	54.8	(2.4)	36.8	(3.6)
Staffing⁴										
Number of nursing and social work staff employee FTEs	127	(13)	2,195	(225)	880	(167)	16,695	(902)	560	(31)
Nursing and social work employee FTEs (percent distribution):										
Registered nurse	15.0	(2.4)	53.4	(1.8)	58.5	(2.2)	13.7	(0.3)	15.0	(0.9)
Licensed practical nurse or licensed vocational nurse	7.3	(1.6)	11.0	(2.3)	2.0	(0.7)	17.9	(0.4)	19.2	(1.0)
Aide	69.4	(4.0)	34.5	(2.2)	25.8	(2.1)	66.9	(0.4)	61.6	(1.4)
Social worker	8.2	(2.5)	1.1	(0.2)	13.8	(0.8)	1.6	(0.1)	4.2	(0.4)
Providers with one or more employee FTEs (percentage):										
Registered nurse	62.9	(7.1)	100.0	(0.0)	100.0	(0.0)	†	(†)	77.8	(2.9)
Licensed practical nurse or licensed vocational nurse	30.3	(6.7)	37.0	(3.8)	22.8	(4.7)	98.2	(0.6)	86.8	(2.6)

Table 16. Providers and Users of Long-Term Care Services in Iowa, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	*	*	89.7	(2.4)	†	(†)	†	(†)	†	(†)
Aide	*	*	89.7	(2.4)	†	(†)	†	(†)	†	(†)
Social worker	*	*	28.5	(3.5)	100.0	(0.0)	58.1	(2.3)	48.3	(3.2)
Activities staff	*	*	---	---	---	---	96.8	(0.8)	*	*
Employee hours per resident or participant per day:										
Registered nurse	0.3	(0.1)	---	---	---	---	0.6	(0.1)	1.0	(0.2)
Licensed practical nurse or licensed vocational nurse	0.1	(0.0)	---	---	---	---	0.6	(0.0)	1.3	(0.3)
Aide	1.0	(0.1)	---	---	---	---	2.3	(0.0)	2.6	(0.3)
Social worker	0.1	(0.0)	---	---	---	---	0.1	(0.0)	0.2	(0.0)
Activities staff	0.6	(0.1)	---	---	---	---	0.2	(0.0)	0.6	(0.1)
Service provided										
Social work (percentage)	35.5	(7.0)	40.6	(3.8)	100.0	(0.0)	76.5	(2.0)	62.8	(3.3)
Mental health or counseling (percentage)	*	*	---	---	100.0	(0.0)	76.2	(2.0)	60.5	(3.8)
Therapy (physical, occupational, or speech) (percentage)	*	*	95.2	(1.7)	100.0	(0.0)	†	(†)	87.4	(2.5)
Skilled nursing or nursing (percentage)	*	*	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	46.5	(3.8)
Pharmacy or pharmacist (percentage)	*	*	6.1	(1.9)	---	---	98.0	(0.7)	*	*
Hospice (percentage)	*	*	24.8	(3.4)	82.6	(1.8)	63.2	(3.6)
Dental (percentage)	—	—	---	---	---	---	73.3	(2.1)	77.4	(3.0)
Podiatrist (percentage)	*	*	---	---	---	---	89.8	(1.4)	87.4	(2.5)
Practices										
Depression screening (percentage)	72.0	(6.4)	94.9	(1.7)	---	---	---	---	†	(†)
Special care										
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	---	---	18.3	(1.8)	*	*

Table 16. Providers and Users of Long-Term Care Services in Iowa, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Service users										
Number of users ²	1,300	(100)	37,400	(7,100)	17,600	(3,000)	24,900	(1,400)	1,200	(0)
Age in years (percent distribution):										
Under 65	45.4	(3.5)	18.0	(0.9)	4.6	(0.2)	9.0	(0.6)	23.2	(3.2)
65 and over	54.6	(3.5)	82.0	(0.9)	95.4	(0.2)	91.0	(0.6)	76.9	(3.2)
65–74	23.9	(3.2)	23.0	(0.5)	15.1	(0.5)	11.5	(0.5)	14.2	(2.1)
75–84	21.2	(2.0)	32.5	(0.5)	29.2	(0.5)	25.5	(0.3)	18.0	(1.4)
85 and over	9.5	(1.2)	26.4	(0.8)	51.1	(0.9)	53.9	(0.9)	44.7	(5.1)
Sex (percent distribution):										
Men	44.7	(1.9)	37.0	(0.4)	41.5	(0.5)	30.6	(1.1)	39.4	(3.7)
Women	55.3	(1.9)	63.0	(0.4)	58.5	(0.5)	69.4	(1.1)	60.6	(3.7)
Race and ethnicity (percent distribution):										
Hispanic	1.2	(0.3)	1.0	(0.1)	0.7	(0.1)	0.4	(0.0)	0.7	(0.2)
Non-Hispanic white	92.8	(0.9)	95.7	(0.7)	97.5	(0.2)	96.8	(0.3)	96.2	(0.5)
Non-Hispanic black	4.2	(0.8)	2.4	(0.5)	1.1	(0.2)	1.3	(0.2)	1.3	(0.2)
Non-Hispanic other	1.7	(0.3)	0.9	(0.1)	0.8	(0.1)	1.5	(0.2)	1.8	(0.4)
Used Medicaid for long-term care services (percent distribution)	57.8	(4.5)	15.0	(1.6)	---	---	47.8	(1.0)	27.6	(2.5)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	27.6	(3.0)	21.7	(0.7)	45.2	(1.4)	48.9	(0.7)	17.8	(1.6)
Diagnosed with depression	23.1	(4.1)	34.8	(0.9)	24.7	(0.6)	51.4	(0.6)	23.9	(2.0)
Diagnosed with diabetes	23.9	(3.9)	38.2	(0.5)	28.6	(0.5)	28.1	(0.5)	15.9	(1.8)
Need assistance in physical functioning (percentage):										
Eating	17.6	(2.4)	49.7	(5.4)	---	---	38.9	(1.1)	4.4	(0.5)
Bathing	27.2	(3.5)	95.4	(0.8)	---	---	98.9	(0.2)	59.9	(4.9)
Dressing	26.0	(2.4)	80.0	(3.3)	---	---	88.3	(0.4)	16.1	(1.5)
Toileting	22.2	(1.6)	60.8	(5.4)	---	---	81.7	(0.6)	9.9	(1.3)
Transferring in and out of a chair or bed	13.1	(1.4)	82.5	(2.7)	---	---	75.5	(0.8)	7.1	(1.1)
Walking	15.3	(2.5)	91.6	(1.2)	---	---	89.2	(0.6)	7.3	(0.8)
Adverse events (percentage):										
Overnight hospital stay	4.6	(0.7)	17.5	(0.8)	---	---	---	---	5.8	(0.5)

Table 16. Providers and Users of Long-Term Care Services in Iowa, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Emergency department visit	3.0	(0.5)	18.7	(0.8)	---	---	---	---	5.4	(0.7)
Falls	6.9	(1.2)	0.4	(0.1)	---	---	21.5	(0.4)	16.4	(1.6)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 17. Providers and Users of Long-Term Care Services in Kansas, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)							
Organization								
Number of providers ¹	100	(11)	70	(8)	300	(18)	400	(5)
Number of beds or licensed maximum capacity ²	22,900	(1,400)	12,100	(1,000)
Average capacity	---	---	---	---	67	(1.9)	34	(2.7)
Average number of people served	---	---	---	---	53	(1.6)	27	(2.0)
Metropolitan statistical area status (percent distribution):								
Metropolitan	47.6	(4.5)	62.3	(5.8)	42.6	(2.7)	54.8	(4.6)
Micropolitan or neither	52.4	(4.5)	37.7	(5.8)	57.4	(2.7)	45.2	(4.6)
Ownership (percent distribution):								
For-profit	43.5	(4.5)	42.0	(5.9)	52.5	(2.7)	75.8	(3.7)
Not-for-profit, government, or other	56.5	(4.5)	58.0	(5.9)	47.5	(2.7)	24.2	(3.7)
Number of people served (percent distribution): ³								
Category 1	40.3	(4.5)	48.5	(6.1)	11.6	(1.7)	58.1	(3.3)
Category 2	34.5	(4.4)	36.8	(5.8)	81.2	(2.1)	39.5	(3.3)
Category 3	25.2	(4.0)	14.7	(4.3)	7.2	(1.4)	*	*
Certification (percentage):								
Medicare-certified	100.0	(0.0)	---	---	83.8	(2.0)
Medicaid-certified	86.3	(3.1)	---	---	96.5	(1.0)	*	*
Chain-affiliated (percentage)	---	---	---	---	51.0	(2.7)	*	*
Staffing⁴								
Number of nursing and social work staff employee FTEs	1,050	(133)	918	(191)	13,755	(863)	5,473	(434)
Nursing and social work employee FTEs (percent distribution):								
Registered nurse	61.5	(2.8)	48.0	(1.5)	12.2	(0.3)	8.5	(1.0)
Licensed practical nurse or licensed vocational nurse	13.4	(2.4)	10.6	(1.4)	16.7	(0.4)	14.6	(1.3)
Aide	22.2	(3.1)	28.0	(1.5)	69.6	(0.4)	76.2	(1.7)
Social worker	3.0	(0.4)	13.4	(0.8)	1.6	(0.1)	0.7	(0.2)
Providers with one or more employee FTEs (percentage):								
Registered nurse	100.0	(0.0)	100.0	(0.0)	†	(†)	68.6	(4.5)
Licensed practical nurse or licensed vocational nurse	56.5	(4.5)	53.6	(6.0)	98.6	(0.6)	84.7	(3.5)

Table 17. Providers and Users of Long-Term Care Services in Kansas, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Home health agency		Hospice		Nursing home		Residential care community	
Aide	94.4	(2.1)	†	(†)	100.0	(0.0)	†	(†)
Social worker	51.6	(4.5)	100.0	(0.0)	49.3	(2.7)	*	*
Activities staff	---	---	---	---	97.7	(0.8)	69.5	(4.2)
Employee hours per resident or participant per day:								
Registered nurse	---	---	---	---	0.8	(0.1)	0.4	(0.1)
Licensed practical nurse or licensed vocational nurse	---	---	---	---	0.8	(0.1)	0.5	(0.1)
Aide	---	---	---	---	3.4	(0.4)	3.2	(0.3)
Social worker	---	---	---	---	0.1	(0.0)	*0.0	(0.0)
Activities staff	---	---	---	---	0.3	(0.0)	0.2	(0.0)
Service provided								
Social work (percentage)	57.3	(4.4)	100.0	(0.0)	94.8	(1.2)	53.2	(4.8)
Mental health or counseling (percentage)	---	---	†	(†)	87.5	(1.8)	62.3	(4.7)
Therapy (physical, occupational, or speech) (percentage)	92.7	(2.3)	†	(†)	†	(†)	*	*
Skilled nursing or nursing (percentage)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	*	*
Pharmacy or pharmacist (percentage)	*	*	---	---	†	(†)	*	*
Hospice (percentage)	5.6	(2.1)	68.7	(2.5)	*	*
Dental (percentage)	---	---	---	---	90.4	(1.6)	60.4	(4.7)
Podiatrist (percentage)	---	---	---	---	91.6	(1.5)	*	*
Practices								
Depression screening (percentage)	95.0	(2.0)	---	---	---	---	84.2	(3.6)
Special care								
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	2.0	(0.8)	*	*

Table 17. Providers and Users of Long-Term Care Services in Kansas, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Home health agency		Hospice		Nursing home		Residential care community	
Service users								
Number of users ²	34,800	(6,000)	13,500	(2,800)	18,400	(1,100)	9,600	(700)
Age in years (percent distribution):								
Under 65	15.1	(1.1)	5.1	(0.3)	12.8	(1.0)	5.1	(1.1)
65 and over	84.9	(1.1)	94.9	(0.3)	87.2	(1.0)	94.9	(1.1)
65–74	23.1	(0.8)	15.6	(1.0)	13.2	(0.4)	11.3	(1.5)
75–84	32.0	(0.5)	28.5	(0.4)	26.1	(0.5)	33.9	(1.9)
85 and over	29.8	(1.1)	50.8	(1.4)	47.9	(1.1)	49.7	(2.9)
Sex (percent distribution):								
Men	36.2	(0.5)	39.8	(0.7)	31.6	(0.7)	25.5	(1.1)
Women	63.8	(0.5)	60.2	(0.7)	68.4	(0.7)	74.5	(1.1)
Race and ethnicity (percent distribution):								
Hispanic	2.3	(0.2)	1.7	(0.2)	1.7	(0.1)	0.8	(0.2)
Non-Hispanic white	89.7	(0.8)	93.1	(0.4)	91.1	(0.7)	97.2	(0.5)
Non-Hispanic black	6.4	(0.7)	3.8	(0.4)	4.9	(0.6)	1.0	(0.2)
Non-Hispanic other	1.5	(0.1)	1.4	(0.1)	2.1	(0.2)	*1.0	(0.4)
Used Medicaid for long-term care services (percent distribution)	6.6	(1.2)	---	---	53.3	(1.3)	22.7	(2.5)
Conditions (percentage):								
Diagnosed with Alzheimer's disease or other dementias	32.0	(1.3)	52.4	(2.4)	49.6	(1.0)	42.6	(3.1)
Diagnosed with depression	41.7	(0.9)	30.2	(0.9)	55.9	(0.8)	31.8	(2.9)
Diagnosed with diabetes	40.1	(0.5)	29.8	(0.6)	29.6	(0.5)	18.6	(1.8)
Need assistance in physical functioning (percentage):								
Eating	45.6	(2.4)	---	---	44.0	(1.6)	24.5	(3.4)
Bathing	96.6	(0.5)	---	---	94.7	(0.7)	68.0	(3.2)
Dressing	87.3	(1.8)	---	---	84.5	(0.8)	52.1	(3.4)
Toileting	72.6	(2.4)	---	---	79.5	(1.0)	44.9	(4.0)
Transferring in and out of a chair or bed	88.1	(1.5)	---	---	75.2	(1.1)	34.7	(3.3)
Walking	94.9	(0.7)	---	---	87.9	(0.9)	31.8	(3.6)
Adverse events (percentage):								

Table 17. Providers and Users of Long-Term Care Services in Kansas, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Home health agency		Hospice		Nursing home		Residential care community	
Overnight hospital stay	15.7	(1.0)	---	---	---	---	11.1	(1.9)
Emergency department visit	15.1	(0.6)	---	---	---	---	11.3	(0.8)
Falls	0.3	(0.1)	---	---	23.6	(0.5)	27.1	(2.7)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For nursing homes and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

Estimates for adult day services centers are not presented because these estimates do not meet reliability or confidentiality standards.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 18. Providers and Users of Long-Term Care Services in Kentucky, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Organization	Number or percent (standard error)									
Number of providers ¹	100	(1)	100	(10)	20	(5)	300	(17)	200	(3)
Number of beds or licensed maximum capacity ²	6,200	(300)	26,200	(1,700)	12,500	(400)
Average capacity	54	(2.4)	---	---	---	---	92	(2.5)	58	(1.8)
Average number of people served	27	(1.3)	---	---	---	---	80	(2.3)	51	(1.8)
Metropolitan statistical area status (percent distribution):										
Metropolitan	44.9	(3.5)	47.6	(4.9)	41.7	(10.1)	47.2	(3.0)	61.8	(2.7)
Micropolitan or neither	55.1	(3.5)	52.4	(4.9)	58.3	(10.1)	52.8	(3.0)	38.2	(2.7)
Ownership (percent distribution):										
For-profit	55.8	(3.5)	47.6	(4.9)	25.0	(8.8)	73.4	(2.6)	67.7	(2.8)
Not-for-profit, government, or other	44.2	(3.5)	52.4	(4.9)	75.0	(8.8)	26.6	(2.6)	32.3	(2.8)
Number of people served (percent distribution): ³										
Category 1	60.1	(3.4)	*	*	*	*	8.7	(1.7)	27.0	(2.2)
Category 2	39.9	(3.4)	*	*	*	*	64.7	(2.8)	64.8	(2.5)
Category 3	-	-	*	*	*	*	26.6	(2.6)	8.1	(1.5)
Certification (percentage):										
Medicare-certified	100.0	(0.0)	---	---	100.0	(0.0)
Medicaid-certified	88.6	(2.3)	99.0	(1.0)	---	---	93.7	(1.4)	31.2	(2.4)
Chain-affiliated (percentage)	48.4	(3.5)	---	---	---	---	60.8	(2.9)	60.2	(3.0)
Staffing⁴										
Number of nursing and social work staff employee FTEs	640	(32)	2,008	(269)	688	(187)	17,284	(1,123)	4,377	(255)
Nursing and social work employee FTEs (percent distribution):										
Registered nurse	19.4	(1.4)	59.9	(1.6)	55.5	(2.2)	10.9	(0.3)	8.8	(0.5)
Licensed practical nurse or licensed vocational nurse	20.0	(1.1)	10.6	(1.1)	7.4	(2.1)	24.1	(0.4)	15.4	(0.8)
Aide	53.8	(1.9)	25.8	(1.6)	23.8	(3.0)	63.5	(0.5)	74.3	(1.1)
Social worker	6.9	(0.6)	3.7	(0.4)	13.3	(1.9)	1.5	(0.1)	1.5	(0.2)
Providers with one or more employee FTEs (percentage):										
Registered nurse	78.3	(2.9)	100.0	(0.0)	100.0	(0.0)	†	(†)	43.5	(2.9)
Licensed practical nurse or licensed vocational nurse	71.1	(3.3)	63.8	(4.7)	70.8	(9.3)	†	(†)	50.0	(2.9)
Aide	85.3	(2.6)	95.2	(2.1)	†	(†)	†	(†)	91.2	(1.8)

Table 18. Providers and Users of Long-Term Care Services in Kentucky, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Social worker	49.0	(3.5)	72.4	(4.4)	100.0	(0.0)	71.0	(2.7)	28.7	(2.7)
Activities staff	88.1	(2.3)	---	---	---	---	96.2	(1.1)	90.2	(1.7)
Employee hours per resident or participant per day:										
Registered nurse	0.4	(0.1)	---	---	---	---	0.7	(0.1)	0.3	(0.1)
Licensed practical nurse or licensed vocational nurse	0.4	(0.1)	---	---	---	---	1.2	(0.1)	0.4	(0.1)
Aide	0.9	(0.1)	---	---	---	---	2.6	(0.1)	2.0	(0.2)
Social worker	0.2	(0.0)	---	---	---	---	0.1	(0.0)	0.0	(0.0)
Activities staff	0.7	(0.1)	---	---	---	---	0.2	(0.0)	0.3	(0.0)
Service provided										
Social work (percentage)	55.9	(3.7)	75.2	(4.2)	100.0	(0.0)	77.6	(2.5)	49.2	(2.9)
Mental health or counseling (percentage)	33.1	(3.3)	---	---	†	(†)	85.7	(2.1)	53.9	(2.9)
Therapy (physical, occupational, or speech) (percentage)	72.5	(3.2)	100.0	(0.0)	†	(†)	100.0	(0.0)	69.2	(2.8)
Skilled nursing or nursing (percentage)	86.3	(2.6)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	54.5	(2.8)
Pharmacy or pharmacist (percentage)	40.1	(3.6)	*	*	---	---	95.1	(1.3)	75.3	(2.6)
Hospice (percentage)	20.4	(2.8)	*	*	57.3	(2.9)	49.0	(3.0)
Dental (percentage)	25.2	(3.1)	---	---	---	---	85.0	(2.1)	55.1	(2.8)
Podiatrist (percentage)	36.6	(3.4)	---	---	---	---	89.5	(1.8)	76.3	(2.6)
Practices										
Depression screening (percentage)	84.2	(2.6)	†	(†)	---	---	---	---	72.9	(2.7)
Special care										
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	---	---	7.0	(1.5)	21.1	(2.5)

Table 18. Providers and Users of Long-Term Care Services in Kentucky, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Service users										
Number of users ²	4,800	(300)	84,900	(13,700)	16,500	(5,400)	22,900	(1,500)	11,000	(400)
Age in years (percent distribution):										
Under 65	62.3	(2.4)	21.1	(0.8)	8.5	(0.3)	13.3	(0.7)	10.9	(1.5)
65 and over	37.8	(2.4)	78.9	(0.8)	91.5	(0.3)	86.7	(0.7)	89.1	(1.5)
65–74	18.5	(1.2)	26.7	(0.3)	22.3	(0.8)	17.0	(0.4)	10.9	(0.8)
75–84	12.1	(1.2)	30.5	(0.3)	32.7	(0.5)	29.9	(0.4)	29.2	(1.6)
85 and over	7.2	(1.0)	21.6	(0.6)	36.6	(1.1)	39.8	(0.9)	49.1	(2.0)
Sex (percent distribution):										
Men	40.5	(0.8)	36.4	(0.3)	43.1	(0.8)	29.4	(0.9)	27.4	(0.8)
Women	59.5	(0.8)	63.6	(0.3)	56.9	(0.8)	70.6	(0.9)	72.6	(0.8)
Race and ethnicity (percent distribution):										
Hispanic	0.8	(0.1)	0.4	(0.0)	0.3	(0.0)	0.2	(0.0)	0.3	(0.0)
Non-Hispanic white	79.4	(2.2)	92.1	(1.1)	95.2	(1.4)	90.4	(0.8)	86.7	(3.2)
Non-Hispanic black	16.0	(1.8)	6.8	(1.0)	3.9	(1.3)	8.0	(0.7)	2.8	(0.3)
Non-Hispanic other	3.8	(1.8)	0.7	(0.1)	0.7	(0.1)	1.4	(0.2)	10.2	(3.3)
Used Medicaid for long-term care services (percent distribution)	78.9	(2.7)	8.8	(0.8)	---	---	66.4	(1.1)	19.1	(2.2)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	15.1	(1.3)	28.5	(0.6)	40.0	(0.8)	53.8	(0.9)	30.5	(1.8)
Diagnosed with depression	23.5	(1.9)	38.8	(0.8)	24.0	(0.5)	54.2	(0.8)	21.6	(1.6)
Diagnosed with diabetes	23.5	(1.4)	45.9	(0.5)	31.6	(1.0)	33.8	(0.6)	16.4	(1.0)
Need assistance in physical functioning (percentage):										
Eating	33.5	(1.9)	52.3	(2.3)	---	---	55.0	(1.7)	17.4	(1.5)
Bathing	43.7	(3.0)	96.7	(0.4)	---	---	98.3	(0.2)	53.9	(2.5)
Dressing	41.4	(2.4)	87.7	(1.6)	---	---	94.6	(0.4)	38.9	(2.2)
Toileting	35.9	(1.7)	69.3	(2.6)	---	---	90.8	(0.5)	29.1	(2.1)
Transferring in and out of a chair or bed	26.2	(1.7)	87.2	(1.6)	---	---	88.2	(0.6)	24.9	(2.1)
Walking	31.2	(1.4)	94.3	(0.7)	---	---	92.7	(0.4)	27.5	(2.4)
Adverse events (percentage):										
Overnight hospital stay	6.4	(0.5)	19.4	(0.9)	---	---	---	---	9.3	(0.6)
Emergency department visit	8.2	(0.8)	16.6	(0.9)	---	---	---	---	10.7	(0.6)

Table 18. Providers and Users of Long-Term Care Services in Kentucky, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Falls	8.1	(0.5)	0.1	(0.0)	---	---	17.6	(0.4)	17.6	(1.1)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 19. Providers and Users of Long-Term Care Services in Louisiana, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers ¹	50	(1)	200	(14)	100	(12)	300	(17)	100	(1)
Number of beds or licensed maximum capacity ²	2,200	(300)	34,600	(2,200)	5,300	(100)
Average capacity	45	(5.4)	---	---	---	---	124	(2.7)	50	(1.3)
Average number of people served	24	(4.1)	---	---	---	---	92	(2.2)	44	(2.0)
Metropolitan statistical area status (percent distribution):										
Metropolitan	75.0	(6.9)	77.1	(2.9)	83.8	(3.1)	71.4	(2.7)	87.3	(2.0)
Micropolitan or neither	25.0	(6.9)	22.9	(2.9)	16.2	(3.1)	28.6	(2.7)	12.7	(2.0)
Ownership (percent distribution):										
For-profit	51.9	(8.1)	91.0	(2.0)	81.7	(3.2)	80.7	(2.4)	79.4	(3.4)
Not-for-profit, government, or other	48.1	(8.1)	9.0	(2.0)	18.3	(3.2)	19.3	(2.4)	20.6	(3.4)
Number of people served (percent distribution): ³										
Category 1	70.1	(7.3)	19.6	(2.7)	38.3	(4.1)	4.3	(1.2)	*	*
Category 2	29.9	(7.3)	32.5	(3.2)	50.4	(4.2)	52.5	(3.0)	*	*
Category 3	-	-	47.8	(3.5)	11.3	(2.7)	43.2	(3.0)	*	*
Certification (percentage):										
Medicare-certified	100.0	(0.0)	---	---	100.0	(0.0)
Medicaid-certified	*	*	97.1	(1.2)	---	---	92.5	(1.6)	0.0	(0.0)
Chain-affiliated (percentage)	*	*	---	---	---	---	54.3	(3.0)	62.4	(4.0)
Staffing⁴										
Number of nursing and social work staff employee FTEs	293	(64)	3,643	(313)	1,407	(161)	17,237	(1,094)	1,361	(101)
Nursing and social work employee FTEs (percent distribution):										
Registered nurse	13.7	(1.9)	53.1	(1.1)	43.9	(1.3)	3.9	(0.2)	1.4	(0.4)
Licensed practical nurse or licensed vocational nurse	17.9	(3.4)	24.0	(1.0)	11.5	(1.2)	28.2	(0.3)	8.0	(1.2)
Aide	54.4	(2.4)	20.8	(1.0)	31.7	(1.1)	66.2	(0.4)	90.1	(1.4)
Social worker	14.0	(1.6)	2.0	(0.2)	12.9	(0.6)	1.7	(0.1)	0.5	(0.2)
Providers with one or more employee FTEs (percentage):										
Registered nurse	60.9	(8.3)	100.0	(0.0)	100.0	(0.0)	96.4	(1.1)	9.9	(2.5)
Licensed practical nurse or licensed vocational nurse	†	(†)	94.8	(1.5)	56.3	(4.2)	†	(†)	36.5	(3.3)
Aide	*	*	97.6	(1.1)	100.0	(0.0)	†	(†)	†	(†)

Table 19. Providers and Users of Long-Term Care Services in Louisiana, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Social worker	59.0	(8.1)	50.0	(3.5)	†	(†)	78.2	(2.5)	8.8	(2.5)
Activities staff	100.0	(0.0)	---	---	---	---	97.5	(0.9)	88.0	(2.7)
Employee hours per resident or participant per day:										
Registered nurse	0.3	(0.1)	---	---	---	---	0.2	(0.0)	0.0	(0.0)
Licensed practical nurse or licensed vocational nurse	0.6	(0.1)	---	---	---	---	1.0	(0.0)	0.1	(0.0)
Aide	0.9	(0.1)	---	---	---	---	2.3	(0.1)	2.1	(0.1)
Social worker	0.4	(0.1)	---	---	---	---	0.1	(0.0)	0.0	(0.0)
Activities staff	0.7	(0.2)	---	---	---	---	0.1	(0.0)	0.3	(0.0)
Service provided										
Social work (percentage)	*	*	87.6	(2.3)	100.0	(0.0)	80.4	(2.4)	24.1	(3.6)
Mental health or counseling (percentage)	38.3	(8.5)	---	---	100.0	(0.0)	62.1	(2.9)	29.2	(3.9)
Therapy (physical, occupational, or speech) (percentage)	31.3	(7.7)	100.0	(0.0)	†	(†)	100.0	(0.0)	39.0	(4.2)
Skilled nursing or nursing (percentage)	*	*	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	25.6	(3.7)
Pharmacy or pharmacist (percentage)	30.9	(7.7)	6.7	(1.7)	---	---	†	(†)	49.7	(4.3)
Hospice (percentage)	23.4	(7.2)	4.3	(1.4)	88.6	(1.9)	26.8	(3.6)
Dental (percentage)	32.3	(7.9)	---	---	---	---	81.1	(2.3)	33.1	(4.2)
Podiatrist (percentage)	35.2	(8.0)	---	---	---	---	79.6	(2.4)	45.0	(4.2)
Practices										
Depression screening (percentage)	†	(†)	94.2	(1.6)	---	---	---	---	67.8	(4.0)
Special care										
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	---	---	24.6	(2.6)	35.0	(4.4)

Table 19. Providers and Users of Long-Term Care Services in Louisiana, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Service users										
Number of users ²	1,800	(300)	90,200	(8,800)	22,500	(2,600)	25,900	(1,700)	4,700	(200)
Age in years (percent distribution):										
Under 65	24.9	(4.8)	20.4	(0.6)	7.4	(0.3)	20.0	(1.1)	3.6	(0.6)
65 and over	74.8	(4.8)	79.6	(0.6)	92.6	(0.3)	80.0	(1.1)	96.3	(0.6)
65–74	22.4	(1.6)	27.6	(0.3)	19.9	(0.4)	19.3	(0.4)	7.0	(0.5)
75–84	32.4	(3.0)	31.2	(0.3)	31.5	(0.4)	28.1	(0.5)	35.7	(1.9)
85 and over	20.0	(2.0)	20.8	(0.4)	41.1	(0.7)	32.6	(1.0)	53.7	(1.8)
Sex (percent distribution):										
Men	35.1	(2.3)	37.4	(0.3)	41.3	(0.5)	35.4	(0.9)	25.1	(0.7)
Women	64.9	(2.3)	62.6	(0.3)	58.7	(0.5)	64.6	(0.9)	74.9	(0.7)
Race and ethnicity (percent distribution):										
Hispanic	2.1	(0.4)	1.6	(0.1)	2.0	(0.2)	0.8	(0.1)	0.7	(0.1)
Non-Hispanic white	24.6	(3.4)	63.7	(1.2)	75.3	(1.1)	68.1	(1.4)	92.5	(1.6)
Non-Hispanic black	72.3	(3.8)	33.8	(1.3)	21.8	(1.0)	29.0	(1.3)	3.3	(0.6)
Non-Hispanic other	1.0	(0.2)	1.0	(0.1)	0.9	(0.1)	2.1	(0.5)	3.4	(1.5)
Used Medicaid for long-term care services (percent distribution)	76.2	(6.8)	6.7	(0.6)	---	---	73.5	(0.8)	0.0	(0.0)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	35.5	(4.9)	29.1	(0.4)	46.2	(1.6)	39.8	(0.9)	25.4	(2.3)
Diagnosed with depression	24.1	(4.4)	37.8	(0.7)	23.3	(0.8)	53.7	(0.8)	17.0	(1.5)
Diagnosed with diabetes	34.0	(3.1)	47.7	(0.4)	31.5	(0.9)	34.6	(0.5)	16.3	(1.3)
Need assistance in physical functioning (percentage):										
Eating	17.5	(3.2)	66.0	(1.5)	---	---	74.6	(1.6)	10.2	(1.1)
Bathing	57.4	(3.9)	96.9	(0.3)	---	---	96.4	(0.4)	36.0	(2.1)
Dressing	51.8	(4.4)	91.9	(0.8)	---	---	90.3	(0.6)	31.0	(1.9)
Toileting	39.8	(3.7)	81.5	(1.4)	---	---	85.7	(0.9)	21.3	(2.2)
Transferring in and out of a chair or bed	40.6	(5.3)	91.8	(0.7)	---	---	84.1	(1.0)	16.9	(2.0)
Walking	44.8	(4.7)	94.8	(0.4)	---	---	89.6	(0.7)	19.3	(2.3)
Adverse events (percentage):										
Overnight hospital stay	10.8	(1.1)	25.8	(0.9)	---	---	---	---	6.6	(0.4)

Table 19. Providers and Users of Long-Term Care Services in Louisiana, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Emergency department visit	10.6	(1.0)	19.8	(0.7)	---	---	---	---	10.4	(0.7)
Falls	15.4	(3.6)	0.2	(0.0)	---	---	17.2	(0.4)	17.7	(1.4)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 20. Providers and Users of Long-Term Care Services in Maine, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers ¹	30	(1)	30	(5)	20	(4)	100	(10)	240	(3)
Number of beds or licensed maximum capacity ²	700	(100)	7,000	(800)	6,500	(200)
Average capacity	26	(3.1)	---	---	---	---	66	(3.3)	28	(0.9)
Average number of people served	10	(2.2)	---	---	---	---	59	(3.1)	26	(0.8)
Metropolitan statistical area status (percent distribution):										
Metropolitan	37.8	(8.7)	53.8	(9.8)	68.4	(10.7)	47.2	(4.8)	58.7	(2.5)
Micropolitan or neither	62.2	(8.7)	46.2	(9.8)	31.6	(10.7)	52.8	(4.8)	41.3	(2.5)
Ownership (percent distribution):										
For-profit	36.5	(8.6)	38.5	(9.5)	26.3	(10.1)	70.8	(4.4)	62.9	(2.6)
Not-for-profit, government, or other	63.5	(8.6)	61.5	(9.5)	73.7	(10.1)	29.2	(4.4)	37.1	(2.6)
Number of people served (percent distribution): ³										
Category 1	†	(†)	*	*	*	*	8.5	(2.7)	*	*
Category 2	*	*	*	*	*	*	81.1	(3.8)	*	*
Category 3	-	-	*	*	*	*	10.4	(3.0)	*	*
Certification (percentage):										
Medicare-certified	100.0	(0.0)	---	---	100.0	(0.0)
Medicaid-certified	*	*	88.5	(6.4)	---	---	99.1	(0.9)	73.0	(2.3)
Chain-affiliated (percentage)	33.7	(8.3)	---	---	---	---	60.4	(4.8)	60.7	(2.6)
Staffing⁴										
Number of nursing and social work staff employee FTEs	84	(11)	502	(133)	436	(129)	5,164	(565)	2,846	(90)
Nursing and social work employee FTEs (percent distribution):										
Registered nurse	7.1	(1.4)	67.4	(3.5)	54.0	(2.2)	17.7	(0.7)	7.7	(0.8)
Licensed practical nurse or licensed vocational nurse	3.1	(1.1)	5.8	(3.5)	1.6	(1.2)	10.1	(0.5)	4.9	(0.6)
Aide	80.8	(2.8)	21.6	(1.9)	34.0	(2.0)	69.6	(0.8)	85.7	(0.9)
Social worker	9.0	(2.1)	5.2	(0.6)	10.3	(0.8)	2.5	(0.1)	1.7	(0.2)
Providers with one or more employee FTEs (percentage):										
Registered nurse	45.5	(8.7)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	57.4	(2.3)
Licensed practical nurse or licensed vocational nurse	*	*	34.6	(9.3)	*	*	†	(†)	31.9	(2.2)
Aide	*	*	†	(†)	100.0	(0.0)	100.0	(0.0)	92.9	(1.6)

Table 20. Providers and Users of Long-Term Care Services in Maine, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Social worker	38.5	(8.5)	76.9	(8.3)	100.0	(0.0)	†	(†)	25.2	(2.2)
Activities staff	57.3	(8.7)	---	---	---	---	†	(†)	74.2	(2.0)
Employee hours per resident or participant per day:										
Registered nurse	0.3	(0.1)	---	---	---	---	0.8	(0.0)	0.2	(0.0)
Licensed practical nurse or licensed vocational nurse	0.2	(0.1)	---	---	---	---	0.4	(0.0)	0.1	(0.0)
Aide	2.4	(0.3)	---	---	---	---	2.9	(0.1)	2.4	(0.1)
Social worker	0.3	(0.1)	---	---	---	---	0.1	(0.0)	0.0	(0.0)
Activities staff	0.4	(0.1)	---	---	---	---	0.2	(0.0)	0.2	(0.0)
Service provided										
Social work (percentage)	64.8	(8.5)	*	*	100.0	(0.0)	†	(†)	61.9	(2.5)
Mental health or counseling (percentage)	*	*	---	---	*	*	81.1	(3.8)	62.1	(2.5)
Therapy (physical, occupational, or speech) (percentage)	41.4	(8.7)	†	(†)	†	(†)	100.0	(0.0)	73.8	(2.3)
Skilled nursing or nursing (percentage)	41.6	(9.3)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	56.9	(2.6)
Pharmacy or pharmacist (percentage)	*	*	*	*	---	---	†	(†)	92.5	(1.5)
Hospice (percentage)	*	*	30.8	(9.1)	77.4	(4.1)	69.7	(2.4)
Dental (percentage)	—	—	---	---	---	---	74.5	(4.2)	64.9	(2.6)
Podiatrist (percentage)	*	*	---	---	---	---	93.4	(2.4)	88.6	(1.7)
Practices										
Depression screening (percentage)	*	*	100.0	(0.0)	---	---	---	---	88.9	(1.6)
Special care										
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	---	---	10.4	(3.0)	15.4	(1.8)

Table 20. Providers and Users of Long-Term Care Services in Maine, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Service users										
Number of users ²	400	(100)	25,200	(7,300)	6,300	(2,000)	6,300	(700)	6,100	(200)
Age in years (percent distribution):										
Under 65	47.7	(10.1)	16.7	(1.0)	5.3	(0.5)	9.1	(0.8)	6.5	(0.6)
65 and over	52.3	(10.1)	83.3	(1.0)	94.7	(0.5)	90.9	(0.8)	93.5	(0.6)
65–74	12.3	(2.4)	25.2	(0.6)	16.8	(1.1)	13.2	(0.5)	13.8	(0.8)
75–84	27.6	(5.6)	31.6	(0.6)	29.8	(0.6)	28.7	(0.7)	31.0	(1.1)
85 and over	12.5	(3.2)	26.5	(1.1)	48.1	(1.7)	49.0	(1.1)	48.7	(1.3)
Sex (percent distribution):										
Men	39.1	(1.8)	39.6	(0.6)	42.0	(1.9)	30.8	(1.9)	30.3	(1.2)
Women	60.9	(1.8)	60.4	(0.6)	58.0	(1.9)	69.2	(1.9)	69.7	(1.2)
Race and ethnicity (percent distribution):										
Hispanic	1.3	(0.6)	0.4	(0.0)	0.4	(0.1)	0.2	(0.1)	0.1	(0.0)
Non-Hispanic white	96.1	(0.8)	98.0	(0.1)	98.6	(0.1)	96.0	(1.5)	93.7	(1.7)
Non-Hispanic black	0.5	(0.3)	0.4	(0.0)	0.2	(0.1)	0.2	(0.1)	0.1	(0.0)
Non-Hispanic other	2.1	(0.7)	1.3	(0.1)	0.9	(0.1)	3.5	(1.5)	6.1	(1.7)
Used Medicaid for long-term care services (percent distribution)	26.6	(6.4)	9.5	(2.5)	---	---	65.0	(1.3)	56.1	(2.8)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	45.9	(9.6)	25.0	(1.2)	46.0	(3.5)	58.2	(1.8)	40.8	(1.6)
Diagnosed with depression	16.2	(4.3)	42.5	(0.8)	30.2	(1.2)	54.2	(1.2)	36.8	(1.6)
Diagnosed with diabetes	12.3	(2.8)	38.1	(0.6)	27.4	(0.8)	28.5	(0.8)	24.8	(1.0)
Need assistance in physical functioning (percentage):										
Eating	41.0	(3.9)	38.3	(3.9)	---	---	55.8	(3.0)	24.3	(1.3)
Bathing	41.0	(9.1)	97.8	(0.3)	---	---	97.5	(0.4)	73.7	(2.1)
Dressing	33.3	(7.2)	88.2	(2.0)	---	---	96.8	(0.5)	51.3	(1.8)
Toileting	33.5	(4.1)	67.8	(3.2)	---	---	95.3	(0.6)	41.5	(1.9)
Transferring in and out of a chair or bed	30.4	(3.6)	86.1	(1.5)	---	---	92.4	(0.8)	24.4	(1.4)
Walking	28.2	(3.6)	95.2	(0.9)	---	---	94.3	(0.7)	26.5	(2.0)
Adverse events (percentage):										
Overnight hospital stay	5.2	(1.1)	13.2	(1.1)	---	---	---	---	8.3	(0.4)

Table 20. Providers and Users of Long-Term Care Services in Maine, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Emergency department visit	4.6	(1.0)	16.0	(1.1)	---	---	---	---	13.2	(0.5)
Falls	10.3	(2.4)	0.1	(0.0)	---	---	26.0	(1.0)	27.9	(2.1)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 21. Providers and Users of Long-Term Care Services in Maryland, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers ¹	100	(1)	50	(7)	30	(5)	200	(15)	900	(11)
Number of beds or licensed maximum capacity ²	10,500	(700)	27,600	(2,000)	17,500	(1,000)
Average capacity	89	(5.3)	---	---	---	---	121	(4.1)	19	(1.1)
Average number of people served	59	(4.3)	---	---	---	---	107	(3.9)	17	(1.3)
Metropolitan statistical area status (percent distribution):										
Metropolitan	†	(†)	†	(†)	†	(†)	94.3	(1.5)	†	(†)
Micropolitan or neither	*	*	*	*	*	*	5.7	(1.5)	*	*
Ownership (percent distribution):										
For-profit	45.1	(4.3)	61.1	(6.6)	26.9	(8.7)	70.9	(3.0)	87.5	(3.1)
Not-for-profit, government, or other	54.9	(4.3)	38.9	(6.6)	73.1	(8.7)	29.1	(3.0)	*	*
Number of people served (percent distribution): ³										
Category 1	16.9	(3.2)	*	*	*	*	5.3	(1.5)	82.7	(1.5)
Category 2	66.4	(4.1)	*	*	*	*	42.3	(3.3)	*	*
Category 3	16.8	(3.3)	*	*	*	*	52.4	(3.3)	*	*
Certification (percentage):										
Medicare-certified	100.0	(0.0)	---	---	98.7	(0.8)
Medicaid-certified	100.0	(0.0)	85.2	(4.9)	---	---	95.6	(1.4)	46.0	(4.7)
Chain-affiliated (percentage)	51.3	(4.3)	---	---	---	---	58.6	(3.3)	51.6	(4.6)
Staffing⁴										
Number of nursing and social work staff employee FTEs	774	(51)	999	(182)	773	(207)	17,576	(1,275)	7,455	(843)
Nursing and social work employee FTEs (percent distribution):										
Registered nurse	29.1	(1.9)	71.1	(2.2)	50.6	(2.5)	15.3	(0.5)	*14.0	(5.6)
Licensed practical nurse or licensed vocational nurse	5.4	(1.0)	11.1	(1.6)	5.8	(1.0)	22.9	(0.5)	9.8	(1.8)
Aide	54.0	(2.5)	13.5	(1.5)	31.9	(2.5)	60.0	(0.6)	75.5	(5.3)
Social worker	11.5	(0.9)	4.3	(0.4)	11.7	(1.1)	1.7	(0.1)	*0.7	(0.3)
Providers with one or more employee FTEs (percentage):										
Registered nurse	†	(†)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	51.0	(4.4)
Licensed practical nurse or licensed vocational nurse	29.5	(3.9)	72.2	(6.1)	57.7	(9.7)	†	(†)	*	*
Aide	76.3	(3.7)	†	(†)	†	(†)	†	(†)	80.6	(3.8)

Table 21. Providers and Users of Long-Term Care Services in Maryland, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Social worker	84.1	(3.2)	88.9	(4.3)	100.0	(0.0)	83.3	(2.5)	*	*
Activities staff	†	(†)	---	---	---	---	96.5	(1.2)	51.8	(4.6)
Employee hours per resident or participant per day:										
Registered nurse	0.3	(0.0)	---	---	---	---	0.6	(0.0)	0.3	(0.1)
Licensed practical nurse or licensed vocational nurse	0.1	(0.0)	---	---	---	---	0.9	(0.0)	*0.1	(0.0)
Aide	0.7	(0.1)	---	---	---	---	2.3	(0.1)	2.3	(0.3)
Social worker	0.2	(0.0)	---	---	---	---	0.1	(0.0)	*0.0	(0.0)
Activities staff	0.5	(0.0)	---	---	---	---	0.2	(0.0)	0.4	(0.1)
Service provided										
Social work (percentage)	†	(†)	†	(†)	100.0	(0.0)	96.0	(1.3)	54.6	(4.7)
Mental health or counseling (percentage)	66.3	(4.1)	---	---	100.0	(0.0)	93.8	(1.6)	61.2	(4.4)
Therapy (physical, occupational, or speech) (percentage)	83.7	(3.2)	100.0	(0.0)	100.0	(0.0)	†	(†)	*	*
Skilled nursing or nursing (percentage)	†	(†)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	*	*
Pharmacy or pharmacist (percentage)	60.6	(4.2)	*	*	---	---	86.8	(2.2)	*	*
Hospice (percentage)	18.9	(3.4)	*	*	71.4	(3.0)	63.8	(4.4)
Dental (percentage)	38.6	(4.2)	---	---	---	---	82.4	(2.5)	47.4	(4.8)
Podiatrist (percentage)	79.1	(3.5)	---	---	---	---	92.1	(1.8)	*	*
Practices										
Depression screening (percentage)	80.2	(3.5)	100.0	(0.0)	---	---	---	---	90.0	(2.9)
Special care										
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	---	---	11.5	(2.1)	*	*

Table 21. Providers and Users of Long-Term Care Services in Maryland, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Service users										
Number of users ²	9,900	(700)	73,300	(14,700)	19,600	(5,800)	24,300	(1,800)	15,900	(1,200)
Age in years (percent distribution):										
Under 65	25.3	(2.8)	13.8	(1.2)	5.4	(0.4)	17.2	(1.1)	5.0	(0.9)
65 and over	74.7	(2.8)	86.2	(1.2)	94.6	(0.4)	82.8	(1.1)	95.0	(0.9)
65–74	20.0	(0.8)	27.1	(0.9)	17.6	(0.7)	17.3	(0.6)	8.2	(0.8)
75–84	33.2	(2.0)	31.7	(0.5)	29.4	(0.5)	26.4	(0.4)	33.3	(2.7)
85 and over	21.5	(1.7)	27.4	(1.4)	47.6	(1.3)	39.1	(1.4)	53.5	(2.7)
Sex (percent distribution):										
Men	37.6	(1.2)	37.3	(0.3)	40.6	(0.6)	34.1	(1.0)	28.1	(1.6)
Women	62.4	(1.2)	62.7	(0.3)	59.4	(0.6)	65.9	(1.0)	71.9	(1.6)
Race and ethnicity (percent distribution):										
Hispanic	1.6	(0.5)	1.5	(0.2)	1.3	(0.3)	1.2	(0.1)	1.0	(0.3)
Non-Hispanic white	39.7	(3.8)	70.1	(2.7)	76.7	(3.0)	58.9	(2.3)	78.8	(4.7)
Non-Hispanic black	32.7	(3.6)	25.8	(2.6)	19.6	(3.0)	32.1	(2.1)	13.7	(3.0)
Non-Hispanic other	26.0	(4.9)	2.6	(0.4)	2.4	(0.5)	7.9	(0.9)	*6.5	(4.0)
Used Medicaid for long-term care services (percent distribution)	73.2	(2.5)	6.6	(1.3)	---	---	60.9	(1.3)	4.6	(1.1)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	25.9	(1.9)	31.7	(1.3)	52.4	(1.5)	47.9	(1.1)	52.8	(4.1)
Diagnosed with depression	30.5	(3.1)	36.0	(0.9)	27.3	(0.8)	45.4	(1.0)	26.3	(2.8)
Diagnosed with diabetes	30.6	(1.2)	45.8	(1.0)	34.2	(1.1)	33.9	(0.7)	17.4	(1.4)
Need assistance in physical functioning (percentage):										
Eating	21.3	(2.2)	58.8	(1.8)	---	---	56.8	(1.5)	28.6	(4.5)
Bathing	57.7	(4.2)	97.6	(0.3)	---	---	96.0	(0.4)	68.2	(5.1)
Dressing	43.5	(4.1)	90.5	(1.0)	---	---	93.8	(0.4)	53.2	(4.2)
Toileting	39.5	(3.4)	75.1	(1.9)	---	---	90.4	(0.6)	47.1	(4.3)
Transferring in/out of chair	28.3	(2.7)	89.2	(0.9)	---	---	87.8	(0.6)	35.0	(4.2)
Walking	39.7	(3.2)	95.6	(0.5)	---	---	92.1	(0.5)	36.1	(4.3)
Adverse events (percentage):										
Overnight hospital stay	5.5	(0.4)	15.0	(0.9)	---	---	---	---	11.1	(1.0)

Table 21. Providers and Users of Long-Term Care Services in Maryland, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Emergency department visit	5.6	(0.6)	15.6	(0.6)	---	---	---	---	15.0	(1.4)
Falls	4.8	(0.6)	0.1	(0.0)	---	---	15.8	(0.5)	26.2	(5.1)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 22. Providers and Users of Long-Term Care Services in Massachusetts, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Organization	Number or percent (standard error)									
Number of providers ¹	200	(1)	200	(14)	70	(8)	400	(20)	300	(3)
Number of beds or licensed maximum capacity ²	9,100	(400)	47,500	(2,500)	13,600	(400)
Average capacity	58	(2.6)	---	---	---	---	114	(2.4)	52	(1.3)
Average number of people served	44	(1.9)	---	---	---	---	99	(2.1)	49	(1.5)
Metropolitan statistical area status (percent distribution):										
Metropolitan	100.0	(0.0)	†	(†)	†	(†)	98.3	(0.6)	100.0	(0.0)
Micropolitan or neither	-	-	*	*	*	*	1.7	(0.6)	-	-
Ownership (percent distribution):										
For-profit	42.2	(3.2)	69.9	(3.4)	38.0	(5.8)	72.0	(2.2)	62.4	(3.2)
Not-for-profit, government, or other	57.8	(3.2)	30.1	(3.4)	62.0	(5.8)	28.0	(2.2)	37.6	(3.2)
Number of people served (percent distribution): ³										
Category 1	29.1	(3.0)	30.1	(3.4)	11.8	(3.9)	3.1	(0.8)	29.9	(1.8)
Category 2	64.9	(3.1)	14.0	(2.5)	44.1	(6.0)	45.7	(2.4)	65.1	(2.1)
Category 3	6.0	(1.5)	39.8	(3.6)	44.1	(6.0)	51.2	(2.4)	5.1	(1.1)
Missing	16.1	(2.7)
Certification (percentage):										
Medicare-certified	100.0	(0.0)	---	---	98.6	(0.6)
Medicaid-certified	†	(†)	91.4	(2.1)	---	---	96.7	(0.9)	46.6	(3.1)
Chain-affiliated (percentage)	67.8	(3.0)	---	---	---	---	58.9	(2.4)	49.8	(3.1)
Staffing⁴										
Number of nursing and social work staff employee FTEs	1,017	(46)	3,368	(359)	1,478	(267)	30,718	(1,615)	4,794	(238)
Nursing and social work employee FTEs (percent distribution):										
Registered nurse	28.5	(1.1)	58.4	(2.4)	48.5	(1.9)	14.5	(0.3)	9.9	(1.6)
Licensed practical nurse or licensed vocational nurse	7.7	(0.5)	12.8	(1.3)	4.7	(1.2)	21.5	(0.3)	8.0	(0.5)
Aide	51.2	(1.6)	26.4	(2.2)	34.9	(2.4)	61.8	(0.3)	80.5	(1.6)
Social worker	12.6	(0.6)	2.4	(0.3)	11.8	(0.5)	2.2	(0.0)	1.6	(0.2)
Providers with one or more employee FTEs (percentage):										
Registered nurse	†	(†)	100.0	(0.0)	100.0	(0.0)	†	(†)	79.7	(2.6)
Licensed practical nurse or licensed vocational nurse	53.0	(3.3)	60.8	(3.6)	29.6	(5.4)	100.0	(0.0)	69.4	(2.9)
Aide	86.5	(2.3)	88.7	(2.3)	91.5	(3.3)	100.0	(0.0)	95.8	(1.3)

Table 22. Providers and Users of Long-Term Care Services in Massachusetts, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Social worker	89.1	(2.1)	53.8	(3.7)	100.0	(0.0)	96.9	(0.8)	36.5	(3.1)
Activities staff	†	(†)	---	---	---	---	†	(†)	94.8	(1.4)
Employee hours per resident or participant per day:										
Registered nurse	0.4	(0.0)	---	---	---	---	0.6	(0.0)	0.2	(0.0)
Licensed practical nurse or licensed vocational nurse	0.1	(0.0)	---	---	---	---	0.8	(0.0)	0.2	(0.0)
Aide	0.6	(0.0)	---	---	---	---	2.4	(0.0)	1.8	(0.1)
Social worker	0.2	(0.0)	---	---	---	---	0.1	(0.0)	0.0	(0.0)
Activities staff	0.5	(0.0)	---	---	---	---	0.2	(0.0)	0.2	(0.0)
Service provided										
Social work (percentage)	89.2	(2.1)	81.7	(2.8)	100.0	(0.0)	100.0	(0.0)	61.4	(3.2)
Mental health or counseling (percentage)	53.4	(3.4)	---	---	100.0	(0.0)	98.6	(0.6)	56.5	(3.3)
Therapy (physical, occupational, or speech) (percentage)	78.5	(2.7)	95.7	(1.5)	†	(†)	100.0	(0.0)	64.3	(3.1)
Skilled nursing or nursing (percentage)	†	(†)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	58.8	(3.3)
Pharmacy or pharmacist (percentage)	43.4	(3.3)	2.7	(1.2)	---	---	†	(†)	81.4	(2.6)
Hospice (percentage)	22.3	(2.8)	13.4	(2.5)	85.9	(1.7)	64.2	(3.1)
Dental (percentage)	20.5	(2.7)	---	---	---	---	95.7	(1.0)	56.3	(3.2)
Podiatrist (percentage)	67.1	(3.1)	---	---	---	---	97.6	(0.7)	83.0	(2.5)
Practices										
Depression screening (percentage)	91.4	(1.8)	92.2	(2.2)	---	---	---	---	79.5	(2.7)
Special care										
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	---	---	21.5	(2.0)	38.0	(3.1)

Table 22. Providers and Users of Long-Term Care Services in Massachusetts, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Service users										
Number of users ²	12,100	(700)	163,700	(29,000)	27,200	(5,000)	41,300	(2,200)	12,900	(400)
Age in years (percent distribution):										
Under 65	26.3	(2.2)	19.1	(1.5)	4.5	(0.3)	11.9	(0.8)	5.1	(0.9)
65 and over	73.7	(2.2)	80.9	(1.5)	95.5	(0.3)	88.1	(0.8)	94.9	(0.9)
65-74	23.4	(1.9)	22.2	(0.6)	13.9	(0.6)	13.7	(0.4)	9.8	(0.8)
75-84	33.5	(2.6)	30.0	(0.6)	28.3	(0.4)	25.4	(0.3)	26.0	(1.2)
85 and over	16.8	(1.4)	28.7	(1.1)	53.4	(1.1)	49.1	(1.0)	59.1	(1.7)
Sex (percent distribution):										
Men	43.0	(1.0)	38.4	(0.4)	38.3	(0.8)	31.3	(0.7)	26.4	(0.8)
Women	57.0	(1.0)	61.6	(0.4)	61.7	(0.8)	68.7	(0.7)	73.6	(0.8)
Race and ethnicity (percent distribution):										
Hispanic	7.4	(1.2)	3.9	(0.4)	2.6	(0.3)	2.8	(0.3)	1.4	(0.3)
Non-Hispanic white	73.7	(3.1)	88.9	(1.5)	92.5	(0.8)	86.8	(0.9)	84.8	(2.5)
Non-Hispanic black	11.0	(1.9)	4.5	(1.1)	2.7	(0.5)	5.2	(0.6)	2.6	(0.6)
Non-Hispanic other	7.9	(1.9)	2.7	(0.3)	2.2	(0.3)	5.1	(0.6)	11.1	(2.5)
Used Medicaid for long-term care services (percent distribution)	69.5	(2.7)	16.0	(2.1)	---	---	61.6	(0.9)	16.7	(1.8)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	31.0	(2.4)	27.6	(1.4)	50.2	(2.5)	56.4	(0.7)	39.1	(1.7)
Diagnosed with depression	31.5	(1.8)	40.0	(0.7)	28.6	(0.8)	53.3	(0.6)	20.4	(1.3)
Diagnosed with diabetes	30.7	(1.1)	38.1	(0.9)	26.3	(0.6)	28.6	(0.4)	14.2	(0.9)
Need assistance in physical functioning (percentage):										
Eating	26.3	(1.5)	43.8	(3.2)	---	---	46.7	(1.0)	12.6	(1.1)
Bathing	52.0	(2.6)	94.0	(1.2)	---	---	96.1	(0.3)	60.7	(1.6)
Dressing	42.8	(2.1)	84.6	(2.4)	---	---	94.4	(0.4)	44.9	(1.8)
Toileting	40.9	(2.2)	67.5	(3.5)	---	---	87.5	(0.6)	26.6	(1.7)
Transferring in and out of a chair or bed	33.2	(2.1)	81.6	(2.1)	---	---	84.6	(0.6)	14.8	(1.4)
Walking	39.9	(2.3)	90.7	(1.4)	---	---	91.0	(0.5)	18.5	(1.5)
Adverse events (percentage):										
Overnight hospital stay	9.1	(0.5)	15.6	(0.8)	---	---	---	---	12.1	(1.0)
Emergency department visit	8.3	(0.6)	15.2	(0.8)	---	---	---	---	15.5	(1.1)

Table 22. Providers and Users of Long-Term Care Services in Massachusetts, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Falls	7.2	(0.6)	0.1	(0.0)	---	---	14.1	(0.3)	25.4	(1.6)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 23. Providers and Users of Long-Term Care Services in Michigan, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Organization	Number or percent (standard error)									
Number of providers ¹	80	(1)	700	(26)	100	(10)	400	(21)	1,700	(21)
Number of beds or licensed maximum capacity ²	3,100	(400)	46,400	(2,400)	36,500	(1,800)
Average capacity	40	(4.6)	---	---	---	---	107	(2.4)	22	(1.0)
Average number of people served	21	(2.1)	---	---	---	---	91	(2.2)	18	(0.8)
Metropolitan statistical area status (percent distribution):										
Metropolitan	66.2	(4.3)	92.9	(1.0)	68.8	(4.4)	71.4	(2.2)	73.0	(3.3)
Micropolitan or neither	33.8	(4.3)	7.1	(1.0)	31.2	(4.4)	28.6	(2.2)	27.0	(3.3)
Ownership (percent distribution):										
For-profit	15.4	(3.3)	87.5	(1.3)	48.6	(4.8)	70.7	(2.2)	82.1	(3.0)
Not-for-profit, government, or other	84.6	(3.3)	12.5	(1.3)	51.4	(4.8)	29.3	(2.2)	*	*
Number of people served (percent distribution): ³										
Category 1	74.0	(4.0)	45.4	(2.0)	15.9	(3.5)	3.2	(0.9)	80.8	(1.4)
Category 2	26.0	(4.0)	30.8	(1.8)	42.1	(4.8)	61.4	(2.3)	17.3	(1.5)
Category 3	-	-	23.8	(1.7)	42.1	(4.8)	35.3	(2.3)	*	*
Certification (percentage):										
Medicare-certified	100.0	(0.0)	---	---	97.9	(0.7)
Medicaid-certified	75.2	(4.0)	60.8	(1.9)	---	---	96.3	(0.9)	42.5	(3.9)
Chain-affiliated (percentage)	30.3	(4.2)	---	---	---	---	57.3	(2.4)	47.6	(3.8)
Staffing⁴										
Number of nursing and social work staff employee FTEs	314	(28)	3,779	(277)	2,479	(365)	30,065	(1,611)	14,980	(1,283)
Nursing and social work employee FTEs (percent distribution):										
Registered nurse	19.0	(1.6)	66.4	(1.2)	49.1	(1.1)	13.0	(0.3)	4.5	(0.8)
Licensed practical nurse or licensed vocational nurse	8.2	(1.3)	8.8	(0.8)	5.1	(0.6)	20.1	(0.4)	4.2	(0.5)
Aide	59.0	(3.1)	19.2	(1.0)	32.9	(1.0)	64.7	(0.4)	90.7	(1.1)
Social worker	13.9	(2.1)	5.5	(0.3)	12.9	(0.6)	2.2	(0.1)	0.6	(0.2)
Providers with one or more employee FTEs (percentage):										
Registered nurse	62.5	(4.6)	†	(†)	100.0	(0.0)	†	(†)	29.4	(3.4)
Licensed practical nurse or licensed vocational nurse	32.8	(4.5)	36.9	(1.8)	47.7	(4.8)	98.4	(0.6)	24.3	(2.7)
Aide	79.2	(4.0)	89.8	(1.2)	†	(†)	†	(†)	72.9	(3.4)
Social worker	47.7	(4.8)	65.9	(1.8)	100.0	(0.0)	88.7	(1.5)	*	*

Table 23. Providers and Users of Long-Term Care Services in Michigan, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	†	(†)	---	---	---	---	97.9	(0.7)	44.4	(3.3)
Activities staff	†	(†)	---	---	---	---	97.9	(0.7)	44.4	(3.3)
Employee hours per resident or participant per day:										
Registered nurse	0.4	(0.1)	---	---	---	---	0.6	(0.0)	0.2	(0.1)
Licensed practical nurse or licensed vocational nurse	0.2	(0.0)	---	---	---	---	0.8	(0.0)	0.1	(0.0)
Aide	1.1	(0.1)	---	---	---	---	2.5	(0.0)	2.7	(0.3)
Social worker	0.3	(0.1)	---	---	---	---	0.1	(0.0)	*0.0	(0.0)
Activities staff	1.0	(0.1)	---	---	---	---	0.2	(0.0)	0.4	(0.1)
Service provided										
Social work (percentage)	56.8	(5.0)	95.9	(0.8)	100.0	(0.0)	94.7	(1.1)	56.8	(3.8)
Mental health or counseling (percentage)	41.9	(4.9)	---	---	†	(†)	95.4	(1.0)	64.3	(3.7)
Therapy (physical, occupational, or speech) (percentage)	45.2	(4.9)	†	(†)	†	(†)	†	(†)	68.6	(3.6)
Skilled nursing or nursing (percentage)	46.8	(5.0)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	66.2	(3.7)
Pharmacy or pharmacist (percentage)	11.2	(3.2)	2.3	(0.6)	---	---	98.2	(0.6)	*	*
Hospice (percentage)	31.0	(4.6)	*	*	85.7	(1.7)	59.4	(3.8)
Dental (percentage)	19.8	(4.1)	---	---	---	---	92.6	(1.3)	58.2	(3.7)
Podiatrist (percentage)	38.4	(4.8)	---	---	---	---	95.4	(1.0)	77.8	(3.2)
Practices										
Depression screening (percentage)	86.6	(3.3)	97.9	(0.6)	---	---	---	---	81.2	(3.1)
Special care										
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	---	---	6.2	(1.2)	20.0	(2.8)

Table 23. Providers and Users of Long-Term Care Services in Michigan, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Service users										
Number of users ²	3,500	(400)	222,300	(23,500)	51,700	(7,500)	39,200	(2,100)	30,200	(1,400)
Age in years (percent distribution):										
Under 65	15.1	(1.7)	20.9	(0.6)	5.8	(0.2)	12.5	(0.6)	10.6	(1.2)
65 and over	84.7	(1.7)	79.1	(0.6)	94.2	(0.2)	87.5	(0.6)	89.5	(1.2)
65–74	21.8	(1.4)	25.6	(0.3)	16.8	(0.5)	15.9	(0.3)	8.6	(1.0)
75–84	34.5	(1.6)	28.8	(0.3)	29.0	(0.3)	27.9	(0.3)	29.5	(2.4)
85 and over	28.4	(1.4)	24.7	(0.6)	48.4	(0.7)	43.7	(0.8)	51.4	(2.7)
Sex (percent distribution):										
Men	37.9	(1.1)	38.8	(0.3)	40.4	(0.5)	31.1	(0.5)	31.4	(1.2)
Women	62.1	(1.1)	61.2	(0.3)	59.6	(0.5)	68.9	(0.5)	68.6	(1.2)
Race and ethnicity (percent distribution):										
Hispanic	3.1	(0.6)	1.6	(0.1)	1.2	(0.1)	0.9	(0.1)	*0.7	(0.2)
Non-Hispanic white	75.0	(3.5)	71.4	(1.6)	88.8	(1.3)	78.8	(1.4)	88.2	(3.2)
Non-Hispanic black	18.0	(3.5)	24.7	(1.5)	8.8	(1.2)	16.2	(1.3)	2.3	(0.4)
Non-Hispanic other	3.8	(0.9)	2.3	(0.1)	1.2	(0.1)	4.0	(0.4)	*8.8	(3.2)
Used Medicaid for long-term care services (percent distribution)	42.4	(7.1)	7.5	(0.7)	---	---	60.8	(1.1)	10.7	(2.0)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	61.1	(4.2)	32.5	(0.8)	48.9	(1.5)	56.3	(0.8)	48.7	(3.3)
Diagnosed with depression	37.7	(4.8)	40.2	(0.6)	26.4	(0.7)	48.7	(0.7)	28.7	(2.5)
Diagnosed with diabetes	24.9	(3.5)	49.5	(0.6)	30.3	(0.7)	32.1	(0.4)	16.4	(1.2)
Need assistance in physical functioning (percentage):										
Eating	36.1	(4.0)	56.1	(1.7)	---	---	50.4	(1.3)	31.6	(3.0)
Bathing	55.6	(4.9)	97.0	(0.3)	---	---	98.4	(0.2)	73.2	(2.7)
Dressing	55.3	(4.5)	89.1	(1.1)	---	---	94.1	(0.3)	58.0	(2.4)
Toileting	53.7	(4.2)	75.5	(1.9)	---	---	91.4	(0.4)	53.9	(2.9)
Transferring in and out of a chair or bed	43.7	(4.3)	88.5	(0.9)	---	---	88.7	(0.5)	44.0	(2.9)
Walking	48.0	(4.3)	94.1	(0.5)	---	---	93.3	(0.3)	36.5	(3.0)
Adverse events (percentage):										
Overnight hospital stay	6.3	(0.6)	13.4	(0.4)	---	---	---	---	7.2	(0.8)
Emergency department visit	11.1	(2.1)	14.0	(0.5)	---	---	---	---	12.8	(1.1)

Table 23. Providers and Users of Long-Term Care Services in Michigan, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Falls	14.2	(1.9)	0.3	(0.0)	---	---	16.7	(0.3)	20.7	(2.2)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 24. Providers and Users of Long-Term Care Services in Minnesota, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services						Nursing home		Residential care community	
	center		Home health agency		Hospice					
Organization	Number or percent (standard error)									
Number of providers ¹	200	(2)	200	(14)	70	(8)	400	(19)	800	(12)
Number of beds or licensed maximum capacity ²	6,200	(300)	29,800	(1,800)	30,600	(2,200)
Average capacity	38	(2.0)	---	---	---	---	79	(2.4)	38	(2.6)
Average number of people served	19	(1.1)	---	---	---	---	71	(2.3)	35	(2.6)
Metropolitan statistical area status (percent distribution):										
Metropolitan	79.5	(2.5)	63.4	(3.4)	50.7	(6.0)	55.4	(2.6)	58.7	(5.0)
Micropolitan or neither	20.5	(2.5)	36.6	(3.4)	49.3	(6.0)	44.6	(2.6)	41.3	(5.0)
Ownership (percent distribution):										
For-profit	50.7	(3.2)	42.9	(3.5)	21.7	(5.0)	29.7	(2.4)	65.4	(4.0)
Not-for-profit, government, or other	49.3	(3.2)	57.1	(3.5)	78.3	(5.0)	70.3	(2.4)	34.6	(4.0)
Number of people served (percent distribution): ³										
Category 1	*	*	56.0	(3.6)	32.8	(5.7)	4.8	(1.1)	59.6	(3.4)
Category 2	*	*	27.7	(3.2)	41.8	(6.0)	78.2	(2.1)	34.7	(3.7)
Category 3	*	*	16.2	(2.7)	25.4	(5.3)	17.0	(1.9)	*	*
Certification (percentage):										
Medicare-certified	100.0	(0.0)	---	---	97.3	(0.8)
Medicaid-certified	72.7	(2.9)	99.0	(0.7)	---	---	97.6	(0.8)	*	*
Chain-affiliated (percentage)	40.6	(3.1)	---	---	---	---	53.8	(2.6)	60.0	(5.0)
Staffing⁴										
Number of nursing and social work staff employee FTEs	523	(44)	2,812	(268)	1,005	(215)	19,592	(1,174)	12,252	(1,117)
Nursing and social work employee FTEs (percent distribution):										
Registered nurse	12.1	(1.2)	47.9	(2.2)	53.3	(1.8)	13.7	(0.3)	8.2	(0.7)
Licensed practical nurse or licensed vocational nurse	7.5	(0.9)	11.5	(1.2)	7.2	(1.8)	19.8	(0.4)	5.3	(0.6)
Aide	72.8	(2.2)	39.4	(2.4)	24.5	(1.6)	64.3	(0.4)	85.9	(1.2)
Social worker	7.7	(1.0)	1.2	(0.2)	14.9	(1.0)	2.3	(0.1)	0.6	(0.2)
Providers with one or more employee FTEs (percentage):										
Registered nurse	46.7	(3.2)	100.0	(0.0)	100.0	(0.0)	†	(†)	†	(†)
Licensed practical nurse or licensed vocational nurse	25.7	(2.8)	60.5	(3.4)	49.3	(6.0)	†	(†)	59.6	(5.1)
Aide	66.2	(3.2)	97.6	(1.1)	†	(†)	†	(†)	†	(†)

Table 24. Providers and Users of Long-Term Care Services in Minnesota, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services						Residential care community			
	center		Home health agency		Hospice		Nursing home		community	
Social worker	31.7	(3.0)	31.7	(3.3)	100.0	(0.0)	80.1	(2.1)	*	*
Activities staff	73.5	(2.8)	---	---	---	---	96.0	(1.0)	65.4	(4.9)
Employee hours per resident or participant per day:										
Registered nurse	0.3	(0.1)	---	---	---	---	0.5	(0.0)	0.4	(0.0)
Licensed practical nurse or licensed vocational nurse	0.3	(0.1)	---	---	---	---	0.7	(0.0)	0.2	(0.0)
Aide	1.8	(0.3)	---	---	---	---	2.4	(0.0)	3.2	(0.2)
Social worker	0.2	(0.0)	---	---	---	---	0.1	(0.0)	*0.0	(0.0)
Activities staff	0.9	(0.1)	---	---	---	---	0.2	(0.0)	0.2	(0.0)
Service provided										
Social work (percentage)	44.0	(3.2)	45.9	(3.5)	100.0	(0.0)	85.9	(1.8)	42.9	(5.1)
Mental health or counseling (percentage)	29.4	(2.9)	---	---	†	(†)	77.7	(2.1)	47.8	(5.2)
Therapy (physical, occupational, or speech) (percentage)	51.8	(3.2)	90.7	(2.0)	†	(†)	†	(†)	*	*
Skilled nursing or nursing (percentage)	69.4	(3.0)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	*	*
Pharmacy or pharmacist (percentage)	21.8	(2.7)	12.2	(2.3)	---	---	96.0	(1.0)	*	*
Hospice (percentage)	16.5	(2.3)	14.6	(2.5)	77.5	(2.2)	*	*
Dental (percentage)	11.9	(2.0)	---	---	---	---	78.2	(2.1)	61.6	(5.0)
Podiatrist (percentage)	28.4	(2.9)	---	---	---	---	84.1	(1.9)	*	*
Practices										
Depression screening (percentage)	89.3	(1.9)	88.3	(2.3)	---	---	---	---	85.7	(3.5)
Special care										
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	---	---	22.0	(2.1)	34.1	(4.9)

Table 24. Providers and Users of Long-Term Care Services in Minnesota, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services						Nursing home		Residential care community	
	center		Home health agency		Hospice					
Service users										
Number of users ²	6,800	(400)	57,000	(11,600)	21,200	(4,800)	26,700	(1,600)	27,800	(2,200)
Age in years (percent distribution):										
Under 65	25.0	(2.4)	18.9	(1.4)	4.7	(0.3)	9.9	(1.0)	6.3	(1.6)
65 and over	75.0	(2.5)	81.1	(1.4)	95.3	(0.3)	90.1	(1.0)	93.7	(1.6)
65–74	29.2	(1.6)	21.1	(1.0)	15.4	(0.7)	12.3	(0.5)	8.3	(1.0)
75–84	31.2	(1.5)	29.7	(0.4)	28.4	(0.4)	25.1	(0.4)	27.2	(2.3)
85 and over	14.7	(1.6)	30.4	(1.7)	51.4	(1.2)	52.7	(1.1)	58.2	(3.2)
Sex (percent distribution):										
Men	43.6	(1.3)	36.4	(0.4)	40.9	(0.7)	32.2	(0.8)	29.0	(1.6)
Women	56.4	(1.3)	63.6	(0.4)	59.1	(0.7)	67.8	(0.8)	71.0	(1.6)
Race and ethnicity (percent distribution):										
Hispanic	2.7	(1.0)	0.8	(0.1)	0.6	(0.1)	0.6	(0.1)	*0.3	(0.1)
Non-Hispanic white	57.2	(4.2)	94.0	(0.7)	95.7	(0.5)	92.4	(0.7)	86.0	(4.9)
Non-Hispanic black	19.5	(3.9)	3.2	(0.5)	1.6	(0.3)	2.7	(0.4)	*1.8	(0.8)
Non-Hispanic other	20.6	(3.3)	2.1	(0.2)	2.1	(0.2)	4.2	(0.5)	*11.9	(4.9)
Used Medicaid for long-term care services (percent distribution)	37.1	(3.8)	19.1	(2.3)	---	---	53.6	(1.0)	20.2	(3.2)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	27.3	(2.4)	26.6	(1.9)	39.2	(2.0)	49.3	(0.8)	38.7	(4.6)
Diagnosed with depression	30.4	(2.0)	37.8	(0.8)	21.4	(0.5)	48.5	(0.6)	27.7	(3.6)
Diagnosed with diabetes	28.5	(1.9)	32.7	(0.6)	20.7	(0.5)	28.0	(0.4)	14.3	(1.3)
Need assistance in physical functioning (percentage):										
Eating	15.1	(1.6)	37.7	(2.6)	---	---	44.2	(1.3)	24.1	(2.8)
Bathing	17.5	(1.9)	94.5	(0.9)	---	---	96.5	(0.7)	60.0	(4.0)
Dressing	17.0	(1.7)	79.9	(2.9)	---	---	89.3	(0.8)	42.9	(4.0)
Toileting	15.9	(1.4)	65.6	(3.8)	---	---	85.3	(0.9)	36.9	(4.1)
Transferring in and out of a chair or bed	11.4	(1.0)	82.4	(2.1)	---	---	80.9	(1.0)	26.1	(3.7)
Walking	21.2	(2.1)	92.2	(1.1)	---	---	87.3	(0.9)	25.6	(3.8)
Adverse events (percentage):										
Overnight hospital stay	5.9	(0.4)	16.8	(1.0)	---	---	---	---	8.7	(1.6)
Emergency department visit	6.1	(0.5)	17.2	(0.8)	---	---	---	---	9.9	(1.2)

Table 24. Providers and Users of Long-Term Care Services in Minnesota, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services						Residential care community			
	center		Home health agency		Hospice		Nursing home			
Falls	6.3	(0.6)	0.3	(0.1)	---	---	21.7	(0.4)	18.3	(1.8)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 25. Providers and Users of Long-Term Care Services in Mississippi, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services						Nursing home		Residential care community	
	center		Home health agency		Hospice					
Organization	Number or percent (standard error)									
Number of providers ¹	90	(1)	50	(7)	100	(11)	200	(14)	100	(2)
Number of beds or licensed maximum capacity ²	5,100	(400)	18,400	(1,400)	6,400	(300)
Average capacity	61	(4.5)	---	---	---	---	90	(2.7)	43	(2.2)
Average number of people served	25	(2.1)	---	---	---	---	79	(2.4)	36	(2.2)
Metropolitan statistical area status (percent distribution):										
Metropolitan	20.0	(5.2)	30.4	(6.8)	42.5	(4.7)	31.4	(3.2)	40.4	(4.3)
Micropolitan or neither	80.0	(5.2)	69.6	(6.8)	57.5	(4.7)	68.6	(3.2)	59.6	(4.3)
Ownership (percent distribution):										
For-profit	63.2	(6.3)	67.4	(6.9)	81.4	(3.7)	77.0	(2.9)	83.0	(3.3)
Not-for-profit, government, or other	36.8	(6.3)	32.6	(6.9)	18.6	(3.7)	23.0	(2.9)	17.0	(3.3)
Number of people served (percent distribution): ³										
Category 1	61.6	(6.3)	*	*	55.8	(4.9)	4.4	(1.4)	*	*
Category 2	38.4	(6.3)	*	*	30.8	(4.5)	68.1	(3.3)	*	*
Category 3	-	-	*	*	13.5	(3.3)	27.5	(3.1)	*	*
Certification (percentage):										
Medicare-certified	100.0	(0.0)	---	---	87.3	(2.3)
Medicaid-certified	97.1	(2.2)	97.8	(2.2)	---	---	96.6	(1.3)	26.4	(4.0)
Chain-affiliated (percentage)	30.7	(6.0)	---	---	---	---	49.0	(3.5)	57.9	(4.3)
Staffing⁴										
Number of nursing and social work staff employee FTEs	220	(24)	1,057	(220)	1,377	(190)	11,712	(896)	2,340	(185)
Nursing and social work employee FTEs (percent distribution):										
Registered nurse	16.7	(2.6)	58.8	(2.0)	48.7	(1.5)	9.8	(0.4)	4.1	(0.5)
Licensed practical nurse or licensed vocational nurse	9.3	(1.5)	7.9	(1.3)	7.4	(1.1)	26.4	(0.4)	18.0	(1.2)
Aide	54.0	(3.6)	30.3	(1.9)	32.3	(1.3)	62.3	(0.5)	76.6	(1.6)
Social worker	20.0	(3.4)	3.0	(0.5)	11.6	(0.8)	1.5	(0.1)	1.3	(0.2)
Providers with one or more employee FTEs (percentage):										
Registered nurse	52.9	(7.1)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	46.0	(4.5)
Licensed practical nurse or licensed vocational nurse	33.4	(6.7)	60.9	(7.2)	46.0	(4.7)	100.0	(0.0)	63.1	(3.8)
Aide	66.3	(6.7)	100.0	(0.0)	95.6	(1.9)	†	(†)	92.2	(2.2)
Social worker	60.6	(6.6)	89.1	(4.6)	100.0	(0.0)	69.1	(3.2)	20.7	(3.6)

Table 25. Providers and Users of Long-Term Care Services in Mississippi, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services						Nursing home		Residential care community	
	center	(†)	Home health agency	Hospice						
Activities staff	†	(†)	---	---	---	---	96.6	(1.3)	85.5	(3.1)
Employee hours per resident or participant per day:										
Registered nurse	0.2	(0.0)	---	---	---	---	0.5	(0.1)	0.2	(0.0)
Licensed practical nurse or licensed vocational nurse	0.1	(0.0)	---	---	---	---	1.0	(0.1)	0.4	(0.1)
Aide	0.5	(0.1)	---	---	---	---	2.4	(0.1)	2.0	(0.1)
Social worker	0.3	(0.1)	---	---	---	---	0.1	(0.0)	0.1	(0.0)
Activities staff	0.6	(0.1)	---	---	---	---	0.2	(0.0)	0.2	(0.0)
Service provided										
Social work (percentage)	84.7	(5.0)	†	(†)	100.0	(0.0)	81.9	(2.7)	61.6	(4.1)
Mental health or counseling (percentage)	15.8	(4.7)	---	---	†	(†)	84.3	(2.5)	57.4	(4.2)
Missing	*	*
Therapy (physical, occupational, or speech) (percentage)	36.2	(6.7)	†	(†)	†	(†)	†	(†)	73.0	(3.9)
Skilled nursing or nursing (percentage)	63.2	(6.3)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	67.4	(4.1)
Missing	*	*
Pharmacy or pharmacist (percentage)	29.4	(6.3)	*	*	---	---	96.6	(1.3)	82.6	(3.3)
Hospice (percentage)	*	*	28.3	(6.6)	---	---	72.1	(3.1)	56.2	(4.3)
Missing	*	*
Dental (percentage)	16.6	(5.0)	---	---	---	---	63.2	(3.4)	42.4	(4.3)
Podiatrist (percentage)	16.7	(4.9)	---	---	---	---	82.4	(2.7)	58.0	(4.2)
Missing	14.0	(4.5)
Practices										
Depression screening (percentage)	69.3	(6.0)	100.0	(0.0)	---	---	---	---	42.0	(4.2)
Missing	14.0	(4.5)
Special care										
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	---	---	5.4	1.6	22.5	(3.1)

Table 25. Providers and Users of Long-Term Care Services in Mississippi, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Service users										
Number of users ²	3,500	(300)	65,700	(12,400)	16,300	(2,400)	16,000	(1,200)	5,300	(300)
Age in years (percent distribution):										
Under 65	41.7	(2.6)	21.0	(0.6)	10.8	(0.8)	18.0	(0.9)	11.0	(2.0)
65 and over	58.3	(2.6)	79.0	(0.6)	89.2	(0.8)	82.0	(0.9)	89.0	(2.0)
65–74	30.6	(2.3)	27.0	(0.4)	20.7	(0.7)	19.7	(0.5)	9.9	(0.9)
75–84	19.4	(1.7)	31.3	(0.3)	31.6	(0.5)	29.0	(0.5)	36.9	(2.8)
85 and over	8.3	(1.2)	20.6	(0.5)	36.9	(1.0)	33.3	(0.9)	42.2	(3.2)
Sex (percent distribution):										
Men	33.8	(1.8)	36.8	(0.4)	41.9	(0.7)	32.2	(0.9)	27.6	(1.7)
Women	66.3	(1.8)	63.2	(0.4)	58.1	(0.7)	67.8	(0.9)	72.4	(1.7)
Race and ethnicity (percent distribution):										
Hispanic	0.1	(0.1)	0.4	(0.1)	0.4	(0.1)	0.2	(0.0)	0.3	(0.1)
Non-Hispanic white	17.3	(2.6)	67.0	(2.5)	71.4	(2.2)	63.1	(1.6)	88.6	(1.8)
Non-Hispanic black	81.7	(2.6)	31.8	(2.5)	27.4	(2.2)	35.3	(1.6)	10.4	(1.7)
Non-Hispanic other	1.0	(0.4)	0.9	(0.1)	0.7	(0.1)	1.5	(0.3)	0.7	(0.4)
Used Medicaid for long-term care services (percent distribution)	65.4	(7.0)	13.8	(2.0)	---	---	75.5	(1.1)	11.4	(3.2)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	16.2	(3.5)	29.4	(0.6)	49.3	(1.6)	49.2	(1.0)	34.6	(2.6)
Diagnosed with depression	11.0	(2.1)	32.3	(1.3)	25.2	(0.8)	54.8	(1.0)	18.9	(2.1)
Diagnosed with diabetes	33.7	(3.5)	46.0	(0.6)	35.9	(0.6)	38.5	(0.6)	16.1	(1.5)
Need assistance in physical functioning (percentage):										
Eating	9.2	(2.1)	67.0	(2.7)	---	---	66.2	(1.9)	14.7	(2.4)
Bathing	16.3	(2.7)	98.4	(0.3)	---	---	97.9	(0.3)	60.5	(3.4)
Dressing	13.8	(2.3)	94.0	(1.3)	---	---	92.1	(0.6)	48.4	(4.3)
Toileting	12.4	(1.9)	81.5	(2.3)	---	---	88.4	(0.7)	35.8	(3.4)
Transferring in and out of a chair or bed	10.5	(1.4)	93.5	(1.0)	---	---	86.1	(0.9)	27.6	(4.4)
Walking	17.9	(2.4)	97.0	(0.6)	---	---	91.5	(0.6)	29.2	(3.8)
Adverse events (percentage):										
Overnight hospital stay	3.9	(0.8)	26.8	(1.2)	---	---	---	---	9.8	(0.9)
Emergency department visit	5.1	(0.7)	21.5	(1.2)	---	---	---	---	11.2	(1.0)

Table 25. Providers and Users of Long-Term Care Services in Mississippi, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services				Hospice		Nursing home		Residential care community	
	center		Home health agency							
Falls	3.6	(1.1)	0.1	(0.0)	---	---	14.3	(0.4)	14.8	(1.3)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 26. Providers and Users of Long-Term Care Services in Missouri, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Organization										
	Number or percent (standard error)									
Number of providers ¹	100	(1)	200	(13)	100	(10)	500	(22)	400	(5)
Number of beds or licensed maximum capacity ²	4,100	(200)	52,900	(2,500)	19,900	(1,100)
Average capacity	40	(2.2)	---	---	---	---	103	(2.1)	44	(2.3)
Average number of people served	19	(1.3)	---	---	---	---	75	(1.7)	28	(1.5)
Metropolitan statistical area status (percent):										
Metropolitan	83.3	(2.7)	63.4	(3.6)	73.0	(4.2)	57.6	(2.2)	60.3	(4.2)
Micropolitan or neither	16.7	(2.7)	36.6	(3.6)	27.0	(4.2)	42.4	(2.2)	39.7	(4.2)
Ownership (percent):										
For-profit	53.1	(3.8)	54.3	(3.8)	56.8	(4.7)	75.4	(1.9)	74.8	(4.0)
Not-for-profit, government, or other	46.9	(3.8)	45.7	(3.8)	43.2	(4.7)	24.6	(1.9)	*	*
Number of people served (percent): ³										
Category 1	76.3	(3.2)	25.0	(3.3)	28.0	(4.3)	3.7	(0.8)	60.4	(3.3)
Category 2	23.7	(3.2)	35.1	(3.7)	39.3	(4.7)	76.4	(1.9)	37.2	(3.5)
Category 3	-	-	39.9	(3.8)	32.7	(4.5)	19.9	(1.8)	*	*
Certification (percent):										
Medicare-certified	100.0	(0.0)	---	---	96.5	(0.8)
Medicaid-certified	†	(†)	92.6	(2.0)	---	---	98.2	(0.6)	*	*
Chain-affiliated (percent)	19.6	(3.0)	---	---	---	---	51.6	(2.2)	64.6	(4.2)
Staffing⁴										
Number of nursing and social work staff employee FTEs	408	(24)	1,787	(208)	1,763	(243)	26,402	(1,303)	5,595	(663)
Nursing and social work employee FTEs (percent distribution):										
Registered nurse	16.2	(1.8)	68.1	(1.9)	49.7	(1.8)	8.1	(0.2)	*12.8	(4.4)
Licensed practical nurse or licensed vocational nurse	24.3	(1.8)	13.5	(1.4)	12.3	(1.4)	21.6	(0.3)	8.6	(1.4)
Aide	52.4	(2.1)	14.8	(2.3)	24.7	(1.2)	68.8	(0.4)	77.2	(3.7)
Social worker	7.2	(1.2)	3.7	(0.4)	13.4	(0.5)	1.5	(0.1)	1.5	(0.3)
Providers with one or more employee FTEs (percentage):										
Registered nurse	46.9	(3.7)	100.0	(0.0)	100.0	(0.0)	†	(†)	53.3	(4.6)
Licensed practical nurse or licensed vocational nurse	76.1	(3.2)	61.7	(3.7)	69.4	(4.4)	100.0	(0.0)	66.5	(4.0)
Aide	72.8	(3.4)	89.1	(2.4)	†	(†)	†	(†)	92.6	(2.4)
Social worker	26.3	(3.3)	64.6	(3.6)	100.0	(0.0)	58.8	(2.2)	*	*

Table 26. Providers and Users of Long-Term Care Services in Missouri, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Activities staff	76.0	(3.2)	---	---	---	---	98.2	(0.6)	70.2	(3.8)
Employee hours per resident or participant per day:										
Registered nurse	0.5	(0.1)	---	---	---	---	0.3	(0.0)	0.2	(0.0)
Licensed practical nurse or licensed vocational nurse	0.7	(0.1)	---	---	---	---	0.8	(0.0)	0.2	(0.0)
Aide	1.2	(0.1)	---	---	---	---	2.5	(0.0)	2.0	(0.2)
Social worker	0.1	(0.0)	---	---	---	---	0.1	(0.0)	0.1	(0.0)
Activities staff	1.1	(0.2)	---	---	---	---	0.2	(0.0)	0.2	(0.0)
Service provided										
Social work (percentage)	32.9	(3.6)	76.0	(3.2)	100.0	(0.0)	66.8	(2.1)	50.0	(4.4)
Mental health or counseling (percentage)	20.8	(3.1)	---	---	†	(†)	84.8	(1.6)	60.2	(4.5)
Therapy (physical, occupational, or speech) (percentage)	44.6	(3.8)	†	(†)	†	(†)	†	(†)	*	*
Skilled nursing or nursing (percentage)	88.2	(2.4)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	54.3	(4.6)
Pharmacy or pharmacist (percentage)	22.0	(3.2)	*	*	---	---	98.0	(0.6)	*	*
Hospice (percentage)	10.8	(2.4)	9.1	(2.2)	---	---	88.5	(1.4)	50.6	(4.4)
Dental (percentage)	12.1	(2.5)	---	---	---	---	79.1	(1.8)	56.6	(4.5)
Podiatrist (percentage)	33.4	(3.6)	---	---	---	---	94.3	(1.0)	*	*
Practices										
Depression screening (percentage)	83.8	(2.7)	97.0	(1.3)	---	---	---	---	77.1	(3.9)
Special care										
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	---	---	32.8	(2.1)	*	*

Table 26. Providers and Users of Long-Term Care Services in Missouri, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Service users										
Number of users ²	3,400	(300)	98,900	(16,200)	31,300	(4,400)	38,200	(1,900)	12,500	(700)
Age in years (percent distribution):										
Under 65	57.0	(3.0)	19.9	(1.1)	6.5	(0.3)	18.6	(1.0)	17.9	(2.6)
65 and over	43.0	(3.0)	80.1	(1.1)	93.5	(0.3)	81.4	(1.0)	82.0	(2.6)
65–74	18.3	(1.8)	28.3	(0.8)	17.7	(0.6)	15.3	(0.3)	12.6	(1.5)
75–84	14.3	(1.2)	30.1	(0.6)	30.1	(0.4)	26.4	(0.4)	26.3	(2.2)
85 and over	10.5	(1.0)	21.7	(0.9)	45.7	(1.1)	39.7	(0.9)	43.1	(3.3)
Sex (percent distribution):										
Men	44.6	(1.6)	38.1	(0.5)	40.2	(0.6)	32.3	(0.7)	30.6	(1.6)
Women	55.4	(1.6)	61.9	(0.5)	59.8	(0.6)	67.7	(0.7)	69.4	(1.6)
Race and ethnicity (percent distribution):										
Hispanic	1.0	(0.2)	0.8	(0.1)	0.8	(0.1)	0.5	(0.0)	*0.4	(0.1)
Non-Hispanic white	41.6	(4.1)	86.1	(1.8)	91.3	(1.0)	86.4	(1.1)	86.6	(4.0)
Non-Hispanic black	51.9	(4.3)	12.0	(1.8)	7.1	(1.0)	11.7	(1.1)	3.3	(0.8)
Non-Hispanic other	5.5	(1.1)	1.1	(0.1)	0.8	(0.1)	1.4	(0.1)	*9.7	(4.1)
Used Medicaid for long-term care services (percent distribution)	86.9	(14.4)	8.9	(1.2)	---	---	62.4	(0.9)	26.8	(3.4)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	27.5	(3.3)	25.3	(0.9)	47.1	(1.7)	46.5	(0.7)	28.8	(3.6)
Diagnosed with depression	20.9	(2.5)	40.9	(0.8)	28.3	(0.7)	51.5	(0.6)	27.7	(2.3)
Diagnosed with diabetes	21.2	(2.1)	43.0	(0.7)	28.6	(0.6)	31.5	(0.4)	20.4	(1.7)
Need assistance in physical functioning (percentage):										
Eating	21.5	(2.4)	50.8	(2.8)	---	---	49.4	(1.3)	9.3	(1.8)
Bathing	23.2	(2.7)	96.6	(0.5)	---	---	94.2	(0.5)	52.6	(3.1)
Dressing	23.1	(2.7)	86.8	(1.4)	---	---	82.7	(0.7)	26.8	(2.6)
Toileting	25.8	(2.5)	68.8	(2.7)	---	---	77.2	(0.8)	16.7	(2.1)
Transferring in and out of a chair or bed	21.0	(2.2)	85.8	(2.2)	---	---	72.9	(0.9)	*6.7	(2.1)
Walking	21.2	(1.8)	93.7	(0.8)	---	---	84.7	(0.8)	11.5	(2.8)
Adverse events (percentage):										
Overnight hospital stay	6.0	(0.9)	13.1	(0.5)	---	---	---	---	8.0	(0.9)
Emergency department visit	7.3	(0.9)	13.3	(0.5)	---	---	---	---	9.9	(0.9)

Table 26. Providers and Users of Long-Term Care Services in Missouri, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Falls	7.5	(1.1)	0.2	(0.0)	---	---	21.5	(0.4)	16.7	(1.5)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 27. Providers and Users of Long-Term Care Services in Montana, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Organization	Number or percent (standard error)									
Number of providers ¹	10	(0.0)	30	(5)	30	(5)	80	(9)	200	(3)
Number of beds or licensed maximum capacity ²	100	(0)	6,700	(900)	5,900	(300)
Average capacity	11	(2.6)	---	---	---	---	82	(5.3)	32	(1.5)
Average number of people served	10	(3.7)	---	---	---	---	56	(3.8)	25	(1.1)
Metropolitan statistical area status (percent distribution):										
Metropolitan	*	*	28.6	(8.5)	25.0	(8.2)	20.7	(4.5)	42.9	(3.0)
Micropolitan or neither	*	*	71.4	(8.5)	75.0	(8.2)	79.3	(4.5)	57.1	(3.0)
Ownership (percent distribution):										
For-profit	*	*	28.6	(8.5)	28.6	(8.5)	47.6	(5.5)	76.9	(2.7)
Not-for-profit, government, or other	*	*	71.4	(8.5)	71.4	(8.5)	52.4	(5.5)	23.1	(2.7)
Number of people served (percent distribution): ³										
Category 1	*	*	29.6	(8.8)	55.6	(9.6)	15.9	(4.0)	*	*
Category 2	*	*	37.0	(9.3)	22.2	(8.0)	74.4	(4.8)	*	*
Category 3	-	-	33.3	(9.1)	22.2	(8.0)	9.8	(3.3)	*	*
Certification (percentage):										
Medicare-certified	100.0	(0.0)	---	---	98.8	(1.2)
Medicaid-certified	*	*	96.4	(3.6)	---	---	98.8	(1.2)	81.2	(2.6)
Chain-affiliated (percentage)	*	*	---	---	---	---	36.6	(5.4)	53.7	(3.1)
Staffing⁴										
Number of nursing and social work staff employee FTEs	111	(22)	191	(42)	290	(78)	3,296	(446)	1,946	(135)
Nursing and social work employee FTEs (percent distribution):										
Registered nurse	10.2	(3.4)	65.8	(3.1)	51.0	(2.7)	17.6	(0.8)	8.8	(1.0)
Licensed practical nurse or licensed vocational nurse	11.2	(2.6)	10.7	(2.1)	9.8	(2.6)	12.9	(0.9)	7.7	(0.7)
Aide	77.2	(5.2)	17.2	(3.1)	25.6	(3.2)	67.7	(0.9)	82.6	(1.2)
Social worker	1.4	(0.7)	6.4	(0.9)	13.7	(1.4)	1.8	(0.2)	1.0	(0.2)
Providers with one or more employee FTEs (percentage):										
Registered nurse	*	*	100.0	(0.0)	100.0	(0.0)	†	(†)	59.0	(3.1)
Licensed practical nurse or licensed vocational nurse	*	*	60.7	(9.2)	46.4	(9.4)	87.8	(3.6)	34.0	(3.0)
Aide	100.0	(0.0)	*	*	†	(†)	100.0	(0.0)	93.6	(1.6)

Table 27. Providers and Users of Long-Term Care Services in Montana, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Social worker	*	*	78.6	(7.8)	†	(†)	63.4	(5.3)	10.7	(1.9)
Activities staff	*	*	---	---	---	---	†	(†)	71.6	(2.9)
Employee hours per resident or participant per day:										
Registered nurse	2.7	(1.2)	---	---	---	---	0.7	(0.1)	0.3	(0.0)
Licensed practical nurse or licensed vocational nurse	2.3	(0.6)	---	---	---	---	0.4	(0.0)	0.2	(0.0)
Aide	10.6	(2.0)	---	---	---	---	2.4	(0.1)	2.5	(0.1)
Social worker	0.2	(0.1)	---	---	---	---	0.1	(0.0)	0.0	(0.0)
Activities staff	2.6	(1.2)	---	---	---	---	0.3	(0.0)	0.4	(0.0)
Service provided										
Social work (percentage)	*	*	*	*	100.0	(0.0)	68.3	(5.1)	47.8	(3.4)
Mental health or counseling (percentage)	*	*	---	---	82.1	(7.2)	75.6	(4.7)	44.1	(3.3)
Therapy (physical, occupational, or speech) (percentage)	*	*	100.0	(0.0)	100.0	(0.0)	†	(†)	59.7	(3.3)
Skilled nursing or nursing (percentage)	*	*	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	62.6	(3.4)
Pharmacy or pharmacist (percentage)	*	*	25.0	(8.2)	---	---	93.9	(2.6)	75.1	(2.9)
Hospice (percentage)	*	*	39.3	(9.2)	50.0	(5.5)	61.5	(3.3)
Dental (percentage)	*	*	---	---	---	---	68.3	(5.1)	43.7	(3.2)
Podiatrist (percentage)	*	*	---	---	---	---	67.1	(5.2)	70.1	(3.2)
Practices										
Depression screening (percentage)	*	*	100.0	(0.0)	---	---	---	---	83.8	(2.6)
Special care										
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	---	---	28.0	(5.0)	29.6	(3.1)

Table 27. Providers and Users of Long-Term Care Services in Montana, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Service users										
Number of users ²	100	(0)	7,600	(2,000)	4,000	(1,100)	4,600	(600)	4,700	(200)
Age in years (percent distribution):										
Under 65	27.2	(4.8)	12.7	(0.6)	4.9	(0.6)	13.0	(1.3)	5.8	(0.8)
65 and over	72.8	(4.8)	87.3	(0.6)	95.1	(0.6)	87.0	(1.3)	94.2	(0.8)
65–74	19.0	(2.6)	22.7	(0.7)	17.6	(0.9)	15.9	(1.0)	11.5	(1.3)
75–84	43.7	(6.7)	33.1	(0.6)	30.3	(0.8)	26.2	(0.8)	29.3	(1.8)
85 and over	10.1	(1.2)	31.6	(1.2)	47.1	(1.6)	44.8	(2.2)	53.4	(2.3)
Sex (percent distribution):										
Men	40.0	(2.6)	36.8	(1.0)	43.0	(1.1)	34.4	(1.6)	26.7	(1.0)
Women	60.0	(2.6)	63.2	(1.0)	57.0	(1.1)	65.6	(1.6)	73.3	(1.0)
Race and ethnicity (percent distribution):										
Hispanic	2.6	(1.0)	1.0	(0.1)	0.8	(0.1)	0.8	(0.2)	0.4	(0.1)
Non-Hispanic white	91.5	(2.8)	95.4	(0.7)	95.6	(0.6)	88.6	(1.6)	78.6	(4.6)
Non-Hispanic black	1.2	(0.7)	0.1	(0.0)	0.2	(0.0)	0.1	(0.1)	0.0	(0.0)
Non-Hispanic other	4.7	(2.9)	3.5	(0.6)	3.3	(0.5)	10.4	(1.5)	21.0	(4.6)
Used Medicaid for long-term care services (percent distribution)	39.8	(5.8)	4.9	(0.5)	---	---	56.9	(1.8)	16.5	(2.5)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	38.4	(6.6)	28.3	(0.9)	38.4	(2.0)	45.1	(1.7)	35.9	(2.6)
Diagnosed with depression	1.2	(0.7)	40.5	(1.4)	23.8	(0.9)	49.8	(1.6)	20.1	(1.6)
Diagnosed with diabetes	5.5	(3.0)	32.1	(0.8)	21.7	(1.1)	28.7	(1.0)	14.7	(1.2)
Need assistance in physical functioning (percentage):										
Eating	8.1	(2.5)	34.7	(4.1)	---	---	57.7	(3.8)	18.8	(1.6)
Bathing	36.3	(8.8)	94.8	(1.1)	---	---	96.5	(0.8)	60.0	(2.4)
Dressing	32.2	(9.4)	78.4	(4.0)	---	---	87.9	(1.4)	41.8	(2.7)
Toileting	36.0	(7.0)	61.4	(6.2)	---	---	84.9	(1.6)	31.2	(2.3)
Transferring in and out of a chair or bed	24.7	(6.0)	82.0	(3.1)	---	---	80.0	(2.0)	25.8	(2.9)
Walking	19.5	(2.8)	94.1	(1.2)	---	---	89.4	(1.3)	27.7	(3.0)
Adverse events (percentage):										
Overnight hospital stay	5.0	(0.7)	10.4	(0.6)	---	---	---	---	6.2	(0.6)

Table 27. Providers and Users of Long-Term Care Services in Montana, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Emergency department visit	7.7	(2.0)	13.0	(0.6)	---	---	---	---	10.0	(0.8)
Falls	8.1	(1.5)	0.4	(0.1)	---	---	24.1	(0.8)	23.2	(1.7)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 28. Providers and Users of Long-Term Care Services in Nebraska, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Organization	Number or percent (standard error)									
Number of providers ¹	30	(0.0)	80	(9)	40	(6)	200	(15)	200	(3)
Number of beds or licensed maximum capacity ²	1,900	(300)	15,800	(1,200)	11,300	(300)
Average capacity	69	(10.7)	---	---	---	---	72	(2.8)	47	(1.3)
Average number of people served	26	(3.0)	---	---	---	---	55	(2.3)	38	(1.0)
Metropolitan statistical area status (percent distribution):										
Metropolitan	49.4	(7.1)	53.9	(5.7)	52.4	(7.7)	32.0	(3.2)	40.2	(2.0)
Micropolitan or neither	50.6	(7.1)	46.1	(5.7)	47.6	(7.7)	68.0	(3.2)	59.8	(2.0)
Ownership (percent distribution):										
For-profit	*	*	43.4	(5.7)	45.2	(7.7)	48.9	(3.4)	56.9	(2.1)
Not-for-profit, government, or other	†	(†)	56.6	(5.7)	54.8	(7.7)	51.1	(3.4)	43.1	(2.1)
Number of people served (percent distribution): ³										
Category 1	66.9	(6.8)	48.6	(5.9)	42.9	(7.6)	12.3	(2.2)	42.2	(1.5)
Category 2	33.1	(6.8)	30.6	(5.4)	38.1	(7.5)	78.1	(2.8)	54.2	(1.7)
Category 3	-	-	20.8	(4.8)	19.0	(6.1)	9.6	(2.0)	3.6	(0.9)
Certification (percentage):										
Medicare-certified	96.1	(2.2)	---	---	90.9	(2.0)
Medicaid-certified	†	(†)	97.4	(1.8)	---	---	99.5	(0.5)	83.7	(1.7)
Chain-affiliated (percentage)	36.7	(6.9)	---	---	---	---	57.1	(3.4)	61.1	(2.1)
Staffing⁴										
Number of nursing and social work staff employee FTEs	138	(19)	931	(160)	484	(101)	8,926	(724)	3,946	(157)
Nursing and social work employee FTEs (percent distribution):										
Registered nurse	7.2	(1.1)	55.7	(4.8)	49.5	(2.3)	12.7	(0.5)	8.6	(0.6)
Licensed practical nurse or licensed vocational nurse	10.6	(1.7)	14.3	(3.6)	8.9	(2.4)	19.8	(0.6)	11.2	(0.5)
Aide	67.4	(5.4)	28.0	(4.4)	27.9	(1.9)	65.3	(0.8)	78.8	(0.9)
Social worker	14.8	(3.9)	2.0	(0.5)	13.7	(1.0)	2.2	(0.1)	1.4	(0.1)
Providers with one or more employee FTEs (percentage):										
Registered nurse	41.9	(7.0)	100.0	(0.0)	100.0	(0.0)	†	(†)	69.3	(2.0)
Licensed practical nurse or licensed vocational nurse	40.7	(7.0)	56.6	(5.7)	54.8	(7.7)	†	(†)	65.7	(2.1)
Aide	56.6	(7.1)	93.4	(2.8)	100.0	(0.0)	†	(†)	†	(†)

Table 28. Providers and Users of Long-Term Care Services in Nebraska, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Social worker	43.1	(7.1)	39.5	(5.6)	100.0	(0.0)	71.2	(3.1)	22.2	(1.7)
Activities staff	*	*	---	---	---	---	97.7	(1.0)	86.7	(1.4)
Employee hours per resident or participant per day:										
Registered nurse	0.3	(0.1)	---	---	---	---	0.6	(0.1)	0.2	(0.0)
Licensed practical nurse or licensed vocational nurse	0.3	(0.1)	---	---	---	---	0.8	(0.1)	0.3	(0.0)
Aide	2.0	(0.7)	---	---	---	---	2.7	(0.1)	2.3	(0.1)
Social worker	0.6	(0.2)	---	---	---	---	0.1	(0.0)	0.1	(0.0)
Activities staff	1.4	(0.3)	---	---	---	---	0.2	(0.0)	0.3	(0.0)
Service provided										
Social work (percentage)	70.0	(6.4)	55.3	(5.7)	100.0	(0.0)	75.8	(2.9)	48.4	(2.2)
Mental health or counseling (percentage)	52.6	(7.1)	---	---	†	(†)	85.4	(2.4)	60.8	(2.2)
Therapy (physical, occupational, or speech) (percentage)	57.0	(7.1)	†	(†)	100.0	(0.0)	†	(†)	86.4	(1.6)
Skilled nursing or nursing (percentage)	47.4	(7.1)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	54.8	(2.2)
Pharmacy or pharmacist (percentage)	36.7	(6.9)	14.5	(4.0)	---	---	97.7	(1.0)	92.6	(1.2)
Hospice (percentage)	*	*	30.3	(5.3)	79.9	(2.7)	79.7	(1.9)
Dental (percentage)	30.0	(6.4)	---	---	---	---	87.2	(2.3)	71.2	(2.0)
Podiatrist (percentage)	34.5	(6.7)	---	---	---	---	91.3	(1.9)	84.2	(1.7)
Practices										
Depression screening (percentage)	*	*	93.1	(3.0)	---	---	---	---	79.3	(1.8)
Special care										
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	---	---	21.9	(2.8)	25.7	(2.1)

Table 28. Providers and Users of Long-Term Care Services in Nebraska, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Service users										
Number of users ²	1,900	(400)	21,000	(5,100)	8,300	(1,800)	12,000	(1,000)	9,100	(300)
Age in years (percent distribution):										
Under 65	84.0	(4.9)	16.0	(1.4)	4.3	(0.3)	11.6	(1.1)	5.0	(0.8)
65 and over	16.1	(4.9)	84.0	(1.4)	95.7	(0.3)	88.4	(1.1)	95.0	(0.8)
65–74	6.9	(2.0)	22.2	(0.8)	14.2	(0.8)	13.4	(0.7)	9.1	(0.5)
75–84	5.7	(1.8)	32.0	(0.5)	28.3	(0.6)	25.5	(0.5)	33.0	(1.3)
85 and over	3.6	(1.3)	29.9	(1.8)	53.2	(1.4)	49.5	(1.5)	52.8	(1.5)
Sex (percent distribution):										
Men	51.5	(1.2)	36.3	(0.9)	40.8	(0.7)	31.4	(0.8)	27.9	(0.9)
Women	48.5	(1.2)	63.7	(0.9)	59.2	(0.7)	68.6	(0.8)	72.1	(0.9)
Race and ethnicity (percent distribution):										
Hispanic	4.7	(0.5)	1.9	(0.2)	1.1	(0.2)	1.1	(0.2)	1.1	(0.4)
Non-Hispanic white	66.5	(2.7)	92.9	(1.0)	95.4	(0.8)	90.7	(1.8)	89.9	(1.4)
Non-Hispanic black	21.3	(2.7)	3.9	(0.9)	2.3	(0.7)	3.0	(0.7)	0.8	(0.4)
Non-Hispanic other	7.4	(0.9)	1.3	(0.1)	1.2	(0.2)	5.1	(1.7)	8.1	(1.3)
Used Medicaid for long-term care services (percent distribution)	57.7	(2.5)	8.4	(1.2)	---	---	51.8	(1.7)	24.0	(1.6)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	10.0	(3.3)	26.5	(1.7)	49.8	(2.3)	45.0	(1.2)	33.8	(1.8)
Diagnosed with depression	10.3	(2.8)	37.3	(0.8)	25.7	(1.1)	53.5	(0.9)	24.1	(1.7)
Diagnosed with diabetes	7.7	(2.2)	37.0	(0.8)	27.7	(0.5)	28.6	(0.6)	17.8	(0.8)
Need assistance in physical functioning (percentage):										
Eating	2.3	(0.7)	45.0	(4.7)	---	---	53.6	(1.8)	14.4	(1.2)
Bathing	2.4	(0.9)	96.1	(0.7)	---	---	98.6	(0.3)	67.8	(2.1)
Dressing	2.7	(1.0)	82.0	(3.1)	---	---	89.5	(0.7)	35.6	(1.6)
Toileting	5.5	(1.8)	62.8	(5.1)	---	---	86.5	(0.8)	25.1	(1.6)
Transferring in and out of a chair or bed	5.0	(1.6)	84.5	(2.2)	---	---	81.6	(1.0)	19.7	(1.4)
Walking	4.1	(1.4)	94.1	(1.0)	---	---	89.6	(0.8)	21.1	(1.9)
Adverse events (percentage):										
Overnight hospital stay	8.1	(0.8)	15.0	(0.9)	---	---	---	---	8.1	(0.4)

Table 28. Providers and Users of Long-Term Care Services in Nebraska, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Emergency department visit	3.3	(0.8)	14.4	(0.7)	---	---	---	---	9.0	(0.4)
Falls	3.1	(0.8)	0.3	(0.1)	---	---	22.2	(0.6)	21.0	(0.9)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 29. Providers and Users of Long-Term Care Services in Nevada, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Organization	Number or percent (standard error)									
Number of providers ¹	20	(0.0)	100	(11)	30	(5)	50	(7)	200	(3)
Number of beds or licensed maximum capacity ²	1,600	(100)	6,000	(1,000)	4,200	(100)
Average capacity	80	(6.7)	---	---	---	---	116	(9.7)	19	(0.4)
Average number of people served	53	(4.8)	---	---	---	---	93	(7.8)	16	(0.4)
Metropolitan statistical area status (percent distribution):										
Metropolitan	†	(†)	†	(†)	†	(†)	78.8	(5.7)	94.7	(1.2)
Micropolitan or neither	*	*	*	*	*	*	21.2	(5.7)	5.3	(1.2)
Ownership (percent distribution):										
For-profit	67.8	(6.2)	95.4	(1.8)	*	*	75.0	(6.0)	79.1	(2.4)
Not-for-profit, government, or other	32.2	(6.2)	4.6	(1.8)	*	*	25.0	(6.0)	9.1	(1.6)
Missing	11.8	(2.0)
Number of people served (percent distribution): ³										
Category 1	*	*	25.4	(3.8)	27.6	(8.3)	13.5	(4.7)	*	*
Category 2	*	*	40.8	(4.3)	34.5	(8.8)	46.2	(6.9)	*	*
Category 3	*	*	21.5	(3.6)	37.9	(9.0)	40.4	(6.8)	*	*
Missing	12.3	(2.9)
Certification (percentage):										
Medicare-certified	100.0	(0.0)	---	---	96.2	(2.7)
Medicaid-certified	†	(†)	61.5	(4.3)	---	---	94.2	(3.3)	45.2	(3.0)
Missing	11.8	(2.0)
Chain-affiliated (percentage)	36.7	(6.9)	---	---	---	---	67.3	(6.6)	50.9	(2.9)
Missing	11.0	(1.9)
Staffing⁴										
Number of nursing and social work staff employee FTEs	157	(15)	999	(141)	458	(152)	3,519	(569)	942	(66)
Nursing and social work employee FTEs (percent distribution):										
Registered nurse	15.7	(1.8)	50.9	(4.3)	42.4	(1.7)	16.9	(1.1)	2.5	(0.3)
Licensed practical nurse or licensed vocational nurse	10.1	(1.4)	21.5	(3.5)	9.4	(1.8)	21.9	(1.1)	2.8	(0.3)
Aide	69.6	(2.7)	23.7	(5.0)	33.8	(3.1)	59.0	(1.0)	94.5	(0.5)
Social worker	4.6	(0.8)	3.9	(0.6)	14.3	(2.2)	2.3	(0.2)	0.2	(0.1)

Table 29. Providers and Users of Long-Term Care Services in Nevada, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Providers with one or more employee FTEs (percentage):										
Registered nurse	*	*	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	15.0	(1.9)
Licensed practical nurse or licensed vocational nurse	56.8	(6.9)	76.9	(3.7)	65.5	(8.8)	†	(†)	11.3	(1.2)
Aide	*	*	96.2	(1.7)	100.0	(0.0)	†	(†)	65.4	(3.0)
Social worker	35.4	(6.6)	73.8	(3.9)	100.0	(0.0)	†	(†)	*	*
Activities staff	100.0	(0.0)	---	---	---	---	100.0	(0.0)	39.2	(2.7)
Employee hours per resident or participant per day:										
Registered nurse	0.2	(0.0)	---	---	---	---	1.2	(0.5)	0.1	(0.0)
Licensed practical nurse or licensed vocational nurse	0.1	(0.0)	---	---	---	---	1.2	(0.4)	0.0	(0.0)
Aide	0.7	(0.1)	---	---	---	---	3.2	(1.0)	1.5	(0.2)
Social worker	0.1	(0.0)	---	---	---	---	0.2	(0.1)	0.0	(0.0)
Activities staff	0.6	(0.1)	---	---	---	---	0.2	(0.0)	0.3	(0.1)
Service provided										
Social work (percentage)	33.0	(6.3)	93.8	(2.1)	100.0	(0.0)	†	(†)	55.9	(2.9)
Missing	11.0	(1.9)
Mental health or counseling (percentage)	*	*	---	---	†	(†)	71.2	(6.3)	63.2	(2.9)
Missing	11.8	(2.0)
Therapy (physical, occupational, or speech) (percentage)	66.6	(6.3)	†	(†)	†	(†)	†	(†)	39.3	(2.9)
Missing	11.0	(1.9)
Skilled nursing or nursing (percentage)	*	*	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	49.2	(2.9)
Missing	11.8	(2.0)
Pharmacy or pharmacist (percentage)	40.4	(6.6)	10.0	(2.6)	---	---	100.0	(0.0)	24.2	(2.6)
Missing	11.0	(1.9)
Hospice (percentage)	*	*	*	*	65.4	(6.6)	37.7	(2.9)
Missing	11.8	(2.0)
Dental (percentage)	34.2	(6.4)	---	---	---	---	67.3	(6.5)	47.1	(3.0)
Missing	12.7	(2.0)
Podiatrist (percentage)	47.3	(6.7)	---	---	---	---	82.7	(5.2)	31.7	(2.8)
Missing	11.0	(1.9)
Practices										

Table 29. Providers and Users of Long-Term Care Services in Nevada, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	†	(†)	†	(†)	---	---	---	---		
Depression screening (percentage)	†	(†)	†	(†)	---	---	---	---	67.2	(2.8)
Missing	11.0	(1.9)
Special care										
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	---	---	17.3	(5.2)	6.1	(0.9)
Missing	11.0	(1.9)

Table 29. Providers and Users of Long-Term Care Services in Nevada, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Service users										
Number of users ²	1,500	(100)	36,200	(7,100)	11,100	(3,400)	4,900	(800)	3,500	(100)
Age in years (percent distribution):										
Under 65	28.2	(3.7)	17.3	(1.0)	5.7	(0.4)	20.9	(2.1)	4.7	(0.7)
65 and over	71.8	(3.7)	82.7	(1.0)	94.3	(0.4)	79.1	(2.1)	95.4	(0.7)
65–74	25.8	(2.0)	32.3	(0.8)	20.5	(1.5)	21.7	(1.1)	11.4	(1.0)
75–84	29.7	(2.5)	31.0	(0.7)	33.1	(0.9)	27.9	(0.8)	28.4	(1.2)
85 and over	16.2	(1.5)	19.4	(1.3)	40.8	(2.5)	29.5	(2.0)	55.7	(1.7)
Sex (percent distribution):										
Men	34.3	(1.3)	41.2	(0.5)	42.0	(1.1)	39.8	(2.0)	29.2	(0.7)
Women	65.7	(1.3)	58.8	(0.5)	58.0	(1.1)	60.2	(2.0)	70.8	(0.7)
Race and ethnicity (percent distribution):										
Hispanic	23.7	(3.5)	11.0	(1.0)	6.0	(0.4)	5.7	(0.6)	3.3	(0.4)
Non-Hispanic white	37.2	(4.0)	70.0	(2.5)	83.5	(1.2)	72.4	(2.1)	84.4	(2.0)
Non-Hispanic black	14.6	(2.0)	11.6	(1.2)	6.1	(0.7)	10.0	(1.3)	2.6	(0.3)
Non-Hispanic other	24.6	(4.5)	7.4	(0.6)	4.4	(0.3)	11.3	(1.7)	9.6	(2.1)
Used Medicaid for long-term care services (percent distribution)	63.1	(4.4)	3.0	(0.4)	---	---	55.7	(3.6)	12.4	(1.6)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	35.2	(3.3)	27.3	(0.9)	32.8	(3.4)	36.8	(2.6)	40.5	(2.4)
Diagnosed with depression	13.2	(2.1)	35.9	(0.6)	15.4	(1.1)	36.7	(2.0)	18.7	(1.6)
Diagnosed with diabetes	25.3	(2.9)	45.4	(1.3)	20.8	(1.5)	30.1	(1.0)	11.8	(1.0)
Need assistance in physical functioning (percentage):										
Eating	23.6	(3.7)	60.7	(3.1)	---	---	58.5	(4.1)	19.1	(1.5)
Bathing	25.9	(4.2)	94.6	(2.0)	---	---	96.4	(0.6)	63.7	(2.9)
Dressing	40.0	(5.8)	86.9	(3.3)	---	---	92.1	(1.3)	47.8	(2.4)
Toileting	51.4	(5.2)	72.5	(4.7)	---	---	90.1	(1.3)	42.0	(2.4)
Transferring in and out of a chair or bed	20.7	(2.5)	85.6	(3.0)	---	---	87.8	(1.6)	32.8	(2.9)
Walking	36.0	(4.3)	92.0	(2.5)	---	---	93.0	(1.1)	34.2	(3.1)
Adverse events (percentage):										
Overnight hospital stay	4.3	(0.6)	16.1	(0.7)	---	---	---	---	7.0	(0.5)

Table 29. Providers and Users of Long-Term Care Services in Nevada, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Emergency department visit	6.1	(0.8)	13.4	(1.0)	---	---	---	---	9.8	(0.9)
Falls	6.1	(1.2)	0.3	(0.1)	---	---	13.9	(1.1)	12.8	(1.3)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 30. Providers and Users of Long-Term Care Services in New Hampshire, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Organization	Number or percent (standard error)									
Number of providers ¹	10	(0.0)	40	(6)	20	(5)	80	(9)	100	(2)
Number of beds or licensed maximum capacity ²	500	(100)	7,500	(1,000)	4,800	(200)
Average capacity	37	(5.7)	---	---	---	---	99	(6.6)	39	(1.2)
Average number of people served	22	(3.3)	---	---	---	---	89	(6.2)	28	(0.8)
Metropolitan statistical area status (percent distribution):										
Metropolitan	*	*	58.3	(8.2)	47.8	(10.4)	52.6	(5.7)	58.4	(3.3)
Micropolitan or neither	*	*	41.7	(8.2)	52.2	(10.4)	47.4	(5.7)	41.6	(3.3)
Ownership (percent distribution):										
For-profit	*	*	41.7	(8.2)	26.1	(9.2)	60.5	(5.6)	66.9	(3.2)
Not-for-profit, government, or other	*	*	58.3	(8.2)	73.9	(9.2)	39.5	(5.6)	33.1	(3.2)
Number of people served (percent distribution): ³										
Category 1	*	*	13.9	(5.8)	36.4	(10.3)	6.6	(2.8)	*	*
Category 2	*	*	19.4	(6.6)	31.8	(9.9)	67.1	(5.4)	*	*
Category 3	-	-	50.0	(8.3)	31.8	(9.9)	26.3	(5.1)	*	*
Missing	16.7	(6.2)
Certification (percentage):										
Medicare-certified	100.0	(0.0)	---	---	94.7	(2.6)
Medicaid-certified	†	(†)	94.4	(3.9)	---	---	97.4	(1.8)	65.8	(3.2)
Chain-affiliated (percentage)	*	*	---	---	---	---	57.9	(5.7)	41.7	(3.5)
Staffing⁴										
Number of nursing and social work staff employee FTEs	80	(12)	831	(172)	319	(89)	4,861	(634)	1,756	(86)
Nursing and social work employee FTEs (percent distribution):										
Registered nurse	19.8	(2.8)	48.5	(4.4)	53.6	(2.0)	16.2	(0.8)	9.0	(0.5)
Licensed practical nurse or licensed vocational nurse	6.9	(1.5)	10.5	(2.4)	4.9	(1.5)	17.5	(0.7)	15.2	(1.1)
Aide	71.5	(4.4)	37.7	(5.2)	32.2	(2.7)	64.2	(1.0)	74.9	(1.4)
Social worker	1.8	(1.0)	3.3	(0.6)	9.3	(0.8)	2.1	(0.1)	0.9	(0.1)
Providers with one or more employee FTEs (percentage):										
Registered nurse	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	64.3	(2.9)
Licensed practical nurse or licensed vocational nurse	*	*	75.0	(7.2)	43.5	(10.3)	†	(†)	56.2	(2.7)

Table 30. Providers and Users of Long-Term Care Services in New Hampshire, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Aide	100.0	(0.0)	†	(†)	†	(†)	100.0	(0.0)	88.5	(2.3)
Social worker	*	*	69.4	(7.7)	†	(†)	84.2	(4.2)	16.1	(2.4)
Activities staff	†	(†)	---	---	---	---	†	(†)	76.7	(2.6)
Employee hours per resident or participant per day:										
Registered nurse	1.1	(0.4)	---	---	---	---	0.8	(0.2)	0.3	(0.0)
Licensed practical nurse or licensed vocational nurse	0.1	(0.0)	---	---	---	---	0.6	(0.0)	0.4	(0.0)
Aide	3.2	(1.3)	---	---	---	---	2.5	(0.2)	2.1	(0.1)
Social worker	0.0	(0.0)	---	---	---	---	0.1	(0.0)	0.0	(0.0)
Activities staff	2.5	(0.9)	---	---	---	---	0.2	(0.0)	0.2	(0.0)
Service provided										
Social work (percentage)	*	*	80.6	(6.6)	100.0	(0.0)	92.1	(3.1)	48.2	(3.6)
Mental health or counseling (percentage)	*	*	---	---	†	(†)	†	(†)	70.2	(3.3)
Therapy (physical, occupational, or speech) (percentage)	*	*	86.1	(5.8)	100.0	(0.0)	100.0	(0.0)	86.9	(2.5)
Skilled nursing or nursing (percentage)	*	*	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	67.6	(3.4)
Pharmacy or pharmacist (percentage)	*	*	*	*	---	---	†	(†)	†	(†)
Hospice (percentage)	—	—	*	*	73.7	(5.1)	67.1	(3.4)
Dental (percentage)	*	*	---	---	---	---	†	(†)	63.1	(3.4)
Podiatrist (percentage)	*	*	---	---	---	---	†	(†)	94.0	(1.6)
Practices										
Depression screening (percentage)	†	(†)	100.0	(0.0)	---	---	---	---	88.6	(2.4)
Special care										
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	---	---	25.0	(5.0)	14.2	(2.4)

Table 30. Providers and Users of Long-Term Care Services in New Hampshire, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Service users										
Number of users ²	600	(100)	24,000	(6,700)	5,100	(1,400)	6,800	(900)	3,500	(100)
Age in years (percent distribution):										
Under 65	17.6	(1.5)	15.4	(0.7)	5.0	(0.4)	7.5	(0.9)	5.2	(0.7)
65 and over	82.6	(1.5)	84.6	(0.7)	95.0	(0.4)	92.5	(0.9)	94.8	(0.7)
65–74	21.1	(2.9)	25.6	(0.7)	16.6	(1.0)	12.7	(0.9)	6.8	(0.5)
75–84	38.8	(2.9)	32.1	(0.6)	29.5	(0.8)	28.7	(0.6)	33.6	(2.7)
85 and over	22.8	(1.6)	26.9	(1.0)	48.9	(1.6)	51.1	(1.6)	54.4	(2.9)
Sex (percent distribution):										
Men	37.7	(2.4)	38.6	(0.7)	39.9	(1.2)	27.4	(1.0)	28.3	(1.6)
Women	62.3	(2.4)	61.4	(0.7)	60.1	(1.2)	72.6	(1.0)	71.7	(1.6)
Race and ethnicity (percent distribution):										
Hispanic	1.1	(0.4)	0.9	(0.1)	0.5	(0.1)	0.3	(0.1)	0.3	(0.1)
Non-Hispanic white	98.5	(0.5)	97.4	(0.2)	98.5	(0.2)	98.4	(0.2)	87.3	(3.1)
Non-Hispanic black	0.0	(0.0)	0.5	(0.1)	0.3	(0.1)	0.3	(0.1)	0.1	(0.0)
Non-Hispanic other	0.4	(0.1)	1.2	(0.1)	0.8	(0.1)	1.0	(0.2)	12.3	(3.1)
Used Medicaid for long-term care services (percent distribution)	35.6	(2.7)	6.2	(0.6)	---	---	65.6	(1.9)	16.8	(1.5)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	63.7	(2.8)	25.3	(1.3)	50.4	(3.3)	57.6	(1.6)	45.4	(2.7)
Diagnosed with depression	28.5	(2.6)	39.0	(0.9)	33.7	(1.5)	53.3	(1.3)	34.4	(2.1)
Diagnosed with diabetes	22.4	(2.3)	36.9	(0.6)	29.1	(0.7)	29.0	(0.8)	16.7	(1.0)
Need assistance in physical functioning (percentage):										
Eating	25.6	(2.9)	45.9	(3.2)	---	---	45.3	(3.0)	15.0	(1.4)
Bathing	28.0	(7.0)	97.6	(0.4)	---	---	96.4	(0.5)	56.5	(2.4)
Dressing	29.7	(6.5)	86.1	(1.9)	---	---	91.7	(0.8)	37.6	(2.3)
Toileting	48.2	(4.8)	66.0	(3.6)	---	---	84.7	(1.2)	30.4	(2.4)
Transferring in and out of a chair or bed	30.1	(4.0)	85.3	(2.2)	---	---	78.8	(1.4)	18.9	(1.9)
Walking	36.9	(4.1)	95.2	(0.7)	---	---	87.4	(1.7)	17.3	(1.3)
Adverse events (percentage):										
Overnight hospital stay	3.3	(0.8)	12.9	(0.5)	---	---	---	---	8.4	(0.9)

Table 30. Providers and Users of Long-Term Care Services in New Hampshire, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Emergency department visit	4.2	(1.1)	14.4	(0.8)	---	---	---	---	9.9	(0.5)
Falls	5.7	(1.3)	0.1	(0.0)	---	---	21.5	(0.9)	20.1	(1.2)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 31. Providers and Users of Long-Term Care Services in New Jersey, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Organization	Number or percent (standard error)									
Number of providers ¹	100	(1)	50	(7)	60	(7)	400	(19)	200	(3)
Number of beds or licensed maximum capacity ²	16,100	(700)	52,100	(3,100)	21,300	(500)
Average capacity	117	(4.7)	---	---	---	---	144	(4.1)	97	(2.2)
Average number of people served	86	(3.4)	---	---	---	---	125	(3.8)	83	(2.1)
Metropolitan statistical area status (percent distribution):										
Metropolitan	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)
Micropolitan or neither	—	—	—	—	—	—	—	—	—	—
Ownership (percent distribution):										
For-profit	69.5	(3.0)	25.0	(6.3)	39.3	(6.5)	71.3	(2.4)	64.6	(2.8)
Not-for-profit, government, or other	30.5	(3.0)	75.0	(6.3)	60.7	(6.5)	28.7	(2.4)	35.4	(2.8)
Number of people served (percent distribution): ³										
Category 1	10.0	(2.0)	*	*	13.2	(4.7)	3.9	(1.0)	7.5	(1.2)
Category 2	56.3	(3.2)	*	*	26.4	(6.1)	32.8	(2.5)	64.6	(2.7)
Category 3	33.7	(3.1)	†	(†)	60.4	(6.7)	63.4	(2.5)	27.9	(2.6)
Certification (percentage):										
Medicare-certified	100.0	(0.0)	---	---	100.0	(0.0)
Medicaid-certified	†	(†)	93.8	(3.5)	---	---	91.7	(1.4)	85.5	(2.1)
Chain-affiliated (percentage)	50.1	(3.3)	---	---	---	---	36.1	(2.5)	68.3	(2.7)
Staffing⁴										
Number of nursing and social work staff employee FTEs	1,027	(49)	1,637	(275)	1,661	(315)	30,534	(1,744)	7,377	(321)
Nursing and social work employee FTEs (percent distribution):										
Registered nurse	29.1	(1.1)	66.4	(2.4)	48.0	(2.7)	15.5	(0.3)	11.4	(1.3)
Licensed practical nurse or licensed vocational nurse	7.8	(0.7)	7.8	(1.7)	6.4	(1.0)	21.4	(0.4)	14.7	(0.7)
Aide	43.8	(1.8)	21.9	(1.9)	35.5	(3.3)	60.9	(0.4)	72.7	(1.4)
Social worker	19.2	(0.7)	3.9	(0.4)	10.1	(0.6)	2.1	(0.0)	1.2	(0.1)
Providers with one or more employee FTEs (percentage):										
Registered nurse	93.9	(1.5)	†	(†)	100.0	(0.0)	†	(†)	†	(†)
Licensed practical nurse or licensed vocational nurse	50.7	(3.4)	64.6	(6.9)	42.9	(6.6)	97.2	(0.9)	94.5	(1.3)
Aide	82.4	(2.6)	87.5	(4.8)	†	(†)	†	(†)	†	(†)
Social worker	91.5	(1.8)	†	(†)	†	(†)	96.7	(0.9)	40.7	(2.9)

Table 31. Providers and Users of Long-Term Care Services in New Jersey, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	†	(†)	---	---	---	---	97.8	(0.8)	95.7	(1.3)
Activities staff	†	(†)	---	---	---	---	97.8	(0.8)	95.7	(1.3)
Employee hours per resident or participant per day:										
Registered nurse	0.3	(0.0)	---	---	---	---	0.6	(0.0)	0.2	(0.0)
Licensed practical nurse or licensed vocational nurse	0.0	(0.0)	---	---	---	---	0.8	(0.0)	0.3	(0.0)
Aide	0.3	(0.0)	---	---	---	---	2.2	(0.0)	1.6	(0.1)
Social worker	0.2	(0.0)	---	---	---	---	0.1	(0.0)	0.1	(0.0)
Activities staff	0.5	(0.0)	---	---	---	---	0.2	(0.0)	0.2	(0.0)
Service provided										
Social work (percentage)	92.8	(1.7)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	70.4	(2.8)
Mental health or counseling (percentage)	45.6	(3.5)	---	---	†	(†)	97.0	(0.9)	76.4	(2.7)
Therapy (physical, occupational, or speech) (percentage)	64.1	(3.3)	100.0	(0.0)	†	(†)	100.0	(0.0)	93.7	(1.6)
Skilled nursing or nursing (percentage)	†	(†)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	79.9	(2.5)
Pharmacy or pharmacist (percentage)	68.5	(3.2)	*	*	---	---	†	(†)	†	(†)
Hospice (percentage)	22.2	(2.9)	18.8	(5.6)	83.7	(1.9)	86.8	(2.2)
Dental (percentage)	50.2	(3.5)	---	---	---	---	97.2	(0.9)	81.2	(2.4)
Podiatrist (percentage)	77.3	(2.9)	---	---	---	---	98.3	(0.7)	91.3	(1.8)
Practices										
Depression screening (percentage)	85.0	(2.4)	†	(†)	---	---	---	---	89.2	(2.0)
Special care										
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	---	---	7.2	(1.4)	67.5	(2.6)

Table 31. Providers and Users of Long-Term Care Services in New Jersey, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Service users										
Number of users ²	18,300	(800)	122,400	(24,100)	33,300	(6,300)	45,400	(2,700)	18,100	(500)
Age in years (percent distribution):										
Under 65	28.7	(1.6)	12.2	(1.0)	3.8	(0.2)	15.3	(0.9)	2.2	(0.4)
65 and over	71.3	(1.6)	87.8	(1.0)	96.2	(0.2)	84.7	(0.9)	97.8	(0.4)
65-74	24.1	(0.9)	23.2	(0.5)	13.4	(0.5)	15.6	(0.5)	6.7	(0.5)
75-84	32.3	(1.4)	33.2	(0.5)	28.1	(0.5)	25.7	(0.4)	26.8	(1.3)
85 and over	14.8	(0.8)	31.4	(0.9)	54.8	(1.1)	43.4	(1.2)	64.3	(1.6)
Sex (percent distribution):										
Men	39.3	(0.7)	37.8	(0.4)	38.1	(0.9)	33.8	(0.9)	25.2	(0.9)
Women	60.7	(0.7)	62.2	(0.4)	61.9	(0.9)	66.2	(0.9)	74.8	(0.9)
Race and ethnicity (percent distribution):										
Hispanic	23.1	(2.2)	6.0	(1.0)	4.4	(0.5)	7.3	(0.7)	1.9	(0.3)
Non-Hispanic white	28.3	(2.5)	80.0	(2.0)	86.1	(1.3)	69.4	(1.5)	88.0	(1.8)
Non-Hispanic black	18.4	(1.5)	11.1	(1.4)	7.6	(0.9)	16.6	(1.1)	2.6	(0.3)
Non-Hispanic other	30.2	(2.7)	2.8	(0.2)	1.9	(0.2)	6.7	(0.6)	7.5	(1.8)
Used Medicaid for long-term care services (percent distribution)	73.4	(2.7)	4.6	(0.7)	---	---	61.9	(1.4)	17.3	(1.3)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	28.6	(2.0)	32.7	(0.7)	54.9	(2.1)	47.6	(0.8)	37.8	(1.3)
Diagnosed with depression	30.3	(2.3)	32.8	(0.5)	26.7	(0.7)	41.5	(0.8)	22.9	(1.7)
Diagnosed with diabetes	41.6	(1.7)	48.7	(1.0)	34.3	(0.5)	31.0	(0.5)	17.6	(1.4)
Need assistance in physical functioning (percentage):										
Eating	25.6	(2.3)	57.1	(3.0)	---	---	56.4	(1.3)	17.5	(1.1)
Bathing	35.5	(2.9)	97.6	(0.4)	---	---	95.4	(0.4)	61.0	(1.7)
Dressing	39.3	(2.9)	92.1	(1.2)	---	---	91.2	(0.6)	50.6	(1.8)
Toileting	48.9	(2.7)	80.0	(2.6)	---	---	86.3	(0.7)	38.0	(1.5)
Transferring in and out of a chair or bed	49.2	(3.1)	90.1	(1.1)	---	---	83.9	(0.8)	29.9	(1.6)
Walking	60.7	(2.7)	95.6	(0.7)	---	---	90.9	(0.6)	32.9	(1.6)
Adverse events (percentage):										
Overnight hospital stay	6.6	(0.5)	13.6	(0.5)	---	---	---	---	10.0	(0.6)
Emergency department visit	8.3	(0.5)	12.6	(0.6)	---	---	---	---	12.9	(0.7)

Table 31. Providers and Users of Long-Term Care Services in New Jersey, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Falls	7.8	(0.8)	0.0	(0.0)	---	---	13.0	(0.3)	32.9	(1.6)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 32. Providers and Users of Long-Term Care Services in New Mexico, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Organization	Number or percent (standard error)									
Number of providers ¹	20	(0.0)	70	(9)	40	(6)	70	(8)	100	(2)
Number of beds or licensed maximum capacity ²	400	(100)	6,800	(900)	4,200	(200)
Average capacity	23	(2.9)	---	---	---	---	96	(6.0)	28	(1.2)
Average number of people served	13	(2.1)	---	---	---	---	78	(5.4)	23	(1.2)
Metropolitan statistical area status (percent distribution):										
Metropolitan	*	*	48.6	(5.8)	50.0	(7.7)	45.1	(5.9)	73.3	(3.2)
Micropolitan or neither	*	*	51.4	(5.8)	50.0	(7.7)	54.9	(5.9)	26.7	(3.2)
Ownership (percent distribution):										
For-profit	*	*	70.3	(5.3)	57.1	(7.6)	70.4	(5.4)	80.9	(2.7)
Not-for-profit, government, or other	*	*	29.7	(5.3)	42.9	(7.6)	29.6	(5.4)	19.1	(2.7)
Number of people served (percent distribution): ³										
Category 1	*	*	20.8	(4.8)	55.0	(7.9)	*	*	*	*
Category 2	*	*	40.3	(5.8)	25.0	(6.8)	*	*	*	*
Category 3	-	-	38.9	(5.7)	20.0	(6.3)	*	*	*	*
Certification (percentage):										
Medicare-certified	100.0	(0.0)	---	---	97.2	(2.0)
Medicaid-certified	*	*	90.5	(3.4)	---	---	93.0	(3.1)	37.5	(3.9)
Chain-affiliated (percentage)	*	*	---	---	---	---	54.9	(5.9)	60.4	(4.0)
Staffing⁴										
Number of nursing and social work staff employee FTEs	54	(20)	706	(105)	618	(153)	3,512	(480)	1,709	(90)
Nursing and social work employee FTEs (percent distribution):										
Registered nurse	9.5	(3.1)	59.1	(2.5)	53.7	(1.4)	13.9	(0.8)	5.9	(0.7)
Licensed practical nurse or licensed vocational nurse	4.8	(4.4)	11.4	(1.5)	6.0	(1.4)	16.5	(1.4)	4.8	(0.8)
Aide	59.5	(7.4)	24.1	(2.0)	29.2	(2.3)	67.8	(1.7)	88.7	(1.3)
Social worker	26.2	(5.6)	5.4	(0.5)	11.1	(0.7)	1.9	(0.2)	0.6	(0.1)
Providers with one or more employee FTEs (percentage):										
Registered nurse	*	*	†	(†)	100.0	(0.0)	†	(†)	51.7	(4.0)
Licensed practical nurse or licensed vocational nurse	*	*	62.2	(5.6)	47.6	(7.7)	†	(†)	32.3	(3.2)
Aide	*	*	100.0	(0.0)	†	(†)	†	(†)	90.0	(2.4)

Table 32. Providers and Users of Long-Term Care Services in New Mexico, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Social worker	*	*	75.7	(5.0)	†	(†)	71.8	(5.3)	8.7	(2.1)
Activities staff	100.0	(0.0)	---	---	---	---	†	(†)	75.1	(3.5)
Employee hours per resident or participant per day:										
Registered nurse	0.1	(0.1)	---	---	---	---	0.6	(0.1)	0.2	(0.0)
Licensed practical nurse or licensed vocational nurse	0.1	(0.1)	---	---	---	---	0.6	(0.1)	0.1	(0.0)
Aide	0.6	(0.3)	---	---	---	---	2.2	(0.1)	3.1	(0.2)
Social worker	0.3	(0.1)	---	---	---	---	0.1	(0.0)	0.0	(0.0)
Activities staff	1.6	(0.3)	---	---	---	---	0.2	(0.0)	0.3	(0.0)
Service provided										
Social work (percentage)	*	*	78.4	(4.8)	100.0	(0.0)	84.5	(4.3)	52.8	(3.8)
Missing	*	*
Mental health or counseling (percentage)	*	*	---	---	†	(†)	85.9	(4.1)	50.7	(3.6)
Missing	*	*
Therapy (physical, occupational, or speech) (percentage)	*	*	†	(†)	†	(†)	†	(†)	70.1	(3.6)
Missing	*	*
Skilled nursing or nursing (percentage)	*	*	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	63.4	(3.9)
Missing	*	*
Pharmacy or pharmacist (percentage)	*	*	*	*	---	---	†	(†)	85.6	(2.6)
Missing	*	*
Hospice (percentage)	*	*	14.9	(4.1)	64.8	(5.7)	65.9	(3.6)
Missing	*	*
Dental (percentage)	*	*	---	---	---	---	76.1	(5.1)	52.7	(4.1)
Missing	*	*
Podiatrist (percentage)	*	*	---	---	---	---	85.9	(4.1)	71.6	(3.5)
Missing	*	*
Practices										
Depression screening (percentage)	*	*	93.1	(3.0)	---	---	---	---	87.4	(2.4)
Missing	*	*
Special care										
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	---	---	28.2	(5.3)	18.9	(2.6)

Table 32. Providers and Users of Long-Term Care Services in New Mexico, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Service users										
Number of users ²	500	(100)	24,300	(4,800)	9,100	(2,400)	5,500	(800)	3,300	(200)
Age in years (percent distribution):										
Under 65	32.0	(10.2)	16.8	(0.8)	5.9	(0.3)	15.6	(1.4)	4.7	(0.7)
65 and over	68.0	(10.2)	83.2	(0.8)	94.1	(0.3)	84.4	(1.4)	95.4	(0.7)
65–74	15.7	(1.6)	25.1	(0.4)	17.2	(0.8)	16.3	(0.8)	12.8	(1.9)
75–84	27.0	(6.5)	32.7	(0.4)	30.1	(0.6)	29.3	(0.8)	33.3	(1.4)
85 and over	25.3	(5.6)	25.3	(0.9)	46.9	(1.4)	38.8	(1.7)	49.3	(2.9)
Sex (percent distribution):										
Men	44.9	(3.6)	39.2	(0.6)	42.6	(0.7)	37.5	(1.6)	30.2	(1.3)
Women	55.1	(3.6)	60.8	(0.6)	57.4	(0.7)	62.5	(1.6)	69.8	(1.3)
Race and ethnicity (percent distribution):										
Hispanic	37.1	(5.6)	31.3	(1.7)	27.5	(1.1)	31.1	(2.1)	16.5	(2.8)
Non-Hispanic white	43.8	(7.1)	61.1	(1.7)	67.0	(1.4)	54.7	(2.3)	70.0	(3.5)
Non-Hispanic black	1.7	(1.0)	1.9	(0.2)	1.9	(0.2)	2.1	(0.3)	1.1	(0.2)
Non-Hispanic other	17.4	(9.0)	5.7	(1.2)	3.7	(0.7)	11.9	(2.4)	12.3	(2.6)
Used Medicaid for long-term care services (percent distribution)	49.9	(17.5)	6.1	(0.7)	---	---	64.1	(2.9)	5.5	(0.9)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	33.8	(12.2)	30.8	(0.8)	38.1	(2.9)	47.1	(2.1)	38.2	(2.6)
Diagnosed with depression	8.4	(3.5)	38.0	(1.0)	19.6	(1.2)	48.0	(2.1)	27.7	(2.9)
Diagnosed with diabetes	18.0	(8.0)	41.9	(0.9)	21.7	(1.3)	31.1	(0.9)	12.8	(1.4)
Need assistance in physical functioning (percentage):										
Eating	23.6	(5.5)	57.4	(3.7)	---	---	66.1	(3.4)	21.8	(2.1)
Bathing	41.6	(5.1)	93.3	(1.7)	---	---	98.1	(0.6)	71.3	(2.9)
Dressing	25.3	(4.9)	83.4	(2.9)	---	---	93.0	(1.0)	52.1	(2.1)
Toileting	19.7	(3.1)	69.0	(3.9)	---	---	88.6	(1.3)	49.9	(2.9)
Transferring in and out of a chair or bed	15.2	(3.6)	83.7	(2.6)	---	---	85.9	(1.5)	43.3	(2.8)
Walking	32.6	(8.5)	92.0	(1.2)	---	---	89.9	(1.4)	36.4	(2.7)
Adverse events (percentage):										
Overnight hospital stay	6.6	(1.9)	16.0	(1.1)	---	---	---	---	9.4	(0.8)

Table 32. Providers and Users of Long-Term Care Services in New Mexico, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Emergency department visit	4.9	(2.6)	16.2	(0.9)	---	---	---	---	13.0	(1.8)
Falls	12.3	(2.1)	0.3	(0.0)	---	---	22.7	(1.3)	22.3	(3.6)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 33. Providers and Users of Long-Term Care Services in New York, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services						Nursing home		Residential care community	
	center		Home health agency		Hospice					
Organization										
	Number or percent (standard error)									
Number of providers ¹	300	(1)	200	(13)	50	(7)	600	(25)	500	(6)
Number of beds or licensed maximum capacity ²	11,500	(500)	116,400	(5,600)	35,500	(1,400)
Average capacity	45	(2.0)	---	---	---	---	185	(5.2)	79	(3.0)
Average number of people served	30	(1.0)	---	---	---	---	169	(4.6)	66	(3.0)
Metropolitan statistical area status (percent distribution):										
Metropolitan	86.5	(1.6)	88.2	(2.5)	75.0	(6.3)	86.6	(1.4)	81.2	(3.6)
Micropolitan or neither	13.5	(1.6)	11.8	(2.5)	25.0	(6.3)	13.4	(1.4)	*	*
Ownership (percent distribution):										
For-profit	24.1	(2.0)	28.6	(3.6)	*	*	56.5	(2.0)	61.8	(4.7)
Not-for-profit, government, or other	75.9	(2.0)	71.4	(3.6)	†	(†)	43.5	(2.0)	38.2	(4.7)
Number of people served (percent distribution): ³										
Category 1	*	*	19.9	(3.2)	*	*	2.1	(0.6)	*	*
Category 2	*	*	18.5	(3.2)	*	*	26.1	(1.8)	59.6	(3.4)
Category 3	*	*	61.6	(4.0)	*	*	71.8	(1.8)	*	*
Certification (percentage):										
Medicare-certified	100.0	(0.0)	---	---	99.7	(0.2)
Medicaid-certified	93.4	(1.2)	98.8	(0.9)	---	---	98.7	(0.4)	*	*
Chain-affiliated (percentage)	38.1	(2.3)	---	---	---	---	12.4	(1.3)	51.8	(5.0)
Staffing⁴										
Number of nursing and social work staff employee FTEs	1,417	(50)	3,480	(362)	1,891	(358)	59,767	(2,574)	7,906	(680)
Nursing and social work employee FTEs (percent distribution):										
Registered nurse	22.5	(0.7)	71.1	(2.0)	47.7	(2.7)	12.3	(0.2)	*8.3	(3.2)
Licensed practical nurse or licensed vocational nurse	7.4	(0.5)	10.8	(1.4)	13.5	(2.0)	22.3	(0.3)	16.4	(1.6)
Aide	55.2	(1.0)	14.4	(1.8)	26.3	(3.0)	63.5	(0.3)	73.1	(3.1)
Social worker	14.9	(0.5)	3.7	(0.3)	12.5	(1.1)	1.9	(0.0)	2.2	(0.4)
Providers with one or more employee FTEs (percentage):										
Registered nurse	75.7	(2.0)	†	(†)	100.0	(0.0)	97.6	(0.6)	58.2	(5.1)
Licensed practical nurse or licensed vocational nurse	38.1	(2.3)	48.4	(3.9)	75.0	(6.3)	97.9	(0.6)	61.8	(5.0)
Aide	87.8	(1.6)	43.5	(3.9)	66.7	(6.8)	98.9	(0.4)	87.5	(3.3)
Social worker	81.9	(1.8)	87.0	(2.7)	100.0	(0.0)	93.6	(1.0)	*	*

Table 33. Providers and Users of Long-Term Care Services in New York, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services						Nursing home		Residential care community	
	center		Home health agency		Hospice					
Activities staff	86.7	(1.6)	---	---	---	---	96.2	(0.8)	89.3	(3.0)
Employee hours per resident or participant per day:										
Registered nurse	0.4	(0.0)	---	---	---	---	0.5	(0.0)	0.1	(0.0)
Licensed practical nurse or licensed vocational nurse	0.2	(0.0)	---	---	---	---	0.8	(0.0)	0.3	(0.0)
Aide	1.1	(0.1)	---	---	---	---	2.1	(0.1)	1.3	(0.1)
Social worker	0.3	(0.0)	---	---	---	---	0.1	(0.0)	0.0	(0.0)
Activities staff	0.5	(0.0)	---	---	---	---	0.2	(0.0)	0.2	(0.0)
Service provided										
Social work (percentage)	83.1	(1.8)	†	(†)	100.0	(0.0)	98.9	(0.4)	57.8	(5.1)
Mental health or counseling (percentage)	55.0	(2.4)	---	---	100.0	(0.0)	92.5	(1.1)	62.7	(4.7)
Therapy (physical, occupational, or speech) (percentage)	77.2	(2.0)	100.0	(0.0)	100.0	(0.0)	†	(†)	*	*
Skilled nursing or nursing (percentage)	77.6	(2.0)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	*	*
Pharmacy or pharmacist (percentage)	57.7	(2.4)	7.5	(2.1)	---	---	90.3	(1.2)	*	*
Hospice (percentage)	13.0	(1.6)	*	*	54.3	(2.0)	46.1	(5.1)
Dental (percentage)	41.3	(2.4)	---	---	---	---	97.9	(0.6)	58.8	(5.0)
Podiatrist (percentage)	60.5	(2.4)	---	---	---	---	94.9	(0.9)	*	*
Practices										
Depression screening (percentage)	86.3	(1.7)	96.0	(1.6)	---	---	---	---	79.9	(4.1)
Special care										
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	---	---	13.4	(1.4)	*	*

Table 33. Providers and Users of Long-Term Care Services in New York, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Service users										
Number of users ²	15,200	(1,000)	303,000	(72,200)	46,200	(10,300)	106,000	(5,100)	29,800	(1,400)
Age in years (percent distribution):										
Under 65	26.5	(1.1)	18.2	(1.1)	4.9	(0.2)	14.5	(0.8)	12.6	(3.2)
65 and over	73.5	(1.1)	81.8	(1.1)	95.1	(0.2)	85.5	(0.8)	87.4	(3.3)
65–74	23.3	(0.6)	22.7	(0.4)	17.0	(0.4)	15.6	(0.3)	12.1	(1.4)
75–84	31.6	(1.1)	30.7	(0.6)	29.4	(0.4)	26.4	(0.3)	26.2	(2.1)
85 and over	18.6	(0.8)	28.4	(0.8)	48.7	(0.8)	43.6	(0.9)	49.1	(3.5)
Sex (percent distribution):										
Men	37.2	(0.8)	37.6	(0.3)	40.6	(0.5)	34.9	(0.7)	36.9	(2.8)
Women	62.8	(0.8)	62.4	(0.3)	59.4	(0.5)	65.1	(0.7)	63.1	(2.8)
Race and ethnicity (percent distribution):										
Hispanic	10.2	(1.1)	8.5	(1.8)	6.5	(1.7)	8.8	(0.6)	1.9	(0.5)
Non-Hispanic white	58.7	(1.8)	74.4	(4.1)	81.3	(3.9)	67.9	(1.6)	92.3	(2.1)
Non-Hispanic black	22.1	(1.8)	12.0	(1.5)	8.9	(1.6)	18.3	(1.1)	*4.0	(1.4)
Non-Hispanic other	9.0	(1.2)	5.1	(0.9)	3.2	(0.7)	5.0	(0.5)	*1.8	(1.1)
Used Medicaid for long-term care services (percent distribution)	80.9	(5.4)	22.4	(2.4)	---	---	69.6	(0.7)	14.6	(3.5)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	27.7	(2.2)	31.9	(1.1)	38.4	(1.8)	54.6	(0.6)	28.6	(3.3)
Diagnosed with depression	25.5	(1.7)	33.4	(0.7)	19.4	(0.6)	42.1	(0.6)	15.0	(1.9)
Diagnosed with diabetes	32.0	(0.9)	50.1	(1.1)	27.6	(1.6)	32.0	(0.4)	15.4	(1.7)
Need assistance in physical functioning (percentage):										
Eating	24.2	(1.8)	62.1	(2.7)	---	---	65.8	(1.1)	8.7	(2.0)
Bathing	30.8	(2.5)	95.9	(0.5)	---	---	96.4	(0.4)	59.7	(3.9)
Dressing	28.5	(2.3)	89.8	(1.2)	---	---	93.2	(0.5)	37.4	(3.7)
Toileting	30.1	(2.1)	73.6	(1.6)	---	---	90.0	(0.5)	25.3	(3.7)
Transferring in and out of a chair or bed	25.4	(2.0)	87.1	(0.8)	---	---	87.0	(0.6)	10.1	(2.7)
Walking	27.8	(2.2)	93.6	(0.6)	---	---	91.7	(0.5)	10.8	(2.2)
Adverse events (percentage):										
Overnight hospital stay	6.5	(0.6)	16.7	(0.6)	---	---	---	---	9.6	(1.0)
Emergency department visit	6.7	(0.5)	14.6	(0.5)	---	---	---	---	17.5	(2.0)

Table 33. Providers and Users of Long-Term Care Services in New York, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services						Nursing home		Residential care community	
	center		Home health agency		Hospice					
Falls	6.5	(0.4)	0.0	(0.0)	---	---	13.6	(0.3)	21.6	(2.7)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 34. Providers and Users of Long-Term Care Services in North Carolina, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Organization										
	Number or percent (standard error)									
Number of providers ¹	100	(0.0)	200	(13)	80	(9)	400	(20)	900	(12)
Number of beds or licensed maximum capacity ²	4,800	(200)	44,200	(2,300)	39,000	(1,300)
Average capacity	50	(2.2)	---	---	---	---	105	(2.1)	45	(1.4)
Average number of people served	26	(1.0)	---	---	---	---	88	(1.8)	35	(1.3)
Metropolitan statistical area status (percent distribution):										
Metropolitan	71.9	(2.3)	65.5	(3.6)	54.8	(5.4)	70.0	(2.2)	73.7	(4.0)
Micropolitan or neither	28.1	(2.3)	34.5	(3.6)	45.2	(5.4)	30.0	(2.2)	26.3	(4.0)
Ownership (percent distribution):										
For-profit	12.8	(1.7)	47.5	(3.8)	34.5	(5.2)	78.6	(2.0)	89.7	(3.0)
Not-for-profit, government, or other	87.2	(1.7)	52.5	(3.8)	65.5	(5.2)	21.4	(2.0)	*	*
Number of people served (percent distribution): ³										
Category 1	*	*	5.7	(1.7)	16.5	(4.2)	5.5	(1.1)	46.4	(1.8)
Category 2	*	*	17.0	(2.8)	35.4	(5.4)	59.3	(2.4)	49.3	(2.2)
Category 3	*	*	77.3	(3.2)	48.1	(5.6)	35.2	(2.3)	*	*
Certification (percentage):										
Medicare-certified	100.0	(0.0)	---	---	99.5	(0.3)
Medicaid-certified	64.1	(2.4)	98.3	(1.0)	---	---	95.7	(1.0)	*	*
Chain-affiliated (percentage)	22.1	(2.2)	---	---	---	---	75.0	(2.1)	63.0	(4.2)
Staffing⁴										
Number of nursing and social work staff employee FTEs	484	(29)	2,512	(252)	2,330	(369)	27,566	(1,441)	13,465	(1,024)
Nursing and social work employee FTEs (percent distribution):										
Registered nurse	15.1	(0.7)	71.8	(1.1)	50.2	(2.2)	11.1	(0.3)	3.2	(0.5)
Licensed practical nurse or licensed vocational nurse	10.0	(0.7)	7.4	(0.8)	4.8	(1.0)	23.1	(0.3)	2.7	(0.7)
Aide	67.3	(1.0)	16.7	(1.0)	32.0	(1.6)	63.8	(0.3)	93.9	(0.9)
Social worker	7.6	(0.5)	4.1	(0.3)	13.1	(0.9)	1.9	(0.0)	*0.1	(0.1)
Providers with one or more employee FTEs (percentage):										
Registered nurse	52.0	(2.6)	†	(†)	100.0	(0.0)	†	(†)	48.1	(4.3)
Licensed practical nurse or licensed vocational nurse	44.0	(2.6)	52.0	(3.8)	57.1	(5.4)	†	(†)	*	*
Aide	78.6	(2.1)	95.5	(1.6)	†	(†)	†	(†)	87.5	(3.2)

Table 34. Providers and Users of Long-Term Care Services in North Carolina, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Social worker	36.5	(2.5)	84.2	(2.7)	100.0	(0.0)	91.9	(1.3)	*	*
Activities staff	86.7	(1.8)	---	---	---	---	96.9	(0.8)	91.2	(2.7)
Employee hours per resident or participant per day:										
Registered nurse	0.2	(0.0)	---	---	---	---	0.6	(0.1)	*0.2	(0.1)
Licensed practical nurse or licensed vocational nurse	0.1	(0.0)	---	---	---	---	1.1	(0.1)	*0.1	(0.0)
Aide	0.8	(0.0)	---	---	---	---	2.7	(0.1)	2.5	(0.3)
Social worker	0.1	(0.0)	---	---	---	---	0.1	(0.0)	*0.0	(0.0)
Activities staff	0.5	(0.0)	---	---	---	---	0.2	(0.0)	0.5	(0.1)
Service provided										
Social work (percentage)	36.0	(2.7)	90.4	(2.2)	100.0	(0.0)	95.0	(1.1)	42.0	(4.7)
Mental health or counseling (percentage)	21.3	(2.3)	---	---	†	(†)	94.5	(1.1)	58.0	(4.7)
Therapy (physical, occupational, or speech) (percentage)	32.0	(2.6)	†	(†)	†	(†)	100.0	(0.0)	*	*
Skilled nursing or nursing (percentage)	66.7	(2.6)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	44.7	(4.8)
Pharmacy or pharmacist (percentage)	14.7	(2.0)	6.2	(1.8)	---	---	†	(†)	*	*
Hospice (percentage)	16.0	(2.0)	19.2	(3.0)	80.5	(1.9)	57.6	(4.5)
Dental (percentage)	16.0	(2.0)	---	---	---	---	90.2	(1.4)	56.0	(4.8)
Podiatrist (percentage)	24.0	(2.4)	---	---	---	---	94.3	(1.1)	*	*
Practices										
Depression screening (percentage)	86.8	(1.7)	95.5	(1.6)	---	---	---	---	86.4	(3.2)
Special care										
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	---	---	16.0	(1.8)	*	*

Table 34. Providers and Users of Long-Term Care Services in North Carolina, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Service users										
Number of users ²	4,000	(200)	161,400	(18,000)	43,000	(7,100)	37,100	(1,900)	29,900	(1,200)
Age in years (percent distribution):										
Under 65	26.3	(1.1)	20.9	(0.5)	7.2	(0.2)	14.2	(0.6)	17.9	(2.7)
65 and over	73.7	(1.1)	79.1	(0.5)	92.8	(0.2)	85.8	(0.6)	82.1	(2.7)
65–74	23.2	(0.7)	27.9	(0.4)	20.2	(0.4)	17.4	(0.4)	14.7	(1.3)
75–84	31.7	(0.9)	29.8	(0.2)	31.4	(0.4)	29.0	(0.3)	30.3	(2.1)
85 and over	18.8	(0.7)	21.3	(0.6)	41.2	(0.6)	39.5	(0.8)	37.1	(2.7)
Sex (percent distribution):										
Men	39.6	(0.9)	36.9	(0.3)	42.0	(0.4)	31.4	(0.6)	32.2	(2.1)
Women	60.4	(0.9)	63.1	(0.3)	58.0	(0.4)	68.6	(0.6)	67.8	(2.1)
Race and ethnicity (percent distribution):										
Hispanic	2.6	(0.4)	0.9	(0.1)	0.7	(0.1)	0.5	(0.0)	0.3	(0.1)
Non-Hispanic white	53.6	(1.7)	76.8	(1.3)	83.2	(1.2)	71.3	(1.1)	78.8	(2.8)
Non-Hispanic black	41.5	(1.6)	20.5	(1.2)	14.5	(1.1)	25.2	(1.0)	17.4	(2.2)
Non-Hispanic other	2.2	(0.2)	1.8	(0.2)	1.5	(0.2)	3.0	(0.4)	*3.5	(1.5)
Used Medicaid for long-term care services (percent distribution)	29.4	(2.9)	13.1	(0.7)	---	---	65.0	(0.8)	44.0	(3.6)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	51.8	(1.6)	30.6	(0.8)	45.3	(1.1)	46.5	(0.7)	39.5	(3.0)
Diagnosed with depression	23.2	(2.0)	35.7	(0.5)	23.0	(0.5)	46.5	(0.6)	23.4	(2.5)
Diagnosed with diabetes	29.2	(1.4)	45.0	(0.6)	31.1	(0.8)	34.2	(0.5)	22.1	(1.5)
Need assistance in physical functioning (percentage):										
Eating	30.5	(2.0)	50.1	(1.6)	---	---	64.2	(1.3)	23.9	(3.5)
Bathing	52.1	(1.7)	96.2	(0.3)	---	---	96.6	(0.3)	72.9	(2.6)
Dressing	47.6	(1.5)	85.4	(0.8)	---	---	94.7	(0.3)	56.6	(3.0)
Toileting	43.9	(1.4)	66.2	(1.5)	---	---	92.7	(0.4)	52.6	(3.1)
Transferring in and out of a chair or bed	33.5	(1.6)	85.0	(0.7)	---	---	90.8	(0.4)	34.2	(3.5)
Walking	40.3	(1.7)	93.0	(0.4)	---	---	94.4	(0.4)	34.2	(3.4)
Adverse events (percentage):										
Overnight hospital stay	8.3	(0.6)	16.6	(0.6)	---	---	---	---	7.7	(0.8)

Table 34. Providers and Users of Long-Term Care Services in North Carolina, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Emergency department visit	8.8	(0.5)	16.1	(0.5)	---	---	---	---	15.4	(1.2)
Falls	12.8	(1.2)	0.1	(0.0)	---	---	16.7	(0.4)	22.8	(3.1)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 35. Providers and Users of Long-Term Care Services in North Dakota, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Organization	Number or percent (standard error)									
Number of providers ¹	10	(0.0)	20	(4)	10	(3)	80	(9)	100	(2)
Number of beds or licensed maximum capacity ²	100	(0)	6,100	(800)	5,300	(300)
Average capacity	13	(3.9)	---	---	---	---	76	(5.4)	47	(2.3)
Average number of people served	25	(10.1)	---	---	---	---	70	(5.3)	39	(1.7)
Metropolitan statistical area status (percent distribution):										
Metropolitan	100.0	(0.0)	41.2	(11.9)	*	*	28.4	(5.0)	41.3	(2.9)
Micropolitan or neither	-	-	58.8	(11.9)	*	*	71.6	(5.0)	58.7	(2.9)
Ownership (percent distribution):										
For-profit	-	-	*	*	*	*	*	*	34.9	(2.5)
Not-for-profit, government, or other	100.0	(0.0)	†	(†)	*	*	†	(†)	65.1	(2.5)
Number of people served (percent distribution): ³										
Category 1	*	*	35.3	(11.6)	*	*	6.2	(2.7)	*	*
Category 2	*	*	35.3	(11.6)	*	*	74.1	(4.9)	*	*
Category 3	-	-	29.4	(11.1)	*	*	19.8	(4.4)	*	*
Certification (percentage):										
Medicare-certified	100.0	(0.0)	---	---	100.0	(0.0)
Medicaid-certified	100.0	(0.0)	100.0	(0.0)	---	---	98.8	(1.2)	55.5	(2.8)
Chain-affiliated (percentage)	*	*	---	---	---	---	46.9	(5.6)	55.0	(2.6)
Staffing⁴										
Number of nursing and social work staff employee FTEs	62	(10)	194	(64)	136	(87)	4,269	(573)	1,836	(88)
Nursing and social work employee FTEs (percent distribution):										
Registered nurse	22.7	(9.9)	72.9	(3.5)	51.6	(3.5)	11.6	(0.6)	9.8	(0.6)
Licensed practical nurse or licensed vocational nurse	5.6	(1.9)	5.4	(2.1)	5.1	(1.3)	15.9	(0.7)	12.0	(0.7)
Aide	61.1	(11.4)	18.4	(4.0)	27.1	(3.6)	70.4	(0.9)	76.6	(1.0)
Social worker	10.7	(2.0)	3.2	(0.9)	16.1	(1.4)	2.1	(0.1)	1.6	(0.1)
Providers with one or more employee FTEs (percentage):										
Registered nurse	*	*	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	86.2	(2.0)
Licensed practical nurse or licensed vocational nurse	*	*	41.2	(11.9)	54.5	(15.0)	100.0	(0.0)	81.5	(2.3)
Aide	*	*	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	†	(†)

Table 35. Providers and Users of Long-Term Care Services in North Dakota, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Social worker	100.0	(0.0)	64.7	(11.6)	100.0	(0.0)	76.5	(4.7)	31.1	(2.7)
Activities staff	*	*	---	---	---	---	†	(†)	86.4	(2.0)
Employee hours per resident or participant per day:										
Registered nurse	0.7	(0.2)	---	---	---	---	0.4	(0.0)	0.3	(0.0)
Licensed practical nurse or licensed vocational nurse	0.3	(0.1)	---	---	---	---	0.6	(0.0)	0.3	(0.0)
Aide	5.1	(1.8)	---	---	---	---	2.6	(0.1)	2.1	(0.1)
Social worker	0.7	(0.2)	---	---	---	---	0.1	(0.0)	0.1	(0.0)
Activities staff	0.6	(0.2)	---	---	---	---	0.3	(0.0)	0.2	(0.0)
Service provided										
Social work (percentage)	*	*	70.6	(11.1)	100.0	(0.0)	†	(†)	45.8	(3.0)
Mental health or counseling (percentage)	*	*	---	---	100.0	(0.0)	†	(†)	45.0	(3.1)
Therapy (physical, occupational, or speech) (percentage)	*	*	*	*	100.0	(0.0)	100.0	(0.0)	64.0	(2.9)
Skilled nursing or nursing (percentage)	*	*	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	67.5	(2.8)
Pharmacy or pharmacist (percentage)	*	*	*	*	---	---	†	(†)	75.6	(2.8)
Hospice (percentage)	*	*	47.1	(12.1)	50.6	(5.6)	37.0	(2.9)
Dental (percentage)	*	*	---	---	---	---	90.1	(3.3)	50.2	(3.0)
Podiatrist (percentage)	*	*	---	---	---	---	92.6	(2.9)	59.6	(3.1)
Practices										
Depression screening (percentage)	*	*	100.0	(0.0)	---	---	---	---	89.0	(1.7)
Special care										
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	---	---	29.6	(5.1)	16.9	(2.4)

Table 35. Providers and Users of Long-Term Care Services in North Dakota, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Service users										
Number of users ²	300	(100)	4,900	(1,900)	2,400	(1,400)	5,700	(800)	4,400	(200)
Age in years (percent distribution):										
Under 65	41.2	(14.7)	11.5	(0.8)	4.8	(0.3)	8.1	(0.8)	4.7	(0.5)
65 and over	58.8	(14.7)	88.5	(0.8)	95.2	(0.3)	91.9	(0.8)	95.3	(0.5)
65–74	23.5	(0.8)	23.5	(0.8)	15.4	(1.4)	10.2	(0.6)	9.0	(0.6)
75–84	15.0	(5.7)	35.7	(1.1)	28.9	(0.7)	24.8	(0.5)	31.9	(1.1)
85 and over	20.3	(9.2)	29.2	(1.5)	50.9	(1.6)	56.9	(1.2)	54.5	(1.5)
Sex (percent distribution):										
Men	55.1	(9.6)	37.8	(0.9)	41.1	(1.1)	30.3	(0.9)	29.5	(0.6)
Women	44.9	(9.6)	62.2	(0.9)	58.9	(1.1)	69.7	(0.9)	70.5	(0.6)
Race and ethnicity (percent distribution):										
Hispanic	0.0	(0.0)	0.5	(0.2)	0.3	(0.1)	0.1	(0.0)	0.2	(0.0)
Non-Hispanic white	93.0	(0.6)	96.6	(0.6)	97.7	(0.2)	96.9	(0.5)	85.5	(3.1)
Non-Hispanic black	1.1	(0.6)	0.2	(0.1)	0.2	(0.0)	0.1	(0.1)	0.0	(0.0)
Non-Hispanic other	5.9	(0.6)	2.7	(0.5)	1.8	(0.2)	2.9	(0.5)	14.4	(3.1)
Used Medicaid for long-term care services (percent distribution)	85.6	(7.9)	5.6	(0.9)	---	---	52.3	(1.1)	24.2	(1.9)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	24.1	(9.1)	18.4	(1.5)	42.3	(1.8)	54.7	(1.4)	29.0	(1.4)
Diagnosed with depression	3.7	(2.1)	36.9	(1.4)	29.4	(1.2)	56.0	(0.9)	31.0	(1.2)
Diagnosed with diabetes	2.7	(1.6)	35.5	(0.7)	26.6	(1.8)	28.3	(0.8)	19.9	(1.0)
Need assistance in physical functioning (percentage):										
Eating	69.3	(8.0)	33.5	(3.9)	---	---	43.6	(2.4)	9.0	(0.9)
Bathing	12.3	(4.6)	96.6	(0.7)	---	---	98.2	(0.4)	62.0	(2.2)
Dressing	8.8	(2.6)	78.3	(3.0)	---	---	90.6	(0.7)	37.3	(1.7)
Toileting	23.7	(2.1)	53.1	(4.3)	---	---	84.5	(1.0)	19.0	(1.5)
Transferring in and out of a chair or bed	8.8	(4.3)	84.8	(2.7)	---	---	78.8	(1.3)	14.9	(1.6)
Walking	7.9	(4.0)	92.5	(1.0)	---	---	90.5	(0.9)	16.8	(1.6)
Adverse events (percentage):										
Overnight hospital stay	5.9	(3.0)	13.3	(0.9)	---	---	---	---	9.6	(0.7)

Table 35. Providers and Users of Long-Term Care Services in North Dakota, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Emergency department visit	12.8	(6.3)	13.2	(1.5)	---	---	---	---	10.3	(0.8)
Falls	4.8	(1.6)	0.3	(0.1)	---	---	27.6	(0.9)	21.6	(1.0)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 36. Providers and Users of Long-Term Care Services in Ohio, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Organization										
	Number or percent (standard error)									
Number of providers ¹	100	(1)	800	(27)	100	(12)	1,000	(30)	600	(7)
Number of beds or licensed maximum capacity ²	5,500	(400)	90,400	(3,200)	42,800	(1,900)
Average capacity	46	(3.2)	---	---	---	---	95	(1.4)	73	(3.0)
Average number of people served	25	(2.2)	---	---	---	---	80	(1.3)	57	(2.6)
Metropolitan statistical area status (percent distribution):										
Metropolitan	84.4	(2.6)	85.0	(1.3)	75.4	(3.7)	72.1	(1.5)	78.5	(3.8)
Micropolitan or neither	15.6	(2.6)	15.0	(1.3)	24.6	(3.7)	27.9	(1.5)	*	*
Ownership (percent distribution):										
For-profit	28.0	(3.4)	82.6	(1.4)	40.6	(4.2)	79.4	(1.3)	71.0	(4.3)
Not-for-profit, government, or other	72.0	(3.4)	17.4	(1.4)	59.4	(4.2)	20.6	(1.3)	*	*
Number of people served (percent distribution): ³										
Category 1	*	*	48.5	(1.8)	23.3	(3.7)	6.3	(0.8)	*	*
Category 2	*	*	15.4	(1.3)	31.0	(4.1)	70.0	(1.5)	63.3	(3.9)
Category 3	*	*	20.7	(1.4)	45.7	(4.4)	23.7	(1.4)	*	*
Missing	15.4	(1.3)
Certification (percentage):										
Medicare-certified	100.0	(0.0)	---	---	100.0	(0.0)
Medicaid-certified	90.5	(2.2)	91.5	(1.0)	---	---	97.3	(0.5)	52.9	(4.9)
Chain-affiliated (percentage)	37.2	(3.6)	---	---	---	---	64.9	(1.5)	*	*
Staffing⁴										
Number of nursing and social work staff employee FTEs	664	(41)	12,444	(638)	3,507	(435)	55,015	(1,946)	13,057	(851)
Nursing and social work employee FTEs (percent distribution):										
Registered nurse	17.8	(1.3)	33.2	(1.3)	47.5	(1.4)	12.3	(0.2)	5.5	(0.8)
Licensed practical nurse or licensed vocational nurse	9.7	(1.0)	16.0	(0.8)	10.0	(0.9)	24.4	(0.2)	26.2	(1.3)
Aide	64.1	(1.8)	49.6	(1.5)	31.2	(1.5)	61.5	(0.3)	66.9	(1.6)
Social worker	8.4	(1.2)	1.2	(0.1)	11.3	(0.6)	1.8	(0.0)	1.4	(0.2)
Providers with one or more employee FTEs (percentage):										
Registered nurse	81.9	(2.9)	†	(†)	†	(†)	†	(†)	67.9	(4.6)
Licensed practical nurse or licensed vocational nurse	47.2	(3.8)	69.6	(1.6)	64.5	(4.1)	99.4	(0.3)	93.5	(2.4)
Aide	91.6	(2.1)	97.1	(0.6)	†	(†)	99.3	(0.3)	†	(†)

Table 36. Providers and Users of Long-Term Care Services in Ohio, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Social worker	43.2	(3.7)	31.0	(1.6)	†	(†)	76.2	(1.4)	34.9	(4.7)
Activities staff	†	(†)	---	---	---	---	98.2	(0.4)	95.8	(1.9)
Employee hours per resident or participant per day:										
Registered nurse	0.5	(0.1)	---	---	---	---	0.6	(0.0)	0.2	(0.1)
Licensed practical nurse or licensed vocational nurse	0.2	(0.0)	---	---	---	---	1.0	(0.1)	0.6	(0.0)
Aide	1.7	(0.2)	---	---	---	---	2.5	(0.1)	1.6	(0.2)
Social worker	0.2	(0.0)	---	---	---	---	0.1	(0.0)	0.1	(0.0)
Activities staff	0.8	(0.1)	---	---	---	---	0.2	(0.0)	0.3	(0.0)
Service provided										
Social work (percentage)	60.8	(3.6)	57.1	(1.8)	100.0	(0.0)	87.0	(1.1)	58.5	(4.9)
Mental health or counseling (percentage)	31.3	(3.5)	---	---	96.4	(1.6)	94.3	(0.8)	62.3	(4.7)
Therapy (physical, occupational, or speech) (percentage)	60.6	(3.6)	92.9	(0.9)	†	(†)	100.0	(0.0)	†	(†)
Skilled nursing or nursing (percentage)	81.8	(2.9)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	*	*
Pharmacy or pharmacist (percentage)	20.0	(3.1)	2.3	(0.5)	---	---	98.0	(0.5)	†	(†)
Hospice (percentage)	26.2	(3.3)	4.2	(0.7)	89.8	(1.0)	*	*
Dental (percentage)	18.2	(3.0)	---	---	---	---	95.3	(0.7)	62.5	(4.6)
Podiatrist (percentage)	39.8	(3.7)	---	---	---	---	97.4	(0.5)	†	(†)
Practices										
Depression screening (percentage)	74.9	(3.2)	87.7	(1.3)	---	---	---	---	86.8	(3.5)
Special care										
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	---	---	11.6	(1.0)	45.1	(4.6)

Table 36. Providers and Users of Long-Term Care Services in Ohio, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Service users										
Number of users ²	5,500	(500)	217,000	(24,500)	65,900	(10,600)	76,200	(2,700)	33,100	(1,600)
Age in years (percent distribution):										
Under 65	24.7	(3.0)	21.0	(0.7)	5.7	(0.2)	18.0	(0.6)	2.7	(0.5)
65 and over	75.4	(3.0)	79.0	(0.7)	94.3	(0.2)	82.0	(0.6)	97.3	(0.5)
65–74	26.3	(1.2)	24.7	(0.4)	16.4	(0.4)	16.7	(0.2)	9.5	(1.3)
75–84	29.5	(1.8)	29.9	(0.3)	29.9	(0.3)	26.6	(0.3)	33.2	(2.0)
85 and over	19.6	(1.6)	24.4	(0.6)	48.0	(0.8)	38.7	(0.7)	54.6	(2.6)
Sex (percent distribution):										
Men	37.2	(1.3)	36.6	(0.3)	39.7	(0.5)	33.1	(0.6)	27.2	(1.0)
Women	62.8	(1.3)	63.4	(0.3)	60.3	(0.5)	66.9	(0.6)	72.8	(1.0)
Race and ethnicity (percent distribution):										
Hispanic	1.2	(0.2)	1.0	(0.1)	0.8	(0.1)	0.8	(0.1)	0.4	(0.1)
Non-Hispanic white	66.0	(3.7)	84.7	(0.9)	90.4	(0.8)	82.4	(0.8)	89.3	(2.6)
Non-Hispanic black	30.0	(3.8)	13.0	(0.9)	7.9	(0.8)	13.8	(0.8)	5.0	(1.3)
Non-Hispanic other	2.7	(0.7)	1.3	(0.1)	0.9	(0.1)	3.0	(0.2)	*5.3	(2.4)
Used Medicaid for long-term care services (percent distribution)	53.1	(4.0)	13.8	(0.7)	---	---	63.0	(0.7)	14.3	(2.1)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	45.9	(3.8)	29.2	(0.8)	44.6	(1.5)	50.8	(0.5)	45.4	(2.7)
Diagnosed with depression	23.5	(2.6)	41.5	(0.5)	24.2	(0.6)	55.7	(0.4)	28.8	(2.6)
Diagnosed with diabetes	25.6	(2.0)	45.7	(0.4)	27.7	(0.4)	34.7	(0.3)	18.5	(1.3)
Need assistance in physical functioning (percentage):										
Eating	40.7	(3.8)	50.1	(2.0)	---	---	60.5	(1.1)	17.6	(2.6)
Bathing	41.2	(4.6)	94.7	(0.5)	---	---	96.5	(0.2)	62.0	(3.3)
Dressing	38.8	(2.7)	81.9	(1.5)	---	---	92.9	(0.3)	48.2	(3.1)
Toileting	45.5	(2.2)	63.7	(2.3)	---	---	89.9	(0.4)	41.3	(3.5)
Transferring in and out of a chair or bed	29.6	(2.2)	83.2	(1.1)	---	---	87.6	(0.5)	36.0	(3.5)
Walking	36.3	(3.1)	91.0	(0.6)	---	---	89.3	(0.5)	29.3	(3.3)
Adverse events (percentage):										
Overnight hospital stay	6.9	(0.9)	17.9	(0.6)	---	---	---	---	11.9	(2.4)
Emergency department visit	7.4	(0.7)	17.0	(0.5)	---	---	---	---	13.7	(1.4)

Table 36. Providers and Users of Long-Term Care Services in Ohio, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Falls	11.1	(0.8)	0.3	(0.0)	---	---	15.9	(0.2)	30.1	(3.0)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 37. Providers and Users of Long-Term Care Services in Oklahoma, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Organization	Number or percent (standard error)									
Number of providers ¹	40	(0.0)	300	(16)	100	(11)	300	(17)	200	(2)
Number of beds or licensed maximum capacity ²	1,900	(100)	28,700	(1,700)	10,500	(300)
Average capacity	51	(2.8)	---	---	---	---	93	(2.1)	61	(1.8)
Average number of people served	25	(1.6)	---	---	---	---	62	(1.6)	44	(1.3)
Metropolitan statistical area status (percent distribution):										
Metropolitan	62.3	(4.2)	53.7	(3.0)	59.7	(4.3)	46.6	(2.8)	64.0	(3.0)
Micropolitan or neither	37.7	(4.2)	46.3	(3.0)	40.3	(4.3)	53.4	(2.8)	36.0	(3.0)
Ownership (percent distribution):										
For-profit	20.8	(3.5)	82.8	(2.3)	77.5	(3.7)	85.8	(2.0)	78.6	(2.7)
Not-for-profit, government, or other	79.2	(3.5)	17.2	(2.3)	22.5	(3.7)	14.2	(2.0)	21.4	(2.7)
Number of people served (percent distribution): ³										
Category 1	61.9	(4.2)	37.5	(3.0)	39.0	(4.5)	4.2	(1.1)	32.2	(1.9)
Category 2	38.1	(4.2)	33.6	(2.9)	46.6	(4.6)	88.0	(1.8)	62.0	(2.5)
Category 3	-	-	29.0	(2.8)	14.4	(3.2)	7.8	(1.5)	5.8	(1.6)
Certification (percentage):										
Medicare-certified	100.0	(0.0)	---	---	95.5	(1.2)
Medicaid-certified	82.7	(3.3)	80.2	(2.4)	---	---	95.5	(1.2)	12.1	(2.0)
Chain-affiliated (percentage)	31.0	(4.0)	---	---	---	---	33.3	(2.7)	65.3	(3.1)
Staffing⁴										
Number of nursing and social work staff employee FTEs	198	(14)	3,639	(313)	1,615	(197)	13,608	(851)	3,673	(172)
Nursing and social work employee FTEs (percent distribution):										
Registered nurse	9.6	(1.6)	48.4	(1.4)	41.0	(1.2)	5.2	(0.3)	7.3	(0.9)
Licensed practical nurse or licensed vocational nurse	12.8	(1.0)	27.2	(1.2)	15.8	(1.3)	23.5	(0.4)	13.3	(0.9)
Aide	71.9	(2.2)	22.9	(1.6)	31.7	(1.2)	70.4	(0.5)	78.5	(1.2)
Social worker	5.8	(0.7)	1.5	(0.2)	11.4	(0.5)	0.9	(0.1)	0.9	(0.1)
Providers with one or more employee FTEs (percentage):										
Registered nurse	34.4	(4.1)	†	(†)	100.0	(0.0)	97.1	(1.0)	72.3	(2.8)
Licensed practical nurse or licensed vocational nurse	55.3	(4.3)	87.3	(2.0)	81.4	(3.4)	†	(†)	83.2	(2.1)
Aide	†	(†)	94.8	(1.4)	†	(†)	100.0	(0.0)	†	(†)

Table 37. Providers and Users of Long-Term Care Services in Oklahoma, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Social worker	31.0	(4.0)	34.0	(2.9)	95.3	(1.9)	41.4	(2.8)	16.8	(2.4)
Activities staff	†	(†)	---	---	---	---	96.8	(1.0)	87.5	(1.9)
Employee hours per resident or participant per day:										
Registered nurse	0.2	(0.1)	---	---	---	---	0.2	(0.0)	0.2	(0.0)
Licensed practical nurse or licensed vocational nurse	0.3	(0.0)	---	---	---	---	0.9	(0.0)	0.3	(0.0)
Aide	1.5	(0.2)	---	---	---	---	2.5	(0.0)	2.4	(0.1)
Social worker	0.1	(0.0)	---	---	---	---	0.0	(0.0)	0.0	(0.0)
Activities staff	0.8	(0.1)	---	---	---	---	0.1	(0.0)	0.2	(0.0)
Service provided										
Social work (percentage)	51.7	(4.3)	69.4	(2.8)	100.0	(0.0)	51.1	(2.8)	42.9	(3.2)
Mental health or counseling (percentage)	27.6	(3.9)	---	---	†	(†)	78.3	(2.3)	49.1	(3.2)
Therapy (physical, occupational, or speech) (percentage)	51.8	(4.3)	100.0	(0.0)	†	(†)	98.1	(0.8)	77.4	(2.6)
Skilled nursing or nursing (percentage)	64.3	(4.5)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	63.4	(3.2)
Pharmacy or pharmacist (percentage)	*	*	3.7	(1.2)	---	---	98.4	(0.7)	87.4	(2.1)
Hospice (percentage)	20.7	(3.5)	*	*	92.6	(1.5)	62.3	(3.2)
Dental (percentage)	*	*	---	---	---	---	90.6	(1.7)	43.7	(3.3)
Podiatrist (percentage)	24.0	(3.7)	---	---	---	---	89.0	(1.8)	61.4	(3.2)
Practices										
Depression screening (percentage)	82.8	(3.3)	95.0	(1.4)	---	---	---	---	76.0	(2.8)
Special care										
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	---	---	4.5	(1.2)	33.5	(3.1)

Table 37. Providers and Users of Long-Term Care Services in Oklahoma, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Service users										
Number of users ²	1,400	(100)	72,500	(7,700)	20,500	(2,600)	19,200	(1,200)	7,500	(200)
Age in years (percent distribution):										
Under 65	50.0	(3.5)	19.7	(0.6)	6.6	(0.2)	17.6	(0.8)	2.1	(0.3)
65 and over	50.1	(3.5)	80.3	(0.6)	93.4	(0.2)	82.4	(0.8)	98.0	(0.3)
65–74	17.9	(1.2)	28.0	(0.4)	18.7	(0.4)	18.0	(0.5)	6.6	(0.5)
75–84	19.7	(1.6)	31.2	(0.4)	31.3	(0.3)	28.2	(0.5)	34.9	(1.9)
85 and over	12.5	(1.5)	21.1	(0.5)	43.4	(0.7)	36.2	(0.9)	56.5	(2.2)
Sex (percent distribution):										
Men	43.6	(1.0)	36.8	(0.3)	40.0	(0.6)	30.5	(0.7)	26.3	(0.7)
Women	56.4	(1.0)	63.2	(0.3)	60.0	(0.6)	69.5	(0.7)	73.7	(0.7)
Race and ethnicity (percent distribution):										
Hispanic	2.5	(0.3)	1.6	(0.1)	1.1	(0.1)	1.1	(0.1)	0.6	(0.1)
Non-Hispanic white	65.3	(2.1)	81.6	(0.6)	86.5	(0.5)	85.3	(0.7)	87.3	(2.1)
Non-Hispanic black	16.2	(1.7)	6.7	(0.4)	4.8	(0.3)	7.2	(0.7)	1.3	(0.2)
Non-Hispanic other	16.0	(2.2)	10.0	(0.6)	7.6	(0.5)	6.4	(0.4)	10.7	(2.1)
Used Medicaid for long-term care services (percent distribution)	38.7	(4.6)	5.7	(0.5)	---	---	65.7	(1.1)	6.1	(1.4)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	35.1	(2.7)	29.2	(0.6)	51.8	(1.4)	43.8	(0.8)	42.8	(2.0)
Diagnosed with depression	18.9	(2.7)	45.8	(0.8)	31.5	(0.8)	56.8	(0.7)	27.1	(2.1)
Diagnosed with diabetes	18.5	(1.2)	43.4	(0.4)	30.3	(0.6)	32.2	(0.5)	15.0	(0.7)
Need assistance in physical functioning (percentage):										
Eating	21.0	(1.5)	54.2	(2.4)	---	---	47.2	(1.7)	14.3	(1.5)
Bathing	18.7	(2.6)	96.5	(0.3)	---	---	94.8	(0.5)	53.9	(2.3)
Dressing	26.9	(2.9)	87.2	(1.2)	---	---	83.2	(0.7)	37.7	(2.2)
Toileting	36.8	(1.9)	71.4	(2.0)	---	---	76.6	(0.8)	32.3	(2.3)
Transferring in and out of a chair or bed	21.7	(1.4)	88.3	(0.9)	---	---	73.0	(0.9)	22.9	(2.2)
Walking	23.6	(1.4)	94.5	(0.5)	---	---	86.2	(0.7)	25.8	(2.5)
Adverse events (percentage):										
Overnight hospital stay	4.9	(0.6)	26.4	(1.1)	---	---	---	---	9.7	(1.3)

Table 37. Providers and Users of Long-Term Care Services in Oklahoma, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Emergency department visit	6.2	(0.6)	21.1	(0.8)	---	---	---	---	13.3	(0.8)
Falls	10.7	(1.9)	0.4	(0.0)	---	---	23.1	(0.5)	27.6	(2.0)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 38. Providers and Users of Long-Term Care Services in Oregon, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services						Nursing home		Residential care community	
	center		Home health agency		Hospice					
Organization										
Number or percent (standard error)										
Number of providers ¹	10	(0.0)	60	(8)	50	(7)	100	(12)	1,500	(19)
Number of beds or licensed maximum capacity ²	300	(0)	12,000	(1,100)	31,500	(1,500)
Average capacity	32	(3.0)	---	---	---	---	88	(3.3)	21	(1.0)
Average number of people served	23	(2.7)	---	---	---	---	54	(2.1)	19	(1.0)
Metropolitan statistical area status (percent distribution):										
Metropolitan	*	*	58.6	(6.5)	57.4	(7.2)	80.1	(3.4)	78.6	(3.5)
Micropolitan or neither	*	*	41.4	(6.5)	42.6	(7.2)	19.9	(3.4)	21.4	(3.5)
Ownership (percent distribution):										
For-profit	*	*	43.1	(6.5)	44.7	(7.3)	80.9	(3.4)	86.9	(2.9)
Not-for-profit, government, or other	*	*	56.9	(6.5)	55.3	(7.3)	19.1	(3.4)	*	*
Number of people served (percent distribution): ³										
Category 1	*	*	17.5	(5.0)	19.1	(5.7)	8.8	(2.4)	76.7	(1.1)
Category 2	*	*	28.1	(6.0)	38.3	(7.1)	86.8	(2.9)	21.8	(1.3)
Category 3	-	-	54.4	(6.6)	42.6	(7.2)	4.4	(1.8)	*	*
Certification (percentage):										
Medicare-certified	100.0	(0.0)	---	---	90.4	(2.5)
Medicaid-certified	100.0	(0.0)	94.8	(2.9)	---	---	94.9	(1.9)	*	*
Chain-affiliated (percentage)	*	*	---	---	---	---	72.8	(3.8)	42.8	(4.4)
Staffing⁴										
Number of nursing and social work staff employee FTEs	29	(4)	664	(115)	891	(196)	6,275	(584)	12,557	(1,136)
Nursing and social work employee FTEs (percent distribution):										
Registered nurse	13.6	(2.2)	69.3	(2.5)	58.8	(1.4)	12.9	(0.5)	8.5	(2.2)
Licensed practical nurse or licensed vocational nurse	4.5	(2.6)	12.5	(2.7)	3.0	(0.6)	14.8	(0.6)	2.6	(0.7)
Aide	77.3	(6.0)	12.4	(1.3)	22.2	(1.2)	70.3	(0.6)	88.7	(2.3)
Social worker	4.6	(2.9)	5.7	(0.4)	15.9	(0.8)	1.9	(0.1)	*0.2	(0.1)
Providers with one or more employee FTEs (percentage):										
Registered nurse	*	*	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	37.8	(3.3)
Licensed practical nurse or licensed vocational nurse	*	*	44.8	(6.5)	34.0	(6.9)	†	(†)	*	*
Aide	*	*	†	(†)	100.0	(0.0)	100.0	(0.0)	61.0	(4.3)
Social worker	*	*	82.8	(5.0)	100.0	(0.0)	69.9	(3.9)	*	*

Table 38. Providers and Users of Long-Term Care Services in Oregon, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Activities staff	100.0	(0.0)	---	---	---	---	94.9	(1.9)	49.1	(3.8)
Employee hours per resident or participant per day:										
Registered nurse	0.4	(0.2)	---	---	---	---	0.6	(0.0)	*0.2	(0.1)
Licensed practical nurse or licensed vocational nurse	0.3	(0.2)	---	---	---	---	0.6	(0.0)	*0.1	(0.1)
Aide	0.9	(0.2)	---	---	---	---	3.1	(0.0)	1.7	(0.2)
Social worker	0.0	(0.0)	---	---	---	---	0.1	(0.0)	*0.0	(0.0)
Activities staff	0.7	(0.2)	---	---	---	---	0.2	(0.0)	0.4	(0.1)
Service provided										
Social work (percentage)	*	*	87.9	(4.3)	100.0	(0.0)	89.7	(2.6)	44.6	(4.6)
Mental health or counseling (percentage)	*	*	---	---	87.2	(4.9)	74.3	(3.7)	45.8	(4.6)
Therapy (physical, occupational, or speech) (percentage)	*	*	†	(†)	†	(†)	†	(†)	56.3	(4.5)
Skilled nursing or nursing (percentage)	*	*	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	62.6	(4.5)
Pharmacy or pharmacist (percentage)	*	*	13.8	(4.5)	---	---	†	(†)	*	*
Hospice (percentage)	*	*	29.3	(6.0)	72.8	(3.8)	64.4	(4.5)
Dental (percentage)	—	—	---	---	---	---	77.9	(3.6)	48.7	(4.6)
Podiatrist (percentage)	*	*	---	---	---	---	75.7	(3.7)	56.5	(4.7)
Practices										
Depression screening (percentage)	*	*	†	(†)	---	---	---	---	81.4	(3.6)
Special care										
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	---	---	8.8	(2.4)	*	*

Table 38. Providers and Users of Long-Term Care Services in Oregon, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Service users										
Number of users ²	500	(100)	40,500	(10,400)	19,700	(4,400)	7,300	(700)	28,500	(1,500)
Age in years (percent distribution):										
Under 65	16.0	(2.0)	13.2	(0.7)	4.6	(0.2)	18.2	(1.3)	6.8	(1.0)
65 and over	84.0	(2.0)	86.8	(0.7)	95.4	(0.2)	81.8	(1.3)	93.3	(1.0)
65–74	26.1	(2.2)	23.0	(0.8)	16.8	(0.5)	19.8	(0.7)	10.8	(1.4)
75–84	32.4	(3.5)	30.3	(0.6)	28.0	(0.4)	27.2	(0.7)	27.3	(2.1)
85 and over	25.5	(2.3)	33.5	(0.8)	50.6	(0.8)	34.8	(1.5)	55.3	(2.8)
Sex (percent distribution):										
Men	35.1	(1.1)	38.7	(1.1)	41.6	(0.7)	37.9	(1.2)	31.7	(1.6)
Women	64.9	(1.1)	61.3	(1.1)	58.4	(0.7)	62.1	(1.2)	68.3	(1.6)
Race and ethnicity (percent distribution):										
Hispanic	1.8	(0.4)	2.2	(0.2)	1.6	(0.1)	1.6	(0.2)	2.2	(0.6)
Non-Hispanic white	81.1	(4.2)	93.3	(0.8)	94.8	(0.4)	88.9	(1.1)	82.1	(4.1)
Non-Hispanic black	9.5	(4.3)	1.2	(0.3)	0.9	(0.2)	2.3	(0.5)	*1.3	(0.4)
Non-Hispanic other	7.6	(0.9)	3.3	(0.4)	2.7	(0.3)	7.0	(0.9)	14.3	(4.0)
Used Medicaid for long-term care services (percent distribution)	35.9	(7.4)	5.2	(0.6)	---	---	57.5	(1.6)	39.5	(3.4)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	54.3	(4.5)	34.7	(0.9)	29.5	(2.0)	36.3	(1.4)	46.7	(4.2)
Diagnosed with depression	44.5	(5.4)	37.4	(0.7)	12.1	(0.8)	46.6	(1.0)	26.5	(3.2)
Diagnosed with diabetes	26.3	(4.7)	37.2	(0.7)	15.8	(0.9)	32.7	(0.7)	18.4	(2.1)
Need assistance in physical functioning (percentage):										
Eating	35.8	(4.7)	55.8	(2.5)	---	---	45.9	(2.1)	29.9	(3.7)
Bathing	51.3	(7.1)	96.7	(0.4)	---	---	97.4	(0.4)	62.8	(4.1)
Dressing	42.6	(7.0)	84.0	(2.0)	---	---	93.9	(0.6)	51.1	(3.8)
Toileting	53.1	(4.2)	69.6	(2.8)	---	---	90.9	(0.7)	47.4	(3.8)
Transferring in and out of a chair or bed	40.2	(6.1)	87.0	(1.3)	---	---	88.6	(1.0)	37.6	(3.4)
Walking	56.7	(4.7)	95.4	(0.5)	---	---	93.5	(0.8)	30.0	(2.8)
Adverse events (percentage):										
Overnight hospital stay	5.3	(0.8)	11.6	(0.4)	---	---	---	---	6.5	(1.0)
Emergency department visit	10.3	(1.5)	15.6	(0.3)	---	---	---	---	11.1	(1.1)

Table 38. Providers and Users of Long-Term Care Services in Oregon, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services				Hospice		Nursing home		Residential care community	
	center		Home health agency							
Falls	6.8	(1.1)	0.1	(0.0)	---	---	15.9	(0.8)	23.4	(2.2)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 39. Providers and Users of Long-Term Care Services in Pennsylvania, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services						Nursing home		Residential care community	
	center		Home health agency		Hospice					
Organization										
	Number or percent (standard error)									
Number of providers ¹	300	(1)	400	(20)	200	(13)	700	(26)	1,000	(13)
Number of beds or licensed maximum capacity ²	15,200	(600)	88,100	(4,000)	62,900	(3,100)
Average capacity	62	(2.4)	---	---	---	---	126	(3.2)	64	(3.1)
Average number of people served	33	(1.6)	---	---	---	---	114	(3.0)	55	(4.3)
Metropolitan statistical area status (percent distribution):										
Metropolitan	85.7	(1.6)	87.5	(1.6)	87.3	(2.4)	83.3	(1.4)	83.1	(3.4)
Micropolitan or neither	14.3	(1.6)	12.5	(1.6)	12.7	(2.4)	16.7	(1.4)	*	*
Ownership (percent distribution):										
For-profit	18.9	(1.8)	73.5	(2.1)	56.1	(3.6)	54.2	(1.9)	60.0	(4.6)
Not-for-profit, government, or other	81.1	(1.8)	26.5	(2.1)	43.9	(3.6)	45.8	(1.9)	40.0	(4.6)
Number of people served (percent distribution): ³										
Category 1	60.7	(2.3)	28.4	(2.2)	25.5	(3.2)	4.6	(0.8)	32.9	(3.7)
Category 2	34.8	(2.2)	15.4	(1.8)	38.3	(3.5)	41.5	(1.9)	57.8	(4.0)
Category 3	4.6	(1.0)	38.1	(2.4)	36.2	(3.5)	53.9	(1.9)	*	*
Missing	18.2	(1.9)
Certification (percentage):										
Medicare-certified	100.0	(0.0)	---	---	99.0	(0.4)
Medicaid-certified	70.8	(2.1)	87.5	(1.6)	---	---	89.3	(1.2)	*	*
Chain-affiliated (percentage)	47.4	(2.4)	---	---	---	---	59.7	(1.9)	50.6	(4.4)
Staffing⁴										
Number of nursing and social work staff employee FTEs	1,413	(92)	7,887	(546)	3,943	(432)	52,976	(2,185)	20,988	(1,957)
Nursing and social work employee FTEs (percent distribution):										
Registered nurse	16.4	(0.8)	49.7	(2.1)	48.4	(1.6)	15.0	(0.3)	5.8	(1.0)
Licensed practical nurse or licensed vocational nurse	11.5	(0.8)	16.5	(1.3)	6.3	(0.6)	22.7	(0.3)	18.0	(1.5)
Aide	62.3	(1.4)	31.8	(1.8)	35.0	(1.5)	60.3	(0.3)	75.1	(2.2)
Social worker	9.7	(0.7)	2.0	(0.2)	10.3	(0.4)	2.0	(0.0)	1.1	(0.2)
Providers with one or more employee FTEs (percentage):										
Registered nurse	61.6	(2.3)	†	(†)	100.0	(0.0)	†	(†)	34.5	(4.3)
Licensed practical nurse or licensed vocational nurse	48.1	(2.3)	64.8	(2.3)	55.6	(3.6)	98.4	(0.5)	72.1	(4.0)
Aide	63.6	(2.3)	91.5	(1.4)	†	(†)	99.0	(0.4)	†	(†)

Table 39. Providers and Users of Long-Term Care Services in Pennsylvania, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Social worker	28.8	(2.1)	50.6	(2.4)	†	(†)	92.7	(1.0)	*	*
Activities staff	90.9	(1.3)	---	---	---	---	98.1	(0.5)	80.0	(3.7)
Employee hours per resident or participant per day:										
Registered nurse	0.3	(0.0)	---	---	---	---	0.7	(0.1)	0.1	(0.0)
Licensed practical nurse or licensed vocational nurse	0.2	(0.0)	---	---	---	---	0.9	(0.0)	0.4	(0.1)
Aide	1.1	(0.1)	---	---	---	---	2.2	(0.0)	1.6	(0.1)
Social worker	0.1	(0.0)	---	---	---	---	0.1	(0.0)	0.0	(0.0)
Activities staff	1.0	(0.1)	---	---	---	---	0.2	(0.0)	0.2	(0.0)
Service provided										
Social work (percentage)	42.6	(2.3)	67.8	(2.3)	†	(†)	97.6	(0.6)	58.0	(4.7)
Mental health or counseling (percentage)	30.2	(2.2)	---	---	†	(†)	92.8	(1.0)	*	*
Therapy (physical, occupational, or speech) (percentage)	51.9	(2.3)	82.3	(1.9)	†	(†)	100.0	(0.0)	*	*
Skilled nursing or nursing (percentage)	71.3	(2.1)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	60.0	(4.7)
Pharmacy or pharmacist (percentage)	18.8	(1.9)	2.4	(0.7)	---	---	98.0	(0.5)	†	(†)
Hospice (percentage)	16.6	(1.7)	18.0	(1.9)	86.4	(1.3)	72.7	(4.1)
Dental (percentage)	16.8	(1.8)	---	---	---	---	94.3	(0.9)	69.8	(4.4)
Podiatrist (percentage)	45.8	(2.4)	---	---	---	---	97.4	(0.6)	*	*
Practices										
Depression screening (percentage)	79.0	(1.9)	88.6	(1.7)	---	---	---	---	76.7	(4.0)
Special care										
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	---	---	25.0	(1.6)	29.2	(3.8)

Table 39. Providers and Users of Long-Term Care Services in Pennsylvania, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Service users										
Number of users ²	12,700	(700)	295,000	(39,600)	67,400	(7,600)	79,700	(3,600)	53,400	(4,200)
Age in years (percent distribution):										
Under 65	36.2	(2.5)	18.3	(0.9)	4.4	(0.2)	11.5	(0.5)	7.7	(1.8)
65 and over	63.8	(2.5)	81.7	(0.9)	95.6	(0.2)	88.5	(0.5)	92.3	(1.8)
65–74	22.1	(0.9)	23.8	(0.4)	14.6	(0.5)	13.9	(0.3)	9.1	(1.0)
75–84	24.3	(1.2)	30.8	(0.4)	29.2	(0.3)	27.1	(0.2)	26.5	(1.7)
85 and over	17.4	(1.0)	27.1	(0.8)	51.9	(0.9)	47.5	(0.7)	56.7	(2.5)
Sex (percent distribution):										
Men	39.9	(0.9)	38.9	(0.2)	39.3	(0.5)	30.3	(0.5)	31.1	(2.7)
Women	60.1	(0.9)	61.1	(0.2)	60.7	(0.5)	69.7	(0.5)	68.9	(2.7)
Race and ethnicity (percent distribution):										
Hispanic	1.7	(0.2)	1.8	(0.2)	1.3	(0.2)	1.3	(0.1)	0.4	(0.1)
Non-Hispanic white	66.8	(3.0)	87.8	(1.4)	91.2	(1.4)	85.9	(1.0)	96.2	(0.9)
Non-Hispanic black	26.5	(3.0)	8.8	(1.3)	6.4	(1.2)	10.0	(0.9)	1.9	(0.4)
Non-Hispanic other	5.0	(1.2)	1.6	(0.1)	1.1	(0.1)	2.7	(0.3)	*1.5	(0.8)
Used Medicaid for long-term care services (percent distribution)	57.2	(2.9)	8.0	(0.8)	---	---	62.3	(0.9)	*5.2	(1.9)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	34.3	(1.7)	27.5	(0.9)	42.2	(1.4)	50.2	(0.7)	37.3	(2.4)
Diagnosed with depression	19.0	(1.4)	36.7	(0.5)	22.5	(0.6)	52.0	(0.5)	26.9	(2.3)
Diagnosed with diabetes	24.3	(1.8)	43.1	(0.4)	25.0	(0.5)	30.8	(0.3)	21.8	(1.6)
Need assistance in physical functioning (percentage):										
Eating	42.5	(2.2)	46.5	(1.9)	---	---	57.0	(1.0)	21.1	(3.1)
Bathing	54.6	(2.0)	94.5	(0.6)	---	---	96.1	(0.2)	59.1	(4.4)
Dressing	49.0	(2.0)	83.3	(1.7)	---	---	93.5	(0.3)	44.9	(4.0)
Toileting	55.7	(2.0)	63.0	(2.7)	---	---	90.2	(0.4)	35.7	(3.6)
Transferring in/out of chair	39.5	(2.2)	82.5	(1.6)	---	---	87.8	(0.5)	26.7	(3.2)
Walking	45.7	(2.1)	90.5	(1.1)	---	---	92.9	(0.3)	27.8	(3.6)
Adverse events (percentage):										
Overnight hospital stay	8.4	(0.8)	14.1	(0.4)	---	---	---	---	9.5	(1.2)
Emergency department visit	9.6	(0.9)	13.9	(0.5)	---	---	---	---	13.9	(1.3)

Table 39. Providers and Users of Long-Term Care Services in Pennsylvania, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services				Hospice		Nursing home		Residential care community	
	center		Home health agency							
Falls	10.9	(0.7)	0.1	(0.0)	---	---	17.1	(0.3)	27.3	(3.0)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 40. Providers and Users of Long-Term Care Services in Rhode Island, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Organization	Number or percent (standard error)									
Number of providers ¹	20	(0.0)	30	(5)	10	(3)	80	(9)	50	(1)
Number of beds or licensed maximum capacity ²	900	(100)	8,700	(1,100)	3,900	(200)
Average capacity	42	(3.5)	---	---	---	---	104	(5.5)	74	(2.8)
Average number of people served	25	(2.8)	---	---	---	---	95	(5.1)	62	(2.6)
Metropolitan statistical area status (percent distribution):										
Metropolitan	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)
Micropolitan or neither	-	-	-	-	-	-	-	-	-	-
Ownership (percent distribution):										
For-profit	*	*	65.5	(8.8)	*	*	78.6	(4.5)	73.3	(3.8)
Not-for-profit, government, or other	*	*	34.5	(8.8)	*	*	21.4	(4.5)	26.7	(3.8)
Number of people served (percent distribution): ³										
Category 1	*	*	*	*	*	*	*	*	16.1	(2.0)
Category 2	*	*	*	*	*	*	*	*	68.9	(3.9)
Category 3	-	-	*	*	*	*	*	*	15.0	(3.5)
Certification (percentage):										
Medicare-certified	100.0	(0.0)	---	---	100.0	(0.0)
Medicaid-certified	†	(†)	82.8	(7.1)	---	---	98.8	(1.2)	57.2	(4.6)
Chain-affiliated (percentage)	52.8	(7.7)	---	---	---	---	39.3	(5.4)	73.3	(3.8)
Staffing⁴										
Number of nursing and social work staff employee FTEs	106	(6)	693	(161)	237	(132)	5,647	(688)	1,061	(53)
Nursing and social work employee FTEs (percent distribution):										
Registered nurse	24.9	(1.7)	50.5	(6.2)	45.6	(5.1)	18.7	(0.7)	8.7	(0.6)
Licensed practical nurse or licensed vocational nurse	4.1	(1.0)	6.8	(1.3)	8.5	(5.9)	9.6	(0.5)	8.3	(0.7)
Aide	62.8	(2.4)	39.8	(7.0)	30.7	(9.9)	69.9	(0.8)	82.6	(1.0)
Social worker	8.2	(1.2)	2.9	(0.5)	15.2	(4.1)	1.8	(0.1)	0.5	(0.1)
Providers with one or more employee FTEs (percentage):										
Registered nurse	†	(†)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)
Licensed practical nurse or licensed vocational nurse	32.1	(7.1)	62.1	(9.0)	*	*	89.3	(3.4)	66.1	(4.0)
Aide	100.0	(0.0)	†	(†)	*	*	100.0	(0.0)	100.0	(0.0)
Social worker	52.8	(7.7)	82.8	(7.0)	100.0	(0.0)	88.1	(3.5)	13.7	(3.0)

Table 40. Providers and Users of Long-Term Care Services in Rhode Island, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Activities staff	100.0	(0.0)	---	---	---	---	†	(†)	100.0	(0.0)
Employee hours per resident or participant per day:										
Registered nurse	0.5	(0.1)	---	---	---	---	0.7	(0.0)	0.2	(0.0)
Licensed practical nurse or licensed vocational nurse	0.1	(0.0)	---	---	---	---	0.3	(0.0)	0.1	(0.0)
Aide	1.2	(0.2)	---	---	---	---	2.5	(0.1)	1.5	(0.1)
Social worker	0.1	(0.0)	---	---	---	---	0.1	(0.0)	0.0	(0.0)
Activities staff	0.5	(0.1)	---	---	---	---	0.2	(0.0)	0.2	(0.0)
Service provided										
Social work (percentage)	58.5	(7.6)	*	*	100.0	(0.0)	100.0	(0.0)	48.7	(4.4)
Mental health or counseling (percentage)	33.3	(7.3)	---	---	100.0	(0.0)	†	(†)	63.1	(4.7)
Therapy (physical, occupational, or speech) (percentage)	65.4	(7.4)	†	(†)	100.0	(0.0)	100.0	(0.0)	77.5	(4.2)
Skilled nursing or nursing (percentage)	*	*	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	64.2	(4.5)
Pharmacy or pharmacist (percentage)	*	*	*	*	---	---	†	(†)	85.5	(3.6)
Hospice (percentage)	*	*	*	*	90.5	(3.2)	74.9	(4.3)
Dental (percentage)	*	*	---	---	---	---	94.0	(2.6)	66.8	(4.4)
Podiatrist (percentage)	54.1	(7.7)	---	---	---	---	†	(†)	80.2	(4.0)
Practices										
Depression screening (percentage)	†	(†)	100.0	(0.0)	---	---	---	---	†	(†)
Special care										
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	---	---	34.5	(5.2)	54.6	(3.9)

Table 40. Providers and Users of Long-Term Care Services in Rhode Island, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Service users										
Number of users ²	1,100	(100)	24,000	(6,600)	5,900	(3,600)	8,000	(1,000)	3,300	(100)
Age in years (percent distribution):										
Under 65	19.9	(4.3)	14.6	(1.3)	5.1	(0.5)	9.0	(1.2)	3.4	(0.7)
65 and over	80.2	(4.3)	85.4	(1.3)	94.9	(0.5)	91.0	(1.2)	96.6	(0.7)
65–74	20.8	(3.2)	22.7	(0.8)	13.7	(1.8)	11.6	(0.8)	7.3	(0.8)
75–84	25.8	(3.1)	30.6	(0.6)	25.5	(0.8)	24.8	(0.7)	37.0	(2.4)
85 and over	33.6	(5.4)	32.1	(1.5)	55.7	(3.1)	54.6	(2.0)	52.3	(2.5)
Sex (percent distribution):										
Men	30.0	(1.5)	37.0	(0.9)	38.5	(2.6)	28.0	(1.3)	27.6	(0.9)
Women	70.0	(1.5)	63.0	(0.9)	61.5	(2.6)	72.0	(1.3)	72.4	(0.9)
Race and ethnicity (percent distribution):										
Hispanic	27.7	(11.5)	6.5	(1.6)	2.7	(0.3)	2.1	(0.4)	1.0	(0.2)
Non-Hispanic white	67.7	(11.2)	87.0	(2.4)	94.1	(0.4)	91.4	(1.2)	80.3	(4.6)
Non-Hispanic black	2.1	(0.4)	3.6	(0.6)	2.0	(0.2)	3.7	(0.6)	1.1	(0.2)
Non-Hispanic other	2.5	(0.6)	2.9	(0.5)	1.3	(0.1)	2.7	(0.7)	17.6	(4.7)
Used Medicaid for long-term care services (percent distribution)	36.5	(5.5)	7.6	(1.7)	---	---	63.7	(2.2)	13.4	(1.8)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	60.1	(5.6)	26.2	(1.9)	44.2	(6.9)	53.6	(1.7)	35.7	(2.6)
Diagnosed with depression	38.1	(5.1)	40.8	(1.2)	22.4	(0.6)	43.8	(1.8)	16.9	(1.4)
Diagnosed with diabetes	36.4	(7.8)	41.6	(1.2)	23.0	(0.6)	27.6	(0.8)	13.2	(1.1)
Need assistance in physical functioning (percentage):										
Eating	42.6	(7.0)	47.0	(4.1)	---	---	43.1	(2.1)	10.6	(1.4)
Bathing	43.6	(4.6)	94.4	(1.8)	---	---	95.6	(0.5)	52.7	(2.8)
Dressing	36.7	(4.9)	83.0	(3.8)	---	---	91.8	(0.7)	37.5	(2.6)
Toileting	42.7	(6.4)	63.3	(5.5)	---	---	85.4	(1.1)	21.4	(1.8)
Transferring in and out of a chair or bed	32.0	(3.3)	82.2	(3.5)	---	---	79.9	(1.4)	13.9	(2.5)
Walking	40.7	(5.9)	91.5	(2.2)	---	---	87.9	(1.1)	16.3	(2.5)
Adverse events (percentage):										
Overnight hospital stay	9.8	(1.3)	14.3	(0.5)	---	---	---	---	10.5	(1.3)

Table 40. Providers and Users of Long-Term Care Services in Rhode Island, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Emergency department visit	9.6	(0.8)	14.5	(0.6)	---	---	---	---	18.9	(1.6)
Falls	8.0	(1.3)	0.1	(0.0)	---	---	20.5	(0.8)	26.5	(2.6)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 41. Providers and Users of Long-Term Care Services in South Carolina, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Organization										
	Number or percent (standard error)									
Number of providers ¹	90	(1)	70	(8)	100	(10)	200	(14)	300	(4)
Number of beds or licensed maximum capacity ²	3,600	(200)	19,300	(1,600)	12,300	(700)
Average capacity	42	(2.1)	---	---	---	---	103	(3.9)	45	(2.2)
Average number of people served	27	(1.8)	---	---	---	---	89	(3.5)	42	(5.5)
Metropolitan statistical area status (percent distribution):										
Metropolitan	71.7	(3.5)	80.6	(4.8)	91.0	(2.9)	79.8	(2.9)	70.9	(4.0)
Micropolitan or neither	28.3	(3.5)	19.4	(4.8)	9.0	(2.9)	20.2	(2.9)	*	*
Ownership (percent distribution):										
For-profit	71.8	(3.5)	59.7	(6.0)	75.0	(4.3)	76.6	(3.1)	75.7	(4.0)
Not-for-profit, government, or other	28.2	(3.5)	40.3	(6.0)	25.0	(4.3)	23.4	(3.1)	*	*
Number of people served (percent distribution): ³										
Category 1	60.5	(3.8)	7.8	(3.4)	30.2	(4.7)	10.6	(2.2)	45.8	(2.6)
Category 2	39.5	(3.8)	7.8	(3.4)	37.5	(4.9)	52.1	(3.6)	51.6	(2.7)
Category 3	-	-	84.4	(4.5)	32.3	(4.8)	37.2	(3.5)	*	*
Certification (percentage):										
Medicare-certified	100.0	(0.0)	---	---	100.0	(0.0)
Medicaid-certified	90.6	(2.3)	94.0	(2.9)	---	---	81.9	(2.8)	49.1	(4.2)
Chain-affiliated (percentage)	47.2	(3.9)	---	---	---	---	73.9	(3.2)	53.8	(4.2)
Staffing⁴										
Number of nursing and social work staff employee FTEs	444	(29)	1,229	(196)	1,884	(287)	12,481	(1,019)	4,443	(343)
Nursing and social work employee FTEs (percent distribution):										
Registered nurse	23.0	(1.6)	74.0	(1.6)	47.3	(1.7)	11.0	(0.5)	6.1	(1.6)
Licensed practical nurse or licensed vocational nurse	7.7	(1.2)	10.6	(1.6)	4.9	(0.9)	23.7	(0.5)	5.6	(1.2)
Aide	64.6	(2.0)	10.3	(0.8)	35.6	(1.9)	63.4	(0.4)	87.8	(2.5)
Social worker	4.7	(0.7)	5.1	(0.4)	12.3	(0.7)	1.8	(0.1)	*0.6	(0.2)
Providers with one or more employee FTEs (percentage):										
Registered nurse	83.1	(3.0)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	*	*
Licensed practical nurse or licensed vocational nurse	38.4	(3.9)	50.7	(6.1)	36.0	(4.8)	†	(†)	38.7	(4.3)
Aide	90.8	(2.3)	†	(†)	†	(†)	†	(†)	86.0	(3.3)
Social worker	22.6	(3.4)	89.6	(3.7)	†	(†)	81.9	(2.8)	*	*

Table 41. Providers and Users of Long-Term Care Services in South Carolina, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Activities staff	77.3	(3.3)	---	---	---	---	†	(†)	88.3	(2.9)
Employee hours per resident or participant per day:										
Registered nurse	0.4	(0.0)	---	---	---	---	0.6	(0.1)	*0.2	(0.1)
Licensed practical nurse or licensed vocational nurse	0.4	(0.1)	---	---	---	---	0.9	(0.0)	*0.2	(0.1)
Aide	1.6	(0.3)	---	---	---	---	2.5	(0.1)	2.1	(0.2)
Social worker	0.1	(0.0)	---	---	---	---	0.1	(0.0)	*0.0	(0.0)
Activities staff	0.5	(0.1)	---	---	---	---	0.2	(0.0)	0.3	(0.1)
Service provided										
Social work (percentage)	28.2	(3.6)	92.5	(3.2)	100.0	(0.0)	84.6	(2.6)	38.3	(4.6)
Mental health or counseling (percentage)	13.6	(2.6)	---	---	95.0	(2.2)	73.9	(3.2)	57.9	(4.6)
Therapy (physical, occupational, or speech) (percentage)	45.9	(3.9)	100.0	(0.0)	†	(†)	100.0	(0.0)	*	*
Skilled nursing or nursing (percentage)	85.3	(2.9)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	40.1	(4.4)
Pharmacy or pharmacist (percentage)	18.5	(3.0)	13.4	(4.2)	---	---	100.0	(0.0)	*	*
Hospice (percentage)	9.2	(2.3)	*	*	83.5	(2.7)	59.2	(4.3)
Dental (percentage)	8.6	(2.2)	---	---	---	---	87.2	(2.4)	60.1	(4.6)
Podiatrist (percentage)	26.1	(3.4)	---	---	---	---	97.3	(1.2)	*	*
Practices										
Depression screening (percentage)	76.2	(3.4)	†	(†)	---	---	---	---	83.3	(3.4)
Special care										
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	---	---	*	*	*	*

Table 41. Providers and Users of Long-Term Care Services in South Carolina, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Service users										
Number of users ²	3,100	(200)	78,000	(14,000)	29,000	(4,500)	16,800	(1,400)	11,500	(1,600)
Age in years (percent distribution):										
Under 65	43.7	(2.7)	20.5	(0.6)	7.1	(0.3)	12.5	(0.8)	10.3	(2.2)
65 and over	56.3	(2.7)	79.5	(0.6)	92.9	(0.3)	87.5	(0.8)	89.8	(2.2)
65–74	15.0	(0.9)	29.3	(0.5)	19.4	(0.5)	18.6	(0.5)	12.7	(1.2)
75–84	23.9	(1.9)	30.3	(0.3)	32.2	(0.3)	30.2	(0.5)	33.6	(2.0)
85 and over	17.4	(1.5)	20.0	(0.6)	41.3	(0.8)	38.7	(1.0)	43.5	(2.8)
Sex (percent distribution):										
Men	40.9	(1.1)	38.4	(0.4)	41.2	(0.7)	31.5	(1.5)	30.7	(1.6)
Women	59.1	(1.1)	61.6	(0.4)	58.8	(0.7)	68.5	(1.5)	69.3	(1.6)
Race and ethnicity (percent distribution):										
Hispanic	1.4	(0.2)	0.7	(0.1)	0.6	(0.1)	0.3	(0.0)	*0.7	(0.2)
Non-Hispanic white	29.5	(2.3)	75.6	(1.8)	78.7	(1.1)	67.4	(1.6)	87.8	(2.3)
Non-Hispanic black	67.6	(2.3)	22.7	(1.8)	20.1	(1.1)	31.3	(1.6)	10.0	(1.9)
Non-Hispanic other	1.4	(0.4)	1.0	(0.1)	0.6	(0.0)	0.9	(0.1)	*1.5	(0.6)
Used Medicaid for long-term care services (percent distribution)	81.5	(2.3)	8.2	(0.7)	---	---	61.2	(1.8)	14.0	(3.3)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	40.7	(3.1)	30.0	(0.9)	50.9	(1.5)	56.5	(1.1)	36.4	(4.2)
Diagnosed with depression	13.7	(1.4)	33.4	(0.8)	21.4	(0.6)	48.1	(0.9)	19.0	(3.0)
Diagnosed with diabetes	28.7	(2.5)	44.4	(0.6)	31.8	(0.5)	35.3	(0.6)	15.0	(1.1)
Need assistance in physical functioning (percentage):										
Eating	54.6	(3.3)	63.2	(3.7)	---	---	62.1	(1.8)	14.8	(1.4)
Bathing	69.1	(2.7)	97.6	(0.5)	---	---	98.9	(0.2)	53.3	(5.0)
Dressing	63.9	(3.1)	92.4	(1.4)	---	---	97.6	(0.3)	39.7	(3.3)
Toileting	63.2	(2.4)	79.3	(3.1)	---	---	95.4	(0.4)	32.1	(3.5)
Transferring in and out of a chair or bed	47.7	(2.7)	91.3	(1.5)	---	---	93.8	(0.6)	22.0	(2.5)
Walking	50.6	(2.8)	95.7	(0.8)	---	---	96.0	(0.5)	17.8	(2.1)
Adverse events (percentage):										
Overnight hospital stay	5.2	(0.5)	17.1	(1.2)	---	---	---	---	6.4	(0.7)
Emergency department visit	6.7	(1.0)	14.9	(0.8)	---	---	---	---	12.9	(1.0)

Table 41. Providers and Users of Long-Term Care Services in South Carolina, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Falls	6.6	(1.0)	0.1	(0.0)	---	---	16.9	(0.6)	19.7	(2.7)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 42. Providers and Users of Long-Term Care Services in South Dakota, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Organization	Number or percent (standard error)									
Number of providers ¹	20	(0.0)	40	(6)	20	(4)	100	(11)	100	(2)
Number of beds or licensed maximum capacity ²	400	(100)	6,900	(700)	4,600	(100)
Average capacity	23	(4.1)	---	---	---	---	62	(2.9)	33	(0.6)
Average number of people served	33	(11.9)	---	---	---	---	58	(2.8)	30	(0.9)
Metropolitan statistical area status (percent distribution):										
Metropolitan	*	*	28.6	(7.6)	33.3	(12.2)	29.7	(4.3)	37.7	(2.5)
Micropolitan or neither	*	*	71.4	(7.6)	66.7	(12.2)	70.3	(4.3)	62.3	(2.5)
Ownership (percent distribution):										
For-profit	*	*	34.3	(8.0)	*	*	36.0	(4.6)	61.6	(2.7)
Not-for-profit, government, or other	*	*	65.7	(8.0)	*	*	64.0	(4.6)	38.4	(2.7)
Number of people served (percent distribution): ³										
Category 1	*	*	60.0	(8.3)	*	*	*	*	*	*
Category 2	*	*	22.9	(7.1)	*	*	†	(†)	*	*
Category 3	*	*	17.1	(6.4)	*	*	*	*	*	*
Certification (percentage):										
Medicare-certified	97.1	(2.9)	---	---	87.4	(3.2)
Medicaid-certified	*	*	94.3	(4.0)	---	---	99.1	(0.9)	78.7	(2.2)
Chain-affiliated (percentage)	58.0	(8.5)	---	---	---	---	60.4	(4.7)	51.0	(2.8)
Staffing⁴										
Number of nursing and social work staff employee FTEs	108	(25)	254	(67)	170	(65)	4,090	(441)	2,009	(70)
Nursing and social work employee FTEs (percent distribution):										
Registered nurse	18.4	(2.5)	48.9	(8.1)	54.7	(6.3)	17.4	(0.6)	13.4	(0.9)
Licensed practical nurse or licensed vocational nurse	16.5	(3.8)	16.1	(5.5)	3.8	(2.7)	10.7	(0.6)	6.6	(0.4)
Aide	61.4	(2.5)	33.0	(9.0)	28.3	(3.2)	69.9	(0.8)	78.6	(1.0)
Social worker	3.7	(1.0)	1.9	(0.8)	13.2	(2.0)	2.0	(0.2)	1.4	(0.1)
Providers with one or more employee FTEs (percentage):										
Registered nurse	*	*	100.0	(0.0)	100.0	(0.0)	†	(†)	84.6	(1.9)
Licensed practical nurse or licensed vocational nurse	*	*	54.3	(8.4)	*	*	†	(†)	53.1	(2.6)
Aide	*	*	†	(†)	†	(†)	100.0	(0.0)	95.1	(1.2)

Table 42. Providers and Users of Long-Term Care Services in South Dakota, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Social worker	*	*	25.7	(7.4)	100.0	(0.0)	63.1	(4.6)	22.0	(2.2)
Activities staff	†	(†)	---	---	---	---	†	(†)	63.3	(2.5)
Employee hours per resident or participant per day:										
Registered nurse	1.5	(0.6)	---	---	---	---	0.6	(0.1)	1.0	(0.2)
Licensed practical nurse or licensed vocational nurse	3.0	(1.0)	---	---	---	---	0.4	(0.0)	0.5	(0.1)
Aide	4.8	(1.5)	---	---	---	---	2.3	(0.1)	2.9	(0.2)
Social worker	0.1	(0.0)	---	---	---	---	0.1	(0.0)	0.2	(0.0)
Activities staff	3.6	(0.9)	---	---	---	---	0.2	(0.0)	0.5	(0.1)
Service provided										
Social work (percentage)	*	*	42.9	(8.4)	100.0	(0.0)	94.6	(2.1)	41.7	(2.6)
Mental health or counseling (percentage)	*	*	---	---	*	*	86.5	(3.2)	46.8	(2.7)
Therapy (physical, occupational, or speech) (percentage)	*	*	†	(†)	100.0	(0.0)	†	(†)	78.3	(2.3)
Skilled nursing or nursing (percentage)	*	*	100.0	(0.0)	100.0	(0.0)	†	(†)	67.7	(2.6)
Pharmacy or pharmacist (percentage)	*	*	*	*	---	---	†	(†)	90.0	(1.6)
Hospice (percentage)	*	*	31.4	(7.8)	55.9	(4.7)	42.1	(2.7)
Dental (percentage)	*	*	---	---	---	---	74.8	(4.1)	50.0	(2.8)
Podiatrist (percentage)	40.9	(8.5)	---	---	---	---	85.6	(3.3)	65.7	(2.6)
Practices										
Depression screening (percentage)	†	(†)	†	(†)	---	---	---	---	91.5	(1.3)
Special care										
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	---	---	22.5	(4.0)	14.8	(1.9)

Table 42. Providers and Users of Long-Term Care Services in South Dakota, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Service users										
Number of users ²	400	(100)	4,700	(1,100)	2,800	(900)	6,400	(700)	4,300	(100)
Age in years (percent distribution):										
Under 65	14.8	(2.4)	10.0	(0.9)	5.1	(0.6)	8.2	(0.7)	5.4	(0.7)
65 and over	85.2	(2.4)	90.0	(0.9)	94.9	(0.6)	91.8	(0.7)	94.6	(0.7)
65–74	11.1	(2.9)	20.4	(0.8)	15.8	(1.5)	10.6	(0.6)	8.4	(1.9)
75–84	52.0	(7.0)	35.2	(0.7)	30.9	(1.0)	25.5	(0.7)	24.7	(1.5)
85 and over	22.1	(6.6)	34.5	(1.4)	48.2	(2.8)	55.8	(1.4)	61.5	(2.5)
Sex (percent distribution):										
Men	50.2	(3.0)	35.0	(1.0)	42.8	(1.3)	31.7	(1.1)	29.2	(1.1)
Women	49.8	(3.0)	65.0	(1.0)	57.2	(1.3)	68.3	(1.1)	70.8	(1.1)
Race and ethnicity (percent distribution):										
Hispanic	1.2	(0.3)	0.4	(0.1)	0.3	(0.1)	0.2	(0.1)	0.3	(0.1)
Non-Hispanic white	95.4	(0.8)	94.8	(1.3)	96.9	(0.6)	92.9	(1.1)	94.8	(0.8)
Non-Hispanic black	1.2	(0.4)	0.3	(0.2)	0.4	(0.1)	0.2	(0.1)	0.3	(0.1)
Non-Hispanic other	2.2	(0.5)	4.4	(1.3)	2.4	(0.5)	6.6	(1.1)	4.6	(0.8)
Used Medicaid for long-term care services (percent distribution)	18.9	(6.1)	3.3	(0.6)	---	---	52.5	(1.3)	24.0	(2.8)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	67.5	(2.0)	23.0	(1.2)	39.2	(4.5)	50.8	(1.4)	28.2	(1.3)
Diagnosed with depression	8.3	(3.1)	35.6	(1.4)	28.1	(2.1)	50.8	(1.2)	26.8	(2.4)
Diagnosed with diabetes	17.0	(2.6)	36.2	(0.9)	27.9	(0.5)	27.5	(0.9)	17.1	(1.0)
Need assistance in physical functioning (percentage):										
Eating	37.1	(7.7)	33.2	(4.6)	---	---	48.9	(2.4)	8.6	(0.7)
Bathing	55.5	(11.6)	95.1	(1.2)	---	---	98.3	(0.4)	57.1	(2.5)
Dressing	41.7	(7.9)	73.5	(3.5)	---	---	87.4	(0.9)	27.3	(2.0)
Toileting	49.5	(8.2)	50.2	(5.0)	---	---	82.9	(1.1)	15.2	(1.5)
Transferring in and out of a chair or bed	32.7	(6.7)	77.6	(3.0)	---	---	78.9	(1.4)	12.6	(1.4)
Walking	45.2	(8.2)	92.1	(1.3)	---	---	87.3	(1.2)	16.4	(2.7)
Adverse events (percentage):										
Overnight hospital stay	9.7	(0.9)	11.5	(1.0)	---	---	---	---	8.8	(0.6)

Table 42. Providers and Users of Long-Term Care Services in South Dakota, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Emergency department visit	13.5	(2.5)	13.7	(1.1)	---	---	---	---	8.8	(0.7)
Falls	12.0	(2.2)	0.7	(0.1)	---	---	27.8	(0.8)	17.6	(1.2)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 43. Providers and Users of Long-Term Care Services in Tennessee, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Organization	Number or percent (standard error)									
Number of providers ¹	50	(1)	100	(12)	60	(8)	300	(18)	300	(4)
Number of beds or licensed maximum capacity ²	1,600	(200)	37,000	(2,300)	17,400	(400)
Average capacity	33	(3.2)	---	---	---	---	115	(3.0)	54	(1.2)
Average number of people served	17	(1.3)	---	---	---	---	91	(2.5)	43	(1.2)
Metropolitan statistical area status (percent distribution):										
Metropolitan	†	(†)	69.7	(3.8)	73.7	(5.8)	62.6	(2.7)	78.3	(1.8)
Micropolitan or neither	*	*	30.3	(3.8)	26.3	(5.8)	37.4	(2.7)	21.7	(1.8)
Ownership (percent distribution):										
For-profit	29.1	(4.9)	77.2	(3.5)	61.4	(6.4)	79.1	(2.3)	82.7	(1.9)
Not-for-profit, government, or other	70.9	(4.9)	22.8	(3.5)	38.6	(6.4)	20.9	(2.3)	17.3	(1.9)
Number of people served (percent distribution): ³										
Category 1	77.8	(4.2)	9.7	(2.5)	21.1	(5.4)	5.0	(1.2)	35.5	(1.6)
Category 2	22.2	(4.2)	17.4	(3.2)	31.6	(6.2)	60.7	(2.7)	59.4	(1.9)
Category 3	-	-	72.9	(3.7)	47.4	(6.6)	34.3	(2.6)	5.1	(1.1)
Certification (percentage):										
Medicare-certified	100.0	(0.0)	---	---	96.6	(1.0)
Medicaid-certified	73.5	(4.6)	71.0	(3.8)	---	---	91.9	(1.5)	26.9	(2.0)
Chain-affiliated (percentage)	*	*	---	---	---	---	66.0	(2.6)	68.8	(2.2)
Staffing⁴										
Number of nursing and social work staff employee FTEs	199	(22)	3,286	(359)	1,227	(233)	20,606	(1,258)	6,029	(203)
Nursing and social work employee FTEs (percent distribution):										
Registered nurse	10.6	(2.0)	51.6	(1.9)	49.0	(2.7)	8.6	(0.3)	3.1	(0.4)
Licensed practical nurse or licensed vocational nurse	10.5	(2.1)	19.0	(1.1)	7.3	(0.7)	27.7	(0.3)	20.6	(0.6)
Aide	66.8	(4.2)	25.9	(2.1)	30.5	(2.3)	61.8	(0.4)	75.5	(0.7)
Social worker	12.2	(1.8)	3.5	(0.3)	13.1	(0.7)	1.8	(0.1)	0.8	(0.1)
Providers with one or more employee FTEs (percentage):										
Registered nurse	35.7	(5.0)	†	(†)	100.0	(0.0)	†	(†)	33.1	(2.3)
Licensed practical nurse or licensed vocational nurse	26.8	(4.6)	86.2	(2.9)	68.4	(6.2)	†	(†)	81.0	(1.3)
Aide	65.7	(5.0)	92.4	(2.2)	100.0	(0.0)	100.0	(0.0)	92.9	(1.3)

Table 43. Providers and Users of Long-Term Care Services in Tennessee, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Social worker	53.3	(5.3)	77.9	(3.4)	100.0	(0.0)	82.9	(2.1)	14.7	(1.7)
Activities staff	†	(†)	---	---	---	---	96.6	(1.0)	86.1	(1.5)
Employee hours per resident or participant per day:										
Registered nurse	0.2	(0.1)	---	---	---	---	0.4	(0.0)	0.1	(0.0)
Licensed practical nurse or licensed vocational nurse	0.3	(0.1)	---	---	---	---	1.1	(0.0)	0.4	(0.0)
Aide	1.1	(0.1)	---	---	---	---	2.4	(0.1)	1.9	(0.1)
Social worker	0.4	(0.1)	---	---	---	---	0.1	(0.0)	0.0	(0.0)
Activities staff	1.1	(0.1)	---	---	---	---	0.2	(0.0)	0.2	(0.0)
Service provided										
Social work (percentage)	56.1	(5.5)	87.6	(2.7)	100.0	(0.0)	88.2	(1.8)	53.9	(2.5)
Mental health or counseling (percentage)	28.4	(5.0)	---	---	†	(†)	93.5	(1.4)	58.4	(2.4)
Therapy (physical, occupational, or speech) (percentage)	34.3	(5.2)	96.6	(1.5)	†	(†)	100.0	(0.0)	68.3	(2.2)
Skilled nursing or nursing (percentage)	44.2	(5.5)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	48.5	(2.5)
Pharmacy or pharmacist (percentage)	*	*	3.4	(1.5)	---	---	95.3	(1.2)	85.5	(1.7)
Hospice (percentage)	15.5	(4.1)	7.6	(2.2)	76.3	(2.4)	62.3	(2.3)
Dental (percentage)	18.4	(4.2)	---	---	---	---	89.7	(1.7)	45.7	(2.4)
Podiatrist (percentage)	27.7	(4.9)	---	---	---	---	88.8	(1.8)	69.4	(2.2)
Practices										
Depression screening (percentage)	83.6	(4.0)	92.3	(2.2)	---	---	---	---	82.3	(1.9)
Special care										
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	---	---	*	*	37.1	(2.1)

Table 43. Providers and Users of Long-Term Care Services in Tennessee, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Service users										
Number of users ²	1,400	(100)	124,400	(13,900)	28,300	(5,500)	29,300	(1,800)	13,700	(400)
Age in years (percent distribution):										
Under 65	38.9	(5.1)	18.7	(0.7)	8.1	(0.2)	14.1	(0.7)	2.6	(0.2)
65 and over	61.1	(5.1)	81.3	(0.7)	91.9	(0.2)	85.9	(0.7)	97.4	(0.2)
65–74	18.2	(1.9)	25.9	(0.4)	21.6	(0.6)	17.6	(0.4)	8.5	(0.5)
75–84	24.7	(2.6)	31.3	(0.3)	31.2	(0.4)	30.2	(0.4)	35.3	(1.2)
85 and over	18.3	(2.1)	24.1	(0.6)	39.1	(0.9)	38.1	(0.8)	53.7	(1.4)
Sex (percent distribution):										
Men	42.8	(2.1)	35.6	(0.3)	41.3	(0.6)	30.7	(0.7)	24.6	(0.5)
Women	57.2	(2.1)	64.4	(0.3)	58.7	(0.6)	69.3	(0.7)	75.4	(0.5)
Race and ethnicity (percent distribution):										
Hispanic	1.0	(0.2)	0.5	(0.0)	0.4	(0.1)	0.3	(0.0)	0.5	(0.1)
Non-Hispanic white	60.4	(3.8)	86.4	(1.5)	89.2	(1.9)	81.9	(1.5)	93.3	(1.4)
Non-Hispanic black	37.4	(3.9)	12.4	(1.5)	9.7	(1.9)	15.7	(1.5)	3.4	(0.4)
Non-Hispanic other	1.2	(0.4)	0.8	(0.0)	0.7	(0.1)	2.1	(0.4)	2.8	(1.4)
Used Medicaid for long-term care services (percent distribution)	29.9	(5.4)	5.1	(0.7)	---	---	61.6	(1.1)	5.4	(0.6)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	44.6	(4.8)	36.0	(0.7)	43.8	(2.0)	58.2	(0.9)	45.0	(1.3)
Diagnosed with depression	20.0	(2.6)	40.1	(0.8)	22.1	(0.9)	56.0	(0.9)	20.5	(1.3)
Diagnosed with diabetes	19.3	(2.5)	44.7	(0.4)	28.6	(0.7)	34.2	(0.4)	16.5	(0.7)
Need assistance in physical functioning (percentage):										
Eating	43.5	(4.7)	64.5	(1.5)	---	---	67.0	(1.4)	15.1	(1.0)
Bathing	32.3	(3.7)	98.2	(0.2)	---	---	98.2	(0.2)	59.7	(1.4)
Dressing	36.6	(4.0)	93.6	(0.7)	---	---	96.2	(0.3)	46.0	(1.3)
Toileting	39.3	(3.7)	83.1	(1.4)	---	---	93.7	(0.4)	33.2	(1.4)
Transferring in and out of a chair or bed	30.3	(3.0)	93.0	(0.6)	---	---	92.2	(0.5)	18.5	(1.3)
Walking	25.5	(2.9)	96.7	(0.4)	---	---	94.1	(0.4)	16.8	(1.3)
Adverse events (percentage):										
Overnight hospital stay	6.0	(0.9)	20.0	(0.6)	---	---	---	---	11.0	(0.7)
Emergency department visit	6.6	(0.9)	17.4	(0.6)	---	---	---	---	13.7	(0.6)

Table 43. Providers and Users of Long-Term Care Services in Tennessee, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Falls	7.2	(0.8)	0.1	(0.0)	---	---	16.6	(0.4)	26.0	(1.3)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 44. Providers and Users of Long-Term Care Services in Texas, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Organization	Number or percent (standard error)									
Number of providers ¹	500	(1)	2,700	(46)	500	(20)	1,200	(33)	1,300	(17)
Number of beds or licensed maximum capacity ²	40,100	(900)	131,200	(3,900)	48,700	(2,800)
Average capacity	90	(1.9)	---	---	---	---	109	(1.2)	38	(2.2)
Average number of people served	63	(1.7)	---	---	---	---	77	(1.0)	29	(1.5)
Metropolitan statistical area status (percent distribution):										
Metropolitan	89.4	(1.3)	91.3	(0.5)	85.4	(1.6)	70.3	(1.3)	88.0	(2.8)
Micropolitan or neither	10.6	(1.3)	8.7	(0.5)	14.6	(1.6)	29.7	(1.3)	*	*
Ownership (percent distribution):										
For-profit	77.7	(1.8)	94.6	(0.4)	81.3	(1.8)	86.8	(1.0)	87.7	(3.1)
Not-for-profit, government, or other	22.3	(1.8)	5.4	(0.4)	18.7	(1.8)	13.2	(1.0)	*	*
Number of people served (percent distribution): ³										
Category 1	11.9	(1.4)	63.8	(1.0)	37.2	(2.2)	5.5	(0.7)	60.4	(3.2)
Category 2	77.8	(1.8)	23.8	(0.8)	28.2	(2.1)	70.0	(1.3)	39.0	(3.2)
Category 3	10.3	(1.3)	12.4	(0.7)	23.1	(1.9)	24.5	(1.2)	*	*
Missing	11.5	(1.5)
Certification (percentage):										
Medicare-certified	100.0	(0.0)	---	---	97.5	(0.4)
Medicaid-certified	90.6	(1.3)	69.3	(0.9)	---	---	94.3	(0.7)	*	*
Chain-affiliated (percentage)	41.3	(2.2)	---	---	---	---	63.9	(1.4)	65.9	(4.4)
Staffing⁴										
Number of nursing and social work staff employee FTEs	1,945	(84)	21,916	(615)	7,100	(523)	62,851	(1,960)	13,946	(1,158)
Nursing and social work employee FTEs (percent distribution):										
Registered nurse	15.0	(1.0)	47.4	(0.6)	42.8	(0.6)	6.7	(0.2)	4.9	(1.4)
Licensed practical nurse or licensed vocational nurse	24.2	(1.1)	32.3	(0.5)	11.3	(0.7)	26.8	(0.2)	6.8	(1.1)
Aide	57.2	(1.7)	19.0	(0.5)	35.0	(0.7)	64.8	(0.2)	88.1	(1.8)
Social worker	3.6	(0.5)	1.3	(0.1)	10.9	(0.3)	1.7	(0.0)	*0.2	(0.1)
Providers with one or more employee FTEs (percentage):										
Registered nurse	62.0	(2.2)	99.8	(0.1)	†	(†)	97.6	(0.4)	34.9	(4.7)
Licensed practical nurse or licensed vocational nurse	88.0	(1.5)	80.5	(0.8)	60.1	(2.3)	97.6	(0.4)	44.2	(4.3)
Aide	59.2	(2.2)	85.5	(0.7)	98.3	(0.6)	99.4	(0.2)	78.3	(3.9)

Table 44. Providers and Users of Long-Term Care Services in Texas, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Social worker	14.3	(1.6)	18.3	(0.7)	†	(†)	84.5	(1.0)	*	*
Activities staff	95.6	(0.9)	---	---	---	---	94.0	(0.7)	66.6	(4.1)
Employee hours per resident or participant per day:										
Registered nurse	0.1	(0.0)	---	---	---	---	0.4	(0.0)	*0.2	(0.1)
Licensed practical nurse or licensed vocational nurse	0.2	(0.0)	---	---	---	---	1.0	(0.0)	*0.2	(0.1)
Aide	0.3	(0.0)	---	---	---	---	2.3	(0.0)	2.0	(0.2)
Social worker	0.0	(0.0)	---	---	---	---	0.1	(0.0)	*0.0	(0.0)
Activities staff	0.2	(0.0)	---	---	---	---	0.2	(0.0)	0.2	(0.0)
Service provided										
Social work (percentage)	23.4	(1.9)	91.5	(0.5)	100.0	(0.0)	98.7	(0.3)	43.2	(4.9)
Mental health or counseling (percentage)	20.9	(1.8)	---	---	97.2	(0.8)	93.6	(0.7)	50.9	(4.9)
Therapy (physical, occupational, or speech) (percentage)	24.6	(2.0)	99.1	(0.2)	97.0	(0.8)	99.4	(0.2)	65.9	(4.7)
Skilled nursing or nursing (percentage)	79.0	(1.9)	100.0	(0.0)	100.0	(0.0)	†	(†)	55.8	(4.8)
Pharmacy or pharmacist (percentage)	42.1	(2.3)	1.7	(0.3)	---	---	98.0	(0.4)	*	*
Hospice (percentage)	8.1	(1.2)	0.6	(0.2)	92.0	(0.8)	59.5	(4.8)
Dental (percentage)	12.4	(1.5)	---	---	---	---	91.1	(0.8)	42.4	(4.9)
Podiatrist (percentage)	27.4	(2.1)	---	---	---	---	93.5	(0.7)	69.0	(4.5)
Practices										
Depression screening (percentage)	83.3	(1.7)	90.5	(0.6)	---	---	---	---	82.7	(3.7)
Special care										
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	---	---	7.0	(0.7)	28.1	(4.1)

Table 44. Providers and Users of Long-Term Care Services in Texas, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Service users										
Number of users ²	34,200	(900)	378,700	(15,500)	102,000	(8,400)	93,000	(2,900)	36,300	(2,000)
Age in years (percent distribution):										
Under 65	43.8	(1.4)	19.2	(0.3)	6.4	(0.1)	15.9	(0.4)	6.0	(1.7)
65 and over	56.2	(1.4)	80.8	(0.3)	93.6	(0.1)	84.1	(0.4)	94.1	(1.7)
65–74	23.8	(0.6)	27.7	(0.2)	18.2	(0.3)	17.7	(0.2)	11.7	(3.0)
75–84	22.7	(0.8)	31.4	(0.2)	31.5	(0.2)	29.1	(0.2)	27.7	(2.3)
85 and over	9.7	(0.6)	21.7	(0.3)	43.9	(0.4)	37.3	(0.4)	54.7	(3.2)
Sex (percent distribution):										
Men	41.5	(0.5)	37.5	(0.2)	40.7	(0.3)	34.1	(0.4)	27.7	(1.5)
Women	58.5	(0.5)	62.5	(0.2)	59.3	(0.3)	65.9	(0.4)	72.3	(1.5)
Race and ethnicity (percent distribution):										
Hispanic	73.6	(1.9)	22.8	(0.8)	16.2	(1.3)	17.0	(0.8)	3.9	(0.6)
Non-Hispanic white	9.6	(0.9)	57.1	(0.9)	73.7	(1.2)	65.9	(0.8)	88.6	(2.1)
Non-Hispanic black	8.8	(0.9)	17.7	(0.5)	8.7	(0.5)	13.3	(0.5)	*4.4	(1.4)
Non-Hispanic other	7.9	(1.5)	2.5	(0.2)	1.5	(0.1)	3.8	(0.2)	*3.1	(1.3)
Used Medicaid for long-term care services (percent distribution)	72.8	(1.8)	4.0	(0.3)	---	---	62.0	(0.6)	*4.4	(1.4)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	14.7	(0.9)	33.4	(0.3)	52.5	(0.9)	59.2	(0.5)	43.6	(3.1)
Diagnosed with depression	23.1	(1.1)	41.3	(0.3)	27.2	(0.5)	52.5	(0.4)	18.3	(2.2)
Diagnosed with diabetes	42.1	(1.2)	49.7	(0.3)	32.9	(0.4)	34.4	(0.3)	16.1	(3.0)
Need assistance in physical functioning (percentage):										
Eating	9.4	(0.7)	63.7	(0.8)	---	---	66.6	(0.8)	19.5	(2.9)
Bathing	14.9	(1.2)	97.6	(0.2)	---	---	97.0	(0.2)	62.6	(3.4)
Dressing	13.9	(1.1)	92.6	(0.3)	---	---	91.6	(0.3)	48.9	(3.8)
Toileting	12.7	(0.8)	80.2	(0.7)	---	---	88.0	(0.4)	42.3	(3.8)
Transferring in and out of a chair or bed	12.2	(0.8)	91.8	(0.3)	---	---	85.8	(0.4)	31.8	(4.3)
Walking	17.2	(1.1)	95.9	(0.2)	---	---	91.1	(0.3)	29.8	(4.5)
Adverse events (percentage):										
Overnight hospital stay	4.0	(0.2)	23.5	(0.4)	---	---	---	---	8.4	(1.2)
Emergency department visit	5.3	(0.3)	16.7	(0.3)	---	---	---	---	8.8	(0.9)

Table 44. Providers and Users of Long-Term Care Services in Texas, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Falls	4.1	(0.3)	0.7	(0.0)	---	---	15.8	(0.2)	21.6	(2.8)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 45. Providers and Users of Long-Term Care Services in Utah, by Provider Type and Selected Characteristics, 2013 - 2014

Selected characteristic	Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)							
Organization								
Number of providers ¹	100	(10)	90	(9)	100	(10)	200	(2)
Number of beds or licensed maximum capacity ²	8,600	(1,000)	7,100	(200)
Average capacity	---	---	---	---	86	(4.7)	42	(1.3)
Average number of people served	---	---	---	---	55	(3.0)	37	(1.1)
Metropolitan statistical area status (percent distribution):								
Metropolitan	93.3	(2.4)	91.8	(3.0)	85.9	(3.5)	88.5	(2.1)
Micropolitan or neither	6.7	(2.4)	8.2	(3.0)	14.1	(3.5)	11.5	(2.1)
Ownership (percent distribution):								
For-profit	83.8	(3.6)	78.8	(4.4)	82.8	(3.8)	92.0	(1.9)
Not-for-profit, government, or other	16.2	(3.6)	21.2	(4.4)	17.2	(3.8)	8.0	(1.9)
Number of people served (percent distribution): ³								
Category 1	35.0	(4.8)	53.8	(5.6)	9.1	(2.9)	57.9	(1.9)
Category 2	38.0	(4.9)	36.3	(5.4)	81.8	(3.9)	34.5	(2.5)
Category 3	27.0	(4.4)	10.0	(3.4)	9.1	(2.9)	7.6	(1.5)
Certification (percentage):								
Medicare-certified	100.0	(0.0)	---	---	92.9	(2.6)
Medicaid-certified	89.5	(3.0)	---	---	83.8	(3.7)	89.9	(2.3)
Chain-affiliated (percentage)	---	---	---	---	71.7	(4.5)	62.1	(3.4)
Staffing⁴								
Number of nursing and social work staff employee FTEs	1,431	(217)	889	(163)	4,243	(484)	2,302	(141)
Nursing and social work employee FTEs (percent distribution):								
Registered nurse	52.4	(2.8)	42.5	(1.6)	20.0	(0.8)	10.5	(3.8)
Licensed practical nurse or licensed vocational nurse	7.7	(1.7)	5.3	(0.9)	11.5	(0.6)	0.8	(0.2)
Aide	36.4	(2.6)	40.2	(1.6)	66.5	(0.7)	88.6	(3.8)
Social worker	3.5	(0.4)	12.0	(0.7)	1.9	(0.2)	0.2	(0.1)
Providers with one or more employee FTEs (percentage):								
Registered nurse	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	68.5	(3.2)
Licensed practical nurse or licensed vocational nurse	46.7	(4.9)	42.4	(5.4)	†	(†)	15.1	(2.7)

Table 45. Providers and Users of Long-Term Care Services in Utah, by Provider Type and Selected Characteristics, 2013 - 2014

Selected characteristic	Home health agency		Hospice		Nursing home		Residential care community	
Aide	100.0	(0.0)	†	(†)	100.0	(0.0)	†	(†)
Social worker	82.9	(3.7)	†	(†)	66.7	(4.7)	*	*
Activities staff	---	---	---	---	88.9	(3.2)	89.8	(2.0)
Employee hours per resident or participant per day:								
Registered nurse	---	---	---	---	1.1	(0.1)	0.2	(0.0)
Licensed practical nurse or licensed vocational nurse	---	---	---	---	0.5	(0.0)	0.0	(0.0)
Aide	---	---	---	---	2.8	(0.1)	2.2	(0.1)
Social worker	---	---	---	---	0.1	(0.0)	0.0	(0.0)
Activities staff	---	---	---	---	0.2	(0.0)	0.3	(0.0)
Service provided								
Social work (percentage)	†	(†)	100.0	(0.0)	†	(†)	52.4	(3.7)
Mental health or counseling (percentage)	---	---	†	(†)	89.9	(3.0)	46.1	(3.7)
Therapy (physical, occupational, or speech) (percentage)	100.0	(0.0)	†	(†)	100.0	(0.0)	73.9	(3.2)
Skilled nursing or nursing (percentage)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	70.2	(3.4)
Pharmacy or pharmacist (percentage)	21.9	(4.0)	---	---	†	(†)	86.6	(2.6)
Hospice (percentage)	46.7	(4.9)	---	---	80.8	(4.0)	75.6	(3.2)
Dental (percentage)	---	---	---	---	87.9	(3.3)	60.2	(3.6)
Podiatrist (percentage)	---	---	---	---	92.9	(2.6)	86.4	(2.5)
Practices								
Depression screening (percentage)	†	(†)	---	---	---	---	72.7	(3.2)
Special care								
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	15.2	(3.6)	24.2	(2.6)

Table 45. Providers and Users of Long-Term Care Services in Utah, by Provider Type and Selected Characteristics, 2013 - 2014

Selected characteristic	Home health agency		Hospice		Nursing home		Residential care community	
Service users								
Number of users ²	30,400	(5,500)	11,200	(1,900)	5,400	(600)	6,200	(200)
Age in years (percent distribution):								
Under 65	14.4	(1.6)	4.5	(0.4)	24.4	(1.9)	6.8	(0.8)
65 and over	85.6	(1.6)	95.5	(0.4)	75.6	(1.9)	93.1	(0.8)
65–74	27.2	(0.9)	13.9	(0.7)	19.8	(0.7)	8.8	(0.7)
75–84	32.4	(0.9)	30.2	(0.5)	26.9	(0.9)	36.0	(2.2)
85 and over	26.0	(1.5)	51.4	(1.3)	28.9	(1.6)	48.4	(2.6)
Sex (percent distribution):								
Men	36.4	(0.7)	41.3	(0.8)	39.0	(2.1)	28.7	(1.0)
Women	63.6	(0.7)	58.7	(0.8)	61.0	(2.1)	71.3	(1.0)
Race and ethnicity (percent distribution):								
Hispanic	3.8	(0.2)	3.2	(0.2)	4.2	(0.4)	2.4	(0.3)
Non-Hispanic white	92.9	(0.4)	94.4	(0.3)	86.4	(1.6)	86.7	(3.5)
Non-Hispanic black	0.6	(0.1)	0.4	(0.1)	1.3	(0.2)	0.4	(0.1)
Non-Hispanic other	2.7	(0.2)	2.0	(0.1)	7.9	(1.5)	10.4	(3.6)
Used Medicaid for long-term care services (percent distribution)	6.3	(1.5)	---	---	52.8	(2.4)	17.5	(1.2)
Conditions (percentage):								
Diagnosed with Alzheimer's disease or other dementias	30.5	(1.5)	40.4	(2.0)	37.9	(1.9)	29.8	(1.6)
Diagnosed with depression	41.5	(0.9)	18.8	(0.7)	35.6	(1.9)	15.4	(1.9)
Diagnosed with diabetes	38.3	(0.6)	22.6	(0.6)	31.9	(1.0)	17.2	(1.4)
Need assistance in physical functioning (percentage):								
Eating	52.4	(2.9)	---	---	69.8	(3.3)	12.1	(1.2)
Bathing	96.5	(0.9)	---	---	97.4	(0.5)	51.8	(2.7)
Dressing	88.5	(2.2)	---	---	95.5	(0.7)	37.4	(2.2)
Toileting	69.7	(4.5)	---	---	93.2	(0.9)	30.9	(2.3)
Transferring in and out of a chair or bed	89.4	(2.1)	---	---	91.3	(1.1)	22.9	(1.9)
Walking	95.0	(1.1)	---	---	92.2	(1.2)	20.9	(1.7)
Adverse events (percentage):								

Table 45. Providers and Users of Long-Term Care Services in Utah, by Provider Type and Selected Characteristics, 2013 - 2014

Selected characteristic	Home health agency		Hospice		Nursing home		Residential care community	
Overnight hospital stay	10.8	(0.6)	---	---	---	---	5.6	(0.4)
Emergency department visit	12.0	(0.6)	---	---	---	---	8.9	(0.6)
Falls	0.3	(0.1)	---	---	21.8	(1.1)	22.9	(2.0)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For nursing homes and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

Estimates for adult day services centers are not presented because these estimates do not meet reliability or confidentiality standards.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 46. Providers and Users of Long-Term Care Services in Vermont, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Organization	Number or percent (standard error)									
Number of providers ¹	20	(0.0)	10	(4)	10	(3)	40	(6)	90	(1)
Number of beds or licensed maximum capacity ²	700	(0)	3,200	(600)	2,400	(100)
Average capacity	46	(3.4)	---	---	---	---	86	(7.2)	28	(0.7)
Average number of people served	29	(2.9)	---	---	---	---	73	(5.9)	24	(0.7)
Metropolitan statistical area status (percent distribution):										
Metropolitan	*	*	*	*	*	*	21.6	(6.8)	20.2	(2.7)
Micropolitan or neither	*	*	*	*	*	*	78.4	(6.8)	79.8	(2.7)
Ownership (percent distribution):										
For-profit	*	*	*	*	*	*	64.9	(7.8)	52.5	(3.8)
Not-for-profit, government, or other	†	(†)	†	(†)	*	*	35.1	(7.8)	47.5	(3.8)
Number of people served (percent distribution): ³										
Category 1	*	*	-	-	*	*	*	*	61.2	(1.5)
Category 2	*	*	*	*	*	*	*	*	38.8	(1.5)
Category 3	-	-	†	(†)	*	*	*	*	-	-
Certification (percentage):										
Medicare-certified	100.0	(0.0)	---	---	100.0	(0.0)
Medicaid-certified	100.0	(0.0)	100.0	(0.0)	---	---	97.3	(2.7)	86.5	(2.4)
Chain-affiliated (percentage)	*	*	---	---	---	---	40.5	(8.2)	43.6	(3.9)
Staffing⁴										
Number of nursing and social work staff employee FTEs	95	(8)	445	(145)	215	(95)	2,069	(376)	1,171	(53)
Nursing and social work employee FTEs (percent distribution):										
Registered nurse	16.5	(2.4)	58.9	(4.2)	55.3	(3.2)	15.8	(0.9)	11.0	(0.8)
Licensed practical nurse or licensed vocational nurse	13.6	(1.7)	9.7	(3.0)	8.4	(2.0)	19.3	(1.0)	8.0	(0.7)
Aide	63.2	(2.3)	27.2	(4.3)	29.0	(3.3)	63.1	(0.8)	79.9	(1.1)
Social worker	6.7	(2.0)	4.2	(0.6)	7.3	(1.9)	1.7	(0.2)	1.0	(0.2)
Providers with one or more employee FTEs (percentage):										
Registered nurse	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	85.9	(2.7)
Licensed practical nurse or licensed vocational nurse	*	*	†	(†)	*	*	100.0	(0.0)	58.1	(3.2)
Aide	†	(†)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	†	(†)

Table 46. Providers and Users of Long-Term Care Services in Vermont, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Social worker	*	*	100.0	(0.0)	100.0	(0.0)	73.0	(7.3)	19.1	(3.1)
Activities staff	100.0	(0.0)	---	---	---	---	†	(†)	71.6	(3.1)
Employee hours per resident or participant per day:										
Registered nurse	0.3	(0.1)	---	---	---	---	0.6	(0.0)	0.3	(0.0)
Licensed practical nurse or licensed vocational nurse	0.2	(0.0)	---	---	---	---	0.8	(0.0)	0.2	(0.0)
Aide	1.1	(0.1)	---	---	---	---	2.6	(0.1)	2.6	(0.2)
Social worker	0.1	(0.0)	---	---	---	---	0.1	(0.0)	0.0	(0.0)
Activities staff	0.8	(0.1)	---	---	---	---	0.2	(0.0)	0.2	(0.0)
Service provided										
Social work (percentage)	*	*	100.0	(0.0)	100.0	(0.0)	73.0	(7.3)	64.0	(3.6)
Mental health or counseling (percentage)	45.9	(9.4)	---	---	*	*	83.8	(6.1)	59.0	(3.8)
Therapy (physical, occupational, or speech) (percentage)	*	*	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	73.4	(3.4)
Skilled nursing or nursing (percentage)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	81.4	(3.0)
Pharmacy or pharmacist (percentage)	*	*	*	*	---	---	100.0	(0.0)	87.2	(2.7)
Hospice (percentage)	*	*	100.0	(0.0)	43.2	(8.1)	68.1	(3.4)
Dental (percentage)	*	*	---	---	---	---	75.7	(7.1)	75.1	(3.4)
Podiatrist (percentage)	47.9	(9.5)	---	---	---	---	83.8	(6.1)	77.0	(3.3)
Practices										
Depression screening (percentage)	100.0	(0.0)	100.0	(0.0)	---	---	---	---	81.6	(3.1)
Special care										
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	---	---	18.9	(6.4)	20.4	(2.9)

Table 46. Providers and Users of Long-Term Care Services in Vermont, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Service users										
Number of users ²	800	(100)	12,500	(4,400)	2,200	(800)	2,700	(500)	2,100	(100)
Age in years (percent distribution):										
Under 65	23.0	(3.4)	19.9	(0.7)	5.1	(0.5)	8.2	(1.0)	6.3	(0.9)
65 and over	76.8	(3.5)	80.1	(0.7)	94.9	(0.5)	91.8	(1.0)	93.7	(0.9)
65–74	20.7	(1.9)	24.1	(0.6)	18.8	(1.6)	14.0	(1.0)	10.9	(1.1)
75–84	23.6	(2.3)	29.9	(0.5)	28.3	(0.6)	29.4	(1.1)	30.6	(1.3)
85 and over	32.5	(2.8)	26.0	(0.6)	47.8	(1.9)	48.4	(2.0)	52.2	(2.1)
Sex (percent distribution):										
Men	31.3	(2.1)	40.7	(0.7)	41.3	(1.1)	33.4	(2.5)	25.8	(0.8)
Women	68.7	(2.1)	59.3	(0.7)	58.7	(1.1)	66.6	(2.5)	74.2	(0.8)
Race and ethnicity (percent distribution):										
Hispanic	0.5	(0.2)	0.5	(0.1)	0.6	(0.1)	0.3	(0.1)	0.1	(0.0)
Non-Hispanic white	97.4	(0.4)	97.6	(0.3)	98.1	(0.3)	96.9	(0.7)	89.7	(2.8)
Non-Hispanic black	0.6	(0.2)	0.5	(0.1)	0.4	(0.1)	0.3	(0.2)	0.2	(0.1)
Non-Hispanic other	1.5	(0.4)	1.3	(0.1)	0.9	(0.2)	2.4	(0.7)	10.1	(2.8)
Used Medicaid for long-term care services (percent distribution)	69.1	(2.7)	18.9	(2.2)	---	---	63.8	(2.0)	39.2	(2.6)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	46.1	(5.6)	22.4	(0.9)	39.7	(2.5)	56.8	(2.2)	36.8	(2.3)
Diagnosed with depression	30.0	(2.1)	39.2	(0.9)	26.8	(1.2)	54.2	(1.4)	33.1	(1.8)
Diagnosed with diabetes	29.3	(1.5)	35.5	(0.8)	24.1	(0.9)	28.2	(1.2)	15.9	(0.7)
Need assistance in physical functioning (percentage):										
Eating	18.1	(1.9)	51.5	(4.6)	---	---	49.7	(3.7)	21.0	(2.3)
Bathing	46.2	(6.8)	96.5	(0.7)	---	---	96.6	(0.8)	72.3	(1.9)
Dressing	40.1	(2.9)	85.9	(2.8)	---	---	93.3	(1.0)	44.6	(2.2)
Toileting	40.6	(3.7)	66.9	(3.9)	---	---	89.8	(1.4)	33.9	(2.2)
Transferring in and out of a chair or bed	42.8	(6.6)	85.8	(2.2)	---	---	84.0	(1.9)	21.2	(2.3)
Walking	36.7	(3.9)	94.4	(1.0)	---	---	88.1	(1.3)	27.5	(2.5)
Adverse events (percentage):										
Overnight hospital stay	11.3	(1.5)	14.8	(0.6)	---	---	---	---	8.0	(0.7)

Table 46. Providers and Users of Long-Term Care Services in Vermont, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Emergency department visit	8.6	(1.6)	16.6	(0.9)	---	---	---	---	12.1	(0.8)
Falls	9.9	(0.9)	0.1	(0.0)	---	---	21.2	(1.5)	18.6	(0.8)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 47. Providers and Users of Long-Term Care Services in Virginia, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services						Residential care community			
	center		Home health agency		Hospice		Nursing home			
Organization	Number or percent (standard error)									
Number of providers ¹	80	(1)	200	(15)	90	(9)	300	(17)	400	(6)
Number of beds or licensed maximum capacity ²	3,800	(300)	32,200	(2,100)	26,400	(1,500)
Average capacity	49	(3.2)	---	---	---	---	112	(3.5)	65	(3.5)
Average number of people served	40	(6.1)	---	---	---	---	99	(3.1)	50	(2.0)
Metropolitan statistical area status (percent distribution):										
Metropolitan	87.1	(2.7)	79.0	(2.7)	72.4	(4.8)	74.3	(2.6)	83.1	(3.2)
Micropolitan or neither	12.9	(2.7)	21.0	(2.7)	27.6	(4.8)	25.7	(2.6)	*	*
Ownership (percent distribution):										
For-profit	24.0	(3.6)	81.5	(2.5)	58.6	(5.3)	68.8	(2.7)	73.7	(4.3)
Not-for-profit, government, or other	76.0	(3.6)	18.5	(2.5)	41.4	(5.3)	31.3	(2.7)	*	*
Number of people served (percent distribution): ³										
Category 1	*	*	25.5	(3.0)	27.6	(4.8)	4.9	(1.3)	*	*
Category 2	*	*	22.6	(2.9)	39.1	(5.2)	44.8	(2.9)	59.1	(3.2)
Category 3	*	*	51.9	(3.4)	33.3	(5.1)	50.3	(2.9)	*	*
Certification (percentage):										
Medicare-certified	100.0	(0.0)	---	---	95.1	(1.3)
Medicaid-certified	†	(†)	100.0	(0.0)	---	---	94.4	(1.4)	*	*
Chain-affiliated (percentage)	32.3	(4.0)	---	---	---	---	71.9	(2.7)	59.1	(4.8)
Staffing⁴										
Number of nursing and social work staff employee FTEs	543	(41)	2,959	(277)	1,450	(222)	20,364	(1,332)	8,197	(614)
Nursing and social work employee FTEs (percent distribution):										
Registered nurse	21.8	(1.2)	56.4	(2.2)	49.2	(1.5)	10.0	(0.3)	2.8	(0.5)
Licensed practical nurse or licensed vocational nurse	5.6	(0.8)	16.8	(1.2)	7.8	(1.5)	27.3	(0.4)	13.0	(1.0)
Aide	66.0	(1.6)	23.9	(2.4)	29.6	(1.4)	60.8	(0.5)	83.7	(1.2)
Social worker	6.6	(0.7)	2.9	(0.2)	13.3	(0.7)	2.0	(0.1)	*0.5	(0.2)
Providers with one or more employee FTEs (percentage):										
Registered nurse	90.1	(2.5)	†	(†)	100.0	(0.0)	†	(†)	39.8	(4.8)
Licensed practical nurse or licensed vocational nurse	29.3	(3.9)	71.2	(3.0)	54.0	(5.3)	†	(†)	74.5	(3.9)
Aide	†	(†)	91.4	(1.8)	100.0	(0.0)	97.9	(0.8)	†	(†)
Social worker	36.2	(4.2)	59.2	(3.2)	100.0	(0.0)	90.3	(1.7)	*	*

Table 47. Providers and Users of Long-Term Care Services in Virginia, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services						Residential care community			
	center		Home health agency		Hospice		Nursing home		community	
Activities staff	85.8	(3.0)	---	---	---	---	95.8	(1.2)	82.0	(3.6)
Employee hours per resident or participant per day:										
Registered nurse	0.5	(0.0)	---	---	---	---	0.6	(0.1)	0.1	(0.0)
Licensed practical nurse or licensed vocational nurse	0.2	(0.1)	---	---	---	---	1.1	(0.1)	0.3	(0.0)
Aide	1.3	(0.1)	---	---	---	---	2.3	(0.0)	1.9	(0.1)
Social worker	0.2	(0.0)	---	---	---	---	0.1	(0.0)	0.0	(0.0)
Activities staff	0.5	(0.1)	---	---	---	---	0.2	(0.0)	0.2	(0.0)
Service provided										
Social work (percentage)	47.6	(4.3)	76.0	(2.8)	100.0	(0.0)	96.2	(1.1)	39.5	(4.9)
Mental health or counseling (percentage)	37.1	(4.2)	---	---	†	(†)	90.3	(1.7)	*	*
Therapy (physical, occupational, or speech) (percentage)	45.6	(4.3)	†	(†)	†	(†)	100.0	(0.0)	*	*
Skilled nursing or nursing (percentage)	76.4	(3.8)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	53.0	(5.1)
Pharmacy or pharmacist (percentage)	28.5	(3.9)	2.6	(1.0)	---	---	†	(†)	*	*
Hospice (percentage)	24.4	(3.9)	9.4	(1.9)	76.0	(2.5)	59.5	(4.8)
Dental (percentage)	24.9	(3.8)	---	---	---	---	83.0	(2.2)	52.7	(4.9)
Podiatrist (percentage)	31.2	(4.0)	---	---	---	---	95.5	(1.2)	*	*
Practices										
Depression screening (percentage)	87.3	(2.7)	91.5	(1.9)	---	---	---	---	85.6	(3.5)
Special care										
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	---	---	12.2	(1.9)	*	*

Table 47. Providers and Users of Long-Term Care Services in Virginia, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services						Nursing home		Residential care community	
	center		Home health agency		Hospice					
Service users										
Number of users ²	3,100	(200)	118,300	(14,000)	28,400	(5,300)	28,500	(1,900)	20,200	(900)
Age in years (percent distribution):										
Under 65	24.2	(3.4)	17.1	(0.8)	5.7	(0.4)	14.6	(0.7)	13.0	(2.6)
65 and over	75.8	(3.4)	82.9	(0.8)	94.3	(0.4)	85.4	(0.7)	87.0	(2.6)
65–74	19.6	(1.1)	27.7	(0.6)	17.9	(0.5)	17.0	(0.4)	10.4	(1.0)
75–84	32.8	(1.8)	31.3	(0.3)	30.7	(0.3)	28.4	(0.4)	32.2	(2.3)
85 and over	23.3	(1.6)	23.9	(0.7)	45.6	(0.9)	40.0	(0.9)	44.4	(3.2)
Sex (percent distribution):										
Men	34.6	(2.1)	37.8	(0.4)	40.2	(0.5)	31.8	(0.8)	32.2	(1.6)
Women	65.4	(2.1)	62.2	(0.4)	59.8	(0.5)	68.2	(0.8)	67.8	(1.6)
Race and ethnicity (percent distribution):										
Hispanic	1.9	(0.3)	1.5	(0.2)	1.1	(0.2)	0.9	(0.1)	1.2	(0.3)
Non-Hispanic white	48.6	(3.1)	76.2	(1.2)	82.6	(1.3)	71.0	(1.4)	83.4	(3.0)
Non-Hispanic black	35.5	(2.8)	19.6	(1.3)	14.1	(1.5)	24.3	(1.3)	10.1	(1.9)
Non-Hispanic other	14.0	(3.7)	2.8	(0.4)	2.2	(0.6)	3.8	(0.7)	*5.2	(2.5)
Used Medicaid for long-term care services (percent distribution)	47.8	(4.2)	7.9	(0.8)	---	---	60.3	(1.2)	*9.6	(3.1)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	47.7	(2.5)	30.9	(0.9)	50.1	(1.2)	49.2	(0.9)	38.2	(3.0)
Diagnosed with depression	24.4	(2.6)	34.7	(0.6)	23.2	(0.5)	48.3	(0.8)	30.2	(2.9)
Diagnosed with diabetes	28.8	(2.6)	43.7	(0.5)	30.9	(0.5)	33.2	(0.5)	19.5	(1.8)
Need assistance in physical functioning (percentage):										
Eating	39.7	(3.2)	58.8	(2.1)	---	---	64.3	(1.6)	13.5	(1.3)
Bathing	50.0	(2.7)	96.9	(0.4)	---	---	96.5	(0.4)	63.5	(3.1)
Dressing	48.0	(2.8)	89.5	(0.9)	---	---	93.0	(0.5)	48.7	(3.2)
Toileting	55.7	(2.9)	73.6	(2.1)	---	---	90.0	(0.6)	42.2	(3.5)
Transferring in and out of a chair or bed	42.4	(4.2)	89.3	(0.9)	---	---	87.6	(0.7)	32.7	(3.5)
Walking	46.0	(3.5)	94.9	(0.5)	---	---	93.5	(0.4)	37.2	(4.3)
Adverse events (percentage):										
Overnight hospital stay	10.2	(0.9)	15.6	(0.6)	---	---	---	---	7.5	(0.8)
Emergency department visit	11.5	(1.1)	14.4	(0.5)	---	---	---	---	11.2	(1.2)

Table 47. Providers and Users of Long-Term Care Services in Virginia, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services				Hospice		Nursing home		Residential care community	
	center		Home health agency							
Falls	16.0	(1.6)	0.2	(0.0)	---	---	16.9	(0.4)	19.5	(2.2)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 48. Providers and Users of Long-Term Care Services in Washington, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers ¹	30	(0.0)	60	(8)	30	(6)	200	(15)	2,000	(25)
Number of beds or licensed maximum capacity ²	1,300	(100)	21,200	(1,500)	41,500	(1,500)
Average capacity	47	(4.2)	---	---	---	---	96	(2.8)	20	(0.7)
Average number of people served	35	(3.4)	---	---	---	---	77	(2.4)	22	(1.7)
Metropolitan statistical area status (percent distribution):										
Metropolitan	†	(†)	85.5	(4.5)	75.8	(7.5)	86.0	(2.3)	90.2	(2.8)
Micropolitan or neither	*	*	14.5	(4.5)	24.2	(7.5)	14.0	(2.3)	*	*
Ownership (percent distribution):										
For-profit	*	*	53.2	(6.3)	27.3	(7.8)	73.4	(3.0)	89.0	(3.0)
Not-for-profit, government, or other	†	(†)	46.8	(6.3)	72.7	(7.8)	26.6	(3.0)	*	*
Number of people served (percent distribution): ³										
Category 1	46.3	(6.2)	8.1	(3.5)	*	*	5.4	(1.5)	79.6	(1.1)
Category 2	53.7	(6.2)	14.5	(4.5)	*	*	73.9	(2.9)	*	*
Category 3	-	-	77.4	(5.3)	*	*	20.7	(2.7)	*	*
Certification (percentage):										
Medicare-certified	100.0	(0.0)	---	---	97.7	(1.0)
Medicaid-certified	100.0	(0.0)	93.5	(3.1)	---	---	96.8	(1.2)	*	*
Chain-affiliated (percentage)										
	47.1	(6.2)	---	---	---	---	65.3	(3.2)	52.0	(4.9)
Staffing⁴										
Number of nursing and social work staff employee FTEs	153	(19)	928	(170)	1,226	(296)	13,336	(984)	15,288	(1,389)
Nursing and social work employee FTEs (percent distribution):										
Registered nurse	16.7	(1.3)	70.1	(2.4)	56.7	(1.3)	16.9	(0.5)	6.4	(0.9)
Licensed practical nurse or licensed vocational nurse	11.4	(1.3)	12.9	(2.1)	3.3	(0.9)	16.7	(0.5)	*8.8	(3.9)
Aide	56.6	(3.3)	12.1	(0.6)	25.8	(1.4)	64.2	(0.5)	84.3	(3.7)
Social worker	15.4	(2.1)	4.9	(0.6)	14.2	(1.5)	2.1	(0.1)	*0.5	(0.2)
Providers with one or more employee FTEs (percentage):										
Registered nurse	62.2	(6.2)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	35.6	(4.4)
Licensed practical nurse or licensed vocational nurse	52.0	(6.4)	64.5	(6.1)	39.4	(8.5)	96.4	(1.3)	*	*
Aide	74.6	(5.4)	91.9	(3.5)	100.0	(0.0)	100.0	(0.0)	87.4	(3.6)
Social worker	54.5	(6.2)	85.5	(4.5)	100.0	(0.0)	84.2	(2.4)	*	*

Table 48. Providers and Users of Long-Term Care Services in Washington, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Activities staff	100.0	(0.0)	---	---	---	---	96.4	(1.3)	43.3	(4.2)
Employee hours per resident or participant per day:										
Registered nurse	0.1	(0.0)	---	---	---	---	0.7	(0.0)	0.2	(0.1)
Licensed practical nurse or licensed vocational nurse	0.2	(0.0)	---	---	---	---	0.6	(0.0)	*0.1	(0.0)
Aide	0.6	(0.1)	---	---	---	---	2.6	(0.0)	2.3	(0.2)
Social worker	0.2	(0.0)	---	---	---	---	0.1	(0.0)	*0.0	(0.0)
Activities staff	0.9	(0.1)	---	---	---	---	0.2	(0.0)	0.2	(0.1)
Service provided										
Social work (percentage)	*	*	†	(†)	100.0	(0.0)	89.6	(2.0)	46.0	(5.2)
Mental health or counseling (percentage)	40.3	(6.1)	---	---	†	(†)	87.4	(2.2)	52.9	(5.1)
Therapy (physical, occupational, or speech) (percentage)	73.3	(6.0)	†	(†)	100.0	(0.0)	100.0	(0.0)	64.9	(5.0)
Skilled nursing or nursing (percentage)	*	*	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	64.5	(5.0)
Pharmacy or pharmacist (percentage)	28.5	(3.9)	*	*	---	---	97.7	(1.0)	*	*
Hospice (percentage)	*	*	29.0	(5.8)	62.6	(3.2)	65.1	(5.0)
Dental (percentage)	*	*	---	---	---	---	79.3	(2.7)	53.9	(5.2)
Podiatrist (percentage)	29.8	(5.7)	---	---	---	---	85.1	(2.4)	*	*
Practices										
Depression screening (percentage)	*	*	†	(†)	---	---	---	---	90.6	(3.0)
Special care										
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	---	---	12.2	(2.2)	*	*

Table 48. Providers and Users of Long-Term Care Services in Washington, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Service users										
Number of users ²	2,500	(300)	65,100	(11,900)	23,900	(5,900)	17,100	(1,300)	45,300	(3,500)
Age in years (percent distribution):										
Under 65	36.0	(3.4)	12.4	(0.9)	4.9	(0.3)	15.2	(1.1)	8.9	(2.4)
65 and over	64.0	(3.4)	87.6	(0.9)	95.1	(0.3)	84.8	(1.1)	91.1	(2.4)
65–74	19.7	(1.3)	23.2	(0.6)	16.8	(0.6)	17.3	(0.5)	9.7	(1.4)
75–84	26.3	(2.1)	30.8	(0.3)	28.2	(0.5)	26.9	(0.5)	29.9	(2.7)
85 and over	18.0	(1.6)	33.5	(1.3)	50.2	(1.2)	40.6	(1.3)	51.5	(3.6)
Sex (percent distribution):										
Men	44.2	(1.1)	37.2	(0.4)	41.2	(0.5)	35.5	(1.1)	32.5	(2.1)
Women	55.8	(1.1)	62.8	(0.4)	58.8	(0.5)	64.5	(1.1)	67.5	(2.1)
Race and ethnicity (percent distribution):										
Hispanic	5.3	(0.5)	2.3	(0.3)	1.8	(0.3)	2.3	(0.3)	0.8	(0.2)
Non-Hispanic white	66.3	(3.8)	89.9	(0.8)	91.9	(1.1)	85.6	(1.4)	81.1	(4.7)
Non-Hispanic black	10.6	(2.0)	2.5	(0.4)	1.8	(0.5)	3.8	(0.6)	1.4	(0.4)
Non-Hispanic other	17.7	(3.6)	5.2	(0.4)	4.5	(0.6)	8.3	(1.1)	16.6	(4.8)
Used Medicaid for long-term care services (percent distribution)	70.2	(3.4)	6.4	(1.1)	---	---	58.3	(1.3)	23.2	(4.0)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	35.8	(3.7)	34.9	(1.3)	39.1	(2.4)	44.2	(1.3)	33.6	(4.3)
Diagnosed with depression	30.5	(3.4)	36.5	(0.6)	17.0	(1.0)	46.9	(1.0)	21.8	(2.9)
Diagnosed with diabetes	24.6	(1.2)	36.3	(0.9)	20.8	(1.1)	31.2	(0.7)	14.8	(1.6)
Need assistance in physical functioning (percentage):										
Eating	30.3	(2.5)	53.9	(2.0)	---	---	55.4	(1.7)	21.2	(2.4)
Bathing	54.4	(5.7)	97.6	(0.4)	---	---	97.2	(0.4)	54.6	(4.3)
Dressing	48.7	(5.2)	86.7	(1.3)	---	---	92.9	(0.5)	42.2	(3.5)
Toileting	49.5	(3.8)	70.9	(2.2)	---	---	90.3	(0.7)	35.8	(3.2)
Transferring in and out of a chair or bed	42.7	(4.3)	89.1	(1.1)	---	---	88.4	(0.7)	29.0	(2.8)
Walking	36.4	(2.2)	96.5	(0.4)	---	---	93.0	(0.5)	31.6	(3.2)
Adverse events (percentage):										
Overnight hospital stay	6.9	(0.6)	14.4	(0.8)	---	---	---	---	6.8	(0.8)
Emergency department visit	8.5	(1.1)	15.6	(0.6)	---	---	---	---	10.7	(1.1)

Table 48. Providers and Users of Long-Term Care Services in Washington, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services		Home health agency	Hospice		Nursing home		Residential care community		
	center									
Falls	9.8	(0.7)	0.1	(0.0)	---	---	17.2	(0.5)	15.6	(2.1)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 49. Providers and Users of Long-Term Care Services in West Virginia, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)							
Organization								
Number of providers ¹	60	(8)	20	(5)	130	(11)	50	(2)
Number of beds or licensed maximum capacity ²	10,900	(1,100)	3,600	(300)
Average capacity	---	---	---	---	85.7	(3.6)	38	(2.2)
Average number of people served	---	---	---	---	74.9	(3.1)	29	(1.4)
Metropolitan statistical area status (percent distribution):								
Metropolitan	56.9	(6.5)	55.0	(11.1)	51.2	(4.4)	51.2	(5.4)
Micropolitan or neither	43.1	(6.5)	45.0	(11.1)	48.8	(4.4)	48.8	(5.4)
Ownership (percent distribution):								
For-profit	62.1	(6.4)	40.0	(11.0)	73.2	(3.9)	80.1	(4.2)
Not-for-profit, government, or other	37.9	(6.4)	60.0	(11.0)	26.8	(3.9)	19.9	(4.2)
Number of people served (percent distribution): ³								
Category 1	8.9	(3.8)	*	*	9.4	(2.6)	55.6	(3.0)
Category 2	21.4	(5.5)	*	*	69.3	(4.1)	44.4	(3.0)
Category 3	69.6	(6.1)	*	*	21.3	(3.6)	-	-
Certification (percentage):								
Medicare-certified	100.0	(0.0)	---	---	92.1	(2.4)
Medicaid-certified	93.1	(3.4)	---	---	94.5	(2.0)	15.2	(3.8)
Chain-affiliated (percentage)	---	---	---	---	58.3	(4.4)	39.6	(5.0)
Staffing⁴								
Number of nursing and social work staff employee FTEs	596	(94)	587	(177)	6,515	(631)	1,866	(154)
Nursing and social work employee FTEs (percent distribution):								
Registered nurse	66.1	(1.9)	46.2	(3.8)	11.7	(0.5)	7.2	(0.6)
Licensed practical nurse or licensed vocational nurse	19.5	(2.2)	14.1	(3.5)	25.7	(0.7)	17.0	(1.3)
Aide	11.3	(1.0)	29.5	(2.9)	60.0	(0.8)	74.8	(1.6)
Social worker	3.0	(0.5)	10.1	(0.6)	2.6	(0.1)	1.0	(0.3)
Providers with one or more employee FTEs (percentage):								
Registered nurse	100.0	(0.0)	100.0	(0.0)	†	(†)	88.5	(3.5)
Licensed practical nurse or licensed vocational nurse	75.9	(5.6)	75.0	(9.7)	100.0	(0.0)	64.8	(4.6)

Table 49. Providers and Users of Long-Term Care Services in West Virginia, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Home health agency		Hospice		Nursing home		Residential care community	
	†	(†)	100.0	(0.0)	†	(†)	100.0	(0.0)
Aide	†	(†)	100.0	(0.0)	†	(†)	100.0	(0.0)
Social worker	60.3	(6.4)	100.0	(0.0)	96.1	(1.7)	17.0	(4.1)
Activities staff	---	---	---	---	†	(†)	72.4	(4.4)
Employee hours per resident or participant per day:								
Registered nurse	---	---	---	---	0.5	(0.1)	0.4	(0.1)
Licensed practical nurse or licensed vocational nurse	---	---	---	---	0.9	(0.0)	0.4	(0.1)
Aide	---	---	---	---	2.2	(0.1)	3.2	(0.3)
Social worker	---	---	---	---	0.1	(0.0)	0.0	(0.0)
Activities staff	---	---	---	---	0.2	(0.0)	0.3	(0.1)
Service provided								
Social work (percentage)	69.0	(6.1)	100.0	(0.0)	†	(†)	47.0	(5.4)
Mental health or counseling (percentage)	---	---	100.0	(0.0)	66.1	(4.2)	38.0	(5.1)
Therapy (physical, occupational, or speech) (percentage)	100.0	(0.0)	100.0	(0.0)	96.1	(1.7)	74.9	(4.7)
Skilled nursing or nursing (percentage)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	79.7	(4.4)
Pharmacy or pharmacist (percentage)	*	*	---	---	88.2	(2.9)	89.2	(3.4)
Hospice (percentage)	*	*	---	---	64.6	(4.2)	58.5	(5.0)
Dental (percentage)	---	---	---	---	63.8	(4.3)	47.6	(5.5)
Podiatrist (percentage)	---	---	---	---	74.0	(3.9)	77.1	(4.5)
Practices								
Depression screening (percentage)	†	(†)	---	---	---	---	82.1	(4.3)
Special care								
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	5.5	(2.0)	*	*

Table 49. Providers and Users of Long-Term Care Services in West Virginia, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Home health agency		Hospice		Nursing home		Residential care community	
Service users								
Number of users ²	34,800	(6,000)	9,100	(3,000)	9,500	(900)	2,800	(200)
Age in years (percent distribution):								
Under 65	22.1	(0.8)	7.5	(0.4)	13.9	(0.9)	3.1	(0.6)
65 and over	77.9	(0.8)	92.5	(0.4)	86.1	(0.9)	96.9	(0.6)
65–74	25.5	(0.5)	20.9	(0.6)	16.4	(0.6)	6.3	(0.7)
75–84	30.5	(0.4)	31.4	(0.5)	29.9	(0.6)	30.9	(2.8)
85 and over	21.9	(0.6)	40.2	(1.0)	39.8	(1.3)	59.7	(2.9)
Sex (percent distribution):								
Men	37.9	(0.4)	42.1	(0.7)	28.9	(0.9)	25.7	(1.3)
Women	62.1	(0.4)	57.9	(0.7)	71.1	(0.9)	74.3	(1.3)
Race and ethnicity (percent distribution):								
Hispanic	0.3	(0.0)	0.3	(0.0)	0.2	(0.0)	0.0	(0.0)
Non-Hispanic white	95.9	(0.4)	96.9	(0.4)	93.3	(0.9)	97.1	(0.6)
Non-Hispanic black	3.2	(0.4)	2.1	(0.3)	3.1	(0.4)	1.6	(0.3)
Non-Hispanic other	0.6	(0.0)	0.7	(0.1)	3.5	(0.9)	1.3	(0.6)
Used Medicaid for long-term care services (percent distribution)	11.0	(0.9)	---	---	75.4	(1.0)	1.7	(0.7)
Conditions (percentage):								
Diagnosed with Alzheimer's disease or other dementias	30.0	(1.0)	41.7	(1.1)	58.8	(1.4)	46.4	(3.2)
Diagnosed with depression	39.3	(0.6)	23.2	(0.8)	57.3	(1.1)	29.4	(3.5)
Diagnosed with diabetes	48.6	(0.5)	31.2	(0.6)	35.4	(0.8)	20.7	(1.8)
Need assistance in physical functioning (percentage):								
Eating	62.5	(2.8)	---	---	55.2	(2.2)	23.8	(3.0)
Bathing	97.3	(0.5)	---	---	96.4	(0.5)	76.4	(3.5)
Dressing	91.2	(1.5)	---	---	91.7	(0.7)	57.1	(3.6)
Toileting	80.2	(2.6)	---	---	88.2	(0.9)	49.1	(3.3)
Transferring in and out of a chair or bed	91.5	(1.4)	---	---	84.5	(1.1)	38.9	(3.6)
Walking	95.7	(0.8)	---	---	89.2	(0.8)	38.5	(4.1)
Adverse events (percentage):								

Table 49. Providers and Users of Long-Term Care Services in West Virginia, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Home health agency		Hospice		Nursing home		Residential care community	
Overnight hospital stay	21.7	(1.5)	---	---	---	---	7.6	(0.7)
Emergency department visit	19.1	(0.9)	---	---	---	---	13.7	(1.7)
Falls	0.2	(0.0)	---	---	20.3	(0.6)	23.5	(2.9)

¹- Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For nursing homes and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

Estimates for adult day services centers are not presented because these estimates do not meet reliability or confidentiality standards.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 50. Providers and Users of Long-Term Care Services in Wisconsin, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers ¹	100	(2)	100	(11)	70	(8)	400	(20)	1,500	(23)
Number of beds or licensed maximum capacity ²	3,600	(200)	34,100	(1,900)	36,100	(2,300)
Average capacity	31	(1.7)	---	---	---	---	87	(2.2)	24	(1.4)
Average number of people served	20	(1.3)	---	---	---	---	71	(2.0)	21	(1.3)
Metropolitan statistical area status (percent distribution):										
Metropolitan	63.4	(3.7)	67.8	(4.3)	72.5	(5.4)	58.7	(2.5)	67.5	(4.4)
Micropolitan or neither	36.6	(3.7)	32.2	(4.3)	27.5	(5.4)	41.3	(2.5)	32.5	(4.4)
Ownership (percent distribution):										
For-profit	28.3	(3.7)	48.3	(4.6)	37.7	(5.8)	52.6	(2.5)	79.6	(3.4)
Not-for-profit, government, or other	71.7	(3.7)	51.7	(4.6)	62.3	(5.8)	47.4	(2.5)	20.4	(3.4)
Number of people served (percent distribution): ³										
Category 1	*	*	34.2	(4.4)	18.8	(4.7)	5.4	(1.1)	76.0	(2.3)
Category 2	*	*	33.3	(4.4)	39.1	(5.9)	75.4	(2.2)	22.5	(2.4)
Category 3	*	*	32.5	(4.4)	42.0	(5.9)	19.2	(2.0)	*	*
Certification (percentage):										
Medicare-certified	100.0	(0.0)	---	---	96.4	(0.9)
Medicaid-certified	50.4	(4.0)	99.2	(0.8)	---	---	97.4	(0.8)	56.0	(4.7)
Chain-affiliated (percentage)	37.0	(3.8)	---	---	---	---	49.0	(2.5)	74.6	(4.2)
Staffing⁴										
Number of nursing and social work staff employee FTEs	411	(40)	1,735	(219)	1,614	(274)	21,183	(1,211)	17,350	(1,201)
Nursing and social work employee FTEs (percent distribution):										
Registered nurse	7.8	(0.8)	56.8	(2.9)	48.7	(1.5)	17.1	(0.3)	7.3	(1.3)
Licensed practical nurse or licensed vocational nurse	5.4	(0.8)	7.4	(1.1)	7.1	(1.3)	13.6	(0.3)	4.1	(0.7)
Aide	79.3	(2.0)	33.5	(2.7)	33.4	(1.5)	66.9	(0.4)	87.6	(1.6)
Social worker	7.5	(1.1)	2.2	(0.4)	10.8	(0.8)	2.4	(0.1)	*1.0	(0.3)
Providers with one or more employee FTEs (percentage):										
Registered nurse	40.7	(3.9)	100.0	(0.0)	100.0	(0.0)	†	(†)	63.3	(4.4)
Licensed practical nurse or licensed vocational nurse	22.9	(3.3)	47.5	(4.6)	49.3	(6.0)	†	(†)	30.7	(4.4)
Aide	78.5	(3.4)	100.0	(0.0)	†	(†)	100.0	(0.0)	96.2	(1.6)
Social worker	31.4	(3.7)	51.7	(4.6)	100.0	(0.0)	90.0	(1.5)	*	*

Table 50. Providers and Users of Long-Term Care Services in Wisconsin, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Activities staff	79.8	(3.1)	---	---	---	---	97.2	(0.8)	58.1	(4.5)
Employee hours per resident or participant per day:										
Registered nurse	0.1	(0.0)	---	---	---	---	0.7	(0.0)	0.3	(0.1)
Licensed practical nurse or licensed vocational nurse	0.1	(0.0)	---	---	---	---	0.5	(0.0)	*0.2	(0.1)
Aide	1.1	(0.1)	---	---	---	---	2.6	(0.0)	3.9	(0.4)
Social worker	0.1	(0.0)	---	---	---	---	0.1	(0.0)	*0.1	(0.0)
Activities staff	0.8	(0.1)	---	---	---	---	0.2	(0.0)	0.3	(0.1)
Service provided										
Social work (percentage)	32.7	(3.8)	57.6	(4.5)	100.0	(0.0)	96.4	(0.9)	60.8	(4.8)
Mental health or counseling (percentage)	15.8	(3.0)	---	---	100.0	(0.0)	78.2	(2.1)	66.6	(4.4)
Therapy (physical, occupational, or speech) (percentage)	34.8	(3.9)	87.3	(3.1)	†	(†)	100.0	(0.0)	76.6	(4.1)
Skilled nursing or nursing (percentage)	38.2	(4.0)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	66.2	(4.7)
Pharmacy or pharmacist (percentage)	13.2	(2.8)	9.3	(2.7)	---	---	96.4	(0.9)	*	*
Hospice (percentage)	15.0	(2.9)	24.6	(4.0)	75.9	(2.2)	67.5	(4.7)
Dental (percentage)	*	*	---	---	---	---	91.8	(1.4)	71.3	(4.2)
Podiatrist (percentage)	33.1	(3.8)	---	---	---	---	94.1	(1.2)	*	*
Practices										
Depression screening (percentage)	70.3	(3.7)	92.1	(2.5)	---	---	---	---	90.0	(2.6)
Special care										
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	---	---	23.8	(2.2)	*	*

Table 50. Providers and Users of Long-Term Care Services in Wisconsin, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Service users										
Number of users ²	3,900	(300)	54,500	(12,000)	27,500	(4,800)	27,600	(1,600)	31,000	(2,100)
Age in years (percent distribution):										
Under 65	37.7	(3.1)	17.3	(1.3)	4.9	(0.2)	9.0	(0.6)	13.9	(2.4)
65 and over	62.4	(3.1)	82.7	(1.3)	95.1	(0.2)	91.0	(0.6)	86.1	(2.4)
65–74	22.0	(1.2)	22.9	(0.5)	15.4	(0.6)	12.7	(0.4)	12.2	(1.9)
75–84	26.3	(1.8)	31.1	(0.5)	29.2	(0.5)	26.7	(0.3)	29.4	(3.1)
85 and over	14.1	(1.2)	28.7	(1.3)	50.5	(1.1)	51.5	(0.9)	44.5	(3.5)
Sex (percent distribution):										
Men	43.2	(1.3)	38.1	(0.4)	41.2	(0.7)	32.9	(0.9)	32.0	(2.0)
Women	56.8	(1.3)	61.9	(0.4)	58.8	(0.7)	67.1	(0.9)	68.1	(2.0)
Race and ethnicity (percent distribution):										
Hispanic	5.4	(2.3)	1.5	(0.3)	0.9	(0.1)	0.8	(0.1)	*1.0	(0.3)
Non-Hispanic white	73.0	(3.0)	91.6	(1.6)	94.4	(0.9)	92.9	(0.8)	93.7	(1.6)
Non-Hispanic black	15.7	(2.3)	5.0	(1.4)	3.1	(0.8)	3.6	(0.7)	*1.9	(0.9)
Non-Hispanic other	5.9	(1.2)	1.9	(0.1)	1.6	(0.1)	2.7	(0.3)	*3.4	(1.1)
Used Medicaid for long-term care services (percent distribution)	19.6	(3.0)	12.6	(1.9)	---	---	57.6	(0.9)	21.4	(3.5)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	38.7	(2.8)	27.8	(1.2)	41.5	(2.1)	50.5	(0.7)	38.0	(3.6)
Diagnosed with depression	16.4	(1.8)	37.2	(0.6)	20.4	(0.7)	50.1	(0.6)	30.3	(4.0)
Diagnosed with diabetes	26.6	(2.1)	39.0	(0.7)	23.8	(0.5)	30.7	(0.5)	19.3	(1.6)
Need assistance in physical functioning (percentage):										
Eating	31.7	(2.9)	41.5	(3.3)	---	---	43.7	(1.2)	19.9	(2.3)
Bathing	33.7	(2.7)	95.0	(0.7)	---	---	97.4	(0.3)	69.2	(4.1)
Dressing	34.3	(2.5)	79.6	(2.4)	---	---	91.7	(0.4)	45.9	(3.1)
Toileting	49.6	(2.4)	60.2	(4.5)	---	---	86.6	(0.6)	35.7	(2.8)
Transferring in and out of a chair or bed	31.3	(2.7)	81.7	(2.1)	---	---	82.9	(0.7)	30.0	(2.6)
Walking	32.8	(2.0)	91.2	(1.3)	---	---	92.1	(0.4)	22.9	(2.6)
Adverse events (percentage):										
Overnight hospital stay	5.2	(0.5)	14.3	(0.5)	---	---	---	---	7.3	(0.8)
Emergency department visit	6.0	(0.5)	16.0	(0.5)	---	---	---	---	11.3	(1.1)

Table 50. Providers and Users of Long-Term Care Services in Wisconsin, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
Falls	7.5	(0.7)	0.2	(0.0)	---	---	19.4	(0.4)	17.0	(2.5)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 51. Providers and Users of Long-Term Care Services in Wyoming, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)							
Organization								
Number of providers ¹	30	(5)	20	(4)	40	(6)	20	(1)
Number of beds or licensed maximum capacity ²	3,000	(500)	800	(100)
Average capacity	---	---	---	---	76	(6.8)	41	(2.4)
Average number of people served	---	---	---	---	61	(5.6)	31	(2.4)
Metropolitan statistical area status (percent distribution):								
Metropolitan	22.2	(8.0)	*	*	20.5	(6.5)	*	*
Micropolitan or neither	77.8	(8.0)	*	*	79.5	(6.5)	*	*
Ownership (percent distribution):								
For-profit	48.1	(9.6)	*	*	41.0	(7.9)	*	*
Not-for-profit, government, or other	51.9	(9.6)	*	*	59.0	(7.9)	*	*
Number of people served (percent distribution): ³								
Category 1	*	*	*	*	17.9	(6.1)	45.5	(4.4)
Category 2	*	*	*	*	69.2	(7.4)	54.5	(4.4)
Category 3	*	*	-	-	12.8	(5.4)	-	-
Certification (percentage):								
Medicare-certified	100.0	(0.0)	---	---	89.7	(4.9)
Medicaid-certified	100.0	(0.0)	---	---	94.9	(3.6)	60.3	(4.4)
Chain-affiliated (percentage)	---	---	---	---	43.6	(8.0)	54.3	(6.1)
Staffing⁴								
Number of nursing and social work staff employee FTEs	270	(67)	155	(43)	1,612	(295)	258	(30)
Nursing and social work employee FTEs (percent distribution):								
Registered nurse	45.3	(2.9)	56.1	(2.5)	19.8	(1.2)	13.4	(0.6)
Licensed practical nurse or licensed vocational nurse	5.4	(1.4)	3.2	(2.1)	12.7	(1.1)	11.2	(1.0)
Aide	45.5	(2.3)	31.6	(2.8)	65.6	(1.1)	75.3	(1.3)
Social worker	3.8	(0.7)	9.1	(0.9)	2.0	(0.2)	0.0	(0.0)
Providers with one or more employee FTEs (percentage):								
Registered nurse	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	*	*
Licensed practical nurse or licensed vocational nurse	37.0	(9.3)	*	*	†	(†)	*	*

Table 51. Providers and Users of Long-Term Care Services in Wyoming, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Home health agency		Hospice		Nursing home		Residential care community	
Aide	100.0	(0.0)	100.0	(0.0)	†	(†)	100.0	(0.0)
Social worker	66.7	(9.1)	100.0	(0.0)	74.4	(7.0)	-	-
Activities staff	---	---	---	---	†	(†)	*	*
Employee hours per resident or participant per day:								
Registered nurse	---	---	---	---	0.9	(0.2)	0.3	(0.0)
Licensed practical nurse or licensed vocational nurse	---	---	---	---	0.4	(0.0)	0.2	(0.0)
Aide	---	---	---	---	2.2	(0.1)	1.8	(0.1)
Social worker	---	---	---	---	0.1	(0.0)	0.0	(0.0)
Activities staff	---	---	---	---	0.3	(0.0)	0.2	(0.0)
Service provided								
Social work (percentage)	77.8	(8.0)	100.0	(0.0)	†	(†)	*	*
Mental health or counseling (percentage)	---	---	*	*	*	*	40.4	(6.3)
Therapy (physical, occupational, or speech) (percentage)	100.0	(0.0)	†	(†)	†	(†)	*	*
Skilled nursing or nursing (percentage)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	*	*
Pharmacy or pharmacist (percentage)	*	*	---	---	†	(†)	*	*
Hospice (percentage)	33.3	(9.1)	23.1	(6.7)	67.2	(6.6)
Dental (percentage)	---	---	---	---	*	*	54.3	(6.8)
Podiatrist (percentage)	---	---	---	---	*	*	*	*
Practices								
Depression screening (percentage)	†	(†)	---	---	---	---	†	(†)
Special care								
Serves only residents with dementia or having a dementia special care unit (percentage)	---	---	---	---	35.9	(7.7)	33.9	(6.6)

Table 51. Providers and Users of Long-Term Care Services in Wyoming, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Home health agency		Hospice		Nursing home		Residential care community	
Service users								
Number of users ²	3,800	(1,000)	1,200	(400)	2,400	(400)	600	(100)
Age in years (percent distribution):								
Under 65	14.4	(1.3)	5.8	(0.5)	9.7	(1.2)	2.0	(0.6)
65 and over	85.6	(1.3)	94.2	(0.5)	90.3	(1.2)	98.0	(0.6)
65–74	25.7	(1.1)	23.5	(1.1)	14.3	(0.9)	6.1	(1.0)
75–84	31.1	(1.1)	31.5	(1.1)	29.0	(1.1)	30.7	(3.3)
85 and over	28.8	(1.4)	39.3	(1.6)	47.0	(2.1)	61.2	(3.4)
Sex (percent distribution):								
Men	36.6	(0.9)	44.9	(1.7)	30.2	(1.3)	25.4	(1.1)
Women	63.4	(0.9)	55.1	(1.7)	69.8	(1.3)	74.6	(1.1)
Race and ethnicity (percent distribution):								
Hispanic	4.1	(0.6)	2.5	(0.9)	3.2	(0.7)	0.7	(0.2)
Non-Hispanic white	92.7	(1.0)	94.1	(1.6)	92.0	(1.5)	90.6	(3.9)
Non-Hispanic black	0.6	(0.2)	0.2	(0.2)	0.8	(0.3)	0.2	(0.1)
Non-Hispanic other	2.6	(0.8)	3.1	(1.3)	4.0	(1.5)	8.5	(3.9)
Used Medicaid for long-term care services (percent distribution)	8.0	(1.6)	---	---	61.0	(1.9)	13.5	(2.0)
Conditions (percentage):								
Diagnosed with Alzheimer's disease or other dementias	25.3	(1.4)	34.7	(2.3)	52.8	(1.8)	37.4	(4.3)
Diagnosed with depression	34.9	(1.3)	25.3	(1.8)	51.7	(1.9)	29.0	(4.7)
Diagnosed with diabetes	34.0	(0.9)	24.4	(1.3)	27.0	(1.3)	11.4	(1.2)
Need assistance in physical functioning (percentage):								
Eating	44.4	(5.6)	---	---	51.0	(5.6)	8.7	(1.6)
Bathing	94.2	(1.1)	---	---	97.4	(0.6)	50.1	(3.3)
Dressing	80.2	(3.6)	---	---	87.7	(1.8)	30.8	(2.7)
Toileting	59.6	(5.8)	---	---	83.4	(2.4)	11.3	(2.3)
Transferring in and out of a chair or bed	81.7	(3.5)	---	---	77.4	(3.0)	10.1	(3.3)
Walking	92.0	(1.4)	---	---	88.0	(1.9)	10.5	(3.9)
Adverse events (percentage):								

Table 51. Providers and Users of Long-Term Care Services in Wyoming, by Sector and Selected Characteristics, 2013 - 2014.

Selected characteristic	Home health agency		Hospice		Nursing home		Residential care community	
Overnight hospital stay	14.3	(1.1)	---	---	---	---	9.3	(1.3)
Emergency department visit	17.0	(1.3)	---	---	---	---	11.8	(1.2)
Falls	0.7	(0.1)	---	---	25.8	(1.5)	27.6	(3.3)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

²Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

³For nursing homes and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

⁴ FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

Estimates for adult day services centers are not presented because these estimates do not meet reliability or confidentiality standards.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.