2024 CLABSI Medical Record Abstraction Tool

Refer to associated 2024 MRAT instructions.

| Section 1. Patient Information and Screening Questions | | | | | |
|---|------------------|--|---|---|--|
| 1a. Patient Information | | | | | |
| Facility (NHSN) OrgID: | Date of Audit:// | Review Start Time: Review End Time: | | Reviewer Initials: | |
| Patient ID: | Patient DOB:// | Facility Admission Date: | | Facility Discharge Date:// | |
| 1b. Screening Questions | | | | | |
| b1. Was the selected positive blood culture (PBC) collected on or after facility day 3 or was the date of event (DOE) the day of transfer or discharge, or the next day? | | | ☐ Yes -> Continue to b2 ☐ No -> (i.e., the PBC was drawn <u>before</u> facility day 3) No HAI-CLABSI event. Proceed to Section 8 and select outcome (a) No candidate SL CLABSI; complete the section as appropriate. | | |
| b2. Was central line (CL) in place for >2 calendar days AND in place the day of or day prior to selected PBC collection? | | | | es -> Continue to b3 o -> No HAI-CLABSI event. Proceed to Section 8 and select outcome) No candidate SL CLABSI; complete the section as appropriate. | |
| b3. Did the selected PBC meet any of the following criteria? Campylobacter spp., C. difficile, Enteropathogenic E. coli, Enterohemorrhagic E. coli, Vibrio spp, Salmonella spp., Shigella spp., Listeria spp., Yersinia spp. (These organisms are excluded pathogens for LCBI. They may be secondary BSIs but will not be reported as the sole pathogen in a primary BSI.) Blastomyces, Histoplasma, Coccidioides, Paracoccidioides, Cryptococcus, Pneumocystis (These organisms are typically causes of community-associated infections and are rarely known to cause healthcare-associated infections, and therefore are excluded.) A single common commensal organism identified by culture. Negative culture within a range of two days before and day after a positive NCT with a recognized pathogen. | | | ☐ Ye | o -> Continue to Section 2. es -> No HAI-CLABSI event. Proceed to Section 8 and select outcome) No candidate SL CLABSI; complete the section as appropriate. | |



| Section 2. List Positive Blood Cultures: Enter the selected PBC in row 1. Then review the 14 days prior to the selected PBC and enter any additional PBCs | | | | | | | | |
|--|---------------------------|----------------------------------|--|-----------------------------|-------------------------|------------|------------------|---------------------------|
| found. If additional PBCs are found, review the next 14 days from the earliest culture. Repeat this until no additional PBCs are found or admit date is reached | | | | | | | | |
| PBC# | PBC Collection Date | Surveillance Location PBC? | Optional: CL on this date or day before? | Organism ger | ius/species | P or CC | Infection DOE | RIT End Date |
| 1 | // | ΥN | Y N | | | | // | |
| 2 | // | ΥN | Y N | | | | | _/_/_ |
| 3 | // | ΥN | Y N | | | | // | |
| PBC=blood | culture, CL= Cent | ral Line, P=path | ogen, CC=common commensal, DC | E=Date of Event, RIT= Repe | at Infection Timeframe. | . Add rov | s if needed. | |
| | | | | | | | | |
| Section 3 | 3. Location a | and Central | Line Presence | | | | | |
| | | | cation of attribution for t | | | | | |
| Ad | mit/Transfer IN | l: | Discharge/Transfer OUT: | Location Name (includ | ing ED): | | | |
| 3b. Cent | ral Lines: Do | ocument ans | central line present the | l day of or day prior to | n the snecimen co | allectio | n date of the | e selected PRC |
| | serted or acces | | CL removed without replacement | Location housed with (| • | <u> </u> | ir date of the | z screeceu r Bei |
| | // | | // | | | | | |
| | // | | // | | | | | |
| | // | | // | | | | | |
| | // | | // | | | | | |
| | // | | // | | | | | |
| | | | | | | | | |
| Section 6 | 4. Did the se | lected PBC | s infection episode quali | fy as LCBI event? Re | efer to Table 1 in | the CLA | ABSI MRAT II | nstructions for criteria. |
| If Yes LCBI, select the type of LCBI and proceed to Section 4. | | | | | | | | |
| LCBI Type (select one): | | | | | | | | |
| If No, LCBI definition was NOT met, go to Section 8, and select outcome (b) No LCBI and reason. If "Alternative primary source of BSI" is the selected reason, enter additional information in the subsequent box. | | | | | | | | |



| Section 5. Was LCBI Healthcare-Associated (HAI) or Present on Admission (POA)? | | | |
|---|--|--|--|
| Did LCBI occur during the 2 days before facility admission or the day after facility admission (POA)? | | | |
| If Yes, LCBI was POA, proceed to Section 8 and select outcome (c) POA LCBI. | | | |
| If No, proceed to Section 6. | | | |
| | | | |
| .Ci If | | | |

| Section | Section 6. Does HAI LCBI meet any of the following exclusion criteria? | | | | |
|---------|--|--|--|--|--|
| | s, select all exclusion criteria met, then proceed to Section 8 and select outcome (d) HAI-LCBI not CLABSI. , HAI-LCBI is CLABSI, proceed to Section 7. | | | | |
| | ECMO or VAD: Extracorporeal life support (ECMO) or Ventricular assist device (VAD) was present for more than two days on the DOE and still present on the DOE or day before | | | | |
| | Patient injection: There was medical documentation of the patient suspected or observed self-injecting into their vascular access line within the infection window period. | | | | |
| | Epidermolysis bullosa or Munchausen Syndrome by Proxy: There was a suspicion or confirmed diagnosis during the current admission of Epidermolysis bullosa (EB) or Munchausen Syndrome by Proxy (MSBP). | | | | |
| | Pus at a vascular access site: There was pus at the site of one of the other vascular access devices and a specimen collected from that site has at least one matching organism to an organism identified in blood. | | | | |
| | Group B Streptococcus (GBS): GBS was identified during the first 6 days of life | | | | |

| Section | Section 7. Was surveillance location the Location of Attribution (LOA)? | | | | |
|--|---|--|--|--|--|
| 7a. Was patient in a surveillance location (SL) on date of LCBI Event or day before Event? | | | | | |
| ☐ Yes | If Yes, proceed to 7b. | | | | |
| □No | If No, proceed to Section 8 and select outcome (e) CLABSI not SL attributable | | | | |
| 7b. Was | patient transferred to surveillance location from another bedded inpatient location, on date of LCBI Event or day before Event? | | | | |
| ☐ Yes | If Yes, location of attribution was the transferring location, proceed to 7c. | | | | |
| □No | If No, location of attribution was location at time of infection, proceed to Section 8 and select outcome (f) SL CLABSI. | | | | |
| 7c. Was the transferring location a surveillance location? | | | | | |
| ☐ Yes | If Yes, location of attribution (transferring location) WAS a surveillance location, proceed to Section 8 and select outcome (f) SL CLABSI. | | | | |
| □No | If No, location of attribution (transferring location) was NOT a surveillance location, proceed to Section 8 and select outcome (e) CLABSI not SL attributable. | | | | |



| Section 8. Outcome and Case Classification | | | | | |
|--|--|--|--|--|--|
| 8a. Outcome Determination: Select the most appropriate outcome for the selected PBC. If outcomes b or f are chosen, complete the additional fields. | | | | | |
| | | | | | |
| a) No candidate surveillance location CLABSI | | | | | |
| b) No LCBI; Select reason: | | | | | |
| ☐ Contaminant (unmatched CC) | | | | | |
| ☐ Matching CCs with no symptoms | | | | | |
| ☐ Alternative primary source of BSI (complete box): | | | | | |
| -Primary source of BSI | | | | | |
| -Date of alternative primary event | | | | | |
| -Attach NHSN checklist with elements abstracted | | | | | |
| -Select the correct NHSN BSI Chapter, Appendix B criterion: | | | | | |
| ☐ At least one organism from the blood specimen matches an organism identified from the site-specific infection that is used as an | | | | | |
| element to meet the NHSN site-specific infection criterion AND the blood specimen is collected during the secondary BSI attribution | | | | | |
| period (infection window period + repeat infection time frame). | | | | | |
| \square An organism identified in the blood specimen is an element that is used to meet the NHSN site-specific infection criterion, and therefore | | | | | |
| is collected during the site-specific infection window period. | | | | | |
| | | | | | |
| c) POA LCBI | | | | | |
| d) HAI-LCBI not CLABSI | | | | | |
| e) CLABSI not SL attributable | | | | | |
| f) SL CLABSI | | | | | |
| | | | | | |



| 8b. Case Classification Determine the correct classification for the selected PBC. If the selected PBC was misclassified by the facility, proceed to 8c. | | | | |
|---|---|--|--|--|
| ☐ Correctly Reported or Correctly Not Reported HAI ☐ C | Over Reported HAI Under Reported HAI | | | |
| 8c. Misclassification Reason | | | | |
| Select the most appropriate reason for the misclassification. If an "Othe | er" option is chosen, specify the reason. | | | |
| (I) General HAI definition misapplication a) Incorrect location of attribution b) Date of event incorrect c) IWP set incorrectly d) RIT applied incorrectly e) Did not identify elements present in IWP f) POA/HAI applied incorrectly g) Other (specify): | (II) CLABSI criteria misapplied a) Central Line not in > 2 days in an inpatient location on date of event b) Missed CLABSI due to central line removed day of or day before the date of event c) Missed CLABSI due to location transfer/discharge day of or day before the date of event d) CLABSI incorrectly identified as secondary BSI e) Secondary BSI incorrectly identified as a primary CLABSI f) Other (specify): | | | |
| a) Missed case finding/failure to review PBC b) Clinical over-rule c) Used outdated criteria d) No positive blood specimen in chart e) Other (specify): | | | | |

Don't forget to record the abstraction end time on page 1.

