## National Center for Emerging and Zoonotic Infectious Diseases Center for Disease Control and Prevention



## Respiratory Tract Infection (RTI) Pilot Project: The Importance of Respiratory Pathogen Reporting

Hannah Byers, MPH
Theresa Rowe, DO, MS
Molly Stillions, MSN

NHSN Long-term Care Facility Component

July 2024

### **Objectives**

- Discuss burden of respiratory pathogens in older adults
- Review respiratory pathogen surveillance in nursing homes
- Discuss RTI Surveillance Nursing Home Pilot Project
- Review current and future NHSN respiratory pathogens surveillance in nursing homes

# **Burden of Respiratory Pathogens in Older Adults**


Influenza, COVID-19, RSV

## **Respiratory Pathogen Burden in Nursing Homes**


#### **Respiratory Pathogen of Focus:**

- Vaccines available for all three
- Confirmatory laboratory tests available
- Prophylaxis and/or treatment available (Influenza and COVID-19)


Influenza (Flu)




\*SARS-Cov-2 (COVID-19)



## Respiratory Syncytial Virus (RSV)



#### Burden of RSV vs. Influenza: Adults 65 Years and Older




McLaughlin, OFID 2022;9:ofac300. cdc.gov/flu/about/burden/2019-2020.html.

<sup>\*</sup>Adapted from Dr. Angela Branche Presentation

## Respiratory Pathogens: Hospitalization Rates by Age

#### Hospitalization Rates for Viral Respiratory Illness, by Age

Weekly hospitalization rates for COVID-19, influenza, and RSV per 100,000 population. Preliminary data are shaded in gray.





<u>Groups Most Impacted—</u> <u>Hospitalizations (cdc.gov)</u>

## **COVID Infection Rates & Associated Hospitalization among Nursing Homes Residents**

TABLE 2. Cumulative weekly rates of incident SARS-CoV-2 infection,\* COVID-19-associated hospitalization<sup>†</sup> and percentage up to date with COVID-19 vaccination<sup>§</sup> by facility among nursing home residents, by U.S. region<sup>¶</sup> — National Healthcare Safety Network, United States, October 16, 2023–February 11, 2024

Region	No. of facilities	Resident- weeks	No. of SARS- CoV-2 infections	Cumulative weekly rate of SARS-CoV-2 infection (95% CI)*.**	No. of COVID-19– associated hospitalizations	Cumulative weekly COVID-19–associated hospitalization rate <sup>†,**</sup> (95% CI)	% of residents up to date with COVID-19 vaccination (95% CI) <sup>††</sup>
Overall	14,811	21,046,590	230,105	109.3 (108.9–109.8)	12,211	5.8 (5.7–5.9)	40.5 (40.4–40.6)
Northeast	2,432	4,772,100	54,229	113.6 (112.7–114.6)	2,812	5.9 (5.7–6.1)	47.3 (47.1–47.6)
South	5,508	7,956,877	74,094	93.1 (92.5–93.8)	4,002	5.0 (4.9–5.2)	32.4 (32.2–32.5)
Midwest	4,774	5,619,718	73,134	130.1 (129.2–131.1)	3,782	6.7 (6.5–6.9)	44.7 (44.5–45.0)
Mountain	547	599,880	6,799	113.3 (110.7–116.1)	328	5.5 (4.9–6.1)	41.9 (41.2–42.5)
Pacific	1,550	2,098,015	21,849	104.1 (102.8–105.5)	1,287	6.1 (5.8–6.5)	44.1 (43.7–44.5)

Franklin D, Barbre K, Rowe TA, et al. COVID-19 Vaccination Coverage, and Rates of SARS-CoV-2 Infection and COVID-19—Associated Hospitalization Among Residents in Nursing Homes — National Healthcare Safety Network, United States, October 2023—February 2024. MMWR Morb Mortal Wkly Rep 2024;73:339–344. DOI: http://dx.doi.org/10.15585/mmwr.mm7315a

## **Surveillance in Nursing Homes**

Benefits and Challenges

#### What is Public Heath Surveillance?

Ongoing systematic collection, analysis, interpretation, and dissemination of data regarding a health-related event to reduce morbidity and mortality to improve health

## **Early Identification of Respiratory Pathogens**

#### Impact of Surveillance on early identification

- Collecting data for respiratory tract infections (positive tests)
- Ability to see patterns and high case rates in real time



<sup>\*</sup>Adapted from a slide by Dr. Angela Branche

### **Surveillance Methods**

	House-wide (tracking all infections)	Targeted (tracking select infections)
PROS	<ul> <li>Comprehensive</li> <li>Easier to do in a small facility, or highly specialized population</li> </ul>	<ul> <li>Focuses your time and resources</li> <li>Increases time to explore causes and implement prevention activities</li> <li>More efficient use of time</li> </ul>
CONS	<ul> <li>Very time consuming</li> <li>Limits depth of data collection</li> <li>Less time for data analysis and intervention</li> </ul>	<ul> <li>Limits scope of infection surveillance</li> <li>Needs ongoing review and updating</li> <li>If too narrow, you may miss important events</li> </ul>

## NHSN LTC Component: Respiratory Pathogens Surveillance Modules

	COVID-19/Respiratory Pathogens Module	COVID-19/Respiratory Pathogens Vaccination
PROS	<ul> <li>Weekly collection of positive tests for residents (COVID-19, RSV, Influenza)</li> </ul>	<ul> <li>Weekly collection of vaccination coverage for residents and HCP (COVID-19, RSV, Influenza)</li> <li>Person level reporting is available</li> </ul>
CONS	<ul> <li>Currently data collection is limited to COVID-19, RSV, and Influenza</li> </ul>	<ul> <li>Currently data collection is limited to COVID-19, RSV, and Influenza</li> </ul>

## **Surveillance & IPC Challenges – Resident Factors**

- Medically Complex Residents
  - Identifying infection can be challenging
    - Atypical presentation
    - Often no "in-house" clinician
- Resident and family expectations about infections
- Social isolation
  - Stigma associated with isolation practices
  - Mental health and well being

## **Surveillance & IPC Challenges – Workforce Factors**

- Limited in-house clinicians
- Lack of IPC/surveillance expertise and training
- High rates of staff turnover



These same factors were expressed during the post pilot focus groups for the *Respiratory Tract Infection Pilot Project*.

More information in upcoming slides!

IPC infrastructure	N=990
>=2 additional responsibilities other than IPC	54%
<ul><li>Any specific training in IPC</li><li>CIC certification: 3%</li></ul>	39%
Received financial resources to obtain IP education	50%
Facility had >=3 people in IP position within past 3 years	41%


Herzig CTA et al. JAMDA 2016; 17: 85-88

## Respiratory Tract Infection Surveillance Nursing Home Pilot Project

Overview and Results


#### Respiratory Tract Infection (RTI) Surveillance Pilot Project Overview


- Comprehensive Respiratory Tract Infection Surveillance in 24 LTCFs across 5 states in 2021-2022
  - Prospective (PNA, LRTI, ILI) and Retrospective (COVID-19)
- Primary Objective: Assess burden and feasibility of performing RTI surveillance in nursing homes



### Respiratory Tract Infection (RTI) Surveillance Pilot Project Overview

- Project was conducted partnering with the Emerging Infections Program (EIP)
- After education was completed for EIP and participating facilities, data collection began
- Once data collection concluded, 2 focus group were held to gather feedback from facilities about their experience with the project





## **RTI Pilot Project Focus Groups: Participant Feedback**

#### **Participant Feedback Quote**

#### Value

- "I think for us, it was very important to participate in this because a significant portion of our infections are respiratory related between COVID ...... So getting a handle and a better definition is important for us so that we have something to benchmark against....."
- "opportunity for me to kind of put my hands into the side of the community that I've never been in"

## RTI Pilot Project Focus Groups: Participant Feedback

#### **Participant Feedback Quote**

#### Challenges

- "I think the biggest challenge, and it's going to be an ongoing challenge, is that in long-term care, IP was not a valuable role. The regulations have helped and it's growing, but we are still building infrastructure, and from the administrator standpoint, they do not know how much we need to do, how much we should be doing. RTI absolutely needs to be part of long-term care surveillance because it is a big issue and there's many components that can be addressed in it right down at the CNA level and up."
- "But the biggest thing is that, as a culture of long-term care and as the administrators culture, they do not have an idea how much work needs to go into it, how much work should go into it, and what the future benefits of it would be to be able to benchmark, compare, and make educated improvements because we've never had any of that component."

## RTI Pilot Project Focus Groups: Participant Feedback

#### **Participant Feedback Quote**


- Coordination of Care
  - "I found the project actually helpful and keeping things moving forward and driving the surveillance and kind of helping pull antibiotic stewardship data together and the whole workflow and putting kind of -- putting COVID not as a separate problem but as a part of the whole. So I found it very helpful"

**Current and Future Respiratory Pathogens Surveillance in Nursing Homes** 

#### **Considerations**

#### **Future Benefits and Considerations**

- LTC employees indicate a need for increased availability of resources and training for surveillance
- There is a need to increase recognition and support for the IP role in LTCFs
  - Increases surveillance
  - Improves quality of reporting and data





### **Next Steps**


#### **Potential NHSN Reporting in the Future**

- Target respiratory tract infection surveillance to:
  - Infections that have the potential to spread rapidly in nursing homes
  - Infections that have early prevention and control policies aimed at mitigating the spread of disease
  - COVID-19, RSV, and Influenza
- Streamlining is more time efficient and facilitates increased quality reporting


#### **Current NHSN LTC Modules**







#### **Future Planning: NHSN LTC Modules**



Covid-19/Respiratory
Pathogens
Surveillance
Pathways Module

Resident

- Resident
  Impact and
  Facility Capacity
  (RIFC)
- Staff and Personnel Impact
- Influenza/RSV (Optional)

Healthcare-Associated Infection (HAI) Modules



Urinary Tract Infection (UTI) LabID Event Module



- Clostridioides
  Difficile
  infection (CDI)
- Multi-drug Resistant Organisms (MDROs)

Prevention Process Module



- Gown and Glove Use
- Hand Hygiene

Respiratory Pathogens and Vaccinations Module



- Respiratory Pathogens Vaccine: HCP
- Respiratory Pathogens Vaccine, Case, and Hospitalizations: Resident



Respiratory Pathogens and Vaccinations Module at the resident level

## Resources

## Resource: LTCF COVID-19/Respiratory Pathogens **Vaccinations Module**

Print

- Training Slides
- Quick Reference Guides
- FAQs
- Data Collection Forms
- .CSV files
- Person-Level Forms

#### COVID-19/Respiratory Pathogens Vaccination

#### Long-term care facilities can track weekly vaccination data for residents and healthcare personnel (HCP) through NHSN. On This Page Announcements Person-Level COVID-19 Vaccination Forms - Instructions and Guidance Documents Protocol Person-Level COVID-19 Training Vaccination Data - CSV Data Import Data Collection Forms and Instructions Resources Weekly Vaccination Summary Retired Quick Reference Guides Data - CSV Data Import

Nursing Home COVID-19 Vaccination Data Dashboard


FAQs on Reporting Vaccination Data

LTCF | COVID-19 /Respiratory Pathogens Vaccination | NHSN | CDC

## Resource: LTCF COVID-19/Respiratory Pathogens Module **Case Reporting**

- Data Collection Forms
- Table of Instructions
- .CSV templates
- .CSV file layout documents
- Training slides

#### LTCF COVID-19/Respiratory Pathogens Module



**COVID-19/Respiratory Pathogens** Module | LTCF | NHSN | CDC

#### **Questions or Need Help?**

Please use **NHSN-ServiceNow** to submit questions to the NHSN Help Desk. The new portal can be accessed at <a href="https://servicedesk.cdc.gov/nhsncsp">https://servicedesk.cdc.gov/nhsncsp</a> and should be used in place of <a href="mailto:nhsndua@cdc.gov">nhsntrain@cdc.gov</a>, <a href="mailto:nhsndua@cdc.gov">nhsntrain@cdc.gov</a>, <a href="mailto:and-nhsndua@cdc.gov">and-nhsndua@cdc.gov</a>.

For more information, contact CDC 1-800-CDC-INFO (232-4636) TTY: 1-888-232-6348 cdc.gov

The findings and conclusions in this report are those of the authors and do not necessarily represent the official position of the U.S. Centers for Disease Control and Prevention.

