National Personal Protective Technology Laboratory

Standards Development Efforts for CBRN CC-SCBA

Sheraton Station Square; Pittsburgh, PA


John G. Kovac, Physical Scientist

December 13, 2005





NPPTL Research to Practice through Partnership.



CC-SCBA

NIOSH Limitation of Use

 Cannot be used when there is direct exposure to open flame or high radiant heat

NFPA 1981

 Positive pressure at high work rates

CBRN

- Not hardened







NPPTL Research to Practice through Partnerships

CBRN CC-SCBA Standard

Goal

 Develop a NIOSH/NPPTL full-facepiece, closed circuit, selfcontained breathing apparatus (CC-SCBA) standard that addresses CBRN materials identified as inhalation hazards or possible terrorist hazards for emergency responders.

Use


 For long-duration missions, involving entry into an atmosphere where contaminant concentrations are IDLH, and which may not contain adequate O₂ Levels.





NPPTL Research to Practice through Partnerships





CBRN CC-SCBA Requirements

 Concept calls for adapting the:

> NFPA 1981 Standard on Open-Circuit Self-Contained Breathing Apparatus for Fire and Emergency Services

to CBRN CC-SCBA

 Use of an Automated Breathing and Metabolic Simulator (ABMS) for performance testing







NPPTL Research to Practice through Partnerships

Special Requirements

- Firefighter Protection Requirements
 - Fabric Flame Resistance
 - Fabric Heat Resistance
 - Thread Heat Resistance
 - Heat and Flame Resistance Performance





NPPTL Research to Practice through Partnerships

Special Requirements

- · Requirements for CBRN Use
 - Operational Performance
 - Environmental Operational Performance
 - Vibration Endurance
 - Accelerated Corrosion
 - Particulate Resistance
 - Facepiece Lens Haze, Luminous Transmittance and Abrasion Resistance
 - Communication Performance
 - Chemical Agent Permeation and Penetration Resistance
 - Laboratory Respiratory Protection Level (LRPL)





NPPTL Research to Practice through Partnerships