Miller, Diane M. (CDC/NIOSH/EID)

From:

cafr101@hotmail.com

Sent:

Wednesday, February 11, 2009 11:27 PM

To:

NIOSH Docket Office (CDC)

Cc:

Chen, Jihong (Jane) (CDC/NIOSH/EID) (CTR)

Subject:

141 - FFUS Comments

Name

Adam Moore

Organization Fire Fighter

Email

cafr101@hotmail.com

Address 307 East St Ovid, Michigan 48866 USA

Comments

Page 3, Bottom Left Bullet; Page 7, Top Bullet explanation: "No offensive interior attacks should be made in unoccupied structures or unsafe structures."

There are times when entering an unoccupied structure to perform an offensive attack could be made. Following NFPA 1500, we will risk our live a little, in a calculated manner, to save savable property. The blunt wording the one should never go into an unoccupied structure is to direct. I completely agree that if the building is deemed unsafe no entry should be made, however if you find the build safe and are following SOP/SOG's entry into a building to make a calculated attack is appropriate. None of your cases in this report even touched on this. In all of your cases provided, people unfortunately made poor choices. I believe we should look at these cases and learn form them but the wording is extreme. The unoccupied building should not be a stand alone reason not to enter a structure, but should be the most important piece of information in ones decision making. The unsafe portion is correct in any circumstance, occupied or not.