

Anesthetic Trace Gases ~ Reference Library
Diana McGregor, MD

(1-504)

1. Guidelines for handling parenteral antineoplastics. Council on Scientific Affairs. Jama 1985;253:1590-2.
2. Current Report: Health Hazards. Occupational Safety & Health Reporter 1987:19.
3. Suprane® (desflurane, USP) Volatile liquid for inhalation Physicians' Desk Reference. 52nd ed. Montvale, NJ: Medical Economics Co., 1998.
4. ASA updates waste gases advice. OR Manager 2000;16:24.
5. 91st Congress. Occupational Safety and Health Act of 1970, 1970.
6. Aasland OG. Mortality of anesthesiologists, pediatricians, and other specialists in Norway. Acta Anaesthesiologica Scandinavica 2002;46:1200-2.
7. Abramowitz M, McGill W. Hazard of an anesthetic scavenging device. Anesthesiology 1979;51:276.
8. Ad Hoc Committee on Effects of Trace Anesthetic Agents on Health of Operating Room Personnel. Waste anesthetic gases in operating room air: a suggested program to reduce personnel exposure. Web Reference: <http://www.asahq.org/profinfo/wastanesgases/html>. Park Ridge, IL: American Society of Anesthesiologists, 1981.
- * 9. ADA Council on Scientific Affairs, ADA Council on Dental Practice. Nitrous oxide in the dental office. JADA 1997;128:364-5.
- * 10. Ahlborg G, Jr., Axelsson G, Bodin L. Shift work, nitrous oxide exposure and subfertility among Swedish midwives. Int J Epidemiol 1996;25:783-90.
11. Alessio L, Cirla A, Forni A et al. Proposal of environmental and biological monitoring. G. Ital. Med. Lav. 1992;14:101-4.
- * 12. Alexander BH, Checkoway H, Nagahama BA, Domino KB. Cause-specific mortality risks of anesthesiologists. Anesthesiology 2000;93:922-30.
13. Alexander BH, Checkoway H, Nagahama SI, Domino KB. Cause-specific mortality risks of anesthesiologists. Anesthesiology 2000;93:922-30.
14. American Association of Nurse Anesthetists. Management of waste anesthetic gases. Park Ridge, IL: American Association of Nurse Anesthetists, 1992.
- * 15. American Conference of Government Industrial Hygienists. Documentation of the threshold limit values and biological exposure indices American Conference of Government Industrial Hygienists, Inc., 1996: 1134-38.
16. American Dental Association. Guidelines for the Use of Conscious Sedation, Deep Sedation and General Anesthesia for Dentists. Chicago: American Dental Association, 1996.
17. American National Standards Institute. American National Standard for anesthetic equipment--scavenging systems for excess anesthetic gases. New York, NY: American National Standards Institute, Inc., 1982.
18. American Society for Testing and Materials. Standard specification for minimum performance and safety requirements for components and systems of anesthesia gas machines. Philadelphia, PA, 1988.

19. American Society for Testing and Materials. Standard specification for minimum performance and safety requirements for anesthesia breathing systems. Philadelphia, PA: American Society for Testing and Materials, 1989.
20. American Society for Testing and Materials. Standard specification for anesthesia equipment: scavenging systems for anesthetic gases. West Conshohocken, PA: American Society for Testing and Materials, 1991.
21. American Society for Testing and Materials. Standard specification for minimum performance and safety requirements for anesthesia breathing systems. West Conshohocken, PA: American Society for Testing and Materials, 1994.
22. American Society for Testing and Materials. Standard specification for anesthetic equipment-scavenging systems for anesthetic gases. West Conshohocken, PA: American Society for Testing and Materials, 1997.
23. American Society for Testing and Materials. Standard specification for minimum performance and safety requirements for components and systems of anesthesia gas machines. West Conshohocken, PA: American Society for Testing and Materials, 1997.
24. American Society for Testing and Materials. Standard specification for minimum performance and safety requirements for anesthesia breathing systems. West Conshohocken, PA: American Society for Testing and Materials, 1997.
25. American Society of Anesthesiologists. Guidelines for Office-Based Anesthesia APSF Newsletter: American Society of Anesthesiologists, 2000:17.
26. American Society of Anesthesiologists Ad Hoc Committee on the Effect of Trace Anesthetics on the Health of Operating Room Personnel. Occupational disease among operating room personnel: a national study. *Anesthesiology* 1974;41:321-40.
27. American Society of Anesthesiologists Committee on Occupational Health of Operating Room Personnel and Subcommittee on Infection Control Policy. Recommendations for infection control for the practice of anesthesiology. Park Ridge, IL: American Society of Anesthesiologists, 1992.
28. American Society of Anesthesiologists Committee on Occupational Health of Operating Room Personnel and Subcommittee on Infection Control Policy. Recommendations for infection control for the practice of anesthesiology. Park Ridge, IL: American Society of Anesthesiologists, 1994.
29. Amos RJ, Hinds CJ, Amess JAL, Mollin DL. Incidence and pathogenesis of acute megaloblastic bone-marrow change in patients receiving intensive care. *Lancet* 1982;2:835-8.
30. Andersen E, Askrog VF. Precautions against the hazards of anesthetic gases in the operating room. *Timarit. Hjukrunarfel. Isl.* 1972;48:81.
31. Andersen EW, Askrog VF. Regulations against contamination of operating rooms with gaseous anesthesia. *Fra. Sundhedsstyr.* 1971;5:329-36.
32. Armstrong P, Rae PWH, Gray WM, Spence AA. Nitrous oxide and formiminoglutamic acid: excretion in surgical patients and anaesthetists. *Br. J. Anaesth.* 1991;66:163-9.
33. Arnold WP, III. Application of OSHA standard to waste anesthetic gases. ASA Newsletter 1992;56:23.
34. Askrog V, Harvald B. Teratogenic effects of inhalation anesthetics. *Nord. Med.* 1970;83:498-500.
35. Askrog V, Petersen R. Contamination of operating theatres by inhalation anesthetics and ionizing radiation (safety measures). *Nord. Med.* 1970;83:501-4.

36. Askrog VF. Protection of operation personnel against anaesthetic gases. *Ugeskr. Laeger.* 1975;137:1072.
37. Atallah MM, Motawea AA, el-Chennawy FA, Attallah AF. Immunological assays following exposure to halothane in clinical usage. *Eur J Anaesthesiol* 1991;8:459-64.
- * 38. Axelsson G, Ahlborg G, Jr., Bodin L. Shift work, nitrous oxide exposure, and spontaneous abortion among Swedish midwives. *Occup. Environ. Med.* 1996;53:374-8.
- * 39. Axelsson G, Rylander R. Exposure to anaesthetic gases and spontaneous abortion: response bias in a postal questionnaire. *Int. J. Epidemiol.* 1982;11:250-6.
- * 40. Baden JM, Egbert B, Mazze RI. Carcinogen bioassay of enflurane in mice. *Anesthesiology* 1982;56:9-13.
- * 41. Baden JM, Kelley M, Cheung A, Mortelmans K. Lack of mutagens in urines of operating room personnel. *Anesthesiology* 1980;53:195-8.
- * 42. Baden JM, Kelley M, Mazze RI. Mutagenicity of experimental inhalational anaesthetic agents: sevoflurane, synthane, dioxychlorane, and dioxyflurane. *Anesthesiology* 1982;56:462-3.
43. Baden JM, Kundomal YR. Mutagenicity of the combination of a volatile anaesthetic and nitrous oxide. *Br. J. Anaesth.* 1987;59:772-5.
44. Baden JM, Kundomal YR, Luttrapp ME, Jr. et al. Carcinogen bioassay of nitrous oxide in mice. *Anesthesiology* 1986;64:747-50.
- * 45. Baden JM, Kundomal YR, Mazze RI, Kosek JC. Carcinogen bioassay of isoflurane in mice. *Anesthesiology* 1988;69:750-3.
46. Baden JM, Mazze RI, Wharton RS et al. Carcinogenicity of halothane in Swiss/ICR mice. *Anesthesiology* 1979;51:20-6.
- * 47. Baden JM, Simmon VF. Mutagenic effects of inhalational anaesthetics. *Mutat Res* 1980;74:169-89.
48. Badgwell JM. An evaluation of air safety source-control technology for the post anesthesia care unit. *Journal of PeriAnesthesia Nursing* 1996;11:207-22.
49. Badgwell JM. The postanesthesia care unit: A high-risk environment for bloodborne and infectious respiratory pathogens. *J Post Anesthesia Nurs* 1996;11:66-70.
50. Badgwell JM. A clinical evaluation of an operational postanesthesia care unit source control system. *Journal of PeriAnesthesia Nursing* 1997;12:73-81.
51. Badgwell JM, Sessler DI. Exposure of post-operative nurses to waste-anesthetic gases. *Anesthesiology* 1997;87:A338.
52. Badgwell M, Sessler D. Exposure of post-operative nurses to waste-anesthetic gases. *Journal of Investigative Medicine* 1997;45:206A.
53. Baillot A, Brunner M, Diepenbrock F, Sander J. Pollution of operating room air by anaesthetic gases depending on room ventilation and technique in anaesthesia. *Zentralbl Hyg Umweltmed* 1994;4:299-305.
54. Baird PA. Occupational exposure to nitrous oxide - not a laughing matter (letter). *N. Engl. J. Med.* 1992;327:1026-7.
55. Baird PA. Nitrous oxide and fertility (letter). *N. Engl. J. Med.* 1993;328:285.
56. Bardosi L, Tekeres M. Impaired metabolic activity of phagocytic cells after anaesthesia and surgery. *Br J Anaesth* 1985;57:520-3.
57. Bargellini A, Rovesti S, Barbieri A et al. Effects of chronic exposure to anaesthetic gases on some immune parameters. *Sci Total Environ* 2001;270:149-56.

58. Basford AB, Fink BR. The teratogenicity of halothane in the rat. *Anesthesiology* 1968;29:1167-73.
59. Basler A, Rohrborn G. Lack of mutagenic effects of halothane in mammals in vivo. *Anesthesiology* 1981;55:143-7.
60. Beckman DR, Hoganson G, Berlow S, Gilbert EF. Pathological findings in 5,10-methylene tetrahydrofolate reductase deficiency. *Birth Defects: Original Article Series* 1987;23:47-64.
61. Bennetts FE, Carnegie CM. Isoflurane sedation and atmospheric pollution [letter; comment]. *Intensive Care Med.* 1994;20:460.
62. Berner O. Concentration and elimination of anaesthetic gases in recovery rooms. *Acta anaesth. scand.* 1978;22:55-7.
- # 63. Berry AJ, Fleisher LA. Cause-specific mortality risks of anesthesiologists. New evidence for the existence of old problems. (Editorial). *Anesthesiology* 2000;93:919-21.
64. Blair JH, Stearns HE, Simpson GM. Vitamin B 12 and fertility. *Lancet* 1968;1:49-50.
65. Boering KA, Wofsy SC, Daube BC et al. Stratospheric mean ages and transport rates from observations of carbon dioxide and nitrous oxide. *Science* 1996;274:1340-2.
- * 66. Boivin J-F. Risk of spontaneous abortion in women occupationally exposed to anaesthetic gases: a meta-analysis. *Occup. Environ. Med.* 1997;54:541-8.
67. Born PJA, Kant I, Houben G et al. Monitoring of nitrous oxide in operating rooms: Identification of sources and estimation of occupational exposure. *J. Occup. Med.* 1990;32:1112-6.
68. Bozkurt G, Memis D, Karabogaz G et al. Genotoxicity of waste anaesthetic gases. *Anaesth Intensive Care* 2002;30:597-602.
69. Brand JM, Kirchner H, Poppe C, Schmucker P. The effects of general anesthesia on human peripheral immune cell distribution and cytokine production. *Clin Immunol Immunopathol* 1997;83:190-4.
70. Brodsky JB. Nitrous oxide and fertility (letter). *N. Engl. J. Med.* 1983;328:284-5.
71. Brodsky JB, Cohen EN, Brown BW, Jr. et al. Exposure to nitrous oxide and neurologic disease among dental professionals. *Anesth Analg* 1981;60:297-301.
72. Brown AC, Canosa-Mas CE, Parr AD et al. Tropospheric lifetimes of halogenated anaesthetics- letter. *Nature* 1989;341:635-7.
73. Brown BR, Frink EJ. Biodegradation and organ toxicity of new volatile anesthetics. *Current Opinion in Anaesthesiology* 1993;6:644-7.
74. Bruce D. Immunologically competent anesthesiologists. *Anesthesiology* 1972;37:76-8.
75. Bruce D, Stanley T. Research replication may be subject specific (letter). *Anesth. Analg.* 1963;62:7-21.
76. Bruce DL. Murine fertility unaffected by traces of halothane. *Anesthesiology* 1973;38:473-7.
77. Bruce DL. Failure of nitrous oxide to inhibit transformation of lymphocytes by phytohemagglutinin. *Anesthesiology* 1976;44:155-6.
78. Bruce DL. Recantation revisited (letter). *Anesthesiology* 1991;74:1160-1.
79. Bruce DL, Bach MJ. Psychological studies of human performance as affected by traces of enflurane and nitrous oxide. *Anesthesiology* 1975;42:194-205.
80. Bruce DL, Bach MJ. Effects of trace anesthetic gases on behavioural performance of volunteers. *Br. J. Anaesth.* 1976;48:871-6.

81. Bruce DL, Bach MJ, Arbit J. Trace anesthetic effects on perceptual, cognitive, and motor skills. *Anesthesiology* 1974;40:453-8.
82. Bruce DL, Eide KA, Smith NJ et al. A prospective survey of anesthesiologist mortality, 1967-1971. *Anesthesiology* 1974;41:71-4.
83. Bruce DL, Linde HW. Halothane content in recovery room air. *Anesthesiology* 1972;36:517-8.
84. Bruce DL, Stanley TH. Research replication may be subject specific (letter). *Anesth. Analg.* 1983;62:617.
85. Brugnone F, Perbellini L. Blood interface in environmental and occupational. *G. Ital. Med. Lav.* 1994;16:11-7.
86. Bueck M, Westphal K, Lischke V et al. Occupational exposure of post anesthesia care unit and intensive care unit staff to nitrous oxide and volatile anesthetics. *Anesthesiology* 2001;95:A1081.
87. Buratti M, Pellegrino D, Valla C. The biological monitoring of occupational exposure. *Medicina Del Lavoro* 1993;84:66-73.
88. Buratti M, Pellegrino O, Valla C, Colombi A. The biological monitoring of occupational exposure. *Med. Lav.* 1993;84:66-73.
89. Burgess JL, Pappas GP, Robertson WO. Hazardous materials incidents: The Washington Poison Center experience and approach to exposure assessment. *JOEM* 1997;39:760-6.
- # 90. Buring JE, Hennekens CH, Mayrent SL et al. Health experiences of operating room personnel. *Anesthesiology* 1985;62:325-30.
91. Byhahn C, Heller K, Lischke V, Westphal K. Surgeon's occupational exposure to nitrous oxide and sevoflurane during pediatric surgery. *World J Surg* 2001;25:1109-12.
92. Byhahn C, Lischke V, Westphal K. [Occupational exposure in the hospital to laughing gas and the new inhalation anesthetics desflurane and sevoflurane]. *Dtsch Med Wochenschr* 1999;124:137-41.
93. Byhahn C, Strouhal U, Westphal K. [Exposure of anesthetists to sevoflurane and nitrous oxide during inhalation anesthesia induction in pediatric anesthesia]. *Anaesthesiol Reanim* 2000;25:12-6.
94. Byhahn C, Wilke HJ, Strouhal U et al. Occupational exposure to nitrous oxide and desflurane during ear-nose-throat-surgery. *Can J Anaesth* 2000;47:984-8.
95. Byhahn C, Wilke HJ, Westpphal K. Occupational exposure to volatile anaesthetics: epidemiology and approaches to reducing the problem. *CNS Drugs* 2001;15:197-215.
96. Caraffini S, Ricci F, Assalve D, Lisi P. Isoflurane: an uncommon cause of occupational airborne contact dermatitis. *Contact Dermatitis* 1998;38:286.
- # 97. Carney FM, Van Dyke RA. Halothane hepatitis: a critical review. *Anesth Analg* 1972;51:135-60.
- * 98. Carpenter LM, Swerdlow AJ, Fear NT. Mortality of doctors in different specialties: findings from a cohort of 20,000 NHS hospital consultants. *Occup. Environ. Med.* 1997;84:388-95.
99. Carrano AV, Thompson LH, Lindl PA, Minkler JL. Sister chromatid exchange as an indicator of mutagenesis. *Nature* 1978;271:551-3.
100. Cascorbi HF. Is the operating room unhealthy? *JAMA* 1977;238:970.
101. Cattaneo AD, Indiveri F, Launo C et al. Contamination of the operating room air by anesthetic gases and vapors: V. Anesthesiologist's immunocompetence. *ACTA Anaesthesiol Italica* 1986;36:673-86.

102. Chang WP, Lee SR, Tu J, Hseu S. Increased micronucleus formation in nurses with occupational nitrous exposure in operating theaters. *Environ. Mol. Mutagen.* 1996;27:93-7.
103. Christensen C. Toxic effects of anestheticwaste gases. *Ugeskr LAEG* 1989;151:480-3.
104. Christensen MS, Askrog VF, Olsen TS et al. Liver function, histology, and cytochemistry in man following halothane and cyclopropane anaesthesia. *Acta Med Scand* 1966;180:29-41.
105. Coate WB, Ulland BM, Lewis TR. Chronic exposure to low concentrations of halothane-nitrous oxide: lack of carcinogenic effect in the rat. *Anesthesiology* 1979;50:306-9.
106. Cohen EN. Metabolism of the volatile anesthetics. *Anesthesiology* 1971;35:193-202.
107. Cohen EN. Metabolism of the volatile anesthetics--toxic implications. *Masui* 1973;22:978-84.
108. Cohen EN, Bellville JW, Brown BW, Jr. Anesthesia, pregnancy, and miscarriage: a study of operating room nurses and anesthetists. *Anesthesiology* 1971;34:343-7.
109. Cohen EN, Brown BW, Bruce DL et al. A survey of anesthetic health hazards among dentists. *JADA* 1975;90:1291-6.
110. Cohen EN, Brown BW, Wu ML et al. Occupational disease in dentistry and chronic exposure to trace anesthetic gases. *J. Am. Dent. Assoc.* 1980;101:21-31.
111. Cohen EN, Trudell JR. Biodegradation of inhalation anesthetics. *Clin Anesth* 1975;11:103-9.
112. Colas MJ, Tetrault JP, Dumais L et al. The SiBI connector: a new medical device to facilitate preoxygenation and reduce waste anesthetic gases during inhaled induction with sevoflurane. *Anesth Analg* 2000;91:1555-9, TOC.
113. Cooper R. Anaesthetic agents: Controlling exposure under COSHH (control of substances hazardous to health). *Anaesthesia Points West*;29:24-5.
114. Cope KA, Merritt WT, Krenzischek DA et al. Phase II collaborative pilot study: preliminary analysis of central neural effects from exposure to volatile anesthetics in the PACU. *J Perianesth Nurs* 2002;17:240-50.
115. Corbett TH, Cornell RG, Endres JL, Lieding K. Birth defects among children of nurse-anesthetists. *Anesthesiology* 1974;41:341-4.
116. Corbett TH, Cornell RG, Lieding K, Endres JL. Incidence of cancer among Michigan nurse anesthetists. *Anesthesiology* 1973;38:260-3.
117. Cottrell J, Chalon J, Turndorf H. Faulty anesthesia circuits: a source of environmental pollution in the operating room. *Anesthesia and Analgesia* 1977;56:359-62.
118. Cullen BF, Sample WF, Chretien PB. The effect of halothane on phytohemagglutinin-induced transformation of human lymphocytes in vitro. *Anesthesiology* 1972;36:206-12.
119. Dagan O, Segal S, Tzehoval E. Effect of anesthesia on the immune system: suppression of the immunogenic capacity of macrophages and of lymphocyte transformation. *Immunol Invest* 1989;18:975-85.
120. Davenport HT, Halsey MJ, Wardley-Smith B, Batemen PE. Occupational exposure to anaesthetics in 20 hospitals. *Anaesthesia* 1980;35:354-9.
121. Davis S, Mirick DK, Stevens RG. Night shift work, light at night, and risk of breast cancer. *J Natl Cancer Inst* 2001;93:1557-62.
122. Delogu G, Aceto E, Casula MA et al. Influenza di due differenti regimi di anestesia sui linfociti t e sulle sottopopolazioni t-helper e t-suppressor valutati attraverso l'impiego degli anticorpi monoclonali. *Acta Anaesth Italica* 1989;40:227-32.

123. DeZotti R, Negro C, Gobbato F. Results of hepatic and hemopoietic controls in hospital personnel exposed to waste anesthetic gases. *Int. Arch. Occup. Environ. Health* 1983;52:33-41.
124. Domenegati E, Rolandi L, Lodola L et al. Valutazione di un protocollo di sorveglianza sanitaria per il personale esposto ad anestetici inalatori in tre sale operatorie campione. *Minerva. Anestesiol.* 1996;62:297-305.
125. Domino KB, H. AB, Nagaham, Checkoway Ha, S. I. Mortality of anesthesiologists compared to internists. *Anesthesiology* 1999;91:A1164.
126. Dorman DC, Moss OR, Farris GM et al. Pharmacokinetics of inhaled [¹⁴C] Methanol and Methanol-derived [¹⁴C] formate in normal and folate-deficient cynomolgus monkeys. *Toxicol. Appl. Pharmacol.* 1994;128:229-38.
127. Duncan P, Cullen B. Anesthesia and Immunology. *Anesthesiology* 1976;45:522-38.
128. Ebert T, Frink E, Jr., Kharasch E. Absence of biochemical evidence for renal and hepatic dysfunction after 8 hours of 1.25 minimum alveolar concentration sevoflurane anesthesia in volunteers. *Anesthesiology* 1998;88:601-10.
129. Ebi KL, Rice SA. Reproductive and developmental toxicity of anesthetics in humans. In: Rice SA, Fish KJ, eds. *Anesthetic Toxicity* New York: Raven Press, Ltd., 1994:175-98.
130. Eger EI. Fetal injury and abortion associated with occupational exposure to inhaled anesthetics. *Journal of the American Association of Nurse Anesthetists* 1991;59:309-12.
131. Eger EI, 2nd, Johnson BH, Strum DP, Ferrell LD. Studies of the toxicity of I-653, halothane, and isoflurane in enzyme- induced, hypoxic rats. *Anesth Analg* 1987;66:1227-9.
132. Eger EI, 2nd, Lester MJ, Winegar R et al. Compound A induces sister chromatid exchanges in Chinese hamster ovary cells. *Anesthesiology* 1997;86:918-22.
133. Eger EI, II, White AE, Brown CL et al. A test of the carcinogenicity of enflurane, isoflurane, halothane, methoxyflurane, and nitrous oxide in mice. *Anesth. Analg.* 1978;57:678-94.
134. Ehrenwerth J, Eisenkraft JB. *Anesthesia Equipment: Principles and Applications* St. Louis: Mosby-Year Book Inc., 1993.
135. Ekbom A. Do anesthesiologists die younger? *Acta Anaesthesiologica Scandinavica* 2002;46:1185-6.
136. Erbe RW, Salis RJ. Severe methylenetetrahydrofolate reductase deficiency, methionine synthase, and nitrous oxide--a cautionary tale. *N Engl J Med* 2003;349:5-6.
137. Ericson A, Kallen B. Survey of infants born in 1973 or 1975 to Swedish women working in operating rooms during their pregnancies. *Anesth. Analg.* 1979;58:302-5.
138. Ericsson HA, Kallen AJB. Hospitalization for miscarriage and delivery outcome among Swedish nurses working in operating rooms 1973-1978. *Anesth. Analg.* 1985;64:981-8.
139. Erol MK, Oztas S, Bozkurt E, Karakelleoglu S. Sister chromatid exchange analysis and chromosoma aberration studies in interventional cardiology laboratory workers: one year follow up study. *Jpn Heart J* 2002;43:159-66.
140. FDA. Chloroform as an ingredient of human drug and cosmetic products: FDA, US DHEW, 1976.
141. FDA. *Anesthesia Apparatus Checkout Recommendations*. Rockville, MD: FDA, US DHEW, 1987.
142. FDA. *Anesthesia Apparatus Checkout Recommendations*. Rockville, MD: FDA, US DHEW, 1993.

143. Ferstandig LL. Trace concentrations of anesthetic gases: a critical review of their disease potential. *Anesth. Analg.* 1978;57:328-45.
- * 144. Fink BR, Shepard TH, Blandau RJ. Teratogenic activity of nitrous oxide. *Nature* 1967;214:146-8.
145. Fisher J, Mahle D, Bankston L et al. Lactational transfer of volatile chemicals in breast milk. *AIHA Journal* 1997;58:425-31.
146. Flanagan RJ, Ives RJ. Volatile substance abuse. *Bulletin on Narcotics* 1994;XLVI:49-78.
147. Flippo TS, Holder WD, Jr. Neurologic degeneration associated with nitrous oxide anesthesia in patients with vitamin B12 deficiency. *Arch Surg* 1993;128:1391-5.
148. Flodin U, Landtblom AM, Axelson O. Multiple sclerosis in nurse anaesthetists. *Occup Environ Med* 2003;60:66-8.
149. Flore C, Marchi A, Garau VL et al. Inquinamento da isoflurano nelle sale operatorie. *G. Ital. Med. Lav.* 1988;10:107-10.
150. Foley K. AANA Journal course: update for nurse anesthetists--occupational exposure to trace anesthetics: quantifying the risk. *Journal of the American Association of the Nurse Anesthetists* 1993;61:405-12.
151. Forrester AC. Advances in anaesthesia. *Practitioner* 1971;207:533-42.
152. Franco G. Occupational exposure to anaesthetics: liver injury, microsomal enzyme induction and preventive aspects. *G. Ital. Med. Lav.* 1989;11:205-8.
153. Franco G, Fonte R, Ghittori S. Drinking habits and occupational exposure to inhalation anesthetics at low doses. *Med. Lav.* 1993;84:463-72.
154. Franco G, Lorena M, Gittori S. Occupational exposure of operating-theater personnel to isoflurane and nitrous oxide. *Appl. Occup. Environ. Hyg.* 1992;7(10):677-81.
155. Franco G, Marraccini P, Santagostino G et al. Behavior of urinary D-glucaric acid excretion in surgical patients and anaesthesiology staff acutely exposed to isoflurane and nitrous oxide. *Med. Lav.* 1991;82:527-32.
156. Frankhuizen J, Vlek C, Burm A, Reijger V. Failure to replicate negative effects of trace anaesthetics on mental performance. *Br. J. Anaesth.* 1978;50:229.
157. Franks NP, Lieb WR. A serious target for laughing gas [news; comment]. *Nat Med* 1998;4:383-4.
158. Frazier LM, Jones TL. Managing patients with concerns about workplace reproductive hazards [In Process Citation]. *J Am Med Womens Assoc* 2000;55:80-3, 105.
159. Freeman DA, Woods GL, Vanderwall DK, Weber JA. Embryo-initiated oviductal transport in mares. *J Reprod Fertil* 1992;95:535-8.
160. Friedman JM. Teratogen update: Anesthetic agents. *Teratology* 1988;37:69-77.
161. Fujinaga M, Baden JM, Yhap EO, Mazze RI. Reproductive and teratogenic effects of nitrous oxide, isoflurane, and their combination in Sprague-Dawley rats. *Anesthesiology* 1987;67:960-4.
162. Galinkin JL, Janiszewski D, Young CJ et al. Subjective, psychomotor, cognitive, and analgesic effects of subanesthetic concentrations of sevoflurane and nitrous oxide. *Anesthesiology* 1997;87:1082-8.
163. Gambill A, McCallum R, Henrichs T. Psychomotor performance following exposure to trace concentrations of inhalation anesthetics. *Anesth Analg* 1979;58:475-82.
164. Garfield JM, Garfield FB, Sampson J. Effects of nitrous oxide on decision-strategy and sustained attention. *Psychopharmacologia* 1975;42:5-10.

165. Gilly H, Lex C, Steinbereithner K. Anesthetic gas contamination in the operating room--an unsolved problem? Results of our own studies. *Anaesthetist* 1991;40:629-37.
166. Girdler NM. Controlling dental occupational exposure to nitrous oxide. *Br. Dental J.* 1996;180:409.
167. Gobba F, Ghittori S, Imbriani M. The urinary excretion of solvents and gases for the biological monitoring of occupational exposure: a review. *Science of the Total Environment* 1997;199:3-12.
168. Gold EB, Tomich E. Occupational hazards to fertility and pregnancy outcome. *Occup. Med.* 1994;9:435-69.
169. Gray RH. Nitrous oxide and fertility (letter). *N. Engl. J. Med.* 1993;328:284.
170. Gray WM, Spence AA. Day-to-day variations in operating theatre pollution: Implications for a routine monitoring strategy. *Health Bulletin* 1984;42:321-7.
171. Greenfield W. Potential hazards of chronic exposure to trace anesthetic gases: implications for density. *JADA* 1980;101:158-9.
172. Griffith CD, Kamath MB. Effect of halothane and nitrous oxide anaesthesia on natural killer lymphocytes from patients with benign and malignant breast disease. *Br J Anaesth* 1986;58:540-3.
- * 173. Guirguis SS, Pelmear PL, Roy ML, Wong L. Health effects associated with exposure to anaesthetic gases in Ontario hospital personnel. *Br. J. Industrial Med.* 1990;47:490-7.
174. Gustorff B, Lorenzl N, Aram L et al. Environmental monitoring of sevoflurane and nitrous oxide using the cuffed oropharyngeal airway. *Anesth Analg* 2002;94:1244-8, table of contents.
175. Hadzic A, Glab K, Sanborn KV, Thys DM. Severe neurologic deficit after nitrous oxide anesthesia. *Anesthesiology* 1995;83:863-6.
176. Hägerdal M, Lecky J. Anesthetic death of an experimental animal related to a scavenging system malfunction. *Anesthesiology* 1977;47:522-3.
177. Hall J, Henderson K, Oldham T et al. Environmental monitoring during gaseous induction with sevoflurane. *British Journal of Anaesthesia* 1997;79:342-5.
178. Hall JE, Henderson KA, Oldham TA et al. Environmental monitoring during gaseous induction with sevoflurane. *Br J Anaesth* 1997;79:342-45.
179. Halsey MJ. The metabolic breakdown of inhalation anaesthetics and their clinical implications. *Acta Anaesthesiol Belg* 1973;24:109-14.
180. Halsey MJ, Green CJ, Monk SJ et al. Maternal and paternal chronic exposure to enflurane and halothane: fetal and histological changes in the rat. *Br. J. Anaesth.* 1981;53:203-15.
- * 181. Halsey MJ, Sawyer DC, Eger Eid et al. Hepatic metabolism of halothane, methoxyflurane, cyclopropane, Ethrane, and Forane in miniature swine. *Anesthesiology* 1971;35:43-7.
182. Hamilton R, Byrne J. Another cause of gas scavenging line obstruction. *Anesthesiology* 1979;51:365-6.
183. Hansteen I-L, Kjuus H, Fandrem SI. Spontaneous abortions of known karyotype related to occupational and environmental factors: A case-referent study. *Int. J. Occup. Environ. Health* 1996;2:195-203.
184. Harkins SW, Benedetti C, Colpitts YH, Chapman CR. Effects of nitrous oxide inhalation on brain potentials evoked by auditory and noxious dental stimulation. *Prog Neuropsychopharmacol Biol Psychiatry* 1982;6:167-74.

185. Harmer M, Raj N, Henderson K, Hall JE. Evaluation of personal, biological and environmental monitoring of paediatric anaesthetists exposed to nitrous oxide. *British Journal of Anaesthesia* 2002;88:327P.
186. Haurani FI, Kauh YS, Abboud EM. Methylcobalamin corrects the deleterious in vitro effect of nitrous oxide on thymidylate synthetase. *Mol. Cell. Biochem.* 1984;65:153-7.
- * 187. Health Services Advisory Committee. *Anaesthetic agents: Controlling exposure under COSHH*. Suffolk: Health and Safety Executive, 1995.
188. Heath BJ, Done M, Balog O et al. The effect of scavenging on nitrous oxide pollution in the delivery suite. *Aust. NZ J. Obstet. Gynaecol.* 1994;34:484-6.
189. Helliwell PJ. ***DEATH*** Suicide amongst anaesthetists-in-training. *Anaesthesia* 1983;38:1097.
- * 190. Hemminki K, Kyyronen P, Lindbohm M-L. Spontaneous abortions and malformations in the offspring of nurses exposed to anaesthetic gases, cytostatic drugs, and other potential hazards in hospitals, based on registered information of outcome. *J. Epidemiol. Community Health* 1985;39:141-7.
191. Hendrickx JF, Coddens J, Callebaut F et al. Effect of N₂O on sevoflurane vaporizer settings during minimal- and low- flow anesthesia. *Anesthesiology* 2002;97:400-4.
192. Henry RJ. Assessing environmental health concerns associated with nitrous oxide. *JADA* 1992;123:41-7.
193. Hess W, Kannmacher J, Kruse J. Contamination of anaesthetic gases with nitric oxide and its influence on oxygenation: study in patients undergoing open heart surgery. *Br J Anaesth* 2004;93:629-33.
194. Hirst M, Tse S, Mills DG et al. Occupational exposure to cyclophosphamide. *Lancet* 1984;1:186-8.
195. Hobbhahn J, Hoerauf K, Wiesner G et al. Waste gas exposure during desflurane and isoflurane anaesthesia. *Acta Anaesthesiol Scand* 1998;42:864-7.
196. Hobbhahn J, Schwall B, Hoerauf K et al. Inhalational induction with sevoflurane in adults - efficacy, safety, patient preference and occupational exposure. *Anästhesiologie & Intensivmedizin* 1998;3:118-24.
197. Hobbhahn J, Wiesner G, Taeger K. [Occupational exposure and environmental pollution: the role of inhalation anesthetics with special consideration of sevoflurane]. *Anaesthetist* 1998;47 Suppl 1:S77-86.
198. Hoerauf K, Frohlich D, Koller C. Arbeitsplatzbelastung im OP durch isofluran bei verwendung der larynxmaske (Occupational exposure in the operating room). *Gesundheitswesen* 1996;58:341-5.
199. Hoerauf K, Fröhlich D, Koller C et al. Occupational exposure in the operating room by is. *Gesundheitswesen* 1996;58:341-5.
200. Hoerauf K, Funk W, Harth M, Hobbhahn J. Occupational exposure to sevoflurane, halothane and nitrous oxide during paediatric anaesthesia. *Anaesthesia* 1997;52:215-9.
201. Hoerauf K, Harth M, Wild K, Hobbhahn J. Occupational exposure to desflurane and isoflurane during cardiopulmonary bypass: is the gas outlet of the membrane oxygenator an operating theatre pollution hazard? *British Journal of Anaesthesia* 1997;78:378-80.
202. Hoerauf K, Hosemann W, Wild K, Hobbhahn J. Exposure of operating room personnel to anesthetic gases during interventions. *HNO* 1996;44:567-71.

203. Hoerauf K, Koller C, Jakob W et al. Isoflurane waste gas exposure during general anaesthesia: the laryngeal mask compared with tracheal intubation. *British Journal of Anaesthesia* 1996;77:189-93.
204. Hoerauf K, Koller C, Vescia F et al. Exposure of intensive-care unit personnel to isoflurane in long-term sedation. *Anesthesiol. Intensivmed. Notfallmed. Schmerzther.* 1995;30:483-7.
205. Hoerauf K, Koller C, Wiesner G et al. Nitrous oxide exposure of operating room personnel in intubation anesthesia. *Gesundheitswesen* 1995;57:92-6.
206. Hoerauf K, Koller C, Wiesner G et al. Occupational exposure to sevoflurane and nitrous oxide in operating room personnel. *Anesthesiology* 1994;81:15-9.
207. Hoerauf K, Lierz M, Wiesner G et al. Genetic damages in operating room personnel exposed to isoflurane and nitrous oxide. *Occup. Environ. Med.* 1999;56:433-7.
208. Hoerauf K, Lierz M, Wiesner G et al. Genetic damage in operating room personnel exposed to isoflurane and nitrous oxide. *Occup Environ Med* 1999;56:433-7.
209. Hoerauf K, Nuhr M, Wiesner G et al. Sister Chromatid Exchanges in Lymphocyte Cultures Exposed to Halothane and Sevoflurane. *Anesth Analg* 2000;90:523.
210. Hoerauf K, Wiesner G, Funk W et al. Biological monitoring during occupational exposure to isoflurane and sevoflurane. *Zent.bl. Hyg. Umweltmed.* 1998;200:521-9.
211. Hoerauf KH, Hartmann T, Acimovic S et al. Waste gas exposure to sevoflurane and nitrous oxide during anaesthesia using the esophageal-tracheal Combitube small adult. *Br J Anaesth* 2001;86:124-6.
212. Hoerauf KH, Hartmann T, Zavrski A et al. Occupational exposure to sevoflurane during sedation of adult patients. *Int Arch Occup Environ Health* 1999;72:174-7.
213. Hoerauf KH, Koller C, Taeger K, Hobbhahn J. Occupational exposure to sevoflurane and nitrous oxide in operating room personnel. *Int Arch Occup Environ Health* 1997;69:134-8.
214. Hoerauf KH, Schrogendorfer KF, Wiesner G et al. Sister chromatid exchange in human lymphocytes exposed to isoflurane and nitrous oxide in vitro. *Brit. J. Anaesth.* 1999;82:268-70.
215. Hoerauf KH, Wallner T, Akca O et al. Exposure to sevoflurane and nitrous oxide during four different methods of anesthetic induction. *Anesth. Analg.* 1999;88:925-9.
216. Hoerauf KH, Wiesner G, Schrogendorfer KF et al. Waste anesthetic gases induce sister chromatid exchanges in lymphocytes of operating room personnel. *Br. J. Anaesth.* 1999;82:764-6.
217. Holloway KL, Alberico AM. Postoperative myeloneuropathy: a preventable complication in patients with B12 deficiency. *J. Neurosurg* 1990;72:732-6.
218. Holmberg K, Lambert B, Lindsten J, Soderhall S. DNA and chromosome alterations in lymphocytes of operating room personnel and in patients before and after inhalation anaesthesia. *Acta Anaesthesiol Scand* 1982;26:531-9.
219. Howard WR. Nitrous oxide in the dental environment: Assessing the risk, reducing the exposure. *JADA* 1997;128:356-60.
220. Huffman LM. Regulations, standards, and guidelines protecting PACU healthcare workers. *Journal of PeriAnesthesia Nursing* 1996;11:231-9.
221. Husum B, Niebuhr E, Wulf HC, Norgaard I. Sister chromatid exchanges and structural chromosome aberrations in lymphocytes in operating room personnel. *Acta Anaesthesiol. Scand.* 1983;27:262-5.

222. Husum B, Wulf HC. Sister chromatid exchanges in lymphocytes in operating room personnel. *Acta Anaesthet Scand* 1980;24:22-4.
223. Husum B, Wulf HC, Mathiassen F, Miebuhr E. Sister chromatid exchanges in lymphocytes of dentists and chairside assistants: no indication of a mutagenic effect of exposure to waste nitrous oxide. *Community Dent Oral Epidemiol* 1986;14:148-51.
224. Husum B, Wulf HC, Niebuhr E. Sister chromatid exchanges in lymphocytes after anaesthesia with halothane or enflurane. *Acta Anaesthesiol Scand* 1981;25:97-8.
225. Husum B, Wulf HS, Niebuhr E. Monitoring of sister chromatid exchanges in lymphocytes of nurse-anesthetists. *Anesthesiology* 1985;62:475-9.
226. Ilsley AH, Plummer JL, Runciman WB, Cousins MJ. Anaesthetic gas analysers for vaporiser calibration, patient circuit monitoring and determination of environmental waste anaesthetic gas levels. *Anaesth Intens Care* 1988;16:35-7.
227. Imberti R, Preseglio I, Imbriani M et al. Low flow anaesthesia reduces occupational exposure to inhalation anaesthetics. Environmental and biological measurements in operating room personnel. *Acta Anaesthesiol Scand* 1995;39:586-91.
228. Imbriani M, Andreolite F, Baj A et al. Measurements and environmental and biological. *G. Ital. Med. Lav.* 1992;14:11-24.
229. Imbriani M, Ghittori S, Pezzagno G, Capodaglio E. Evaluation of exposure to isoflurane (forane): environmental and biological measurements in operating room personnel. *Journal of Toxicology and Environmental Health* 1988;25:393-402.
230. Imbriani M, Ghittori S, Pezzagno G, Capodaglio E. Nitrous oxide (N₂O) in urine as biological index of exposure in operating room personnel. *Appl Ind Hyg* 1988;3:223-6.
231. Imbriani M, Ghittori S, Pezzagno G, Capodaglio E. Anesthetic in urine as biological index of exposure in operating-room personnel. *J. Toxicol. Environ. Health* 1995;46:249-60.
232. Infante PF, Pesak J. A historical perspective of some occupationally related diseases of women. *J. Occup. Med.* 1994;36:826-31.
233. Jacobs DE, Middendorf PJ. Control of nitrous oxide exposures in dental operatories using local exhaust ventilation: a pilot study. *Anesthesia Progress* 1986;23:35-42.
234. Jankowski CB. Radiation protection for nurses. Regulations and guidelines. *JONA* 1992;22:30-4.
235. Jenstrup M, Fruergaard KO, Mortensen CR. Pollution with nitrous oxide using laryngeal mask or face mask. *Acta Anaesthesiol Scand* 1999;43:663-6.
236. Jevtic-Todorovic V, Todorovic SM, Mennerick S et al. Nitrous oxide (laughing gas) is an NMDA antagonist, neuroprotectant and neurotoxin. *Nature Medicine* 1998;4:460-3.
237. Johnson JA, Buchan RM, Reif JS. Effect of waste anesthetic gas and vapor exposure on reproductive outcome in veterinary personnel. *Am. Ind. Hyg. Assoc. J.* 1987;48:62-6.
238. Johnston J. Nitrous oxide: Your health and theirs. *Br. J. Theatre Nurs.* 1993;3:29-30.
239. Juel K, Husum B, Viby-Mogensen J, Viskum S. Mortality among anesthesiologists in Denmark, 1973-95. *Acta Anaesthesiologica Scandinavica* 2002;46:1203-5.
240. Kaarakka P, Malischke P, Kreul J. Alternative sites for measuring breathing zone nitrous oxide levels. *Anesthesiology* 1981;55:A139.
241. Kai T, Kanmura Y, Takahashi S et al. Development and utilization of a system for treating waste anesthetic gases. *Anesthesiology* 2002;A570.
242. Kanmura Y, Sakai J, Yoshinaka H, Shirao K. Causes of nitrous oxide contamination in operating rooms. *Anesthesiology* 1999;90:693-6.

243. Kant IJ, van Rijssen-Moll M, Borm PJA. Simulation of nitrous oxide concentrations in operating and recovery rooms. *Am. Occup. Hyg.* 1990;34:575-83.
244. Karabiyik L, Sardas S, Polat U et al. Comparison of genotoxicity of sevoflurane and isoflurane in human lymphocytes studied in vivo using the comet assay. *Mutat Res* 2001;492:99-107.
245. Karakaya A, Tuncel N, Tucesoy B et al. The effects of volatile anaesthetic agents on human immune system function via occupational exposure. *Immunopharmacol. Immunotoxicol.* 1992;14:251-9.
246. Karelova J, Jablonicka A, Gavora J, Hano L. Chromosome and sister-chromatid exchange analysis in peripheral lymphocytes, and mutagenicity of urine in anesthesiology personnel. *Int Arch Occup Environ Health* 1992;64:303-6.
247. Kelling G. Disposing anesthetic vapors from operating rooms. *Zentralblatt für Chirurgie* 1918;35:602-6.
248. KEM Medical Products Corporation. Technical Information: Vapor-Trak Nitrous Oxide Monitors. Deerfield Beach, FL.
249. Kendrick A, Heavey J, Sumner R. Waste gas analysis in OHSU PACU environment. *Anesthesiology* 1997;87:A403.
250. Kenna JG, Jones RM. The organ toxicity of inhaled anesthetics. *Anesth. Analg.* 1995;81:S51-66.
251. Kennedy GL, Jr., Smith SH, Keplinger ML, Calandra JC. Reproductive and teratologic studies with halothane. *Toxicol Appl Pharmacol* 1976;35:467-74.
252. Kennedy GL, Jr., Smith SH, Keplinger ML, Calandra JC. Reproductive and teratologic studies with isoflurane. *Drug Chem Toxicol* 1977;1:75-88.
253. Khattak S, K-Moghtader G, McMartin K et al. Pregnancy outcome following gestational exposure to organic solvents. A prospective controlled study. *JAMA* 1999;281:1106-9.
254. Khine HH, Corddry DH, Kettrick RG et al. Comparison of cuffed and uncuffed endotracheal tubes in young children during general anesthesia. *Anesthesiology* 1997;86:627-31.
255. Knill-Jones RP, Newman BJ, Spence AA. Anesthetic practice and pregnancy. Controlled survey of male anaesthetists in the United Kingdom. *Lancet* 1975;2:807-9.
256. Knill-Jones RP, Rodrigues LV, Moir DD, Spence AA. Anaesthetic practice and pregnancy. Controlled survey of women anaesthetists in the United Kingdom. *Lancet* 1972;1:1326-8.
257. Koda S, Kumagai S, Toyata M et al. A study of waste anesthetic gases monitoring and working environmental controls in hospital operating rooms. *San. E. Shi.* 1997;39:38-45.
258. Koeter HB, Rodier PM. Behavioral effects in mice exposed to nitrous oxide or halothane: prenatal vs. postnatal exposure. *Neurobehav Toxicol Teratol* 1986;8:189-94.
259. Kole TE. Environmental and occupational hazards of the anesthesia workplace. *Journal of the American Association of Nurse Anesthetists* 1990;58:327-31.
260. Kong KL, Bion JF. Editorial I: Sedating patients undergoing mechanical ventilation in the intensive care unit-winds of change? *Br J Anaesth* 2003;90:267-9.
261. Korttila K, Pfaffli P, Linnoila M et al. Operating room nurses' psychomotor and driving skills after occupational exposure to halothane and nitrous oxide. *Acta Anaesthesiol Scand* 1978;22:33-9.
262. Krenzischek DA, Schaefer J, Nolan M et al. Phase I collaborative pilot study: Waste anesthetic gas levels in the PACU. *J Perianesth Nurs* 2002;17:227-39.

263. Kundomal YR, Baden JM. Mutagenicity of inhaled anesthetics in *Drosophila melanogaster*. *Anesthesiology* 1985;62:305-9.
264. Lamberti L, Bigatti P, Ardito G, Armellino F. Chromosome analysis in operating room personnel. *Mutagenesis* 1989;4:95-7.
265. Lambert-Jensen P, Christensen NE, Brynnum J. Laryngeal mask and anaesthetic waste gas exposure. *Anaesthesia* 1992;47:697-700.
266. Land PC, Owen EL, Linde HW. Morphologic changes in mouse spermatozoa after exposure to inhalational anesthetics during early spermatogenesis. *Anesthesiology* 1981;54:53-6.
267. Lansdown AB, Pope WD, Halsey MJ, Bateman PE. Analysis of Fetal Development in Rats Following Maternal Exposure to Subanesthetic Concentrations of Halothane. *Teratology* 1976;13:299-304.
268. Lassen HCA, Henriksen E, Neukirch F, Kristensen HS. Treatment of tetanus severe bone-marrow depression after prolonged nitrous-oxide anaesthesia. *Lancet* 1956;1:527-30.
269. Layzer RB. Myeloneuropathy after prolonged exposure to nitrous oxide. *Lancet* 1978;2:1227-30.
270. Layzer RB, Fishman RA, Schafer JA. Neuropathy following abuse of nitrous oxide. *Neurology* 1978;28:504-6.
271. Lee E, Bongso A, Kumar A. Evaluation of inhalational anaesthetics on murine in vitro fertilization. *Ann Acad Med Singapore* 1994;23:479-85.
272. Lee P, Smith I, Piesowicz A, Brenton D. Spastic paraparesis after anaesthesia. *Lancet* 1999;353:554.
273. Leger EI. Fetal injury and abortion associated with occupational exposure to inhaled anesthetics. *Journal of the American Association of Nurse Anesthetists* 1991;59:309-12.
274. Lejus C, Le Roux C, Legendre E et al. Fluoride excretion in children after sevoflurane anaesthesia. *Br J Anaesth* 2002;89:693-6.
275. Lew JKL, Spence AA, Elton RA. Cross-sectional study of complications of inhalational anaesthesia in 16,995 patients. *Anaesthesia* 1991;46:810-5.
276. Lewis RE, Jr., Cruse JM, Hazelwood J. Halothane-induced suppression of cell-mediated immunity in normal and tumor-bearing C3Hf/He mice. *Anesth Analg* 1980;59:666-71.
277. Li W, Tse JY, James AE et al. Delivery and scavenging system for small animal inhalational anesthesia. *J Surg Res* 2001;99:175-8.
278. Linde HW, Bruce DL. Occupational exposure of anesthetists to halothane, nitrous oxide and radiation. *Anesthesiology* 1969;30:363-8.
279. Lopane O, Lucchini R, Vinco A, Alessio L. Cooperation between the occupational health department. *G. Ital. Med. Lav.* 1992;14:63-5.
280. Lucchini R, Belotti L, Cassitto MG et al. Neurobehavioral functions in operating theatre personnel: a multicenter study. *Med. Lav.* 1997;88:396-405.
281. Lucchini R, Placidi D, Toffoletto F, Alessio L. Neurotoxicity in operating room personnel working with gaseous and nongaseous anesthesia. *Int Arch Occup Environ Health* 1996;68:188-92.
282. Lucchini R, Toffoletto F, Camerino D et al. Neurobehavioral functions in operating theatre personnel exposed to anesthetic gases. *Medicina del Lavoro* 1995;86:27-33.
283. Malhotra SK, Dhananjaya PR, Singh H, Pershad D. Effect of halothane exposure on motor skills & memory in anaesthetists. *Indian J Med Res* 1993;98:218-22.

284. Maran NJ, Knill-Jones RP, Spence AA. Infertility among female hospital doctors in the UK. *Br. J. Anaesth.* 1996;76:581P.
285. Marcus M, McChesney R, Golden A, Landrigan P. Video display terminals and miscarriage [In Process Citation]. *J Am Med Womens Assoc* 2000;55:84-8, 105.
286. Marczin N. Editorial I: Tiny wonders of tiny impurities of nitrous oxide during anaesthesia. *Br J Anaesth* 2004;93:619-23.
287. Marier JR. Halogenated hydrocarbon environmental pollution: The special case of halogenated anesthetics. *Environmental Research* 1982;28:212-39.
288. Markovic SN, Knight PR, Murasko DM. Inhibition of interferon stimulation of natural killer cell activity in mice anesthetized with halothane or isoflurane. *Anesthesiology* 1993;78:700-6.
289. Marraccini P, Vittadini G, Ghittori S. Evaluation of several neuropsychological paramete. *G Ital Med Lav* 1992;14:75-8.
290. Martin JL. Anesthetic toxicity, can these drugs really hurt my patients? ASA Refresher Course Lectures, 1996: 1-6.
291. Marx T. Pollution of the work environment by volatile anesthesia. *Anesthesiol. Intensivmed. Notfallmed. Schmerzther.* 1997;32:532-40.
292. Marx T, Gross-Alltag F, Ermisch J et al. Retrieval of anesthetic waste gases: an experimental approach. *Anesthesist* 1992;41:99-100.
293. Marx T, Zwing M, Koble R et al. Laughing gas as the principle substand in assess. *Anesthesiol. Intensivmed. Notfallmed. Schmerzther.* 1998;33:27-31.
294. Mattie D, Bates G, Jepson G et al. Determination of skin: Air partition coefficients for volatile chemicals: Experimental method and applications. *Fundamental and Applied Toxicology* 1993;22:51-7.
295. Mazze R. Fertility, reproduction, and postnatal survival in mice chronically exposed to isoflurane. *Anesthesiology* 1985;63:663-7.
296. Mazze RI. Waste anesthetic gases and regulatory agencies. *Anesthesiology* 1980;52:248-56.
297. Mazze RI. Waste anaesthetic gases: a health hazard? *Clinics in Anesthesiology* 1983;1:431-9.
298. Mazze RI, Fujinaga M, Rice SA et al. Reproductive and teratogenic effects of nitrous oxide, halothane, isoflurane, and enflurane in Sprague-Dawley rats. *Anesthesiology* 1986;64:339-44.
299. Mazze RI, Lecky JH. The health of operating room personnel. *Anesthesiology* 1985;62:226-8.
300. Mazze RI, Rice SA, Wyrobek AJ et al. Germ cell studies in mice after prolonged exposure to nitrous oxide. *Toxicol Appl Pharmacol* 1983;67:370-5.
301. McDonald AD, Armstrong B, Cherry NM et al. Spontaneous abortion and occupation. *J. Occup. Med.* 1986;28:1232-8.
302. McDonald AD, McDonald JC, Armstrong B et al. Fetal death and work in pregnancy. *Br J Ind Med* 1988;45:148-57.
303. McDougal JN, Jepson GW, Clewell I, H.J. et al. Dermal absorption of organic chemical vapors in rats and humans. *Fundamental and Applied Toxicology* 1990;14:299-308.
304. McGill WA, Rivera O, Howard R. Time-weighted averaging for nitrous oxide: An automated method. *Anesthesiology* 1980;53:424-6.

305. McGregor D. Trace anaesthetic gases and multiple sclerosis. *Occup Environ Med* 2003;60:66-8.
306. McGregor DG. Trace anesthetic gases in the operating room. *ASA Newsletter* 1997;61:12-3.
307. McGregor DG. Letter to the Editor: No trace gas risk for mom in pedi OR APSF Newsletter, 1999-2000:50.
308. McGregor DG. ASA updates waste gases advice. *OR Manager* 2000;16:24.
309. McGregor DG. Occupational exposure to trace concentrations on waste anesthetic gases. *Mayo Clin Proc* 2000;75:273-7.
310. McGregor DG, Baden JM, Bannister C et al. Waste anesthetic gases. Information for management in anesthetizing areas and the postanesthesia care unit (PACU). American Society of Anesthesiologists Booklet 1999.
311. McGregor DG, Senjem DH, Mazze RI. Trace nitrous oxide levels in the post anesthetic care unit. *Anesth. Analg.* 1999;89:472-5.
312. McNamee R, Keen R, Corkill C. Morbidity and early retirement among anaesthetists and other specialists. *Anaesthesia* 1987;42:133-40.
313. McNeely JK, Buczulinski B, Rosner DR. Severe neurological impairment in an infant after nitrous oxide anesthesia. *Anesthesiology* 2000;93:1549-50.
314. Mehta S, Burton P, Simms JS. Monitoring of occupational exposure to nitrous oxide. *Canad. Anaesth. Soc. J.* 1978;25:419-23.
315. Meier A, Ruegger M, Knutti R, Schlatter C. Narcotic gas. *Anaesthesist* 1995;44:154-62.
316. Meiser A, Sirtl C, Bellgardt M et al. Desflurane compared with propofol for postoperative sedation in the intensive care unit. *Br J Anaesth* 2003;90:273-80.
317. Mickelsen RL, Jacobs DE, Jensen PA et al. Auxiliary ventilation for the control of nitrous oxide in a dental clinic. *Appl. Occup. Environ. Hyg.* 1993;8:564-70.
318. Middaugh DA, Pinney SM, Linz DH. Sick building syndrome. Medical evaluation of two work forces. *J Occup Med* 1992;34:1197-203.
319. Mills GH, Singh D, Longan M et al. Nitrous oxide exposure on the labour ward. *Int J Obstet Anesth* 1996;5:160-4.
320. Moore B. Exposure of postoperative nurses to waste-anesthetic gases and factors influencing exposure. *ACTA Anaesthesiologica Scandinavica* 1997;41:239-41.
321. Moore BL, Wehmeyer MS, Walton SB, Badgwell JM. Exhaled N₂O from PACU patients may produce ambient concentrations exceeding NIOSH standards one hour after surgery. *Anesth. Analg.* 1996.
322. Mor Z, Stein E, Orkin L. A possible hazard in the use of a scavenging system. *Anesthesiology* 1977;47:302-3.
323. Morio M, Fujii K, Satoh N et al. Reaction of sevoflurane and its degradation products with soda lime. *Anesthesiology* 1992;77:1155-64.
324. Munley AJ, Railton R, Gray WM, Carter KB. Exposure of midwives to nitrous oxide in four hospitals. *Br Med J (Clin Res Ed)* 1986;293:1063-4.
325. Nagelhout JJ, Ferdinand RT, Beuthin FC. Effect of halothane on brain 2',3'-cyclic nucleotide 3'- phosphodiesterase during neurodevelopment in the rat. *Res Commun Chem Pathol Pharmacol* 1986;53:261-4.
326. Natarajan D, Santhiya ST. Cytogenetic damage in operation theatre personnel. *Anaesthesia* 1990;574-7.

327. National Cancer Institute. Carcinogenesis technical report series. No. 2: Carcinogenesis bioassay of trichloroethylene: National Cancer Institute, 1976.
328. National Fire Protection Association. Gas and Vacuum System: National Fire Protection Association: An International Codes and Standards Organization, 1999;99C: 21-37 partial.
329. Neil HA, Fairer JG, Coleman MP et al. ***DEATH*** Mortality among male anaesthetists in the United Kingdom, 1957-83. Br Med J (Clin Res Ed) 1987;295:360-2.
330. Neil HAW, Fairer JG, Coleman MP et al. Mortality among male anaesthetists in the United Kingdom 1957-83. Br. Med. J. 1987;295:360-2.
331. Newton C, Fitz-Henry J, Bogod D. The occupational exposure of midwives to nitrous oxide - a comparison between two labour suites. Int J Obstet Anesth 1999;8:7-10.
332. Newton DE, Thornton C, Konieczko K et al. Levels of consciousness in volunteers breathing sub-MAC concentrations of isoflurane. Br J Anaesth 1990;65:609-15.
333. Nikki P, Pfaffli P, Ahlman K, Ralli R. Chronic exposure to anaesthetic gases in the operating theatre and recovery room. Annals of Clinical Research 1972;4:266-72.
334. Nikki P, Ralli R. Elimination of anesthetic gases from the operating theatre. Duodecim 1971;87:1206-9.
335. NIOSH. Criteria for a recommended standard: occupational exposure to waste anesthetic gases and vapors. Cincinnati, OH: US Department of Health, Education, and Welfare, Public Health Service, Center for Disease Control, National Institute for Occupational Safety and Health, 1977.
336. NIOSH. Guidelines for protecting the safety and health of health care workers. Washington, DC: US Department of Health and Human Services, 1988.
337. NIOSH. Controlling exposures to nitrous oxide during anesthetic administration, 1994.
338. NIOSH. NIOSH Pocket Guide to Chemical Hazards. Washington, DC: US Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health, 1994.
339. NIOSH. NIOSH warns: nitrous oxide continues to threaten health care workers: U.S. Department of Health & Human Services, 1994.
340. NIOSH. Controlling exposures to nitrous oxide during anesthetic administration--and what does our government agency, NIOSH, have to say?: National Institute for Occupational Safety and Health, 1995.
341. NIOSH. NIOSH technical data sheet. A step by step approach for controlling N2O: The Bureau of National Affairs, Inc., 1997.
342. Nunn JF, O'Morain C. Nitrous oxide decreases motility of human neutrophils in vitro. Anesthesiology 1982;56:45-8.
343. Nygard E, Naesh O, Hindberg I, Valentin N. Effect of nitrous oxide and volatile anaesthetics on platelet function in man. Acta Anaesthesiol Scand 1994;38:40-2.
344. Ohmura A, Kitahara M, Ohmatsu K. Are we polluting the hospital environment with anesthetic gases. (Abstract). Anesthesiology 2004;101:A1329.
345. Ohtonen P, Alahuhta S. Mortality among Finnish anesthesiologists from 1984-2000. Acta Anaesthesiologica Scandinavica 2002;46:1196-9.
346. O'Leary PW, Combs MJ, Schilling RF. Synergistic deleterious effects of nitrous oxide exposure and vitamin B12 deficiency. J. Lab. Clin. Med. 1985;105:428-31.
347. OSHA. Hazard Communication Standard: US Department of Labor, 1985.

348. OSHA. Toxic and Hazardous Substances Hazard Communication Standard: OSHA, 1990.
349. OSHA. Waste Anesthetic Gases. Washington, DC: US Department of Labor Occupational Safety and Health Administration, 1991.
350. OSHA. All about OSHA (revised). Washington, D.C.: U.S. Department of Labor Occupational Safety and Health Administration, 1995.
351. OSHA. Chemical hazard communication (revised); U.S. Department of Labor and Occupational Safety and Health Administration, 1995.
352. OSHA. Employee Workplace Rights. Washington,D.C.: U.S. Department of Labor Occupational Safety and Health Administration, 1997.
- * 353. OSHA. Anesthetic Gases: Guidelines for Workplace Exposures. Web Reference: <http://www.osha-slc.gov/dts/osta/anestheticgases/index.html>. Washington, D.C.: US Department of Labor Occupational Safety and Health Administration, 2000.
354. O'Sullivan H, Jennings F, Ward K et al. Human bone marrow biochemical function and megaloblastic hematopoiesis after nitrous oxide anesthesia. *Anesthesiology* 1981;55:645-9.
355. Otomo N, Iwakawa T, Kitayama M et al. Excessive nitrous oxide exhalation by postoperative patient in the recovery room. *Masui* 1993;42:353-7.
356. Panni MK, Corn SB. The use of a uniquely designed anesthetic scavenging hood to reduce operating room anesthetic gas contamination during general anesthesia. *Anesth Analg* 2002;95:656-60, table of contents.
357. Pasquini R, Monarca S, Scassellati Sforzolini G et al. Thioethers, mutagens, and D-glucaric acid in urine of operating room personnel exposed to anesthetics. *Teratogenesis, Carcinogenesis, & Mutagenesis* 1989;9:359-68.
358. Pasquini R, Scassellati-Sforzolini G, Fatigoni C et al. Sister chromatid exchanges and micronuclei in lymphocytes of operating room personnel occupationally exposed to enfluorane and nitrous oxide. *J Environ Pathol Toxicol Oncol* 2001;20:119-26.
359. Patel K, Dalal F. A potential hazard of the Dräger scavenging interface system for wall suction. *Anesthesia and Analgesia* 1979;58:327-8.
360. Patsalos PN, Rigor BM, Wiggins RC. A halothane-related effect on rat brain myelination: a comparison of chronic prenatal or postnatal exposure. *J Neurochem* 1980;35:412-6.
361. Peduto VA, Napoleone M. Poisoning caused by chronic exposure to volatile anesthetics. Molecular mechanisms and risk anesthetics. *Minerva Anestesiologica* 1989;55:487-500.
- * 362. Peretz C, Alexander BH, Nagahama SI et al. Parkinson's disease mortality among male anesthesiologists and internists. *Mov Disord* 2005;20:1614-7.
363. Periago J, Prado C, Ibarra I. Application of thermal desorption to the biological monitoring of organic compounds in exhaled breath. *Journal of Chromatography. A* 1993;657:147-53.
364. Peric M, Petrovecki M, Marusic M. Age-dependent haematological disturbances in anaesthetic personnel chronically exposed to high occupational concentrations of halothane and nitrous oxide. *Anaesthesia* 1994;49:1022-7.
365. Peric M, Vranes Z, Marusic M. Immunological disturbances in anaesthetic personnel chronically exposed to high occupational concentrations of nitrous oxide and halothane. *Anaesthesia* 1991;46:531-7.
366. Perry P, Evans HJ. Cytological detection of mutagen-carcinogen exposure by sister chromatid exchange. *Nature* 1975;258:121-5.

367. Perthes G. Protection of operating room staff from harm by anaesthetic gases. *Zentralblatt für Chirurgie* 1925;16:852-4.
368. Pettingale K, Al-Affas N, Tee D, Strunin L. Immunosuppression among anaesthetists. *Br. J. Anaesth.* 1978;50:73-4.
369. Pfaffli P, Nikki P, Ahlman K. Concentrations of anaesthetic gases in recovery rooms (letter). *Br. J. Anaesth.* 1972;44:230.
370. Pharoah POD, Alberman E, Doyle P, Chamberlain G. Outcome of pregnancy among women in anaesthetic practice. *Lancet* 1977;1:34-6.
371. Phillips KL, Morandi MT, Oehme D, Cloutier PA. Occupational exposure to low frequency magnetic fields in health care facilities. *Am. Ind. Hyg. Assoc. J.* 1995;58:377-685.
372. Piziali RL, Whitcher C, Sher R, Moffat RJ. Distribution of waste anaesthetic gases in the operating room air. *Anesthesiology* 1976;45:487-94.
373. Plummer J, Sandison C, Ilsley A, Cousins M. Attitudes of anaesthetists and nurses to anaesthetic pollution. *Anaesth Intens Care* 1987;15:411-20.
374. Pope WD, Halsey MJ, Lansdown AB, Bateman PE. Lack of teratogenic dangers with halothane. *Acta Anaesthesiol Belg* 1975;23:169-73.
375. Popova S, Virgjeva T, Atanasova J et al. Embryotoxicity and fertility study with halothane subanesthetic concentration in rats. *Acta Anaesthesiol Scand* 1979;23:505-12.
376. Pothmann W, Shimada K, Goerig M et al. Pollution of the workplace. *Anaesthesist* 1991;40:339-46.
377. Prado C, Periago F, Ibarra I. Evaluation of isoflurane in air by thermal desorption-gas chromatography. *Journal of Chromatography. A* 1993;657:131-7.
378. Prado C, Tortosa JA, Ibarra I et al. Biological monitoring of occupational exposure to isoflurane by measurement of isoflurane exhaled breath. *J. Appl. Toxicol.* 1997;17:179-83.
379. Pressly V. Waste anaesthetic gases. *Br J Perioper Nurs* 2000;10:299-304.
380. Puig NR, Elena GA, Barragan J et al. Halothane-associated enhancement of the secondary immune response to sheep erythrocytes in mice: cell transfer studies. *Acta Anaesthesiol Scand* 1993;37:647-51.
381. Quilliam S. The occupational exposure of midwives to nitrous oxide--a comparison between two labour suites. *MIDIRS Midwifery Digest* 2000;10:55-66.
382. Quimby KL, Katz J, Bowman RE. Behavioral consequences in rats from chronic exposure to 10 PPM halothane during early development. *Anesth Analg* 1975;54:628-3.
383. Radke J, Fabian P. The ozone layer and anaesthetic agents. *Anaesthesist* 1991;40:429-33.
384. Rajhans GS, Brown DA, Whaley D et al. Hygiene aspects of occupational exposure to waste anaesthetic gases in Ontario hospitals. *Ann. occup. Hyg.* 1989;33:27-45.
385. Redfern N. ***DEATH*** Morbidity among anaesthetists. *Br J Hosp Med* 1990;43:377-81.
386. Reitz M, Atonini-Rumpf E, Lanz E. DNA single strand breaks in peripheral human lymphocytes after anesthesia with isoflurane-nitrous oxide-oxygen. *Arzneimittel-Forschung* 1993;43:1258-61.
387. Reitz M, Coen R, Lanz E. DNA single-strand breaks in peripheral lymphocytes of clinical personnel with occupational exposure to volatile inhalational anaesthetics. *Environ Res* 1994;65:12-21.

388. Reitz M, Knitta R, Lanz E. Increasing DNase I activity after exposure of isolated DNA to halothane. *Arzneimittel-Forschung* 1993;43:92-4.
389. Reitz M, Lober G, Kleeman P, Dick W. Secretion of neutral and acid DNases in cultivated human lymphocytes after incubation with DNA; possible consequences for inhalation anesthesia. *Journal of Biosciences* 1995;50:419-24.
390. Reiz S, Gustavsson A-S, Haggmark S et al. The double mask--a new local scavenging system for anaesthetic gases and volatile agents. *Acta Anaesthesiol Scand.* 1986;30:260-65.
391. Rice SA. Reproductive and developmental toxicity of anesthetics in animals. In: Rice SA, Fish KJ, eds. *Anesthetic Toxicity* New York: Raven Press Ltd., 1994:157-74.
392. Richings JC, Khara GS, McDowell M. ***DEATH*** Suicide in young doctors. *Br J Psychiatry* 1986;149:475-8.
393. Riedel B, Fiskerstrand T, Refsum H, Ueland PM. Co-ordinate variations in methylmalonyl-CoA mutase and methionine synthase, and the cobalamin cofactors in human glioma cells during nitrous oxide exposure and the subsequent recovery phase. *Biochem. J.* 1999;341:133-8.
394. Rieder J, Prazeller P, Boehler M et al. Online monitoring of air quality at the postanesthetic care unit by proton-transfer-reaction mass spectrometry. *Anesth Analg* 2001;92:389-92.
395. Rogers B. Exposure to waste anesthetic gases. A review of toxic effects. *AAOHN Journal* 1986;34:574-9.
396. Rosenberg AM, Abramson DH, Sussman D et al. Trace anesthetic gases during xenon arc photocoagulation for retinoblastoma. *Ann. Ophthalmol.* 1989;21:392-3.
397. Rosenberg P, Kirves A. Miscarriages among operating theatre staff. *Acta anaesth. scand.* 1973;53:37-42.
398. Rosenberg PH, Vanttin H. Occupational hazards to reproduction and health in anaesthetists and paediatricians. *Acta Anaesth. Scand.* 1978;22:202-7.
399. Rosenblatt DS, Whitehead VM. Cobalamin and folate deficiency: acquired and hereditary disorders in children. *Semin Hematol* 1999;36:19-34.
400. Rowland AS, Baird DD, Shore DL et al. Nitrous oxide and spontaneous abortion in female dental assistants. *Am. J. Epidemiol.* 1995;141:531-8.
401. Rowland AS, Baird DD, Weinberg CR. Nitrous oxide and fertility (letter). *N. Engl. J. Med.* 1993;328:284.
402. Rowland AS, Baird DD, Weinberg CR et al. Reduced fertility among women employed as dental assistants exposed to high levels of nitrous oxide. *N. Engl. J. Med.* 1992;327:993-7.
403. Royston BD, Nunn JF, Weinbren HK et al. Rate of inactivation of human and rodent hepatic methionine synthase by nitrous oxide. *Anesthesiology* 1988;68:213-6.
404. Salo M, Eskola J, Nikoskelainen J. T and B lymphocyte function in anaesthetists. *Acta Anaesthesiol Scand* 1984;28:292-5.
405. Salo M, Vapaavuori M. Peripheral blood T- and B-lymphocytes in operating theatre personnel. *Br J Anaesth* 1976;48:877-80.
406. Sardas S, Aygun N, Gamli M et al. Use of alkaline comet assay (single cell gel electrophoresis technique) to detect DNA damages in lymphocytes of operating room personnel occupationally exposed to anaesthetic gases. *Mutat Res* 1998;418:93-100.

407. Sardas S, Cuhruk H, Karakaya AE, Atakurt Y. Sister-chromatid exchanges in operating room personnel. *Mutation Research* 1992;279:117-20.
408. Sass-Kortsak AM, Purdham JT, Bozek PR, Murphy JH. Exposure of hospital operating room personnel to potentially harmful environmental agents. *Am. Ind. Hyg. Assoc. J.* 1992;53:203-9.
409. Saurel-Cubizolles MJ, Hays M, Estrym-Behar M. Work in operating rooms and pregnancy outcome among nurses. *Int. Arch. Occup. Environ. Health* 1994;66:235-41.
410. Schapera A. An anesthesia mask gas-scavenging system. *J Occup Med* 1993;35:1138-40.
411. Schardein JL. Chemically induced birth defects. *Anesthetics* 1993;2:147-56.
412. Scharf J, Wong A, Cooke J et al. Isoflurane recovery from waste anesthetic gases. *Anesthesiology* 1994;81:15-9.
413. Schernhammer ES, Laden F, Speizer FE et al. Rotating night shifts and risk of breast cancer in women participating in the nurses' health study. *J Natl Cancer Inst* 2001;93:1563-8.
414. Schilling RF. Is nitrous oxide a dangerous anesthetic for vitamin B12-deficient subjects? *JAMA* 1986;255:1605-6.
415. Schumann D. Nitrous oxide anaesthesia: Risks to health personnel. *Int. Nurs. Rev.* 1990;37:214-7.
416. Selzer RR, Rosenblatt DS, Laxova R, Hogan K. Adverse effect of nitrous oxide in a child with 5,10-methylenetetrahydrofolate reductase deficiency. *N Engl J Med* 2003;349:45-50.
417. Sessler D. Risks of occupational exposure to waste-anesthetic gases. *ACTA Anaesthesiologica Scandinavica* 1997;41:237-9.
418. Sessler DI, Badgwell JM. Exposure of postoperative nurses to exhaled anesthetic gases. *Anesth. Analg.* 1998;87:1083-8.
419. Sharer NM, Nunn JF, Royston JP, Chanarin I. Effects of chronic exposure to nitrous oxide on methionine synthase activity. *Br. J. Anaesth* 1983;55:693-701.
420. Shepard TH, Fink BR. Teratogenic activity of nitrous oxide in rats. In: Fink BR, ed. *Toxicity of Anesthetics* Baltimore: Williams and Wilkins, 1968:308-23.
421. Shingu K, Eger EI, II, Johnson BH et al. Hepatic injury induced by anesthetic agents in rats. *Anesth. Analg.* 1983;62:140-5.
422. Shubaiber S, Koren G. Occupational exposure to inhaled anesthetic. Is it a concern for pregnant women? *Can Fam Physician* 2000;46:2391-2.
423. Sik MJ, Lewis RB, Eveleigh DJ. Assessment of a scavenging device for use in paediatric anaesthesia. *Brit. J. Anaesth.* 1990;64:117-23.
424. Skacel PO, Hewlett AM, Lewis JD et al. Studies on the haemopoietic toxicity of nitrous oxide in man. *Br J Haematol* 1983;53:189-200.
425. Smith BE, Usobiaga LE, Lehrer SB. Cleft palate induced by halothane anesthesia in C-57 black mice. *Teratology* 1971;4:242-6.
426. Smith JC, Bolon B. Atmospheric waste isoflurane concentrations using conventional equipment and rat anesthesia protocols. *Contemp Top Lab Anim Sci* 2002;41:10-7.
427. Sonander H, Stenqvist O, Nilsson K. Nitrous oxide exposure during routine anaesthetic work. Measurement of biologic exposure from urine samples and technical exposure by bag sampling. *Acta Anaesthesiol. Scand.* 1985;29:203-8.

428. Spagnoli G, Tranfo G, Moccaldi R. Air quality in operating theatres: the occupational point of view. In: Maroni M, ed. Ventilation and indoor air quality in hospitals Netherlands: Kluwer Academic Publishers, 1996:201-10.
429. Spence A. How safe is anaesthesia for you and your patient? Occupational risks of the operating room? Data from the U.K. ten year prospective study. Bulletin of the New York State Postgraduate Assembly 1985;Dec.:140.
430. Spence AA. Occupational hazards in the United Kingdom. Int. Anesthesiol. Clin. 1981;19:165-76.
431. Spence AA. Environmental pollution by inhalation anaesthetics. Br. J. Anaesth. 1987;59:96-103.
432. Spence AA, Cohen EN, Brown BW et al. Occupational hazards for operating room-based physicians. Analysis of data from the United States and the United Kingdom. JAMA 1977;238:955-9.
433. Spence AA, Knill-Jones RP. Is there a health hazard in anaesthetic practice? Br. J. Anaesth. 1978;50:713-9.
434. Spence AA, Knill-Jones RP, Moir DD. Anaesthetic contamination. BMJ 1973;2:174.
435. Spence AA, Knill-Jones RP, Newman BJ. Studies of morbidity in anaesthetists with special reference to obstetric history. Proc R Soc Med 1974;67:989-90.
436. Spence AA, Wall RA, Nunn JF. Environmental safety of the anaesthetist. In: Nunn JF, Utting JE, Brown BR, Jr., eds. General Anaesthesia. 5th ed. London: Butterworths, 1989:595-608.
437. Spencer EM, Willatts SM. Isoflurane for prolonged sedation in the intensive care unit; efficacy and safety. Intensive Care Med 1992;18:415-21.
438. Stach DJ. Nitrous oxide sedation: understanding the benefits and risks. Am. J. Dent. 1995;8:47-50.
439. Stellman JM. Perspectives on women's occupational health [In Process Citation]. J Am Med Womens Assoc 2000;55:69-71, 95.
440. Stevens WC, Eger EI^d, White A et al. Comparative toxicities of halothane, isoflurane, and diethyl ether at subanesthetic concentrations in laboratory animals. Anesthesiology 1975;42:408-19.
441. Svardsudd K, Wedel H, Gordh T, Jr. Mortality rates among Swedish physicians: a population-based nationwide study with special reference to anesthesiologists. Acta Anaesthesiologica Scandinavica 2002;46:1187-95.
442. Sweeney B, Bingham RM, Amos RJ et al. Toxicity of bone marrow in dentists exposed to nitrous oxide. BMJ 1985;291:567-9.
443. Szymanska J. Environmental health risk of chronic exposure to nitrous oxide in dental practice. Ann Agric Environ Med 2001;8:119-22.
444. Tait AR, Davidson BA, Johnson KJ et al. Halothane inhibits the intraalveolar recruitment of neutrophils, lymphocytes, and macrophages in response to influenza virus infection in mice. Anesth Analg 1993;76:1106-13.
445. Takeda J, Sato M, Ochiai R et al. Air pollution by sevoflurane in operating room and serum and urine inorganic fluoride of anesthetists. Anesthesia and Analgesia 1994;78:S428.
446. Takeda J, Sato M, Shimada M et al. Air pollution by sevoflurane in operating room and serum and urine. Masui 1995;44:1041-5.

447. Takeda J, Sato M, Shimada M et al. Air pollution by sevoflurane in operation room and serum and urine inorganic fluoride of anesthetists. Japanese Journal of Anesthesiology 1995;44:1041-5.
448. Tang X, Madronich S, Wallington T, Calamari D. Atmospheric production and fate of trifluoracetic acid: United States Gobal Change Research Information Office, 1998.
449. Tannenbaum TN, Goldberg RJ. Exposure to anesthetic gases and reproductive outcome. A review of the epidemiologic literature. J. Occup. Med. 1985;27:659-68.
450. Tanouye E. Study says exposure to anesthetic gas lowers fertility in female workers. WSJ 1992.
451. Tartari S, Poole D, Bocchi A et al. [Laryngeal mask vs tracheal intubation during mechanical ventilation in pediatric anesthesia]. Minerva Anestesiol 2000;66:33-7.
452. Tas S, Lauwers R, Lison D. Occupational hazards for the male reproductive system. Critical Reviews in Toxicology 1996;26:261-307.
453. Taucher J, Hansel A, Jordan A et al. Detection of isoprene in expired air from human subjects using proton- transfer-reaction mass spectrometry. Rapid Commun Mass Spectrom 1997;11:1230-4.
454. Tavakoli M, Habeeb A. Two hazards of gas scavenging. Anesth Analg 1978;57:286-9.
455. The American Institute of Architects Press. Guidelines for Construction and Equipment of Hospitals and Medical Facilities Washington, DC: The American Institute of Architects Press, 1992.
456. Tomlin PJ. Health problems of anaesthetists and their families in the west midlands. Br. Med. J. 1979;1:779-84.
457. Tran N, Elias J, Rosenberg T et al. Evaluation of waste anesthetic gases, monitoring strategies, and correlations between nitrous oxide levels and health symptoms. Am. Ing. Hyg. Assoc. J. 1994;55:36-41.
458. Trocha PJ, Samimi BS. Analysis of volatile chemicals in the workplace by fourier transform infrared spectroscopy. Appl. Occup. Environ. Hyg. 1993;8:571-9.
459. Trudnowski RJ, Mehta MP, Rucinski M. Evaluation of the mutagenic potential of enflurane and isoflurane by sister chromatid exchange. J Med 1987;18:55-60.
460. Tucker JD, Auletta A, Cimino MC et al. Sister-chromatid exchange: second report of the Gene-Tox Program. Mutat Res 1993;297:101-80.
461. U.S. Department of Health E, and Welfare,. Criteria for a recommended standard occupational exposure to: Waste anesthetic gases and vapors. Washington,D.C.: National Institute for Occupational Safety and Health, 1977.
462. Uemura E, Ireland WP, Levin ED, Bowman RE. Effects of halothane on the development of rat brain: a golgi study of dendritic growth. Exp Neurol 1985;89:503-19.
463. Uemura E, Levin ED, Bowman RE. Effects of halothane on synaptogenesis and learning behavior in rats. Exp Neurol 1985;89:520-9.
464. Urmey W, Elliott W, Raemer D. Vaporizer fill system leak. Anesthesia and Analgesia 1988;67:711.
465. Vainio H, Sorsa M, Hemminki K. Biological monitoring in surveillandce of exposure to genotoxicants. Am. J. Ind. Med. 1983;4:87-103.
466. Vaisman AI. Working conditions in the operating room and their effect on the health of anesthetists. Eksperimentalnaia Khirurgiia i Anesteziologiiia 1967;12:44-9.
467. Van Den Eeden SK, Wilkinson WE. Health screening for hospital personnel exposed to waste anesthetic gases. Occupational Health Nursing 1985:73-6.

468. Van Dyke RA. Hepatic centrilobular necrosis in rats after exposure to halothane, enflurane, or isoflurane. *Anesth. Analg.* 1982;61:812-9.
469. Van Dyke RA. To the editor. *Journal of PeriAnesthesia Nursing* 1997;12:317-8.
470. Vieira E. Effect of the chronic administration of nitrous oxide 0.5% to gravid rats. *Br. J. Anaesth.* 1979;51:283-7.
471. Vieira E, Cleaton-Jones P, Austin JC et al. Effects of low concentrations of nitrous oxide on rat fetuses. *Anesth. Analg.* 1980;59:175-7.
472. Vieira E, Cleaton-Jones P, Moyes D. Effects of low intermittent concentrations of nitrous oxide on the developing rat fetus. *Br. J. Anaesth.* 1983;55:67-9.
473. Villumsen A, Askrog V, Harvald B. Teratogenic effects of inhalation anesthetics. *Nord. Med.* 1970;83:775-6.
474. Virtue RW. ASA brochure on waste anesthetic gases fails to consider prevention. *Anesthesiology* 1981;55:332-3.
475. Vlessides M. Waste anesthetic gas concentrations in PACU routinely exceed NIOSH rules *Anesthesiology News*, 1997:16-7.
476. Walts LF. Trace anesthetic gases: an unproven health hazard. *AORN J.* 1983;37:728-40.
477. Walts LF, Forsythe AB, Moore G. Critique: occupational disease among operating room personnel. *Anesthesiology* 1975;42:608-11.
478. Waskell L. A study of the mutagenicity of anesthetics and their metabolites. *Mutat Res* 1978;57:141-53.
479. Watson AA. Seminal vitamin B12 and sterility. *Lancet* 1962;2:644.
480. Wegner vR, Rincker B, Poschadel B, Szadkowski D. Zur Halothanbelastung von Operationspersonal in Abhangigkeit von raumluftechnischen Bedingungen. *Arbeitsmed.Sozialmed.Praventivmed.* 1990;25:264-70.
481. Welch WD. Effect of enflurane, isoflurane, and nitrous oxide on the microbicidal activity of human polymorphonuclear leukocytes. *Anesthesiology* 1984;61:188-92.
482. Westphal K, Lischke V, Aybeck T, Kessler P. Exposure of the pediatric surgeon to inhalation. *Pneumologie* 1997;51:1123-6.
483. Westphal K, Wilke H, Strouhal U. Exposure of surgeon to desflurane and nitrous oxide in intraoral operative procedures (letter). *Acta Anaesthesiol Scand* 1998;42:745.
484. Westphal VK, Byhahn C, Strouhal U et al. Exposition des aufwachraumpersonals mit inhalationsanasthetika (Exposure of recovery room staff to inhalational anaesthetics). *Anaesthesiol Reanimat* 1998;23:157-60.
485. Whitcher C, Piziali RL. Monitoring occupational exposure to inhalation anesthetics. *Anesth. Analg.* 1977;56:778-85.
486. Whitcher CE, Cohen EN, Trudell JR. Chronic exposure to anesthetic gases in the operating room. *Anesthesiology* 1971;35:348-53.
487. Whitcher CE, Zimmerman DC, Tonn EM, Piziali RL. Control of occupational exposure to nitrous oxide in the dental operatory. *J Am Dent Assoc* 1977;95:763-76.
488. White AE, Takehisa S, Eger EI, 2nd et al. Sister chromatid exchanges induced by inhaled anesthetics. *Anesthesiology* 1979;50:426-30.
489. WHO. Indoor air pollutants: exposure and health effects. WHO Regional Publications European Series 1983;Euro Reports and Studies 78.
490. Wiesner G, Harth M, Hoerauf K et al. Occupational exposure to inhaled anaesthetics: a follow-up study on anaesthetists of an eastern European university hospital. *Acta Anaesthesiol Scand* 2000;44:804-6.

491. Wiesner G, Harth M, Szulc R et al. A follow-up study on occupational exposure to inhaled anaesthetics in Eastern European surgeons and circulating nurses. *Int Arch Occup Environ Health* 2001;74:16-20.
492. Wiesner G, Hoerauf K, Schroegendorfer K et al. High-level, but not low-level, occupational exposure to inhaled anesthetics is associated with genotoxicity in the micronucleus assay. *Anesth Analg* 2001;92:118-22.
493. Wiggins RC, Fuller GN, Astrello JM, Rigor BM. Decreased myelin synthesis in developing rats following repeated pre- and perinatal exposure to subanesthetic amounts of halothane. *J Neurochem* 1979;33:361-3.
494. Williams E, Dicks A, Benson D. Pollution associated with keyed filling devices. *Anesthesiology* 1987;67:610-2.
495. Wood C, Ewen A, Goresky G. Exposure of operating room personnel to nitrous oxide during paediatric anaesthesia. *Can. J. Anaesth.* 1992;39:682-6.
496. Woods GM, Griffiths DM. Reversible inhibition of natural killer cell activity by volatile anaesthetic agents in vitro. *Br J Anaesth* 1986;58:535-9.
497. Wray R. A source of nonanesthetic nitrous oxide in operating room air. *Anesthesiology* 1980;52:88-9.
498. Wyatt R, Wilson AM. Children of anaesthetists. *Br. Med. J.* 1973;17:675.
499. Wyrobek AJ, Brodsky J, Gordon L et al. Sperm studies in anesthesiologists. *Anesthesiology* 1981;55:527-32.
500. Yagiela JA. Health hazards and nitrous oxide: A time for reappraisal. *Anesth. Prog.* 1991;38:1-11.
501. Yin H, Anders M, Korzekwa K et al. Designing safer chemicals: predicting the rates of metabolism of halogenated alkanes. *Proc. Natl. Acad. Sci. USA* 1995;92:11076-80.
502. Young ER, DelCastilho R, Patell M, Kestenberg SH. A scavenging system developed for the magill anesthetic circuit for use in the dental office. *Anesth. Prog.* 1990;37:252-7.
503. Yung YL, Miller CE. Isotopic fractionation of stratospheric nitrous oxide. *Science* 1997;278:1778-80.
504. Ziv Y, Shohat B, Baniel J et al. The immunologic profile of anesthetists. *Anesth Analg* 1988;67:849-51.