

Summary of Evidence

For

Establishing Dates on which Cleanup
of the Pentagon and Shanksville, Pennsylvania Sites
of the Terrorist-Related Aircraft Crashes of September 11, 2001
Concluded

Prepared for the Administrator, World Trade Center Health Program by:

Robert E. McCleery, MSPH, CIH

February 8, 2012

Disclaimer

Mention of any company or product does not constitute endorsement by the National Institute for Occupational Safety and Health (NIOSH). In addition, citations to Web sites external to NIOSH do not constitute NIOSH endorsement of the sponsoring organizations or their programs or products. Furthermore, NIOSH is not responsible for the content of these Web sites. All Web addresses referenced in this document were accessible as of the publication date.

Executive Summary

Section 3311(C)(i)(I) and (II) of the James Zadroga 9/11 Health and Compensation Act of 2010 (Zadroga Act) requires the Administrator of the World Trade Center Health Program (WTCHP) to determine dates of eligibility for enrollment in the World Trade Center Health Program for individuals who were members of a fire or police department (whether fire or emergency personnel, active or retired), worked for a recovery or cleanup contractor, or were a volunteer; and performed rescue, recovery, demolition, debris cleanup, or other related services at the Pentagon in Arlington, Virginia or the Shanksville, Pennsylvania, sites of the terrorist-related aircraft crashes of September 11, 2001. Specifically, the Zadroga Act requires the Administrator to determine the dates on which cleanup of the Pentagon and Shanksville sites of the terrorist-related aircraft crashes of September 11, 2001, concluded.

To develop information and evidence of the concluding dates for cleanup activities at these two sites, an extensive literature search was conducted, requests for information were sent and conference calls were held with response participants (e.g., fire departments; Somerset County; Pennsylvania coroner; Pentagon Renovation Program; U.S. National Park Service; United Airlines; and others), and a face-to-face meeting was held with local volunteer fire departments in and around Shanksville. In addition, available informational documents (e.g., Arlington County after-action report, Department of Defense [DOD] Historical Office book, journal articles, and individual accounts of events) were reviewed.

Pentagon Site

Beginning on September 11, 2001 the Arlington County Fire Department (ACFD) led the fire and rescue phase of the Pentagon response. On September 21, 2001, the ACFD relinquished control of the site to the Federal Bureau of Investigation (FBI), and the site was officially designated a crime scene. At that time, one fire fighter company, a technical rescue team, and paramedics remained at the site until the site was turned over to DOD. The FBI continued their crime scene investigation until transferring control of the site to Washington Headquarters Services (a DOD Field Activity). Differing accounts of the date of the transfer place it on either September 26, 2001, or September 28, 2001.

On October 2, the Pentagon Renovation Program (a Washington Headquarters Services office) controlled the site and began preparations for demolition and cleanup of the impact area. However, these activities were delayed until after October 11, 2001, when the first memorial service for the victims of the attack was held. The demolition/cleanup phase of the project began on October 18, 2001, and was completed on November 19, 2001. Cleanup activities began on September 12, 2001 with a contractor cleaning soot, smoke, and water-soaked

materials from inhabitable areas of the Pentagon in preparation for returning employees. Numerous law enforcement agencies responded to the Pentagon in support of the Arlington County Police Department, the Pentagon Defense Protective Service (federal law enforcement personnel whose jurisdiction includes the Pentagon), and the FBI. Response activities included rescue efforts, site security, traffic control, and evidence collection. The contribution of volunteers to the Pentagon response cannot be captured in its entirety, as thorough records are not available. The American Red Cross was a major contributor and many other volunteers played a role throughout the response.

A number of different groups conducted pre- and post-cleanup environmental sampling. Employees began to return to work on September 12, 2001; therefore, the sampling focused on their work areas. Most of the samples collected were area samples; however, some personal sampling was conducted. Much of the data from these sampling efforts are documented in a report from the U.S. Army Center for Health Promotion and Preventive Medicine (USACHPPM). This report's conclusions suggest that contamination was concentrated at the incident site and most of the environmental samples collected, especially post-cleanup, were below occupational health or environmental standards.

Most of the fire department personnel left the site after it was turned over to the FBI on September 21, 2001, except for the one fire fighter company, a technical rescue team, and paramedics. Fire department presence continued at the Pentagon until the site was turned over to DOD on September 26, 2001, or September 28, 2001. The available information does not indicate what period of time fire department personnel were onsite from the end of September until the completion of demolition and cleanup activities on November 19, 2001.

The available literature indicates that police departments had a presence at the Pentagon until the site was turned over to DOD on September 26, 2001, or September 28, 2001. The literature suggests that after the site was turned over to DOD, many of the services typically provided by police departments were handled onsite by military police or by Defense Protective Service personnel. However, the available information does not indicate whether police department personnel were onsite from the end of September until the completion of demolition and cleanup activities on November 19, 2001.

Recovery or cleanup contractors were onsite at the Pentagon until November 19, 2001, which is the date demolition activities concluded. This information is referenced in numerous documents and the Pentagon Renovation Program.

The available information does not provide a complete listing of all volunteers onsite, or the timeframes of their participation. It is reasonable to conclude that at least some volunteers were onsite through the crime scene phase of the response, ending on September 26, 2001, or Evidence of Dates Cleanup Concluded at the Pentagon and Shanksville, Pennsylvania | iv

28, 2001. However, the available information does not indicate whether volunteers were onsite during the demolition and cleanup phase of the response.

The available information has substantial uncertainties that limit the ability to determine with absolute precision specific end times for each group's activities at the site. To ensure that those who did respond are provided adequate opportunity for medical monitoring and treatment benefits, WTCHP eligibility is recommended for the period covering September 11, 2001 through November 19, 2001 for individuals who worked for a fire department, a police department, or a recovery or cleanup contractor, or were a volunteer, and performed rescue, recovery, demolition, debris cleanup, or other related services at the Pentagon site of the terrorist-related aircraft crash of September 11, 2001.

Pentagon Site Concluding Date: November 19, 2001

Shanksville Site

Beginning on September 11, 2001, the FBI controlled the site and declared it a crime scene. After 13 days of work on-site, the FBI relinquished control of the site to the Somerset County Coroner on September 24, 2001.

The nature of the site did not require a fire and rescue response phase although fire and police departments were among the first to respond by extinguishing localized hot spots and brush fires while Pennsylvania State Troopers provided security.

During the last weekend of September 2001, the Somerset County coroner enlisted the assistance of approximately 300 personnel (volunteers, fire fighters, police, and the Pennsylvania Region 13 Counter-terrorism Task Force [task force of 13 counties in western Pennsylvania]), the State Funeral Directors Association, and other volunteers to conduct "Operation Clean Sweep," which involved scouring the area to pick up remaining aircraft parts and flagging any objects resembling human remains. The contribution of volunteers to the Shanksville response cannot be captured in its entirety, as thorough records are not available. The American Red Cross was a contributor, and many other volunteers played a role throughout the response.

After the response to the crash was completed, United Airlines contracted Environmental Resources Management, Inc. (ERM) to reclaim the site. Site characterization for potential aircraft-related contaminants was conducted according to Pennsylvania environmental law. ERM concluded that surface soils, subsurface soils, and ground water beneath the site did not exceed any state health standards and did not require any remediation. Additionally, none of the surface water results indicated any contamination that could be attributed to the Flight 93 v | Evidence of Dates Cleanup Concluded at the Pentagon and Shanksville, Pennsylvania

crash. ERM backfilled the crater between October 1, 2001, and October 3, 2001. The site was restored as close as possible to its original appearance; 4–6 inches of topsoil was added on top of the crater and through the forest area, and the area was seeded with flowers and grasses. ERM continued monitoring ground water until mid-2002.

The Somerset County coroner indicated that in the years following the response, the Pennsylvania National Guard and Camp Cadet (camp for youth operated by the Pennsylvania State Police) had been out to the site to collect aircraft parts.

Most of the fire and police department personnel and volunteers left the site after the FBI turned the site over to the Somerset County coroner on September 24, 2001. However, fire and police department and volunteer presence was limited at the Shanksville site until the conclusion of the final sweep of the crash site for aircraft parts and potential human remains on September 29–30, 2001. Available information suggests that law enforcement personnel remained at the site to provide security for a number of years. The available information does not indicate whether fire department personnel or volunteers were onsite during the site restoration activities from October 1–3, 2001.

Available information indicates that environmental restoration contractors restored the site close to its original appearance from October 1–3, 2001, signaling the conclusion of the response.

The available information has substantial uncertainties that limit the ability to determine with absolute precision specific end times for each group's activities at the site. To ensure that those who did respond are provided adequate opportunity for medical monitoring and treatment benefits, WTCHP eligibility is recommended for the period covering September 11, 2001 to October 3, 2001 for individuals who worked for a fire department, police department, or a recovery or cleanup contractor, or were a volunteer, and performed rescue, recovery, demolition, debris cleanup, or other related services at the Shanksville site of the terrorist-related aircraft crash of September 11, 2001.

Shanksville, Pennsylvania Site Concluding Date: October 3, 2001

Contents

Disclaimer	ii
Executive Summary	iii
Abbreviations	viii
Purpose	
Pentagon Response	
Background	
Impact	
Response	3
Recommended Pentagon Site Concluding Date	
Exposures, Personal Protective Equipment, and Decontamination	8
Review of Exposures	11
Environmental Monitoring	11
Biological Monitoring	14
Mental Health	14
Shanksville, Pennsylvania, Response	17
Background	17
Impact	17
Response	17
Recommended Shanksville, Pennsylvania Site Concluding Date	19
Exposures, Personal Protective Equipment, and Decontamination	20
Review of Exposures	21
Environmental Monitoring	21
References	24
Tables	30
Appendix A. Characteristics of Jet A Fuel	37
Appendix B. Pentagon Responder List (unofficial)	
Appendix C. Shanksville Responder List (unofficial)	
Appendix D. Exposure Publications	
Appendix E. Mental Health and Other Health-related Publications	
Appendix F. Other Related Publications	57
Figures	
Figure 1. Basic floor plan of the Pentagon. Not to scale	3
Figure 2. Timeline of Significant Events at the Pentagon – Initial Response to Reoccupancy	7
Figure 3. Timeline of Significant Events at the Pentagon – Response to Demolition/Cleanup	7
Figure 4. Timeline of Significant Events at Shanksville – Initial Response to Site Release	19

Abbreviations

ACFD Arlington County Fire Department
ACPD Arlington County Police Department

ACGIH American Conference of Governmental Industrial Hygienists

API American Petroleum Institute

BTEX Benzene, toluene, ethylbenzene, and xylene CDC Centers for Disease Control and Prevention

CO Carbon monoxide CO₂ Carbon dioxide

COPC Constituents of potential concern
DOT Department of Transportation
DPS Defense Protective Service
DRO Diesel range organics

EPA Environmental Protection Agency

ERM Environmental Resources Management, Inc.

FAA Federal Aviation Administration
FBI Federal Bureau of Investigation

FOUO For Official Use Only GRO Gasoline range organics

H₂S Hydrogen sulfide

HVAC Heating, ventilation, and air-conditioning IARC International Agency for Research on Cancer

mg/kg Milligrams per kilogram

mph Miles per hour

MRO Motor oil range organics

MSC Medium-specific concentration

MWAA Metropolitan Airport Authority Fire Unit

NIOSH National Institute for Occupational Safety and Health

NMCC National Military Command Center NMRT National Medical Response Team

NO_x Nitrogen oxides
NPS National Park Service

NTSB National Transportation Safety Board

O₂ Oxygen

OEL Occupational exposure limit

OSHA Occupational Safety and Health Administration

PADEP Pennsylvania Department of Environmental Protection

PAH Polycyclic aromatic hydrocarbon
PCB Poly-chlorinated biphenyls
PENREN Pentagon Renovation Program
PFAC Pentagon Family Assistance Center
PPE Personal protective equipment

ppm Parts per million

PTSD Post-traumatic stress disorder

REL Recommended exposure limit

SCBA Self-contained breathing apparatus

SMART-PM Special Medicine Augmentation Response Team-Preventive Medicine SMART-SM Special Medicine Augmentation Response Team-Stress Management

SVOC Semivolatile organic compound

TCL Target compound list THC Total hydrocarbons

TPH Total petroleum hydrocarbons

TLV Threshold limit value TRT Technical rescue teams

USACHPPM U.S. Army Center for Health Promotion and Preventive Medicine

VOC Volatile organic compounds

WHS Washington Headquarters Services

WTC World Trade Center

WTCHP World Trade Center Health Program

Purpose

Section 3311(C)(i)(I) and (II) of the James Zadroga 9/11 Health and Compensation Act of 2010 (Zadroga Act) requires the Administrator of the World Trade Center Health Program (WTCHP) to determine dates of eligibility for enrollment in the World Trade Center Health Program for individuals who were members of a fire or police department (whether fire or emergency personnel, active or retired), worked for a recovery or cleanup contractor, or were a volunteer; and performed rescue, recovery, demolition, debris cleanup, or other related services at the Pentagon or the Shanksville, Pennsylvania, sites of the terrorist-related aircraft crashes of September 11, 2001. Specifically, the Zadroga Act requires the Administrator to determine the dates on which cleanup of the Pentagon and Shanksville, Pennsylvania sites of the terrorist-related aircraft crashes of September 11, 2001 concluded.

The purpose of this document is three-fold: (1) to identify the important response and cleanup events after the attacks at the Pentagon and Shanksville sites, (2) to identify the dates that response cleanup activities ended at the Pentagon and Shanksville sites, and (3) to provide information on the potential exposures to responders and volunteers during response and cleanup activities at the Pentagon and Shanksville sites after the attacks.

This report contains six appendices (A–F). Appendix A refers to the section about Jet A fuel. Appendices B and C include lists compiled by the report author of responders for the two incidents. Appendices D, E, and F contain references organized by topic (Exposure Publications, Mental Health Publications, Other Related Publications).


Pentagon Response

Background

Construction on the Pentagon began on September 11, 1941, and finished on January 15, 1943 [Goldberg et al. 2007]. It consists of five wedges (W1–W5), five concentric rings A (innermost)—E (outermost) five floors, and 10 corridors connecting rings and floors. The exterior walls are 921 feet long, the five inner walls are 362 feet long, and each of the five rings is 50 feet deep [Goldberg et al. 2007]. In between each ring is a space open to the outdoors and a large courtyard in the center. Between the B and C rings is the 40-foot wide A–E drive for vehicle access into the facility [Goldberg et al. 2007]. Figure 1 presents a general layout of a floor of the Pentagon. The facility has approximately 6.6 million square feet of floor space [Goldberg et al. 2007]. In 2001, the Pentagon was undergoing an extensive modernization project that began in the 1990s. At the time of the attack, the Pentagon was days away from completing all renovations in Wedge 1 and had reoccupied 3,800 employees. Renovation in Wedge 1 (begins between corridors 1 and 3 and ends between corridors 4 and 5 [Figure 1]) included removal of asbestos, utilities, and walls and upgrades to the exterior wall and windows. Renovation work had begun in Wedge 2, but 700 employees continued to work in the space [Goldberg et al. 2007].

Impact

American Airlines Flight 77 crashed into the Pentagon, killing 184 people (59 onboard and 125 within the Pentagon) just before 9:38 a.m. on September 11, 2001. Flight 77, a Boeing 757 (124-foot wing span, 155 feet long, and weighing 180,000 pounds [Goldberg et al. 2007]) impacted the Pentagon approximately 14 feet above the ground close to Corridor 4 in Wedge 1 [Vogel 2007]. It was traveling at 530 mph and carried 5,300 gallons of fuel; of that fuel load, approximately 700 gallons ignited outside of the Pentagon [Creed and Newman 2008]. The plane struck just inside Corridor 4 and passed through the newly renovated Wedge 1 and into Wedge 2; the entire event took less than 0.8 seconds [Goldberg et al. 2007; Creed and Newman 2008]. Considerable damage was inflicted in rings C, D, and E; rings A and B received little damage [Vogel 2007]. Of the 125 persons who died within the Pentagon, 92 were located on the first floor, 31 on the second floor, and two on the third floor [Goldberg et al. 2007]. Figure 1 provides the areas of the Pentagon affected by the impact of the airliner.



The dark highlighted between corridors 4 and 5 was completely destroyed

The gray highlighted area between corridors 3 and 6 was damaged by smoke and/or water

Figure 1. Basic floor plan of the Pentagon. Not to scale.

Response

Fire departments responded onsite at the Pentagon within just a few minutes of impact. Once onsite, the ACFD served as the incident commander during the fire and rescue phase of the response [Titan Systems Corporation 2002; National Commission on Terrorist Attacks Upon the United States 2004; Goldberg et al. 2007]. An estimated 300 fire fighters responded to the

Pentagon within 2 hours, and an estimated 60 agencies responded within the first 8 hours of the incident [Ward 2002; FEMA 2004]. Many volunteer fire departments played a role in the response by responding directly to the Pentagon or backfilling other stations by mutual-aid agreements [TriData Corporation 2002]. The National Volunteer Fire Council provides information on the volunteer fire departments that responded, the number of fire fighters that responded, and how they responded; at the scene or backfill, or both [TriData Corporation 2002]. An estimated 4,000 people were officially badged and were able to access the site [Goldberg et al. 2007]. Initial actions included fire fighting activities and removal of victims from the building. Foam trucks designed for jet-fuel fires were used on the resulting fire [Creed and Newman 2008]. In addition to the jet fuel, an outside 2,000-gallon fuel tank used for the ongoing reconstruction ignited from the crash [Ward 2002]. The new sprinkler installed in Wedge 1 helped limit the spread of fire [Goldberg et al. 2007]. Fire fighters battled the burning roof for more than 24-hours before it was finally under control [Ward 2002]. In addition to the 125 Pentagon employees who died in the attack, 106 employees were injured and sent to area hospitals; 49 were admitted and 57 were treated and released [Titan Systems Corporation 2002; Goldberg et al. 2007]. Estimates of the intense heat generated from the jet fuel (Jet A fuel) and burning debris range from 1,000°F-2,000°F [Goldberg et al. 2007; Vogel 2007; Creed and Newman 2008]. More information on Jet A fuel is provided in Appendix A.

Around 10:00 a.m. on September 11, 2001, the E ring collapsed pulling down floors 2–5 [Goldberg et al. 2007]. The first shoring activities began in the evening hours of September 11, 2001. USAR teams and U.S. Army personnel shored 42 columns on the first floor, six on the second floor, and another 40 received partial shoring [Ward 2002; Goldberg et al. 2007]. Four USAR teams worked 12-hour shifts (two on day shift and two on night shift), 24 hours per day, 7 days per week, thus providing 180 personnel per shift along with 60 U.S. Army personnel [Martinette 2002; Titus 2002]. During shoring and recovery activities, structural specialists monitored the area to ensure the safety of responding personnel; no serious injuries occurred during the USAR activities [Martinette 2002; Titus 2002]. USAR activities concluded on September 20, 2001 [Martinette 2002].

Many different law enforcement agencies were involved in the response. Mutual-aid agreements (Northern Virginia Law Enforcement Mutual Aid Agreement and the Northern Virginia Sheriffs Mutual Aid Agreement) facilitated the response of officers and deputies from surrounding police departments [Titan Systems Corporation 2002; Goldberg et al. 2007]. The DPS (federal law enforcement personnel whose jurisdiction includes the Pentagon) were actively involved in the rescue of employees and security of the Pentagon during the response [Goldberg et al. 2007]. The Arlington County Police Department jurisdiction includes the areas surrounding the Pentagon and therefore had a significant role in response activities, which

included working with the FBI evidence recovery operations [Titan Systems Corporation 2002]. Local police provided helicopter support during the response (e.g., U.S. Park Police Aviation Unit) [Goldberg et al. 2007]. Many law enforcement personnel spent the initial stage of the response controlling traffic in and around the area to ensure that responders could quickly get into the site and, Pentagon employees could exit the grounds and to control access to the grounds from major interstates [Goldberg et al. 2007]. The literature suggests that after the site was turned over to DOD, many of the services police departments provide were handled onsite by military police or by DPS personnel [Goldberg et al. 2007]. Military police remained at the Pentagon for roughly 2 years after September 11, 2001 [Goldberg et al. 2007].

Human remains from the Pentagon were recovered in two ways – locating/removing human remains from the building and sifting through debris in the north parking lot [Goldberg et al. 2007]. As human remains were found within the Pentagon, the areas were marked so the FBI could catalog the location and remove the human remains to the temporary morgue at the north parking lot for further cataloging, as this was a crime scene [Titan Systems Corporation 2002]. Human remains were then moved to Fort Belvoir, Virginia and then flown to Dover Air Force Base in Delaware to be identified [Titan Systems Corporation 2002]. Recovery of human remains was not finished until September 26, 2001 [Goldberg et al. 2007]. The first four victims were identified on September 16, 2001, and the final victim identification was concluded on November 15, 2001; five victims were not identified on the basis of the available human remains [Goldberg et al. 2007]. More than 700 FBI agents participated in the recovery phase and the crime scene investigation phase of the response [Titan Systems Corporation 2002; Goldberg et al. 2007].

Secretary Rumsfeld declared that the Pentagon would be operational on September 12, 2001, and several thousand employees arrived for work the next day [Goldberg et al. 2007]. By September 24, 2001, two-thirds of the Pentagon was reoccupied (area between Corridor 6 ½ to Corridor 2 ½ [clockwise]) [Goldberg et al. 2007]. On September 21, 2001, the ACFD relinquished control of the site to the FBI. At that time, one fire fighter company, a technical rescue team, and paramedics remained at the site until the site was turned over to DOD [Goldberg et al. 2007]. The FBI continued their crime scene investigation until turning control of the site over to WHS on either September 26, 2001, [Goldberg et al. 2007] or September 28, 2001 [Titan Systems Corporation 2002]. On October 2, 2001, PENREN controlled the site and began preparations for demolition. However, demolition activities were delayed until after the first memorial service was held on October 11, 2001 [PENREN 2002; Goldberg et al. 2007]. The demolition/cleanup phase of the project began on October 18, 2001 [Goldberg et al. 2007]. During the demolition phase, 400,000 ft² of material (56,000 tons of debris) from rings C, D, and E between corridors 4 and 5 was removed and taken to landfills [Vogel 2007; Pentagon

Memorial Fund 2011]. Approximately 450 workers working two 12-hour shifts, 24-hours a day, 7 days a week completed the demolition phase of the project on November 19, 2001 [Goldberg et al. 2007].

The reconstruction phase of the Pentagon (nicknamed Project Phoenix) employed 3,000 workers working two 10-hour shifts, 6 days per week. The final concrete pour occurred on April 5, 2002. The first E ring tenants returned to the newly restored section on August 15, 2002, and complete restoration of W1 ring E between Corridors 4 and 5 was finished by September 11, 2002 [Goldberg et al. 2002; Vogel 2007]. The last tenants to reoccupy Wedge 1 of the Pentagon did so on February 6, 2003 [Pentagon Memorial Fund 2011].

Figure 2 provides a timeline of significant events the Pentagon after the crash of American Airlines Flight 77 covering the initial response to the reoccupancy of the affected areas by Pentagon employees. Figure 3 provides with greater detail a timeline of significant events at the Pentagon covering the response phase through demolition and cleanup.

American Red Cross and Salvation Army personnel provided food and water to responders and assisted in providing mental health services to responders, families of victims, military, and others [American Red Cross 2006; Condon-Rall 2011; Salvation Army 2011].

Appendix B provides a list of responding agencies, departments, organizations, and volunteers to the Pentagon based upon the literature search used for this report.




Figure 2. Timeline of Significant Events at the Pentagon – Initial Response to Reoccupancy




Figure 3. Timeline of Significant Events at the Pentagon – Response to Demolition/Cleanup

Recommended Pentagon Site Concluding Date

Although most of the fire department personnel left the site after it was turned over to the FBI on September 21, 2001, fire and police presence continued at the Pentagon until the site was turned over to DOD on September 26, 2001, or September 28, 2001. The literature suggests that after the site was turned over to DOD, many of the services typically provided by police departments were handled onsite by military police or by Defense Protective Service personnel. However, the available information does not indicate what period of time fire or police department personnel were onsite from the end of September until the completion of demolition and cleanup activities on November 19, 2001.

Recovery or cleanup contractors were onsite at the Pentagon until November 19, 2001, which is the date demolition activities concluded.

The available information does not provide a complete listing of all volunteers onsite, or the timeframes of their participation. It is reasonable to conclude that at least some volunteers were onsite through the crime scene phase of the response, ending on September 26, 2001, or 28, 2001. However, the available information does not indicate whether volunteers were onsite during the demolition and cleanup phase of the response.

The available information has substantial uncertainties that limit the ability to determine with absolute precision specific end times for each group's activities at the site. To ensure that those who did respond are provided adequate opportunity for medical monitoring and treatment benefits, WTCHP eligibility is recommended for the period covering September 11, 2001 through November 19, 2001 for individuals who worked for a fire department, a police department, or a recovery or cleanup contractor, or were a volunteer, and performed rescue, recovery, demolition, debris cleanup, or other related services at the Pentagon site of the terrorist-related aircraft crash of September 11, 2001.

Pentagon Site Concluding Date: November 19, 2001

Exposures, Personal Protective Equipment, and Decontamination

Response to the Pentagon included potential exposure to chemical, biological, and physical hazards and stressors as well as safety hazards. Activities inside the affected area of the Pentagon introduced the potential for exposure to jet fuel, smoke, heat from the fire (heat exhaustion and dehydration), and human remains. The extent of damage to the electrical system in combination with the amount of standing water generated from the fire fighting activities made electrocution of responders a possibility [Goldberg et al. 2007]. The rubble from the heavily damaged areas included water, sagging ceilings, electrical wiring, melting plastics,

plumbing, mangled HVAC components, metal, nails, broken glass, wood, plaster, floor tiles, general office furniture and equipment, asbestos, lead paint, black soot, general dust, jet fuel, and human remains [Goldberg et al. 2007]. Fire fighters used saws and other tools to make trench cuts on the roof (taking approximately 30-40 minutes for each concrete cut) to stop the fire from traveling to other areas of the Pentagon [Creed and Newman 2008]. Although the available literature does address other potential hazards, this activity probably created high noise levels and generated concrete dust that may have contained silica. Beneath the concrete layer of the roof, but not in the pitched roof areas above rings A and E, was horsehair insulation¹, a common insulation in the 1940s [Goldberg et al. 2007; Creed and Newman 2008]. In addition to the horsehair insulation, it was reported that there was a layer of waterproof asbestos [Budd 2011] and straw in the roof [Brown 2011]. In addition to the hazards within the Pentagon, there were a number of combustion sources in the areas that were supporting the response. In the first 24-hours of the response, golf carts, heaters, generators, stoves, and other sources consumed 600 gallons of gasoline and diesel fuel; 16,000 gallons of gasoline and diesel fuel were consumed in the first 10 days [Titan Systems Corporation 2002]. These combustion sources release CO, particulate, NO_x, and many other compounds.

Early on in the response to the Pentagon, the leaders within the incident command structure recognized the importance of protecting the responders during their various activities onsite. No personnel were allowed onsite without the designated PPE [FEMA 2004]. The minimum PPE discussed at daily safety meetings was a respirator and Tyvek® suits [Titan Systems Corporation 2002]. Fire fighters used SCBA during entries into the Pentagon, but because of the air limitations of the tank, fire fighters would delay going on air until they felt it was absolutely necessary [Goldberg et al. 2007; Defina et al. 2011]. Replenishing SCBA bottles was also a challenge, as fire departments did not use the same type or model SCBA [Titan Systems Corporation 2002]. While working on the Pentagon roof trying to control the spread of fire (trench cutting and other activities), some fire fighters removed their turnout gear down to their shirt sleeves to cool down from the heat of the fire, during the hottest parts of the day, and because of the high level of work activity [Creed and Newman 2008]. The literature reports do not indicate whether fire fighters used any type of fall protection while working on the roof. Arlington County Police supporting the FBI's evidence recovery operations wore, "latex overboots, protective overalls, respirators, safety glasses, head covers, and heavy leather gloves worn over latex gloves" [Titan Systems Corporation 2002]. The level of respiratory protection

¹ A number of insulation subject matter experts (SMEs) were contacted to investigate the characteristics of horsehair insulation. Because of its lack of recent use, none were able to provide insight into how the insulation may have been applied, binders that may have been used, or available studies evaluating thermal degradation. As it is an organic, natural substance, compounds formed when heat is applied may include CO, CO2, various nitrogen compounds including hydrogen cyanide, and various sulfur compounds.

was not specified. Jackson et al. [2002] provides insight into PPE and what worked or did not work during the Pentagon response.

The soldiers handling human remains wore PPE to protect themselves against potential biohazards. Soldiers reportedly wore coveralls, rubber boots, safety glasses, hard hats, carbon-filter face masks, and up to three layers of gloves [Goldberg et al. 2007; Creed and Newman 2008]. Suits were taped shut at the ankles and wrists, which in addition to the limited breathability of the suit fabric created a very hot environment. Soldiers using goggles reported fogging, and because PPE was in short supply during the initial stages of the response, they shared respirators [Goldberg et al. 2007]. Frequent respirator filter change was the rule as well as going through decontamination [Goldberg et al. 2007]. Those responders sifting through the north parking lot debris pile for human remains hosed down the debris pile to reduce the amount of concrete dust being generated [Goldberg et al. 2007].

The use of cadaver dogs began on September 15, 2001. Dog handlers wore protective suits, gloves, and face masks, but reportedly did not always wear their face mask because of the need to communicate with their dogs [Goldberg et al. 2007]. Entries into the Pentagon with dogs lasted 15–20 minutes as the dogs begin to lose their concentration during longer entries.

The Arlington-based NMRT set up three decontamination corridors for responders exiting the building [Titan Systems Corporation 2002]. Decontamination included scrubbing boots to remove any debris and removal of Tyvek® suits [Creed and Newman 2008]. Equipment used by the USAR teams and fire department TRTs were required to be laundered each night [Titan Systems Corporation 2002]. No other specifics were given on the laundering process or where it took place.

Within a few hours after impact, Pentagon personnel shut down ventilation systems servicing corridors 3, 4, 5, and 6. Air barriers were constructed in corridors 1, 2, 7, and 8 to keep smoke and other contaminants from becoming entrained into the ventilation systems servicing all other areas within the Pentagon [Goldberg et al. 2007]. The Safety and Occupational Health Branch of the WHS had contractors remove water soaked plaster and asbestos that fell from ceilings onto furniture and floors and clean soot and smoke from inhabitable areas of the Pentagon; 50 people began on September 12, 2001, and worked 24 hours per day, 7 days per week for several weeks [Goldberg et al. 2007].

filters. The literature does not provide information on respirator fit testing, training, or medical clearance.

² In most cases, specifics on PPE used during the response are not provided in the literature. Written descriptions and photographs suggest that "coveralls" or "suits" refer to Tyvek® suits or other woven materials and "respirators" or other descriptions of respirators refer to filtering facepiece respirators, half-face elastomeric respirators with combination organic vapor/P–100 cartridges, or half-face elastomeric respirators with P–100

Review of Exposures

Environmental Monitoring

The following information was gathered from a non-FOUO USACHPPM report on environmental sampling conducted at the Pentagon and a book published by the Office of the Surgeon General, U.S. Army [USACHPPM 2001; Condon-Rall 2011]. Unless noted otherwise, the following information originated in the USACHPPM document. The Pentagon environmental sampling conducted was by personnel from (1) USACHPPM, SMART-PM; (2) Naval Medical Research Centers, Biological Defense Research Directorate Operations; (3) chemical team from Walter Reed Army Medical Center; (4) Office of Safety and Health, Technical Support Staff, Federal Facilities Division, WHS; (5) The Uniformed Services University of the Health Sciences, Department of Preventive Medicine and Biometrics; (6) U.S. Air Force, and (7) Applied Environmental (a civilian contractor, headquartered in Reston, Virginia). This sampling effort lasted from September 11–28, 2001. USACHPPM chemists analyzed samples from September 12, 2001 to early November 2001 [Condon-Rall 2011].

The main goals of the environmental sampling effort were to determine levels of hazardous contaminants, recommend mitigation strategies for hazards, and measure/assess health impact of contaminants present to building occupants. To accomplish these tasks, the SMART-PM Advanced Team arrived on September 11, 2001, and began conducting area sampling for aldehydes, VOCs, dusts, CO, H₂S, O₂, and combustible gases. The SMART-PM Main Body was onsite on September 12, 2001 and began the process of determining the potential hazards to building occupants and those responders in and around the crash site and effectiveness of cleanup activities. This included area sampling for (1) radiological health hazards (alpha, beta and gamma radiation), respirable dust, VOCs, CO, and CO₂ by directing-reading instruments; (2) air sampling for PAHs, metals, asbestos, VOCs, SVOCs, and total suspended particulates; (3) wipe sampling for asbestos, metals (lead), PCBs, and dioxins, and (4) drinking water within the Pentagon. Environmental sampling results were compared to AGCIH TLVs, NIOSH RELs, and OSHA PELs. The Naval Medical Research Center's Biological Defense Research Directorate Operations conducted sampling for the presence of biological hazards; the presence of Yersinia pestis, Bacillus anthracis, Orthopoxviruses (including smallpox), botulinum toxin A/B, and Francisella tularensis. Tables 1–9 provide all the chemical compounds analyzed for from air, surface, or drinking water samples.

A wide range of sampling methods was used as it was anticipated that many different contaminants could be generated from the burning aircraft, jet fuel, and objects inside the Pentagon offices. Area sampling was conducted on each floor, began at the point closest to the

impact area, and moved away from the impact area through the Pentagon (most contamination to least contamination). Personal sampling was conducted on military personnel and responders participating in search, rescue, recovery, and cleanup activities. These samples focused on lead, silica, asbestos, VOCs, PAHs, benzene, and aldehydes.

Over the course of the response, thousands of air, surface wipe, and water samples were collected. A summary of the air and wipe sampling results (compared to AGCIH TLVs, NIOSH RELs, and OSHA PELs) from locations around the incident site is as follows:

- All samples collected on floors 1–5 were below relevant health standards, except for lead (< 10%) and asbestos (< 5%) wipes. The majority of lead and asbestos wipes that exceeded the limit were collected on the fourth and fifth floors before cleanup activities.
- 2. All samples collected in the basement, except for one asbestos wipe, were below relevant health standards.
- 3. All samples collected in the courtyard were below relevant health standards.
- 4. All samples collected in the Child Development Center were below relevant health standards.
- 5. All personal air samples collected at the incident site for lead, asbestos, and silica were below relevant OELs.
- 6. All personal air samples collected at the military guard locations for formaldehyde, aldehydes, PAHs, and VOCs were below relevant OELs and most below their analytical limits of detection.
- 7. The radiological assessment of the site indicated that no radiological hazard was associated with this event.
- 8. The biological warfare agent assessment of the site indicated that no biological warfare hazard was associated with this event.
- 9. The chemical warfare agent assessment of the site indicated that no chemical warfare hazard was associated with this event.

- 10. The drinking water assessment of the site indicated that the water was safe and did not pose a health hazard. One particular tank that was offline at the time of the survey did contain elevated levels of ammonia. It was recommended that this tank be flushed and disinfected before being brought back online.
- 11. Soldiers who were screened for blood-lead levels showed results similar to the average blood-lead level in adults without occupational exposure to lead as measured by CDC in the latest National Health and Nutrition Examination Survey.

Further information on environmental wipe sampling results and analysis from the sampling described above can be found in Gaborek et al. [2001].

The following information was gathered from Condon-Rall [2011]. EPA led sampling efforts of its own and other state and federal agencies from September 11–29, 2001. Environmental samples were collected from the air, water, and debris from around the areas around recovery workers, Pentagon perimeter, and areas in and around Washington DC. Except for one bulk sample that contained over 1% of asbestos, all other air, wipe, and bulk samples were below regulatory limits for asbestos, silica, lead, and VOCs. EPA concluded that the Pentagon fire did not affect the environment outside the Pentagon. This was confirmed by the Virginia Department of Environmental Quality whose air monitors did not show anything more than the typical low-level pollution. High metal content was found from debris and ash samples collected inside the building, but EPA indicated that it was not of concern because of the short-term exposure and limited contact routes. Before activities occurred in certain areas, FBI and ACFD personnel used four-gas meters and photoionization detectors to monitor areas for CO, H₂S, VOCs, oxygen content, and lower explosive limit.

Goldberg et al. [2007] also reported on environmental sampling efforts including (1) the Pentagon-staffed industrial hygienist monitored for common gases (gases were not specified); (2) ACFD personnel tested for CO in the NMCC; (3) EPA collected water, air, and debris samples and monitored conditions for first responders, occupants, and community; (4) OSHA assisted with asbestos and structural issues; and (5) NMRT personnel conducted tests for biological, chemical, and radiation exposures.

Starting in the 1970s through the 1990s, the DOT FAA Civil Aeromedical Institute conducted a number of inhalation toxicology studies that provide insight into products of combustion from aircraft materials (e.g., fabrics, foams, insulation, liners, cabin panels, and panel components) and fluids (engine oil, hydraulic fluid, mineral oil). Many of the studies focus on CO and HCN, although some studies discuss hydrogen chloride, acrolein, sulfur dioxide, and benzene.

Chaturvedi and Sanders [1995] and Chaturvedi [2010] provide informative discussions on various factors of a fire that can produce diverse combustion products from the same and differing materials. Hartzell [1996] discusses combustion toxicology and describes some components of smoke: CO, CO₂, hydrogen cyanide, halogen acids (hydrogen fluoride, hydrogen chloride, and hydrogen bromide), and organic irritants. Two U.S. Air Force documents provide some information on combustion products coming from composite materials found in military aircraft [Costantino et al. 2001a,b].

Appendix D provides references to follow-up studies on search and rescue dogs and their handlers who deployed to the WTC, Fresh Kills landfill (area used to sort through WTC debris), and the Pentagon. These studies conducted medical and behavioral surveillance, or looked at morbidity or pathology and toxicology findings.

Biological Monitoring

During the response, blood-lead levels were drawn on approximately 85 military members responding at the Pentagon by performing guard duties in the contaminated/blocked off areas because they had the potential for high exposure due to their proximity to the crash site. A target blood lead of 10 micrograms per deciliter was selected as this is the protective limit for pregnant or breastfeeding women and the most conservative level. The blood lead measured ranged from 1–6 micrograms per deciliter with the majority of measurements between 1 microgram per deciliter and 3 micrograms per deciliter [USACHPPM 2001; Condon-Rall 2011].

Mental Health

"Operation Solace" was a collaborative effort between civilian and military (Army, Navy, Air Force) entities to address the mental health of "injured survivors, family members of victims, Pentagon employees, search and rescue workers, recovery personnel, family assistance center staffs, casualty assistance officers, body handlers, and others" from mid-October to December; the Army continued with long-term assistance after December [Condon-Rall 2011]. Although not officially listed within Operation Solace, "military chaplains not associated with the SMART-SM team, fire department chaplains, Red Cross mental health professionals, Salvation Army personnel, Veterans Affairs psychiatric specialists, church volunteers, massage therapists, chiropractors, and even therapy dogs," assisted in this effort [Condon-Rall 2011]. Soon after the incident, personnel from the DiLorenzo Tricare Health Clinic, military chaplains, the DeWitt Army Community Hospital in Fort Belvoir, Virginia, and ACFD mental health teams were onsite [Condon-Rall 2011]. The North Atlantic Regional Command, SMART-SM team was activated and eventually consisted of almost 100 mental health professionals working in and around the Pentagon [Condon-Rall 2011]. A part of the SMART-SM team spent quite a bit of time supporting those military personnel actively engaged in the search and removal of human

remains from the incident site [Condon-Rall 2011]. Mental health professionals were also onsite at the Dover AFB mortuary to provide assistance to those personnel handling human remains [Condon-Rall 2011].

The PFAC was operating on September 12, 2001 out of the Crystal City Sheraton Hotel and assisted affected family members. The PFAC was the headquarters for DOD, the airlines, federal agencies, and relief organizations [Goldberg et al. 2007]. The center remained open 24-hours a day and provided family members numerous services. Although the PFAC discontinued operations at the Sheraton on October 12, 2001, family support continued through other means [Goldberg et al. 2007].

USACHPPM initiated and collaborated with other entities to develop and implement the Pentagon Post Disaster Health Assessment survey for service members and civilian employees within the Pentagon [Wells 2002; Condon-Rall 2011]. This survey gathered information on injuries, illnesses, and exposures and included a mental health component. The survey was deployed on October 15, 2001, and closed on January 16, 2002. This survey was provided to over 19,000 Pentagon employees with greater than 4,000 responding. Briefly, the survey indicated that many of the responding employees were at or near the Pentagon at the time of the incident, many were exposed to environmental contaminants, and few respondents were trapped or injured [Wells 2002]. The mental health portion of the survey indicated that respondents reported issues such as alcohol abuse, posttraumatic stress disorder, and depression among other symptoms [Hoge 2002a,b; Jordan et al. 2004; Condon-Rall 2011].

Creed and Newman [2008] reported that 15 fire fighters left ACFD for reasons related to posttraumatic stress disorder and others were treated for PTSD, but stayed with ACFD. Robbers and Jenkins [2005] concluded that PTSD was found among officers in the ACFD and further research is warranted. Simons et al. [2005], Elhai et al. [2006], Gaher et al. [2006], and Long et al. [2007] describe studies of Red Cross workers at the Pentagon and Shanksville, Pennsylvania sites where they looked at the use of mental health services before and after responses, PTSD, and alcohol usage.

In October 1992, an El Al Boeing 747 cargo aircraft crashed into a suburb of Amsterdam, The Netherlands killing 43 people. Donker et al. 2002; Slottje et al. 2005a,b, 2006, 2007, 2008a,b; Huizink 2006a; Page and Wessely 2006; and Witteveen et al. 2007 provide insight into the health effects (e.g., long-term health complaints, use of health care and drugs, autoimmune health effects, perceived health-related quality of life, psychological distress) of fire fighters, police officers, and other disaster assistance workers who responded to the incident. The studies conclude that compared with their non-responding counterparts, responders reported

(1) more physical and mental health complaints; (2) a lower quality of life after the incident; (3) more autoimmune symptoms; (4) more self-medication (instead of prescribed use), and use of sleeping pills or tranquilizers; and/or (5) more use of health care.

Appendix E provides references to additional studies looking at PTSD, alcohol use, depression, perceived safety after the event, and mental health effects of Pentagon employees months and years after the Pentagon incident. This appendix provides references to documents written by the various civilian and military entities describing their efforts in providing mental health support services to responders, Pentagon employees, mortuary workers, family members, Red Cross workers, and others.

Appendix F provides references to additional Pentagon or Shanksville studies or documents providing (1) both exposure and mental health information, (2) civilian and military entities response efforts at the Pentagon or Shanksville sites, (3) a general synopsis of the Pentagon or Shanksville incidents, or (4) general "lessons learned."

Shanksville, Pennsylvania, Response

Background

The area of the crash site was a reclaimed coal strip mine owned by Svonavec Coal Company. The area was mined by the Diamond T Coal Company in the 1960's and then backfilled and planted over. The crash site was mined again in the late 1980s by PBS Coal, who then reclaimed the land in 1994. The strip cut mining process involves removing the soil down to the coal, removing the coal, replacing removed soil, and planting over the area. The location of the crash site had been mined to a depth of around 115 feet. In the background of the site was a forested area with a number of privately owned cabins.

Impact

United Airlines Flight 93 crashed in Stonycreek Township, Somerset County, Pennsylvania, killing all 44 people onboard at 10:03 a.m. on September 11, 2001. Flight 93 was a Boeing 757, 155 feet long by 125 feet wide. At impact, the airliner was traveling over 550 mph with approximately 7,000 gallons of jet fuel [NPS 2011]. The airliner struck the ground almost upside down at a 40-degree angle and created a crater roughly 15 feet deep and 30 feet across [National Commission on Terrorist Attacks Upon the United States 2004].

Response

The impact did not result in many large pieces of airline debris, thereby limiting the need for large scale fire fighting. Fire fighters onsite used Indian pumps (a 5-gallon, hand-pumped tank or bladder) to extinguish hot spots and brush fires [Kashurba 2002]. Ten volunteer fire departments responded [TriData Corporation 2002]. Passenger rescue operations were not implemented, as it was clear that no one survived. Shortly after arriving on-site, the FBI assumed control and brought in more than 150 agents and support personnel to assist in the investigation. Approximately 600 Pennsylvania State Troopers provided security in and around the site. The Somerset emergency management agency supervised establishing a working city around the site – mobile command centers, incident management trailers, etc. [Kashurba 2002].

During the evidence and human remains recovery period, the crater was excavated to an area roughly 85 feet by 85 feet and a depth of about 40 feet [NPS 2011]. The investigators grid the entire site, sifted through the soil, recovered and cataloged personal human remains, personal effects, and airplane debris, and returned the soil to the crater [Kashurba 2002; NPS 2011]. A local Pennsylvania National Guard Armory was used as the morgue. It is estimated that by

³ In this document, the National Volunteer Fire Council provides information on the volunteer fire departments that responded, the number of fire fighters that responded, and how they responded (onsite, backfill, both).

^{17 |} Evidence of Dates Cleanup Concluded at the Pentagon and Shanksville, Pennsylvania

September 14, 2001, the site had more than 400 volunteers assisting in the on-site activities and about 150 disaster mortuary operational response team personnel working with human remains [Grant et al. 2003]. The DMORT response ended on September 25, 2001 [Sledzik 2002]. When human remains could not be identified, they were sent to the Armed Forces Institute of Pathology in Rockville, Maryland [Lash 2001]. The final victim identification occurred on December 19, 2001 [Levin 2001]. After 13 days of work onsite, the FBI relinquished control of the site to the Somerset County Coroner on September 24, 2001. Approximately 74 agencies and more than 1000 responders and volunteers assisted in the onsite activities [Grant et al. 2003]. During the last weekend of September 2001, the Somerset County coroner enlisted the assistance of approximately 300 personnel from the Pennsylvania Region 13 Counter-terrorism Task Force (task force of 13 counties in western Pennsylvania), the State Funeral Directors Association, and other volunteers to conduct "Operation Clean Sweep," which involved scouring the area to pick up remaining plane parts and flagging any human remains or objects resembling human remains [Kashurba 2002; Grant et al. 2003].

After the response to the crash, pertinent parties discussed with ERM (contracted by United Airlines to reclaim the site) about how to reclaim the crash site. In accordance with the Pennsylvania Department of Environmental Protection, ERM collected core samples for jet fuel, collected water samples from a pond near the site, and backfilled the crater from October 1, 2001 to October 3, 2001. Because remains and plane debris could have been imbedded within trees nearby, many trees surrounding the site were cut down and buried in the crater. The site was restored as much as possible to the original appearance; 4–6 inches of topsoil was added on top of the crater and throughout the forested area, and the area was seeded with flowers and grasses.

The Somerset County coroner indicated that in the years following the response, members of the Pennsylvania National Guard and Camp Cadet (camp for youth operated by the Pennsylvania State Police) had been out to the site to collect aircraft parts [Daily American 2005; Miller 2011]. Available information indicates that law enforcement personnel remained at the site to provide security for a number of years [Daily American 2005]. The Somerset County coroner officially released the site to the respective landowners in August 2005 [Daily American 2005]. The National Park Service purchased much of the land around the site is overseeing the construction of a memorial to Flight 93 [NPS 2011].

Figure 4 provides a timeline of significant events after the crash of United Airlines Flight 93 covering the initial response, land restoration, and release of the Shanksville site.

During the Shanksville response, the Red Cross, and the Salvation Army assumed the role of feeding the responders, and providing mental health services, among other efforts [Kashurba 2002; American Red Cross 2006; Salvation Army 2011]. The Red Cross had more than 300 volunteers and 29 paid staff to assist in the effort, and 30 local clergy members volunteered their time [Kashurba 2002]. Red Cross personnel staged at the scene, at operations headquarters, the morgue, and with the families of victims [American Red Cross 2010].

Appendix C provides a list of responding agencies, departments, organizations, and volunteers to Shanksville based upon the literature search used for this report.




Figure 4. Timeline of Significant Events at Shanksville – Initial Response to Site Release

Recommended Shanksville, Pennsylvania Site Concluding Date

Most of the fire and police department personnel and volunteers left the site after the FBI turned the site over to the Somerset County coroner on September 24, 2001. However, fire and police department and volunteer presence was limited at the Shanksville site until the conclusion of the final sweep of the crash site for aircraft parts and potential human remains on September 29–30, 2001. Available information suggests that law enforcement personnel remained at the site to provide security for a number of years. The available information does

not indicate whether fire department personnel or volunteers were onsite during the site restoration activities from October 1–3, 2001.

Available information indicates that environmental restoration contractors restored the site close to its original appearance from October 1–3, 2001, signaling the conclusion of the response.

The available information has substantial uncertainties that limit the ability to determine with absolute precision specific end times for each group's activities at the site. To ensure that those who did respond are provided adequate opportunity for medical monitoring and treatment benefits, WTCHP eligibility is recommended for the period covering September 11, 2001 to October 3, 2001 for individuals who worked for a fire department, police department, or a recovery or cleanup contractor, or were a volunteer, and performed rescue, recovery, demolition, debris cleanup, or other related services at the Shanksville site of the terrorist-related aircraft crash of September 11, 2001.

Shanksville, Pennsylvania Site Concluding Date: October 3, 2001

Exposures, Personal Protective Equipment, and Decontamination

An onsite fire department chief reported [Clark 2011] that the PPE worn by responders included the following: a Kappler® Disposal suit with hood worn over coveralls, booties worn over rubber boots, safety glasses, and respirators (disposable dust mask). The decontamination process took place in the warm zone and consisted of a four-step process (two scrubs and two rinses from arm level to the foot level) for all who entered the designated hot zone [Clark 2011]. A "germicidal liquid" was used for decontamination, because of the potential for bloodborne pathogen exposure from contact with human remains [Clark 2011]. Decontamination did not begin until the federal representatives were ready to start working in the impact area; only federal workers and some excavating contractors were in that area [Clark 2011]. Medical surveillance personnel were also onsite [Clark 2011]. PPE, decontamination, and medical surveillance were coordinated with the federal agencies and all special teams involved in the response [Clark 2011].

Kashurba [2002] writes that decontamination was conducted on all personnel who entered the site. Responders wore rubber gloves, Tyvek® suits, and shoe covers. The decontamination line consisted of a wash station, dumpsters, and a blue decontamination tent that held four small swimming pools. The pools were positioned in two rows of two; responders walked through the

⁴ Detailed information on respirators and other PPE used in the Shanksville response is not provided in the literature reviewed and cited in this document.

first pool and then scrubbed their shoes (chlorinated water). They then walked through the next pool, which contained more soap and water plus chlorine. They were rinsed, then took off their suits, removed their respirators, and finished at a station for washing their hands, face, and respirator.

Review of Exposures

Environmental Monitoring

The available literature and informal NIOSH-led responder interviews did not identify any monitoring data to document personal exposures among those responding to the Shanksville crash. It should be noted that this response was very different from the World Trade Center and Pentagon responses as the only debris originated from Flight 93 and the groundcover in the area; no building debris was involved. Exposures were limited to residual jet fuel and hydraulic fluids, emissions from a few small-scale fires or smoldering debris, human remains, and potential hazards created during the response (CO, diesel exhaust, noise, etc.). However, during the response and reclamation of the site, environmental monitoring (soil and water) was conducted as required under Pennsylvania law. Although it is not appropriate to link the results from this report to responder exposures, the results provide insight into potential chemical exposures.

Environmental Resources Management, Inc. was contracted on behalf of United Airlines to document soil and water quality at the site. Site characterization was conducted according to the PADEP and the Pennsylvania Land Recycling and Environmental Remediation Standards Act (Act 2) [PALRB 1995]. ERM issued a final report describing the site history, and the sampling plan, methodology, and results of environmental sampling. The following narrative summarizes the findings of the ERM final report [ERM 2002].

ERM reviewed the flight manifests to determine whether any hazardous materials were on board other than jet fuel and hydraulic fluid. The manifests did not indicate any cargo that could have contained potential sources of contamination. In their report, ERM provided a jet fuel risk assessment report (Jet A fuel) describing the individual compounds found within this particular fuel by analyzing an unweathered sample from the Denver International Airport. According to the report, the American Petroleum Institute and the aviation industry consider this a representative sample of this particular type of fuel. The analysis indicated that Jet A fuel is made up of carbon compounds in the C_8 – C_{17} range: 83% (normalized) is cycloparaffins, n-paraffins, and branched paraffins and 17% is aromatics. Approximately 194 compounds were identified. The analysis determined that the Jet A fuel sample consisted of 0.0063% benzene, 0.063% toluene, 0.067% ethylbenzene, and 0.25% xylenes. This type of fuel is designed to

consist of very small amounts of PAHs, which was confirmed by ERM in their analysis. Weathering of this type of fuel will reduce the concentrations of these compounds. See Appendix A for more information on Jet A fuel.

On the basis of jet fuel analysis results and for the purpose of site characterization, ERM used the PADEP list of COPC to identify the compounds for soil analysis: benzene, toluene, ethyl benzene, total xylenes, cumene, naphthalene, 1,2-dibromomethane, 1,2-dichloroethane, and total lead. Results were compared to the COPC MSC Direct Contact Standards or Soil to Ground Water Standards. Total lead is not associated with Jet A fuel, so it was not used in the characterization of the site.

The ERM report indicated that all site work under the provisions of the OSHA Bloodborne Pathogens Standard [29 CFR 1910.1030] as the potential for exposure to biological hazards was recognized and PPE worn. However, the report does not detail what PPE was worn, nor whether all responders onsite or specifically ERM personnel followed these precautions. The ERM report does not provide further details.

Soil samples were collected from mid-September to mid-October 2001. Soil was collected from the bottom of the excavated crater, crater backfill material, surface, subsurface, and subsurface background. Soil samples were analyzed by a portable field gas chromatograph or sent to a laboratory for analysis for one or more of the following: TPH, TCL VOCs, TCL SVOCs, DRO, GRO, metals, PCBs, and wet chemistry. Surface and subsurface samples were collected based on a grid system of the site, extending 200 feet to the east, west, and south of the crater and 150 feet to the north. Only lead was found at the bottom of the crater and was attributed to previous mining activities onsite. Of the 177 surface samples analyzed for TPH, 45 showed detectable concentrations ranging from 2.8–310 mg/kg (> 1,000 mg/kg TPH required further analysis). The report is unclear as to the number of subsurface samples collected. The report concludes that no surface or subsurface soil samples exceeded any Pennsylvania standards.

Five groundwater monitoring wells were installed in early October 2001 and in February 2002. Monitoring was conducted to determine if the Jet A fuel COPCs were in the groundwater. Four rounds of groundwater sampling revealed one sample detecting benzene; the result did not exceed the Pennsylvania standards. Additional water samples were collected from ponds near the site. Results indicated concentration of metals, but no TCL VOCs, TCL SVOCs, or PCBs were detected above the practical quantification limits.

Backgound soil samples were collected to evaluate the existing concentrations of VOCs and SVOCs at the site. Several polynuclear aromatic compounds as well as xylene were detected in

the soil boring samples. The report indicated that the previous mining operations at the site could contribute to the polynuclear aromatic concentrations as Jet A fuel contributes very little. No compounds found exceeded any Pennsylvania standards.

The report concludes in its executive summary that the surface soils, subsurface soils, and ground water beneath the site did not exceed any of the PADEP statewide health standards and did not require any remediation. None of the surface water results indicated any contamination that could be attributed to the Flight 93 crash.

The ERM sampling results did not reveal many compounds over the detection limit. However, most of these samples were collected weeks after the response. It is likely that chemical components in Jet A fuel existed in the early stages of the response and were a possible exposure to responders. Fire fighters did report the smell of jet fuel early on in the response [Kashurba 2002] though no exposure monitoring data is available to quantify potential worker exposures.

For additional information on potentially relevant exposure and mental health information for Shanksville responders, see the Pentagon section of this report.

References

American Red Cross [2006]. September 11th response and recovery. [http://www.redcross.org/911recovery/]. Date accessed: January 2012.

American Red Cross [2010]. Red Crossers remember 9-11 crash of Flight 93 in Pennsylvania. [http://www.redcross.org/portal/site/en/menuitem.1a019a978f421296e81ec89e43181aa0/?vgnextoid=f36b27badc5fa210VgnVCM10000089f0870aRCRD]. Date accessed: January 2012.

Brown K [2011]. Firefighter recalls witnessing 9/11 attacks at Pentagon. [http://fire-men-book.blogspot.com/2011/09/firefighter-recalls-witnessing-911.html]. Date accessed: December 2011.

Budd F [2011]. Burning memories from inside the Pentagon. [http://www.leelanaunews.com/drupal/index.php?q=node/32001]. Date accessed: December 2011.

CFR. Code of Federal Regulations. Washington, DC: U.S. Government Printing Office, Office of the Federal Register.

Clark J (Som601chief@aol.com) [2011]. Follow-up to the NIOSH visit in November concerning the WTC Health Program. Private e-mail message to Robert E. McCleery (rmccleery@cdc.gov), December 20.

Costantino J, Mayfield H, Baker D [2001]. Characterization of environmental and health exposures during a composite aircraft fire and simulated aircraft recovery operations. Air Force Institute for Environment, Safety, and Occupational Health Risk Analysis, Risk Analysis Directorate, Health and Safety Division, Report No. IERA-RS-BR-TR-2001-0005.

Costantino J, Jarbeau Jr J, Hintz T, Hinojosa M [2001]. Assessment of composite hazards at crash sites: industrial hygiene field guidance for biomedical engineers. Air Force Institute for Environment, Safety, and Occupational Health Risk Analysis, Risk Analysis Directorate, Health and Safety Division, Report No. IERA-RS-BR-TR-2001-0009.

Condon-Rall ME [2011]. Attack on the Pentagon: the medical response to 9/11. Fort Detrick, MD, and Fort Sam Houston, TX: Office of The Surgeon General, Borden Institute. [http://www.bordeninstitute.army.mil/]. Date accessed: January 2012.

Creed P, Newman R [2008]. Firefight: inside the battle to save the Pentagon on 9/11. New York: Random House, Inc.

Daily American [2005]. Coroner to release crash site. [http://articles.dailyamerican.com/2005-07-28/news/26342356 1 crash-site-final-sweep-miller]. Date accessed: January 2012.

Defina M, Poland D, Dahbi T [2011]. Telephone conversation on September 15, 2011, between M. Defina, D. Poland, T Dahbi, Metropolitan Washington Airports Authority, and R. McCleery, Division of Surveillance, Hazard Evaluations, and Field Studies, and C. Spring, Office of the Director, National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention, U.S. Department of Health and Human Services.

Donker GA, Yzermans CJ, Spreeuwenberg P, van der Zee J [2002]. Symptom attribution after a plane crash: comparison between self-reported symptoms and GP records. Br J Gen Prac 52(484):917–922.

Elhai JD, Jacobs GA, Kashdan TB, DeJong GL, Meyer DL, Frueh BC [2006]. Mental health service use among American Red Cross disaster workers responding to the September 11, 2001 U.S. terrorist attacks. Psychiatry Res *143*(1):29–34.

ERM [2002]. Final closure report Flight 93, Shanksville, Pennsylvania. Environmental Resources Management. Prepared for United Airlines.

FEMA [2004]. Responding to incidents of national consequence. FA-282. [http://training.fema.gov/EMIWeb/IS/ICSResource/assets/fa-282.pdf]. Date accessed: January 2012.

Gaborek BJ, Mullikin JM, Pitrat T, Cummings L, May LM [2001]. Pentagon surface wipe sampling health risk assessment. Toxicol Ind Health *17*(5-10):254–261.

Gaher RM, Simons JS, Jacobs GA, Meyer D, Johnson-Jimenez E [2006]. Coping motives and trait negative affect: testing mediation and moderation models of alcohol problems among American Red Cross disaster workers who responded to the September 11, 2001 terrorist attacks. Addict Behav *31*(8):1319–1330.

Goldberg A, Papadopoulos S, Putney D, Berlage N, Welch R [2007]. Pentagon 9/11. Washington, DC: Historical Office, Office of the Secretary of Defense. [http://osdhistory.defense.gov/history.html]. Date accessed: January 2012.

25 | Evidence of Dates Cleanup Concluded at the Pentagon and Shanksville, Pennsylvania

Hartzell GE [1996]. Overview of combustion toxicology. Toxicol 115(1-3):7–23.

Hoge CW, Orman DT, Robichaux RJ, Crandell EO, Patterson VJ, Engel CC, Ritchie EC, Milliken CS [2002a]. Operation Solace: overview of the mental health intervention following the September 11, 2001 Pentagon attack. Mil Med *167*(9)(Suppl):44–47.

Hoge CW, Engel CC, Orman DT, Crandell EO, Patterson VJ, Cox AL, Tobler SK, Ursano RJ [2002b]. Development of a brief questionnaire to measure mental health outcomes among Pentagon employees following the September 11, 2001 attack. Mil Med *167*(9)(Suppl):60–63.

Huizink AC, Slottje P, Witteveen AB, Bijlsma JA, Twisk JWR, Smidt N, Bramsen I, van Mechelen W, van der Ploeg HM, Bouter LM, Smid T [2006a]. Long term health complaints following the Amsterdam air disaster in police officers and fire-fighters. Occup Environ Med *63*(10):657–662.

Jackson BA, Peterson DJ, Bartis JT, LaTourrette T, Brahmakulam I, Houser A, Sollinger J [2002]. Protecting emergency responders: lessons learned from terrorist attacks. Science and Technology Policy Institute, RAND. [http://www.rand.org/pubs/conf_proceedings/CF176.html]. Date accessed: January 2012.

Jordan NN, Hoge CW, Tobler SK, Wells J, Dydek GJ, Egerton WE [2004]. Mental health impact of 9/11 Pentagon attack: validation of a rapid assessment tool. Am J Prev Med *26*(4):284–293.

Kashurba GJ [2002]. Courage after the crash – Flight 93: aftermath. Somerset, Pennsylvania: SAJ Publishing.

Lash C [2001]. Flight 93 victim identification long, arduous. Pittsburg Post-Gazette, September 25. [http://www.post-gazette.com/headlines/20010925sledzik0925p3.asp]. Date accessed: January 2012.

Levin S [2001]. Flight 93 victims' effects to go back to families. Pittsburg Post-Gazette, December 30. [http://www.post-gazette.com/headlines/20011230flight931230p3.asp]. Date accessed: January 2012.

Long ME, Meyer DL, Jacobs GA [2007]. Psychological distress among American Red Cross disaster workers responding to the terrorist attacks of September 11, 2001. Psychiatry Res 149(1):303–308.

Martinette B [2002]. USAR Activities at the Pentagon. JEMS 27(4):28-30.

Miller W [2011]. Telephone conversation on September 16, 2011, between W. Miller, Somerset County Pennsylvania Coroner, and R. McCleery, Division of Surveillance, Hazard Evaluations, and Field Studies, National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention, U.S. Department of Health and Human Services.

National Commission on Terrorist Attacks Upon the United States [2004]. The 9/11 commission report. Washington, DC. [http://www.911commission.gov/report/911Report.pdf]. Date accessed: January 2012.

NPS [2011]. Flight 93 National Memorial – frequently asked questions (FAQs). U.S. Department of the Interior, National Park Service. [http://www.nps.gov/flni/historyculture/upload/FAQs-long-form-July-2011.pdf]. Date accessed: January 2012.

Page LA, Wessely SC [2006]. Health complaints following an air disaster: a "second disaster." Occup Environ Med *63*(10):647–648.

PALRB [1995]. The Land Recycling and Environmental Remediation Standards Act, Act 2 (P.L.4, No. 1995-2), 35 P.S. §§6026.101 et seq. Commonwealth of Pennsylvania Legislative Reference Bureau. [http://www.palrb.us/pamphletlaws/19001999/1995/0/act/0002.pdf]. Date accessed: January 2012.

PENREN [2002]. Pentagon Renovation Program.

[http://renovation.pentagon.mil/Files/PressPack1.pdf]. Date accessed: January 2012.

Pentagon Memorial Fund [2011]. The National 9/11 Pentagon Memorial. [http://pentagonmemorial.org/]. Date accessed: January 2012.

Salvation Army [2011]. Ten years later: the Salvation Army's response to the 9/11 attacks. [http://www1.usw.salvationarmy.org/usw/www_usw_southwest.nsf/0/C216646D50107CDE88 257904006D48E6/\$file/9-11%20Fact%20Sheet.pdf]. Date accessed: January 2012.

Sledzik P [2002]. DMORT III update. DMORT National News, January 2002 Special Edition – Attack on America.

Slottje P, Bijlsma JA, Smidt N, Twisk JW, Huizink AC, Lems WF, van Hoogstraten I, Witteveen AB, van Mechelen W, Smid T [2005]. Epidemiologic study of the autoimmune health effects of a cargo aircraft disaster. Arch Intern Med *165*(19):2278–2285.

Slottje P, Huizink AC, Twisk JW, Witteveen AB, van der Ploeg HM, Bramsen I, Smidt N, Bijlsma JA, Bouter LM, van Mechelen W, Smid T [2005]. Epidemiological study air disaster in Amsterdam (ESADA): study design. BMC Public Health *5*:54–62.

Slottje P, Smidt N, Twisk JW, Huizink AC, Witteveen AB, van Mechelen W, Smid T [2006]. Attribution of physical complaints to the air disaster in Amsterdam by exposed rescue workers: an epidemiological study using historic cohorts. BMC Public Health *6*:142–152.

Slottje P, Twisk JW, Smidt N, Huizink AC, Witteveen AB, van Mechelen W, Smid T [2007]. Health-related quality of life of firefighters and police officers 8.5 years after the air disaster in Amsterdam. Qual Life Res *16*(2):239–252.

Slottje P, Smidt N, Twisk JW, Huizink AC, Witteveen AB, van Mechelen W, Smid T [2008a]. Use of health care and drugs by police officers 8.5 years after the air disaster in Amsterdam. Eur J Public Health 18(1):92–94.

Slottje P, Witteveen AB, Twisk JW, Smidt N, Huizink AC, van Mechelen W, Smid T [2008b]. Post-disaster physical symptoms of firefighters and police officers: role of types of exposure and post-traumatic stress symptoms. Br J Health Psychol *13*(2):327–342.

Titan Systems Corporation [2002]. Arlington county after-action report on the response to the September 11 terrorist attack on the Pentagon. DOJ contract no. GS10F0084K for Arlington County. [http://www.arlingtonva.us/departments/Fire/Documents/after_report.pdf]. Date accessed: January 2012.

Titus LJ [2002]. A review of the temporary shoring used to stabilize the Pentagon after the terrorist attacks of September 11th, 2001. Submitted to University of Maryland, Department of Civil Engineering. [http://www.911hardfacts.com/docs/Pentagon Shoring.pdf]. Date accessed: January 2012.

TriData Corporation [2002]. Final report: the role of the Volunteer Fire Service in the September 11, 2001 terrorist attacks. Arlington, VA: TriData Corporation, for the National Volunteer Fire Council. [http://www.nvfc.org/files/documents/rolevolfiresvc911.pdf]. Date accessed: January 2012.

Vogel S [2007]. The Pentagon: a history. New York: Random House, Inc.

Ward MJ [2002]. Attack on the Pentagon: the initial fire & EMS response. JEMS 27(4):22–30.

Wells JD, Egerton WE, Cummings LA, Jordan N, Cox AL, Dydek GJ, Delaney K [2002]. The U.S. Army Center for Health Promotion and Preventive Medicine response to the Pentagon attack: a multipronged prevention-based approach. Mil Med *167*(9)(Suppl):64–67.

Witteveen AB, Bramsen I, Twisk JW, Huizink AC, Slottje P, Smid T, Van Der Ploeg HM [2007]. Psychological distress of rescue workers eight and one-half years after professional involvement in the Amsterdam air disaster. J Nerv Ment Dis 195(1):31–40.

Tables

Table 1. Air sampling using direct reading instruments at the Pentagon

Compound	Method
Carbon monoxide	Varies
Formaldehyde	Varies
Hydrogen sulfide	Varies
LEL	Varies
PID	Varies
Oxygen	Varies
Respirable dust	Varies
VOCs	Varies

Table 2. Air sampling for aldehydes at the Pentagon

Compound	Method
Acetaldehyde	Varies
Acrolein	Varies
Butyraldehyde	Varies
Crotonaldehyde	Varies
Formaldehyde	Varies
Hexaldehyde	Varies
Isobutyraldehyde	Varies
Isovaleraldehyde	Varies
n-Heptyl	Varies
n-Valeraldehyde	Varies
Propionaldehyde	Varies

Table 3. Air sampling for asbestos at the Pentagon

Table 5. All sampling for assestes at the Fentagon		
Compound	Method	
Cellulose Fibers	EPA 600.0/R93/116	
Chrysotile Asbestos	EPA 600.0/R93/116	
Cotton Fibers	EPA 600.0/R93/116	
Fiber Glass	EPA 600.0/R93/116	
Mineral Wool	EPA 600.0/R93/116	
No asbestos found	EPA 600.0/R93/116	
Non-asbestos Fibers	EPA 600.0/R93/116	
Non-fibrous Material	EPA 600.0/R93/116	
Synthetic Fibers	EPA 600.0/R93/116	

Table 4. Air sampling for BTEX at the Pentagon

Compound	Method	
Benzene	NIOSH 1501	
Ethylbenzene	NIOSH 1501	
Naphthalene	NIOSH 1501	
Styrene	NIOSH 1501	
Toluene	NIOSH 1501	
Xylenes	NIOSH 1501	

Table 5. Air and wipe sampling for metals at the Pentagon

Table 5. Air and wipe sampling for metals at the Pentagon			
Compound	Method		
Nickel	MOD NIOSH 7300 MET51, EPA 200.8 MET21		
Lead (air)	MOD NIOSH 7300 MET51, EPA 200.8 MET21		
Lead (wipe)	SW-846/EPA 6010B, EPA 6020 MET9, MOD NIOSH 7300 MET51		
Beryllium	MOD NIOSH 7300 MET51, EPA 200.8 MET21		
Cadmium	MOD NIOSH 7300 MET51, EPA 200.8 MET21		
Copper	MOD NIOSH 7300 MET51		
Strontium	Varies		
Zinc	MOD NIOSH 7300 MET51, EPA 200.8 MET21		
Chromium	MOD NIOSH 7300 MET51, EPA 200.8		
Manganese	EPA 200.8 MET21		
Antimony	EPA 200.8 MET21		
Arsenic	EPA 200.8 MET21		
Vanadium	EPA 200.8 MET21		

Table 6. Air sampling for PAHs at the Pentagon

Table 6. All sampling for FAR's at the Feritagon			
Compound	Method		
Acenaphthene	NIOSH 5506/5515		
Acenaphthylene	NIOSH 5506/5515		
Anthracene	NIOSH 5506/5515		
Benzo(a)anthracene	NIOSH 5506/5515		
Benzo(a)pyrene	NIOSH 5506/5515		
Benzo(b)fluoroanthene	NIOSH 5506/5515		
Benzo(g,h,i)perylene	NIOSH 5506/5515		
Benzo(k)fluoroanthene	NIOSH 5506/5515		
Chrysene	NIOSH 5506/5515		
Dibenz(a,h)anthracene	NIOSH 5506/5515		
Fluoranthene	NIOSH 5506/5515		
Fluorene	NIOSH 5506/5515		
Indeno(1,2,3-cd)pyrene	NIOSH 5506/5515		
Naphthalene	NIOSH 5506/5515		
Phenanthrene	NIOSH 5506/5515		
Pyrene	NIOSH 5506/5515		

Table 7. Air sampling for silica at the Pentagon

Compound	Method
Cristobalite	NIOSH 7500, 4 th Edition
Quartz (SiO2)	NIOSH 7500, 4 th Edition
Silica (as SiO2)	NIOSH 7500, 4 th Edition
Tridymite	NIOSH 7500, 4 th Edition

Table 8. Drinking water sampling at the Pentagon – regulated and unregulated inorganics, radionuclides, regulated and unregulated VOCs, regulated and unregulated pesticides and SOCs

Compound	Method	Compound	Method
1,1,1,2-Tetrachloroethane	EPA 524.2	Aluminum	EPA 200.7
1,1,2,2-Tetrachloroethane	EPA 524.2	Ammonia	EPA 350.2
1,1,2-Trichloroethane	EPA 524.2	Anthracene	EPA 525.2
1,1-Dichloroethane	EPA 524.2	Antimony	EPA 200.8 MET21
1,1-Dichloroethene	EPA 524.2	Aroclor-1016, 1221, 1232, 1242, 1248, 1254, 1260	EPA 508
1,1-Dichloropropene	EPA 524.2	Arsenic	EPA 200.8 MET21
1,2,3-Trichlorobenzene	EPA 524.2	Atrazine	EPA 507, 525.2
1,2,3-Trichloropropane	EPA 504, 524.2	Barium	EPA 200.8 MET21
1,2,4-Trichlorobenzene	EPA 524.2	Baygon (Propoxur)	EPA 531.1
1,2,4-Trimethylbenzene	EPA 524.2	Benzene	EPA 524.2
1,2-Dibromo-3-chloropropane	EPA 504, 524.2	Benzo(a)anthracene	EPA 525.2
1,2-Dibromoethane	EPA 504, 524.2	Benzo(a)pyrene	EPA 525.2
1,2-Dichlorobenzene	EPA 524.2	Benzo(b)fluoroanthene	EPA 525.2
1,2-Dichloroethane	EPA 524.2	Benzo(g,h,i)perylene	EPA 525.2
1,2-Dichloropropane	EPA 524.2	Benzo(k)fluoroanthene	EPA 525.2
1,3,5-Trimethyl Benzene	EPA 524.2	Beryllium	EPA 200.8 MET21
1,3-Dichlorobenzene	EPA 524.2	Beta Counting Uncertainty	AB001
1,3-Dichloropropane	EPA 524.2	Beta Min. Detectable Conc.	AB001
1,4-Dichlorobenzene	EPA 524.2	Beta Sample Activity	AB001
2,2',3,3'4,5',6,6'-Octachlorob	EPA 525.2	beta-BHC	EPA 508
2,2',3'4,6-Pentachlorobiphenyl	EPA 525.2	bis(2-ethylhexyl)phthalate	EPA 525.2
2,2'4,4'5,6'Hexachlorobiphenyl	EPA 525.2	Bromacil	EPA 507
2,2'4,4'-Tetrachlorobiphenyl	EPA 525.2	Bromobenzene	EPA 524.2
2,2-Dichloropropane	EPA 524.2	Bromochloromethane	EPA 524.2
2,3-Dichlorobiphenyl	EPA 525.2	Bromodichloromethane	EPA 524.2
2,4,5-T	EPA 515.1	Bromoform	EPA 524.2
2,4,5-TP	EPA 515.1	Bromomethane	EPA 524.2
2,4,5-Trichlorobiphenyl	EPA 525.2	Butachlor	EPA 507
2,4-D	EPA 515.1	Butylbenzylphthalate	EPA 525.2
2,4-DB	EPA 515.1	Cadmium	EPA 200.8, MET21
2-Chlorobiphenyl	EPA 525.2	Calcium	EPA 200.7, MET41
2-Chlorotoluene	EPA 524.2	Carbaryl (Sevin)	EPA 531.1
3-Hydroxycarbofuran	EPA 531.1	Carbofuran	EPA 531.1
4-Chlorotoluene	EPA 524.2	Carbon Tetrachloride	EPA 524.2
4-Isopropyltoluene	EPA 524.2	Chlordane, Technical	EPA 508
Acenaphthylene	EPA 525.2	Chloride	EPA 300
Acifluorfen	EPA 515.1	Chlorobenzene	EPA 524.2
Alachlor	EPA 507, 525.2	Chlorobenzilate	EPA 508
Aldicarb	EPA 531.1	Chloroethane	EPA 524.2
Aldicarbsulfone	EPA 531.1	Chloroform	EPA 524.2
Aldicarbsulfoxide	EPA 531.1	Chloromethane	EPA 524.2
Aldrin	EPA 508, 525.2	Chloroneb	EPA 508
Alkalinity, Total	SM 2320	Chlorothalonil	EPA 508
Alpha Counting Uncertainty	AB001	Chlorpyrifos	EPA 507
Alpha Min. Detectable Conc.	AB001 AB001	Chromium	EPA 200.8, MET21
Alpha Sample Activity	AB001 AB001	Chrysene	EPA 200.8, ME121
alpha-BHC	EPA 508	cis-1,2-Dichloroethene	EPA 525.2 EPA 524.2
alpha-Chlordane			
aipna-Chiordane	EPA 508	cis-1,3-Dichloropropene	EPA 524.2

Table 8, continued. Drinking water sampling at the Pentagon – regulated and unregulated inorganics, radionuclides, regulated and unregulated VOCs, regulated and unregulated pesticides and SOCs

Compound	Method	Compound	Method
Copper	EPA 200.8, MET21	Methylene Chloride	EPA 524.2
Dalapon	EPA 515.1	Metolachlor	EPA 507
delta-BHC	EPA 508	Metribuzin	EPA 507
Di(2-ethylhexyl)adipate	EPA 525.2	Mirex	EPA 508
Diazinon	EPA 507	Naphthalene	EPA 524.2
Dibenz(a,h)anthracene	EPA 525.2	n-Butylbenzene	EPA 524.2
Dibromochloromethane	EPA 524.2	Nickel	EPA 200.8 MET21
Dibromomethane	EPA 524.2	Nitrite/Nitrate-N	EPA 300
Dicamba	EPA 515.1	n-Propylbenzene	EPA 524.2
Dichlorodifluoromethane	EPA 524.2	Oxamyl	EPA 531.1
Dichloroprop	EPA 515.1	o-Xylene	EPA 524.2
Dieldrin	EPA 508	p,p'-DDD	EPA 508
Diethylphthalate	EPA 525.2	p,p'-DDE	EPA 508
Dimethylphthalate	EPA 525.2	p,p'-DDT	EPA 508
Di-n-butylphthalate	EPA 525.2	Paraquat	EPA 549.1
Dinoseb	EPA 515.1	Parathion	EPA 507
Diquatdibromidemonohydrate	EPA 549.1	Pentachlorophenol	EPA 515.1, 525.2
Endosulfan I	EPA 508	Permethrin, cis-	EPA 508
Endosulfan IIEPA	EPA 508	Permethrin, trans-	EPA 508
Endosulfansulfate	EPA 508	Phenanthrene	EPA 525.2
Endothall	EPA 548.1	Phosphate-P	SM 4500-P,B,E(5)
Endrin	EPA 508, 525.2	Picloram	EPA 515.1
Endrinaldehyde	EPA 508	Prometon	EPA 507
Ethylbenzene	EPA 524.2	Propachlor	EPA 508
Etridiazole	EPA 508	Propazine	EPA 507
Fluorene	EPA 525.2	Pyrene	EPA 525.2
Fluoride	EPA 300	sec-Butylbenzene	EPA 524.2
gamma-BHC (Lindane)	EPA 508, 525.2	Selenium	EPA 200.8 MET21
gamma-Chlordane	EPA 508, 525.2	Silver	EPA 200.8 MET21
Glyphosate	EPA 547	Simazine	EPA 507, 525.2
Heptachlor	EPA 508, 525.2	Sodium	EPA 200.7 MET41
Heptachlorepoxide	EPA 508, 525.2	Styrene	EPA 524.2
Hexachlorobenzene	EPA 508, 525.2	Sulfate	EPA 300
Hexachlorobutadiene	EPA 524.2	Surfactants	EPA 425.1
Hexachlorocyclopentadiene	EPA	tert-Butylbenzene	EPA 524.2
Indeno(1,2,3-cd)pyrene	EPA 525.2	Tetrachloroethylene	EPA 524.2
Iron	EPA 200.7 MET41	Thallium	EPA 200.8 MET21
Isopropylbenzene	EPA 524.2	TOC	EPA 415.1
Lead	EPA 200.8 MET21	Toluene	EPA 524.2
m/p-Xylene	EPA 524.2	Total Dissolved Solids	EPA 160.1
Magnesium	EPA 200.7	Toxaphene	EPA 508
Malathion	EPA 507	trans-1,2-Dichloroethene	EPA 524.2
Manganese	EPA 200.7 MET41	trans-1,3-Dichloropropene	EPA 524.2
Mercury	EPA 200.8 MET21	trans-Nonachlor	EPA 525.2
Methiocarb	EPA 531.1	Trichloroethene	EPA 523.2
Methomyl	EPA 531.1	Trichlorofluoromethane	EPA 524.2
•	EPA 508, 525.2	Trifluralin	EPA 524.2 EPA 508
		IIIIIUI aiiii	LI'A JUO
Methoxychlor Methyl Chloroform	EPA 524.2	Vinyl Chloride	EPA 524.2

Table 9. Air sampling for polycyclic aromatic hydrocarbons and volatile organic compounds at the Pentagon

Compound	Method	JIIS a	Compound	Method
Compound			Compound	Ivietilou
1,2,4-Trichlorobenzene	EPA 8270B, TO-14, TO- 1(Mod)		Di-n-octylphthalate	EPA 8270B
1,2-Dichlorobenzene	EPA 8270B, TO-14, TO- 1(Mod)		Fluoranthene	EPA 8270B
1,3-Dichlorobenzene	EPA 8270B, TO-14, TO- 1(Mod)		Fluorene	EPA 8270B
1,4-Dichlorobenzene	EPA 8270B, TO-14, TO- 1(Mod)		Hexachlorobenzene	EPA 8270B
2,4,5-Trichlorophenol	EPA 8270B		Hexachlorobutadiene	EPA 8270B
2,4,6-Trichlorophenol	EPA 8270B		Hexachlorocyclopentadiene	EPA 8270B
2,4-Dichlorophenol	EPA 8270B		Hexachloroethane	EPA 8270B
2,4-Dimethylphenol	EPA 8270B		Indeno(1,2,3-cd)pyrene	EPA 8270B
2,4-Dinitrophenol	EPA 8270B		Isophorone	EPA 8270B
2,4-Dinitrotoluene	EPA 8270B		Naphthalene	EPA 8270B
2,6-Dinitrotoluene	EPA 8270B		Nitrobenzene	EPA 8270B
2-Chloronaphthalene	EPA 8270B		N-Nitrosodimethylamine	EPA 8270B
2-Chlorophenol	EPA 8270B		N-Nitrosodiphenylamine	EPA 8270B
2-Methyl-4,6-dinitrophenol	EPA 8270B		N-Nitrosodipropylamine	EPA 8270B
2-Methylnaphthalene	EPA 8270B		Pentachlorophenol	EPA 8270B
2-Methylphenol (o-Cresol)	EPA 8270B		Phenanthrene	EPA 8270B
2-Nitroaniline	EPA 8270B		Phenol	EPA 8270B
2-Nitrophenol	EPA 8270B		Pyrene	EPA 8270B
3-Nitroaniline	EPA 8270B		1,1,2,2-Tetrachloroethane	EPA TO-14
4-Bromophenyl-phenylether	EPA 8270B		1,1,2-Trichloroethane	EPA TO-14
4-Chloro-3-methylphenol	EPA 8270B		1,1-Dichloroethane	EPA TO-14, TO-1(Mod)
4-Chloroaniline	EPA 8270B		1,1-Dichloroethene	EPA TO-14, TO-1(Mod)
4-Chlorophenyl-phenylether	EPA 8270B		1,2,4-Trimethylbenzene	EPA TO-14, TO-1(Mod)
4-Methylphenol (p-Cresol)	EPA 8270B		1,2-Dibromoethane	EPA TO-14, TO-1(Mod)
4-Nitroaniline	EPA 8270B		1,2-Dichloroethane	EPA TO-14, TO-1(Mod)
4-Nitrophenol	EPA 8270B		1,2-Dichloropropane	EPA TO-14, TO-1(Mod)
Acenaphthene	EPA 8270B		1,3,5-Trimethyl Benzene	EPA TO-14, TO-1(Mod)
Acenaphthylene	EPA 8270B		4-Ethyltoluene	EPA TO-14
Anthracene	EPA 8270B		Acetone	EPA TO-14
Benzo(a)anthracene	EPA 8270B		Acetonitrile	EPA TO-14
Benzo(a)pyrene	EPA 8270B		Allylchloride	EPA TO-14
Benzo(b)fluoroanthene	EPA 8270B		Benzene	EPA TO-14, TO-1(Mod)
Benzo(g,h,i)perylene	EPA 8270B		Benzylchloride	EPA TO-14
Benzo(k)fluoroanthene	EPA 8270B		Bromomethane	EPA TO-14
Benzylalcohol	EPA 8270B		Carbon Disulfide	EPA TO-14
bis(2-Chloroethoxy)methane	EPA 8270B		Carbon Tetrachloride	EPA TO-14, TO-1(Mod)
bis(2-Chloroethyl)ether	EPA 8270B		Chlorobenzene	EPA TO-14, TO-1(Mod)
bis(2-Chloroisopropyl)ether	EPA 8270B		Chloroethane	EPA TO-14
bis(2-ethylhexyl)phthalate	EPA 8270B		Chloroform	EPA TO-14, TO-1(Mod)
Butylbenzylphthalate	EPA 8270B		Chloromethane	EPA TO-14
Chrysene	EPA 8270B		cis-1,2-Dichloroethene	EPA TO-14, TO-1(Mod)
Dibenz(a,h)anthracene	EPA 8270B		cis-1,3-Dichloropropene	EPA TO-14, TO-1(Mod)
Dibenzofuran	EPA 8270B		Dichlorodifluoromethane	EPA TO-14
Diethylphthalate	EPA 8270B		Dichlorotetrafluoroethane	EPA TO-14
Dimethylphthalate	EPA 8270B		Ethylbenzene	EPA TO-14, TO-1(Mod)
Di-n-butylphthalate	EPA 8270B		Hexachlorobutadiene	EPA TO-14

Table 9, continued. Air sampling for polycyclic aromatic hydrocarbons and volatile organic compounds at the Pentagon

Compound	Method			
Methyl Chloroform	EPA TO-14, TO-1(Mod)			
Methyl Ethyl Ketone	EPA TO-14			
Methylene Chloride	EPA TO-14, TO-1(Mod)			
Styrene	EPA TO-14, TO-1(Mod)			
Tetrachloroethylene	EPA TO-14			
Toluene	EPA TO-14, TO-1(Mod)			
trans-1,2-Dichloroethene	EPA TO-14, TO-1(Mod)			
trans-1,3-Dichloropropene	EPA TO-14, TO-1(Mod)			
Trichloroethene	EPA TO-14, TO-1(Mod)			
Trichlorofluoromethane	EPA TO-14			
Trichlorotrifluoroethane	EPA TO-14			
Vinylacetate	EPA TO-14			
Vinyl Chloride	EPA TO-14			
1,1,1,2-Tetrachloroethane	EPA TO-1(Mod)			
1,1,2,2-Tetrachloroethane	EPA TO-1(Mod)			
1,1,2-Trichloroethane	EPA TO-1(Mod)			
1,1-Dichloropropene	EPA TO-1(Mod)			
1,2,3-Trichlorobenzene	EPA TO-1(Mod)			
1,2,3-Trichloropropane	EPA TO-1(Mod)			
1,2-Dibromo-3-chloropropane	EPA TO-1(Mod)			
1,3-Dichloropropane	EPA TO-1(Mod)			
2,2-Dichloropropane	EPA TO-1(Mod)			
2-Chlorotoluene	EPA TO-1(Mod)			
4-Chlorotoluene	EPA TO-1(Mod)			
4-Isopropyltoluene	EPA TO-1(Mod)			
Bromobenzene	EPA TO-1(Mod)			
Bromochloromethane	EPA TO-1(Mod)			
Bromodichloromethane	EPA TO-1(Mod)			
Bromoform	EPA TO-1(Mod)			
Cyclohexane	EPA TO-1(Mod)			
Cyclopentane	EPA TO-1(Mod)			
Decane	EPA TO-1(Mod)			
Dibromochloromethane	EPA TO-1(Mod)			
Dibromomethane	EPA TO-1(Mod)			
Hexachlorobutadiene	EPA TO-1(Mod)			
Hexane	EPA TO-1(Mod)			
Isooctane	EPA TO-1(Mod)			
Isopropylbenzene	EPA TO-1(Mod)			
m/p-Xylene	EPA TO-1(Mod)			
Methylcyclopentane	EPA TO-1(Mod)			
n-Butylbenzene	EPA TO-1(Mod)			
n-Propylbenzene	EPA TO-1(Mod)			
o-Xylene	EPA TO-1(Mod)			
sec-Butylbenzene	EPA TO-1(Mod)			
tert-Butylbenzene	EPA TO-1(Mod)			
Tetrachloroethylene	EPA TO-1(Mod)			

Appendix A. Characteristics of Jet A Fuel

Numerous jet fuels are used for military and civilian aircraft throughout the world. Jet A fuel (Jet A) is used by the civilian airline industry in the United States. Jet A and other aviation fuels fall into the "kerosene" category, a complex mixture of hydrocarbons (paraffinic, naphthenic, aromatics, and olefins) with boiling points ranging from approximately $300^{\circ}F-550^{\circ}F$ and an approximate carbon range of C_9-C_{16} . Differences in fuels include additives, volatility, freeze points, acidity, and lubricity, among others. There are numerous ASTM and DOD standards for aviation fuels; the Jet A standard is ASTM, D1655-11b (Standard Specification for Aviation Turbine Fuels) [ASTM 2011].

Kerosene-type fuels have low volatility because of the low vapor pressure and higher molecular weights. Dermal exposures tend to be the highest concern as jet fuel is a skin irritant [IARC 1989; API 2010; ACGIH 2011b]. However, under specific conditions such as high temperatures, high vapor concentrations, aerosol production, and confined spaces, exposure by inhalation can be of concern [ACGIH 2011b]. Exposure by inhalation can produce respiratory irritation and central nervous system depression [ACGIH 2011b]. Numerous studies have evaluated occupational exposures to U.S. Air Force personnel using JP-8 fuel (primary jet fuel for military aircraft) [Carlton and Smith 2000; McDougal et al. 2000; Pleil et al. 2000; Egeghy et al. 2003; Serdar et al. 2003; Tu et al. 2004; Chao et al. 2005; Chao et al. 2006; Proctor et al. 2011; Smith et al. 2010; Smith et al. 2012]. In their review of many of these studies, Smith et al. [2010] indicate these studies show variable exposures to personnel conducting different tasks associated with JP-8 fuel. Studies tend to characterize exposures to naphthalene, BTEX, and THC. Studies suggest that napthalene be used as a biomarker of exposure as it is a main component of jet fuel and because of its readiness for absorption into the blood.

API jet fuel reports to the EPA and an EPA hazard characterization document (in collaboration with the API reports) addresses the environmental fate of jet fuels [API 2010a,b; EPA 2011]. In summary, the reports indicate that after entry into the environment, the individual components of kerosene/jet fuel will disperse and partition based upon each individual compound's physical-chemical properties. Degradation would be based upon photodegradation, water solubility, environmental distribution, and biodegradation. Direct photodegradation (structural transformation based on absorption of light energy) would not play a large role. Indirect photodegradation (reaction with hydroxyl radicals) is a more likely pathway for hydrocarbon degradation. Water solubility is not a degradation pathway as hydrocarbons in the kerosene/jet fuel category do not undergo hydrolysis. Modeling data suggest that within the kerosene/jet fuel range of C_9 – C_{16} , the tendency is to partition to air more readily at C_9 and more readily to soil as the number of carbon atoms increases up to C_{16} .

The reports suggest that under the appropriate conditions, kerosene/jet fuel hydrocarbons are inherently biodegradable. The documents do provide tables reporting specific data on the photodegradation, water solubility, environmental distribution, and biodegradation of kerosene/jet fuel compounds.

Agencies and professional organizations developing standards or providing recommended limits vary on their approach to addressing jet fuels. OELs vary from inclusion of all kerosene-based fuels, fuel specific (JP-8 and DOD), comparative criteria (Stoddard solvent), and individual components of fuels (benzene, naphthalene, toluene, xylenes, etc.). There do not appear to be any exposure standards set specifically for Jet A. ACGIH and the API do not differentiate between the kerosene-based fuels [API 2010; ACGIH 2011a]. The ACGIH TLV for kerosene/jet fuels is 200 mg/m³ of total hydrocarbon vapor, but is limited to conditions where there are negligible aerosol exposures and may not be applicable when exposures are short term under high concentrations [ACGIH 2011a,b]. ACGIH lists a skin notation and an A3 designation (confirmed animal carcinogen with unknown relevance to humans) to its kerosene/jet fuel TLV. The API Petroleum High Production Volume Testing Group, in their submission to EPA, suggests that the similarities between kerosene-based fuels allow for the extrapolation of toxicological data between fuels [API 2010]. It is unclear whether the DOD continues to use its 8-hour TWA OEL for JP-8 of 350 mg/m³ [NRC 1996, 2003]. Smith et al. [2010] indicate that the U.S. Air Force recommends 200 mg/m³ as their OEL for JP-8 fuel. OSHA does not have OELs for jet fuel or kerosene, but has a Stoddard solvent PEL of 2,900 mg/m³ [29 CFR 1910.1000]. NIOSH does not have a REL for jet fuel, but has a kerosene REL of 100 mg/m³ and Stoddard solvent REL of 350 mg/m³ with a ceiling (15-minute) of 1,000 mg/m³. IARC lists jet fuel as a Group 3 substance (inadequate evidence for the carcinogenicity in humans) [IARC 1989].

References

ACGIH [2011a]. Documentation of threshold limit values and biological exposure indices. 7th ed. Cincinnati, OH: American Conference of Governmental Industrial Hygienists.

ACGIH [2011b]. 2011 TLVs® and BEIs®: threshold limit values for chemical substances and physical agents and biological exposure indices. Cincinnati, OH: American Conference of Governmental Industrial Hygienists.

API [2010a]. Kerosene/jet fuel category assessment document. The American Petroleum Institute, Petroleum HPV Testing Group. Consortium Registration #1100997.

API [2010b]. Robust summary of information on kerosene/jet fuel. The American Petroleum Institute. Consortium Registration #1100997.

ASTM [2011]. ASTM standard: standard specification for aviation turbine fuels. West Conshohocken, PA: ASTM International. ASTM D1655-11b.

Carlton GN, Smith LB [2000]. Exposures to jet fuel and benzene during aircraft fuel tank repair in the U.S. Air Force. Appl Occup Environ Hyg 15(6):485–491.

CFR. Code of Federal Regulations. Washington, DC: U.S. Government Printing Office, Office of the Federal Register.

Chao YC, Gibson RL, Nylander-French LA [2005]. Dermal exposure to jet fuel (JP-8) in US Air Force personnel. Ann Occup Hyg 49(7):639–645.

Chao YC, Kupper LL, Serdar B, Egeghy PP, Rappaport SM, Nylander-French LA [2006]. Dermal exposure to jet fuel JP-8 significantly contributes to the production of urinary naphthols in fuel-cell maintenance workers. Environ Health Perspect *114*(2):182–185.

Egeghy PP, Hauf-Cabalo L, Gibson R, Rappaport SM [2003]. Benzene and naphthalene in air and breath as indicators of exposure to jet fuel. Occup Environ Med 60(12):969–976.

EPA [2011]. Hazard characterization document: screening-level hazard characterization kerosene/jet fuel category. Washington DC: U.S. Environmental Protection Agency, Office of Chemical Safety and Pollution Prevention, Office of Pollution Prevention and Toxics. http://www.epa.gov/chemrtk/hpvis/hazchar/Category Kerosene-Jet%20Fuel March 2011.pdf. Date accessed: January 2012.

IARC [1989]. Occupational Exposures in Petroleum Refining; Crude Oil and Major Petroleum Fuels. Volume 45. World Health Organization, International Agency for Research on Cancer, IARC Monographs on the Evaluation of Carcinogenic Risks to Humans.

McDougal JN, Pollard DL, Weisman W, Garrett CM, Miller TE [2000]. Assessment of skin absorption and penetration of JP-8 jet fuel and its components. Toxicol Sci *55*(2):247–255.

NRC [1996]. Permissible exposure levels for selected military fuel vapors. National Research Council. Washington, DC: National Academy Press.

NRC [2003]. Toxicologic assessment of jet-propulsion fuel 8. National Research Council. Washington, DC: National Academy Press.

39 | Evidence of Dates Cleanup Concluded at the Pentagon and Shanksville, Pennsylvania

Pleil JD, Smith LB, Zelnick SD [2000]. Personal exposure to JP-8 jet fuel vapors and exhaust at air force bases. Environ Health Perspect *108*(3):183–192.

Proctor SP, Heaton KJ, Smith KW, Rodrigues ER, Widing DE, Herrick R, Vasterling JJ, McClean MD [2011]. The occupational JP8 exposure neuroepidemiology study (OJENES): repeated workday exposure and central nervous system functioning among US Air Force personnel. Neurotoxicology *32*(6):799–808.

Serdar B, Egeghy PP, Waidyanatha S, Gibson R, Rappaport SM [2003]. Urinary biomarkers of exposure to jet fuel (JP-8). Environ Health Perspect 111(14):1760–1764.

Smith KW, Proctor SP, Ozonoff A, McClean MD [2010]. Inhalation exposure to jet fuel (JP8) among U.S. Air Force personnel. JOEH 7(10):563–572.

Smith KW, Proctor SP, Ozonoff AL, McClean MD [2012]. Urinary biomarkers of occupational jet fuel exposure among air force personnel. J Expo Sci Environ Epidemiol 22(1):35–45.

Tu RH, Mitchell CS, Kay GG, Risby TH [2004]. Human exposure to the jet fuel, JP-8. Aviat Space Environ Med 75(1):49–59.

Appendix B. Pentagon Responder List (unofficial)

Fire Departments

Virginia

Aldie Volunteer Fire Department Alexandria Volunteer Fire Department Annandale Volunteer Fire Department Arcola-Pleasant Valley Volunteer FD Arlington County Emergency Medical Services

Arlington County Fire Department
Arlington Volunteer Fire Department
Ashburn Volunteer Fire Department
Bailey's Crossroads Volunteer Fire Department

Bailey's Crossroads Volunteer Fire Department

Ballston Volunteer Fire Department
Buckhall Volunteer Fire Department
Burke Volunteer Fire Department
Centreville Volunteer Fire Department
Cherrydale Volunteer Fire Department
Clarendon Volunteer Fire Department

Clarendon Volunteer Fire Department Coles District Volunteer Fire Department

Dale City Volunteer FRD

DC Emergency Medical Services

Dumfries-Triangle Volunteer Rescue Squad Dunn Loring Volunteer Fire Department Evergreen Volunteer Fire Department Fair Oaks Volunteer Fire Department

Fairfax City Fire Department

Fairfax County Fire and Rescue Department Fairlington Volunteer Fire Department Falls Church Volunteer Fire Department

Fort Myer Fire Department

Franconia Volunteer Fire Department

Gainesville District Volunteer Fire Department

Great Falls Volunteer Fire Department

Greater Springfield Volunteer Fire Department

Hamilton Volunteer Fire Department
Hamilton Volunteer Rescue Squad
Jefferson Volunteer Fire Department
Lake Jackson Volunteer Fire Department
Leesburg Volunteer Fire Department
Lorton Volunteer Fire Department
Loudoun County Fire and Rescue Services
Lovettsville Volunteer Fire Department

Lucketts Volunteer Fire Department Manassas Park Fire Department

Manassas Volunteer Fire Department

McLean Volunteer Fire Department Metropolitan Airport Authority Fire Unit Middleburg Volunteer Fire Department

Neersville Volunteer Fire Department

Nokesville Volunteer Fire Department

Occoquan-Woodbridge-Lorton Volunteer FD

Philomont Volunteer Fire Department

Prince William County FRD

Purcellville Volunteer Fire Department

Purcellville Volunteer Rescue

Round Hill Volunteer Fire Department Sterling Volunteer Fire Department Sterling Volunteer Rescue Squad

Stonewall Jackson Volunteer Fire Department

Yorkshire Volunteer Fire Department

Maryland

Bethesda Chevy Chase Rescue Squad

Bethesda Fire Department

Branchville Volunteer Fire Department Burtonsville Volunteer Fire Department Cabin John Park Volunteer Fire Department

Chevy Chase Fire Department

Cottage City Volunteer Fire Department Damascus Volunteer Fire Department

Gaithersburg-Wash Grove Vol. Fire Department

Germantown Volunteer Fire Department
Glen Echo Volunteer Fire Department
Greenbelt Volunteer Fire Department
Hillandale Volunteer Fire Department
Hyattstown Volunteer Fire Department
Kensington Volunteer Fire Department
Kentland Volunteer Fire Department
Laytonsville Volunteer Fire Department

Montgomery County Division of Volunteer FRS

Morningside Volunteer Fire Department Rockville Volunteer Fire Department Sandy Spring Volunteer Fire Department Silver Spring Volunteer Fire Department Takoma Park Volunteer Fire Department Upper Montgomery County Volunteer FD

Wheaton Volunteer Rescue Squad Woodsboro Volunteer Fire Company

Agencies, Departments, Programs

Alexandria Technical Response Team

Alexandria Office of Virginia's Alcohol Beverage and Control Board

Arlington County Sheriff's Office

Arlington Police Department

Arlington Technical Response Team

Armed Forces Institute of Pathology

Armed Forces Medical Examiner

Building Operations Command Center

Bureau of Alcohol, Tobacco, and Firearms

Defense Protective Service

DiLorenzo Tricare Clinic

DOD Honor Guard

Drug Enforcement Agency

Environmental Protection Agency

Federal Bureau of Investigation

Maryland Task Force 1

Military District of Washington Rescue Unit

National Capital Response Squad

National Medical Response Team

National Naval Medical Center

National Transportation Safety Board

New Mexico Task Force 1

North Atlantic Regional Medical Command

Occupational Safety and Health Administration

Pentagon Family Assistance Center

Pentagon Medical Staff

Pentagon Renovation Program Office

Rader Army Health Clinic Staff

Red Incident Support Team

SACE Structural Safety Engineers and Debris Planning and Response Teams

Salvation Army

Special Medicine Augmentation Response Team-Preventive Medicine

Tennessee Task Force 1

Uniformed Services University of the Health Sciences

U.S. Air Force Office of Special Investigations

U.S. Army Corps of Engineers

U.S. Army Center for Health Promotion and Preventive Medicine

U.S. Army Chaplains

U.S. Forest Service Type 1 Incident Management Team

U.S. National Guard units

U.S. Park Police

U.S. Secret Service

Virginia Department of Emergency Management

Virginia Department of Environmental Quality

Virginia Task Force 1

Virginia Task Force 2

Walter Reed Army Medical Center

Washington Headquarters Services

American Red Cross

Virginia

Arlington County Chapter, Arlington Alexandria Chapter, Alexandria American Red Cross of the Blue Ridge, Staunton Historic Virginia Chapter, Bedford Mountain Empire Chapter, Bristol Central Virginia Chapter, Charlottesville Culpepper-Madison Chapter, Culpepper Fauguier Chapter, Warrenton Rappahannock Area Chapter, Fredericksburg Hampton Roads Chapter, Newport News Loudoun County Chapter, Leesburg Martinsville-Henry County Chapter, Martinsville Montgomery-Floyd Chapter, Blacksburg Prince William County Chapter, Manassas Radford Chapter, Radford Greater Richmond Chapter, Richmond Roanoke Valley Chapter, Roanoke Southeastern Virginia Chapter, Norfolk Colonial Virginia Chapter, Williamsburg Winchester-Frederick County, Winchester York-Poquoson Chapter, Yorktown American Red Cross of the National Capitol, Fairfax

Maryland

Central Maryland Chapter, Baltimore American Red Cross of Southern Maryland, La Plata Frederick County Chapter, Walkersville Washington County Chapter, Hagerstown Lower Shore Chapter, Salisbury

Hospitals

Andrew Rader U.S. Army Health Clinic Arlington Urgent Care George Washington University Hospital Inova Alexandria Hospital Inova Emergency Care Center (HealthPlex) Inova Fairfax Hospital Northern Virginia Community Hospital Virginia Hospital Center - Arlington Washington Hospital Center

Pentagon Contractors

Wedge 1 and Phoenix Project

AMEC - Project Lead

ACM Services Linel Signature Skylite

ACECO LLC Masonry Arts

AMEC Earth & Environmental Morgan Maintenance Bragunier Masonry Const., Inc. Mufti International, Inc. C.J. Coakley Oehrlein & Associates **Capco Contracting Company** Overhead Door of DC

Commercial Hardware **Prospect Waterproofing Company**

CPF **Robb Associates CRT** Rockville Partitions, Inc.

Curtis Equipment Company Roman Mosaic and Tile Company

RTKL

ECS Ltd. **ROSH Construction**

EDG

Ernest Lee Tile Company Singleton Electric Company

Facchina Construction, Inc. Stanton Engineering **GHT** Swinging Door, Inc.

Glode Iron Const. Company Syska Hennessey

HDK Tristate

Home Engineers, Inc. VIKA Incorporated Weidlinger Associates, Inc. J.C. Campos Construction

Jewell Weihe Design Group

John J. Kirlin, Inc. Winstead **KCE Structural Engineers** Won Dor

Key Woodworking, Inc. **Zanes Specialties**

Law

Wedges 2-5

Hensel Phelps Construction Company - Project Lead

Air Services, Inc. LVI Environmental Services, Inc.

Ammon Painting Company M.C. Dean, Inc.

CAPCO Contracting Company, Inc. National Fire Protection, Inc. Custom Walls & Windows, Inc. Performance Contracting Dulles Drywall, Inc. Shalom Baranes Associates, Inc.

EnviroBate Global, Inc. Southland Industries HDR Architecture, Inc. **Studios Architecture**

Note: contractor list was captured from the following documents:

PENREN [2001]. Pentagon Renovation Program.

[http://www.defense.gov/DODCMSShare/briefingslide/204/010915-D-6570C-001.pdf]. Date accessed: January 2012.

Evey WL [2002]. Pentagon Renovation Program: March 7, 2002.

[http://www.defense.gov/dodcmsshare/briefingslide/129/020307-D-6570C-001.pdf.pdf]. Date

accessed: January 2012.

Appendix C. Shanksville Responder List (unofficial)

Fire Departments

Berlin Volunteer Fire Department

Central City Volunteer Fire Department

Friedens Volunteer Fire Company

Hooversville Rescue Squad

Hooversville Volunteer Fire Department

Listie Volunteer Fire Company

Shanksville Volunteer Fire Company

Somerset Ambulance Association

Somerset Volunteer Fire Department

Stoystown Volunteer Fire Company

Agencies, Departments, Programs

Air, Search & Rescue - Canine & Helicopter

American Red Cross

Bedford Somerset County MH/MR – Mental Health/ Mental Retardation

CERT – Community Emergency Response Team

CISM - Crisis Incident Stress Management

Bureau of Alcohol, Tobacco, and Firearms

Cambria County Coroner's Office

Camp Cadet of Somerset County

Carnegie Mellon University

Civil Air Patrol

Disaster Mortuary Operational Response Team, Region III

Drug Enforcement Agency

Environmental Protection Agency

Environmental Resource Management

Fayette County Emergency Management Agency

Federal Aviation Administration

Federal Bureau of Investigation - Pittsburgh, Cleveland, Chicago, Detroit, Knoxville, Louisville, Cincinnati

Federal Emergency Management Agency

GPU Energy

Indian Lake Borough Police

J & J Svonavec Excavating, Inc.

Local Clergy

Motorola

National Transportation Safety Board

Network of Victim Assistance

Occupational Safety and Health Administration

Office of State Fire Commissioner

Office of the Armed Forces Medical Examiner

Paint Township Police

PBS Coals, Inc.

Penelec

Penn State University Arborists

Pennsylvania Board of State Funeral Directors

Pennsylvania Dental Association Dental Identification Team

45 | Evidence of Dates Cleanup Concluded at the Pentagon and Shanksville, Pennsylvania

Pennsylvania Department of Environmental Protection, Southwest Region

Pennsylvania Department of Transportation

Pennsylvania Emergency Management Agency/Pennsylvania Lt. Governor

Pennsylvania Game Commission

Pennsylvania National Guard

Pennsylvania Region 13 Task Force

Pennsylvania State Police - Patrol, Mounted Unit, Aviation Unit, Reconstructionists

Pittsburgh Critical Incident Stress Management Team

Rollock, Inc.

Salvation Army

Shade Township Police

Somerset County Commissioners

Somerset County Coroner's Office

Somerset County D.A.

Somerset County Emergency Management Agency

Somerset County Solicitor

Somerset Electric

Somerset Hospital

Somerset Rural Electric Cooperative

Somerset County Sheriff's Department

Stonycreek Township Supervisors

The Cat Rental Store

U.S. Attorney General

U.S. Navy Seals

University of Pittsburgh Medical Center Medical Support Team

United Airlines

Verizon

American Red Cross

Hazleton Chapter, Hazleton

Armstrong County Chapter, Kittanning

Beaver-Lawrence Chapter, Beaver

Berks County Chapter, Reading

Southern Alleghanies Chapter, Altoona

American Red Cross in McKean-Potter Counties, Bradford

Bradford-Sullivan Counties Chapter, Monroeton

Butler County Chapter, Butler

Clearfield-Jefferson Chapter, Clearfield

Corry Chapter, Corry

Cumberland County Chapter, Carlisle

Du Bois Chapter, Dubois

Greater Erie County Chapter, Erie

Franklin County Chapter, Chambersburg

Hanover Chapter, Hanover

Indiana County Chapter, Indiana

Keystone Chapter, Johnstown

American Red Cross of Susquehanna Valley, Lancaster

Lebanon County Chapter, Lebanon

ARC of the Greater Lehigh Valley, Bethlehem

Lower Bucks County Chapter, Levittown

North Central Pennsylvania Chapter, Williamsport

Middletown Area Chapter, Middletown

Monroe County Chapter, Stroudsburg

Allegheny Region Chapter, Reno

Southwestern Pennsylvania Chapter, Pittsburg

Elk-Cameron Counties Chapter, St. Marys

Scranton Chapter, Scranton

Snyder County Chapter, Middleburg

Southeastern Pennsylvania Chapter, Philadelphia

American Red Cross in Schuylkill County and Easter, Pottsville

Centre Communities Chapter, State College

Susquehanna County Chapter, Montrose

Union County Chapter, Lewisburg

Wayne Pike Chapter, Honesdale

Westmoreland County Chapter, Greensburg

Wyoming Valley Chapter, Wilkes-Barre

York County Chapter, York

Appendix D. Exposure Publications

Brown K [2011]. Firefighter recalls witnessing 9/11 attacks at Pentagon. [http://fire-men-book.blogspot.com/2011/09/firefighter-recalls-witnessing-911.html]. Date accessed: December 2011.

Budd F [2011]. Burning memories from inside the Pentagon.

[http://www.leelanaunews.com/drupal/index.php?q=node/32001]. Date accessed: December 2011.

Chaturvedi AK, Endecott BR, Ritter RM, Sanders DC [1993]. Variations in time-to-incapacitation and blood cyanide values for rats exposed to two hydrogen cyanide gas concentrations. FAA Report No. DOT/FAA/AM-93/8.

Chaturvedi AK, Sanders DC [1995]. Aircraft fires, smoke toxicity, and survival: an overview. FAA Report No. DOT/FAA/AM-95/8.

Chaturvedi AK, Smith DR, Canfield DV [2001]. Blood carbon monoxide and hydrogen cyanide concentrations in the fatalities of fire and non-fire associated civil aviation accidents, 1991-1998. Forensic Sci Int *121*(3):183–188.

Chaturvedi AK [2010]. Aviation combustion toxicology: an overview. J Anal Toxicol 34(1):1–16.

Costantino J, Mayfield H, Baker D [2001]. Characterization of environmental and health exposures during a composite aircraft fire and simulated aircraft recovery operations. Air Force Institute for Environment, Safety, and Occupational Health Risk Analysis, Risk Analysis Directorate, Health and Safety Division, Report No. IERA-RS-BR-TR-2001-0005.

Costantino J, Jarbeau Jr J, Hintz T, Hinojosa M [2001]. Assessment of composite hazards at crash sites: industrial hygiene field guidance for biomedical engineers. Air Force Institute for Environment, Safety, and Occupational Health Risk Analysis, Risk Analysis Directorate, Health and Safety Division, Report No. IERA-RS-BR-TR-2001-0009.

Crane CR, Sanders DC, Endecott BR, Abbott JK, Smith PW [1977]. Inhalation toxicology: I. Design of a small animal system, II. Determination of the relative toxic hazards of 75 aircraft cabin materials. FAA Report No. FAA-AM-77/9.

Crane CR, Sanders DC, Endecott BR, Abbott JK [1983]. Inhalation toxicology: III. Evaluation of thermal degradation products from aircraft and automobile engine oils, aircraft hydraulic fluid, and mineral oil. FAA Report No. FAA-AM-83/12.

Crane CR, Sanders DC, Endecott BR, Abbott JK [1985]. Inhalation toxicology: IV. Times to incapacitation and death for rats exposed continuously to atmospheric hydrogen chloride gas. FAA Report No. FAA-AM-85/4.

Crane CR, Sanders DC, Endecott BR, Abbott JK [1986a]. Inhalation toxicology: VI. Evaluation of the relative toxicity of thermal decomposition products from nine aircraft panel materials. FAA Report No. DOT/FAA/AM-86/3.

Crane CR, Sanders DC, Endecott BR, Abbott JK [1986b]. Inhalation toxicology: VII. Times to incapacitation and death for rats exposed continuously to atmospheric acrolein vapor. FAA Report No. DOT/FAA/AM-86/5.

Crane CR, Sanders DC [1986]. Inhalation toxicology: VIII. Establishing heat tolerance limits for rats and mice subjected to acute exposures at elevated air temperatures. FAA Report No. DOT/FAA/AM-86/8.

Crane CR, Sanders DC, Endecott BR [1989]. Inhalation toxicology: IX. Times-to-incapacitation for rats exposed to carbon monoxide alone, to hydrogen cyanide alone, and to mixtures of carbon monoxide and hydrogen cyanide. FAA Report No. DOT/FAA/AM-89/4.

Crane CR, Sanders DC, Endecott BR [1990]. Inhalation toxicology: X. Times-to-incapacitation for rats exposed continuously to carbon monoxide, acrolein, and to carbon monoxide-acrolein mixtures. FAA Report No. DOT/FAA/AM-90/15.

Fitzgerald SD, Rumbeiha WK, Emmett Braselton W, Downend AB, Otto CM [2008]. Pathology and toxicology findings for search-and-rescue dogs deployed to the September 11, 2001, terrorist attack sites: initial five-year surveillance. J Vet Diagn Invest 20(4):477–484.

Gaborek BJ, Mullikin JM, Pitrat T, Cummings L, May LM [2001]. Pentagon surface wipe sampling health risk assessment. Toxicol Ind Health *17*(5-10):254–261.

Hartzell GE [1996]. Overview of combustion toxicology. Toxicol 115(1-3):7–23.

Jackson BA, Peterson DJ, Bartis JT, LaTourrette T, Brahmakulam I, Houser A, Sollinger J [2002]. Protecting emergency responders: lessons learned from terrorist attacks. Science and Technology Policy Institute, RAND. [http://www.rand.org/pubs/conf_proceedings/CF176.html]. Date accessed: January 2012.

Lyman F [2003]. Messages in the dust: what are the lessons of the environmental health response to the terrorist attacks of September 11? The National Environmental Health Association. [http://www.neha.org/pdf/messages in the dust.pdf]. Date accessed: January 2012.

Otto CM, Downend AB, Serpell JA, Ziemer LS, Saunders HM [2004]. Medical and behavioral surveillance of dogs deployed to the World Trade Center and the Pentagon from October 2001 to June 2002. J Am Vet Med Assoc *225*(6):861–867.

Otto CM, Downend AB, Moore GE, Daggy JK, Ranivand DL, Reetz JA, Fitzgerald SD [2010]. Medical surveillance of search dogs deployed to the World Trade Center and Pentagon: 2001–2006. J Environ Health 73(2):12–21.

PALRB [1995]. The Land Recycling and Environmental Remediation Standards Act, Act 2 (P.L.4, No. 1995-2), 35 P.S. §§6026.101 et seq. Commonwealth of Pennsylvania Legislative Reference Bureau. [http://www.palrb.us/pamphletlaws/19001999/1995/0/act/0002.pdf]. Date accessed: January 2012.

Sanders DC, Crane CR, Endecott BR [1985]. Inhalation toxicology: V. Evaluation of relative toxicity to rats of thermal decomposition products from two aircraft seat fire-blocking materials. FAA Report No. DOT/FAA–AM-86/1.

Sanders DC, Endecott BR [1990]. Inhalation toxicology: XI. The effect of elevated temperature on carbon monoxide toxicity. FAA Report No. DOT/FAA/AM-90/16.

Sanders DC, Endecott BR, Chaturvedi AK [1991]. Inhalation toxicology: XII. Comparison of toxicity rankings of six polymers by lethality and by incapacitation in rats. FAA Report No. DOT/FAA/AM-91/17.

Sanders DC, Endecott BR, Ritter RM, Chaturvedi AK [1993]. Variations in time-to-incapacitation and carboxyhemoglobin values in rats exposed to two carbon monoxide concentrations. FAA Report No. DOT/FAA/AM-93/7.

Sanders DC, Chaturvedi AK, Endecott BR, Ritter RM, Ngocoanh V [1994]. Toxicity of carbon monoxide-hydrogen cyanide gas mixtures: exposure concentration, time-to-incapacitation, carboxyhemoglobin, and blood cyanide parameters. FAA Report No. DOT/FAA/AM-94/7.

Slensky KA, Drobatz KJ, Downend AB, Otto CM [2004]. Deployment morbidity among search-and-rescue dogs used after the September 11, 2001, terrorist attacks. J Am Vet Med Assoc 225(6):868–873.

USACHPPM [2001]. Environmental and occupational health surveillance and assessment of the Pentagon following the 11 September 2001 terrorist attack. U.S. Army Center for Health Promotion and Preventive Medicine's Special Medical Augmentation Team-Preventive Medicine. Pentagon Report No. 57-LH-7426-02.

Wells JD [2002]. The U.S. Army Center for Health Promotion and Preventive Medicine response to the Pentagon attack: a multipronged prevention-based approach. Mil Med *167*(9)(Suppl):64–67.

Appendix E. Mental Health and Other Health-related Publications

Alvarez J, Hunt M [2005]. Risk and resilience in canine search and rescue handlers after 9/11. J Trauma Stress 18(5):497–505.

Bills CB, Levy NAS, Sharma V, Charney DS, Herbert R, Moline J, Katz CL [2008]. Mental health of workers and volunteers responding to events of 9/11: review of the literature. Mt Sinai J Med 75(2):115–127.

Black N, Morris J [2002]. The child and adolescent psychiatrist in the Pentagon response. Mil Med *167*(9)(Suppl):79–80.

Cozza SJ, Huleatt WJ, James LC [2002]. Walter Reed Army Medical Center's mental health response to the Pentagon attack. Mil Med *167*(9)(Suppl):12–16.

Dodgen D, LaDue LR, Kaul RE [2002]. Coordinating a local response to a national tragedy: community mental health in Washington, DC after the Pentagon attack. Mil Med *167*(9)(Suppl):87–89.

Donker GA, Yzermans CJ, Spreeuwenberg P, van der Zee J [2002]. Symptom attribution after a plane crash: comparison between self-reported symptoms and GP records. Br J Gen Prac 52(484):917–922.

Elhai JD, Jacobs GA, Kashdan TB, DeJong GL, Meyer DL, Frueh BC [2006]. Mental health service use among American Red Cross disaster workers responding to the September 11, 2001 U.S. terrorist attacks. Psychiatry Res *143*(1):29–34.

Furman KA [2002]. Integration of a small clinic into the Pentagon response: the Bolling Air Force Base perspective. Mil Med *167*(9)(Suppl):36–38.

Gaher RM, Simons JS, Jacobs GA, Meyer D, Johnson-Jimenez E [2006]. Coping motives and trait negative affect: testing mediation and moderation models of alcohol problems among American Red Cross disaster workers who responded to the September 11, 2001 terrorist attacks. Addict Behav 31(8):1319–1330.

Grieger TA, Lyszczarz JL [2002]. Psychiatric responses by the U.S. Navy to the Pentagon attack. Mil Med *167*(9)(Suppl):24–25.

Grieger TA, Fullerton CS, Ursano RJ [2003]. Posttraumatic stress disorder, alcohol use, and perceived safety after the terrorist attack on the Pentagon. Psychiatr Serv *54*(10):1380–1382.

Evidence of Dates Cleanup Concluded at the Pentagon and Shanksville, Pennsylvania | 52

Grieger TA, Fullerton CS, Ursano RJ [2004]. Posttraumatic stress disorder, depression, and perceived safety 13 months after September 11. Psychiatr Serv *55*(9):1061–1063.

Grieger TA, Waldrep DA, Lovasz MM, Ursano RJ [2005]. Follow-up of Pentagon employees two years after the terrorist attack of September 11, 2001. Psychiatr Serv 56(11):1374–1378.

Hoge CW, Orman DT, Robichaux RJ, Crandell EO, Patterson VJ, Engel CC, Ritchie EC, Milliken CS [2002a]. Operation Solace: overview of the mental health intervention following the September 11, 2001 Pentagon attack. Mil Med *167*(9)(Suppl):44–47.

Hoge CW, Engel CC, Orman DT, Crandell EO, Patterson VJ, Cox AL, Tobler SK, Ursano RJ [2002b]. Development of a brief questionnaire to measure mental health outcomes among Pentagon employees following the September 11, 2001 attack. Mil Med 167(9)(Suppl):60–63.

Huizink AC, Slottje P, Witteveen AB, Bijlsma JA, Twisk JWR, Smidt N, Bramsen I, van Mechelen W, van der Ploeg HM, Bouter LM, Smid T [2006a]. Long term health complaints following the Amsterdam air disaster in police officers and fire-fighters. Occup Environ Med *63*(10):657–662.

Huizink AC, Smidt N, Twisk JW, Slottje P, Smid T [2006b]. Epidemiological disaster research: the necessity to include representative samples of the involved disaster workers: experience from the epidemiological study air disaster Amsterdam-ESADA. J Epidemiol Community Health *60*(10):887–889.

Huleatt WJ, LaDue L, Leskin GA, Ruzek J, Gusman F [2002]. Pentagon Family Assistance Center inter-agency mental health collaboration and response. Mil Med *167*(9)(Suppl):68–70.

Jordan NN, Hoge CW, Tobler SK, Wells J, Dydek GJ, Egerton WE [2004]. Mental health impact of 9/11 Pentagon attack: validation of a rapid assessment tool. Am J Prev Med *26*(4):284–293.

Keller RT, Bobo WV [2002]. Handling human remains following the terrorist attack on the Pentagon: experiences of 10 uniformed health care workers. Mil Med *167*(9)(Suppl):8–11.

Kaul RE [2002]. A social worker's account of 31 days responding to the Pentagon disaster: crisis intervention training and self-care practices. Brief Treat Crisis Interven 2(1):33–37.

Laugharne J, Janca A, Widiger T [2007]. Posttraumatic stress disorder and terrorism: 5 years after 9/11. Curr Opin Psychiatry 20(1):36–41.

Long ME, Meyer DL, Jacobs GA [2007]. Psychological distress among American Red Cross disaster workers responding to the terrorist attacks of September 11, 2001. Psychiatry Res 149(1):303–308.

Milliken CS, Leavitt WT, Murdock P, Orman DT, Ritchie EC, Hoge CW [2002]. Principles guiding implementation of the Operation Solace plan: "Pieces of PIES," therapy by walking around, and care management. Mil Med *167*(9)(Suppl):48–57.

Mitchell TL, Walters W, Stewart S [2006]. Swissair Flight 111 disaster response impacts: lessons learned from the voices of disaster volunteers. Brief Treat Crisis Interven 6(2):154–170.

Neria Y, DiGrande L, Adams BG [2011]. Posttraumatic stress disorder following the September 11, 2001, terrorist attacks: a review of the literature among highly exposed populations. Am Psychol *66*(6):429–446.

Page LA, Wessely SC [2006]. Health complaints following an air disaster: a "second disaster." Occup Environ Med 63(10):647–648.

Peterson AL, Nicolas MG, McGraw K, Englert D, Blackman LR [2002]. Psychological intervention with mortuary workers after the September 11 attack: the Dover Behavioral Health Consultant model. Mil Med *167*(9)(Suppl):83–86.

Robbers MLP, Jenkins JM [2005]. Symptomatology of post-traumatic stress disorder among first responders to the Pentagon on 9/11: a preliminary analysis of Arlington County police first responders. Police Prac Res *6*(3):235–249.

Rowan AB [2002]. Air Force critical incident stress management outreach with Pentagon staff after the terrorist attack. Mil Med *167*(9)(Suppl):33–35.

Ruzek JI [2002]. Providing "Brief Education and Support" for emergency response workers: an alternative to debriefing. Mil Med *167*(9)(Suppl):73–75.

Schwerin MJ, Kennedy K, Wardlaw M [2002]. Counseling support within the Navy Mass Casualty Assistance Team post-September 11. Mil Med *167*(9)(Suppl):76–78.

Simons JS, Gaher RM, Jacobs GA, Meyer D, Johnson-Jimenez E [2005]. Associations between alcohol use and PTSD symptoms among American Red Cross disaster relief workers responding to the 9/11/2001 attacks. Am J Drug Alcohol Abuse 31(2):285–304.

Slottje P, Bijlsma JA, Smidt N, Twisk JW, Huizink AC, Lems WF, van Hoogstraten I, Witteveen AB, van Mechelen W, Smid T [2005a]. Epidemiologic study of the autoimmune health effects of a cargo aircraft disaster. Arch Intern Med *165*(19):2278–2285.

Slottje P, Huizink AC, Twisk JW, Witteveen AB, van der Ploeg HM, Bramsen I, Smidt N, Bijlsma JA, Bouter LM, van Mechelen W, Smid T [2005b]. Epidemiological study air disaster in Amsterdam (ESADA): study design. BMC Public Health *5*:54–62.

Slottje P, Smidt N, Twisk JW, Huizink AC, Witteveen AB, van Mechelen W, Smid T [2006]. Attribution of physical complaints to the air disaster in Amsterdam by exposed rescue workers: an epidemiological study using historic cohorts. BMC Public Health *6*:142–152.

Slottje P, Twisk JW, Smidt N, Huizink AC, Witteveen AB, van Mechelen W, Smid T [2007]. Health-related quality of life of firefighters and police officers 8.5 years after the air disaster in Amsterdam. Qual Life Res *16*(2):239–252.

Slottje P, Smidt N, Twisk JW, Huizink AC, Witteveen AB, van Mechelen W, Smid T [2008a]. Use of health care and drugs by police officers 8.5 years after the air disaster in Amsterdam. Eur J Public Health 18(1):92–94.

Slottje P, Witteveen AB, Twisk JW, Smidt N, Huizink AC, van Mechelen W, Smid T [2008b]. Post-disaster physical symptoms of firefighters and police officers: role of types of exposure and post-traumatic stress symptoms. Br J Health Psychol *13*(2):327–342.

Tarpley AA [2002]. A perspective on the Air Force's mental health response to the Pentagon. Mil Med 167(9)(Suppl):26–30.

Wagner GN, Kelly CC [2002]. Operation Noble Eagle: forensic and psychosocial aspects of the Armed Forces Institute of Pathology's response to the September 11 Pentagon attack. Mil Med 167(9)(Suppl):81–82.

Wain HJ [2002]. Meeting the patients where they are: consultation-liaison response to trauma victims of the Pentagon attack. Mil Med *167*(9)(Suppl):19–21.

Waldrep D, Waits W [2002]. Returning to the Pentagon: the use of mass desensitization following the September 11, 2001 attack. Mil Med *167*(9)(Suppl):58–59.

Waits W, Waldrep D [2002]. Application of Army Combat Stress Control doctrine in work with Pentagon survivors. Mil Med *167*(9)(Suppl):39–43.

55 | Evidence of Dates Cleanup Concluded at the Pentagon and Shanksville, Pennsylvania

Wells JD, Egerton WE, Cummings LA, Jordan N, Cox AL, Dydek GJ, Delaney K [2002]. The U.S. Army Center for Health Promotion and Preventive Medicine response to the Pentagon attack: a multipronged prevention-based approach. Mil Med *167*(9)(Suppl):64–67.

Witteveen AB, Bramsen I, Twisk JW, Huizink AC, Slottje P, Smid T, Van Der Ploeg HM [2007]. Psychological distress of rescue workers eight and one-half years after professional involvement in the Amsterdam air disaster. J Nerv Ment Dis 195(1):31–40.

Appendix F. Other Related Publications

American Red Cross [2006]. September 11th response and recovery. [http://www.redcross.org/911recovery/]. Date accessed: January 2012.

American Red Cross [2010]. Red Crossers remember 9-11 crash of Flight 93 in Pennsylvania. [http://www.redcross.org/portal/site/en/menuitem.1a019a978f421296e81ec89e43181aa0/?vgnextoid=f36b27badc5fa210VgnVCM10000089f0870aRCRD]. Date accessed: January 2012.

Bauer NK [2006]. Dog heroes of September 11th: a tribute to America's search and rescue dogs. Allenhurst, NJ: Kennel Club Books, LLC.

Condon-Rall ME [2011]. Attack on the Pentagon: the medical response to 9/11. Fort Detrick, MD, and Fort Sam Houston, TX: Office of The Surgeon General, Borden Institute. [http://www.bordeninstitute.army.mil/]. Date accessed: January 2012.

Creed P, Newman R [2008]. Firefight: inside the battle to save the Pentagon on 9/11. New York: Random House, Inc.

Daily American [2005]. Coroner to release crash site. [http://articles.dailyamerican.com/2005-07-28/news/26342356 1 crash-site-final-sweep-miller]. Date accessed: January 2012.

Edmondson MW [2002]. Professionalism, honor, and respect on September 11th: a historical view of the Initial Response and Recovery Mortuary Team. Mil Med *167*(9)(Suppl):6–7.

Evey WL [2002]. Pentagon Renovation Program: March 7, 2002. [http://www.defense.gov/dodcmsshare/briefingslide/129/020307-D-6570C-001.pdf.pdf]. Date accessed: January 2012.

FEMA [2004]. Responding to incidents of national consequence. FA-282. [http://training.fema.gov/EMIWeb/IS/ICSResource/assets/fa-282.pdf]. Date accessed: January 2012.

Geiling JA [2002]. Overview of command and control issues: setting the stage. Mil Med 167(9)(Suppl):3–5.

Goldberg A, Papadopoulos S, Putney D, Berlage N, Welch R [2007]. Pentagon 9/11. Washington, DC: Historical Office, Office of the Secretary of Defense. [http://osdhistory.defense.gov/history.html]. Date accessed: January 2012.

57 | Evidence of Dates Cleanup Concluded at the Pentagon and Shanksville, Pennsylvania

Grant NK, Hoover DH, Scarisbrick-Hauser AM, Muffet SL [2003]. The crash of United Flight 93 in Shanksville, Pennsylvania. Pp. 83–108 in Natural Hazards Research and Applications Information Center, Public Entity Risk Institute, and Institute for Civil Infrastructure Systems, Beyond September 11th: An Account of Post-Disaster Research. Special Publication No. 39. Boulder, Colorado: Natural Hazards Research and Applications Information Center, University of Colorado.

Harcke HT, Bifano JA, Koeller KK [2002]. Forensic radiology: response to the Pentagon attack on September 11, 2001. Radiology. 223(1):7–8.

Jeng JC, Hollowed K, Owen CT, Rizzo AG, Royce T, Sava J, St Andre A, White P, Light TD, Jordan MH [2006]. Contemplating the Pentagon attack after five years of space and time: unheard voices from the ramparts of our burn center. J Burn Care Res *27*(5):612–621.

Jordan MH, Hollowed KA, Turner DG, Wang DS, Jeng JC [2005]. The Pentagon attack of September 11, 2001: a burn center's experience. J Burn Care Rehabil *26*(2):109–116.

Jurkovich T [2003]. September 11th - the Pentagon disaster: response and lessons learned. Crit Care Nurs Clin North Am *15*(2):143–148.

Kashurba GJ [2002]. Courage after the crash – Flight 93: aftermath. Somerset, Pennsylvania: SAJ Publishing.

Lash C [2001]. Flight 93 victim identification long, arduous. Pittsburg Post-Gazette, September 25. [http://www.post-gazette.com/headlines/20010925sledzik0925p3.asp]. Date accessed: January 2012.

Levin S [2001]. Flight 93 victims' effects to go back to families. Pittsburg Post-Gazette, December 30. [http://www.post-gazette.com/headlines/20011230flight931230p3.asp]. Date accessed: January 2012.

Martinette B [2002]. USAR Activities at the Pentagon. JEMS 27(4):28–30.

Mlakar PF, Dusenberry DO, Harris JR, Haynes G, Phan LT, Sozen MA [2003]. The Pentagon building performance report. American Society of Civil Engineers. [http://fire.nist.gov/bfrlpubs/build03/PDF/b03017.pdf]. Date accessed: January 2012.

National Commission on Terrorist Attacks upon the United States [2004]. The 9/11 commission report. Washington, DC. [http://www.911commission.gov/report/911Report.pdf]. Date accessed: January 2012.

NPS [2007]. Flight 93 National Memorial: final general management plan/environmental impact statement. U.S. Department of the Interior, National Park Service.

[http://www.nps.gov/flni/parkmgmt/upload/FLNIGMPcomplete2.pdf]. Date accessed: January 2012.

NPS [2011]. Flight 93 National Memorial: frequently asked questions (FAQs). U.S. Department of the Interior, National Park Service. [http://www.nps.gov/flni/historyculture/upload/FAQslong-form-July-2011.pdf]. Date accessed: January 2012.

PENREN [2001]. Pentagon Renovation Program.

[http://www.defense.gov/DODCMSShare/briefingslide/204/010915-D-6570C-001.pdf]. Date accessed: January 2012.

PENREN [2002]. Pentagon Renovation Program.

[http://renovation.pentagon.mil/Files/PressPack1.pdf]. Date accessed: January 2012.

Pentagon Memorial Fund [2011]. The National 9/11 Pentagon Memorial. [http://pentagonmemorial.org/]. Date accessed: January 2012.

Rielage DC [2002]. The Pentagon attack on 9-11: a view from the courtyard. Fire Engineering 155(Compendex):85–86.

Rosenbaum E, Hunt SP, Pitts D [2005]. Review of 9/11 Pentagon scenario from the fire fighter's, fire marshal's and fire protection engineer's perspectives. Unpublished paper presented at the NFPA World Safety Conference & Exposition, Las Vegas, NV, June 6–10.

Salvation Army [2011]. Ten years later: the Salvation Army's response to the 9/11 attacks. [http://www1.usw.salvationarmy.org/usw/www_usw_southwest.nsf/0/C216646D50107CDE88 257904006D48E6/\$file/9-11%20Fact%20Sheet.pdf]. Date accessed: January 2012.

Smith WD [2002]. The forensic community's response to September 11. Anal Chem *74*(7):190A–195A.

Thomas-Lawson M, Whitworth J, Doherty J [2002]. The role of leadership in trauma response: Pentagon Family Assistance Center. Mil Med *167*(9)(Suppl):71–72.

Titan Systems Corporation [2002]. Arlington county after-action report on the response to the September 11 terrorist attack on the Pentagon. DOJ contract no. GS10F0084K for Arlington

59 | Evidence of Dates Cleanup Concluded at the Pentagon and Shanksville, Pennsylvania

County. [http://www.arlingtonva.us/departments/Fire/Documents/after report.pdf]. Date accessed: January 2012.

Titus LJ [2002]. A review of the temporary shoring used to stabilize the Pentagon after the terrorist attacks of September 11th, 2001. Submitted to University of Maryland, Department of Civil Engineering. [http://www.911hardfacts.com/docs/Pentagon Shoring.pdf]. Date accessed: January 2012.

TriData Corporation [2002]. Final report: the role of the Volunteer Fire Service in the September 11, 2001 terrorist attacks. Arlington, VA: TriData Corporation, for the National Volunteer Fire Council. [http://www.nvfc.org/files/documents/rolevolfiresvc911.pdf]. Date accessed: January 2012.

Vogel S [2007]. The Pentagon: a history. New York: Random House, Inc.

Wang D, Sava J, Sample G, Jordan M [2005]. The Pentagon and 9/11. Crit Care Med 33(1 Suppl):42–47.

Ward MJ [2002]. Attack on the Pentagon: the initial fire & EMS response. JEMS 27(4):22–30.

Weiger P, Nicholson J [2002]. Learning from 9-11. NFPA Journal *96*(3):100–105. [http://www.nfpa.org/assets/files/pdf/JournalWTCPentagon.pdf]. Date accessed: January 2012.

Weiger P [2002]. Pentagon after-action report. NFPA Journal *96*(6):36–41. [http://www.nfpa.org/assets/files/MbrSecurePDF/Journal1102Pentagon.pdf]. Date accessed: January 2012.

Yeomans WP [2002]. September 11 revisited: the involvement of PADIT with United Flight 93. Pa Dent J (Harrisb) 69(2):31–32.