

DOSE RECONSTRUCTION CASES 101 THROUGH 334 SUMMARY FIGURES

Figure 1. Breakdown of Cases 101 through 334 by Employment Site





Figure 2. Comparison of Claims Reviewed to Goal of 1% Total Claims



■ Cases 1-100
 ■ Cases 101- 334
 ■ Goal: 1% of Total Claims

Cases with multiple employment sites are counted in Figure 2 for each employment site. Therefore, the sum of all bars is greater than the number of cases reviewed.

The selection goal claim statistics were provided by NIOSH and were used by the DRSC to select cases 305-334.

Figure 3. Breakdown of Case Reviews 101 through 334 by POC

**NIOSH Case Statistics
for Population of all
Cases**

POC Range	Percent of Cases
< 20%	44.00%
20% - 39.9%	20.51%
40% - 44.9%	6.13%
45% - 49.9%	0.99%
>50%	28.37%




Figure 4. Breakdown of Case Reviews 101-334 by Years of Employment
 (Represents 28 of 33 Risk Models)

**NIOSH Case Statistics
 for Population of all
 Cases**

Years of Employment	Percent of Cases
< 1	8.46
1-5	16.83
5-10	10.92
10 - 20	17.87
20 - 30	19.51
30 - 40	21.2
>40	5.2




Figure 5. Breakdown of Cases 101 through 334 by Risk Model




Figure 6. Breakdown of Cases Reviews 101 through 334 by Decade First Employed

**NIOSH Case Statistics for
Population of all Cases**

First Employment Period	Percent of Cases
1910s	<0.1%
1920s	0.2%
1930s	1.2%
1940s	14.7%
1950s	33.9%
1960s	17.6%
1970s	15.6%
1980s	11.5%
1990s	4.1%
2000s	1.0%
2010s	0.1%

