

# **National Immunization Survey – Child**

## **A Codebook for the 2015 Public-Use Data File**

**Centers for Disease Control and Prevention**

**National Center for Immunization  
and Respiratory Diseases**

**Presented by:**

**NORC at the University of Chicago**

**October 2016**

## Table of Contents

<u>Section Index of Variables</u> .....	1
<u>Section 1: ID, Weight, and Flag Variables</u> .....	18
<u>Section 2: Household Vaccination Variables</u> .....	22
<u>Section 3: Demographic and Socio-Economic Variables</u> .....	23
<u>Section 4: Geographic Variables</u> .....	38
<u>Section 5: Number of Providers Identified and Consent Variables</u> .....	44
<u>Section 6: Number of Responding Provider Variables</u> .....	45
<u>Section 7: Characteristics of Provider Variables</u> .....	46
<u>Section 8: Provider-Reported Up-to-Date Vaccination Variables</u> .....	48
<u>Section 9: Provider-Reported Age-at-Vaccination Variables</u> .....	93
<u>Section 10: Health Insurance Module Variables</u> .....	230
<u>Alphabetic Index of Variables</u> .....	234

**NOTE:**

The codebook presents unweighted frequencies (counts of children) for each categorical variable and summary statistics – mean, median, minimum, maximum, and standard deviation – for each continuous variable.

The codebook also includes unweighted frequencies for the reserve codes (missing, don't know, and refused) for each variable.

## SECTION INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
SEQNUMC	1	6	1	UNIQUE CHILD IDENTIFIER
SEQNUMHH	7	11	1	UNIQUE HOUSEHOLD IDENTIFIER
PDAT	12	12	1	CHILD HAS ADEQUATE PROVIDER DATA
PROVWT_D	13	32	1	FINAL DUAL-FRAME PROVIDER-PHASE WEIGHT (EXCLUDES TERRITORIES)
PROVWT_D_TERR	33	52	1	FINAL DUAL-FRAME PROVIDER-PHASE WEIGHT INCLUDING TERRITORIES
RDDWT_D	53	71	1	FINAL DUAL-FRAME RDD-PHASE WEIGHT (EXCLUDES TERRITORIES)
RDDWT_D_TERR	72	90	1	FINAL DUAL-FRAME RDD-PHASE WEIGHT INCLUDING TERRITORIES
STRATUM	91	94	1	STRATUM VARIABLE FOR DUAL-FRAME VARIANCE ESTIMATION
YEAR	95	98	1	YEAR OF INTERVIEW
AGECPOXR	99	99	2	AGE IN MONTHS AT CHICKEN POX DISEASE (RECODE)
HAD_CPOX	100	101	2	CHILD EVER HAD CHICKEN POX DISEASE?
AGEGRP	102	102	3	AGE CATEGORY OF CHILD (19-23, 24-29, 30-35 MO) (RECODE)
BF_ENDR06	103	110	3	DURATION OF BREAST FEEDING IN DAYS (RECODE)
BF_EXCLR06	111	118	3	DURATION OF EXCLUSIVE BREAST/FORMULA FEEDING IN DAYS (RECODE)
BF_FORMR08	119	126	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA (RECODE)
BFENDFL06	127	127	3	DURATION OF BREAST FEEDING EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
BFFORMFL06	128	128	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
C1R	129	129	3	NUMBER OF PEOPLE IN HOUSEHOLD (RECODE)
C5R	130	131	3	RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)
CBF_01	132	133	3	WAS CHILD EVER BREAST FED OR FED BREAST MILK?
CEN_REG	134	134	3	CENSUS REGION BASED ON TRUE STATE OF RESIDENCE
CHILDNM	135	135	3	NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)
CWIC_01	136	137	3	CHILD EVER RECEIVED WIC BENEFITS?
CWIC_02	138	139	3	CHILD CURRENTLY RECEIVING WIC BENEFITS?
EDUC1	140	140	3	EDUCATION OF MOTHER CATEGORIES (RECODE)
FRSTBRN	141	141	3	FIRST BORN STATUS OF CHILD
I_HISP_K	142	142	3	HISPANIC ORIGIN OF CHILD
INCPORAR	143	158	3	INCOME TO POVERTY RATIO (RECODE)
INCPOV1	159	159	3	POVERTY STATUS
INCQ298A	160	161	3	FAMILY INCOME CATEGORIES (RECODE)
INTRP	162	162	3	PHONE INTERRUPTION OF 7 DAYS OR MORE IN PAST YEAR?
LANGUAGE	163	163	3	LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED
M_AGEGRP	164	164	3	AGE OF MOTHER CATEGORIES (RECODE)
MARITAL2	165	165	3	MARITAL STATUS OF MOTHER (RECODE)

## SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
MOBIL_I	166	166	3	GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE
NUM_PHONE	167	168	3	NUMBER OF RESIDENTIAL TELEPHONE NUMBERS IN HOUSEHOLD (EXCLUDING CELL PHONES)
NUM_CELLS_HH	169	170	3	NUMBER OF WORKING CELL PHONES HOUSEHOLD MEMBERS HAVE AVAILABLE FOR PERSONAL USE
NUM_CELLS_PARENTS	171	172	3	NUMBER OF WORKING CELL PHONES USUALLY USED BY PARENTS OR GUARDIANS
RACE_K	173	173	3	RACE OF CHILD (RECODE)
RACEETHK	174	174	3	RACE/ETHNICITY OF CHILD (RECODE)
RENT_OWN	175	176	3	IS HOME OWNED/BEING BOUGHT, RENTED, OR OCCUPIED BY SOME OTHER ARRANGEMENT?
SEX	177	177	3	GENDER OF CHILD
ESTIAP15	178	180	4	ESTIMATION AREA OF RESIDENCE
EST_GRANT	181	182	4	AREA OF RESIDENCE ACCORDING TO THE 56 ORIGINAL CORE GRANTEE AREAS
STATE	183	184	4	TRUE STATE OF RESIDENCE (STATE FIPS CODE)
D6R	185	185	5	NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (RECODE)
D7	186	186	5	CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM PROVIDERS
N_PRVR	187	187	6	NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (RECODE)
PROV_FAC	188	188	7	PROVIDER FACILITY TYPES
REGISTRY	189	189	7	CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY
VFC_ORDER	190	190	7	DO CHILD'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT?
HEP_BRTH	191	191	8	HEPATITIS B-CONTAINING SHOT GIVEN AT BIRTH FLAG
HEP_FLAG	192	192	8	HEPATITIS B BIRTH SHOT DATE IMPUTATION FLAG
P_NUHEPX	193	193	8	NUMBER OF HEPATITIS B-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUHIBX	194	194	8	NUMBER OF HIB-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUHPHB	195	195	8	NUMBER OF HEPATITIS B/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDAH	196	196	8	NUMBER OF DTAP/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDHI	197	197	8	NUMBER OF DTAP/HEPB/IPV COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

## SECTION INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_NUMDIH	198	198	8	NUMBER OF DTAP/IPV/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMDTA	199	199	8	NUMBER OF DTAP-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDTP	200	200	8	NUMBER OF DT-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLU	201	201	8	NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUL	202	202	8	NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUM	203	203	8	NUMBER OF SEASONAL FLU SPRAY VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUN	204	204	8	NUMBER OF INJECTED SEASONAL FLU VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEA	205	205	8	NUMBER OF HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEN	206	206	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEP	207	207	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHG	208	208	8	NUMBER OF HIB-GLAXOSMITHKLINE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHHY	209	209	8	NUMBER OF HIB-MENCY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHIB	210	210	8	NUMBER OF HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHIN	211	211	8	NUMBER OF HIB-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHION	212	212	8	NUMBER OF HIB-ONLY SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

## SECTION INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_NUMHM	213	213	8	NUMBER OF HIB-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHS	214	214	8	NUMBER OF HIB-SANOFI SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMIPV	215	215	8	NUMBER OF IPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMCN	216	216	8	NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMR	217	217	8	NUMBER OF MEASLES-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMRX	218	218	8	NUMBER OF MMR-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMX	219	219	8	NUMBER OF MMR-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMP	220	220	8	NUMBER OF MUMPS-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMPR	221	221	8	NUMBER OF (MUMPS/RUBELLA)-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMRV	222	222	8	NUMBER OF MMR/VARICELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMS	223	223	8	NUMBER OF MEASLES-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMSM	224	224	8	NUMBER OF MEASLES/MUMPS COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMSR	225	225	8	NUMBER OF MEASLES/RUBELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMOLN	226	226	8	NUMBER OF POLIO SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMOPV	227	227	8	NUMBER OF OPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPCV	228	228	8	NUMBER OF PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

## SECTION INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_NUMPCP	229	229	8	NUMBER OF PNEUMOCOCCAL POLYSACCHARIDE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCC	230	230	8	NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCC7	231	231	8	NUMBER OF PNEUMOCOCCAL CONJUGATE-7 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCC13	232	232	8	NUMBER OF PNEUMOCOCCAL CONJUGATE-13 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCCN	233	233	8	NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCN	234	234	8	NUMBER OF PNEUMOCOCCAL SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPOL	235	235	8	NUMBER OF POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMRB	236	236	8	NUMBER OF RUBELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMRG	237	237	8	NUMBER OF ROTARIX-GSK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMRM	238	238	8	NUMBER OF ROTATEQ-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMRO	239	239	8	NUMBER OF ROTAVIRUS SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMROT	240	240	8	NUMBER OF ROTAVIRUS-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMTPN	241	241	8	NUMBER OF DT-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRC	242	242	8	NUMBER OF VARICELLA-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

## SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_NUMVRN	243	243	8	NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRX	244	244	8	NUMBER OF VARICELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_U12VRC	245	245	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS OF AGE, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD331	246	246	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431	247	247	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHEP	248	248	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHEPA1	249	249	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ HEPATITIS A-CONTAINING SHOTS BY 19-35 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE MAX OF HOUSEHOLD INTERVIEW DATE AND ELIGIBILITY DATE.
P_UTDHEPA2	250	250	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHIB	251	251	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHIB_ROUT_S	252	252	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE ROUTINE (NON-SHORTAGE) HIB RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHIB_SHORT_S	253	253	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE HIB SHORTAGE RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDMCV	254	254	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MEASLES-CONTAINING SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDMMX	255	255	8	UTD FLAG FOR PROVIDER 1+ MMR COMBO SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPC3	256	256	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

## SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_UTDPCV	257	257	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPCVB13	258	258	8	UTD (UP-TO-DATE) INDICATOR FOR PROVIDER 1+ PNEUMOCOCCAL VACCINATIONS OF TYPE CONJUGATE-13, GIVEN 4+ DOSES OF TYPE CONJUGATE-7, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPOL	259	259	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDROT_S	260	260	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ ROTAVIRUS DOSES BY 36 MONTHS OF AGE, BASED ON A STRICT TREATMENT OF ROTAVIRUS VACCINATIONS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDTP3	261	261	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDTP4	262	262	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU431331	263	263	8	UTD FLAG FOR PROVIDER 4:3:1:3:3:1 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H31_ROUT_S	264	264	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU431_31	265	265	8	UTD FLAG FOR PROVIDER 4:3:1::3:1 (4:3:1:3:3:1 EXCLUDING HIB; INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU4313313	266	266	8	UTD FLAG FOR PROVIDER 4:3:1:3:3:1:3 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H313_ROUT_S	267	267	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU4313314	268	268	8	UTD FLAG FOR PROVIDER 4:3:1:3:3:1:4 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H314_ROUT_S	269	269	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

## SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
PU431_314	270	270	8	UTD FLAG FOR PROVIDER 4:3:1::3:1:4 (4:3:1:3:3:1:4 EXCLUDING HIB; INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PUT43133	271	271	8	UTD FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H3_ROUT_S	272	272	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PUTD4313	273	273	8	UTD FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H_ROUT_S	274	274	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
U1D_HEP	275	275	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 1 FLAG
U2D_HEP	276	276	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 2 FLAG
U3D_HEP	277	277	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 3 FLAG
DDTP1	278	281	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #1
DDTP2	282	285	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #2
DDTP3	286	289	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #3
DDTP4	290	293	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #4
DDTP5	294	297	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #5
DDTP6	298	301	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #6
DDTP7	302	304	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #7
DDTP8	305	307	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #8
DDTP9	308	308	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #9
DFLU1	309	312	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1
DFLU2	313	316	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2
DFLU3	317	320	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3
DFLU4	321	324	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4
DFLU5	325	328	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5
DFLU6	329	332	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6
DFLU7	333	336	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7

## SECTION INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
DFLU8	337	337	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8
DFLU9	338	338	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9
DHEPA1	339	342	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
DHEPA2	343	346	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
DHEPA3	347	350	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
DHEPA4	351	354	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
DHEPA5	355	355	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
DHEPA6	356	356	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
DHEPA7	357	357	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7
DHEPA8	358	358	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
DHEPA9	359	359	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
DHEPB1	360	363	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
DHEPB2	364	367	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
DHEPB3	368	371	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
DHEPB4	372	375	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
DHEPB5	376	379	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
DHEPB6	380	382	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
DHEPB7	383	385	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
DHEPB8	386	388	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8
DHEPB9	389	389	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
DHIB1	390	393	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #1
DHIB2	394	397	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #2
DHIB3	398	401	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #3
DHIB4	402	405	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #4
DHIB5	406	409	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #5
DHIB6	410	412	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #6
DHIB7	413	415	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #7
DHIB8	416	416	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #8
DHIB9	417	417	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #9
DMMR1	418	421	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
DMMR2	422	425	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
DMMR3	426	428	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #3
DMMR4	429	429	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
DMMR5	430	430	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
DMMR6	431	431	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #6
DMMR7	432	432	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
DMMR8	433	433	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #8

## SECTION INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
DMMR9	434	434	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
DMP1	435	437	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #1
DMP2	438	438	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #2
DMP3	439	439	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #3
DMP4	440	440	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #4
DMP5	441	441	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #5
DMP6	442	442	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #6
DMP7	443	443	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #7
DMP8	444	444	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #8
DMP9	445	445	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #9
DMPRB1	446	446	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
DMPRB2	447	447	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
DMPRB3	448	448	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
DMPRB4	449	449	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
DMPRB5	450	450	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
DMPRB6	451	451	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6
DMPRB7	452	452	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
DMPRB8	453	453	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
DMPRB9	454	454	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9
DPCV1	455	458	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
DPCV2	459	462	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
DPCV3	463	466	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
DPCV4	467	470	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
DPCV5	471	474	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
DPCV6	475	478	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
DPCV7	479	481	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
DPCV8	482	484	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
DPCV9	485	485	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
DPOLIO1	486	489	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #1
DPOLIO2	490	493	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #2
DPOLIO3	494	497	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #3
DPOLIO4	498	501	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #4
DPOLIO5	502	505	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #5
DPOLIO6	506	508	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #6
DPOLIO7	509	509	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #7
DPOLIO8	510	510	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #8
DPOLIO9	511	511	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #9
DRB1	512	512	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #1

## SECTION INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
DRB2	513	513	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #2
DRB3	514	514	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #3
DRB4	515	515	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #4
DRB5	516	516	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #5
DRB6	517	517	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #6
DRB7	518	518	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #7
DRB8	519	519	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #8
DRB9	520	520	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #9
DROT1	521	524	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
DROT2	525	528	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
DROT3	529	532	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
DROT4	533	535	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
DROT5	536	538	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
DROT6	539	539	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
DROT7	540	540	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
DROT8	541	541	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
DROT9	542	542	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
DVRC1	543	546	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
DVRC2	547	550	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
DVRC3	551	553	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
DVRC4	554	554	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
DVRC5	555	555	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5
DVRC6	556	556	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
DVRC7	557	557	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
DVRC8	558	558	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
DVRC9	559	559	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
DTP1_AGE	560	561	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #1
DTP2_AGE	562	563	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #2
DTP3_AGE	564	565	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #3
DTP4_AGE	566	567	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #4
DTP5_AGE	568	569	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #5
DTP6_AGE	570	571	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #6
DTP7_AGE	572	573	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #7
DTP8_AGE	574	575	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #8
DTP9_AGE	576	576	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #9
FLU1_AGE	577	578	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1

## SECTION INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
FLU2_AGE	579	580	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2
FLU3_AGE	581	582	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3
FLU4_AGE	583	584	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4
FLU5_AGE	585	586	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5
FLU6_AGE	587	588	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6
FLU7_AGE	589	590	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7
FLU8_AGE	591	591	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8
FLU9_AGE	592	592	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9
HEA1_AGE	593	594	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
HEA2_AGE	595	596	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
HEA3_AGE	597	598	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
HEA4_AGE	599	600	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
HEA5_AGE	601	601	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
HEA6_AGE	602	602	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
HEA7_AGE	603	603	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7
HEA8_AGE	604	604	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
HEA9_AGE	605	605	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
HEP1_AGE	606	607	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
HEP2_AGE	608	609	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
HEP3_AGE	610	611	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
HEP4_AGE	612	613	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
HEP5_AGE	614	615	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
HEP6_AGE	616	617	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
HEP7_AGE	618	618	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
HEP8_AGE	619	620	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8
HEP9_AGE	621	621	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
HIB1_AGE	622	623	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #1
HIB2_AGE	624	625	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #2
HIB3_AGE	626	627	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #3
HIB4_AGE	628	629	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #4
HIB5_AGE	630	631	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #5
HIB6_AGE	632	633	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #6
HIB7_AGE	634	635	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #7

## SECTION INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
HIB8_AGE	636	636	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #8
HIB9_AGE	637	637	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #9
MMR1_AGE	638	639	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
MMR2_AGE	640	641	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
MMR3_AGE	642	643	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #3
MMR4_AGE	644	644	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
MMR5_AGE	645	645	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
MMR6_AGE	646	646	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #6
MMR7_AGE	647	647	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
MMR8_AGE	648	648	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
MMR9_AGE	649	649	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
MP1_AGE	650	651	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #1
MP2_AGE	652	652	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #2
MP3_AGE	653	653	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #3
MP4_AGE	654	654	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #4
MP5_AGE	655	655	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #5
MP6_AGE	656	656	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #6
MP7_AGE	657	657	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #7
MP8_AGE	658	658	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #8
MP9_AGE	659	659	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #9
MPR1_AGE	660	660	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
MPR2_AGE	661	661	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
MPR3_AGE	662	662	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
MPR4_AGE	663	663	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
MPR5_AGE	664	664	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
MPR6_AGE	665	665	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6
MPR7_AGE	666	666	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
MPR8_AGE	667	667	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
MPR9_AGE	668	668	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9
PCV1_AGE	669	670	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
PCV2_AGE	671	672	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
PCV3_AGE	673	674	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
PCV4_AGE	675	676	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
PCV5_AGE	677	678	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
PCV6_AGE	679	680	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
PCV7_AGE	681	682	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
PCV8_AGE	683	684	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
PCV9_AGE	685	685	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9

## SECTION INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
POL1_AGE	686	687	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #1
POL2_AGE	688	689	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #2
POL3_AGE	690	691	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #3
POL4_AGE	692	693	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #4
POL5_AGE	694	695	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #5
POL6_AGE	696	697	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #6
POL7_AGE	698	698	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #7
POL8_AGE	699	699	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #8
POL9_AGE	700	700	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #9
RB1_AGE	701	701	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #1
RB2_AGE	702	702	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #2
RB3_AGE	703	703	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #3
RB4_AGE	704	704	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #4
RB5_AGE	705	705	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #5
RB6_AGE	706	706	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #6
RB7_AGE	707	707	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #7
RB8_AGE	708	708	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #8
RB9_AGE	709	709	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #9
ROT1_AGE	710	711	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
ROT2_AGE	712	713	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
ROT3_AGE	714	715	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
ROT4_AGE	716	717	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
ROT5_AGE	718	719	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
ROT6_AGE	720	720	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
ROT7_AGE	721	721	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
ROT8_AGE	722	722	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
ROT9_AGE	723	723	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
VRC1_AGE	724	725	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
VRC2_AGE	726	727	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
VRC3_AGE	728	729	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
VRC4_AGE	730	730	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
VRC5_AGE	731	731	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5
VRC6_AGE	732	732	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
VRC7_AGE	733	733	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
VRC8_AGE	734	734	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
VRC9_AGE	735	735	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
XDTPTY1	736	737	9	DT-CONTAINING VACCINATION #1 TYPE CODE
XDTPTY2	738	739	9	DT-CONTAINING VACCINATION #2 TYPE CODE

## SECTION INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
XDTPTY3	740	741	9	DT-CONTAINING VACCINATION #3 TYPE CODE
XDTPTY4	742	743	9	DT-CONTAINING VACCINATION #4 TYPE CODE
XDTPTY5	744	745	9	DT-CONTAINING VACCINATION #5 TYPE CODE
XDTPTY6	746	747	9	DT-CONTAINING VACCINATION #6 TYPE CODE
XDTPTY7	748	749	9	DT-CONTAINING VACCINATION #7 TYPE CODE
XDTPTY8	750	751	9	DT-CONTAINING VACCINATION #8 TYPE CODE
XDTPTY9	752	752	9	DT-CONTAINING VACCINATION #9 TYPE CODE
XFLUTY1	753	754	9	SEASONAL FLU-CONTAINING VACCINATION #1 TYPE CODE
XFLUTY2	755	756	9	SEASONAL FLU-CONTAINING VACCINATION #2 TYPE CODE
XFLUTY3	757	758	9	SEASONAL FLU-CONTAINING VACCINATION #3 TYPE CODE
XFLUTY4	759	760	9	SEASONAL FLU-CONTAINING VACCINATION #4 TYPE CODE
XFLUTY5	761	762	9	SEASONAL FLU-CONTAINING VACCINATION #5 TYPE CODE
XFLUTY6	763	764	9	SEASONAL FLU-CONTAINING VACCINATION #6 TYPE CODE
XFLUTY7	765	766	9	SEASONAL FLU-CONTAINING VACCINATION #7 TYPE CODE
XFLUTY8	767	767	9	SEASONAL FLU-CONTAINING VACCINATION #8 TYPE CODE
XFLUTY9	768	768	9	SEASONAL FLU-CONTAINING VACCINATION #9 TYPE CODE
XHEPTY1	769	770	9	HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE
XHEPTY2	771	772	9	HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE
XHEPTY3	773	774	9	HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE
XHEPTY4	775	776	9	HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE
XHEPTY5	777	778	9	HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE
XHEPTY6	779	780	9	HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE
XHEPTY7	781	782	9	HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE
XHEPTY8	783	784	9	HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE
XHEPTY9	785	785	9	HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE
XHIBTY1	786	787	9	HIB-CONTAINING VACCINATION #1 TYPE CODE
XHIBTY2	788	789	9	HIB-CONTAINING VACCINATION #2 TYPE CODE
XHIBTY3	790	791	9	HIB-CONTAINING VACCINATION #3 TYPE CODE
XHIBTY4	792	793	9	HIB-CONTAINING VACCINATION #4 TYPE CODE
XHIBTY5	794	795	9	HIB-CONTAINING VACCINATION #5 TYPE CODE
XHIBTY6	796	797	9	HIB-CONTAINING VACCINATION #6 TYPE CODE
XHIBTY7	798	799	9	HIB-CONTAINING VACCINATION #7 TYPE CODE
XHIBTY8	800	800	9	HIB-CONTAINING VACCINATION #8 TYPE CODE
XHIBTY9	801	801	9	HIB-CONTAINING VACCINATION #9 TYPE CODE
XMMRTY1	802	803	9	MEASLES-CONTAINING VACCINATION #1 TYPE CODE
XMMRTY2	804	805	9	MEASLES-CONTAINING VACCINATION #2 TYPE CODE
XMMRTY3	806	807	9	MEASLES-CONTAINING VACCINATION #3 TYPE CODE
XMMRTY4	808	808	9	MEASLES-CONTAINING VACCINATION #4 TYPE CODE

## SECTION INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
XMMRTY5	809	809	9	MEASLES-CONTAINING VACCINATION #5 TYPE CODE
XMMRTY6	810	810	9	MEASLES-CONTAINING VACCINATION #6 TYPE CODE
XMMRTY7	811	811	9	MEASLES-CONTAINING VACCINATION #7 TYPE CODE
XMMRTY8	812	812	9	MEASLES-CONTAINING VACCINATION #8 TYPE CODE
XMMRTY9	813	813	9	MEASLES-CONTAINING VACCINATION #9 TYPE CODE
XPCVTY1	814	815	9	PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE
XPCVTY2	816	817	9	PNEUMOCOCCAL-CONTAINING VACCINATION #2 TYPE CODE
XPCVTY3	818	819	9	PNEUMOCOCCAL-CONTAINING VACCINATION #3 TYPE CODE
XPCVTY4	820	821	9	PNEUMOCOCCAL-CONTAINING VACCINATION #4 TYPE CODE
XPCVTY5	822	823	9	PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE
XPCVTY6	824	825	9	PNEUMOCOCCAL-CONTAINING VACCINATION #6 TYPE CODE
XPCVTY7	826	827	9	PNEUMOCOCCAL-CONTAINING VACCINATION #7 TYPE CODE
XPCVTY8	828	829	9	PNEUMOCOCCAL-CONTAINING VACCINATION #8 TYPE CODE
XPCVTY9	830	830	9	PNEUMOCOCCAL-CONTAINING VACCINATION #9 TYPE CODE
XPOLTY1	831	832	9	POLIO-CONTAINING VACCINATION #1 TYPE CODE
XPOLTY2	833	834	9	POLIO-CONTAINING VACCINATION #2 TYPE CODE
XPOLTY3	835	836	9	POLIO-CONTAINING VACCINATION #3 TYPE CODE
XPOLTY4	837	838	9	POLIO-CONTAINING VACCINATION #4 TYPE CODE
XPOLTY5	839	840	9	POLIO-CONTAINING VACCINATION #5 TYPE CODE
XPOLTY6	841	842	9	POLIO-CONTAINING VACCINATION #6 TYPE CODE
XPOLTY7	843	843	9	POLIO-CONTAINING VACCINATION #7 TYPE CODE
XPOLTY8	844	844	9	POLIO-CONTAINING VACCINATION #8 TYPE CODE
XPOLTY9	845	845	9	POLIO-CONTAINING VACCINATION #9 TYPE CODE
XROTTY1	846	847	9	ROTAVIRUS-CONTAINING VACCINATION #1 TYPE CODE
XROTTY2	848	849	9	ROTAVIRUS-CONTAINING VACCINATION #2 TYPE CODE
XROTTY3	850	851	9	ROTAVIRUS-CONTAINING VACCINATION #3 TYPE CODE
XROTTY4	852	853	9	ROTAVIRUS-CONTAINING VACCINATION #4 TYPE CODE
XROTTY5	854	855	9	ROTAVIRUS-CONTAINING VACCINATION #5 TYPE CODE
XROTTY6	856	856	9	ROTAVIRUS-CONTAINING VACCINATION #6 TYPE CODE
XROTTY7	857	857	9	ROTAVIRUS-CONTAINING VACCINATION #7 TYPE CODE
XROTTY8	858	858	9	ROTAVIRUS-CONTAINING VACCINATION #8 TYPE CODE
XROTTY9	859	859	9	ROTAVIRUS-CONTAINING VACCINATION #9 TYPE CODE
XVRCTY1	860	861	9	VARICELLA-CONTAINING VACCINATION #1 TYPE CODE
XVRCTY2	862	863	9	VARICELLA-CONTAINING VACCINATION #2 TYPE CODE
XVRCTY3	864	865	9	VARICELLA-CONTAINING VACCINATION #3 TYPE CODE
XVRCTY4	866	866	9	VARICELLA-CONTAINING VACCINATION #4 TYPE CODE
XVRCTY5	867	867	9	VARICELLA-CONTAINING VACCINATION #5 TYPE CODE
XVRCTY6	868	868	9	VARICELLA-CONTAINING VACCINATION #6 TYPE CODE

## SECTION INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
XVRCTY7	869	869	9	VARICELLA-CONTAINING VACCINATION #7 TYPE CODE
XVRCTY8	870	870	9	VARICELLA-CONTAINING VACCINATION #8 TYPE CODE
XVRCTY9	871	871	9	VARICELLA-CONTAINING VACCINATION #9 TYPE CODE
INS_1	872	873	10	IS CHILD COVERED BY HEALTH INSURANCE PROVIDED THROUGH EMPLOYER OR UNION?
INS_2	874	875	10	IS CHILD COVERED BY ANY MEDICAID PLAN?
INS_3	876	877	10	IS CHILD COVERED BY S-CHIP?
INS_3A	878	879	10	IS CHILD COVERED BY ANY MEDICAID PLAN OR S-CHIP?
INS_4_5	880	881	10	IS CHILD COVERED BY INDIAN HEALTH SERVICE, MILITARY HEALTH CARE, TRICARE, CHAMPUS, OR CHAMP-VA?
INS_6	882	883	10	IS CHILD COVERED BY ANY OTHER HEALTH INSURANCE OR HEALTH CARE PLAN?
INS_11	884	885	10	ANY TIME WHEN CHILD WAS NOT COVERED BY ANY HEALTH INSURANCE?

## SECTION 1: ID, WEIGHT AND FLAG VARIABLES

---

**Variable: SEQNUMC Type: Character Position: 1-6**
**Label: UNIQUE CHILD IDENTIFIER****Notes:**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		27592	100.0%	100.0%	15391	100.0%	100.0%
RESERVED CODES:							
TOTALS:		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: SEQNUMHH Type: Character Position: 7-11**
**Label: UNIQUE HOUSEHOLD IDENTIFIER****Notes: Each household contains one or more children age 19 - 35 months.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		27592	100.0%	100.0%	15391	100.0%	100.0%
RESERVED CODES:							
TOTALS:		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: PDAT Type: Numeric Position: 12-12**
**Label: CHILD HAS ADEQUATE PROVIDER DATA****Notes: Use PDAT = 1 to identify children with adequate provider data (includes unvaccinated children).**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
CHILD HAS ADEQUATE PROVIDER DATA OR ZERO VACCINATIONS	1	15391	55.8%	55.8%	15391	100.0%	100.0%
CHILD DOES NOT HAVE ADEQUATE PROVIDER DATA	2	12201	44.2%	44.2%	0	0.0%	0.0%
SUBTOTALS:		27592	100.0%	100.0%	15391	100.0%	100.0%
RESERVED CODES:							
TOTALS:		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 1: ID, WEIGHT AND FLAG VARIABLES

---

**Variable: PROVWT\_D** Type: Numeric Position: 13-32
**Label: FINAL DUAL-FRAME PROVIDER-PHASE WEIGHT (EXCLUDES TERRITORIES)****Notes: Final child weight to use for the dual-frame calculation of vaccination coverage rates for children with adequate provider data (PDAT = 1). Missing for territories.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15167	55.0%	100.0%	15167	98.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12425	45.0%	n/a	224	1.5%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: PROVWT\_D** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	375.9	211.1	2.9	10146.4	593.8
Adequate Provider Data	375.9	211.1	2.9	10146.4	593.8

---

**Variable: PROVWT\_D\_TERR** Type: Numeric Position: 33-52
**Label: FINAL DUAL-FRAME PROVIDER-PHASE WEIGHT INCLUDING TERRITORIES****Notes: Final child weight to use for the dual-frame calculation of vaccination coverage rates for all children with adequate provider data (PDAT = 1), including territories.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: PROVWT\_D\_TERR** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	373.7	210.0	2.9	10146.4	590.1
Adequate Provider Data	373.7	210.0	2.9	10146.4	590.1

## SECTION 1: ID, WEIGHT AND FLAG VARIABLES

---

**Variable: RDDWT\_D Type: Numeric Position: 53-71**
**Label: FINAL DUAL-FRAME RDD-PHASE WEIGHT (EXCLUDES TERRITORIES)****Notes: Final dual-frame household interview weight for child. Use this weight for estimates based on children with completed household interviews. Missing for territories.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		26975	97.8%	100.0%	15167	98.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	617	2.2%	n/a	224	1.5%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: RDDWT\_D Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	211.4	125.4	2.5	5856.4	322.1
Adequate Provider Data	208.4	123.9	2.5	5856.4	317.8

---

**Variable: RDDWT\_D\_TERR Type: Numeric Position: 72-90**
**Label: FINAL DUAL-FRAME RDD-PHASE WEIGHT INCLUDING TERRITORIES****Notes: Final dual-frame household interview weight for child. Use this weight for estimates based on all children with completed household interviews, including territories.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		27592	100.0%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: RDDWT\_D\_TERR Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	208.5	122.2	2.5	5856.4	319.2
Adequate Provider Data	206.5	121.4	2.5	5856.4	315.9

## SECTION 1: ID, WEIGHT AND FLAG VARIABLES

---

**Variable: STRATUM Type: Numeric Position: 91-94**
**Label: STRATUM VARIABLE FOR DUAL-FRAME VARIANCE ESTIMATION****Notes: Use STRATUM as the stratum variable for variance estimation when calculating dual-frame estimates.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		27592	100.0%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: YEAR Type: Numeric Position: 95-98****Label: YEAR OF INTERVIEW****Notes: Sampling year.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
2015	2015	27592	100.0%	100.0%	15391	100.0%	100.0%
<b>SUBTOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 2: HOUSEHOLD VACCINATION VARIABLES

---

**Variable: AGECP0XR** Type: Numeric Position: 99-99
**Label: AGE IN MONTHS AT CHICKEN POX DISEASE (RECODE)****Notes:**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0 TO 6 MONTHS OLD	1	68	0.2%	21.3%	31	0.2%	20.7%
7 TO 12 MONTHS OLD	2	96	0.3%	30.1%	41	0.3%	27.3%
13 TO 18 MONTHS OLD	3	83	0.3%	26.0%	42	0.3%	28.0%
19+ MONTHS OLD	4	72	0.3%	22.6%	36	0.2%	24.0%
<b>SUBTOTALS:</b>		319	1.2%	100.0%	150	1.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27273	98.8%	n/a	15241	99.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: HAD\_CPOX** Type: Numeric Position: 100-101**Label: CHILD EVER HAD CHICKEN POX DISEASE?****Notes:**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	339	1.2%	1.2%	161	1.0%	1.0%
NO	2	27157	98.4%	98.8%	15190	98.7%	99.0%
<b>SUBTOTALS:</b>		27496	99.7%	100.0%	15351	99.7%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	89	0.3%	n/a	40	0.3%	n/a
REFUSED	99	7	0.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

---

**Variable: AGEGRP Type: Numeric Position: 102-102**
**Label: AGE CATEGORY OF CHILD (19-23, 24-29, 30-35 MO) (RECODE)****Notes:**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
19 - 23 MONTHS	1	7827	28.4%	28.4%	4405	28.6%	28.6%
24 - 29 MONTHS	2	8307	30.1%	30.1%	4689	30.5%	30.5%
30 - 35 MONTHS	3	11458	41.5%	41.5%	6297	40.9%	40.9%
<b>SUBTOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: BF\_ENDR06 Type: Numeric Position: 103-110**
**Label: DURATION OF BREAST FEEDING IN DAYS (RECODE)****Notes: See User's Guide for more information.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		21617	78.3%	100.0%	12298	79.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	5975	21.7%	n/a	3093	20.1%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: BF\_ENDR06 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	265.5	243.5	1.0	730.5	188.0
Adequate Provider Data	266.4	243.5	1.0	730.5	189.9

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

---

**Variable: BF\_EXCLR06 Type: Numeric Position: 111-118**
**Label: DURATION OF EXCLUSIVE BREAST/FORMULA FEEDING IN DAYS (RECODE)****Notes: See User's Guide for more information.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		22217	80.5%	100.0%	12731	82.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	5375	19.5%	n/a	2660	17.3%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: BF\_EXCLR06 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	169.5	182.6	0.0	273.9	66.9
Adequate Provider Data	168.2	182.6	0.0	273.9	64.7

---

**Variable: BF\_FORMR08 Type: Numeric Position: 119-126**
**Label: AGE IN DAYS WHEN CHILD FIRST FED FORMULA (RECODE)****Notes: BF\_FORMR08 replaces BF\_FORMR06 and includes a code of 888 for children never fed formula. See User's Guide for more information.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14472	52.4%	100.0%	8059	52.4%	100.0%
<b>RESERVED CODES:</b>							
NEVER FED FORMULA	888	5402	19.6%	n/a	3177	20.6%	n/a
MISSING	.	7718	28.0%	n/a	4155	27.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: BF\_FORMR08 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	126.1	91.3	1.0	730.5	115.5
Adequate Provider Data	119.9	91.3	1.0	730.5	111.1

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

---

**Variable: BFENDFL06** Type: Numeric Position: 127-127
**Label: DURATION OF BREAST FEEDING EXCEEDS CHILD AGE IN DAYS, WITH BUFFER**

Notes: See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	1	0.0%	100.0%	0	0.0%	n/a
<b>SUBTOTALS:</b>		1	0.0%	100.0%	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27591	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	n/a

---

**Variable: BFFORMFL06** Type: Numeric Position: 128-128**Label: AGE IN DAYS WHEN CHILD FIRST FED FORMULA EXCEEDS CHILD AGE IN DAYS, WITH BUFFER**

Notes: See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: C1R** Type: Numeric Position: 129-129**Label: NUMBER OF PEOPLE IN HOUSEHOLD (RECODE)**

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
2	2	693	2.5%	2.5%	378	2.5%	2.5%
3	3	6395	23.2%	23.2%	3493	22.7%	22.7%
4	4	9717	35.2%	35.2%	5542	36.0%	36.0%
5	5	5633	20.4%	20.4%	3171	20.6%	20.6%
6	6	2808	10.2%	10.2%	1566	10.2%	10.2%
7	7	1203	4.4%	4.4%	674	4.4%	4.4%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
8+	8	1143	4.1%	4.1%	567	3.7%	3.7%
<b>SUBTOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: C5R Type: Numeric Position: 130-131**

**Label: RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)**

**Notes:**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MOTHER (STEP, FOSTER, ADOPTIVE) OR FEMALE GUARDIAN	1	18146	65.8%	65.8%	11189	72.7%	72.7%
FATHER (STEP, FOSTER, ADOPTIVE) OR MALE GUARDIAN	2	7644	27.7%	27.7%	3598	23.4%	23.4%
GRANDPARENT	3	1360	4.9%	4.9%	517	3.4%	3.4%
OTHER FAMILY MEMBER/FRIEND	4	429	1.6%	1.6%	87	0.6%	0.6%
<b>SUBTOTALS:</b>		27579	100.0%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	4	0.0%	n/a	0	0.0%	n/a
REFUSED	99	9	0.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: CBF\_01 Type: Numeric Position: 132-133**

**Label: WAS CHILD EVER BREAST FED OR FED BREAST MILK?**

**Notes: See User's Guide for more information.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	23012	83.4%	83.7%	13100	85.1%	85.2%
NO	2	4481	16.2%	16.3%	2267	14.7%	14.8%
<b>SUBTOTALS:</b>		27493	99.6%	100.0%	15367	99.8%	100.0%
<b>RESERVED CODES:</b>							

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DON'T KNOW	77	96	0.3%	n/a	24	0.2%	n/a
REFUSED	99	3	0.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

Variable: CEN\_REG Type: Numeric Position: 134-134

Label: CENSUS REGION BASED ON TRUE STATE OF RESIDENCE

Notes: Missing for territories.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NORTHEAST	1	5335	19.3%	19.8%	2920	19.0%	19.3%
MIDWEST	2	5549	20.1%	20.6%	3214	20.9%	21.2%
SOUTH	3	10383	37.6%	38.5%	5735	37.3%	37.8%
WEST	4	5708	20.7%	21.2%	3298	21.4%	21.7%
<b>SUBTOTALS:</b>		26975	97.8%	100.0%	15167	98.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	617	2.2%	n/a	224	1.5%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

Variable: CHILDNM Type: Numeric Position: 135-135

Label: NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ONE	1	7821	28.3%	28.3%	4267	27.7%	27.7%
TWO OR THREE	2	16216	58.8%	58.8%	9226	59.9%	59.9%
FOUR OR MORE	3	3555	12.9%	12.9%	1898	12.3%	12.3%
<b>SUBTOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

---

**Variable: CWIC\_01 Type: Numeric Position: 136-137**
**Label: CHILD EVER RECEIVED WIC BENEFITS?****Notes:**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	12453	45.1%	45.3%	7187	46.7%	46.8%
NO	2	14966	54.2%	54.5%	8138	52.9%	53.0%
NEVER HEARD OF WIC	3	44	0.2%	0.2%	22	0.1%	0.1%
<b>SUBTOTALS:</b>		27463	99.5%	100.0%	15347	99.7%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	113	0.4%	n/a	41	0.3%	n/a
REFUSED	99	16	0.1%	n/a	3	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: CWIC\_02 Type: Numeric Position: 138-139****Label: CHILD CURRENTLY RECEIVING WIC BENEFITS?****Notes:**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	7352	26.6%	59.3%	4392	28.5%	61.3%
NO	2	5048	18.3%	40.7%	2772	18.0%	38.7%
<b>SUBTOTALS:</b>		12400	44.9%	100.0%	7164	46.5%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	52	0.2%	n/a	23	0.1%	n/a
REFUSED	99	1	0.0%	n/a	0	0.0%	n/a
MISSING	.	15139	54.9%	n/a	8204	53.3%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

---

**Variable: EDUC1 Type: Numeric Position: 140-140**
**Label: EDUCATION OF MOTHER CATEGORIES (RECODE)****Notes: Variable contains some imputed values.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
< 12 YEARS	1	2772	10.0%	10.0%	1673	10.9%	10.9%
12 YEARS	2	5072	18.4%	18.4%	2810	18.3%	18.3%
> 12 YEARS, NON-COLLEGE GRAD	3	7152	25.9%	25.9%	3849	25.0%	25.0%
COLLEGE GRAD	4	12596	45.7%	45.7%	7059	45.9%	45.9%
<b>SUBTOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: FRSTBRN Type: Numeric Position: 141-141**
**Label: FIRST BORN STATUS OF CHILD****Notes: Variable contains some imputed values.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NO	1	16201	58.7%	58.7%	9144	59.4%	59.4%
YES	2	11391	41.3%	41.3%	6247	40.6%	40.6%
<b>SUBTOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

---

**Variable: I\_HISP\_K** Type: Numeric Position: 142-142
**Label: HISPANIC ORIGIN OF CHILD****Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
HISPANIC	1	6258	22.7%	22.7%	3545	23.0%	23.0%
NON-HISPANIC	2	21334	77.3%	77.3%	11846	77.0%	77.0%
<b>SUBTOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: INCPORAR** Type: Numeric Position: 143-158**Label: INCOME TO POVERTY RATIO (RECODE)****Notes: Determined from family income, number of persons in the household, number of children in the household, and the 2014 Census poverty thresholds. If any of the first three variables are missing then INCPORAR will be missing.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		25229	91.4%	100.0%	14494	94.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	2363	8.6%	n/a	897	5.8%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: INCPORAR** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	2.0	2.4	0.5	3.0	1.0
Adequate Provider Data	2.0	2.3	0.5	3.0	1.0

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

---

**Variable: INCPOV1 Type: Numeric Position: 159-159**
**Label: POVERTY STATUS****Notes: Based on 2014 Census poverty thresholds.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ABOVE POVERTY, > \$75K	1	10103	36.6%	38.7%	5740	37.3%	38.6%
ABOVE POVERTY, <= \$75K	2	9276	33.6%	35.5%	5056	32.9%	34.0%
BELOW POVERTY	3	6744	24.4%	25.8%	4056	26.4%	27.3%
<b>SUBTOTALS:</b>		26123	94.7%	100.0%	14852	96.5%	100.0%
<b>RESERVED CODES:</b>							
UNKNOWN	4	1469	5.3%	n/a	539	3.5%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: INCQ298A Type: Numeric Position: 160-161****Label: FAMILY INCOME CATEGORIES (RECODE)****Notes: Family income in 2014.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
\$0 - \$7500	3	1351	4.9%	5.4%	793	5.2%	5.5%
\$7501 - \$10000	4	1127	4.1%	4.5%	670	4.4%	4.6%
\$10001 - \$17500	5	1588	5.8%	6.3%	1002	6.5%	6.9%
\$17501 - \$20000	6	1186	4.3%	4.7%	722	4.7%	5.0%
\$20001 - \$25000	7	1137	4.1%	4.5%	681	4.4%	4.7%
\$25001 - \$30000	8	1299	4.7%	5.1%	764	5.0%	5.3%
\$30001 - \$35000	9	872	3.2%	3.5%	485	3.2%	3.3%
\$35001 - \$40000	10	1160	4.2%	4.6%	655	4.3%	4.5%
\$40001 - \$50000	11	1739	6.3%	6.9%	942	6.1%	6.5%
\$50001 - \$60000	12	1558	5.6%	6.2%	891	5.8%	6.1%
\$60001 - \$75000	13	2109	7.6%	8.4%	1149	7.5%	7.9%
\$75001+	14	10103	36.6%	40.0%	5740	37.3%	39.6%
<b>SUBTOTALS:</b>		25229	91.4%	100.0%	14494	94.2%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	1231	4.5%	n/a	608	4.0%	n/a
REFUSED	99	1132	4.1%	n/a	289	1.9%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

---

**Variable: INTRP Type: Numeric Position: 162-162**
**Label: PHONE INTERRUPTION OF 7 DAYS OR MORE IN PAST YEAR?****Notes: Variable contains some imputed values.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	899	3.3%	8.5%	504	3.3%	8.5%
NO	2	9732	35.3%	91.5%	5404	35.1%	91.5%
<b>SUBTOTALS:</b>		10631	38.5%	100.0%	5908	38.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	16961	61.5%	n/a	9483	61.6%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: LANGUAGE Type: Numeric Position: 163-163****Label: LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED****Notes: Interviews conducted in other languages were administered using the AT&T language line. This variable was constructed from call outcome codes. While these outcome codes are considered accurate, there is no independent check to determine the language in which the interview was actually conducted.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ENGLISH	1	24996	90.6%	90.6%	13746	89.3%	89.3%
SPANISH	2	2110	7.6%	7.6%	1353	8.8%	8.8%
OTHER	3	486	1.8%	1.8%	292	1.9%	1.9%
<b>SUBTOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

---

**Variable: M\_AGEGRP Type: Numeric Position: 164-164**
**Label: AGE OF MOTHER CATEGORIES (RECODE)****Notes: Variable contains some imputed values.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<= 19 YEARS	1	35	0.1%	0.1%	9	0.1%	0.1%
20 - 29 YEARS	2	10052	36.4%	36.4%	5462	35.5%	35.5%
>= 30 YEARS	3	17505	63.4%	63.4%	9920	64.5%	64.5%
<b>SUBTOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: MARITAL2 Type: Numeric Position: 165-165****Label: MARITAL STATUS OF MOTHER (RECODE)****Notes: Variable contains some imputed values.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MARRIED	1	19227	69.7%	69.7%	10874	70.7%	70.7%
NEVER MARRIED/WIDOWED/ DIVORCED/SEPARATED/ DECEASED/LIVING WITH PARTNER	2	8365	30.3%	30.3%	4517	29.3%	29.3%
<b>SUBTOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

---

**Variable: MOBIL\_I Type: Numeric Position: 166-166**
**Label: GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE**
**Notes: Variable contains some imputed values.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MOVED FROM DIFFERENT STATE	1	3244	11.8%	11.8%	1692	11.0%	11.0%
DID NOT MOVE FROM DIFFERENT STATE	2	24348	88.2%	88.2%	13699	89.0%	89.0%
<b>SUBTOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: NUM\_PHONE Type: Numeric Position: 167-168**
**Label: NUMBER OF RESIDENTIAL TELEPHONE NUMBERS IN HOUSEHOLD (EXCLUDING CELL PHONES)**
**Notes:**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ONE	1	4419	16.0%	98.5%	2630	17.1%	98.5%
TWO	2	57	0.2%	1.3%	35	0.2%	1.3%
THREE OR MORE	3	9	0.0%	0.2%	5	0.0%	0.2%
<b>SUBTOTALS:</b>		4485	16.3%	100.0%	2670	17.3%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	5	0.0%	n/a	3	0.0%	n/a
REFUSED	99	19	0.1%	n/a	1	0.0%	n/a
MISSING	.	23083	83.7%	n/a	12717	82.6%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

---

**Variable: NUM\_CELLS\_HH Type: Numeric Position: 169-170**
**Label: NUMBER OF WORKING CELL PHONES HOUSEHOLD MEMBERS HAVE AVAILABLE FOR PERSONAL USE****Notes:**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ONE	1	3787	13.7%	13.9%	2018	13.1%	13.1%
TWO	2	17309	62.7%	63.3%	9981	64.8%	65.0%
THREE OR MORE	3	5890	21.3%	21.5%	3182	20.7%	20.7%
NONE	4	346	1.3%	1.3%	180	1.2%	1.2%
<b>SUBTOTALS:</b>		27332	99.1%	100.0%	15361	99.8%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	26	0.1%	n/a	4	0.0%	n/a
REFUSED	99	191	0.7%	n/a	26	0.2%	n/a
MISSING	.	43	0.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: NUM\_CELLS\_PARENTS Type: Numeric Position: 171-172**
**Label: NUMBER OF WORKING CELL PHONES USUALLY USED BY PARENTS OR GUARDIANS****Notes:**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ONE	1	5770	20.9%	21.2%	3158	20.5%	20.6%
TWO	2	19377	70.2%	71.1%	11171	72.6%	72.8%
THREE OR MORE	3	1608	5.8%	5.9%	779	5.1%	5.1%
NONE	4	515	1.9%	1.9%	243	1.6%	1.6%
<b>SUBTOTALS:</b>		27270	98.8%	100.0%	15351	99.7%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	54	0.2%	n/a	12	0.1%	n/a
REFUSED	99	198	0.7%	n/a	28	0.2%	n/a
MISSING	.	70	0.3%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

---

**Variable: RACE\_K** Type: Numeric Position: 173-173
**Label: RACE OF CHILD (RECODE)****Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
WHITE ONLY	1	20004	72.5%	72.5%	11361	73.8%	73.8%
BLACK ONLY	2	3241	11.7%	11.7%	1588	10.3%	10.3%
OTHER + MULTIPLE RACE	3	4347	15.8%	15.8%	2442	15.9%	15.9%
<b>SUBTOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: RACEETHK** Type: Numeric Position: 174-174**Label: RACE/ETHNICITY OF CHILD (RECODE)****Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
HISPANIC	1	6258	22.7%	22.7%	3545	23.0%	23.0%
NON-HISPANIC WHITE ONLY	2	14975	54.3%	54.3%	8473	55.1%	55.1%
NON-HISPANIC BLACK ONLY	3	2754	10.0%	10.0%	1352	8.8%	8.8%
NON-HISPANIC OTHER + MULTIPLE RACE	4	3605	13.1%	13.1%	2021	13.1%	13.1%
<b>SUBTOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

---

**Variable: RENT\_OWN**    **Type: Numeric**    **Position: 175-176**
**Label: IS HOME OWNED/BEING BOUGHT, RENTED, OR OCCUPIED BY SOME OTHER ARRANGEMENT?****Notes:**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
OWNED OR BEING BOUGHT	1	15964	57.9%	58.3%	8873	57.7%	57.9%
RENTED	2	10304	37.3%	37.6%	5851	38.0%	38.2%
OTHER ARRANGMENT	3	1110	4.0%	4.1%	610	4.0%	4.0%
<b>SUBTOTALS:</b>		27378	99.2%	100.0%	15334	99.6%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	54	0.2%	n/a	27	0.2%	n/a
REFUSED	99	160	0.6%	n/a	30	0.2%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: SEX**    **Type: Numeric**    **Position: 177-177****Label: GENDER OF CHILD****Notes: Variable contains some imputed values.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MALE	1	14243	51.6%	51.6%	8014	52.1%	52.1%
FEMALE	2	13349	48.4%	48.4%	7377	47.9%	47.9%
<b>SUBTOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 4: GEOGRAPHIC VARIABLES

Variable: ESTIAP15 Type: Numeric Position: 178-180

Label: ESTIMATION AREA OF RESIDENCE

Notes: For dual-frame variance estimation, use STRATUM.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
CT	1	469	1.7%	1.7%	250	1.6%	1.6%
MA	2	521	1.9%	1.9%	307	2.0%	2.0%
ME	4	386	1.4%	1.4%	221	1.4%	1.4%
NH	5	372	1.3%	1.3%	195	1.3%	1.3%
RI	6	463	1.7%	1.7%	272	1.8%	1.8%
VT	7	409	1.5%	1.5%	262	1.7%	1.7%
NJ	8	557	2.0%	2.0%	272	1.8%	1.8%
NY-REST OF STATE	10	555	2.0%	2.0%	275	1.8%	1.8%
NY-CITY OF NEW YORK	11	564	2.0%	2.0%	291	1.9%	1.9%
DC	12	576	2.1%	2.1%	321	2.1%	2.1%
DE	13	410	1.5%	1.5%	232	1.5%	1.5%
MD	14	658	2.4%	2.4%	361	2.3%	2.3%
PA-REST OF STATE	16	552	2.0%	2.0%	303	2.0%	2.0%
PA-PHILADELPHIA COUNTY	17	487	1.8%	1.8%	272	1.8%	1.8%
VA	18	655	2.4%	2.4%	373	2.4%	2.4%
WV	19	453	1.6%	1.6%	241	1.6%	1.6%
AL	20	494	1.8%	1.8%	272	1.8%	1.8%
FL	22	546	2.0%	2.0%	273	1.8%	1.8%
GA	25	540	2.0%	2.0%	286	1.9%	1.9%
KY	27	437	1.6%	1.6%	241	1.6%	1.6%
MS	28	464	1.7%	1.7%	233	1.5%	1.5%
NC	29	483	1.8%	1.8%	261	1.7%	1.7%
SC	30	487	1.8%	1.8%	259	1.7%	1.7%
TN	31	372	1.3%	1.3%	210	1.4%	1.4%
IL-REST OF STATE	34	665	2.4%	2.4%	371	2.4%	2.4%
IL-CITY OF CHICAGO	35	320	1.2%	1.2%	188	1.2%	1.2%
IN	36	426	1.5%	1.5%	231	1.5%	1.5%
MI	38	427	1.5%	1.5%	254	1.7%	1.7%
MN	40	521	1.9%	1.9%	289	1.9%	1.9%
OH	41	418	1.5%	1.5%	219	1.4%	1.4%
WI	44	389	1.4%	1.4%	245	1.6%	1.6%
AR	46	419	1.5%	1.5%	229	1.5%	1.5%

## SECTION 4: GEOGRAPHIC VARIABLES

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
LA	47	427	1.5%	1.5%	223	1.4%	1.4%
NM	49	400	1.4%	1.4%	244	1.6%	1.6%
OK	50	376	1.4%	1.4%	220	1.4%	1.4%
TX-REST OF STATE	51	1080	3.9%	3.9%	596	3.9%	3.9%
TX-EL PASO COUNTY	53	348	1.3%	1.3%	211	1.4%	1.4%
TX-CITY OF HOUSTON	54	360	1.3%	1.3%	214	1.4%	1.4%
TX-BEXAR COUNTY	55	428	1.6%	1.6%	224	1.5%	1.5%
IA	56	444	1.6%	1.6%	279	1.8%	1.8%
KS	57	367	1.3%	1.3%	228	1.5%	1.5%
MO	58	401	1.5%	1.5%	226	1.5%	1.5%
NE	59	374	1.4%	1.4%	231	1.5%	1.5%
CO	60	440	1.6%	1.6%	246	1.6%	1.6%
MT	61	390	1.4%	1.4%	251	1.6%	1.6%
ND	62	398	1.4%	1.4%	234	1.5%	1.5%
SD	63	399	1.4%	1.4%	219	1.4%	1.4%
UT	64	379	1.4%	1.4%	247	1.6%	1.6%
WY	65	421	1.5%	1.5%	219	1.4%	1.4%
AZ	66	479	1.7%	1.7%	266	1.7%	1.7%
CA	68	646	2.3%	2.3%	345	2.2%	2.2%
HI	72	469	1.7%	1.7%	261	1.7%	1.7%
NV	73	377	1.4%	1.4%	214	1.4%	1.4%
AK	74	498	1.8%	1.8%	295	1.9%	1.9%
ID	75	342	1.2%	1.2%	209	1.4%	1.4%
OR	76	341	1.2%	1.2%	192	1.2%	1.2%
WA	77	526	1.9%	1.9%	309	2.0%	2.0%
PUERTO RICO	106	617	2.2%	2.2%	224	1.5%	1.5%
TX-HIDALGO COUNTY	107	370	1.3%	1.3%	255	1.7%	1.7%
<b>SUBTOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 4: GEOGRAPHIC VARIABLES

Variable: EST\_GRANT Type: Numeric Position: 181-182

Label: AREA OF RESIDENCE ACCORDING TO THE 56 ORIGINAL CORE GRANTEE AREAS

Notes: For dual-frame variance estimation, use STRATUM. Missing for territories.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
CT	1	469	1.7%	1.7%	250	1.6%	1.6%
MA	2	521	1.9%	1.9%	307	2.0%	2.0%
ME	4	386	1.4%	1.4%	221	1.4%	1.5%
NH	5	372	1.3%	1.4%	195	1.3%	1.3%
RI	6	463	1.7%	1.7%	272	1.8%	1.8%
VT	7	409	1.5%	1.5%	262	1.7%	1.7%
NJ	8	557	2.0%	2.1%	272	1.8%	1.8%
NY-REST OF STATE	10	555	2.0%	2.1%	275	1.8%	1.8%
NY-CITY OF NEW YORK	11	564	2.0%	2.1%	291	1.9%	1.9%
DC	12	576	2.1%	2.1%	321	2.1%	2.1%
DE	13	410	1.5%	1.5%	232	1.5%	1.5%
MD	14	658	2.4%	2.4%	361	2.3%	2.4%
PA-REST OF STATE	16	552	2.0%	2.0%	303	2.0%	2.0%
PA-PHILADELPHIA COUNTY	17	487	1.8%	1.8%	272	1.8%	1.8%
VA	18	655	2.4%	2.4%	373	2.4%	2.5%
WV	19	453	1.6%	1.7%	241	1.6%	1.6%
AL	20	494	1.8%	1.8%	272	1.8%	1.8%
FL	22	546	2.0%	2.0%	273	1.8%	1.8%
GA	25	540	2.0%	2.0%	286	1.9%	1.9%
KY	27	437	1.6%	1.6%	241	1.6%	1.6%
MS	28	464	1.7%	1.7%	233	1.5%	1.5%
NC	29	483	1.8%	1.8%	261	1.7%	1.7%
SC	30	487	1.8%	1.8%	259	1.7%	1.7%
TN	31	372	1.3%	1.4%	210	1.4%	1.4%
IL-REST OF STATE	34	665	2.4%	2.5%	371	2.4%	2.4%
IL-CITY OF CHICAGO	35	320	1.2%	1.2%	188	1.2%	1.2%
IN	36	426	1.5%	1.6%	231	1.5%	1.5%
MI	38	427	1.5%	1.6%	254	1.7%	1.7%
MN	40	521	1.9%	1.9%	289	1.9%	1.9%
OH	41	418	1.5%	1.5%	219	1.4%	1.4%
WI	44	389	1.4%	1.4%	245	1.6%	1.6%
AR	46	419	1.5%	1.6%	229	1.5%	1.5%

## SECTION 4: GEOGRAPHIC VARIABLES

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
LA	47	427	1.5%	1.6%	223	1.4%	1.5%
NM	49	400	1.4%	1.5%	244	1.6%	1.6%
OK	50	376	1.4%	1.4%	220	1.4%	1.5%
TX-REST OF STATE	51	1798	6.5%	6.7%	1062	6.9%	7.0%
TX-CITY OF HOUSTON	54	360	1.3%	1.3%	214	1.4%	1.4%
TX-BEXAR COUNTY	55	428	1.6%	1.6%	224	1.5%	1.5%
IA	56	444	1.6%	1.6%	279	1.8%	1.8%
KS	57	367	1.3%	1.4%	228	1.5%	1.5%
MO	58	401	1.5%	1.5%	226	1.5%	1.5%
NE	59	374	1.4%	1.4%	231	1.5%	1.5%
CO	60	440	1.6%	1.6%	246	1.6%	1.6%
MT	61	390	1.4%	1.4%	251	1.6%	1.7%
ND	62	398	1.4%	1.5%	234	1.5%	1.5%
SD	63	399	1.4%	1.5%	219	1.4%	1.4%
UT	64	379	1.4%	1.4%	247	1.6%	1.6%
WY	65	421	1.5%	1.6%	219	1.4%	1.4%
AZ	66	479	1.7%	1.8%	266	1.7%	1.8%
CA	68	646	2.3%	2.4%	345	2.2%	2.3%
HI	72	469	1.7%	1.7%	261	1.7%	1.7%
NV	73	377	1.4%	1.4%	214	1.4%	1.4%
AK	74	498	1.8%	1.8%	295	1.9%	1.9%
ID	75	342	1.2%	1.3%	209	1.4%	1.4%
OR	76	341	1.2%	1.3%	192	1.2%	1.3%
WA	77	526	1.9%	1.9%	309	2.0%	2.0%
<b>SUBTOTALS:</b>		26975	97.8%	100.0%	15167	98.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	617	2.2%	n/a	224	1.5%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 4: GEOGRAPHIC VARIABLES

---

**Variable: STATE Type: Numeric Position: 183-184**
**Label: TRUE STATE OF RESIDENCE (STATE FIPS CODE)****Notes:**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ALABAMA	1	494	1.8%	1.8%	272	1.8%	1.8%
ALASKA	2	498	1.8%	1.8%	295	1.9%	1.9%
ARIZONA	4	479	1.7%	1.7%	266	1.7%	1.7%
ARKANSAS	5	419	1.5%	1.5%	229	1.5%	1.5%
CALIFORNIA	6	646	2.3%	2.3%	345	2.2%	2.2%
COLORADO	8	440	1.6%	1.6%	246	1.6%	1.6%
CONNECTICUT	9	469	1.7%	1.7%	250	1.6%	1.6%
DELAWARE	10	410	1.5%	1.5%	232	1.5%	1.5%
DISTRICT OF COLUMBIA	11	576	2.1%	2.1%	321	2.1%	2.1%
FLORIDA	12	546	2.0%	2.0%	273	1.8%	1.8%
GEORGIA	13	540	2.0%	2.0%	286	1.9%	1.9%
HAWAII	15	469	1.7%	1.7%	261	1.7%	1.7%
IDAHO	16	342	1.2%	1.2%	209	1.4%	1.4%
ILLINOIS	17	985	3.6%	3.6%	559	3.6%	3.6%
INDIANA	18	426	1.5%	1.5%	231	1.5%	1.5%
IOWA	19	444	1.6%	1.6%	279	1.8%	1.8%
KANSAS	20	367	1.3%	1.3%	228	1.5%	1.5%
KENTUCKY	21	437	1.6%	1.6%	241	1.6%	1.6%
LOUISIANA	22	427	1.5%	1.5%	223	1.4%	1.4%
MAINE	23	386	1.4%	1.4%	221	1.4%	1.4%
MARYLAND	24	658	2.4%	2.4%	361	2.3%	2.3%
MASSACHUSETTS	25	521	1.9%	1.9%	307	2.0%	2.0%
MICHIGAN	26	427	1.5%	1.5%	254	1.7%	1.7%
MINNESOTA	27	521	1.9%	1.9%	289	1.9%	1.9%
MISSISSIPPI	28	464	1.7%	1.7%	233	1.5%	1.5%
MISSOURI	29	401	1.5%	1.5%	226	1.5%	1.5%
MONTANA	30	390	1.4%	1.4%	251	1.6%	1.6%
NEBRASKA	31	374	1.4%	1.4%	231	1.5%	1.5%
NEVADA	32	377	1.4%	1.4%	214	1.4%	1.4%
NEW HAMPSHIRE	33	372	1.3%	1.3%	195	1.3%	1.3%
NEW JERSEY	34	557	2.0%	2.0%	272	1.8%	1.8%
NEW MEXICO	35	400	1.4%	1.4%	244	1.6%	1.6%

## SECTION 4: GEOGRAPHIC VARIABLES

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NEW YORK	36	1119	4.1%	4.1%	566	3.7%	3.7%
NORTH CAROLINA	37	483	1.8%	1.8%	261	1.7%	1.7%
NORTH DAKOTA	38	398	1.4%	1.4%	234	1.5%	1.5%
OHIO	39	418	1.5%	1.5%	219	1.4%	1.4%
OKLAHOMA	40	376	1.4%	1.4%	220	1.4%	1.4%
OREGON	41	341	1.2%	1.2%	192	1.2%	1.2%
PENNSYLVANIA	42	1039	3.8%	3.8%	575	3.7%	3.7%
RHODE ISLAND	44	463	1.7%	1.7%	272	1.8%	1.8%
SOUTH CAROLINA	45	487	1.8%	1.8%	259	1.7%	1.7%
SOUTH DAKOTA	46	399	1.4%	1.4%	219	1.4%	1.4%
TENNESSEE	47	372	1.3%	1.3%	210	1.4%	1.4%
TEXAS	48	2586	9.4%	9.4%	1500	9.7%	9.7%
UTAH	49	379	1.4%	1.4%	247	1.6%	1.6%
VERMONT	50	409	1.5%	1.5%	262	1.7%	1.7%
VIRGINIA	51	655	2.4%	2.4%	373	2.4%	2.4%
WASHINGTON	53	526	1.9%	1.9%	309	2.0%	2.0%
WEST VIRGINIA	54	453	1.6%	1.6%	241	1.6%	1.6%
WISCONSIN	55	389	1.4%	1.4%	245	1.6%	1.6%
WYOMING	56	421	1.5%	1.5%	219	1.4%	1.4%
PUERTO RICO	72	617	2.2%	2.2%	224	1.5%	1.5%
<b>SUBTOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 5: NUMBER OF PROVIDERS IDENTIFIED AND CONSENT VARIABLES

---

**Variable: D6R Type: Numeric Position: 185-185**
**Label: NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (RECODE)****Notes: Number of vaccination providers identified for the child in questions D6 and D6AA during the household interview.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	102	0.4%	0.4%	73	0.5%	0.5%
1	1	17250	62.5%	69.4%	10611	68.9%	68.9%
2	2	5968	21.6%	24.0%	3864	25.1%	25.1%
3+	3	1535	5.6%	6.2%	842	5.5%	5.5%
<b>SUBTOTALS:</b>		24855	90.1%	100.0%	15390	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	2737	9.9%	n/a	1	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: D7 Type: Numeric Position: 186-186****Label: CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM PROVIDERS****Notes: A blank value means consent was not obtained because of an interview break-off.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	17634	63.9%	99.2%	15318	99.5%	100.0%
NO	2	148	0.5%	0.8%	0	0.0%	0.0%
<b>SUBTOTALS:</b>		17782	64.4%	100.0%	15318	99.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9810	35.6%	n/a	73	0.5%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 6: NUMBER OF RESPONDING PROVIDERS VARIABLES

---

**Variable: N\_PRVR Type: Numeric Position: 187-187**
**Label: NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (RECODE)****Notes: Total number of vaccination providers responding with vaccination information for the child. Range: 0 to 5 providers.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	12381	44.9%	44.9%	180	1.2%	1.2%
1	1	12324	44.7%	44.7%	12324	80.1%	80.1%
2	2	2575	9.3%	9.3%	2575	16.7%	16.7%
3+	3	312	1.1%	1.1%	312	2.0%	2.0%
<b>SUBTOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 7: CHARACTERISTICS OF PROVIDER VARIABLES

---

**Variable: PROV\_FAC Type: Numeric Position: 188-188**
**Label: PROVIDER FACILITY TYPES****Notes: Constructed from the responses of up to five providers. Variable contains some imputed values.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ALL PUBLIC FACILITIES	1	1685	6.1%	11.1%	1685	10.9%	11.1%
ALL HOSPITAL FACILITIES	2	2196	8.0%	14.4%	2196	14.3%	14.4%
ALL PRIVATE FACILITIES	3	8636	31.3%	56.8%	8636	56.1%	56.8%
ALL MILITARY/OTHER FACILITIES	4	369	1.3%	2.4%	369	2.4%	2.4%
MIXED	5	2323	8.4%	15.3%	2323	15.1%	15.3%
TYPE OF PROVIDER UNKNOWN	6	2	0.0%	0.0%	2	0.0%	0.0%
<b>SUBTOTALS:</b>		15211	55.1%	100.0%	15211	98.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12381	44.9%	n/a	180	1.2%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: REGISTRY Type: Numeric Position: 189-189**
**Label: CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY****Notes: Constructed from the responses of up to five providers.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ALL PROVIDERS	1	10045	36.4%	66.0%	10045	65.3%	66.0%
SOME BUT POSSIBLY OR DEFINITELY NOT ALL PROVIDERS	2	1209	4.4%	7.9%	1209	7.9%	7.9%
NO PROVIDERS	3	1825	6.6%	12.0%	1825	11.9%	12.0%
UNKNOWN/DON'T KNOW	4	2132	7.7%	14.0%	2132	13.9%	14.0%
<b>SUBTOTALS:</b>		15211	55.1%	100.0%	15211	98.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12381	44.9%	n/a	180	1.2%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 7: CHARACTERISTICS OF PROVIDER VARIABLES

---

**Variable: VFC\_ORDER Type: Numeric Position: 190-190**
**Label: DO CHILD'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT?****Notes: Constructed from the responses of up to five providers.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ALL PROVIDERS	1	11102	40.2%	73.0%	11102	72.1%	73.0%
SOME BUT POSSIBLY OR DEFINITELY NOT ALL PROVIDERS	2	1140	4.1%	7.5%	1140	7.4%	7.5%
NO PROVIDERS	3	1399	5.1%	9.2%	1399	9.1%	9.2%
UNKNOWN/DON'T KNOW	4	1570	5.7%	10.3%	1570	10.2%	10.3%
<b>SUBTOTALS:</b>		15211	55.1%	100.0%	15211	98.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12381	44.9%	n/a	180	1.2%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

---

**Variable: HEP\_BRTH** Type: Numeric Position: 191-191
**Label: HEPATITIS B-CONTAINING SHOT GIVEN AT BIRTH FLAG****Notes: Constructed from the responses of up to five providers. See User's Guide for more information on this variable.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
AT LEAST ONE PROVIDER CHECKED GIVEN AT BIRTH	1	11669	42.3%	77.7%	11669	75.8%	77.7%
NO PROVIDERS CHECKED GIVEN AT BIRTH	2	3349	12.1%	22.3%	3349	21.8%	22.3%
<b>SUBTOTALS:</b>		15018	54.4%	100.0%	15018	97.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12574	45.6%	n/a	373	2.4%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: HEP\_FLAG** Type: Numeric Position: 192-192**Label: HEPATITIS B BIRTH SHOT DATE IMPUTATION FLAG****Notes: Imputation flag for Hepatitis B birth dose date. See User's Guide for more information on this variable.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
HEPB BIRTH SHOT DATE IMPUTED FROM DISTRIBUTION OF BIRTH DOSE DATES	2	37	0.1%	100.0%	37	0.2%	100.0%
<b>SUBTOTALS:</b>		37	0.1%	100.0%	37	0.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27555	99.9%	n/a	15354	99.8%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

---

**Variable: P\_NUHEPX Type: Numeric Position: 193-193**
**Label: NUMBER OF HEPATITIS B-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**
**Notes: Vaccine type 60**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1865	6.8%	12.1%	1865	12.1%	12.1%
1	1	6136	22.2%	39.9%	6136	39.9%	39.9%
2	2	2137	7.7%	13.9%	2137	13.9%	13.9%
3	3	4803	17.4%	31.2%	4803	31.2%	31.2%
4	4	422	1.5%	2.7%	422	2.7%	2.7%
5	5	23	0.1%	0.1%	23	0.1%	0.1%
6	6	5	0.0%	0.0%	5	0.0%	0.0%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: P\_NUHIBX Type: Numeric Position: 194-194**
**Label: NUMBER OF HIB-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**
**Notes: Vaccine type 44, HM, HG or HS**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	2886	10.5%	18.8%	2886	18.8%	18.8%
1	1	2242	8.1%	14.6%	2242	14.6%	14.6%
2	2	1855	6.7%	12.1%	1855	12.1%	12.1%
3	3	4423	16.0%	28.7%	4423	28.7%	28.7%
4	4	3933	14.3%	25.6%	3933	25.6%	25.6%
5	5	50	0.2%	0.3%	50	0.3%	0.3%
6	6	2	0.0%	0.0%	2	0.0%	0.0%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

---

**Variable: P\_NUHPHB Type: Numeric Position: 195-195**
**Label: NUMBER OF HEPATITIS B/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**
**Notes: Vaccine type 43**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15273	55.4%	99.2%	15273	99.2%	99.2%
1	1	78	0.3%	0.5%	78	0.5%	0.5%
2	2	23	0.1%	0.1%	23	0.1%	0.1%
3	3	17	0.1%	0.1%	17	0.1%	0.1%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: P\_NUMDAH Type: Numeric Position: 196-196**
**Label: NUMBER OF DTAP/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**
**Notes: Vaccine type 07**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15317	55.5%	99.5%	15317	99.5%	99.5%
1	1	61	0.2%	0.4%	61	0.4%	0.4%
2	2	8	0.0%	0.1%	8	0.1%	0.1%
3	3	3	0.0%	0.0%	3	0.0%	0.0%
4	4	2	0.0%	0.0%	2	0.0%	0.0%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

---

**Variable: P\_NUMDHI Type: Numeric Position: 197-197**
**Label: NUMBER OF DTAP/HEPB/IPV COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**
**Notes: Vaccine type 08**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	6199	22.5%	40.3%	6199	40.3%	40.3%
1	1	1522	5.5%	9.9%	1522	9.9%	9.9%
2	2	2373	8.6%	15.4%	2373	15.4%	15.4%
3	3	5175	18.8%	33.6%	5175	33.6%	33.6%
4	4	116	0.4%	0.8%	116	0.8%	0.8%
5	5	5	0.0%	0.0%	5	0.0%	0.0%
6	6	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: P\_NUMDIH Type: Numeric Position: 198-198**
**Label: NUMBER OF DTAP/IPV/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**
**Notes: Vaccine type D3**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	9068	32.9%	58.9%	9068	58.9%	58.9%
1	1	2173	7.9%	14.1%	2173	14.1%	14.1%
2	2	1403	5.1%	9.1%	1403	9.1%	9.1%
3	3	1960	7.1%	12.7%	1960	12.7%	12.7%
4	4	780	2.8%	5.1%	780	5.1%	5.1%
5	5	5	0.0%	0.0%	5	0.0%	0.0%
6	6	2	0.0%	0.0%	2	0.0%	0.0%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

---

**Variable: P\_NUMDTA Type: Numeric Position: 199-199**
**Label: NUMBER OF DTAP-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**
**Notes: Vaccine type 04**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	3319	12.0%	21.6%	3319	21.6%	21.6%
1	1	7631	27.7%	49.6%	7631	49.6%	49.6%
2	2	1961	7.1%	12.7%	1961	12.7%	12.7%
3	3	958	3.5%	6.2%	958	6.2%	6.2%
4	4	1502	5.4%	9.8%	1502	9.8%	9.8%
5	5	20	0.1%	0.1%	20	0.1%	0.1%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: P\_NUMDTP Type: Numeric Position: 200-200**
**Label: NUMBER OF DT-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**
**Notes: Vaccine type 03, 04, 07, 08, or D3**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	407	1.5%	2.6%	407	2.6%	2.6%
1	1	150	0.5%	1.0%	150	1.0%	1.0%
2	2	224	0.8%	1.5%	224	1.5%	1.5%
3	3	1362	4.9%	8.8%	1362	8.8%	8.8%
4	4	13018	47.2%	84.6%	13018	84.6%	84.6%
5	5	218	0.8%	1.4%	218	1.4%	1.4%
6	6	11	0.0%	0.1%	11	0.1%	0.1%
8	8	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

---

**Variable: P\_NUMFLU Type: Numeric Position: 201-201**
**Label: NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**
**Notes: Vaccine type FM, FN, or FL**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	4120	14.9%	26.8%	4120	26.8%	26.8%
1	1	2025	7.3%	13.2%	2025	13.2%	13.2%
2	2	3521	12.8%	22.9%	3521	22.9%	22.9%
3	3	4446	16.1%	28.9%	4446	28.9%	28.9%
4	4	1244	4.5%	8.1%	1244	8.1%	8.1%
5	5	32	0.1%	0.2%	32	0.2%	0.2%
6	6	2	0.0%	0.0%	2	0.0%	0.0%
7	7	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: P\_NUMFLUL Type: Numeric Position: 202-202**
**Label: NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**
**Notes: Vaccine type FL**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	14641	53.1%	95.1%	14641	95.1%	95.1%
1	1	284	1.0%	1.8%	284	1.8%	1.8%
2	2	246	0.9%	1.6%	246	1.6%	1.6%
3	3	172	0.6%	1.1%	172	1.1%	1.1%
4	4	45	0.2%	0.3%	45	0.3%	0.3%
5	5	2	0.0%	0.0%	2	0.0%	0.0%
7	7	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

Variable: P\_NUMFLUM Type: Numeric Position: 203-203

Label: NUMBER OF SEASONAL FLU SPRAY VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type FM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	14411	52.2%	93.6%	14411	93.6%	93.6%
1	1	919	3.3%	6.0%	919	6.0%	6.0%
2	2	46	0.2%	0.3%	46	0.3%	0.3%
3	3	13	0.0%	0.1%	13	0.1%	0.1%
4	4	2	0.0%	0.0%	2	0.0%	0.0%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

Variable: P\_NUMFLUN Type: Numeric Position: 204-204

Label: NUMBER OF INJECTED SEASONAL FLU VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type FN

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	4786	17.3%	31.1%	4786	31.1%	31.1%
1	1	2003	7.3%	13.0%	2003	13.0%	13.0%
2	2	3657	13.3%	23.8%	3657	23.8%	23.8%
3	3	4096	14.8%	26.6%	4096	26.6%	26.6%
4	4	838	3.0%	5.4%	838	5.4%	5.4%
5	5	10	0.0%	0.1%	10	0.1%	0.1%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
6	6	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

Variable: P\_NUMHEA Type: Numeric Position: 205-205

Label: NUMBER OF HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type HA

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	2011	7.3%	13.1%	2011	13.1%	13.1%
1	1	3793	13.7%	24.6%	3793	24.6%	24.6%
2	2	9522	34.5%	61.9%	9522	61.9%	61.9%
3	3	65	0.2%	0.4%	65	0.4%	0.4%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

Variable: P\_NUMHEN Type: Numeric Position: 206-206

Label: NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type HB

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15143	54.9%	98.4%	15143	98.4%	98.4%
1	1	93	0.3%	0.6%	93	0.6%	0.6%
2	2	88	0.3%	0.6%	88	0.6%	0.6%
3	3	62	0.2%	0.4%	62	0.4%	0.4%
4	4	5	0.0%	0.0%	5	0.0%	0.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

Variable: P\_NUMHEP Type: Numeric Position: 207-207

Label: NUMBER OF HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 08, 43, 60, or HB

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	389	1.4%	2.5%	389	2.5%	2.5%
1	1	321	1.2%	2.1%	321	2.1%	2.1%
2	2	459	1.7%	3.0%	459	3.0%	3.0%
3	3	8773	31.8%	57.0%	8773	57.0%	57.0%
4	4	5228	18.9%	34.0%	5228	34.0%	34.0%
5	5	207	0.8%	1.3%	207	1.3%	1.3%
6	6	13	0.0%	0.1%	13	0.1%	0.1%
8	8	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

---

**Variable: P\_NUMHG Type: Numeric Position: 208-208**
**Label: NUMBER OF HIB-GLAXOSMITHKLINE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**
**Notes: Vaccine type HG**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15192	55.1%	98.7%	15192	98.7%	98.7%
1	1	97	0.4%	0.6%	97	0.6%	0.6%
2	2	40	0.1%	0.3%	40	0.3%	0.3%
3	3	34	0.1%	0.2%	34	0.2%	0.2%
4	4	28	0.1%	0.2%	28	0.2%	0.2%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: P\_NUMHHY Type: Numeric Position: 209-209**
**Label: NUMBER OF HIB-MENCY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**
**Notes: Vaccine type HY**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15146	54.9%	98.4%	15146	98.4%	98.4%
1	1	90	0.3%	0.6%	90	0.6%	0.6%
2	2	57	0.2%	0.4%	57	0.4%	0.4%
3	3	50	0.2%	0.3%	50	0.3%	0.3%
4	4	47	0.2%	0.3%	47	0.3%	0.3%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

---

**Variable: P\_NUMHIB Type: Numeric Position: 210-210**
**Label: NUMBER OF HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**
**Notes: Vaccine type 07, 43, 44, D3, HI, HM, HG, HS, or HY.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	448	1.6%	2.9%	448	2.9%	2.9%
1	1	203	0.7%	1.3%	203	1.3%	1.3%
2	2	416	1.5%	2.7%	416	2.7%	2.7%
3	3	3754	13.6%	24.4%	3754	24.4%	24.4%
4	4	10395	37.7%	67.5%	10395	67.5%	67.5%
5	5	167	0.6%	1.1%	167	1.1%	1.1%
6	6	7	0.0%	0.0%	7	0.0%	0.0%
7	7	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: P\_NUMHIN Type: Numeric Position: 211-211**
**Label: NUMBER OF HIB-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**
**Notes: Vaccine type HI**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	13491	48.9%	87.7%	13491	87.7%	87.7%
1	1	621	2.3%	4.0%	621	4.0%	4.0%
2	2	293	1.1%	1.9%	293	1.9%	1.9%
3	3	444	1.6%	2.9%	444	2.9%	2.9%
4	4	535	1.9%	3.5%	535	3.5%	3.5%
5	5	7	0.0%	0.0%	7	0.0%	0.0%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

---

**Variable: P\_NUMHION Type: Numeric Position: 212-212**
**Label: NUMBER OF HIB-ONLY SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**
**Notes: Vaccine type 44**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15076	54.6%	98.0%	15076	98.0%	98.0%
1	1	161	0.6%	1.0%	161	1.0%	1.0%
2	2	79	0.3%	0.5%	79	0.5%	0.5%
3	3	71	0.3%	0.5%	71	0.5%	0.5%
4	4	4	0.0%	0.0%	4	0.0%	0.0%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: P\_NUMHM Type: Numeric Position: 213-213**
**Label: NUMBER OF HIB-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**
**Notes: Vaccine type HM**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	10504	38.1%	68.2%	10504	68.2%	68.2%
1	1	980	3.6%	6.4%	980	6.4%	6.4%
2	2	914	3.3%	5.9%	914	5.9%	5.9%
3	3	2546	9.2%	16.5%	2546	16.5%	16.5%
4	4	439	1.6%	2.9%	439	2.9%	2.9%
5	5	6	0.0%	0.0%	6	0.0%	0.0%
6	6	2	0.0%	0.0%	2	0.0%	0.0%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

---

**Variable: P\_NUMHS Type: Numeric Position: 214-214**
**Label: NUMBER OF HIB-SANOFI SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**
**Notes: Vaccine type HS**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	6965	25.2%	45.3%	6965	45.3%	45.3%
1	1	2345	8.5%	15.2%	2345	15.2%	15.2%
2	2	1424	5.2%	9.3%	1424	9.3%	9.3%
3	3	1817	6.6%	11.8%	1817	11.8%	11.8%
4	4	2812	10.2%	18.3%	2812	18.3%	18.3%
5	5	28	0.1%	0.2%	28	0.2%	0.2%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: P\_NUMIPV Type: Numeric Position: 215-215**
**Label: NUMBER OF IPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**
**Notes: Vaccine type 21**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	10675	38.7%	69.4%	10675	69.4%	69.4%
1	1	2260	8.2%	14.7%	2260	14.7%	14.7%
2	2	943	3.4%	6.1%	943	6.1%	6.1%
3	3	1423	5.2%	9.2%	1423	9.2%	9.2%
4	4	85	0.3%	0.6%	85	0.6%	0.6%
5	5	5	0.0%	0.0%	5	0.0%	0.0%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

---

**Variable: P\_NUMMCN Type: Numeric Position: 216-216**
**Label: NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**
**Notes: Vaccine type MM**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15255	55.3%	99.1%	15255	99.1%	99.1%
1	1	131	0.5%	0.9%	131	0.9%	0.9%
2	2	5	0.0%	0.0%	5	0.0%	0.0%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: P\_NUMMMR Type: Numeric Position: 217-217**
**Label: NUMBER OF MEASLES-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**
**Notes: Vaccine type 30, 31, 32, 33, MM or VM**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1000	3.6%	6.5%	1000	6.5%	6.5%
1	1	14093	51.1%	91.6%	14093	91.6%	91.6%
2	2	294	1.1%	1.9%	294	1.9%	1.9%
3	3	4	0.0%	0.0%	4	0.0%	0.0%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

---

**Variable: P\_NUMMMRX Type: Numeric Position: 218-218**
**Label: NUMBER OF MMR-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**
**Notes: Vaccine type 30**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	2800	10.1%	18.2%	2800	18.2%	18.2%
1	1	12368	44.8%	80.4%	12368	80.4%	80.4%
2	2	222	0.8%	1.4%	222	1.4%	1.4%
3	3	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: P\_NUMMMX Type: Numeric Position: 219-219**
**Label: NUMBER OF MMR-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**
**Notes: Vaccine type 30 or VM**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1158	4.2%	7.5%	1158	7.5%	7.5%
1	1	13962	50.6%	90.7%	13962	90.7%	90.7%
2	2	269	1.0%	1.7%	269	1.7%	1.7%
3	3	2	0.0%	0.0%	2	0.0%	0.0%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

---

**Variable: P\_NUMMMP Type: Numeric Position: 220-220**
**Label: NUMBER OF MUMPS-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**
**Notes: Vaccine type MP**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15390	55.8%	100.0%	15390	100.0%	100.0%
1	1	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: P\_NUMMMPR Type: Numeric Position: 221-221**
**Label: NUMBER OF (MUMPS/RUBELLA)-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**
**Notes: Vaccine type MB**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15391	55.8%	100.0%	15391	100.0%	100.0%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

---

**Variable: P\_NUMMRV Type: Numeric Position: 222-222**
**Label: NUMBER OF MMR/VARICELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**
**Notes: Vaccine type VM**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	13709	49.7%	89.1%	13709	89.1%	89.1%
1	1	1673	6.1%	10.9%	1673	10.9%	10.9%
2	2	9	0.0%	0.1%	9	0.1%	0.1%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: P\_NUMMS Type: Numeric Position: 223-223**
**Label: NUMBER OF MEASLES-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**
**Notes: Vaccine type 31**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15347	55.6%	99.7%	15347	99.7%	99.7%
1	1	43	0.2%	0.3%	43	0.3%	0.3%
2	2	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

---

**Variable: P\_NUMMSM Type: Numeric Position: 224-224**
**Label: NUMBER OF MEASLES/MUMPS COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**
**Notes: Vaccine type 32**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15391	55.8%	100.0%	15391	100.0%	100.0%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: P\_NUMMSR Type: Numeric Position: 225-225**
**Label: NUMBER OF MEASLES/RUBELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**
**Notes: Vaccine type 33**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15390	55.8%	100.0%	15390	100.0%	100.0%
1	1	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

---

**Variable: P\_NUMOLN Type: Numeric Position: 226-226**
**Label: NUMBER OF POLIO SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**
**Notes: Vaccine type 22**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	14842	53.8%	96.4%	14842	96.4%	96.4%
1	1	144	0.5%	0.9%	144	0.9%	0.9%
2	2	71	0.3%	0.5%	71	0.5%	0.5%
3	3	275	1.0%	1.8%	275	1.8%	1.8%
4	4	58	0.2%	0.4%	58	0.4%	0.4%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: P\_NUMOPV Type: Numeric Position: 227-227**
**Label: NUMBER OF OPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**
**Notes: Vaccine type 20**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15332	55.6%	99.6%	15332	99.6%	99.6%
1	1	22	0.1%	0.1%	22	0.1%	0.1%
2	2	13	0.0%	0.1%	13	0.1%	0.1%
3	3	17	0.1%	0.1%	17	0.1%	0.1%
4	4	7	0.0%	0.0%	7	0.0%	0.0%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

---

**Variable: P\_NUMPCV Type: Numeric Position: 228-228**
**Label: NUMBER OF PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**
**Notes: Vaccine type 70, 71, 72, 73, or 74**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	474	1.7%	3.1%	474	3.1%	3.1%
1	1	228	0.8%	1.5%	228	1.5%	1.5%
2	2	298	1.1%	1.9%	298	1.9%	1.9%
3	3	1225	4.4%	8.0%	1225	8.0%	8.0%
4	4	12995	47.1%	84.4%	12995	84.4%	84.4%
5	5	159	0.6%	1.0%	159	1.0%	1.0%
6	6	11	0.0%	0.1%	11	0.1%	0.1%
8	8	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: P\_NUMPCP Type: Numeric Position: 229-229**
**Label: NUMBER OF PNEUMOCOCCAL POLYSACCHARIDE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**
**Notes: Vaccine type 71**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15356	55.7%	99.8%	15356	99.8%	99.8%
1	1	18	0.1%	0.1%	18	0.1%	0.1%
2	2	4	0.0%	0.0%	4	0.0%	0.0%
3	3	3	0.0%	0.0%	3	0.0%	0.0%
4	4	10	0.0%	0.1%	10	0.1%	0.1%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

---

**Variable: P\_NUMPCC** Type: Numeric Position: 230-230

**Label: NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**
**Notes: Vaccine type 70, 73, or 74**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	851	3.1%	5.5%	851	5.5%	5.5%
1	1	335	1.2%	2.2%	335	2.2%	2.2%
2	2	348	1.3%	2.3%	348	2.3%	2.3%
3	3	1261	4.6%	8.2%	1261	8.2%	8.2%
4	4	12447	45.1%	80.9%	12447	80.9%	80.9%
5	5	142	0.5%	0.9%	142	0.9%	0.9%
6	6	6	0.0%	0.0%	6	0.0%	0.0%
8	8	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: P\_NUMPCC7** Type: Numeric Position: 231-231

**Label: NUMBER OF PNEUMOCOCCAL CONJUGATE-7 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**
**Notes: Vaccine type 73**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15066	54.6%	97.9%	15066	97.9%	97.9%
1	1	110	0.4%	0.7%	110	0.7%	0.7%
2	2	49	0.2%	0.3%	49	0.3%	0.3%
3	3	74	0.3%	0.5%	74	0.5%	0.5%
4	4	91	0.3%	0.6%	91	0.6%	0.6%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

Variable: P\_NUMPCC13 Type: Numeric Position: 232-232

Label: NUMBER OF PNEUMOCOCCAL CONJUGATE-13 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type 74

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	986	3.6%	6.4%	986	6.4%	6.4%
1	1	391	1.4%	2.5%	391	2.5%	2.5%
2	2	385	1.4%	2.5%	385	2.5%	2.5%
3	3	1270	4.6%	8.3%	1270	8.3%	8.3%
4	4	12220	44.3%	79.4%	12220	79.4%	79.4%
5	5	133	0.5%	0.9%	133	0.9%	0.9%
6	6	5	0.0%	0.0%	5	0.0%	0.0%
8	8	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

---

**Variable: P\_NUMPCCN Type: Numeric Position: 233-233**
**Label: NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**
**Notes: Vaccine type 70**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15389	55.8%	100.0%	15389	100.0%	100.0%
1	1	1	0.0%	0.0%	1	0.0%	0.0%
2	2	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: P\_NUMPCN Type: Numeric Position: 234-234**
**Label: NUMBER OF PNEUMOCOCCAL SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**
**Notes: Vaccine type 72**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	14727	53.4%	95.7%	14727	95.7%	95.7%
1	1	145	0.5%	0.9%	145	0.9%	0.9%
2	2	84	0.3%	0.5%	84	0.5%	0.5%
3	3	137	0.5%	0.9%	137	0.9%	0.9%
4	4	297	1.1%	1.9%	297	1.9%	1.9%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

---

**Variable: P\_NUMPOL Type: Numeric Position: 235-235**
**Label: NUMBER OF POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**
**Notes: Vaccine type 08, 20, 21, 22, or D3**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	470	1.7%	3.1%	470	3.1%	3.1%
1	1	160	0.6%	1.0%	160	1.0%	1.0%
2	2	344	1.2%	2.2%	344	2.2%	2.2%
3	3	12024	43.6%	78.1%	12024	78.1%	78.1%
4	4	2337	8.5%	15.2%	2337	15.2%	15.2%
5	5	45	0.2%	0.3%	45	0.3%	0.3%
6	6	11	0.0%	0.1%	11	0.1%	0.1%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: P\_NUMRB Type: Numeric Position: 236-236**
**Label: NUMBER OF RUBELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**
**Notes: Vaccine type RB**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15391	55.8%	100.0%	15391	100.0%	100.0%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

---

**Variable: P\_NUMRG Type: Numeric Position: 237-237**
**Label: NUMBER OF ROTARIX-GSK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**
**Notes: Vaccine type RG**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	12041	43.6%	78.2%	12041	78.2%	78.2%
1	1	440	1.6%	2.9%	440	2.9%	2.9%
2	2	2802	10.2%	18.2%	2802	18.2%	18.2%
3	3	107	0.4%	0.7%	107	0.7%	0.7%
4	4	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: P\_NUMRM Type: Numeric Position: 238-238**
**Label: NUMBER OF ROTATEQ-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**
**Notes: Vaccine type RM**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	5476	19.8%	35.6%	5476	35.6%	35.6%
1	1	585	2.1%	3.8%	585	3.8%	3.8%
2	2	1252	4.5%	8.1%	1252	8.1%	8.1%
3	3	8067	29.2%	52.4%	8067	52.4%	52.4%
4	4	11	0.0%	0.1%	11	0.1%	0.1%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

---

**Variable: P\_NUMRO Type: Numeric Position: 239-239**
**Label: NUMBER OF ROTAVIRUS SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**
**Notes: Vaccine type RO**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	14435	52.3%	93.8%	14435	93.8%	93.8%
1	1	232	0.8%	1.5%	232	1.5%	1.5%
2	2	294	1.1%	1.9%	294	1.9%	1.9%
3	3	430	1.6%	2.8%	430	2.8%	2.8%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: P\_NUMROT Type: Numeric Position: 240-240**
**Label: NUMBER OF ROTAVIRUS-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**
**Notes: Vaccine type RG, RM, or RO**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1717	6.2%	11.2%	1717	11.2%	11.2%
1	1	554	2.0%	3.6%	554	3.6%	3.6%
2	2	4130	15.0%	26.8%	4130	26.8%	26.8%
3	3	8963	32.5%	58.2%	8963	58.2%	58.2%
4	4	25	0.1%	0.2%	25	0.2%	0.2%
5	5	2	0.0%	0.0%	2	0.0%	0.0%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

---

**Variable: P\_NUMTPN** Type: Numeric Position: 241-241

**Label: NUMBER OF DT-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**
**Notes: Vaccine type 03**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	14965	54.2%	97.2%	14965	97.2%	97.2%
1	1	180	0.7%	1.2%	180	1.2%	1.2%
2	2	46	0.2%	0.3%	46	0.3%	0.3%
3	3	85	0.3%	0.6%	85	0.6%	0.6%
4	4	115	0.4%	0.7%	115	0.7%	0.7%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: P\_NUMVRC** Type: Numeric Position: 242-242

**Label: NUMBER OF VARICELLA-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**
**Notes: Vaccine type VA, VO, or VM**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1190	4.3%	7.7%	1190	7.7%	7.7%
1	1	13998	50.7%	90.9%	13998	90.9%	90.9%
2	2	201	0.7%	1.3%	201	1.3%	1.3%
3	3	2	0.0%	0.0%	2	0.0%	0.0%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

---

**Variable: P\_NUMVRN Type: Numeric Position: 243-243**
**Label: NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**
**Notes: Vaccine type VA**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15258	55.3%	99.1%	15258	99.1%	99.1%
1	1	130	0.5%	0.8%	130	0.8%	0.8%
2	2	3	0.0%	0.0%	3	0.0%	0.0%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: P\_NUMVRX Type: Numeric Position: 244-244**
**Label: NUMBER OF VARICELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**
**Notes: Vaccine type VO**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	2962	10.7%	19.2%	2962	19.2%	19.2%
1	1	12280	44.5%	79.8%	12280	79.8%	79.8%
2	2	148	0.5%	1.0%	148	1.0%	1.0%
3	3	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

---

**Variable: P\_U12VRC Type: Numeric Position: 245-245**
**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS OF AGE, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**
**Notes: Vaccine type VO, VM, or VA, excluding shots before 12 months of age**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1249	4.5%	8.1%	1249	8.1%	8.1%
UTD	1	14142	51.3%	91.9%	14142	91.9%	91.9%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: P\_UTD331 Type: Numeric Position: 246-246**
**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**
**Notes: 3+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3) and 1+ Measles-containing (30,31,32,33,MM,VM)**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1361	4.9%	8.8%	1361	8.8%	8.8%
UTD	1	14030	50.8%	91.2%	14030	91.2%	91.2%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

---

**Variable: P\_UTD431** Type: Numeric Position: 247-247

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**
**Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3) and 1+ Measles-containing (30,31,32,33,MM,VM)**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2366	8.6%	15.4%	2366	15.4%	15.4%
UTD	1	13025	47.2%	84.6%	13025	84.6%	84.6%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: P\_UTDHEP** Type: Numeric Position: 248-248

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**
**Notes: 3+ Hepatitis B-containing (08,43,60,HB)**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1169	4.2%	7.6%	1169	7.6%	7.6%
UTD	1	14222	51.5%	92.4%	14222	92.4%	92.4%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

---

**Variable: P\_UTDHEPA1 Type: Numeric Position: 249-249**
**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ HEPATITIS A-CONTAINING SHOTS BY 19-35 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE MAX OF HOUSEHOLD INTERVIEW DATE AND ELIGIBILITY DATE.**
**Notes: 1+ Hepatitis A-containing (HA)**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	2011	7.3%	13.1%	2011	13.1%	13.1%
1	1	13380	48.5%	86.9%	13380	86.9%	86.9%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: P\_UTDHEPA2 Type: Numeric Position: 250-250**
**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**
**Notes: 2+ Hepatitis A-containing (HA)**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	5804	21.0%	37.7%	5804	37.7%	37.7%
UTD	1	9587	34.7%	62.3%	9587	62.3%	62.3%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

---

**Variable: P\_UTDHIB Type: Numeric Position: 251-251**
**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**
**Notes: 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS,HY)**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1067	3.9%	6.9%	1067	6.9%	6.9%
UTD	1	14324	51.9%	93.1%	14324	93.1%	93.1%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: P\_UTDHIB\_ROUT\_S Type: Numeric Position: 252-252**
**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE ROUTINE (NON-SHORTAGE) HIB RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**
**Notes: 4+ HIB-containing (07,43,44,D3,HI,HM,HG,HS,HY), or 2 Hib-Merck (HM,43) followed by 1 Hib of any type (07,43,44,D3,HI,HM,HG,HS,HY)**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2486	9.0%	16.2%	2486	16.2%	16.2%
UTD	1	12905	46.8%	83.8%	12905	83.8%	83.8%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

---

**Variable: P\_UTDHIB\_SHORT\_S** Type: Numeric Position: 253-253

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE HIB SHORTAGE RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**
**Notes: 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS,HY) or 2+ Hib-Merck (HM,43)**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	884	3.2%	5.7%	884	5.7%	5.7%
UTD	1	14507	52.6%	94.3%	14507	94.3%	94.3%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: P\_UTDMCV** Type: Numeric Position: 254-254

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MEASLES-CONTAINING SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**
**Notes: 1+ Measles-containing (30,31,32,33,MM,VM)**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1000	3.6%	6.5%	1000	6.5%	6.5%
UTD	1	14391	52.2%	93.5%	14391	93.5%	93.5%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

---

**Variable: P\_UTDMMX** Type: Numeric Position: 255-255

**Label: UTD FLAG FOR PROVIDER 1+ MMR COMBO SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**
**Notes: 1+ MMR combo shot (30)**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1158	4.2%	7.5%	1158	7.5%	7.5%
UTD	1	14233	51.6%	92.5%	14233	92.5%	92.5%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: P\_UTDPC3** Type: Numeric Position: 256-256

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**
**Notes: 3+ Pneumococcal-containing (70,71,72,73,74)**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1000	3.6%	6.5%	1000	6.5%	6.5%
UTD	1	14391	52.2%	93.5%	14391	93.5%	93.5%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

---

**Variable: P\_UTDPCV** Type: Numeric Position: 257-257

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**
**Notes: 4+ Pneumococcal-containing (70,71,72,73,74)**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2225	8.1%	14.5%	2225	14.5%	14.5%
UTD	1	13166	47.7%	85.5%	13166	85.5%	85.5%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: P\_UTDPCVB13** Type: Numeric Position: 258-258

**Label: UTD (UP-TO-DATE) INDICATOR FOR PROVIDER 1+ PNEUMOCOCCAL VACCINATIONS OF TYPE CONJUGATE-13, GIVEN 4+ DOSES OF TYPE CONJUGATE-7, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**
**Notes: 1+ dose of PCV Conjugate 13 (vaccine type code 74), given 4+ doses of PCV Conjugate 7 (vaccine type code 73)**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
4+ PCV7 PLUS 1+ PCV13	1	2	0.0%	0.0%	2	0.0%	0.0%
4+ PCV7, NO FOLLOWING PCV13, WITH TYPE OF ALL VACCINES (IF ANY) FOLLOWING THE 4 PCV7 KNOWN	2	90	0.3%	0.6%	90	0.6%	0.6%
ALL OTHERS WITH ADEQUATE PROVIDER DATA	3	15299	55.4%	99.4%	15299	99.4%	99.4%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

---

**Variable: P\_UTDPOL** Type: Numeric Position: 259-259

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**
**Notes: 3+ Polio-containing (08,20,21,22,D3)**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	974	3.5%	6.3%	974	6.3%	6.3%
UTD	1	14417	52.3%	93.7%	14417	93.7%	93.7%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: P\_UTDROT\_S** Type: Numeric Position: 260-260

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ ROTAVIRUS DOSES BY 36 MONTHS OF AGE, BASED ON A STRICT TREATMENT OF ROTAVIRUS VACCINATIONS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**
**Notes: 3+ Rotavirus-containing (RG,RM,RO) or 2+ Rotarix (RG)**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3691	13.4%	24.0%	3691	24.0%	24.0%
UTD	1	11700	42.4%	76.0%	11700	76.0%	76.0%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

---

**Variable: P\_UTDTP3 Type: Numeric Position: 261-261**
**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**
**Notes: 3+ DT-containing (03,04,07,08,D3)**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	781	2.8%	5.1%	781	5.1%	5.1%
UTD	1	14610	53.0%	94.9%	14610	94.9%	94.9%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: P\_UTDTP4 Type: Numeric Position: 262-262**
**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**
**Notes: 4+ DT-containing (03,04,07,08,D3)**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2143	7.8%	13.9%	2143	13.9%	13.9%
UTD	1	13248	48.0%	86.1%	13248	86.1%	86.1%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

---

**Variable: PU431331 Type: Numeric Position: 263-263**
**Label: UTD FLAG FOR PROVIDER 4:3:1:3:3:1 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**
**Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS,HY), 3+ Hepatitis B-containing (08,43,60,HB), and 1+ Varicella-containing (VO,VM,VA) at age 12+ months**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2924	10.6%	19.0%	2924	19.0%	19.0%
UTD	1	12467	45.2%	81.0%	12467	81.0%	81.0%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: P\_UTD431H31\_ROUT\_S Type: Numeric Position: 264-264**
**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**
**Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), HIB (routine, strict definition), 3+ Hepatitis B-containing (08,43,60,HB), and 1+ Varicella-containing (VO,VM,VA) at age 12+ months.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3555	12.9%	23.1%	3555	23.1%	23.1%
UTD	1	11836	42.9%	76.9%	11836	76.9%	76.9%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

---

**Variable: PU431\_31 Type: Numeric Position: 265-265**
**Label: UTD FLAG FOR PROVIDER 4:3:1::3:1 (4:3:1:3:3:1 EXCLUDING HIB; INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**
**Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ Hepatitis B-containing (08,43,60,HB), and 1+ Varicella-containing (VO,VM,VA) at age 12+ months**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2844	10.3%	18.5%	2844	18.5%	18.5%
UTD	1	12547	45.5%	81.5%	12547	81.5%	81.5%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: PU4313313 Type: Numeric Position: 266-266**
**Label: UTD FLAG FOR PROVIDER 4:3:1:3:3:1:3 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**
**Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS,HY), 3+ Hepatitis B-containing (08,43,60,HB), 1+ Varicella-containing (VO,VM,VA) at age 12+ months, and 3+ Pneumococcal-containing (70,71,72,73,74).**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3003	10.9%	19.5%	3003	19.5%	19.5%
UTD	1	12388	44.9%	80.5%	12388	80.5%	80.5%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

---

**Variable: P\_UTD431H313\_ROUT\_S** Type: Numeric Position: 267-267

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**
**Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), HIB (routine, strict definition), 3+ Hepatitis B-containing (08,43,60,HB), 1+ Varicella-containing (VO,VM,VA) at age 12+ months, and 3+ Pneumococcal-containing (70,71,72,73,74).**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3614	13.1%	23.5%	3614	23.5%	23.5%
UTD	1	11777	42.7%	76.5%	11777	76.5%	76.5%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: PU4313314** Type: Numeric Position: 268-268

**Label: UTD FLAG FOR PROVIDER 4:3:1:3:3:1:4 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**
**Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS,HY), 3+ Hepatitis B-containing (08,43,60,HB), 1+ Varicella-containing (VO,VM,VA) at age 12+ months, and 4+ Pneumococcal-containing (70,71,72,73,74).**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3465	12.6%	22.5%	3465	22.5%	22.5%
UTD	1	11926	43.2%	77.5%	11926	77.5%	77.5%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

---

**Variable: P\_UTD431H314\_ROUT\_S** Type: Numeric Position: 269-269

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**
**Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), HIB (routine, strict definition), 3+ Hepatitis B-containing (08,43,60,HB), 1+ Varicella-containing (VO,VM,VA) at age 12+ months, and 4+ Pneumococcal-containing (70,71,72,73,74).**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3941	14.3%	25.6%	3941	25.6%	25.6%
UTD	1	11450	41.5%	74.4%	11450	74.4%	74.4%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: PU431\_314** Type: Numeric Position: 270-270

**Label: UTD FLAG FOR PROVIDER 4:3:1::3:1:4 (4:3:1:3:3:1:4 EXCLUDING HIB; INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**
**Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ Hepatitis B-containing (08,43,60,HB), 1+ Varicella-containing (VO,VM,VA) at age 12+ months, and 4+ Pneumococcal-containing (70,71,72,73,74).**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3425	12.4%	22.3%	3425	22.3%	22.3%
UTD	1	11966	43.4%	77.7%	11966	77.7%	77.7%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

---

**Variable: PUT43133** Type: Numeric Position: 271-271

**Label: UTD FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**
**Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS,HY), and 3+ Hepatitis B-containing (08,43,60,HB)**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2744	9.9%	17.8%	2744	17.8%	17.8%
UTD	1	12647	45.8%	82.2%	12647	82.2%	82.2%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: P\_UTD431H3\_ROUT\_S** Type: Numeric Position: 272-272

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**
**Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), HIB (routine, strict definition), and 3+ Hepatitis B-containing (08,43,60,HB).**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3385	12.3%	22.0%	3385	22.0%	22.0%
UTD	1	12006	43.5%	78.0%	12006	78.0%	78.0%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

---

**Variable: PUTD4313** Type: Numeric Position: 273-273

**Label: UTD FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**
**Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), and 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS,HY)**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2460	8.9%	16.0%	2460	16.0%	16.0%
UTD	1	12931	46.9%	84.0%	12931	84.0%	84.0%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: P\_UTD431H\_ROUT\_S** Type: Numeric Position: 274-274

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**
**Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), and HIB (routine, strict definition).**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3133	11.4%	20.4%	3133	20.4%	20.4%
UTD	1	12258	44.4%	79.6%	12258	79.6%	79.6%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

---

**Variable: U1D\_HEP** Type: Numeric Position: 275-275
**Label: BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 1 FLAG****Notes: 1+ Hepatitis B-containing (08,43,60,HB) on date of birth or 1st day following birth.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	5439	19.7%	35.3%	5439	35.3%	35.3%
1	1	9952	36.1%	64.7%	9952	64.7%	64.7%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: U2D\_HEP** Type: Numeric Position: 276-276**Label: BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 2 FLAG****Notes: 1+ Hepatitis B-containing (08,43,60,HB) on date of birth or the 1st or 2nd day following birth.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	4388	15.9%	28.5%	4388	28.5%	28.5%
1	1	11003	39.9%	71.5%	11003	71.5%	71.5%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: U3D\_HEP** Type: Numeric Position: 277-277**Label: BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 3 FLAG****Notes: 1+ Hepatitis B-containing (08,43,60,HB) on date of birth or the 1st, 2nd or 3rd day following birth.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	4109	14.9%	26.7%	4109	26.7%	26.7%
1	1	11282	40.9%	73.3%	11282	73.3%	73.3%
<b>SUBTOTALS:</b>		15391	55.8%	100.0%	15391	100.0%	100.0%
<b>RESERVED CODES:</b>							

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MISSING	.	12201	44.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DDTP1 Type: Numeric Position: 278-281**
**Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #1****Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14989	54.3%	100.0%	14989	97.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12603	45.7%	n/a	402	2.6%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DDTP1 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	75.2	64.0	0.0	1122.0	59.7
Adequate Provider Data	75.2	64.0	0.0	1122.0	59.7

---

**Variable: DDTP2 Type: Numeric Position: 282-285**
**Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #2****Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14841	53.8%	100.0%	14841	96.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12751	46.2%	n/a	550	3.6%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DDTP2 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	146.0	127.0	37.0	1169.0	71.1
Adequate Provider Data	146.0	127.0	37.0	1169.0	71.1

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DDTP3 Type: Numeric Position: 286-289**
**Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #3****Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14642	53.1%	100.0%	14642	95.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12950	46.9%	n/a	749	4.9%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DDTP3 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	220.5	192.0	85.0	1170.0	89.3
Adequate Provider Data	220.5	192.0	85.0	1170.0	89.3

---

**Variable: DDTP4 Type: Numeric Position: 290-293**
**Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #4****Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		13386	48.5%	100.0%	13386	87.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	14206	51.5%	n/a	2005	13.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DDTP4 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	517.8	487.0	115.0	1192.0	96.0
Adequate Provider Data	517.8	487.0	115.0	1192.0	96.0

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DDTP5 Type: Numeric Position: 294-297**
**Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #5****Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		250	0.9%	100.0%	250	1.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27342	99.1%	n/a	15141	98.4%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DDTP5 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	594.1	560.5	242.0	1227.0	147.2
Adequate Provider Data	594.1	560.5	242.0	1227.0	147.2

---

**Variable: DDTP6 Type: Numeric Position: 298-301**
**Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #6****Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14	0.1%	100.0%	14	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27578	99.9%	n/a	15377	99.9%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DDTP6 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	691.0	633.0	347.0	1181.0	240.7
Adequate Provider Data	691.0	633.0	347.0	1181.0	240.7

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DDTP7 Type: Numeric Position: 302-304**
**Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #7**

**Notes:** See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27591	100.0%	n/a	15390	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DDTP7 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	460.0	460.0	460.0	460.0	.
Adequate Provider Data	460.0	460.0	460.0	460.0	.

---

**Variable: DDTP8 Type: Numeric Position: 305-307**
**Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #8**

**Notes:** See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27591	100.0%	n/a	15390	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DDTP8 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	712.0	712.0	712.0	712.0	.
Adequate Provider Data	712.0	712.0	712.0	712.0	.

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DDTP9** Type: Numeric Position: 308-308
**Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #9**

**Notes:** See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: DFLU1** Type: Numeric Position: 309-312**Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1**

**Notes:** See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		11360	41.2%	100.0%	11360	73.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	16232	58.8%	n/a	4031	26.2%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DFLU1** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	321.6	277.0	0.0	1241.0	163.4
Adequate Provider Data	321.6	277.0	0.0	1241.0	163.4

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DFLU2 Type: Numeric Position: 313-316**
**Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2****Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		9425	34.2%	100.0%	9425	61.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18167	65.8%	n/a	5966	38.8%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DFLU2 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	396.5	359.0	122.0	1406.0	178.2
Adequate Provider Data	396.5	359.0	122.0	1406.0	178.2

---

**Variable: DFLU3 Type: Numeric Position: 317-320**
**Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3****Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		6118	22.2%	100.0%	6118	39.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	21474	77.8%	n/a	9273	60.2%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DFLU3 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	628.3	593.0	184.0	1289.0	154.2
Adequate Provider Data	628.3	593.0	184.0	1289.0	154.2

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DFLU4 Type: Numeric Position: 321-324**
**Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4****Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1689	6.1%	100.0%	1689	11.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	25903	93.9%	n/a	13702	89.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DFLU4 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	898.8	912.0	212.0	1293.0	142.5
Adequate Provider Data	898.8	912.0	212.0	1293.0	142.5

---

**Variable: DFLU5 Type: Numeric Position: 325-328**
**Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5****Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		86	0.3%	100.0%	86	0.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27506	99.7%	n/a	15305	99.4%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DFLU5 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	1006.0	1096.0	377.0	1318.0	189.7
Adequate Provider Data	1006.0	1096.0	377.0	1318.0	189.7

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DFLU6 Type: Numeric Position: 329-332**
**Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6****Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		6	0.0%	100.0%	6	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27586	100.0%	n/a	15385	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DFLU6 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	938.0	972.5	607.0	1126.0	196.0
Adequate Provider Data	938.0	972.5	607.0	1126.0	196.0

---

**Variable: DFLU7 Type: Numeric Position: 333-336**
**Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7****Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27591	100.0%	n/a	15390	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DFLU7 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	1020.0	1020.0	1020.0	1020.0	.
Adequate Provider Data	1020.0	1020.0	1020.0	1020.0	.

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DFLU8 Type: Numeric Position: 337-337**
**Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8****Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
TOTALS:		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: DFLU9 Type: Numeric Position: 338-338****Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9****Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
TOTALS:		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: DHEPA1 Type: Numeric Position: 339-342****Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		13485	48.9%	100.0%	13485	87.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	14107	51.1%	n/a	1906	12.4%	n/a
TOTALS:		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DHEPA1 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	434.8	383.0	0.0	1181.0	107.9
Adequate Provider Data	434.8	383.0	0.0	1181.0	107.9

---

**Variable: DHEPA2 Type: Numeric Position: 343-346****Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		10191	36.9%	100.0%	10191	66.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17401	63.1%	n/a	5200	33.8%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DHEPA2 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	655.6	607.0	151.0	1223.0	114.5
Adequate Provider Data	655.6	607.0	151.0	1223.0	114.5

---

**Variable: DHEPA3 Type: Numeric Position: 347-350****Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		78	0.3%	100.0%	78	0.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27514	99.7%	n/a	15313	99.5%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DHEPA3 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	778.7	744.0	463.0	1138.0	160.0
Adequate Provider Data	778.7	744.0	463.0	1138.0	160.0

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DHEPA4 Type: Numeric Position: 351-354**
**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27591	100.0%	n/a	15390	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DHEPA4 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	1132.0	1132.0	1132.0	1132.0	.
Adequate Provider Data	1132.0	1132.0	1132.0	1132.0	.

---

**Variable: DHEPA5 Type: Numeric Position: 355-355****Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DHEPA6 Type: Numeric Position: 356-356**
**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: DHEPA7 Type: Numeric Position: 357-357****Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: DHEPA8 Type: Numeric Position: 358-358****Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DHEPA9 Type: Numeric Position: 359-359**
**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
TOTALS:		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: DHEPB1 Type: Numeric Position: 360-363****Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1****Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15018	54.4%	100.0%	15018	97.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12574	45.6%	n/a	373	2.4%	n/a
TOTALS:		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DHEPB1 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	20.7	1.0	0.0	1150.0	73.2
Adequate Provider Data	20.7	1.0	0.0	1150.0	73.2

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DHEPB2 Type: Numeric Position: 364-367**
**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2****Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14703	53.3%	100.0%	14703	95.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12889	46.7%	n/a	688	4.5%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DHEPB2 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	89.1	64.0	15.0	1169.0	85.8
Adequate Provider Data	89.1	64.0	15.0	1169.0	85.8

---

**Variable: DHEPB3 Type: Numeric Position: 368-371**
**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3****Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14255	51.7%	100.0%	14255	92.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13337	48.3%	n/a	1136	7.4%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DHEPB3 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	211.2	188.0	44.0	1153.0	110.1
Adequate Provider Data	211.2	188.0	44.0	1153.0	110.1

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DHEPB4 Type: Numeric Position: 372-375**
**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4****Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		5461	19.8%	100.0%	5461	35.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	22131	80.2%	n/a	9930	64.5%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DHEPB4 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	231.8	194.0	97.0	1205.0	107.7
Adequate Provider Data	231.8	194.0	97.0	1205.0	107.7

---

**Variable: DHEPB5 Type: Numeric Position: 376-379**
**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5****Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		225	0.8%	100.0%	225	1.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27367	99.2%	n/a	15166	98.5%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DHEPB5 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	423.5	455.0	138.0	1126.0	188.5
Adequate Provider Data	423.5	455.0	138.0	1126.0	188.5

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DHEPB6 Type: Numeric Position: 380-382**
**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6****Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14	0.1%	100.0%	14	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27578	99.9%	n/a	15377	99.9%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DHEPB6 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	444.8	466.0	193.0	831.0	170.4
Adequate Provider Data	444.8	466.0	193.0	831.0	170.4

---

**Variable: DHEPB7 Type: Numeric Position: 383-385**
**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7****Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27591	100.0%	n/a	15390	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DHEPB7 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	284.0	284.0	284.0	284.0	.
Adequate Provider Data	284.0	284.0	284.0	284.0	.

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DHEPB8 Type: Numeric Position: 386-388**
**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8****Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27591	100.0%	n/a	15390	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DHEPB8 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	347.0	347.0	347.0	347.0	.
Adequate Provider Data	347.0	347.0	347.0	347.0	.

---

**Variable: DHEPB9 Type: Numeric Position: 389-389**
**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9****Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DHIB1 Type: Numeric Position: 390-393**
**Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #1****Notes: See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14950	54.2%	100.0%	14950	97.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12642	45.8%	n/a	441	2.9%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DHIB1 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	77.3	64.0	0.0	1169.0	64.2
Adequate Provider Data	77.3	64.0	0.0	1169.0	64.2

---

**Variable: DHIB2 Type: Numeric Position: 394-397**
**Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #2****Notes: See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14748	53.5%	100.0%	14748	95.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12844	46.5%	n/a	643	4.2%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DHIB2 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	147.3	128.0	31.0	1103.0	68.8
Adequate Provider Data	147.3	128.0	31.0	1103.0	68.8

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DHIB3 Type: Numeric Position: 398-401**
**Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #3****Notes: See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14375	52.1%	100.0%	14375	93.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13217	47.9%	n/a	1016	6.6%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DHIB3 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	265.7	198.0	61.0	1170.0	128.5
Adequate Provider Data	265.7	198.0	61.0	1170.0	128.5

---

**Variable: DHIB4 Type: Numeric Position: 402-405**
**Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #4****Notes: See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		10653	38.6%	100.0%	10653	69.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	16939	61.4%	n/a	4738	30.8%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DHIB4 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	485.6	467.0	124.0	1227.0	97.3
Adequate Provider Data	485.6	467.0	124.0	1227.0	97.3

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DHIB5 Type: Numeric Position: 406-409**
**Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #5****Notes: See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		182	0.7%	100.0%	182	1.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27410	99.3%	n/a	15209	98.8%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DHIB5 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	566.4	549.0	184.0	1065.0	141.2
Adequate Provider Data	566.4	549.0	184.0	1065.0	141.2

---

**Variable: DHIB6 Type: Numeric Position: 410-412**
**Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #6****Notes: See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		8	0.0%	100.0%	8	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27584	100.0%	n/a	15383	99.9%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DHIB6 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	606.5	647.0	276.0	838.0	182.4
Adequate Provider Data	606.5	647.0	276.0	838.0	182.4

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DHIB7 Type: Numeric Position: 413-415**
**Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #7****Notes: See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27591	100.0%	n/a	15390	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DHIB7 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	462.0	462.0	462.0	462.0	.
Adequate Provider Data	462.0	462.0	462.0	462.0	.

---

**Variable: DHIB8 Type: Numeric Position: 416-416**
**Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #8****Notes: See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DHIB9** Type: Numeric Position: 417-417
**Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #9**

**Notes:** See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: DMMR1** Type: Numeric Position: 418-421**Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #1**

**Notes:** See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14445	52.4%	100.0%	14445	93.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13147	47.6%	n/a	946	6.1%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DMMR1** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	417.7	380.0	0.0	1214.0	86.5
Adequate Provider Data	417.7	380.0	0.0	1214.0	86.5

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DMMR2 Type: Numeric Position: 422-425**
**Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #2****Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		325	1.2%	100.0%	325	2.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27267	98.8%	n/a	15066	97.9%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DMMR2 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	626.6	569.0	265.0	1227.0	200.1
Adequate Provider Data	626.6	569.0	265.0	1227.0	200.1

---

**Variable: DMMR3 Type: Numeric Position: 426-428**
**Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #3****Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		4	0.0%	100.0%	4	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27588	100.0%	n/a	15387	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DMMR3 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	564.3	553.0	464.0	687.0	101.0
Adequate Provider Data	564.3	553.0	464.0	687.0	101.0

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DMMR4 Type: Numeric Position: 429-429**
**Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #4**

**Notes:** See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
TOTALS:		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: DMMR5 Type: Numeric Position: 430-430****Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #5**

**Notes:** See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
TOTALS:		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: DMMR6 Type: Numeric Position: 431-431****Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #6**

**Notes:** See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
TOTALS:		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DMMR7 Type: Numeric Position: 432-432**
**Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #7****Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
TOTALS:		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: DMMR8 Type: Numeric Position: 433-433****Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #8****Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
TOTALS:		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: DMMR9 Type: Numeric Position: 434-434****Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #9****Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
TOTALS:		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DMP1 Type: Numeric Position: 435-437**
**Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #1****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27591	100.0%	n/a	15390	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DMP1 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	483.0	483.0	483.0	483.0	.
Adequate Provider Data	483.0	483.0	483.0	483.0	.

---

**Variable: DMP2 Type: Numeric Position: 438-438**
**Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #2****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DMP3 Type: Numeric Position: 439-439**
**Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #3****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: DMP4 Type: Numeric Position: 440-440****Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #4****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: DMP5 Type: Numeric Position: 441-441****Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #5****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DMP6 Type: Numeric Position: 442-442**
**Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #6****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: DMP7 Type: Numeric Position: 443-443****Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #7****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: DMP8 Type: Numeric Position: 444-444****Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #8****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DMP9 Type: Numeric Position: 445-445**
**Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #9****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: DMPRB1 Type: Numeric Position: 446-446****Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: DMPRB2 Type: Numeric Position: 447-447****Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DMPRB3 Type: Numeric Position: 448-448**
**Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: DMPRB4 Type: Numeric Position: 449-449****Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: DMPRB5 Type: Numeric Position: 450-450****Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DMPRB6 Type: Numeric Position: 451-451**
**Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: DMPRB7 Type: Numeric Position: 452-452****Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: DMPRB8 Type: Numeric Position: 453-453****Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DMPRB9 Type: Numeric Position: 454-454**
**Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: DPCV1 Type: Numeric Position: 455-458****Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1****Notes: See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14928	54.1%	100.0%	14928	97.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12664	45.9%	n/a	463	3.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DPCV1 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	79.8	64.0	0.0	1169.0	72.6
Adequate Provider Data	79.8	64.0	0.0	1169.0	72.6

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DPCV2 Type: Numeric Position: 459-462**
**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2****Notes: See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14703	53.3%	100.0%	14703	95.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12889	46.7%	n/a	688	4.5%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DPCV2 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	149.2	128.0	48.0	1135.0	75.4
Adequate Provider Data	149.2	128.0	48.0	1135.0	75.4

---

**Variable: DPCV3 Type: Numeric Position: 463-466**
**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3****Notes: See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14418	52.3%	100.0%	14418	93.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13174	47.7%	n/a	973	6.3%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DPCV3 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	224.3	193.0	98.0	1116.0	90.7
Adequate Provider Data	224.3	193.0	98.0	1116.0	90.7

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DPCV4 Type: Numeric Position: 467-470**
**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4****Notes: See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		13240	48.0%	100.0%	13240	86.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	14352	52.0%	n/a	2151	14.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DPCV4 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	438.3	400.0	175.0	1192.0	93.2
Adequate Provider Data	438.3	400.0	175.0	1192.0	93.2

---

**Variable: DPCV5 Type: Numeric Position: 471-474**
**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5****Notes: See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		181	0.7%	100.0%	181	1.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27411	99.3%	n/a	15210	98.8%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DPCV5 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	555.0	512.0	284.0	1227.0	167.0
Adequate Provider Data	555.0	512.0	284.0	1227.0	167.0

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DPCV6 Type: Numeric Position: 475-478**
**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6****Notes: See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		12	0.0%	100.0%	12	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27580	100.0%	n/a	15379	99.9%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DPCV6 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	675.6	635.0	347.0	1000.0	206.4
Adequate Provider Data	675.6	635.0	347.0	1000.0	206.4

---

**Variable: DPCV7 Type: Numeric Position: 479-481**
**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7****Notes: See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27591	100.0%	n/a	15390	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DPCV7 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	368.0	368.0	368.0	368.0	.
Adequate Provider Data	368.0	368.0	368.0	368.0	.

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DPCV8 Type: Numeric Position: 482-484**
**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8****Notes: See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27591	100.0%	n/a	15390	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DPCV8 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	712.0	712.0	712.0	712.0	.
Adequate Provider Data	712.0	712.0	712.0	712.0	.

---

**Variable: DPCV9 Type: Numeric Position: 485-485**
**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9****Notes: See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DPOLIO1** Type: Numeric Position: 486-489
**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #1**

**Notes:** See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14930	54.1%	100.0%	14930	97.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12662	45.9%	n/a	461	3.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DPOLIO1** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	76.6	64.0	0.0	1255.0	62.5
Adequate Provider Data	76.6	64.0	0.0	1255.0	62.5

---

**Variable: DPOLIO2** Type: Numeric Position: 490-493
**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #2**

**Notes:** See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14769	53.5%	100.0%	14769	96.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12823	46.5%	n/a	622	4.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DPOLIO2** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	148.1	128.0	37.0	1169.0	73.7
Adequate Provider Data	148.1	128.0	37.0	1169.0	73.7

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DPOLIO3** Type: Numeric Position: 494-497
**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #3**

**Notes:** See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14454	52.4%	100.0%	14454	93.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13138	47.6%	n/a	937	6.1%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DPOLIO3** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	234.4	194.0	71.0	1170.0	109.6
Adequate Provider Data	234.4	194.0	71.0	1170.0	109.6

---

**Variable: DPOLIO4** Type: Numeric Position: 498-501
**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #4**

**Notes:** See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		2426	8.8%	100.0%	2426	15.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	25166	91.2%	n/a	12965	84.2%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DPOLIO4** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	498.7	474.0	100.0	1227.0	114.1
Adequate Provider Data	498.7	474.0	100.0	1227.0	114.1

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DPOLIO5** Type: Numeric Position: 502-505
**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #5**

**Notes:** See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		60	0.2%	100.0%	60	0.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27532	99.8%	n/a	15331	99.6%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DPOLIO5** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	538.2	537.5	214.0	1217.0	167.4
Adequate Provider Data	538.2	537.5	214.0	1217.0	167.4

---

**Variable: DPOLIO6** Type: Numeric Position: 506-508
**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #6**

**Notes:** See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		11	0.0%	100.0%	11	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27581	100.0%	n/a	15380	99.9%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DPOLIO6** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	561.3	582.0	347.0	900.0	158.7
Adequate Provider Data	561.3	582.0	347.0	900.0	158.7

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DPOLIO7** Type: Numeric Position: 509-509
**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #7****Notes: See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: DPOLIO8** Type: Numeric Position: 510-510**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #8****Notes: See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: DPOLIO9** Type: Numeric Position: 511-511**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #9****Notes: See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DRB1 Type: Numeric Position: 512-512**
**Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #1****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: DRB2 Type: Numeric Position: 513-513****Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #2****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: DRB3 Type: Numeric Position: 514-514****Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #3****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DRB4 Type: Numeric Position: 515-515**
**Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #4****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: DRB5 Type: Numeric Position: 516-516****Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #5****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: DRB6 Type: Numeric Position: 517-517****Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #6****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DRB7 Type: Numeric Position: 518-518**
**Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #7****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: DRB8 Type: Numeric Position: 519-519****Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #8****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: DRB9 Type: Numeric Position: 520-520****Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #9****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DROT1** Type: Numeric Position: 521-524
**Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1**

**Notes:** See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		13675	49.6%	100.0%	13675	88.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13917	50.4%	n/a	1716	11.1%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DROT1** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	68.3	64.0	0.0	1027.0	22.7
Adequate Provider Data	68.3	64.0	0.0	1027.0	22.7

---

**Variable: DROT2** Type: Numeric Position: 525-528
**Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2**

**Notes:** See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		13120	47.6%	100.0%	13120	85.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	14472	52.4%	n/a	2271	14.8%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DROT2** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	134.3	127.0	59.0	1086.0	28.7
Adequate Provider Data	134.3	127.0	59.0	1086.0	28.7

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DROT3** Type: Numeric Position: 529-532
**Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3**

**Notes:** See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		8990	32.6%	100.0%	8990	58.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18602	67.4%	n/a	6401	41.6%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DROT3** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	196.4	189.0	98.0	1017.0	33.0
Adequate Provider Data	196.4	189.0	98.0	1017.0	33.0

---

**Variable: DROT4** Type: Numeric Position: 533-535
**Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4**

**Notes:** See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		27	0.1%	100.0%	27	0.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27565	99.9%	n/a	15364	99.8%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DROT4** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	290.6	235.0	186.0	603.0	120.4
Adequate Provider Data	290.6	235.0	186.0	603.0	120.4

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DROT5 Type: Numeric Position: 536-538**
**Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5****Notes: See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		2	0.0%	100.0%	2	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27590	100.0%	n/a	15389	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DROT5 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	457.5	457.5	284.0	631.0	245.4
Adequate Provider Data	457.5	457.5	284.0	631.0	245.4

---

**Variable: DROT6 Type: Numeric Position: 539-539**
**Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6****Notes: See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DROT7** Type: Numeric Position: 540-540
**Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7**

Notes: See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
TOTALS:		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: DROT8** Type: Numeric Position: 541-541**Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8**

Notes: See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
TOTALS:		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: DROT9** Type: Numeric Position: 542-542**Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9**

Notes: See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
TOTALS:		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DVRC1 Type: Numeric Position: 543-546**
**Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1****Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14270	51.7%	100.0%	14270	92.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13322	48.3%	n/a	1121	7.3%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DVRC1 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	419.2	380.0	16.0	1178.0	90.5
Adequate Provider Data	419.2	380.0	16.0	1178.0	90.5

---

**Variable: DVRC2 Type: Numeric Position: 547-550**
**Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2****Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		233	0.8%	100.0%	233	1.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27359	99.2%	n/a	15158	98.5%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DVRC2 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	695.3	718.0	368.0	1227.0	199.7
Adequate Provider Data	695.3	718.0	368.0	1227.0	199.7

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DVRC3 Type: Numeric Position: 551-553**
**Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3****Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		2	0.0%	100.0%	2	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27590	100.0%	n/a	15389	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DVRC3 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	712.5	712.5	687.0	738.0	36.1
Adequate Provider Data	712.5	712.5	687.0	738.0	36.1

---

**Variable: DVRC4 Type: Numeric Position: 554-554**
**Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4****Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DVRC5 Type: Numeric Position: 555-555**
**Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5****Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: DVRC6 Type: Numeric Position: 556-556****Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6****Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: DVRC7 Type: Numeric Position: 557-557****Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7****Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DVRC8 Type: Numeric Position: 558-558**
**Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8****Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
TOTALS:		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: DVRC9 Type: Numeric Position: 559-559****Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9****Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
TOTALS:		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: DTP1\_AGE Type: Numeric Position: 560-561****Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #1****Notes: See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14989	54.3%	100.0%	14989	97.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12603	45.7%	n/a	402	2.6%	n/a
TOTALS:		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DTP1\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	2.2	2.0	0.0	36.0	2.0
Adequate Provider Data	2.2	2.0	0.0	36.0	2.0

---

**Variable: DTP2\_AGE** Type: Numeric Position: 562-563**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #2**

**Notes:** See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14841	53.8%	100.0%	14841	96.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12751	46.2%	n/a	550	3.6%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DTP2\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	4.5	4.0	1.0	38.0	2.3
Adequate Provider Data	4.5	4.0	1.0	38.0	2.3

---

**Variable: DTP3\_AGE** Type: Numeric Position: 564-565**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #3**

**Notes:** See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14642	53.1%	100.0%	14642	95.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12950	46.9%	n/a	749	4.9%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DTP3\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	6.9	6.0	2.0	38.0	2.9
Adequate Provider Data	6.9	6.0	2.0	38.0	2.9

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DTP4\_AGE**    **Type: Numeric**    **Position: 566-567**
**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #4**

**Notes:** See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		13386	48.5%	100.0%	13386	87.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	14206	51.5%	n/a	2005	13.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DTP4\_AGE**    **Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	16.7	16.0	3.0	39.0	3.1
Adequate Provider Data	16.7	16.0	3.0	39.0	3.1

---

**Variable: DTP5\_AGE**    **Type: Numeric**    **Position: 568-569**
**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #5**

**Notes:** See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		250	0.9%	100.0%	250	1.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27342	99.1%	n/a	15141	98.4%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DTP5\_AGE**    **Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	19.1	18.0	8.0	40.0	4.8
Adequate Provider Data	19.1	18.0	8.0	40.0	4.8

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DTP6\_AGE** Type: Numeric Position: 570-571
**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #6**

**Notes:** See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14	0.1%	100.0%	14	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27578	99.9%	n/a	15377	99.9%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DTP6\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	22.3	20.5	11.0	38.0	7.8
Adequate Provider Data	22.3	20.5	11.0	38.0	7.8

---

**Variable: DTP7\_AGE** Type: Numeric Position: 572-573
**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #7**

**Notes:** See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27591	100.0%	n/a	15390	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DTP7\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	15.0	15.0	15.0	15.0	.
Adequate Provider Data	15.0	15.0	15.0	15.0	.

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: DTP8\_AGE**    **Type: Numeric**    **Position: 574-575**
**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #8**

**Notes:** See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27591	100.0%	n/a	15390	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: DTP8\_AGE**    **Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	23.0	23.0	23.0	23.0	.
Adequate Provider Data	23.0	23.0	23.0	23.0	.

---

**Variable: DTP9\_AGE**    **Type: Numeric**    **Position: 576-576**
**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #9**

**Notes:** See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: FLU1\_AGE**    **Type: Numeric**    **Position: 577-578**
**Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1****Notes: See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		11360	41.2%	100.0%	11360	73.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	16232	58.8%	n/a	4031	26.2%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: FLU1\_AGE**    **Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	10.2	9.0	0.0	40.0	5.3
Adequate Provider Data	10.2	9.0	0.0	40.0	5.3

---

**Variable: FLU2\_AGE**    **Type: Numeric**    **Position: 579-580**
**Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2****Notes: See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		9425	34.2%	100.0%	9425	61.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18167	65.8%	n/a	5966	38.8%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: FLU2\_AGE**    **Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	12.6	11.0	3.0	46.0	5.8
Adequate Provider Data	12.6	11.0	3.0	46.0	5.8

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: FLU3\_AGE**    **Type: Numeric**    **Position: 581-582**
**Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3****Notes: See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		6118	22.2%	100.0%	6118	39.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	21474	77.8%	n/a	9273	60.2%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: FLU3\_AGE**    **Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	20.2	19.0	6.0	42.0	5.1
Adequate Provider Data	20.2	19.0	6.0	42.0	5.1

---

**Variable: FLU4\_AGE**    **Type: Numeric**    **Position: 583-584**
**Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4****Notes: See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1689	6.1%	100.0%	1689	11.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	25903	93.9%	n/a	13702	89.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: FLU4\_AGE**    **Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	29.1	29.0	6.0	42.0	4.7
Adequate Provider Data	29.1	29.0	6.0	42.0	4.7

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: FLU5\_AGE**    **Type: Numeric**    **Position: 585-586**
**Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5****Notes: See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		86	0.3%	100.0%	86	0.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27506	99.7%	n/a	15305	99.4%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: FLU5\_AGE**    **Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	32.6	36.0	12.0	43.0	6.3
Adequate Provider Data	32.6	36.0	12.0	43.0	6.3

---

**Variable: FLU6\_AGE**    **Type: Numeric**    **Position: 587-588**
**Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6****Notes: See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		6	0.0%	100.0%	6	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27586	100.0%	n/a	15385	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: FLU6\_AGE**    **Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	30.5	31.5	20.0	37.0	6.5
Adequate Provider Data	30.5	31.5	20.0	37.0	6.5

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: FLU7\_AGE Type: Numeric Position: 589-590**
**Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7****Notes: See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27591	100.0%	n/a	15390	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: FLU7\_AGE Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	33.0	33.0	33.0	33.0	.
Adequate Provider Data	33.0	33.0	33.0	33.0	.

---

**Variable: FLU8\_AGE Type: Numeric Position: 591-591**
**Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8****Notes: See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: FLU9\_AGE** Type: Numeric Position: 592-592
**Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9**

**Notes:** See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: HEA1\_AGE** Type: Numeric Position: 593-594**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1**

**Notes:** Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		13485	48.9%	100.0%	13485	87.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	14107	51.1%	n/a	1906	12.4%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: HEA1\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	14.0	12.0	0.0	38.0	3.5
Adequate Provider Data	14.0	12.0	0.0	38.0	3.5

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: HEA2\_AGE** Type: Numeric Position: 595-596
**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		10191	36.9%	100.0%	10191	66.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17401	63.1%	n/a	5200	33.8%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: HEA2\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	21.2	19.0	5.0	40.0	3.8
Adequate Provider Data	21.2	19.0	5.0	40.0	3.8

---

**Variable: HEA3\_AGE** Type: Numeric Position: 597-598
**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		78	0.3%	100.0%	78	0.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27514	99.7%	n/a	15313	99.5%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: HEA3\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	25.2	24.0	15.0	37.0	5.2
Adequate Provider Data	25.2	24.0	15.0	37.0	5.2

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: HEA4\_AGE Type: Numeric Position: 599-600**
**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27591	100.0%	n/a	15390	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: HEA4\_AGE Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	37.0	37.0	37.0	37.0	.
Adequate Provider Data	37.0	37.0	37.0	37.0	.

---

**Variable: HEA5\_AGE Type: Numeric Position: 601-601**
**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: HEA6\_AGE** Type: Numeric Position: 602-602
**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: HEA7\_AGE** Type: Numeric Position: 603-603**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: HEA8\_AGE** Type: Numeric Position: 604-604**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: HEA9\_AGE** Type: Numeric Position: 605-605
**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: HEP1\_AGE** Type: Numeric Position: 606-607**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1****Notes: See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15018	54.4%	100.0%	15018	97.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12574	45.6%	n/a	373	2.4%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: HEP1\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	0.6	0.0	0.0	37.0	2.3
Adequate Provider Data	0.6	0.0	0.0	37.0	2.3

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: HEP2\_AGE**    **Type: Numeric**    **Position: 608-609**
**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2**

**Notes:** See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14703	53.3%	100.0%	14703	95.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12889	46.7%	n/a	688	4.5%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: HEP2\_AGE**    **Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	2.6	2.0	0.0	38.0	2.8
Adequate Provider Data	2.6	2.0	0.0	38.0	2.8

---

**Variable: HEP3\_AGE**    **Type: Numeric**    **Position: 610-611**
**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3**

**Notes:** See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14255	51.7%	100.0%	14255	92.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13337	48.3%	n/a	1136	7.4%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: HEP3\_AGE**    **Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	6.6	6.0	1.0	37.0	3.6
Adequate Provider Data	6.6	6.0	1.0	37.0	3.6

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: HEP4\_AGE**    **Type: Numeric**    **Position: 612-613**
**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4**

**Notes:** See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		5461	19.8%	100.0%	5461	35.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	22131	80.2%	n/a	9930	64.5%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: HEP4\_AGE**    **Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	7.3	6.0	3.0	39.0	3.5
Adequate Provider Data	7.3	6.0	3.0	39.0	3.5

---

**Variable: HEP5\_AGE**    **Type: Numeric**    **Position: 614-615**
**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5**

**Notes:** See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		225	0.8%	100.0%	225	1.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27367	99.2%	n/a	15166	98.5%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: HEP5\_AGE**    **Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	13.5	14.0	4.0	37.0	6.1
Adequate Provider Data	13.5	14.0	4.0	37.0	6.1

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: HEP6\_AGE**    **Type: Numeric**    **Position: 616-617**
**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6**

**Notes:** See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14	0.1%	100.0%	14	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27578	99.9%	n/a	15377	99.9%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: HEP6\_AGE**    **Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	14.3	15.0	6.0	27.0	5.5
Adequate Provider Data	14.3	15.0	6.0	27.0	5.5

---

**Variable: HEP7\_AGE**    **Type: Numeric**    **Position: 618-618**
**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7**

**Notes:** See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27591	100.0%	n/a	15390	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: HEP7\_AGE**    **Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	9.0	9.0	9.0	9.0	.
Adequate Provider Data	9.0	9.0	9.0	9.0	.

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: HEP8\_AGE Type: Numeric Position: 619-620**
**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8**

**Notes:** See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27591	100.0%	n/a	15390	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: HEP8\_AGE Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	11.0	11.0	11.0	11.0	.
Adequate Provider Data	11.0	11.0	11.0	11.0	.

---

**Variable: HEP9\_AGE Type: Numeric Position: 621-621**
**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9**

**Notes:** See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: HIB1\_AGE** Type: Numeric Position: 622-623
**Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #1**

**Notes:** See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14950	54.2%	100.0%	14950	97.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12642	45.8%	n/a	441	2.9%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: HIB1\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	2.2	2.0	0.0	38.0	2.1
Adequate Provider Data	2.2	2.0	0.0	38.0	2.1

---

**Variable: HIB2\_AGE** Type: Numeric Position: 624-625
**Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #2**

**Notes:** See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14748	53.5%	100.0%	14748	95.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12844	46.5%	n/a	643	4.2%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: HIB2\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	4.5	4.0	1.0	36.0	2.2
Adequate Provider Data	4.5	4.0	1.0	36.0	2.2

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: HIB3\_AGE** Type: Numeric Position: 626-627
**Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #3**

**Notes:** See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14375	52.1%	100.0%	14375	93.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13217	47.9%	n/a	1016	6.6%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: HIB3\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	8.4	6.0	2.0	38.0	4.2
Adequate Provider Data	8.4	6.0	2.0	38.0	4.2

---

**Variable: HIB4\_AGE** Type: Numeric Position: 628-629
**Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #4**

**Notes:** See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		10653	38.6%	100.0%	10653	69.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	16939	61.4%	n/a	4738	30.8%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: HIB4\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	15.6	15.0	4.0	40.0	3.2
Adequate Provider Data	15.6	15.0	4.0	40.0	3.2

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: HIB5\_AGE** Type: Numeric Position: 630-631
**Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #5**

**Notes:** See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		182	0.7%	100.0%	182	1.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27410	99.3%	n/a	15209	98.8%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: HIB5\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	18.2	18.0	6.0	35.0	4.6
Adequate Provider Data	18.2	18.0	6.0	35.0	4.6

---

**Variable: HIB6\_AGE** Type: Numeric Position: 632-633
**Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #6**

**Notes:** See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		8	0.0%	100.0%	8	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27584	100.0%	n/a	15383	99.9%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: HIB6\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	19.5	21.0	9.0	27.0	5.9
Adequate Provider Data	19.5	21.0	9.0	27.0	5.9

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: HIB7\_AGE** Type: Numeric Position: 634-635
**Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #7**

**Notes:** See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27591	100.0%	n/a	15390	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: HIB7\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	15.0	15.0	15.0	15.0	.
Adequate Provider Data	15.0	15.0	15.0	15.0	.

---

**Variable: HIB8\_AGE** Type: Numeric Position: 636-636
**Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #8**

**Notes:** See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: HIB9\_AGE** Type: Numeric Position: 637-637
**Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #9**

**Notes:** See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: MMR1\_AGE** Type: Numeric Position: 638-639**Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #1**

**Notes:** See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14445	52.4%	100.0%	14445	93.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13147	47.6%	n/a	946	6.1%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: MMR1\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	13.4	12.0	0.0	39.0	2.8
Adequate Provider Data	13.4	12.0	0.0	39.0	2.8

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: MMR2\_AGE**    **Type: Numeric**    **Position: 640-641**
**Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #2**

**Notes:** See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		325	1.2%	100.0%	325	2.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27267	98.8%	n/a	15066	97.9%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: MMR2\_AGE**    **Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	20.2	18.0	8.0	40.0	6.6
Adequate Provider Data	20.2	18.0	8.0	40.0	6.6

---

**Variable: MMR3\_AGE**    **Type: Numeric**    **Position: 642-643**
**Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #3**

**Notes:** See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		4	0.0%	100.0%	4	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27588	100.0%	n/a	15387	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: MMR3\_AGE**    **Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	18.0	17.5	15.0	22.0	3.2
Adequate Provider Data	18.0	17.5	15.0	22.0	3.2

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: MMR4\_AGE**    **Type: Numeric**    **Position: 644-644**
**Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #4**

**Notes:** See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: MMR5\_AGE**    **Type: Numeric**    **Position: 645-645**
**Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #5**

**Notes:** See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: MMR6\_AGE**    **Type: Numeric**    **Position: 646-646**
**Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #6**

**Notes:** See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: MMR7\_AGE** Type: Numeric Position: 647-647
**Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #7**

**Notes:** See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: MMR8\_AGE** Type: Numeric Position: 648-648**Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #8**

**Notes:** See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: MMR9\_AGE** Type: Numeric Position: 649-649**Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #9**

**Notes:** See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: MP1\_AGE**    **Type: Numeric**    **Position: 650-651**
**Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #1****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27591	100.0%	n/a	15390	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: MP1\_AGE**    **Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	15.0	15.0	15.0	15.0	.
Adequate Provider Data	15.0	15.0	15.0	15.0	.

---

**Variable: MP2\_AGE**    **Type: Numeric**    **Position: 652-652**
**Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #2****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: MP3\_AGE**    **Type: Numeric**    **Position: 653-653**
**Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #3****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: MP4\_AGE**    **Type: Numeric**    **Position: 654-654****Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #4****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: MP5\_AGE**    **Type: Numeric**    **Position: 655-655****Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #5****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: MP6\_AGE**    **Type: Numeric**    **Position: 656-656**
**Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #6****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: MP7\_AGE**    **Type: Numeric**    **Position: 657-657****Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #7****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: MP8\_AGE**    **Type: Numeric**    **Position: 658-658****Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #8****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: MP9\_AGE** Type: Numeric Position: 659-659
**Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #9**

**Notes:** Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: MPR1\_AGE** Type: Numeric Position: 660-660**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1**

**Notes:** Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: MPR2\_AGE** Type: Numeric Position: 661-661**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2**

**Notes:** Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: MPR3\_AGE** Type: Numeric Position: 662-662
**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: MPR4\_AGE** Type: Numeric Position: 663-663**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: MPR5\_AGE** Type: Numeric Position: 664-664**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: MPR6\_AGE** Type: Numeric Position: 665-665
**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: MPR7\_AGE** Type: Numeric Position: 666-666**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: MPR8\_AGE** Type: Numeric Position: 667-667**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: MPR9\_AGE** Type: Numeric Position: 668-668
**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: PCV1\_AGE** Type: Numeric Position: 669-670**Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1****Notes: See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14928	54.1%	100.0%	14928	97.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12664	45.9%	n/a	463	3.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: PCV1\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	2.3	2.0	0.0	38.0	2.4
Adequate Provider Data	2.3	2.0	0.0	38.0	2.4

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: PCV2\_AGE**    **Type: Numeric**    **Position: 671-672**
**Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2****Notes: See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14703	53.3%	100.0%	14703	95.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12889	46.7%	n/a	688	4.5%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: PCV2\_AGE**    **Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	4.6	4.0	1.0	37.0	2.4
Adequate Provider Data	4.6	4.0	1.0	37.0	2.4

---

**Variable: PCV3\_AGE**    **Type: Numeric**    **Position: 673-674**
**Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3****Notes: See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14418	52.3%	100.0%	14418	93.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13174	47.7%	n/a	973	6.3%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: PCV3\_AGE**    **Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	7.0	6.0	3.0	36.0	2.9
Adequate Provider Data	7.0	6.0	3.0	36.0	2.9

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: PCV4\_AGE**    **Type: Numeric**    **Position: 675-676**
**Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4****Notes: See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		13240	48.0%	100.0%	13240	86.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	14352	52.0%	n/a	2151	14.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: PCV4\_AGE**    **Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	14.1	13.0	5.0	39.0	3.0
Adequate Provider Data	14.1	13.0	5.0	39.0	3.0

---

**Variable: PCV5\_AGE**    **Type: Numeric**    **Position: 677-678**
**Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5****Notes: See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		181	0.7%	100.0%	181	1.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27411	99.3%	n/a	15210	98.8%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: PCV5\_AGE**    **Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	17.8	16.0	9.0	40.0	5.5
Adequate Provider Data	17.8	16.0	9.0	40.0	5.5

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: PCV6\_AGE**    **Type: Numeric**    **Position: 679-680**
**Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6****Notes: See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		12	0.0%	100.0%	12	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27580	100.0%	n/a	15379	99.9%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: PCV6\_AGE**    **Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	21.8	20.5	11.0	32.0	6.7
Adequate Provider Data	21.8	20.5	11.0	32.0	6.7

---

**Variable: PCV7\_AGE**    **Type: Numeric**    **Position: 681-682**
**Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7****Notes: See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27591	100.0%	n/a	15390	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: PCV7\_AGE**    **Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	12.0	12.0	12.0	12.0	.
Adequate Provider Data	12.0	12.0	12.0	12.0	.

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: PCV8\_AGE Type: Numeric Position: 683-684**
**Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8****Notes: See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27591	100.0%	n/a	15390	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: PCV8\_AGE Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	23.0	23.0	23.0	23.0	.
Adequate Provider Data	23.0	23.0	23.0	23.0	.

---

**Variable: PCV9\_AGE Type: Numeric Position: 685-685**
**Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9****Notes: See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: POL1\_AGE Type: Numeric Position: 686-687**
**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #1**

**Notes:** See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14930	54.1%	100.0%	14930	97.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12662	45.9%	n/a	461	3.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: POL1\_AGE Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	2.2	2.0	0.0	41.0	2.0
Adequate Provider Data	2.2	2.0	0.0	41.0	2.0

---

**Variable: POL2\_AGE Type: Numeric Position: 688-689**
**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #2**

**Notes:** See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14769	53.5%	100.0%	14769	96.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12823	46.5%	n/a	622	4.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: POL2\_AGE Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	4.6	4.0	1.0	38.0	2.4
Adequate Provider Data	4.6	4.0	1.0	38.0	2.4

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: POL3\_AGE**    **Type: Numeric**    **Position: 690-691**
**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #3****Notes: See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14454	52.4%	100.0%	14454	93.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13138	47.6%	n/a	937	6.1%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: POL3\_AGE**    **Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	7.4	6.0	2.0	38.0	3.6
Adequate Provider Data	7.4	6.0	2.0	38.0	3.6

---

**Variable: POL4\_AGE**    **Type: Numeric**    **Position: 692-693**
**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #4****Notes: See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		2426	8.8%	100.0%	2426	15.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	25166	91.2%	n/a	12965	84.2%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: POL4\_AGE**    **Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	16.0	15.0	3.0	40.0	3.7
Adequate Provider Data	16.0	15.0	3.0	40.0	3.7

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: POL5\_AGE Type: Numeric Position: 694-695**
**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #5**

**Notes: See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		60	0.2%	100.0%	60	0.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27532	99.8%	n/a	15331	99.6%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: POL5\_AGE Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	17.3	17.0	7.0	40.0	5.5
Adequate Provider Data	17.3	17.0	7.0	40.0	5.5

---

**Variable: POL6\_AGE Type: Numeric Position: 696-697**
**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #6**

**Notes: See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		11	0.0%	100.0%	11	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27581	100.0%	n/a	15380	99.9%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: POL6\_AGE Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	18.0	19.0	11.0	29.0	5.3
Adequate Provider Data	18.0	19.0	11.0	29.0	5.3

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: POL7\_AGE Type: Numeric Position: 698-698**
**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #7**

**Notes:** See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: POL8\_AGE Type: Numeric Position: 699-699**
**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #8**

**Notes:** See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: POL9\_AGE Type: Numeric Position: 700-700**
**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #9**

**Notes:** See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: RB1\_AGE** Type: Numeric Position: 701-701
**Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #1****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: RB2\_AGE** Type: Numeric Position: 702-702**Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #2****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: RB3\_AGE** Type: Numeric Position: 703-703**Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #3****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: RB4\_AGE** Type: Numeric Position: 704-704
**Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #4**

**Notes:** Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: RB5\_AGE** Type: Numeric Position: 705-705
**Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #5**

**Notes:** Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: RB6\_AGE** Type: Numeric Position: 706-706
**Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #6**

**Notes:** Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: RB7\_AGE** Type: Numeric Position: 707-707
**Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #7****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: RB8\_AGE** Type: Numeric Position: 708-708**Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #8****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: RB9\_AGE** Type: Numeric Position: 709-709**Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #9****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: ROT1\_AGE Type: Numeric Position: 710-711**
**Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1**

**Notes:** See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		13675	49.6%	100.0%	13675	88.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13917	50.4%	n/a	1716	11.1%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: ROT1\_AGE Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	2.0	2.0	0.0	33.0	0.8
Adequate Provider Data	2.0	2.0	0.0	33.0	0.8

---

**Variable: ROT2\_AGE Type: Numeric Position: 712-713**
**Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2**

**Notes:** See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		13120	47.6%	100.0%	13120	85.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	14472	52.4%	n/a	2271	14.8%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: ROT2\_AGE Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	4.1	4.0	1.0	35.0	0.9
Adequate Provider Data	4.1	4.0	1.0	35.0	0.9

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: ROT3\_AGE** Type: Numeric Position: 714-715
**Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3**

**Notes:** See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		8990	32.6%	100.0%	8990	58.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18602	67.4%	n/a	6401	41.6%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: ROT3\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	6.1	6.0	3.0	33.0	1.1
Adequate Provider Data	6.1	6.0	3.0	33.0	1.1

---

**Variable: ROT4\_AGE** Type: Numeric Position: 716-717
**Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4**

**Notes:** See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		27	0.1%	100.0%	27	0.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27565	99.9%	n/a	15364	99.8%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: ROT4\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	9.1	7.0	6.0	19.0	4.0
Adequate Provider Data	9.1	7.0	6.0	19.0	4.0

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: ROT5\_AGE Type: Numeric Position: 718-719**
**Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5**

**Notes:** See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		2	0.0%	100.0%	2	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27590	100.0%	n/a	15389	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: ROT5\_AGE Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	14.5	14.5	9.0	20.0	7.8
Adequate Provider Data	14.5	14.5	9.0	20.0	7.8

---

**Variable: ROT6\_AGE Type: Numeric Position: 720-720**
**Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6**

**Notes:** See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: ROT7\_AGE** Type: Numeric Position: 721-721
**Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7**

**Notes:** See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: ROT8\_AGE** Type: Numeric Position: 722-722
**Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8**

**Notes:** See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: ROT9\_AGE** Type: Numeric Position: 723-723
**Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9**

**Notes:** See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: VRC1\_AGE** Type: Numeric Position: 724-725
**Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1**

**Notes:** See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14270	51.7%	100.0%	14270	92.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13322	48.3%	n/a	1121	7.3%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: VRC1\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	13.5	12.0	0.0	38.0	2.9
Adequate Provider Data	13.5	12.0	0.0	38.0	2.9

---

**Variable: VRC2\_AGE** Type: Numeric Position: 726-727
**Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2**

**Notes:** See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		233	0.8%	100.0%	233	1.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27359	99.2%	n/a	15158	98.5%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: VRC2\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	22.5	23.0	12.0	40.0	6.6
Adequate Provider Data	22.5	23.0	12.0	40.0	6.6

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: VRC3\_AGE Type: Numeric Position: 728-729**
**Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3**

**Notes:** See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		2	0.0%	100.0%	2	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27590	100.0%	n/a	15389	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: VRC3\_AGE Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	23.0	23.0	22.0	24.0	1.4
Adequate Provider Data	23.0	23.0	22.0	24.0	1.4

---

**Variable: VRC4\_AGE Type: Numeric Position: 730-730**
**Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4**

**Notes:** See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: VRC5\_AGE** Type: Numeric Position: 731-731
**Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5**

Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
TOTALS:		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: VRC6\_AGE** Type: Numeric Position: 732-732**Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6**

Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
TOTALS:		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: VRC7\_AGE** Type: Numeric Position: 733-733**Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7**

Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
TOTALS:		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: VRC8\_AGE** Type: Numeric Position: 734-734
**Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8**

**Notes:** See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: VRC9\_AGE** Type: Numeric Position: 735-735**Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9**

**Notes:** See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: XDTPTY1** Type: Character Position: 736-737**Label: DT-CONTAINING VACCINATION #1 TYPE CODE**

**Notes:** See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTP-UNKNOWN	03	256	0.9%	1.7%	256	1.7%	1.7%
DTAP	04	2899	10.5%	19.3%	2899	18.8%	19.3%
DTAP-HIB	07	9	0.0%	0.1%	9	0.1%	0.1%
DTAP-HEPB-IPV	08	7780	28.2%	51.9%	7780	50.5%	51.9%
DTAP-IPV-HIB	D3	4045	14.7%	27.0%	4045	26.3%	27.0%
<b>SUBTOTALS:</b>		14989	54.3%	100.0%	14989	97.4%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>RESERVED CODES:</b>							
MISSING		12603	45.7%	n/a	402	2.6%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: XDTPTY2 Type: Character Position: 738-739**

**Label: DT-CONTAINING VACCINATION #2 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTP-UNKNOWN	03	243	0.9%	1.6%	243	1.6%	1.6%
DTAP	04	3613	13.1%	24.3%	3613	23.5%	24.3%
DTAP-HIB	07	16	0.1%	0.1%	16	0.1%	0.1%
DTAP-HEPB-IPV	08	6614	24.0%	44.6%	6614	43.0%	44.6%
DTAP-IPV-HIB	D3	4355	15.8%	29.3%	4355	28.3%	29.3%
<b>SUBTOTALS:</b>		14841	53.8%	100.0%	14841	96.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING		12751	46.2%	n/a	550	3.6%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: XDTPTY3 Type: Character Position: 740-741**

**Label: DT-CONTAINING VACCINATION #3 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTP-UNKNOWN	03	230	0.8%	1.6%	230	1.5%	1.6%
DTAP	04	3186	11.5%	21.8%	3186	20.7%	21.8%
DTAP-HIB	07	16	0.1%	0.1%	16	0.1%	0.1%
DTAP-HEPB-IPV	08	7655	27.7%	52.3%	7655	49.7%	52.3%
DTAP-IPV-HIB	D3	3555	12.9%	24.3%	3555	23.1%	24.3%
<b>SUBTOTALS:</b>		14642	53.1%	100.0%	14642	95.1%	100.0%
<b>RESERVED CODES:</b>							

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MISSING		12950	46.9%	n/a	749	4.9%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

**Variable: XDTPTY4 Type: Character Position: 742-743**

**Label: DT-CONTAINING VACCINATION #4 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTP-UNKNOWN	03	254	0.9%	1.9%	254	1.7%	1.9%
DTAP	04	10793	39.1%	80.6%	10793	70.1%	80.6%
DTAP-HIB	07	52	0.2%	0.4%	52	0.3%	0.4%
DTAP-HEPB-IPV	08	231	0.8%	1.7%	231	1.5%	1.7%
DTAP-IPV-HIB	D3	2056	7.5%	15.4%	2056	13.4%	15.4%
<b>SUBTOTALS:</b>		13386	48.5%	100.0%	13386	87.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		14206	51.5%	n/a	2005	13.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

**Variable: XDTPTY5 Type: Character Position: 744-745**

**Label: DT-CONTAINING VACCINATION #5 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTP-UNKNOWN	03	9	0.0%	3.6%	9	0.1%	3.6%
DTAP	04	174	0.6%	69.6%	174	1.1%	69.6%
DTAP-HIB	07	1	0.0%	0.4%	1	0.0%	0.4%
DTAP-HEPB-IPV	08	23	0.1%	9.2%	23	0.1%	9.2%
DTAP-IPV-HIB	D3	43	0.2%	17.2%	43	0.3%	17.2%
<b>SUBTOTALS:</b>		250	0.9%	100.0%	250	1.6%	100.0%
<b>RESERVED CODES:</b>							

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MISSING		27342	99.1%	n/a	15141	98.4%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: XDTPTY6 Type: Character Position: 746-747**

**Label: DT-CONTAINING VACCINATION #6 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP	04	11	0.0%	78.6%	11	0.1%	78.6%
DTAP-HEPB-IPV	08	1	0.0%	7.1%	1	0.0%	7.1%
DTAP-IPV-HIB	D3	2	0.0%	14.3%	2	0.0%	14.3%
<b>SUBTOTALS:</b>		14	0.1%	100.0%	14	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		27578	99.9%	n/a	15377	99.9%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: XDTPTY7 Type: Character Position: 748-749**

**Label: DT-CONTAINING VACCINATION #7 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP	04	1	0.0%	100.0%	1	0.0%	100.0%
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		27591	100.0%	n/a	15390	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: XDTPTY8 Type: Character Position: 750-751**
**Label: DT-CONTAINING VACCINATION #8 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP	04	1	0.0%	100.0%	1	0.0%	100.0%
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		27591	100.0%	n/a	15390	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: XDTPTY9 Type: Character Position: 752-752**
**Label: DT-CONTAINING VACCINATION #9 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: XFLUTY1 Type: Character Position: 753-754**
**Label: SEASONAL FLU-CONTAINING VACCINATION #1 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	656	2.4%	5.8%	656	4.3%	5.8%
SEASONAL FLU SPRAY	FM	198	0.7%	1.7%	198	1.3%	1.7%
SEASONAL FLU INJECTED	FN	10506	38.1%	92.5%	10506	68.3%	92.5%
<b>SUBTOTALS:</b>		11360	41.2%	100.0%	11360	73.8%	100.0%
<b>RESERVED CODES:</b>							

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MISSING		16232	58.8%	n/a	4031	26.2%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: XFLUTY2 Type: Character Position: 755-756**

**Label: SEASONAL FLU-CONTAINING VACCINATION #2 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	512	1.9%	5.4%	512	3.3%	5.4%
SEASONAL FLU SPRAY	FM	157	0.6%	1.7%	157	1.0%	1.7%
SEASONAL FLU INJECTED	FN	8756	31.7%	92.9%	8756	56.9%	92.9%
<b>SUBTOTALS:</b>		9425	34.2%	100.0%	9425	61.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING		18167	65.8%	n/a	5966	38.8%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: XFLUTY3 Type: Character Position: 757-758**

**Label: SEASONAL FLU-CONTAINING VACCINATION #3 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	305	1.1%	5.0%	305	2.0%	5.0%
SEASONAL FLU SPRAY	FM	466	1.7%	7.6%	466	3.0%	7.6%
SEASONAL FLU INJECTED	FN	5347	19.4%	87.4%	5347	34.7%	87.4%
<b>SUBTOTALS:</b>		6118	22.2%	100.0%	6118	39.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING		21474	77.8%	n/a	9273	60.2%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: XFLUTY4 Type: Character Position: 759-760**
**Label: SEASONAL FLU-CONTAINING VACCINATION #4 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	91	0.3%	5.4%	91	0.6%	5.4%
SEASONAL FLU SPRAY	FM	403	1.5%	23.9%	403	2.6%	23.9%
SEASONAL FLU INJECTED	FN	1195	4.3%	70.8%	1195	7.8%	70.8%
<b>SUBTOTALS:</b>		1689	6.1%	100.0%	1689	11.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		25903	93.9%	n/a	13702	89.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: XFLUTY5 Type: Character Position: 761-762**
**Label: SEASONAL FLU-CONTAINING VACCINATION #5 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	23	0.1%	26.7%	23	0.1%	26.7%
SEASONAL FLU SPRAY	FM	24	0.1%	27.9%	24	0.2%	27.9%
SEASONAL FLU INJECTED	FN	39	0.1%	45.3%	39	0.3%	45.3%
<b>SUBTOTALS:</b>		86	0.3%	100.0%	86	0.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING		27506	99.7%	n/a	15305	99.4%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: XFLUTY6 Type: Character Position: 763-764**
**Label: SEASONAL FLU-CONTAINING VACCINATION #6 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	1	0.0%	16.7%	1	0.0%	16.7%
SEASONAL FLU SPRAY	FM	1	0.0%	16.7%	1	0.0%	16.7%
SEASONAL FLU INJECTED	FN	4	0.0%	66.7%	4	0.0%	66.7%
<b>SUBTOTALS:</b>		6	0.0%	100.0%	6	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		27586	100.0%	n/a	15385	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: XFLUTY7 Type: Character Position: 765-766**
**Label: SEASONAL FLU-CONTAINING VACCINATION #7 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	1	0.0%	100.0%	1	0.0%	100.0%
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		27591	100.0%	n/a	15390	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: XFLUTY8 Type: Character Position: 767-767**
**Label: SEASONAL FLU-CONTAINING VACCINATION #8 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: XFLUTY9 Type: Character Position: 768-768****Label: SEASONAL FLU-CONTAINING VACCINATION #9 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: XHEPTY1 Type: Character Position: 769-770****Label: HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	1685	6.1%	11.2%	1685	10.9%	11.2%
HEPB-HIB	43	19	0.1%	0.1%	19	0.1%	0.1%
HEPB ONLY	60	13262	48.1%	88.3%	13262	86.2%	88.3%
HEPB-UNKNOWN	HB	52	0.2%	0.3%	52	0.3%	0.3%
<b>SUBTOTALS:</b>		15018	54.4%	100.0%	15018	97.6%	100.0%
<b>RESERVED CODES:</b>							

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MISSING		12574	45.6%	n/a	373	2.4%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

**Variable: XHEPTY2 Type: Character Position: 771-772**

**Label: HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	7823	28.4%	53.2%	7823	50.8%	53.2%
HEPB-HIB	43	64	0.2%	0.4%	64	0.4%	0.4%
HEPB ONLY	60	6638	24.1%	45.1%	6638	43.1%	45.1%
HEPB-UNKNOWN	HB	178	0.6%	1.2%	178	1.2%	1.2%
<b>SUBTOTALS:</b>		14703	53.3%	100.0%	14703	95.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING		12889	46.7%	n/a	688	4.5%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

**Variable: XHEPTY3 Type: Character Position: 773-774**

**Label: HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	8106	29.4%	56.9%	8106	52.7%	56.9%
HEPB-HIB	43	73	0.3%	0.5%	73	0.5%	0.5%
HEPB ONLY	60	5891	21.4%	41.3%	5891	38.3%	41.3%
HEPB-UNKNOWN	HB	185	0.7%	1.3%	185	1.2%	1.3%
<b>SUBTOTALS:</b>		14255	51.7%	100.0%	14255	92.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING		13337	48.3%	n/a	1136	7.4%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: XHEPTY4 Type: Character Position: 775-776**
**Label: HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	4531	16.4%	83.0%	4531	29.4%	83.0%
HEPB-HIB	43	15	0.1%	0.3%	15	0.1%	0.3%
HEPB ONLY	60	857	3.1%	15.7%	857	5.6%	15.7%
HEPB-UNKNOWN	HB	58	0.2%	1.1%	58	0.4%	1.1%
<b>SUBTOTALS:</b>		5461	19.8%	100.0%	5461	35.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING		22131	80.2%	n/a	9930	64.5%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: XHEPTY5 Type: Character Position: 777-778****Label: HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	153	0.6%	68.0%	153	1.0%	68.0%
HEPB-HIB	43	4	0.0%	1.8%	4	0.0%	1.8%
HEPB ONLY	60	66	0.2%	29.3%	66	0.4%	29.3%
HEPB-UNKNOWN	HB	2	0.0%	0.9%	2	0.0%	0.9%
<b>SUBTOTALS:</b>		225	0.8%	100.0%	225	1.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING		27367	99.2%	n/a	15166	98.5%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: XHEPTY6 Type: Character Position: 779-780**
**Label: HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	5	0.0%	35.7%	5	0.0%	35.7%
HEPB-HIB	43	1	0.0%	7.1%	1	0.0%	7.1%
HEPB ONLY	60	8	0.0%	57.1%	8	0.1%	57.1%
<b>SUBTOTALS:</b>		14	0.1%	100.0%	14	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		27578	99.9%	n/a	15377	99.9%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: XHEPTY7 Type: Character Position: 781-782****Label: HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	1	0.0%	100.0%	1	0.0%	100.0%
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		27591	100.0%	n/a	15390	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: XHEPTY8 Type: Character Position: 783-784**
**Label: HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	1	0.0%	100.0%	1	0.0%	100.0%
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		27591	100.0%	n/a	15390	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: XHEPTY9 Type: Character Position: 785-785****Label: HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: XHIBTY1 Type: Character Position: 786-787****Label: HIB-CONTAINING VACCINATION #1 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HIB	07	11	0.0%	0.1%	11	0.1%	0.1%
HEPB-HIB	43	62	0.2%	0.4%	62	0.4%	0.4%
HIB ONLY-UNKNOWN	44	177	0.6%	1.2%	177	1.2%	1.2%
DTAP-IPV-HIB	D3	4086	14.8%	27.3%	4086	26.5%	27.3%
HIB (GLAXOSMITHKLINE)	HG	108	0.4%	0.7%	108	0.7%	0.7%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
HIB-UNKNOWN	HI	1396	5.1%	9.3%	1396	9.1%	9.3%
HIB (MERCK)	HM	3690	13.4%	24.7%	3690	24.0%	24.7%
HIB (SANOFI)	HS	5302	19.2%	35.5%	5302	34.4%	35.5%
HIB-MENCY	HY	118	0.4%	0.8%	118	0.8%	0.8%
<b>SUBTOTALS:</b>		14950	54.2%	100.0%	14950	97.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		12642	45.8%	n/a	441	2.9%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

Variable: XHIBTY2 Type: Character Position: 788-789

Label: HIB-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HIB	07	17	0.1%	0.1%	17	0.1%	0.1%
HEPB-HIB	43	38	0.1%	0.3%	38	0.2%	0.3%
HIB ONLY-UNKNOWN	44	156	0.6%	1.1%	156	1.0%	1.1%
DTAP-IPV-HIB	D3	4358	15.8%	29.5%	4358	28.3%	29.5%
HIB (GLAXOSMITHKLINE)	HG	85	0.3%	0.6%	85	0.6%	0.6%
HIB-UNKNOWN	HI	1242	4.5%	8.4%	1242	8.1%	8.4%
HIB (MERCK)	HM	3603	13.1%	24.4%	3603	23.4%	24.4%
HIB (SANOFI)	HS	5137	18.6%	34.8%	5137	33.4%	34.8%
HIB-MENCY	HY	112	0.4%	0.8%	112	0.7%	0.8%
<b>SUBTOTALS:</b>		14748	53.5%	100.0%	14748	95.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING		12844	46.5%	n/a	643	4.2%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: XHIBTY3 Type: Character Position: 790-791**
**Label: HIB-CONTAINING VACCINATION #3 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HIB	07	22	0.1%	0.2%	22	0.1%	0.2%
HEPB-HIB	43	59	0.2%	0.4%	59	0.4%	0.4%
HIB ONLY-UNKNOWN	44	146	0.5%	1.0%	146	0.9%	1.0%
DTAP-IPV-HIB	D3	3618	13.1%	25.2%	3618	23.5%	25.2%
HIB (GLAXOSMITHKLINE)	HG	112	0.4%	0.8%	112	0.7%	0.8%
HIB-UNKNOWN	HI	1159	4.2%	8.1%	1159	7.5%	8.1%
HIB (MERCK)	HM	3481	12.6%	24.2%	3481	22.6%	24.2%
HIB (SANOFI)	HS	5632	20.4%	39.2%	5632	36.6%	39.2%
HIB-MENCY	HY	146	0.5%	1.0%	146	0.9%	1.0%
<b>SUBTOTALS:</b>		14375	52.1%	100.0%	14375	93.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING		13217	47.9%	n/a	1016	6.6%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: XHIBTY4 Type: Character Position: 792-793**
**Label: HIB-CONTAINING VACCINATION #4 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HIB	07	41	0.1%	0.4%	41	0.3%	0.4%
HEPB-HIB	43	16	0.1%	0.2%	16	0.1%	0.2%
HIB ONLY-UNKNOWN	44	69	0.3%	0.6%	69	0.4%	0.6%
DTAP-IPV-HIB	D3	1944	7.0%	18.2%	1944	12.6%	18.2%
HIB (GLAXOSMITHKLINE)	HG	86	0.3%	0.8%	86	0.6%	0.8%
HIB-UNKNOWN	HI	907	3.3%	8.5%	907	5.9%	8.5%
HIB (MERCK)	HM	1477	5.4%	13.9%	1477	9.6%	13.9%
HIB (SANOFI)	HS	5942	21.5%	55.8%	5942	38.6%	55.8%
HIB-MENCY	HY	171	0.6%	1.6%	171	1.1%	1.6%
<b>SUBTOTALS:</b>		10653	38.6%	100.0%	10653	69.2%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>RESERVED CODES:</b>							
MISSING		16939	61.4%	n/a	4738	30.8%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: XHIBTY5 Type: Character Position: 794-795**

**Label: HIB-CONTAINING VACCINATION #5 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HIB	07	3	0.0%	1.6%	3	0.0%	1.6%
HIB ONLY-UNKNOWN	44	1	0.0%	0.5%	1	0.0%	0.5%
DTAP-IPV-HIB	D3	48	0.2%	26.4%	48	0.3%	26.4%
HIB (GLAXOSMITHKLINE)	HG	2	0.0%	1.1%	2	0.0%	1.1%
HIB-UNKNOWN	HI	23	0.1%	12.6%	23	0.1%	12.6%
HIB (MERCK)	HM	35	0.1%	19.2%	35	0.2%	19.2%
HIB (SANOFI)	HS	67	0.2%	36.8%	67	0.4%	36.8%
HIB-MENCY	HY	3	0.0%	1.6%	3	0.0%	1.6%
<b>SUBTOTALS:</b>		182	0.7%	100.0%	182	1.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING		27410	99.3%	n/a	15209	98.8%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: XHIBTY6 Type: Character Position: 796-797**

**Label: HIB-CONTAINING VACCINATION #6 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
HEPB-HIB	43	1	0.0%	12.5%	1	0.0%	12.5%
HIB ONLY-UNKNOWN	44	1	0.0%	12.5%	1	0.0%	12.5%
DTAP-IPV-HIB	D3	2	0.0%	25.0%	2	0.0%	25.0%
HIB (MERCK)	HM	3	0.0%	37.5%	3	0.0%	37.5%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
HIB (SANOFI)	HS	1	0.0%	12.5%	1	0.0%	12.5%
<b>SUBTOTALS:</b>		8	0.0%	100.0%	8	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		27584	100.0%	n/a	15383	99.9%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

Variable: XHIBTY7 Type: Character Position: 798-799

Label: HIB-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
HIB-MENCY	HY	1	0.0%	100.0%	1	0.0%	100.0%
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		27591	100.0%	n/a	15390	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

Variable: XHIBTY8 Type: Character Position: 800-800

Label: HIB-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: XHIBTY9 Type: Character Position: 801-801**
**Label: HIB-CONTAINING VACCINATION #9 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: XMMRTY1 Type: Character Position: 802-803****Label: MEASLES-CONTAINING VACCINATION #1 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MMR	30	12607	45.7%	87.3%	12607	81.9%	87.3%
MEASLES ONLY	31	44	0.2%	0.3%	44	0.3%	0.3%
MEASLES-RUBELLA	33	1	0.0%	0.0%	1	0.0%	0.0%
MCV-UNKNOWN	MM	134	0.5%	0.9%	134	0.9%	0.9%
MMR-VARICELLA	VM	1659	6.0%	11.5%	1659	10.8%	11.5%
<b>SUBTOTALS:</b>		14445	52.4%	100.0%	14445	93.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING		13147	47.6%	n/a	946	6.1%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: XMMRTY2 Type: Character Position: 804-805**
**Label: MEASLES-CONTAINING VACCINATION #2 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MMR	30	265	1.0%	81.5%	265	1.7%	81.5%
MEASLES ONLY	31	2	0.0%	0.6%	2	0.0%	0.6%
MCV-UNKNOWN	MM	7	0.0%	2.2%	7	0.0%	2.2%
MMR-VARICELLA	VM	51	0.2%	15.7%	51	0.3%	15.7%
<b>SUBTOTALS:</b>		325	1.2%	100.0%	325	2.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		27267	98.8%	n/a	15066	97.9%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: XMMRTY3 Type: Character Position: 806-807****Label: MEASLES-CONTAINING VACCINATION #3 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MMR	30	3	0.0%	75.0%	3	0.0%	75.0%
MMR-VARICELLA	VM	1	0.0%	25.0%	1	0.0%	25.0%
<b>SUBTOTALS:</b>		4	0.0%	100.0%	4	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		27588	100.0%	n/a	15387	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: XMMRTY4 Type: Character Position: 808-808**
**Label: MEASLES-CONTAINING VACCINATION #4 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: XMMRTY5 Type: Character Position: 809-809****Label: MEASLES-CONTAINING VACCINATION #5 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: XMMRTY6 Type: Character Position: 810-810****Label: MEASLES-CONTAINING VACCINATION #6 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: XMMRTY7 Type: Character Position: 811-811**
**Label: MEASLES-CONTAINING VACCINATION #7 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: XMMRTY8 Type: Character Position: 812-812****Label: MEASLES-CONTAINING VACCINATION #8 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: XMMRTY9 Type: Character Position: 813-813****Label: MEASLES-CONTAINING VACCINATION #9 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: XPCVTY1 Type: Character Position: 814-815**
**Label: PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV CONJUGATE-UNKNOWN	70	2	0.0%	0.0%	2	0.0%	0.0%
PCV POLYSACCHARIDE	71	21	0.1%	0.1%	21	0.1%	0.1%
PCV-UNKNOWN	72	557	2.0%	3.7%	557	3.6%	3.7%
PCV CONJUGATE-7	73	273	1.0%	1.8%	273	1.8%	1.8%
PCV CONJUGATE-13	74	14075	51.0%	94.3%	14075	91.4%	94.3%
<b>SUBTOTALS:</b>		14928	54.1%	100.0%	14928	97.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		12664	45.9%	n/a	463	3.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: XPCVTY2 Type: Character Position: 816-817**
**Label: PNEUMOCOCCAL-CONTAINING VACCINATION #2 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV CONJUGATE-UNKNOWN	70	1	0.0%	0.0%	1	0.0%	0.0%
PCV POLYSACCHARIDE	71	20	0.1%	0.1%	20	0.1%	0.1%
PCV-UNKNOWN	72	516	1.9%	3.5%	516	3.4%	3.5%
PCV CONJUGATE-7	73	221	0.8%	1.5%	221	1.4%	1.5%
PCV CONJUGATE-13	74	13945	50.5%	94.8%	13945	90.6%	94.8%
<b>SUBTOTALS:</b>		14703	53.3%	100.0%	14703	95.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING		12889	46.7%	n/a	688	4.5%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: XPCVTY3 Type: Character Position: 818-819**
**Label: PNEUMOCOCCAL-CONTAINING VACCINATION #3 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV POLYSACCHARIDE	71	15	0.1%	0.1%	15	0.1%	0.1%
PCV-UNKNOWN	72	471	1.7%	3.3%	471	3.1%	3.3%
PCV CONJUGATE-7	73	184	0.7%	1.3%	184	1.2%	1.3%
PCV CONJUGATE-13	74	13748	49.8%	95.4%	13748	89.3%	95.4%
<b>SUBTOTALS:</b>		14418	52.3%	100.0%	14418	93.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING		13174	47.7%	n/a	973	6.3%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: XPCVTY4 Type: Character Position: 820-821**
**Label: PNEUMOCOCCAL-CONTAINING VACCINATION #4 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV POLYSACCHARIDE	71	11	0.0%	0.1%	11	0.1%	0.1%
PCV-UNKNOWN	72	373	1.4%	2.8%	373	2.4%	2.8%
PCV CONJUGATE-7	73	120	0.4%	0.9%	120	0.8%	0.9%
PCV CONJUGATE-13	74	12736	46.2%	96.2%	12736	82.7%	96.2%
<b>SUBTOTALS:</b>		13240	48.0%	100.0%	13240	86.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		14352	52.0%	n/a	2151	14.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: XPCVTY5 Type: Character Position: 822-823**
**Label: PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV POLYSACCHARIDE	71	8	0.0%	4.4%	8	0.1%	4.4%
PCV-UNKNOWN	72	5	0.0%	2.8%	5	0.0%	2.8%
PCV CONJUGATE-7	73	3	0.0%	1.7%	3	0.0%	1.7%
PCV CONJUGATE-13	74	165	0.6%	91.2%	165	1.1%	91.2%
<b>SUBTOTALS:</b>		181	0.7%	100.0%	181	1.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING		27411	99.3%	n/a	15210	98.8%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: XPCVTY6 Type: Character Position: 824-825****Label: PNEUMOCOCCAL-CONTAINING VACCINATION #6 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV POLYSACCHARIDE	71	1	0.0%	8.3%	1	0.0%	8.3%
PCV-UNKNOWN	72	1	0.0%	8.3%	1	0.0%	8.3%
PCV CONJUGATE-13	74	10	0.0%	83.3%	10	0.1%	83.3%
<b>SUBTOTALS:</b>		12	0.0%	100.0%	12	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		27580	100.0%	n/a	15379	99.9%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: XPCVTY7 Type: Character Position: 826-827**
**Label: PNEUMOCOCCAL-CONTAINING VACCINATION #7 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV CONJUGATE-13	74	1	0.0%	100.0%	1	0.0%	100.0%
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		27591	100.0%	n/a	15390	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: XPCVTY8 Type: Character Position: 828-829****Label: PNEUMOCOCCAL-CONTAINING VACCINATION #8 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV CONJUGATE-13	74	1	0.0%	100.0%	1	0.0%	100.0%
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		27591	100.0%	n/a	15390	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: XPCVTY9 Type: Character Position: 830-830****Label: PNEUMOCOCCAL-CONTAINING VACCINATION #9 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: XPOLTY1 Type: Character Position: 831-832**
**Label: POLIO-CONTAINING VACCINATION #1 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	7805	28.3%	52.3%	7805	50.7%	52.3%
OPV	20	43	0.2%	0.3%	43	0.3%	0.3%
IPV	21	2564	9.3%	17.2%	2564	16.7%	17.2%
POLIO-UNKNOWN	22	447	1.6%	3.0%	447	2.9%	3.0%
DTAP-IPV-HIB	D3	4071	14.8%	27.3%	4071	26.5%	27.3%
<b>SUBTOTALS:</b>		14930	54.1%	100.0%	14930	97.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		12662	45.9%	n/a	461	3.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: XPOLTY2 Type: Character Position: 833-834**
**Label: POLIO-CONTAINING VACCINATION #2 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	6656	24.1%	45.1%	6656	43.2%	45.1%
OPV	20	40	0.1%	0.3%	40	0.3%	0.3%
IPV	21	3277	11.9%	22.2%	3277	21.3%	22.2%
POLIO-UNKNOWN	22	421	1.5%	2.9%	421	2.7%	2.9%
DTAP-IPV-HIB	D3	4375	15.9%	29.6%	4375	28.4%	29.6%
<b>SUBTOTALS:</b>		14769	53.5%	100.0%	14769	96.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		12823	46.5%	n/a	622	4.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: XPOLTY3 Type: Character Position: 835-836**
**Label: POLIO-CONTAINING VACCINATION #3 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	7628	27.6%	52.8%	7628	49.6%	52.8%
OPV	20	30	0.1%	0.2%	30	0.2%	0.2%
IPV	21	2703	9.8%	18.7%	2703	17.6%	18.7%
POLIO-UNKNOWN	22	393	1.4%	2.7%	393	2.6%	2.7%
DTAP-IPV-HIB	D3	3700	13.4%	25.6%	3700	24.0%	25.6%
<b>SUBTOTALS:</b>		14454	52.4%	100.0%	14454	93.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING		13138	47.6%	n/a	937	6.1%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: XPOLTY4 Type: Character Position: 837-838**
**Label: POLIO-CONTAINING VACCINATION #4 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	203	0.7%	8.4%	203	1.3%	8.4%
OPV	20	14	0.1%	0.6%	14	0.1%	0.6%
IPV	21	250	0.9%	10.3%	250	1.6%	10.3%
POLIO-UNKNOWN	22	85	0.3%	3.5%	85	0.6%	3.5%
DTAP-IPV-HIB	D3	1874	6.8%	77.2%	1874	12.2%	77.2%
<b>SUBTOTALS:</b>		2426	8.8%	100.0%	2426	15.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING		25166	91.2%	n/a	12965	84.2%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: XPOLTY5 Type: Character Position: 839-840**
**Label: POLIO-CONTAINING VACCINATION #5 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	11	0.0%	18.3%	11	0.1%	18.3%
OPV	20	1	0.0%	1.7%	1	0.0%	1.7%
IPV	21	14	0.1%	23.3%	14	0.1%	23.3%
POLIO-UNKNOWN	22	3	0.0%	5.0%	3	0.0%	5.0%
DTAP-IPV-HIB	D3	31	0.1%	51.7%	31	0.2%	51.7%
<b>SUBTOTALS:</b>		60	0.2%	100.0%	60	0.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING		27532	99.8%	n/a	15331	99.6%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: XPOLTY6 Type: Character Position: 841-842**
**Label: POLIO-CONTAINING VACCINATION #6 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	1	0.0%	9.1%	1	0.0%	9.1%
IPV	21	4	0.0%	36.4%	4	0.0%	36.4%
POLIO-UNKNOWN	22	1	0.0%	9.1%	1	0.0%	9.1%
DTAP-IPV-HIB	D3	5	0.0%	45.5%	5	0.0%	45.5%
<b>SUBTOTALS:</b>		11	0.0%	100.0%	11	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		27581	100.0%	n/a	15380	99.9%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: XPOLTY7 Type: Character Position: 843-843**
**Label: POLIO-CONTAINING VACCINATION #7 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		27592	100.0%	n/a	15391	100.0%	n/a
TOTALS:		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: XPOLTY8 Type: Character Position: 844-844****Label: POLIO-CONTAINING VACCINATION #8 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		27592	100.0%	n/a	15391	100.0%	n/a
TOTALS:		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: XPOLTY9 Type: Character Position: 845-845****Label: POLIO-CONTAINING VACCINATION #9 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		27592	100.0%	n/a	15391	100.0%	n/a
TOTALS:		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: XROTTY1 Type: Character Position: 846-847**
**Label: ROTAVIRUS-CONTAINING VACCINATION #1 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ROTARIX (GSK)	RG	3157	11.4%	23.1%	3157	20.5%	23.1%
ROTATEQ (MERCK)	RM	9658	35.0%	70.6%	9658	62.8%	70.6%
ROTAVIRUS-UNKNOWN	RO	860	3.1%	6.3%	860	5.6%	6.3%
<b>SUBTOTALS:</b>		13675	49.6%	100.0%	13675	88.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING		13917	50.4%	n/a	1716	11.1%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: XROTTY2 Type: Character Position: 848-849**
**Label: ROTAVIRUS-CONTAINING VACCINATION #2 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ROTARIX (GSK)	RG	3011	10.9%	22.9%	3011	19.6%	22.9%
ROTATEQ (MERCK)	RM	9347	33.9%	71.2%	9347	60.7%	71.2%
ROTAVIRUS-UNKNOWN	RO	762	2.8%	5.8%	762	5.0%	5.8%
<b>SUBTOTALS:</b>		13120	47.6%	100.0%	13120	85.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING		14472	52.4%	n/a	2271	14.8%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: XROTTY3 Type: Character Position: 850-851**
**Label: ROTAVIRUS-CONTAINING VACCINATION #3 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ROTARIX (GSK)	RG	197	0.7%	2.2%	197	1.3%	2.2%
ROTATEQ (MERCK)	RM	8312	30.1%	92.5%	8312	54.0%	92.5%
ROTAVIRUS-UNKNOWN	RO	481	1.7%	5.4%	481	3.1%	5.4%
<b>SUBTOTALS:</b>		8990	32.6%	100.0%	8990	58.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING		18602	67.4%	n/a	6401	41.6%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: XROTTY4 Type: Character Position: 852-853**
**Label: ROTAVIRUS-CONTAINING VACCINATION #4 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ROTARIX (GSK)	RG	3	0.0%	11.1%	3	0.0%	11.1%
ROTATEQ (MERCK)	RM	18	0.1%	66.7%	18	0.1%	66.7%
ROTAVIRUS-UNKNOWN	RO	6	0.0%	22.2%	6	0.0%	22.2%
<b>SUBTOTALS:</b>		27	0.1%	100.0%	27	0.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING		27565	99.9%	n/a	15364	99.8%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: XROTTY5 Type: Character Position: 854-855**
**Label: ROTAVIRUS-CONTAINING VACCINATION #5 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ROTARIX (GSK)	RG	1	0.0%	50.0%	1	0.0%	50.0%
ROTAVIRUS-UNKNOWN	RO	1	0.0%	50.0%	1	0.0%	50.0%
<b>SUBTOTALS:</b>		2	0.0%	100.0%	2	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		27590	100.0%	n/a	15389	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: XROTTY6 Type: Character Position: 856-856****Label: ROTAVIRUS-CONTAINING VACCINATION #6 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: XROTTY7 Type: Character Position: 857-857****Label: ROTAVIRUS-CONTAINING VACCINATION #7 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: XROTTY8 Type: Character Position: 858-858**
**Label: ROTAVIRUS-CONTAINING VACCINATION #8 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: XROTTY9 Type: Character Position: 859-859****Label: ROTAVIRUS-CONTAINING VACCINATION #9 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		27592	100.0%	n/a	15391	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: XVRCTY1 Type: Character Position: 860-861****Label: VARICELLA-CONTAINING VACCINATION #1 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VARICELLA-UNKNOWN	VA	132	0.5%	0.9%	132	0.9%	0.9%
MMR-VARICELLA	VM	1666	6.0%	11.7%	1666	10.8%	11.7%
VARICELLA-ONLY	VO	12472	45.2%	87.4%	12472	81.0%	87.4%
<b>SUBTOTALS:</b>		14270	51.7%	100.0%	14270	92.7%	100.0%
<b>RESERVED CODES:</b>							

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MISSING		13322	48.3%	n/a	1121	7.3%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: XVRCTY2 Type: Character Position: 862-863**

**Label: VARICELLA-CONTAINING VACCINATION #2 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VARICELLA-UNKNOWN	VA	6	0.0%	2.6%	6	0.0%	2.6%
MMR-VARICELLA	VM	45	0.2%	19.3%	45	0.3%	19.3%
VARICELLA-ONLY	VO	182	0.7%	78.1%	182	1.2%	78.1%
<b>SUBTOTALS:</b>		233	0.8%	100.0%	233	1.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING		27359	99.2%	n/a	15158	98.5%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: XVRCTY3 Type: Character Position: 864-865**

**Label: VARICELLA-CONTAINING VACCINATION #3 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VARICELLA-ONLY	VO	2	0.0%	100.0%	2	0.0%	100.0%
<b>SUBTOTALS:</b>		2	0.0%	100.0%	2	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		27590	100.0%	n/a	15389	100.0%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: XVRCTY4 Type: Character Position: 866-866**
**Label: VARICELLA-CONTAINING VACCINATION #4 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		27592	100.0%	n/a	15391	100.0%	n/a
TOTALS:		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: XVRCTY5 Type: Character Position: 867-867****Label: VARICELLA-CONTAINING VACCINATION #5 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		27592	100.0%	n/a	15391	100.0%	n/a
TOTALS:		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: XVRCTY6 Type: Character Position: 868-868****Label: VARICELLA-CONTAINING VACCINATION #6 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		27592	100.0%	n/a	15391	100.0%	n/a
TOTALS:		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

---

**Variable: XVRCTY7 Type: Character Position: 869-869**
**Label: VARICELLA-CONTAINING VACCINATION #7 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		27592	100.0%	n/a	15391	100.0%	n/a
TOTALS:		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: XVRCTY8 Type: Character Position: 870-870****Label: VARICELLA-CONTAINING VACCINATION #8 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		27592	100.0%	n/a	15391	100.0%	n/a
TOTALS:		27592	100.0%	n/a	15391	100.0%	n/a

---

**Variable: XVRCTY9 Type: Character Position: 871-871****Label: VARICELLA-CONTAINING VACCINATION #9 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		27592	100.0%	n/a	15391	100.0%	n/a
TOTALS:		27592	100.0%	n/a	15391	100.0%	n/a

## SECTION 10: HEALTH INSURANCE MODULE VARIABLES

---

**Variable: INS\_1 Type: Numeric Position: 872-873**
**Label: IS CHILD COVERED BY HEALTH INSURANCE PROVIDED THROUGH EMPLOYER OR UNION?****Notes: See User's Guide for more information.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	10287	37.3%	56.9%	8611	55.9%	57.2%
NO	2	7795	28.3%	43.1%	6441	41.8%	42.8%
<b>SUBTOTALS:</b>		18082	65.5%	100.0%	15052	97.8%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	138	0.5%	n/a	97	0.6%	n/a
REFUSED	99	34	0.1%	n/a	12	0.1%	n/a
MISSING	.	9338	33.8%	n/a	230	1.5%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: INS\_2 Type: Numeric Position: 874-875****Label: IS CHILD COVERED BY ANY MEDICAID PLAN?****Notes: See User's Guide for more information.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	4244	15.4%	39.3%	3561	23.1%	39.5%
NO	2	6550	23.7%	60.7%	5447	35.4%	60.5%
<b>SUBTOTALS:</b>		10794	39.1%	100.0%	9008	58.5%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	153	0.6%	n/a	118	0.8%	n/a
REFUSED	99	15	0.1%	n/a	4	0.0%	n/a
MISSING	.	16630	60.3%	n/a	6261	40.7%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 10: HEALTH INSURANCE MODULE VARIABLES

---

**Variable: INS\_3 Type: Numeric Position: 876-877**
**Label: IS CHILD COVERED BY S-CHIP?****Notes: Question not asked of cases sampled in Puerto Rico. See User's Guide for more information.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	1755	6.4%	17.4%	1458	9.5%	17.2%
NO	2	8325	30.2%	82.6%	7039	45.7%	82.8%
<b>SUBTOTALS:</b>		10080	36.5%	100.0%	8497	55.2%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	491	1.8%	n/a	404	2.6%	n/a
REFUSED	99	12	0.0%	n/a	3	0.0%	n/a
MISSING	.	17009	61.6%	n/a	6487	42.1%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: INS\_3A Type: Numeric Position: 878-879****Label: IS CHILD COVERED BY ANY MEDICAID PLAN OR S-CHIP?****Notes: Question not asked of cases sampled in Puerto Rico. See User's Guide for more information.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	2807	10.2%	39.0%	2322	15.1%	38.9%
NO	2	4382	15.9%	61.0%	3643	23.7%	61.1%
<b>SUBTOTALS:</b>		7189	26.1%	100.0%	5965	38.8%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	51	0.2%	n/a	42	0.3%	n/a
REFUSED	99	9	0.0%	n/a	6	0.0%	n/a
MISSING	.	20343	73.7%	n/a	9378	60.9%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 10: HEALTH INSURANCE MODULE VARIABLES

---

**Variable: INS\_4\_5 Type: Numeric Position: 880-881**
**Label: IS CHILD COVERED BY INDIAN HEALTH SERVICE, MILITARY HEALTH CARE, TRICARE, CHAMPUS, OR CHAMP-VA?**
**Notes: INS\_4 not asked of cases sampled in Puerto Rico. See User's Guide for more information.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	1279	4.6%	7.3%	1021	6.6%	7.0%
NO	2	16164	58.6%	92.7%	13588	88.3%	93.0%
<b>SUBTOTALS:</b>		17443	63.2%	100.0%	14609	94.9%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	368	1.3%	n/a	292	1.9%	n/a
REFUSED	99	20	0.1%	n/a	8	0.1%	n/a
MISSING	.	9761	35.4%	n/a	482	3.1%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

---

**Variable: INS\_6 Type: Numeric Position: 882-883**
**Label: IS CHILD COVERED BY ANY OTHER HEALTH INSURANCE OR HEALTH CARE PLAN?**
**Notes: See User's Guide for more information.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	1320	4.8%	7.3%	1097	7.1%	7.3%
NO	2	16782	60.8%	92.7%	13970	90.8%	92.7%
<b>SUBTOTALS:</b>		18102	65.6%	100.0%	15067	97.9%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	51	0.2%	n/a	34	0.2%	n/a
REFUSED	99	13	0.0%	n/a	5	0.0%	n/a
MISSING	.	9426	34.2%	n/a	285	1.9%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## SECTION 10: HEALTH INSURANCE MODULE VARIABLES

---

**Variable: INS\_11 Type: Numeric Position: 884-885**
**Label: ANY TIME WHEN CHILD WAS NOT COVERED BY ANY HEALTH INSURANCE?****Notes: See User's Guide for more information.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	1291	4.7%	7.4%	1075	7.0%	7.4%
NO	2	16065	58.2%	92.6%	13467	87.5%	92.6%
<b>SUBTOTALS:</b>		17356	62.9%	100.0%	14542	94.5%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	129	0.5%	n/a	89	0.6%	n/a
REFUSED	99	11	0.0%	n/a	6	0.0%	n/a
MISSING	.	10096	36.6%	n/a	754	4.9%	n/a
<b>TOTALS:</b>		27592	100.0%	100.0%	15391	100.0%	100.0%

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
AGECPOXR	99	99	2	AGE IN MONTHS AT CHICKEN POX DISEASE (RECODE)
AGEGRP	102	102	3	AGE CATEGORY OF CHILD (19-23, 24-29, 30-35 MO) (RECODE)
BFENDFL06	127	127	3	DURATION OF BREAST FEEDING EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
BFFORMFL06	128	128	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
BF_ENDR06	103	110	3	DURATION OF BREAST FEEDING IN DAYS (RECODE)
BF_EXCLR06	111	118	3	DURATION OF EXCLUSIVE BREAST/FORMULA FEEDING IN DAYS (RECODE)
BF_FORMR08	119	126	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA (RECODE)
C1R	129	129	3	NUMBER OF PEOPLE IN HOUSEHOLD (RECODE)
C5R	130	131	3	RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)
CBF_01	132	133	3	WAS CHILD EVER BREAST FED OR FED BREAST MILK?
CEN_REG	134	134	3	CENSUS REGION BASED ON TRUE STATE OF RESIDENCE
CHILDNM	135	135	3	NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)
CWIC_01	136	137	3	CHILD EVER RECEIVED WIC BENEFITS?
CWIC_02	138	139	3	CHILD CURRENTLY RECEIVING WIC BENEFITS?
D6R	185	185	5	NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (RECODE)
D7	186	186	5	CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM PROVIDERS
DDTP1	278	281	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #1
DDTP2	282	285	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #2
DDTP3	286	289	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #3
DDTP4	290	293	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #4
DDTP5	294	297	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #5
DDTP6	298	301	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #6
DDTP7	302	304	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #7
DDTP8	305	307	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #8
DDTP9	308	308	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #9
DFLU1	309	312	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1
DFLU2	313	316	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2
DFLU3	317	320	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3
DFLU4	321	324	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4
DFLU5	325	328	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5
DFLU6	329	332	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
DFLU7	333	336	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7
DFLU8	337	337	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8
DFLU9	338	338	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9
DHEPA1	339	342	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
DHEPA2	343	346	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
DHEPA3	347	350	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
DHEPA4	351	354	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
DHEPA5	355	355	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
DHEPA6	356	356	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
DHEPA7	357	357	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7
DHEPA8	358	358	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
DHEPA9	359	359	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
DHEPB1	360	363	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
DHEPB2	364	367	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
DHEPB3	368	371	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
DHEPB4	372	375	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
DHEPB5	376	379	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
DHEPB6	380	382	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
DHEPB7	383	385	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
DHEPB8	386	388	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8
DHEPB9	389	389	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
DHIB1	390	393	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #1
DHIB2	394	397	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #2
DHIB3	398	401	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #3
DHIB4	402	405	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #4
DHIB5	406	409	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #5
DHIB6	410	412	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #6
DHIB7	413	415	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #7
DHIB8	416	416	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #8
DHIB9	417	417	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #9
DMMR1	418	421	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
DMMR2	422	425	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
DMMR3	426	428	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #3
DMMR4	429	429	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
DMMR5	430	430	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
DMMR6	431	431	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #6

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
DMMR7	432	432	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
DMMR8	433	433	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
DMMR9	434	434	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
DMP1	435	437	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #1
DMP2	438	438	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #2
DMP3	439	439	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #3
DMP4	440	440	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #4
DMP5	441	441	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #5
DMP6	442	442	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #6
DMP7	443	443	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #7
DMP8	444	444	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #8
DMP9	445	445	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #9
DMPRB1	446	446	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
DMPRB2	447	447	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
DMPRB3	448	448	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
DMPRB4	449	449	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
DMPRB5	450	450	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
DMPRB6	451	451	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6
DMPRB7	452	452	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
DMPRB8	453	453	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
DMPRB9	454	454	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9
DPCV1	455	458	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
DPCV2	459	462	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
DPCV3	463	466	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
DPCV4	467	470	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
DPCV5	471	474	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
DPCV6	475	478	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
DPCV7	479	481	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
DPCV8	482	484	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
DPCV9	485	485	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
DPOLIO1	486	489	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #1
DPOLIO2	490	493	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #2
DPOLIO3	494	497	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #3
DPOLIO4	498	501	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #4
DPOLIO5	502	505	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #5
DPOLIO6	506	508	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #6
DPOLIO7	509	509	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #7
DPOLIO8	510	510	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #8

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
DPOLIO9	511	511	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #9
DRB1	512	512	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #1
DRB2	513	513	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #2
DRB3	514	514	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #3
DRB4	515	515	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #4
DRB5	516	516	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #5
DRB6	517	517	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #6
DRB7	518	518	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #7
DRB8	519	519	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #8
DRB9	520	520	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #9
DROT1	521	524	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
DROT2	525	528	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
DROT3	529	532	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
DROT4	533	535	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
DROT5	536	538	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
DROT6	539	539	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
DROT7	540	540	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
DROT8	541	541	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
DROT9	542	542	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
DTP1_AGE	560	561	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #1
DTP2_AGE	562	563	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #2
DTP3_AGE	564	565	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #3
DTP4_AGE	566	567	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #4
DTP5_AGE	568	569	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #5
DTP6_AGE	570	571	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #6
DTP7_AGE	572	573	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #7
DTP8_AGE	574	575	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #8
DTP9_AGE	576	576	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #9
DVRC1	543	546	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
DVRC2	547	550	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
DVRC3	551	553	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
DVRC4	554	554	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
DVRC5	555	555	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5
DVRC6	556	556	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
DVRC7	557	557	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
DVRC8	558	558	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
DVRC9	559	559	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
EDUC1	140	140	3	EDUCATION OF MOTHER CATEGORIES (RECODE)

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
ESTIAP15	178	180	4	ESTIMATION AREA OF RESIDENCE
EST_GRANT	181	182	4	AREA OF RESIDENCE ACCORDING TO THE 56 ORIGINAL CORE GRANTEE AREAS
FLU1_AGE	577	578	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1
FLU2_AGE	579	580	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2
FLU3_AGE	581	582	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3
FLU4_AGE	583	584	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4
FLU5_AGE	585	586	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5
FLU6_AGE	587	588	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6
FLU7_AGE	589	590	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7
FLU8_AGE	591	591	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8
FLU9_AGE	592	592	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9
FRSTBRN	141	141	3	FIRST BORN STATUS OF CHILD
HAD_CPOX	100	101	2	CHILD EVER HAD CHICKEN POX DISEASE?
HEA1_AGE	593	594	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
HEA2_AGE	595	596	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
HEA3_AGE	597	598	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
HEA4_AGE	599	600	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
HEA5_AGE	601	601	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
HEA6_AGE	602	602	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
HEA7_AGE	603	603	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7
HEA8_AGE	604	604	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
HEA9_AGE	605	605	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
HEP1_AGE	606	607	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
HEP2_AGE	608	609	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
HEP3_AGE	610	611	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
HEP4_AGE	612	613	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
HEP5_AGE	614	615	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
HEP6_AGE	616	617	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
HEP7_AGE	618	618	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
HEP8_AGE	619	620	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8
HEP9_AGE	621	621	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
HEP_BRTH	191	191	8	HEPATITIS B-CONTAINING SHOT GIVEN AT BIRTH FLAG

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
HEP_FLAG	192	192	8	HEPATITIS B BIRTH SHOT DATE IMPUTATION FLAG
HIB1_AGE	622	623	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #1
HIB2_AGE	624	625	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #2
HIB3_AGE	626	627	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #3
HIB4_AGE	628	629	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #4
HIB5_AGE	630	631	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #5
HIB6_AGE	632	633	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #6
HIB7_AGE	634	635	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #7
HIB8_AGE	636	636	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #8
HIB9_AGE	637	637	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #9
INCPORAR	143	158	3	INCOME TO POVERTY RATIO (RECODE)
INCPOV1	159	159	3	POVERTY STATUS
INCQ298A	160	161	3	FAMILY INCOME CATEGORIES (RECODE)
INS_1	872	873	10	IS CHILD COVERED BY HEALTH INSURANCE PROVIDED THROUGH EMPLOYER OR UNION?
INS_11	884	885	10	ANY TIME WHEN CHILD WAS NOT COVERED BY ANY HEALTH INSURANCE?
INS_2	874	875	10	IS CHILD COVERED BY ANY MEDICAID PLAN?
INS_3	876	877	10	IS CHILD COVERED BY S-CHIP?
INS_3A	878	879	10	IS CHILD COVERED BY ANY MEDICAID PLAN OR S-CHIP?
INS_4_5	880	881	10	IS CHILD COVERED BY INDIAN HEALTH SERVICE, MILITARY HEALTH CARE, TRICARE, CHAMPUS, OR CHAMP-VA?
INS_6	882	883	10	IS CHILD COVERED BY ANY OTHER HEALTH INSURANCE OR HEALTH CARE PLAN?
INTRP	162	162	3	PHONE INTERRUPTION OF 7 DAYS OR MORE IN PAST YEAR?
I_HISP_K	142	142	3	HISPANIC ORIGIN OF CHILD
LANGUAGE	163	163	3	LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED
MARITAL2	165	165	3	MARITAL STATUS OF MOTHER (RECODE)
MMR1_AGE	638	639	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
MMR2_AGE	640	641	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
MMR3_AGE	642	643	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #3
MMR4_AGE	644	644	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
MMR5_AGE	645	645	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
MMR6_AGE	646	646	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #6
MMR7_AGE	647	647	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
MMR8_AGE	648	648	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
MMR9_AGE	649	649	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
MOBIL_I	166	166	3	GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE
MP1_AGE	650	651	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #1

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
MP2_AGE	652	652	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #2
MP3_AGE	653	653	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #3
MP4_AGE	654	654	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #4
MP5_AGE	655	655	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #5
MP6_AGE	656	656	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #6
MP7_AGE	657	657	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #7
MP8_AGE	658	658	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #8
MP9_AGE	659	659	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #9
MPR1_AGE	660	660	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
MPR2_AGE	661	661	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
MPR3_AGE	662	662	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
MPR4_AGE	663	663	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
MPR5_AGE	664	664	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
MPR6_AGE	665	665	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6
MPR7_AGE	666	666	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
MPR8_AGE	667	667	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
MPR9_AGE	668	668	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9
M_AGEGRP	164	164	3	AGE OF MOTHER CATEGORIES (RECODE)
NUM_CELLS_HH	169	170	3	NUMBER OF WORKING CELL PHONES HOUSEHOLD MEMBERS HAVE AVAILABLE FOR PERSONAL USE
NUM_CELLS_PARENTS	171	172	3	NUMBER OF WORKING CELL PHONES USUALLY USED BY PARENTS OR GUARDIANS
NUM_PHONE	167	168	3	NUMBER OF RESIDENTIAL TELEPHONE NUMBERS IN HOUSEHOLD (EXCLUDING CELL PHONES)
N_PRVR	187	187	6	NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (RECODE)
PCV1_AGE	669	670	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
PCV2_AGE	671	672	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
PCV3_AGE	673	674	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
PCV4_AGE	675	676	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
PCV5_AGE	677	678	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5

## ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
PCV6_AGE	679	680	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
PCV7_AGE	681	682	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
PCV8_AGE	683	684	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
PCV9_AGE	685	685	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
PDAT	12	12	1	CHILD HAS ADEQUATE PROVIDER DATA
POL1_AGE	686	687	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #1
POL2_AGE	688	689	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #2
POL3_AGE	690	691	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #3
POL4_AGE	692	693	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #4
POL5_AGE	694	695	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #5
POL6_AGE	696	697	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #6
POL7_AGE	698	698	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #7
POL8_AGE	699	699	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #8
POL9_AGE	700	700	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #9
PROVWT_D	13	32	1	FINAL DUAL-FRAME PROVIDER-PHASE WEIGHT (EXCLUDES TERRITORIES)
PROVWT_D_TERR	33	52	1	FINAL DUAL-FRAME PROVIDER-PHASE WEIGHT INCLUDING TERRITORIES
PROV_FAC	188	188	7	PROVIDER FACILITY TYPES
PU431331	263	263	8	UTD FLAG FOR PROVIDER 4:3:1:3:3:1 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU4313313	266	266	8	UTD FLAG FOR PROVIDER 4:3:1:3:3:1:3 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU4313314	268	268	8	UTD FLAG FOR PROVIDER 4:3:1:3:3:1:4 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU431_31	265	265	8	UTD FLAG FOR PROVIDER 4:3:1::3:1 (4:3:1:3:3:1 EXCLUDING HIB; INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU431_314	270	270	8	UTD FLAG FOR PROVIDER 4:3:1::3:1:4 (4:3:1:3:3:1:4 EXCLUDING HIB; INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PUT43133	271	271	8	UTD FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PUTD4313	273	273	8	UTD FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_NUHEPX	193	193	8	NUMBER OF HEPATITIS B-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUHIBX	194	194	8	NUMBER OF HIB-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUHPHB	195	195	8	NUMBER OF HEPATITIS B/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDAH	196	196	8	NUMBER OF DTAP/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDHI	197	197	8	NUMBER OF DTAP/HEPB/IPV COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDIH	198	198	8	NUMBER OF DTAP/IPV/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMDTA	199	199	8	NUMBER OF DTAP-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDTP	200	200	8	NUMBER OF DT-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLU	201	201	8	NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUL	202	202	8	NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUM	203	203	8	NUMBER OF SEASONAL FLU SPRAY VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUN	204	204	8	NUMBER OF INJECTED SEASONAL FLU VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEA	205	205	8	NUMBER OF HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEN	206	206	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEP	207	207	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

## ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_NUMHG	208	208	8	NUMBER OF HIB-GLAXOSMITHKLINE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHHY	209	209	8	NUMBER OF HIB-MENCY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHIB	210	210	8	NUMBER OF HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHIN	211	211	8	NUMBER OF HIB-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHION	212	212	8	NUMBER OF HIB-ONLY SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHM	213	213	8	NUMBER OF HIB-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHS	214	214	8	NUMBER OF HIB-SANOFI SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMIPV	215	215	8	NUMBER OF IPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMCN	216	216	8	NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMR	217	217	8	NUMBER OF MEASLES-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMRX	218	218	8	NUMBER OF MMR-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMX	219	219	8	NUMBER OF MMR-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMP	220	220	8	NUMBER OF MUMPS-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMPR	221	221	8	NUMBER OF (MUMPS/RUBELLA)-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMRV	222	222	8	NUMBER OF MMR/VARICELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMS	223	223	8	NUMBER OF MEASLES-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_NUMMSM	224	224	8	NUMBER OF MEASLES/MUMPS COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMSR	225	225	8	NUMBER OF MEASLES/RUBELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMOLN	226	226	8	NUMBER OF POLIO SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMOPV	227	227	8	NUMBER OF OPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPCC	230	230	8	NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCC13	232	232	8	NUMBER OF PNEUMOCOCCAL CONJUGATE-13 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCC7	231	231	8	NUMBER OF PNEUMOCOCCAL CONJUGATE-7 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCCN	233	233	8	NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCN	234	234	8	NUMBER OF PNEUMOCOCCAL SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCP	229	229	8	NUMBER OF PNEUMOCOCCAL POLYSACCHARIDE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCV	228	228	8	NUMBER OF PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPOL	235	235	8	NUMBER OF POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMRB	236	236	8	NUMBER OF RUBELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMRG	237	237	8	NUMBER OF ROTARIX-GSK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMRM	238	238	8	NUMBER OF ROTATEQ-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

## ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_NUMRO	239	239	8	NUMBER OF ROTAVIRUS SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMROT	240	240	8	NUMBER OF ROTAVIRUS-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMTPN	241	241	8	NUMBER OF DT-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRC	242	242	8	NUMBER OF VARICELLA-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRN	243	243	8	NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRX	244	244	8	NUMBER OF VARICELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_U12VRC	245	245	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS OF AGE, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD331	246	246	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431	247	247	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H313_ROUT_S	267	267	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H314_ROUT_S	269	269	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H31_ROUT_S	264	264	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H3_ROUT_S	272	272	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

## ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_UTD431H_ROUT_S	274	274	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHEP	248	248	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHEPA1	249	249	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ HEPATITIS A-CONTAINING SHOTS BY 19-35 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE MAX OF HOUSEHOLD INTERVIEW DATE AND ELIGIBILITY DATE.
P_UTDHEPA2	250	250	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHIB	251	251	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHIB_ROUT_S	252	252	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE ROUTINE (NON-SHORTAGE) HIB RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHIB_SHORT_S	253	253	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE HIB SHORTAGE RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDMCV	254	254	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MEASLES-CONTAINING SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDMMX	255	255	8	UTD FLAG FOR PROVIDER 1+ MMR COMBO SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPC3	256	256	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPCV	257	257	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPCVB13	258	258	8	UTD (UP-TO-DATE) INDICATOR FOR PROVIDER 1+ PNEUMOCOCCAL VACCINATIONS OF TYPE CONJUGATE-13, GIVEN 4+ DOSES OF TYPE CONJUGATE-7, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPOL	259	259	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDROT_S	260	260	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ ROTAVIRUS DOSES BY 36 MONTHS OF AGE, BASED ON A STRICT TREATMENT OF ROTAVIRUS VACCINATIONS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

## ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_UTDTP3	261	261	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDTP4	262	262	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
RACEETHK	174	174	3	RACE/ETHNICITY OF CHILD (RECODE)
RACE_K	173	173	3	RACE OF CHILD (RECODE)
RB1_AGE	701	701	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #1
RB2_AGE	702	702	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #2
RB3_AGE	703	703	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #3
RB4_AGE	704	704	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #4
RB5_AGE	705	705	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #5
RB6_AGE	706	706	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #6
RB7_AGE	707	707	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #7
RB8_AGE	708	708	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #8
RB9_AGE	709	709	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #9
RDDWT_D	53	71	1	FINAL DUAL-FRAME RDD-PHASE WEIGHT (EXCLUDES TERRITORIES)
RDDWT_D_TERR	72	90	1	FINAL DUAL-FRAME RDD-PHASE WEIGHT INCLUDING TERRITORIES
REGISTRY	189	189	7	CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY
RENT_OWN	175	176	3	IS HOME OWNED/BEING BOUGHT, RENTED, OR OCCUPIED BY SOME OTHER ARRANGEMENT?
ROT1_AGE	710	711	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
ROT2_AGE	712	713	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
ROT3_AGE	714	715	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
ROT4_AGE	716	717	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
ROT5_AGE	718	719	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
ROT6_AGE	720	720	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
ROT7_AGE	721	721	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
ROT8_AGE	722	722	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
ROT9_AGE	723	723	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
SEQNUMC	1	6	1	UNIQUE CHILD IDENTIFIER
SEQNUMHH	7	11	1	UNIQUE HOUSEHOLD IDENTIFIER
SEX	177	177	3	GENDER OF CHILD
STATE	183	184	4	TRUE STATE OF RESIDENCE (STATE FIPS CODE)
STRATUM	91	94	1	STRATUM VARIABLE FOR DUAL-FRAME VARIANCE ESTIMATION
U1D_HEP	275	275	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 1 FLAG
U2D_HEP	276	276	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 2 FLAG

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
U3D_HEP	277	277	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 3 FLAG
VFC_ORDER	190	190	7	DO CHILD'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT?
VRC1_AGE	724	725	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
VRC2_AGE	726	727	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
VRC3_AGE	728	729	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
VRC4_AGE	730	730	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
VRC5_AGE	731	731	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5
VRC6_AGE	732	732	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
VRC7_AGE	733	733	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
VRC8_AGE	734	734	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
VRC9_AGE	735	735	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
XDTPTY1	736	737	9	DT-CONTAINING VACCINATION #1 TYPE CODE
XDTPTY2	738	739	9	DT-CONTAINING VACCINATION #2 TYPE CODE
XDTPTY3	740	741	9	DT-CONTAINING VACCINATION #3 TYPE CODE
XDTPTY4	742	743	9	DT-CONTAINING VACCINATION #4 TYPE CODE
XDTPTY5	744	745	9	DT-CONTAINING VACCINATION #5 TYPE CODE
XDTPTY6	746	747	9	DT-CONTAINING VACCINATION #6 TYPE CODE
XDTPTY7	748	749	9	DT-CONTAINING VACCINATION #7 TYPE CODE
XDTPTY8	750	751	9	DT-CONTAINING VACCINATION #8 TYPE CODE
XDTPTY9	752	752	9	DT-CONTAINING VACCINATION #9 TYPE CODE
XFLUTY1	753	754	9	SEASONAL FLU-CONTAINING VACCINATION #1 TYPE CODE
XFLUTY2	755	756	9	SEASONAL FLU-CONTAINING VACCINATION #2 TYPE CODE
XFLUTY3	757	758	9	SEASONAL FLU-CONTAINING VACCINATION #3 TYPE CODE
XFLUTY4	759	760	9	SEASONAL FLU-CONTAINING VACCINATION #4 TYPE CODE
XFLUTY5	761	762	9	SEASONAL FLU-CONTAINING VACCINATION #5 TYPE CODE
XFLUTY6	763	764	9	SEASONAL FLU-CONTAINING VACCINATION #6 TYPE CODE
XFLUTY7	765	766	9	SEASONAL FLU-CONTAINING VACCINATION #7 TYPE CODE
XFLUTY8	767	767	9	SEASONAL FLU-CONTAINING VACCINATION #8 TYPE CODE
XFLUTY9	768	768	9	SEASONAL FLU-CONTAINING VACCINATION #9 TYPE CODE
XHEPTY1	769	770	9	HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE
XHEPTY2	771	772	9	HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE
XHEPTY3	773	774	9	HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE
XHEPTY4	775	776	9	HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE
XHEPTY5	777	778	9	HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE
XHEPTY6	779	780	9	HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE
XHEPTY7	781	782	9	HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE
XHEPTY8	783	784	9	HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
XHEPTY9	785	785	9	HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE
XHIBTY1	786	787	9	HIB-CONTAINING VACCINATION #1 TYPE CODE
XHIBTY2	788	789	9	HIB-CONTAINING VACCINATION #2 TYPE CODE
XHIBTY3	790	791	9	HIB-CONTAINING VACCINATION #3 TYPE CODE
XHIBTY4	792	793	9	HIB-CONTAINING VACCINATION #4 TYPE CODE
XHIBTY5	794	795	9	HIB-CONTAINING VACCINATION #5 TYPE CODE
XHIBTY6	796	797	9	HIB-CONTAINING VACCINATION #6 TYPE CODE
XHIBTY7	798	799	9	HIB-CONTAINING VACCINATION #7 TYPE CODE
XHIBTY8	800	800	9	HIB-CONTAINING VACCINATION #8 TYPE CODE
XHIBTY9	801	801	9	HIB-CONTAINING VACCINATION #9 TYPE CODE
XMMRTY1	802	803	9	MEASLES-CONTAINING VACCINATION #1 TYPE CODE
XMMRTY2	804	805	9	MEASLES-CONTAINING VACCINATION #2 TYPE CODE
XMMRTY3	806	807	9	MEASLES-CONTAINING VACCINATION #3 TYPE CODE
XMMRTY4	808	808	9	MEASLES-CONTAINING VACCINATION #4 TYPE CODE
XMMRTY5	809	809	9	MEASLES-CONTAINING VACCINATION #5 TYPE CODE
XMMRTY6	810	810	9	MEASLES-CONTAINING VACCINATION #6 TYPE CODE
XMMRTY7	811	811	9	MEASLES-CONTAINING VACCINATION #7 TYPE CODE
XMMRTY8	812	812	9	MEASLES-CONTAINING VACCINATION #8 TYPE CODE
XMMRTY9	813	813	9	MEASLES-CONTAINING VACCINATION #9 TYPE CODE
XPCVTY1	814	815	9	PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE
XPCVTY2	816	817	9	PNEUMOCOCCAL-CONTAINING VACCINATION #2 TYPE CODE
XPCVTY3	818	819	9	PNEUMOCOCCAL-CONTAINING VACCINATION #3 TYPE CODE
XPCVTY4	820	821	9	PNEUMOCOCCAL-CONTAINING VACCINATION #4 TYPE CODE
XPCVTY5	822	823	9	PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE
XPCVTY6	824	825	9	PNEUMOCOCCAL-CONTAINING VACCINATION #6 TYPE CODE
XPCVTY7	826	827	9	PNEUMOCOCCAL-CONTAINING VACCINATION #7 TYPE CODE
XPCVTY8	828	829	9	PNEUMOCOCCAL-CONTAINING VACCINATION #8 TYPE CODE
XPCVTY9	830	830	9	PNEUMOCOCCAL-CONTAINING VACCINATION #9 TYPE CODE
XPOLTY1	831	832	9	POLIO-CONTAINING VACCINATION #1 TYPE CODE
XPOLTY2	833	834	9	POLIO-CONTAINING VACCINATION #2 TYPE CODE
XPOLTY3	835	836	9	POLIO-CONTAINING VACCINATION #3 TYPE CODE
XPOLTY4	837	838	9	POLIO-CONTAINING VACCINATION #4 TYPE CODE
XPOLTY5	839	840	9	POLIO-CONTAINING VACCINATION #5 TYPE CODE
XPOLTY6	841	842	9	POLIO-CONTAINING VACCINATION #6 TYPE CODE
XPOLTY7	843	843	9	POLIO-CONTAINING VACCINATION #7 TYPE CODE
XPOLTY8	844	844	9	POLIO-CONTAINING VACCINATION #8 TYPE CODE
XPOLTY9	845	845	9	POLIO-CONTAINING VACCINATION #9 TYPE CODE
XROTTY1	846	847	9	ROTAVIRUS-CONTAINING VACCINATION #1 TYPE CODE

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
XROTTY2	848	849	9	ROTAVIRUS-CONTAINING VACCINATION #2 TYPE CODE
XROTTY3	850	851	9	ROTAVIRUS-CONTAINING VACCINATION #3 TYPE CODE
XROTTY4	852	853	9	ROTAVIRUS-CONTAINING VACCINATION #4 TYPE CODE
XROTTY5	854	855	9	ROTAVIRUS-CONTAINING VACCINATION #5 TYPE CODE
XROTTY6	856	856	9	ROTAVIRUS-CONTAINING VACCINATION #6 TYPE CODE
XROTTY7	857	857	9	ROTAVIRUS-CONTAINING VACCINATION #7 TYPE CODE
XROTTY8	858	858	9	ROTAVIRUS-CONTAINING VACCINATION #8 TYPE CODE
XROTTY9	859	859	9	ROTAVIRUS-CONTAINING VACCINATION #9 TYPE CODE
XVRCTY1	860	861	9	VARICELLA-CONTAINING VACCINATION #1 TYPE CODE
XVRCTY2	862	863	9	VARICELLA-CONTAINING VACCINATION #2 TYPE CODE
XVRCTY3	864	865	9	VARICELLA-CONTAINING VACCINATION #3 TYPE CODE
XVRCTY4	866	866	9	VARICELLA-CONTAINING VACCINATION #4 TYPE CODE
XVRCTY5	867	867	9	VARICELLA-CONTAINING VACCINATION #5 TYPE CODE
XVRCTY6	868	868	9	VARICELLA-CONTAINING VACCINATION #6 TYPE CODE
XVRCTY7	869	869	9	VARICELLA-CONTAINING VACCINATION #7 TYPE CODE
XVRCTY8	870	870	9	VARICELLA-CONTAINING VACCINATION #8 TYPE CODE
XVRCTY9	871	871	9	VARICELLA-CONTAINING VACCINATION #9 TYPE CODE
YEAR	95	98	1	YEAR OF INTERVIEW