

# **National Immunization Survey -- Child**

**A Codebook for the  
2016 Public-Use Data File**

**Centers for Disease Control and Prevention**

**National Center for Immunization  
and Respiratory Diseases**

**and**

**National Center for Health Statistics**

**Presented by:  
NORC at the University of Chicago**

**October 2017**

## TABLE OF CONTENTS

<a href="#">Section Index of Variables</a> .....	1
<a href="#">Section 1: ID, Weight, and Flag Variables</a> .....	18
<a href="#">Section 2: Household-Reported Vaccination and Health Information</a> .....	22
<a href="#">Section 3: Demographic and Socio-Economic Variables</a> .....	23
<a href="#">Section 4: Geographic Variables</a> .....	39
<a href="#">Section 5: Number of Providers Identified and Consent Variables</a> .....	45
<a href="#">Section 6: Number of Responding Provider Variables</a> .....	46
<a href="#">Section 7: Characteristics of Provider Variables</a> .....	47
<a href="#">Section 8: Provider-Reported Up-to-Date Vaccination Variables</a> .....	49
<a href="#">Section 9: Provider-Reported Age-at-Vaccination Variables</a> .....	95
<a href="#">Section 10: Health Insurance Module Variables</a> .....	232
<a href="#">Alphabetic Index of Variables</a> .....	233

## NOTE:

The codebook presents unweighted frequencies (counts of children) for each categorical variable and summary statistics – mean, median, minimum, maximum, and standard deviation – for each continuous variable.

The codebook also includes unweighted frequencies for the reserve codes (missing, don't know, and refused) for each variable.

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
SEQNUMC	1	6	1	UNIQUE CHILD IDENTIFIER
SEQNUMHH	7	11	1	UNIQUE HOUSEHOLD IDENTIFIER
PDAT	12	12	1	CHILD HAS ADEQUATE PROVIDER DATA
PROVWT_D	13	32	1	FINAL DUAL-FRAME PROVIDER-PHASE WEIGHT (EXCLUDES TERRITORIES)
PROVWT_D_TERR	33	52	1	FINAL DUAL-FRAME PROVIDER-PHASE WEIGHT INCLUDING TERRITORIES
RDDWT_D	53	71	1	FINAL DUAL-FRAME RDD-PHASE WEIGHT (EXCLUDES TERRITORIES)
RDDWT_D_TERR	72	90	1	FINAL DUAL-FRAME RDD-PHASE WEIGHT INCLUDING TERRITORIES
STRATUM	91	94	1	STRATUM VARIABLE FOR DUAL-FRAME VARIANCE ESTIMATION
YEAR	95	98	1	YEAR OF INTERVIEW
AGECPOXR	99	99	2	AGE IN MONTHS AT CHICKEN POX DISEASE (RECODE)
HAD_CPOX	100	101	2	CHILD EVER HAD CHICKEN POX DISEASE?
AGEGRP	102	102	3	AGE CATEGORY OF CHILD (19-23, 24-29, 30-35 MO) (RECODE)
BF_ENDR06	103	110	3	DURATION OF BREASTFEEDING IN DAYS (RECODE)
BF_EXCLR06	111	118	3	DURATION OF EXCLUSIVE BREAST/FORMULA FEEDING IN DAYS (RECODE)
BF_FORMR08	119	126	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA (RECODE)
BFENDFL06	127	127	3	DURATION OF BREAST FEEDING EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
BFFORMFL06	128	128	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
C1R	129	129	3	NUMBER OF PEOPLE IN HOUSEHOLD (RECODE)
C5R	130	131	3	RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)
CBF_01	132	133	3	WAS CHILD EVER BREASTFED OR FED BREAST MILK?
CEN_REG	134	134	3	CENSUS REGION BASED ON TRUE STATE OF RESIDENCE
CHILDNM	135	135	3	NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)
CWIC_01	136	137	3	CHILD EVER RECEIVED WIC BENEFITS?
CWIC_02	138	139	3	CHILD CURRENTLY RECEIVING WIC BENEFITS?
EDUC1	140	140	3	EDUCATION OF MOTHER CATEGORIES (RECODE)
FRSTBRN	141	141	3	FIRST BORN STATUS OF CHILD
I_HISP_K	142	142	3	HISPANIC ORIGIN OF CHILD
INCPORAR	143	158	3	INCOME TO POVERTY RATIO (RECODE)
INCPORAR_I	159	174	3	INCOME TO POVERTY RATIO: IMPUTED (RECODE)

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
INCPOV1	175	175	3	POVERTY STATUS
INCQ298A	176	177	3	FAMILY INCOME CATEGORIES (RECODE)
LANGUAGE	178	178	3	LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED
M_AGEGRP2	179	179	3	AGE OF MOTHER CATEGORIES (RECODE)
MARITAL2	180	180	3	MARITAL STATUS OF MOTHER (RECODE)
MOBIL_I	181	181	3	GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE
NUM_PHONE	182	183	3	NUMBER OF RESIDENTIAL TELEPHONE NUMBERS IN HOUSEHOLD (EXCLUDING CELL PHONES)
NUM_CELLS_HH	184	185	3	NUMBER OF WORKING CELL PHONES HOUSEHOLD MEMBERS HAVE AVAILABLE FOR PERSONAL USE
NUM_CELLS_PARENTS	186	187	3	NUMBER OF WORKING CELL PHONES USUALLY USED BY PARENTS OR GUARDIANS
RACE_K	188	188	3	RACE OF CHILD (RECODE)
RACEETHK	189	189	3	RACE/ETHNICITY OF CHILD (RECODE)
RENT_OWN	190	191	3	IS HOME OWNED/BEING BOUGHT, RENTED, OR OCCUPIED BY SOME OTHER ARRANGEMENT?
SEX	192	192	3	SEX OF CHILD
ESTIAP16	193	195	4	ESTIMATION AREA OF RESIDENCE
EST_GRANT	196	197	4	AREA OF RESIDENCE ACCORDING TO THE 56 ORIGINAL CORE GRANTEE AREAS
STATE	198	199	4	TRUE STATE OF RESIDENCE (STATE FIPS CODE)
D6R	200	200	5	NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (RECODE)
D7	201	201	5	CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM PROVIDERS
N_PRVR	202	202	6	NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (RECODE)
PROV_FAC	203	203	7	PROVIDER FACILITY TYPES
REGISTRY	204	204	7	CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY
VFC_ORDER	205	205	7	DO CHILD'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT?
HEP_BRTH	206	206	8	HEPATITIS B-CONTAINING SHOT GIVEN AT BIRTH FLAG
HEP_FLAG	207	207	8	HEPATITIS B BIRTH SHOT DATE IMPUTATION FLAG
P_NUHEPX	208	208	8	NUMBER OF HEPATITIS B-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUHIBX	209	209	8	NUMBER OF HIB-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_NUHPHB	210	210	8	NUMBER OF HEPATITIS B/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDAH	211	211	8	NUMBER OF DTAP/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDHI	212	212	8	NUMBER OF DTAP/HEPB/IPV COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDIH	213	213	8	NUMBER OF DTAP/IPV/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMDTA	214	214	8	NUMBER OF DTAP-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDTP	215	215	8	NUMBER OF DT-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLU	216	216	8	NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUL	217	217	8	NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUM	218	218	8	NUMBER OF SEASONAL FLU SPRAY VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUN	219	219	8	NUMBER OF INJECTED SEASONAL FLU VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEA	220	220	8	NUMBER OF HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEN	221	221	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEP	222	222	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHG	223	223	8	NUMBER OF HIB-GLAXOSMITHKLINE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_NUMHHY	224	224	8	NUMBER OF HIB-MENCY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHIB	225	225	8	NUMBER OF HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHIN	226	226	8	NUMBER OF HIB-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHION	227	227	8	NUMBER OF HIB-ONLY SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHM	228	228	8	NUMBER OF HIB-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHS	229	229	8	NUMBER OF HIB-SANOFI SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMIPV	230	230	8	NUMBER OF IPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMCN	231	231	8	NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMR	232	232	8	NUMBER OF MEASLES-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMRX	233	233	8	NUMBER OF MMR-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMX	234	234	8	NUMBER OF MMR-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMP	235	235	8	NUMBER OF MUMPS-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMPR	236	236	8	NUMBER OF (MUMPS/RUBELLA)-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMRV	237	237	8	NUMBER OF MMR/VARICELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMS	238	238	8	NUMBER OF MEASLES-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_NUMMSM	239	239	8	NUMBER OF MEASLES/MUMPS COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMSR	240	240	8	NUMBER OF MEASLES/RUBELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMOLN	241	241	8	NUMBER OF POLIO SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMOPV	242	242	8	NUMBER OF OPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPCV	243	243	8	NUMBER OF PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCP	244	244	8	NUMBER OF PNEUMOCOCCAL POLYSACCHARIDE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCC	245	245	8	NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCC7	246	246	8	NUMBER OF PNEUMOCOCCAL CONJUGATE-7 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCC13	247	247	8	NUMBER OF PNEUMOCOCCAL CONJUGATE-13 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCCN	248	248	8	NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCN	249	249	8	NUMBER OF PNEUMOCOCCAL SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPOL	250	250	8	NUMBER OF POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMRB	251	251	8	NUMBER OF RUBELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMRG	252	252	8	NUMBER OF ROTARIX-GSK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_NUMRM	253	253	8	NUMBER OF ROTATEQ-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMRO	254	254	8	NUMBER OF ROTAVIRUS SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMROT	255	255	8	NUMBER OF ROTAVIRUS-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMTPN	256	256	8	NUMBER OF DT-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRC	257	257	8	NUMBER OF VARICELLA-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRN	258	258	8	NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRX	259	259	8	NUMBER OF VARICELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_U12VRC	260	260	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS OF AGE, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD331	261	261	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431	262	262	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHEP	263	263	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHEPA1	264	264	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHEPA2	265	265	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHIB	266	266	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_UTDHIB_ROUT_S	267	267	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE ROUTINE (NON-SHORTAGE) HIB RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHIB_SHORT_S	268	268	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE HIB SHORTAGE RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDMCV	269	269	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MEASLES-CONTAINING SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDMMX	270	270	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MMR COMBO SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPC3	271	271	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPCV	272	272	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPCVB13	273	273	8	UTD (UP-TO-DATE) INDICATOR FOR PROVIDER 1+ PNEUMOCOCCAL VACCINATIONS OF TYPE CONJUGATE-13, GIVEN 4+ DOSES OF TYPE CONJUGATE-7, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPOL	274	274	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDROT_S	275	275	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ ROTAVIRUS DOSES BY 36 MONTHS OF AGE, BASED ON A STRICT TREATMENT OF ROTAVIRUS VACCINATIONS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDTP3	276	276	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDTP4	277	277	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU431331	278	278	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_UTD431H31_ROUT_S	279	279	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU431_31	280	280	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1::3:1 (4:3:1:3:3:1 EXCLUDING HIB; INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU4313313	281	281	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H313_ROUT_S	282	282	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU4313314	283	283	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H314_ROUT_S	284	284	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU431_314	285	285	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1::3:1:4 (4:3:1:3:3:1:4 EXCLUDING HIB; INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PUT43133	286	286	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H3_ROUT_S	287	287	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PUTD4313	288	288	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H_ROUT_S	289	289	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
U1D_HEP	290	290	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 1 FLAG
U2D_HEP	291	291	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 2 FLAG

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
U3D_HEP	292	292	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 3 FLAG
DDTP1	293	296	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #1
DDTP2	297	300	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #2
DDTP3	301	304	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #3
DDTP4	305	308	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #4
DDTP5	309	312	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #5
DDTP6	313	316	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #6
DDTP7	317	317	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #7
DDTP8	318	318	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #8
DDTP9	319	319	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #9
DFLU1	320	323	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1
DFLU2	324	327	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2
DFLU3	328	331	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3
DFLU4	332	335	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4
DFLU5	336	339	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5
DFLU6	340	343	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6
DFLU7	344	346	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7
DFLU8	347	347	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8
DFLU9	348	348	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9
DHEPA1	349	352	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
DHEPA2	353	356	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
DHEPA3	357	360	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
DHEPA4	361	363	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
DHEPA5	364	364	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
DHEPA6	365	365	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
DHEPA7	366	366	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7
DHEPA8	367	367	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
DHEPA9	368	368	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
DHEPB1	369	372	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
DHEPB2	373	376	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
DHEPB3	377	380	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
DHEPB4	381	384	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
DHEPB5	385	388	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
DHEPB6	389	391	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
DHEPB7	392	394	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
DHEPB8	395	395	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8
DHEPB9	396	396	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
DHIB1	397	400	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #1
DHIB2	401	404	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #2
DHIB3	405	408	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #3
DHIB4	409	412	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #4
DHIB5	413	416	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #5
DHIB6	417	419	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #6
DHIB7	420	422	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #7
DHIB8	423	423	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #8
DHIB9	424	424	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #9
DMMR1	425	428	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
DMMR2	429	432	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
DMMR3	433	435	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #3
DMMR4	436	436	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
DMMR5	437	437	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
DMMR6	438	438	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #6
DMMR7	439	439	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
DMMR8	440	440	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
DMMR9	441	441	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
DMP1	442	442	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #1
DMP2	443	443	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #2
DMP3	444	444	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #3
DMP4	445	445	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #4
DMP5	446	446	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #5
DMP6	447	447	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #6
DMP7	448	448	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #7
DMP8	449	449	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #8
DMP9	450	450	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #9
DMPRB1	451	451	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
DMPRB2	452	452	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
DMPRB3	453	453	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
DMPRB4	454	454	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
DMPRB5	455	455	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
DMPRB6	456	456	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6
DMPRB7	457	457	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
DMPRB8	458	458	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
DMPRB9	459	459	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9
DPCV1	460	463	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
DPCV2	464	467	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
DPCV3	468	471	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
DPCV4	472	475	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
DPCV5	476	479	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
DPCV6	480	482	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
DPCV7	483	485	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
DPCV8	486	486	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
DPCV9	487	487	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
DPOLIO1	488	491	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #1
DPOLIO2	492	495	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #2
DPOLIO3	496	499	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #3
DPOLIO4	500	503	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #4
DPOLIO5	504	507	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #5
DPOLIO6	508	511	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #6
DPOLIO7	512	512	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #7
DPOLIO8	513	513	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #8
DPOLIO9	514	514	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #9
DRB1	515	515	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #1
DRB2	516	516	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #2
DRB3	517	517	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #3
DRB4	518	518	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #4
DRB5	519	519	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #5
DRB6	520	520	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #6
DRB7	521	521	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #7
DRB8	522	522	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #8
DRB9	523	523	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #9
DROT1	524	526	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
DROT2	527	529	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
DROT3	530	532	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
DROT4	533	535	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
DROT5	536	538	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
DROT6	539	539	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
DROT7	540	540	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
DROT8	541	541	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
DROT9	542	542	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
DVRC1	543	546	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
DVRC2	547	550	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
DVRC3	551	553	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
DVRC4	554	554	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
DVRC5	555	555	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5
DVRC6	556	556	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
DVRC7	557	557	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
DVRC8	558	558	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
DVRC9	559	559	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
DTP1_AGE	560	561	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #1
DTP2_AGE	562	563	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #2
DTP3_AGE	564	565	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #3
DTP4_AGE	566	567	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #4
DTP5_AGE	568	569	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #5
DTP6_AGE	570	571	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #6
DTP7_AGE	572	572	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #7
DTP8_AGE	573	573	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #8
DTP9_AGE	574	574	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #9
FLU1_AGE	575	576	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1
FLU2_AGE	577	578	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2
FLU3_AGE	579	580	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3
FLU4_AGE	581	582	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4
FLU5_AGE	583	584	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5
FLU6_AGE	585	586	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6
FLU7_AGE	587	588	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7
FLU8_AGE	589	589	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8
FLU9_AGE	590	590	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9
HEA1_AGE	591	592	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
HEA2_AGE	593	594	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
HEA3_AGE	595	596	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
HEA4_AGE	597	598	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
HEA5_AGE	599	599	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
HEA6_AGE	600	600	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
HEA7_AGE	601	601	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7
HEA8_AGE	602	602	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
HEA9_AGE	603	603	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
HEP1_AGE	604	605	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
HEP2_AGE	606	607	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
HEP3_AGE	608	609	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
HEP4_AGE	610	611	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
HEP5_AGE	612	613	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
HEP6_AGE	614	615	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
HEP7_AGE	616	617	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
HEP8_AGE	618	618	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8
HEP9_AGE	619	619	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
HIB1_AGE	620	621	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #1
HIB2_AGE	622	623	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #2
HIB3_AGE	624	625	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #3
HIB4_AGE	626	627	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #4
HIB5_AGE	628	629	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #5
HIB6_AGE	630	631	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #6
HIB7_AGE	632	633	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #7
HIB8_AGE	634	634	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #8
HIB9_AGE	635	635	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #9
MMR1_AGE	636	637	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
MMR2_AGE	638	639	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
MMR3_AGE	640	641	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #3
MMR4_AGE	642	642	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
MMR5_AGE	643	643	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
MMR6_AGE	644	644	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #6
MMR7_AGE	645	645	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
MMR8_AGE	646	646	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
MMR9_AGE	647	647	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
MP1_AGE	648	648	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #1
MP2_AGE	649	649	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #2
MP3_AGE	650	650	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #3
MP4_AGE	651	651	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #4
MP5_AGE	652	652	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #5
MP6_AGE	653	653	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #6
MP7_AGE	654	654	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #7

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
MP8_AGE	655	655	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #8
MP9_AGE	656	656	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #9
MPR1_AGE	657	657	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
MPR2_AGE	658	658	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
MPR3_AGE	659	659	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
MPR4_AGE	660	660	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
MPR5_AGE	661	661	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
MPR6_AGE	662	662	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6
MPR7_AGE	663	663	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
MPR8_AGE	664	664	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
MPR9_AGE	665	665	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9
PCV1_AGE	666	667	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
PCV2_AGE	668	669	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
PCV3_AGE	670	671	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
PCV4_AGE	672	673	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
PCV5_AGE	674	675	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
PCV6_AGE	676	677	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
PCV7_AGE	678	679	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
PCV8_AGE	680	680	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
PCV9_AGE	681	681	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
POL1_AGE	682	683	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #1
POL2_AGE	684	685	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #2
POL3_AGE	686	687	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #3
POL4_AGE	688	689	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #4
POL5_AGE	690	691	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #5
POL6_AGE	692	693	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #6
POL7_AGE	694	694	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #7
POL8_AGE	695	695	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #8
POL9_AGE	696	696	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #9
RB1_AGE	697	697	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #1
RB2_AGE	698	698	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #2
RB3_AGE	699	699	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #3
RB4_AGE	700	700	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #4
RB5_AGE	701	701	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #5
RB6_AGE	702	702	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #6
RB7_AGE	703	703	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #7
RB8_AGE	704	704	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #8

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
RB9_AGE	705	705	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #9
ROT1_AGE	706	707	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
ROT2_AGE	708	709	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
ROT3_AGE	710	711	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
ROT4_AGE	712	713	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
ROT5_AGE	714	715	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
ROT6_AGE	716	716	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
ROT7_AGE	717	717	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
ROT8_AGE	718	718	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
ROT9_AGE	719	719	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
VRC1_AGE	720	721	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
VRC2_AGE	722	723	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
VRC3_AGE	724	725	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
VRC4_AGE	726	726	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
VRC5_AGE	727	727	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5
VRC6_AGE	728	728	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
VRC7_AGE	729	729	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
VRC8_AGE	730	730	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
VRC9_AGE	731	731	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
XDTPTY1	732	733	9	DT-CONTAINING VACCINATION #1 TYPE CODE
XDTPTY2	734	735	9	DT-CONTAINING VACCINATION #2 TYPE CODE
XDTPTY3	736	737	9	DT-CONTAINING VACCINATION #3 TYPE CODE
XDTPTY4	738	739	9	DT-CONTAINING VACCINATION #4 TYPE CODE
XDTPTY5	740	741	9	DT-CONTAINING VACCINATION #5 TYPE CODE
XDTPTY6	742	743	9	DT-CONTAINING VACCINATION #6 TYPE CODE
XDTPTY7	744	744	9	DT-CONTAINING VACCINATION #7 TYPE CODE
XDTPTY8	745	745	9	DT-CONTAINING VACCINATION #8 TYPE CODE
XDTPTY9	746	746	9	DT-CONTAINING VACCINATION #9 TYPE CODE
XFLUTY1	747	748	9	SEASONAL FLU-CONTAINING VACCINATION #1 TYPE CODE
XFLUTY2	749	750	9	SEASONAL FLU-CONTAINING VACCINATION #2 TYPE CODE
XFLUTY3	751	752	9	SEASONAL FLU-CONTAINING VACCINATION #3 TYPE CODE
XFLUTY4	753	754	9	SEASONAL FLU-CONTAINING VACCINATION #4 TYPE CODE
XFLUTY5	755	756	9	SEASONAL FLU-CONTAINING VACCINATION #5 TYPE CODE
XFLUTY6	757	758	9	SEASONAL FLU-CONTAINING VACCINATION #6 TYPE CODE
XFLUTY7	759	760	9	SEASONAL FLU-CONTAINING VACCINATION #7 TYPE CODE
XFLUTY8	761	761	9	SEASONAL FLU-CONTAINING VACCINATION #8 TYPE CODE
XFLUTY9	762	762	9	SEASONAL FLU-CONTAINING VACCINATION #9 TYPE CODE

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
XHEPTY1	763	764	9	HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE
XHEPTY2	765	766	9	HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE
XHEPTY3	767	768	9	HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE
XHEPTY4	769	770	9	HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE
XHEPTY5	771	772	9	HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE
XHEPTY6	773	774	9	HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE
XHEPTY7	775	776	9	HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE
XHEPTY8	777	777	9	HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE
XHEPTY9	778	778	9	HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE
XHIBTY1	779	780	9	HIB-CONTAINING VACCINATION #1 TYPE CODE
XHIBTY2	781	782	9	HIB-CONTAINING VACCINATION #2 TYPE CODE
XHIBTY3	783	784	9	HIB-CONTAINING VACCINATION #3 TYPE CODE
XHIBTY4	785	786	9	HIB-CONTAINING VACCINATION #4 TYPE CODE
XHIBTY5	787	788	9	HIB-CONTAINING VACCINATION #5 TYPE CODE
XHIBTY6	789	790	9	HIB-CONTAINING VACCINATION #6 TYPE CODE
XHIBTY7	791	792	9	HIB-CONTAINING VACCINATION #7 TYPE CODE
XHIBTY8	793	793	9	HIB-CONTAINING VACCINATION #8 TYPE CODE
XHIBTY9	794	794	9	HIB-CONTAINING VACCINATION #9 TYPE CODE
XMMRTY1	795	796	9	MEASLES-CONTAINING VACCINATION #1 TYPE CODE
XMMRTY2	797	798	9	MEASLES-CONTAINING VACCINATION #2 TYPE CODE
XMMRTY3	799	800	9	MEASLES-CONTAINING VACCINATION #3 TYPE CODE
XMMRTY4	801	801	9	MEASLES-CONTAINING VACCINATION #4 TYPE CODE
XMMRTY5	802	802	9	MEASLES-CONTAINING VACCINATION #5 TYPE CODE
XMMRTY6	803	803	9	MEASLES-CONTAINING VACCINATION #6 TYPE CODE
XMMRTY7	804	804	9	MEASLES-CONTAINING VACCINATION #7 TYPE CODE
XMMRTY8	805	805	9	MEASLES-CONTAINING VACCINATION #8 TYPE CODE
XMMRTY9	806	806	9	MEASLES-CONTAINING VACCINATION #9 TYPE CODE
XPCVTY1	807	808	9	PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE
XPCVTY2	809	810	9	PNEUMOCOCCAL-CONTAINING VACCINATION #2 TYPE CODE
XPCVTY3	811	812	9	PNEUMOCOCCAL-CONTAINING VACCINATION #3 TYPE CODE
XPCVTY4	813	814	9	PNEUMOCOCCAL-CONTAINING VACCINATION #4 TYPE CODE
XPCVTY5	815	816	9	PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE
XPCVTY6	817	818	9	PNEUMOCOCCAL-CONTAINING VACCINATION #6 TYPE CODE
XPCVTY7	819	820	9	PNEUMOCOCCAL-CONTAINING VACCINATION #7 TYPE CODE
XPCVTY8	821	821	9	PNEUMOCOCCAL-CONTAINING VACCINATION #8 TYPE CODE
XPCVTY9	822	822	9	PNEUMOCOCCAL-CONTAINING VACCINATION #9 TYPE CODE
XPOLTY1	823	824	9	POLIO-CONTAINING VACCINATION #1 TYPE CODE

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
XPOLTY2	825	826	9	POLIO-CONTAINING VACCINATION #2 TYPE CODE
XPOLTY3	827	828	9	POLIO-CONTAINING VACCINATION #3 TYPE CODE
XPOLTY4	829	830	9	POLIO-CONTAINING VACCINATION #4 TYPE CODE
XPOLTY5	831	832	9	POLIO-CONTAINING VACCINATION #5 TYPE CODE
XPOLTY6	833	834	9	POLIO-CONTAINING VACCINATION #6 TYPE CODE
XPOLTY7	835	835	9	POLIO-CONTAINING VACCINATION #7 TYPE CODE
XPOLTY8	836	836	9	POLIO-CONTAINING VACCINATION #8 TYPE CODE
XPOLTY9	837	837	9	POLIO-CONTAINING VACCINATION #9 TYPE CODE
XROTTY1	838	839	9	ROTAVIRUS-CONTAINING VACCINATION #1 TYPE CODE
XROTTY2	840	841	9	ROTAVIRUS-CONTAINING VACCINATION #2 TYPE CODE
XROTTY3	842	843	9	ROTAVIRUS-CONTAINING VACCINATION #3 TYPE CODE
XROTTY4	844	845	9	ROTAVIRUS-CONTAINING VACCINATION #4 TYPE CODE
XROTTY5	846	847	9	ROTAVIRUS-CONTAINING VACCINATION #5 TYPE CODE
XROTTY6	848	848	9	ROTAVIRUS-CONTAINING VACCINATION #6 TYPE CODE
XROTTY7	849	849	9	ROTAVIRUS-CONTAINING VACCINATION #7 TYPE CODE
XROTTY8	850	850	9	ROTAVIRUS-CONTAINING VACCINATION #8 TYPE CODE
XROTTY9	851	851	9	ROTAVIRUS-CONTAINING VACCINATION #9 TYPE CODE
XVRCTY1	852	853	9	VARICELLA-CONTAINING VACCINATION #1 TYPE CODE
XVRCTY2	854	855	9	VARICELLA-CONTAINING VACCINATION #2 TYPE CODE
XVRCTY3	856	857	9	VARICELLA-CONTAINING VACCINATION #3 TYPE CODE
XVRCTY4	858	858	9	VARICELLA-CONTAINING VACCINATION #4 TYPE CODE
XVRCTY5	859	859	9	VARICELLA-CONTAINING VACCINATION #5 TYPE CODE
XVRCTY6	860	860	9	VARICELLA-CONTAINING VACCINATION #6 TYPE CODE
XVRCTY7	861	861	9	VARICELLA-CONTAINING VACCINATION #7 TYPE CODE
XVRCTY8	862	862	9	VARICELLA-CONTAINING VACCINATION #8 TYPE CODE
XVRCTY9	863	863	9	VARICELLA-CONTAINING VACCINATION #9 TYPE CODE
INS_STAT_I	864	864	10	INSURANCE STATUS: IMPUTED
INS_BREAK_I	865	865	10	CONTINUITY OF INSURANCE COVERAGE SINCE BIRTH: IMPUTED

## SECTION 1: ID, WEIGHT AND FLAG VARIABLES

Variable: SEQNUMC Type: Character Position: 1-6

Label: UNIQUE CHILD IDENTIFIER

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		28296	100.0%	100.0%	15284	100.0%	100.0%
RESERVED CODES:							
TOTALS:		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: SEQNUMHH Type: Character Position: 7-11

Label: UNIQUE HOUSEHOLD IDENTIFIER

Notes: Each household contains one or more children age 19 - 35 months.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		28296	100.0%	100.0%	15284	100.0%	100.0%
RESERVED CODES:							
TOTALS:		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: PDAT Type: Numeric Position: 12-12

Label: CHILD HAS ADEQUATE PROVIDER DATA

Notes: Use PDAT = 1 to identify children with adequate provider data (includes unvaccinated children).

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
CHILD HAS ADEQUATE PROVIDER DATA OR ZERO VACCINATIONS	1	15284	54.0%	54.0%	15284	100.0%	100.0%
CHILD DOES NOT HAVE ADEQUATE PROVIDER DATA	2	13012	46.0%	46.0%	0	0.0%	0.0%
SUBTOTALS:		28296	100.0%	100.0%	15284	100.0%	100.0%
RESERVED CODES:							
TOTALS:		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 1: ID, WEIGHT AND FLAG VARIABLES

Variable: PROVWT\_D Type: Numeric Position: 13-32

Label: FINAL DUAL-FRAME PROVIDER-PHASE WEIGHT (EXCLUDES TERRITORIES)

Notes: Final child weight to use for the dual-frame calculation of vaccination coverage rates for children with adequate provider data (PDAT = 1). Missing for territories.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14988	53.0%	100.0%	14988	98.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13308	47.0%	n/a	296	1.9%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: PROVWT\_D Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	383.7	208.8	2.4	10017.9	663.8
Adequate Provider Data	383.7	208.8	2.4	10017.9	663.8

Variable: PROVWT\_D\_TERR Type: Numeric Position: 33-52

Label: FINAL DUAL-FRAME PROVIDER-PHASE WEIGHT INCLUDING TERRITORIES

Notes: Final child weight to use for the dual-frame calculation of vaccination coverage rates for all children with adequate provider data (PDAT = 1), including territories.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: PROVWT\_D\_TERR Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	379.2	205.1	2.4	10017.9	658.3
Adequate Provider Data	379.2	205.1	2.4	10017.9	658.3

## SECTION 1: ID, WEIGHT AND FLAG VARIABLES

Variable: RDDWT\_D Type: Numeric Position: 53-71

Label: FINAL DUAL-FRAME RDD-PHASE WEIGHT (EXCLUDES TERRITORIES)

Notes: Final dual-frame household interview weight for child. Use this weight for estimates based on children with completed household interviews. Missing for territories.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		27455	97.0%	100.0%	14988	98.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	841	3.0%	n/a	296	1.9%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: RDDWT\_D Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	209.4	123.9	1.1	5356.4	334.6
Adequate Provider Data	205.0	122.2	2.1	5330.9	317.6

Variable: RDDWT\_D\_TERR Type: Numeric Position: 72-90

Label: FINAL DUAL-FRAME RDD-PHASE WEIGHT INCLUDING TERRITORIES

Notes: Final dual-frame household interview weight for child. Use this weight for estimates based on all children with completed household interviews, including territories.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		28296	100.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: RDDWT\_D\_TERR Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	204.9	119.3	1.0	5356.4	330.7
Adequate Provider Data	202.1	119.4	1.0	5330.9	315.2

## SECTION 1: ID, WEIGHT AND FLAG VARIABLES

Variable: STRATUM Type: Numeric Position: 91-94

Label: STRATUM VARIABLE FOR DUAL-FRAME VARIANCE ESTIMATION

Notes: Use STRATUM as the stratum variable for variance estimation when calculating dual-frame estimates.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		28296	100.0%	100.0%	15284	100.0%	100.0%
RESERVED CODES:							
TOTALS:		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: YEAR Type: Numeric Position: 95-98

Label: YEAR OF INTERVIEW

Notes: Sampling year.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
2016	2016	28296	100.0%	100.0%	15284	100.0%	100.0%
SUBTOTALS:		28296	100.0%	100.0%	15284	100.0%	100.0%
RESERVED CODES:							
TOTALS:		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 2: HOUSEHOLD VACCINATION VARIABLES

Variable: AGECP0XR Type: Numeric Position: 99-99

Label: AGE IN MONTHS AT CHICKEN POX DISEASE (RECODE)

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0 TO 6 MONTHS OLD	1	108	0.4%	27.7%	46	0.3%	25.8%
7 TO 12 MONTHS OLD	2	114	0.4%	29.2%	48	0.3%	27.0%
13 TO 18 MONTHS OLD	3	93	0.3%	23.8%	45	0.3%	25.3%
19+ MONTHS OLD	4	75	0.3%	19.2%	39	0.3%	21.9%
<b>SUBTOTALS:</b>		390	1.4%	100.0%	178	1.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27906	98.6%	n/a	15106	98.8%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: HAD\_CPOX Type: Numeric Position: 100-101

Label: CHILD EVER HAD CHICKEN POX DISEASE?

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	411	1.5%	1.5%	184	1.2%	1.2%
NO	2	27757	98.1%	98.5%	15030	98.3%	98.8%
<b>SUBTOTALS:</b>		28168	99.5%	100.0%	15214	99.5%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	123	0.4%	n/a	70	0.5%	n/a
REFUSED	99	5	0.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: AGEGRP Type: Numeric Position: 102-102

Label: AGE CATEGORY OF CHILD (19-23, 24-29, 30-35 MO) (RECODE)

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
19 - 23 MONTHS	1	7618	26.9%	26.9%	4143	27.1%	27.1%
24 - 29 MONTHS	2	8778	31.0%	31.0%	4811	31.5%	31.5%
30 - 35 MONTHS	3	11900	42.1%	42.1%	6330	41.4%	41.4%
<b>SUBTOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: BF\_ENDR06 Type: Numeric Position: 103-110

Label: DURATION OF BREASTFEEDING IN DAYS (RECODE)

Notes: See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		22302	78.8%	100.0%	12264	80.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	5994	21.2%	n/a	3020	19.8%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: BF\_ENDR06 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	281.2	273.9	1.0	730.5	193.0
Adequate Provider Data	282.8	273.9	1.0	730.5	195.2

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

**Variable: BF\_EXCLR06 Type: Numeric Position: 111-118**

**Label: DURATION OF EXCLUSIVE BREAST/FORMULA FEEDING IN DAYS (RECODE)**

**Notes: See User's Guide for more information.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		22942	81.1%	100.0%	12655	82.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	5354	18.9%	n/a	2629	17.2%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: BF\_EXCLR06 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	170.9	182.6	0.0	273.9	66.9
Adequate Provider Data	169.4	182.6	0.0	273.9	64.4

**Variable: BF\_FORMR08 Type: Numeric Position: 119-126**

**Label: AGE IN DAYS WHEN CHILD FIRST FED FORMULA (RECODE)**

**Notes: BF\_FORMR08 replaces BF\_FORMR06 and includes a code of 888 for children never fed formula. See User's Guide for more information.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14959	52.9%	100.0%	8118	53.1%	100.0%
<b>RESERVED CODES:</b>							
NEVER FED FORMULA	888	6076	21.5%	n/a	3428	22.4%	n/a
MISSING	.	7261	25.7%	n/a	3738	24.5%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: BF\_FORMR08 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	130.5	91.3	1.0	730.5	121.2
Adequate Provider Data	121.9	91.3	1.0	730.5	115.3

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: **BFENDFL06** Type: Numeric Position: 127-127Label: **DURATION OF BREAST FEEDING EXCEEDS CHILD AGE IN DAYS, WITH BUFFER**

Notes: See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	4	0.0%	100.0%	2	0.0%	100.0%
<b>SUBTOTALS:</b>		4	0.0%	100.0%	2	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28292	100.0%	n/a	15282	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: **BFFORMFL06** Type: Numeric Position: 128-128Label: **AGE IN DAYS WHEN CHILD FIRST FED FORMULA EXCEEDS CHILD AGE IN DAYS, WITH BUFFER**

Notes: See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

Variable: **C1R** Type: Numeric Position: 129-129Label: **NUMBER OF PEOPLE IN HOUSEHOLD (RECODE)**

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
2	2	731	2.6%	2.6%	408	2.7%	2.7%
3	3	6536	23.1%	23.1%	3497	22.9%	22.9%
4	4	10065	35.6%	35.6%	5624	36.8%	36.8%
5	5	5678	20.1%	20.1%	3042	19.9%	19.9%
6	6	2845	10.1%	10.1%	1486	9.7%	9.7%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: C1R Type: Numeric Position: 129-129

Label: NUMBER OF PEOPLE IN HOUSEHOLD (RECODE)

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
7	7	1212	4.3%	4.3%	643	4.2%	4.2%
8+	8	1229	4.3%	4.3%	584	3.8%	3.8%
<b>SUBTOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: C5R Type: Numeric Position: 130-131

Label: RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MOTHER (STEP, FOSTER, ADOPTIVE) OR FEMALE GUARDIAN	1	17820	63.0%	63.0%	10695	70.0%	70.0%
FATHER (STEP, FOSTER, ADOPTIVE) OR MALE GUARDIAN	2	8496	30.0%	30.0%	3947	25.8%	25.8%
GRANDPARENT	3	1454	5.1%	5.1%	532	3.5%	3.5%
OTHER FAMILY MEMBER/FRIEND	4	509	1.8%	1.8%	106	0.7%	0.7%
<b>SUBTOTALS:</b>		28279	99.9%	100.0%	15280	100.0%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	6	0.0%	n/a	2	0.0%	n/a
REFUSED	99	11	0.0%	n/a	2	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: CBF\_01 Type: Numeric Position: 132-133

Label: WAS CHILD EVER BREASTFED OR FED BREAST MILK?

Notes: See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	23880	84.4%	84.8%	13088	85.6%	85.9%
NO	2	4288	15.2%	15.2%	2141	14.0%	14.1%
<b>SUBTOTALS:</b>		28168	99.5%	100.0%	15229	99.6%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	122	0.4%	n/a	51	0.3%	n/a
REFUSED	99	6	0.0%	n/a	4	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: CEN\_REG Type: Numeric Position: 134-134

Label: CENSUS REGION BASED ON TRUE STATE OF RESIDENCE

Notes: Missing for territories.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NORTHEAST	1	5488	19.4%	20.0%	2984	19.5%	19.9%
MIDWEST	2	5521	19.5%	20.1%	3090	20.2%	20.6%
SOUTH	3	10466	37.0%	38.1%	5564	36.4%	37.1%
WEST	4	5980	21.1%	21.8%	3350	21.9%	22.4%
<b>SUBTOTALS:</b>		27455	97.0%	100.0%	14988	98.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	841	3.0%	n/a	296	1.9%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: **CHILDNM** Type: **Numeric** Position: **135-135**Label: **NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)**

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ONE	1	8053	28.5%	28.5%	4235	27.7%	27.7%
TWO OR THREE	2	16545	58.5%	58.5%	9159	59.9%	59.9%
FOUR OR MORE	3	3698	13.1%	13.1%	1890	12.4%	12.4%
<b>SUBTOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: **CWIC\_01** Type: **Numeric** Position: **136-137**Label: **CHILD EVER RECEIVED WIC BENEFITS?**

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	12084	42.7%	43.0%	6687	43.8%	43.9%
NO	2	15959	56.4%	56.8%	8525	55.8%	56.0%
NEVER HEARD OF WIC	3	74	0.3%	0.3%	20	0.1%	0.1%
<b>SUBTOTALS:</b>		28117	99.4%	100.0%	15232	99.7%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	165	0.6%	n/a	49	0.3%	n/a
REFUSED	99	14	0.0%	n/a	3	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: CWIC\_02 Type: Numeric Position: 138-139

Label: CHILD CURRENTLY RECEIVING WIC BENEFITS?

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	6943	24.5%	57.8%	3968	26.0%	59.6%
NO	2	5071	17.9%	42.2%	2695	17.6%	40.4%
<b>SUBTOTALS:</b>		12014	42.5%	100.0%	6663	43.6%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	70	0.2%	n/a	24	0.2%	n/a
MISSING	.	16212	57.3%	n/a	8597	56.2%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: EDUC1 Type: Numeric Position: 140-140

Label: EDUCATION OF MOTHER CATEGORIES (RECODE)

Notes: Variable contains some imputed values.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
< 12 YEARS	1	2612	9.2%	9.2%	1491	9.8%	9.8%
12 YEARS	2	5016	17.7%	17.7%	2654	17.4%	17.4%
> 12 YEARS, NON-COLLEGE GRAD	3	7367	26.0%	26.0%	3865	25.3%	25.3%
COLLEGE GRAD	4	13301	47.0%	47.0%	7274	47.6%	47.6%
<b>SUBTOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: FRSTBRN Type: Numeric Position: 141-141

Label: FIRST BORN STATUS OF CHILD

Notes: Variable contains some imputed values.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NO	1	16570	58.6%	58.6%	9047	59.2%	59.2%
YES	2	11726	41.4%	41.4%	6237	40.8%	40.8%
<b>SUBTOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: I\_HISP\_K Type: Numeric Position: 142-142

Label: HISPANIC ORIGIN OF CHILD

Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
HISPANIC	1	5976	21.1%	21.1%	3018	19.7%	19.7%
NON-HISPANIC	2	22320	78.9%	78.9%	12266	80.3%	80.3%
<b>SUBTOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: INCPORAR Type: Numeric Position: 143-158

Label: INCOME TO POVERTY RATIO (RECODE)

Notes: Determined from family income, number of persons in the household, number of children in the household, and the 2015 Census poverty thresholds. If any of the first three variables are missing then INCPORAR will be missing.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		25751	91.0%	100.0%	14361	94.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	2545	9.0%	n/a	923	6.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

**Variable: INCPORAR** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	2.1	2.5	0.5	3.0	1.0
Adequate Provider Data	2.1	2.5	0.5	3.0	1.0

**Variable: INCPORAR\_I** Type: Numeric Position: 159-174**Label: INCOME TO POVERTY RATIO: IMPUTED (RECODE)**

**Notes: Determined from family income, number of persons in the household, number of children in the household, and the 2015 Census poverty thresholds. If any of the first three variables are missing then INCPORAR will be missing.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		28296	100.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: INCPORAR\_I** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	2.1	2.5	0.5	3.0	1.0
Adequate Provider Data	2.0	2.4	0.5	3.0	1.0

**Variable: INCPOV1** Type: Numeric Position: 175-175**Label: POVERTY STATUS****Notes: Based on 2015 Census poverty thresholds.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ABOVE POVERTY, > \$75K	1	10867	38.4%	40.9%	6098	39.9%	41.5%
ABOVE POVERTY, <= \$75K	2	9582	33.9%	36.0%	5044	33.0%	34.3%
BELOW POVERTY	3	6150	21.7%	23.1%	3544	23.2%	24.1%
<b>SUBTOTALS:</b>		26599	94.0%	100.0%	14686	96.1%	100.0%
<b>RESERVED CODES:</b>							
UNKNOWN	4	1697	6.0%	n/a	598	3.9%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: INCQ298A Type: Numeric Position: 176-177

Label: FAMILY INCOME CATEGORIES (RECODE)

Notes: Family income in 2015.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
\$0 - \$7500	3	1172	4.1%	4.6%	677	4.4%	4.7%
\$7501 - \$10000	4	942	3.3%	3.7%	545	3.6%	3.8%
\$10001 - \$17500	5	1455	5.1%	5.7%	861	5.6%	6.0%
\$17501 - \$20000	6	1140	4.0%	4.4%	667	4.4%	4.6%
\$20001 - \$25000	7	1157	4.1%	4.5%	686	4.5%	4.8%
\$25001 - \$30000	8	1277	4.5%	5.0%	692	4.5%	4.8%
\$30001 - \$35000	9	920	3.3%	3.6%	507	3.3%	3.5%
\$35001 - \$40000	10	1162	4.1%	4.5%	616	4.0%	4.3%
\$40001 - \$50000	11	1843	6.5%	7.2%	1016	6.6%	7.1%
\$50001 - \$60000	12	1655	5.8%	6.4%	860	5.6%	6.0%
\$60001 - \$75000	13	2161	7.6%	8.4%	1136	7.4%	7.9%
\$75001+	14	10867	38.4%	42.2%	6098	39.9%	42.5%
<b>SUBTOTALS:</b>		25751	91.0%	100.0%	14361	94.0%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	1322	4.7%	n/a	615	4.0%	n/a
REFUSED	99	1223	4.3%	n/a	308	2.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: LANGUAGE Type: Numeric Position: 178-178

Label: LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED

Notes: Interviews conducted in other languages were administered using the AT&T language line. This variable was constructed from call outcome codes. While these outcome codes are considered accurate, there is no independent check to determine the language in which the interview was actually conducted.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ENGLISH	1	26316	93.0%	93.0%	14146	92.6%	92.6%
SPANISH	2	1389	4.9%	4.9%	769	5.0%	5.0%
OTHER	3	591	2.1%	2.1%	369	2.4%	2.4%
<b>SUBTOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: LANGUAGE Type: Numeric Position: 178-178

Label: LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED

Notes: Interviews conducted in other languages were administered using the AT&T language line. This variable was constructed from call outcome codes. While these outcome codes are considered accurate, there is no independent check to determine the language in which the interview was actually conducted.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: M\_AGEGRP2 Type: Numeric Position: 179-179

Label: AGE OF MOTHER CATEGORIES (RECODE)

Notes: Variable contains some imputed values.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<= 29 YEARS	1	9748	34.5%	34.5%	5149	33.7%	33.7%
>= 30 YEARS	2	18548	65.5%	65.5%	10135	66.3%	66.3%
<b>SUBTOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED</b>							
<b>CODES: TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: MARITAL2 Type: Numeric Position: 180-180

Label: MARITAL STATUS OF MOTHER (RECODE)

Notes: Variable contains some imputed values.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MARRIED	1	19985	70.6%	70.6%	10982	71.9%	71.9%
NEVER MARRIED/WIDOWED/ DIVORCED/SEPARATED/ DECEASED/LIVING WITH PARTNER	2	8311	29.4%	29.4%	4302	28.1%	28.1%
<b>SUBTOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: MOBIL\_I Type: Numeric Position: 181-181

Label: GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS  
CURRENT STATE

Notes: Variable contains some imputed values.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MOVED FROM DIFFERENT STATE	1	3579	12.6%	12.6%	1836	12.0%	12.0%
DID NOT MOVE FROM DIFFERENT STATE	2	24717	87.4%	87.4%	13448	88.0%	88.0%
<b>SUBTOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: NUM\_PHONE Type: Numeric Position: 182-183

Label: NUMBER OF RESIDENTIAL TELEPHONE NUMBERS IN HOUSEHOLD (EXCLUDING CELL PHONES)

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ONE	1	8808	31.1%	96.4%	4820	31.5%	97.1%
TWO	2	186	0.7%	2.0%	79	0.5%	1.6%
THREE OR MORE	3	47	0.2%	0.5%	19	0.1%	0.4%
NONE	4	92	0.3%	1.0%	45	0.3%	0.9%
<b>SUBTOTALS:</b>		9133	32.3%	100.0%	4963	32.5%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	18	0.1%	n/a	5	0.0%	n/a
REFUSED	99	8	0.0%	n/a	0	0.0%	n/a
MISSING	.	19137	67.6%	n/a	10316	67.5%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: NUM\_CELLS\_HH Type: Numeric Position: 184-185

Label: NUMBER OF WORKING CELL PHONES HOUSEHOLD MEMBERS HAVE AVAILABLE FOR PERSONAL USE

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ONE	1	3536	12.5%	12.6%	1819	11.9%	11.9%
TWO	2	17969	63.5%	64.0%	10121	66.2%	66.3%
THREE OR MORE	3	6364	22.5%	22.7%	3206	21.0%	21.0%
NONE	4	186	0.7%	0.7%	110	0.7%	0.7%
<b>SUBTOTALS:</b>		28055	99.1%	100.0%	15256	99.8%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	29	0.1%	n/a	7	0.0%	n/a
REFUSED	99	212	0.7%	n/a	21	0.1%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: NUM\_CELLS\_PARENTS Type: Numeric Position: 186-187

Label: NUMBER OF WORKING CELL PHONES USUALLY USED BY PARENTS OR GUARDIANS

## Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ONE	1	5611	19.8%	20.1%	2930	19.2%	19.3%
TWO	2	20456	72.3%	73.5%	11467	75.0%	75.5%
THREE OR MORE	3	1547	5.5%	5.6%	666	4.4%	4.4%
NONE	4	233	0.8%	0.8%	132	0.9%	0.9%
<b>SUBTOTALS:</b>		27847	98.4%	100.0%	15195	99.4%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	82	0.3%	n/a	19	0.1%	n/a
REFUSED	99	228	0.8%	n/a	21	0.1%	n/a
MISSING	.	139	0.5%	n/a	49	0.3%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: RACE\_K Type: Numeric Position: 188-188

Label: RACE OF CHILD (RECODE)

Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
WHITE ONLY	1	20303	71.8%	71.8%	11199	73.3%	73.3%
BLACK ONLY	2	3240	11.5%	11.5%	1539	10.1%	10.1%
OTHER + MULTIPLE RACE	3	4753	16.8%	16.8%	2546	16.7%	16.7%
<b>SUBTOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: RACEETHK Type: Numeric Position: 189-189

Label: RACE/ETHNICITY OF CHILD (RECODE)

Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
HISPANIC	1	5976	21.1%	21.1%	3018	19.7%	19.7%
NON-HISPANIC WHITE ONLY	2	15625	55.2%	55.2%	8802	57.6%	57.6%
NON-HISPANIC BLACK ONLY	3	2744	9.7%	9.7%	1309	8.6%	8.6%
NON-HISPANIC OTHER + MULTIPLE RACE	4	3951	14.0%	14.0%	2155	14.1%	14.1%
<b>SUBTOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: RENT\_OWN Type: Numeric Position: 190-191

Label: IS HOME OWNED/BEING BOUGHT, RENTED, OR OCCUPIED BY SOME OTHER ARRANGEMENT?

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
OWNED OR BEING BOUGHT	1	16783	59.3%	59.8%	9143	59.8%	60.0%
RENTED	2	10182	36.0%	36.3%	5517	36.1%	36.2%
OTHER ARRANGMENT	3	1084	3.8%	3.9%	567	3.7%	3.7%
<b>SUBTOTALS:</b>		28049	99.1%	100.0%	15227	99.6%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	66	0.2%	n/a	25	0.2%	n/a
REFUSED	99	181	0.6%	n/a	32	0.2%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: SEX Type: Numeric Position: 192-192

Label: SEX OF CHILD

Notes: Variable contains some imputed values.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MALE	1	14578	51.5%	51.5%	7793	51.0%	51.0%
FEMALE	2	13718	48.5%	48.5%	7491	49.0%	49.0%
<b>SUBTOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 4: GEOGRAPHIC VARIABLES

Variable: ESTIAP16 Type: Numeric Position: 193-195

Label: ESTIMATION AREA OF RESIDENCE

Notes: For dual-frame variance estimation, use STRATUM.

LABEL	Completed Household Interviews				Adequate Provider Data		
	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
CT	1	461	1.6%	1.6%	267	1.7%	1.7%
MA	2	581	2.1%	2.1%	312	2.0%	2.0%
ME	4	442	1.6%	1.6%	260	1.7%	1.7%
NH	5	425	1.5%	1.5%	238	1.6%	1.6%
RI	6	444	1.6%	1.6%	239	1.6%	1.6%
VT	7	467	1.7%	1.7%	287	1.9%	1.9%
NJ	8	555	2.0%	2.0%	268	1.8%	1.8%
NY-REST OF STATE	10	529	1.9%	1.9%	278	1.8%	1.8%
NY-CITY OF NEW YORK	11	564	2.0%	2.0%	268	1.8%	1.8%
DC	12	566	2.0%	2.0%	309	2.0%	2.0%
DE	13	422	1.5%	1.5%	222	1.5%	1.5%
MD	14	659	2.3%	2.3%	372	2.4%	2.4%
PA-REST OF STATE	16	573	2.0%	2.0%	327	2.1%	2.1%
PA-PHILADELPHIA COUNTY	17	447	1.6%	1.6%	240	1.6%	1.6%
VA	18	670	2.4%	2.4%	368	2.4%	2.4%
WV	19	428	1.5%	1.5%	235	1.5%	1.5%
AL	20	455	1.6%	1.6%	249	1.6%	1.6%
FL	22	576	2.0%	2.0%	273	1.8%	1.8%
GA	25	543	1.9%	1.9%	274	1.8%	1.8%
KY	27	421	1.5%	1.5%	243	1.6%	1.6%
MS	28	496	1.8%	1.8%	239	1.6%	1.6%
NC	29	525	1.9%	1.9%	267	1.7%	1.7%
SC	30	526	1.9%	1.9%	282	1.8%	1.8%
TN	31	388	1.4%	1.4%	237	1.6%	1.6%
IL-REST OF STATE	34	658	2.3%	2.3%	363	2.4%	2.4%
IL-CITY OF CHICAGO	35	249	0.9%	0.9%	131	0.9%	0.9%
IN	36	428	1.5%	1.5%	239	1.6%	1.6%
MI	38	404	1.4%	1.4%	230	1.5%	1.5%
MN	40	500	1.8%	1.8%	279	1.8%	1.8%
OH	41	443	1.6%	1.6%	221	1.4%	1.4%
WI	44	396	1.4%	1.4%	221	1.4%	1.4%

## SECTION 4: GEOGRAPHIC VARIABLES

Variable: ESTIAP16 Type: Numeric Position: 193-195

Label: ESTIMATION AREA OF RESIDENCE

Notes: For dual-frame variance estimation, use STRATUM.

LABEL	Completed Household Interviews				Adequate Provider Data		
	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
AR	46	401	1.4%	1.4%	229	1.5%	1.5%
LA	47	463	1.6%	1.6%	244	1.6%	1.6%
NM	49	426	1.5%	1.5%	249	1.6%	1.6%
OK	50	417	1.5%	1.5%	216	1.4%	1.4%
TX-REST OF STATE	51	1010	3.6%	3.6%	542	3.5%	3.5%
TX-DALLAS COUNTY	52	394	1.4%	1.4%	186	1.2%	1.2%
TX-EL PASO COUNTY	53	351	1.2%	1.2%	191	1.2%	1.2%
TX-CITY OF HOUSTON	54	357	1.3%	1.3%	173	1.1%	1.1%
TX-BEXAR COUNTY	55	398	1.4%	1.4%	213	1.4%	1.4%
IA	56	500	1.8%	1.8%	298	1.9%	1.9%
KS	57	353	1.2%	1.2%	207	1.4%	1.4%
MO	58	394	1.4%	1.4%	215	1.4%	1.4%
NE	59	360	1.3%	1.3%	219	1.4%	1.4%
CO	60	418	1.5%	1.5%	238	1.6%	1.6%
MT	61	464	1.6%	1.6%	246	1.6%	1.6%
ND	62	383	1.4%	1.4%	205	1.3%	1.3%
SD	63	453	1.6%	1.6%	262	1.7%	1.7%
UT	64	416	1.5%	1.5%	252	1.6%	1.6%
WY	65	472	1.7%	1.7%	250	1.6%	1.6%
AZ	66	439	1.6%	1.6%	230	1.5%	1.5%
CA	68	636	2.2%	2.2%	328	2.1%	2.1%
HI	72	470	1.7%	1.7%	266	1.7%	1.7%
NV	73	413	1.5%	1.5%	202	1.3%	1.3%
AK	74	512	1.8%	1.8%	288	1.9%	1.9%
ID	75	382	1.4%	1.4%	225	1.5%	1.5%
OR	76	385	1.4%	1.4%	256	1.7%	1.7%
WA	77	547	1.9%	1.9%	320	2.1%	2.1%
PUERTO RICO	106	841	3.0%	3.0%	296	1.9%	1.9%
<b>SUBTOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 4: GEOGRAPHIC VARIABLES

Variable: EST\_GRANT Type: Numeric Position: 196-197

Label: AREA OF RESIDENCE ACCORDING TO THE 56 ORIGINAL CORE GRANTEE AREAS

Notes: For dual-frame variance estimation, use STRATUM. Missing for territories.

LABEL	Completed Household Interviews				Adequate Provider Data		
	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
CT	1	461	1.6%	1.7%	267	1.7%	1.8%
MA	2	581	2.1%	2.1%	312	2.0%	2.1%
ME	4	442	1.6%	1.6%	260	1.7%	1.7%
NH	5	425	1.5%	1.5%	238	1.6%	1.6%
RI	6	444	1.6%	1.6%	239	1.6%	1.6%
VT	7	467	1.7%	1.7%	287	1.9%	1.9%
NJ	8	555	2.0%	2.0%	268	1.8%	1.8%
NY-REST OF STATE	10	529	1.9%	1.9%	278	1.8%	1.9%
NY-CITY OF NEW YORK	11	564	2.0%	2.1%	268	1.8%	1.8%
DC	12	566	2.0%	2.1%	309	2.0%	2.1%
DE	13	422	1.5%	1.5%	222	1.5%	1.5%
MD	14	659	2.3%	2.4%	372	2.4%	2.5%
PA-REST OF STATE	16	573	2.0%	2.1%	327	2.1%	2.2%
PA-PHILADELPHIA COUNTY	17	447	1.6%	1.6%	240	1.6%	1.6%
VA	18	670	2.4%	2.4%	368	2.4%	2.5%
WV	19	428	1.5%	1.6%	235	1.5%	1.6%
AL	20	455	1.6%	1.7%	249	1.6%	1.7%
FL	22	576	2.0%	2.1%	273	1.8%	1.8%
GA	25	543	1.9%	2.0%	274	1.8%	1.8%
KY	27	421	1.5%	1.5%	243	1.6%	1.6%
MS	28	496	1.8%	1.8%	239	1.6%	1.6%
NC	29	525	1.9%	1.9%	267	1.7%	1.8%
SC	30	526	1.9%	1.9%	282	1.8%	1.9%
TN	31	388	1.4%	1.4%	237	1.6%	1.6%
IL-REST OF STATE	34	658	2.3%	2.4%	363	2.4%	2.4%
IL-CITY OF CHICAGO	35	249	0.9%	0.9%	131	0.9%	0.9%
IN	36	428	1.5%	1.6%	239	1.6%	1.6%
MI	38	404	1.4%	1.5%	230	1.5%	1.5%
MN	40	500	1.8%	1.8%	279	1.8%	1.9%
OH	41	443	1.6%	1.6%	221	1.4%	1.5%
WI	44	396	1.4%	1.4%	221	1.4%	1.5%

## SECTION 4: GEOGRAPHIC VARIABLES

Variable: EST\_GRANT Type: Numeric Position: 196-197

Label: AREA OF RESIDENCE ACCORDING TO THE 56 ORIGINAL CORE GRANTEE AREAS

Notes: For dual-frame variance estimation, use STRATUM. Missing for territories.

LABEL	Completed Household Interviews				Adequate Provider Data		
	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
AR	46	401	1.4%	1.5%	229	1.5%	1.5%
LA	47	463	1.6%	1.7%	244	1.6%	1.6%
NM	49	426	1.5%	1.6%	249	1.6%	1.7%
OK	50	417	1.5%	1.5%	216	1.4%	1.4%
TX-REST OF STATE	51	1755	6.2%	6.4%	919	6.0%	6.1%
TX-CITY OF HOUSTON	54	357	1.3%	1.3%	173	1.1%	1.2%
TX-BEXAR COUNTY	55	398	1.4%	1.4%	213	1.4%	1.4%
IA	56	500	1.8%	1.8%	298	1.9%	2.0%
KS	57	353	1.2%	1.3%	207	1.4%	1.4%
MO	58	394	1.4%	1.4%	215	1.4%	1.4%
NE	59	360	1.3%	1.3%	219	1.4%	1.5%
CO	60	418	1.5%	1.5%	238	1.6%	1.6%
MT	61	464	1.6%	1.7%	246	1.6%	1.6%
ND	62	383	1.4%	1.4%	205	1.3%	1.4%
SD	63	453	1.6%	1.6%	262	1.7%	1.7%
UT	64	416	1.5%	1.5%	252	1.6%	1.7%
WY	65	472	1.7%	1.7%	250	1.6%	1.7%
AZ	66	439	1.6%	1.6%	230	1.5%	1.5%
CA	68	636	2.2%	2.3%	328	2.1%	2.2%
HI	72	470	1.7%	1.7%	266	1.7%	1.8%
NV	73	413	1.5%	1.5%	202	1.3%	1.3%
AK	74	512	1.8%	1.9%	288	1.9%	1.9%
ID	75	382	1.4%	1.4%	225	1.5%	1.5%
OR	76	385	1.4%	1.4%	256	1.7%	1.7%
WA	77	547	1.9%	2.0%	320	2.1%	2.1%
<b>SUBTOTALS:</b>		27455	97.0%	100.0%	14988	98.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	841	3.0%	n/a	296	1.9%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 4: GEOGRAPHIC VARIABLES

Variable: STATE Type: Numeric Position: 198-199

Label: TRUE STATE OF RESIDENCE (STATE FIPS CODE)

## Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ALABAMA	1	455	1.6%	1.6%	249	1.6%	1.6%
ALASKA	2	512	1.8%	1.8%	288	1.9%	1.9%
ARIZONA	4	439	1.6%	1.6%	230	1.5%	1.5%
ARKANSAS	5	401	1.4%	1.4%	229	1.5%	1.5%
CALIFORNIA	6	636	2.2%	2.2%	328	2.1%	2.1%
COLORADO	8	418	1.5%	1.5%	238	1.6%	1.6%
CONNECTICUT	9	461	1.6%	1.6%	267	1.7%	1.7%
DELAWARE	10	422	1.5%	1.5%	222	1.5%	1.5%
DISTRICT OF COLUMBIA	11	566	2.0%	2.0%	309	2.0%	2.0%
FLORIDA	12	576	2.0%	2.0%	273	1.8%	1.8%
GEORGIA	13	543	1.9%	1.9%	274	1.8%	1.8%
HAWAII	15	470	1.7%	1.7%	266	1.7%	1.7%
IDAHO	16	382	1.4%	1.4%	225	1.5%	1.5%
ILLINOIS	17	907	3.2%	3.2%	494	3.2%	3.2%
INDIANA	18	428	1.5%	1.5%	239	1.6%	1.6%
IOWA	19	500	1.8%	1.8%	298	1.9%	1.9%
KANSAS	20	353	1.2%	1.2%	207	1.4%	1.4%
KENTUCKY	21	421	1.5%	1.5%	243	1.6%	1.6%
LOUISIANA	22	463	1.6%	1.6%	244	1.6%	1.6%
MAINE	23	442	1.6%	1.6%	260	1.7%	1.7%
MARYLAND	24	659	2.3%	2.3%	372	2.4%	2.4%
MASSACHUSETTS	25	581	2.1%	2.1%	312	2.0%	2.0%
MICHIGAN	26	404	1.4%	1.4%	230	1.5%	1.5%
MINNESOTA	27	500	1.8%	1.8%	279	1.8%	1.8%
MISSISSIPPI	28	496	1.8%	1.8%	239	1.6%	1.6%
MISSOURI	29	394	1.4%	1.4%	215	1.4%	1.4%
MONTANA	30	464	1.6%	1.6%	246	1.6%	1.6%
NEBRASKA	31	360	1.3%	1.3%	219	1.4%	1.4%
NEVADA	32	413	1.5%	1.5%	202	1.3%	1.3%
NEW HAMPSHIRE	33	425	1.5%	1.5%	238	1.6%	1.6%
NEW JERSEY	34	555	2.0%	2.0%	268	1.8%	1.8%

## SECTION 4: GEOGRAPHIC VARIABLES

Variable: STATE Type: Numeric Position: 198-199

Label: TRUE STATE OF RESIDENCE (STATE FIPS CODE)

## Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NEW MEXICO	35	426	1.5%	1.5%	249	1.6%	1.6%
NEW YORK	36	1093	3.9%	3.9%	546	3.6%	3.6%
NORTH CAROLINA	37	525	1.9%	1.9%	267	1.7%	1.7%
NORTH DAKOTA	38	383	1.4%	1.4%	205	1.3%	1.3%
OHIO	39	443	1.6%	1.6%	221	1.4%	1.4%
OKLAHOMA	40	417	1.5%	1.5%	216	1.4%	1.4%
OREGON	41	385	1.4%	1.4%	256	1.7%	1.7%
PENNSYLVANIA	42	1020	3.6%	3.6%	567	3.7%	3.7%
RHODE ISLAND	44	444	1.6%	1.6%	239	1.6%	1.6%
SOUTH CAROLINA	45	526	1.9%	1.9%	282	1.8%	1.8%
SOUTH DAKOTA	46	453	1.6%	1.6%	262	1.7%	1.7%
TENNESSEE	47	388	1.4%	1.4%	237	1.6%	1.6%
TEXAS	48	2510	8.9%	8.9%	1305	8.5%	8.5%
UTAH	49	416	1.5%	1.5%	252	1.6%	1.6%
VERMONT	50	467	1.7%	1.7%	287	1.9%	1.9%
VIRGINIA	51	670	2.4%	2.4%	368	2.4%	2.4%
WASHINGTON	53	547	1.9%	1.9%	320	2.1%	2.1%
WEST VIRGINIA	54	428	1.5%	1.5%	235	1.5%	1.5%
WISCONSIN	55	396	1.4%	1.4%	221	1.4%	1.4%
WYOMING	56	472	1.7%	1.7%	250	1.6%	1.6%
PUERTO RICO	72	841	3.0%	3.0%	296	1.9%	1.9%
<b>SUBTOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 5: NUMBER OF PROVIDERS IDENTIFIED AND CONSENT VARIABLES

Variable: D6R Type: Numeric Position: 200-200

Label: NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (RECODE)

Notes: Number of vaccination providers identified for the child in questions D6 and D6AA during the household interview.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	154	0.5%	0.6%	116	0.8%	0.8%
1	1	17226	60.9%	68.2%	10420	68.2%	68.2%
2	2	6254	22.1%	24.8%	3908	25.6%	25.6%
3+	3	1626	5.7%	6.4%	840	5.5%	5.5%
<b>SUBTOTALS:</b>		25260	89.3%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	3036	10.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: D7 Type: Numeric Position: 201-201

Label: CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM PROVIDERS

Notes: A blank value means consent was not obtained because of an interview break-off.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	17607	62.2%	99.2%	15168	99.2%	100.0%
NO	2	148	0.5%	0.8%	0	0.0%	0.0%
<b>SUBTOTALS:</b>		17755	62.7%	100.0%	15168	99.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	10541	37.3%	n/a	116	0.8%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 6: NUMBER OF RESPONDING PROVIDERS VARIABLES

Variable: N\_PRVR Type: Numeric Position: 202-202

Label: NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (RECODE)

Notes: Total number of vaccination providers responding with vaccination information for the child. Range: 0 to 5 providers.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	13257	46.9%	46.9%	245	1.6%	1.6%
1	1	12215	43.2%	43.2%	12215	79.9%	79.9%
2	2	2562	9.1%	9.1%	2562	16.8%	16.8%
3+	3	262	0.9%	0.9%	262	1.7%	1.7%
<b>SUBTOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 7: CHARACTERISTICS OF PROVIDER VARIABLES

Variable: PROV\_FAC Type: Numeric Position: 203-203

Label: PROVIDER FACILITY TYPES

Notes: Constructed from the responses of up to five providers. Variable contains some imputed values.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ALL PUBLIC FACILITIES	1	1609	5.7%	10.7%	1609	10.5%	10.7%
ALL HOSPITAL FACILITIES	2	2391	8.4%	15.9%	2391	15.6%	15.9%
ALL PRIVATE FACILITIES	3	8382	29.6%	55.7%	8382	54.8%	55.7%
ALL MILITARY/OTHER FACILITIES	4	425	1.5%	2.8%	425	2.8%	2.8%
MIXED	5	2232	7.9%	14.8%	2232	14.6%	14.8%
<b>SUBTOTALS:</b>		15039	53.1%	100.0%	15039	98.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13257	46.9%	n/a	245	1.6%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: REGISTRY Type: Numeric Position: 204-204

Label: CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY

Notes: Constructed from the responses of up to five providers.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ALL PROVIDERS	1	10361	36.6%	68.9%	10361	67.8%	68.9%
SOME BUT POSSIBLY OR DEFINITELY NOT ALL PROVIDERS	2	1134	4.0%	7.5%	1134	7.4%	7.5%
NO PROVIDERS	3	1592	5.6%	10.6%	1592	10.4%	10.6%
UNKNOWN/DON'T KNOW	4	1952	6.9%	13.0%	1952	12.8%	13.0%
<b>SUBTOTALS:</b>		15039	53.1%	100.0%	15039	98.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13257	46.9%	n/a	245	1.6%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 7: CHARACTERISTICS OF PROVIDER VARIABLES

Variable: VFC\_ORDER Type: Numeric Position: 205-205

Label: DO CHILD'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT?

Notes: Constructed from the responses of up to five providers.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ALL PROVIDERS	1	10939	38.7%	72.7%	10939	71.6%	72.7%
SOME BUT POSSIBLY OR DEFINITELY NOT ALL PROVIDERS	2	1072	3.8%	7.1%	1072	7.0%	7.1%
NO PROVIDERS	3	1522	5.4%	10.1%	1522	10.0%	10.1%
UNKNOWN/DON'T KNOW	4	1506	5.3%	10.0%	1506	9.9%	10.0%
<b>SUBTOTALS:</b>		15039	53.1%	100.0%	15039	98.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13257	46.9%	n/a	245	1.6%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: HEP\_BRTH Type: Numeric Position: 206-206

Label: HEPATITIS B-CONTAINING SHOT GIVEN AT BIRTH FLAG

Notes: Constructed from the responses of up to five providers. See User's Guide for more information on this variable.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
AT LEAST ONE PROVIDER CHECKED GIVEN AT BIRTH	1	11441	40.4%	77.2%	11441	74.9%	77.2%
NO PROVIDERS CHECKED GIVEN AT BIRTH	2	3372	11.9%	22.8%	3372	22.1%	22.8%
<b>SUBTOTALS:</b>		14813	52.4%	100.0%	14813	96.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13483	47.6%	n/a	471	3.1%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: HEP\_FLAG Type: Numeric Position: 207-207

Label: HEPATITIS B BIRTH SHOT DATE IMPUTATION FLAG

Notes: Imputation flag for Hepatitis B birth dose date. See User's Guide for more information on this variable.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUHEPX Type: Numeric Position: 208-208

Label: NUMBER OF HEPATITIS B-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 60

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	2024	7.2%	13.2%	2024	13.2%	13.2%
1	1	6114	21.6%	40.0%	6114	40.0%	40.0%
2	2	1651	5.8%	10.8%	1651	10.8%	10.8%
3	3	5125	18.1%	33.5%	5125	33.5%	33.5%
4	4	354	1.3%	2.3%	354	2.3%	2.3%
5	5	14	0.0%	0.1%	14	0.1%	0.1%
6	6	2	0.0%	0.0%	2	0.0%	0.0%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: P\_NUHIBX Type: Numeric Position: 209-209

Label: NUMBER OF HIB-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 44, HM, HG or HS

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	3520	12.4%	23.0%	3520	23.0%	23.0%
1	1	2633	9.3%	17.2%	2633	17.2%	17.2%
2	2	1538	5.4%	10.1%	1538	10.1%	10.1%
3	3	4338	15.3%	28.4%	4338	28.4%	28.4%
4	4	3226	11.4%	21.1%	3226	21.1%	21.1%
5	5	29	0.1%	0.2%	29	0.2%	0.2%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUHPHB Type: Numeric Position: 210-210

Label: NUMBER OF HEPATITIS B/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 43

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15215	53.8%	99.5%	15215	99.5%	99.5%
1	1	51	0.2%	0.3%	51	0.3%	0.3%
2	2	11	0.0%	0.1%	11	0.1%	0.1%
3	3	7	0.0%	0.0%	7	0.0%	0.0%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: P\_NUMDAH Type: Numeric Position: 211-211

Label: NUMBER OF DTAP/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 07

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15212	53.8%	99.5%	15212	99.5%	99.5%
1	1	61	0.2%	0.4%	61	0.4%	0.4%
2	2	4	0.0%	0.0%	4	0.0%	0.0%
3	3	5	0.0%	0.0%	5	0.0%	0.0%
4	4	2	0.0%	0.0%	2	0.0%	0.0%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMDHI Type: Numeric Position: 212-212

Label: NUMBER OF DTAP/HEPB/IPV COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 08

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	6569	23.2%	43.0%	6569	43.0%	43.0%
1	1	1312	4.6%	8.6%	1312	8.6%	8.6%
2	2	1929	6.8%	12.6%	1929	12.6%	12.6%
3	3	5325	18.8%	34.8%	5325	34.8%	34.8%
4	4	148	0.5%	1.0%	148	1.0%	1.0%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: P\_NUMDIH Type: Numeric Position: 213-213

Label: NUMBER OF DTAP/IPV/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type D3

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	8333	29.4%	54.5%	8333	54.5%	54.5%
1	1	1898	6.7%	12.4%	1898	12.4%	12.4%
2	2	1132	4.0%	7.4%	1132	7.4%	7.4%
3	3	2522	8.9%	16.5%	2522	16.5%	16.5%
4	4	1390	4.9%	9.1%	1390	9.1%	9.1%
5	5	9	0.0%	0.1%	9	0.1%	0.1%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMDTA Type: Numeric Position: 214-214

Label: NUMBER OF DTAP-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 04

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	4295	15.2%	28.1%	4295	28.1%	28.1%
1	1	8010	28.3%	52.4%	8010	52.4%	52.4%
2	2	1156	4.1%	7.6%	1156	7.6%	7.6%
3	3	624	2.2%	4.1%	624	4.1%	4.1%
4	4	1177	4.2%	7.7%	1177	7.7%	7.7%
5	5	21	0.1%	0.1%	21	0.1%	0.1%
6	6	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: P\_NUMDTP Type: Numeric Position: 215-215

Label: NUMBER OF DT-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 03, 04, 07, 08, or D3

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	480	1.7%	3.1%	480	3.1%	3.1%
1	1	181	0.6%	1.2%	181	1.2%	1.2%
2	2	234	0.8%	1.5%	234	1.5%	1.5%
3	3	1427	5.0%	9.3%	1427	9.3%	9.3%
4	4	12755	45.1%	83.5%	12755	83.5%	83.5%
5	5	201	0.7%	1.3%	201	1.3%	1.3%
6	6	6	0.0%	0.0%	6	0.0%	0.0%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMFLU Type: Numeric Position: 216-216

**Label: NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type FM, FN, or FL

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	4317	15.3%	28.2%	4317	28.2%	28.2%
1	1	1851	6.5%	12.1%	1851	12.1%	12.1%
2	2	3324	11.7%	21.7%	3324	21.7%	21.7%
3	3	4480	15.8%	29.3%	4480	29.3%	29.3%
4	4	1279	4.5%	8.4%	1279	8.4%	8.4%
5	5	29	0.1%	0.2%	29	0.2%	0.2%
6	6	3	0.0%	0.0%	3	0.0%	0.0%
7	7	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: P\_NUMFLUL Type: Numeric Position: 217-217

**Label: NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type FL

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	14766	52.2%	96.6%	14766	96.6%	96.6%
1	1	208	0.7%	1.4%	208	1.4%	1.4%
2	2	177	0.6%	1.2%	177	1.2%	1.2%
3	3	106	0.4%	0.7%	106	0.7%	0.7%
4	4	25	0.1%	0.2%	25	0.2%	0.2%
5	5	2	0.0%	0.0%	2	0.0%	0.0%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMFLUL Type: Numeric Position: 217-217

**Label: NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type FL

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: P\_NUMFLUM Type: Numeric Position: 218-218

**Label: NUMBER OF SEASONAL FLU SPRAY VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type FM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	14734	52.1%	96.4%	14734	96.4%	96.4%
1	1	476	1.7%	3.1%	476	3.1%	3.1%
2	2	43	0.2%	0.3%	43	0.3%	0.3%
3	3	25	0.1%	0.2%	25	0.2%	0.2%
4	4	5	0.0%	0.0%	5	0.0%	0.0%
6	6	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMFLUN Type: Numeric Position: 219-219

**Label: NUMBER OF INJECTED SEASONAL FLU VACCINATIONS BY 36 MONTHS OF AGE  
DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH  
INTERVIEW DATE.**

Notes: Vaccine type FN

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	4758	16.8%	31.1%	4758	31.1%	31.1%
1	1	1880	6.6%	12.3%	1880	12.3%	12.3%
2	2	3360	11.9%	22.0%	3360	22.0%	22.0%
3	3	4192	14.8%	27.4%	4192	27.4%	27.4%
4	4	1075	3.8%	7.0%	1075	7.0%	7.0%
5	5	18	0.1%	0.1%	18	0.1%	0.1%
6	6	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: P\_NUMHEA Type: Numeric Position: 220-220

**Label: NUMBER OF HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM  
PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type HA

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	2020	7.1%	13.2%	2020	13.2%	13.2%
1	1	3677	13.0%	24.1%	3677	24.1%	24.1%
2	2	9518	33.6%	62.3%	9518	62.3%	62.3%
3	3	66	0.2%	0.4%	66	0.4%	0.4%
4	4	3	0.0%	0.0%	3	0.0%	0.0%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMHEN Type: Numeric Position: 221-221

Label: NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type HB

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15065	53.2%	98.6%	15065	98.6%	98.6%
1	1	87	0.3%	0.6%	87	0.6%	0.6%
2	2	92	0.3%	0.6%	92	0.6%	0.6%
3	3	38	0.1%	0.2%	38	0.2%	0.2%
4	4	2	0.0%	0.0%	2	0.0%	0.0%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: P\_NUMHEP Type: Numeric Position: 222-222

Label: NUMBER OF HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 08, 43, 60, or HB

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	480	1.7%	3.1%	480	3.1%	3.1%
1	1	355	1.3%	2.3%	355	2.3%	2.3%
2	2	482	1.7%	3.2%	482	3.2%	3.2%
3	3	8876	31.4%	58.1%	8876	58.1%	58.1%
4	4	4890	17.3%	32.0%	4890	32.0%	32.0%
5	5	196	0.7%	1.3%	196	1.3%	1.3%
6	6	4	0.0%	0.0%	4	0.0%	0.0%
7	7	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMHG Type: Numeric Position: 223-223

Label: NUMBER OF HIB-GLAXOSMITHKLINE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type HG

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15116	53.4%	98.9%	15116	98.9%	98.9%
1	1	70	0.2%	0.5%	70	0.5%	0.5%
2	2	27	0.1%	0.2%	27	0.2%	0.2%
3	3	37	0.1%	0.2%	37	0.2%	0.2%
4	4	34	0.1%	0.2%	34	0.2%	0.2%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: P\_NUMHHY Type: Numeric Position: 224-224

Label: NUMBER OF HIB-MENCY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type HY

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15018	53.1%	98.3%	15018	98.3%	98.3%
1	1	127	0.4%	0.8%	127	0.8%	0.8%
2	2	47	0.2%	0.3%	47	0.3%	0.3%
3	3	62	0.2%	0.4%	62	0.4%	0.4%
4	4	29	0.1%	0.2%	29	0.2%	0.2%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMHIB Type: Numeric Position: 225-225

Label: NUMBER OF HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 07, 43, 44, D3, HI, HM, HG, HS, or HY.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	533	1.9%	3.5%	533	3.5%	3.5%
1	1	253	0.9%	1.7%	253	1.7%	1.7%
2	2	438	1.5%	2.9%	438	2.9%	2.9%
3	3	4086	14.4%	26.7%	4086	26.7%	26.7%
4	4	9823	34.7%	64.3%	9823	64.3%	64.3%
5	5	143	0.5%	0.9%	143	0.9%	0.9%
6	6	7	0.0%	0.0%	7	0.0%	0.0%
7	7	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: P\_NUMHIN Type: Numeric Position: 226-226

Label: NUMBER OF HIB-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type HI

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	13765	48.6%	90.1%	13765	90.1%	90.1%
1	1	503	1.8%	3.3%	503	3.3%	3.3%
2	2	281	1.0%	1.8%	281	1.8%	1.8%
3	3	383	1.4%	2.5%	383	2.5%	2.5%
4	4	350	1.2%	2.3%	350	2.3%	2.3%
5	5	2	0.0%	0.0%	2	0.0%	0.0%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMHIN Type: Numeric Position: 226-226

**Label: NUMBER OF HIB-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type HI

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: P\_NUMHION Type: Numeric Position: 227-227

**Label: NUMBER OF HIB-ONLY SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: Vaccine type 44

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15067	53.2%	98.6%	15067	98.6%	98.6%
1	1	119	0.4%	0.8%	119	0.8%	0.8%
2	2	50	0.2%	0.3%	50	0.3%	0.3%
3	3	46	0.2%	0.3%	46	0.3%	0.3%
4	4	2	0.0%	0.0%	2	0.0%	0.0%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMHM Type: Numeric Position: 228-228

Label: NUMBER OF HIB-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type HM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	10356	36.6%	67.8%	10356	67.8%	67.8%
1	1	948	3.4%	6.2%	948	6.2%	6.2%
2	2	826	2.9%	5.4%	826	5.4%	5.4%
3	3	2800	9.9%	18.3%	2800	18.3%	18.3%
4	4	351	1.2%	2.3%	351	2.3%	2.3%
5	5	3	0.0%	0.0%	3	0.0%	0.0%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: P\_NUMHS Type: Numeric Position: 229-229

Label: NUMBER OF HIB-SANOFI SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type HS

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	7921	28.0%	51.8%	7921	51.8%	51.8%
1	1	2447	8.6%	16.0%	2447	16.0%	16.0%
2	2	1057	3.7%	6.9%	1057	6.9%	6.9%
3	3	1394	4.9%	9.1%	1394	9.1%	9.1%
4	4	2451	8.7%	16.0%	2451	16.0%	16.0%
5	5	14	0.0%	0.1%	14	0.1%	0.1%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMIPV Type: Numeric Position: 230-230

Label: NUMBER OF IPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 21

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	12129	42.9%	79.4%	12129	79.4%	79.4%
1	1	1367	4.8%	8.9%	1367	8.9%	8.9%
2	2	601	2.1%	3.9%	601	3.9%	3.9%
3	3	1103	3.9%	7.2%	1103	7.2%	7.2%
4	4	76	0.3%	0.5%	76	0.5%	0.5%
5	5	6	0.0%	0.0%	6	0.0%	0.0%
6	6	2	0.0%	0.0%	2	0.0%	0.0%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: P\_NUMMCN Type: Numeric Position: 231-231

Label: NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type MM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15193	53.7%	99.4%	15193	99.4%	99.4%
1	1	90	0.3%	0.6%	90	0.6%	0.6%
2	2	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMMMR Type: Numeric Position: 232-232

Label: NUMBER OF MEASLES-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 30, 31, 32, 33, MM or VM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1146	4.1%	7.5%	1146	7.5%	7.5%
1	1	13827	48.9%	90.5%	13827	90.5%	90.5%
2	2	303	1.1%	2.0%	303	2.0%	2.0%
3	3	8	0.0%	0.1%	8	0.1%	0.1%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: P\_NUMMMRX Type: Numeric Position: 233-233

Label: NUMBER OF MMR-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 30

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	3079	10.9%	20.1%	3079	20.1%	20.1%
1	1	11990	42.4%	78.4%	11990	78.4%	78.4%
2	2	214	0.8%	1.4%	214	1.4%	1.4%
3	3	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMMMX Type: Numeric Position: 234-234

Label: NUMBER OF MMR-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 30 or VM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1260	4.5%	8.2%	1260	8.2%	8.2%
1	1	13737	48.5%	89.9%	13737	89.9%	89.9%
2	2	284	1.0%	1.9%	284	1.9%	1.9%
3	3	3	0.0%	0.0%	3	0.0%	0.0%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: P\_NUMMP Type: Numeric Position: 235-235

Label: NUMBER OF MUMPS-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type MP

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15284	54.0%	100.0%	15284	100.0%	100.0%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMMPR Type: Numeric Position: 236-236

Label: NUMBER OF (MUMPS/RUBELLA)-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type MB

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15284	54.0%	100.0%	15284	100.0%	100.0%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: P\_NUMMRV Type: Numeric Position: 237-237

Label: NUMBER OF MMR/VARICELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type VM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	13411	47.4%	87.7%	13411	87.7%	87.7%
1	1	1853	6.5%	12.1%	1853	12.1%	12.1%
2	2	20	0.1%	0.1%	20	0.1%	0.1%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMMS Type: Numeric Position: 238-238

Label: NUMBER OF MEASLES-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 31

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15235	53.8%	99.7%	15235	99.7%	99.7%
1	1	49	0.2%	0.3%	49	0.3%	0.3%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: P\_NUMMSM Type: Numeric Position: 239-239

Label: NUMBER OF MEASLES/MUMPS COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 32

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15284	54.0%	100.0%	15284	100.0%	100.0%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMMSR Type: Numeric Position: 240-240

Label: NUMBER OF MEASLES/RUBELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 33

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15282	54.0%	100.0%	15282	100.0%	100.0%
1	1	2	0.0%	0.0%	2	0.0%	0.0%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: P\_NUMOLN Type: Numeric Position: 241-241

Label: NUMBER OF POLIO SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 22

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	14881	52.6%	97.4%	14881	97.4%	97.4%
1	1	98	0.3%	0.6%	98	0.6%	0.6%
2	2	58	0.2%	0.4%	58	0.4%	0.4%
3	3	218	0.8%	1.4%	218	1.4%	1.4%
4	4	29	0.1%	0.2%	29	0.2%	0.2%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMOPV Type: Numeric Position: 242-242

Label: NUMBER OF OPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 20

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15205	53.7%	99.5%	15205	99.5%	99.5%
1	1	31	0.1%	0.2%	31	0.2%	0.2%
2	2	13	0.0%	0.1%	13	0.1%	0.1%
3	3	28	0.1%	0.2%	28	0.2%	0.2%
4	4	5	0.0%	0.0%	5	0.0%	0.0%
5	5	2	0.0%	0.0%	2	0.0%	0.0%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: P\_NUMPCV Type: Numeric Position: 243-243

Label: NUMBER OF PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type 70, 71, 72, 73, or 74

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	568	2.0%	3.7%	568	3.7%	3.7%
1	1	233	0.8%	1.5%	233	1.5%	1.5%
2	2	341	1.2%	2.2%	341	2.2%	2.2%
3	3	1284	4.5%	8.4%	1284	8.4%	8.4%
4	4	12682	44.8%	83.0%	12682	83.0%	83.0%
5	5	173	0.6%	1.1%	173	1.1%	1.1%
6	6	2	0.0%	0.0%	2	0.0%	0.0%
7	7	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMPCV Type: Numeric Position: 243-243

Label: NUMBER OF PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type 70, 71, 72, 73, or 74

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: P\_NUMPCP Type: Numeric Position: 244-244

Label: NUMBER OF PNEUMOCOCCAL POLYSACCHARIDE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type 71

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15200	53.7%	99.5%	15200	99.5%	99.5%
1	1	24	0.1%	0.2%	24	0.2%	0.2%
2	2	3	0.0%	0.0%	3	0.0%	0.0%
3	3	11	0.0%	0.1%	11	0.1%	0.1%
4	4	45	0.2%	0.3%	45	0.3%	0.3%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMPCC Type: Numeric Position: 245-245

**Label: NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: Vaccine type 70, 73, or 74

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	894	3.2%	5.8%	894	5.8%	5.8%
1	1	339	1.2%	2.2%	339	2.2%	2.2%
2	2	371	1.3%	2.4%	371	2.4%	2.4%
3	3	1305	4.6%	8.5%	1305	8.5%	8.5%
4	4	12232	43.2%	80.0%	12232	80.0%	80.0%
5	5	142	0.5%	0.9%	142	0.9%	0.9%
6	6	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: P\_NUMPCC7 Type: Numeric Position: 246-246

**Label: NUMBER OF PNEUMOCOCCAL CONJUGATE-7 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: Vaccine type 73

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15086	53.3%	98.7%	15086	98.7%	98.7%
1	1	57	0.2%	0.4%	57	0.4%	0.4%
2	2	25	0.1%	0.2%	25	0.2%	0.2%
3	3	49	0.2%	0.3%	49	0.3%	0.3%
4	4	66	0.2%	0.4%	66	0.4%	0.4%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMPCC7 Type: Numeric Position: 246-246

Label: NUMBER OF PNEUMOCOCCAL CONJUGATE-7 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type 73

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: P\_NUMPCC13 Type: Numeric Position: 247-247

Label: NUMBER OF PNEUMOCOCCAL CONJUGATE-13 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type 74

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	986	3.5%	6.5%	986	6.5%	6.5%
1	1	372	1.3%	2.4%	372	2.4%	2.4%
2	2	391	1.4%	2.6%	391	2.6%	2.6%
3	3	1314	4.6%	8.6%	1314	8.6%	8.6%
4	4	12086	42.7%	79.1%	12086	79.1%	79.1%
5	5	134	0.5%	0.9%	134	0.9%	0.9%
6	6	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMPCCN Type: Numeric Position: 248-248

Label: NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type 70

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15283	54.0%	100.0%	15283	100.0%	100.0%
1	1	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: P\_NUMPCN Type: Numeric Position: 249-249

Label: NUMBER OF PNEUMOCOCCAL SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type 72

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	14759	52.2%	96.6%	14759	96.6%	96.6%
1	1	120	0.4%	0.8%	120	0.8%	0.8%
2	2	62	0.2%	0.4%	62	0.4%	0.4%
3	3	126	0.4%	0.8%	126	0.8%	0.8%
4	4	216	0.8%	1.4%	216	1.4%	1.4%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMPOL Type: Numeric Position: 250-250

Label: NUMBER OF POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 08, 20, 21, 22, or D3

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	568	2.0%	3.7%	568	3.7%	3.7%
1	1	185	0.7%	1.2%	185	1.2%	1.2%
2	2	341	1.2%	2.2%	341	2.2%	2.2%
3	3	11246	39.7%	73.6%	11246	73.6%	73.6%
4	4	2877	10.2%	18.8%	2877	18.8%	18.8%
5	5	61	0.2%	0.4%	61	0.4%	0.4%
6	6	6	0.0%	0.0%	6	0.0%	0.0%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: P\_NUMRB Type: Numeric Position: 251-251

Label: NUMBER OF RUBELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type RB

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15284	54.0%	100.0%	15284	100.0%	100.0%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMRG Type: Numeric Position: 252-252

Label: NUMBER OF ROTARIX-GSK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type RG

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	11846	41.9%	77.5%	11846	77.5%	77.5%
1	1	369	1.3%	2.4%	369	2.4%	2.4%
2	2	2961	10.5%	19.4%	2961	19.4%	19.4%
3	3	108	0.4%	0.7%	108	0.7%	0.7%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: P\_NUMRM Type: Numeric Position: 253-253

Label: NUMBER OF ROTATEQ-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type RM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	5527	19.5%	36.2%	5527	36.2%	36.2%
1	1	539	1.9%	3.5%	539	3.5%	3.5%
2	2	1161	4.1%	7.6%	1161	7.6%	7.6%
3	3	8040	28.4%	52.6%	8040	52.6%	52.6%
4	4	16	0.1%	0.1%	16	0.1%	0.1%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMRO Type: Numeric Position: 254-254

Label: NUMBER OF ROTAVIRUS SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type RO

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	14527	51.3%	95.0%	14527	95.0%	95.0%
1	1	170	0.6%	1.1%	170	1.1%	1.1%
2	2	249	0.9%	1.6%	249	1.6%	1.6%
3	3	338	1.2%	2.2%	338	2.2%	2.2%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: P\_NUMROT Type: Numeric Position: 255-255

Label: NUMBER OF ROTAVIRUS-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type RG, RM, or RO

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1747	6.2%	11.4%	1747	11.4%	11.4%
1	1	551	1.9%	3.6%	551	3.6%	3.6%
2	2	4186	14.8%	27.4%	4186	27.4%	27.4%
3	3	8777	31.0%	57.4%	8777	57.4%	57.4%
4	4	22	0.1%	0.1%	22	0.1%	0.1%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMTPN Type: Numeric Position: 256-256

Label: NUMBER OF DT-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 03

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	14927	52.8%	97.7%	14927	97.7%	97.7%
1	1	149	0.5%	1.0%	149	1.0%	1.0%
2	2	44	0.2%	0.3%	44	0.3%	0.3%
3	3	82	0.3%	0.5%	82	0.5%	0.5%
4	4	82	0.3%	0.5%	82	0.5%	0.5%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: P\_NUMVRC Type: Numeric Position: 257-257

Label: NUMBER OF VARICELLA-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type VA, VO, or VM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1312	4.6%	8.6%	1312	8.6%	8.6%
1	1	13774	48.7%	90.1%	13774	90.1%	90.1%
2	2	194	0.7%	1.3%	194	1.3%	1.3%
3	3	4	0.0%	0.0%	4	0.0%	0.0%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMVRN Type: Numeric Position: 258-258

Label: NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type VA

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15169	53.6%	99.2%	15169	99.2%	99.2%
1	1	115	0.4%	0.8%	115	0.8%	0.8%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: P\_NUMVRX Type: Numeric Position: 259-259

Label: NUMBER OF VARICELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type VO

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	3245	11.5%	21.2%	3245	21.2%	21.2%
1	1	11914	42.1%	78.0%	11914	78.0%	78.0%
2	2	123	0.4%	0.8%	123	0.8%	0.8%
3	3	2	0.0%	0.0%	2	0.0%	0.0%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_U12VRC Type: Numeric Position: 260-260

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS OF AGE, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type VO, VM, or VA, excluding shots before 12 months of age

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1376	4.9%	9.0%	1376	9.0%	9.0%
UTD	1	13908	49.2%	91.0%	13908	91.0%	91.0%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: P\_UTD331 Type: Numeric Position: 261-261

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3) and 1+ Measles-containing (30,31,32,33,MM,VM)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1485	5.2%	9.7%	1485	9.7%	9.7%
UTD	1	13799	48.8%	90.3%	13799	90.3%	90.3%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_UTD431 Type: Numeric Position: 262-262

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3) and 1+ Measles-containing (30,31,32,33,MM,VM)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2532	8.9%	16.6%	2532	16.6%	16.6%
UTD	1	12752	45.1%	83.4%	12752	83.4%	83.4%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: P\_UTDHEP Type: Numeric Position: 263-263

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ Hepatitis B-containing (08,43,60,HB)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1317	4.7%	8.6%	1317	8.6%	8.6%
UTD	1	13967	49.4%	91.4%	13967	91.4%	91.4%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_UTDHEPA1 Type: Numeric Position: 264-264

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: 1+ Hepatitis A-containing (HA)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	2020	7.1%	13.2%	2020	13.2%	13.2%
1	1	13264	46.9%	86.8%	13264	86.8%	86.8%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: P\_UTDHEPA2 Type: Numeric Position: 265-265

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: 2+ Hepatitis A-containing (HA)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	5697	20.1%	37.3%	5697	37.3%	37.3%
UTD	1	9587	33.9%	62.7%	9587	62.7%	62.7%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_UTDHIB Type: Numeric Position: 266-266

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS,HY)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1224	4.3%	8.0%	1224	8.0%	8.0%
UTD	1	14060	49.7%	92.0%	14060	92.0%	92.0%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: P\_UTDHIB\_ROUT\_S Type: Numeric Position: 267-267

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE ROUTINE (NON-SHORTAGE) HIB RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ HIB-containing (07,43,44,D3,HI,HM,HG,HS,HY), or 2 Hib-Merck (HM,43) followed by 1 Hib of any type (07,43,44,D3,HI,HM,HG,HS,HY)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2587	9.1%	16.9%	2587	16.9%	16.9%
UTD	1	12697	44.9%	83.1%	12697	83.1%	83.1%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_UTDHIB\_SHORT\_S Type: Numeric Position: 268-268

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE HIB SHORTAGE RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS,HY) or 2+ Hib-Merck (HM,43)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1021	3.6%	6.7%	1021	6.7%	6.7%
UTD	1	14263	50.4%	93.3%	14263	93.3%	93.3%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: P\_UTDMCV Type: Numeric Position: 269-269

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MEASLES-CONTAINING SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 1+ Measles-containing (30,31,32,33,MM,VM)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1146	4.1%	7.5%	1146	7.5%	7.5%
UTD	1	14138	50.0%	92.5%	14138	92.5%	92.5%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_UTDMMX Type: Numeric Position: 270-270

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MMR COMBO SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 1+ MMR combo shot (30)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1260	4.5%	8.2%	1260	8.2%	8.2%
UTD	1	14024	49.6%	91.8%	14024	91.8%	91.8%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: P\_UTDPC3 Type: Numeric Position: 271-271

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ Pneumococcal-containing (70,71,72,73,74)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1142	4.0%	7.5%	1142	7.5%	7.5%
UTD	1	14142	50.0%	92.5%	14142	92.5%	92.5%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_UTDPCV Type: Numeric Position: 272-272

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ Pneumococcal-containing (70,71,72,73,74)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2426	8.6%	15.9%	2426	15.9%	15.9%
UTD	1	12858	45.4%	84.1%	12858	84.1%	84.1%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: P\_UTDPCVB13 Type: Numeric Position: 273-273

Label: UTD (UP-TO-DATE) INDICATOR FOR PROVIDER 1+ PNEUMOCOCCAL VACCINATIONS OF TYPE CONJUGATE-13, GIVEN 4+ DOSES OF TYPE CONJUGATE-7, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 1+ dose of PCV Conjugate 13 (vaccine type code 74), given 4+ doses of PCV Conjugate 7 (vaccine type code 73)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
4+ PCV7 PLUS 1+ PCV13	1	3	0.0%	0.0%	3	0.0%	0.0%
4+ PCV7, NO FOLLOWING PCV13, WITH TYPE OF ALL VACCINES (IF ANY) FOLLOWING THE 4 PCV7 KNOWN	2	64	0.2%	0.4%	64	0.4%	0.4%
ALL OTHERS WITH ADEQUATE PROVIDER DATA	3	15217	53.8%	99.6%	15217	99.6%	99.6%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_UTDPOL Type: Numeric Position: 274-274

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ Polio-containing (08,20,21,22,D3)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1094	3.9%	7.2%	1094	7.2%	7.2%
UTD	1	14190	50.1%	92.8%	14190	92.8%	92.8%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: P\_UTDROT\_S Type: Numeric Position: 275-275

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ ROTAVIRUS DOSES BY 36 MONTHS OF AGE, BASED ON A STRICT TREATMENT OF ROTAVIRUS VACCINATIONS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ Rotavirus-containing (RG,RM,RO) or 2+ Rotarix (RG)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3595	12.7%	23.5%	3595	23.5%	23.5%
UTD	1	11689	41.3%	76.5%	11689	76.5%	76.5%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_UTDTP3 Type: Numeric Position: 276-276

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ DT-containing (03,04,07,08,D3)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	895	3.2%	5.9%	895	5.9%	5.9%
UTD	1	14389	50.9%	94.1%	14389	94.1%	94.1%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: P\_UTDTP4 Type: Numeric Position: 277-277

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2322	8.2%	15.2%	2322	15.2%	15.2%
UTD	1	12962	45.8%	84.8%	12962	84.8%	84.8%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: PU431331 Type: Numeric Position: 278-278**

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS,HY), 3+ Hepatitis B-containing (08,43,60,HB), and 1+ Varicella-containing (VO,VM,VA) at age 12+ months**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3094	10.9%	20.2%	3094	20.2%	20.2%
UTD	1	12190	43.1%	79.8%	12190	79.8%	79.8%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: P\_UTD431H31\_ROUT\_S Type: Numeric Position: 279-279**

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), HIB (routine, strict definition), 3+ Hepatitis B-containing (08,43,60,HB), and 1+ Varicella-containing (VO,VM,VA) at age 12+ months.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3698	13.1%	24.2%	3698	24.2%	24.2%
UTD	1	11586	40.9%	75.8%	11586	75.8%	75.8%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: PU431\_31 Type: Numeric Position: 280-280**

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1::3:1 (4:3:1:3:3:1 EXCLUDING HIB; INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ Hepatitis B-containing (08,43,60,HB), and 1+ Varicella-containing (VO,VM,VA) at age 12+ months**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3020	10.7%	19.8%	3020	19.8%	19.8%
UTD	1	12264	43.3%	80.2%	12264	80.2%	80.2%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: PU4313313 Type: Numeric Position: 281-281**

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (07,43,44,D3,HL,HM,HG,HS,HY), 3+ Hepatitis B-containing (08,43,60,HB), 1+ Varicella-containing (VO,VM,VA) at age 12+ months, and 3+ Pneumococcal-containing (70,71,72,73,74).**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3168	11.2%	20.7%	3168	20.7%	20.7%
UTD	1	12116	42.8%	79.3%	12116	79.3%	79.3%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_UTD431H313\_ROUT\_S Type: Numeric Position: 282-282

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), HIB (routine, strict definition), 3+ Hepatitis B-containing (08,43,60,HB), 1+ Varicella-containing (VO,VM,VA) at age 12+ months, and 3+ Pneumococcal-containing (70,71,72,73,74).**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3758	13.3%	24.6%	3758	24.6%	24.6%
UTD	1	11526	40.7%	75.4%	11526	75.4%	75.4%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: PU4313314 Type: Numeric Position: 283-283

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (07,43,44,D3,HL,HM,HG,HS,HY), 3+ Hepatitis B-containing (08,43,60,HB), 1+ Varicella-containing (VO,VM,VA) at age 12+ months, and 4+ Pneumococcal-containing (70,71,72,73,74).**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3642	12.9%	23.8%	3642	23.8%	23.8%
UTD	1	11642	41.1%	76.2%	11642	76.2%	76.2%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_UTD431H314\_ROUT\_S Type: Numeric Position: 284-284

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), HIB (routine, strict definition), 3+ Hepatitis B-containing (08,43,60,HB), 1+ Varicella-containing (VO,VM,VA) at age 12+ months, and 4+ Pneumococcal-containing (70,71,72,73,74).

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	4105	14.5%	26.9%	4105	26.9%	26.9%
UTD	1	11179	39.5%	73.1%	11179	73.1%	73.1%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: PU431\_314 Type: Numeric Position: 285-285

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1::3:1:4 (4:3:1:3:3:1:4 EXCLUDING HIB; INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ Hepatitis B-containing (08,43,60,HB), 1+ Varicella-containing (VO,VM,VA) at age 12+ months, and 4+ Pneumococcal-containing (70,71,72,73,74).

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3609	12.8%	23.6%	3609	23.6%	23.6%
UTD	1	11675	41.3%	76.4%	11675	76.4%	76.4%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: PUT43133 Type: Numeric Position: 286-286**

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS,HY), and 3+ Hepatitis B-containing (08,43,60,HB)**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2927	10.3%	19.2%	2927	19.2%	19.2%
UTD	1	12357	43.7%	80.8%	12357	80.8%	80.8%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: P\_UTD431H3\_ROUT\_S Type: Numeric Position: 287-287**

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), HIB (routine, strict definition), and 3+ Hepatitis B-containing (08,43,60,HB).**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3549	12.5%	23.2%	3549	23.2%	23.2%
UTD	1	11735	41.5%	76.8%	11735	76.8%	76.8%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: PUTD4313 Type: Numeric Position: 288-288

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), and 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS,HY)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2619	9.3%	17.1%	2619	17.1%	17.1%
UTD	1	12665	44.8%	82.9%	12665	82.9%	82.9%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: P\_UTD431H\_ROUT\_S Type: Numeric Position: 289-289

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), and HIB (routine, strict definition).

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3268	11.5%	21.4%	3268	21.4%	21.4%
UTD	1	12016	42.5%	78.6%	12016	78.6%	78.6%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: U1D\_HEP Type: Numeric Position: 290-290

Label: BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 1 FLAG

Notes: 1+ Hepatitis B-containing (08,43,60,HB) on date of birth or 1st day following birth.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	5657	20.0%	37.0%	5657	37.0%	37.0%
1	1	9627	34.0%	63.0%	9627	63.0%	63.0%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: U2D\_HEP Type: Numeric Position: 291-291

Label: BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 2 FLAG

Notes: 1+ Hepatitis B-containing (08,43,60,HB) on date of birth or the 1st or 2nd day following birth.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	4566	16.1%	29.9%	4566	29.9%	29.9%
1	1	10718	37.9%	70.1%	10718	70.1%	70.1%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: U3D\_HEP Type: Numeric Position: 292-292

Label: BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 3 FLAG

Notes: 1+ Hepatitis B-containing (08,43,60,HB) on date of birth or the 1st, 2nd or 3rd day following birth.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	4268	15.1%	27.9%	4268	27.9%	27.9%
1	1	11016	38.9%	72.1%	11016	72.1%	72.1%
<b>SUBTOTALS:</b>		15284	54.0%	100.0%	15284	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13012	46.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DDTP1 Type: Numeric Position: 293-296

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #1

Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14807	52.3%	100.0%	14807	96.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13489	47.7%	n/a	477	3.1%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: DDTP1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	75.8	64.0	0.0	1052.0	62.3
Adequate Provider Data	75.8	64.0	0.0	1052.0	62.3

Variable: DDTP2 Type: Numeric Position: 297-300

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #2

Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14635	51.7%	100.0%	14635	95.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13661	48.3%	n/a	649	4.2%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: DDTP2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	145.6	128.0	44.0	1116.0	72.3
Adequate Provider Data	145.6	128.0	44.0	1116.0	72.3

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DDTP3 Type: Numeric Position: 301-304****Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #3****Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14412	50.9%	100.0%	14412	94.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13884	49.1%	n/a	872	5.7%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: DDTP3 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	221.0	192.0	89.0	1183.0	93.8
Adequate Provider Data	221.0	192.0	89.0	1183.0	93.8

**Variable: DDTP4 Type: Numeric Position: 305-308****Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #4****Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		13133	46.4%	100.0%	13133	85.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	15163	53.6%	n/a	2151	14.1%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: DDTP4 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	519.0	485.0	120.0	1257.0	98.8
Adequate Provider Data	519.0	485.0	120.0	1257.0	98.8

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DDTP5 Type: Numeric Position: 309-312

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #5

Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		218	0.8%	100.0%	218	1.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28078	99.2%	n/a	15066	98.6%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: DDTP5 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	617.3	568.5	150.0	1140.0	167.1
Adequate Provider Data	617.3	568.5	150.0	1140.0	167.1

Variable: DDTP6 Type: Numeric Position: 313-316

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #6

Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		8	0.0%	100.0%	8	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28288	100.0%	n/a	15276	99.9%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: DDTP6 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	676.1	671.5	391.0	1100.0	228.1
Adequate Provider Data	676.1	671.5	391.0	1100.0	228.1

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DDTP7 Type: Numeric Position: 317-317

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #7

Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: DDTP8 Type: Numeric Position: 318-318

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: DDTP9 Type: Numeric Position: 319-319

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DFLU1 Type: Numeric Position: 320-323**

**Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1**

**Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		11105	39.2%	100.0%	11105	72.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17191	60.8%	n/a	4179	27.3%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: DFLU1 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	327.8	279.0	0.0	1257.0	169.9
Adequate Provider Data	327.8	279.0	0.0	1257.0	169.9

**Variable: DFLU2 Type: Numeric Position: 324-327**

**Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2**

**Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		9290	32.8%	100.0%	9290	60.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	19006	67.2%	n/a	5994	39.2%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: DFLU2 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	404.6	368.0	40.0	1234.0	180.9
Adequate Provider Data	404.6	368.0	40.0	1234.0	180.9

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DFLU3 Type: Numeric Position: 328-331

Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3

Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		6308	22.3%	100.0%	6308	41.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	21988	77.7%	n/a	8976	58.7%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: DFLU3 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	644.4	617.0	182.0	1273.0	157.8
Adequate Provider Data	644.4	617.0	182.0	1273.0	157.8

Variable: DFLU4 Type: Numeric Position: 332-335

Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4

Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1828	6.5%	100.0%	1828	12.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	26468	93.5%	n/a	13456	88.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: DFLU4 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	914.6	918.0	310.0	1320.0	138.9
Adequate Provider Data	914.6	918.0	310.0	1320.0	138.9

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DFLU5 Type: Numeric Position: 336-339**

**Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5**

**Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		87	0.3%	100.0%	87	0.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28209	99.7%	n/a	15197	99.4%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: DFLU5 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	1024.3	1102.0	368.0	1257.0	186.4
Adequate Provider Data	1024.3	1102.0	368.0	1257.0	186.4

**Variable: DFLU6 Type: Numeric Position: 340-343**

**Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6**

**Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		5	0.0%	100.0%	5	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28291	100.0%	n/a	15279	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: DFLU6 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	879.6	952.0	432.0	1089.0	259.0
Adequate Provider Data	879.6	952.0	432.0	1089.0	259.0

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DFLU7 Type: Numeric Position: 344-346**

**Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7**

**Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28295	100.0%	n/a	15283	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: DFLU7 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	734.0	734.0	734.0	734.0	.
Adequate Provider Data	734.0	734.0	734.0	734.0	.

**Variable: DFLU8 Type: Numeric Position: 347-347**

**Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8**

**Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DFLU9 Type: Numeric Position: 348-348

Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9

Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: DHEPA1 Type: Numeric Position: 349-352

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		13373	47.3%	100.0%	13373	87.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	14923	52.7%	n/a	1911	12.5%	n/a
TOTALS:		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: DHEPA1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	434.3	382.0	0.0	1182.0	111.9
Adequate Provider Data	434.3	382.0	0.0	1182.0	111.9

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DHEPA2 Type: Numeric Position: 353-356**

**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2**

**Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		10251	36.2%	100.0%	10251	67.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18045	63.8%	n/a	5033	32.9%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: DHEPA2 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	657.8	609.0	35.0	1257.0	118.9
Adequate Provider Data	657.8	609.0	35.0	1257.0	118.9

**Variable: DHEPA3 Type: Numeric Position: 357-360**

**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3**

**Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		82	0.3%	100.0%	82	0.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28214	99.7%	n/a	15202	99.5%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: DHEPA3 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	772.4	750.0	256.0	1149.0	164.6
Adequate Provider Data	772.4	750.0	256.0	1149.0	164.6

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DHEPA4 Type: Numeric Position: 361-363**

**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4**

**Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		3	0.0%	100.0%	3	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28293	100.0%	n/a	15281	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: DHEPA4 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	779.3	794.0	750.0	794.0	25.4
Adequate Provider Data	779.3	794.0	750.0	794.0	25.4

**Variable: DHEPA5 Type: Numeric Position: 364-364**

**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5**

**Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPA6 Type: Numeric Position: 365-365

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: DHEPA7 Type: Numeric Position: 366-366

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: DHEPA8 Type: Numeric Position: 367-367

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPA9 Type: Numeric Position: 368-368

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: DHEPB1 Type: Numeric Position: 369-372

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1

Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14813	52.4%	100.0%	14813	96.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13483	47.6%	n/a	471	3.1%	n/a
TOTALS:		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: DHEPB1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	21.6	1.0	0.0	1063.0	76.1
Adequate Provider Data	21.6	1.0	0.0	1063.0	76.1

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPB2 Type: Numeric Position: 373-376

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2

Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14459	51.1%	100.0%	14459	94.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13837	48.9%	n/a	825	5.4%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: DHEPB2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	89.9	64.0	15.0	1187.0	89.2
Adequate Provider Data	89.9	64.0	15.0	1187.0	89.2

Variable: DHEPB3 Type: Numeric Position: 377-380

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3

Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14013	49.5%	100.0%	14013	91.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	14283	50.5%	n/a	1271	8.3%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: DHEPB3 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	213.3	188.0	49.0	1256.0	114.0
Adequate Provider Data	213.3	188.0	49.0	1256.0	114.0

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPB4 Type: Numeric Position: 381-384

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4

Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		5103	18.0%	100.0%	5103	33.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23193	82.0%	n/a	10181	66.6%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: DHEPB4 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	230.4	193.0	95.0	1103.0	110.0
Adequate Provider Data	230.4	193.0	95.0	1103.0	110.0

Variable: DHEPB5 Type: Numeric Position: 385-388

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5

Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		208	0.7%	100.0%	208	1.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28088	99.3%	n/a	15076	98.6%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: DHEPB5 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	453.9	457.0	182.0	1234.0	188.1
Adequate Provider Data	453.9	457.0	182.0	1234.0	188.1

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPB6 Type: Numeric Position: 389-391

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6

Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		5	0.0%	100.0%	5	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28291	100.0%	n/a	15279	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: DHEPB6 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	426.6	460.0	232.0	550.0	130.3
Adequate Provider Data	426.6	460.0	232.0	550.0	130.3

Variable: DHEPB7 Type: Numeric Position: 392-394

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7

Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28295	100.0%	n/a	15283	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: DHEPB7 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	551.0	551.0	551.0	551.0	.
Adequate Provider Data	551.0	551.0	551.0	551.0	.

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPB8 Type: Numeric Position: 395-395

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

Variable: DHEPB9 Type: Numeric Position: 396-396

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

Variable: DHIB1 Type: Numeric Position: 397-400

Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #1

Notes: See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14753	52.1%	100.0%	14753	96.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13543	47.9%	n/a	531	3.5%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DHIB1 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	77.4	64.0	0.0	1082.0	65.5
Adequate Provider Data	77.4	64.0	0.0	1082.0	65.5

**Variable: DHIB2 Type: Numeric Position: 401-404****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #2**

**Notes:** See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14508	51.3%	100.0%	14508	94.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13788	48.7%	n/a	776	5.1%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: DHIB2 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	145.8	128.0	33.0	1112.0	67.9
Adequate Provider Data	145.8	128.0	33.0	1112.0	67.9

**Variable: DHIB3 Type: Numeric Position: 405-408****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #3**

**Notes:** See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14102	49.8%	100.0%	14102	92.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	14194	50.2%	n/a	1182	7.7%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DHIB3 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	273.0	199.0	61.0	1185.0	136.0
Adequate Provider Data	273.0	199.0	61.0	1185.0	136.0

**Variable: DHIB4 Type: Numeric Position: 409-412****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #4**

**Notes:** See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		10076	35.6%	100.0%	10076	65.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18220	64.4%	n/a	5208	34.1%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: DHIB4 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	484.1	466.0	132.0	1190.0	96.4
Adequate Provider Data	484.1	466.0	132.0	1190.0	96.4

**Variable: DHIB5 Type: Numeric Position: 413-416****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #5**

**Notes:** See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		157	0.6%	100.0%	157	1.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28139	99.4%	n/a	15127	99.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DHIB5 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	545.4	486.0	201.0	1174.0	159.3
Adequate Provider Data	545.4	486.0	201.0	1174.0	159.3

**Variable: DHIB6 Type: Numeric Position: 417-419****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #6**

**Notes:** See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		8	0.0%	100.0%	8	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28288	100.0%	n/a	15276	99.9%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: DHIB6 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	488.1	471.0	276.0	701.0	124.6
Adequate Provider Data	488.1	471.0	276.0	701.0	124.6

**Variable: DHIB7 Type: Numeric Position: 420-422****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #7**

**Notes:** See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28295	100.0%	n/a	15283	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DHIB7 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	459.0	459.0	459.0	459.0	.
Adequate Provider Data	459.0	459.0	459.0	459.0	.

**Variable: DHIB8 Type: Numeric Position: 423-423****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #8**

**Notes:** See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

**Variable: DHIB9 Type: Numeric Position: 424-424****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #9**

**Notes:** See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMMR1 Type: Numeric Position: 425-428

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #1

Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14195	50.2%	100.0%	14195	92.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	14101	49.8%	n/a	1089	7.1%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: DMMR1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	412.7	378.0	62.0	1155.0	83.4
Adequate Provider Data	412.7	378.0	62.0	1155.0	83.4

Variable: DMMR2 Type: Numeric Position: 429-432

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #2

Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		340	1.2%	100.0%	340	2.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27956	98.8%	n/a	14944	97.8%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: DMMR2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	622.1	566.5	277.0	1243.0	194.5
Adequate Provider Data	622.1	566.5	277.0	1243.0	194.5

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMMR3 Type: Numeric Position: 433-435

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #3

Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		8	0.0%	100.0%	8	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28288	100.0%	n/a	15276	99.9%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: DMMR3 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	682.0	675.5	473.0	929.0	163.8
Adequate Provider Data	682.0	675.5	473.0	929.0	163.8

Variable: DMMR4 Type: Numeric Position: 436-436

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #4

Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMMR5 Type: Numeric Position: 437-437

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #5

Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: DMMR6 Type: Numeric Position: 438-438

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #6

Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: DMMR7 Type: Numeric Position: 439-439

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #7

Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMMR8 Type: Numeric Position: 440-440

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: DMMR9 Type: Numeric Position: 441-441

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: DMP1 Type: Numeric Position: 442-442

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #1

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMP2 Type: Numeric Position: 443-443

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #2

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: DMP3 Type: Numeric Position: 444-444

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #3

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: DMP4 Type: Numeric Position: 445-445

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #4

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMP5 Type: Numeric Position: 446-446

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #5

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: DMP6 Type: Numeric Position: 447-447

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #6

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: DMP7 Type: Numeric Position: 448-448

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #7

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMP8 Type: Numeric Position: 449-449

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #8

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: DMP9 Type: Numeric Position: 450-450

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #9

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: DMPRB1 Type: Numeric Position: 451-451

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMPRB2 Type: Numeric Position: 452-452

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: DMPRB3 Type: Numeric Position: 453-453

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: DMPRB4 Type: Numeric Position: 454-454

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMPRB5 Type: Numeric Position: 455-455

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: DMPRB6 Type: Numeric Position: 456-456

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: DMPRB7 Type: Numeric Position: 457-457

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMPRB8 Type: Numeric Position: 458-458

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

Variable: DMPRB9 Type: Numeric Position: 459-459

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

Variable: DPCV1 Type: Numeric Position: 460-463

Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1

Notes: See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14718	52.0%	100.0%	14718	96.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13578	48.0%	n/a	566	3.7%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DPCV1 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	79.2	64.0	0.0	1142.0	69.9
Adequate Provider Data	79.2	64.0	0.0	1142.0	69.9

**Variable: DPCV2 Type: Numeric Position: 464-467****Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2**

**Notes:** See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14500	51.2%	100.0%	14500	94.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13796	48.8%	n/a	784	5.1%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: DPCV2 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	149.4	128.0	56.0	1182.0	78.7
Adequate Provider Data	149.4	128.0	56.0	1182.0	78.7

**Variable: DPCV3 Type: Numeric Position: 468-471****Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3**

**Notes:** See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14174	50.1%	100.0%	14174	92.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	14122	49.9%	n/a	1110	7.3%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DPCV3 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	224.8	193.0	95.0	1196.0	96.3
Adequate Provider Data	224.8	193.0	95.0	1196.0	96.3

**Variable: DPCV4 Type: Numeric Position: 472-475****Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4**

**Notes:** See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		12960	45.8%	100.0%	12960	84.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	15336	54.2%	n/a	2324	15.2%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: DPCV4 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	440.6	406.0	157.0	1190.0	98.1
Adequate Provider Data	440.6	406.0	157.0	1190.0	98.1

**Variable: DPCV5 Type: Numeric Position: 476-479****Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5**

**Notes:** See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		183	0.6%	100.0%	183	1.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28113	99.4%	n/a	15101	98.8%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DPCV5 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	554.4	505.0	190.0	1114.0	162.4
Adequate Provider Data	554.4	505.0	190.0	1114.0	162.4

**Variable: DPCV6 Type: Numeric Position: 480-482****Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6**

**Notes:** See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		3	0.0%	100.0%	3	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28293	100.0%	n/a	15281	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: DPCV6 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	839.3	843.0	722.0	953.0	115.5
Adequate Provider Data	839.3	843.0	722.0	953.0	115.5

**Variable: DPCV7 Type: Numeric Position: 483-485****Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7**

**Notes:** See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28295	100.0%	n/a	15283	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DPCV7 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	812.0	812.0	812.0	812.0	.
Adequate Provider Data	812.0	812.0	812.0	812.0	.

**Variable: DPCV8 Type: Numeric Position: 486-486****Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8**

**Notes:** See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

**Variable: DPCV9 Type: Numeric Position: 487-487****Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9**

**Notes:** See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DPOLIO1 Type: Numeric Position: 488-491**

**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #1**

**Notes: See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14720	52.0%	100.0%	14720	96.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13576	48.0%	n/a	564	3.7%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: DPOLIO1 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	76.9	64.0	0.0	1101.0	64.6
Adequate Provider Data	76.9	64.0	0.0	1101.0	64.6

**Variable: DPOLIO2 Type: Numeric Position: 492-495**

**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #2**

**Notes: See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14541	51.4%	100.0%	14541	95.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13755	48.6%	n/a	743	4.9%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: DPOLIO2 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	147.2	128.0	28.0	1116.0	74.9
Adequate Provider Data	147.2	128.0	28.0	1116.0	74.9

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DPOLIO3 Type: Numeric Position: 496-499**

**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #3**

**Notes: See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14217	50.2%	100.0%	14217	93.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	14079	49.8%	n/a	1067	7.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: DPOLIO3 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	229.3	193.0	59.0	1256.0	106.7
Adequate Provider Data	229.3	193.0	59.0	1256.0	106.7

**Variable: DPOLIO4 Type: Numeric Position: 500-503**

**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #4**

**Notes: See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		2971	10.5%	100.0%	2971	19.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	25325	89.5%	n/a	12313	80.6%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: DPOLIO4 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	494.4	470.0	89.0	1257.0	103.4
Adequate Provider Data	494.4	470.0	89.0	1257.0	103.4

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPOLIO5 Type: Numeric Position: 504-507

Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #5

Notes: See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		70	0.2%	100.0%	70	0.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28226	99.8%	n/a	15214	99.5%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: DPOLIO5 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	515.3	481.5	251.0	1109.0	158.5
Adequate Provider Data	515.3	481.5	251.0	1109.0	158.5

Variable: DPOLIO6 Type: Numeric Position: 508-511

Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #6

Notes: See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		8	0.0%	100.0%	8	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28288	100.0%	n/a	15276	99.9%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: DPOLIO6 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	602.5	548.0	368.0	1097.0	238.8
Adequate Provider Data	602.5	548.0	368.0	1097.0	238.8

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPOLIO7 Type: Numeric Position: 512-512

Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #7

Notes: See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: DPOLIO8 Type: Numeric Position: 513-513

Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: DPOLIO9 Type: Numeric Position: 514-514

Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DRB1 Type: Numeric Position: 515-515

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #1

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: DRB2 Type: Numeric Position: 516-516

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #2

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: DRB3 Type: Numeric Position: 517-517

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #3

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DRB4 Type: Numeric Position: 518-518

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #4

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: DRB5 Type: Numeric Position: 519-519

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #5

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: DRB6 Type: Numeric Position: 520-520

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #6

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DRB7 Type: Numeric Position: 521-521

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #7

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: DRB8 Type: Numeric Position: 522-522

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #8

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: DRB9 Type: Numeric Position: 523-523

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #9

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DROT1 Type: Numeric Position: 524-526

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1

Notes: See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		13537	47.8%	100.0%	13537	88.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	14759	52.2%	n/a	1747	11.4%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: DROT1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	68.2	64.0	0.0	950.0	22.1
Adequate Provider Data	68.2	64.0	0.0	950.0	22.1

Variable: DROT2 Type: Numeric Position: 527-529

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2

Notes: See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		12987	45.9%	100.0%	12987	85.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	15309	54.1%	n/a	2297	15.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: DROT2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	133.9	127.0	60.0	793.0	25.4
Adequate Provider Data	133.9	127.0	60.0	793.0	25.4

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DROT3 Type: Numeric Position: 530-532

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3

Notes: See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		8801	31.1%	100.0%	8801	57.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	19495	68.9%	n/a	6483	42.4%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: DROT3 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	196.5	189.0	101.0	951.0	34.5
Adequate Provider Data	196.5	189.0	101.0	951.0	34.5

Variable: DROT4 Type: Numeric Position: 533-535

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4

Notes: See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		23	0.1%	100.0%	23	0.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28273	99.9%	n/a	15261	99.8%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: DROT4 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	324.6	265.0	191.0	757.0	136.7
Adequate Provider Data	324.6	265.0	191.0	757.0	136.7

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DROT5 Type: Numeric Position: 536-538

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5

Notes: See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28295	100.0%	n/a	15283	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: DROT5 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	843.0	843.0	843.0	843.0	.
Adequate Provider Data	843.0	843.0	843.0	843.0	.

Variable: DROT6 Type: Numeric Position: 539-539

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6

Notes: See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DROT7 Type: Numeric Position: 540-540

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7

Notes: See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: DROT8 Type: Numeric Position: 541-541

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: DROT9 Type: Numeric Position: 542-542

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DVRC1 Type: Numeric Position: 543-546**

**Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1**

**Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14041	49.6%	100.0%	14041	91.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	14255	50.4%	n/a	1243	8.1%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: DVRC1 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	418.2	379.0	29.0	1180.0	90.6
Adequate Provider Data	418.2	379.0	29.0	1180.0	90.6

**Variable: DVRC2 Type: Numeric Position: 547-550**

**Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2**

**Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		227	0.8%	100.0%	227	1.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28069	99.2%	n/a	15057	98.5%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: DVRC2 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	672.8	604.0	100.0	1182.0	198.2
Adequate Provider Data	672.8	604.0	100.0	1182.0	198.2

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DVRC3 Type: Numeric Position: 551-553

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3

Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		4	0.0%	100.0%	4	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28292	100.0%	n/a	15280	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: DVRC3 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	693.8	719.5	551.0	785.0	103.1
Adequate Provider Data	693.8	719.5	551.0	785.0	103.1

Variable: DVRC4 Type: Numeric Position: 554-554

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4

Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DVRC5 Type: Numeric Position: 555-555

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5

Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: DVRC6 Type: Numeric Position: 556-556

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6

Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: DVRC7 Type: Numeric Position: 557-557

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7

Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DVRC8 Type: Numeric Position: 558-558

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

Variable: DVRC9 Type: Numeric Position: 559-559

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

Variable: DTP1\_AGE Type: Numeric Position: 560-561

Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #1

Notes: See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14807	52.3%	100.0%	14807	96.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13489	47.7%	n/a	477	3.1%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DTP1\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	2.2	2.0	0.0	34.0	2.0
Adequate Provider Data	2.2	2.0	0.0	34.0	2.0

**Variable: DTP2\_AGE** Type: Numeric Position: 562-563**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #2**

**Notes:** See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14635	51.7%	100.0%	14635	95.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13661	48.3%	n/a	649	4.2%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: DTP2\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	4.5	4.0	1.0	36.0	2.3
Adequate Provider Data	4.5	4.0	1.0	36.0	2.3

**Variable: DTP3\_AGE** Type: Numeric Position: 564-565**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #3**

**Notes:** See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14412	50.9%	100.0%	14412	94.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13884	49.1%	n/a	872	5.7%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DTP3\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	6.9	6.0	3.0	38.0	3.0
Adequate Provider Data	6.9	6.0	3.0	38.0	3.0

**Variable: DTP4\_AGE** Type: Numeric Position: 566-567**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #4**

**Notes:** See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		13133	46.4%	100.0%	13133	85.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	15163	53.6%	n/a	2151	14.1%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: DTP4\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	16.7	15.0	4.0	41.0	3.2
Adequate Provider Data	16.7	15.0	4.0	41.0	3.2

**Variable: DTP5\_AGE** Type: Numeric Position: 568-569**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #5**

**Notes:** See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		218	0.8%	100.0%	218	1.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28078	99.2%	n/a	15066	98.6%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DTP5\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	19.9	18.0	5.0	37.0	5.5
Adequate Provider Data	19.9	18.0	5.0	37.0	5.5

**Variable: DTP6\_AGE** Type: Numeric Position: 570-571**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #6**

**Notes:** See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		8	0.0%	100.0%	8	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28288	100.0%	n/a	15276	99.9%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: DTP6\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	21.6	21.5	12.0	36.0	7.7
Adequate Provider Data	21.6	21.5	12.0	36.0	7.7

**Variable: DTP7\_AGE** Type: Numeric Position: 572-572**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #7**

**Notes:** See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DTP8\_AGE Type: Numeric Position: 573-573

Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

Variable: DTP9\_AGE Type: Numeric Position: 574-574

Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

Variable: FLU1\_AGE Type: Numeric Position: 575-576

Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1

Notes: See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		11105	39.2%	100.0%	11105	72.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17191	60.8%	n/a	4179	27.3%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: FLU1\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	10.4	9.0	0.0	41.0	5.5
Adequate Provider Data	10.4	9.0	0.0	41.0	5.5

**Variable: FLU2\_AGE** Type: Numeric Position: 577-578**Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2**

**Notes:** See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		9290	32.8%	100.0%	9290	60.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	19006	67.2%	n/a	5994	39.2%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: FLU2\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	12.9	12.0	1.0	40.0	5.9
Adequate Provider Data	12.9	12.0	1.0	40.0	5.9

**Variable: FLU3\_AGE** Type: Numeric Position: 579-580**Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3**

**Notes:** See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		6308	22.3%	100.0%	6308	41.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	21988	77.7%	n/a	8976	58.7%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: FLU3\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	20.8	20.0	6.0	41.0	5.2
Adequate Provider Data	20.8	20.0	6.0	41.0	5.2

**Variable: FLU4\_AGE** Type: Numeric Position: 581-582**Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4**

**Notes:** See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1828	6.5%	100.0%	1828	12.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	26468	93.5%	n/a	13456	88.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: FLU4\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	29.6	30.0	10.0	43.0	4.6
Adequate Provider Data	29.6	30.0	10.0	43.0	4.6

**Variable: FLU5\_AGE** Type: Numeric Position: 583-584**Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5**

**Notes:** See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		87	0.3%	100.0%	87	0.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28209	99.7%	n/a	15197	99.4%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: FLU5\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	33.2	36.0	12.0	41.0	6.1
Adequate Provider Data	33.2	36.0	12.0	41.0	6.1

**Variable: FLU6\_AGE** Type: Numeric Position: 585-586**Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6**

**Notes:** See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		5	0.0%	100.0%	5	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28291	100.0%	n/a	15279	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: FLU6\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	28.4	31.0	14.0	35.0	8.4
Adequate Provider Data	28.4	31.0	14.0	35.0	8.4

**Variable: FLU7\_AGE** Type: Numeric Position: 587-588**Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7**

**Notes:** See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28295	100.0%	n/a	15283	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: FLU7\_AGE Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	24.0	24.0	24.0	24.0	.
Adequate Provider Data	24.0	24.0	24.0	24.0	.

**Variable: FLU8\_AGE Type: Numeric Position: 589-589****Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8**

**Notes:** See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

**Variable: FLU9\_AGE Type: Numeric Position: 590-590****Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9**

**Notes:** See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HEA1\_AGE** Type: Numeric Position: 591-592

**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		13373	47.3%	100.0%	13373	87.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	14923	52.7%	n/a	1911	12.5%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: HEA1\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	14.0	12.0	0.0	38.0	3.6
Adequate Provider Data	14.0	12.0	0.0	38.0	3.6

**Variable: HEA2\_AGE** Type: Numeric Position: 593-594

**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		10251	36.2%	100.0%	10251	67.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18045	63.8%	n/a	5033	32.9%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: HEA2\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	21.2	20.0	1.0	41.0	3.9
Adequate Provider Data	21.2	20.0	1.0	41.0	3.9

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HEA3\_AGE Type: Numeric Position: 595-596**

**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		82	0.3%	100.0%	82	0.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28214	99.7%	n/a	15202	99.5%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: HEA3\_AGE Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	25.0	24.0	8.0	37.0	5.4
Adequate Provider Data	25.0	24.0	8.0	37.0	5.4

**Variable: HEA4\_AGE Type: Numeric Position: 597-598**

**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		3	0.0%	100.0%	3	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28293	100.0%	n/a	15281	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: HEA4\_AGE Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	25.3	26.0	24.0	26.0	1.2
Adequate Provider Data	25.3	26.0	24.0	26.0	1.2

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEA5\_AGE Type: Numeric Position: 599-599

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: HEA6\_AGE Type: Numeric Position: 600-600

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: HEA7\_AGE Type: Numeric Position: 601-601

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEA8\_AGE Type: Numeric Position: 602-602

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

Variable: HEA9\_AGE Type: Numeric Position: 603-603

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

Variable: HEP1\_AGE Type: Numeric Position: 604-605

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1

Notes: See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14813	52.4%	100.0%	14813	96.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13483	47.6%	n/a	471	3.1%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HEP1\_AGE Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	0.6	0.0	0.0	34.0	2.4
Adequate Provider Data	0.6	0.0	0.0	34.0	2.4

**Variable: HEP2\_AGE Type: Numeric Position: 606-607****Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2**

**Notes:** See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14459	51.1%	100.0%	14459	94.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13837	48.9%	n/a	825	5.4%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: HEP2\_AGE Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	2.7	2.0	0.0	39.0	2.9
Adequate Provider Data	2.7	2.0	0.0	39.0	2.9

**Variable: HEP3\_AGE Type: Numeric Position: 608-609****Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3**

**Notes:** See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14013	49.5%	100.0%	14013	91.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	14283	50.5%	n/a	1271	8.3%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HEP3\_AGE Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	6.7	6.0	1.0	41.0	3.7
Adequate Provider Data	6.7	6.0	1.0	41.0	3.7

**Variable: HEP4\_AGE Type: Numeric Position: 610-611****Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4**

**Notes:** See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		5103	18.0%	100.0%	5103	33.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23193	82.0%	n/a	10181	66.6%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: HEP4\_AGE Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	7.2	6.0	3.0	36.0	3.6
Adequate Provider Data	7.2	6.0	3.0	36.0	3.6

**Variable: HEP5\_AGE Type: Numeric Position: 612-613****Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5**

**Notes:** See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		208	0.7%	100.0%	208	1.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28088	99.3%	n/a	15076	98.6%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HEP5\_AGE Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	14.5	15.0	5.0	40.0	6.2
Adequate Provider Data	14.5	15.0	5.0	40.0	6.2

**Variable: HEP6\_AGE Type: Numeric Position: 614-615****Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6**

**Notes:** See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		5	0.0%	100.0%	5	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28291	100.0%	n/a	15279	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: HEP6\_AGE Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	13.8	15.0	7.0	18.0	4.4
Adequate Provider Data	13.8	15.0	7.0	18.0	4.4

**Variable: HEP7\_AGE Type: Numeric Position: 616-617****Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7**

**Notes:** See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28295	100.0%	n/a	15283	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HEP7\_AGE Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	18.0	18.0	18.0	18.0	.
Adequate Provider Data	18.0	18.0	18.0	18.0	.

**Variable: HEP8\_AGE Type: Numeric Position: 618-618****Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8**

**Notes:** See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

**Variable: HEP9\_AGE Type: Numeric Position: 619-619****Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9**

**Notes:** See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HIB1\_AGE** Type: Numeric Position: 620-621

**Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #1**

**Notes:** See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14753	52.1%	100.0%	14753	96.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13543	47.9%	n/a	531	3.5%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: HIB1\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	2.2	2.0	0.0	35.0	2.1
Adequate Provider Data	2.2	2.0	0.0	35.0	2.1

**Variable: HIB2\_AGE** Type: Numeric Position: 622-623

**Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #2**

**Notes:** See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14508	51.3%	100.0%	14508	94.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13788	48.7%	n/a	776	5.1%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: HIB2\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	4.5	4.0	1.0	36.0	2.2
Adequate Provider Data	4.5	4.0	1.0	36.0	2.2

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HIB3\_AGE** Type: Numeric Position: 624-625

**Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #3**

**Notes:** See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14102	49.8%	100.0%	14102	92.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	14194	50.2%	n/a	1182	7.7%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: HIB3\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	8.6	6.0	2.0	38.0	4.4
Adequate Provider Data	8.6	6.0	2.0	38.0	4.4

**Variable: HIB4\_AGE** Type: Numeric Position: 626-627

**Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #4**

**Notes:** See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		10076	35.6%	100.0%	10076	65.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18220	64.4%	n/a	5208	34.1%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: HIB4\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	15.6	15.0	4.0	39.0	3.1
Adequate Provider Data	15.6	15.0	4.0	39.0	3.1

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HIB5\_AGE Type: Numeric Position: 628-629

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #5

Notes: See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		157	0.6%	100.0%	157	1.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28139	99.4%	n/a	15127	99.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: HIB5\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	17.5	16.0	6.0	38.0	5.2
Adequate Provider Data	17.5	16.0	6.0	38.0	5.2

Variable: HIB6\_AGE Type: Numeric Position: 630-631

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #6

Notes: See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		8	0.0%	100.0%	8	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28288	100.0%	n/a	15276	99.9%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: HIB6\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	15.8	15.0	9.0	23.0	4.1
Adequate Provider Data	15.8	15.0	9.0	23.0	4.1

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HIB7\_AGE** Type: Numeric Position: 632-633

**Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #7**

**Notes: See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28295	100.0%	n/a	15283	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: HIB7\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	15.0	15.0	15.0	15.0	.
Adequate Provider Data	15.0	15.0	15.0	15.0	.

**Variable: HIB8\_AGE** Type: Numeric Position: 634-634

**Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #8**

**Notes: See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HIB9\_AGE Type: Numeric Position: 635-635

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: MMR1\_AGE Type: Numeric Position: 636-637

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #1

Notes: See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14195	50.2%	100.0%	14195	92.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	14101	49.8%	n/a	1089	7.1%	n/a
TOTALS:		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: MMR1\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	13.2	12.0	2.0	38.0	2.7
Adequate Provider Data	13.2	12.0	2.0	38.0	2.7

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MMR2\_AGE Type: Numeric Position: 638-639

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #2

Notes: See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		340	1.2%	100.0%	340	2.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	27956	98.8%	n/a	14944	97.8%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: MMR2\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	20.1	18.0	9.0	40.0	6.4
Adequate Provider Data	20.1	18.0	9.0	40.0	6.4

Variable: MMR3\_AGE Type: Numeric Position: 640-641

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #3

Notes: See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		8	0.0%	100.0%	8	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28288	100.0%	n/a	15276	99.9%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: MMR3\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	21.8	21.5	15.0	30.0	5.3
Adequate Provider Data	21.8	21.5	15.0	30.0	5.3

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MMR4\_AGE Type: Numeric Position: 642-642

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #4

Notes: See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: MMR5\_AGE Type: Numeric Position: 643-643

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #5

Notes: See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: MMR6\_AGE Type: Numeric Position: 644-644

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #6

Notes: See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MMR7\_AGE Type: Numeric Position: 645-645

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #7

Notes: See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

Variable: MMR8\_AGE Type: Numeric Position: 646-646

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

Variable: MMR9\_AGE Type: Numeric Position: 647-647

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MP1\_AGE Type: Numeric Position: 648-648

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #1

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: MP2\_AGE Type: Numeric Position: 649-649

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #2

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: MP3\_AGE Type: Numeric Position: 650-650

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #3

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MP4\_AGE Type: Numeric Position: 651-651

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #4

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: MP5\_AGE Type: Numeric Position: 652-652

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #5

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: MP6\_AGE Type: Numeric Position: 653-653

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #6

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MP7\_AGE Type: Numeric Position: 654-654

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #7

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: MP8\_AGE Type: Numeric Position: 655-655

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #8

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: MP9\_AGE Type: Numeric Position: 656-656

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #9

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MPR1\_AGE Type: Numeric Position: 657-657**

**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

**Variable: MPR2\_AGE Type: Numeric Position: 658-658**

**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

**Variable: MPR3\_AGE Type: Numeric Position: 659-659**

**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MPR4\_AGE Type: Numeric Position: 660-660

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: MPR5\_AGE Type: Numeric Position: 661-661

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: MPR6\_AGE Type: Numeric Position: 662-662

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MPR7\_AGE Type: Numeric Position: 663-663

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: MPR8\_AGE Type: Numeric Position: 664-664

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: MPR9\_AGE Type: Numeric Position: 665-665

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: PCV1\_AGE** Type: Numeric Position: 666-667

**Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1**

**Notes:** See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14718	52.0%	100.0%	14718	96.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13578	48.0%	n/a	566	3.7%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: PCV1\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	2.3	2.0	0.0	37.0	2.3
Adequate Provider Data	2.3	2.0	0.0	37.0	2.3

**Variable: PCV2\_AGE** Type: Numeric Position: 668-669

**Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2**

**Notes:** See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14500	51.2%	100.0%	14500	94.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13796	48.8%	n/a	784	5.1%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: PCV2\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	4.6	4.0	1.0	38.0	2.6
Adequate Provider Data	4.6	4.0	1.0	38.0	2.6

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: PCV3\_AGE** Type: Numeric Position: 670-671

**Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3**

**Notes:** See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14174	50.1%	100.0%	14174	92.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	14122	49.9%	n/a	1110	7.3%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: PCV3\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	7.1	6.0	3.0	39.0	3.1
Adequate Provider Data	7.1	6.0	3.0	39.0	3.1

**Variable: PCV4\_AGE** Type: Numeric Position: 672-673

**Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4**

**Notes:** See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		12960	45.8%	100.0%	12960	84.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	15336	54.2%	n/a	2324	15.2%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: PCV4\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	14.2	13.0	5.0	39.0	3.2
Adequate Provider Data	14.2	13.0	5.0	39.0	3.2

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: PCV5\_AGE** Type: Numeric Position: 674-675

**Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5**

**Notes:** See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		183	0.6%	100.0%	183	1.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28113	99.4%	n/a	15101	98.8%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: PCV5\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	17.8	16.0	6.0	36.0	5.3
Adequate Provider Data	17.8	16.0	6.0	36.0	5.3

**Variable: PCV6\_AGE** Type: Numeric Position: 676-677

**Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6**

**Notes:** See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		3	0.0%	100.0%	3	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28293	100.0%	n/a	15281	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: PCV6\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	27.0	27.0	23.0	31.0	4.0
Adequate Provider Data	27.0	27.0	23.0	31.0	4.0

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PCV7\_AGE Type: Numeric Position: 678-679

Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7

Notes: See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28295	100.0%	n/a	15283	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: PCV7\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	26.0	26.0	26.0	26.0	.
Adequate Provider Data	26.0	26.0	26.0	26.0	.

Variable: PCV8\_AGE Type: Numeric Position: 680-680

Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PCV9\_AGE Type: Numeric Position: 681-681

Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

Variable: POL1\_AGE Type: Numeric Position: 682-683

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #1

Notes: See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14720	52.0%	100.0%	14720	96.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13576	48.0%	n/a	564	3.7%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: POL1\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	2.2	2.0	0.0	36.0	2.1
Adequate Provider Data	2.2	2.0	0.0	36.0	2.1

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: POL2\_AGE** Type: Numeric Position: 684-685

**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #2**

**Notes:** See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14541	51.4%	100.0%	14541	95.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13755	48.6%	n/a	743	4.9%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: POL2\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	4.5	4.0	1.0	36.0	2.4
Adequate Provider Data	4.5	4.0	1.0	36.0	2.4

**Variable: POL3\_AGE** Type: Numeric Position: 686-687

**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #3**

**Notes:** See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14217	50.2%	100.0%	14217	93.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	14079	49.8%	n/a	1067	7.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: POL3\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	7.2	6.0	2.0	41.0	3.5
Adequate Provider Data	7.2	6.0	2.0	41.0	3.5

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: POL4\_AGE** Type: Numeric Position: 688-689

**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #4**

**Notes:** See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		2971	10.5%	100.0%	2971	19.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	25325	89.5%	n/a	12313	80.6%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: POL4\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	15.9	15.0	3.0	41.0	3.4
Adequate Provider Data	15.9	15.0	3.0	41.0	3.4

**Variable: POL5\_AGE** Type: Numeric Position: 690-691

**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #5**

**Notes:** See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		70	0.2%	100.0%	70	0.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28226	99.8%	n/a	15214	99.5%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: POL5\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	16.5	15.0	8.0	36.0	5.2
Adequate Provider Data	16.5	15.0	8.0	36.0	5.2

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: POL6\_AGE Type: Numeric Position: 692-693

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #6

Notes: See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		8	0.0%	100.0%	8	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28288	100.0%	n/a	15276	99.9%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: POL6\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	19.6	18.0	12.0	36.0	7.9
Adequate Provider Data	19.6	18.0	12.0	36.0	7.9

Variable: POL7\_AGE Type: Numeric Position: 694-694

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #7

Notes: See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: POL8\_AGE Type: Numeric Position: 695-695

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: POL9\_AGE Type: Numeric Position: 696-696

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: RB1\_AGE Type: Numeric Position: 697-697

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #1

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: RB2\_AGE Type: Numeric Position: 698-698

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #2

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: RB3\_AGE Type: Numeric Position: 699-699

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #3

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: RB4\_AGE Type: Numeric Position: 700-700

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #4

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: RB5\_AGE Type: Numeric Position: 701-701

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #5

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: RB6\_AGE Type: Numeric Position: 702-702

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #6

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: RB7\_AGE Type: Numeric Position: 703-703

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #7

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: RB8\_AGE Type: Numeric Position: 704-704

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #8

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

Variable: RB9\_AGE Type: Numeric Position: 705-705

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #9

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

Variable: ROT1\_AGE Type: Numeric Position: 706-707

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1

Notes: See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		13537	47.8%	100.0%	13537	88.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	14759	52.2%	n/a	1747	11.4%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: ROT1\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	2.0	2.0	0.0	31.0	0.8
Adequate Provider Data	2.0	2.0	0.0	31.0	0.8

**Variable: ROT2\_AGE** Type: Numeric Position: 708-709**Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2**

**Notes:** See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		12987	45.9%	100.0%	12987	85.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	15309	54.1%	n/a	2297	15.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: ROT2\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	4.1	4.0	1.0	26.0	0.8
Adequate Provider Data	4.1	4.0	1.0	26.0	0.8

**Variable: ROT3\_AGE** Type: Numeric Position: 710-711**Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3**

**Notes:** See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		8801	31.1%	100.0%	8801	57.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	19495	68.9%	n/a	6483	42.4%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: ROT3\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	6.1	6.0	3.0	31.0	1.1
Adequate Provider Data	6.1	6.0	3.0	31.0	1.1

Variable: ROT4\_AGE Type: Numeric Position: 712-713

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4

Notes: See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		23	0.1%	100.0%	23	0.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28273	99.9%	n/a	15261	99.8%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: ROT4\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	10.3	8.0	6.0	24.0	4.4
Adequate Provider Data	10.3	8.0	6.0	24.0	4.4

Variable: ROT5\_AGE Type: Numeric Position: 714-715

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5

Notes: See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28295	100.0%	n/a	15283	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: ROT5\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	27.0	27.0	27.0	27.0	.
Adequate Provider Data	27.0	27.0	27.0	27.0	.

**Variable: ROT6\_AGE** Type: Numeric Position: 716-716**Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6**

**Notes:** See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

**Variable: ROT7\_AGE** Type: Numeric Position: 717-717**Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7**

**Notes:** See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: ROT8\_AGE Type: Numeric Position: 718-718

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

Variable: ROT9\_AGE Type: Numeric Position: 719-719

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

Variable: VRC1\_AGE Type: Numeric Position: 720-721

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1

Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14041	49.6%	100.0%	14041	91.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	14255	50.4%	n/a	1243	8.1%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC1\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	13.4	12.0	0.0	38.0	2.9
Adequate Provider Data	13.4	12.0	0.0	38.0	2.9

Variable: VRC2\_AGE Type: Numeric Position: 722-723

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2

Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		227	0.8%	100.0%	227	1.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28069	99.2%	n/a	15057	98.5%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: VRC2\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	21.7	19.0	3.0	38.0	6.5
Adequate Provider Data	21.7	19.0	3.0	38.0	6.5

Variable: VRC3\_AGE Type: Numeric Position: 724-725

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3

Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		4	0.0%	100.0%	4	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28292	100.0%	n/a	15280	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC3\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	22.3	23.0	18.0	25.0	3.1
Adequate Provider Data	22.3	23.0	18.0	25.0	3.1

Variable: VRC4\_AGE Type: Numeric Position: 726-726

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4

Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

Variable: VRC5\_AGE Type: Numeric Position: 727-727

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5

Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC6\_AGE Type: Numeric Position: 728-728

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6

Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: VRC7\_AGE Type: Numeric Position: 729-729

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7

Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: VRC8\_AGE Type: Numeric Position: 730-730

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC9\_AGE Type: Numeric Position: 731-731

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

Variable: XDTPTY1 Type: Character Position: 732-733

Label: DT-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTP-UNKNOWN	03	222	0.8%	1.5%	222	1.5%	1.5%
DTAP	04	2290	8.1%	15.5%	2290	15.0%	15.5%
DTAP-HIB	07	10	0.0%	0.1%	10	0.1%	0.1%
DTAP-HEPB-IPV	08	7866	27.8%	53.1%	7866	51.5%	53.1%
DTAP-IPV-HIB	D3	4419	15.6%	29.8%	4419	28.9%	29.8%
<b>SUBTOTALS:</b>		14807	52.3%	100.0%	14807	96.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING		13489	47.7%	n/a	477	3.1%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XDTPTY2 Type: Character Position: 734-735

Label: DT-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTP-UNKNOWN	03	205	0.7%	1.4%	205	1.3%	1.4%
DTAP	04	2537	9.0%	17.3%	2537	16.6%	17.3%
DTAP-HIB	07	15	0.1%	0.1%	15	0.1%	0.1%
DTAP-HEPB-IPV	08	6357	22.5%	43.4%	6357	41.6%	43.4%
DTAP-IPV-HIB	D3	5521	19.5%	37.7%	5521	36.1%	37.7%
<b>SUBTOTALS:</b>		14635	51.7%	100.0%	14635	95.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING		13661	48.3%	n/a	649	4.2%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: XDTPTY3 Type: Character Position: 736-737

Label: DT-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTP-UNKNOWN	03	188	0.7%	1.3%	188	1.2%	1.3%
DTAP	04	2118	7.5%	14.7%	2118	13.9%	14.7%
DTAP-HIB	07	13	0.0%	0.1%	13	0.1%	0.1%
DTAP-HEPB-IPV	08	7272	25.7%	50.5%	7272	47.6%	50.5%
DTAP-IPV-HIB	D3	4821	17.0%	33.5%	4821	31.5%	33.5%
<b>SUBTOTALS:</b>		14412	50.9%	100.0%	14412	94.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING		13884	49.1%	n/a	872	5.7%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XDTPTY4 Type: Character Position: 738-739

Label: DT-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTP-UNKNOWN	03	194	0.7%	1.5%	194	1.3%	1.5%
DTAP	04	10066	35.6%	76.6%	10066	65.9%	76.6%
DTAP-HIB	07	56	0.2%	0.4%	56	0.4%	0.4%
DTAP-HEPB-IPV	08	255	0.9%	1.9%	255	1.7%	1.9%
DTAP-IPV-HIB	D3	2562	9.1%	19.5%	2562	16.8%	19.5%
<b>SUBTOTALS:</b>		13133	46.4%	100.0%	13133	85.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING		15163	53.6%	n/a	2151	14.1%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: XDTPTY5 Type: Character Position: 740-741

Label: DT-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTP-UNKNOWN	03	6	0.0%	2.8%	6	0.0%	2.8%
DTAP	04	165	0.6%	75.7%	165	1.1%	75.7%
DTAP-HEPB-IPV	08	14	0.0%	6.4%	14	0.1%	6.4%
DTAP-IPV-HIB	D3	33	0.1%	15.1%	33	0.2%	15.1%
<b>SUBTOTALS:</b>		218	0.8%	100.0%	218	1.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING		28078	99.2%	n/a	15066	98.6%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XDTPTY6 Type: Character Position: 742-743

Label: DT-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP	04	5	0.0%	62.5%	5	0.0%	62.5%
DTAP-HEPB-IPV	08	1	0.0%	12.5%	1	0.0%	12.5%
DTAP-IPV-HIB	D3	2	0.0%	25.0%	2	0.0%	25.0%
<b>SUBTOTALS:</b>		8	0.0%	100.0%	8	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		28288	100.0%	n/a	15276	99.9%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: XDTPTY7 Type: Character Position: 744-744

Label: DT-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XDTPTY8 Type: Character Position: 745-745

Label: DT-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: XDTPTY9 Type: Character Position: 746-746

Label: DT-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: XFLUTY1 Type: Character Position: 747-748

Label: SEASONAL FLU-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	450	1.6%	4.1%	450	2.9%	4.1%
SEASONAL FLU SPRAY	FM	149	0.5%	1.3%	149	1.0%	1.3%
SEASONAL FLU INJECTED	FN	10506	37.1%	94.6%	10506	68.7%	94.6%
SUBTOTALS:		11105	39.2%	100.0%	11105	72.7%	100.0%
<b>RESERVED CODES:</b>							

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XFLUTY1 Type: Character Position: 747-748

Label: SEASONAL FLU-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MISSING		17191	60.8%	n/a	4179	27.3%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: XFLUTY2 Type: Character Position: 749-750

Label: SEASONAL FLU-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	340	1.2%	3.7%	340	2.2%	3.7%
SEASONAL FLU SPRAY	FM	132	0.5%	1.4%	132	0.9%	1.4%
SEASONAL FLU INJECTED	FN	8818	31.2%	94.9%	8818	57.7%	94.9%
<b>SUBTOTALS:</b>		9290	32.8%	100.0%	9290	60.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING		19006	67.2%	n/a	5994	39.2%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: XFLUTY3 Type: Character Position: 751-752

Label: SEASONAL FLU-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	195	0.7%	3.1%	195	1.3%	3.1%
SEASONAL FLU SPRAY	FM	252	0.9%	4.0%	252	1.6%	4.0%
SEASONAL FLU INJECTED	FN	5861	20.7%	92.9%	5861	38.3%	92.9%
<b>SUBTOTALS:</b>		6308	22.3%	100.0%	6308	41.3%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XFLUTY3 Type: Character Position: 751-752

Label: SEASONAL FLU-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>RESERVED CODES:</b>							
MISSING		21988	77.7%	n/a	8976	58.7%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: XFLUTY4 Type: Character Position: 753-754

Label: SEASONAL FLU-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	56	0.2%	3.1%	56	0.4%	3.1%
SEASONAL FLU SPRAY	FM	150	0.5%	8.2%	150	1.0%	8.2%
SEASONAL FLU INJECTED	FN	1622	5.7%	88.7%	1622	10.6%	88.7%
<b>SUBTOTALS:</b>		1828	6.5%	100.0%	1828	12.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		26468	93.5%	n/a	13456	88.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XFLUTY5 Type: Character Position: 755-756

Label: SEASONAL FLU-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	13	0.0%	14.9%	13	0.1%	14.9%
SEASONAL FLU SPRAY	FM	8	0.0%	9.2%	8	0.1%	9.2%
SEASONAL FLU INJECTED	FN	66	0.2%	75.9%	66	0.4%	75.9%
<b>SUBTOTALS:</b>		87	0.3%	100.0%	87	0.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING		28209	99.7%	n/a	15197	99.4%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: XFLUTY6 Type: Character Position: 757-758

Label: SEASONAL FLU-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	1	0.0%	20.0%	1	0.0%	20.0%
SEASONAL FLU SPRAY	FM	2	0.0%	40.0%	2	0.0%	40.0%
SEASONAL FLU INJECTED	FN	2	0.0%	40.0%	2	0.0%	40.0%
<b>SUBTOTALS:</b>		5	0.0%	100.0%	5	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		28291	100.0%	n/a	15279	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XFLUTY7 Type: Character Position: 759-760

Label: SEASONAL FLU-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	1	0.0%	100.0%	1	0.0%	100.0%
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		28295	100.0%	n/a	15283	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: XFLUTY8 Type: Character Position: 761-761

Label: SEASONAL FLU-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

Variable: XFLUTY9 Type: Character Position: 762-762

Label: SEASONAL FLU-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPTY1 Type: Character Position: 763-764

Label: HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	1754	6.2%	11.8%	1754	11.5%	11.8%
HEPB-HIB	43	18	0.1%	0.1%	18	0.1%	0.1%
HEPB ONLY	60	13000	45.9%	87.8%	13000	85.1%	87.8%
HEPB-UNKNOWN	HB	41	0.1%	0.3%	41	0.3%	0.3%
<b>SUBTOTALS:</b>		14813	52.4%	100.0%	14813	96.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING		13483	47.6%	n/a	471	3.1%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: XHEPTY2 Type: Character Position: 765-766

Label: HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	7829	27.7%	54.1%	7829	51.2%	54.1%
HEPB-HIB	43	37	0.1%	0.3%	37	0.2%	0.3%
HEPB ONLY	60	6425	22.7%	44.4%	6425	42.0%	44.4%
HEPB-UNKNOWN	HB	168	0.6%	1.2%	168	1.1%	1.2%
<b>SUBTOTALS:</b>		14459	51.1%	100.0%	14459	94.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING		13837	48.9%	n/a	825	5.4%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPTY3 Type: Character Position: 767-768

Label: HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	7635	27.0%	54.5%	7635	50.0%	54.5%
HEPB-HIB	43	26	0.1%	0.2%	26	0.2%	0.2%
HEPB ONLY	60	6207	21.9%	44.3%	6207	40.6%	44.3%
HEPB-UNKNOWN	HB	145	0.5%	1.0%	145	0.9%	1.0%
<b>SUBTOTALS:</b>		14013	49.5%	100.0%	14013	91.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING		14283	50.5%	n/a	1271	8.3%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: XHEPTY4 Type: Character Position: 769-770

Label: HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	4390	15.5%	86.0%	4390	28.7%	86.0%
HEPB-HIB	43	11	0.0%	0.2%	11	0.1%	0.2%
HEPB ONLY	60	662	2.3%	13.0%	662	4.3%	13.0%
HEPB-UNKNOWN	HB	40	0.1%	0.8%	40	0.3%	0.8%
<b>SUBTOTALS:</b>		5103	18.0%	100.0%	5103	33.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING		23193	82.0%	n/a	10181	66.6%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPTY5 Type: Character Position: 771-772

Label: HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	154	0.5%	74.0%	154	1.0%	74.0%
HEPB-HIB	43	2	0.0%	1.0%	2	0.0%	1.0%
HEPB ONLY	60	51	0.2%	24.5%	51	0.3%	24.5%
HEPB-UNKNOWN	HB	1	0.0%	0.5%	1	0.0%	0.5%
<b>SUBTOTALS:</b>		208	0.7%	100.0%	208	1.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING		28088	99.3%	n/a	15076	98.6%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: XHEPTY6 Type: Character Position: 773-774

Label: HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	3	0.0%	60.0%	3	0.0%	60.0%
HEPB ONLY	60	2	0.0%	40.0%	2	0.0%	40.0%
<b>SUBTOTALS:</b>		5	0.0%	100.0%	5	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		28291	100.0%	n/a	15279	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPTY7 Type: Character Position: 775-776

Label: HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
HEPB ONLY	60	1	0.0%	100.0%	1	0.0%	100.0%
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		28295	100.0%	n/a	15283	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: XHEPTY8 Type: Character Position: 777-777

Label: HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

Variable: XHEPTY9 Type: Character Position: 778-778

Label: HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHIBTY1 Type: Character Position: 779-780

Label: HIB-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HIB	07	11	0.0%	0.1%	11	0.1%	0.1%
HEPB-HIB	43	42	0.1%	0.3%	42	0.3%	0.3%
HIB ONLY-UNKNOWN	44	120	0.4%	0.8%	120	0.8%	0.8%
DTAP-IPV-HIB	D3	4445	15.7%	30.1%	4445	29.1%	30.1%
HIB (GLAXOSMITHKLINE)	HG	103	0.4%	0.7%	103	0.7%	0.7%
HIB-UNKNOWN	HI	1136	4.0%	7.7%	1136	7.4%	7.7%
HIB (MERCK)	HM	3947	13.9%	26.8%	3947	25.8%	26.8%
HIB (SANOFI)	HS	4816	17.0%	32.6%	4816	31.5%	32.6%
HIB-MENCY	HY	133	0.5%	0.9%	133	0.9%	0.9%
<b>SUBTOTALS:</b>		14753	52.1%	100.0%	14753	96.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING		13543	47.9%	n/a	531	3.5%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: XHIBTY2 Type: Character Position: 781-782

Label: HIB-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HIB	07	15	0.1%	0.1%	15	0.1%	0.1%
HEPB-HIB	43	19	0.1%	0.1%	19	0.1%	0.1%
HIB ONLY-UNKNOWN	44	94	0.3%	0.6%	94	0.6%	0.6%
DTAP-IPV-HIB	D3	5529	19.5%	38.1%	5529	36.2%	38.1%
HIB (GLAXOSMITHKLINE)	HG	90	0.3%	0.6%	90	0.6%	0.6%
HIB-UNKNOWN	HI	928	3.3%	6.4%	928	6.1%	6.4%
HIB (MERCK)	HM	3730	13.2%	25.7%	3730	24.4%	25.7%
HIB (SANOFI)	HS	4015	14.2%	27.7%	4015	26.3%	27.7%
HIB-MENCY	HY	88	0.3%	0.6%	88	0.6%	0.6%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHIBTY2 Type: Character Position: 781-782

Label: HIB-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		14508	51.3%	100.0%	14508	94.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING		13788	48.7%	n/a	776	5.1%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: XHIBTY3 Type: Character Position: 783-784

Label: HIB-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HIB	07	19	0.1%	0.1%	19	0.1%	0.1%
HEPB-HIB	43	24	0.1%	0.2%	24	0.2%	0.2%
HIB ONLY-UNKNOWN	44	104	0.4%	0.7%	104	0.7%	0.7%
DTAP-IPV-HIB	D3	4930	17.4%	35.0%	4930	32.3%	35.0%
HIB (GLAXOSMITHKLINE)	HG	102	0.4%	0.7%	102	0.7%	0.7%
HIB-UNKNOWN	HI	860	3.0%	6.1%	860	5.6%	6.1%
HIB (MERCK)	HM	3512	12.4%	24.9%	3512	23.0%	24.9%
HIB (SANOFI)	HS	4432	15.7%	31.4%	4432	29.0%	31.4%
HIB-MENCY	HY	119	0.4%	0.8%	119	0.8%	0.8%
<b>SUBTOTALS:</b>		14102	49.8%	100.0%	14102	92.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING		14194	50.2%	n/a	1182	7.7%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHIBTY4 Type: Character Position: 785-786

Label: HIB-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HIB	07	48	0.2%	0.5%	48	0.3%	0.5%
HEPB-HIB	43	8	0.0%	0.1%	8	0.1%	0.1%
HIB ONLY-UNKNOWN	44	46	0.2%	0.5%	46	0.3%	0.5%
DTAP-IPV-HIB	D3	2407	8.5%	23.9%	2407	15.7%	23.9%
HIB (GLAXOSMITHKLINE)	HG	82	0.3%	0.8%	82	0.5%	0.8%
HIB-UNKNOWN	HI	695	2.5%	6.9%	695	4.5%	6.9%
HIB (MERCK)	HM	1248	4.4%	12.4%	1248	8.2%	12.4%
HIB (SANOFI)	HS	5356	18.9%	53.2%	5356	35.0%	53.2%
HIB-MENCY	HY	186	0.7%	1.8%	186	1.2%	1.8%
<b>SUBTOTALS:</b>		10076	35.6%	100.0%	10076	65.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING		18220	64.4%	n/a	5208	34.1%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: XHIBTY5 Type: Character Position: 787-788

Label: HIB-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HIB	07	1	0.0%	0.6%	1	0.0%	0.6%
HEPB-HIB	43	1	0.0%	0.6%	1	0.0%	0.6%
HIB ONLY-UNKNOWN	44	1	0.0%	0.6%	1	0.0%	0.6%
DTAP-IPV-HIB	D3	47	0.2%	29.9%	47	0.3%	29.9%
HIB-UNKNOWN	HI	20	0.1%	12.7%	20	0.1%	12.7%
HIB (MERCK)	HM	22	0.1%	14.0%	22	0.1%	14.0%
HIB (SANOFI)	HS	61	0.2%	38.9%	61	0.4%	38.9%
HIB-MENCY	HY	4	0.0%	2.5%	4	0.0%	2.5%
<b>SUBTOTALS:</b>		157	0.6%	100.0%	157	1.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHIBTY5 Type: Character Position: 787-788

Label: HIB-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>RESERVED CODES:</b>							
MISSING		28139	99.4%	n/a	15127	99.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: XHIBTY6 Type: Character Position: 789-790

Label: HIB-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
HIB ONLY-UNKNOWN	44	2	0.0%	25.0%	2	0.0%	25.0%
HIB (MERCK)	HM	3	0.0%	37.5%	3	0.0%	37.5%
HIB (SANOFI)	HS	3	0.0%	37.5%	3	0.0%	37.5%
<b>SUBTOTALS:</b>		8	0.0%	100.0%	8	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		28288	100.0%	n/a	15276	99.9%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHIBTY7 Type: Character Position: 791-792

Label: HIB-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
HIB-UNKNOWN	HI	1	0.0%	100.0%	1	0.0%	100.0%
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		28295	100.0%	n/a	15283	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: XHIBTY8 Type: Character Position: 793-793

Label: HIB-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

Variable: XHIBTY9 Type: Character Position: 794-794

Label: HIB-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMMRTY1 Type: Character Position: 795-796

Label: MEASLES-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MMR	30	12222	43.2%	86.1%	12222	80.0%	86.1%
MEASLES ONLY	31	42	0.1%	0.3%	42	0.3%	0.3%
MEASLES-RUBELLA	33	2	0.0%	0.0%	2	0.0%	0.0%
MCV-UNKNOWN	MM	90	0.3%	0.6%	90	0.6%	0.6%
MMR-VARICELLA	VM	1839	6.5%	13.0%	1839	12.0%	13.0%
<b>SUBTOTALS:</b>		14195	50.2%	100.0%	14195	92.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING		14101	49.8%	n/a	1089	7.1%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: XMMRTY2 Type: Character Position: 797-798

Label: MEASLES-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MMR	30	259	0.9%	76.2%	259	1.7%	76.2%
MEASLES ONLY	31	6	0.0%	1.8%	6	0.0%	1.8%
MCV-UNKNOWN	MM	2	0.0%	0.6%	2	0.0%	0.6%
MMR-VARICELLA	VM	73	0.3%	21.5%	73	0.5%	21.5%
<b>SUBTOTALS:</b>		340	1.2%	100.0%	340	2.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING		27956	98.8%	n/a	14944	97.8%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMMRTY3 Type: Character Position: 799-800

Label: MEASLES-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MMR	30	5	0.0%	62.5%	5	0.0%	62.5%
MEASLES ONLY	31	1	0.0%	12.5%	1	0.0%	12.5%
MMR-VARICELLA	VM	2	0.0%	25.0%	2	0.0%	25.0%
<b>SUBTOTALS:</b>		8	0.0%	100.0%	8	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		28288	100.0%	n/a	15276	99.9%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: XMMRTY4 Type: Character Position: 801-801

Label: MEASLES-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMMRTY5 Type: Character Position: 802-802

Label: MEASLES-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: XMMRTY6 Type: Character Position: 803-803

Label: MEASLES-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: XMMRTY7 Type: Character Position: 804-804

Label: MEASLES-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMMRTY8 Type: Character Position: 805-805

Label: MEASLES-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: XMMRTY9 Type: Character Position: 806-806

Label: MEASLES-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: XPCVTY1 Type: Character Position: 807-808

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV CONJUGATE-UNKNOWN	70	1	0.0%	0.0%	1	0.0%	0.0%
PCV POLYSACCHARIDE	71	65	0.2%	0.4%	65	0.4%	0.4%
PCV-UNKNOWN	72	446	1.6%	3.0%	446	2.9%	3.0%
PCV CONJUGATE-7	73	164	0.6%	1.1%	164	1.1%	1.1%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPCVTY1 Type: Character Position: 807-808

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV CONJUGATE-13	74	14042	49.6%	95.4%	14042	91.9%	95.4%
<b>SUBTOTALS:</b>		14718	52.0%	100.0%	14718	96.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING		13578	48.0%	n/a	566	3.7%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: XPCVTY2 Type: Character Position: 809-810

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV POLYSACCHARIDE	71	62	0.2%	0.4%	62	0.4%	0.4%
PCV-UNKNOWN	72	413	1.5%	2.8%	413	2.7%	2.8%
PCV CONJUGATE-7	73	141	0.5%	1.0%	141	0.9%	1.0%
PCV CONJUGATE-13	74	13884	49.1%	95.8%	13884	90.8%	95.8%
<b>SUBTOTALS:</b>		14500	51.2%	100.0%	14500	94.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING		13796	48.8%	n/a	784	5.1%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPCVTY3 Type: Character Position: 811-812

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV POLYSACCHARIDE	71	58	0.2%	0.4%	58	0.4%	0.4%
PCV-UNKNOWN	72	364	1.3%	2.6%	364	2.4%	2.6%
PCV CONJUGATE-7	73	129	0.5%	0.9%	129	0.8%	0.9%
PCV CONJUGATE-13	74	13623	48.1%	96.1%	13623	89.1%	96.1%
<b>SUBTOTALS:</b>		14174	50.1%	100.0%	14174	92.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING		14122	49.9%	n/a	1110	7.3%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: XPCVTY4 Type: Character Position: 813-814

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV POLYSACCHARIDE	71	54	0.2%	0.4%	54	0.4%	0.4%
PCV-UNKNOWN	72	261	0.9%	2.0%	261	1.7%	2.0%
PCV CONJUGATE-7	73	87	0.3%	0.7%	87	0.6%	0.7%
PCV CONJUGATE-13	74	12558	44.4%	96.9%	12558	82.2%	96.9%
<b>SUBTOTALS:</b>		12960	45.8%	100.0%	12960	84.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING		15336	54.2%	n/a	2324	15.2%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPCVTY5 Type: Character Position: 815-816

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV POLYSACCHARIDE	71	11	0.0%	6.0%	11	0.1%	6.0%
PCV-UNKNOWN	72	11	0.0%	6.0%	11	0.1%	6.0%
PCV CONJUGATE-7	73	2	0.0%	1.1%	2	0.0%	1.1%
PCV CONJUGATE-13	74	159	0.6%	86.9%	159	1.0%	86.9%
<b>SUBTOTALS:</b>		183	0.6%	100.0%	183	1.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING		28113	99.4%	n/a	15101	98.8%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: XPCVTY6 Type: Character Position: 817-818

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV POLYSACCHARIDE	71	1	0.0%	33.3%	1	0.0%	33.3%
PCV-UNKNOWN	72	1	0.0%	33.3%	1	0.0%	33.3%
PCV CONJUGATE-13	74	1	0.0%	33.3%	1	0.0%	33.3%
<b>SUBTOTALS:</b>		3	0.0%	100.0%	3	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		28293	100.0%	n/a	15281	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPCVTY7 Type: Character Position: 819-820

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV-UNKNOWN	72	1	0.0%	100.0%	1	0.0%	100.0%
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		28295	100.0%	n/a	15283	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: XPCVTY8 Type: Character Position: 821-821

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

Variable: XPCVTY9 Type: Character Position: 822-822

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPOLTY1 Type: Character Position: 823-824

Label: POLIO-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	7896	27.9%	53.6%	7896	51.7%	53.6%
OPV	20	56	0.2%	0.4%	56	0.4%	0.4%
IPV	21	1994	7.0%	13.5%	1994	13.0%	13.5%
POLIO-UNKNOWN	22	330	1.2%	2.2%	330	2.2%	2.2%
DTAP-IPV-HIB	D3	4444	15.7%	30.2%	4444	29.1%	30.2%
<b>SUBTOTALS:</b>		14720	52.0%	100.0%	14720	96.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING		13576	48.0%	n/a	564	3.7%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: XPOLTY2 Type: Character Position: 825-826

Label: POLIO-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	6378	22.5%	43.9%	6378	41.7%	43.9%
OPV	20	46	0.2%	0.3%	46	0.3%	0.3%
IPV	21	2266	8.0%	15.6%	2266	14.8%	15.6%
POLIO-UNKNOWN	22	315	1.1%	2.2%	315	2.1%	2.2%
DTAP-IPV-HIB	D3	5536	19.6%	38.1%	5536	36.2%	38.1%
<b>SUBTOTALS:</b>		14541	51.4%	100.0%	14541	95.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		13755	48.6%	n/a	743	4.9%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPOLTY3 Type: Character Position: 827-828

Label: POLIO-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	7247	25.6%	51.0%	7247	47.4%	51.0%
OPV	20	41	0.1%	0.3%	41	0.3%	0.3%
IPV	21	1736	6.1%	12.2%	1736	11.4%	12.2%
POLIO-UNKNOWN	22	292	1.0%	2.1%	292	1.9%	2.1%
DTAP-IPV-HIB	D3	4901	17.3%	34.5%	4901	32.1%	34.5%
<b>SUBTOTALS:</b>		14217	50.2%	100.0%	14217	93.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		14079	49.8%	n/a	1067	7.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: XPOLTY4 Type: Character Position: 829-830

Label: POLIO-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	237	0.8%	8.0%	237	1.6%	8.0%
OPV	20	20	0.1%	0.7%	20	0.1%	0.7%
IPV	21	225	0.8%	7.6%	225	1.5%	7.6%
POLIO-UNKNOWN	22	49	0.2%	1.6%	49	0.3%	1.6%
DTAP-IPV-HIB	D3	2440	8.6%	82.1%	2440	16.0%	82.1%
<b>SUBTOTALS:</b>		2971	10.5%	100.0%	2971	19.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING		25325	89.5%	n/a	12313	80.6%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPOLTY5 Type: Character Position: 831-832

Label: POLIO-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	5	0.0%	7.1%	5	0.0%	7.1%
OPV	20	7	0.0%	10.0%	7	0.0%	10.0%
IPV	21	22	0.1%	31.4%	22	0.1%	31.4%
POLIO-UNKNOWN	22	2	0.0%	2.9%	2	0.0%	2.9%
DTAP-IPV-HIB	D3	34	0.1%	48.6%	34	0.2%	48.6%
<b>SUBTOTALS:</b>		70	0.2%	100.0%	70	0.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING		28226	99.8%	n/a	15214	99.5%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: XPOLTY6 Type: Character Position: 833-834

Label: POLIO-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	2	0.0%	25.0%	2	0.0%	25.0%
OPV	20	1	0.0%	12.5%	1	0.0%	12.5%
IPV	21	2	0.0%	25.0%	2	0.0%	25.0%
DTAP-IPV-HIB	D3	3	0.0%	37.5%	3	0.0%	37.5%
<b>SUBTOTALS:</b>		8	0.0%	100.0%	8	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		28288	100.0%	n/a	15276	99.9%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPOLTY7 Type: Character Position: 835-835

Label: POLIO-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: XPOLTY8 Type: Character Position: 836-836

Label: POLIO-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: XPOLTY9 Type: Character Position: 837-837

Label: POLIO-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XROTTY1 Type: Character Position: 838-839

Label: ROTAVIRUS-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ROTARIX (GSK)	RG	3298	11.7%	24.4%	3298	21.6%	24.4%
ROTATEQ (MERCK)	RM	9559	33.8%	70.6%	9559	62.5%	70.6%
ROTAVIRUS-UNKNOWN	RO	680	2.4%	5.0%	680	4.4%	5.0%
<b>SUBTOTALS:</b>		13537	47.8%	100.0%	13537	88.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING		14759	52.2%	n/a	1747	11.4%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: XROTTY2 Type: Character Position: 840-841

Label: ROTAVIRUS-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ROTARIX (GSK)	RG	3120	11.0%	24.0%	3120	20.4%	24.0%
ROTATEQ (MERCK)	RM	9257	32.7%	71.3%	9257	60.6%	71.3%
ROTAVIRUS-UNKNOWN	RO	610	2.2%	4.7%	610	4.0%	4.7%
<b>SUBTOTALS:</b>		12987	45.9%	100.0%	12987	85.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		15309	54.1%	n/a	2297	15.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XROTTY3 Type: Character Position: 842-843

Label: ROTAVIRUS-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ROTARIX (GSK)	RG	196	0.7%	2.2%	196	1.3%	2.2%
ROTATEQ (MERCK)	RM	8218	29.0%	93.4%	8218	53.8%	93.4%
ROTAVIRUS-UNKNOWN	RO	387	1.4%	4.4%	387	2.5%	4.4%
<b>SUBTOTALS:</b>		8801	31.1%	100.0%	8801	57.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING		19495	68.9%	n/a	6483	42.4%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: XROTTY4 Type: Character Position: 844-845

Label: ROTAVIRUS-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ROTARIX (GSK)	RG	1	0.0%	4.3%	1	0.0%	4.3%
ROTATEQ (MERCK)	RM	17	0.1%	73.9%	17	0.1%	73.9%
ROTAVIRUS-UNKNOWN	RO	5	0.0%	21.7%	5	0.0%	21.7%
<b>SUBTOTALS:</b>		23	0.1%	100.0%	23	0.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING		28273	99.9%	n/a	15261	99.8%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XROTTY5 Type: Character Position: 846-847**

**Label: ROTAVIRUS-CONTAINING VACCINATION #5 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ROTATEQ (MERCK)	RM	1	0.0%	100.0%	1	0.0%	100.0%
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		28295	100.0%	n/a	15283	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: XROTTY6 Type: Character Position: 848-848**

**Label: ROTAVIRUS-CONTAINING VACCINATION #6 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

**Variable: XROTTY7 Type: Character Position: 849-849**

**Label: ROTAVIRUS-CONTAINING VACCINATION #7 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XROTTY8 Type: Character Position: 850-850

Label: ROTAVIRUS-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: XROTTY9 Type: Character Position: 851-851

Label: ROTAVIRUS-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		28296	100.0%	n/a	15284	100.0%	n/a
TOTALS:		28296	100.0%	n/a	15284	100.0%	n/a

Variable: XVRCTY1 Type: Character Position: 852-853

Label: VARICELLA-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VARICELLA-UNKNOWN	VA	115	0.4%	0.8%	115	0.8%	0.8%
MMR-VARICELLA	VM	1846	6.5%	13.1%	1846	12.1%	13.1%
VARICELLA-ONLY	VO	12080	42.7%	86.0%	12080	79.0%	86.0%
SUBTOTALS:		14041	49.6%	100.0%	14041	91.9%	100.0%
<b>RESERVED CODES:</b>							

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XVRCTY1 Type: Character Position: 852-853

Label: VARICELLA-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MISSING		14255	50.4%	n/a	1243	8.1%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: XVRCTY2 Type: Character Position: 854-855

Label: VARICELLA-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VARICELLA-UNKNOWN	VA	2	0.0%	0.9%	2	0.0%	0.9%
MMR-VARICELLA	VM	67	0.2%	29.5%	67	0.4%	29.5%
VARICELLA-ONLY	VO	158	0.6%	69.6%	158	1.0%	69.6%
<b>SUBTOTALS:</b>		227	0.8%	100.0%	227	1.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING		28069	99.2%	n/a	15057	98.5%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: XVRCTY3 Type: Character Position: 856-857

Label: VARICELLA-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MMR-VARICELLA	VM	1	0.0%	25.0%	1	0.0%	25.0%
VARICELLA-ONLY	VO	3	0.0%	75.0%	3	0.0%	75.0%
<b>SUBTOTALS:</b>		4	0.0%	100.0%	4	0.0%	100.0%
<b>RESERVED CODES:</b>							

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XVRCTY3 Type: Character Position: 856-857**

**Label: VARICELLA-CONTAINING VACCINATION #3 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MISSING		28292	100.0%	n/a	15280	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

**Variable: XVRCTY4 Type: Character Position: 858-858**

**Label: VARICELLA-CONTAINING VACCINATION #4 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

**Variable: XVRCTY5 Type: Character Position: 859-859**

**Label: VARICELLA-CONTAINING VACCINATION #5 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XVRCTY6 Type: Character Position: 860-860**

**Label: VARICELLA-CONTAINING VACCINATION #6 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

**Variable: XVRCTY7 Type: Character Position: 861-861**

**Label: VARICELLA-CONTAINING VACCINATION #7 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

**Variable: XVRCTY8 Type: Character Position: 862-862**

**Label: VARICELLA-CONTAINING VACCINATION #8 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XVRCTY9 Type: Character Position: 863-863

Label: VARICELLA-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		28296	100.0%	n/a	15284	100.0%	n/a
<b>TOTALS:</b>		28296	100.0%	n/a	15284	100.0%	n/a

## SECTION 10: HEALTH INSURANCE MODULE VARIABLES

Variable: **INS\_STAT\_I** Type: Numeric Position: 864-864Label: **INSURANCE STATUS: IMPUTED**

Notes: Only available for non-territory U.S. residents with adequate provider data. See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PRIVATE INSURANCE	1	8368	29.6%	55.8%	8368	54.8%	55.8%
ANY MEDICAID	2	5757	20.3%	38.4%	5757	37.7%	38.4%
OTHER INSURANCE	3	481	1.7%	3.2%	481	3.1%	3.2%
UNINSURED	4	380	1.3%	2.5%	380	2.5%	2.5%
<b>SUBTOTALS:</b>		14986	53.0%	100.0%	14986	98.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13310	47.0%	n/a	298	1.9%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

Variable: **INS\_BREAK\_I** Type: Numeric Position: 865-865Label: **CONTINUITY OF INSURANCE COVERAGE SINCE BIRTH: IMPUTED**

Notes: Only available for non-territory U.S. residents with adequate provider data. See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
CURRENTLY INSURED BUT UNINSURED AT SOME POINT SINCE BIRTH	1	1027	3.6%	6.9%	1027	6.7%	6.9%
CURRENTLY INSURED AND NEVER UNINSURED SINCE BIRTH	2	13560	47.9%	90.6%	13560	88.7%	90.6%
CURRENTLY UNINSURED BUT INSURED AT SOME POINT SINCE BIRTH	3	265	0.9%	1.8%	265	1.7%	1.8%
CURRENTLY UNINSURED AND NEVER INSURED SINCE BIRTH	4	110	0.4%	0.7%	110	0.7%	0.7%
<b>SUBTOTALS:</b>		14962	52.9%	100.0%	14962	97.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13334	47.1%	n/a	322	2.1%	n/a
<b>TOTALS:</b>		28296	100.0%	100.0%	15284	100.0%	100.0%

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
AGECPOXR	99	99	2	AGE IN MONTHS AT CHICKEN POX DISEASE (RECODE)
AGEGRP	102	102	3	AGE CATEGORY OF CHILD (19-23, 24-29, 30-35 MO) (RECODE)
BFENDFL06	127	127	3	DURATION OF BREAST FEEDING EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
BFFORMFL06	128	128	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
BF_ENDR06	103	110	3	DURATION OF BREASTFEEDING IN DAYS (RECODE)
BF_EXCLR06	111	118	3	DURATION OF EXCLUSIVE BREAST/FORMULA FEEDING IN DAYS (RECODE)
BF_FORMR08	119	126	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA (RECODE)
C1R	129	129	3	NUMBER OF PEOPLE IN HOUSEHOLD (RECODE)
C5R	130	131	3	RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)
CBF_01	132	133	3	WAS CHILD EVER BREASTFED OR FED BREAST MILK?
CEN_REG	134	134	3	CENSUS REGION BASED ON TRUE STATE OF RESIDENCE
CHILDNM	135	135	3	NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)
CWIC_01	136	137	3	CHILD EVER RECEIVED WIC BENEFITS?
CWIC_02	138	139	3	CHILD CURRENTLY RECEIVING WIC BENEFITS?
D6R	200	200	5	NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (RECODE)
D7	201	201	5	CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM PROVIDERS
DDTP1	293	296	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #1
DDTP2	297	300	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #2
DDTP3	301	304	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #3
DDTP4	305	308	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #4
DDTP5	309	312	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #5
DDTP6	313	316	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #6
DDTP7	317	317	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #7
DDTP8	318	318	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #8
DDTP9	319	319	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #9
DFLU1	320	323	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1
DFLU2	324	327	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2
DFLU3	328	331	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3
DFLU4	332	335	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4
DFLU5	336	339	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
DFLU6	340	343	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6
DFLU7	344	346	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7
DFLU8	347	347	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8
DFLU9	348	348	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9
DHEPA1	349	352	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
DHEPA2	353	356	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
DHEPA3	357	360	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
DHEPA4	361	363	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
DHEPA5	364	364	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
DHEPA6	365	365	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
DHEPA7	366	366	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7
DHEPA8	367	367	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
DHEPA9	368	368	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
DHEPB1	369	372	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
DHEPB2	373	376	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
DHEPB3	377	380	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
DHEPB4	381	384	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
DHEPB5	385	388	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
DHEPB6	389	391	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
DHEPB7	392	394	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
DHEPB8	395	395	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8
DHEPB9	396	396	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
DHIB1	397	400	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #1
DHIB2	401	404	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #2
DHIB3	405	408	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #3
DHIB4	409	412	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #4
DHIB5	413	416	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #5
DHIB6	417	419	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #6
DHIB7	420	422	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #7
DHIB8	423	423	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #8
DHIB9	424	424	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #9
DMMR1	425	428	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
DMMR2	429	432	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
DMMR3	433	435	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #3

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
DMMR4	436	436	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
DMMR5	437	437	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
DMMR6	438	438	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #6
DMMR7	439	439	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
DMMR8	440	440	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
DMMR9	441	441	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
DMP1	442	442	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #1
DMP2	443	443	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #2
DMP3	444	444	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #3
DMP4	445	445	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #4
DMP5	446	446	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #5
DMP6	447	447	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #6
DMP7	448	448	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #7
DMP8	449	449	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #8
DMP9	450	450	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #9
DMPRB1	451	451	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
DMPRB2	452	452	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
DMPRB3	453	453	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
DMPRB4	454	454	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
DMPRB5	455	455	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
DMPRB6	456	456	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6
DMPRB7	457	457	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
DMPRB8	458	458	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
DMPRB9	459	459	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9
DPCV1	460	463	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
DPCV2	464	467	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
DPCV3	468	471	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
DPCV4	472	475	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
DPCV5	476	479	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
DPCV6	480	482	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
DPCV7	483	485	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
DPCV8	486	486	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
DPCV9	487	487	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
DPOLIO1	488	491	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #1
DPOLIO2	492	495	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #2
DPOLIO3	496	499	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #3
DPOLIO4	500	503	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #4

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
DPOLIO5	504	507	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #5
DPOLIO6	508	511	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #6
DPOLIO7	512	512	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #7
DPOLIO8	513	513	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #8
DPOLIO9	514	514	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #9
DRB1	515	515	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #1
DRB2	516	516	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #2
DRB3	517	517	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #3
DRB4	518	518	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #4
DRB5	519	519	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #5
DRB6	520	520	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #6
DRB7	521	521	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #7
DRB8	522	522	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #8
DRB9	523	523	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #9
DROT1	524	526	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
DROT2	527	529	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
DROT3	530	532	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
DROT4	533	535	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
DROT5	536	538	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
DROT6	539	539	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
DROT7	540	540	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
DROT8	541	541	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
DROT9	542	542	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
DTP1_AGE	560	561	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #1
DTP2_AGE	562	563	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #2
DTP3_AGE	564	565	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #3
DTP4_AGE	566	567	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #4
DTP5_AGE	568	569	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #5
DTP6_AGE	570	571	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #6
DTP7_AGE	572	572	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #7
DTP8_AGE	573	573	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #8
DTP9_AGE	574	574	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #9
DVRC1	543	546	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
DVRC2	547	550	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
DVRC3	551	553	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
DVRC4	554	554	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
DVRC5	555	555	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
DVRC6	556	556	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
DVRC7	557	557	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
DVRC8	558	558	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
DVRC9	559	559	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
EDUC1	140	140	3	EDUCATION OF MOTHER CATEGORIES (RECODE)
ESTIAP16	193	195	4	ESTIMATION AREA OF RESIDENCE
EST_GRANT	196	197	4	AREA OF RESIDENCE ACCORDING TO THE 56 ORIGINAL CORE GRANTEE AREAS
FLU1_AGE	575	576	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1
FLU2_AGE	577	578	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2
FLU3_AGE	579	580	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3
FLU4_AGE	581	582	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4
FLU5_AGE	583	584	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5
FLU6_AGE	585	586	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6
FLU7_AGE	587	588	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7
FLU8_AGE	589	589	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8
FLU9_AGE	590	590	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9
FRSTBRN	141	141	3	FIRST BORN STATUS OF CHILD
HAD_CPOX	100	101	2	CHILD EVER HAD CHICKEN POX DISEASE?
HEA1_AGE	591	592	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
HEA2_AGE	593	594	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
HEA3_AGE	595	596	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
HEA4_AGE	597	598	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
HEA5_AGE	599	599	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
HEA6_AGE	600	600	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
HEA7_AGE	601	601	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
HEA8_AGE	602	602	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
HEA9_AGE	603	603	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
HEP1_AGE	604	605	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
HEP2_AGE	606	607	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
HEP3_AGE	608	609	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
HEP4_AGE	610	611	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
HEP5_AGE	612	613	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
HEP6_AGE	614	615	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
HEP7_AGE	616	617	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
HEP8_AGE	618	618	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8
HEP9_AGE	619	619	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
HEP_BRTH	206	206	8	HEPATITIS B-CONTAINING SHOT GIVEN AT BIRTH FLAG
HEP_FLAG	207	207	8	HEPATITIS B BIRTH SHOT DATE IMPUTATION FLAG
HIB1_AGE	620	621	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #1
HIB2_AGE	622	623	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #2
HIB3_AGE	624	625	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #3
HIB4_AGE	626	627	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #4
HIB5_AGE	628	629	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #5
HIB6_AGE	630	631	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #6
HIB7_AGE	632	633	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #7
HIB8_AGE	634	634	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #8
HIB9_AGE	635	635	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #9
INCPORAR	143	158	3	INCOME TO POVERTY RATIO (RECODE)
INCPORAR_I	159	174	3	INCOME TO POVERTY RATIO: IMPUTED (RECODE)
INCPOV1	175	175	3	POVERTY STATUS
INCQ298A	176	177	3	FAMILY INCOME CATEGORIES (RECODE)
INS_BREAK_I	865	865	10	CONTINUITY OF INSURANCE COVERAGE SINCE BIRTH: IMPUTED
INS_STAT_I	864	864	10	INSURANCE STATUS: IMPUTED
I_HISP_K	142	142	3	HISPANIC ORIGIN OF CHILD

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
LANGUAGE	178	178	3	LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED
MARITAL2	180	180	3	MARITAL STATUS OF MOTHER (RECODE)
MMR1_AGE	636	637	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
MMR2_AGE	638	639	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
MMR3_AGE	640	641	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #3
MMR4_AGE	642	642	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
MMR5_AGE	643	643	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
MMR6_AGE	644	644	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #6
MMR7_AGE	645	645	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
MMR8_AGE	646	646	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
MMR9_AGE	647	647	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
MOBIL_I	181	181	3	GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE
MP1_AGE	648	648	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #1
MP2_AGE	649	649	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #2
MP3_AGE	650	650	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #3
MP4_AGE	651	651	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #4
MP5_AGE	652	652	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #5
MP6_AGE	653	653	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #6
MP7_AGE	654	654	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #7
MP8_AGE	655	655	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #8
MP9_AGE	656	656	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #9
MPR1_AGE	657	657	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
MPR2_AGE	658	658	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
MPR3_AGE	659	659	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
MPR4_AGE	660	660	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
MPR5_AGE	661	661	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
MPR6_AGE	662	662	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
MPR7_AGE	663	663	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
MPR8_AGE	664	664	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
MPR9_AGE	665	665	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9
M_AGEGRP2	179	179	3	AGE OF MOTHER CATEGORIES (RECODE)
NUM_CELLS_HH	184	185	3	NUMBER OF WORKING CELL PHONES HOUSEHOLD MEMBERS HAVE AVAILABLE FOR PERSONAL USE
NUM_CELLS_PARENTS	186	187	3	NUMBER OF WORKING CELL PHONES USUALLY USED BY PARENTS OR GUARDIANS
NUM_PHONE	182	183	3	NUMBER OF RESIDENTIAL TELEPHONE NUMBERS IN HOUSEHOLD (EXCLUDING CELL PHONES)
N_PRVR	202	202	6	NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (RECODE)
PCV1_AGE	666	667	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
PCV2_AGE	668	669	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
PCV3_AGE	670	671	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
PCV4_AGE	672	673	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
PCV5_AGE	674	675	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
PCV6_AGE	676	677	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
PCV7_AGE	678	679	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
PCV8_AGE	680	680	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
PCV9_AGE	681	681	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
PDAT	12	12	1	CHILD HAS ADEQUATE PROVIDER DATA
POL1_AGE	682	683	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #1
POL2_AGE	684	685	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #2
POL3_AGE	686	687	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #3
POL4_AGE	688	689	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #4
POL5_AGE	690	691	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #5
POL6_AGE	692	693	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #6
POL7_AGE	694	694	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #7
POL8_AGE	695	695	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #8
POL9_AGE	696	696	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #9

## ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
PROVWT_D	13	32	1	FINAL DUAL-FRAME PROVIDER-PHASE WEIGHT (EXCLUDES TERRITORIES)
PROVWT_D_TERR	33	52	1	FINAL DUAL-FRAME PROVIDER-PHASE WEIGHT INCLUDING TERRITORIES
PROV_FAC	203	203	7	PROVIDER FACILITY TYPES
PU431331	278	278	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU4313313	281	281	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU4313314	283	283	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU431_31	280	280	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1::3:1 (4:3:1:3:3:1 EXCLUDING HIB; INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU431_314	285	285	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1::3:1:4 (4:3:1:3:3:1:4 EXCLUDING HIB; INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PUT43133	286	286	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PUTD4313	288	288	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUHEPX	208	208	8	NUMBER OF HEPATITIS B-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUHIBX	209	209	8	NUMBER OF HIB-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUHPHB	210	210	8	NUMBER OF HEPATITIS B/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDAH	211	211	8	NUMBER OF DTAP/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDHI	212	212	8	NUMBER OF DTAP/HEPB/IPV COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDIH	213	213	8	NUMBER OF DTAP/IPV/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_NUMDTA	214	214	8	NUMBER OF DTAP-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDTP	215	215	8	NUMBER OF DT-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLU	216	216	8	NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUL	217	217	8	NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUM	218	218	8	NUMBER OF SEASONAL FLU SPRAY VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUN	219	219	8	NUMBER OF INJECTED SEASONAL FLU VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEA	220	220	8	NUMBER OF HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEN	221	221	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEP	222	222	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHG	223	223	8	NUMBER OF HIB-GLAXOSMITHKLINE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHHY	224	224	8	NUMBER OF HIB-MENCY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHIB	225	225	8	NUMBER OF HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHIN	226	226	8	NUMBER OF HIB-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHION	227	227	8	NUMBER OF HIB-ONLY SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_NUMHM	228	228	8	NUMBER OF HIB-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHS	229	229	8	NUMBER OF HIB-SANOFI SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMIPV	230	230	8	NUMBER OF IPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMCN	231	231	8	NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMR	232	232	8	NUMBER OF MEASLES-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMRX	233	233	8	NUMBER OF MMR-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMX	234	234	8	NUMBER OF MMR-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMP	235	235	8	NUMBER OF MUMPS-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMPR	236	236	8	NUMBER OF (MUMPS/RUBELLA)-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMRV	237	237	8	NUMBER OF MMR/VARICELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMS	238	238	8	NUMBER OF MEASLES-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMSM	239	239	8	NUMBER OF MEASLES/MUMPS COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMSR	240	240	8	NUMBER OF MEASLES/RUBELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMOLN	241	241	8	NUMBER OF POLIO SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMOPV	242	242	8	NUMBER OF OPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_NUMPCC	245	245	8	NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCC13	247	247	8	NUMBER OF PNEUMOCOCCAL CONJUGATE-13 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCC7	246	246	8	NUMBER OF PNEUMOCOCCAL CONJUGATE-7 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCCN	248	248	8	NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCN	249	249	8	NUMBER OF PNEUMOCOCCAL SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCP	244	244	8	NUMBER OF PNEUMOCOCCAL POLYSACCHARIDE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCV	243	243	8	NUMBER OF PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPOL	250	250	8	NUMBER OF POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMRB	251	251	8	NUMBER OF RUBELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMRG	252	252	8	NUMBER OF ROTARIX-GSK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMRM	253	253	8	NUMBER OF ROTATEQ-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMRO	254	254	8	NUMBER OF ROTAVIRUS SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMROT	255	255	8	NUMBER OF ROTAVIRUS-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

## ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_NUMTPN	256	256	8	NUMBER OF DT-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRC	257	257	8	NUMBER OF VARICELLA-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRN	258	258	8	NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRX	259	259	8	NUMBER OF VARICELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_U12VRC	260	260	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS OF AGE, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD331	261	261	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431	262	262	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H313_ROUT_S	282	282	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H314_ROUT_S	284	284	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H31_ROUT_S	279	279	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H3_ROUT_S	287	287	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H_ROUT_S	289	289	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHEP	263	263	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

## ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_UTDHEPA1	264	264	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHEPA2	265	265	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHIB	266	266	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHIB_ROUT_S	267	267	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE ROUTINE (NON-SHORTAGE) HIB RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHIB_SHORT_S	268	268	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE HIB SHORTAGE RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDMCV	269	269	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MEASLES-CONTAINING SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDMMX	270	270	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MMR COMBO SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPC3	271	271	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPCV	272	272	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPCVB13	273	273	8	UTD (UP-TO-DATE) INDICATOR FOR PROVIDER 1+ PNEUMOCOCCAL VACCINATIONS OF TYPE CONJUGATE-13, GIVEN 4+ DOSES OF TYPE CONJUGATE-7, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPOL	274	274	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDROT_S	275	275	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ ROTAVIRUS DOSES BY 36 MONTHS OF AGE, BASED ON A STRICT TREATMENT OF ROTAVIRUS VACCINATIONS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDTP3	276	276	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDTP4	277	277	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

## ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
RACEETHK	189	189	3	RACE/ETHNICITY OF CHILD (RECODE)
RACE_K	188	188	3	RACE OF CHILD (RECODE)
RB1_AGE	697	697	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #1
RB2_AGE	698	698	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #2
RB3_AGE	699	699	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #3
RB4_AGE	700	700	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #4
RB5_AGE	701	701	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #5
RB6_AGE	702	702	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #6
RB7_AGE	703	703	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #7
RB8_AGE	704	704	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #8
RB9_AGE	705	705	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #9
RDDWT_D	53	71	1	FINAL DUAL-FRAME RDD-PHASE WEIGHT (EXCLUDES TERRITORIES)
RDDWT_D_TERR	72	90	1	FINAL DUAL-FRAME RDD-PHASE WEIGHT INCLUDING TERRITORIES
REGISTRY	204	204	7	CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY
RENT_OWN	190	191	3	IS HOME OWNED/BEING BOUGHT, RENTED, OR OCCUPIED BY SOME OTHER ARRANGEMENT?
ROT1_AGE	706	707	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
ROT2_AGE	708	709	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
ROT3_AGE	710	711	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
ROT4_AGE	712	713	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
ROT5_AGE	714	715	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
ROT6_AGE	716	716	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
ROT7_AGE	717	717	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
ROT8_AGE	718	718	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
ROT9_AGE	719	719	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
SEQNUMC	1	6	1	UNIQUE CHILD IDENTIFIER
SEQNUMHH	7	11	1	UNIQUE HOUSEHOLD IDENTIFIER
SEX	192	192	3	SEX OF CHILD
STATE	198	199	4	TRUE STATE OF RESIDENCE (STATE FIPS CODE)
STRATUM	91	94	1	STRATUM VARIABLE FOR DUAL-FRAME VARIANCE ESTIMATION
U1D_HEP	290	290	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 1 FLAG
U2D_HEP	291	291	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 2 FLAG
U3D_HEP	292	292	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 3 FLAG
VFC_ORDER	205	205	7	DO CHILD'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT?

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
VRC1_AGE	720	721	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
VRC2_AGE	722	723	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
VRC3_AGE	724	725	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
VRC4_AGE	726	726	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
VRC5_AGE	727	727	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5
VRC6_AGE	728	728	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
VRC7_AGE	729	729	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
VRC8_AGE	730	730	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
VRC9_AGE	731	731	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
XDTPTY1	732	733	9	DT-CONTAINING VACCINATION #1 TYPE CODE
XDTPTY2	734	735	9	DT-CONTAINING VACCINATION #2 TYPE CODE
XDTPTY3	736	737	9	DT-CONTAINING VACCINATION #3 TYPE CODE
XDTPTY4	738	739	9	DT-CONTAINING VACCINATION #4 TYPE CODE
XDTPTY5	740	741	9	DT-CONTAINING VACCINATION #5 TYPE CODE
XDTPTY6	742	743	9	DT-CONTAINING VACCINATION #6 TYPE CODE
XDTPTY7	744	744	9	DT-CONTAINING VACCINATION #7 TYPE CODE
XDTPTY8	745	745	9	DT-CONTAINING VACCINATION #8 TYPE CODE
XDTPTY9	746	746	9	DT-CONTAINING VACCINATION #9 TYPE CODE
XFLUTY1	747	748	9	SEASONAL FLU-CONTAINING VACCINATION #1 TYPE CODE
XFLUTY2	749	750	9	SEASONAL FLU-CONTAINING VACCINATION #2 TYPE CODE
XFLUTY3	751	752	9	SEASONAL FLU-CONTAINING VACCINATION #3 TYPE CODE
XFLUTY4	753	754	9	SEASONAL FLU-CONTAINING VACCINATION #4 TYPE CODE
XFLUTY5	755	756	9	SEASONAL FLU-CONTAINING VACCINATION #5 TYPE CODE
XFLUTY6	757	758	9	SEASONAL FLU-CONTAINING VACCINATION #6 TYPE CODE
XFLUTY7	759	760	9	SEASONAL FLU-CONTAINING VACCINATION #7 TYPE CODE
XFLUTY8	761	761	9	SEASONAL FLU-CONTAINING VACCINATION #8 TYPE CODE
XFLUTY9	762	762	9	SEASONAL FLU-CONTAINING VACCINATION #9 TYPE CODE
XHEPTY1	763	764	9	HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE
XHEPTY2	765	766	9	HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE
XHEPTY3	767	768	9	HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE
XHEPTY4	769	770	9	HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE
XHEPTY5	771	772	9	HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE
XHEPTY6	773	774	9	HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE
XHEPTY7	775	776	9	HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE
XHEPTY8	777	777	9	HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE
XHEPTY9	778	778	9	HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE
XHIBTY1	779	780	9	HIB-CONTAINING VACCINATION #1 TYPE CODE

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
XHIBTY2	781	782	9	HIB-CONTAINING VACCINATION #2 TYPE CODE
XHIBTY3	783	784	9	HIB-CONTAINING VACCINATION #3 TYPE CODE
XHIBTY4	785	786	9	HIB-CONTAINING VACCINATION #4 TYPE CODE
XHIBTY5	787	788	9	HIB-CONTAINING VACCINATION #5 TYPE CODE
XHIBTY6	789	790	9	HIB-CONTAINING VACCINATION #6 TYPE CODE
XHIBTY7	791	792	9	HIB-CONTAINING VACCINATION #7 TYPE CODE
XHIBTY8	793	793	9	HIB-CONTAINING VACCINATION #8 TYPE CODE
XHIBTY9	794	794	9	HIB-CONTAINING VACCINATION #9 TYPE CODE
XMMRTY1	795	796	9	MEASLES-CONTAINING VACCINATION #1 TYPE CODE
XMMRTY2	797	798	9	MEASLES-CONTAINING VACCINATION #2 TYPE CODE
XMMRTY3	799	800	9	MEASLES-CONTAINING VACCINATION #3 TYPE CODE
XMMRTY4	801	801	9	MEASLES-CONTAINING VACCINATION #4 TYPE CODE
XMMRTY5	802	802	9	MEASLES-CONTAINING VACCINATION #5 TYPE CODE
XMMRTY6	803	803	9	MEASLES-CONTAINING VACCINATION #6 TYPE CODE
XMMRTY7	804	804	9	MEASLES-CONTAINING VACCINATION #7 TYPE CODE
XMMRTY8	805	805	9	MEASLES-CONTAINING VACCINATION #8 TYPE CODE
XMMRTY9	806	806	9	MEASLES-CONTAINING VACCINATION #9 TYPE CODE
XPCVTY1	807	808	9	PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE
XPCVTY2	809	810	9	PNEUMOCOCCAL-CONTAINING VACCINATION #2 TYPE CODE
XPCVTY3	811	812	9	PNEUMOCOCCAL-CONTAINING VACCINATION #3 TYPE CODE
XPCVTY4	813	814	9	PNEUMOCOCCAL-CONTAINING VACCINATION #4 TYPE CODE
XPCVTY5	815	816	9	PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE
XPCVTY6	817	818	9	PNEUMOCOCCAL-CONTAINING VACCINATION #6 TYPE CODE
XPCVTY7	819	820	9	PNEUMOCOCCAL-CONTAINING VACCINATION #7 TYPE CODE
XPCVTY8	821	821	9	PNEUMOCOCCAL-CONTAINING VACCINATION #8 TYPE CODE
XPCVTY9	822	822	9	PNEUMOCOCCAL-CONTAINING VACCINATION #9 TYPE CODE
XPOLTY1	823	824	9	POLIO-CONTAINING VACCINATION #1 TYPE CODE
XPOLTY2	825	826	9	POLIO-CONTAINING VACCINATION #2 TYPE CODE
XPOLTY3	827	828	9	POLIO-CONTAINING VACCINATION #3 TYPE CODE
XPOLTY4	829	830	9	POLIO-CONTAINING VACCINATION #4 TYPE CODE
XPOLTY5	831	832	9	POLIO-CONTAINING VACCINATION #5 TYPE CODE
XPOLTY6	833	834	9	POLIO-CONTAINING VACCINATION #6 TYPE CODE
XPOLTY7	835	835	9	POLIO-CONTAINING VACCINATION #7 TYPE CODE
XPOLTY8	836	836	9	POLIO-CONTAINING VACCINATION #8 TYPE CODE
XPOLTY9	837	837	9	POLIO-CONTAINING VACCINATION #9 TYPE CODE
XROTTY1	838	839	9	ROTAVIRUS-CONTAINING VACCINATION #1 TYPE CODE
XROTTY2	840	841	9	ROTAVIRUS-CONTAINING VACCINATION #2 TYPE CODE

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
XROTTY3	842	843	9	ROTAVIRUS-CONTAINING VACCINATION #3 TYPE CODE
XROTTY4	844	845	9	ROTAVIRUS-CONTAINING VACCINATION #4 TYPE CODE
XROTTY5	846	847	9	ROTAVIRUS-CONTAINING VACCINATION #5 TYPE CODE
XROTTY6	848	848	9	ROTAVIRUS-CONTAINING VACCINATION #6 TYPE CODE
XROTTY7	849	849	9	ROTAVIRUS-CONTAINING VACCINATION #7 TYPE CODE
XROTTY8	850	850	9	ROTAVIRUS-CONTAINING VACCINATION #8 TYPE CODE
XROTTY9	851	851	9	ROTAVIRUS-CONTAINING VACCINATION #9 TYPE CODE
XVRCTY1	852	853	9	VARICELLA-CONTAINING VACCINATION #1 TYPE CODE
XVRCTY2	854	855	9	VARICELLA-CONTAINING VACCINATION #2 TYPE CODE
XVRCTY3	856	857	9	VARICELLA-CONTAINING VACCINATION #3 TYPE CODE
XVRCTY4	858	858	9	VARICELLA-CONTAINING VACCINATION #4 TYPE CODE
XVRCTY5	859	859	9	VARICELLA-CONTAINING VACCINATION #5 TYPE CODE
XVRCTY6	860	860	9	VARICELLA-CONTAINING VACCINATION #6 TYPE CODE
XVRCTY7	861	861	9	VARICELLA-CONTAINING VACCINATION #7 TYPE CODE
XVRCTY8	862	862	9	VARICELLA-CONTAINING VACCINATION #8 TYPE CODE
XVRCTY9	863	863	9	VARICELLA-CONTAINING VACCINATION #9 TYPE CODE
YEAR	95	98	1	YEAR OF INTERVIEW