

National Immunization Survey -- Child

A Codebook for the 2022 Public-Use Data File

Centers for Disease Control and Prevention

**National Center for Immunization
and Respiratory Diseases**

**Presented by:
NORC at the University of Chicago**

December 2023

TABLE OF CONTENTS

Section Index of Variables	1
Section 1: ID, Weight, and Flag Variables	18
Section 2: Household-Reported Vaccination Variables	22
Section 3: Demographic and Socio-Economic Variables	23
Section 4: Geographic Variables	39
Section 5: Number of Providers Identified and Consent Variables	45
Section 6: Number of Responding Provider Variables	46
Section 7: Characteristics of Provider Variables	47
Section 8: Provider-Reported Up-to-Date Vaccination Variables	49
Section 9: Provider-Reported Age-at-Vaccination Variables	96
Section 10: Health Insurance Module Variables	235
Alphabetic Index of Variables	237

NOTE:

The codebook presents unweighted frequencies (counts of children) for each categorical variable and summary statistics – mean, median, minimum, maximum, and standard deviation – for each continuous variable.

The codebook also includes unweighted frequencies for the reserve codes (missing, don't know, and refused) for each variable.

SECTION INDEX OF VARIABLES

SAS_Var	Begin Position	End Position	Section	Variable Label
SEQNUMC	1	6	1	UNIQUE CHILD IDENTIFIER
SEQNUMHH	7	11	1	UNIQUE HOUSEHOLD IDENTIFIER
PDAT	12	12	1	CHILD HAS ADEQUATE PROVIDER DATA
PROVWT_C	13	31	1	FINAL SINGLE-FRAME CELL-PHONE PROVIDER-PHASE WEIGHT (EXCLUDES TERRITORIES)
PROVWT_C_TERR	32	50	1	FINAL SINGLE-FRAME CELL-PHONE PROVIDER-PHASE WEIGHT INCLUDING TERRITORIES
RDDWT_C	51	69	1	FINAL SINGLE-FRAME CELL-PHONE RDD-PHASE WEIGHT (EXCLUDES TERRITORIES)
RDDWT_C_TERR	70	88	1	FINAL SINGLE-FRAME CELL-PHONE RDD-PHASE WEIGHT INCLUDING TERRITORIES
STRATUM	89	92	1	STRATUM VARIABLE FOR VARIANCE ESTIMATION
YEAR	93	96	1	YEAR OF INTERVIEW
AGECPOXR	97	97	2	AGE IN MONTHS AT CHICKEN POX DISEASE (RECODE)
HAD_CPOX	98	99	2	CHILD EVER HAD CHICKEN POX DISEASE?
AGEGRP	100	100	3	AGE CATEGORY OF CHILD (19-23, 24-29, 30-35 MO) (RECODE)
BF_ENDR06	101	108	3	DURATION OF BREASTFEEDING IN DAYS (RECODE)
BF_EXCLR06	109	116	3	DURATION OF EXCLUSIVE BREAST/FORMULA FEEDING IN DAYS (RECODE)
BF_FORMR20	117	124	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA (RECODE)
BFENDFL06	125	125	3	DURATION OF BREAST FEEDING EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
BFFORMFL06	126	126	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
C1R	127	127	3	NUMBER OF PEOPLE IN HOUSEHOLD (RECODE)
C5R	128	129	3	RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)
CBF_01	130	131	3	WAS CHILD EVER BREASTFED OR FED BREAST MILK?
CEN_REG	132	132	3	CENSUS REGION BASED ON TRUE STATE OF RESIDENCE
CHILDNM	133	133	3	NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)
CWIC_01	134	135	3	CHILD EVER RECEIVED WIC BENEFITS?
CWIC_02	136	137	3	CHILD CURRENTLY RECEIVING WIC BENEFITS?
EDUC1	138	138	3	EDUCATION OF MOTHER CATEGORIES: IMPUTED (RECODE)
FRSTBRN	139	139	3	FIRST BORN STATUS OF CHILD: IMPUTED
I_HISP_K	140	140	3	HISPANIC ORIGIN OF CHILD: IMPUTED
INCPORAR	141	156	3	INCOME TO POVERTY RATIO (RECODE)
INCPORAR_I	157	172	3	INCOME TO POVERTY RATIO: IMPUTED (RECODE)

SECTION INDEX OF VARIABLES

SAS_Var	Begin Position	End Position	Section	Variable Label
INCPOV1	173	173	3	POVERTY STATUS
INCQ298A	174	175	3	FAMILY INCOME CATEGORIES (RECODE)
LANGUAGE	176	176	3	LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED
M_AGEGRP2	177	177	3	AGE OF MOTHER CATEGORIES: IMPUTED (RECODE)
MARITAL2	178	178	3	MARITAL STATUS OF MOTHER: IMPUTED (RECODE)
MOBIL_I	179	179	3	GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE: IMPUTED
NUM_PHONE	180	181	3	NUMBER OF RESIDENTIAL TELEPHONE NUMBERS IN HOUSEHOLD (EXCLUDING CELL PHONES)
NUM_CELLS_HH	182	183	3	NUMBER OF WORKING CELL PHONES HOUSEHOLD MEMBERS HAVE AVAILABLE FOR PERSONAL USE
NUM_CELLS_PARENTS	184	185	3	NUMBER OF WORKING CELL PHONES USUALLY USED BY PARENTS OR GUARDIANS
RACE_K	186	186	3	RACE OF CHILD: IMPUTED (RECODE)
RACEETHK	187	187	3	RACE/ETHNICITY OF CHILD: IMPUTED (RECODE)
RENT_OWN	188	189	3	IS HOME OWNED/BEING BOUGHT, RENTED, OR OCCUPIED BY SOME OTHER ARRANGEMENT?
SEX	190	190	3	SEX OF CHILD: IMPUTED
ESTIAP22	191	193	4	ESTIMATION AREA OF RESIDENCE
EST_GRANT	194	195	4	AREA OF RESIDENCE ACCORDING TO THE 56 ORIGINAL CORE GRANTEE AREAS
STATE	196	197	4	TRUE STATE OF RESIDENCE (STATE FIPS CODE)
D6R	198	198	5	NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (RECODE)
D7	199	199	5	CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM PROVIDERS
N_PRVR	200	200	6	NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (RECODE)
PROV_FAC	201	201	7	PROVIDER FACILITY TYPES: IMPUTED
REGISTRY	202	202	7	CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY
VFC_ORDER	203	203	7	DO CHILD'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT?
HEP_BRTH	204	204	8	HEPATITIS B-CONTAINING SHOT GIVEN AT BIRTH FLAG
HEP_FLAG	205	205	8	HEPATITIS B BIRTH SHOT DATE IMPUTATION FLAG
P_NUHEPX	206	206	8	NUMBER OF HEPATITIS B-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUHIBX	207	207	8	NUMBER OF HIB-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

SECTION INDEX OF VARIABLES

SAS_Var	Begin Position	End Position	Section	Variable Label
P_NUHPHB	208	208	8	NUMBER OF HEPATITIS B/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDAH	209	209	8	NUMBER OF DTAP/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDHI	210	210	8	NUMBER OF DTAP/HEPB/IPV COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDIH	211	211	8	NUMBER OF DTAP/IPV/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDIHB	212	212	8	NUMBER OF DTAP/IPV/HIB/HEPB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDTA	213	213	8	NUMBER OF DTAP-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDTP	214	214	8	NUMBER OF DT-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLU	215	215	8	NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUL	216	216	8	NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUM	217	217	8	NUMBER OF SEASONAL FLU SPRAY VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUN	218	218	8	NUMBER OF INJECTED SEASONAL FLU VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEA	219	219	8	NUMBER OF HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEN	220	220	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEP	221	221	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

SECTION INDEX OF VARIABLES

SAS_Var	Begin Position	End Position	Section	Variable Label
P_NUMHMG	222	222	8	NUMBER OF HIB-GLAXOSMITHKLINE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHHY	223	223	8	NUMBER OF HIB-MENCY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHIB	224	224	8	NUMBER OF HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHIN	225	225	8	NUMBER OF HIB-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHION	226	226	8	NUMBER OF HIB-ONLY SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHM	227	227	8	NUMBER OF HIB-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHS	228	228	8	NUMBER OF HIB-SANOFI SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMIPV	229	229	8	NUMBER OF IPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMCN	230	230	8	NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMR	231	231	8	NUMBER OF MEASLES-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMRX	232	232	8	NUMBER OF MMR-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMX	233	233	8	NUMBER OF MMR-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMP	234	234	8	NUMBER OF MUMPS-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMPR	235	235	8	NUMBER OF (MUMPS/RUBELLA)-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMRV	236	236	8	NUMBER OF MMR/VARICELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

SECTION INDEX OF VARIABLES

SAS_Var	Begin Position	End Position	Section	Variable Label
P_NUMMS	237	237	8	NUMBER OF MEASLES-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMSM	238	238	8	NUMBER OF MEASLES/MUMPS COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMSR	239	239	8	NUMBER OF MEASLES/RUBELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMOLN	240	240	8	NUMBER OF POLIO SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMOPV	241	241	8	NUMBER OF OPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPCV	242	242	8	NUMBER OF PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPCP	243	243	8	NUMBER OF PNEUMOCOCCAL POLYSACCHARIDE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPCC	244	244	8	NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPCC7	245	245	8	NUMBER OF PNEUMOCOCCAL CONJUGATE-7 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPCC13	246	246	8	NUMBER OF PNEUMOCOCCAL CONJUGATE-13 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPCC15	247	247	8	NUMBER OF PNEUMOCOCCAL CONJUGATE-15 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPCCN	248	248	8	NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPCN	249	249	8	NUMBER OF PNEUMOCOCCAL SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPOL	250	250	8	NUMBER OF POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

SECTION INDEX OF VARIABLES

SAS_Var	Begin Position	End Position	Section	Variable Label
P_NUMRB	251	251	8	NUMBER OF RUBELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMRG	252	252	8	NUMBER OF ROTARIX-GSK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMRM	253	253	8	NUMBER OF ROTATEQ-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMRO	254	254	8	NUMBER OF ROTAVIRUS SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMROT	255	255	8	NUMBER OF ROTAVIRUS-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMTPN	256	256	8	NUMBER OF DT-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRC	257	257	8	NUMBER OF VARICELLA-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRN	258	258	8	NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRX	259	259	8	NUMBER OF VARICELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_U12VRC	260	260	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS OF AGE, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD331	261	261	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431	262	262	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHEP	263	263	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHEPA1	264	264	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHEPA2	265	265	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

SECTION INDEX OF VARIABLES

SAS_Var	Begin Position	End Position	Section	Variable Label
P_UTDHIB	266	266	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHIB_ROUT_S	267	267	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE ROUTINE (NON-SHORTAGE) HIB RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHIB_SHORT_S	268	268	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE HIB SHORTAGE RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDMCV	269	269	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MEASLES-CONTAINING SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDMMX	270	270	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MMR COMBO SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPC3	271	271	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPCV	272	272	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPCVB13	273	273	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ PNEUMOCOCCAL VACCINATIONS OF TYPE CONJUGATE-13, GIVEN 4+ DOSES OF TYPE CONJUGATE-7, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPOL	274	274	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDROT_S	275	275	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ ROTAVIRUS DOSES BY 36 MONTHS OF AGE, BASED ON A STRICT TREATMENT OF ROTAVIRUS VACCINATIONS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDTP3	276	276	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDTP4	277	277	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU431331	278	278	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

SECTION INDEX OF VARIABLES

SAS_Var	Begin Position	End Position	Section	Variable Label
P_UTD431H31_ROUT_S	279	279	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU4313313	280	280	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H313_ROUT_S	281	281	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU4313314	282	282	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H314_ROUT_S	283	283	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PUT43133	284	284	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H3_ROUT_S	285	285	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PUTD4313	286	286	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H_ROUT_S	287	287	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
U24_FLU_24D	288	288	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ INFLUENZA VACCINATIONS AT LEAST 4 WEEKS-4 DAYS APART BY 24 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
U19_FLU_24D	289	289	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ INFLUENZA VACCINATIONS AT LEAST 4 WEEKS-4 DAYS APART BY 19 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
U24_FLU3_24D	290	290	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ INFLUENZA VACCINATIONS AT LEAST 4 WEEKS-4 DAYS APART BY 24 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
U1D_HEP	291	291	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 1 FLAG

SECTION INDEX OF VARIABLES

SAS_Var	Begin Position	End Position	Section	Variable Label
U2D_HEP	292	292	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 2 FLAG
U3D_HEP	293	293	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 3 FLAG
DDTP1	294	297	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #1
DDTP2	298	301	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #2
DDTP3	302	305	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #3
DDTP4	306	309	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #4
DDTP5	310	313	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #5
DDTP6	314	317	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #6
DDTP7	318	320	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #7
DDTP8	321	321	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #8
DDTP9	322	322	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #9
DFLU1	323	326	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1
DFLU2	327	330	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2
DFLU3	331	334	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3
DFLU4	335	338	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4
DFLU5	339	342	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5
DFLU6	343	346	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6
DFLU7	347	349	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7
DFLU8	350	353	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8
DFLU9	354	354	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9
DHEPA1	355	358	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
DHEPA2	359	362	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
DHEPA3	363	366	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
DHEPA4	367	369	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
DHEPA5	370	370	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
DHEPA6	371	371	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
DHEPA7	372	372	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7
DHEPA8	373	373	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
DHEPA9	374	374	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
DHEPB1	375	378	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
DHEPB2	379	382	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
DHEPB3	383	386	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
DHEPB4	387	390	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
DHEPB5	391	394	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
DHEPB6	395	397	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
DHEPB7	398	400	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
DHEPB8	401	401	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8

SECTION INDEX OF VARIABLES

SAS_Var	Begin Position	End Position	Section	Variable Label
DHEPB9	402	402	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
DHIB1	403	406	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #1
DHIB2	407	410	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #2
DHIB3	411	414	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #3
DHIB4	415	418	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #4
DHIB5	419	422	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #5
DHIB6	423	425	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #6
DHIB7	426	428	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #7
DHIB8	429	429	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #8
DHIB9	430	430	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #9
DMMR1	431	434	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
DMMR2	435	438	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
DMMR3	439	441	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #3
DMMR4	442	444	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
DMMR5	445	447	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
DMMR6	448	448	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #6
DMMR7	449	449	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
DMMR8	450	450	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
DMMR9	451	451	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
DMP1	452	452	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #1
DMP2	453	453	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #2
DMP3	454	454	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #3
DMP4	455	455	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #4
DMP5	456	456	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #5
DMP6	457	457	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #6
DMP7	458	458	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #7
DMP8	459	459	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #8
DMP9	460	460	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #9
DMPRB1	461	461	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
DMPRB2	462	462	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
DMPRB3	463	463	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
DMPRB4	464	464	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
DMPRB5	465	465	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
DMPRB6	466	466	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6
DMPRB7	467	467	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
DMPRB8	468	468	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
DMPRB9	469	469	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9

SECTION INDEX OF VARIABLES

SAS_Var	Begin Position	End Position	Section	Variable Label
DPCV1	470	473	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
DPCV2	474	477	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
DPCV3	478	481	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
DPCV4	482	485	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
DPCV5	486	489	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
DPCV6	490	493	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
DPCV7	494	494	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
DPCV8	495	495	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
DPCV9	496	496	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
DPOLIO1	497	500	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #1
DPOLIO2	501	504	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #2
DPOLIO3	505	508	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #3
DPOLIO4	509	512	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #4
DPOLIO5	513	516	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #5
DPOLIO6	517	520	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #6
DPOLIO7	521	523	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #7
DPOLIO8	524	524	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #8
DPOLIO9	525	525	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #9
DRB1	526	526	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #1
DRB2	527	527	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #2
DRB3	528	528	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #3
DRB4	529	529	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #4
DRB5	530	530	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #5
DRB6	531	531	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #6
DRB7	532	532	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #7
DRB8	533	533	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #8
DRB9	534	534	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #9
DROT1	535	537	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
DROT2	538	540	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
DROT3	541	543	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
DROT4	544	546	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
DROT5	547	547	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
DROT6	548	548	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
DROT7	549	549	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
DROT8	550	550	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
DROT9	551	551	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
DVRC1	552	555	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1

SECTION INDEX OF VARIABLES

SAS_Var	Begin Position	End Position	Section	Variable Label
DVRC2	556	559	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
DVRC3	560	562	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
DVRC4	563	563	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
DVRC5	564	564	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5
DVRC6	565	565	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
DVRC7	566	566	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
DVRC8	567	567	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
DVRC9	568	568	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
DTP1_AGE	569	570	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #1
DTP2_AGE	571	572	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #2
DTP3_AGE	573	574	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #3
DTP4_AGE	575	576	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #4
DTP5_AGE	577	578	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #5
DTP6_AGE	579	580	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #6
DTP7_AGE	581	582	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #7
DTP8_AGE	583	583	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #8
DTP9_AGE	584	584	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #9
FLU1_AGE	585	586	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1
FLU2_AGE	587	588	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2
FLU3_AGE	589	590	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3
FLU4_AGE	591	592	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4
FLU5_AGE	593	594	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5
FLU6_AGE	595	596	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6
FLU7_AGE	597	598	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7
FLU8_AGE	599	600	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8
FLU9_AGE	601	601	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9
HEA1_AGE	602	603	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
HEA2_AGE	604	605	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
HEA3_AGE	606	607	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
HEA4_AGE	608	609	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
HEA5_AGE	610	610	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5

SECTION INDEX OF VARIABLES

SAS_Var	Begin Position	End Position	Section	Variable Label
HEA6_AGE	611	611	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
HEA7_AGE	612	612	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7
HEA8_AGE	613	613	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
HEA9_AGE	614	614	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
HEP1_AGE	615	616	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
HEP2_AGE	617	618	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
HEP3_AGE	619	620	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
HEP4_AGE	621	622	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
HEP5_AGE	623	624	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
HEP6_AGE	625	626	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
HEP7_AGE	627	628	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
HEP8_AGE	629	629	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8
HEP9_AGE	630	630	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
HIB1_AGE	631	632	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #1
HIB2_AGE	633	634	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #2
HIB3_AGE	635	636	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #3
HIB4_AGE	637	638	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #4
HIB5_AGE	639	640	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #5
HIB6_AGE	641	642	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #6
HIB7_AGE	643	644	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #7
HIB8_AGE	645	645	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #8
HIB9_AGE	646	646	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #9
MMR1_AGE	647	648	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
MMR2_AGE	649	650	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
MMR3_AGE	651	652	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #3
MMR4_AGE	653	654	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
MMR5_AGE	655	656	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
MMR6_AGE	657	657	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #6
MMR7_AGE	658	658	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
MMR8_AGE	659	659	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
MMR9_AGE	660	660	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
MP1_AGE	661	661	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #1
MP2_AGE	662	662	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #2
MP3_AGE	663	663	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #3
MP4_AGE	664	664	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #4
MP5_AGE	665	665	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #5
MP6_AGE	666	666	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #6

SECTION INDEX OF VARIABLES

SAS_Var	Begin Position	End Position	Section	Variable Label
MP7_AGE	667	667	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #7
MP8_AGE	668	668	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #8
MP9_AGE	669	669	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #9
MPR1_AGE	670	670	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
MPR2_AGE	671	671	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
MPR3_AGE	672	672	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
MPR4_AGE	673	673	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
MPR5_AGE	674	674	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
MPR6_AGE	675	675	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6
MPR7_AGE	676	676	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
MPR8_AGE	677	677	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
MPR9_AGE	678	678	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9
PCV1_AGE	679	680	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
PCV2_AGE	681	682	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
PCV3_AGE	683	684	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
PCV4_AGE	685	686	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
PCV5_AGE	687	688	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
PCV6_AGE	689	690	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
PCV7_AGE	691	691	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
PCV8_AGE	692	692	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
PCV9_AGE	693	693	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
POL1_AGE	694	695	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #1
POL2_AGE	696	697	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #2
POL3_AGE	698	699	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #3
POL4_AGE	700	701	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #4
POL5_AGE	702	703	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #5
POL6_AGE	704	705	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #6
POL7_AGE	706	707	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #7
POL8_AGE	708	708	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #8
POL9_AGE	709	709	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #9
RB1_AGE	710	710	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #1
RB2_AGE	711	711	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #2
RB3_AGE	712	712	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #3
RB4_AGE	713	713	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #4
RB5_AGE	714	714	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #5
RB6_AGE	715	715	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #6
RB7_AGE	716	716	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #7

SECTION INDEX OF VARIABLES

SAS_Var	Begin Position	End Position	Section	Variable Label
RB8_AGE	717	717	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #8
RB9_AGE	718	718	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #9
ROT1_AGE	719	720	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
ROT2_AGE	721	722	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
ROT3_AGE	723	724	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
ROT4_AGE	725	726	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
ROT5_AGE	727	727	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
ROT6_AGE	728	728	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
ROT7_AGE	729	729	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
ROT8_AGE	730	730	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
ROT9_AGE	731	731	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
VRC1_AGE	732	733	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
VRC2_AGE	734	735	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
VRC3_AGE	736	737	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
VRC4_AGE	738	738	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
VRC5_AGE	739	739	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5
VRC6_AGE	740	740	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
VRC7_AGE	741	741	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
VRC8_AGE	742	742	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
VRC9_AGE	743	743	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
XDTPTY1	744	745	9	DT-CONTAINING VACCINATION #1 TYPE CODE
XDTPTY2	746	747	9	DT-CONTAINING VACCINATION #2 TYPE CODE
XDTPTY3	748	749	9	DT-CONTAINING VACCINATION #3 TYPE CODE
XDTPTY4	750	751	9	DT-CONTAINING VACCINATION #4 TYPE CODE
XDTPTY5	752	753	9	DT-CONTAINING VACCINATION #5 TYPE CODE
XDTPTY6	754	755	9	DT-CONTAINING VACCINATION #6 TYPE CODE
XDTPTY7	756	757	9	DT-CONTAINING VACCINATION #7 TYPE CODE
XDTPTY8	758	758	9	DT-CONTAINING VACCINATION #8 TYPE CODE
XDTPTY9	759	759	9	DT-CONTAINING VACCINATION #9 TYPE CODE
XFLUTY1	760	761	9	SEASONAL FLU-CONTAINING VACCINATION #1 TYPE CODE
XFLUTY2	762	763	9	SEASONAL FLU-CONTAINING VACCINATION #2 TYPE CODE
XFLUTY3	764	765	9	SEASONAL FLU-CONTAINING VACCINATION #3 TYPE CODE
XFLUTY4	766	767	9	SEASONAL FLU-CONTAINING VACCINATION #4 TYPE CODE
XFLUTY5	768	769	9	SEASONAL FLU-CONTAINING VACCINATION #5 TYPE CODE
XFLUTY6	770	771	9	SEASONAL FLU-CONTAINING VACCINATION #6 TYPE CODE
XFLUTY7	772	773	9	SEASONAL FLU-CONTAINING VACCINATION #7 TYPE CODE
XFLUTY8	774	775	9	SEASONAL FLU-CONTAINING VACCINATION #8 TYPE CODE

SECTION INDEX OF VARIABLES

SAS_Var	Begin Position	End Position	Section	Variable Label
XFLUTY9	776	776	9	SEASONAL FLU-CONTAINING VACCINATION #9 TYPE CODE
XHEPTY1	777	778	9	HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE
XHEPTY2	779	780	9	HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE
XHEPTY3	781	782	9	HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE
XHEPTY4	783	784	9	HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE
XHEPTY5	785	786	9	HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE
XHEPTY6	787	788	9	HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE
XHEPTY7	789	790	9	HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE
XHEPTY8	791	791	9	HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE
XHEPTY9	792	792	9	HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE
XHIBTY1	793	794	9	HIB-CONTAINING VACCINATION #1 TYPE CODE
XHIBTY2	795	796	9	HIB-CONTAINING VACCINATION #2 TYPE CODE
XHIBTY3	797	798	9	HIB-CONTAINING VACCINATION #3 TYPE CODE
XHIBTY4	799	800	9	HIB-CONTAINING VACCINATION #4 TYPE CODE
XHIBTY5	801	802	9	HIB-CONTAINING VACCINATION #5 TYPE CODE
XHIBTY6	803	804	9	HIB-CONTAINING VACCINATION #6 TYPE CODE
XHIBTY7	805	806	9	HIB-CONTAINING VACCINATION #7 TYPE CODE
XHIBTY8	807	807	9	HIB-CONTAINING VACCINATION #8 TYPE CODE
XHIBTY9	808	808	9	HIB-CONTAINING VACCINATION #9 TYPE CODE
XMMRTY1	809	810	9	MEASLES-CONTAINING VACCINATION #1 TYPE CODE
XMMRTY2	811	812	9	MEASLES-CONTAINING VACCINATION #2 TYPE CODE
XMMRTY3	813	814	9	MEASLES-CONTAINING VACCINATION #3 TYPE CODE
XMMRTY4	815	816	9	MEASLES-CONTAINING VACCINATION #4 TYPE CODE
XMMRTY5	817	818	9	MEASLES-CONTAINING VACCINATION #5 TYPE CODE
XMMRTY6	819	819	9	MEASLES-CONTAINING VACCINATION #6 TYPE CODE
XMMRTY7	820	820	9	MEASLES-CONTAINING VACCINATION #7 TYPE CODE
XMMRTY8	821	821	9	MEASLES-CONTAINING VACCINATION #8 TYPE CODE
XMMRTY9	822	822	9	MEASLES-CONTAINING VACCINATION #9 TYPE CODE
XPCVTY1	823	824	9	PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE
XPCVTY2	825	826	9	PNEUMOCOCCAL-CONTAINING VACCINATION #2 TYPE CODE
XPCVTY3	827	828	9	PNEUMOCOCCAL-CONTAINING VACCINATION #3 TYPE CODE
XPCVTY4	829	830	9	PNEUMOCOCCAL-CONTAINING VACCINATION #4 TYPE CODE
XPCVTY5	831	832	9	PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE
XPCVTY6	833	834	9	PNEUMOCOCCAL-CONTAINING VACCINATION #6 TYPE CODE
XPCVTY7	835	835	9	PNEUMOCOCCAL-CONTAINING VACCINATION #7 TYPE CODE
XPCVTY8	836	836	9	PNEUMOCOCCAL-CONTAINING VACCINATION #8 TYPE CODE
XPCVTY9	837	837	9	PNEUMOCOCCAL-CONTAINING VACCINATION #9 TYPE CODE

SECTION INDEX OF VARIABLES

SAS_Var	Begin Position	End Position	Section	Variable Label
XPOLTY1	838	839	9	POLIO-CONTAINING VACCINATION #1 TYPE CODE
XPOLTY2	840	841	9	POLIO-CONTAINING VACCINATION #2 TYPE CODE
XPOLTY3	842	843	9	POLIO-CONTAINING VACCINATION #3 TYPE CODE
XPOLTY4	844	845	9	POLIO-CONTAINING VACCINATION #4 TYPE CODE
XPOLTY5	846	847	9	POLIO-CONTAINING VACCINATION #5 TYPE CODE
XPOLTY6	848	849	9	POLIO-CONTAINING VACCINATION #6 TYPE CODE
XPOLTY7	850	851	9	POLIO-CONTAINING VACCINATION #7 TYPE CODE
XPOLTY8	852	852	9	POLIO-CONTAINING VACCINATION #8 TYPE CODE
XPOLTY9	853	853	9	POLIO-CONTAINING VACCINATION #9 TYPE CODE
XROTTY1	854	855	9	ROTAVIRUS-CONTAINING VACCINATION #1 TYPE CODE
XROTTY2	856	857	9	ROTAVIRUS-CONTAINING VACCINATION #2 TYPE CODE
XROTTY3	858	859	9	ROTAVIRUS-CONTAINING VACCINATION #3 TYPE CODE
XROTTY4	860	861	9	ROTAVIRUS-CONTAINING VACCINATION #4 TYPE CODE
XROTTY5	862	862	9	ROTAVIRUS-CONTAINING VACCINATION #5 TYPE CODE
XROTTY6	863	863	9	ROTAVIRUS-CONTAINING VACCINATION #6 TYPE CODE
XROTTY7	864	864	9	ROTAVIRUS-CONTAINING VACCINATION #7 TYPE CODE
XROTTY8	865	865	9	ROTAVIRUS-CONTAINING VACCINATION #8 TYPE CODE
XROTTY9	866	866	9	ROTAVIRUS-CONTAINING VACCINATION #9 TYPE CODE
XVRCTY1	867	868	9	VARICELLA-CONTAINING VACCINATION #1 TYPE CODE
XVRCTY2	869	870	9	VARICELLA-CONTAINING VACCINATION #2 TYPE CODE
XVRCTY3	871	872	9	VARICELLA-CONTAINING VACCINATION #3 TYPE CODE
XVRCTY4	873	873	9	VARICELLA-CONTAINING VACCINATION #4 TYPE CODE
XVRCTY5	874	874	9	VARICELLA-CONTAINING VACCINATION #5 TYPE CODE
XVRCTY6	875	875	9	VARICELLA-CONTAINING VACCINATION #6 TYPE CODE
XVRCTY7	876	876	9	VARICELLA-CONTAINING VACCINATION #7 TYPE CODE
XVRCTY8	877	877	9	VARICELLA-CONTAINING VACCINATION #8 TYPE CODE
XVRCTY9	878	878	9	VARICELLA-CONTAINING VACCINATION #9 TYPE CODE
INS_STAT2_I	879	879	10	INSURANCE STATUS (PRIVATE ONLY/ANY MEDICAID/OTHER INSURANCE/UNINSURED): IMPUTED
INS_BREAK_I	880	880	10	CONTINUITY OF INSURANCE COVERAGE SINCE BIRTH: IMPUTED

SECTION 1: ID, WEIGHT AND FLAG VARIABLES

Variable: SEQNUMC Type: Character Position: 1-6

Label: UNIQUE CHILD IDENTIFIER

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		35703	100.0%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: SEQNUMHH Type: Character Position: 7-11

Label: UNIQUE HOUSEHOLD IDENTIFIER

Notes: Each household contains one or more children age 19 - 35 months.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		35703	100.0%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: PDAT Type: Numeric Position: 12-12

Label: CHILD HAS ADEQUATE PROVIDER DATA

Notes: Use PDAT = 1 to identify children with adequate provider data (includes unvaccinated children).

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
CHILD HAS ADEQUATE PROVIDER DATA OR ZERO VACCINATIONS	1	17575	49.2%	49.2%	17575	100.0%	100.0%
CHILD DOES NOT HAVE ADEQUATE PROVIDER DATA	2	18128	50.8%	50.8%	0	0.0%	0.0%
SUBTOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 1: ID, WEIGHT AND FLAG VARIABLES

Variable: PROVWT_C Type: Numeric Position: 13-31

Label: FINAL SINGLE-FRAME CELL-PHONE PROVIDER-PHASE WEIGHT (EXCLUDES TERRITORIES)

Notes: Final child weight to use for the single-frame cell-phone calculation of vaccination coverage rates for children with adequate provider data (PDAT = 1). Missing for territories.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17232	48.3%	100.0%	17232	98.0%	100.0%
RESERVED CODES:							
MISSING	.	18471	51.7%	n/a	343	2.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: PROVWT_C Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	309.7	156.9	2.5	6168.5	512.8
Adequate Provider Data	309.7	156.9	2.5	6168.5	512.8

Variable: PROVWT_C_TERR Type: Numeric Position: 32-50

Label: FINAL SINGLE-FRAME CELL-PHONE PROVIDER-PHASE WEIGHT INCLUDING TERRITORIES

Notes: Final child weight to use for the single-frame cell-phone calculation of vaccination coverage rates for children with adequate provider data (PDAT = 1), including territories.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: PROVWT_C_TERR Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	305.1	153.0	2.5	6168.5	508.8
Adequate Provider Data	305.1	153.0	2.5	6168.5	508.8

SECTION 1: ID, WEIGHT AND FLAG VARIABLES

Variable: RDDWT_C Type: Numeric Position: 51-69

Label: FINAL SINGLE-FRAME CELL-PHONE RDD-PHASE WEIGHT (EXCLUDES TERRITORIES)

Notes: Final single-frame cell-phone household interview weight for child. Use this weight for estimates based on children with completed household interviews. Missing for territories.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		34675	97.1%	100.0%	17232	98.0%	100.0%
RESERVED CODES:							
MISSING	.	1028	2.9%	n/a	343	2.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: RDDWT_C Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	153.9	88.7	1.3	2547.1	228.9
Adequate Provider Data	142.3	83.7	1.7	2547.1	212.5

Variable: RDDWT_C_TERR Type: Numeric Position: 70-88

Label: FINAL SINGLE-FRAME CELL-PHONE RDD-PHASE WEIGHT INCLUDING TERRITORIES

Notes: Final single-frame cell-phone household interview weight for child. Use this weight for estimates based on children with completed household interviews, including territories.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		35703	100.0%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: RDDWT_C_TERR Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	150.2	85.4	1.3	2547.1	226.6
Adequate Provider Data	140.0	81.2	1.7	2547.1	211.1

SECTION 1: ID, WEIGHT AND FLAG VARIABLES

Variable: STRATUM Type: Numeric Position: 89-92

Label: STRATUM VARIABLE FOR VARIANCE ESTIMATION

Notes: Use STRATUM as the stratum variable for variance estimation when calculating estimates.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		35703	100.0%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: YEAR Type: Numeric Position: 93-96

Label: YEAR OF INTERVIEW

Notes: Sampling year.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
2022	2022	35703	100.0%	100.0%	17575	100.0%	100.0%
SUBTOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 2: HOUSEHOLD VACCINATION VARIABLES

Variable: AGECP0XR Type: Numeric Position: 97-97

Label: AGE IN MONTHS AT CHICKEN POX DISEASE (RECODE)

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0 TO 6 MONTHS OLD	1	60	0.2%	23.3%	26	0.1%	30.2%
7 TO 12 MONTHS OLD	2	79	0.2%	30.7%	30	0.2%	34.9%
13 TO 18 MONTHS OLD	3	64	0.2%	24.9%	16	0.1%	18.6%
19+ MONTHS OLD	4	54	0.2%	21.0%	14	0.1%	16.3%
SUBTOTALS:		257	0.7%	100.0%	86	0.5%	100.0%
RESERVED CODES:							
MISSING	.	35446	99.3%	n/a	17489	99.5%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: HAD_CPOX Type: Numeric Position: 98-99

Label: CHILD EVER HAD CHICKEN POX DISEASE?

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	278	0.8%	0.8%	95	0.5%	0.5%
NO	2	35311	98.9%	99.2%	17435	99.2%	99.5%
SUBTOTALS:		35589	99.7%	100.0%	17530	99.7%	100.0%
RESERVED CODES:							
DON'T KNOW	77	108	0.3%	n/a	44	0.3%	n/a
REFUSED	99	6	0.0%	n/a	1	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: AGEGRP Type: Numeric Position: 100-100

Label: AGE CATEGORY OF CHILD (19-23, 24-29, 30-35 MO) (RECODE)

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
19 - 23 MONTHS	1	10607	29.7%	29.7%	5313	30.2%	30.2%
24 - 29 MONTHS	2	10805	30.3%	30.3%	5376	30.6%	30.6%
30 - 35 MONTHS	3	14291	40.0%	40.0%	6886	39.2%	39.2%
SUBTOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: BF_ENDR06 Type: Numeric Position: 101-108

Label: DURATION OF BREASTFEEDING IN DAYS (RECODE)

Notes: See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		27921	78.2%	100.0%	14063	80.0%	100.0%
RESERVED CODES:							
MISSING	.	7782	21.8%	n/a	3512	20.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: BF_ENDR06 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	294.8	273.9	1.0	730.5	198.7
Adequate Provider Data	296.4	273.9	1.0	730.5	198.9

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: BF_EXCLR06 Type: Numeric Position: 109-116

Label: DURATION OF EXCLUSIVE BREAST/FORMULA FEEDING IN DAYS (RECODE)

Notes: See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		29430	82.4%	100.0%	14922	84.9%	100.0%
RESERVED CODES:							
MISSING	.	6273	17.6%	n/a	2653	15.1%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: BF_EXCLR06 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	178.5	182.6	1.0	273.9	59.9
Adequate Provider Data	175.8	182.6	1.0	273.9	57.2

Variable: BF_FORMR20 Type: Numeric Position: 117-124

Label: AGE IN DAYS WHEN CHILD FIRST FED FORMULA (RECODE)

Notes: BF_FORMR20 replaces BF_FORMR08 and includes a code of 888 for children never fed formula. See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17883	50.1%	100.0%	8797	50.1%	100.0%
RESERVED CODES:							
NEVER FED FORMULA	888	8356	23.4%	n/a	4318	24.6%	n/a
MISSING	.	9464	26.5%	n/a	4460	25.4%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: BF_FORMR20 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	120.6	91.3	1.0	365.3	111.2
Adequate Provider Data	113.4	91.3	1.0	365.3	108.2

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: **BFENDFL06** Type: Numeric Position: 125-125Label: **DURATION OF BREAST FEEDING EXCEEDS CHILD AGE IN DAYS, WITH BUFFER**

Notes: See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	3	0.0%	100.0%	1	0.0%	100.0%
SUBTOTALS:		3	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	35700	100.0%	n/a	17574	100.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: **BFFORMFL06** Type: Numeric Position: 126-126Label: **AGE IN DAYS WHEN CHILD FIRST FED FORMULA EXCEEDS CHILD AGE IN DAYS, WITH BUFFER**

Notes: See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: **C1R** Type: Numeric Position: 127-127Label: **NUMBER OF PEOPLE IN HOUSEHOLD (RECODE)**

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
2	2	961	2.7%	2.7%	438	2.5%	2.5%
3	3	8846	24.8%	24.8%	4457	25.4%	25.4%
4	4	12788	35.8%	35.8%	6568	37.4%	37.4%
5	5	7008	19.6%	19.6%	3398	19.3%	19.3%
6	6	3385	9.5%	9.5%	1602	9.1%	9.1%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: C1R Type: Numeric Position: 127-127

Label: NUMBER OF PEOPLE IN HOUSEHOLD (RECODE)

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
7	7	1423	4.0%	4.0%	642	3.7%	3.7%
8+	8	1292	3.6%	3.6%	470	2.7%	2.7%
SUBTOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: C5R Type: Numeric Position: 128-129

Label: RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MOTHER (STEP, FOSTER, ADOPTIVE) OR FEMALE GUARDIAN	1	23526	65.9%	65.9%	12770	72.7%	72.7%
FATHER (STEP, FOSTER, ADOPTIVE) OR MALE GUARDIAN	2	10477	29.3%	29.4%	4400	25.0%	25.0%
GRANDPARENT	3	1258	3.5%	3.5%	337	1.9%	1.9%
OTHER FAMILY MEMBER/FRIEND	4	423	1.2%	1.2%	67	0.4%	0.4%
SUBTOTALS:		35684	99.9%	100.0%	17574	100.0%	100.0%
RESERVED CODES:							
DON'T KNOW	77	6	0.0%	n/a	0	0.0%	n/a
REFUSED	99	13	0.0%	n/a	1	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: CBF_01 Type: Numeric Position: 130-131

Label: WAS CHILD EVER BREASTFED OR FED BREAST MILK?

Notes: See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	30823	86.3%	86.6%	15503	88.2%	88.4%
NO	2	4763	13.3%	13.4%	2036	11.6%	11.6%
SUBTOTALS:		35586	99.7%	100.0%	17539	99.8%	100.0%
RESERVED CODES:							
DON'T KNOW	77	106	0.3%	n/a	34	0.2%	n/a
REFUSED	99	11	0.0%	n/a	2	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: CEN_REG Type: Numeric Position: 132-132

Label: CENSUS REGION BASED ON TRUE STATE OF RESIDENCE

Notes: Missing for territories.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NORTHEAST	1	6196	17.4%	17.9%	3143	17.9%	18.2%
MIDWEST	2	7891	22.1%	22.8%	4066	23.1%	23.6%
SOUTH	3	12912	36.2%	37.2%	6106	34.7%	35.4%
WEST	4	7676	21.5%	22.1%	3917	22.3%	22.7%
SUBTOTALS:		34675	97.1%	100.0%	17232	98.0%	100.0%
RESERVED CODES:							
MISSING	.	1028	2.9%	n/a	343	2.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: **CHILDNM** Type: **Numeric** Position: **133-133**Label: **NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)**

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ONE	1	10439	29.2%	29.2%	5151	29.3%	29.3%
TWO OR THREE	2	20928	58.6%	58.6%	10575	60.2%	60.2%
FOUR OR MORE	3	4336	12.1%	12.1%	1849	10.5%	10.5%
SUBTOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: **CWIC_01** Type: **Numeric** Position: **134-135**Label: **CHILD EVER RECEIVED WIC BENEFITS?**

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	12427	34.8%	35.0%	5880	33.5%	33.5%
NO	2	23027	64.5%	64.8%	11621	66.1%	66.3%
NEVER HEARD OF WIC	3	93	0.3%	0.3%	30	0.2%	0.2%
SUBTOTALS:		35547	99.6%	100.0%	17531	99.7%	100.0%
RESERVED CODES:							
DON'T KNOW	77	141	0.4%	n/a	41	0.2%	n/a
REFUSED	99	15	0.0%	n/a	3	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: CWIC_02 Type: Numeric Position: 136-137

Label: CHILD CURRENTLY RECEIVING WIC BENEFITS?

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	7662	21.5%	62.1%	3696	21.0%	63.2%
NO	2	4683	13.1%	37.9%	2154	12.3%	36.8%
SUBTOTALS:		12345	34.6%	100.0%	5850	33.3%	100.0%
RESERVED CODES:							
DON'T KNOW	77	82	0.2%	n/a	30	0.2%	n/a
MISSING	.	23276	65.2%	n/a	11695	66.5%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: EDUC1 Type: Numeric Position: 138-138

Label: EDUCATION OF MOTHER CATEGORIES: IMPUTED (RECODE)

Notes: Variable contains some imputed values.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
< 12 YEARS	1	1921	5.4%	5.4%	868	4.9%	4.9%
12 YEARS	2	5898	16.5%	16.5%	2587	14.7%	14.7%
> 12 YEARS, NON-COLLEGE GRAD	3	8778	24.6%	24.6%	4173	23.7%	23.7%
COLLEGE GRAD	4	19106	53.5%	53.5%	9947	56.6%	56.6%
SUBTOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: FRSTBRN Type: Numeric Position: 139-139

Label: FIRST BORN STATUS OF CHILD: IMPUTED

Notes: Variable contains some imputed values.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NO	1	21307	59.7%	59.7%	10444	59.4%	59.4%
YES	2	14396	40.3%	40.3%	7131	40.6%	40.6%
SUBTOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: I_HISP_K Type: Numeric Position: 140-140

Label: HISPANIC ORIGIN OF CHILD: IMPUTED

Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
HISPANIC	1	7488	21.0%	21.0%	3399	19.3%	19.3%
NON-HISPANIC	2	28215	79.0%	79.0%	14176	80.7%	80.7%
SUBTOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: INCPORAR Type: Numeric Position: 141-156

Label: INCOME TO POVERTY RATIO (RECODE)

Notes: Determined from family income, number of persons in the household, number of children in the household, and the 2021 Census poverty thresholds. If any of the first three variables are missing then INCPORAR will be missing.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		33082	92.7%	100.0%	16787	95.5%	100.0%
RESERVED CODES:							
MISSING	.	2621	7.3%	n/a	788	4.5%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: INCPORAR Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	2.3	3.0	0.5	3.0	0.9
Adequate Provider Data	2.3	3.0	0.5	3.0	0.9

Variable: INCPORAR_I Type: Numeric Position: 157-172**Label: INCOME TO POVERTY RATIO: IMPUTED (RECODE)****Notes: Variable contains some imputed values. Determined from family income, number of persons in the household, number of children in the household, and the 2021 Census poverty thresholds.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		35703	100.0%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: INCPORAR_I Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	2.2	2.9	0.5	3.0	0.9
Adequate Provider Data	2.3	3.0	0.5	3.0	0.9

Variable: INCPOV1 Type: Numeric Position: 173-173**Label: POVERTY STATUS****Notes: Based on 2021 Census poverty thresholds.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ABOVE POVERTY, > \$75K	1	17874	50.1%	52.9%	9321	53.0%	54.7%
ABOVE POVERTY, <= \$75K	2	10184	28.5%	30.1%	5010	28.5%	29.4%
BELOW POVERTY	3	5754	16.1%	17.0%	2704	15.4%	15.9%
SUBTOTALS:		33812	94.7%	100.0%	17035	96.9%	100.0%
RESERVED CODES:							
UNKNOWN	4	1891	5.3%	n/a	540	3.1%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: INCQ298A Type: Numeric Position: 174-175

Label: FAMILY INCOME CATEGORIES (RECODE)

Notes: Family income in 2021.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
\$0 - \$7500	3	956	2.7%	2.9%	431	2.5%	2.6%
\$7501 - \$10000	4	735	2.1%	2.2%	356	2.0%	2.1%
\$10001 - \$17500	5	1041	2.9%	3.1%	518	2.9%	3.1%
\$17501 - \$20000	6	1003	2.8%	3.0%	471	2.7%	2.8%
\$20001 - \$25000	7	995	2.8%	3.0%	489	2.8%	2.9%
\$25001 - \$30000	8	1228	3.4%	3.7%	639	3.6%	3.8%
\$30001 - \$35000	9	942	2.6%	2.8%	458	2.6%	2.7%
\$35001 - \$40000	10	1432	4.0%	4.3%	697	4.0%	4.2%
\$40001 - \$50000	11	2173	6.1%	6.6%	1066	6.1%	6.4%
\$50001 - \$60000	12	2003	5.6%	6.1%	972	5.5%	5.8%
\$60001 - \$75000	13	2700	7.6%	8.2%	1369	7.8%	8.2%
\$75001+	14	17874	50.1%	54.0%	9321	53.0%	55.5%
SUBTOTALS:		33082	92.7%	100.0%	16787	95.5%	100.0%
RESERVED CODES:							
DON'T KNOW	77	1382	3.9%	n/a	529	3.0%	n/a
REFUSED	99	1239	3.5%	n/a	259	1.5%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: LANGUAGE Type: Numeric Position: 176-176

Label: LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED

Notes: Interviews conducted in languages other than English and Spanish were administered using LanguageLine Solutions® (formerly part of AT&T). This variable was constructed from call outcome codes. While these outcome codes are considered accurate, there is no independent check to determine the language in which the interview was actually conducted.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ENGLISH	1	33051	92.6%	92.6%	16453	93.6%	93.6%
SPANISH	2	2220	6.2%	6.2%	915	5.2%	5.2%
OTHER	3	432	1.2%	1.2%	207	1.2%	1.2%
SUBTOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: LANGUAGE Type: Numeric Position: 176-176

Label: LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED

Notes: Interviews conducted in languages other than English and Spanish were administered using LanguageLine Solutions® (formerly part of AT&T). This variable was constructed from call outcome codes. While these outcome codes are considered accurate, there is no independent check to determine the language in which the interview was actually conducted.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
RESERVED CODES:							
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: M_AGEGRP2 Type: Numeric Position: 177-177

Label: AGE OF MOTHER CATEGORIES: IMPUTED (RECODE)

Notes: Variable contains some imputed values.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<= 29 YEARS	1	9650	27.0%	27.0%	4440	25.3%	25.3%
>= 30 YEARS	2	26053	73.0%	73.0%	13135	74.7%	74.7%
SUBTOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: MARITAL2 Type: Numeric Position: 178-178

Label: MARITAL STATUS OF MOTHER: IMPUTED (RECODE)

Notes: Variable contains some imputed values.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MARRIED	1	25551	71.6%	71.6%	13133	74.7%	74.7%
NEVER MARRIED/WIDOWED/ DIVORCED/SEPARATED/ DECEASED/LIVING WITH PARTNER	2	10152	28.4%	28.4%	4442	25.3%	25.3%
SUBTOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: MOBIL_I Type: Numeric Position: 179-179

Label: GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS
CURRENT STATE: IMPUTED

Notes: Variable contains some imputed values.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MOVED FROM DIFFERENT STATE	1	3987	11.2%	11.2%	1845	10.5%	10.5%
DID NOT MOVE FROM DIFFERENT STATE	2	31716	88.8%	88.8%	15730	89.5%	89.5%
SUBTOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: NUM_PHONE Type: Numeric Position: 180-181

Label: NUMBER OF RESIDENTIAL TELEPHONE NUMBERS IN HOUSEHOLD (EXCLUDING CELL PHONES)

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ONE	1	2737	7.7%	93.0%	1241	7.1%	94.2%
TWO	2	76	0.2%	2.6%	30	0.2%	2.3%
THREE OR MORE	3	24	0.1%	0.8%	8	0.0%	0.6%
NONE	4	105	0.3%	3.6%	39	0.2%	3.0%
SUBTOTALS:		2942	8.2%	100.0%	1318	7.5%	100.0%
RESERVED CODES:							
DON'T KNOW	77	15	0.0%	n/a	7	0.0%	n/a
REFUSED	99	9	0.0%	n/a	1	0.0%	n/a
MISSING	.	32737	91.7%	n/a	16249	92.5%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: NUM_CELLS_HH Type: Numeric Position: 182-183

Label: NUMBER OF WORKING CELL PHONES HOUSEHOLD MEMBERS HAVE AVAILABLE FOR PERSONAL USE

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ONE	1	2830	7.9%	8.0%	1202	6.8%	6.9%
TWO	2	23312	65.3%	65.8%	12111	68.9%	69.0%
THREE OR MORE	3	9267	26.0%	26.2%	4230	24.1%	24.1%
SUBTOTALS:		35409	99.2%	100.0%	17543	99.8%	100.0%
RESERVED CODES:							
DON'T KNOW	77	36	0.1%	n/a	9	0.1%	n/a
REFUSED	99	258	0.7%	n/a	23	0.1%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: NUM_CELLS_PARENTS Type: Numeric Position: 184-185

Label: NUMBER OF WORKING CELL PHONES USUALLY USED BY PARENTS OR GUARDIANS

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ONE	1	5269	14.8%	15.0%	2263	12.9%	13.0%
TWO	2	27960	78.3%	79.6%	14474	82.4%	82.9%
THREE OR MORE	3	1912	5.4%	5.4%	730	4.2%	4.2%
SUBTOTALS:		35141	98.4%	100.0%	17467	99.4%	100.0%
RESERVED CODES:							
DON'T KNOW	77	89	0.2%	n/a	21	0.1%	n/a
REFUSED	99	276	0.8%	n/a	27	0.2%	n/a
MISSING	.	197	0.6%	n/a	60	0.3%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: RACE_K Type: Numeric Position: 186-186

Label: RACE OF CHILD: IMPUTED (RECODE)

Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
WHITE ONLY	1	24974	69.9%	69.9%	12655	72.0%	72.0%
BLACK ONLY	2	4118	11.5%	11.5%	1695	9.6%	9.6%
OTHER + MULTIPLE RACE	3	6611	18.5%	18.5%	3225	18.3%	18.3%
SUBTOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: RACEETHK Type: Numeric Position: 187-187

Label: RACE/ETHNICITY OF CHILD: IMPUTED (RECODE)

Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
HISPANIC	1	7488	21.0%	21.0%	3399	19.3%	19.3%
NON-HISPANIC WHITE ONLY	2	19336	54.2%	54.2%	10051	57.2%	57.2%
NON-HISPANIC BLACK ONLY	3	3414	9.6%	9.6%	1403	8.0%	8.0%
NON-HISPANIC OTHER + MULTIPLE RACE	4	5465	15.3%	15.3%	2722	15.5%	15.5%
SUBTOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: RENT_OWN Type: Numeric Position: 188-189

Label: IS HOME OWNED/BEING BOUGHT, RENTED, OR OCCUPIED BY SOME OTHER ARRANGEMENT?

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
OWNED OR BEING BOUGHT	1	22952	64.3%	64.8%	11608	66.0%	66.2%
RENTED	2	11275	31.6%	31.8%	5394	30.7%	30.8%
OTHER ARRANGMENT	3	1177	3.3%	3.3%	521	3.0%	3.0%
SUBTOTALS:		35404	99.2%	100.0%	17523	99.7%	100.0%
RESERVED CODES:							
DON'T KNOW	77	65	0.2%	n/a	21	0.1%	n/a
REFUSED	99	234	0.7%	n/a	31	0.2%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: SEX Type: Numeric Position: 190-190

Label: SEX OF CHILD: IMPUTED

Notes: Variable contains some imputed values.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MALE	1	18337	51.4%	51.4%	9041	51.4%	51.4%
FEMALE	2	17366	48.6%	48.6%	8534	48.6%	48.6%
SUBTOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 4: GEOGRAPHIC VARIABLES

Variable: ESTIAP22 Type: Numeric Position: 191-193

Label: ESTIMATION AREA OF RESIDENCE

Notes: For variance estimation, use STRATUM.

LABEL	Completed Household Interviews				Adequate Provider Data		
	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
CT	1	464	1.3%	1.3%	233	1.3%	1.3%
MA	2	515	1.4%	1.4%	265	1.5%	1.5%
ME	4	420	1.2%	1.2%	221	1.3%	1.3%
NH	5	394	1.1%	1.1%	201	1.1%	1.1%
RI	6	585	1.6%	1.6%	327	1.9%	1.9%
VT	7	521	1.5%	1.5%	317	1.8%	1.8%
NJ	8	630	1.8%	1.8%	277	1.6%	1.6%
NY-REST OF STATE	10	576	1.6%	1.6%	279	1.6%	1.6%
NY-CITY OF NEW YORK	11	747	2.1%	2.1%	355	2.0%	2.0%
DC	12	677	1.9%	1.9%	328	1.9%	1.9%
DE	13	371	1.0%	1.0%	194	1.1%	1.1%
MD	14	910	2.5%	2.5%	481	2.7%	2.7%
PA-REST OF STATE	16	748	2.1%	2.1%	362	2.1%	2.1%
PA-PHILADELPHIA COUNTY	17	596	1.7%	1.7%	306	1.7%	1.7%
VA	18	1065	3.0%	3.0%	504	2.9%	2.9%
WV	19	535	1.5%	1.5%	260	1.5%	1.5%
AL	20	515	1.4%	1.4%	229	1.3%	1.3%
FL	22	879	2.5%	2.5%	374	2.1%	2.1%
GA	25	652	1.8%	1.8%	304	1.7%	1.7%
KY	27	650	1.8%	1.8%	310	1.8%	1.8%
MS	28	650	1.8%	1.8%	297	1.7%	1.7%
NC	29	891	2.5%	2.5%	441	2.5%	2.5%
SC	30	596	1.7%	1.7%	266	1.5%	1.5%
TN	31	668	1.9%	1.9%	347	2.0%	2.0%
IL-REST OF STATE	34	832	2.3%	2.3%	408	2.3%	2.3%
IL-CITY OF CHICAGO	35	415	1.2%	1.2%	196	1.1%	1.1%
IN	36	452	1.3%	1.3%	224	1.3%	1.3%
MI	38	847	2.4%	2.4%	457	2.6%	2.6%
MN	40	541	1.5%	1.5%	266	1.5%	1.5%
OH	41	841	2.4%	2.4%	424	2.4%	2.4%
WI	44	564	1.6%	1.6%	278	1.6%	1.6%

SECTION 4: GEOGRAPHIC VARIABLES

Variable: ESTIAP22 Type: Numeric Position: 191-193

Label: ESTIMATION AREA OF RESIDENCE

Notes: For variance estimation, use STRATUM.

LABEL	Completed Household Interviews				Adequate Provider Data		
	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
AR	46	620	1.7%	1.7%	291	1.7%	1.7%
LA	47	951	2.7%	2.7%	430	2.4%	2.4%
NM	49	705	2.0%	2.0%	375	2.1%	2.1%
OK	50	550	1.5%	1.5%	257	1.5%	1.5%
TX-REST OF STATE	51	811	2.3%	2.3%	361	2.1%	2.1%
TX-CITY OF HOUSTON	54	493	1.4%	1.4%	226	1.3%	1.3%
TX-BEXAR COUNTY	55	428	1.2%	1.2%	206	1.2%	1.2%
IA	56	513	1.4%	1.4%	271	1.5%	1.5%
KS	57	699	2.0%	2.0%	382	2.2%	2.2%
MO	58	724	2.0%	2.0%	390	2.2%	2.2%
NE	59	431	1.2%	1.2%	242	1.4%	1.4%
CO	60	625	1.8%	1.8%	308	1.8%	1.8%
MT	61	411	1.2%	1.2%	192	1.1%	1.1%
ND	62	497	1.4%	1.4%	244	1.4%	1.4%
SD	63	535	1.5%	1.5%	284	1.6%	1.6%
UT	64	563	1.6%	1.6%	335	1.9%	1.9%
WY	65	518	1.5%	1.5%	275	1.6%	1.6%
AZ	66	547	1.5%	1.5%	278	1.6%	1.6%
CA	68	982	2.8%	2.8%	438	2.5%	2.5%
HI	72	471	1.3%	1.3%	220	1.3%	1.3%
NV	73	734	2.1%	2.1%	324	1.8%	1.8%
AK	74	488	1.4%	1.4%	285	1.6%	1.6%
ID	75	497	1.4%	1.4%	278	1.6%	1.6%
OR	76	425	1.2%	1.2%	215	1.2%	1.2%
WA	77	710	2.0%	2.0%	394	2.2%	2.2%
PUERTO RICO	106	1028	2.9%	2.9%	343	2.0%	2.0%
SUBTOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 4: GEOGRAPHIC VARIABLES

Variable: EST_GRANT Type: Numeric Position: 194-195

Label: AREA OF RESIDENCE ACCORDING TO THE 56 ORIGINAL CORE GRANTEE AREAS

Notes: For variance estimation, use STRATUM. Missing for territories.

LABEL	Completed Household Interviews				Adequate Provider Data		
	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
CT	1	464	1.3%	1.3%	233	1.3%	1.4%
MA	2	515	1.4%	1.5%	265	1.5%	1.5%
ME	4	420	1.2%	1.2%	221	1.3%	1.3%
NH	5	394	1.1%	1.1%	201	1.1%	1.2%
RI	6	585	1.6%	1.7%	327	1.9%	1.9%
VT	7	521	1.5%	1.5%	317	1.8%	1.8%
NJ	8	630	1.8%	1.8%	277	1.6%	1.6%
NY-REST OF STATE	10	576	1.6%	1.7%	279	1.6%	1.6%
NY-CITY OF NEW YORK	11	747	2.1%	2.2%	355	2.0%	2.1%
DC	12	677	1.9%	2.0%	328	1.9%	1.9%
DE	13	371	1.0%	1.1%	194	1.1%	1.1%
MD	14	910	2.5%	2.6%	481	2.7%	2.8%
PA-REST OF STATE	16	748	2.1%	2.2%	362	2.1%	2.1%
PA-PHILADELPHIA COUNTY	17	596	1.7%	1.7%	306	1.7%	1.8%
VA	18	1065	3.0%	3.1%	504	2.9%	2.9%
WV	19	535	1.5%	1.5%	260	1.5%	1.5%
AL	20	515	1.4%	1.5%	229	1.3%	1.3%
FL	22	879	2.5%	2.5%	374	2.1%	2.2%
GA	25	652	1.8%	1.9%	304	1.7%	1.8%
KY	27	650	1.8%	1.9%	310	1.8%	1.8%
MS	28	650	1.8%	1.9%	297	1.7%	1.7%
NC	29	891	2.5%	2.6%	441	2.5%	2.6%
SC	30	596	1.7%	1.7%	266	1.5%	1.5%
TN	31	668	1.9%	1.9%	347	2.0%	2.0%
IL-REST OF STATE	34	832	2.3%	2.4%	408	2.3%	2.4%
IL-CITY OF CHICAGO	35	415	1.2%	1.2%	196	1.1%	1.1%
IN	36	452	1.3%	1.3%	224	1.3%	1.3%
MI	38	847	2.4%	2.4%	457	2.6%	2.7%
MN	40	541	1.5%	1.6%	266	1.5%	1.5%
OH	41	841	2.4%	2.4%	424	2.4%	2.5%
WI	44	564	1.6%	1.6%	278	1.6%	1.6%

SECTION 4: GEOGRAPHIC VARIABLES

Variable: EST_GRANT Type: Numeric Position: 194-195

Label: AREA OF RESIDENCE ACCORDING TO THE 56 ORIGINAL CORE GRANTEE AREAS

Notes: For variance estimation, use STRATUM. Missing for territories.

LABEL	Completed Household Interviews				Adequate Provider Data		
	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
AR	46	620	1.7%	1.8%	291	1.7%	1.7%
LA	47	951	2.7%	2.7%	430	2.4%	2.5%
NM	49	705	2.0%	2.0%	375	2.1%	2.2%
OK	50	550	1.5%	1.6%	257	1.5%	1.5%
TX-REST OF STATE	51	811	2.3%	2.3%	361	2.1%	2.1%
TX-CITY OF HOUSTON	54	493	1.4%	1.4%	226	1.3%	1.3%
TX-BEXAR COUNTY	55	428	1.2%	1.2%	206	1.2%	1.2%
IA	56	513	1.4%	1.5%	271	1.5%	1.6%
KS	57	699	2.0%	2.0%	382	2.2%	2.2%
MO	58	724	2.0%	2.1%	390	2.2%	2.3%
NE	59	431	1.2%	1.2%	242	1.4%	1.4%
CO	60	625	1.8%	1.8%	308	1.8%	1.8%
MT	61	411	1.2%	1.2%	192	1.1%	1.1%
ND	62	497	1.4%	1.4%	244	1.4%	1.4%
SD	63	535	1.5%	1.5%	284	1.6%	1.6%
UT	64	563	1.6%	1.6%	335	1.9%	1.9%
WY	65	518	1.5%	1.5%	275	1.6%	1.6%
AZ	66	547	1.5%	1.6%	278	1.6%	1.6%
CA	68	982	2.8%	2.8%	438	2.5%	2.5%
HI	72	471	1.3%	1.4%	220	1.3%	1.3%
NV	73	734	2.1%	2.1%	324	1.8%	1.9%
AK	74	488	1.4%	1.4%	285	1.6%	1.7%
ID	75	497	1.4%	1.4%	278	1.6%	1.6%
OR	76	425	1.2%	1.2%	215	1.2%	1.2%
WA	77	710	2.0%	2.0%	394	2.2%	2.3%
SUBTOTALS:		34675	97.1%	100.0%	17232	98.0%	100.0%
RESERVED CODES:							
MISSING	.	1028	2.9%	n/a	343	2.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 4: GEOGRAPHIC VARIABLES

Variable: STATE Type: Numeric Position: 196-197

Label: TRUE STATE OF RESIDENCE (STATE FIPS CODE)

Notes:

LABEL	Completed Household Interviews				Adequate Provider Data		
	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ALABAMA	1	515	1.4%	1.4%	229	1.3%	1.3%
ALASKA	2	488	1.4%	1.4%	285	1.6%	1.6%
ARIZONA	4	547	1.5%	1.5%	278	1.6%	1.6%
ARKANSAS	5	620	1.7%	1.7%	291	1.7%	1.7%
CALIFORNIA	6	982	2.8%	2.8%	438	2.5%	2.5%
COLORADO	8	625	1.8%	1.8%	308	1.8%	1.8%
CONNECTICUT	9	464	1.3%	1.3%	233	1.3%	1.3%
DELAWARE	10	371	1.0%	1.0%	194	1.1%	1.1%
DISTRICT OF COLUMBIA	11	677	1.9%	1.9%	328	1.9%	1.9%
FLORIDA	12	879	2.5%	2.5%	374	2.1%	2.1%
GEORGIA	13	652	1.8%	1.8%	304	1.7%	1.7%
HAWAII	15	471	1.3%	1.3%	220	1.3%	1.3%
IDAHO	16	497	1.4%	1.4%	278	1.6%	1.6%
ILLINOIS	17	1247	3.5%	3.5%	604	3.4%	3.4%
INDIANA	18	452	1.3%	1.3%	224	1.3%	1.3%
IOWA	19	513	1.4%	1.4%	271	1.5%	1.5%
KANSAS	20	699	2.0%	2.0%	382	2.2%	2.2%
KENTUCKY	21	650	1.8%	1.8%	310	1.8%	1.8%
LOUISIANA	22	951	2.7%	2.7%	430	2.4%	2.4%
MAINE	23	420	1.2%	1.2%	221	1.3%	1.3%
MARYLAND	24	910	2.5%	2.5%	481	2.7%	2.7%
MASSACHUSETTS	25	515	1.4%	1.4%	265	1.5%	1.5%
MICHIGAN	26	847	2.4%	2.4%	457	2.6%	2.6%
MINNESOTA	27	541	1.5%	1.5%	266	1.5%	1.5%
MISSISSIPPI	28	650	1.8%	1.8%	297	1.7%	1.7%
MISSOURI	29	724	2.0%	2.0%	390	2.2%	2.2%
MONTANA	30	411	1.2%	1.2%	192	1.1%	1.1%
NEBRASKA	31	431	1.2%	1.2%	242	1.4%	1.4%
NEVADA	32	734	2.1%	2.1%	324	1.8%	1.8%
NEW HAMPSHIRE	33	394	1.1%	1.1%	201	1.1%	1.1%
NEW JERSEY	34	630	1.8%	1.8%	277	1.6%	1.6%

SECTION 4: GEOGRAPHIC VARIABLES

Variable: STATE Type: Numeric Position: 196-197

Label: TRUE STATE OF RESIDENCE (STATE FIPS CODE)

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NEW MEXICO	35	705	2.0%	2.0%	375	2.1%	2.1%
NEW YORK	36	1323	3.7%	3.7%	634	3.6%	3.6%
NORTH CAROLINA	37	891	2.5%	2.5%	441	2.5%	2.5%
NORTH DAKOTA	38	497	1.4%	1.4%	244	1.4%	1.4%
OHIO	39	841	2.4%	2.4%	424	2.4%	2.4%
OKLAHOMA	40	550	1.5%	1.5%	257	1.5%	1.5%
OREGON	41	425	1.2%	1.2%	215	1.2%	1.2%
PENNSYLVANIA	42	1344	3.8%	3.8%	668	3.8%	3.8%
RHODE ISLAND	44	585	1.6%	1.6%	327	1.9%	1.9%
SOUTH CAROLINA	45	596	1.7%	1.7%	266	1.5%	1.5%
SOUTH DAKOTA	46	535	1.5%	1.5%	284	1.6%	1.6%
TENNESSEE	47	668	1.9%	1.9%	347	2.0%	2.0%
TEXAS	48	1732	4.9%	4.9%	793	4.5%	4.5%
UTAH	49	563	1.6%	1.6%	335	1.9%	1.9%
VERMONT	50	521	1.5%	1.5%	317	1.8%	1.8%
VIRGINIA	51	1065	3.0%	3.0%	504	2.9%	2.9%
WASHINGTON	53	710	2.0%	2.0%	394	2.2%	2.2%
WEST VIRGINIA	54	535	1.5%	1.5%	260	1.5%	1.5%
WISCONSIN	55	564	1.6%	1.6%	278	1.6%	1.6%
WYOMING	56	518	1.5%	1.5%	275	1.6%	1.6%
PUERTO RICO	72	1028	2.9%	2.9%	343	2.0%	2.0%
SUBTOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 5: NUMBER OF PROVIDERS IDENTIFIED AND CONSENT VARIABLES

Variable: D6R Type: Numeric Position: 198-198

Label: NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (RECODE)

Notes: Number of vaccination providers identified for the child in questions D6 and D6AA during the household interview.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	194	0.5%	0.6%	123	0.7%	0.7%
1	1	21420	60.0%	67.8%	11758	66.9%	66.9%
2	2	7854	22.0%	24.9%	4652	26.5%	26.5%
3+	3	2112	5.9%	6.7%	1042	5.9%	5.9%
SUBTOTALS:		31580	88.5%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	4123	11.5%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: D7 Type: Numeric Position: 199-199

Label: CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM PROVIDERS

Notes: A blank value means consent was not obtained because of an interview break-off.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	21225	59.4%	98.8%	17452	99.3%	100.0%
NO	2	247	0.7%	1.2%	0	0.0%	0.0%
SUBTOTALS:		21472	60.1%	100.0%	17452	99.3%	100.0%
RESERVED CODES:							
MISSING	.	14231	39.9%	n/a	123	0.7%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 6: NUMBER OF RESPONDING PROVIDERS VARIABLES

Variable: N_PRVR Type: Numeric Position: 200-200

Label: NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (RECODE)

Notes: Total number of vaccination providers responding with vaccination information for the child. Range: 0 to 5 providers.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	18382	51.5%	51.5%	254	1.4%	1.4%
1	1	14215	39.8%	39.8%	14215	80.9%	80.9%
2	2	2808	7.9%	7.9%	2808	16.0%	16.0%
3+	3	298	0.8%	0.8%	298	1.7%	1.7%
SUBTOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 7: CHARACTERISTICS OF PROVIDER VARIABLES

Variable: PROV_FAC Type: Numeric Position: 201-201

Label: PROVIDER FACILITY TYPES: IMPUTED

Notes: Variable contains some imputed values. Constructed from the responses of up to five providers.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ALL PUBLIC FACILITIES	1	1603	4.5%	9.3%	1603	9.1%	9.3%
ALL HOSPITAL FACILITIES	2	3419	9.6%	19.7%	3419	19.5%	19.7%
ALL PRIVATE FACILITIES	3	9450	26.5%	54.6%	9450	53.8%	54.6%
ALL MILITARY/OTHER FACILITIES	4	448	1.3%	2.6%	448	2.5%	2.6%
MIXED	5	2401	6.7%	13.9%	2401	13.7%	13.9%
SUBTOTALS:		17321	48.5%	100.0%	17321	98.6%	100.0%
RESERVED CODES:							
MISSING	.	18382	51.5%	n/a	254	1.4%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: REGISTRY Type: Numeric Position: 202-202

Label: CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY

Notes: Constructed from the responses of up to five providers.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ALL PROVIDERS	1	12221	34.2%	70.6%	12221	69.5%	70.6%
SOME BUT POSSIBLY OR DEFINITELY NOT ALL PROVIDERS	2	1345	3.8%	7.8%	1345	7.7%	7.8%
NO PROVIDERS	3	605	1.7%	3.5%	605	3.4%	3.5%
UNKNOWN/DON'T KNOW	4	3150	8.8%	18.2%	3150	17.9%	18.2%
SUBTOTALS:		17321	48.5%	100.0%	17321	98.6%	100.0%
RESERVED CODES:							
MISSING	.	18382	51.5%	n/a	254	1.4%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 7: CHARACTERISTICS OF PROVIDER VARIABLES

Variable: VFC_ORDER Type: Numeric Position: 203-203

Label: DO CHILD'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT?

Notes: Constructed from the responses of up to five providers.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ALL PROVIDERS	1	11365	31.8%	65.6%	11365	64.7%	65.6%
SOME BUT POSSIBLY OR DEFINITELY NOT ALL PROVIDERS	2	1425	4.0%	8.2%	1425	8.1%	8.2%
NO PROVIDERS	3	1278	3.6%	7.4%	1278	7.3%	7.4%
UNKNOWN/DON'T KNOW	4	3253	9.1%	18.8%	3253	18.5%	18.8%
SUBTOTALS:		17321	48.5%	100.0%	17321	98.6%	100.0%
RESERVED CODES:							
MISSING	.	18382	51.5%	n/a	254	1.4%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: HEP_BRTH Type: Numeric Position: 204-204

Label: HEPATITIS B-CONTAINING SHOT GIVEN AT BIRTH FLAG

Notes: Constructed from the responses of up to five providers. See User's Guide for more information on this variable.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
AT LEAST ONE PROVIDER CHECKED GIVEN AT BIRTH	1	14700	41.2%	86.0%	14700	83.6%	86.0%
NO PROVIDERS CHECKED GIVEN AT BIRTH	2	2397	6.7%	14.0%	2397	13.6%	14.0%
SUBTOTALS:		17097	47.9%	100.0%	17097	97.3%	100.0%
RESERVED CODES:							
MISSING	.	18606	52.1%	n/a	478	2.7%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: HEP_FLAG Type: Numeric Position: 205-205

Label: HEPATITIS B BIRTH SHOT DATE IMPUTATION FLAG

Notes: Imputation flag for Hepatitis B birth dose date. See User's Guide for more information on this variable.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
HEPB BIRTH SHOT DATE IMPUTED FROM DISTRIBUTION OF BIRTH DOSE DATES	2	104	0.3%	100.0%	104	0.6%	100.0%
SUBTOTALS:		104	0.3%	100.0%	104	0.6%	100.0%
RESERVED CODES:							
MISSING	.	35599	99.7%	n/a	17471	99.4%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUHEPX Type: Numeric Position: 206-206

Label: NUMBER OF HEPATITIS B-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 60

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1530	4.3%	8.7%	1530	8.7%	8.7%
1	1	6943	19.4%	39.5%	6943	39.5%	39.5%
2	2	1186	3.3%	6.7%	1186	6.7%	6.7%
3	3	7211	20.2%	41.0%	7211	41.0%	41.0%
4	4	675	1.9%	3.8%	675	3.8%	3.8%
5	5	28	0.1%	0.2%	28	0.2%	0.2%
6	6	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: P_NUHIBX Type: Numeric Position: 207-207

Label: NUMBER OF HIB-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 44, HM, HG or HS

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	6194	17.3%	35.2%	6194	35.2%	35.2%
1	1	2830	7.9%	16.1%	2830	16.1%	16.1%
2	2	1168	3.3%	6.6%	1168	6.6%	6.6%
3	3	4904	13.7%	27.9%	4904	27.9%	27.9%
4	4	2459	6.9%	14.0%	2459	14.0%	14.0%
5	5	20	0.1%	0.1%	20	0.1%	0.1%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUHPHB Type: Numeric Position: 208-208

Label: NUMBER OF HEPATITIS B/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 43

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	17575	49.2%	100.0%	17575	100.0%	100.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: P_NUMDAH Type: Numeric Position: 209-209

Label: NUMBER OF DTAP/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 07

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	17500	49.0%	99.6%	17500	99.6%	99.6%
1	1	64	0.2%	0.4%	64	0.4%	0.4%
2	2	2	0.0%	0.0%	2	0.0%	0.0%
3	3	7	0.0%	0.0%	7	0.0%	0.0%
4	4	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMDHI Type: Numeric Position: 210-210

Label: NUMBER OF DTAP/HEPB/IPV COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 08

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	9075	25.4%	51.6%	9075	51.6%	51.6%
1	1	781	2.2%	4.4%	781	4.4%	4.4%
2	2	1355	3.8%	7.7%	1355	7.7%	7.7%
3	3	6192	17.3%	35.2%	6192	35.2%	35.2%
4	4	163	0.5%	0.9%	163	0.9%	0.9%
5	5	6	0.0%	0.0%	6	0.0%	0.0%
6	6	3	0.0%	0.0%	3	0.0%	0.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: P_NUMDIH Type: Numeric Position: 211-211

Label: NUMBER OF DTAP/IPV/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type D3

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	9102	25.5%	51.8%	9102	51.8%	51.8%
1	1	1327	3.7%	7.6%	1327	7.6%	7.6%
2	2	773	2.2%	4.4%	773	4.4%	4.4%
3	3	3096	8.7%	17.6%	3096	17.6%	17.6%
4	4	3247	9.1%	18.5%	3247	18.5%	18.5%
5	5	28	0.1%	0.2%	28	0.2%	0.2%
6	6	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMDIHB Type: Numeric Position: 212-212

Label: NUMBER OF DTAP/IPV/HIB/HEPB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type D4

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	17386	48.7%	98.9%	17386	98.9%	98.9%
1	1	103	0.3%	0.6%	103	0.6%	0.6%
2	2	34	0.1%	0.2%	34	0.2%	0.2%
3	3	46	0.1%	0.3%	46	0.3%	0.3%
4	4	6	0.0%	0.0%	6	0.0%	0.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: P_NUMDTA Type: Numeric Position: 213-213

Label: NUMBER OF DTAP-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 04

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	6220	17.4%	35.4%	6220	35.4%	35.4%
1	1	9154	25.6%	52.1%	9154	52.1%	52.1%
2	2	502	1.4%	2.9%	502	2.9%	2.9%
3	3	344	1.0%	2.0%	344	2.0%	2.0%
4	4	1344	3.8%	7.6%	1344	7.6%	7.6%
5	5	11	0.0%	0.1%	11	0.1%	0.1%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMDTP Type: Numeric Position: 214-214

Label: NUMBER OF DT-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 03, 04, 07, 08, D3, or D4

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	611	1.7%	3.5%	611	3.5%	3.5%
1	1	153	0.4%	0.9%	153	0.9%	0.9%
2	2	237	0.7%	1.3%	237	1.3%	1.3%
3	3	1451	4.1%	8.3%	1451	8.3%	8.3%
4	4	14888	41.7%	84.7%	14888	84.7%	84.7%
5	5	224	0.6%	1.3%	224	1.3%	1.3%
6	6	7	0.0%	0.0%	7	0.0%	0.0%
7	7	4	0.0%	0.0%	4	0.0%	0.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: P_NUMFLU Type: Numeric Position: 215-215

Label: NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type FM, FN, or FL

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	4064	11.4%	23.1%	4064	23.1%	23.1%
1	1	1487	4.2%	8.5%	1487	8.5%	8.5%
2	2	3585	10.0%	20.4%	3585	20.4%	20.4%
3	3	6260	17.5%	35.6%	6260	35.6%	35.6%
4	4	2136	6.0%	12.2%	2136	12.2%	12.2%
5	5	38	0.1%	0.2%	38	0.2%	0.2%
6	6	3	0.0%	0.0%	3	0.0%	0.0%
7	7	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMFLU Type: Numeric Position: 215-215

Label: NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type FM, FN, or FL

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: P_NUMFLUL Type: Numeric Position: 216-216

Label: NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type FL

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	16490	46.2%	93.8%	16490	93.8%	93.8%
1	1	321	0.9%	1.8%	321	1.8%	1.8%
2	2	315	0.9%	1.8%	315	1.8%	1.8%
3	3	353	1.0%	2.0%	353	2.0%	2.0%
4	4	95	0.3%	0.5%	95	0.5%	0.5%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMFLUM Type: Numeric Position: 217-217

Label: NUMBER OF SEASONAL FLU SPRAY VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type FM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	17432	48.8%	99.2%	17432	99.2%	99.2%
1	1	75	0.2%	0.4%	75	0.4%	0.4%
2	2	26	0.1%	0.1%	26	0.1%	0.1%
3	3	35	0.1%	0.2%	35	0.2%	0.2%
4	4	7	0.0%	0.0%	7	0.0%	0.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: P_NUMFLUN Type: Numeric Position: 218-218

Label: NUMBER OF INJECTED SEASONAL FLU VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type FN

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	4959	13.9%	28.2%	4959	28.2%	28.2%
1	1	1441	4.0%	8.2%	1441	8.2%	8.2%
2	2	3400	9.5%	19.3%	3400	19.3%	19.3%
3	3	5825	16.3%	33.1%	5825	33.1%	33.1%
4	4	1924	5.4%	10.9%	1924	10.9%	10.9%
5	5	22	0.1%	0.1%	22	0.1%	0.1%
6	6	2	0.0%	0.0%	2	0.0%	0.0%
7	7	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMFLUN Type: Numeric Position: 218-218

Label: NUMBER OF INJECTED SEASONAL FLU VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type FN

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: P_NUMHEA Type: Numeric Position: 219-219

Label: NUMBER OF HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type HA

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1670	4.7%	9.5%	1670	9.5%	9.5%
1	1	3968	11.1%	22.6%	3968	22.6%	22.6%
2	2	11863	33.2%	67.5%	11863	67.5%	67.5%
3	3	73	0.2%	0.4%	73	0.4%	0.4%
4	4	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMHEN Type: Numeric Position: 220-220

Label: NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type HB

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	17518	49.1%	99.7%	17518	99.7%	99.7%
1	1	32	0.1%	0.2%	32	0.2%	0.2%
2	2	15	0.0%	0.1%	15	0.1%	0.1%
3	3	10	0.0%	0.1%	10	0.1%	0.1%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: P_NUMHEP Type: Numeric Position: 221-221

Label: NUMBER OF HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 08, 43, 60, D4, or HB

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	484	1.4%	2.8%	484	2.8%	2.8%
1	1	363	1.0%	2.1%	363	2.1%	2.1%
2	2	441	1.2%	2.5%	441	2.5%	2.5%
3	3	9674	27.1%	55.0%	9674	55.0%	55.0%
4	4	6363	17.8%	36.2%	6363	36.2%	36.2%
5	5	230	0.6%	1.3%	230	1.3%	1.3%
6	6	16	0.0%	0.1%	16	0.1%	0.1%
7	7	4	0.0%	0.0%	4	0.0%	0.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMHG Type: Numeric Position: 222-222

Label: NUMBER OF HIB-GLAXOSMITHKLINE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type HG

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	16926	47.4%	96.3%	16926	96.3%	96.3%
1	1	133	0.4%	0.8%	133	0.8%	0.8%
2	2	68	0.2%	0.4%	68	0.4%	0.4%
3	3	441	1.2%	2.5%	441	2.5%	2.5%
4	4	7	0.0%	0.0%	7	0.0%	0.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: P_NUMHHY Type: Numeric Position: 223-223

Label: NUMBER OF HIB-MENCY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type HY

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	17418	48.8%	99.1%	17418	99.1%	99.1%
1	1	77	0.2%	0.4%	77	0.4%	0.4%
2	2	33	0.1%	0.2%	33	0.2%	0.2%
3	3	31	0.1%	0.2%	31	0.2%	0.2%
4	4	16	0.0%	0.1%	16	0.1%	0.1%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMHIB Type: Numeric Position: 224-224

Label: NUMBER OF HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 07, 43, 44, D3, D4, HI, HM, HG, HS, or HY.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	643	1.8%	3.7%	643	3.7%	3.7%
1	1	229	0.6%	1.3%	229	1.3%	1.3%
2	2	467	1.3%	2.7%	467	2.7%	2.7%
3	3	5244	14.7%	29.8%	5244	29.8%	29.8%
4	4	10834	30.3%	61.6%	10834	61.6%	61.6%
5	5	154	0.4%	0.9%	154	0.9%	0.9%
6	6	3	0.0%	0.0%	3	0.0%	0.0%
7	7	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: P_NUMHIN Type: Numeric Position: 225-225

Label: NUMBER OF HIB-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type HI

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15652	43.8%	89.1%	15652	89.1%	89.1%
1	1	569	1.6%	3.2%	569	3.2%	3.2%
2	2	183	0.5%	1.0%	183	1.0%	1.0%
3	3	444	1.2%	2.5%	444	2.5%	2.5%
4	4	721	2.0%	4.1%	721	4.1%	4.1%
5	5	6	0.0%	0.0%	6	0.0%	0.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMHIN Type: Numeric Position: 225-225

Label: NUMBER OF HIB-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type HI

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: P_NUMHION Type: Numeric Position: 226-226

Label: NUMBER OF HIB-ONLY SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 44

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	17469	48.9%	99.4%	17469	99.4%	99.4%
1	1	56	0.2%	0.3%	56	0.3%	0.3%
2	2	22	0.1%	0.1%	22	0.1%	0.1%
3	3	27	0.1%	0.2%	27	0.2%	0.2%
4	4	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMHM Type: Numeric Position: 227-227

Label: NUMBER OF HIB-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type HM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	12178	34.1%	69.3%	12178	69.3%	69.3%
1	1	820	2.3%	4.7%	820	4.7%	4.7%
2	2	770	2.2%	4.4%	770	4.4%	4.4%
3	3	3542	9.9%	20.2%	3542	20.2%	20.2%
4	4	263	0.7%	1.5%	263	1.5%	1.5%
5	5	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: P_NUMHS Type: Numeric Position: 228-228

Label: NUMBER OF HIB-SANOFI SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type HS

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	11689	32.7%	66.5%	11689	66.5%	66.5%
1	1	2501	7.0%	14.2%	2501	14.2%	14.2%
2	2	595	1.7%	3.4%	595	3.4%	3.4%
3	3	898	2.5%	5.1%	898	5.1%	5.1%
4	4	1884	5.3%	10.7%	1884	10.7%	10.7%
5	5	8	0.0%	0.0%	8	0.0%	0.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMIPV Type: Numeric Position: 229-229

Label: NUMBER OF IPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 21

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15703	44.0%	89.3%	15703	89.3%	89.3%
1	1	573	1.6%	3.3%	573	3.3%	3.3%
2	2	231	0.6%	1.3%	231	1.3%	1.3%
3	3	960	2.7%	5.5%	960	5.5%	5.5%
4	4	106	0.3%	0.6%	106	0.6%	0.6%
5	5	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: P_NUMMCN Type: Numeric Position: 230-230

Label: NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type MM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	17505	49.0%	99.6%	17505	99.6%	99.6%
1	1	68	0.2%	0.4%	68	0.4%	0.4%
2	2	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMMMR Type: Numeric Position: 231-231

Label: NUMBER OF MEASLES-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 30, 31, 32, 33, MM or VM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1183	3.3%	6.7%	1183	6.7%	6.7%
1	1	16003	44.8%	91.1%	16003	91.1%	91.1%
2	2	378	1.1%	2.2%	378	2.2%	2.2%
3	3	10	0.0%	0.1%	10	0.1%	0.1%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: P_NUMMMRX Type: Numeric Position: 232-232

Label: NUMBER OF MMR-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 30

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	3208	9.0%	18.3%	3208	18.3%	18.3%
1	1	14085	39.5%	80.1%	14085	80.1%	80.1%
2	2	273	0.8%	1.6%	273	1.6%	1.6%
3	3	8	0.0%	0.0%	8	0.0%	0.0%
4	4	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMMMX Type: Numeric Position: 233-233

Label: NUMBER OF MMR-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 30 or VM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1280	3.6%	7.3%	1280	7.3%	7.3%
1	1	15928	44.6%	90.6%	15928	90.6%	90.6%
2	2	357	1.0%	2.0%	357	2.0%	2.0%
3	3	9	0.0%	0.1%	9	0.1%	0.1%
4	4	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: P_NUMMMP Type: Numeric Position: 234-234

Label: NUMBER OF MUMPS-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type MP

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	17575	49.2%	100.0%	17575	100.0%	100.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMMPR Type: Numeric Position: 235-235

Label: NUMBER OF (MUMPS/RUBELLA)-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type MB

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	17575	49.2%	100.0%	17575	100.0%	100.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: P_NUMMRV Type: Numeric Position: 236-236

Label: NUMBER OF MMR/VARICELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type VM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15582	43.6%	88.7%	15582	88.7%	88.7%
1	1	1972	5.5%	11.2%	1972	11.2%	11.2%
2	2	21	0.1%	0.1%	21	0.1%	0.1%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMMS Type: Numeric Position: 237-237

Label: NUMBER OF MEASLES-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 31

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	17531	49.1%	99.7%	17531	99.7%	99.7%
1	1	42	0.1%	0.2%	42	0.2%	0.2%
2	2	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: P_NUMMSM Type: Numeric Position: 238-238

Label: NUMBER OF MEASLES/MUMPS COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 32

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	17575	49.2%	100.0%	17575	100.0%	100.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMMSR Type: Numeric Position: 239-239

Label: NUMBER OF MEASLES/RUBELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 33

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	17573	49.2%	100.0%	17573	100.0%	100.0%
1	1	1	0.0%	0.0%	1	0.0%	0.0%
2	2	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: P_NUMOLN Type: Numeric Position: 240-240

Label: NUMBER OF POLIO SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 22

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	16871	47.3%	96.0%	16871	96.0%	96.0%
1	1	111	0.3%	0.6%	111	0.6%	0.6%
2	2	48	0.1%	0.3%	48	0.3%	0.3%
3	3	415	1.2%	2.4%	415	2.4%	2.4%
4	4	128	0.4%	0.7%	128	0.7%	0.7%
5	5	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMOPV Type: Numeric Position: 241-241

Label: NUMBER OF OPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 20

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	17531	49.1%	99.7%	17531	99.7%	99.7%
1	1	16	0.0%	0.1%	16	0.1%	0.1%
2	2	11	0.0%	0.1%	11	0.1%	0.1%
3	3	12	0.0%	0.1%	12	0.1%	0.1%
4	4	3	0.0%	0.0%	3	0.0%	0.0%
5	5	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: P_NUMPCV Type: Numeric Position: 242-242

Label: NUMBER OF PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 70, 71, 72, 73, 74, or 75

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	615	1.7%	3.5%	615	3.5%	3.5%
1	1	193	0.5%	1.1%	193	1.1%	1.1%
2	2	302	0.8%	1.7%	302	1.7%	1.7%
3	3	1302	3.6%	7.4%	1302	7.4%	7.4%
4	4	15003	42.0%	85.4%	15003	85.4%	85.4%
5	5	157	0.4%	0.9%	157	0.9%	0.9%
6	6	3	0.0%	0.0%	3	0.0%	0.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMPCP Type: Numeric Position: 243-243

Label: NUMBER OF PNEUMOCOCCAL POLYSACCHARIDE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 71

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	17529	49.1%	99.7%	17529	99.7%	99.7%
1	1	26	0.1%	0.1%	26	0.1%	0.1%
2	2	1	0.0%	0.0%	1	0.0%	0.0%
3	3	2	0.0%	0.0%	2	0.0%	0.0%
4	4	17	0.0%	0.1%	17	0.1%	0.1%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: P_NUMPCC Type: Numeric Position: 244-244

Label: NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 70, 73, 74, or 75

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1225	3.4%	7.0%	1225	7.0%	7.0%
1	1	262	0.7%	1.5%	262	1.5%	1.5%
2	2	322	0.9%	1.8%	322	1.8%	1.8%
3	3	1308	3.7%	7.4%	1308	7.4%	7.4%
4	4	14334	40.1%	81.6%	14334	81.6%	81.6%
5	5	121	0.3%	0.7%	121	0.7%	0.7%
6	6	3	0.0%	0.0%	3	0.0%	0.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMPCC7 Type: Numeric Position: 245-245

Label: NUMBER OF PNEUMOCOCCAL CONJUGATE-7 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 73

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	17479	49.0%	99.5%	17479	99.5%	99.5%
1	1	18	0.1%	0.1%	18	0.1%	0.1%
2	2	11	0.0%	0.1%	11	0.1%	0.1%
3	3	17	0.0%	0.1%	17	0.1%	0.1%
4	4	50	0.1%	0.3%	50	0.3%	0.3%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: P_NUMPCC13 Type: Numeric Position: 246-246

Label: NUMBER OF PNEUMOCOCCAL CONJUGATE-13 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 74

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1287	3.6%	7.3%	1287	7.3%	7.3%
1	1	277	0.8%	1.6%	277	1.6%	1.6%
2	2	330	0.9%	1.9%	330	1.9%	1.9%
3	3	1299	3.6%	7.4%	1299	7.4%	7.4%
4	4	14260	39.9%	81.1%	14260	81.1%	81.1%
5	5	119	0.3%	0.7%	119	0.7%	0.7%
6	6	3	0.0%	0.0%	3	0.0%	0.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMPCC15 Type: Numeric Position: 247-247

Label: NUMBER OF PNEUMOCOCCAL CONJUGATE-15 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 75

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	17573	49.2%	100.0%	17573	100.0%	100.0%
1	1	1	0.0%	0.0%	1	0.0%	0.0%
4	4	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: P_NUMPCCN Type: Numeric Position: 248-248

Label: NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 70

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	17572	49.2%	100.0%	17572	100.0%	100.0%
1	1	1	0.0%	0.0%	1	0.0%	0.0%
2	2	1	0.0%	0.0%	1	0.0%	0.0%
3	3	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMPCN Type: Numeric Position: 249-249

Label: NUMBER OF PNEUMOCOCCAL SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 72

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	16770	47.0%	95.4%	16770	95.4%	95.4%
1	1	132	0.4%	0.8%	132	0.8%	0.8%
2	2	41	0.1%	0.2%	41	0.2%	0.2%
3	3	120	0.3%	0.7%	120	0.7%	0.7%
4	4	507	1.4%	2.9%	507	2.9%	2.9%
5	5	5	0.0%	0.0%	5	0.0%	0.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: P_NUMPOL Type: Numeric Position: 250-250

Label: NUMBER OF POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 08, 20, 21, 22, D3, or D4

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	651	1.8%	3.7%	651	3.7%	3.7%
1	1	168	0.5%	1.0%	168	1.0%	1.0%
2	2	286	0.8%	1.6%	286	1.6%	1.6%
3	3	11903	33.3%	67.7%	11903	67.7%	67.7%
4	4	4479	12.5%	25.5%	4479	25.5%	25.5%
5	5	74	0.2%	0.4%	74	0.4%	0.4%
6	6	13	0.0%	0.1%	13	0.1%	0.1%
7	7	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMPOL Type: Numeric Position: 250-250

Label: NUMBER OF POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 08, 20, 21, 22, D3, or D4

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: P_NUMRB Type: Numeric Position: 251-251

Label: NUMBER OF RUBELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type RB

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	17575	49.2%	100.0%	17575	100.0%	100.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: P_NUMRG Type: Numeric Position: 252-252

Label: NUMBER OF ROTARIX-GSK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type RG

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	13845	38.8%	78.8%	13845	78.8%	78.8%
1	1	339	0.9%	1.9%	339	1.9%	1.9%
2	2	3300	9.2%	18.8%	3300	18.8%	18.8%
3	3	90	0.3%	0.5%	90	0.5%	0.5%
4	4	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMRG Type: Numeric Position: 252-252

Label: NUMBER OF ROTARIX-GSK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type RG

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: P_NUMRM Type: Numeric Position: 253-253

Label: NUMBER OF ROTATEQ-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type RM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	6288	17.6%	35.8%	6288	35.8%	35.8%
1	1	507	1.4%	2.9%	507	2.9%	2.9%
2	2	1168	3.3%	6.6%	1168	6.6%	6.6%
3	3	9595	26.9%	54.6%	9595	54.6%	54.6%
4	4	17	0.0%	0.1%	17	0.1%	0.1%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMRO Type: Numeric Position: 254-254

Label: NUMBER OF ROTAVIRUS SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type RO

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	16137	45.2%	91.8%	16137	91.8%	91.8%
1	1	174	0.5%	1.0%	174	1.0%	1.0%
2	2	384	1.1%	2.2%	384	2.2%	2.2%
3	3	880	2.5%	5.0%	880	5.0%	5.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: P_NUMROT Type: Numeric Position: 255-255

Label: NUMBER OF ROTAVIRUS-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type RG, RM, or RO

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1541	4.3%	8.8%	1541	8.8%	8.8%
1	1	499	1.4%	2.8%	499	2.8%	2.8%
2	2	4638	13.0%	26.4%	4638	26.4%	26.4%
3	3	10872	30.5%	61.9%	10872	61.9%	61.9%
4	4	25	0.1%	0.1%	25	0.1%	0.1%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMTPN Type: Numeric Position: 256-256

**Label: NUMBER OF DT-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE
DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH
INTERVIEW DATE.**

Notes: Vaccine type 03

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	17328	48.5%	98.6%	17328	98.6%	98.6%
1	1	102	0.3%	0.6%	102	0.6%	0.6%
2	2	20	0.1%	0.1%	20	0.1%	0.1%
3	3	40	0.1%	0.2%	40	0.2%	0.2%
4	4	84	0.2%	0.5%	84	0.5%	0.5%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: P_NUMVRC Type: Numeric Position: 257-257

**Label: NUMBER OF VARICELLA-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM
PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type VA, VO, or VM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1292	3.6%	7.4%	1292	7.4%	7.4%
1	1	16060	45.0%	91.4%	16060	91.4%	91.4%
2	2	221	0.6%	1.3%	221	1.3%	1.3%
3	3	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMVRN Type: Numeric Position: 258-258

Label: NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type VA

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	17502	49.0%	99.6%	17502	99.6%	99.6%
1	1	73	0.2%	0.4%	73	0.4%	0.4%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: P_NUMVRX Type: Numeric Position: 259-259

Label: NUMBER OF VARICELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type VO

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	3298	9.2%	18.8%	3298	18.8%	18.8%
1	1	14134	39.6%	80.4%	14134	80.4%	80.4%
2	2	142	0.4%	0.8%	142	0.8%	0.8%
3	3	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_U12VRC Type: Numeric Position: 260-260

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS OF AGE, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type VO, VM, or VA, excluding shots before 12 months of age

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1337	3.7%	7.6%	1337	7.6%	7.6%
UTD	1	16238	45.5%	92.4%	16238	92.4%	92.4%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: P_UTD331 Type: Numeric Position: 261-261

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ DT-containing (03,04,07,08,D3,D4), 3+ Polio-containing (08,20,21,22,D3,D4), and 1+ Measles-containing (30,31,32,33,MM,VM)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1503	4.2%	8.6%	1503	8.6%	8.6%
UTD	1	16072	45.0%	91.4%	16072	91.4%	91.4%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTD431 Type: Numeric Position: 262-262

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3,D4), 3+ Polio-containing (08,20,21,22,D3,D4), and 1+ Measles-containing (30,31,32,33,MM,VM)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2619	7.3%	14.9%	2619	14.9%	14.9%
UTD	1	14956	41.9%	85.1%	14956	85.1%	85.1%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: P_UTDHEP Type: Numeric Position: 263-263

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ Hepatitis B-containing (08,43,60,D4,HB)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1288	3.6%	7.3%	1288	7.3%	7.3%
UTD	1	16287	45.6%	92.7%	16287	92.7%	92.7%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDHEPA1 Type: Numeric Position: 264-264

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 1+ Hepatitis A-containing (HA)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1670	4.7%	9.5%	1670	9.5%	9.5%
UTD	1	15905	44.5%	90.5%	15905	90.5%	90.5%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: P_UTDHEPA2 Type: Numeric Position: 265-265

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 2+ Hepatitis A-containing (HA)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	5638	15.8%	32.1%	5638	32.1%	32.1%
UTD	1	11937	33.4%	67.9%	11937	67.9%	67.9%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDHIB Type: Numeric Position: 266-266

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ HIB-containing (07,43,44,D3,D4,HI,HM,HG,HS,HY)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1339	3.8%	7.6%	1339	7.6%	7.6%
UTD	1	16236	45.5%	92.4%	16236	92.4%	92.4%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: P_UTDHIB_ROUT_S Type: Numeric Position: 267-267

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE ROUTINE (NON-SHORTAGE) HIB RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ HIB-containing (07,43,44,D3,D4,HI,HM,HG,HS,HY), or 2 Hib-Merck (HM,43) followed by 1 Hib of any type (07,43,44,D3,D4,HI,HM,HG,HS,HY)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3060	8.6%	17.4%	3060	17.4%	17.4%
UTD	1	14515	40.7%	82.6%	14515	82.6%	82.6%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDHIB_SHORT_S Type: Numeric Position: 268-268

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE HIB SHORTAGE RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ HIB-containing (07,43,44,D3,D4,HI,HM,HG,HS,HY) or 2+ Hib-Merck (HM,43)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1119	3.1%	6.4%	1119	6.4%	6.4%
UTD	1	16456	46.1%	93.6%	16456	93.6%	93.6%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: P_UTDMCV Type: Numeric Position: 269-269

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MEASLES-CONTAINING SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 1+ Measles-containing (30,31,32,33,MM,VM)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1183	3.3%	6.7%	1183	6.7%	6.7%
UTD	1	16392	45.9%	93.3%	16392	93.3%	93.3%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDMMX Type: Numeric Position: 270-270

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MMR COMBO SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 1+ MMR combo shot (30)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1280	3.6%	7.3%	1280	7.3%	7.3%
UTD	1	16295	45.6%	92.7%	16295	92.7%	92.7%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: P_UTDPC3 Type: Numeric Position: 271-271

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ Pneumococcal-containing (70,71,72,73,74,75)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1110	3.1%	6.3%	1110	6.3%	6.3%
UTD	1	16465	46.1%	93.7%	16465	93.7%	93.7%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDPCV Type: Numeric Position: 272-272

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ Pneumococcal-containing (70,71,72,73,74,75)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2412	6.8%	13.7%	2412	13.7%	13.7%
UTD	1	15163	42.5%	86.3%	15163	86.3%	86.3%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: P_UTDPCVB13 Type: Numeric Position: 273-273

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ PNEUMOCOCCAL VACCINATIONS OF TYPE CONJUGATE-13, GIVEN 4+ DOSES OF TYPE CONJUGATE-7, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 1+ dose of PCV Conjugate 13 (vaccine type code 74), given 4+ doses of PCV Conjugate 7 (vaccine type code 73)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
4+ PCV7 PLUS 1+ PCV13	1	1	0.0%	0.0%	1	0.0%	0.0%
4+ PCV7, NO FOLLOWING PCV13, WITH TYPE OF ALL VACCINES (IF ANY) FOLLOWING THE 4 PCV7 KNOWN	2	49	0.1%	0.3%	49	0.3%	0.3%
ALL OTHERS WITH ADEQUATE PROVIDER DATA	3	17525	49.1%	99.7%	17525	99.7%	99.7%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDPOL Type: Numeric Position: 274-274

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ Polio-containing (08,20,21,22,D3,D4)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1105	3.1%	6.3%	1105	6.3%	6.3%
UTD	1	16470	46.1%	93.7%	16470	93.7%	93.7%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: P_UTDROT_S Type: Numeric Position: 275-275

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ ROTAVIRUS DOSES BY 36 MONTHS OF AGE, BASED ON A STRICT TREATMENT OF ROTAVIRUS VACCINATIONS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ Rotavirus-containing (RG,RM,RO) or 2+ Rotarix (RG)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3453	9.7%	19.6%	3453	19.6%	19.6%
UTD	1	14122	39.6%	80.4%	14122	80.4%	80.4%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDTP3 Type: Numeric Position: 276-276

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ DT-containing (03,04,07,08,D3,D4)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1001	2.8%	5.7%	1001	5.7%	5.7%
UTD	1	16574	46.4%	94.3%	16574	94.3%	94.3%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: P_UTDTP4 Type: Numeric Position: 277-277

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3,D4)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2452	6.9%	14.0%	2452	14.0%	14.0%
UTD	1	15123	42.4%	86.0%	15123	86.0%	86.0%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: PU431331 Type: Numeric Position: 278-278

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3,D4), 3+ Polio-containing (08,20,21,22,D3,D4), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (07,43,44,D3,D4,HI,HM,HG,HS,HY), 3+ Hepatitis B-containing (08,43,60,D4,HB), and 1+ Varicella-containing (VO,VM,VA) at age 12+ months

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3040	8.5%	17.3%	3040	17.3%	17.3%
UTD	1	14535	40.7%	82.7%	14535	82.7%	82.7%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: P_UTD431H31_ROUT_S Type: Numeric Position: 279-279

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3,D4), 3+ Polio-containing (08,20,21,22,D3,D4), 1+ Measles-containing (30,31,32,33,MM,VM), HIB (routine, strict definition), 3+ Hepatitis B-containing (08,43,60,D4,HB), and 1+ Varicella-containing (VO,VM,VA) at age 12+ months

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3994	11.2%	22.7%	3994	22.7%	22.7%
UTD	1	13581	38.0%	77.3%	13581	77.3%	77.3%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: PU4313313 Type: Numeric Position: 280-280

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3,D4), 3+ Polio-containing (08,20,21,22,D3,D4), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (07,43,44,D3,D4,HI,HM,HG,HS,HY), 3+ Hepatitis B-containing (08,43,60,D4,HB), 1+ Varicella-containing (VO,VM,VA) at age 12+ months, and 3+ Pneumococcal-containing (70,71,72,73,74,75)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3070	8.6%	17.5%	3070	17.5%	17.5%
UTD	1	14505	40.6%	82.5%	14505	82.5%	82.5%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: P_UTD431H313_ROUT_S Type: Numeric Position: 281-281

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3,D4), 3+ Polio-containing (08,20,21,22,D3,D4), 1+ Measles-containing (30,31,32,33,MM,VM), HIB (routine, strict definition), 3+ Hepatitis B-containing (08,43,60,D4,HB), 1+ Varicella-containing (VO,VM,VA) at age 12+ months, and 3+ Pneumococcal-containing (70,71,72,73,74,75)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	4019	11.3%	22.9%	4019	22.9%	22.9%
UTD	1	13556	38.0%	77.1%	13556	77.1%	77.1%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: PU4313314 Type: Numeric Position: 282-282

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3,D4), 3+ Polio-containing (08,20,21,22,D3,D4), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (07,43,44,D3,D4,HI,HM,HG,HS,HY), 3+ Hepatitis B-containing (08,43,60,D4,HB), 1+ Varicella-containing (VO,VM,VA) at age 12+ months, and 4+ Pneumococcal-containing (70,71,72,73,74,75)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3567	10.0%	20.3%	3567	20.3%	20.3%
UTD	1	14008	39.2%	79.7%	14008	79.7%	79.7%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: P_UTD431H314_ROUT_S Type: Numeric Position: 283-283

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3,D4), 3+ Polio-containing (08,20,21,22,D3,D4), 1+ Measles-containing (30,31,32,33,MM,VM), HIB (routine, strict definition), 3+ Hepatitis B-containing (08,43,60,D4,HB), 1+ Varicella-containing (VO,VM,VA) at age 12+ months, and 4+ Pneumococcal-containing (70,71,72,73,74,75)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	4357	12.2%	24.8%	4357	24.8%	24.8%
UTD	1	13218	37.0%	75.2%	13218	75.2%	75.2%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: PUT43133 Type: Numeric Position: 284-284

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3,D4), 3+ Polio-containing (08,20,21,22,D3,D4), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (07,43,44,D3,D4,HI,HM,HG,HS,HY), and 3+ Hepatitis B-containing (08,43,60,D4,HB)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2921	8.2%	16.6%	2921	16.6%	16.6%
UTD	1	14654	41.0%	83.4%	14654	83.4%	83.4%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: P_UTD431H3_ROUT_S Type: Numeric Position: 285-285

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3,D4), 3+ Polio-containing (08,20,21,22,D3,D4), 1+ Measles-containing (30,31,32,33,MM,VM), HIB (routine, strict definition), and 3+ Hepatitis B-containing (08,43,60,D4,HB)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3887	10.9%	22.1%	3887	22.1%	22.1%
UTD	1	13688	38.3%	77.9%	13688	77.9%	77.9%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: PUTD4313 Type: Numeric Position: 286-286

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3,D4), 3+ Polio-containing (08,20,21,22,D3,D4), 1+ Measles-containing (30,31,32,33,MM,VM), and 3+ HIB-containing (07,43,44,D3,D4,HI,HM,HG,HS,HY)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2693	7.5%	15.3%	2693	15.3%	15.3%
UTD	1	14882	41.7%	84.7%	14882	84.7%	84.7%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: P_UTD431H_ROUT_S Type: Numeric Position: 287-287

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3,D4), 3+ Polio-containing (08,20,21,22,D3,D4), 1+ Measles-containing (30,31,32,33,MM,VM), and HIB (routine, strict definition)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3681	10.3%	20.9%	3681	20.9%	20.9%
UTD	1	13894	38.9%	79.1%	13894	79.1%	79.1%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: U24_FLU_24D Type: Numeric Position: 288-288

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ INFLUENZA VACCINATIONS AT LEAST 4 WEEKS-4 DAYS APART BY 24 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 2+ Influenza (FN, FM, FL) at least 4 weeks (minus 4 days) apart, by 24 months of age

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	5986	16.8%	34.1%	5986	34.1%	34.1%
UTD	1	11589	32.5%	65.9%	11589	65.9%	65.9%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: U19_FLU_24D Type: Numeric Position: 289-289

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ INFLUENZA VACCINATIONS AT LEAST 4 WEEKS-4 DAYS APART BY 19 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 2+ Influenza (FN, FM, FL) vaccinations at least 4 weeks (minus 4 days) apart, by 19 months of age

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	6372	17.8%	36.3%	6372	36.3%	36.3%
UTD	1	11203	31.4%	63.7%	11203	63.7%	63.7%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: U24_FLU3_24D Type: Numeric Position: 290-290

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ INFLUENZA VACCINATIONS AT LEAST 4 WEEKS-4 DAYS APART BY 24 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ Influenza (FN, FM, FL) vaccinations at least 4 weeks (minus 4 days) apart, by 24 months

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	10874	30.5%	61.9%	10874	61.9%	61.9%
UTD	1	6701	18.8%	38.1%	6701	38.1%	38.1%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: U1D_HEP Type: Numeric Position: 291-291

Label: BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 1 FLAG

Notes: 1+ Hepatitis B-containing (08,43,60,D4,HB) on date of birth or 1st day following birth.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	4016	11.2%	22.9%	4016	22.9%	22.9%
UTD	1	13559	38.0%	77.1%	13559	77.1%	77.1%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: U2D_HEP Type: Numeric Position: 292-292

Label: BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 2 FLAG

Notes: 1+ Hepatitis B-containing (08,43,60,D4,HB) on date of birth or the 1st or 2nd day following birth.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3455	9.7%	19.7%	3455	19.7%	19.7%
UTD	1	14120	39.5%	80.3%	14120	80.3%	80.3%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: U3D_HEP Type: Numeric Position: 293-293

Label: BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 3 FLAG

Notes: 1+ Hepatitis B-containing (08,43,60,D4,HB) on date of birth or the 1st, 2nd, or 3rd day following birth.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3282	9.2%	18.7%	3282	18.7%	18.7%
UTD	1	14293	40.0%	81.3%	14293	81.3%	81.3%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DDTP1 Type: Numeric Position: 294-297

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16967	47.5%	100.0%	16967	96.5%	100.0%
RESERVED CODES:							
MISSING	.	18736	52.5%	n/a	608	3.5%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DDTP1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	72.8	63.0	0.0	1009.0	55.0
Adequate Provider Data	72.8	63.0	0.0	1009.0	55.0

Variable: DDTP2 Type: Numeric Position: 298-301

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16820	47.1%	100.0%	16820	95.7%	100.0%
RESERVED CODES:							
MISSING	.	18883	52.9%	n/a	755	4.3%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DDTP2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	142.2	127.0	40.0	1227.0	67.0
Adequate Provider Data	142.2	127.0	40.0	1227.0	67.0

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DDTP3 Type: Numeric Position: 302-305

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #3

Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16605	46.5%	100.0%	16605	94.5%	100.0%
RESERVED CODES:							
MISSING	.	19098	53.5%	n/a	970	5.5%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DDTP3 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	214.3	190.0	75.0	1281.0	83.1
Adequate Provider Data	214.3	190.0	75.0	1281.0	83.1

Variable: DDTP4 Type: Numeric Position: 306-309

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15352	43.0%	100.0%	15352	87.4%	100.0%
RESERVED CODES:							
MISSING	.	20351	57.0%	n/a	2223	12.6%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DDTP4 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	512.3	476.0	110.0	1287.0	93.0
Adequate Provider Data	512.3	476.0	110.0	1287.0	93.0

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DDTP5 Type: Numeric Position: 310-313**Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #5****Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		251	0.7%	100.0%	251	1.4%	100.0%
RESERVED CODES:							
MISSING	.	35452	99.3%	n/a	17324	98.6%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DDTP5 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	599.0	554.0	166.0	1117.0	163.5
Adequate Provider Data	599.0	554.0	166.0	1117.0	163.5

Variable: DDTP6 Type: Numeric Position: 314-317**Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #6****Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14	0.0%	100.0%	14	0.1%	100.0%
RESERVED CODES:							
MISSING	.	35689	100.0%	n/a	17561	99.9%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DDTP6 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	683.4	553.0	352.0	1461.0	329.9
Adequate Provider Data	683.4	553.0	352.0	1461.0	329.9

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DDTP7 Type: Numeric Position: 318-320

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		4	0.0%	100.0%	4	0.0%	100.0%
RESERVED CODES:							
MISSING	.	35699	100.0%	n/a	17571	100.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DDTP7 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	732.5	742.0	569.0	877.0	126.3
Adequate Provider Data	732.5	742.0	569.0	877.0	126.3

Variable: DDTP8 Type: Numeric Position: 321-321

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DDTP9 Type: Numeric Position: 322-322

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: DFLU1 Type: Numeric Position: 323-326

Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1

Notes: See section 8 notes for P_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		13632	38.2%	100.0%	13632	77.6%	100.0%
RESERVED CODES:							
MISSING	.	22071	61.8%	n/a	3943	22.4%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DFLU1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	289.4	239.0	0.0	1251.0	142.2
Adequate Provider Data	289.4	239.0	0.0	1251.0	142.2

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DFLU2 Type: Numeric Position: 327-330

Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2

Notes: See section 8 notes for P_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		12215	34.2%	100.0%	12215	69.5%	100.0%
RESERVED CODES:							
MISSING	.	23488	65.8%	n/a	5360	30.5%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DFLU2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	358.2	311.0	82.0	1263.0	155.0
Adequate Provider Data	358.2	311.0	82.0	1263.0	155.0

Variable: DFLU3 Type: Numeric Position: 331-334

Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3

Notes: See section 8 notes for P_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		9076	25.4%	100.0%	9076	51.6%	100.0%
RESERVED CODES:							
MISSING	.	26627	74.6%	n/a	8499	48.4%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DFLU3 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	600.7	568.0	184.0	1375.0	149.8
Adequate Provider Data	600.7	568.0	184.0	1375.0	149.8

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DFLU4 Type: Numeric Position: 335-338

Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4

Notes: See section 8 notes for P_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		3098	8.7%	100.0%	3098	17.6%	100.0%
RESERVED CODES:							
MISSING	.	32605	91.3%	n/a	14477	82.4%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DFLU4 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	887.7	898.0	224.0	1376.0	138.9
Adequate Provider Data	887.7	898.0	224.0	1376.0	138.9

Variable: DFLU5 Type: Numeric Position: 339-342

Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5

Notes: See section 8 notes for P_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		205	0.6%	100.0%	205	1.2%	100.0%
RESERVED CODES:							
MISSING	.	35498	99.4%	n/a	17370	98.8%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DFLU5 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	1067.9	1109.0	381.0	1343.0	177.9
Adequate Provider Data	1067.9	1109.0	381.0	1343.0	177.9

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DFLU6 Type: Numeric Position: 343-346

Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6

Notes: See section 8 notes for P_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		8	0.0%	100.0%	8	0.0%	100.0%
RESERVED CODES:							
MISSING	.	35695	100.0%	n/a	17567	100.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DFLU6 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	835.0	802.5	458.0	1289.0	311.9
Adequate Provider Data	835.0	802.5	458.0	1289.0	311.9

Variable: DFLU7 Type: Numeric Position: 347-349

Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7

Notes: See section 8 notes for P_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING	.	35701	100.0%	n/a	17573	100.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DFLU7 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	746.5	746.5	731.0	762.0	21.9
Adequate Provider Data	746.5	746.5	731.0	762.0	21.9

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DFLU8 Type: Numeric Position: 350-353

Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8

Notes: See section 8 notes for P_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	35702	100.0%	n/a	17574	100.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DFLU8 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	1087.0	1087.0	1087.0	1087.0	.
Adequate Provider Data	1087.0	1087.0	1087.0	1087.0	.

Variable: DFLU9 Type: Numeric Position: 354-354

Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9

Notes: See section 8 notes for P_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPA1 Type: Numeric Position: 355-358

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16004	44.8%	100.0%	16004	91.1%	100.0%
RESERVED CODES:							
MISSING	.	19699	55.2%	n/a	1571	8.9%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DHEPA1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	418.4	377.0	0.0	1217.0	96.5
Adequate Provider Data	418.4	377.0	0.0	1217.0	96.5

Variable: DHEPA2 Type: Numeric Position: 359-362

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		12794	35.8%	100.0%	12794	72.8%	100.0%
RESERVED CODES:							
MISSING	.	22909	64.2%	n/a	4781	27.2%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DHEPA2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	641.7	586.0	365.0	1287.0	111.2
Adequate Provider Data	641.7	586.0	365.0	1287.0	111.2

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPA3 Type: Numeric Position: 363-366

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		92	0.3%	100.0%	92	0.5%	100.0%
RESERVED CODES:							
MISSING	.	35611	99.7%	n/a	17483	99.5%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DHEPA3 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	752.0	736.5	548.0	1147.0	166.4
Adequate Provider Data	752.0	736.5	548.0	1147.0	166.4

Variable: DHEPA4 Type: Numeric Position: 367-369

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	35702	100.0%	n/a	17574	100.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DHEPA4 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	877.0	877.0	877.0	877.0	.
Adequate Provider Data	877.0	877.0	877.0	877.0	.

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPA5 Type: Numeric Position: 370-370

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: DHEPA6 Type: Numeric Position: 371-371

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: DHEPA7 Type: Numeric Position: 372-372

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPA8 Type: Numeric Position: 373-373

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: DHEPA9 Type: Numeric Position: 374-374

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: DHEPB1 Type: Numeric Position: 375-378

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17097	47.9%	100.0%	17097	97.3%	100.0%
RESERVED CODES:							
MISSING	.	18606	52.1%	n/a	478	2.7%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPB1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	13.1	0.0	0.0	1134.0	59.0
Adequate Provider Data	13.1	0.0	0.0	1134.0	59.0

Variable: DHEPB2 Type: Numeric Position: 379-382**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2**

Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16740	46.9%	100.0%	16740	95.2%	100.0%
RESERVED CODES:							
MISSING	.	18963	53.1%	n/a	835	4.8%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DHEPB2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	78.3	63.0	16.0	1113.0	73.3
Adequate Provider Data	78.3	63.0	16.0	1113.0	73.3

Variable: DHEPB3 Type: Numeric Position: 383-386**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3**

Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16329	45.7%	100.0%	16329	92.9%	100.0%
RESERVED CODES:							
MISSING	.	19374	54.3%	n/a	1246	7.1%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPB3 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	203.3	186.0	54.0	1281.0	103.6
Adequate Provider Data	203.3	186.0	54.0	1281.0	103.6

Variable: DHEPB4 Type: Numeric Position: 387-390**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4**

Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		6630	18.6%	100.0%	6630	37.7%	100.0%
RESERVED CODES:							
MISSING	.	29073	81.4%	n/a	10945	62.3%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DHEPB4 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	219.7	191.0	98.0	1132.0	92.1
Adequate Provider Data	219.7	191.0	98.0	1132.0	92.1

Variable: DHEPB5 Type: Numeric Position: 391-394**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5**

Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		258	0.7%	100.0%	258	1.5%	100.0%
RESERVED CODES:							
MISSING	.	35445	99.3%	n/a	17317	98.5%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPB5 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	433.5	458.0	166.0	1195.0	175.5
Adequate Provider Data	433.5	458.0	166.0	1195.0	175.5

Variable: DHEPB6 Type: Numeric Position: 395-397**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6****Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		20	0.1%	100.0%	20	0.1%	100.0%
RESERVED CODES:							
MISSING	.	35683	99.9%	n/a	17555	99.9%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DHEPB6 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	481.0	457.0	277.0	944.0	174.2
Adequate Provider Data	481.0	457.0	277.0	944.0	174.2

Variable: DHEPB7 Type: Numeric Position: 398-400**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7****Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		4	0.0%	100.0%	4	0.0%	100.0%
RESERVED CODES:							
MISSING	.	35699	100.0%	n/a	17571	100.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPB7 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	532.5	463.0	352.0	852.0	219.3
Adequate Provider Data	532.5	463.0	352.0	852.0	219.3

Variable: DHEPB8 Type: Numeric Position: 401-401**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8**

Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: DHEPB9 Type: Numeric Position: 402-402**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9**

Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHIB1 Type: Numeric Position: 403-406

Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16936	47.4%	100.0%	16936	96.4%	100.0%
RESERVED CODES:							
MISSING	.	18767	52.6%	n/a	639	3.6%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DHIB1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	74.7	63.0	0.0	1009.0	58.1
Adequate Provider Data	74.7	63.0	0.0	1009.0	58.1

Variable: DHIB2 Type: Numeric Position: 407-410

Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16710	46.8%	100.0%	16710	95.1%	100.0%
RESERVED CODES:							
MISSING	.	18993	53.2%	n/a	865	4.9%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DHIB2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	142.6	127.0	40.0	1227.0	60.7
Adequate Provider Data	142.6	127.0	40.0	1227.0	60.7

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHIB3 Type: Numeric Position: 411-414

Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #3

Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16300	45.7%	100.0%	16300	92.7%	100.0%
RESERVED CODES:							
MISSING	.	19403	54.3%	n/a	1275	7.3%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DHIB3 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	277.8	197.0	84.0	1329.0	136.2
Adequate Provider Data	277.8	197.0	84.0	1329.0	136.2

Variable: DHIB4 Type: Numeric Position: 415-418

Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		11084	31.0%	100.0%	11084	63.1%	100.0%
RESERVED CODES:							
MISSING	.	24619	69.0%	n/a	6491	36.9%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DHIB4 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	481.9	465.0	116.0	1287.0	90.2
Adequate Provider Data	481.9	465.0	116.0	1287.0	90.2

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHIB5 Type: Numeric Position: 419-422

Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		174	0.5%	100.0%	174	1.0%	100.0%
RESERVED CODES:							
MISSING	.	35529	99.5%	n/a	17401	99.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DHIB5 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	589.7	549.0	166.0	1194.0	174.3
Adequate Provider Data	589.7	549.0	166.0	1194.0	174.3

Variable: DHIB6 Type: Numeric Position: 423-425

Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		5	0.0%	100.0%	5	0.0%	100.0%
RESERVED CODES:							
MISSING	.	35698	100.0%	n/a	17570	100.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DHIB6 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	519.0	478.0	467.0	659.0	80.5
Adequate Provider Data	519.0	478.0	467.0	659.0	80.5

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHIB7 Type: Numeric Position: 426-428

Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	35702	100.0%	n/a	17574	100.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DHIB7 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	548.0	548.0	548.0	548.0	.
Adequate Provider Data	548.0	548.0	548.0	548.0	.

Variable: DHIB8 Type: Numeric Position: 429-429

Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHIB9 Type: Numeric Position: 430-430

Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: DMMR1 Type: Numeric Position: 431-434

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16450	46.1%	100.0%	16450	93.6%	100.0%
RESERVED CODES:							
MISSING	.	19253	53.9%	n/a	1125	6.4%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DMMR1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	399.9	373.0	0.0	1227.0	77.0
Adequate Provider Data	399.9	373.0	0.0	1227.0	77.0

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMMR2 Type: Numeric Position: 435-438

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		431	1.2%	100.0%	431	2.5%	100.0%
RESERVED CODES:							
MISSING	.	35272	98.8%	n/a	17144	97.5%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DMMR2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	604.7	556.0	277.0	1461.0	212.3
Adequate Provider Data	604.7	556.0	277.0	1461.0	212.3

Variable: DMMR3 Type: Numeric Position: 439-441

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #3

Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		11	0.0%	100.0%	11	0.1%	100.0%
RESERVED CODES:							
MISSING	.	35692	100.0%	n/a	17564	99.9%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DMMR3 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	682.5	731.0	386.0	943.0	185.3
Adequate Provider Data	682.5	731.0	386.0	943.0	185.3

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMMR4 Type: Numeric Position: 442-444**Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #4****Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	35702	100.0%	n/a	17574	100.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DMMR4 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	834.0	834.0	834.0	834.0	.
Adequate Provider Data	834.0	834.0	834.0	834.0	.

Variable: DMMR5 Type: Numeric Position: 445-447**Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #5****Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	35702	100.0%	n/a	17574	100.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DMMR5 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	998.0	998.0	998.0	998.0	.
Adequate Provider Data	998.0	998.0	998.0	998.0	.

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMMR6 Type: Numeric Position: 448-448

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: DMMR7 Type: Numeric Position: 449-449

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: DMMR8 Type: Numeric Position: 450-450

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMMR9 Type: Numeric Position: 451-451

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: DMP1 Type: Numeric Position: 452-452

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #1

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: DMP2 Type: Numeric Position: 453-453

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #2

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMP3 Type: Numeric Position: 454-454

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #3

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: DMP4 Type: Numeric Position: 455-455

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #4

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: DMP5 Type: Numeric Position: 456-456

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #5

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMP6 Type: Numeric Position: 457-457

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #6

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: DMP7 Type: Numeric Position: 458-458

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #7

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: DMP8 Type: Numeric Position: 459-459

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #8

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMP9 Type: Numeric Position: 460-460

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #9

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: DMPRB1 Type: Numeric Position: 461-461

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: DMPRB2 Type: Numeric Position: 462-462

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMPRB3 Type: Numeric Position: 463-463

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: DMPRB4 Type: Numeric Position: 464-464

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: DMPRB5 Type: Numeric Position: 465-465

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMPRB6 Type: Numeric Position: 466-466

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: DMPRB7 Type: Numeric Position: 467-467

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: DMPRB8 Type: Numeric Position: 468-468

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMPRB9 Type: Numeric Position: 469-469

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: DPCV1 Type: Numeric Position: 470-473

Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16965	47.5%	100.0%	16965	96.5%	100.0%
RESERVED CODES:							
MISSING	.	18738	52.5%	n/a	610	3.5%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DPCV1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	74.1	63.0	0.0	1186.0	58.9
Adequate Provider Data	74.1	63.0	0.0	1186.0	58.9

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPCV2 Type: Numeric Position: 474-477

Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16774	47.0%	100.0%	16774	95.4%	100.0%
RESERVED CODES:							
MISSING	.	18929	53.0%	n/a	801	4.6%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DPCV2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	143.1	127.0	60.0	1064.0	64.5
Adequate Provider Data	143.1	127.0	60.0	1064.0	64.5

Variable: DPCV3 Type: Numeric Position: 478-481

Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3

Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16499	46.2%	100.0%	16499	93.9%	100.0%
RESERVED CODES:							
MISSING	.	19204	53.8%	n/a	1076	6.1%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DPCV3 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	216.3	190.0	98.0	1281.0	82.2
Adequate Provider Data	216.3	190.0	98.0	1281.0	82.2

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPCV4 Type: Numeric Position: 482-485

Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15244	42.7%	100.0%	15244	86.7%	100.0%
RESERVED CODES:							
MISSING	.	20459	57.3%	n/a	2331	13.3%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DPCV4 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	437.1	420.0	176.0	1287.0	86.2
Adequate Provider Data	437.1	420.0	176.0	1287.0	86.2

Variable: DPCV5 Type: Numeric Position: 486-489

Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		176	0.5%	100.0%	176	1.0%	100.0%
RESERVED CODES:							
MISSING	.	35527	99.5%	n/a	17399	99.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DPCV5 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	600.8	516.5	364.0	1233.0	205.1
Adequate Provider Data	600.8	516.5	364.0	1233.0	205.1

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPCV6 Type: Numeric Position: 490-493

Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		4	0.0%	100.0%	4	0.0%	100.0%
RESERVED CODES:							
MISSING	.	35699	100.0%	n/a	17571	100.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DPCV6 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	653.8	544.5	470.0	1056.0	271.7
Adequate Provider Data	653.8	544.5	470.0	1056.0	271.7

Variable: DPCV7 Type: Numeric Position: 494-494

Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPCV8 Type: Numeric Position: 495-495

Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: DPCV9 Type: Numeric Position: 496-496

Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: DPOLIO1 Type: Numeric Position: 497-500

Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16930	47.4%	100.0%	16930	96.3%	100.0%
RESERVED CODES:							
MISSING	.	18773	52.6%	n/a	645	3.7%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPOLIO1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	73.1	63.0	0.0	1008.0	56.4
Adequate Provider Data	73.1	63.0	0.0	1008.0	56.4

Variable: DPOLIO2 Type: Numeric Position: 501-504**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #2**

Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16769	47.0%	100.0%	16769	95.4%	100.0%
RESERVED CODES:							
MISSING	.	18934	53.0%	n/a	806	4.6%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DPOLIO2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	143.0	127.0	40.0	1227.0	69.7
Adequate Provider Data	143.0	127.0	40.0	1227.0	69.7

Variable: DPOLIO3 Type: Numeric Position: 505-508**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #3**

Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16510	46.2%	100.0%	16510	93.9%	100.0%
RESERVED CODES:							
MISSING	.	19193	53.8%	n/a	1065	6.1%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPOLIO3 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	218.3	190.0	69.0	1281.0	91.4
Adequate Provider Data	218.3	190.0	69.0	1281.0	91.4

Variable: DPOLIO4 Type: Numeric Position: 509-512**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #4**

Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		4618	12.9%	100.0%	4618	26.3%	100.0%
RESERVED CODES:							
MISSING	.	31085	87.1%	n/a	12957	73.7%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DPOLIO4 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	493.4	468.0	97.0	1461.0	93.4
Adequate Provider Data	493.4	468.0	97.0	1461.0	93.4

Variable: DPOLIO5 Type: Numeric Position: 513-516**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #5**

Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		93	0.3%	100.0%	93	0.5%	100.0%
RESERVED CODES:							
MISSING	.	35610	99.7%	n/a	17482	99.5%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPOLIO5 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	543.3	516.0	166.0	1031.0	193.8
Adequate Provider Data	543.3	516.0	166.0	1031.0	193.8

Variable: DPOLIO6 Type: Numeric Position: 517-520**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #6****Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15	0.0%	100.0%	15	0.1%	100.0%
RESERVED CODES:							
MISSING	.	35688	100.0%	n/a	17560	99.9%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DPOLIO6 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	588.7	488.0	280.0	1194.0	243.3
Adequate Provider Data	588.7	488.0	280.0	1194.0	243.3

Variable: DPOLIO7 Type: Numeric Position: 521-523**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #7****Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	35702	100.0%	n/a	17574	100.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPOLIO7 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	548.0	548.0	548.0	548.0	.
Adequate Provider Data	548.0	548.0	548.0	548.0	.

Variable: DPOLIO8 Type: Numeric Position: 524-524**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #8****Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: DPOLIO9 Type: Numeric Position: 525-525**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #9****Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DRB1 Type: Numeric Position: 526-526

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #1

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: DRB2 Type: Numeric Position: 527-527

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #2

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: DRB3 Type: Numeric Position: 528-528

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #3

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DRB4 Type: Numeric Position: 529-529

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #4

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: DRB5 Type: Numeric Position: 530-530

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #5

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: DRB6 Type: Numeric Position: 531-531

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #6

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DRB7 Type: Numeric Position: 532-532

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #7

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: DRB8 Type: Numeric Position: 533-533

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #8

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: DRB9 Type: Numeric Position: 534-534

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #9

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DROT1 Type: Numeric Position: 535-537

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16034	44.9%	100.0%	16034	91.2%	100.0%
RESERVED CODES:							
MISSING	.	19669	55.1%	n/a	1541	8.8%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DROT1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	66.7	63.0	0.0	651.0	19.1
Adequate Provider Data	66.7	63.0	0.0	651.0	19.1

Variable: DROT2 Type: Numeric Position: 538-540

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15536	43.5%	100.0%	15536	88.4%	100.0%
RESERVED CODES:							
MISSING	.	20167	56.5%	n/a	2039	11.6%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DROT2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	132.4	126.0	53.0	835.0	26.3
Adequate Provider Data	132.4	126.0	53.0	835.0	26.3

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DROT3 Type: Numeric Position: 541-543

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3

Notes: See section 8 notes for P_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		10900	30.5%	100.0%	10900	62.0%	100.0%
RESERVED CODES:							
MISSING	.	24803	69.5%	n/a	6675	38.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DROT3 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	194.9	189.0	92.0	913.0	31.5
Adequate Provider Data	194.9	189.0	92.0	913.0	31.5

Variable: DROT4 Type: Numeric Position: 544-546

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		25	0.1%	100.0%	25	0.1%	100.0%
RESERVED CODES:							
MISSING	.	35678	99.9%	n/a	17550	99.9%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DROT4 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	339.1	280.0	182.0	739.0	175.0
Adequate Provider Data	339.1	280.0	182.0	739.0	175.0

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DROT5 Type: Numeric Position: 547-547

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: DROT6 Type: Numeric Position: 548-548

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: DROT7 Type: Numeric Position: 549-549

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DROT8 Type: Numeric Position: 550-550

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: DROT9 Type: Numeric Position: 551-551

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: DVRC1 Type: Numeric Position: 552-555

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16358	45.8%	100.0%	16358	93.1%	100.0%
RESERVED CODES:							
MISSING	.	19345	54.2%	n/a	1217	6.9%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DVRC1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	410.1	376.0	0.0	1227.0	81.9
Adequate Provider Data	410.1	376.0	0.0	1227.0	81.9

Variable: DVRC2 Type: Numeric Position: 556-559**Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2****Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		260	0.7%	100.0%	260	1.5%	100.0%
RESERVED CODES:							
MISSING	.	35443	99.3%	n/a	17315	98.5%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DVRC2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	678.5	631.5	290.0	1461.0	203.7
Adequate Provider Data	678.5	631.5	290.0	1461.0	203.7

Variable: DVRC3 Type: Numeric Position: 560-562**Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3****Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING	.	35701	100.0%	n/a	17573	100.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DVRC3 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	880.5	880.5	789.0	972.0	129.4
Adequate Provider Data	880.5	880.5	789.0	972.0	129.4

Variable: DVRC4 Type: Numeric Position: 563-563**Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4**

Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: DVRC5 Type: Numeric Position: 564-564**Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5**

Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DVRC6 Type: Numeric Position: 565-565

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: DVRC7 Type: Numeric Position: 566-566

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: DVRC8 Type: Numeric Position: 567-567

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DVRC9 Type: Numeric Position: 568-568

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: DTP1_AGE Type: Numeric Position: 569-570

Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16967	47.5%	100.0%	16967	96.5%	100.0%
RESERVED CODES:							
MISSING	.	18736	52.5%	n/a	608	3.5%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DTP1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	2.1	2.0	0.0	33.0	1.8
Adequate Provider Data	2.1	2.0	0.0	33.0	1.8

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DTP2_AGE Type: Numeric Position: 571-572

Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16820	47.1%	100.0%	16820	95.7%	100.0%
RESERVED CODES:							
MISSING	.	18883	52.9%	n/a	755	4.3%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DTP2_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	4.4	4.0	1.0	40.0	2.2
Adequate Provider Data	4.4	4.0	1.0	40.0	2.2

Variable: DTP3_AGE Type: Numeric Position: 573-574

Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #3

Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16605	46.5%	100.0%	16605	94.5%	100.0%
RESERVED CODES:							
MISSING	.	19098	53.5%	n/a	970	5.5%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DTP3_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	6.7	6.0	2.0	42.0	2.7
Adequate Provider Data	6.7	6.0	2.0	42.0	2.7

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DTP4_AGE Type: Numeric Position: 575-576

Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15352	43.0%	100.0%	15352	87.4%	100.0%
RESERVED CODES:							
MISSING	.	20351	57.0%	n/a	2223	12.6%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DTP4_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	16.5	15.0	3.0	42.0	3.0
Adequate Provider Data	16.5	15.0	3.0	42.0	3.0

Variable: DTP5_AGE Type: Numeric Position: 577-578

Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		251	0.7%	100.0%	251	1.4%	100.0%
RESERVED CODES:							
MISSING	.	35452	99.3%	n/a	17324	98.6%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DTP5_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	19.3	18.0	5.0	36.0	5.3
Adequate Provider Data	19.3	18.0	5.0	36.0	5.3

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DTP6_AGE Type: Numeric Position: 579-580

Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14	0.0%	100.0%	14	0.1%	100.0%
RESERVED CODES:							
MISSING	.	35689	100.0%	n/a	17561	99.9%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DTP6_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	22.1	18.0	11.0	48.0	10.9
Adequate Provider Data	22.1	18.0	11.0	48.0	10.9

Variable: DTP7_AGE Type: Numeric Position: 581-582

Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		4	0.0%	100.0%	4	0.0%	100.0%
RESERVED CODES:							
MISSING	.	35699	100.0%	n/a	17571	100.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: DTP7_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	23.5	24.0	18.0	28.0	4.1
Adequate Provider Data	23.5	24.0	18.0	28.0	4.1

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DTP8_AGE Type: Numeric Position: 583-583

Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: DTP9_AGE Type: Numeric Position: 584-584

Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: FLU1_AGE Type: Numeric Position: 585-586

Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1

Notes: See section 8 notes for P_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		13632	38.2%	100.0%	13632	77.6%	100.0%
RESERVED CODES:							
MISSING	.	22071	61.8%	n/a	3943	22.4%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	9.2	7.0	0.0	41.0	4.6
Adequate Provider Data	9.2	7.0	0.0	41.0	4.6

Variable: FLU2_AGE Type: Numeric Position: 587-588**Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2****Notes: See section 8 notes for P_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		12215	34.2%	100.0%	12215	69.5%	100.0%
RESERVED CODES:							
MISSING	.	23488	65.8%	n/a	5360	30.5%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: FLU2_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	11.4	10.0	2.0	41.0	5.1
Adequate Provider Data	11.4	10.0	2.0	41.0	5.1

Variable: FLU3_AGE Type: Numeric Position: 589-590**Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3****Notes: See section 8 notes for P_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		9076	25.4%	100.0%	9076	51.6%	100.0%
RESERVED CODES:							
MISSING	.	26627	74.6%	n/a	8499	48.4%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU3_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	19.3	18.0	6.0	45.0	4.9
Adequate Provider Data	19.3	18.0	6.0	45.0	4.9

Variable: FLU4_AGE Type: Numeric Position: 591-592**Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4**

Notes: See section 8 notes for P_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		3098	8.7%	100.0%	3098	17.6%	100.0%
RESERVED CODES:							
MISSING	.	32605	91.3%	n/a	14477	82.4%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: FLU4_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	28.7	29.0	7.0	45.0	4.6
Adequate Provider Data	28.7	29.0	7.0	45.0	4.6

Variable: FLU5_AGE Type: Numeric Position: 593-594**Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5**

Notes: See section 8 notes for P_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		205	0.6%	100.0%	205	1.2%	100.0%
RESERVED CODES:							
MISSING	.	35498	99.4%	n/a	17370	98.8%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU5_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	34.6	36.0	12.0	44.0	5.9
Adequate Provider Data	34.6	36.0	12.0	44.0	5.9

Variable: FLU6_AGE Type: Numeric Position: 595-596**Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6**

Notes: See section 8 notes for P_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		8	0.0%	100.0%	8	0.0%	100.0%
RESERVED CODES:							
MISSING	.	35695	100.0%	n/a	17567	100.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: FLU6_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	27.1	26.0	15.0	42.0	10.2
Adequate Provider Data	27.1	26.0	15.0	42.0	10.2

Variable: FLU7_AGE Type: Numeric Position: 597-598**Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7**

Notes: See section 8 notes for P_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING	.	35701	100.0%	n/a	17573	100.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU7_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	24.5	24.5	24.0	25.0	0.7
Adequate Provider Data	24.5	24.5	24.0	25.0	0.7

Variable: FLU8_AGE Type: Numeric Position: 599-600**Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8**

Notes: See section 8 notes for P_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	35702	100.0%	n/a	17574	100.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: FLU8_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	35.0	35.0	35.0	35.0	.
Adequate Provider Data	35.0	35.0	35.0	35.0	.

Variable: FLU9_AGE Type: Numeric Position: 601-601**Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9**

Notes: See section 8 notes for P_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEA1_AGE Type: Numeric Position: 602-603

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16004	44.8%	100.0%	16004	91.1%	100.0%
RESERVED CODES:							
MISSING	.	19699	55.2%	n/a	1571	8.9%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: HEA1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	13.4	12.0	0.0	40.0	3.1
Adequate Provider Data	13.4	12.0	0.0	40.0	3.1

Variable: HEA2_AGE Type: Numeric Position: 604-605

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		12794	35.8%	100.0%	12794	72.8%	100.0%
RESERVED CODES:							
MISSING	.	22909	64.2%	n/a	4781	27.2%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: HEA2_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	20.7	19.0	12.0	42.0	3.6
Adequate Provider Data	20.7	19.0	12.0	42.0	3.6

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEA3_AGE Type: Numeric Position: 606-607

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		92	0.3%	100.0%	92	0.5%	100.0%
RESERVED CODES:							
MISSING	.	35611	99.7%	n/a	17483	99.5%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: HEA3_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	24.3	24.0	18.0	37.0	5.4
Adequate Provider Data	24.3	24.0	18.0	37.0	5.4

Variable: HEA4_AGE Type: Numeric Position: 608-609

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	35702	100.0%	n/a	17574	100.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: HEA4_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	28.0	28.0	28.0	28.0	.
Adequate Provider Data	28.0	28.0	28.0	28.0	.

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEA5_AGE Type: Numeric Position: 610-610

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: HEA6_AGE Type: Numeric Position: 611-611

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: HEA7_AGE Type: Numeric Position: 612-612

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEA8_AGE Type: Numeric Position: 613-613

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: HEA9_AGE Type: Numeric Position: 614-614

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: HEP1_AGE Type: Numeric Position: 615-616

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17097	47.9%	100.0%	17097	97.3%	100.0%
RESERVED CODES:							
MISSING	.	18606	52.1%	n/a	478	2.7%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEP1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	0.4	0.0	0.0	37.0	1.9
Adequate Provider Data	0.4	0.0	0.0	37.0	1.9

Variable: HEP2_AGE Type: Numeric Position: 617-618**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2**

Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16740	46.9%	100.0%	16740	95.2%	100.0%
RESERVED CODES:							
MISSING	.	18963	53.1%	n/a	835	4.8%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: HEP2_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	2.3	2.0	0.0	36.0	2.4
Adequate Provider Data	2.3	2.0	0.0	36.0	2.4

Variable: HEP3_AGE Type: Numeric Position: 619-620**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3**

Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16329	45.7%	100.0%	16329	92.9%	100.0%
RESERVED CODES:							
MISSING	.	19374	54.3%	n/a	1246	7.1%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEP3_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	6.4	6.0	1.0	42.0	3.4
Adequate Provider Data	6.4	6.0	1.0	42.0	3.4

Variable: HEP4_AGE Type: Numeric Position: 621-622**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4**

Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		6630	18.6%	100.0%	6630	37.7%	100.0%
RESERVED CODES:							
MISSING	.	29073	81.4%	n/a	10945	62.3%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: HEP4_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	6.9	6.0	3.0	37.0	3.0
Adequate Provider Data	6.9	6.0	3.0	37.0	3.0

Variable: HEP5_AGE Type: Numeric Position: 623-624**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5**

Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		258	0.7%	100.0%	258	1.5%	100.0%
RESERVED CODES:							
MISSING	.	35445	99.3%	n/a	17317	98.5%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEP5_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	13.9	15.0	5.0	39.0	5.7
Adequate Provider Data	13.9	15.0	5.0	39.0	5.7

Variable: HEP6_AGE Type: Numeric Position: 625-626**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6**

Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		20	0.1%	100.0%	20	0.1%	100.0%
RESERVED CODES:							
MISSING	.	35683	99.9%	n/a	17555	99.9%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: HEP6_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	15.4	14.5	9.0	30.0	5.7
Adequate Provider Data	15.4	14.5	9.0	30.0	5.7

Variable: HEP7_AGE Type: Numeric Position: 627-628**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7**

Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		4	0.0%	100.0%	4	0.0%	100.0%
RESERVED CODES:							
MISSING	.	35699	100.0%	n/a	17571	100.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEP7_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	17.0	15.0	11.0	27.0	6.9
Adequate Provider Data	17.0	15.0	11.0	27.0	6.9

Variable: HEP8_AGE Type: Numeric Position: 629-629**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8**

Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: HEP9_AGE Type: Numeric Position: 630-630**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9**

Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HIB1_AGE Type: Numeric Position: 631-632

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16936	47.4%	100.0%	16936	96.4%	100.0%
RESERVED CODES:							
MISSING	.	18767	52.6%	n/a	639	3.6%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: HIB1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	2.2	2.0	0.0	33.0	1.9
Adequate Provider Data	2.2	2.0	0.0	33.0	1.9

Variable: HIB2_AGE Type: Numeric Position: 633-634

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16710	46.8%	100.0%	16710	95.1%	100.0%
RESERVED CODES:							
MISSING	.	18993	53.2%	n/a	865	4.9%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: HIB2_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	4.4	4.0	1.0	40.0	2.0
Adequate Provider Data	4.4	4.0	1.0	40.0	2.0

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HIB3_AGE Type: Numeric Position: 635-636

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #3

Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16300	45.7%	100.0%	16300	92.7%	100.0%
RESERVED CODES:							
MISSING	.	19403	54.3%	n/a	1275	7.3%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: HIB3_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	8.8	6.0	2.0	43.0	4.4
Adequate Provider Data	8.8	6.0	2.0	43.0	4.4

Variable: HIB4_AGE Type: Numeric Position: 637-638

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		11084	31.0%	100.0%	11084	63.1%	100.0%
RESERVED CODES:							
MISSING	.	24619	69.0%	n/a	6491	36.9%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: HIB4_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	15.5	15.0	3.0	42.0	2.9
Adequate Provider Data	15.5	15.0	3.0	42.0	2.9

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HIB5_AGE Type: Numeric Position: 639-640

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		174	0.5%	100.0%	174	1.0%	100.0%
RESERVED CODES:							
MISSING	.	35529	99.5%	n/a	17401	99.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: HIB5_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	19.0	18.0	5.0	39.0	5.7
Adequate Provider Data	19.0	18.0	5.0	39.0	5.7

Variable: HIB6_AGE Type: Numeric Position: 641-642

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		5	0.0%	100.0%	5	0.0%	100.0%
RESERVED CODES:							
MISSING	.	35698	100.0%	n/a	17570	100.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: HIB6_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	16.4	15.0	15.0	21.0	2.6
Adequate Provider Data	16.4	15.0	15.0	21.0	2.6

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HIB7_AGE Type: Numeric Position: 643-644

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	35702	100.0%	n/a	17574	100.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: HIB7_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	18.0	18.0	18.0	18.0	.
Adequate Provider Data	18.0	18.0	18.0	18.0	.

Variable: HIB8_AGE Type: Numeric Position: 645-645

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HIB9_AGE Type: Numeric Position: 646-646

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: MMR1_AGE Type: Numeric Position: 647-648

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16450	46.1%	100.0%	16450	93.6%	100.0%
RESERVED CODES:							
MISSING	.	19253	53.9%	n/a	1125	6.4%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: MMR1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	12.8	12.0	0.0	40.0	2.5
Adequate Provider Data	12.8	12.0	0.0	40.0	2.5

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MMR2_AGE Type: Numeric Position: 649-650

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		431	1.2%	100.0%	431	2.5%	100.0%
RESERVED CODES:							
MISSING	.	35272	98.8%	n/a	17144	97.5%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: MMR2_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	19.5	18.0	9.0	48.0	7.0
Adequate Provider Data	19.5	18.0	9.0	48.0	7.0

Variable: MMR3_AGE Type: Numeric Position: 651-652

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #3

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		11	0.0%	100.0%	11	0.1%	100.0%
RESERVED CODES:							
MISSING	.	35692	100.0%	n/a	17564	99.9%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: MMR3_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	22.0	24.0	12.0	31.0	6.1
Adequate Provider Data	22.0	24.0	12.0	31.0	6.1

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MMR4_AGE Type: Numeric Position: 653-654

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	35702	100.0%	n/a	17574	100.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: MMR4_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	27.0	27.0	27.0	27.0	.
Adequate Provider Data	27.0	27.0	27.0	27.0	.

Variable: MMR5_AGE Type: Numeric Position: 655-656

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	35702	100.0%	n/a	17574	100.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: MMR5_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	32.0	32.0	32.0	32.0	.
Adequate Provider Data	32.0	32.0	32.0	32.0	.

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MMR6_AGE Type: Numeric Position: 657-657

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: MMR7_AGE Type: Numeric Position: 658-658

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: MMR8_AGE Type: Numeric Position: 659-659

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MMR9_AGE Type: Numeric Position: 660-660

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: MP1_AGE Type: Numeric Position: 661-661

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #1

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: MP2_AGE Type: Numeric Position: 662-662

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #2

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MP3_AGE Type: Numeric Position: 663-663

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #3

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: MP4_AGE Type: Numeric Position: 664-664

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #4

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: MP5_AGE Type: Numeric Position: 665-665

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #5

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MP6_AGE Type: Numeric Position: 666-666

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #6

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: MP7_AGE Type: Numeric Position: 667-667

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #7

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: MP8_AGE Type: Numeric Position: 668-668

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #8

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MP9_AGE Type: Numeric Position: 669-669

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #9

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: MPR1_AGE Type: Numeric Position: 670-670

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: MPR2_AGE Type: Numeric Position: 671-671

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MPR3_AGE Type: Numeric Position: 672-672

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: MPR4_AGE Type: Numeric Position: 673-673

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: MPR5_AGE Type: Numeric Position: 674-674

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MPR6_AGE Type: Numeric Position: 675-675

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: MPR7_AGE Type: Numeric Position: 676-676

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: MPR8_AGE Type: Numeric Position: 677-677

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MPR9_AGE Type: Numeric Position: 678-678

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: PCV1_AGE Type: Numeric Position: 679-680

Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16965	47.5%	100.0%	16965	96.5%	100.0%
RESERVED CODES:							
MISSING	.	18738	52.5%	n/a	610	3.5%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: PCV1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	2.2	2.0	0.0	38.0	1.9
Adequate Provider Data	2.2	2.0	0.0	38.0	1.9

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PCV2_AGE Type: Numeric Position: 681-682

Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16774	47.0%	100.0%	16774	95.4%	100.0%
RESERVED CODES:							
MISSING	.	18929	53.0%	n/a	801	4.6%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: PCV2_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	4.4	4.0	2.0	34.0	2.1
Adequate Provider Data	4.4	4.0	2.0	34.0	2.1

Variable: PCV3_AGE Type: Numeric Position: 683-684

Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3

Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16499	46.2%	100.0%	16499	93.9%	100.0%
RESERVED CODES:							
MISSING	.	19204	53.8%	n/a	1076	6.1%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: PCV3_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	6.8	6.0	3.0	42.0	2.7
Adequate Provider Data	6.8	6.0	3.0	42.0	2.7

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PCV4_AGE Type: Numeric Position: 685-686

Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15244	42.7%	100.0%	15244	86.7%	100.0%
RESERVED CODES:							
MISSING	.	20459	57.3%	n/a	2331	13.3%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: PCV4_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	14.1	13.0	5.0	42.0	2.8
Adequate Provider Data	14.1	13.0	5.0	42.0	2.8

Variable: PCV5_AGE Type: Numeric Position: 687-688

Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		176	0.5%	100.0%	176	1.0%	100.0%
RESERVED CODES:							
MISSING	.	35527	99.5%	n/a	17399	99.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: PCV5_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	19.4	16.0	11.0	40.0	6.7
Adequate Provider Data	19.4	16.0	11.0	40.0	6.7

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PCV6_AGE Type: Numeric Position: 689-690

Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		4	0.0%	100.0%	4	0.0%	100.0%
RESERVED CODES:							
MISSING	.	35699	100.0%	n/a	17571	100.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: PCV6_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	20.8	17.0	15.0	34.0	8.9
Adequate Provider Data	20.8	17.0	15.0	34.0	8.9

Variable: PCV7_AGE Type: Numeric Position: 691-691

Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PCV8_AGE Type: Numeric Position: 692-692

Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: PCV9_AGE Type: Numeric Position: 693-693

Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: POL1_AGE Type: Numeric Position: 694-695

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16930	47.4%	100.0%	16930	96.3%	100.0%
RESERVED CODES:							
MISSING	.	18773	52.6%	n/a	645	3.7%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: POL1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	2.1	2.0	0.0	33.0	1.8
Adequate Provider Data	2.1	2.0	0.0	33.0	1.8

Variable: POL2_AGE Type: Numeric Position: 696-697**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #2**

Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16769	47.0%	100.0%	16769	95.4%	100.0%
RESERVED CODES:							
MISSING	.	18934	53.0%	n/a	806	4.6%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: POL2_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	4.4	4.0	1.0	40.0	2.3
Adequate Provider Data	4.4	4.0	1.0	40.0	2.3

Variable: POL3_AGE Type: Numeric Position: 698-699**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #3**

Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16510	46.2%	100.0%	16510	93.9%	100.0%
RESERVED CODES:							
MISSING	.	19193	53.8%	n/a	1065	6.1%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: POL3_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	6.9	6.0	2.0	42.0	3.0
Adequate Provider Data	6.9	6.0	2.0	42.0	3.0

Variable: POL4_AGE Type: Numeric Position: 700-701**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #4**

Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		4618	12.9%	100.0%	4618	26.3%	100.0%
RESERVED CODES:							
MISSING	.	31085	87.1%	n/a	12957	73.7%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: POL4_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	15.9	15.0	3.0	48.0	3.0
Adequate Provider Data	15.9	15.0	3.0	48.0	3.0

Variable: POL5_AGE Type: Numeric Position: 702-703**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #5**

Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		93	0.3%	100.0%	93	0.5%	100.0%
RESERVED CODES:							
MISSING	.	35610	99.7%	n/a	17482	99.5%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: POL5_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	17.4	16.0	5.0	33.0	6.3
Adequate Provider Data	17.4	16.0	5.0	33.0	6.3

Variable: POL6_AGE Type: Numeric Position: 704-705

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15	0.0%	100.0%	15	0.1%	100.0%
RESERVED CODES:							
MISSING	.	35688	100.0%	n/a	17560	99.9%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: POL6_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	18.9	16.0	9.0	39.0	7.9
Adequate Provider Data	18.9	16.0	9.0	39.0	7.9

Variable: POL7_AGE Type: Numeric Position: 706-707

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	35702	100.0%	n/a	17574	100.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: POL7_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	18.0	18.0	18.0	18.0	.
Adequate Provider Data	18.0	18.0	18.0	18.0	.

Variable: POL8_AGE Type: Numeric Position: 708-708**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #8**

Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: POL9_AGE Type: Numeric Position: 709-709**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #9**

Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: RB1_AGE Type: Numeric Position: 710-710

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #1

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: RB2_AGE Type: Numeric Position: 711-711

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #2

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: RB3_AGE Type: Numeric Position: 712-712

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #3

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: RB4_AGE Type: Numeric Position: 713-713

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #4

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: RB5_AGE Type: Numeric Position: 714-714

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #5

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: RB6_AGE Type: Numeric Position: 715-715

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #6

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: RB7_AGE Type: Numeric Position: 716-716

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #7

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: RB8_AGE Type: Numeric Position: 717-717

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #8

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: RB9_AGE Type: Numeric Position: 718-718

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #9

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: ROT1_AGE Type: Numeric Position: 719-720

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16034	44.9%	100.0%	16034	91.2%	100.0%
RESERVED CODES:							
MISSING	.	19669	55.1%	n/a	1541	8.8%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: ROT1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	1.9	2.0	0.0	21.0	0.7
Adequate Provider Data	1.9	2.0	0.0	21.0	0.7

Variable: ROT2_AGE Type: Numeric Position: 721-722

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15536	43.5%	100.0%	15536	88.4%	100.0%
RESERVED CODES:							
MISSING	.	20167	56.5%	n/a	2039	11.6%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: ROT2_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	4.1	4.0	1.0	27.0	0.9
Adequate Provider Data	4.1	4.0	1.0	27.0	0.9

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: ROT3_AGE Type: Numeric Position: 723-724

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3

Notes: See section 8 notes for P_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		10900	30.5%	100.0%	10900	62.0%	100.0%
RESERVED CODES:							
MISSING	.	24803	69.5%	n/a	6675	38.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: ROT3_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	6.1	6.0	3.0	30.0	1.0
Adequate Provider Data	6.1	6.0	3.0	30.0	1.0

Variable: ROT4_AGE Type: Numeric Position: 725-726

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		25	0.1%	100.0%	25	0.1%	100.0%
RESERVED CODES:							
MISSING	.	35678	99.9%	n/a	17550	99.9%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: ROT4_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	10.9	9.0	5.0	24.0	5.8
Adequate Provider Data	10.9	9.0	5.0	24.0	5.8

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: ROT5_AGE Type: Numeric Position: 727-727

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: ROT6_AGE Type: Numeric Position: 728-728

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: ROT7_AGE Type: Numeric Position: 729-729

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: ROT8_AGE Type: Numeric Position: 730-730

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: ROT9_AGE Type: Numeric Position: 731-731

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: VRC1_AGE Type: Numeric Position: 732-733

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16358	45.8%	100.0%	16358	93.1%	100.0%
RESERVED CODES:							
MISSING	.	19345	54.2%	n/a	1217	6.9%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	13.2	12.0	0.0	40.0	2.6
Adequate Provider Data	13.2	12.0	0.0	40.0	2.6

Variable: VRC2_AGE Type: Numeric Position: 734-735**Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2**

Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		260	0.7%	100.0%	260	1.5%	100.0%
RESERVED CODES:							
MISSING	.	35443	99.3%	n/a	17315	98.5%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: VRC2_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	21.9	20.0	9.0	48.0	6.7
Adequate Provider Data	21.9	20.0	9.0	48.0	6.7

Variable: VRC3_AGE Type: Numeric Position: 736-737**Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3**

Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING	.	35701	100.0%	n/a	17573	100.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC3_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	28.0	28.0	25.0	31.0	4.2
Adequate Provider Data	28.0	28.0	25.0	31.0	4.2

Variable: VRC4_AGE Type: Numeric Position: 738-738

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: VRC5_AGE Type: Numeric Position: 739-739

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC6_AGE Type: Numeric Position: 740-740

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: VRC7_AGE Type: Numeric Position: 741-741

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: VRC8_AGE Type: Numeric Position: 742-742

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC9_AGE Type: Numeric Position: 743-743

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: XDTPTY1 Type: Character Position: 744-745

Label: DT-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTP-UNKNOWN	03	151	0.4%	0.9%	151	0.9%	0.9%
DTAP	04	1953	5.5%	11.5%	1953	11.1%	11.5%
DTAP-HIB	07	10	0.0%	0.1%	10	0.1%	0.1%
DTAP-HEPB-IPV	08	7921	22.2%	46.7%	7921	45.1%	46.7%
DTAP-IPV-HIB	D3	6835	19.1%	40.3%	6835	38.9%	40.3%
D4	D4	97	0.3%	0.6%	97	0.6%	0.6%
SUBTOTALS:		16967	47.5%	100.0%	16967	96.5%	100.0%
RESERVED CODES:							
MISSING		18736	52.5%	n/a	608	3.5%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XDTPTY2 Type: Character Position: 746-747

Label: DT-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTP-UNKNOWN	03	144	0.4%	0.9%	144	0.8%	0.9%
DTAP	04	1992	5.6%	11.8%	1992	11.3%	11.8%
DTAP-HIB	07	10	0.0%	0.1%	10	0.1%	0.1%
DTAP-HEPB-IPV	08	6922	19.4%	41.2%	6922	39.4%	41.2%
DTAP-IPV-HIB	D3	7656	21.4%	45.5%	7656	43.6%	45.5%
D4	D4	96	0.3%	0.6%	96	0.5%	0.6%
SUBTOTALS:		16820	47.1%	100.0%	16820	95.7%	100.0%
RESERVED CODES:							
MISSING		18883	52.9%	n/a	755	4.3%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: XDTPTY3 Type: Character Position: 748-749

Label: DT-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTP-UNKNOWN	03	134	0.4%	0.8%	134	0.8%	0.8%
DTAP	04	1894	5.3%	11.4%	1894	10.8%	11.4%
DTAP-HIB	07	14	0.0%	0.1%	14	0.1%	0.1%
DTAP-HEPB-IPV	08	7664	21.5%	46.2%	7664	43.6%	46.2%
DTAP-IPV-HIB	D3	6786	19.0%	40.9%	6786	38.6%	40.9%
D4	D4	113	0.3%	0.7%	113	0.6%	0.7%
SUBTOTALS:		16605	46.5%	100.0%	16605	94.5%	100.0%
RESERVED CODES:							
MISSING		19098	53.5%	n/a	970	5.5%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XDTPTY4 Type: Character Position: 750-751

Label: DT-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTP-UNKNOWN	03	172	0.5%	1.1%	172	1.0%	1.1%
DTAP	04	10811	30.3%	70.4%	10811	61.5%	70.4%
DTAP-HIB	07	61	0.2%	0.4%	61	0.3%	0.4%
DTAP-HEPB-IPV	08	260	0.7%	1.7%	260	1.5%	1.7%
DTAP-IPV-HIB	D3	4018	11.3%	26.2%	4018	22.9%	26.2%
D4	D4	30	0.1%	0.2%	30	0.2%	0.2%
SUBTOTALS:		15352	43.0%	100.0%	15352	87.4%	100.0%
RESERVED CODES:							
MISSING		20351	57.0%	n/a	2223	12.6%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: XDTPTY5 Type: Character Position: 752-753

Label: DT-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTP-UNKNOWN	03	4	0.0%	1.6%	4	0.0%	1.6%
DTAP	04	161	0.5%	64.1%	161	0.9%	64.1%
DTAP-HIB	07	3	0.0%	1.2%	3	0.0%	1.2%
DTAP-HEPB-IPV	08	24	0.1%	9.6%	24	0.1%	9.6%
DTAP-IPV-HIB	D3	57	0.2%	22.7%	57	0.3%	22.7%
D4	D4	2	0.0%	0.8%	2	0.0%	0.8%
SUBTOTALS:		251	0.7%	100.0%	251	1.4%	100.0%
RESERVED CODES:							
MISSING		35452	99.3%	n/a	17324	98.6%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XDTPTY6 Type: Character Position: 754-755

Label: DT-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTP-UNKNOWN	03	1	0.0%	7.1%	1	0.0%	7.1%
DTAP	04	4	0.0%	28.6%	4	0.0%	28.6%
DTAP-HEPB-IPV	08	4	0.0%	28.6%	4	0.0%	28.6%
DTAP-IPV-HIB	D3	5	0.0%	35.7%	5	0.0%	35.7%
SUBTOTALS:		14	0.0%	100.0%	14	0.1%	100.0%
RESERVED CODES:							
MISSING		35689	100.0%	n/a	17561	99.9%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: XDTPTY7 Type: Character Position: 756-757

Label: DT-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP	04	3	0.0%	75.0%	3	0.0%	75.0%
DTAP-HEPB-IPV	08	1	0.0%	25.0%	1	0.0%	25.0%
SUBTOTALS:		4	0.0%	100.0%	4	0.0%	100.0%
RESERVED CODES:							
MISSING		35699	100.0%	n/a	17571	100.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XDTPTY8 Type: Character Position: 758-758

Label: DT-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: XDTPTY9 Type: Character Position: 759-759

Label: DT-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: XFLUTY1 Type: Character Position: 760-761

Label: SEASONAL FLU-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	992	2.8%	7.3%	992	5.6%	7.3%
SEASONAL FLU SPRAY	FM	86	0.2%	0.6%	86	0.5%	0.6%
SEASONAL FLU INJECTED	FN	12554	35.2%	92.1%	12554	71.4%	92.1%
SUBTOTALS:		13632	38.2%	100.0%	13632	77.6%	100.0%
RESERVED CODES:							

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XFLUTY1 Type: Character Position: 760-761

Label: SEASONAL FLU-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MISSING		22071	61.8%	n/a	3943	22.4%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: XFLUTY2 Type: Character Position: 762-763

Label: SEASONAL FLU-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	807	2.3%	6.6%	807	4.6%	6.6%
SEASONAL FLU SPRAY	FM	77	0.2%	0.6%	77	0.4%	0.6%
SEASONAL FLU INJECTED	FN	11331	31.7%	92.8%	11331	64.5%	92.8%
SUBTOTALS:		12215	34.2%	100.0%	12215	69.5%	100.0%
RESERVED CODES:							
MISSING		23488	65.8%	n/a	5360	30.5%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: XFLUTY3 Type: Character Position: 764-765

Label: SEASONAL FLU-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	548	1.5%	6.0%	548	3.1%	6.0%
SEASONAL FLU SPRAY	FM	75	0.2%	0.8%	75	0.4%	0.8%
SEASONAL FLU INJECTED	FN	8453	23.7%	93.1%	8453	48.1%	93.1%
SUBTOTALS:		9076	25.4%	100.0%	9076	51.6%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XFLUTY3 Type: Character Position: 764-765

Label: SEASONAL FLU-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
RESERVED CODES:							
MISSING		26627	74.6%	n/a	8499	48.4%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: XFLUTY4 Type: Character Position: 766-767

Label: SEASONAL FLU-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	194	0.5%	6.3%	194	1.1%	6.3%
SEASONAL FLU SPRAY	FM	54	0.2%	1.7%	54	0.3%	1.7%
SEASONAL FLU INJECTED	FN	2850	8.0%	92.0%	2850	16.2%	92.0%
SUBTOTALS:		3098	8.7%	100.0%	3098	17.6%	100.0%
RESERVED CODES:							
MISSING		32605	91.3%	n/a	14477	82.4%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XFLUTY5 Type: Character Position: 768-769

Label: SEASONAL FLU-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	48	0.1%	23.4%	48	0.3%	23.4%
SEASONAL FLU SPRAY	FM	10	0.0%	4.9%	10	0.1%	4.9%
SEASONAL FLU INJECTED	FN	147	0.4%	71.7%	147	0.8%	71.7%
SUBTOTALS:		205	0.6%	100.0%	205	1.2%	100.0%
RESERVED CODES:							
MISSING		35498	99.4%	n/a	17370	98.8%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: XFLUTY6 Type: Character Position: 770-771

Label: SEASONAL FLU-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	1	0.0%	12.5%	1	0.0%	12.5%
SEASONAL FLU INJECTED	FN	7	0.0%	87.5%	7	0.0%	87.5%
SUBTOTALS:		8	0.0%	100.0%	8	0.0%	100.0%
RESERVED CODES:							
MISSING		35695	100.0%	n/a	17567	100.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XFLUTY7 Type: Character Position: 772-773

Label: SEASONAL FLU-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU INJECTED	FN	2	0.0%	100.0%	2	0.0%	100.0%
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING		35701	100.0%	n/a	17573	100.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: XFLUTY8 Type: Character Position: 774-775

Label: SEASONAL FLU-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU INJECTED	FN	1	0.0%	100.0%	1	0.0%	100.0%
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING		35702	100.0%	n/a	17574	100.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XFLUTY9 Type: Character Position: 776-776

Label: SEASONAL FLU-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: XHEPTY1 Type: Character Position: 777-778

Label: HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	1111	3.1%	6.5%	1111	6.3%	6.5%
HEPB ONLY	60	15951	44.7%	93.3%	15951	90.8%	93.3%
D4	D4	28	0.1%	0.2%	28	0.2%	0.2%
HEPB-UNKNOWN	HB	7	0.0%	0.0%	7	0.0%	0.0%
SUBTOTALS:		17097	47.9%	100.0%	17097	97.3%	100.0%
RESERVED CODES:							
MISSING		18606	52.1%	n/a	478	2.7%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPTY2 Type: Character Position: 779-780

Label: HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	7927	22.2%	47.4%	7927	45.1%	47.4%
HEPB ONLY	60	8688	24.3%	51.9%	8688	49.4%	51.9%
D4	D4	94	0.3%	0.6%	94	0.5%	0.6%
HEPB-UNKNOWN	HB	31	0.1%	0.2%	31	0.2%	0.2%
SUBTOTALS:		16740	46.9%	100.0%	16740	95.2%	100.0%
RESERVED CODES:							
MISSING		18963	53.1%	n/a	835	4.8%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: XHEPTY3 Type: Character Position: 781-782

Label: HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	7893	22.1%	48.3%	7893	44.9%	48.3%
HEPB ONLY	60	8268	23.2%	50.6%	8268	47.0%	50.6%
D4	D4	137	0.4%	0.8%	137	0.8%	0.8%
HEPB-UNKNOWN	HB	31	0.1%	0.2%	31	0.2%	0.2%
SUBTOTALS:		16329	45.7%	100.0%	16329	92.9%	100.0%
RESERVED CODES:							
MISSING		19374	54.3%	n/a	1246	7.1%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPTY4 Type: Character Position: 783-784

Label: HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	5670	15.9%	85.5%	5670	32.3%	85.5%
HEPB ONLY	60	868	2.4%	13.1%	868	4.9%	13.1%
D4	D4	73	0.2%	1.1%	73	0.4%	1.1%
HEPB-UNKNOWN	HB	19	0.1%	0.3%	19	0.1%	0.3%
SUBTOTALS:		6630	18.6%	100.0%	6630	37.7%	100.0%
RESERVED CODES:							
MISSING		29073	81.4%	n/a	10945	62.3%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: XHEPTY5 Type: Character Position: 785-786

Label: HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	182	0.5%	70.5%	182	1.0%	70.5%
HEPB ONLY	60	68	0.2%	26.4%	68	0.4%	26.4%
D4	D4	4	0.0%	1.6%	4	0.0%	1.6%
HEPB-UNKNOWN	HB	4	0.0%	1.6%	4	0.0%	1.6%
SUBTOTALS:		258	0.7%	100.0%	258	1.5%	100.0%
RESERVED CODES:							
MISSING		35445	99.3%	n/a	17317	98.5%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPTY6 Type: Character Position: 787-788

Label: HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	10	0.0%	50.0%	10	0.1%	50.0%
HEPB ONLY	60	8	0.0%	40.0%	8	0.0%	40.0%
D4	D4	2	0.0%	10.0%	2	0.0%	10.0%
SUBTOTALS:		20	0.1%	100.0%	20	0.1%	100.0%
RESERVED CODES:							
MISSING		35683	99.9%	n/a	17555	99.9%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: XHEPTY7 Type: Character Position: 789-790

Label: HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	4	0.0%	100.0%	4	0.0%	100.0%
SUBTOTALS:		4	0.0%	100.0%	4	0.0%	100.0%
RESERVED CODES:							
MISSING		35699	100.0%	n/a	17571	100.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPTY8 Type: Character Position: 791-791

Label: HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: XHEPTY9 Type: Character Position: 792-792

Label: HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: XHIBTY1 Type: Character Position: 793-794

Label: HIB-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HIB	07	10	0.0%	0.1%	10	0.1%	0.1%
HIB ONLY-UNKNOWN	44	68	0.2%	0.4%	68	0.4%	0.4%
DTAP-IPV-HIB	D3	6858	19.2%	40.5%	6858	39.0%	40.5%
D4	D4	97	0.3%	0.6%	97	0.6%	0.6%
HIB (GLAXOSMITHKLINE)	HG	448	1.3%	2.6%	448	2.5%	2.6%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHIBTY1 Type: Character Position: 793-794

Label: HIB-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
HIB-UNKNOWN	HI	1464	4.1%	8.6%	1464	8.3%	8.6%
HIB (MERCK)	HM	4576	12.8%	27.0%	4576	26.0%	27.0%
HIB (SANOFI)	HS	3335	9.3%	19.7%	3335	19.0%	19.7%
HIB-MENCY	HY	80	0.2%	0.5%	80	0.5%	0.5%
SUBTOTALS:		16936	47.4%	100.0%	16936	96.4%	100.0%
RESERVED CODES:							
MISSING		18767	52.6%	n/a	639	3.6%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: XHIBTY2 Type: Character Position: 795-796

Label: HIB-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HIB	07	11	0.0%	0.1%	11	0.1%	0.1%
HIB ONLY-UNKNOWN	44	55	0.2%	0.3%	55	0.3%	0.3%
DTAP-IPV-HIB	D3	7651	21.4%	45.8%	7651	43.5%	45.8%
D4	D4	97	0.3%	0.6%	97	0.6%	0.6%
HIB (GLAXOSMITHKLINE)	HG	474	1.3%	2.8%	474	2.7%	2.8%
HIB-UNKNOWN	HI	1323	3.7%	7.9%	1323	7.5%	7.9%
HIB (MERCK)	HM	4299	12.0%	25.7%	4299	24.5%	25.7%
HIB (SANOFI)	HS	2752	7.7%	16.5%	2752	15.7%	16.5%
HIB-MENCY	HY	48	0.1%	0.3%	48	0.3%	0.3%
SUBTOTALS:		16710	46.8%	100.0%	16710	95.1%	100.0%
RESERVED CODES:							
MISSING		18993	53.2%	n/a	865	4.9%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHIBTY3 Type: Character Position: 797-798

Label: HIB-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HIB	07	22	0.1%	0.1%	22	0.1%	0.1%
HIB ONLY-UNKNOWN	44	51	0.1%	0.3%	51	0.3%	0.3%
DTAP-IPV-HIB	D3	6915	19.4%	42.4%	6915	39.3%	42.4%
D4	D4	115	0.3%	0.7%	115	0.7%	0.7%
HIB (GLAXOSMITHKLINE)	HG	505	1.4%	3.1%	505	2.9%	3.1%
HIB-UNKNOWN	HI	1299	3.6%	8.0%	1299	7.4%	8.0%
HIB (MERCK)	HM	4102	11.5%	25.2%	4102	23.3%	25.2%
HIB (SANOFI)	HS	3215	9.0%	19.7%	3215	18.3%	19.7%
HIB-MENCY	HY	76	0.2%	0.5%	76	0.4%	0.5%
SUBTOTALS:		16300	45.7%	100.0%	16300	92.7%	100.0%
RESERVED CODES:							
MISSING		19403	54.3%	n/a	1275	7.3%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: XHIBTY4 Type: Character Position: 799-800

Label: HIB-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HIB	07	52	0.1%	0.5%	52	0.3%	0.5%
HIB ONLY-UNKNOWN	44	10	0.0%	0.1%	10	0.1%	0.1%
DTAP-IPV-HIB	D3	3848	10.8%	34.7%	3848	21.9%	34.7%
D4	D4	27	0.1%	0.2%	27	0.2%	0.2%
HIB (GLAXOSMITHKLINE)	HG	192	0.5%	1.7%	192	1.1%	1.7%
HIB-UNKNOWN	HI	1093	3.1%	9.9%	1093	6.2%	9.9%
HIB (MERCK)	HM	1106	3.1%	10.0%	1106	6.3%	10.0%
HIB (SANOFI)	HS	4660	13.1%	42.0%	4660	26.5%	42.0%
HIB-MENCY	HY	96	0.3%	0.9%	96	0.5%	0.9%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHIBTY4 Type: Character Position: 799-800

Label: HIB-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		11084	31.0%	100.0%	11084	63.1%	100.0%
RESERVED CODES:							
MISSING		24619	69.0%	n/a	6491	36.9%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: XHIBTY5 Type: Character Position: 801-802

Label: HIB-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HIB	07	3	0.0%	1.7%	3	0.0%	1.7%
HIB ONLY-UNKNOWN	44	1	0.0%	0.6%	1	0.0%	0.6%
DTAP-IPV-HIB	D3	82	0.2%	47.1%	82	0.5%	47.1%
D4	D4	2	0.0%	1.1%	2	0.0%	1.1%
HIB (GLAXOSMITHKLINE)	HG	6	0.0%	3.4%	6	0.0%	3.4%
HIB-UNKNOWN	HI	16	0.0%	9.2%	16	0.1%	9.2%
HIB (MERCK)	HM	17	0.0%	9.8%	17	0.1%	9.8%
HIB (SANOFI)	HS	47	0.1%	27.0%	47	0.3%	27.0%
SUBTOTALS:		174	0.5%	100.0%	174	1.0%	100.0%
RESERVED CODES:							
MISSING		35529	99.5%	n/a	17401	99.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHIBTY6 Type: Character Position: 803-804

Label: HIB-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-IPV-HIB	D3	3	0.0%	60.0%	3	0.0%	60.0%
HIB (MERCK)	HM	1	0.0%	20.0%	1	0.0%	20.0%
HIB (SANOFI)	HS	1	0.0%	20.0%	1	0.0%	20.0%
SUBTOTALS:		5	0.0%	100.0%	5	0.0%	100.0%
RESERVED CODES:							
MISSING		35698	100.0%	n/a	17570	100.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: XHIBTY7 Type: Character Position: 805-806

Label: HIB-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
HIB-UNKNOWN	HI	1	0.0%	100.0%	1	0.0%	100.0%
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING		35702	100.0%	n/a	17574	100.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHIBTY8 Type: Character Position: 807-807

Label: HIB-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: XHIBTY9 Type: Character Position: 808-808

Label: HIB-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: XMMRTY1 Type: Character Position: 809-810

Label: MEASLES-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MMR	30	14396	40.3%	87.5%	14396	81.9%	87.5%
MEASLES ONLY	31	41	0.1%	0.2%	41	0.2%	0.2%
MEASLES-RUBELLA	33	2	0.0%	0.0%	2	0.0%	0.0%
MCV-UNKNOWN	MM	64	0.2%	0.4%	64	0.4%	0.4%
MMR-VARICELLA	VM	1947	5.5%	11.8%	1947	11.1%	11.8%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMMRTY1 Type: Character Position: 809-810

Label: MEASLES-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		16450	46.1%	100.0%	16450	93.6%	100.0%
RESERVED CODES:							
MISSING		19253	53.9%	n/a	1125	6.4%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: XMMRTY2 Type: Character Position: 811-812

Label: MEASLES-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MMR	30	328	0.9%	76.1%	328	1.9%	76.1%
MEASLES ONLY	31	7	0.0%	1.6%	7	0.0%	1.6%
MEASLES-RUBELLA	33	1	0.0%	0.2%	1	0.0%	0.2%
MCV-UNKNOWN	MM	8	0.0%	1.9%	8	0.0%	1.9%
MMR-VARICELLA	VM	87	0.2%	20.2%	87	0.5%	20.2%
SUBTOTALS:		431	1.2%	100.0%	431	2.5%	100.0%
RESERVED CODES:							
MISSING		35272	98.8%	n/a	17144	97.5%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMMRTY3 Type: Character Position: 813-814

Label: MEASLES-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MMR	30	10	0.0%	90.9%	10	0.1%	90.9%
MMR-VARICELLA	VM	1	0.0%	9.1%	1	0.0%	9.1%
SUBTOTALS:		11	0.0%	100.0%	11	0.1%	100.0%
RESERVED CODES:							
MISSING		35692	100.0%	n/a	17564	99.9%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: XMMRTY4 Type: Character Position: 815-816

Label: MEASLES-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MMR	30	1	0.0%	100.0%	1	0.0%	100.0%
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING		35702	100.0%	n/a	17574	100.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMMRTY5 Type: Character Position: 817-818

Label: MEASLES-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MMR	30	1	0.0%	100.0%	1	0.0%	100.0%
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING		35702	100.0%	n/a	17574	100.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: XMMRTY6 Type: Character Position: 819-819

Label: MEASLES-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: XMMRTY7 Type: Character Position: 820-820

Label: MEASLES-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMMRTY8 Type: Character Position: 821-821

Label: MEASLES-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: XMMRTY9 Type: Character Position: 822-822

Label: MEASLES-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: XPCVTY1 Type: Character Position: 823-824

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV CONJUGATE-UNKNOWN	70	2	0.0%	0.0%	2	0.0%	0.0%
PCV POLYSACCHARIDE	71	23	0.1%	0.1%	23	0.1%	0.1%
PCV-UNKNOWN	72	713	2.0%	4.2%	713	4.1%	4.2%
PCV CONJUGATE-7	73	85	0.2%	0.5%	85	0.5%	0.5%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPCVTY1 Type: Character Position: 823-824

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV CONJUGATE-13	74	16141	45.2%	95.1%	16141	91.8%	95.1%
75	75	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		16965	47.5%	100.0%	16965	96.5%	100.0%
RESERVED CODES:							
MISSING		18738	52.5%	n/a	610	3.5%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: XPCVTY2 Type: Character Position: 825-826

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV CONJUGATE-UNKNOWN	70	3	0.0%	0.0%	3	0.0%	0.0%
PCV POLYSACCHARIDE	71	20	0.1%	0.1%	20	0.1%	0.1%
PCV-UNKNOWN	72	674	1.9%	4.0%	674	3.8%	4.0%
PCV CONJUGATE-7	73	77	0.2%	0.5%	77	0.4%	0.5%
PCV CONJUGATE-13	74	15999	44.8%	95.4%	15999	91.0%	95.4%
75	75	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		16774	47.0%	100.0%	16774	95.4%	100.0%
RESERVED CODES:							
MISSING		18929	53.0%	n/a	801	4.6%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPCVTY3 Type: Character Position: 827-828

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV CONJUGATE-UNKNOWN	70	1	0.0%	0.0%	1	0.0%	0.0%
PCV POLYSACCHARIDE	71	20	0.1%	0.1%	20	0.1%	0.1%
PCV-UNKNOWN	72	653	1.8%	4.0%	653	3.7%	4.0%
PCV CONJUGATE-7	73	74	0.2%	0.4%	74	0.4%	0.4%
PCV CONJUGATE-13	74	15750	44.1%	95.5%	15750	89.6%	95.5%
75	75	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		16499	46.2%	100.0%	16499	93.9%	100.0%
RESERVED CODES:							
MISSING		19204	53.8%	n/a	1076	6.1%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: XPCVTY4 Type: Character Position: 829-830

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV POLYSACCHARIDE	71	17	0.0%	0.1%	17	0.1%	0.1%
PCV-UNKNOWN	72	588	1.6%	3.9%	588	3.3%	3.9%
PCV CONJUGATE-7	73	56	0.2%	0.4%	56	0.3%	0.4%
PCV CONJUGATE-13	74	14582	40.8%	95.7%	14582	83.0%	95.7%
75	75	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		15244	42.7%	100.0%	15244	86.7%	100.0%
RESERVED CODES:							
MISSING		20459	57.3%	n/a	2331	13.3%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPCVTY5 Type: Character Position: 831-832

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV POLYSACCHARIDE	71	25	0.1%	14.2%	25	0.1%	14.2%
PCV-UNKNOWN	72	7	0.0%	4.0%	7	0.0%	4.0%
PCV CONJUGATE-13	74	142	0.4%	80.7%	142	0.8%	80.7%
75	75	2	0.0%	1.1%	2	0.0%	1.1%
SUBTOTALS:		176	0.5%	100.0%	176	1.0%	100.0%
RESERVED CODES:							
MISSING		35527	99.5%	n/a	17399	99.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: XPCVTY6 Type: Character Position: 833-834

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV POLYSACCHARIDE	71	1	0.0%	25.0%	1	0.0%	25.0%
PCV CONJUGATE-13	74	3	0.0%	75.0%	3	0.0%	75.0%
SUBTOTALS:		4	0.0%	100.0%	4	0.0%	100.0%
RESERVED CODES:							
MISSING		35699	100.0%	n/a	17571	100.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPCVTY7 Type: Character Position: 835-835

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: XPCVTY8 Type: Character Position: 836-836

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: XPCVTY9 Type: Character Position: 837-837

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPOLTY1 Type: Character Position: 838-839

Label: POLIO-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	7933	22.2%	46.9%	7933	45.1%	46.9%
OPV	20	29	0.1%	0.2%	29	0.2%	0.2%
IPV	21	1394	3.9%	8.2%	1394	7.9%	8.2%
POLIO-UNKNOWN	22	627	1.8%	3.7%	627	3.6%	3.7%
DTAP-IPV-HIB	D3	6850	19.2%	40.5%	6850	39.0%	40.5%
D4	D4	97	0.3%	0.6%	97	0.6%	0.6%
SUBTOTALS:		16930	47.4%	100.0%	16930	96.3%	100.0%
RESERVED CODES:							
MISSING		18773	52.6%	n/a	645	3.7%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: XPOLTY2 Type: Character Position: 840-841

Label: POLIO-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	6944	19.4%	41.4%	6944	39.5%	41.4%
OPV	20	26	0.1%	0.2%	26	0.1%	0.2%
IPV	21	1444	4.0%	8.6%	1444	8.2%	8.6%
POLIO-UNKNOWN	22	594	1.7%	3.5%	594	3.4%	3.5%
DTAP-IPV-HIB	D3	7666	21.5%	45.7%	7666	43.6%	45.7%
D4	D4	95	0.3%	0.6%	95	0.5%	0.6%
SUBTOTALS:		16769	47.0%	100.0%	16769	95.4%	100.0%
RESERVED CODES:							
MISSING		18934	53.0%	n/a	806	4.6%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPOLTY3 Type: Character Position: 842-843

Label: POLIO-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	7655	21.4%	46.4%	7655	43.6%	46.4%
OPV	20	23	0.1%	0.1%	23	0.1%	0.1%
IPV	21	1329	3.7%	8.0%	1329	7.6%	8.0%
POLIO-UNKNOWN	22	587	1.6%	3.6%	587	3.3%	3.6%
DTAP-IPV-HIB	D3	6800	19.0%	41.2%	6800	38.7%	41.2%
D4	D4	116	0.3%	0.7%	116	0.7%	0.7%
SUBTOTALS:		16510	46.2%	100.0%	16510	93.9%	100.0%
RESERVED CODES:							
MISSING		19193	53.8%	n/a	1065	6.1%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: XPOLTY4 Type: Character Position: 844-845

Label: POLIO-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	244	0.7%	5.3%	244	1.4%	5.3%
OPV	20	11	0.0%	0.2%	11	0.1%	0.2%
IPV	21	193	0.5%	4.2%	193	1.1%	4.2%
POLIO-UNKNOWN	22	163	0.5%	3.5%	163	0.9%	3.5%
DTAP-IPV-HIB	D3	3978	11.1%	86.1%	3978	22.6%	86.1%
D4	D4	29	0.1%	0.6%	29	0.2%	0.6%
SUBTOTALS:		4618	12.9%	100.0%	4618	26.3%	100.0%
RESERVED CODES:							
MISSING		31085	87.1%	n/a	12957	73.7%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPOLTY5 Type: Character Position: 846-847

Label: POLIO-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	16	0.0%	17.2%	16	0.1%	17.2%
OPV	20	6	0.0%	6.5%	6	0.0%	6.5%
IPV	21	9	0.0%	9.7%	9	0.1%	9.7%
POLIO-UNKNOWN	22	6	0.0%	6.5%	6	0.0%	6.5%
DTAP-IPV-HIB	D3	56	0.2%	60.2%	56	0.3%	60.2%
SUBTOTALS:		93	0.3%	100.0%	93	0.5%	100.0%
RESERVED CODES:							
MISSING		35610	99.7%	n/a	17482	99.5%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: XPOLTY6 Type: Character Position: 848-849

Label: POLIO-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	4	0.0%	26.7%	4	0.0%	26.7%
OPV	20	1	0.0%	6.7%	1	0.0%	6.7%
IPV	21	3	0.0%	20.0%	3	0.0%	20.0%
DTAP-IPV-HIB	D3	7	0.0%	46.7%	7	0.0%	46.7%
SUBTOTALS:		15	0.0%	100.0%	15	0.1%	100.0%
RESERVED CODES:							
MISSING		35688	100.0%	n/a	17560	99.9%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPOLTY7 Type: Character Position: 850-851

Label: POLIO-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
D4	D4	1	0.0%	100.0%	1	0.0%	100.0%
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING		35702	100.0%	n/a	17574	100.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: XPOLTY8 Type: Character Position: 852-852

Label: POLIO-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: XPOLTY9 Type: Character Position: 853-853

Label: POLIO-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XROTTY1 Type: Character Position: 854-855

Label: ROTAVIRUS-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ROTARIX (GSK)	RG	3582	10.0%	22.3%	3582	20.4%	22.3%
ROTATEQ (MERCK)	RM	11097	31.1%	69.2%	11097	63.1%	69.2%
ROTAVIRUS-UNKNOWN	RO	1355	3.8%	8.5%	1355	7.7%	8.5%
SUBTOTALS:		16034	44.9%	100.0%	16034	91.2%	100.0%
RESERVED CODES:							
MISSING		19669	55.1%	n/a	1541	8.8%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: XROTTY2 Type: Character Position: 856-857

Label: ROTAVIRUS-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ROTARIX (GSK)	RG	3447	9.7%	22.2%	3447	19.6%	22.2%
ROTATEQ (MERCK)	RM	10803	30.3%	69.5%	10803	61.5%	69.5%
ROTAVIRUS-UNKNOWN	RO	1286	3.6%	8.3%	1286	7.3%	8.3%
SUBTOTALS:		15536	43.5%	100.0%	15536	88.4%	100.0%
RESERVED CODES:							
MISSING		20167	56.5%	n/a	2039	11.6%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XROTTY3 Type: Character Position: 858-859

Label: ROTAVIRUS-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ROTARIX (GSK)	RG	184	0.5%	1.7%	184	1.0%	1.7%
ROTATEQ (MERCK)	RM	9778	27.4%	89.7%	9778	55.6%	89.7%
ROTAVIRUS-UNKNOWN	RO	938	2.6%	8.6%	938	5.3%	8.6%
SUBTOTALS:		10900	30.5%	100.0%	10900	62.0%	100.0%
RESERVED CODES:							
MISSING		24803	69.5%	n/a	6675	38.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: XROTTY4 Type: Character Position: 860-861

Label: ROTAVIRUS-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ROTARIX (GSK)	RG	1	0.0%	4.0%	1	0.0%	4.0%
ROTATEQ (MERCK)	RM	21	0.1%	84.0%	21	0.1%	84.0%
ROTAVIRUS-UNKNOWN	RO	3	0.0%	12.0%	3	0.0%	12.0%
SUBTOTALS:		25	0.1%	100.0%	25	0.1%	100.0%
RESERVED CODES:							
MISSING		35678	99.9%	n/a	17550	99.9%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XROTTY5 Type: Character Position: 862-862

Label: ROTAVIRUS-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: XROTTY6 Type: Character Position: 863-863

Label: ROTAVIRUS-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: XROTTY7 Type: Character Position: 864-864

Label: ROTAVIRUS-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XROTTY8 Type: Character Position: 865-865

Label: ROTAVIRUS-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: XROTTY9 Type: Character Position: 866-866

Label: ROTAVIRUS-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: XVRCTY1 Type: Character Position: 867-868

Label: VARICELLA-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VARICELLA-UNKNOWN	VA	68	0.2%	0.4%	68	0.4%	0.4%
MMR-VARICELLA	VM	1958	5.5%	12.0%	1958	11.1%	12.0%
VARICELLA-ONLY	VO	14332	40.1%	87.6%	14332	81.5%	87.6%
SUBTOTALS:		16358	45.8%	100.0%	16358	93.1%	100.0%
RESERVED CODES:							

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XVRCTY1 Type: Character Position: 867-868

Label: VARICELLA-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MISSING		19345	54.2%	n/a	1217	6.9%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: XVRCTY2 Type: Character Position: 869-870

Label: VARICELLA-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VARICELLA-UNKNOWN	VA	7	0.0%	2.7%	7	0.0%	2.7%
MMR-VARICELLA	VM	76	0.2%	29.2%	76	0.4%	29.2%
VARICELLA-ONLY	VO	177	0.5%	68.1%	177	1.0%	68.1%
SUBTOTALS:		260	0.7%	100.0%	260	1.5%	100.0%
RESERVED CODES:							
MISSING		35443	99.3%	n/a	17315	98.5%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: XVRCTY3 Type: Character Position: 871-872

Label: VARICELLA-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MMR-VARICELLA	VM	1	0.0%	50.0%	1	0.0%	50.0%
VARICELLA-ONLY	VO	1	0.0%	50.0%	1	0.0%	50.0%
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XVRCTY3 Type: Character Position: 871-872

Label: VARICELLA-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MISSING		35701	100.0%	n/a	17573	100.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: XVRCTY4 Type: Character Position: 873-873

Label: VARICELLA-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: XVRCTY5 Type: Character Position: 874-874

Label: VARICELLA-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XVRCTY6 Type: Character Position: 875-875

Label: VARICELLA-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: XVRCTY7 Type: Character Position: 876-876

Label: VARICELLA-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

Variable: XVRCTY8 Type: Character Position: 877-877

Label: VARICELLA-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XVRCTY9 Type: Character Position: 878-878

Label: VARICELLA-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		35703	100.0%	n/a	17575	100.0%	n/a
TOTALS:		35703	100.0%	n/a	17575	100.0%	n/a

SECTION 10: HEALTH INSURANCE MODULE VARIABLES

Variable: INS_STAT2_I Type: Numeric Position: 879-879

Label: INSURANCE STATUS (PRIVATE ONLY/ANY MEDICAID/OTHER INSURANCE/UNINSURED):
IMPUTED

Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses. Only available for U.S. residents with adequate provider data. See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PRIVATE INSURANCE ONLY	1	9759	27.3%	55.5%	9759	55.5%	55.5%
ANY MEDICAID	2	6307	17.7%	35.9%	6307	35.9%	35.9%
OTHER INSURANCE (CHIP, IHS, MILITARY, OR OTHER, ALONE OR IN COMB. WITH PRIVATE INSURANCE)	3	1240	3.5%	7.1%	1240	7.1%	7.1%
UNINSURED	4	269	0.8%	1.5%	269	1.5%	1.5%
SUBTOTALS:		17575	49.2%	100.0%	17575	100.0%	100.0%
RESERVED CODES:							
MISSING	.	18128	50.8%	n/a	0	0.0%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

Variable: INS_BREAK_I Type: Numeric Position: 880-880

Label: CONTINUITY OF INSURANCE COVERAGE SINCE BIRTH: IMPUTED

Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses. Only available for U.S. residents with adequate provider data. See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
CURRENTLY INSURED BUT UNINSURED AT SOME POINT SINCE BIRTH	1	710	2.0%	4.0%	710	4.0%	4.0%
CURRENTLY INSURED AND NEVER UNINSURED SINCE BIRTH	2	16585	46.5%	94.4%	16585	94.4%	94.4%
CURRENTLY UNINSURED BUT INSURED AT SOME POINT SINCE BIRTH	3	167	0.5%	1.0%	167	1.0%	1.0%
CURRENTLY UNINSURED AND NEVER INSURED SINCE BIRTH	4	102	0.3%	0.6%	102	0.6%	0.6%
SUBTOTALS:		17564	49.2%	100.0%	17564	99.9%	100.0%
RESERVED CODES:							

SECTION 10: HEALTH INSURANCE MODULE VARIABLES

Variable: INS_BREAK_I **Type:** Numeric **Position:** 880-880

Label: CONTINUITY OF INSURANCE COVERAGE SINCE BIRTH: IMPUTED

Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses. Only available for U.S. residents with adequate provider data. See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MISSING	.	18139	50.8%	n/a	11	0.1%	n/a
TOTALS:		35703	100.0%	100.0%	17575	100.0%	100.0%

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
AGECPOXR	97	97	2	AGE IN MONTHS AT CHICKEN POX DISEASE (RECODE)
AGEGRP	100	100	3	AGE CATEGORY OF CHILD (19-23, 24-29, 30-35 MO) (RECODE)
BFENDFL06	125	125	3	DURATION OF BREAST FEEDING EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
BFFORMFL06	126	126	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
BF_ENDR06	101	108	3	DURATION OF BREASTFEEDING IN DAYS (RECODE)
BF_EXCLR06	109	116	3	DURATION OF EXCLUSIVE BREAST/FORMULA FEEDING IN DAYS (RECODE)
BF_FORMR20	117	124	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA (RECODE)
C1R	127	127	3	NUMBER OF PEOPLE IN HOUSEHOLD (RECODE)
C5R	128	129	3	RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)
CBF_01	130	131	3	WAS CHILD EVER BREASTFED OR FED BREAST MILK?
CEN_REG	132	132	3	CENSUS REGION BASED ON TRUE STATE OF RESIDENCE
CHILDNM	133	133	3	NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)
CWIC_01	134	135	3	CHILD EVER RECEIVED WIC BENEFITS?
CWIC_02	136	137	3	CHILD CURRENTLY RECEIVING WIC BENEFITS?
D6R	198	198	5	NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (RECODE)
D7	199	199	5	CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM PROVIDERS
DDTP1	294	297	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #1
DDTP2	298	301	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #2
DDTP3	302	305	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #3
DDTP4	306	309	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #4
DDTP5	310	313	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #5
DDTP6	314	317	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #6
DDTP7	318	320	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #7
DDTP8	321	321	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #8
DDTP9	322	322	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #9
DFLU1	323	326	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1
DFLU2	327	330	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2
DFLU3	331	334	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3
DFLU4	335	338	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4
DFLU5	339	342	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
DFLU6	343	346	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6
DFLU7	347	349	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7
DFLU8	350	353	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8
DFLU9	354	354	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9
DHEPA1	355	358	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
DHEPA2	359	362	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
DHEPA3	363	366	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
DHEPA4	367	369	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
DHEPA5	370	370	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
DHEPA6	371	371	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
DHEPA7	372	372	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7
DHEPA8	373	373	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
DHEPA9	374	374	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
DHEPB1	375	378	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
DHEPB2	379	382	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
DHEPB3	383	386	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
DHEPB4	387	390	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
DHEPB5	391	394	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
DHEPB6	395	397	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
DHEPB7	398	400	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
DHEPB8	401	401	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8
DHEPB9	402	402	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
DHIB1	403	406	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #1
DHIB2	407	410	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #2
DHIB3	411	414	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #3
DHIB4	415	418	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #4
DHIB5	419	422	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #5
DHIB6	423	425	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #6
DHIB7	426	428	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #7
DHIB8	429	429	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #8
DHIB9	430	430	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #9
DMMR1	431	434	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
DMMR2	435	438	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
DMMR3	439	441	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #3

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
DMMR4	442	444	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
DMMR5	445	447	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
DMMR6	448	448	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #6
DMMR7	449	449	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
DMMR8	450	450	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
DMMR9	451	451	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
DMP1	452	452	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #1
DMP2	453	453	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #2
DMP3	454	454	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #3
DMP4	455	455	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #4
DMP5	456	456	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #5
DMP6	457	457	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #6
DMP7	458	458	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #7
DMP8	459	459	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #8
DMP9	460	460	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #9
DMPRB1	461	461	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
DMPRB2	462	462	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
DMPRB3	463	463	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
DMPRB4	464	464	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
DMPRB5	465	465	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
DMPRB6	466	466	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6
DMPRB7	467	467	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
DMPRB8	468	468	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
DMPRB9	469	469	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9
DPCV1	470	473	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
DPCV2	474	477	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
DPCV3	478	481	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
DPCV4	482	485	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
DPCV5	486	489	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
DPCV6	490	493	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
DPCV7	494	494	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
DPCV8	495	495	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
DPCV9	496	496	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
DPOLIO1	497	500	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #1
DPOLIO2	501	504	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #2
DPOLIO3	505	508	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #3
DPOLIO4	509	512	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #4

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
DPOLIO5	513	516	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #5
DPOLIO6	517	520	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #6
DPOLIO7	521	523	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #7
DPOLIO8	524	524	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #8
DPOLIO9	525	525	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #9
DRB1	526	526	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #1
DRB2	527	527	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #2
DRB3	528	528	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #3
DRB4	529	529	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #4
DRB5	530	530	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #5
DRB6	531	531	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #6
DRB7	532	532	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #7
DRB8	533	533	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #8
DRB9	534	534	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #9
DROT1	535	537	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
DROT2	538	540	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
DROT3	541	543	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
DROT4	544	546	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
DROT5	547	547	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
DROT6	548	548	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
DROT7	549	549	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
DROT8	550	550	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
DROT9	551	551	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
DTP1_AGE	569	570	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #1
DTP2_AGE	571	572	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #2
DTP3_AGE	573	574	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #3
DTP4_AGE	575	576	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #4
DTP5_AGE	577	578	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #5
DTP6_AGE	579	580	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #6
DTP7_AGE	581	582	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #7
DTP8_AGE	583	583	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #8
DTP9_AGE	584	584	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #9
DVRC1	552	555	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
DVRC2	556	559	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
DVRC3	560	562	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
DVRC4	563	563	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
DVRC5	564	564	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
DVRC6	565	565	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
DVRC7	566	566	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
DVRC8	567	567	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
DVRC9	568	568	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
EDUC1	138	138	3	EDUCATION OF MOTHER CATEGORIES: IMPUTED (RECODE)
ESTIAP22	191	193	4	ESTIMATION AREA OF RESIDENCE
EST_GRANT	194	195	4	AREA OF RESIDENCE ACCORDING TO THE 56 ORIGINAL CORE GRANTEE AREAS
FLU1_AGE	585	586	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1
FLU2_AGE	587	588	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2
FLU3_AGE	589	590	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3
FLU4_AGE	591	592	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4
FLU5_AGE	593	594	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5
FLU6_AGE	595	596	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6
FLU7_AGE	597	598	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7
FLU8_AGE	599	600	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8
FLU9_AGE	601	601	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9
FRSTBRN	139	139	3	FIRST BORN STATUS OF CHILD: IMPUTED
HAD_CPOX	98	99	2	CHILD EVER HAD CHICKEN POX DISEASE?
HEA1_AGE	602	603	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
HEA2_AGE	604	605	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
HEA3_AGE	606	607	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
HEA4_AGE	608	609	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
HEA5_AGE	610	610	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
HEA6_AGE	611	611	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
HEA7_AGE	612	612	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
HEA8_AGE	613	613	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
HEA9_AGE	614	614	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
HEP1_AGE	615	616	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
HEP2_AGE	617	618	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
HEP3_AGE	619	620	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
HEP4_AGE	621	622	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
HEP5_AGE	623	624	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
HEP6_AGE	625	626	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
HEP7_AGE	627	628	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
HEP8_AGE	629	629	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8
HEP9_AGE	630	630	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
HEP_BRTH	204	204	8	HEPATITIS B-CONTAINING SHOT GIVEN AT BIRTH FLAG
HEP_FLAG	205	205	8	HEPATITIS B BIRTH SHOT DATE IMPUTATION FLAG
HIB1_AGE	631	632	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #1
HIB2_AGE	633	634	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #2
HIB3_AGE	635	636	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #3
HIB4_AGE	637	638	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #4
HIB5_AGE	639	640	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #5
HIB6_AGE	641	642	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #6
HIB7_AGE	643	644	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #7
HIB8_AGE	645	645	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #8
HIB9_AGE	646	646	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #9
INCPORAR	141	156	3	INCOME TO POVERTY RATIO (RECODE)
INCPORAR_I	157	172	3	INCOME TO POVERTY RATIO: IMPUTED (RECODE)
INCPOV1	173	173	3	POVERTY STATUS
INCQ298A	174	175	3	FAMILY INCOME CATEGORIES (RECODE)
INS_BREAK_I	880	880	10	CONTINUITY OF INSURANCE COVERAGE SINCE BIRTH: IMPUTED
INS_STAT2_I	879	879	10	INSURANCE STATUS (PRIVATE ONLY/ANY MEDICAID/OTHER INSURANCE/UNINSURED): IMPUTED
I_HISP_K	140	140	3	HISPANIC ORIGIN OF CHILD: IMPUTED

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
LANGUAGE	176	176	3	LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED
MARITAL2	178	178	3	MARITAL STATUS OF MOTHER: IMPUTED (RECODE)
MMR1_AGE	647	648	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
MMR2_AGE	649	650	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
MMR3_AGE	651	652	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #3
MMR4_AGE	653	654	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
MMR5_AGE	655	656	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
MMR6_AGE	657	657	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #6
MMR7_AGE	658	658	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
MMR8_AGE	659	659	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
MMR9_AGE	660	660	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
MOBIL_I	179	179	3	GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE: IMPUTED
MP1_AGE	661	661	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #1
MP2_AGE	662	662	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #2
MP3_AGE	663	663	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #3
MP4_AGE	664	664	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #4
MP5_AGE	665	665	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #5
MP6_AGE	666	666	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #6
MP7_AGE	667	667	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #7
MP8_AGE	668	668	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #8
MP9_AGE	669	669	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #9
MPR1_AGE	670	670	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
MPR2_AGE	671	671	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
MPR3_AGE	672	672	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
MPR4_AGE	673	673	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
MPR5_AGE	674	674	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
MPR6_AGE	675	675	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
MPR7_AGE	676	676	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
MPR8_AGE	677	677	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
MPR9_AGE	678	678	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9
M_AGEGRP2	177	177	3	AGE OF MOTHER CATEGORIES: IMPUTED (RECODE)
NUM_CELLS_HH	182	183	3	NUMBER OF WORKING CELL PHONES HOUSEHOLD MEMBERS HAVE AVAILABLE FOR PERSONAL USE
NUM_CELLS_PARENTS	184	185	3	NUMBER OF WORKING CELL PHONES USUALLY USED BY PARENTS OR GUARDIANS
NUM_PHONE	180	181	3	NUMBER OF RESIDENTIAL TELEPHONE NUMBERS IN HOUSEHOLD (EXCLUDING CELL PHONES)
N_PRVR	200	200	6	NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (RECODE)
PCV1_AGE	679	680	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
PCV2_AGE	681	682	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
PCV3_AGE	683	684	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
PCV4_AGE	685	686	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
PCV5_AGE	687	688	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
PCV6_AGE	689	690	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
PCV7_AGE	691	691	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
PCV8_AGE	692	692	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
PCV9_AGE	693	693	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
PDAT	12	12	1	CHILD HAS ADEQUATE PROVIDER DATA
POL1_AGE	694	695	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #1
POL2_AGE	696	697	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #2
POL3_AGE	698	699	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #3
POL4_AGE	700	701	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #4
POL5_AGE	702	703	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #5
POL6_AGE	704	705	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #6
POL7_AGE	706	707	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #7
POL8_AGE	708	708	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #8
POL9_AGE	709	709	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #9

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
PROVWT_C	13	31	1	FINAL SINGLE-FRAME CELL-PHONE PROVIDER-PHASE WEIGHT (EXCLUDES TERRITORIES)
PROVWT_C_TERR	32	50	1	FINAL SINGLE-FRAME CELL-PHONE PROVIDER-PHASE WEIGHT INCLUDING TERRITORIES
PROV_FAC	201	201	7	PROVIDER FACILITY TYPES: IMPUTED
PU431331	278	278	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU4313313	280	280	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU4313314	282	282	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PUT43133	284	284	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PUTD4313	286	286	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUHEPX	206	206	8	NUMBER OF HEPATITIS B-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUHIBX	207	207	8	NUMBER OF HIB-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUHPHB	208	208	8	NUMBER OF HEPATITIS B/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDAH	209	209	8	NUMBER OF DTAP/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDHI	210	210	8	NUMBER OF DTAP/HEPB/IPV COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDIH	211	211	8	NUMBER OF DTAP/IPV/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDIHB	212	212	8	NUMBER OF DTAP/IPV/HIB/HEPB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDTA	213	213	8	NUMBER OF DTAP-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_NUMDTP	214	214	8	NUMBER OF DT-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLU	215	215	8	NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUL	216	216	8	NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUM	217	217	8	NUMBER OF SEASONAL FLU SPRAY VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUN	218	218	8	NUMBER OF INJECTED SEASONAL FLU VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEA	219	219	8	NUMBER OF HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEN	220	220	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEP	221	221	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHG	222	222	8	NUMBER OF HIB-GLAXOSMITHKLINE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHHY	223	223	8	NUMBER OF HIB-MENCY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHIB	224	224	8	NUMBER OF HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHIN	225	225	8	NUMBER OF HIB-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHION	226	226	8	NUMBER OF HIB-ONLY SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHM	227	227	8	NUMBER OF HIB-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_NUMHS	228	228	8	NUMBER OF HIB-SANOFI SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMIPV	229	229	8	NUMBER OF IPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMCN	230	230	8	NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMR	231	231	8	NUMBER OF MEASLES-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMRX	232	232	8	NUMBER OF MMR-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMX	233	233	8	NUMBER OF MMR-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMP	234	234	8	NUMBER OF MUMPS-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMPR	235	235	8	NUMBER OF (MUMPS/RUBELLA)-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMRV	236	236	8	NUMBER OF MMR/VARICELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMS	237	237	8	NUMBER OF MEASLES-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMSM	238	238	8	NUMBER OF MEASLES/MUMPS COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMSR	239	239	8	NUMBER OF MEASLES/RUBELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMOLN	240	240	8	NUMBER OF POLIO SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMOPV	241	241	8	NUMBER OF OPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPCC	244	244	8	NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_NUMPCC13	246	246	8	NUMBER OF PNEUMOCOCCAL CONJUGATE-13 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPCC15	247	247	8	NUMBER OF PNEUMOCOCCAL CONJUGATE-15 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPCC7	245	245	8	NUMBER OF PNEUMOCOCCAL CONJUGATE-7 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPCCN	248	248	8	NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPCN	249	249	8	NUMBER OF PNEUMOCOCCAL SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPCP	243	243	8	NUMBER OF PNEUMOCOCCAL POLYSACCHARIDE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPCV	242	242	8	NUMBER OF PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPOL	250	250	8	NUMBER OF POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMRB	251	251	8	NUMBER OF RUBELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMRG	252	252	8	NUMBER OF ROTARIX-GSK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMRM	253	253	8	NUMBER OF ROTATEQ-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMRO	254	254	8	NUMBER OF ROTAVIRUS SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMROT	255	255	8	NUMBER OF ROTAVIRUS-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_NUMTPN	256	256	8	NUMBER OF DT-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRC	257	257	8	NUMBER OF VARICELLA-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRN	258	258	8	NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRX	259	259	8	NUMBER OF VARICELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_U12VRC	260	260	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS OF AGE, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD331	261	261	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431	262	262	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H313_ROUT_S	281	281	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H314_ROUT_S	283	283	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H31_ROUT_S	279	279	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H3_ROUT_S	285	285	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H_ROUT_S	287	287	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHEP	263	263	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_UTDHEPA1	264	264	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHEPA2	265	265	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHIB	266	266	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHIB_ROUT_S	267	267	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE ROUTINE (NON-SHORTAGE) HIB RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHIB_SHORT_S	268	268	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE HIB SHORTAGE RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDMCV	269	269	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MEASLES-CONTAINING SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDMMX	270	270	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MMR COMBO SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPC3	271	271	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPCV	272	272	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPCVB13	273	273	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ PNEUMOCOCCAL VACCINATIONS OF TYPE CONJUGATE-13, GIVEN 4+ DOSES OF TYPE CONJUGATE-7, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPOL	274	274	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDROT_S	275	275	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ ROTAVIRUS DOSES BY 36 MONTHS OF AGE, BASED ON A STRICT TREATMENT OF ROTAVIRUS VACCINATIONS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDTP3	276	276	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDTP4	277	277	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
RACEETHK	187	187	3	RACE/ETHNICITY OF CHILD: IMPUTED (RECODE)
RACE_K	186	186	3	RACE OF CHILD: IMPUTED (RECODE)
RB1_AGE	710	710	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #1
RB2_AGE	711	711	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #2
RB3_AGE	712	712	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #3
RB4_AGE	713	713	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #4
RB5_AGE	714	714	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #5
RB6_AGE	715	715	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #6
RB7_AGE	716	716	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #7
RB8_AGE	717	717	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #8
RB9_AGE	718	718	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #9
RDDWT_C	51	69	1	FINAL SINGLE-FRAME CELL-PHONE RDD-PHASE WEIGHT (EXCLUDES TERRITORIES)
RDDWT_C_TERR	70	88	1	FINAL SINGLE-FRAME CELL-PHONE RDD-PHASE WEIGHT INCLUDING TERRITORIES
REGISTRY	202	202	7	CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY
RENT_OWN	188	189	3	IS HOME OWNED/BEING BOUGHT, RENTED, OR OCCUPIED BY SOME OTHER ARRANGEMENT?
ROT1_AGE	719	720	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
ROT2_AGE	721	722	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
ROT3_AGE	723	724	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
ROT4_AGE	725	726	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
ROT5_AGE	727	727	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
ROT6_AGE	728	728	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
ROT7_AGE	729	729	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
ROT8_AGE	730	730	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
ROT9_AGE	731	731	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
SEQNUMC	1	6	1	UNIQUE CHILD IDENTIFIER
SEQNUMHH	7	11	1	UNIQUE HOUSEHOLD IDENTIFIER
SEX	190	190	3	SEX OF CHILD: IMPUTED
STATE	196	197	4	TRUE STATE OF RESIDENCE (STATE FIPS CODE)
STRATUM	89	92	1	STRATUM VARIABLE FOR VARIANCE ESTIMATION
U19_FLU_24D	289	289	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ INFLUENZA VACCINATIONS AT LEAST 4 WEEKS-4 DAYS APART BY 19 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
UID_HEP	291	291	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 1 FLAG

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
U24_FLU3_24D	290	290	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ INFLUENZA VACCINATIONS AT LEAST 4 WEEKS-4 DAYS APART BY 24 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
U24_FLU_24D	288	288	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ INFLUENZA VACCINATIONS AT LEAST 4 WEEKS-4 DAYS APART BY 24 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
U2D_HEP	292	292	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 2 FLAG
U3D_HEP	293	293	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 3 FLAG
VFC_ORDER	203	203	7	DO CHILD'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT?
VRC1_AGE	732	733	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
VRC2_AGE	734	735	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
VRC3_AGE	736	737	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
VRC4_AGE	738	738	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
VRC5_AGE	739	739	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5
VRC6_AGE	740	740	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
VRC7_AGE	741	741	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
VRC8_AGE	742	742	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
VRC9_AGE	743	743	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
XDTPTY1	744	745	9	DT-CONTAINING VACCINATION #1 TYPE CODE
XDTPTY2	746	747	9	DT-CONTAINING VACCINATION #2 TYPE CODE
XDTPTY3	748	749	9	DT-CONTAINING VACCINATION #3 TYPE CODE
XDTPTY4	750	751	9	DT-CONTAINING VACCINATION #4 TYPE CODE
XDTPTY5	752	753	9	DT-CONTAINING VACCINATION #5 TYPE CODE
XDTPTY6	754	755	9	DT-CONTAINING VACCINATION #6 TYPE CODE
XDTPTY7	756	757	9	DT-CONTAINING VACCINATION #7 TYPE CODE
XDTPTY8	758	758	9	DT-CONTAINING VACCINATION #8 TYPE CODE
XDTPTY9	759	759	9	DT-CONTAINING VACCINATION #9 TYPE CODE
XFLUTY1	760	761	9	SEASONAL FLU-CONTAINING VACCINATION #1 TYPE CODE
XFLUTY2	762	763	9	SEASONAL FLU-CONTAINING VACCINATION #2 TYPE CODE
XFLUTY3	764	765	9	SEASONAL FLU-CONTAINING VACCINATION #3 TYPE CODE
XFLUTY4	766	767	9	SEASONAL FLU-CONTAINING VACCINATION #4 TYPE CODE
XFLUTY5	768	769	9	SEASONAL FLU-CONTAINING VACCINATION #5 TYPE CODE
XFLUTY6	770	771	9	SEASONAL FLU-CONTAINING VACCINATION #6 TYPE CODE
XFLUTY7	772	773	9	SEASONAL FLU-CONTAINING VACCINATION #7 TYPE CODE
XFLUTY8	774	775	9	SEASONAL FLU-CONTAINING VACCINATION #8 TYPE CODE
XFLUTY9	776	776	9	SEASONAL FLU-CONTAINING VACCINATION #9 TYPE CODE

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
XHEPTY1	777	778	9	HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE
XHEPTY2	779	780	9	HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE
XHEPTY3	781	782	9	HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE
XHEPTY4	783	784	9	HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE
XHEPTY5	785	786	9	HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE
XHEPTY6	787	788	9	HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE
XHEPTY7	789	790	9	HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE
XHEPTY8	791	791	9	HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE
XHEPTY9	792	792	9	HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE
XHIBTY1	793	794	9	HIB-CONTAINING VACCINATION #1 TYPE CODE
XHIBTY2	795	796	9	HIB-CONTAINING VACCINATION #2 TYPE CODE
XHIBTY3	797	798	9	HIB-CONTAINING VACCINATION #3 TYPE CODE
XHIBTY4	799	800	9	HIB-CONTAINING VACCINATION #4 TYPE CODE
XHIBTY5	801	802	9	HIB-CONTAINING VACCINATION #5 TYPE CODE
XHIBTY6	803	804	9	HIB-CONTAINING VACCINATION #6 TYPE CODE
XHIBTY7	805	806	9	HIB-CONTAINING VACCINATION #7 TYPE CODE
XHIBTY8	807	807	9	HIB-CONTAINING VACCINATION #8 TYPE CODE
XHIBTY9	808	808	9	HIB-CONTAINING VACCINATION #9 TYPE CODE
XMMRTY1	809	810	9	MEASLES-CONTAINING VACCINATION #1 TYPE CODE
XMMRTY2	811	812	9	MEASLES-CONTAINING VACCINATION #2 TYPE CODE
XMMRTY3	813	814	9	MEASLES-CONTAINING VACCINATION #3 TYPE CODE
XMMRTY4	815	816	9	MEASLES-CONTAINING VACCINATION #4 TYPE CODE
XMMRTY5	817	818	9	MEASLES-CONTAINING VACCINATION #5 TYPE CODE
XMMRTY6	819	819	9	MEASLES-CONTAINING VACCINATION #6 TYPE CODE
XMMRTY7	820	820	9	MEASLES-CONTAINING VACCINATION #7 TYPE CODE
XMMRTY8	821	821	9	MEASLES-CONTAINING VACCINATION #8 TYPE CODE
XMMRTY9	822	822	9	MEASLES-CONTAINING VACCINATION #9 TYPE CODE
XPCVTY1	823	824	9	PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE
XPCVTY2	825	826	9	PNEUMOCOCCAL-CONTAINING VACCINATION #2 TYPE CODE
XPCVTY3	827	828	9	PNEUMOCOCCAL-CONTAINING VACCINATION #3 TYPE CODE
XPCVTY4	829	830	9	PNEUMOCOCCAL-CONTAINING VACCINATION #4 TYPE CODE
XPCVTY5	831	832	9	PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE
XPCVTY6	833	834	9	PNEUMOCOCCAL-CONTAINING VACCINATION #6 TYPE CODE
XPCVTY7	835	835	9	PNEUMOCOCCAL-CONTAINING VACCINATION #7 TYPE CODE
XPCVTY8	836	836	9	PNEUMOCOCCAL-CONTAINING VACCINATION #8 TYPE CODE
XPCVTY9	837	837	9	PNEUMOCOCCAL-CONTAINING VACCINATION #9 TYPE CODE
XPOLTY1	838	839	9	POLIO-CONTAINING VACCINATION #1 TYPE CODE

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
XPOLTY2	840	841	9	POLIO-CONTAINING VACCINATION #2 TYPE CODE
XPOLTY3	842	843	9	POLIO-CONTAINING VACCINATION #3 TYPE CODE
XPOLTY4	844	845	9	POLIO-CONTAINING VACCINATION #4 TYPE CODE
XPOLTY5	846	847	9	POLIO-CONTAINING VACCINATION #5 TYPE CODE
XPOLTY6	848	849	9	POLIO-CONTAINING VACCINATION #6 TYPE CODE
XPOLTY7	850	851	9	POLIO-CONTAINING VACCINATION #7 TYPE CODE
XPOLTY8	852	852	9	POLIO-CONTAINING VACCINATION #8 TYPE CODE
XPOLTY9	853	853	9	POLIO-CONTAINING VACCINATION #9 TYPE CODE
XROTTY1	854	855	9	ROTAVIRUS-CONTAINING VACCINATION #1 TYPE CODE
XROTTY2	856	857	9	ROTAVIRUS-CONTAINING VACCINATION #2 TYPE CODE
XROTTY3	858	859	9	ROTAVIRUS-CONTAINING VACCINATION #3 TYPE CODE
XROTTY4	860	861	9	ROTAVIRUS-CONTAINING VACCINATION #4 TYPE CODE
XROTTY5	862	862	9	ROTAVIRUS-CONTAINING VACCINATION #5 TYPE CODE
XROTTY6	863	863	9	ROTAVIRUS-CONTAINING VACCINATION #6 TYPE CODE
XROTTY7	864	864	9	ROTAVIRUS-CONTAINING VACCINATION #7 TYPE CODE
XROTTY8	865	865	9	ROTAVIRUS-CONTAINING VACCINATION #8 TYPE CODE
XROTTY9	866	866	9	ROTAVIRUS-CONTAINING VACCINATION #9 TYPE CODE
XVRCTY1	867	868	9	VARICELLA-CONTAINING VACCINATION #1 TYPE CODE
XVRCTY2	869	870	9	VARICELLA-CONTAINING VACCINATION #2 TYPE CODE
XVRCTY3	871	872	9	VARICELLA-CONTAINING VACCINATION #3 TYPE CODE
XVRCTY4	873	873	9	VARICELLA-CONTAINING VACCINATION #4 TYPE CODE
XVRCTY5	874	874	9	VARICELLA-CONTAINING VACCINATION #5 TYPE CODE
XVRCTY6	875	875	9	VARICELLA-CONTAINING VACCINATION #6 TYPE CODE
XVRCTY7	876	876	9	VARICELLA-CONTAINING VACCINATION #7 TYPE CODE
XVRCTY8	877	877	9	VARICELLA-CONTAINING VACCINATION #8 TYPE CODE
XVRCTY9	878	878	9	VARICELLA-CONTAINING VACCINATION #9 TYPE CODE
YEAR	93	96	1	YEAR OF INTERVIEW