

National Immunization Survey -- Teen

**A Codebook for the
2016 Public-Use Data File**

Centers for Disease Control and Prevention

**National Center for Immunization
and Respiratory Diseases**

and

National Center for Health Statistics

**Presented by:
NORC at the University of Chicago**

October 2017

TABLE OF CONTENTS

| | |
|---|-----|
| Section Index of Variables | 1 |
| Section 1: ID, Weight, and Flag Variables | 26 |
| Section 2: Household-Reported Vaccination and Health Information | 30 |
| Section 3: Demographic, Socio-Economic and Other Household/Teen Information | 79 |
| Section 4: Geographic Variables | 91 |
| Section 5: Number of Providers Identified and Consent Variables | 97 |
| Section 6: Number of Responding Provider Variables | 99 |
| Section 7: Characteristics of Provider Variables | 100 |
| Section 8: Provider-Reported Up-to-Date Vaccination Variables | 102 |
| Section 9: Provider-Reported Age-at-Vaccination Variables | 185 |
| Section 10: Health Insurance Module Variables | 359 |
| Alphabetic Index of Variables | 361 |

NOTE:

The codebook presents unweighted frequencies (counts of children) for each categorical variable and summary statistics – mean, median, minimum, maximum, and standard deviation – for each continuous variable.

The codebook also includes unweighted frequencies for the reserve codes (missing, don't know, and refused) for each variable.

SECTION INDEX OF VARIABLES

| SAS_Var | Section | Variable Label |
|----------------|----------------|---|
| SEQNUMT | 1 | UNIQUE TEEN IDENTIFIER |
| PDAT2 | 1 | ADEQUATE PROVIDER DATA FLAG |
| RDDWT_D | 1 | FINAL DUAL-FRAME RDD-PHASE WEIGHT (EXCLUDES TERRITORIES) |
| RDDWT_D_TERR | 1 | FINAL RDD-PHASE WEIGHT (INCLUDING TERRITORIES) |
| PROVWT_D | 1 | FINAL DUAL-FRAME PROVIDER-PHASE WEIGHT (EXCLUDES TERRITORIES) |
| PROVWT_D_TERR | 1 | FINAL PROVIDER-PHASE WEIGHT (INCLUDING TERRITORIES) |
| STRATUM | 1 | STRATUM VARIABLE FOR VARIANCE ESTIMATION |
| YEAR | 1 | SAMPLING YEAR |
| ASTHMA | 2 | HAS TEEN BEEN TOLD BY DOCTOR OR OTHER HEALTH PROFESSIONAL THAT HE/SHE HAS ASTHMA? |
| CKUP_11_12 | 2 | DID TEEN HAVE AN 11-12 YEAR OLD WELL-CHILD EXAM OR CHECK-UP? |
| CKUP_AGE | 2 | AGE IN YEARS AT LAST CHECK-UP |
| CKUP_LAST | 2 | WAS TEEN'S LAST CHECK-UP MORE OR LESS THAN (AGE - 12) YEARS AGO? |
| CPOX_AGE | 2 | AGE IN YEARS WHEN HAD CHICKEN POX DISEASE |
| CPOX_AGER | 2 | AGE RANGE WHEN HAD CHICKEN POX DISEASE |
| CPOX_HAD | 2 | TEEN EVER HAD CHICKEN POX DISEASE? |
| HPVI_ANY | 2 | HH-REPORT: HAS TEEN EVER RECEIVED ANY HUMAN PAPILLOMAVIRUS SHOTS? |
| HPVI_INTENTR | 2 | HOW LIKELY IS IT TEEN WILL RECEIVE HPV SHOTS IN NEXT 12 MONTHS? |
| HPVI_NUM_TOT | 2 | NUMBER OF HH-REPORTED HUMAN PAPILLOMAVIRUS SHOTS RECEIVED (TOTAL) |
| HPVI_REAS_1 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NOT RECOMMENDED |
| HPVI_REAS_10 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: COSTS |
| HPVI_REAS_11 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: SAFETY CONCERN/SIDE EFFECTS |
| HPVI_REAS_12 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: EFFECTIVENESS CONCERN |
| HPVI_REAS_13 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: CHILD FEARFUL |
| HPVI_REAS_14 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: CHILD SHOULD MAKE DECISION |
| HPVI_REAS_15 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: COLLEGE SHOT |
| HPVI_REAS_16 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: DON'T BELIEVE IN IMMUNIZATIONS |
| HPVI_REAS_17 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: FAMILY/PARENTAL DECISION |
| HPVI_REAS_18 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: HANDICAPPED/SPECIAL NEEDS/ILLNESS |
| HPVI_REAS_19 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: RELIGION/ORTHODOX |

SECTION INDEX OF VARIABLES

| SAS_Var | Section | Variable Label |
|----------------|----------------|---|
| HPVI_REAS_2 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NOT NEEDED OR NOT NECESSARY |
| HPVI_REAS_20 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: TIME |
| HPVI_REAS_21 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: MORE INFO/NEW VACCINE |
| HPVI_REAS_22 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: ALREADY UP-TO-DATE |
| HPVI_REAS_23 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NOT AVAILABLE |
| HPVI_REAS_24 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NOT A SCHOOL REQUIREMENT |
| HPVI_REAS_25 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: INCREASED SEXUAL ACTIVITY CONCERN |
| HPVI_REAS_26 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NO OB/GYN |
| HPVI_REAS_27 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: ALREADY SEXUALLY ACTIVE |
| HPVI_REAS_28 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NO DOCTOR OR DOCTOR'S VISIT NOT SCHEDULED |
| HPVI_REAS_29 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: CHILD IS MALE |
| HPVI_REAS_3 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: LACK OF KNOWLEDGE |
| HPVI_REAS_30 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: INTEND TO COMPLETE BUT HAVE NOT YET/ALREADY PLANNED |
| HPVI_REAS_31 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: DIFFICULTY MAKING OR GETTING TO APPOINTMENT/TRANSPORTATION PROBLEMS |
| HPVI_REAS_5 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NOT SEXUALLY ACTIVE |
| HPVI_REAS_6 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NOT APPROPRIATE AGE |
| HPVI_REAS_9 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: OTHER REASON |
| HPVI_RECOM | 2 | HAD OR HAS DOCTOR OR OTHER HEALTH CARE PROFESSIONAL EVER RECOMMENDED THAT TEEN RECEIVE HPV SHOTS? |
| IMM_ANY | 2 | HH-REPORT: HAS TEEN EVER RECEIVED ANY VACCINATIONS? |
| MEN_ANY | 2 | HH-REPORT: HAS TEEN EVER RECEIVED ANY MENINGITIS SHOTS? |
| MEN_NUM_TOT | 2 | NUMBER OF HH-REPORTED MENINGITIS SHOTS RECEIVED (TOTAL) |
| MEN_REAS_1 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: NOT RECOMMENDED |
| MEN_REAS_10 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: COSTS |
| MEN_REAS_11 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: SAFETY CONCERN/SIDE EFFECTS |

SECTION INDEX OF VARIABLES

| SAS_Var | Section | Variable Label |
|----------------|----------------|--|
| MEN_REAS_12 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: EFFECTIVENESS CONCERN |
| MEN_REAS_13 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: CHILD FEARFUL |
| MEN_REAS_14 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: CHILD SHOULD MAKE DECISION |
| MEN_REAS_15 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: COLLEGE SHOT |
| MEN_REAS_16 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: DON'T BELIEVE IN VACCINATIONS |
| MEN_REAS_17 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: FAMILY/PARENTAL DECISION |
| MEN_REAS_18 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: HANDICAPPED/SPECIAL NEEDS/ILLNESS |
| MEN_REAS_19 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: RELIGION/ORTHODOX |
| MEN_REAS_2 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: LACK OF KNOWLEDGE |
| MEN_REAS_20 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: TIME |
| MEN_REAS_21 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: MORE INFO/NEW VACCINE |
| MEN_REAS_22 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: ALREADY UP-TO-DATE |
| MEN_REAS_23 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: NO DOCTOR OR DOCTOR'S VISIT NOT SCHEDULED |
| MEN_REAS_24 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: INTEND TO COMPLETE BUT HAVE NOT YET/ALREADY PLANNED |
| MEN_REAS_25 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: DIFFICULTY MAKING OR GETTING TO APPOINTMENT/TRANSPORTATION PROBLEMS |
| MEN_REAS_3 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: NOT NEEDED OR NOT NECESSARY |
| MEN_REAS_4 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: NOT SCHOOL REQUIREMENT |
| MEN_REAS_5 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: NOT AVAILABLE |
| MEN_REAS_6 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: NOT APPROPRIATE AGE |
| MEN_REAS_7 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: OTHER REASON |
| NOSCHOOLR | 2 | DURING PAST 12 MONTHS, ABOUT HOW MANY DAYS DID TEEN MISS SCHOOL BECAUSE OF ILLNESS OR INJURY? (RECODE) |
| RISK_EVER | 2 | HAS DOCTOR, NURSE, OR OTHER HEALTH CARE PROFESSIONAL EVER SAID THAT TEEN HAS HAD ANY OF THE FOLLOWING HEALTH CONDITIONS? |
| RISK_HH | 2 | DO ANY OTHER MEMBERS OF TEEN'S HOUSEHOLD HAVE ANY OF THE FOLLOWING HEALTH CONDITIONS? |
| RISK_NOW | 2 | DOES TEEN STILL HAVE ANY OF THESE CONDITIONS? |
| TET_ANY | 2 | HH-REPORT: HAS TEEN EVER RECEIVED ANY TETANUS BOOSTER SHOTS? |
| TET_REAS_1 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: NOT RECOMMENDED |
| TET_REAS_10 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: COSTS |

SECTION INDEX OF VARIABLES

| SAS_Var | Section | Variable Label |
|----------------|----------------|---|
| TET_REAS_11 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: SAFETY CONCERN/SIDE EFFECTS |
| TET_REAS_12 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: EFFECTIVENESS CONCERN |
| TET_REAS_13 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: CHILD FEARFUL |
| TET_REAS_14 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: CHILD SHOULD MAKE DECISION |
| TET_REAS_15 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: COLLEGE SHOT |
| TET_REAS_16 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: DON'T BELIEVE IN VACCINATIONS |
| TET_REAS_17 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: FAMILY/PARENTAL DECISION |
| TET_REAS_18 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: HANDICAPPED/SPECIAL NEEDS/ILLNESS |
| TET_REAS_19 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: RELIGION/ORTHODOX |
| TET_REAS_2 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: LACK OF KNOWLEDGE |
| TET_REAS_20 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: TIME |
| TET_REAS_21 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: MORE INFO/NEW VACCINE |
| TET_REAS_22 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: ALREADY UP-TO-DATE |
| TET_REAS_23 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: NOT AVAILABLE |
| TET_REAS_24 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: NOT A SCHOOL REQUIREMENT |
| TET_REAS_25 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: INTEND TO COMPLETE BUT HAVE NOT YET/ALREADY PLANNED |
| TET_REAS_26 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: DIFFICULTY MAKING OR GETTING TO APPOINTMENT/TRANSPORTATION PROBLEMS |
| TET_REAS_3 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: NOT NEEDED OR NOT NECESSARY |
| TET_REAS_4 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: NO DOCTOR OR DOCTOR'S VISIT NOT SCHEDULED |
| TET_REAS_5 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: NOT APPROPRIATE AGE |
| TET_REAS_7 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: OTHER REASON |
| VISITS | 2 | IN PAST 12 MONTHS NUMBER OF TIMES TEEN HAS SEEN A DOCTOR OR OTHER HEALTH CARE PROFESSIONAL |
| AGE | 3 | AGE IN YEARS OF SELECTED TEEN |
| AGEGRP_M_I | 3 | MOTHER'S AGE CATEGORIES (RECODE) |
| C1R | 3 | NUMBER OF PEOPLE IN HOUSEHOLD (RECODE) |

SECTION INDEX OF VARIABLES

| SAS_Var | Section | Variable Label |
|-------------------|----------------|---|
| C5R | 3 | RELATIONSHIP OF RESPONDENT TO TEEN (RECODE) |
| CEN_REG | 3 | CENSUS REGION BASED ON TRUE STATE OF RESIDENCE |
| CHILDNM | 3 | NUMBER OF CHILDREN UNDER 18 YEARS OF AGE IN HH (RECODE) |
| EDUC1 | 3 | EDUCATION LEVEL OF MOTHER WITH 4 CATEGORIES (RECODE) |
| EDUC_TR | 3 | TEEN'S CURRENT GRADE IN SCHOOL (RECODE) |
| INCPORAR | 3 | INCOME TO POVERTY RATIO (RECODE) |
| INCPORAR_I | 3 | INCOME TO POVERTY RATIO: IMPUTED (RECODE) |
| INCPOV1 | 3 | POVERTY STATUS |
| INCQ298A | 3 | FAMILY INCOME CATEGORIES (RECODE) |
| I_HISP_K | 3 | IS TEEN HISPANIC OR LATINO? |
| LANGUAGE | 3 | LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED |
| MARITAL2 | 3 | MARITAL STATUS OF MOTHER (RECODE) |
| MOBIL_I | 3 | GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE AT BIRTH VERSUS CURRENT STATE |
| NUM_PHONE | 3 | NUMBER OF RESIDENTIAL TELEPHONE NUMBERS IN HOUSEHOLD (EXCLUDING CELL PHONES) |
| NUM_CELLS_HH | 3 | NUMBER OF WORKING CELL PHONES HOUSEHOLD MEMBERS HAVE AVAILABLE FOR PERSONAL USE |
| NUM_CELLS_PARENTS | 3 | NUMBER OF WORKING CELL PHONES USUALLY USED BY PARENTS OR GUARDIANS |
| RACEETHK | 3 | RACE/ETHNICITY OF TEEN WITH MULTIRACE CATEGORY (RECODE) |
| RACE_K | 3 | RACE OF TEEN WITH MULTIRACE CATEGORY (RECODE) |
| RENT_OWN | 3 | IS HOME OWNED/BEING BOUGHT, RENTED, OR OCCUPIED BY SOME OTHER ARRANGEMENT? |
| SEX | 3 | SEX OF TEEN |
| ESTIAPT16 | 4 | ESTIMATION AREA OF RESIDENCE |
| EST_GRANT | 4 | AREA OF RESIDENCE PER THE 56 CORE NIS GRANTEE AREAS |
| STATE | 4 | TRUE STATE OF RESIDENCE (STATE FIPS CODE) |
| D6R | 5 | NUMBER OF PROVIDERS IDENTIFIED BY RESPONDENT (NOT DE-DUPLICATED) (RECODE) |
| D7 | 5 | CONSENT TO OBTAIN VACCINATION RECORDS FROM PROVIDERS |
| NUM_PROVR | 5 | NUMBER OF VALID, UNIQUE PROVIDERS IDENTIFIED BY RESPONDENT (FOR TEENS WITH CONSENT) (RECODE) |
| N_PRVR | 6 | NUMBER OF IHQS WITH VACCINATION INFORMATION FOR THE TEEN (RECODE) |
| FACILITY | 7 | FACILITY TYPES FOR TEEN'S PROVIDERS |
| REGISTRY | 7 | DID TEEN'S PROVIDERS REPORT TEEN'S IMMUNIZATIONS TO IMMUNIZATION REGISTRY? |
| VFC_ORDER | 7 | DO TEEN'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT? |
| P_N13FLU | 8 | NUMBER OF SEASONAL INFLUENZA VACCINATIONS IN THE PAST THREE YEARS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

SECTION INDEX OF VARIABLES

| SAS_Var | Section | Variable Label |
|----------------|----------------|---|
| P_N13FLU_FL | 8 | NUMBER OF SEASONAL INFLUENZA VACCINATIONS OF UNKNOWN TYPE IN PAST THREE YEARS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13FLU_FM | 8 | NUMBER OF SEASONAL FLUMIST VACCINATIONS IN PAST THREE YEARS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13FLU_FN | 8 | NUMBER OF INJECTED SEASONAL INFLUENZA SHOTS OF OTHER/UNKNOWN TYPE IN PAST THREE YEARS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13FLU_FV | 8 | NUMBER OF SEASONAL FLUVIRIN SHOTS IN PAST THREE YEARS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13FLU_FZ | 8 | NUMBER OF SEASONAL FLUZONE SHOTS IN PAST THREE YEARS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HEPA | 8 | NUMBER OF HEPATITIS A-CONTAINING SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HEPA_HA | 8 | NUMBER OF HEPATITIS A-CONTAINING SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HEPA_HO | 8 | NUMBER OF HEPATITIS A-ONLY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HEPB | 8 | NUMBER OF HEPATITIS B-CONTAINING SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HEPB_43 | 8 | NUMBER OF HEPB/HIB COMBO SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HEPB_61 | 8 | NUMBER OF HEPATITIS B 0.5 ML RECOMBIVAX SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HEPB_62 | 8 | NUMBER OF HEPATITIS B 1.0 ML RECOMBIVAX SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HEPB_63 | 8 | NUMBER OF HEPATITIS B ENGERIX SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HEPB_64 | 8 | NUMBER OF HEPATITIS B-ONLY SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HEPB_HB | 8 | NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HPV | 8 | NUMBER OF HUMAN PAPILLOMAVIRUS SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

SECTION INDEX OF VARIABLES

| SAS_Var | Section | Variable Label |
|----------------|----------------|--|
| P_N13HPV_4V | 8 | NUMBER OF HPV-GARDASIL (4vHPV) SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HPV_9V | 8 | NUMBER OF HPV-GARDASIL 9 (9vHPV) SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HPV_CV | 8 | NUMBER OF HPV-CERVARIX SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HPV_HP | 8 | NUMBER OF HPV SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HPV_UV | 8 | NUMBER OF HPV-GARDASIL, UNKNOWN VALENCY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MCV | 8 | NUMBER OF MEASLES-CONTAINING SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MCV_30 | 8 | NUMBER OF MMR-ONLY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MCV_31 | 8 | NUMBER OF MEASLES-ONLY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MCV_32 | 8 | NUMBER OF MEASLES-MUMPS SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MCV_33 | 8 | NUMBER OF MEASLES-RUBELLA SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MCV_MM | 8 | NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MCV_VM | 8 | NUMBER OF MMR/VARICELLA SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MEN | 8 | NUMBER OF MENINGOCOCCAL SEROGROUP ACWY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MEN_80 | 8 | NUMBER OF MENINGOCOCCAL MCV4 SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MEN_81 | 8 | NUMBER OF MENINGOCOCCAL MPSV4 SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MEN_82 | 8 | NUMBER OF MENINGOCOCCAL SEROGROUP ACWY SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

SECTION INDEX OF VARIABLES

| SAS_Var | Section | Variable Label |
|------------------|----------------|---|
| P_N13MENB | 8 | NUMBER OF MENINGOCOCCAL SEROGROUP B SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MENB_BB | 8 | NUMBER OF MENINGOCOCCAL MENB-4C SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MENB_BT | 8 | NUMBER OF MENINGOCOCCAL MENB-FHPB SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MENB_BU | 8 | NUMBER OF MENINGOCOCCAL SEROGROUP B SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MENU | 8 | NUMBER OF MENINGOCOCCAL-UNKNOWN SEROGROUP SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MMR | 8 | NUMBER OF MMR-CONTAINING SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13PPS | 8 | NUMBER OF PNEUMOCOCCAL POLYSACCHARIDE SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13TDAP_POST10 | 8 | NUMBER OF TDAP SHOTS SINCE AGE 10 YEARS AND BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13TDAP_POST7 | 8 | NUMBER OF TDAP SHOTS SINCE AGE 7 YEARS AND BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13TDP | 8 | NUMBER OF TD/TDAP-CONTAINING SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13TDP_11 | 8 | NUMBER OF TD-ONLY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13TDP_14 | 8 | NUMBER OF TDAP-ONLY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13TDP_15 | 8 | NUMBER OF TD/TDAP-CONTAINING SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13TDP_POST10 | 8 | NUMBER OF TD/TDAP-CONTAINING SHOTS SINCE AGE 10 YEARS AND BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13VRC | 8 | NUMBER OF VARICELLA-CONTAINING SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13VRC_POST1 | 8 | NUMBER OF VARICELLA-CONTAINING SHOTS AT 12+ MONTHS OF AGE AND BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13VRC_VA | 8 | NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

SECTION INDEX OF VARIABLES

| SAS_Var | Section | Variable Label |
|----------------|----------------|---|
| P_N13VRC_VM | 8 | NUMBER OF MMR/VARICELLA SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13VRC_VO | 8 | NUMBER OF VARICELLA-ONLY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMFLU | 8 | NUMBER OF SEASONAL INFLUENZA VACCINATIONS IN THE PAST THREE YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMFLU_FL | 8 | NUMBER OF SEASONAL INFLUENZA VACCINATIONS OF UNKNOWN TYPE IN PAST THREE YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMFLU_FM | 8 | NUMBER OF SEASONAL FLUMIST VACCINATIONS IN PAST THREE YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMFLU_FN | 8 | NUMBER OF INJECTED SEASONAL INFLUENZA SHOTS OF OTHER/UNKNOWN TYPE IN PAST THREE YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMFLU_FV | 8 | NUMBER OF SEASONAL FLUVIRIN SHOTS IN PAST THREE YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMFLU_FZ | 8 | NUMBER OF SEASONAL FLUZONE SHOTS IN PAST THREE YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEPA | 8 | NUMBER OF HEPATITIS A-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEPA_HA | 8 | NUMBER OF HEPATITIS A-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEPA_HO | 8 | NUMBER OF HEPATITIS A-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEPB | 8 | NUMBER OF HEPATITIS B-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEPB_43 | 8 | NUMBER OF HEPB/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEPB_61 | 8 | NUMBER OF HEPATITIS B 0.5 ML RECOMBIVAX SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEPB_62 | 8 | NUMBER OF HEPATITIS B 1.0 ML RECOMBIVAX SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEPB_63 | 8 | NUMBER OF HEPATITIS B ENGERIX SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEPB_64 | 8 | NUMBER OF HEPATITIS B-ONLY SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEPB_HB | 8 | NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHPV | 8 | NUMBER OF HUMAN PAPILLOMAVIRUS SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHPV_4V | 8 | NUMBER OF HPV-GARDASIL (4vHPV) SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

SECTION INDEX OF VARIABLES

| SAS_Var | Section | Variable Label |
|----------------|----------------|--|
| P_NUMHPV_9V | 8 | NUMBER OF HPV-GARDASIL 9 (9vHPV) SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHPV_CV | 8 | NUMBER OF HPV-CERVARIX SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHPV_HP | 8 | NUMBER OF HPV SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHPV_UV | 8 | NUMBER OF HPV-GARDASIL, UNKNOWN VALENCY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMCV | 8 | NUMBER OF MEASLES-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMCV_30 | 8 | NUMBER OF MMR-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMCV_31 | 8 | NUMBER OF MEASLES-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMCV_32 | 8 | NUMBER OF MEASLES-MUMPS SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMCV_33 | 8 | NUMBER OF MEASLES-RUBELLA SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMCV_MM | 8 | NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMCV_VM | 8 | NUMBER OF MMR/VARICELLA SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMEN | 8 | NUMBER OF MENINGOCOCCAL SEROGROUP ACWY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMEN_80 | 8 | NUMBER OF MENINGOCOCCAL MCV4 SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMEN_81 | 8 | NUMBER OF MENINGOCOCCAL MPSV4 SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMEN_82 | 8 | NUMBER OF MENINGOCOCCAL SEROGROUP ACWY SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMENB | 8 | NUMBER OF MENINGOCOCCAL SEROGROUP B SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMENB_BB | 8 | NUMBER OF MENINGOCOCCAL MENB-4C SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMENB_BT | 8 | NUMBER OF MENINGOCOCCAL MENB-FHPB SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMENB_BU | 8 | NUMBER OF MENINGOCOCCAL SEROGROUP B SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMENU | 8 | NUMBER OF MENINGOCOCCAL-UNKNOWN SEROGROUP SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

SECTION INDEX OF VARIABLES

| SAS_Var | Section | Variable Label |
|------------------|----------------|---|
| P_NUMMMR | 8 | NUMBER OF MMR-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMPPS | 8 | NUMBER OF PNEUMOCOCCAL POLYSACCHARIDE SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMTDAP_POST10 | 8 | NUMBER OF TDAP SHOTS SINCE AGE 10 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMTDAP_POST7 | 8 | NUMBER OF TDAP SHOTS SINCE AGE 7 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMTDP | 8 | NUMBER OF TD/TDAP-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMTDP_11 | 8 | NUMBER OF TD-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMTDP_14 | 8 | NUMBER OF TDAP-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMTDP_15 | 8 | NUMBER OF TD/TDAP-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMTDP_POST10 | 8 | NUMBER OF TD/TDAP-CONTAINING SHOTS SINCE AGE 10 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMVRC | 8 | NUMBER OF VARICELLA-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMVRC_POST1 | 8 | NUMBER OF VARICELLA-CONTAINING SHOTS AT 12+ MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMVRC_VA | 8 | NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMVRC_VM | 8 | NUMBER OF MMR/VARICELLA SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMVRC_VO | 8 | NUMBER OF VARICELLA-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U131321 | 8 | UP-TO-DATE FLAG (PROV INFO): 1:3:2:1 SERIES BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U1313212 | 8 | UP-TO-DATE FLAG (PROV INFO): 1:3:2:1:2 SERIES BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13FLU1415 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ SEASONAL INFLUENZA VACCINATION BETWEEN SEPT 1, 2014 AND JAN 31, 2015, BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13FLU1516 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ SEASONAL INFLUENZA VACCINATION BETWEEN SEPT 1, 2015 AND JAN 31, 2016, BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13FLU1617 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ SEASONAL INFLUENZA VACCINATION BETWEEN SEPT 1, 2016 AND JAN 31, 2017, BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13HEPA | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ HEPATITIS A-CONTAINING SHOTS BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

SECTION INDEX OF VARIABLES

| SAS_Var | Section | Variable Label |
|----------------|----------------|---|
| P_U13HEPB | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ HEPB 1.0 ML RECOMBIVAX SHOTS BEFORE AGE 13 YEARS, OR 3+ ANY COMBINATION OF HEPATITIS B-CONTAINING SHOTS BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13HPV | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ HUMAN PAPILLOMAVIRUS SHOT BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13HPV3 | 8 | UP-TO-DATE FLAG (PROV INFO): 3+ HUMAN PAPILLOMAVIRUS SHOTS BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13113 | 8 | UP-TO-DATE FLAG (PROV INFO): 1:1:3 SERIES BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13MCV | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ MEASLES-CONTAINING SHOTS BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13MEN | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ MENINGOCOCCAL SEROGROUP ACWY SHOT BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13MMR | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ MMR-CONTAINING SHOTS BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13PPS | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ PNEUMOCOCCAL POLYSACCHARIDE SHOT BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13TD | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ TD/TDAP-CONTAINING SHOT BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13TDAP | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ TDAP-ONLY SHOT SINCE AGE 10 YEARS AND BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13TDAP7 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ TDAP-ONLY SHOT SINCE AGE 7 YEARS AND BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13VRC | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS OF AGE AND BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13VRC2 | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ VARICELLA-CONTAINING SHOTS AT 12+ MONTHS OF AGE AND BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTD1321 | 8 | UP-TO-DATE FLAG (PROV INFO): 1:3:2:1 SERIES, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTD13212 | 8 | UP-TO-DATE FLAG (PROV INFO): 1:3:2:1:2 SERIES, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDFLU1415 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ SEASONAL INFLUENZA VACCINATION BETWEEN SEPT 1, 2014 AND JAN 31, 2015, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDFLU1516 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ SEASONAL INFLUENZA VACCINATION BETWEEN SEPT 1, 2015 AND JAN 31, 2016, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDFLU1617 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ SEASONAL INFLUENZA VACCINATION BETWEEN SEPT 1, 2016 AND JAN 31, 2017, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHEPA | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ HEPATITIS A-CONTAINING SHOTS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

SECTION INDEX OF VARIABLES

| SAS_Var | Section | Variable Label |
|------------------|----------------|---|
| P_UTDHEPA1 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ HEPATITIS A-CONTAINING SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHEPB | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ HEPB 1.0 ML RECOMBIVAX SHOTS, OR 3+ ANY COMBINATION OF HEPATITIS B-CONTAINING SHOTS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ HUMAN PAPILLOMAVIRUS SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV_15 | 8 | UP-TO-DATE FLAG (PROV INFO): 3+ HUMAN PAPILLOMAVIRUS SHOTS, OR 2+ HUMAN PAPILLOMAVIRUS SHOTS WITH FIRST SHOT RECEIVED BEFORE AGE 15, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV_15INT | 8 | UP-TO-DATE FLAG (PROV INFO): 3+ HUMAN PAPILLOMAVIRUS SHOTS, OR 2+ HUMAN PAPILLOMAVIRUS SHOTS WITH FIRST SHOT RECEIVED BEFORE AGE 15 AND INTERVAL BETWEEN 1ST AND 2ND SHOTS AT LEAST 5 MONTHS-4 DAYS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV_9V | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ HUMAN PAPILLOMAVIRUS SHOT OF TYPE GARDASIL 9 (9vHPV), EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV11 | 8 | UP-TO-DATE FLAG (PROV INFO): 1 HUMAN PAPILLOMAVIRUS SHOT GIVEN 1+ SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV12 | 8 | UP-TO-DATE FLAG (PROV INFO): 2 HUMAN PAPILLOMAVIRUS SHOTS GIVEN 1+ SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV13 | 8 | UP-TO-DATE FLAG (PROV INFO): 3+ HUMAN PAPILLOMAVIRUS SHOTS GIVEN 1+ SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV2 | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ HUMAN PAPILLOMAVIRUS SHOTS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV2_9V | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ HUMAN PAPILLOMAVIRUS SHOTS OF TYPE GARDASIL 9 (9vHPV), EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV3 | 8 | UP-TO-DATE FLAG (PROV INFO): 3+ HUMAN PAPILLOMAVIRUS SHOTS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV3_9V | 8 | UP-TO-DATE FLAG (PROV INFO): 3+ HUMAN PAPILLOMAVIRUS SHOTS OF TYPE GARDASIL 9 (9vHPV), EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV3C | 8 | UP-TO-DATE FLAG (PROV INFO): HPV CONDITIONAL COMPLETION RATE, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV3C_15INT | 8 | UP-TO-DATE FLAG (PROV INFO): HPV CONDITIONAL COMPLETION RATE, INCLUDING COMPLETION VIA 3-SHOT OR 2-SHOT SERIES, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV3C_9V | 8 | UP-TO-DATE FLAG (PROV INFO): HPV CONDITIONAL COMPLETION RATE, COUNTING ONLY SHOTS OF TYPE GARDASIL 9 (9vHPV), EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDMCV | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ MEASLES-CONTAINING SHOTS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDMEN | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ MENINGOCOCCAL SEROGROUP ACWY SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDMENACWY | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ MENINGOCOCCAL SEROGROUP ACWY-CONJUGATE SHOT OR MENINGOCOCCAL SEROGROUP ACWY-UNKNOWN TYPE SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

SECTION INDEX OF VARIABLES

| SAS_Var | Section | Variable Label |
|-------------------|----------------|--|
| P_UTDMMR | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ MMR-CONTAINING SHOTS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDPPS | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ PNEUMOCOCCAL POLYSACCHARIDE SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDTD | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ TD/TDAP-CONTAINING SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDTDAP | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ TDAP-ONLY SHOT SINCE AGE 10 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDTDAP7 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ TDAP-ONLY SHOT SINCE AGE 7 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDTPD_POST10 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ TD/TDAP-CONTAINING SHOT SINCE AGE 10 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDTD_POST10 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ TD-ONLY SHOT SINCE AGE 10 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDVRC | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDVRC2 | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ VARICELLA-CONTAINING SHOTS AT 12+ MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDVRC_NOHIST4 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ VARICELLA-CONTAINING SHOT AT 4+ YEARS OF AGE, NO HISTORY OF CHICKEN POX DISEASE, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDVRC2_NOHIST4 | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ VARICELLA-CONTAINING SHOTS AT 4+ YEARS OF AGE, NO HISTORY OF CHICKEN POX DISEASE, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| VRC_HIST | 8 | HISTORY OF CHICKEN POX REPORTED BY THE HOUSEHOLD OR BY ANY PROVIDER |
| FLU_AGE1 | 9 | AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #1 |
| FLU_AGE2 | 9 | AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #2 |
| FLU_AGE3 | 9 | AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #3 |
| FLU_AGE4 | 9 | AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #4 |
| FLU_AGE5 | 9 | AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #5 |
| FLU_AGE6 | 9 | AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #6 |
| FLU_AGE7 | 9 | AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #7 |
| FLU_AGE8 | 9 | AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #8 |
| FLU_AGE9 | 9 | AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #9 |
| FLU_DAGE1 | 9 | AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #1 |

SECTION INDEX OF VARIABLES

| SAS_Var | Section | Variable Label |
|----------------|----------------|--|
| FLU_DAGE2 | 9 | AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #2 |
| FLU_DAGE3 | 9 | AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #3 |
| FLU_DAGE4 | 9 | AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #4 |
| FLU_DAGE5 | 9 | AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #5 |
| FLU_DAGE6 | 9 | AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #6 |
| FLU_DAGE7 | 9 | AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #7 |
| FLU_DAGE8 | 9 | AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #8 |
| FLU_DAGE9 | 9 | AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #9 |
| FLU_MAGE1 | 9 | AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #1 |
| FLU_MAGE2 | 9 | AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #2 |
| FLU_MAGE3 | 9 | AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #3 |
| FLU_MAGE4 | 9 | AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #4 |
| FLU_MAGE5 | 9 | AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #5 |
| FLU_MAGE6 | 9 | AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #6 |
| FLU_MAGE7 | 9 | AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #7 |
| FLU_MAGE8 | 9 | AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #8 |
| FLU_MAGE9 | 9 | AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #9 |
| FLU_MONTH1 | 9 | MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #1 |
| FLU_MONTH2 | 9 | MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #2 |
| FLU_MONTH3 | 9 | MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #3 |
| FLU_MONTH4 | 9 | MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #4 |
| FLU_MONTH5 | 9 | MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #5 |
| FLU_MONTH6 | 9 | MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #6 |
| FLU_MONTH7 | 9 | MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #7 |
| FLU_MONTH8 | 9 | MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #8 |
| FLU_MONTH9 | 9 | MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #9 |
| FLU_YEAR1 | 9 | YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #1 |

SECTION INDEX OF VARIABLES

| SAS_Var | Section | Variable Label |
|----------------|----------------|---|
| FLU_YEAR2 | 9 | YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #2 |
| FLU_YEAR3 | 9 | YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #3 |
| FLU_YEAR4 | 9 | YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #4 |
| FLU_YEAR5 | 9 | YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #5 |
| FLU_YEAR6 | 9 | YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #6 |
| FLU_YEAR7 | 9 | YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #7 |
| FLU_YEAR8 | 9 | YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #8 |
| FLU_YEAR9 | 9 | YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #9 |
| HEPA_AGE1 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #1 |
| HEPA_AGE2 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #2 |
| HEPA_AGE3 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #3 |
| HEPA_AGE4 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #4 |
| HEPA_AGE5 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #5 |
| HEPA_AGE6 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #6 |
| HEPA_AGE7 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #7 |
| HEPA_AGE8 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #8 |
| HEPA_AGE9 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #9 |
| HEPA_DAGE1 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #1 |
| HEPA_DAGE2 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #2 |
| HEPA_DAGE3 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #3 |
| HEPA_DAGE4 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #4 |
| HEPA_DAGE5 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #5 |
| HEPA_DAGE6 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #6 |
| HEPA_DAGE7 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #7 |
| HEPA_DAGE8 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #8 |
| HEPA_DAGE9 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #9 |
| HEPA_MAGE1 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #1 |
| HEPA_MAGE2 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #2 |
| HEPA_MAGE3 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #3 |
| HEPA_MAGE4 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #4 |
| HEPA_MAGE5 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #5 |
| HEPA_MAGE6 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #6 |
| HEPA_MAGE7 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #7 |
| HEPA_MAGE8 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #8 |
| HEPA_MAGE9 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #9 |
| HEPB_AGE1 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #1 |
| HEPB_AGE2 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #2 |
| HEPB_AGE3 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #3 |

SECTION INDEX OF VARIABLES

| SAS_Var | Section | Variable Label |
|----------------|----------------|---|
| HEPB_AGE4 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #4 |
| HEPB_AGE5 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #5 |
| HEPB_AGE6 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #6 |
| HEPB_AGE7 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #7 |
| HEPB_AGE8 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #8 |
| HEPB_AGE9 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #9 |
| HEPB_DAGE1 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #1 |
| HEPB_DAGE2 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #2 |
| HEPB_DAGE3 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #3 |
| HEPB_DAGE4 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #4 |
| HEPB_DAGE5 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #5 |
| HEPB_DAGE6 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #6 |
| HEPB_DAGE7 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #7 |
| HEPB_DAGE8 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #8 |
| HEPB_DAGE9 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #9 |
| HEPB_MAGE1 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #1 |
| HEPB_MAGE2 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #2 |
| HEPB_MAGE3 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #3 |
| HEPB_MAGE4 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #4 |
| HEPB_MAGE5 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #5 |
| HEPB_MAGE6 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #6 |
| HEPB_MAGE7 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #7 |
| HEPB_MAGE8 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #8 |
| HEPB_MAGE9 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #9 |
| HPV_AGE1 | 9 | AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #1 |
| HPV_AGE2 | 9 | AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #2 |
| HPV_AGE3 | 9 | AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #3 |
| HPV_AGE4 | 9 | AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #4 |
| HPV_AGE5 | 9 | AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #5 |
| HPV_AGE6 | 9 | AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #6 |
| HPV_AGE7 | 9 | AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #7 |
| HPV_AGE8 | 9 | AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #8 |
| HPV_AGE9 | 9 | AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #9 |
| HPV_DAGE1 | 9 | AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #1 |
| HPV_DAGE2 | 9 | AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #2 |
| HPV_DAGE3 | 9 | AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #3 |
| HPV_DAGE4 | 9 | AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #4 |
| HPV_DAGE5 | 9 | AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #5 |

SECTION INDEX OF VARIABLES

| SAS_Var | Section | Variable Label |
|----------------|----------------|---|
| HPV_DAGE6 | 9 | AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #6 |
| HPV_DAGE7 | 9 | AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #7 |
| HPV_DAGE8 | 9 | AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #8 |
| HPV_DAGE9 | 9 | AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #9 |
| HPV_MAGE1 | 9 | AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #1 |
| HPV_MAGE2 | 9 | AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #2 |
| HPV_MAGE3 | 9 | AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #3 |
| HPV_MAGE4 | 9 | AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #4 |
| HPV_MAGE5 | 9 | AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #5 |
| HPV_MAGE6 | 9 | AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #6 |
| HPV_MAGE7 | 9 | AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #7 |
| HPV_MAGE8 | 9 | AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #8 |
| HPV_MAGE9 | 9 | AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #9 |
| MCV_AGE1 | 9 | AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #1 |
| MCV_AGE2 | 9 | AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #2 |
| MCV_AGE3 | 9 | AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #3 |
| MCV_AGE4 | 9 | AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #4 |
| MCV_AGE5 | 9 | AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #5 |
| MCV_AGE6 | 9 | AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #6 |
| MCV_AGE7 | 9 | AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #7 |
| MCV_AGE8 | 9 | AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #8 |
| MCV_AGE9 | 9 | AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #9 |
| MCV_DAGE1 | 9 | AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #1 |
| MCV_DAGE2 | 9 | AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #2 |
| MCV_DAGE3 | 9 | AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #3 |
| MCV_DAGE4 | 9 | AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #4 |
| MCV_DAGE5 | 9 | AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #5 |
| MCV_DAGE6 | 9 | AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #6 |
| MCV_DAGE7 | 9 | AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #7 |
| MCV_DAGE8 | 9 | AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #8 |
| MCV_DAGE9 | 9 | AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #9 |
| MCV_MAGE1 | 9 | AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #1 |
| MCV_MAGE2 | 9 | AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #2 |
| MCV_MAGE3 | 9 | AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #3 |
| MCV_MAGE4 | 9 | AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #4 |
| MCV_MAGE5 | 9 | AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #5 |
| MCV_MAGE6 | 9 | AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #6 |
| MCV_MAGE7 | 9 | AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #7 |

SECTION INDEX OF VARIABLES

| SAS_Var | Section | Variable Label |
|----------------|----------------|---|
| MCV_MAGE8 | 9 | AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #8 |
| MCV_MAGE9 | 9 | AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #9 |
| MEN_AGE1 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #1 |
| MEN_AGE2 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #2 |
| MEN_AGE3 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #3 |
| MEN_AGE4 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #4 |
| MEN_AGE5 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #5 |
| MEN_AGE6 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #6 |
| MEN_AGE7 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #7 |
| MEN_AGE8 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #8 |
| MEN_AGE9 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #9 |
| MEN_DAGE1 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #1 |
| MEN_DAGE2 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #2 |
| MEN_DAGE3 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #3 |
| MEN_DAGE4 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #4 |
| MEN_DAGE5 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #5 |
| MEN_DAGE6 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #6 |
| MEN_DAGE7 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #7 |
| MEN_DAGE8 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #8 |
| MEN_DAGE9 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #9 |
| MEN_MAGE1 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #1 |
| MEN_MAGE2 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #2 |
| MEN_MAGE3 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #3 |
| MEN_MAGE4 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #4 |
| MEN_MAGE5 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #5 |
| MEN_MAGE6 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #6 |
| MEN_MAGE7 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #7 |
| MEN_MAGE8 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #8 |
| MEN_MAGE9 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #9 |
| MENB_AGE1 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #1 |
| MENB_AGE2 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #2 |
| MENB_AGE3 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #3 |
| MENB_AGE4 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #4 |
| MENB_AGE5 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #5 |
| MENB_AGE6 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #6 |
| MENB_AGE7 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #7 |
| MENB_AGE8 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #8 |
| MENB_AGE9 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #9 |

SECTION INDEX OF VARIABLES

| SAS_Var | Section | Variable Label |
|----------------|----------------|--|
| MENB_DAGE1 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #1 |
| MENB_DAGE2 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #2 |
| MENB_DAGE3 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #3 |
| MENB_DAGE4 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #4 |
| MENB_DAGE5 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #5 |
| MENB_DAGE6 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #6 |
| MENB_DAGE7 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #7 |
| MENB_DAGE8 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #8 |
| MENB_DAGE9 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #9 |
| MENB_MAGE1 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #1 |
| MENB_MAGE2 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #2 |
| MENB_MAGE3 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #3 |
| MENB_MAGE4 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #4 |
| MENB_MAGE5 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #5 |
| MENB_MAGE6 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #6 |
| MENB_MAGE7 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #7 |
| MENB_MAGE8 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #8 |
| MENB_MAGE9 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #9 |
| MENU_AGE1 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #1 |
| MENU_AGE2 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #2 |
| MENU_AGE3 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #3 |
| MENU_AGE4 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #4 |
| MENU_AGE5 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #5 |
| MENU_AGE6 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #6 |
| MENU_AGE7 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #7 |
| MENU_AGE8 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #8 |
| MENU_AGE9 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #9 |
| MENU_DAGE1 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #1 |
| MENU_DAGE2 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #2 |
| MENU_DAGE3 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #3 |
| MENU_DAGE4 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #4 |
| MENU_DAGE5 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #5 |
| MENU_DAGE6 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #6 |
| MENU_DAGE7 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #7 |
| MENU_DAGE8 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #8 |
| MENU_DAGE9 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #9 |
| MENU_MAGE1 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #1 |
| MENU_MAGE2 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #2 |

SECTION INDEX OF VARIABLES

| SAS_Var | Section | Variable Label |
|----------------|----------------|--|
| MENU_MAGE3 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #3 |
| MENU_MAGE4 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #4 |
| MENU_MAGE5 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #5 |
| MENU_MAGE6 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #6 |
| MENU_MAGE7 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #7 |
| MENU_MAGE8 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #8 |
| MENU_MAGE9 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #9 |
| PPS_AGE1 | 9 | AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #1 |
| PPS_AGE2 | 9 | AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #2 |
| PPS_AGE3 | 9 | AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #3 |
| PPS_AGE4 | 9 | AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #4 |
| PPS_AGE5 | 9 | AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #5 |
| PPS_AGE6 | 9 | AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #6 |
| PPS_AGE7 | 9 | AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #7 |
| PPS_AGE8 | 9 | AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #8 |
| PPS_AGE9 | 9 | AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #9 |
| PPS_DAGE1 | 9 | AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #1 |
| PPS_DAGE2 | 9 | AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #2 |
| PPS_DAGE3 | 9 | AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #3 |
| PPS_DAGE4 | 9 | AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #4 |
| PPS_DAGE5 | 9 | AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #5 |
| PPS_DAGE6 | 9 | AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #6 |
| PPS_DAGE7 | 9 | AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #7 |
| PPS_DAGE8 | 9 | AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #8 |
| PPS_DAGE9 | 9 | AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #9 |
| PPS_MAGE1 | 9 | AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #1 |
| PPS_MAGE2 | 9 | AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #2 |
| PPS_MAGE3 | 9 | AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #3 |
| PPS_MAGE4 | 9 | AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #4 |
| PPS_MAGE5 | 9 | AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #5 |
| PPS_MAGE6 | 9 | AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #6 |
| PPS_MAGE7 | 9 | AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #7 |
| PPS_MAGE8 | 9 | AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #8 |
| PPS_MAGE9 | 9 | AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #9 |
| TDP_AGE1 | 9 | AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #1 |
| TDP_AGE2 | 9 | AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #2 |
| TDP_AGE3 | 9 | AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #3 |
| TDP_AGE4 | 9 | AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #4 |

SECTION INDEX OF VARIABLES

| SAS_Var | Section | Variable Label |
|----------------|----------------|--|
| TDP_AGE5 | 9 | AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #5 |
| TDP_AGE6 | 9 | AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #6 |
| TDP_AGE7 | 9 | AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #7 |
| TDP_AGE8 | 9 | AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #8 |
| TDP_AGE9 | 9 | AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #9 |
| TDP_DAGE1 | 9 | AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #1 |
| TDP_DAGE2 | 9 | AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #2 |
| TDP_DAGE3 | 9 | AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #3 |
| TDP_DAGE4 | 9 | AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #4 |
| TDP_DAGE5 | 9 | AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #5 |
| TDP_DAGE6 | 9 | AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #6 |
| TDP_DAGE7 | 9 | AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #7 |
| TDP_DAGE8 | 9 | AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #8 |
| TDP_DAGE9 | 9 | AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #9 |
| TDP_MAGE1 | 9 | AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #1 |
| TDP_MAGE2 | 9 | AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #2 |
| TDP_MAGE3 | 9 | AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #3 |
| TDP_MAGE4 | 9 | AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #4 |
| TDP_MAGE5 | 9 | AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #5 |
| TDP_MAGE6 | 9 | AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #6 |
| TDP_MAGE7 | 9 | AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #7 |
| TDP_MAGE8 | 9 | AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #8 |
| TDP_MAGE9 | 9 | AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #9 |
| VRC_AGE1 | 9 | AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #1 |
| VRC_AGE2 | 9 | AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #2 |
| VRC_AGE3 | 9 | AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #3 |
| VRC_AGE4 | 9 | AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #4 |
| VRC_AGE5 | 9 | AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #5 |
| VRC_AGE6 | 9 | AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #6 |
| VRC_AGE7 | 9 | AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #7 |
| VRC_AGE8 | 9 | AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #8 |
| VRC_AGE9 | 9 | AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #9 |
| VRC_DAGE1 | 9 | AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #1 |
| VRC_DAGE2 | 9 | AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #2 |
| VRC_DAGE3 | 9 | AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #3 |
| VRC_DAGE4 | 9 | AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #4 |
| VRC_DAGE5 | 9 | AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #5 |
| VRC_DAGE6 | 9 | AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #6 |

SECTION INDEX OF VARIABLES

| SAS_Var | Section | Variable Label |
|----------------|----------------|---|
| VRC_DAGE7 | 9 | AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #7 |
| VRC_DAGE8 | 9 | AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #8 |
| VRC_DAGE9 | 9 | AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #9 |
| VRC_MAGE1 | 9 | AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #1 |
| VRC_MAGE2 | 9 | AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #2 |
| VRC_MAGE3 | 9 | AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #3 |
| VRC_MAGE4 | 9 | AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #4 |
| VRC_MAGE5 | 9 | AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #5 |
| VRC_MAGE6 | 9 | AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #6 |
| VRC_MAGE7 | 9 | AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #7 |
| VRC_MAGE8 | 9 | AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #8 |
| VRC_MAGE9 | 9 | AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #9 |
| XFLUTY1 | 9 | SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #1 TYPE CODE |
| XFLUTY2 | 9 | SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #2 TYPE CODE |
| XFLUTY3 | 9 | SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #3 TYPE CODE |
| XFLUTY4 | 9 | SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #4 TYPE CODE |
| XFLUTY5 | 9 | SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #5 TYPE CODE |
| XFLUTY6 | 9 | SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #6 TYPE CODE |
| XFLUTY7 | 9 | SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #7 TYPE CODE |
| XFLUTY8 | 9 | SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #8 TYPE CODE |
| XFLUTY9 | 9 | SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #9 TYPE CODE |
| XHEPATY1 | 9 | HEPATITIS A-CONTAINING VACCINATION #1 TYPE CODE |
| XHEPATY2 | 9 | HEPATITIS A-CONTAINING VACCINATION #2 TYPE CODE |
| XHEPATY3 | 9 | HEPATITIS A-CONTAINING VACCINATION #3 TYPE CODE |
| XHEPATY4 | 9 | HEPATITIS A-CONTAINING VACCINATION #4 TYPE CODE |
| XHEPATY5 | 9 | HEPATITIS A-CONTAINING VACCINATION #5 TYPE CODE |
| XHEPATY6 | 9 | HEPATITIS A-CONTAINING VACCINATION #6 TYPE CODE |
| XHEPATY7 | 9 | HEPATITIS A-CONTAINING VACCINATION #7 TYPE CODE |
| XHEPATY8 | 9 | HEPATITIS A-CONTAINING VACCINATION #8 TYPE CODE |
| XHEPATY9 | 9 | HEPATITIS A-CONTAINING VACCINATION #9 TYPE CODE |
| XHEPBTY1 | 9 | HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE |
| XHEPBTY2 | 9 | HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE |
| XHEPBTY3 | 9 | HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE |
| XHEPBTY4 | 9 | HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE |
| XHEPBTY5 | 9 | HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE |
| XHEPBTY6 | 9 | HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE |
| XHEPBTY7 | 9 | HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE |
| XHEPBTY8 | 9 | HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE |

SECTION INDEX OF VARIABLES

| SAS_Var | Section | Variable Label |
|----------------|----------------|---|
| XHEPBTY9 | 9 | HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE |
| XHPVTY1 | 9 | HUMAN PAPILLOMAVIRUS VACCINATION #1 TYPE CODE |
| XHPVTY2 | 9 | HUMAN PAPILLOMAVIRUS VACCINATION #2 TYPE CODE |
| XHPVTY3 | 9 | HUMAN PAPILLOMAVIRUS VACCINATION #3 TYPE CODE |
| XHPVTY4 | 9 | HUMAN PAPILLOMAVIRUS VACCINATION #4 TYPE CODE |
| XHPVTY5 | 9 | HUMAN PAPILLOMAVIRUS VACCINATION #5 TYPE CODE |
| XHPVTY6 | 9 | HUMAN PAPILLOMAVIRUS VACCINATION #6 TYPE CODE |
| XHPVTY7 | 9 | HUMAN PAPILLOMAVIRUS VACCINATION #7 TYPE CODE |
| XHPVTY8 | 9 | HUMAN PAPILLOMAVIRUS VACCINATION #8 TYPE CODE |
| XHPVTY9 | 9 | HUMAN PAPILLOMAVIRUS VACCINATION #9 TYPE CODE |
| XMCVTY1 | 9 | MEASLES-CONTAINING VACCINATION #1 TYPE CODE |
| XMCVTY2 | 9 | MEASLES-CONTAINING VACCINATION #2 TYPE CODE |
| XMCVTY3 | 9 | MEASLES-CONTAINING VACCINATION #3 TYPE CODE |
| XMCVTY4 | 9 | MEASLES-CONTAINING VACCINATION #4 TYPE CODE |
| XMCVTY5 | 9 | MEASLES-CONTAINING VACCINATION #5 TYPE CODE |
| XMCVTY6 | 9 | MEASLES-CONTAINING VACCINATION #6 TYPE CODE |
| XMCVTY7 | 9 | MEASLES-CONTAINING VACCINATION #7 TYPE CODE |
| XMCVTY8 | 9 | MEASLES-CONTAINING VACCINATION #8 TYPE CODE |
| XMCVTY9 | 9 | MEASLES-CONTAINING VACCINATION #9 TYPE CODE |
| XMENBTY1 | 9 | MENINGOCOCCAL SEROGROUP B VACCINATION #1 TYPE CODE |
| XMENBTY2 | 9 | MENINGOCOCCAL SEROGROUP B VACCINATION #2 TYPE CODE |
| XMENBTY3 | 9 | MENINGOCOCCAL SEROGROUP B VACCINATION #3 TYPE CODE |
| XMENBTY4 | 9 | MENINGOCOCCAL SEROGROUP B VACCINATION #4 TYPE CODE |
| XMENBTY5 | 9 | MENINGOCOCCAL SEROGROUP B VACCINATION #5 TYPE CODE |
| XMENBTY6 | 9 | MENINGOCOCCAL SEROGROUP B VACCINATION #6 TYPE CODE |
| XMENBTY7 | 9 | MENINGOCOCCAL SEROGROUP B VACCINATION #7 TYPE CODE |
| XMENBTY8 | 9 | MENINGOCOCCAL SEROGROUP B VACCINATION #8 TYPE CODE |
| XMENBTY9 | 9 | MENINGOCOCCAL SEROGROUP B VACCINATION #9 TYPE CODE |
| XMENTY1 | 9 | MENINGOCOCCAL SEROGROUP ACWY VACCINATION #1 TYPE CODE |
| XMENTY2 | 9 | MENINGOCOCCAL SEROGROUP ACWY VACCINATION #2 TYPE CODE |
| XMENTY3 | 9 | MENINGOCOCCAL SEROGROUP ACWY VACCINATION #3 TYPE CODE |
| XMENTY4 | 9 | MENINGOCOCCAL SEROGROUP ACWY VACCINATION #4 TYPE CODE |
| XMENTY5 | 9 | MENINGOCOCCAL SEROGROUP ACWY VACCINATION #5 TYPE CODE |
| XMENTY6 | 9 | MENINGOCOCCAL SEROGROUP ACWY VACCINATION #6 TYPE CODE |
| XMENTY7 | 9 | MENINGOCOCCAL SEROGROUP ACWY VACCINATION #7 TYPE CODE |
| XMENTY8 | 9 | MENINGOCOCCAL SEROGROUP ACWY VACCINATION #8 TYPE CODE |
| XMENTY9 | 9 | MENINGOCOCCAL SEROGROUP ACWY VACCINATION #9 TYPE CODE |
| XTDPTY1 | 9 | TD/TDAP-CONTAINING VACCINATION #1 TYPE CODE |

SECTION INDEX OF VARIABLES

| SAS_Var | Section | Variable Label |
|----------------|----------------|--|
| XTDPTY2 | 9 | TD/TDAP-CONTAINING VACCINATION #2 TYPE CODE |
| XTDPTY3 | 9 | TD/TDAP-CONTAINING VACCINATION #3 TYPE CODE |
| XTDPTY4 | 9 | TD/TDAP-CONTAINING VACCINATION #4 TYPE CODE |
| XTDPTY5 | 9 | TD/TDAP-CONTAINING VACCINATION #5 TYPE CODE |
| XTDPTY6 | 9 | TD/TDAP-CONTAINING VACCINATION #6 TYPE CODE |
| XTDPTY7 | 9 | TD/TDAP-CONTAINING VACCINATION #7 TYPE CODE |
| XTDPTY8 | 9 | TD/TDAP-CONTAINING VACCINATION #8 TYPE CODE |
| XTDPTY9 | 9 | TD/TDAP-CONTAINING VACCINATION #9 TYPE CODE |
| XVRCTY1 | 9 | VARICELLA-CONTAINING VACCINATION #1 TYPE CODE |
| XVRCTY2 | 9 | VARICELLA-CONTAINING VACCINATION #2 TYPE CODE |
| XVRCTY3 | 9 | VARICELLA-CONTAINING VACCINATION #3 TYPE CODE |
| XVRCTY4 | 9 | VARICELLA-CONTAINING VACCINATION #4 TYPE CODE |
| XVRCTY5 | 9 | VARICELLA-CONTAINING VACCINATION #5 TYPE CODE |
| XVRCTY6 | 9 | VARICELLA-CONTAINING VACCINATION #6 TYPE CODE |
| XVRCTY7 | 9 | VARICELLA-CONTAINING VACCINATION #7 TYPE CODE |
| XVRCTY8 | 9 | VARICELLA-CONTAINING VACCINATION #8 TYPE CODE |
| XVRCTY9 | 9 | VARICELLA-CONTAINING VACCINATION #9 TYPE CODE |
| INS_STAT_I | 10 | INSURANCE STATUS: IMPUTED |
| INS_BREAK_I | 10 | CONTINUITY OF INSURANCE COVERAGE SINCE AGE 11: IMPUTED |

SECTION 1: ID, WEIGHT AND FLAG VARIABLES

Variable: SEQNUMT Type: Character Position: 1-5 Source:

Label: UNIQUE TEEN IDENTIFIER

Notes:

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: PDAT2 Type: Numeric Position: 6-6 Source:

Label: ADEQUATE PROVIDER DATA FLAG

Notes: Use PDAT2 = 1 to identify teens with adequate provider data (includes unvaccinated teens). In 2014, the definition of adequate provider data changed. See the Data Users Guide for more information

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|---|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| TEEN HAS ADEQUATE PROVIDER DATA | 1 | 20880 | 48.5% | 48.5% | 20880 | 100.0% | 100.0% |
| TEEN DOES NOT HAVE ADEQUATE PROVIDER DATA | 2 | 22191 | 51.5% | 51.5% | 0 | 0.0% | 0.0% |
| SUBTOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: RDDWT_D Type: Numeric Position: 7-26 Source:

Label: FINAL DUAL-FRAME RDD-PHASE WEIGHT (EXCLUDES TERRITORIES)

Notes: Final dual-frame household interview weight for teen. Use this weight for estimates based on teens with completed household interviews in the U.S. proper; it is missing for cases sampled from territories.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 41994 | 97.5% | 100.0% | 20475 | 98.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 1077 | 2.5% | n/a | 405 | 1.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 1: ID, WEIGHT AND FLAG VARIABLES

Variable: RDDWT_D Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|-----|---------|--------|
| Completed Household Interviews | 496.0 | 276.9 | 1.4 | 11464.3 | 731.2 |
| Adequate Provider Data | 483.7 | 267.1 | 1.4 | 11464.3 | 730.2 |

Variable: RDDWT_D_TERR Type: Numeric Position: 27-46 Source:**Label: FINAL RDD-PHASE WEIGHT (INCLUDING TERRITORIES)**

Notes: Final dual-frame household interview weight for teen including territories. Use this weight for estimates based on all teens with completed household interviews.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: RDDWT_D_TERR Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|-----|---------|--------|
| Completed Household Interviews | 488.8 | 270.0 | 1.4 | 11464.3 | 723.8 |
| Adequate Provider Data | 478.2 | 262.9 | 1.4 | 11464.3 | 724.4 |

Variable: PROVWT_D Type: Numeric Position: 47-66 Source:**Label: FINAL DUAL-FRAME PROVIDER-PHASE WEIGHT (EXCLUDES TERRITORIES)**

Notes: Final dual-frame provider-phase interview weight for teen. Use this weight for estimates based on teens with adequate provider data in the U.S. proper; it is missing for cases sampled from territories.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 20475 | 47.5% | 100.0% | 20475 | 98.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22596 | 52.5% | n/a | 405 | 1.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: PROVWT_D Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|--------|--------|-----|---------|--------|
| Completed Household Interviews | 1017.2 | 536.1 | 2.5 | 27440.0 | 1618.3 |
| Adequate Provider Data | 1017.2 | 536.1 | 2.5 | 27440.0 | 1618.3 |

SECTION 1: ID, WEIGHT AND FLAG VARIABLES

Variable: PROVWT_D_TERR Type: Numeric Position: 67-86 Source:

Label: FINAL PROVIDER-PHASE WEIGHT (INCLUDING TERRITORIES)

Notes: Final dual-frame provider-phase interview weight for teen including territories. Use this weight for estimates based on all teens with adequate provider data.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: PROVWT_D_TERR Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDDev |
|--------------------------------|--------|--------|-----|---------|---------|
| Completed Household Interviews | 1008.3 | 529.5 | 2.5 | 27440.0 | 1605.1 |
| Adequate Provider Data | 1008.3 | 529.5 | 2.5 | 27440.0 | 1605.1 |

Variable: STRATUM Type: Numeric Position: 87-90 Source:

Label: STRATUM VARIABLE FOR VARIANCE ESTIMATION

Notes: Use STRATUM as the stratum variable for variance estimation when calculating all estimates.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 1: ID, WEIGHT AND FLAG VARIABLES

Variable: YEAR Type: Numeric Position: 91-94 Source:

Label: SAMPLING YEAR

Notes:

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 2016 | 2016 | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |
| SUBTOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: ASTHMA Type: Numeric Position: 95-96 Source: TIS_HealthASTHMA_A

Label: HAS TEEN BEEN TOLD BY DOCTOR OR OTHER HEALTH PROFESSIONAL THAT HE/SHE HAS ASTHMA?

Notes:

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 8685 | 20.2% | 20.2% | 4382 | 21.0% | 21.0% |
| NO | 2 | 34273 | 79.6% | 79.8% | 16454 | 78.8% | 79.0% |
| SUBTOTALS: | | 42958 | 99.7% | 100.0% | 20836 | 99.8% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 104 | 0.2% | n/a | 43 | 0.2% | n/a |
| REFUSED | 99 | 9 | 0.0% | n/a | 1 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: CKUP_11_12 Type: Numeric Position: 97-98 Source: TIS_Health_CHECKUP2A

Label: DID TEEN HAVE AN 11-12 YEAR OLD WELL-CHILD EXAM OR CHECK-UP?

Notes:

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 33742 | 78.3% | 94.8% | 16572 | 79.4% | 95.3% |
| NO | 2 | 1853 | 4.3% | 5.2% | 816 | 3.9% | 4.7% |
| SUBTOTALS: | | 35595 | 82.6% | 100.0% | 17388 | 83.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1674 | 3.9% | n/a | 621 | 3.0% | n/a |
| REFUSED | 99 | 13 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 5789 | 13.4% | n/a | 2870 | 13.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: CKUP_AGE Type: Numeric Position: 99-100 Source: TIS_Health_CHECKUPA

Label: AGE IN YEARS AT LAST CHECK-UP

Notes:

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 42015 | 97.5% | 100.0% | 20511 | 98.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1032 | 2.4% | n/a | 363 | 1.7% | n/a |
| REFUSED | 99 | 24 | 0.1% | n/a | 6 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: CKUP_AGE Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 14.2 | 14.0 | 0.0 | 17.0 | 2.1 |
| Adequate Provider Data | 14.2 | 14.0 | 0.0 | 17.0 | 2.0 |

Variable: CKUP_LAST Type: Numeric Position: 101-102 Source: TIS_Health_CHECKUP3A

Label: WAS TEEN'S LAST CHECK-UP MORE OR LESS THAN (AGE - 12) YEARS AGO?

Notes:

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|-----------------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| MORE THAN (AGE - 12) YEARS AGO | 1 | 92 | 0.2% | 5.8% | 30 | 0.1% | 5.1% |
| EXACTLY (AGE - 12) YEARS AGO | 2 | 17 | 0.0% | 1.1% | 7 | 0.0% | 1.2% |
| LESS THAN (AGE - 12) YEARS AGO | 3 | 1484 | 3.4% | 93.2% | 555 | 2.7% | 93.8% |
| SUBTOTALS: | | 1593 | 3.7% | 100.0% | 592 | 2.8% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 87 | 0.2% | n/a | 29 | 0.1% | n/a |
| REFUSED | 99 | 7 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 41384 | 96.1% | n/a | 20258 | 97.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: CPOX_AGE Type: Numeric Position: 103-104 Source: TIS_Health_Var_Age

Label: AGE IN YEARS WHEN HAD CHICKEN POX DISEASE

Notes:

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 6311 | 14.7% | 100.0% | 2817 | 13.5% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 506 | 1.2% | n/a | 218 | 1.0% | n/a |
| REFUSED | 99 | 13 | 0.0% | n/a | 6 | 0.0% | n/a |
| MISSING | . | 36241 | 84.1% | n/a | 17839 | 85.4% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: CPOX_AGE Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 4.7 | 4.0 | 0.0 | 18.0 | 2.9 |
| Adequate Provider Data | 4.5 | 4.0 | 0.0 | 18.0 | 3.0 |

Variable: CPOX_AGER Type: Numeric Position: 105-106 Source: TIS_Health_Var_Age2

Label: AGE RANGE WHEN HAD CHICKEN POX DISEASE

Notes:

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| LESS THAN 1 YEAR OLD | 1 | 35 | 0.1% | 8.5% | 13 | 0.1% | 7.2% |
| 1 TO 5 YEARS OLD | 2 | 218 | 0.5% | 52.7% | 97 | 0.5% | 53.9% |
| 5 TO 10 YEARS OLD | 3 | 143 | 0.3% | 34.5% | 61 | 0.3% | 33.9% |
| MORE THAN 10 YEARS OLD | 4 | 18 | 0.0% | 4.3% | 9 | 0.0% | 5.0% |
| SUBTOTALS: | | 414 | 1.0% | 100.0% | 180 | 0.9% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 92 | 0.2% | n/a | 38 | 0.2% | n/a |
| MISSING | . | 42565 | 98.8% | n/a | 20662 | 99.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: CPOX_HAD Type: Numeric Position: 107-108 Source: TIS_Health_Var

Label: TEEN EVER HAD CHICKEN POX DISEASE?

Notes:

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 6830 | 15.9% | 16.1% | 3041 | 14.6% | 14.7% |
| NO | 2 | 35695 | 82.9% | 83.9% | 17609 | 84.3% | 85.3% |
| SUBTOTALS: | | 42525 | 98.7% | 100.0% | 20650 | 98.9% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 537 | 1.2% | n/a | 228 | 1.1% | n/a |
| REFUSED | 99 | 9 | 0.0% | n/a | 2 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HPVI_ANY Type: Numeric Position: 109-110 Source: TIS_BHPV2

Label: HH-REPORT: HAS TEEN EVER RECEIVED ANY HUMAN PAPILLOMAVIRUS SHOTS?

Notes: Reporting error exists in household report of vaccinations received.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 20662 | 48.0% | 53.5% | 11132 | 53.3% | 58.4% |
| NO | 2 | 17958 | 41.7% | 46.5% | 7917 | 37.9% | 41.6% |
| SUBTOTALS: | | 38620 | 89.7% | 100.0% | 19049 | 91.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 4429 | 10.3% | n/a | 1826 | 8.7% | n/a |
| REFUSED | 99 | 22 | 0.1% | n/a | 5 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: HPVI_INTENTR **Type:** Numeric **Position:** 111-112 **Source:** TIS_BHPV_Intent

Label: HOW LIKELY IS IT TEEN WILL RECEIVE HPV SHOTS IN NEXT 12 MONTHS?

Notes: Valid only for teens reported by the household respondent to have received less than three doses of HPV vaccine.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VERY LIKELY | 1 | 7726 | 17.9% | 24.8% | 4109 | 19.7% | 28.6% |
| SOMEWHAT LIKELY | 2 | 6473 | 15.0% | 20.8% | 3103 | 14.9% | 21.6% |
| NOT TOO LIKELY | 3 | 5148 | 12.0% | 16.6% | 2240 | 10.7% | 15.6% |
| NOT LIKELY AT ALL | 4 | 8632 | 20.0% | 27.8% | 3556 | 17.0% | 24.8% |
| NOT SURE/DON'T KNOW | 77 | 3121 | 7.2% | 10.0% | 1347 | 6.5% | 9.4% |
| SUBTOTALS: | | 31100 | 72.2% | 100.0% | 14355 | 68.8% | 100.0% |
| RESERVED CODES: | | | | | | | |
| REFUSED | 99 | 25 | 0.1% | n/a | 5 | 0.0% | n/a |
| MISSING | . | 11946 | 27.7% | n/a | 6520 | 31.2% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HPVI_NUM_TOT **Type:** Numeric **Position:** 113-114 **Source:** TIS_BHPV_Dose

Label: NUMBER OF HH-REPORTED HUMAN PAPILLOMAVIRUS SHOTS RECEIVED (TOTAL)

Notes: Reporting error exists in household report of vaccinations received.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|-------|-------------------------------|------------------------|-------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 17958 | 41.7% | 57.7% | 7917 | 37.9% | 52.2% |
| 1 | 1 | 3992 | 9.3% | 12.8% | 2088 | 10.0% | 13.8% |
| 2 | 2 | 3885 | 9.0% | 12.5% | 2146 | 10.3% | 14.1% |
| 3 | 3 | 5177 | 12.0% | 16.6% | 2961 | 14.2% | 19.5% |
| 4 | 4 | 88 | 0.2% | 0.3% | 51 | 0.2% | 0.3% |
| 5 | 5 | 18 | 0.0% | 0.1% | 7 | 0.0% | 0.0% |
| 6 | 6 | 8 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| 7 | 7 | 1 | 0.0% | 0.0% | 0 | 0.0% | 0.0% |
| 8 | 8 | 1 | 0.0% | 0.0% | 0 | 0.0% | 0.0% |
| SUBTOTALS: | | 31128 | 72.3% | 100.0% | 15174 | 72.7% | 100.0% |
| RESERVED CODES: | | | | | | | |
| ALL SHOTS | 50 | 5636 | 13.1% | n/a | 3065 | 14.7% | n/a |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: HPVI_NUM_TOT **Type:** Numeric **Position:** 113-114 **Source:** TIS_BHPV_Dose

Label: NUMBER OF HH-REPORTED HUMAN PAPILLOMAVIRUS SHOTS RECEIVED (TOTAL)

Notes: Reporting error exists in household report of vaccinations received.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|----------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| DON'T KNOW | 77 | 6279 | 14.6% | n/a | 2634 | 12.6% | n/a |
| REFUSED | 99 | 28 | 0.1% | n/a | 7 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HPVI_REAS_1 **Type:** Numeric **Position:** 115-116 **Source:** TIS_BHPV_Reason,
TIS_BHPV_OTHER

Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NOT RECOMMENDED

Notes: Reflects backcoding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 2393 | 5.6% | 15.8% | 1026 | 4.9% | 15.9% |
| NO | 2 | 12742 | 29.6% | 84.2% | 5443 | 26.1% | 84.1% |
| SUBTOTALS: | | 15135 | 35.1% | 100.0% | 6469 | 31.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1692 | 3.9% | n/a | 656 | 3.1% | n/a |
| REFUSED | 99 | 74 | 0.2% | n/a | 18 | 0.1% | n/a |
| MISSING | . | 26170 | 60.8% | n/a | 13737 | 65.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: HPVI_REAS_10 Type: Numeric Position: 117-118 Source: TIS_BHPV_Reason,
TIS_BHPV_OTHER

Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: COSTS

Notes: Reflects backcoding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 152 | 0.4% | 1.0% | 60 | 0.3% | 0.9% |
| NO | 2 | 14983 | 34.8% | 99.0% | 6409 | 30.7% | 99.1% |
| SUBTOTALS: | | 15135 | 35.1% | 100.0% | 6469 | 31.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1692 | 3.9% | n/a | 656 | 3.1% | n/a |
| REFUSED | 99 | 74 | 0.2% | n/a | 18 | 0.1% | n/a |
| MISSING | . | 26170 | 60.8% | n/a | 13737 | 65.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HPVI_REAS_11 Type: Numeric Position: 119-120 Source: TIS_BHPV_Reason,
TIS_BHPV_OTHER

Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: SAFETY CONCERN/SIDE EFFECTS

Notes: Reflects backcoding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 2420 | 5.6% | 16.0% | 1043 | 5.0% | 16.1% |
| NO | 2 | 12715 | 29.5% | 84.0% | 5426 | 26.0% | 83.9% |
| SUBTOTALS: | | 15135 | 35.1% | 100.0% | 6469 | 31.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1692 | 3.9% | n/a | 656 | 3.1% | n/a |
| REFUSED | 99 | 74 | 0.2% | n/a | 18 | 0.1% | n/a |
| MISSING | . | 26170 | 60.8% | n/a | 13737 | 65.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: HPVI_REAS_12 Type: Numeric Position: 121-122 Source: TIS_BHPV_OTHER

Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: EFFECTIVENESS CONCERN

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 47 | 0.1% | 0.3% | 20 | 0.1% | 0.3% |
| NO | 2 | 15088 | 35.0% | 99.7% | 6449 | 30.9% | 99.7% |
| SUBTOTALS: | | 15135 | 35.1% | 100.0% | 6469 | 31.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1692 | 3.9% | n/a | 656 | 3.1% | n/a |
| REFUSED | 99 | 74 | 0.2% | n/a | 18 | 0.1% | n/a |
| MISSING | . | 26170 | 60.8% | n/a | 13737 | 65.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HPVI_REAS_13 Type: Numeric Position: 123-124 Source: TIS_BHPV_OTHER

Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: CHILD FEARFUL

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 202 | 0.5% | 1.3% | 109 | 0.5% | 1.7% |
| NO | 2 | 14933 | 34.7% | 98.7% | 6360 | 30.5% | 98.3% |
| SUBTOTALS: | | 15135 | 35.1% | 100.0% | 6469 | 31.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1692 | 3.9% | n/a | 656 | 3.1% | n/a |
| REFUSED | 99 | 74 | 0.2% | n/a | 18 | 0.1% | n/a |
| MISSING | . | 26170 | 60.8% | n/a | 13737 | 65.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: HPVI_REAS_14 Type: Numeric Position: 125-126 Source: TIS_BHPV_OTHER

Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: CHILD SHOULD MAKE DECISION

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 171 | 0.4% | 1.1% | 76 | 0.4% | 1.2% |
| NO | 2 | 14964 | 34.7% | 98.9% | 6393 | 30.6% | 98.8% |
| SUBTOTALS: | | 15135 | 35.1% | 100.0% | 6469 | 31.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1692 | 3.9% | n/a | 656 | 3.1% | n/a |
| REFUSED | 99 | 74 | 0.2% | n/a | 18 | 0.1% | n/a |
| MISSING | . | 26170 | 60.8% | n/a | 13737 | 65.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HPVI_REAS_15 Type: Numeric Position: 127-128 Source: TIS_BHPV_OTHER

Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: COLLEGE SHOT

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 9 | 0.0% | 0.1% | 5 | 0.0% | 0.1% |
| NO | 2 | 15126 | 35.1% | 99.9% | 6464 | 31.0% | 99.9% |
| SUBTOTALS: | | 15135 | 35.1% | 100.0% | 6469 | 31.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1692 | 3.9% | n/a | 656 | 3.1% | n/a |
| REFUSED | 99 | 74 | 0.2% | n/a | 18 | 0.1% | n/a |
| MISSING | . | 26170 | 60.8% | n/a | 13737 | 65.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: HPVI_REAS_16 Type: Numeric Position: 129-130 Source: TIS_BHPV_OTHER

Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: DON'T BELIEVE IN IMMUNIZATIONS

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 144 | 0.3% | 1.0% | 39 | 0.2% | 0.6% |
| NO | 2 | 14991 | 34.8% | 99.0% | 6430 | 30.8% | 99.4% |
| SUBTOTALS: | | 15135 | 35.1% | 100.0% | 6469 | 31.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1692 | 3.9% | n/a | 656 | 3.1% | n/a |
| REFUSED | 99 | 74 | 0.2% | n/a | 18 | 0.1% | n/a |
| MISSING | . | 26170 | 60.8% | n/a | 13737 | 65.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HPVI_REAS_17 Type: Numeric Position: 131-132 Source: TIS_BHPV_OTHER

Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: FAMILY/PARENTAL DECISION

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 368 | 0.9% | 2.4% | 123 | 0.6% | 1.9% |
| NO | 2 | 14767 | 34.3% | 97.6% | 6346 | 30.4% | 98.1% |
| SUBTOTALS: | | 15135 | 35.1% | 100.0% | 6469 | 31.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1692 | 3.9% | n/a | 656 | 3.1% | n/a |
| REFUSED | 99 | 74 | 0.2% | n/a | 18 | 0.1% | n/a |
| MISSING | . | 26170 | 60.8% | n/a | 13737 | 65.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: HPVI_REAS_18 Type: Numeric Position: 133-134 Source: TIS_BHPV_OTHER

Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: HANDICAPPED/SPECIAL NEEDS/ILLNESS

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 118 | 0.3% | 0.8% | 60 | 0.3% | 0.9% |
| NO | 2 | 15017 | 34.9% | 99.2% | 6409 | 30.7% | 99.1% |
| SUBTOTALS: | | 15135 | 35.1% | 100.0% | 6469 | 31.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1692 | 3.9% | n/a | 656 | 3.1% | n/a |
| REFUSED | 99 | 74 | 0.2% | n/a | 18 | 0.1% | n/a |
| MISSING | . | 26170 | 60.8% | n/a | 13737 | 65.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HPVI_REAS_19 Type: Numeric Position: 135-136 Source: TIS_BHPV_OTHER

Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: RELIGION/ORTHODOX

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 70 | 0.2% | 0.5% | 27 | 0.1% | 0.4% |
| NO | 2 | 15065 | 35.0% | 99.5% | 6442 | 30.9% | 99.6% |
| SUBTOTALS: | | 15135 | 35.1% | 100.0% | 6469 | 31.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1692 | 3.9% | n/a | 656 | 3.1% | n/a |
| REFUSED | 99 | 74 | 0.2% | n/a | 18 | 0.1% | n/a |
| MISSING | . | 26170 | 60.8% | n/a | 13737 | 65.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: HPVI_REAS_2 Type: Numeric Position: 137-138 Source: TIS_BHPV_Reason,
TIS_BHPV_OTHER

Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NOT NEEDED OR NOT NECESSARY

Notes: Reflects backcoding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 3240 | 7.5% | 21.4% | 1305 | 6.3% | 20.2% |
| NO | 2 | 11895 | 27.6% | 78.6% | 5164 | 24.7% | 79.8% |
| SUBTOTALS: | | 15135 | 35.1% | 100.0% | 6469 | 31.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1692 | 3.9% | n/a | 656 | 3.1% | n/a |
| REFUSED | 99 | 74 | 0.2% | n/a | 18 | 0.1% | n/a |
| MISSING | . | 26170 | 60.8% | n/a | 13737 | 65.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HPVI_REAS_20 Type: Numeric Position: 139-140 Source: TIS_BHPV_OTHER

Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: TIME

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 23 | 0.1% | 0.2% | 13 | 0.1% | 0.2% |
| NO | 2 | 15112 | 35.1% | 99.8% | 6456 | 30.9% | 99.8% |
| SUBTOTALS: | | 15135 | 35.1% | 100.0% | 6469 | 31.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1692 | 3.9% | n/a | 656 | 3.1% | n/a |
| REFUSED | 99 | 74 | 0.2% | n/a | 18 | 0.1% | n/a |
| MISSING | . | 26170 | 60.8% | n/a | 13737 | 65.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: HPVI_REAS_21 Type: Numeric Position: 141-142 Source: TIS_BHPV_OTHER

Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: MORE INFO/NEW VACCINE

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 275 | 0.6% | 1.8% | 107 | 0.5% | 1.7% |
| NO | 2 | 14860 | 34.5% | 98.2% | 6362 | 30.5% | 98.3% |
| SUBTOTALS: | | 15135 | 35.1% | 100.0% | 6469 | 31.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1692 | 3.9% | n/a | 656 | 3.1% | n/a |
| REFUSED | 99 | 74 | 0.2% | n/a | 18 | 0.1% | n/a |
| MISSING | . | 26170 | 60.8% | n/a | 13737 | 65.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HPVI_REAS_22 Type: Numeric Position: 143-144 Source: TIS_BHPV_OTHER

Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: ALREADY UP-TO-DATE

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 574 | 1.3% | 3.8% | 328 | 1.6% | 5.1% |
| NO | 2 | 14561 | 33.8% | 96.2% | 6141 | 29.4% | 94.9% |
| SUBTOTALS: | | 15135 | 35.1% | 100.0% | 6469 | 31.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1692 | 3.9% | n/a | 656 | 3.1% | n/a |
| REFUSED | 99 | 74 | 0.2% | n/a | 18 | 0.1% | n/a |
| MISSING | . | 26170 | 60.8% | n/a | 13737 | 65.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: HPVI_REAS_23 Type: Numeric Position: 145-146 Source: TIS_BHPV_OTHER

Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NOT AVAILABLE

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 22 | 0.1% | 0.1% | 8 | 0.0% | 0.1% |
| NO | 2 | 15113 | 35.1% | 99.9% | 6461 | 30.9% | 99.9% |
| SUBTOTALS: | | 15135 | 35.1% | 100.0% | 6469 | 31.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1692 | 3.9% | n/a | 656 | 3.1% | n/a |
| REFUSED | 99 | 74 | 0.2% | n/a | 18 | 0.1% | n/a |
| MISSING | . | 26170 | 60.8% | n/a | 13737 | 65.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HPVI_REAS_24 Type: Numeric Position: 147-148 Source: TIS_BHPV_OTHER

Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NOT A SCHOOL REQUIREMENT

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 616 | 1.4% | 4.1% | 259 | 1.2% | 4.0% |
| NO | 2 | 14519 | 33.7% | 95.9% | 6210 | 29.7% | 96.0% |
| SUBTOTALS: | | 15135 | 35.1% | 100.0% | 6469 | 31.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1692 | 3.9% | n/a | 656 | 3.1% | n/a |
| REFUSED | 99 | 74 | 0.2% | n/a | 18 | 0.1% | n/a |
| MISSING | . | 26170 | 60.8% | n/a | 13737 | 65.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: HPVI_REAS_25 Type: Numeric Position: 149-150 Source: TIS_BHPV_OTHER

Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: INCREASED SEXUAL ACTIVITY CONCERN

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 100 | 0.2% | 0.7% | 41 | 0.2% | 0.6% |
| NO | 2 | 15035 | 34.9% | 99.3% | 6428 | 30.8% | 99.4% |
| SUBTOTALS: | | 15135 | 35.1% | 100.0% | 6469 | 31.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1692 | 3.9% | n/a | 656 | 3.1% | n/a |
| REFUSED | 99 | 74 | 0.2% | n/a | 18 | 0.1% | n/a |
| MISSING | . | 26170 | 60.8% | n/a | 13737 | 65.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HPVI_REAS_26 Type: Numeric Position: 151-152 Source: TIS_BHPV_OTHER

Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NO OB/GYN

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| NO | 2 | 15134 | 35.1% | 100.0% | 6468 | 31.0% | 100.0% |
| SUBTOTALS: | | 15135 | 35.1% | 100.0% | 6469 | 31.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1692 | 3.9% | n/a | 656 | 3.1% | n/a |
| REFUSED | 99 | 74 | 0.2% | n/a | 18 | 0.1% | n/a |
| MISSING | . | 26170 | 60.8% | n/a | 13737 | 65.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: HPVI_REAS_27 Type: Numeric Position: 153-154 Source: TIS_BHPV_OTHER

Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: ALREADY SEXUALLY ACTIVE

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 5 | 0.0% | 0.0% | 5 | 0.0% | 0.1% |
| NO | 2 | 15130 | 35.1% | 100.0% | 6464 | 31.0% | 99.9% |
| SUBTOTALS: | | 15135 | 35.1% | 100.0% | 6469 | 31.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1692 | 3.9% | n/a | 656 | 3.1% | n/a |
| REFUSED | 99 | 74 | 0.2% | n/a | 18 | 0.1% | n/a |
| MISSING | . | 26170 | 60.8% | n/a | 13737 | 65.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HPVI_REAS_28 Type: Numeric Position: 155-156 Source: TIS_BHPV_OTHER

Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NO DOCTOR OR DOCTOR'S VISIT NOT SCHEDULED

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 97 | 0.2% | 0.6% | 41 | 0.2% | 0.6% |
| NO | 2 | 15038 | 34.9% | 99.4% | 6428 | 30.8% | 99.4% |
| SUBTOTALS: | | 15135 | 35.1% | 100.0% | 6469 | 31.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1692 | 3.9% | n/a | 656 | 3.1% | n/a |
| REFUSED | 99 | 74 | 0.2% | n/a | 18 | 0.1% | n/a |
| MISSING | . | 26170 | 60.8% | n/a | 13737 | 65.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: HPVI_REAS_29 Type: Numeric Position: 157-158 Source: TIS_BHPV_OTHER

Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: CHILD IS MALE

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 105 | 0.2% | 0.7% | 46 | 0.2% | 0.7% |
| NO | 2 | 15030 | 34.9% | 99.3% | 6423 | 30.8% | 99.3% |
| SUBTOTALS: | | 15135 | 35.1% | 100.0% | 6469 | 31.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1692 | 3.9% | n/a | 656 | 3.1% | n/a |
| REFUSED | 99 | 74 | 0.2% | n/a | 18 | 0.1% | n/a |
| MISSING | . | 26170 | 60.8% | n/a | 13737 | 65.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HPVI_REAS_3 Type: Numeric Position: 159-160 Source: TIS_BHPV_Reason, TIS_BHPV_OTHER

Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: LACK OF KNOWLEDGE

Notes: Reflects backcoding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 1861 | 4.3% | 12.3% | 785 | 3.8% | 12.1% |
| NO | 2 | 13274 | 30.8% | 87.7% | 5684 | 27.2% | 87.9% |
| SUBTOTALS: | | 15135 | 35.1% | 100.0% | 6469 | 31.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1692 | 3.9% | n/a | 656 | 3.1% | n/a |
| REFUSED | 99 | 74 | 0.2% | n/a | 18 | 0.1% | n/a |
| MISSING | . | 26170 | 60.8% | n/a | 13737 | 65.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: HPVI_REAS_30 Type: Numeric Position: 161-162 Source: TIS_BHPV_OTHER

Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: INTEND TO COMPLETE BUT HAVE NOT YET/ALREADY PLANNED

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 243 | 0.6% | 1.6% | 111 | 0.5% | 1.7% |
| NO | 2 | 14892 | 34.6% | 98.4% | 6358 | 30.5% | 98.3% |
| SUBTOTALS: | | 15135 | 35.1% | 100.0% | 6469 | 31.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1692 | 3.9% | n/a | 656 | 3.1% | n/a |
| REFUSED | 99 | 74 | 0.2% | n/a | 18 | 0.1% | n/a |
| MISSING | . | 26170 | 60.8% | n/a | 13737 | 65.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HPVI_REAS_31 Type: Numeric Position: 163-164 Source: TIS_BHPV_OTHER

Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: DIFFICULTY MAKING OR GETTING TO APPOINTMENT/TRANSPORTATION PROBLEMS

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 47 | 0.1% | 0.3% | 18 | 0.1% | 0.3% |
| NO | 2 | 15088 | 35.0% | 99.7% | 6451 | 30.9% | 99.7% |
| SUBTOTALS: | | 15135 | 35.1% | 100.0% | 6469 | 31.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1692 | 3.9% | n/a | 656 | 3.1% | n/a |
| REFUSED | 99 | 74 | 0.2% | n/a | 18 | 0.1% | n/a |
| MISSING | . | 26170 | 60.8% | n/a | 13737 | 65.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: HPVI_REAS_5 Type: Numeric Position: 165-166 Source: TIS_BHPV_Reason,
TIS_BHPV_OTHER

Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NOT SEXUALLY ACTIVE

Notes: Reflects backcoding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 1081 | 2.5% | 7.1% | 484 | 2.3% | 7.5% |
| NO | 2 | 14054 | 32.6% | 92.9% | 5985 | 28.7% | 92.5% |
| SUBTOTALS: | | 15135 | 35.1% | 100.0% | 6469 | 31.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1692 | 3.9% | n/a | 656 | 3.1% | n/a |
| REFUSED | 99 | 74 | 0.2% | n/a | 18 | 0.1% | n/a |
| MISSING | . | 26170 | 60.8% | n/a | 13737 | 65.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HPVI_REAS_6 Type: Numeric Position: 167-168 Source: TIS_BHPV_Reason,
TIS_BHPV_OTHER

Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NOT APPROPRIATE AGE

Notes: Reflects backcoding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 508 | 1.2% | 3.4% | 235 | 1.1% | 3.6% |
| NO | 2 | 14627 | 34.0% | 96.6% | 6234 | 29.9% | 96.4% |
| SUBTOTALS: | | 15135 | 35.1% | 100.0% | 6469 | 31.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1692 | 3.9% | n/a | 656 | 3.1% | n/a |
| REFUSED | 99 | 74 | 0.2% | n/a | 18 | 0.1% | n/a |
| MISSING | . | 26170 | 60.8% | n/a | 13737 | 65.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: HPVI_REAS_9 Type: Numeric Position: 169-170 Source: TIS_BHPV_Reason,
TIS_BHPV_OTHER

Label: MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: OTHER REASON

Notes: Reflects backcoding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 243 | 0.6% | 1.6% | 94 | 0.5% | 1.5% |
| NO | 2 | 14892 | 34.6% | 98.4% | 6375 | 30.5% | 98.5% |
| SUBTOTALS: | | 15135 | 35.1% | 100.0% | 6469 | 31.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1692 | 3.9% | n/a | 656 | 3.1% | n/a |
| REFUSED | 99 | 74 | 0.2% | n/a | 18 | 0.1% | n/a |
| MISSING | . | 26170 | 60.8% | n/a | 13737 | 65.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HPVI_RECOM Type: Numeric Position: 171-172 Source: TIS_BHPV_Recom,
TIS_BHPV_Reason

Label: HAD OR HAS DOCTOR OR OTHER HEALTH CARE PROFESSIONAL EVER RECOMMENDED THAT TEEN RECEIVE HPV SHOTS?

Notes: If HPVI_REAS_1=1, this variable has been set to 2.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 26938 | 62.5% | 70.0% | 13965 | 66.9% | 73.5% |
| NO | 2 | 11568 | 26.9% | 30.0% | 5025 | 24.1% | 26.5% |
| SUBTOTALS: | | 38506 | 89.4% | 100.0% | 18990 | 90.9% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 3534 | 8.2% | n/a | 1455 | 7.0% | n/a |
| REFUSED | 99 | 14 | 0.0% | n/a | 3 | 0.0% | n/a |
| MISSING | . | 1017 | 2.4% | n/a | 432 | 2.1% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: IMM_ANY Type: Numeric Position: 173-174 Source: TIS_B1

Label: HH-REPORT: HAS TEEN EVER RECEIVED ANY VACCINATIONS?

Notes: Reporting error exists in household report of vaccinations received.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 42054 | 97.6% | 98.1% | 20448 | 97.9% | 98.3% |
| NO | 2 | 797 | 1.9% | 1.9% | 359 | 1.7% | 1.7% |
| SUBTOTALS: | | 42851 | 99.5% | 100.0% | 20807 | 99.7% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 209 | 0.5% | n/a | 69 | 0.3% | n/a |
| REFUSED | 99 | 11 | 0.0% | n/a | 4 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MEN_ANY Type: Numeric Position: 175-176 Source: TIS_BMEN

Label: HH-REPORT: HAS TEEN EVER RECEIVED ANY MENINGITIS SHOTS?

Notes: Reporting error exists in household report of vaccinations received.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 23943 | 55.6% | 73.1% | 12057 | 57.7% | 75.2% |
| NO | 2 | 8789 | 20.4% | 26.9% | 3975 | 19.0% | 24.8% |
| SUBTOTALS: | | 32732 | 76.0% | 100.0% | 16032 | 76.8% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 10316 | 24.0% | n/a | 4840 | 23.2% | n/a |
| REFUSED | 99 | 23 | 0.1% | n/a | 8 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: MEN_NUM_TOT Type: Numeric Position: 177-178 Source: TIS_BMEN_Dose

Label: NUMBER OF HH-REPORTED MENINGITIS SHOTS RECEIVED (TOTAL)

Notes: Reporting error exists in household report of vaccinations received.

| LABEL | Completed Household Interviews | | | | Adequate Provider Data | | |
|------------------------|--------------------------------|-------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 8789 | 20.4% | 46.3% | 3975 | 19.0% | 42.9% |
| 1 | 1 | 5927 | 13.8% | 31.3% | 3118 | 14.9% | 33.6% |
| 2 | 2 | 3180 | 7.4% | 16.8% | 1621 | 7.8% | 17.5% |
| 3 | 3 | 896 | 2.1% | 4.7% | 465 | 2.2% | 5.0% |
| 4 | 4 | 112 | 0.3% | 0.6% | 65 | 0.3% | 0.7% |
| 5 | 5 | 30 | 0.1% | 0.2% | 15 | 0.1% | 0.2% |
| 6 | 6 | 11 | 0.0% | 0.1% | 5 | 0.0% | 0.1% |
| 7 | 7 | 12 | 0.0% | 0.1% | 7 | 0.0% | 0.1% |
| 8 | 8 | 1 | 0.0% | 0.0% | 0 | 0.0% | 0.0% |
| 9 | 9 | 7 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| SUBTOTALS: | | 18965 | 44.0% | 100.0% | 9273 | 44.4% | 100.0% |
| RESERVED CODES: | | | | | | | |
| ALL SHOTS | 50 | 6379 | 14.8% | n/a | 3271 | 15.7% | n/a |
| DON'T KNOW | 77 | 17690 | 41.1% | n/a | 8321 | 39.9% | n/a |
| REFUSED | 99 | 37 | 0.1% | n/a | 15 | 0.1% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MEN_REAS_1 Type: Numeric Position: 179-180 Source: TIS_BMEN_Reason,
TIS_BMEN_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: NOT RECOMMENDED

Notes: Reflects backcoding of open-ended "other" responses.

| LABEL | Completed Household Interviews | | | | Adequate Provider Data | | |
|------------------------|--------------------------------|-------|-------|-------------------------------|------------------------|-------|-------------------------------|
| | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 2055 | 4.8% | 31.9% | 1029 | 4.9% | 34.6% |
| NO | 2 | 4385 | 10.2% | 68.1% | 1947 | 9.3% | 65.4% |
| SUBTOTALS: | | 6440 | 15.0% | 100.0% | 2976 | 14.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1533 | 3.6% | n/a | 636 | 3.0% | n/a |
| REFUSED | 99 | 19 | 0.0% | n/a | 4 | 0.0% | n/a |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: MEN_REAS_1 **Type:** Numeric **Position:** 179-180 **Source:** TIS_BMEN_Reason, TIS_BMEN_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: NOT RECOMMENDED

Notes: Reflects backcoding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|----------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| MISSING | . | 35079 | 81.4% | n/a | 17264 | 82.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MEN_REAS_10 **Type:** Numeric **Position:** 181-182 **Source:** TIS_BMEN_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: COSTS

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 59 | 0.1% | 0.9% | 26 | 0.1% | 0.9% |
| NO | 2 | 6381 | 14.8% | 99.1% | 2950 | 14.1% | 99.1% |
| SUBTOTALS: | | 6440 | 15.0% | 100.0% | 2976 | 14.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1533 | 3.6% | n/a | 636 | 3.0% | n/a |
| REFUSED | 99 | 19 | 0.0% | n/a | 4 | 0.0% | n/a |
| MISSING | . | 35079 | 81.4% | n/a | 17264 | 82.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: MEN_REAS_11 Type: Numeric Position: 183-184 Source: TIS_BMEN_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: SAFETY CONCERN/SIDE EFFECTS

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 259 | 0.6% | 4.0% | 77 | 0.4% | 2.6% |
| NO | 2 | 6181 | 14.4% | 96.0% | 2899 | 13.9% | 97.4% |
| SUBTOTALS: | | 6440 | 15.0% | 100.0% | 2976 | 14.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1533 | 3.6% | n/a | 636 | 3.0% | n/a |
| REFUSED | 99 | 19 | 0.0% | n/a | 4 | 0.0% | n/a |
| MISSING | . | 35079 | 81.4% | n/a | 17264 | 82.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MEN_REAS_12 Type: Numeric Position: 185-186 Source: TIS_BMEN_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: EFFECTIVENESS CONCERN

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 4 | 0.0% | 0.1% | 1 | 0.0% | 0.0% |
| NO | 2 | 6436 | 14.9% | 99.9% | 2975 | 14.2% | 100.0% |
| SUBTOTALS: | | 6440 | 15.0% | 100.0% | 2976 | 14.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1533 | 3.6% | n/a | 636 | 3.0% | n/a |
| REFUSED | 99 | 19 | 0.0% | n/a | 4 | 0.0% | n/a |
| MISSING | . | 35079 | 81.4% | n/a | 17264 | 82.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: MEN_REAS_13 Type: Numeric Position: 187-188 Source: TIS_BMEN_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: CHILD FEARFUL

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 33 | 0.1% | 0.5% | 11 | 0.1% | 0.4% |
| NO | 2 | 6407 | 14.9% | 99.5% | 2965 | 14.2% | 99.6% |
| SUBTOTALS: | | 6440 | 15.0% | 100.0% | 2976 | 14.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1533 | 3.6% | n/a | 636 | 3.0% | n/a |
| REFUSED | 99 | 19 | 0.0% | n/a | 4 | 0.0% | n/a |
| MISSING | . | 35079 | 81.4% | n/a | 17264 | 82.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MEN_REAS_14 Type: Numeric Position: 189-190 Source: TIS_BMEN_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: CHILD SHOULD MAKE DECISION

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 13 | 0.0% | 0.2% | 9 | 0.0% | 0.3% |
| NO | 2 | 6427 | 14.9% | 99.8% | 2967 | 14.2% | 99.7% |
| SUBTOTALS: | | 6440 | 15.0% | 100.0% | 2976 | 14.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1533 | 3.6% | n/a | 636 | 3.0% | n/a |
| REFUSED | 99 | 19 | 0.0% | n/a | 4 | 0.0% | n/a |
| MISSING | . | 35079 | 81.4% | n/a | 17264 | 82.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: MEN_REAS_15 Type: Numeric Position: 191-192 Source: TIS_BMEN_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: COLLEGE SHOT

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 41 | 0.1% | 0.6% | 22 | 0.1% | 0.7% |
| NO | 2 | 6399 | 14.9% | 99.4% | 2954 | 14.1% | 99.3% |
| SUBTOTALS: | | 6440 | 15.0% | 100.0% | 2976 | 14.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1533 | 3.6% | n/a | 636 | 3.0% | n/a |
| REFUSED | 99 | 19 | 0.0% | n/a | 4 | 0.0% | n/a |
| MISSING | . | 35079 | 81.4% | n/a | 17264 | 82.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MEN_REAS_16 Type: Numeric Position: 193-194 Source: TIS_BMEN_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: DON'T BELIEVE IN VACCINATIONS

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 30 | 0.1% | 0.5% | 8 | 0.0% | 0.3% |
| NO | 2 | 6410 | 14.9% | 99.5% | 2968 | 14.2% | 99.7% |
| SUBTOTALS: | | 6440 | 15.0% | 100.0% | 2976 | 14.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1533 | 3.6% | n/a | 636 | 3.0% | n/a |
| REFUSED | 99 | 19 | 0.0% | n/a | 4 | 0.0% | n/a |
| MISSING | . | 35079 | 81.4% | n/a | 17264 | 82.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: MEN_REAS_17 Type: Numeric Position: 195-196 Source: TIS_BMEN_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: FAMILY/PARENTAL DECISION

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 91 | 0.2% | 1.4% | 29 | 0.1% | 1.0% |
| NO | 2 | 6349 | 14.7% | 98.6% | 2947 | 14.1% | 99.0% |
| SUBTOTALS: | | 6440 | 15.0% | 100.0% | 2976 | 14.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1533 | 3.6% | n/a | 636 | 3.0% | n/a |
| REFUSED | 99 | 19 | 0.0% | n/a | 4 | 0.0% | n/a |
| MISSING | . | 35079 | 81.4% | n/a | 17264 | 82.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MEN_REAS_18 Type: Numeric Position: 197-198 Source: TIS_BMEN_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: HANDICAPPED/SPECIAL NEEDS/ILLNESS

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 44 | 0.1% | 0.7% | 20 | 0.1% | 0.7% |
| NO | 2 | 6396 | 14.8% | 99.3% | 2956 | 14.2% | 99.3% |
| SUBTOTALS: | | 6440 | 15.0% | 100.0% | 2976 | 14.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1533 | 3.6% | n/a | 636 | 3.0% | n/a |
| REFUSED | 99 | 19 | 0.0% | n/a | 4 | 0.0% | n/a |
| MISSING | . | 35079 | 81.4% | n/a | 17264 | 82.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: MEN_REAS_19 Type: Numeric Position: 199-200 Source: TIS_BMEN_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: RELIGION/ORTHODOX

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 14 | 0.0% | 0.2% | 0 | 0.0% | 0.0% |
| NO | 2 | 6426 | 14.9% | 99.8% | 2976 | 14.3% | 100.0% |
| SUBTOTALS: | | 6440 | 15.0% | 100.0% | 2976 | 14.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1533 | 3.6% | n/a | 636 | 3.0% | n/a |
| REFUSED | 99 | 19 | 0.0% | n/a | 4 | 0.0% | n/a |
| MISSING | . | 35079 | 81.4% | n/a | 17264 | 82.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MEN_REAS_2 Type: Numeric Position: 201-202 Source: TIS_BMEN_Reason,
TIS_BMEN_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: LACK OF KNOWLEDGE

Notes: Reflects backcoding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 845 | 2.0% | 13.1% | 417 | 2.0% | 14.0% |
| NO | 2 | 5595 | 13.0% | 86.9% | 2559 | 12.3% | 86.0% |
| SUBTOTALS: | | 6440 | 15.0% | 100.0% | 2976 | 14.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1533 | 3.6% | n/a | 636 | 3.0% | n/a |
| REFUSED | 99 | 19 | 0.0% | n/a | 4 | 0.0% | n/a |
| MISSING | . | 35079 | 81.4% | n/a | 17264 | 82.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: MEN_REAS_20 Type: Numeric Position: 203-204 Source: TIS_BMEN_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: TIME

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 5 | 0.0% | 0.1% | 1 | 0.0% | 0.0% |
| NO | 2 | 6435 | 14.9% | 99.9% | 2975 | 14.2% | 100.0% |
| SUBTOTALS: | | 6440 | 15.0% | 100.0% | 2976 | 14.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1533 | 3.6% | n/a | 636 | 3.0% | n/a |
| REFUSED | 99 | 19 | 0.0% | n/a | 4 | 0.0% | n/a |
| MISSING | . | 35079 | 81.4% | n/a | 17264 | 82.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MEN_REAS_21 Type: Numeric Position: 205-206 Source: TIS_BMEN_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: MORE INFO/NEW VACCINE

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 14 | 0.0% | 0.2% | 12 | 0.1% | 0.4% |
| NO | 2 | 6426 | 14.9% | 99.8% | 2964 | 14.2% | 99.6% |
| SUBTOTALS: | | 6440 | 15.0% | 100.0% | 2976 | 14.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1533 | 3.6% | n/a | 636 | 3.0% | n/a |
| REFUSED | 99 | 19 | 0.0% | n/a | 4 | 0.0% | n/a |
| MISSING | . | 35079 | 81.4% | n/a | 17264 | 82.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: MEN_REAS_22 Type: Numeric Position: 207-208 Source: TIS_BMEN_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: ALREADY UP-TO-DATE

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 14 | 0.0% | 0.2% | 8 | 0.0% | 0.3% |
| NO | 2 | 6426 | 14.9% | 99.8% | 2968 | 14.2% | 99.7% |
| SUBTOTALS: | | 6440 | 15.0% | 100.0% | 2976 | 14.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1533 | 3.6% | n/a | 636 | 3.0% | n/a |
| REFUSED | 99 | 19 | 0.0% | n/a | 4 | 0.0% | n/a |
| MISSING | . | 35079 | 81.4% | n/a | 17264 | 82.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MEN_REAS_23 Type: Numeric Position: 209-210 Source: TIS_BMEN_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: NO DOCTOR OR DOCTOR'S VISIT NOT SCHEDULED

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 24 | 0.1% | 0.4% | 9 | 0.0% | 0.3% |
| NO | 2 | 6416 | 14.9% | 99.6% | 2967 | 14.2% | 99.7% |
| SUBTOTALS: | | 6440 | 15.0% | 100.0% | 2976 | 14.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1533 | 3.6% | n/a | 636 | 3.0% | n/a |
| REFUSED | 99 | 19 | 0.0% | n/a | 4 | 0.0% | n/a |
| MISSING | . | 35079 | 81.4% | n/a | 17264 | 82.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: MEN_REAS_24 Type: Numeric Position: 211-212 Source: TIS_BMEN_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: INTEND TO COMPLETE BUT HAVE NOT YET/ALREADY PLANNED

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 274 | 0.6% | 4.3% | 161 | 0.8% | 5.4% |
| NO | 2 | 6166 | 14.3% | 95.7% | 2815 | 13.5% | 94.6% |
| SUBTOTALS: | | 6440 | 15.0% | 100.0% | 2976 | 14.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1533 | 3.6% | n/a | 636 | 3.0% | n/a |
| REFUSED | 99 | 19 | 0.0% | n/a | 4 | 0.0% | n/a |
| MISSING | . | 35079 | 81.4% | n/a | 17264 | 82.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MEN_REAS_25 Type: Numeric Position: 213-214 Source: TIS_BMEN_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: DIFFICULTY MAKING OR GETTING TO APPOINTMENT/TRANSPORTATION PROBLEMS

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 41 | 0.1% | 0.6% | 25 | 0.1% | 0.8% |
| NO | 2 | 6399 | 14.9% | 99.4% | 2951 | 14.1% | 99.2% |
| SUBTOTALS: | | 6440 | 15.0% | 100.0% | 2976 | 14.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1533 | 3.6% | n/a | 636 | 3.0% | n/a |
| REFUSED | 99 | 19 | 0.0% | n/a | 4 | 0.0% | n/a |
| MISSING | . | 35079 | 81.4% | n/a | 17264 | 82.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: MEN_REAS_3 Type: Numeric Position: 215-216 Source: TIS_BMEN_Reason,
TIS_BMEN_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: NOT NEEDED OR NOT
NECESSARY

Notes: Reflects backcoding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 1170 | 2.7% | 18.2% | 465 | 2.2% | 15.6% |
| NO | 2 | 5270 | 12.2% | 81.8% | 2511 | 12.0% | 84.4% |
| SUBTOTALS: | | 6440 | 15.0% | 100.0% | 2976 | 14.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1533 | 3.6% | n/a | 636 | 3.0% | n/a |
| REFUSED | 99 | 19 | 0.0% | n/a | 4 | 0.0% | n/a |
| MISSING | . | 35079 | 81.4% | n/a | 17264 | 82.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MEN_REAS_4 Type: Numeric Position: 217-218 Source: TIS_BMEN_Reason,
TIS_BMEN_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: NOT SCHOOL REQUIREMENT

Notes: Reflects backcoding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 711 | 1.7% | 11.0% | 319 | 1.5% | 10.7% |
| NO | 2 | 5729 | 13.3% | 89.0% | 2657 | 12.7% | 89.3% |
| SUBTOTALS: | | 6440 | 15.0% | 100.0% | 2976 | 14.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1533 | 3.6% | n/a | 636 | 3.0% | n/a |
| REFUSED | 99 | 19 | 0.0% | n/a | 4 | 0.0% | n/a |
| MISSING | . | 35079 | 81.4% | n/a | 17264 | 82.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: MEN_REAS_5 Type: Numeric Position: 219-220 Source: TIS_BMEN_Reason,
TIS_BMEN_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: NOT AVAILABLE

Notes: Reflects backcoding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 113 | 0.3% | 1.8% | 48 | 0.2% | 1.6% |
| NO | 2 | 6327 | 14.7% | 98.2% | 2928 | 14.0% | 98.4% |
| SUBTOTALS: | | 6440 | 15.0% | 100.0% | 2976 | 14.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1533 | 3.6% | n/a | 636 | 3.0% | n/a |
| REFUSED | 99 | 19 | 0.0% | n/a | 4 | 0.0% | n/a |
| MISSING | . | 35079 | 81.4% | n/a | 17264 | 82.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MEN_REAS_6 Type: Numeric Position: 221-222 Source: TIS_BMEN_Reason,
TIS_BMEN_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: NOT APPROPRIATE AGE

Notes: Reflects backcoding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 479 | 1.1% | 7.4% | 235 | 1.1% | 7.9% |
| NO | 2 | 5961 | 13.8% | 92.6% | 2741 | 13.1% | 92.1% |
| SUBTOTALS: | | 6440 | 15.0% | 100.0% | 2976 | 14.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1533 | 3.6% | n/a | 636 | 3.0% | n/a |
| REFUSED | 99 | 19 | 0.0% | n/a | 4 | 0.0% | n/a |
| MISSING | . | 35079 | 81.4% | n/a | 17264 | 82.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: MEN_REAS_7 Type: Numeric Position: 223-224 Source: TIS_BMEN_Reason,
TIS_BMEN_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: OTHER REASON

Notes: Reflects backcoding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 107 | 0.2% | 1.7% | 44 | 0.2% | 1.5% |
| NO | 2 | 6333 | 14.7% | 98.3% | 2932 | 14.0% | 98.5% |
| SUBTOTALS: | | 6440 | 15.0% | 100.0% | 2976 | 14.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1533 | 3.6% | n/a | 636 | 3.0% | n/a |
| REFUSED | 99 | 19 | 0.0% | n/a | 4 | 0.0% | n/a |
| MISSING | . | 35079 | 81.4% | n/a | 17264 | 82.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: NOSCHOOLR Type: Numeric Position: 225-226 Source: TIS_NOSCHOOL

Label: DURING PAST 12 MONTHS, ABOUT HOW MANY DAYS DID TEEN MISS SCHOOL BECAUSE OF
ILLNESS OR INJURY? (RECODE)

Notes:

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|-------|-------------------------------|------------------------|-------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| ZERO | 0 | 13302 | 30.9% | 31.3% | 5883 | 28.2% | 28.5% |
| ONE | 1 | 5155 | 12.0% | 12.1% | 2465 | 11.8% | 11.9% |
| TWO | 2 | 6920 | 16.1% | 16.3% | 3376 | 16.2% | 16.3% |
| THREE | 3 | 4694 | 10.9% | 11.0% | 2412 | 11.6% | 11.7% |
| FOUR | 4 | 2770 | 6.4% | 6.5% | 1382 | 6.6% | 6.7% |
| FIVE | 5 | 3138 | 7.3% | 7.4% | 1592 | 7.6% | 7.7% |
| 6 TO 9 | 6 | 2878 | 6.7% | 6.8% | 1532 | 7.3% | 7.4% |
| 10 TO 19 | 7 | 2464 | 5.7% | 5.8% | 1340 | 6.4% | 6.5% |
| 20 TO 29 | 8 | 532 | 1.2% | 1.3% | 316 | 1.5% | 1.5% |
| 30 OR MORE | 9 | 469 | 1.1% | 1.1% | 268 | 1.3% | 1.3% |
| DID NOT GO TO SCHOOL | 96 | 200 | 0.5% | 0.5% | 109 | 0.5% | 0.5% |
| SUBTOTALS: | | 42522 | 98.7% | 100.0% | 20675 | 99.0% | 100.0% |
| RESERVED CODES: | | | | | | | |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: NOSCHOOLR **Type:** Numeric **Position:** 225-226 **Source:** TIS_NOSCHOOL

Label: DURING PAST 12 MONTHS, ABOUT HOW MANY DAYS DID TEEN MISS SCHOOL BECAUSE OF ILLNESS OR INJURY? (RECODE)

Notes:

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|----------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| DON'T KNOW | 77 | 532 | 1.2% | n/a | 202 | 1.0% | n/a |
| REFUSED | 99 | 17 | 0.0% | n/a | 3 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: RISK_EVER **Type:** Numeric **Position:** 227-228 **Source:** TIS_HIRISK

Label: HAS DOCTOR, NURSE, OR OTHER HEALTH CARE PROFESSIONAL EVER SAID THAT TEEN HAS HAD ANY OF THE FOLLOWING HEALTH CONDITIONS?

Notes: See questionnaire for list of conditions.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 2871 | 6.7% | 6.7% | 1481 | 7.1% | 7.1% |
| NO | 2 | 40122 | 93.2% | 93.3% | 19370 | 92.8% | 92.9% |
| SUBTOTALS: | | 42993 | 99.8% | 100.0% | 20851 | 99.9% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 58 | 0.1% | n/a | 27 | 0.1% | n/a |
| REFUSED | 99 | 20 | 0.0% | n/a | 2 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: RISK_HH Type: Numeric Position: 229-230 Source: TIS_HIRISK_ANY

Label: DO ANY OTHER MEMBERS OF TEEN'S HOUSEHOLD HAVE ANY OF THE FOLLOWING HEALTH CONDITIONS?

Notes: See questionnaire for list of conditions.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 14894 | 34.6% | 34.7% | 7876 | 37.7% | 37.8% |
| NO | 2 | 28065 | 65.2% | 65.3% | 12966 | 62.1% | 62.2% |
| SUBTOTALS: | | 42959 | 99.7% | 100.0% | 20842 | 99.8% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 76 | 0.2% | n/a | 34 | 0.2% | n/a |
| REFUSED | 99 | 36 | 0.1% | n/a | 4 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: RISK_NOW Type: Numeric Position: 231-232 Source: TIS_HIRISK_NOW

Label: DOES TEEN STILL HAVE ANY OF THESE CONDITIONS?

Notes: See questionnaire for list of conditions.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 1730 | 4.0% | 61.1% | 899 | 4.3% | 61.5% |
| NO | 2 | 1103 | 2.6% | 38.9% | 563 | 2.7% | 38.5% |
| SUBTOTALS: | | 2833 | 6.6% | 100.0% | 1462 | 7.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 38 | 0.1% | n/a | 19 | 0.1% | n/a |
| MISSING | . | 40200 | 93.3% | n/a | 19399 | 92.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: TET_ANY Type: Numeric Position: 233-234 Source: TIS_BTET

Label: HH-REPORT: HAS TEEN EVER RECEIVED ANY TETANUS BOOSTER SHOTS?

Notes: Reporting error exists in household report of vaccinations received.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 37115 | 86.2% | 93.7% | 18404 | 88.1% | 94.9% |
| NO | 2 | 2475 | 5.7% | 6.3% | 995 | 4.8% | 5.1% |
| SUBTOTALS: | | 39590 | 91.9% | 100.0% | 19399 | 92.9% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 3461 | 8.0% | n/a | 1476 | 7.1% | n/a |
| REFUSED | 99 | 20 | 0.0% | n/a | 5 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: TET_REAS_1 Type: Numeric Position: 235-236 Source: TIS_BTET_Reason,
TIS_BTET_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: NOT RECOMMENDED

Notes: Reflects backcoding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 277 | 0.6% | 21.0% | 114 | 0.5% | 23.3% |
| NO | 2 | 1044 | 2.4% | 79.0% | 375 | 1.8% | 76.7% |
| SUBTOTALS: | | 1321 | 3.1% | 100.0% | 489 | 2.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 355 | 0.8% | n/a | 146 | 0.7% | n/a |
| REFUSED | 99 | 2 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 41393 | 96.1% | n/a | 20244 | 97.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: TET_REAS_10 Type: Numeric Position: 237-238 Source: TIS_BTET_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: COSTS

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 18 | 0.0% | 1.4% | 13 | 0.1% | 2.7% |
| NO | 2 | 1303 | 3.0% | 98.6% | 476 | 2.3% | 97.3% |
| SUBTOTALS: | | 1321 | 3.1% | 100.0% | 489 | 2.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 355 | 0.8% | n/a | 146 | 0.7% | n/a |
| REFUSED | 99 | 2 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 41393 | 96.1% | n/a | 20244 | 97.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: TET_REAS_11 Type: Numeric Position: 239-240 Source: TIS_BTET_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: SAFETY CONCERN/SIDE EFFECTS

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 105 | 0.2% | 7.9% | 24 | 0.1% | 4.9% |
| NO | 2 | 1216 | 2.8% | 92.1% | 465 | 2.2% | 95.1% |
| SUBTOTALS: | | 1321 | 3.1% | 100.0% | 489 | 2.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 355 | 0.8% | n/a | 146 | 0.7% | n/a |
| REFUSED | 99 | 2 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 41393 | 96.1% | n/a | 20244 | 97.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: TET_REAS_12 Type: Numeric Position: 241-242 Source: TIS_BTET_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: EFFECTIVENESS CONCERN

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 1 | 0.0% | 0.1% | 0 | 0.0% | 0.0% |
| NO | 2 | 1320 | 3.1% | 99.9% | 489 | 2.3% | 100.0% |
| SUBTOTALS: | | 1321 | 3.1% | 100.0% | 489 | 2.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 355 | 0.8% | n/a | 146 | 0.7% | n/a |
| REFUSED | 99 | 2 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 41393 | 96.1% | n/a | 20244 | 97.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: TET_REAS_13 Type: Numeric Position: 243-244 Source: TIS_BTET_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: CHILD FEARFUL

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 7 | 0.0% | 0.5% | 2 | 0.0% | 0.4% |
| NO | 2 | 1314 | 3.1% | 99.5% | 487 | 2.3% | 99.6% |
| SUBTOTALS: | | 1321 | 3.1% | 100.0% | 489 | 2.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 355 | 0.8% | n/a | 146 | 0.7% | n/a |
| REFUSED | 99 | 2 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 41393 | 96.1% | n/a | 20244 | 97.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: TET_REAS_14 Type: Numeric Position: 245-246 Source: TIS_BTET_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: CHILD SHOULD MAKE DECISION

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 4 | 0.0% | 0.3% | 1 | 0.0% | 0.2% |
| NO | 2 | 1317 | 3.1% | 99.7% | 488 | 2.3% | 99.8% |
| SUBTOTALS: | | 1321 | 3.1% | 100.0% | 489 | 2.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 355 | 0.8% | n/a | 146 | 0.7% | n/a |
| REFUSED | 99 | 2 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 41393 | 96.1% | n/a | 20244 | 97.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: TET_REAS_15 Type: Numeric Position: 247-248 Source: TIS_BTET_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: COLLEGE SHOT

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NO | 2 | 1321 | 3.1% | 100.0% | 489 | 2.3% | 100.0% |
| SUBTOTALS: | | 1321 | 3.1% | 100.0% | 489 | 2.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 355 | 0.8% | n/a | 146 | 0.7% | n/a |
| REFUSED | 99 | 2 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 41393 | 96.1% | n/a | 20244 | 97.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: TET_REAS_16 Type: Numeric Position: 249-250 Source: TIS_BTET_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: DON'T BELIEVE IN VACCINATIONS

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 18 | 0.0% | 1.4% | 0 | 0.0% | 0.0% |
| NO | 2 | 1303 | 3.0% | 98.6% | 489 | 2.3% | 100.0% |
| SUBTOTALS: | | 1321 | 3.1% | 100.0% | 489 | 2.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 355 | 0.8% | n/a | 146 | 0.7% | n/a |
| REFUSED | 99 | 2 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 41393 | 96.1% | n/a | 20244 | 97.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: TET_REAS_17 Type: Numeric Position: 251-252 Source: TIS_BTET_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: FAMILY/PARENTAL DECISION

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 31 | 0.1% | 2.3% | 6 | 0.0% | 1.2% |
| NO | 2 | 1290 | 3.0% | 97.7% | 483 | 2.3% | 98.8% |
| SUBTOTALS: | | 1321 | 3.1% | 100.0% | 489 | 2.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 355 | 0.8% | n/a | 146 | 0.7% | n/a |
| REFUSED | 99 | 2 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 41393 | 96.1% | n/a | 20244 | 97.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: TET_REAS_18 Type: Numeric Position: 253-254 Source: TIS_BTET_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS:
HANDICAPPED/SPECIAL NEEDS/ILLNESS

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 24 | 0.1% | 1.8% | 9 | 0.0% | 1.8% |
| NO | 2 | 1297 | 3.0% | 98.2% | 480 | 2.3% | 98.2% |
| SUBTOTALS: | | 1321 | 3.1% | 100.0% | 489 | 2.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 355 | 0.8% | n/a | 146 | 0.7% | n/a |
| REFUSED | 99 | 2 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 41393 | 96.1% | n/a | 20244 | 97.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: TET_REAS_19 Type: Numeric Position: 255-256 Source: TIS_BTET_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: RELIGION/ORTHODOX

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 9 | 0.0% | 0.7% | 0 | 0.0% | 0.0% |
| NO | 2 | 1312 | 3.0% | 99.3% | 489 | 2.3% | 100.0% |
| SUBTOTALS: | | 1321 | 3.1% | 100.0% | 489 | 2.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 355 | 0.8% | n/a | 146 | 0.7% | n/a |
| REFUSED | 99 | 2 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 41393 | 96.1% | n/a | 20244 | 97.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: TET_REAS_2 Type: Numeric Position: 257-258 Source: TIS_BTET_Reason,
TIS_BTET_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: LACK OF KNOWLEDGE

Notes: Reflects backcoding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 158 | 0.4% | 12.0% | 71 | 0.3% | 14.5% |
| NO | 2 | 1163 | 2.7% | 88.0% | 418 | 2.0% | 85.5% |
| SUBTOTALS: | | 1321 | 3.1% | 100.0% | 489 | 2.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 355 | 0.8% | n/a | 146 | 0.7% | n/a |
| REFUSED | 99 | 2 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 41393 | 96.1% | n/a | 20244 | 97.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: TET_REAS_20 Type: Numeric Position: 259-260 Source: TIS_BTET_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: TIME

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 1 | 0.0% | 0.1% | 1 | 0.0% | 0.2% |
| NO | 2 | 1320 | 3.1% | 99.9% | 488 | 2.3% | 99.8% |
| SUBTOTALS: | | 1321 | 3.1% | 100.0% | 489 | 2.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 355 | 0.8% | n/a | 146 | 0.7% | n/a |
| REFUSED | 99 | 2 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 41393 | 96.1% | n/a | 20244 | 97.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: TET_REAS_21 Type: Numeric Position: 261-262 Source: TIS_BTET_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: MORE INFO/NEW VACCINE

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 3 | 0.0% | 0.2% | 1 | 0.0% | 0.2% |
| NO | 2 | 1318 | 3.1% | 99.8% | 488 | 2.3% | 99.8% |
| SUBTOTALS: | | 1321 | 3.1% | 100.0% | 489 | 2.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 355 | 0.8% | n/a | 146 | 0.7% | n/a |
| REFUSED | 99 | 2 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 41393 | 96.1% | n/a | 20244 | 97.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: TET_REAS_22 Type: Numeric Position: 263-264 Source: TIS_BTET_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: ALREADY UP-TO-DATE

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 2 | 0.0% | 0.2% | 1 | 0.0% | 0.2% |
| NO | 2 | 1319 | 3.1% | 99.8% | 488 | 2.3% | 99.8% |
| SUBTOTALS: | | 1321 | 3.1% | 100.0% | 489 | 2.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 355 | 0.8% | n/a | 146 | 0.7% | n/a |
| REFUSED | 99 | 2 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 41393 | 96.1% | n/a | 20244 | 97.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: TET_REAS_23 Type: Numeric Position: 265-266 Source: TIS_BTET_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: NOT AVAILABLE

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 22 | 0.1% | 1.7% | 6 | 0.0% | 1.2% |
| NO | 2 | 1299 | 3.0% | 98.3% | 483 | 2.3% | 98.8% |
| SUBTOTALS: | | 1321 | 3.1% | 100.0% | 489 | 2.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 355 | 0.8% | n/a | 146 | 0.7% | n/a |
| REFUSED | 99 | 2 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 41393 | 96.1% | n/a | 20244 | 97.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: TET_REAS_24 Type: Numeric Position: 267-268 Source: TIS_BTET_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: NOT A SCHOOL REQUIREMENT

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 110 | 0.3% | 8.3% | 42 | 0.2% | 8.6% |
| NO | 2 | 1211 | 2.8% | 91.7% | 447 | 2.1% | 91.4% |
| SUBTOTALS: | | 1321 | 3.1% | 100.0% | 489 | 2.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 355 | 0.8% | n/a | 146 | 0.7% | n/a |
| REFUSED | 99 | 2 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 41393 | 96.1% | n/a | 20244 | 97.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: TET_REAS_25 Type: Numeric Position: 269-270 Source: TIS_BTET_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: INTEND TO COMPLETE BUT HAVE NOT YET/ALREADY PLANNED

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 49 | 0.1% | 3.7% | 22 | 0.1% | 4.5% |
| NO | 2 | 1272 | 3.0% | 96.3% | 467 | 2.2% | 95.5% |
| SUBTOTALS: | | 1321 | 3.1% | 100.0% | 489 | 2.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 355 | 0.8% | n/a | 146 | 0.7% | n/a |
| REFUSED | 99 | 2 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 41393 | 96.1% | n/a | 20244 | 97.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: TET_REAS_26 Type: Numeric Position: 271-272 Source: TIS_BTET_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: DIFFICULTY MAKING OR GETTING TO APPOINTMENT/TRANSPORTATION PROBLEMS

Notes: New variable created based on coding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 19 | 0.0% | 1.4% | 6 | 0.0% | 1.2% |
| NO | 2 | 1302 | 3.0% | 98.6% | 483 | 2.3% | 98.8% |
| SUBTOTALS: | | 1321 | 3.1% | 100.0% | 489 | 2.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 355 | 0.8% | n/a | 146 | 0.7% | n/a |
| REFUSED | 99 | 2 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 41393 | 96.1% | n/a | 20244 | 97.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: TET_REAS_3 Type: Numeric Position: 273-274 Source: TIS_BTET_Reason,
TIS_BTET_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: NOT NEEDED OR NOT
NECESSARY

Notes: Reflects backcoding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 381 | 0.9% | 28.8% | 139 | 0.7% | 28.4% |
| NO | 2 | 940 | 2.2% | 71.2% | 350 | 1.7% | 71.6% |
| SUBTOTALS: | | 1321 | 3.1% | 100.0% | 489 | 2.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 355 | 0.8% | n/a | 146 | 0.7% | n/a |
| REFUSED | 99 | 2 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 41393 | 96.1% | n/a | 20244 | 97.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: TET_REAS_4 Type: Numeric Position: 275-276 Source: TIS_BTET_Reason,
TIS_BTET_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: NO DOCTOR OR
DOCTOR'S VISIT NOT SCHEDULED

Notes: Reflects backcoding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 11 | 0.0% | 0.8% | 5 | 0.0% | 1.0% |
| NO | 2 | 1310 | 3.0% | 99.2% | 484 | 2.3% | 99.0% |
| SUBTOTALS: | | 1321 | 3.1% | 100.0% | 489 | 2.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 355 | 0.8% | n/a | 146 | 0.7% | n/a |
| REFUSED | 99 | 2 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 41393 | 96.1% | n/a | 20244 | 97.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: TET_REAS_5 Type: Numeric Position: 277-278 Source: TIS_BTET_Reason,
TIS_BTET_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: NOT APPROPRIATE
AGE

Notes: Reflects backcoding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 46 | 0.1% | 3.5% | 16 | 0.1% | 3.3% |
| NO | 2 | 1275 | 3.0% | 96.5% | 473 | 2.3% | 96.7% |
| SUBTOTALS: | | 1321 | 3.1% | 100.0% | 489 | 2.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 355 | 0.8% | n/a | 146 | 0.7% | n/a |
| REFUSED | 99 | 2 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 41393 | 96.1% | n/a | 20244 | 97.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: TET_REAS_7 Type: Numeric Position: 279-280 Source: TIS_BTET_Reason,
TIS_BTET_OTHER

Label: MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: OTHER REASON

Notes: Reflects backcoding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 25 | 0.1% | 1.9% | 10 | 0.0% | 2.0% |
| NO | 2 | 1296 | 3.0% | 98.1% | 479 | 2.3% | 98.0% |
| SUBTOTALS: | | 1321 | 3.1% | 100.0% | 489 | 2.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 355 | 0.8% | n/a | 146 | 0.7% | n/a |
| REFUSED | 99 | 2 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 41393 | 96.1% | n/a | 20244 | 97.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 2: HOUSEHOLD-REPORTED VACCINATION AND HEALTH INFORMATION

Variable: VISITS Type: Numeric Position: 281-282 Source: TIS_HEALTH_VISITS

Label: IN PAST 12 MONTHS NUMBER OF TIMES TEEN HAS SEEN A DOCTOR OR OTHER HEALTH CARE PROFESSIONAL

Notes:

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NONE | 1 | 5975 | 13.9% | 14.1% | 2668 | 12.8% | 12.9% |
| 1 | 2 | 12694 | 29.5% | 29.9% | 5973 | 28.6% | 28.9% |
| 2 - 3 | 3 | 15416 | 35.8% | 36.3% | 7543 | 36.1% | 36.5% |
| 4 - 5 | 4 | 4763 | 11.1% | 11.2% | 2510 | 12.0% | 12.1% |
| 6 - 7 | 5 | 1584 | 3.7% | 3.7% | 848 | 4.1% | 4.1% |
| 8 - 9 | 6 | 505 | 1.2% | 1.2% | 263 | 1.3% | 1.3% |
| 10 - 12 | 7 | 849 | 2.0% | 2.0% | 458 | 2.2% | 2.2% |
| 13 - 15 | 8 | 227 | 0.5% | 0.5% | 123 | 0.6% | 0.6% |
| 16+ | 9 | 505 | 1.2% | 1.2% | 282 | 1.4% | 1.4% |
| SUBTOTALS: | | 42518 | 98.7% | 100.0% | 20668 | 99.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 529 | 1.2% | n/a | 207 | 1.0% | n/a |
| REFUSED | 99 | 24 | 0.1% | n/a | 5 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 3: DEMOGRAPHIC, SOCIO-ECONOMIC AND OTHER HOUSEHOLD/TEEN INFORMATION

Variable: AGE Type: Numeric Position: 283-284 Source: IHQ2, TIS_S3, TIS_DNEWDOB, eligibility date

Label: AGE IN YEARS OF SELECTED TEEN

Notes:

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 13 | 13 | 8425 | 19.6% | 19.6% | 4281 | 20.5% | 20.5% |
| 14 | 14 | 8680 | 20.2% | 20.2% | 4343 | 20.8% | 20.8% |
| 15 | 15 | 8702 | 20.2% | 20.2% | 4184 | 20.0% | 20.0% |
| 16 | 16 | 8941 | 20.8% | 20.8% | 4278 | 20.5% | 20.5% |
| 17 | 17 | 8323 | 19.3% | 19.3% | 3794 | 18.2% | 18.2% |
| SUBTOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: AGEGRP_M_I Type: Numeric Position: 285-285 Source: TIS_C10A, TIS_C10B

Label: MOTHER'S AGE CATEGORIES (RECODE)

Notes: Variable contains some imputed values.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| <= 34 YEARS | 1 | 3630 | 8.4% | 8.4% | 1727 | 8.3% | 8.3% |
| 35 TO 44 YEARS | 2 | 17940 | 41.7% | 41.7% | 8522 | 40.8% | 40.8% |
| >= 45 YEARS | 3 | 21501 | 49.9% | 49.9% | 10631 | 50.9% | 50.9% |
| SUBTOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 3: DEMOGRAPHIC, SOCIO-ECONOMIC AND OTHER HOUSEHOLD/TEEN INFORMATION

Variable: C1R Type: Numeric Position: 286-286 Source: TIS_C1

Label: NUMBER OF PEOPLE IN HOUSEHOLD (RECODE)

Notes:

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: C1R Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|-----|--------|
| Completed Household Interviews | 4.3 | 4.0 | 2.0 | 8.0 | 1.3 |
| Adequate Provider Data | 4.3 | 4.0 | 2.0 | 8.0 | 1.3 |

Variable: C5R Type: Numeric Position: 287-288 Source: TIS_C5

Label: RELATIONSHIP OF RESPONDENT TO TEEN (RECODE)

Notes:

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|--|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| MOTHER (STEP, FOSTER, ADOPTIVE) OR FEMALE GUARDIAN | 1 | 28176 | 65.4% | 65.5% | 14877 | 71.3% | 71.3% |
| FATHER (STEP, FOSTER, ADOPTIVE) OR MALE GUARDIAN | 2 | 11678 | 27.1% | 27.1% | 4911 | 23.5% | 23.5% |
| GRANDPARENT | 3 | 1522 | 3.5% | 3.5% | 665 | 3.2% | 3.2% |
| OTHER FAMILY MEMBER/FRIEND | 4 | 1666 | 3.9% | 3.9% | 424 | 2.0% | 2.0% |
| SUBTOTALS: | | 43042 | 99.9% | 100.0% | 20877 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 10 | 0.0% | n/a | 2 | 0.0% | n/a |
| REFUSED | 99 | 19 | 0.0% | n/a | 1 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 3: DEMOGRAPHIC, SOCIO-ECONOMIC AND OTHER HOUSEHOLD/TEEN INFORMATION

Variable: CEN_REG Type: Numeric Position: 289-289 Source: Sampling Frame, TIS_C19, TIS_C19A

Label: CENSUS REGION BASED ON TRUE STATE OF RESIDENCE

Notes: Cases sampled in territories are not assigned a census region.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NORTHEAST | 1 | 8156 | 18.9% | 19.4% | 4049 | 19.4% | 19.8% |
| MIDWEST | 2 | 8695 | 20.2% | 20.7% | 4313 | 20.7% | 21.1% |
| SOUTH | 3 | 16125 | 37.4% | 38.4% | 7620 | 36.5% | 37.2% |
| WEST | 4 | 9018 | 20.9% | 21.5% | 4493 | 21.5% | 21.9% |
| SUBTOTALS: | | 41994 | 97.5% | 100.0% | 20475 | 98.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 1077 | 2.5% | n/a | 405 | 1.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: CHILDNM Type: Numeric Position: 290-290 Source: TIS_UNDER18

Label: NUMBER OF CHILDREN UNDER 18 YEARS OF AGE IN HH (RECODE)

Notes:

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| ONE | 1 | 17035 | 39.6% | 39.6% | 7907 | 37.9% | 37.9% |
| TWO OR THREE | 2 | 21865 | 50.8% | 50.8% | 10806 | 51.8% | 51.8% |
| FOUR OR MORE | 3 | 4171 | 9.7% | 9.7% | 2167 | 10.4% | 10.4% |
| SUBTOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 3: DEMOGRAPHIC, SOCIO-ECONOMIC AND OTHER HOUSEHOLD/TEEN INFORMATION

Variable: EDUC1 Type: Numeric Position: 291-291 Source: TIS_C6

Label: EDUCATION LEVEL OF MOTHER WITH 4 CATEGORIES (RECODE)

Notes: Variable contains some imputed values.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|---|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| LESS THAN 12 YEARS | 1 | 4472 | 10.4% | 10.4% | 2285 | 10.9% | 10.9% |
| 12 YEARS | 2 | 7139 | 16.6% | 16.6% | 3306 | 15.8% | 15.8% |
| MORE THAN 12 YEARS, NON-COLLEGE GRAD | 3 | 11420 | 26.5% | 26.5% | 5498 | 26.3% | 26.3% |
| COLLEGE GRADUATE | 4 | 20040 | 46.5% | 46.5% | 9791 | 46.9% | 46.9% |
| SUBTOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: EDUC_TR Type: Numeric Position: 292-293 Source: TIS_GRADE

Label: TEEN'S CURRENT GRADE IN SCHOOL (RECODE)

Notes:

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|---|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 6TH TO 8TH GRADE | 1 | 11647 | 27.0% | 27.1% | 5914 | 28.3% | 28.3% |
| 9TH TO 12TH GRADE | 2 | 30695 | 71.3% | 71.4% | 14679 | 70.3% | 70.4% |
| HS GRAD/GED COMPLETED/ENROLLED IN GED PROGRAM | 3 | 416 | 1.0% | 1.0% | 177 | 0.8% | 0.8% |
| NOT IN SCHOOL/OTHER | 4 | 221 | 0.5% | 0.5% | 94 | 0.5% | 0.5% |
| SUBTOTALS: | | 42979 | 99.8% | 100.0% | 20864 | 99.9% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 51 | 0.1% | n/a | 15 | 0.1% | n/a |
| REFUSED | 99 | 41 | 0.1% | n/a | 1 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 3: DEMOGRAPHIC, SOCIO-ECONOMIC AND OTHER HOUSEHOLD/TEEN INFORMATION

Variable: INCPORAR Type: Numeric Position: 294-309 Source: TIS_CFAMINC, TIS_C12 - TIS_C18, TIS_C1, TIS_S3AGE

Label: INCOME TO POVERTY RATIO (RECODE)

Notes: Based on the 2015 Census poverty thresholds. Based on exact income if given or midpoint of income bounds if entire income cascade was completed. It is possible for the poverty status to be known but the income-to-poverty ratio to be unknown; this occurs if the full cascade of income questions was not completed but an income bound sufficient to determine poverty status was established.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 38898 | 90.3% | 100.0% | 19782 | 94.7% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 4173 | 9.7% | n/a | 1098 | 5.3% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: INCPORAR Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|-----|--------|
| Completed Household Interviews | 2.3 | 3.0 | 0.5 | 3.0 | 0.9 |
| Adequate Provider Data | 2.2 | 3.0 | 0.5 | 3.0 | 0.9 |

Variable: INCPORAR_I Type: Numeric Position: 310-325 Source: TIS_CFAMINC, TIS_C12 - TIS_C18, TIS_C1, TIS_S3AGE

Label: INCOME TO POVERTY RATIO: IMPUTED (RECODE)

Notes: Based on the 2015 Census poverty thresholds. Based on exact income if given or midpoint of income bounds if entire income cascade was completed. It is possible for the poverty status to be known but the income-to-poverty ratio to be unknown; this occurs if the full cascade of income questions was not completed but an income bound sufficient to determine poverty status was established.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: INCPORAR_I Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|-----|--------|
| Completed Household Interviews | 2.2 | 3.0 | 0.5 | 3.0 | 0.9 |
| Adequate Provider Data | 2.2 | 2.9 | 0.5 | 3.0 | 1.0 |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 3: DEMOGRAPHIC, SOCIO-ECONOMIC AND OTHER HOUSEHOLD/TEEN INFORMATION

Variable: INCPOV1 Type: Numeric Position: 326-326 Source: TIS_CFAMINC, TIS_C12 - TIS_C18, TIS_C1, TIS_S3AGE

Label: POVERTY STATUS

Notes: Based on the 2015 Census poverty thresholds. Based on exact income if given or any established income bounds. It is possible for the poverty status to be known but the income-to-poverty ratio to be unknown; this occurs if the full cascade of income questions was not completed but an income bound sufficient to determine poverty status was established.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| ABOVE POVERTY > \$75K | 1 | 19204 | 44.6% | 47.9% | 9650 | 46.2% | 47.9% |
| ABOVE POVERTY <= \$75K | 2 | 14117 | 32.8% | 35.2% | 6785 | 32.5% | 33.7% |
| BELOW POVERTY | 3 | 6796 | 15.8% | 16.9% | 3692 | 17.7% | 18.3% |
| SUBTOTALS: | | 40117 | 93.1% | 100.0% | 20127 | 96.4% | 100.0% |
| RESERVED CODES: | | | | | | | |
| UNKNOWN | 4 | 2954 | 6.9% | n/a | 753 | 3.6% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: INCQ298A Type: Numeric Position: 327-328 Source: TIS_CFAMINC, TIS_C12 - TIS_C18

Label: FAMILY INCOME CATEGORIES (RECODE)

Notes: Total combined family income earned during 2014.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|-------------------|-------|--------------------------------|-------|-------------------------|------------------------|-------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| \$0 - \$7500 | 3 | 1157 | 2.7% | 3.0% | 612 | 2.9% | 3.1% |
| \$7501 - \$10000 | 4 | 1040 | 2.4% | 2.7% | 550 | 2.6% | 2.8% |
| \$10001 - \$17500 | 5 | 1820 | 4.2% | 4.7% | 1022 | 4.9% | 5.2% |
| \$17501 - \$20000 | 6 | 1395 | 3.2% | 3.6% | 746 | 3.6% | 3.8% |
| \$20001 - \$25000 | 7 | 1513 | 3.5% | 3.9% | 844 | 4.0% | 4.3% |
| \$25001 - \$30000 | 8 | 1682 | 3.9% | 4.3% | 908 | 4.3% | 4.6% |
| \$30001 - \$35000 | 9 | 1165 | 2.7% | 3.0% | 589 | 2.8% | 3.0% |
| \$35001 - \$40000 | 10 | 1619 | 3.8% | 4.2% | 762 | 3.6% | 3.9% |
| \$40001 - \$50000 | 11 | 2592 | 6.0% | 6.7% | 1311 | 6.3% | 6.6% |
| \$50001 - \$60000 | 12 | 2393 | 5.6% | 6.2% | 1167 | 5.6% | 5.9% |
| \$60001 - \$75000 | 13 | 3318 | 7.7% | 8.5% | 1621 | 7.8% | 8.2% |
| \$75001+ | 14 | 19204 | 44.6% | 49.4% | 9650 | 46.2% | 48.8% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 3: DEMOGRAPHIC, SOCIO-ECONOMIC AND OTHER HOUSEHOLD/TEEN INFORMATION

Variable: INCQ298A **Type:** Numeric **Position:** 327-328 **Source:** TIS_CFAMINC, TIS_C12 - TIS_C18

Label: FAMILY INCOME CATEGORIES (RECODE)

Notes: Total combined family income earned during 2014.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 38898 | 90.3% | 100.0% | 19782 | 94.7% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1389 | 3.2% | n/a | 498 | 2.4% | n/a |
| REFUSED | 99 | 2784 | 6.5% | n/a | 600 | 2.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: I_HISP_K **Type:** Numeric **Position:** 329-329 **Source:** TIS_C2, TIS_C4_OTHR

Label: IS TEEN HISPANIC OR LATINO?

Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 7848 | 18.2% | 18.2% | 3628 | 17.4% | 17.4% |
| NO | 2 | 35223 | 81.8% | 81.8% | 17252 | 82.6% | 82.6% |
| SUBTOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 3: DEMOGRAPHIC, SOCIO-ECONOMIC AND OTHER HOUSEHOLD/TEEN INFORMATION

Variable: LANGUAGE Type: Numeric Position: 330-330 Source: Call outcome codes

Label: LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED

Notes: Interviews conducted in other languages were administered using Language Line Services (formerly part of AT&T). This variable was constructed from call outcome codes. While these outcome codes are considered accurate, there is no independent check to determine the language in which the interview was actually conducted.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| ENGLISH | 1 | 40072 | 93.0% | 93.0% | 19398 | 92.9% | 92.9% |
| SPANISH | 2 | 2276 | 5.3% | 5.3% | 1092 | 5.2% | 5.2% |
| OTHER | 3 | 723 | 1.7% | 1.7% | 390 | 1.9% | 1.9% |
| SUBTOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MARITAL2 Type: Numeric Position: 331-331 Source: TIS_C7

Label: MARITAL STATUS OF MOTHER (RECODE)

Notes: Variable contains some imputed values.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|--|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| MARRIED | 1 | 30263 | 70.3% | 70.3% | 14634 | 70.1% | 70.1% |
| NEVER MARRIED/WIDOWED/ DIVORCED/SEPARATED/ DECEASED/LIVING WITH PARTNER | 2 | 12808 | 29.7% | 29.7% | 6246 | 29.9% | 29.9% |
| SUBTOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 3: DEMOGRAPHIC, SOCIO-ECONOMIC AND OTHER HOUSEHOLD/TEEN INFORMATION

Variable: MOBIL_I Type: Numeric Position: 332-332 Source: TIS_C11A2, TIS_C19

Label: GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE AT BIRTH VERSUS CURRENT STATE

Notes: Variable contains some imputed values.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|-----------------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| MOVED FROM DIFFERENT STATE | 1 | 10774 | 25.0% | 25.0% | 4998 | 23.9% | 23.9% |
| DID NOT MOVE FROM DIFFERENT STATE | 2 | 32297 | 75.0% | 75.0% | 15882 | 76.1% | 76.1% |
| SUBTOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: NUM_PHONE Type: Numeric Position: 333-334 Source: TIS_C21, TIS_C_LANDLINE, TEL_INTMODE

Label: NUMBER OF RESIDENTIAL TELEPHONE NUMBERS IN HOUSEHOLD (EXCLUDING CELL PHONES)

Notes:

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| ONE | 1 | 23065 | 53.6% | 53.9% | 11567 | 55.4% | 55.5% |
| TWO | 2 | 714 | 1.7% | 1.7% | 359 | 1.7% | 1.7% |
| THREE OR MORE | 3 | 167 | 0.4% | 0.4% | 75 | 0.4% | 0.4% |
| NONE | 4 | 18819 | 43.7% | 44.0% | 8823 | 42.3% | 42.4% |
| SUBTOTALS: | | 42765 | 99.3% | 100.0% | 20824 | 99.7% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 74 | 0.2% | n/a | 26 | 0.1% | n/a |
| REFUSED | 99 | 232 | 0.5% | n/a | 30 | 0.1% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 3: DEMOGRAPHIC, SOCIO-ECONOMIC AND OTHER HOUSEHOLD/TEEN INFORMATION

Variable: NUM_CELLS_HH Type: Numeric Position: 335-336 Source: TIS_C21_06Q3_CELL

Label: NUMBER OF WORKING CELL PHONES HOUSEHOLD MEMBERS HAVE AVAILABLE FOR PERSONAL USE

Notes:

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| ONE | 1 | 3243 | 7.5% | 7.7% | 1413 | 6.8% | 6.8% |
| TWO | 2 | 7561 | 17.6% | 17.8% | 3695 | 17.7% | 17.8% |
| THREE OR MORE | 3 | 31182 | 72.4% | 73.6% | 15500 | 74.2% | 74.5% |
| NONE | 4 | 384 | 0.9% | 0.9% | 189 | 0.9% | 0.9% |
| SUBTOTALS: | | 42370 | 98.4% | 100.0% | 20797 | 99.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 62 | 0.1% | n/a | 13 | 0.1% | n/a |
| REFUSED | 99 | 639 | 1.5% | n/a | 70 | 0.3% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: NUM_CELLS_PARENTS Type: Numeric Position: 337-338 Source: TIS_C21_06Q3_CELL, TIS_C_USUAL_USE_CELL

Label: NUMBER OF WORKING CELL PHONES USUALLY USED BY PARENTS OR GUARDIANS

Notes:

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| ONE | 1 | 11352 | 26.4% | 26.8% | 5580 | 26.7% | 26.8% |
| TWO | 2 | 27580 | 64.0% | 65.2% | 13732 | 65.8% | 66.1% |
| THREE OR MORE | 3 | 2854 | 6.6% | 6.7% | 1214 | 5.8% | 5.8% |
| NONE | 4 | 516 | 1.2% | 1.2% | 260 | 1.2% | 1.3% |
| SUBTOTALS: | | 42302 | 98.2% | 100.0% | 20786 | 99.5% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 118 | 0.3% | n/a | 33 | 0.2% | n/a |
| REFUSED | 99 | 574 | 1.3% | n/a | 61 | 0.3% | n/a |
| MISSING | . | 77 | 0.2% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 3: DEMOGRAPHIC, SOCIO-ECONOMIC AND OTHER HOUSEHOLD/TEEN INFORMATION

Variable: RACEETHK Type: Numeric Position: 339-339 Source: TIS_C2, TIS_C4, TIS_C4_OTHR

Label: RACE/ETHNICITY OF TEEN WITH MULTIRACE CATEGORY (RECODE)

Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| HISPANIC | 1 | 7848 | 18.2% | 18.2% | 3628 | 17.4% | 17.4% |
| NON-HISPANIC WHITE ONLY | 2 | 25915 | 60.2% | 60.2% | 12883 | 61.7% | 61.7% |
| NON-HISPANIC BLACK ONLY | 3 | 4479 | 10.4% | 10.4% | 1990 | 9.5% | 9.5% |
| NON-HISPANIC OTHER + MULTIPLE RACE | 4 | 4829 | 11.2% | 11.2% | 2379 | 11.4% | 11.4% |
| SUBTOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: RACE_K Type: Numeric Position: 340-340 Source: TIS_C4, TIS_C4_OTHR

Label: RACE OF TEEN WITH MULTIRACE CATEGORY (RECODE)

Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| WHITE ONLY | 1 | 32279 | 74.9% | 74.9% | 15859 | 76.0% | 76.0% |
| BLACK ONLY | 2 | 5085 | 11.8% | 11.8% | 2240 | 10.7% | 10.7% |
| OTHER + MULTIPLE RACE | 3 | 5707 | 13.3% | 13.3% | 2781 | 13.3% | 13.3% |
| SUBTOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Codebook and Unweighted Frequencies for the 2016 NIS-Teen Public-Use File

SECTION 3: DEMOGRAPHIC, SOCIO-ECONOMIC AND OTHER HOUSEHOLD/TEEN INFORMATION

Variable: RENT_OWN Type: Numeric Position: 341-342 Source: TIS_C19C

Label: IS HOME OWNED/BEING BOUGHT, RENTED, OR OCCUPIED BY SOME OTHER ARRANGEMENT?

Notes:

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| OWNED OR BEING BOUGHT | 1 | 30978 | 71.9% | 72.8% | 15230 | 72.9% | 73.2% |
| RENTED | 2 | 10474 | 24.3% | 24.6% | 5028 | 24.1% | 24.2% |
| OTHER ARRANGMENT | 3 | 1116 | 2.6% | 2.6% | 554 | 2.7% | 2.7% |
| SUBTOTALS: | | 42568 | 98.8% | 100.0% | 20812 | 99.7% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 79 | 0.2% | n/a | 18 | 0.1% | n/a |
| REFUSED | 99 | 424 | 1.0% | n/a | 50 | 0.2% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: SEX Type: Numeric Position: 343-343 Source: TIS_S4

Label: SEX OF TEEN

Notes: Variable contains some imputed values.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| MALE | 1 | 22570 | 52.4% | 52.4% | 11022 | 52.8% | 52.8% |
| FEMALE | 2 | 20501 | 47.6% | 47.6% | 9858 | 47.2% | 47.2% |
| SUBTOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 4: GEOGRAPHIC VARIABLES

Variable: ESTIAPT16 Type: Numeric Position: 344-346 Source: Sampling Frame, TIS_C19, TIS_C19A

Label: ESTIMATION AREA OF RESIDENCE

Notes:

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|------|-------------------------------|------------------------|------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| CT | 1 | 736 | 1.7% | 1.7% | 357 | 1.7% | 1.7% |
| MA | 2 | 750 | 1.7% | 1.7% | 374 | 1.8% | 1.8% |
| ME | 4 | 659 | 1.5% | 1.5% | 347 | 1.7% | 1.7% |
| NH | 5 | 630 | 1.5% | 1.5% | 313 | 1.5% | 1.5% |
| RI | 6 | 630 | 1.5% | 1.5% | 326 | 1.6% | 1.6% |
| VT | 7 | 669 | 1.6% | 1.6% | 380 | 1.8% | 1.8% |
| NJ | 8 | 859 | 2.0% | 2.0% | 422 | 2.0% | 2.0% |
| NY-REST OF STATE | 10 | 773 | 1.8% | 1.8% | 364 | 1.7% | 1.7% |
| NY-CITY OF NEW YORK | 11 | 712 | 1.7% | 1.7% | 291 | 1.4% | 1.4% |
| DC | 12 | 780 | 1.8% | 1.8% | 377 | 1.8% | 1.8% |
| DE | 13 | 751 | 1.7% | 1.7% | 375 | 1.8% | 1.8% |
| MD | 14 | 935 | 2.2% | 2.2% | 451 | 2.2% | 2.2% |
| PA-REST OF STATE | 16 | 1042 | 2.4% | 2.4% | 526 | 2.5% | 2.5% |
| PA-PHILADELPHIA COUNTY | 17 | 696 | 1.6% | 1.6% | 349 | 1.7% | 1.7% |
| VA | 18 | 906 | 2.1% | 2.1% | 451 | 2.2% | 2.2% |
| WV | 19 | 659 | 1.5% | 1.5% | 313 | 1.5% | 1.5% |
| AL | 20 | 688 | 1.6% | 1.6% | 333 | 1.6% | 1.6% |
| FL | 22 | 845 | 2.0% | 2.0% | 376 | 1.8% | 1.8% |
| GA | 25 | 748 | 1.7% | 1.7% | 367 | 1.8% | 1.8% |
| KY | 27 | 648 | 1.5% | 1.5% | 333 | 1.6% | 1.6% |
| MS | 28 | 707 | 1.6% | 1.6% | 377 | 1.8% | 1.8% |
| NC | 29 | 771 | 1.8% | 1.8% | 366 | 1.8% | 1.8% |
| SC | 30 | 702 | 1.6% | 1.6% | 314 | 1.5% | 1.5% |
| TN | 31 | 611 | 1.4% | 1.4% | 291 | 1.4% | 1.4% |
| IL-REST OF STATE | 34 | 1017 | 2.4% | 2.4% | 448 | 2.1% | 2.1% |
| IL-CITY OF CHICAGO | 35 | 381 | 0.9% | 0.9% | 157 | 0.8% | 0.8% |
| IN | 36 | 685 | 1.6% | 1.6% | 350 | 1.7% | 1.7% |
| MI | 38 | 589 | 1.4% | 1.4% | 283 | 1.4% | 1.4% |
| MN | 40 | 751 | 1.7% | 1.7% | 375 | 1.8% | 1.8% |
| OH | 41 | 698 | 1.6% | 1.6% | 338 | 1.6% | 1.6% |
| WI | 44 | 672 | 1.6% | 1.6% | 333 | 1.6% | 1.6% |

SECTION 4: GEOGRAPHIC VARIABLES

Variable: ESTIAPT16 Type: Numeric Position: 344-346 Source: Sampling Frame, TIS_C19, TIS_C19A

Label: ESTIMATION AREA OF RESIDENCE

Notes:

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| AR | 46 | 712 | 1.7% | 1.7% | 352 | 1.7% | 1.7% |
| LA | 47 | 712 | 1.7% | 1.7% | 336 | 1.6% | 1.6% |
| NM | 49 | 704 | 1.6% | 1.6% | 374 | 1.8% | 1.8% |
| OK | 50 | 653 | 1.5% | 1.5% | 281 | 1.3% | 1.3% |
| TX-REST OF STATE | 51 | 1721 | 4.0% | 4.0% | 729 | 3.5% | 3.5% |
| TX-DALLAS COUNTY | 52 | 729 | 1.7% | 1.7% | 294 | 1.4% | 1.4% |
| TX-EL PASO COUNTY | 53 | 659 | 1.5% | 1.5% | 345 | 1.7% | 1.7% |
| TX-CITY OF HOUSTON | 54 | 500 | 1.2% | 1.2% | 225 | 1.1% | 1.1% |
| TX-BEXAR COUNTY | 55 | 688 | 1.6% | 1.6% | 334 | 1.6% | 1.6% |
| IA | 56 | 702 | 1.6% | 1.6% | 382 | 1.8% | 1.8% |
| KS | 57 | 610 | 1.4% | 1.4% | 322 | 1.5% | 1.5% |
| MO | 58 | 753 | 1.7% | 1.7% | 360 | 1.7% | 1.7% |
| NE | 59 | 637 | 1.5% | 1.5% | 330 | 1.6% | 1.6% |
| CO | 60 | 683 | 1.6% | 1.6% | 322 | 1.5% | 1.5% |
| MT | 61 | 688 | 1.6% | 1.6% | 375 | 1.8% | 1.8% |
| ND | 62 | 562 | 1.3% | 1.3% | 293 | 1.4% | 1.4% |
| SD | 63 | 638 | 1.5% | 1.5% | 342 | 1.6% | 1.6% |
| UT | 64 | 607 | 1.4% | 1.4% | 317 | 1.5% | 1.5% |
| WY | 65 | 692 | 1.6% | 1.6% | 373 | 1.8% | 1.8% |
| AZ | 66 | 719 | 1.7% | 1.7% | 329 | 1.6% | 1.6% |
| CA | 68 | 785 | 1.8% | 1.8% | 327 | 1.6% | 1.6% |
| HI | 72 | 635 | 1.5% | 1.5% | 317 | 1.5% | 1.5% |
| NV | 73 | 760 | 1.8% | 1.8% | 330 | 1.6% | 1.6% |
| AK | 74 | 749 | 1.7% | 1.7% | 392 | 1.9% | 1.9% |
| ID | 75 | 686 | 1.6% | 1.6% | 358 | 1.7% | 1.7% |
| OR | 76 | 590 | 1.4% | 1.4% | 318 | 1.5% | 1.5% |
| WA | 77 | 720 | 1.7% | 1.7% | 361 | 1.7% | 1.7% |
| PUERTO RICO | 106 | 1077 | 2.5% | 2.5% | 405 | 1.9% | 1.9% |
| SUBTOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 4: GEOGRAPHIC VARIABLES

Variable: EST_GRANT Type: Numeric Position: 347-348 Source: Sampling Frame, TIS_C19, TIS_C19A

Label: AREA OF RESIDENCE PER THE 56 CORE NIS GRANTEE AREAS

Notes: Includes New York City; Philadelphia County, PA; City of Chicago, IL; District of Columbia; Bexar County, TX; and City of Houston, TX; in addition to the remaining state and rest-of-state areas.

| LABEL | Completed Household Interviews | | | | Adequate Provider Data | | |
|------------------------|--------------------------------|-------|------|-------------------------------|------------------------|------|-------------------------------|
| | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| CT | 1 | 736 | 1.7% | 1.8% | 357 | 1.7% | 1.7% |
| MA | 2 | 750 | 1.7% | 1.8% | 374 | 1.8% | 1.8% |
| ME | 4 | 659 | 1.5% | 1.6% | 347 | 1.7% | 1.7% |
| NH | 5 | 630 | 1.5% | 1.5% | 313 | 1.5% | 1.5% |
| RI | 6 | 630 | 1.5% | 1.5% | 326 | 1.6% | 1.6% |
| VT | 7 | 669 | 1.6% | 1.6% | 380 | 1.8% | 1.9% |
| NJ | 8 | 859 | 2.0% | 2.0% | 422 | 2.0% | 2.1% |
| NY-REST OF STATE | 10 | 773 | 1.8% | 1.8% | 364 | 1.7% | 1.8% |
| NY-CITY OF NEW YORK | 11 | 712 | 1.7% | 1.7% | 291 | 1.4% | 1.4% |
| DC | 12 | 780 | 1.8% | 1.9% | 377 | 1.8% | 1.8% |
| DE | 13 | 751 | 1.7% | 1.8% | 375 | 1.8% | 1.8% |
| MD | 14 | 935 | 2.2% | 2.2% | 451 | 2.2% | 2.2% |
| PA-REST OF STATE | 16 | 1042 | 2.4% | 2.5% | 526 | 2.5% | 2.6% |
| PA-PHILADELPHIA COUNTY | 17 | 696 | 1.6% | 1.7% | 349 | 1.7% | 1.7% |
| VA | 18 | 906 | 2.1% | 2.2% | 451 | 2.2% | 2.2% |
| WV | 19 | 659 | 1.5% | 1.6% | 313 | 1.5% | 1.5% |
| AL | 20 | 688 | 1.6% | 1.6% | 333 | 1.6% | 1.6% |
| FL | 22 | 845 | 2.0% | 2.0% | 376 | 1.8% | 1.8% |
| GA | 25 | 748 | 1.7% | 1.8% | 367 | 1.8% | 1.8% |
| KY | 27 | 648 | 1.5% | 1.5% | 333 | 1.6% | 1.6% |
| MS | 28 | 707 | 1.6% | 1.7% | 377 | 1.8% | 1.8% |
| NC | 29 | 771 | 1.8% | 1.8% | 366 | 1.8% | 1.8% |
| SC | 30 | 702 | 1.6% | 1.7% | 314 | 1.5% | 1.5% |
| TN | 31 | 611 | 1.4% | 1.5% | 291 | 1.4% | 1.4% |
| IL-REST OF STATE | 34 | 1017 | 2.4% | 2.4% | 448 | 2.1% | 2.2% |
| IL-CITY OF CHICAGO | 35 | 381 | 0.9% | 0.9% | 157 | 0.8% | 0.8% |
| IN | 36 | 685 | 1.6% | 1.6% | 350 | 1.7% | 1.7% |
| MI | 38 | 589 | 1.4% | 1.4% | 283 | 1.4% | 1.4% |
| MN | 40 | 751 | 1.7% | 1.8% | 375 | 1.8% | 1.8% |
| OH | 41 | 698 | 1.6% | 1.7% | 338 | 1.6% | 1.7% |
| WI | 44 | 672 | 1.6% | 1.6% | 333 | 1.6% | 1.6% |

SECTION 4: GEOGRAPHIC VARIABLES

Variable: EST_GRANT Type: Numeric Position: 347-348 Source: Sampling Frame, TIS_C19, TIS_C19A

Label: AREA OF RESIDENCE PER THE 56 CORE NIS GRANTEE AREAS

Notes: Includes New York City; Philadelphia County, PA; City of Chicago, IL; District of Columbia; Bexar County, TX; and City of Houston, TX; in addition to the remaining state and rest-of-state areas.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| AR | 46 | 712 | 1.7% | 1.7% | 352 | 1.7% | 1.7% |
| LA | 47 | 712 | 1.7% | 1.7% | 336 | 1.6% | 1.6% |
| NM | 49 | 704 | 1.6% | 1.7% | 374 | 1.8% | 1.8% |
| OK | 50 | 653 | 1.5% | 1.6% | 281 | 1.3% | 1.4% |
| TX-REST OF STATE | 51 | 3109 | 7.2% | 7.4% | 1368 | 6.6% | 6.7% |
| TX-CITY OF HOUSTON | 54 | 500 | 1.2% | 1.2% | 225 | 1.1% | 1.1% |
| TX-BEXAR COUNTY | 55 | 688 | 1.6% | 1.6% | 334 | 1.6% | 1.6% |
| IA | 56 | 702 | 1.6% | 1.7% | 382 | 1.8% | 1.9% |
| KS | 57 | 610 | 1.4% | 1.5% | 322 | 1.5% | 1.6% |
| MO | 58 | 753 | 1.7% | 1.8% | 360 | 1.7% | 1.8% |
| NE | 59 | 637 | 1.5% | 1.5% | 330 | 1.6% | 1.6% |
| CO | 60 | 683 | 1.6% | 1.6% | 322 | 1.5% | 1.6% |
| MT | 61 | 688 | 1.6% | 1.6% | 375 | 1.8% | 1.8% |
| ND | 62 | 562 | 1.3% | 1.3% | 293 | 1.4% | 1.4% |
| SD | 63 | 638 | 1.5% | 1.5% | 342 | 1.6% | 1.7% |
| UT | 64 | 607 | 1.4% | 1.4% | 317 | 1.5% | 1.5% |
| WY | 65 | 692 | 1.6% | 1.6% | 373 | 1.8% | 1.8% |
| AZ | 66 | 719 | 1.7% | 1.7% | 329 | 1.6% | 1.6% |
| CA | 68 | 785 | 1.8% | 1.9% | 327 | 1.6% | 1.6% |
| HI | 72 | 635 | 1.5% | 1.5% | 317 | 1.5% | 1.5% |
| NV | 73 | 760 | 1.8% | 1.8% | 330 | 1.6% | 1.6% |
| AK | 74 | 749 | 1.7% | 1.8% | 392 | 1.9% | 1.9% |
| ID | 75 | 686 | 1.6% | 1.6% | 358 | 1.7% | 1.7% |
| OR | 76 | 590 | 1.4% | 1.4% | 318 | 1.5% | 1.6% |
| WA | 77 | 720 | 1.7% | 1.7% | 361 | 1.7% | 1.8% |
| SUBTOTALS: | | 41994 | 97.5% | 100.0% | 20475 | 98.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 1077 | 2.5% | n/a | 405 | 1.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 4: GEOGRAPHIC VARIABLES

Variable: STATE Type: Numeric Position: 349-350 Source: Sampling Frame, TIS_C19, TIS_C19A

Label: TRUE STATE OF RESIDENCE (STATE FIPS CODE)

Notes:

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|----------------------|-------|--------------------------------|------|-------------------------------|------------------------|------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| ALABAMA | 1 | 688 | 1.6% | 1.6% | 333 | 1.6% | 1.6% |
| ALASKA | 2 | 749 | 1.7% | 1.7% | 392 | 1.9% | 1.9% |
| ARIZONA | 4 | 719 | 1.7% | 1.7% | 329 | 1.6% | 1.6% |
| ARKANSAS | 5 | 712 | 1.7% | 1.7% | 352 | 1.7% | 1.7% |
| CALIFORNIA | 6 | 785 | 1.8% | 1.8% | 327 | 1.6% | 1.6% |
| COLORADO | 8 | 683 | 1.6% | 1.6% | 322 | 1.5% | 1.5% |
| CONNECTICUT | 9 | 736 | 1.7% | 1.7% | 357 | 1.7% | 1.7% |
| DELAWARE | 10 | 751 | 1.7% | 1.7% | 375 | 1.8% | 1.8% |
| DISTRICT OF COLUMBIA | 11 | 780 | 1.8% | 1.8% | 377 | 1.8% | 1.8% |
| FLORIDA | 12 | 845 | 2.0% | 2.0% | 376 | 1.8% | 1.8% |
| GEORGIA | 13 | 748 | 1.7% | 1.7% | 367 | 1.8% | 1.8% |
| HAWAII | 15 | 635 | 1.5% | 1.5% | 317 | 1.5% | 1.5% |
| IDAHO | 16 | 686 | 1.6% | 1.6% | 358 | 1.7% | 1.7% |
| ILLINOIS | 17 | 1398 | 3.2% | 3.2% | 605 | 2.9% | 2.9% |
| INDIANA | 18 | 685 | 1.6% | 1.6% | 350 | 1.7% | 1.7% |
| IOWA | 19 | 702 | 1.6% | 1.6% | 382 | 1.8% | 1.8% |
| KANSAS | 20 | 610 | 1.4% | 1.4% | 322 | 1.5% | 1.5% |
| KENTUCKY | 21 | 648 | 1.5% | 1.5% | 333 | 1.6% | 1.6% |
| LOUISIANA | 22 | 712 | 1.7% | 1.7% | 336 | 1.6% | 1.6% |
| MAINE | 23 | 659 | 1.5% | 1.5% | 347 | 1.7% | 1.7% |
| MARYLAND | 24 | 935 | 2.2% | 2.2% | 451 | 2.2% | 2.2% |
| MASSACHUSETTS | 25 | 750 | 1.7% | 1.7% | 374 | 1.8% | 1.8% |
| MICHIGAN | 26 | 589 | 1.4% | 1.4% | 283 | 1.4% | 1.4% |
| MINNESOTA | 27 | 751 | 1.7% | 1.7% | 375 | 1.8% | 1.8% |
| MISSISSIPPI | 28 | 707 | 1.6% | 1.6% | 377 | 1.8% | 1.8% |
| MISSOURI | 29 | 753 | 1.7% | 1.7% | 360 | 1.7% | 1.7% |
| MONTANA | 30 | 688 | 1.6% | 1.6% | 375 | 1.8% | 1.8% |
| NEBRASKA | 31 | 637 | 1.5% | 1.5% | 330 | 1.6% | 1.6% |
| NEVADA | 32 | 760 | 1.8% | 1.8% | 330 | 1.6% | 1.6% |
| NEW HAMPSHIRE | 33 | 630 | 1.5% | 1.5% | 313 | 1.5% | 1.5% |
| NEW JERSEY | 34 | 859 | 2.0% | 2.0% | 422 | 2.0% | 2.0% |

SECTION 4: GEOGRAPHIC VARIABLES

Variable: STATE Type: Numeric Position: 349-350 Source: Sampling Frame, TIS_C19, TIS_C19A

Label: TRUE STATE OF RESIDENCE (STATE FIPS CODE)

Notes:

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NEW MEXICO | 35 | 704 | 1.6% | 1.6% | 374 | 1.8% | 1.8% |
| NEW YORK | 36 | 1485 | 3.4% | 3.4% | 655 | 3.1% | 3.1% |
| NORTH CAROLINA | 37 | 771 | 1.8% | 1.8% | 366 | 1.8% | 1.8% |
| NORTH DAKOTA | 38 | 562 | 1.3% | 1.3% | 293 | 1.4% | 1.4% |
| OHIO | 39 | 698 | 1.6% | 1.6% | 338 | 1.6% | 1.6% |
| OKLAHOMA | 40 | 653 | 1.5% | 1.5% | 281 | 1.3% | 1.3% |
| OREGON | 41 | 590 | 1.4% | 1.4% | 318 | 1.5% | 1.5% |
| PENNSYLVANIA | 42 | 1738 | 4.0% | 4.0% | 875 | 4.2% | 4.2% |
| RHODE ISLAND | 44 | 630 | 1.5% | 1.5% | 326 | 1.6% | 1.6% |
| SOUTH CAROLINA | 45 | 702 | 1.6% | 1.6% | 314 | 1.5% | 1.5% |
| SOUTH DAKOTA | 46 | 638 | 1.5% | 1.5% | 342 | 1.6% | 1.6% |
| TENNESSEE | 47 | 611 | 1.4% | 1.4% | 291 | 1.4% | 1.4% |
| TEXAS | 48 | 4297 | 10.0% | 10.0% | 1927 | 9.2% | 9.2% |
| UTAH | 49 | 607 | 1.4% | 1.4% | 317 | 1.5% | 1.5% |
| VERMONT | 50 | 669 | 1.6% | 1.6% | 380 | 1.8% | 1.8% |
| VIRGINIA | 51 | 906 | 2.1% | 2.1% | 451 | 2.2% | 2.2% |
| WASHINGTON | 53 | 720 | 1.7% | 1.7% | 361 | 1.7% | 1.7% |
| WEST VIRGINIA | 54 | 659 | 1.5% | 1.5% | 313 | 1.5% | 1.5% |
| WISCONSIN | 55 | 672 | 1.6% | 1.6% | 333 | 1.6% | 1.6% |
| WYOMING | 56 | 692 | 1.6% | 1.6% | 373 | 1.8% | 1.8% |
| PUERTO RICO | 72 | 1077 | 2.5% | 2.5% | 405 | 1.9% | 1.9% |
| SUBTOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 5: NUMBER OF PROVIDERS IDENTIFIED AND CONSENT VARIABLES

Variable: D6R Type: Numeric Position: 351-351 Source: TIS_D6, TIS_D6AA

Label: NUMBER OF PROVIDERS IDENTIFIED BY RESPONDENT (NOT DE-DUPLICATED) (RECODE)

Notes: Constructed from questions TIS_D6 and TIS_D6AA of the HH interview.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 146 | 0.3% | 0.4% | 76 | 0.4% | 0.4% |
| 1 | 1 | 18647 | 43.3% | 51.0% | 10603 | 50.8% | 50.8% |
| 2 | 2 | 9418 | 21.9% | 25.8% | 5574 | 26.7% | 26.7% |
| 3+ | 3 | 8351 | 19.4% | 22.8% | 4627 | 22.2% | 22.2% |
| SUBTOTALS: | | 36562 | 84.9% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 6509 | 15.1% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: D7 Type: Numeric Position: 352-352 Source: TIS_D7

Label: CONSENT TO OBTAIN VACCINATION RECORDS FROM PROVIDERS

Notes: A blank value indicates consent was not obtained because of an interview break-off.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| CONSENT GIVEN | 1 | 24806 | 57.6% | 99.1% | 20804 | 99.6% | 100.0% |
| CONSENT DENIED | 2 | 214 | 0.5% | 0.9% | 0 | 0.0% | 0.0% |
| SUBTOTALS: | | 25020 | 58.1% | 100.0% | 20804 | 99.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 18051 | 41.9% | n/a | 76 | 0.4% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 5: NUMBER OF PROVIDERS IDENTIFIED AND CONSENT VARIABLES

Variable: NUM_PROVR **Type:** Numeric **Position:** 353-353 **Source:** TIS_D6, TIS_D6AA, TIS_D7

Label: NUMBER OF VALID, UNIQUE PROVIDERS IDENTIFIED BY RESPONDENT (FOR TEENS WITH CONSENT) (RECODE)

Notes: If consent was not given, NUM_PROVR is set to 0.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 18412 | 42.7% | 42.7% | 76 | 0.4% | 0.4% |
| 1 | 1 | 14727 | 34.2% | 34.2% | 11939 | 57.2% | 57.2% |
| 2 | 2 | 6493 | 15.1% | 15.1% | 5713 | 27.4% | 27.4% |
| 3+ | 3 | 3439 | 8.0% | 8.0% | 3152 | 15.1% | 15.1% |
| SUBTOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 6: NUMBER OF RESPONDING PROVIDER VARIABLES

Variable: N_PRVR Type: Numeric Position: 354-354 Source: IHQ SHOTGRID

Label: NUMBER OF IHQS WITH VACCINATION INFORMATION FOR THE TEEN (RECODE)

Notes: Number of IHQs returned for the teen containing immunization information.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 22347 | 51.9% | 51.9% | 156 | 0.7% | 0.7% |
| 1 | 1 | 15678 | 36.4% | 36.4% | 15678 | 75.1% | 75.1% |
| 2 | 2 | 4086 | 9.5% | 9.5% | 4086 | 19.6% | 19.6% |
| 3+ | 3 | 960 | 2.2% | 2.2% | 960 | 4.6% | 4.6% |
| SUBTOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 7: CHARACTERISTICS OF PROVIDER VARIABLES

Variable: FACILITY Type: Numeric Position: 355-355 Source: IHQ5C

Label: FACILITY TYPES FOR TEEN'S PROVIDERS

Notes: Based on IHQ Question 5C across providers returning IHQs with immunization information.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|---|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| ALL PUBLIC FACILITIES | 1 | 2781 | 6.5% | 14.4% | 2781 | 13.3% | 14.4% |
| ALL HOSPITAL FACILITIES | 2 | 2316 | 5.4% | 12.0% | 2316 | 11.1% | 12.0% |
| ALL PRIVATE FACILITIES | 3 | 9712 | 22.5% | 50.2% | 9712 | 46.5% | 50.2% |
| ALL STD/SCHOOL/TEEN CLINICS OR OTHER FACILITIES | 4 | 589 | 1.4% | 3.0% | 589 | 2.8% | 3.0% |
| MIXED | 5 | 3954 | 9.2% | 20.4% | 3954 | 18.9% | 20.4% |
| SUBTOTALS: | | 19352 | 44.9% | 100.0% | 19352 | 92.7% | 100.0% |
| RESERVED CODES: | | | | | | | |
| UNKNOWN | 6 | 1372 | 3.2% | n/a | 1372 | 6.6% | n/a |
| MISSING | . | 22347 | 51.9% | n/a | 156 | 0.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: REGISTRY Type: Numeric Position: 356-356 Source: IHQ7

Label: DID TEEN'S PROVIDERS REPORT TEEN'S IMMUNIZATIONS TO IMMUNIZATION REGISTRY?

Notes: Based on IHQ Question 7 across providers returning IHQs with immunization information.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|---|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| ALL PROVIDERS | 1 | 12726 | 29.5% | 72.5% | 12726 | 60.9% | 72.5% |
| SOME BUT POSSIBLY OR DEFINITELY NOT ALL PROVIDERS | 2 | 2341 | 5.4% | 13.3% | 2341 | 11.2% | 13.3% |
| NO PROVIDERS | 3 | 2476 | 5.7% | 14.1% | 2476 | 11.9% | 14.1% |
| SUBTOTALS: | | 17543 | 40.7% | 100.0% | 17543 | 84.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| UNKNOWN/DON'T KNOW | 4 | 3181 | 7.4% | n/a | 3181 | 15.2% | n/a |
| MISSING | . | 22347 | 51.9% | n/a | 156 | 0.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 7: CHARACTERISTICS OF PROVIDER VARIABLES

Variable: VFC_ORDER Type: Numeric Position: 357-357 Source: IHQ6

Label: DO TEEN'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT?

Notes: Based on IHQ Question 6 across providers returning IHQs with immunization information.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|---|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| ALL PROVIDERS | 1 | 14090 | 32.7% | 75.8% | 14090 | 67.5% | 75.8% |
| SOME BUT POSSIBLY OR DEFINITELY NOT ALL PROVIDERS | 2 | 2264 | 5.3% | 12.2% | 2264 | 10.8% | 12.2% |
| NO PROVIDERS | 3 | 2239 | 5.2% | 12.0% | 2239 | 10.7% | 12.0% |
| SUBTOTALS: | | 18593 | 43.2% | 100.0% | 18593 | 89.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| UNKNOWN/DON'T KNOW | 4 | 2131 | 4.9% | n/a | 2131 | 10.2% | n/a |
| MISSING | . | 22347 | 51.9% | n/a | 156 | 0.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_N13FLU Type: Numeric Position: 358-358 Source: SYNTH SHOT HISTORY

Label: NUMBER OF SEASONAL INFLUENZA VACCINATIONS IN THE PAST THREE YEARS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type FM, FN, FV, FZ, or FL, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 14711 | 34.2% | 70.5% | 14711 | 70.5% | 70.5% |
| 1 | 1 | 3446 | 8.0% | 16.5% | 3446 | 16.5% | 16.5% |
| 2 | 2 | 1779 | 4.1% | 8.5% | 1779 | 8.5% | 8.5% |
| 3 | 3 | 828 | 1.9% | 4.0% | 828 | 4.0% | 4.0% |
| 4 | 4 | 75 | 0.2% | 0.4% | 75 | 0.4% | 0.4% |
| 5 | 5 | 25 | 0.1% | 0.1% | 25 | 0.1% | 0.1% |
| 6 | 6 | 13 | 0.0% | 0.1% | 13 | 0.1% | 0.1% |
| 7 | 7 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| 8 | 8 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_N13FLU_FL Type: Numeric Position: 359-359 Source: SYNTH SHOT HISTORY

Label: NUMBER OF SEASONAL INFLUENZA VACCINATIONS OF UNKNOWN TYPE IN PAST THREE YEARS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type FL, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|-------------------|-------|--------------------------------|-------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 20215 | 46.9% | 96.8% | 20215 | 96.8% | 96.8% |
| 1 | 1 | 471 | 1.1% | 2.3% | 471 | 2.3% | 2.3% |
| 2 | 2 | 127 | 0.3% | 0.6% | 127 | 0.6% | 0.6% |
| 3 | 3 | 56 | 0.1% | 0.3% | 56 | 0.3% | 0.3% |
| 4 | 4 | 5 | 0.0% | 0.0% | 5 | 0.0% | 0.0% |
| 5 | 5 | 6 | 0.0% | 0.0% | 6 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_N13FLU_FL Type: Numeric Position: 359-359 Source: SYNTH SHOT HISTORY

Label: NUMBER OF SEASONAL INFLUENZA VACCINATIONS OF UNKNOWN TYPE IN PAST THREE YEARS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type FL, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_N13FLU_FM Type: Numeric Position: 360-360 Source: SYNTH SHOT HISTORY

Label: NUMBER OF SEASONAL FLUMIST VACCINATIONS IN PAST THREE YEARS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type FM, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 18557 | 43.1% | 88.9% | 18557 | 88.9% | 88.9% |
| 1 | 1 | 1559 | 3.6% | 7.5% | 1559 | 7.5% | 7.5% |
| 2 | 2 | 584 | 1.4% | 2.8% | 584 | 2.8% | 2.8% |
| 3 | 3 | 170 | 0.4% | 0.8% | 170 | 0.8% | 0.8% |
| 4 | 4 | 8 | 0.0% | 0.0% | 8 | 0.0% | 0.0% |
| 5 | 5 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_N13FLU_FN Type: Numeric Position: 361-361 Source: SYNTH SHOT HISTORY

Label: NUMBER OF INJECTED SEASONAL INFLUENZA SHOTS OF OTHER/UNKNOWN TYPE IN PAST THREE YEARS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type FN, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 16948 | 39.3% | 81.2% | 16948 | 81.2% | 81.2% |
| 1 | 1 | 2541 | 5.9% | 12.2% | 2541 | 12.2% | 12.2% |
| 2 | 2 | 1011 | 2.3% | 4.8% | 1011 | 4.8% | 4.8% |
| 3 | 3 | 354 | 0.8% | 1.7% | 354 | 1.7% | 1.7% |
| 4 | 4 | 18 | 0.0% | 0.1% | 18 | 0.1% | 0.1% |
| 5 | 5 | 4 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| 6 | 6 | 3 | 0.0% | 0.0% | 3 | 0.0% | 0.0% |
| 7 | 7 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_N13FLU_FV Type: Numeric Position: 362-362 Source: SYNTH SHOT HISTORY

Label: NUMBER OF SEASONAL FLUVIRIN SHOTS IN PAST THREE YEARS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type FV, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 20869 | 48.5% | 99.9% | 20869 | 99.9% | 99.9% |
| 1 | 1 | 8 | 0.0% | 0.0% | 8 | 0.0% | 0.0% |
| 2 | 2 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| 3 | 3 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_N13FLU_FZ Type: Numeric Position: 363-363 Source: SYNTH SHOT HISTORY

Label: NUMBER OF SEASONAL FLUZONE SHOTS IN PAST THREE YEARS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type FZ, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 20861 | 48.4% | 99.9% | 20861 | 99.9% | 99.9% |
| 1 | 1 | 10 | 0.0% | 0.0% | 10 | 0.0% | 0.0% |
| 2 | 2 | 4 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| 3 | 3 | 4 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| 5 | 5 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_N13HEPA Type: Numeric Position: 364-364 Source: SYNTH SHOT HISTORY

Label: NUMBER OF HEPATITIS A-CONTAINING SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type HO or HA, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 7837 | 18.2% | 37.5% | 7837 | 37.5% | 37.5% |
| 1 | 1 | 2416 | 5.6% | 11.6% | 2416 | 11.6% | 11.6% |
| 2 | 2 | 10247 | 23.8% | 49.1% | 10247 | 49.1% | 49.1% |
| 3 | 3 | 350 | 0.8% | 1.7% | 350 | 1.7% | 1.7% |
| 4 | 4 | 28 | 0.1% | 0.1% | 28 | 0.1% | 0.1% |
| 5 | 5 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_N13HEPA_HA Type: Numeric Position: 365-365 Source: SYNTH SHOT HISTORY

Label: NUMBER OF HEPATITIS A-CONTAINING SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type HA, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 20810 | 48.3% | 99.7% | 20810 | 99.7% | 99.7% |
| 1 | 1 | 43 | 0.1% | 0.2% | 43 | 0.2% | 0.2% |
| 2 | 2 | 26 | 0.1% | 0.1% | 26 | 0.1% | 0.1% |
| 3 | 3 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_N13HEPA_HO Type: Numeric Position: 366-366 Source: SYNTH SHOT HISTORY

Label: NUMBER OF HEPATITIS A-ONLY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type HO, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 7870 | 18.3% | 37.7% | 7870 | 37.7% | 37.7% |
| 1 | 1 | 2433 | 5.6% | 11.7% | 2433 | 11.7% | 11.7% |
| 2 | 2 | 10205 | 23.7% | 48.9% | 10205 | 48.9% | 48.9% |
| 3 | 3 | 348 | 0.8% | 1.7% | 348 | 1.7% | 1.7% |
| 4 | 4 | 23 | 0.1% | 0.1% | 23 | 0.1% | 0.1% |
| 5 | 5 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_N13HEPB Type: Numeric Position: 367-367 Source: SYNTH SHOT HISTORY

Label: NUMBER OF HEPATITIS B-CONTAINING SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 43, 61, 62, 63, 64, or HB, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 1367 | 3.2% | 6.5% | 1367 | 6.5% | 6.5% |
| 1 | 1 | 242 | 0.6% | 1.2% | 242 | 1.2% | 1.2% |
| 2 | 2 | 408 | 0.9% | 2.0% | 408 | 2.0% | 2.0% |
| 3 | 3 | 16988 | 39.4% | 81.4% | 16988 | 81.4% | 81.4% |
| 4 | 4 | 1682 | 3.9% | 8.1% | 1682 | 8.1% | 8.1% |
| 5 | 5 | 143 | 0.3% | 0.7% | 143 | 0.7% | 0.7% |
| 6 | 6 | 42 | 0.1% | 0.2% | 42 | 0.2% | 0.2% |
| 7 | 7 | 7 | 0.0% | 0.0% | 7 | 0.0% | 0.0% |
| 9 | 9 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_N13HEPB_43 Type: Numeric Position: 368-368 Source: SYNTH SHOT HISTORY

Label: NUMBER OF HEPB/HIB COMBO SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 43, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|-------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 17233 | 40.0% | 82.5% | 17233 | 82.5% | 82.5% |
| 1 | 1 | 795 | 1.8% | 3.8% | 795 | 3.8% | 3.8% |
| 2 | 2 | 1062 | 2.5% | 5.1% | 1062 | 5.1% | 5.1% |
| 3 | 3 | 1733 | 4.0% | 8.3% | 1733 | 8.3% | 8.3% |
| 4 | 4 | 55 | 0.1% | 0.3% | 55 | 0.3% | 0.3% |
| 5 | 5 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_N13HEPB_43 Type: Numeric Position: 368-368 Source: SYNTH SHOT HISTORY

Label: NUMBER OF HEPB/HIB COMBO SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 43, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|----------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_N13HEPB_61 Type: Numeric Position: 369-369 Source: SYNTH SHOT HISTORY

Label: NUMBER OF HEPATITIS B 0.5 ML RECOMBIVAX SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 61, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 18951 | 44.0% | 90.8% | 18951 | 90.8% | 90.8% |
| 1 | 1 | 403 | 0.9% | 1.9% | 403 | 1.9% | 1.9% |
| 2 | 2 | 409 | 0.9% | 2.0% | 409 | 2.0% | 2.0% |
| 3 | 3 | 1083 | 2.5% | 5.2% | 1083 | 5.2% | 5.2% |
| 4 | 4 | 33 | 0.1% | 0.2% | 33 | 0.2% | 0.2% |
| 5 | 5 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_N13HEPB_62 Type: Numeric Position: 370-370 Source: SYNTH SHOT HISTORY

Label: NUMBER OF HEPATITIS B 1.0 ML RECOMBIVAX SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 62, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 20851 | 48.4% | 99.9% | 20851 | 99.9% | 99.9% |
| 1 | 1 | 11 | 0.0% | 0.1% | 11 | 0.1% | 0.1% |
| 2 | 2 | 6 | 0.0% | 0.0% | 6 | 0.0% | 0.0% |
| 3 | 3 | 12 | 0.0% | 0.1% | 12 | 0.1% | 0.1% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_N13HEPB_63 Type: Numeric Position: 371-371 Source: SYNTH SHOT HISTORY

Label: NUMBER OF HEPATITIS B ENGERIX SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 63, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 19622 | 45.6% | 94.0% | 19622 | 94.0% | 94.0% |
| 1 | 1 | 395 | 0.9% | 1.9% | 395 | 1.9% | 1.9% |
| 2 | 2 | 312 | 0.7% | 1.5% | 312 | 1.5% | 1.5% |
| 3 | 3 | 531 | 1.2% | 2.5% | 531 | 2.5% | 2.5% |
| 4 | 4 | 20 | 0.0% | 0.1% | 20 | 0.1% | 0.1% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_N13HEPB_64 Type: Numeric Position: 372-372 Source: SYNTH SHOT HISTORY

Label: NUMBER OF HEPATITIS B-ONLY SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS
DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD
INTERVIEW DATE.

Notes: Vaccine type 64, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 5107 | 11.9% | 24.5% | 5107 | 24.5% | 24.5% |
| 1 | 1 | 1960 | 4.6% | 9.4% | 1960 | 9.4% | 9.4% |
| 2 | 2 | 1254 | 2.9% | 6.0% | 1254 | 6.0% | 6.0% |
| 3 | 3 | 11552 | 26.8% | 55.3% | 11552 | 55.3% | 55.3% |
| 4 | 4 | 924 | 2.1% | 4.4% | 924 | 4.4% | 4.4% |
| 5 | 5 | 67 | 0.2% | 0.3% | 67 | 0.3% | 0.3% |
| 6 | 6 | 14 | 0.0% | 0.1% | 14 | 0.1% | 0.1% |
| 7 | 7 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| 9 | 9 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_N13HEPB_HB Type: Numeric Position: 373-373 Source: SYNTH SHOT HISTORY

Label: NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS
DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD
INTERVIEW DATE.

Notes: Vaccine type HB, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|-------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 20475 | 47.5% | 98.1% | 20475 | 98.1% | 98.1% |
| 1 | 1 | 172 | 0.4% | 0.8% | 172 | 0.8% | 0.8% |
| 2 | 2 | 65 | 0.2% | 0.3% | 65 | 0.3% | 0.3% |
| 3 | 3 | 160 | 0.4% | 0.8% | 160 | 0.8% | 0.8% |
| 4 | 4 | 8 | 0.0% | 0.0% | 8 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_N13HEPB_HB Type: Numeric Position: 373-373 Source: SYNTH SHOT HISTORY

Label: NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type HB, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|----------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_N13HPV Type: Numeric Position: 374-374 Source: SYNTH SHOT HISTORY

Label: NUMBER OF HUMAN PAPILLOMAVIRUS SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 4V, 9V, UV, CV, or HP, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 13298 | 30.9% | 63.7% | 13298 | 63.7% | 63.7% |
| 1 | 1 | 2353 | 5.5% | 11.3% | 2353 | 11.3% | 11.3% |
| 2 | 2 | 2044 | 4.7% | 9.8% | 2044 | 9.8% | 9.8% |
| 3 | 3 | 3157 | 7.3% | 15.1% | 3157 | 15.1% | 15.1% |
| 4 | 4 | 25 | 0.1% | 0.1% | 25 | 0.1% | 0.1% |
| 5 | 5 | 3 | 0.0% | 0.0% | 3 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_N13HPV_4V Type: Numeric Position: 375-375 Source: SYNTH SHOT HISTORY

Label: NUMBER OF HPV-GARDASIL (4vHPV) SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 4V, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 14765 | 34.3% | 70.7% | 14765 | 70.7% | 70.7% |
| 1 | 1 | 1966 | 4.6% | 9.4% | 1966 | 9.4% | 9.4% |
| 2 | 2 | 1701 | 3.9% | 8.1% | 1701 | 8.1% | 8.1% |
| 3 | 3 | 2432 | 5.6% | 11.6% | 2432 | 11.6% | 11.6% |
| 4 | 4 | 13 | 0.0% | 0.1% | 13 | 0.1% | 0.1% |
| 5 | 5 | 3 | 0.0% | 0.0% | 3 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_N13HPV_9V Type: Numeric Position: 376-376 Source: SYNTH SHOT HISTORY

Label: NUMBER OF HPV-GARDASIL 9 (9vHPV) SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 9V, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 19875 | 46.1% | 95.2% | 19875 | 95.2% | 95.2% |
| 1 | 1 | 565 | 1.3% | 2.7% | 565 | 2.7% | 2.7% |
| 2 | 2 | 240 | 0.6% | 1.1% | 240 | 1.1% | 1.1% |
| 3 | 3 | 199 | 0.5% | 1.0% | 199 | 1.0% | 1.0% |
| 4 | 4 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_N13HPV_CV Type: Numeric Position: 377-377 Source: SYNTH SHOT HISTORY

Label: NUMBER OF HPV-CERVARIX SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type CV, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 20785 | 48.3% | 99.5% | 20785 | 99.5% | 99.5% |
| 1 | 1 | 36 | 0.1% | 0.2% | 36 | 0.2% | 0.2% |
| 2 | 2 | 24 | 0.1% | 0.1% | 24 | 0.1% | 0.1% |
| 3 | 3 | 35 | 0.1% | 0.2% | 35 | 0.2% | 0.2% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_N13HPV_HP Type: Numeric Position: 378-378 Source: SYNTH SHOT HISTORY

Label: NUMBER OF HPV SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type HP, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 20133 | 46.7% | 96.4% | 20133 | 96.4% | 96.4% |
| 1 | 1 | 294 | 0.7% | 1.4% | 294 | 1.4% | 1.4% |
| 2 | 2 | 204 | 0.5% | 1.0% | 204 | 1.0% | 1.0% |
| 3 | 3 | 245 | 0.6% | 1.2% | 245 | 1.2% | 1.2% |
| 4 | 4 | 4 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_N13HPV_UV Type: Numeric Position: 379-379 Source: SYNTH SHOT HISTORY

Label: NUMBER OF HPV-GARDASIL, UNKNOWN VALENCY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type UV, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 20872 | 48.5% | 100.0% | 20872 | 100.0% | 100.0% |
| 1 | 1 | 8 | 0.0% | 0.0% | 8 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_N13MCV Type: Numeric Position: 380-380 Source: SYNTH SHOT HISTORY

Label: NUMBER OF MEASLES-CONTAINING SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 30, 31, 32, 33, MM, or VM, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 1291 | 3.0% | 6.2% | 1291 | 6.2% | 6.2% |
| 1 | 1 | 800 | 1.9% | 3.8% | 800 | 3.8% | 3.8% |
| 2 | 2 | 18247 | 42.4% | 87.4% | 18247 | 87.4% | 87.4% |
| 3 | 3 | 494 | 1.1% | 2.4% | 494 | 2.4% | 2.4% |
| 4 | 4 | 45 | 0.1% | 0.2% | 45 | 0.2% | 0.2% |
| 5 | 5 | 3 | 0.0% | 0.0% | 3 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_N13MCV_30 Type: Numeric Position: 381-381 Source: SYNTH SHOT HISTORY

Label: NUMBER OF MMR-ONLY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 30, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 1882 | 4.4% | 9.0% | 1882 | 9.0% | 9.0% |
| 1 | 1 | 2131 | 4.9% | 10.2% | 2131 | 10.2% | 10.2% |
| 2 | 2 | 16483 | 38.3% | 78.9% | 16483 | 78.9% | 78.9% |
| 3 | 3 | 361 | 0.8% | 1.7% | 361 | 1.7% | 1.7% |
| 4 | 4 | 23 | 0.1% | 0.1% | 23 | 0.1% | 0.1% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_N13MCV_31 Type: Numeric Position: 382-382 Source: SYNTH SHOT HISTORY

Label: NUMBER OF MEASLES-ONLY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 31, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 20739 | 48.2% | 99.3% | 20739 | 99.3% | 99.3% |
| 1 | 1 | 98 | 0.2% | 0.5% | 98 | 0.5% | 0.5% |
| 2 | 2 | 41 | 0.1% | 0.2% | 41 | 0.2% | 0.2% |
| 3 | 3 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_N13MCV_32 Type: Numeric Position: 383-383 Source: SYNTH SHOT HISTORY

Label: NUMBER OF MEASLES-MUMPS SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 32, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 20879 | 48.5% | 100.0% | 20879 | 100.0% | 100.0% |
| 1 | 1 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_N13MCV_33 Type: Numeric Position: 384-384 Source: SYNTH SHOT HISTORY

Label: NUMBER OF MEASLES-RUBELLA SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 33, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 20875 | 48.5% | 100.0% | 20875 | 100.0% | 100.0% |
| 1 | 1 | 4 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| 2 | 2 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_N13MCV_MM Type: Numeric Position: 385-385 Source: SYNTH SHOT HISTORY

Label: NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type MM, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 20274 | 47.1% | 97.1% | 20274 | 97.1% | 97.1% |
| 1 | 1 | 204 | 0.5% | 1.0% | 204 | 1.0% | 1.0% |
| 2 | 2 | 400 | 0.9% | 1.9% | 400 | 1.9% | 1.9% |
| 3 | 3 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| 4 | 4 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_N13MCV_VM Type: Numeric Position: 386-386 Source: SYNTH SHOT HISTORY

Label: NUMBER OF MMR/VARICELLA SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type VM, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 19488 | 45.2% | 93.3% | 19488 | 93.3% | 93.3% |
| 1 | 1 | 1292 | 3.0% | 6.2% | 1292 | 6.2% | 6.2% |
| 2 | 2 | 98 | 0.2% | 0.5% | 98 | 0.5% | 0.5% |
| 3 | 3 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| 4 | 4 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_N13MEN Type: Numeric Position: 387-387 Source: SYNTH SHOT HISTORY

Label: NUMBER OF MENINGOCOCCAL SEROGROUP ACWY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 80, 81, or 82, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 6075 | 14.1% | 29.1% | 6075 | 29.1% | 29.1% |
| 1 | 1 | 14611 | 33.9% | 70.0% | 14611 | 70.0% | 70.0% |
| 2 | 2 | 187 | 0.4% | 0.9% | 187 | 0.9% | 0.9% |
| 3 | 3 | 5 | 0.0% | 0.0% | 5 | 0.0% | 0.0% |
| 4 | 4 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_N13MEN_80 Type: Numeric Position: 388-388 Source: SYNTH SHOT HISTORY

Label: NUMBER OF MENINGOCOCCAL MCV4 SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 80, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 6638 | 15.4% | 31.8% | 6638 | 31.8% | 31.8% |
| 1 | 1 | 14099 | 32.7% | 67.5% | 14099 | 67.5% | 67.5% |
| 2 | 2 | 138 | 0.3% | 0.7% | 138 | 0.7% | 0.7% |
| 3 | 3 | 4 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| 4 | 4 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_N13MEN_81 Type: Numeric Position: 389-389 Source: SYNTH SHOT HISTORY

Label: NUMBER OF MENINGOCOCCAL MPSV4 SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 81, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 20695 | 48.0% | 99.1% | 20695 | 99.1% | 99.1% |
| 1 | 1 | 183 | 0.4% | 0.9% | 183 | 0.9% | 0.9% |
| 2 | 2 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| 4 | 4 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_N13MEN_82 Type: Numeric Position: 390-390 Source: SYNTH SHOT HISTORY

Label: NUMBER OF MENINGOCOCCAL SEROGROUP ACWY SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 82, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 20462 | 47.5% | 98.0% | 20462 | 98.0% | 98.0% |
| 1 | 1 | 408 | 0.9% | 2.0% | 408 | 2.0% | 2.0% |
| 2 | 2 | 10 | 0.0% | 0.0% | 10 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_N13MENB Type: Numeric Position: 391-391 Source: SYNTH SHOT HISTORY

Label: NUMBER OF MENINGOCOCCAL SEROGROUP B SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type BB, BT, or BU, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 20794 | 48.3% | 99.6% | 20794 | 99.6% | 99.6% |
| 1 | 1 | 79 | 0.2% | 0.4% | 79 | 0.4% | 0.4% |
| 2 | 2 | 4 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| 3 | 3 | 3 | 0.0% | 0.0% | 3 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_N13MENB_BB Type: Numeric Position: 392-392 Source: SYNTH SHOT HISTORY

Label: NUMBER OF MENINGOCOCCAL MENB-4C SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type BB, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 20867 | 48.4% | 99.9% | 20867 | 99.9% | 99.9% |
| 1 | 1 | 13 | 0.0% | 0.1% | 13 | 0.1% | 0.1% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_N13MENB_BT Type: Numeric Position: 393-393 Source: SYNTH SHOT HISTORY

Label: NUMBER OF MENINGOCOCCAL MENB-FHPB SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type BT, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 20864 | 48.4% | 99.9% | 20864 | 99.9% | 99.9% |
| 1 | 1 | 15 | 0.0% | 0.1% | 15 | 0.1% | 0.1% |
| 3 | 3 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_N13MENB_BU Type: Numeric Position: 394-394 Source: SYNTH SHOT HISTORY

Label: NUMBER OF MENINGOCOCCAL SEROGROUP B SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type BU, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 20823 | 48.3% | 99.7% | 20823 | 99.7% | 99.7% |
| 1 | 1 | 51 | 0.1% | 0.2% | 51 | 0.2% | 0.2% |
| 2 | 2 | 4 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| 3 | 3 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_N13MENU Type: Numeric Position: 395-395 Source: SYNTH SHOT HISTORY

Label: NUMBER OF MENINGOCOCCAL-UNKNOWN SEROGROUP SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type MU, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 20678 | 48.0% | 99.0% | 20678 | 99.0% | 99.0% |
| 1 | 1 | 196 | 0.5% | 0.9% | 196 | 0.9% | 0.9% |
| 2 | 2 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| 3 | 3 | 4 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_N13MMR Type: Numeric Position: 396-396 Source: SYNTH SHOT HISTORY

Label: NUMBER OF MMR-CONTAINING SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 30, MM, or VM, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 1332 | 3.1% | 6.4% | 1332 | 6.4% | 6.4% |
| 1 | 1 | 831 | 1.9% | 4.0% | 831 | 4.0% | 4.0% |
| 2 | 2 | 18240 | 42.3% | 87.4% | 18240 | 87.4% | 87.4% |
| 3 | 3 | 442 | 1.0% | 2.1% | 442 | 2.1% | 2.1% |
| 4 | 4 | 34 | 0.1% | 0.2% | 34 | 0.2% | 0.2% |
| 5 | 5 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_N13PPS Type: Numeric Position: 397-397 Source: SYNTH SHOT HISTORY

Label: NUMBER OF PNEUMOCOCCAL POLYSACCHARIDE SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 71, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 17562 | 40.8% | 84.1% | 17562 | 84.1% | 84.1% |
| 1 | 1 | 752 | 1.7% | 3.6% | 752 | 3.6% | 3.6% |
| 2 | 2 | 2416 | 5.6% | 11.6% | 2416 | 11.6% | 11.6% |
| 3 | 3 | 98 | 0.2% | 0.5% | 98 | 0.5% | 0.5% |
| 4 | 4 | 52 | 0.1% | 0.2% | 52 | 0.2% | 0.2% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_N13TDAP_POST10 Type: Numeric Position: 398-398 Source: SYNTH SHOT HISTORY

Label: NUMBER OF TDAP SHOTS SINCE AGE 10 YEARS AND BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 14, since age 10, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 4147 | 9.6% | 19.9% | 4147 | 19.9% | 19.9% |
| 1 | 1 | 16554 | 38.4% | 79.3% | 16554 | 79.3% | 79.3% |
| 2 | 2 | 172 | 0.4% | 0.8% | 172 | 0.8% | 0.8% |
| 3 | 3 | 7 | 0.0% | 0.0% | 7 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_N13TDAP_POST7 Type: Numeric Position: 399-399 Source: SYNTH SHOT HISTORY

Label: NUMBER OF TDAP SHOTS SINCE AGE 7 YEARS AND BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 14, since age 7, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 3942 | 9.2% | 18.9% | 3942 | 18.9% | 18.9% |
| 1 | 1 | 16701 | 38.8% | 80.0% | 16701 | 80.0% | 80.0% |
| 2 | 2 | 222 | 0.5% | 1.1% | 222 | 1.1% | 1.1% |
| 3 | 3 | 11 | 0.0% | 0.1% | 11 | 0.1% | 0.1% |
| 4 | 4 | 3 | 0.0% | 0.0% | 3 | 0.0% | 0.0% |
| 5 | 5 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_N13TDP Type: Numeric Position: 400-400 Source: SYNTH SHOT HISTORY

Label: NUMBER OF TD/TDAP-CONTAINING SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 11, 14, or 15, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 3401 | 7.9% | 16.3% | 3401 | 16.3% | 16.3% |
| 1 | 1 | 16954 | 39.4% | 81.2% | 16954 | 81.2% | 81.2% |
| 2 | 2 | 415 | 1.0% | 2.0% | 415 | 2.0% | 2.0% |
| 3 | 3 | 92 | 0.2% | 0.4% | 92 | 0.4% | 0.4% |
| 4 | 4 | 14 | 0.0% | 0.1% | 14 | 0.1% | 0.1% |
| 5 | 5 | 3 | 0.0% | 0.0% | 3 | 0.0% | 0.0% |
| 6 | 6 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_N13TDP_11 Type: Numeric Position: 401-401 Source: SYNTH SHOT HISTORY

Label: NUMBER OF TD-ONLY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 11, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 20408 | 47.4% | 97.7% | 20408 | 97.7% | 97.7% |
| 1 | 1 | 397 | 0.9% | 1.9% | 397 | 1.9% | 1.9% |
| 2 | 2 | 60 | 0.1% | 0.3% | 60 | 0.3% | 0.3% |
| 3 | 3 | 14 | 0.0% | 0.1% | 14 | 0.1% | 0.1% |
| 5 | 5 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_N13TDP_14 Type: Numeric Position: 402-402 Source: SYNTH SHOT HISTORY

Label: NUMBER OF TDAP-ONLY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 14, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 3941 | 9.2% | 18.9% | 3941 | 18.9% | 18.9% |
| 1 | 1 | 16698 | 38.8% | 80.0% | 16698 | 80.0% | 80.0% |
| 2 | 2 | 225 | 0.5% | 1.1% | 225 | 1.1% | 1.1% |
| 3 | 3 | 12 | 0.0% | 0.1% | 12 | 0.1% | 0.1% |
| 4 | 4 | 3 | 0.0% | 0.0% | 3 | 0.0% | 0.0% |
| 5 | 5 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_N13TDP_15 Type: Numeric Position: 403-403 Source: SYNTH SHOT HISTORY

Label: NUMBER OF TD/TDAP-CONTAINING SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS
DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD
INTERVIEW DATE.

Notes: Vaccine type 15, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 20528 | 47.7% | 98.3% | 20528 | 98.3% | 98.3% |
| 1 | 1 | 333 | 0.8% | 1.6% | 333 | 1.6% | 1.6% |
| 2 | 2 | 18 | 0.0% | 0.1% | 18 | 0.1% | 0.1% |
| 3 | 3 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_N13TDP_POST10 Type: Numeric Position: 404-404 Source: SYNTH SHOT HISTORY

Label: NUMBER OF TD/TDAP-CONTAINING SHOTS SINCE AGE 10 YEARS AND BY AGE 13 YEARS
DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD
INTERVIEW DATE.

Notes: Vaccine type 11, 14, or 15, since age 10, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 3679 | 8.5% | 17.6% | 3679 | 17.6% | 17.6% |
| 1 | 1 | 16863 | 39.2% | 80.8% | 16863 | 80.8% | 80.8% |
| 2 | 2 | 292 | 0.7% | 1.4% | 292 | 1.4% | 1.4% |
| 3 | 3 | 43 | 0.1% | 0.2% | 43 | 0.2% | 0.2% |
| 4 | 4 | 3 | 0.0% | 0.0% | 3 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_N13VRC Type: Numeric Position: 405-405 Source: SYNTH SHOT HISTORY

Label: NUMBER OF VARICELLA-CONTAINING SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type VO, VA, or VM, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 2034 | 4.7% | 9.7% | 2034 | 9.7% | 9.7% |
| 1 | 1 | 2945 | 6.8% | 14.1% | 2945 | 14.1% | 14.1% |
| 2 | 2 | 15413 | 35.8% | 73.8% | 15413 | 73.8% | 73.8% |
| 3 | 3 | 451 | 1.0% | 2.2% | 451 | 2.2% | 2.2% |
| 4 | 4 | 33 | 0.1% | 0.2% | 33 | 0.2% | 0.2% |
| 5 | 5 | 4 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_N13VRC_POST1 Type: Numeric Position: 406-406 Source: SYNTH SHOT HISTORY

Label: NUMBER OF VARICELLA-CONTAINING SHOTS AT 12+ MONTHS OF AGE AND BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type VO, VA, or VM at 12+ months of age, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 2072 | 4.8% | 9.9% | 2072 | 9.9% | 9.9% |
| 1 | 1 | 3152 | 7.3% | 15.1% | 3152 | 15.1% | 15.1% |
| 2 | 2 | 15195 | 35.3% | 72.8% | 15195 | 72.8% | 72.8% |
| 3 | 3 | 427 | 1.0% | 2.0% | 427 | 2.0% | 2.0% |
| 4 | 4 | 30 | 0.1% | 0.1% | 30 | 0.1% | 0.1% |
| 5 | 5 | 4 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_N13VRC_VA Type: Numeric Position: 407-407 Source: SYNTH SHOT HISTORY

Label: NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type VA, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 20054 | 46.6% | 96.0% | 20054 | 96.0% | 96.0% |
| 1 | 1 | 537 | 1.2% | 2.6% | 537 | 2.6% | 2.6% |
| 2 | 2 | 279 | 0.6% | 1.3% | 279 | 1.3% | 1.3% |
| 3 | 3 | 8 | 0.0% | 0.0% | 8 | 0.0% | 0.0% |
| 4 | 4 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_N13VRC_VM Type: Numeric Position: 408-408 Source: SYNTH SHOT HISTORY

Label: NUMBER OF MMR/VARICELLA SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type VM, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 19488 | 45.2% | 93.3% | 19488 | 93.3% | 93.3% |
| 1 | 1 | 1292 | 3.0% | 6.2% | 1292 | 6.2% | 6.2% |
| 2 | 2 | 98 | 0.2% | 0.5% | 98 | 0.5% | 0.5% |
| 3 | 3 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| 4 | 4 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_N13VRC_VO Type: Numeric Position: 409-409 Source: SYNTH SHOT HISTORY

Label: NUMBER OF VARICELLA-ONLY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type VO, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 2572 | 6.0% | 12.3% | 2572 | 12.3% | 12.3% |
| 1 | 1 | 4179 | 9.7% | 20.0% | 4179 | 20.0% | 20.0% |
| 2 | 2 | 13930 | 32.3% | 66.7% | 13930 | 66.7% | 66.7% |
| 3 | 3 | 183 | 0.4% | 0.9% | 183 | 0.9% | 0.9% |
| 4 | 4 | 14 | 0.0% | 0.1% | 14 | 0.1% | 0.1% |
| 5 | 5 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_NUMFLU Type: Numeric Position: 410-410 Source: SYNTH SHOT HISTORY

Label: NUMBER OF SEASONAL INFLUENZA VACCINATIONS IN THE PAST THREE YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type FM, FN, FV, FZ, or FL

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|-------------------|-------|--------------------------------|-------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 9764 | 22.7% | 46.8% | 9764 | 46.8% | 46.8% |
| 1 | 1 | 4333 | 10.1% | 20.8% | 4333 | 20.8% | 20.8% |
| 2 | 2 | 3084 | 7.2% | 14.8% | 3084 | 14.8% | 14.8% |
| 3 | 3 | 3333 | 7.7% | 16.0% | 3333 | 16.0% | 16.0% |
| 4 | 4 | 249 | 0.6% | 1.2% | 249 | 1.2% | 1.2% |
| 5 | 5 | 78 | 0.2% | 0.4% | 78 | 0.4% | 0.4% |
| 6 | 6 | 24 | 0.1% | 0.1% | 24 | 0.1% | 0.1% |
| 7 | 7 | 6 | 0.0% | 0.0% | 6 | 0.0% | 0.0% |
| 8 | 8 | 8 | 0.0% | 0.0% | 8 | 0.0% | 0.0% |
| 9 | 9 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMFLU Type: Numeric Position: 410-410 Source: SYNTH SHOT HISTORY

Label: NUMBER OF SEASONAL INFLUENZA VACCINATIONS IN THE PAST THREE YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type FM, FN, FV, FZ, or FL

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_NUMFLU_FL Type: Numeric Position: 411-411 Source: SYNTH SHOT HISTORY

Label: NUMBER OF SEASONAL INFLUENZA VACCINATIONS OF UNKNOWN TYPE IN PAST THREE YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type FL

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 19834 | 46.0% | 95.0% | 19834 | 95.0% | 95.0% |
| 1 | 1 | 676 | 1.6% | 3.2% | 676 | 3.2% | 3.2% |
| 2 | 2 | 231 | 0.5% | 1.1% | 231 | 1.1% | 1.1% |
| 3 | 3 | 120 | 0.3% | 0.6% | 120 | 0.6% | 0.6% |
| 4 | 4 | 12 | 0.0% | 0.1% | 12 | 0.1% | 0.1% |
| 5 | 5 | 7 | 0.0% | 0.0% | 7 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMFLU_FM Type: Numeric Position: 412-412 Source: SYNTH SHOT HISTORY

Label: NUMBER OF SEASONAL FLUMIST VACCINATIONS IN PAST THREE YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type FM

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 16899 | 39.2% | 80.9% | 16899 | 80.9% | 80.9% |
| 1 | 1 | 2301 | 5.3% | 11.0% | 2301 | 11.0% | 11.0% |
| 2 | 2 | 1095 | 2.5% | 5.2% | 1095 | 5.2% | 5.2% |
| 3 | 3 | 563 | 1.3% | 2.7% | 563 | 2.7% | 2.7% |
| 4 | 4 | 17 | 0.0% | 0.1% | 17 | 0.1% | 0.1% |
| 5 | 5 | 4 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| 6 | 6 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_NUMFLU_FN Type: Numeric Position: 413-413 Source: SYNTH SHOT HISTORY

Label: NUMBER OF INJECTED SEASONAL INFLUENZA SHOTS OF OTHER/UNKNOWN TYPE IN PAST THREE YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type FN

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|-------|-------|--------------------------------|-------|-------------------------|------------------------|-------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 12640 | 29.3% | 60.5% | 12640 | 60.5% | 60.5% |
| 1 | 1 | 4197 | 9.7% | 20.1% | 4197 | 20.1% | 20.1% |
| 2 | 2 | 2250 | 5.2% | 10.8% | 2250 | 10.8% | 10.8% |
| 3 | 3 | 1684 | 3.9% | 8.1% | 1684 | 8.1% | 8.1% |
| 4 | 4 | 76 | 0.2% | 0.4% | 76 | 0.4% | 0.4% |
| 5 | 5 | 24 | 0.1% | 0.1% | 24 | 0.1% | 0.1% |
| 6 | 6 | 7 | 0.0% | 0.0% | 7 | 0.0% | 0.0% |
| 7 | 7 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| 8 | 8 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMFLU_FN Type: Numeric Position: 413-413 Source: SYNTH SHOT HISTORY

Label: NUMBER OF INJECTED SEASONAL INFLUENZA SHOTS OF OTHER/UNKNOWN TYPE IN PAST THREE YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type FN

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_NUMFLU_FV Type: Numeric Position: 414-414 Source: SYNTH SHOT HISTORY

Label: NUMBER OF SEASONAL FLUVIRIN SHOTS IN PAST THREE YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type FV

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 20864 | 48.4% | 99.9% | 20864 | 99.9% | 99.9% |
| 1 | 1 | 13 | 0.0% | 0.1% | 13 | 0.1% | 0.1% |
| 2 | 2 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| 3 | 3 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMFLU_FZ Type: Numeric Position: 415-415 Source: SYNTH SHOT HISTORY

Label: NUMBER OF SEASONAL FLUZONE SHOTS IN PAST THREE YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type FZ

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 20857 | 48.4% | 99.9% | 20857 | 99.9% | 99.9% |
| 1 | 1 | 13 | 0.0% | 0.1% | 13 | 0.1% | 0.1% |
| 2 | 2 | 5 | 0.0% | 0.0% | 5 | 0.0% | 0.0% |
| 3 | 3 | 4 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| 5 | 5 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_NUMHEPA Type: Numeric Position: 416-416 Source: SYNTH SHOT HISTORY

Label: NUMBER OF HEPATITIS A-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type HO or HA

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 5880 | 13.7% | 28.2% | 5880 | 28.2% | 28.2% |
| 1 | 1 | 2029 | 4.7% | 9.7% | 2029 | 9.7% | 9.7% |
| 2 | 2 | 12501 | 29.0% | 59.9% | 12501 | 59.9% | 59.9% |
| 3 | 3 | 427 | 1.0% | 2.0% | 427 | 2.0% | 2.0% |
| 4 | 4 | 41 | 0.1% | 0.2% | 41 | 0.2% | 0.2% |
| 5 | 5 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMHEPA_HA Type: Numeric Position: 417-417 Source: SYNTH SHOT HISTORY

Label: NUMBER OF HEPATITIS A-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type HA

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 20789 | 48.3% | 99.6% | 20789 | 99.6% | 99.6% |
| 1 | 1 | 62 | 0.1% | 0.3% | 62 | 0.3% | 0.3% |
| 2 | 2 | 28 | 0.1% | 0.1% | 28 | 0.1% | 0.1% |
| 4 | 4 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_NUMHEPA_HO Type: Numeric Position: 418-418 Source: SYNTH SHOT HISTORY

Label: NUMBER OF HEPATITIS A-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type HO

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 5920 | 13.7% | 28.4% | 5920 | 28.4% | 28.4% |
| 1 | 1 | 2050 | 4.8% | 9.8% | 2050 | 9.8% | 9.8% |
| 2 | 2 | 12450 | 28.9% | 59.6% | 12450 | 59.6% | 59.6% |
| 3 | 3 | 427 | 1.0% | 2.0% | 427 | 2.0% | 2.0% |
| 4 | 4 | 32 | 0.1% | 0.2% | 32 | 0.2% | 0.2% |
| 5 | 5 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMHEPB Type: Numeric Position: 419-419 Source: SYNTH SHOT HISTORY

Label: NUMBER OF HEPATITIS B-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 43, 61, 62, 63, 64, or HB

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 1173 | 2.7% | 5.6% | 1173 | 5.6% | 5.6% |
| 1 | 1 | 236 | 0.5% | 1.1% | 236 | 1.1% | 1.1% |
| 2 | 2 | 382 | 0.9% | 1.8% | 382 | 1.8% | 1.8% |
| 3 | 3 | 17096 | 39.7% | 81.9% | 17096 | 81.9% | 81.9% |
| 4 | 4 | 1776 | 4.1% | 8.5% | 1776 | 8.5% | 8.5% |
| 5 | 5 | 160 | 0.4% | 0.8% | 160 | 0.8% | 0.8% |
| 6 | 6 | 47 | 0.1% | 0.2% | 47 | 0.2% | 0.2% |
| 7 | 7 | 9 | 0.0% | 0.0% | 9 | 0.0% | 0.0% |
| 9 | 9 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_NUMHEPB_43 Type: Numeric Position: 420-420 Source: SYNTH SHOT HISTORY

Label: NUMBER OF HEPB/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 43

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|-------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 17233 | 40.0% | 82.5% | 17233 | 82.5% | 82.5% |
| 1 | 1 | 795 | 1.8% | 3.8% | 795 | 3.8% | 3.8% |
| 2 | 2 | 1062 | 2.5% | 5.1% | 1062 | 5.1% | 5.1% |
| 3 | 3 | 1732 | 4.0% | 8.3% | 1732 | 8.3% | 8.3% |
| 4 | 4 | 56 | 0.1% | 0.3% | 56 | 0.3% | 0.3% |
| 5 | 5 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMHEPB_43 Type: Numeric Position: 420-420 Source: SYNTH SHOT HISTORY

Label: NUMBER OF HEPB/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 43

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|----------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_NUMHEPB_61 Type: Numeric Position: 421-421 Source: SYNTH SHOT HISTORY

Label: NUMBER OF HEPATITIS B 0.5 ML RECOMBIVAX SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 61

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 18894 | 43.9% | 90.5% | 18894 | 90.5% | 90.5% |
| 1 | 1 | 430 | 1.0% | 2.1% | 430 | 2.1% | 2.1% |
| 2 | 2 | 423 | 1.0% | 2.0% | 423 | 2.0% | 2.0% |
| 3 | 3 | 1096 | 2.5% | 5.2% | 1096 | 5.2% | 5.2% |
| 4 | 4 | 35 | 0.1% | 0.2% | 35 | 0.2% | 0.2% |
| 5 | 5 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMHEPB_62 Type: Numeric Position: 422-422 Source: SYNTH SHOT HISTORY

Label: NUMBER OF HEPATITIS B 1.0 ML RECOMBIVAX SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 62

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 20849 | 48.4% | 99.9% | 20849 | 99.9% | 99.9% |
| 1 | 1 | 12 | 0.0% | 0.1% | 12 | 0.1% | 0.1% |
| 2 | 2 | 6 | 0.0% | 0.0% | 6 | 0.0% | 0.0% |
| 3 | 3 | 13 | 0.0% | 0.1% | 13 | 0.1% | 0.1% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_NUMHEPB_63 Type: Numeric Position: 423-423 Source: SYNTH SHOT HISTORY

Label: NUMBER OF HEPATITIS B ENGERIX SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 63

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 19533 | 45.4% | 93.5% | 19533 | 93.5% | 93.5% |
| 1 | 1 | 436 | 1.0% | 2.1% | 436 | 2.1% | 2.1% |
| 2 | 2 | 334 | 0.8% | 1.6% | 334 | 1.6% | 1.6% |
| 3 | 3 | 555 | 1.3% | 2.7% | 555 | 2.7% | 2.7% |
| 4 | 4 | 22 | 0.1% | 0.1% | 22 | 0.1% | 0.1% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMHEPB_64 Type: Numeric Position: 424-424 Source: SYNTH SHOT HISTORY

Label: NUMBER OF HEPATITIS B-ONLY SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 64

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 4975 | 11.6% | 23.8% | 4975 | 23.8% | 23.8% |
| 1 | 1 | 1964 | 4.6% | 9.4% | 1964 | 9.4% | 9.4% |
| 2 | 2 | 1254 | 2.9% | 6.0% | 1254 | 6.0% | 6.0% |
| 3 | 3 | 11613 | 27.0% | 55.6% | 11613 | 55.6% | 55.6% |
| 4 | 4 | 979 | 2.3% | 4.7% | 979 | 4.7% | 4.7% |
| 5 | 5 | 77 | 0.2% | 0.4% | 77 | 0.4% | 0.4% |
| 6 | 6 | 14 | 0.0% | 0.1% | 14 | 0.1% | 0.1% |
| 7 | 7 | 3 | 0.0% | 0.0% | 3 | 0.0% | 0.0% |
| 9 | 9 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_NUMHEPB_HB Type: Numeric Position: 425-425 Source: SYNTH SHOT HISTORY

Label: NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type HB

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 20463 | 47.5% | 98.0% | 20463 | 98.0% | 98.0% |
| 1 | 1 | 180 | 0.4% | 0.9% | 180 | 0.9% | 0.9% |
| 2 | 2 | 64 | 0.1% | 0.3% | 64 | 0.3% | 0.3% |
| 3 | 3 | 163 | 0.4% | 0.8% | 163 | 0.8% | 0.8% |
| 4 | 4 | 10 | 0.0% | 0.0% | 10 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMHPV Type: Numeric Position: 426-426 Source: SYNTH SHOT HISTORY

Label: NUMBER OF HUMAN PAPILLOMAVIRUS SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 4V, 9V, UV, CV, or HP

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 8337 | 19.4% | 39.9% | 8337 | 39.9% | 39.9% |
| 1 | 1 | 2233 | 5.2% | 10.7% | 2233 | 10.7% | 10.7% |
| 2 | 2 | 2257 | 5.2% | 10.8% | 2257 | 10.8% | 10.8% |
| 3 | 3 | 7927 | 18.4% | 38.0% | 7927 | 38.0% | 38.0% |
| 4 | 4 | 108 | 0.3% | 0.5% | 108 | 0.5% | 0.5% |
| 5 | 5 | 13 | 0.0% | 0.1% | 13 | 0.1% | 0.1% |
| 6 | 6 | 5 | 0.0% | 0.0% | 5 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_NUMHPV_4V Type: Numeric Position: 427-427 Source: SYNTH SHOT HISTORY

Label: NUMBER OF HPV-GARDASIL (4vHPV) SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 4V

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 11590 | 26.9% | 55.5% | 11590 | 55.5% | 55.5% |
| 1 | 1 | 1966 | 4.6% | 9.4% | 1966 | 9.4% | 9.4% |
| 2 | 2 | 1970 | 4.6% | 9.4% | 1970 | 9.4% | 9.4% |
| 3 | 3 | 5296 | 12.3% | 25.4% | 5296 | 25.4% | 25.4% |
| 4 | 4 | 51 | 0.1% | 0.2% | 51 | 0.2% | 0.2% |
| 5 | 5 | 4 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| 6 | 6 | 3 | 0.0% | 0.0% | 3 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMHPV_9V Type: Numeric Position: 428-428 Source: SYNTH SHOT HISTORY

Label: NUMBER OF HPV-GARDASIL 9 (9vHPV) SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 9V

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 16935 | 39.3% | 81.1% | 16935 | 81.1% | 81.1% |
| 1 | 1 | 2308 | 5.4% | 11.1% | 2308 | 11.1% | 11.1% |
| 2 | 2 | 935 | 2.2% | 4.5% | 935 | 4.5% | 4.5% |
| 3 | 3 | 700 | 1.6% | 3.4% | 700 | 3.4% | 3.4% |
| 4 | 4 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| 5 | 5 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_NUMHPV_CV Type: Numeric Position: 429-429 Source: SYNTH SHOT HISTORY

Label: NUMBER OF HPV-CERVARIX SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type CV

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 20751 | 48.2% | 99.4% | 20751 | 99.4% | 99.4% |
| 1 | 1 | 47 | 0.1% | 0.2% | 47 | 0.2% | 0.2% |
| 2 | 2 | 23 | 0.1% | 0.1% | 23 | 0.1% | 0.1% |
| 3 | 3 | 59 | 0.1% | 0.3% | 59 | 0.3% | 0.3% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMHPV_HP Type: Numeric Position: 430-430 Source: SYNTH SHOT HISTORY

Label: NUMBER OF HPV SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type HP

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 19750 | 45.9% | 94.6% | 19750 | 94.6% | 94.6% |
| 1 | 1 | 351 | 0.8% | 1.7% | 351 | 1.7% | 1.7% |
| 2 | 2 | 247 | 0.6% | 1.2% | 247 | 1.2% | 1.2% |
| 3 | 3 | 525 | 1.2% | 2.5% | 525 | 2.5% | 2.5% |
| 4 | 4 | 7 | 0.0% | 0.0% | 7 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_NUMHPV_UV Type: Numeric Position: 431-431 Source: SYNTH SHOT HISTORY

Label: NUMBER OF HPV-GARDASIL, UNKNOWN VALENCY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type UV

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 20868 | 48.5% | 99.9% | 20868 | 99.9% | 99.9% |
| 1 | 1 | 11 | 0.0% | 0.1% | 11 | 0.1% | 0.1% |
| 3 | 3 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMMCV Type: Numeric Position: 432-432 Source: SYNTH SHOT HISTORY

Label: NUMBER OF MEASLES-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 30, 31, 32, 33, MM, or VM

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 1097 | 2.5% | 5.3% | 1097 | 5.3% | 5.3% |
| 1 | 1 | 666 | 1.5% | 3.2% | 666 | 3.2% | 3.2% |
| 2 | 2 | 18511 | 43.0% | 88.7% | 18511 | 88.7% | 88.7% |
| 3 | 3 | 548 | 1.3% | 2.6% | 548 | 2.6% | 2.6% |
| 4 | 4 | 54 | 0.1% | 0.3% | 54 | 0.3% | 0.3% |
| 5 | 5 | 4 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_NUMMCV_30 Type: Numeric Position: 433-433 Source: SYNTH SHOT HISTORY

Label: NUMBER OF MMR-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 30

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 1691 | 3.9% | 8.1% | 1691 | 8.1% | 8.1% |
| 1 | 1 | 2033 | 4.7% | 9.7% | 2033 | 9.7% | 9.7% |
| 2 | 2 | 16725 | 38.8% | 80.1% | 16725 | 80.1% | 80.1% |
| 3 | 3 | 403 | 0.9% | 1.9% | 403 | 1.9% | 1.9% |
| 4 | 4 | 27 | 0.1% | 0.1% | 27 | 0.1% | 0.1% |
| 5 | 5 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMMCV_31 Type: Numeric Position: 434-434 Source: SYNTH SHOT HISTORY

Label: NUMBER OF MEASLES-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 31

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 20738 | 48.1% | 99.3% | 20738 | 99.3% | 99.3% |
| 1 | 1 | 99 | 0.2% | 0.5% | 99 | 0.5% | 0.5% |
| 2 | 2 | 41 | 0.1% | 0.2% | 41 | 0.2% | 0.2% |
| 3 | 3 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_NUMMCV_32 Type: Numeric Position: 435-435 Source: SYNTH SHOT HISTORY

Label: NUMBER OF MEASLES-MUMPS SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 32

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 20879 | 48.5% | 100.0% | 20879 | 100.0% | 100.0% |
| 1 | 1 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMMCV_33 Type: Numeric Position: 436-436 Source: SYNTH SHOT HISTORY

Label: NUMBER OF MEASLES-RUBELLA SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 33

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 20874 | 48.5% | 100.0% | 20874 | 100.0% | 100.0% |
| 1 | 1 | 5 | 0.0% | 0.0% | 5 | 0.0% | 0.0% |
| 2 | 2 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_NUMMCV_MM Type: Numeric Position: 437-437 Source: SYNTH SHOT HISTORY

Label: NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type MM

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 20265 | 47.1% | 97.1% | 20265 | 97.1% | 97.1% |
| 1 | 1 | 208 | 0.5% | 1.0% | 208 | 1.0% | 1.0% |
| 2 | 2 | 405 | 0.9% | 1.9% | 405 | 1.9% | 1.9% |
| 3 | 3 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| 4 | 4 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMMCV_VM Type: Numeric Position: 438-438 Source: SYNTH SHOT HISTORY

Label: NUMBER OF MMR/VARICELLA SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type VM

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 19443 | 45.1% | 93.1% | 19443 | 93.1% | 93.1% |
| 1 | 1 | 1334 | 3.1% | 6.4% | 1334 | 6.4% | 6.4% |
| 2 | 2 | 101 | 0.2% | 0.5% | 101 | 0.5% | 0.5% |
| 3 | 3 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| 4 | 4 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_NUMMEN Type: Numeric Position: 439-439 Source: SYNTH SHOT HISTORY

Label: NUMBER OF MENINGOCOCCAL SEROGROUP ACWY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 80, 81, or 82

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 3613 | 8.4% | 17.3% | 3613 | 17.3% | 17.3% |
| 1 | 1 | 14524 | 33.7% | 69.6% | 14524 | 69.6% | 69.6% |
| 2 | 2 | 2698 | 6.3% | 12.9% | 2698 | 12.9% | 12.9% |
| 3 | 3 | 43 | 0.1% | 0.2% | 43 | 0.2% | 0.2% |
| 4 | 4 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| 5 | 5 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMMEN_80 Type: Numeric Position: 440-440 Source: SYNTH SHOT HISTORY

Label: NUMBER OF MENINGOCOCCAL MCV4 SHOTS DETERMINED FROM PROVIDER INFO,
EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 80

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 4151 | 9.6% | 19.9% | 4151 | 19.9% | 19.9% |
| 1 | 1 | 14175 | 32.9% | 67.9% | 14175 | 67.9% | 67.9% |
| 2 | 2 | 2529 | 5.9% | 12.1% | 2529 | 12.1% | 12.1% |
| 3 | 3 | 24 | 0.1% | 0.1% | 24 | 0.1% | 0.1% |
| 4 | 4 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_NUMMEN_81 Type: Numeric Position: 441-441 Source: SYNTH SHOT HISTORY

Label: NUMBER OF MENINGOCOCCAL MPSV4 SHOTS DETERMINED FROM PROVIDER INFO,
EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 81

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 20666 | 48.0% | 99.0% | 20666 | 99.0% | 99.0% |
| 1 | 1 | 209 | 0.5% | 1.0% | 209 | 1.0% | 1.0% |
| 2 | 2 | 4 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| 4 | 4 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMMEN_82 Type: Numeric Position: 442-442 Source: SYNTH SHOT HISTORY

Label: NUMBER OF MENINGOCOCCAL SEROGROUP ACWY SHOTS OF UNKNOWN TYPE
DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD
INTERVIEW DATE.

Notes: Vaccine type 82

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 20390 | 47.3% | 97.7% | 20390 | 97.7% | 97.7% |
| 1 | 1 | 452 | 1.0% | 2.2% | 452 | 2.2% | 2.2% |
| 2 | 2 | 38 | 0.1% | 0.2% | 38 | 0.2% | 0.2% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_NUMMENB Type: Numeric Position: 443-443 Source: SYNTH SHOT HISTORY

Label: NUMBER OF MENINGOCOCCAL SEROGROUP B SHOTS DETERMINED FROM PROVIDER
INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type BB, BT, or BU

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 20418 | 47.4% | 97.8% | 20418 | 97.8% | 97.8% |
| 1 | 1 | 337 | 0.8% | 1.6% | 337 | 1.6% | 1.6% |
| 2 | 2 | 106 | 0.2% | 0.5% | 106 | 0.5% | 0.5% |
| 3 | 3 | 19 | 0.0% | 0.1% | 19 | 0.1% | 0.1% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMMENB_BB Type: Numeric Position: 444-444 Source: SYNTH SHOT HISTORY

Label: NUMBER OF MENINGOCOCCAL MENB-4C SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type BB

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 20651 | 47.9% | 98.9% | 20651 | 98.9% | 98.9% |
| 1 | 1 | 162 | 0.4% | 0.8% | 162 | 0.8% | 0.8% |
| 2 | 2 | 67 | 0.2% | 0.3% | 67 | 0.3% | 0.3% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_NUMMENB_BT Type: Numeric Position: 445-445 Source: SYNTH SHOT HISTORY

Label: NUMBER OF MENINGOCOCCAL MENB-FHPB SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type BT

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 20727 | 48.1% | 99.3% | 20727 | 99.3% | 99.3% |
| 1 | 1 | 111 | 0.3% | 0.5% | 111 | 0.5% | 0.5% |
| 2 | 2 | 31 | 0.1% | 0.1% | 31 | 0.1% | 0.1% |
| 3 | 3 | 11 | 0.0% | 0.1% | 11 | 0.1% | 0.1% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMMENB_BU Type: Numeric Position: 446-446 Source: SYNTH SHOT HISTORY

Label: NUMBER OF MENINGOCOCCAL SEROGROUP B SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type BU

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 20796 | 48.3% | 99.6% | 20796 | 99.6% | 99.6% |
| 1 | 1 | 69 | 0.2% | 0.3% | 69 | 0.3% | 0.3% |
| 2 | 2 | 10 | 0.0% | 0.0% | 10 | 0.0% | 0.0% |
| 3 | 3 | 5 | 0.0% | 0.0% | 5 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_NUMMENU Type: Numeric Position: 447-447 Source: SYNTH SHOT HISTORY

Label: NUMBER OF MENINGOCOCCAL-UNKNOWN SEROGROUP SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type MU

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 20646 | 47.9% | 98.9% | 20646 | 98.9% | 98.9% |
| 1 | 1 | 208 | 0.5% | 1.0% | 208 | 1.0% | 1.0% |
| 2 | 2 | 22 | 0.1% | 0.1% | 22 | 0.1% | 0.1% |
| 3 | 3 | 4 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMMMR Type: Numeric Position: 448-448 Source: SYNTH SHOT HISTORY

Label: NUMBER OF MMR-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 30, MM, or VM

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 1132 | 2.6% | 5.4% | 1132 | 5.4% | 5.4% |
| 1 | 1 | 701 | 1.6% | 3.4% | 701 | 3.4% | 3.4% |
| 2 | 2 | 18514 | 43.0% | 88.7% | 18514 | 88.7% | 88.7% |
| 3 | 3 | 490 | 1.1% | 2.3% | 490 | 2.3% | 2.3% |
| 4 | 4 | 41 | 0.1% | 0.2% | 41 | 0.2% | 0.2% |
| 5 | 5 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_NUMPPS Type: Numeric Position: 449-449 Source: SYNTH SHOT HISTORY

Label: NUMBER OF PNEUMOCOCCAL POLYSACCHARIDE SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 71

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 17525 | 40.7% | 83.9% | 17525 | 83.9% | 83.9% |
| 1 | 1 | 774 | 1.8% | 3.7% | 774 | 3.7% | 3.7% |
| 2 | 2 | 2429 | 5.6% | 11.6% | 2429 | 11.6% | 11.6% |
| 3 | 3 | 100 | 0.2% | 0.5% | 100 | 0.5% | 0.5% |
| 4 | 4 | 52 | 0.1% | 0.2% | 52 | 0.2% | 0.2% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMTDAP_POST10 Type: Numeric Position: 450-450 Source: SYNTH SHOT HISTORY

Label: NUMBER OF TDAP SHOTS SINCE AGE 10 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 14, since age 10

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 2456 | 5.7% | 11.8% | 2456 | 11.8% | 11.8% |
| 1 | 1 | 17988 | 41.8% | 86.1% | 17988 | 86.1% | 86.1% |
| 2 | 2 | 413 | 1.0% | 2.0% | 413 | 2.0% | 2.0% |
| 3 | 3 | 20 | 0.0% | 0.1% | 20 | 0.1% | 0.1% |
| 4 | 4 | 3 | 0.0% | 0.0% | 3 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_NUMTDAP_POST7 Type: Numeric Position: 451-451 Source: SYNTH SHOT HISTORY

Label: NUMBER OF TDAP SHOTS SINCE AGE 7 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 14, since age 7

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 2271 | 5.3% | 10.9% | 2271 | 10.9% | 10.9% |
| 1 | 1 | 18095 | 42.0% | 86.7% | 18095 | 86.7% | 86.7% |
| 2 | 2 | 484 | 1.1% | 2.3% | 484 | 2.3% | 2.3% |
| 3 | 3 | 22 | 0.1% | 0.1% | 22 | 0.1% | 0.1% |
| 4 | 4 | 7 | 0.0% | 0.0% | 7 | 0.0% | 0.0% |
| 5 | 5 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMTDP Type: Numeric Position: 452-452 Source: SYNTH SHOT HISTORY

Label: NUMBER OF TD/TDAP-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 11, 14, or 15

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 1758 | 4.1% | 8.4% | 1758 | 8.4% | 8.4% |
| 1 | 1 | 18106 | 42.0% | 86.7% | 18106 | 86.7% | 86.7% |
| 2 | 2 | 784 | 1.8% | 3.8% | 784 | 3.8% | 3.8% |
| 3 | 3 | 192 | 0.4% | 0.9% | 192 | 0.9% | 0.9% |
| 4 | 4 | 33 | 0.1% | 0.2% | 33 | 0.2% | 0.2% |
| 5 | 5 | 5 | 0.0% | 0.0% | 5 | 0.0% | 0.0% |
| 6 | 6 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| 7 | 7 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_NUMTDP_11 Type: Numeric Position: 453-453 Source: SYNTH SHOT HISTORY

Label: NUMBER OF TD-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 11

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 20234 | 47.0% | 96.9% | 20234 | 96.9% | 96.9% |
| 1 | 1 | 495 | 1.1% | 2.4% | 495 | 2.4% | 2.4% |
| 2 | 2 | 133 | 0.3% | 0.6% | 133 | 0.6% | 0.6% |
| 3 | 3 | 17 | 0.0% | 0.1% | 17 | 0.1% | 0.1% |
| 5 | 5 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMTDP_14 Type: Numeric Position: 454-454 Source: SYNTH SHOT HISTORY

Label: NUMBER OF TDAP-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 14

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 2271 | 5.3% | 10.9% | 2271 | 10.9% | 10.9% |
| 1 | 1 | 18090 | 42.0% | 86.6% | 18090 | 86.6% | 86.6% |
| 2 | 2 | 488 | 1.1% | 2.3% | 488 | 2.3% | 2.3% |
| 3 | 3 | 23 | 0.1% | 0.1% | 23 | 0.1% | 0.1% |
| 4 | 4 | 7 | 0.0% | 0.0% | 7 | 0.0% | 0.0% |
| 5 | 5 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_NUMTDP_15 Type: Numeric Position: 455-455 Source: SYNTH SHOT HISTORY

Label: NUMBER OF TD/TDAP-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 15

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 20480 | 47.5% | 98.1% | 20480 | 98.1% | 98.1% |
| 1 | 1 | 373 | 0.9% | 1.8% | 373 | 1.8% | 1.8% |
| 2 | 2 | 20 | 0.0% | 0.1% | 20 | 0.1% | 0.1% |
| 3 | 3 | 6 | 0.0% | 0.0% | 6 | 0.0% | 0.0% |
| 4 | 4 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMTDP_POST10 Type: Numeric Position: 456-456 Source: SYNTH SHOT HISTORY

Label: NUMBER OF TD/TDAP-CONTAINING SHOTS SINCE AGE 10 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 11, 14, or 15, since age 10

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 1971 | 4.6% | 9.4% | 1971 | 9.4% | 9.4% |
| 1 | 1 | 18131 | 42.1% | 86.8% | 18131 | 86.8% | 86.8% |
| 2 | 2 | 617 | 1.4% | 3.0% | 617 | 3.0% | 3.0% |
| 3 | 3 | 141 | 0.3% | 0.7% | 141 | 0.7% | 0.7% |
| 4 | 4 | 17 | 0.0% | 0.1% | 17 | 0.1% | 0.1% |
| 5 | 5 | 3 | 0.0% | 0.0% | 3 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_NUMVRC Type: Numeric Position: 457-457 Source: SYNTH SHOT HISTORY

Label: NUMBER OF VARICELLA-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type VO, VA, or VM

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 1702 | 4.0% | 8.2% | 1702 | 8.2% | 8.2% |
| 1 | 1 | 2113 | 4.9% | 10.1% | 2113 | 10.1% | 10.1% |
| 2 | 2 | 16486 | 38.3% | 79.0% | 16486 | 79.0% | 79.0% |
| 3 | 3 | 535 | 1.2% | 2.6% | 535 | 2.6% | 2.6% |
| 4 | 4 | 40 | 0.1% | 0.2% | 40 | 0.2% | 0.2% |
| 5 | 5 | 4 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMVRC_POST1 Type: Numeric Position: 458-458 Source: SYNTH SHOT HISTORY

Label: NUMBER OF VARICELLA-CONTAINING SHOTS AT 12+ MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type VO, VA, or VM at 12+ months of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 1729 | 4.0% | 8.3% | 1729 | 8.3% | 8.3% |
| 1 | 1 | 2333 | 5.4% | 11.2% | 2333 | 11.2% | 11.2% |
| 2 | 2 | 16273 | 37.8% | 77.9% | 16273 | 77.9% | 77.9% |
| 3 | 3 | 506 | 1.2% | 2.4% | 506 | 2.4% | 2.4% |
| 4 | 4 | 35 | 0.1% | 0.2% | 35 | 0.2% | 0.2% |
| 5 | 5 | 4 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_NUMVRC_VA Type: Numeric Position: 459-459 Source: SYNTH SHOT HISTORY

Label: NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type VA

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 20008 | 46.5% | 95.8% | 20008 | 95.8% | 95.8% |
| 1 | 1 | 572 | 1.3% | 2.7% | 572 | 2.7% | 2.7% |
| 2 | 2 | 290 | 0.7% | 1.4% | 290 | 1.4% | 1.4% |
| 3 | 3 | 8 | 0.0% | 0.0% | 8 | 0.0% | 0.0% |
| 4 | 4 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMVRC_VM Type: Numeric Position: 460-460 Source: SYNTH SHOT HISTORY

Label: NUMBER OF MMR/VARICELLA SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type VM

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 19443 | 45.1% | 93.1% | 19443 | 93.1% | 93.1% |
| 1 | 1 | 1334 | 3.1% | 6.4% | 1334 | 6.4% | 6.4% |
| 2 | 2 | 101 | 0.2% | 0.5% | 101 | 0.5% | 0.5% |
| 3 | 3 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| 4 | 4 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_NUMVRC_VO Type: Numeric Position: 461-461 Source: SYNTH SHOT HISTORY

Label: NUMBER OF VARICELLA-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type VO

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| 0 | 0 | 2212 | 5.1% | 10.6% | 2212 | 10.6% | 10.6% |
| 1 | 1 | 3444 | 8.0% | 16.5% | 3444 | 16.5% | 16.5% |
| 2 | 2 | 14993 | 34.8% | 71.8% | 14993 | 71.8% | 71.8% |
| 3 | 3 | 213 | 0.5% | 1.0% | 213 | 1.0% | 1.0% |
| 4 | 4 | 16 | 0.0% | 0.1% | 16 | 0.1% | 0.1% |
| 5 | 5 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_U131321 Type: Numeric Position: 462-462 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 1:3:2:1 SERIES BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: P_U13TD, P_U13HEPB, P_U13MMR, and either 1+ Varicella-containing (VO,VA,VM) by 13 years of age or a history of chicken pox disease

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 4928 | 11.4% | 23.6% | 4928 | 23.6% | 23.6% |
| UTD | 1 | 15952 | 37.0% | 76.4% | 15952 | 76.4% | 76.4% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_U1313212 Type: Numeric Position: 463-463 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 1:3:2:1:2 SERIES BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: P_U13TD, P_U13HEPB, P_U13MMR, P_U13MEN, and either 2+ Varicella-containing (VO,VA,VM) by 13 years of age or a history of chicken pox disease

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 8065 | 18.7% | 38.6% | 8065 | 38.6% | 38.6% |
| UTD | 1 | 12815 | 29.8% | 61.4% | 12815 | 61.4% | 61.4% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_U13FLU1415 Type: Numeric Position: 464-464 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 1+ SEASONAL INFLUENZA VACCINATION BETWEEN SEPT 1, 2014 AND JAN 31, 2015, BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 1+ Seasonal Influenza (FM,FN,FV,FZ,FL) between Sept 1, 2014 and Jan 31, 2015 by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 18695 | 43.4% | 89.5% | 18695 | 89.5% | 89.5% |
| UTD | 1 | 2185 | 5.1% | 10.5% | 2185 | 10.5% | 10.5% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_U13FLU1516 Type: Numeric Position: 465-465 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 1+ SEASONAL INFLUENZA VACCINATION BETWEEN SEPT 1, 2015 AND JAN 31, 2016, BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 1+ Seasonal Influenza (FM,FN,FV,FZ,FL) between Sept 1, 2015 and Jan 31, 2016 by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 20011 | 46.5% | 95.8% | 20011 | 95.8% | 95.8% |
| UTD | 1 | 869 | 2.0% | 4.2% | 869 | 4.2% | 4.2% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_U13FLU1617 Type: Numeric Position: 466-466 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 1+ SEASONAL INFLUENZA VACCINATION BETWEEN SEPT 1, 2016 AND JAN 31, 2017, BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 1+ Seasonal Influenza (FM, FN, FV, FZ, FL) between Sept 1, 2016 and Jan 31, 2017 by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 20840 | 48.4% | 99.8% | 20840 | 99.8% | 99.8% |
| UTD | 1 | 40 | 0.1% | 0.2% | 40 | 0.2% | 0.2% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_U13HEPA Type: Numeric Position: 467-467 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 2+ HEPATITIS A-CONTAINING SHOTS BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 2+ HepA-containing (HO, HA) by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 10253 | 23.8% | 49.1% | 10253 | 49.1% | 49.1% |
| UTD | 1 | 10627 | 24.7% | 50.9% | 10627 | 50.9% | 50.9% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_U13HEPB Type: Numeric Position: 468-468 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 2+ HEPB 1.0 ML RECOMBIVAX SHOTS BEFORE AGE 13 YEARS, OR 3+ ANY COMBINATION OF HEPATITIS B-CONTAINING SHOTS BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 2+ HepB 1.0 ml Recombivax (62) by 13 years of age, or 3+ any HepB-containing (43,61,62,63,64,HB) by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 2016 | 4.7% | 9.7% | 2016 | 9.7% | 9.7% |
| UTD | 1 | 18864 | 43.8% | 90.3% | 18864 | 90.3% | 90.3% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_U13HPV Type: Numeric Position: 469-469 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 1+ HUMAN PAPILLOMAVIRUS SHOT BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 1+ HPV (4V, 9V, UV, CV, or HP) by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 13298 | 30.9% | 63.7% | 13298 | 63.7% | 63.7% |
| UTD | 1 | 7582 | 17.6% | 36.3% | 7582 | 36.3% | 36.3% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_U13HPV3 Type: Numeric Position: 470-470 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 3+ HUMAN PAPILLOMAVIRUS SHOTS BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 3+ HPV (4V, 9V, UV, CV, or HP) by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 17695 | 41.1% | 84.7% | 17695 | 84.7% | 84.7% |
| UTD | 1 | 3185 | 7.4% | 15.3% | 3185 | 15.3% | 15.3% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_U13113 Type: Numeric Position: 471-471 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 1:1:3 SERIES BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 1+ Tdap-only (14) since age 10, 1+ Meningococcal-conjugate (80 or 82), and 3+ HPV (4V, 9V, UV, CV, or HP) by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 18093 | 42.0% | 86.7% | 18093 | 86.7% | 86.7% |
| UTD | 1 | 2787 | 6.5% | 13.3% | 2787 | 13.3% | 13.3% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_U13MCV Type: Numeric Position: 472-472 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 2+ MEASLES-CONTAINING SHOTS BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 2+ Measles-containing (30,31,32,33,MM,VM) by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 2091 | 4.9% | 10.0% | 2091 | 10.0% | 10.0% |
| UTD | 1 | 18789 | 43.6% | 90.0% | 18789 | 90.0% | 90.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_U13MEN Type: Numeric Position: 473-473 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 1+ MENINGOCOCCAL SEROGROUP ACWY SHOT BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 1+ Meningococcal serogroup ACWY (80,81,82) by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 6075 | 14.1% | 29.1% | 6075 | 29.1% | 29.1% |
| UTD | 1 | 14805 | 34.4% | 70.9% | 14805 | 70.9% | 70.9% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_U13MMR Type: Numeric Position: 474-474 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 2+ MMR-CONTAINING SHOTS BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 2+ MMR-containing (30,MM,VM) by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 2163 | 5.0% | 10.4% | 2163 | 10.4% | 10.4% |
| UTD | 1 | 18717 | 43.5% | 89.6% | 18717 | 89.6% | 89.6% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_U13PPS Type: Numeric Position: 475-475 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 1+ PNEUMOCOCCAL POLYSACCHARIDE SHOT BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 1+ Pneumococcal polysaccharide (71) by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 17562 | 40.8% | 84.1% | 17562 | 84.1% | 84.1% |
| UTD | 1 | 3318 | 7.7% | 15.9% | 3318 | 15.9% | 15.9% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_U13TD Type: Numeric Position: 476-476 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 1+ TD/TDAP-CONTAINING SHOT BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 1+ Td/Tdap-containing (11,14,15), by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 3401 | 7.9% | 16.3% | 3401 | 16.3% | 16.3% |
| UTD | 1 | 17479 | 40.6% | 83.7% | 17479 | 83.7% | 83.7% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_U13TDAP Type: Numeric Position: 477-477 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 1+ TDAP-ONLY SHOT SINCE AGE 10 YEARS AND BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 1+ Tdap-only (14) since age 10 years, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 4147 | 9.6% | 19.9% | 4147 | 19.9% | 19.9% |
| UTD | 1 | 16733 | 38.8% | 80.1% | 16733 | 80.1% | 80.1% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_U13TDAP7 Type: Numeric Position: 478-478 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 1+ TDAP-ONLY SHOT SINCE AGE 7 YEARS AND BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 1+ Tdap-only (14) since age 7 years, by 13 years of age

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 3942 | 9.2% | 18.9% | 3942 | 18.9% | 18.9% |
| UTD | 1 | 16938 | 39.3% | 81.1% | 16938 | 81.1% | 81.1% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_U13VRC Type: Numeric Position: 479-479 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS OF AGE AND BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Code 1 = 1+ Varicella-containing (VO,VA,VM) at 12+ months of age, by 13 years of age; Code 2 = zero Varicella-containing (VO,VA,VM) at 12+ months of age by 13 years of age, but teen has a history of chicken pox disease

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|--|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD, NO HISTORY OF CHICKEN POX DISEASE | 0 | 1106 | 2.6% | 5.3% | 1106 | 5.3% | 5.3% |
| UTD | 1 | 18808 | 43.7% | 90.1% | 18808 | 90.1% | 90.1% |
| NOT UTD, HISTORY OF CHICKEN POX DISEASE | 2 | 966 | 2.2% | 4.6% | 966 | 4.6% | 4.6% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_U13VRC2 Type: Numeric Position: 480-480 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 2+ VARICELLA-CONTAINING SHOTS AT 12+ MONTHS OF AGE AND BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Code 1 = 2+ Varicella-containing (VO,VA,VM) at 12+ months of age, by 13 years of age; Code 2 = less than 2 Varicella-containing (VO,VA,VM) at 12+ months of age by 13 years of age, but teen has a history of chicken pox disease

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|--|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD, NO HISTORY OF CHICKEN POX DISEASE | 0 | 3519 | 8.2% | 16.9% | 3519 | 16.9% | 16.9% |
| UTD | 1 | 15656 | 36.3% | 75.0% | 15656 | 75.0% | 75.0% |
| NOT UTD, HISTORY OF CHICKEN POX DISEASE | 2 | 1705 | 4.0% | 8.2% | 1705 | 8.2% | 8.2% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_UTD1321 Type: Numeric Position: 481-481 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 1:3:2:1 SERIES, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: P_UTD1321, P_UTDHEPB, P_UTDMMR, and either 1+ Varicella-containing (VO,VA,VM) or a history of chicken pox disease.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 3375 | 7.8% | 16.2% | 3375 | 16.2% | 16.2% |
| UTD | 1 | 17505 | 40.6% | 83.8% | 17505 | 83.8% | 83.8% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTD13212 Type: Numeric Position: 482-482 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 1:3:2:1:2 SERIES, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: P_UTD13212, P_UTDHEPB, P_UTDMMR, P_UTDMEN, and either 2+ Varicella-containing (VO,VA,VM) or a history of chicken pox disease.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 5588 | 13.0% | 26.8% | 5588 | 26.8% | 26.8% |
| UTD | 1 | 15292 | 35.5% | 73.2% | 15292 | 73.2% | 73.2% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_UTDFLU1415 Type: Numeric Position: 483-483 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 1+ SEASONAL INFLUENZA VACCINATION BETWEEN SEPT 1, 2014 AND JAN 31, 2015, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 1+ Seasonal Influenza (FM,FN,FV,FZ,FL) between Sept 1, 2014 and Jan 31, 2015

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 15294 | 35.5% | 73.2% | 15294 | 73.2% | 73.2% |
| UTD | 1 | 5586 | 13.0% | 26.8% | 5586 | 26.8% | 26.8% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDFLU1516 Type: Numeric Position: 484-484 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 1+ SEASONAL INFLUENZA VACCINATION BETWEEN SEPT 1, 2015 AND JAN 31, 2016, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 1+ Seasonal Influenza (FM,FN,FV,FZ,FL) between Sept 1, 2015 and Jan 31, 2016

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 15639 | 36.3% | 74.9% | 15639 | 74.9% | 74.9% |
| UTD | 1 | 5241 | 12.2% | 25.1% | 5241 | 25.1% | 25.1% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_UTDFLU1617 Type: Numeric Position: 485-485 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 1+ SEASONAL INFLUENZA VACCINATION BETWEEN SEPT 1, 2016 AND JAN 31, 2017, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 1+ Seasonal Influenza (FM,FN,FV,FZ,FL) between Sept 1, 2016 and Jan 31, 2017

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 19557 | 45.4% | 93.7% | 19557 | 93.7% | 93.7% |
| UTD | 1 | 1323 | 3.1% | 6.3% | 1323 | 6.3% | 6.3% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDHEPA Type: Numeric Position: 486-486 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 2+ HEPATITIS A-CONTAINING SHOTS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 2+ HepA-containing (HO,HA)

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 7909 | 18.4% | 37.9% | 7909 | 37.9% | 37.9% |
| UTD | 1 | 12971 | 30.1% | 62.1% | 12971 | 62.1% | 62.1% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_UTDHEPA1 Type: Numeric Position: 487-487 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 1+ HEPATITIS A-CONTAINING SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 1+ HepA-containing (HO,HA)

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 5880 | 13.7% | 28.2% | 5880 | 28.2% | 28.2% |
| UTD | 1 | 15000 | 34.8% | 71.8% | 15000 | 71.8% | 71.8% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDHEPB Type: Numeric Position: 488-488 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 2+ HEPB 1.0 ML RECOMBIVAX SHOTS, OR 3+ ANY COMBINATION OF HEPATITIS B-CONTAINING SHOTS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 2+ HepB 1.0 ml Recombivax (62) or 3+ any HepB-containing (43,61,62,63,64,HB)

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 1790 | 4.2% | 8.6% | 1790 | 8.6% | 8.6% |
| UTD | 1 | 19090 | 44.3% | 91.4% | 19090 | 91.4% | 91.4% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_UTDHPV Type: Numeric Position: 489-489 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 1+ HUMAN PAPILLOMAVIRUS SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 1+ HPV (4V, 9V, UV, CV, or HP)

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 8337 | 19.4% | 39.9% | 8337 | 39.9% | 39.9% |
| UTD | 1 | 12543 | 29.1% | 60.1% | 12543 | 60.1% | 60.1% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDHPV_15 Type: Numeric Position: 490-490 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 3+ HUMAN PAPILOMAVIRUS SHOTS, OR 2+ HUMAN PAPILOMAVIRUS SHOTS WITH FIRST SHOT RECEIVED BEFORE AGE 15, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 3+ HPV (9V,4V,UV,CV,HP), or 2+ HPV with first shot given before age 15.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 10926 | 25.4% | 52.3% | 10926 | 52.3% | 52.3% |
| UTD | 1 | 9954 | 23.1% | 47.7% | 9954 | 47.7% | 47.7% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_UTDHPV_15INT Type: Numeric Position: 491-491 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 3+ HUMAN PAPILOMAVIRUS SHOTS, OR 2+ HUMAN PAPILOMAVIRUS SHOTS WITH FIRST SHOT RECEIVED BEFORE AGE 15 AND INTERVAL BETWEEN 1ST AND 2ND SHOTS AT LEAST 5 MONTHS-4 DAYS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 3+ HPV (9V, 4V, UV, CV, or HP), or 2+ HPV with first shot given before age 15 and interval between first and second shot at least 5 months (minus 4 days).

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 11676 | 27.1% | 55.9% | 11676 | 55.9% | 55.9% |
| UTD | 1 | 9204 | 21.4% | 44.1% | 9204 | 44.1% | 44.1% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDHPV_9V Type: Numeric Position: 492-492 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 1+ HUMAN PAPILLOMAVIRUS SHOT OF TYPE GARDASIL 9 (9vHPV), EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 1+ Vaccine type 9V

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 16935 | 39.3% | 81.1% | 16935 | 81.1% | 81.1% |
| UTD | 1 | 3945 | 9.2% | 18.9% | 3945 | 18.9% | 18.9% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_UTDHPV11 Type: Numeric Position: 493-493 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 1 HUMAN PAPILLOMAVIRUS SHOT GIVEN 1+ SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Exactly 1 HPV (4V, 9V, UV, CV, or HP), limited to teens with at least 1 HPV shot.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 10310 | 23.9% | 82.2% | 10310 | 49.4% | 82.2% |
| UTD | 1 | 2233 | 5.2% | 17.8% | 2233 | 10.7% | 17.8% |
| SUBTOTALS: | | 12543 | 29.1% | 100.0% | 12543 | 60.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 30528 | 70.9% | n/a | 8337 | 39.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDHPV12 Type: Numeric Position: 494-494 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 2 HUMAN PAPILLOMAVIRUS SHOTS GIVEN 1+ SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Exactly 2 HPV (4V, 9V, UV, CV, or HP), limited to teens with at least 1 HPV shot.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 10286 | 23.9% | 82.0% | 10286 | 49.3% | 82.0% |
| UTD | 1 | 2257 | 5.2% | 18.0% | 2257 | 10.8% | 18.0% |
| SUBTOTALS: | | 12543 | 29.1% | 100.0% | 12543 | 60.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 30528 | 70.9% | n/a | 8337 | 39.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_UTDHPV13 Type: Numeric Position: 495-495 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 3+ HUMAN PAPILLOMAVIRUS SHOTS GIVEN 1+ SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 3+ HPV (4V, 9V, UV, CV, or HP), limited to teens with at least 1 HPV shot.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 4490 | 10.4% | 35.8% | 4490 | 21.5% | 35.8% |
| UTD | 1 | 8053 | 18.7% | 64.2% | 8053 | 38.6% | 64.2% |
| SUBTOTALS: | | 12543 | 29.1% | 100.0% | 12543 | 60.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 30528 | 70.9% | n/a | 8337 | 39.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDHPV2 Type: Numeric Position: 496-496 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 2+ HUMAN PAPILOMAVIRUS SHOTS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 2+ HPV (4V, 9V, UV, CV, or HP)

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 10570 | 24.5% | 50.6% | 10570 | 50.6% | 50.6% |
| UTD | 1 | 10310 | 23.9% | 49.4% | 10310 | 49.4% | 49.4% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_UTDHPV2_9V Type: Numeric Position: 497-497 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 2+ HUMAN PAPILOMAVIRUS SHOTS OF TYPE GARDASIL 9 (9vHPV), EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 2+ Vaccine type 9V

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 19243 | 44.7% | 92.2% | 19243 | 92.2% | 92.2% |
| UTD | 1 | 1637 | 3.8% | 7.8% | 1637 | 7.8% | 7.8% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDHPV3 Type: Numeric Position: 498-498 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 3+ HUMAN PAPILLOMAVIRUS SHOTS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 3+ HPV (4V, 9V, UV, CV, or HP)

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 12827 | 29.8% | 61.4% | 12827 | 61.4% | 61.4% |
| UTD | 1 | 8053 | 18.7% | 38.6% | 8053 | 38.6% | 38.6% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_UTDHPV3_9V Type: Numeric Position: 499-499 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 3+ HUMAN PAPILLOMAVIRUS SHOTS OF TYPE GARDASIL 9 (9vHPV), EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 3+ Vaccine type 9V

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 20178 | 46.8% | 96.6% | 20178 | 96.6% | 96.6% |
| UTD | 1 | 702 | 1.6% | 3.4% | 702 | 3.4% | 3.4% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDHPV3C Type: Numeric Position: 500-500 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): HPV CONDITIONAL COMPLETION RATE, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 3+ HPV (4V, 9V, UV, CV, or HP), limited to teens with at least 1 HPV shot and at least 6 elapsed months between the date of the first HPV shot and the household interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 3517 | 8.2% | 30.4% | 3517 | 16.8% | 30.4% |
| UTD | 1 | 8048 | 18.7% | 69.6% | 8048 | 38.5% | 69.6% |
| SUBTOTALS: | | 11565 | 26.9% | 100.0% | 11565 | 55.4% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 31506 | 73.1% | n/a | 9315 | 44.6% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_UTDHPV3C_15INT Type: Numeric Position: 501-501 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): HPV CONDITIONAL COMPLETION RATE, INCLUDING COMPLETION VIA 3-SHOT OR 2-SHOT SERIES, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 3+ HPV (4V, 9V, UV, CV, or HP), or 2+ HPV with first shot given before age 15 and interval between first and second shot at least 5 months (minus 4 days), given 1+ HPV and at least 6 months between the date of the first HPV shot and the household interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 2370 | 5.5% | 20.5% | 2370 | 11.4% | 20.5% |
| UTD | 1 | 9195 | 21.3% | 79.5% | 9195 | 44.0% | 79.5% |
| SUBTOTALS: | | 11565 | 26.9% | 100.0% | 11565 | 55.4% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 31506 | 73.1% | n/a | 9315 | 44.6% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDHPV3C_9V Type: Numeric Position: 502-502 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): HPV CONDITIONAL COMPLETION RATE, COUNTING ONLY SHOTS OF TYPE GARDASIL 9 (9vHPV), EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 3+ Vaccine type 9V, limited to teens with at least 1 HPV shot and at least 6 elapsed months between the date of the first HPV shot and the household interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 1786 | 4.1% | 71.8% | 1786 | 8.6% | 71.8% |
| UTD | 1 | 700 | 1.6% | 28.2% | 700 | 3.4% | 28.2% |
| SUBTOTALS: | | 2486 | 5.8% | 100.0% | 2486 | 11.9% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 40585 | 94.2% | n/a | 18394 | 88.1% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_UTDMCV Type: Numeric Position: 503-503 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 2+ MEASLES-CONTAINING SHOTS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 2+ Measles-containing (30,31,32,33,MM,VM)

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 1763 | 4.1% | 8.4% | 1763 | 8.4% | 8.4% |
| UTD | 1 | 19117 | 44.4% | 91.6% | 19117 | 91.6% | 91.6% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDMEN Type: Numeric Position: 504-504 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 1+ MENINGOCOCCAL SEROGROUP ACWY SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 1+ Meningococcal serogroup ACWY (80,81,82)

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 3613 | 8.4% | 17.3% | 3613 | 17.3% | 17.3% |
| UTD | 1 | 17267 | 40.1% | 82.7% | 17267 | 82.7% | 82.7% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_UTDMENACWY Type: Numeric Position: 505-505 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 1+ MENINGOCOCCAL SEROGROUP ACWY-CONJUGATE SHOT OR MENINGOCOCCAL SEROGROUP ACWY-UNKNOWN TYPE SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 1+ Meningococcal serogroup ACWY, conjugate or unknown type (80,82)

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 3762 | 8.7% | 18.0% | 3762 | 18.0% | 18.0% |
| UTD | 1 | 17118 | 39.7% | 82.0% | 17118 | 82.0% | 82.0% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDMMR Type: Numeric Position: 506-506 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 2+ MMR-CONTAINING SHOTS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 2+ MMR-containing (30,MM,VM)

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 1833 | 4.3% | 8.8% | 1833 | 8.8% | 8.8% |
| UTD | 1 | 19047 | 44.2% | 91.2% | 19047 | 91.2% | 91.2% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_UTDPPS Type: Numeric Position: 507-507 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 1+ PNEUMOCOCCAL POLYSACCHARIDE SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 1+ Pneumococcal polysaccharide (71)

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 17525 | 40.7% | 83.9% | 17525 | 83.9% | 83.9% |
| UTD | 1 | 3355 | 7.8% | 16.1% | 3355 | 16.1% | 16.1% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDTD Type: Numeric Position: 508-508 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 1+ TD/TDAP-CONTAINING SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 1+ Td/Tdap-containing (11,14,15).

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 1758 | 4.1% | 8.4% | 1758 | 8.4% | 8.4% |
| UTD | 1 | 19122 | 44.4% | 91.6% | 19122 | 91.6% | 91.6% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_UTDTDAP Type: Numeric Position: 509-509 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 1+ TDAP-ONLY SHOT SINCE AGE 10 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 1+ Tdap-only (14) since age 10

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 2456 | 5.7% | 11.8% | 2456 | 11.8% | 11.8% |
| UTD | 1 | 18424 | 42.8% | 88.2% | 18424 | 88.2% | 88.2% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDTPDAP7 Type: Numeric Position: 510-510 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 1+ TDAP-ONLY SHOT SINCE AGE 7 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 1+ Tdap-only (14) since age 7

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 2271 | 5.3% | 10.9% | 2271 | 10.9% | 10.9% |
| UTD | 1 | 18609 | 43.2% | 89.1% | 18609 | 89.1% | 89.1% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_UTDTPD_POST10 Type: Numeric Position: 511-511 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 1+ TD/TDAP-CONTAINING SHOT SINCE AGE 10 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 1+ Td/Tdap-containing (11,14,15) since age 10.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 1971 | 4.6% | 9.4% | 1971 | 9.4% | 9.4% |
| UTD | 1 | 18909 | 43.9% | 90.6% | 18909 | 90.6% | 90.6% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDTD_POST10 Type: Numeric Position: 512-512 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 1+ TD-ONLY SHOT SINCE AGE 10 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 1+ TD-only (11) since age 10

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 20412 | 47.4% | 97.8% | 20412 | 97.8% | 97.8% |
| UTD | 1 | 468 | 1.1% | 2.2% | 468 | 2.2% | 2.2% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_UTDVRC Type: Numeric Position: 513-513 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Code 1 = 1+ Varicella-containing (VO,VA,VM) at 12+ months of age; Code 2 = zero Varicella-containing (VO,VA,VM) at 12+ months of age, but teen has a history of chicken pox disease

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|--|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD, NO HISTORY OF CHICKEN POX DISEASE | 0 | 868 | 2.0% | 4.2% | 868 | 4.2% | 4.2% |
| UTD | 1 | 19151 | 44.5% | 91.7% | 19151 | 91.7% | 91.7% |
| NOT UTD, HISTORY OF CHICKEN POX DISEASE | 2 | 861 | 2.0% | 4.1% | 861 | 4.1% | 4.1% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDVRC2 Type: Numeric Position: 514-514 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 2+ VARICELLA-CONTAINING SHOTS AT 12+ MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Code 1 = 2+ Varicella-containing (VO,VA,VM) at 12+ months of age; Code 2 = less than 2 Varicella-containing (VO,VA,VM) at 12+ months of age, but teen has a history of chicken pox disease

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|--|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD, NO HISTORY OF CHICKEN POX DISEASE | 0 | 2582 | 6.0% | 12.4% | 2582 | 12.4% | 12.4% |
| UTD | 1 | 16818 | 39.0% | 80.5% | 16818 | 80.5% | 80.5% |
| NOT UTD, HISTORY OF CHICKEN POX DISEASE | 2 | 1480 | 3.4% | 7.1% | 1480 | 7.1% | 7.1% |
| SUBTOTALS: | | 20880 | 48.5% | 100.0% | 20880 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22191 | 51.5% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: P_UTDVRC_NOHIST4 Type: Numeric Position: 515-515 Source: SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 1+ VARICELLA-CONTAINING SHOT AT 4+ YEARS OF AGE, NO HISTORY OF CHICKEN POX DISEASE, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 1+ Varicella-containing (VO,VA,VM) at 4+ years of age, limited to teens with no history of chicken pox disease.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 34121 | 79.2% | 94.5% | 15719 | 75.3% | 88.8% |
| UTD | 1 | 1983 | 4.6% | 5.5% | 1983 | 9.5% | 11.2% |
| SUBTOTALS: | | 36104 | 83.8% | 100.0% | 17702 | 84.8% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 6967 | 16.2% | n/a | 3178 | 15.2% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDVRC2_NOHIST4 **Type:** Numeric **Position:** 516-516 **Source:** SYNTH SHOT HISTORY

Label: UP-TO-DATE FLAG (PROV INFO): 2+ VARICELLA-CONTAINING SHOTS AT 4+ YEARS OF AGE, NO HISTORY OF CHICKEN POX DISEASE, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: 2+ Varicella-containing (VO,VA,VM) at 4+ years of age, limited to teens with no history of chicken pox disease.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| NOT UTD | 0 | 34617 | 80.4% | 95.9% | 16215 | 77.7% | 91.6% |
| UTD | 1 | 1487 | 3.5% | 4.1% | 1487 | 7.1% | 8.4% |
| SUBTOTALS: | | 36104 | 83.8% | 100.0% | 17702 | 84.8% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 6967 | 16.2% | n/a | 3178 | 15.2% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: VRC_HIST **Type:** Numeric **Position:** 517-517 **Source:** TIS_HEALTH_VAR, IHQ SHOTGRID

Label: HISTORY OF CHICKEN POX REPORTED BY THE HOUSEHOLD OR BY ANY PROVIDER

Notes:

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| YES | 1 | 6967 | 16.2% | 100.0% | 3178 | 15.2% | 100.0% |
| SUBTOTALS: | | 6967 | 16.2% | 100.0% | 3178 | 15.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 36104 | 83.8% | n/a | 17702 | 84.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU_AGE1 Type: Numeric Position: 518-519 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #1

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 11287 | 26.2% | 100.0% | 11287 | 54.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 31784 | 73.8% | n/a | 9593 | 45.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: FLU_AGE1 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDDev |
|--------------------------------|------|--------|-----|------|---------|
| Completed Household Interviews | 11.8 | 12.0 | 0.0 | 18.0 | 3.0 |
| Adequate Provider Data | 11.8 | 12.0 | 0.0 | 18.0 | 3.0 |

Variable: FLU_AGE2 Type: Numeric Position: 520-521 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #2

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 6962 | 16.2% | 100.0% | 6962 | 33.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 36109 | 83.8% | n/a | 13918 | 66.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: FLU_AGE2 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDDev |
|--------------------------------|------|--------|-----|------|---------|
| Completed Household Interviews | 12.8 | 13.0 | 0.0 | 18.0 | 2.6 |
| Adequate Provider Data | 12.8 | 13.0 | 0.0 | 18.0 | 2.6 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU_AGE3 Type: Numeric Position: 522-523 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #3

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 4087 | 9.5% | 100.0% | 4087 | 19.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 38984 | 90.5% | n/a | 16793 | 80.4% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: FLU_AGE3 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 13.6 | 14.0 | 0.0 | 18.0 | 2.3 |
| Adequate Provider Data | 13.6 | 14.0 | 0.0 | 18.0 | 2.3 |

Variable: FLU_AGE4 Type: Numeric Position: 524-525 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #4

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 417 | 1.0% | 100.0% | 417 | 2.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 42654 | 99.0% | n/a | 20463 | 98.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: FLU_AGE4 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 13.4 | 14.0 | 2.0 | 17.0 | 2.5 |
| Adequate Provider Data | 13.4 | 14.0 | 2.0 | 17.0 | 2.5 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU_AGE5 Type: Numeric Position: 526-527 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #5

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 125 | 0.3% | 100.0% | 125 | 0.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 42946 | 99.7% | n/a | 20755 | 99.4% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: FLU_AGE5 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 13.3 | 13.0 | 5.0 | 17.0 | 2.4 |
| Adequate Provider Data | 13.3 | 13.0 | 5.0 | 17.0 | 2.4 |

Variable: FLU_AGE6 Type: Numeric Position: 528-529 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #6

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 46 | 0.1% | 100.0% | 46 | 0.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43025 | 99.9% | n/a | 20834 | 99.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: FLU_AGE6 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 13.4 | 13.0 | 8.0 | 17.0 | 2.3 |
| Adequate Provider Data | 13.4 | 13.0 | 8.0 | 17.0 | 2.3 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU_AGE7 Type: Numeric Position: 530-531 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #7

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 17 | 0.0% | 100.0% | 17 | 0.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43054 | 100.0% | n/a | 20863 | 99.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: FLU_AGE7 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 13.8 | 14.0 | 9.0 | 17.0 | 2.1 |
| Adequate Provider Data | 13.8 | 14.0 | 9.0 | 17.0 | 2.1 |

Variable: FLU_AGE8 Type: Numeric Position: 532-533 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #8

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 9 | 0.0% | 100.0% | 9 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43062 | 100.0% | n/a | 20871 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: FLU_AGE8 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|------|------|--------|
| Completed Household Interviews | 14.3 | 15.0 | 12.0 | 16.0 | 1.7 |
| Adequate Provider Data | 14.3 | 15.0 | 12.0 | 16.0 | 1.7 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU_AGE9 Type: Numeric Position: 534-535 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #9

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43070 | 100.0% | n/a | 20879 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: FLU_AGE9 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDDev |
|--------------------------------|------|--------|------|------|---------|
| Completed Household Interviews | 13.0 | 13.0 | 13.0 | 13.0 | . |
| Adequate Provider Data | 13.0 | 13.0 | 13.0 | 13.0 | . |

Variable: FLU_DAGE1 Type: Numeric Position: 536-539 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #1

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 11287 | 26.2% | 100.0% | 11287 | 54.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 31784 | 73.8% | n/a | 9593 | 45.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: FLU_DAGE1 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDDev |
|--------------------------------|--------|--------|-----|--------|---------|
| Completed Household Interviews | 4493.5 | 4637.0 | 0.0 | 6668.0 | 1075.1 |
| Adequate Provider Data | 4493.5 | 4637.0 | 0.0 | 6668.0 | 1075.1 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU_DAGE2 Type: Numeric Position: 540-543 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #2

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 6962 | 16.2% | 100.0% | 6962 | 33.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 36109 | 83.8% | n/a | 13918 | 66.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: FLU_DAGE2 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|--------|--------|------|--------|--------|
| Completed Household Interviews | 4834.3 | 4926.0 | 61.0 | 6589.0 | 956.2 |
| Adequate Provider Data | 4834.3 | 4926.0 | 61.0 | 6589.0 | 956.2 |

Variable: FLU_DAGE3 Type: Numeric Position: 544-547 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #3

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 4087 | 9.5% | 100.0% | 4087 | 19.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 38984 | 90.5% | n/a | 16793 | 80.4% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: FLU_DAGE3 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|--------|--------|-------|--------|--------|
| Completed Household Interviews | 5157.4 | 5203.0 | 204.0 | 6689.0 | 829.9 |
| Adequate Provider Data | 5157.4 | 5203.0 | 204.0 | 6689.0 | 829.9 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU_DAGE4 Type: Numeric Position: 548-551 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #4

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 417 | 1.0% | 100.0% | 417 | 2.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 42654 | 99.0% | n/a | 20463 | 98.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: FLU_DAGE4 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|--------|--------|-------|--------|--------|
| Completed Household Interviews | 5057.5 | 5145.0 | 924.0 | 6533.0 | 894.2 |
| Adequate Provider Data | 5057.5 | 5145.0 | 924.0 | 6533.0 | 894.2 |

Variable: FLU_DAGE5 Type: Numeric Position: 552-555 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #5

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 125 | 0.3% | 100.0% | 125 | 0.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 42946 | 99.7% | n/a | 20755 | 99.4% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: FLU_DAGE5 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|--------|--------|--------|--------|--------|
| Completed Household Interviews | 5011.7 | 5038.0 | 1995.0 | 6522.0 | 837.1 |
| Adequate Provider Data | 5011.7 | 5038.0 | 1995.0 | 6522.0 | 837.1 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU_DAGE6 Type: Numeric Position: 556-559 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #6

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 46 | 0.1% | 100.0% | 46 | 0.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43025 | 99.9% | n/a | 20834 | 99.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: FLU_DAGE6 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDDev |
|--------------------------------|--------|--------|--------|--------|---------|
| Completed Household Interviews | 5104.3 | 4957.5 | 3264.0 | 6463.0 | 796.0 |
| Adequate Provider Data | 5104.3 | 4957.5 | 3264.0 | 6463.0 | 796.0 |

Variable: FLU_DAGE7 Type: Numeric Position: 560-563 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #7

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 17 | 0.0% | 100.0% | 17 | 0.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43054 | 100.0% | n/a | 20863 | 99.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: FLU_DAGE7 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDDev |
|--------------------------------|--------|--------|--------|--------|---------|
| Completed Household Interviews | 5255.4 | 5354.0 | 3612.0 | 6430.0 | 751.3 |
| Adequate Provider Data | 5255.4 | 5354.0 | 3612.0 | 6430.0 | 751.3 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU_DAGE8 Type: Numeric Position: 564-567 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #8

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 9 | 0.0% | 100.0% | 9 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43062 | 100.0% | n/a | 20871 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: FLU_DAGE8 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDDev |
|--------------------------------|--------|--------|--------|--------|---------|
| Completed Household Interviews | 5417.9 | 5733.0 | 4654.0 | 6027.0 | 571.3 |
| Adequate Provider Data | 5417.9 | 5733.0 | 4654.0 | 6027.0 | 571.3 |

Variable: FLU_DAGE9 Type: Numeric Position: 568-571 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #9

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43070 | 100.0% | n/a | 20879 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: FLU_DAGE9 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDDev |
|--------------------------------|--------|--------|--------|--------|---------|
| Completed Household Interviews | 5076.0 | 5076.0 | 5076.0 | 5076.0 | . |
| Adequate Provider Data | 5076.0 | 5076.0 | 5076.0 | 5076.0 | . |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU_MAGE1 Type: Numeric Position: 572-574 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #1

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 11287 | 26.2% | 100.0% | 11287 | 54.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 31784 | 73.8% | n/a | 9593 | 45.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: FLU_MAGE1 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDDev |
|--------------------------------|-------|--------|-----|-------|---------|
| Completed Household Interviews | 147.1 | 152.0 | 0.0 | 219.0 | 35.3 |
| Adequate Provider Data | 147.1 | 152.0 | 0.0 | 219.0 | 35.3 |

Variable: FLU_MAGE2 Type: Numeric Position: 575-577 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #2

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 6962 | 16.2% | 100.0% | 6962 | 33.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 36109 | 83.8% | n/a | 13918 | 66.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: FLU_MAGE2 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDDev |
|--------------------------------|-------|--------|-----|-------|---------|
| Completed Household Interviews | 158.3 | 161.0 | 2.0 | 216.0 | 31.4 |
| Adequate Provider Data | 158.3 | 161.0 | 2.0 | 216.0 | 31.4 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU_MAGE3 Type: Numeric Position: 578-580 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #3

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 4087 | 9.5% | 100.0% | 4087 | 19.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 38984 | 90.5% | n/a | 16793 | 80.4% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: FLU_MAGE3 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|-----|-------|--------|
| Completed Household Interviews | 169.0 | 170.0 | 6.0 | 219.0 | 27.3 |
| Adequate Provider Data | 169.0 | 170.0 | 6.0 | 219.0 | 27.3 |

Variable: FLU_MAGE4 Type: Numeric Position: 581-583 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #4

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 417 | 1.0% | 100.0% | 417 | 2.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 42654 | 99.0% | n/a | 20463 | 98.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: FLU_MAGE4 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|------|-------|--------|
| Completed Household Interviews | 165.7 | 169.0 | 30.0 | 214.0 | 29.4 |
| Adequate Provider Data | 165.7 | 169.0 | 30.0 | 214.0 | 29.4 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU_MAGE5 Type: Numeric Position: 584-586 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #5

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 125 | 0.3% | 100.0% | 125 | 0.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 42946 | 99.7% | n/a | 20755 | 99.4% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: FLU_MAGE5 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDDev |
|--------------------------------|-------|--------|------|-------|---------|
| Completed Household Interviews | 164.2 | 165.0 | 65.0 | 214.0 | 27.5 |
| Adequate Provider Data | 164.2 | 165.0 | 65.0 | 214.0 | 27.5 |

Variable: FLU_MAGE6 Type: Numeric Position: 587-589 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #6

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 46 | 0.1% | 100.0% | 46 | 0.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43025 | 99.9% | n/a | 20834 | 99.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: FLU_MAGE6 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDDev |
|--------------------------------|-------|--------|-------|-------|---------|
| Completed Household Interviews | 167.2 | 162.0 | 107.0 | 212.0 | 26.2 |
| Adequate Provider Data | 167.2 | 162.0 | 107.0 | 212.0 | 26.2 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU_MAGE7 Type: Numeric Position: 590-592 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #7

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 17 | 0.0% | 100.0% | 17 | 0.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43054 | 100.0% | n/a | 20863 | 99.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: FLU_MAGE7 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|-------|-------|--------|
| Completed Household Interviews | 172.1 | 175.0 | 118.0 | 211.0 | 24.7 |
| Adequate Provider Data | 172.1 | 175.0 | 118.0 | 211.0 | 24.7 |

Variable: FLU_MAGE8 Type: Numeric Position: 593-595 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #8

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 9 | 0.0% | 100.0% | 9 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43062 | 100.0% | n/a | 20871 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: FLU_MAGE8 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|-------|-------|--------|
| Completed Household Interviews | 177.4 | 188.0 | 152.0 | 198.0 | 18.9 |
| Adequate Provider Data | 177.4 | 188.0 | 152.0 | 198.0 | 18.9 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU_MAGE9 Type: Numeric Position: 596-598 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #9

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43070 | 100.0% | n/a | 20879 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: FLU_MAGE9 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|-------|-------|--------|
| Completed Household Interviews | 166.0 | 166.0 | 166.0 | 166.0 | . |
| Adequate Provider Data | 166.0 | 166.0 | 166.0 | 166.0 | . |

Variable: FLU_MONTH1 Type: Numeric Position: 599-600 Source: SYNTH SHOT HISTORY

Label: MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #1

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 11287 | 26.2% | 100.0% | 11287 | 54.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 31784 | 73.8% | n/a | 9593 | 45.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU_MONTH2 Type: Numeric Position: 601-602 Source: SYNTH SHOT HISTORY

Label: MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #2

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 6962 | 16.2% | 100.0% | 6962 | 33.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 36109 | 83.8% | n/a | 13918 | 66.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: FLU_MONTH3 Type: Numeric Position: 603-604 Source: SYNTH SHOT HISTORY

Label: MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #3

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 4087 | 9.5% | 100.0% | 4087 | 19.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 38984 | 90.5% | n/a | 16793 | 80.4% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: FLU_MONTH4 Type: Numeric Position: 605-606 Source: SYNTH SHOT HISTORY

Label: MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #4

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 417 | 1.0% | 100.0% | 417 | 2.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 42654 | 99.0% | n/a | 20463 | 98.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU_MONTH5 Type: Numeric Position: 607-608 Source: SYNTH SHOT HISTORY

Label: MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS
#5

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 125 | 0.3% | 100.0% | 125 | 0.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 42946 | 99.7% | n/a | 20755 | 99.4% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: FLU_MONTH6 Type: Numeric Position: 609-610 Source: SYNTH SHOT HISTORY

Label: MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS
#6

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 46 | 0.1% | 100.0% | 46 | 0.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43025 | 99.9% | n/a | 20834 | 99.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: FLU_MONTH7 Type: Numeric Position: 611-612 Source: SYNTH SHOT HISTORY

Label: MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS
#7

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 17 | 0.0% | 100.0% | 17 | 0.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43054 | 100.0% | n/a | 20863 | 99.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU_MONTH8 Type: Numeric Position: 613-614 Source: SYNTH SHOT HISTORY

Label: MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #8

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 9 | 0.0% | 100.0% | 9 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43062 | 100.0% | n/a | 20871 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: FLU_MONTH9 Type: Numeric Position: 615-616 Source: SYNTH SHOT HISTORY

Label: MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #9

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43070 | 100.0% | n/a | 20879 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: FLU_YEAR1 Type: Numeric Position: 617-620 Source: SYNTH SHOT HISTORY

Label: YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #1

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 11287 | 26.2% | 100.0% | 11287 | 54.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 31784 | 73.8% | n/a | 9593 | 45.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU_YEAR2 Type: Numeric Position: 621-624 Source: SYNTH SHOT HISTORY

Label: YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #2

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 6962 | 16.2% | 100.0% | 6962 | 33.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 36109 | 83.8% | n/a | 13918 | 66.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: FLU_YEAR3 Type: Numeric Position: 625-628 Source: SYNTH SHOT HISTORY

Label: YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #3

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 4087 | 9.5% | 100.0% | 4087 | 19.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 38984 | 90.5% | n/a | 16793 | 80.4% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: FLU_YEAR4 Type: Numeric Position: 629-632 Source: SYNTH SHOT HISTORY

Label: YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #4

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 417 | 1.0% | 100.0% | 417 | 2.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 42654 | 99.0% | n/a | 20463 | 98.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU_YEAR5 Type: Numeric Position: 633-636 Source: SYNTH SHOT HISTORY

Label: YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS
#5

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 125 | 0.3% | 100.0% | 125 | 0.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 42946 | 99.7% | n/a | 20755 | 99.4% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: FLU_YEAR6 Type: Numeric Position: 637-640 Source: SYNTH SHOT HISTORY

Label: YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS
#6

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 46 | 0.1% | 100.0% | 46 | 0.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43025 | 99.9% | n/a | 20834 | 99.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: FLU_YEAR7 Type: Numeric Position: 641-644 Source: SYNTH SHOT HISTORY

Label: YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS
#7

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 17 | 0.0% | 100.0% | 17 | 0.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43054 | 100.0% | n/a | 20863 | 99.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU_YEAR8 Type: Numeric Position: 645-648 Source: SYNTH SHOT HISTORY

Label: YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #8

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 9 | 0.0% | 100.0% | 9 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43062 | 100.0% | n/a | 20871 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: FLU_YEAR9 Type: Numeric Position: 649-652 Source: SYNTH SHOT HISTORY

Label: YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #9

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43070 | 100.0% | n/a | 20879 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HEPA_AGE1 Type: Numeric Position: 653-654 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #1

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 15068 | 35.0% | 100.0% | 15068 | 72.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 28003 | 65.0% | n/a | 5812 | 27.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEPA_AGE1 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 7.3 | 7.0 | 0.0 | 18.0 | 4.3 |
| Adequate Provider Data | 7.3 | 7.0 | 0.0 | 18.0 | 4.3 |

Variable: HEPA_AGE2 Type: Numeric Position: 655-656 Source: SYNTH SHOT HISTORY**Label: AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #2****Notes: Reflects vaccinations given both before and after the HH interview date.**

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 13080 | 30.4% | 100.0% | 13080 | 62.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29991 | 69.6% | n/a | 7800 | 37.4% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HEPA_AGE2 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 8.2 | 8.0 | 0.0 | 18.0 | 4.1 |
| Adequate Provider Data | 8.2 | 8.0 | 0.0 | 18.0 | 4.1 |

Variable: HEPA_AGE3 Type: Numeric Position: 657-658 Source: SYNTH SHOT HISTORY**Label: AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #3****Notes: Reflects vaccinations given both before and after the HH interview date.**

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 477 | 1.1% | 100.0% | 477 | 2.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 42594 | 98.9% | n/a | 20403 | 97.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HEPA_AGE3 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 8.6 | 9.0 | 1.0 | 17.0 | 4.0 |
| Adequate Provider Data | 8.6 | 9.0 | 1.0 | 17.0 | 4.0 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEPA_AGE4 Type: Numeric Position: 659-660 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #4

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 44 | 0.1% | 100.0% | 44 | 0.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43027 | 99.9% | n/a | 20836 | 99.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HEPA_AGE4 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 9.7 | 10.5 | 3.0 | 16.0 | 3.9 |
| Adequate Provider Data | 9.7 | 10.5 | 3.0 | 16.0 | 3.9 |

Variable: HEPA_AGE5 Type: Numeric Position: 661-661 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #5

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 2 | 0.0% | 100.0% | 2 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43069 | 100.0% | n/a | 20878 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HEPA_AGE5 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|-----|--------|
| Completed Household Interviews | 6.0 | 6.0 | 5.0 | 7.0 | 1.4 |
| Adequate Provider Data | 6.0 | 6.0 | 5.0 | 7.0 | 1.4 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEPA_AGE6 Type: Numeric Position: 662-662 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #6

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: HEPA_AGE7 Type: Numeric Position: 663-663 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #7

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: HEPA_AGE8 Type: Numeric Position: 664-664 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #8

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEPA_AGE9 Type: Numeric Position: 665-665 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #9

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: HEPA_DAGE1 Type: Numeric Position: 666-669 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #1

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 15068 | 35.0% | 100.0% | 15068 | 72.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 28003 | 65.0% | n/a | 5812 | 27.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HEPA_DAGE1 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|--------|--------|-----|--------|--------|
| Completed Household Interviews | 2807.5 | 2655.0 | 0.0 | 6632.0 | 1591.1 |
| Adequate Provider Data | 2807.5 | 2655.0 | 0.0 | 6632.0 | 1591.1 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEPA_DAGE2 Type: Numeric Position: 670-673 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #2

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 13080 | 30.4% | 100.0% | 13080 | 62.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29991 | 69.6% | n/a | 7800 | 37.4% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HEPA_DAGE2 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|--------|--------|-------|--------|--------|
| Completed Household Interviews | 3168.8 | 3165.0 | 185.0 | 6578.0 | 1515.8 |
| Adequate Provider Data | 3168.8 | 3165.0 | 185.0 | 6578.0 | 1515.8 |

Variable: HEPA_DAGE3 Type: Numeric Position: 674-677 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #3

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 477 | 1.1% | 100.0% | 477 | 2.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 42594 | 98.9% | n/a | 20403 | 97.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HEPA_DAGE3 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|--------|--------|-------|--------|--------|
| Completed Household Interviews | 3287.0 | 3360.0 | 725.0 | 6503.0 | 1463.5 |
| Adequate Provider Data | 3287.0 | 3360.0 | 725.0 | 6503.0 | 1463.5 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEPA_DAGE4 Type: Numeric Position: 678-681 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #4

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 44 | 0.1% | 100.0% | 44 | 0.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43027 | 99.9% | n/a | 20836 | 99.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HEPA_DAGE4 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDDev |
|--------------------------------|--------|--------|--------|--------|---------|
| Completed Household Interviews | 3710.3 | 3942.0 | 1246.0 | 6199.0 | 1435.8 |
| Adequate Provider Data | 3710.3 | 3942.0 | 1246.0 | 6199.0 | 1435.8 |

Variable: HEPA_DAGE5 Type: Numeric Position: 682-685 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #5

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 2 | 0.0% | 100.0% | 2 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43069 | 100.0% | n/a | 20878 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HEPA_DAGE5 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDDev |
|--------------------------------|--------|--------|--------|--------|---------|
| Completed Household Interviews | 2338.0 | 2338.0 | 1966.0 | 2710.0 | 526.1 |
| Adequate Provider Data | 2338.0 | 2338.0 | 1966.0 | 2710.0 | 526.1 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEPA_DAGE6 Type: Numeric Position: 686-686 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #6

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: HEPA_DAGE7 Type: Numeric Position: 687-687 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #7

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: HEPA_DAGE8 Type: Numeric Position: 688-688 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #8

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEPA_DAGE9 Type: Numeric Position: 689-689 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #9

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: HEPA_MAGE1 Type: Numeric Position: 690-692 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #1

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 15068 | 35.0% | 100.0% | 15068 | 72.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 28003 | 65.0% | n/a | 5812 | 27.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HEPA_MAGE1 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDDev |
|--------------------------------|------|--------|-----|-------|---------|
| Completed Household Interviews | 91.8 | 87.0 | 0.0 | 217.0 | 52.3 |
| Adequate Provider Data | 91.8 | 87.0 | 0.0 | 217.0 | 52.3 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEPA_MAGE2 Type: Numeric Position: 693-695 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #2

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 13080 | 30.4% | 100.0% | 13080 | 62.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29991 | 69.6% | n/a | 7800 | 37.4% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HEPA_MAGE2 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|-----|-------|--------|
| Completed Household Interviews | 103.6 | 103.0 | 6.0 | 216.0 | 49.8 |
| Adequate Provider Data | 103.6 | 103.0 | 6.0 | 216.0 | 49.8 |

Variable: HEPA_MAGE3 Type: Numeric Position: 696-698 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #3

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 477 | 1.1% | 100.0% | 477 | 2.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 42594 | 98.9% | n/a | 20403 | 97.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HEPA_MAGE3 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|------|-------|--------|
| Completed Household Interviews | 107.5 | 110.0 | 23.0 | 213.0 | 48.1 |
| Adequate Provider Data | 107.5 | 110.0 | 23.0 | 213.0 | 48.1 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEPA_MAGE4 Type: Numeric Position: 699-701 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #4

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 44 | 0.1% | 100.0% | 44 | 0.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43027 | 99.9% | n/a | 20836 | 99.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HEPA_MAGE4 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|------|-------|--------|
| Completed Household Interviews | 121.4 | 129.0 | 41.0 | 203.0 | 47.2 |
| Adequate Provider Data | 121.4 | 129.0 | 41.0 | 203.0 | 47.2 |

Variable: HEPA_MAGE5 Type: Numeric Position: 702-703 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #5

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 2 | 0.0% | 100.0% | 2 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43069 | 100.0% | n/a | 20878 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HEPA_MAGE5 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|------|------|--------|
| Completed Household Interviews | 76.5 | 76.5 | 64.0 | 89.0 | 17.7 |
| Adequate Provider Data | 76.5 | 76.5 | 64.0 | 89.0 | 17.7 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEPA_MAGE6 Type: Numeric Position: 704-704 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #6

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: HEPA_MAGE7 Type: Numeric Position: 705-705 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #7

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: HEPA_MAGE8 Type: Numeric Position: 706-706 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #8

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEPA_MAGE9 Type: Numeric Position: 707-707 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #9

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: HEPB_AGE1 Type: Numeric Position: 708-709 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #1

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 19710 | 45.8% | 100.0% | 19710 | 94.4% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 23361 | 54.2% | n/a | 1170 | 5.6% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HEPB_AGE1 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 0.4 | 0.0 | 0.0 | 17.0 | 1.9 |
| Adequate Provider Data | 0.4 | 0.0 | 0.0 | 17.0 | 1.9 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEPB_AGE2 Type: Numeric Position: 710-711 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #2

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 19487 | 45.2% | 100.0% | 19487 | 93.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 23584 | 54.8% | n/a | 1393 | 6.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HEPB_AGE2 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 0.4 | 0.0 | 0.0 | 17.0 | 2.0 |
| Adequate Provider Data | 0.4 | 0.0 | 0.0 | 17.0 | 2.0 |

Variable: HEPB_AGE3 Type: Numeric Position: 712-713 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #3

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 19099 | 44.3% | 100.0% | 19099 | 91.5% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 23972 | 55.7% | n/a | 1781 | 8.5% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HEPB_AGE3 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 0.9 | 0.0 | 0.0 | 17.0 | 2.3 |
| Adequate Provider Data | 0.9 | 0.0 | 0.0 | 17.0 | 2.3 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEPB_AGE4 Type: Numeric Position: 714-715 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #4

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 1998 | 4.6% | 100.0% | 1998 | 9.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 41073 | 95.4% | n/a | 18882 | 90.4% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HEPB_AGE4 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 3.2 | 1.0 | 0.0 | 17.0 | 4.2 |
| Adequate Provider Data | 3.2 | 1.0 | 0.0 | 17.0 | 4.2 |

Variable: HEPB_AGE5 Type: Numeric Position: 716-717 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #5

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 220 | 0.5% | 100.0% | 220 | 1.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 42851 | 99.5% | n/a | 20660 | 98.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HEPB_AGE5 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 5.2 | 4.0 | 0.0 | 18.0 | 4.9 |
| Adequate Provider Data | 5.2 | 4.0 | 0.0 | 18.0 | 4.9 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEPB_AGE6 Type: Numeric Position: 718-719 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #6

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 58 | 0.1% | 100.0% | 58 | 0.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43013 | 99.9% | n/a | 20822 | 99.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HEPB_AGE6 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 6.6 | 5.0 | 0.0 | 16.0 | 4.7 |
| Adequate Provider Data | 6.6 | 5.0 | 0.0 | 16.0 | 4.7 |

Variable: HEPB_AGE7 Type: Numeric Position: 720-721 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #7

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 11 | 0.0% | 100.0% | 11 | 0.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43060 | 100.0% | n/a | 20869 | 99.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HEPB_AGE7 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 9.5 | 11.0 | 1.0 | 16.0 | 5.0 |
| Adequate Provider Data | 9.5 | 11.0 | 1.0 | 16.0 | 5.0 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEPB_AGE8 Type: Numeric Position: 722-723 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #8

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43070 | 100.0% | n/a | 20879 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HEPB_AGE8 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|------|------|--------|
| Completed Household Interviews | 12.0 | 12.0 | 12.0 | 12.0 | . |
| Adequate Provider Data | 12.0 | 12.0 | 12.0 | 12.0 | . |

Variable: HEPB_AGE9 Type: Numeric Position: 724-725 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #9

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43070 | 100.0% | n/a | 20879 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HEPB_AGE9 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|------|------|--------|
| Completed Household Interviews | 12.0 | 12.0 | 12.0 | 12.0 | . |
| Adequate Provider Data | 12.0 | 12.0 | 12.0 | 12.0 | . |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEPB_DAGE1 Type: Numeric Position: 726-729 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #1

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 19710 | 45.8% | 100.0% | 19710 | 94.4% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 23361 | 54.2% | n/a | 1170 | 5.6% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HEPB_DAGE1 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|-----|--------|--------|
| Completed Household Interviews | 176.5 | 14.0 | 0.0 | 6450.0 | 720.7 |
| Adequate Provider Data | 176.5 | 14.0 | 0.0 | 6450.0 | 720.7 |

Variable: HEPB_DAGE2 Type: Numeric Position: 730-733 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #2

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 19487 | 45.2% | 100.0% | 19487 | 93.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 23584 | 54.8% | n/a | 1393 | 6.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HEPB_DAGE2 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|------|--------|--------|
| Completed Household Interviews | 263.2 | 104.0 | 15.0 | 6485.0 | 737.8 |
| Adequate Provider Data | 263.2 | 104.0 | 15.0 | 6485.0 | 737.8 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEPB_DAGE3 Type: Numeric Position: 734-737 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #3

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 19099 | 44.3% | 100.0% | 19099 | 91.5% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 23972 | 55.7% | n/a | 1781 | 8.5% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HEPB_DAGE3 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|------|--------|--------|
| Completed Household Interviews | 520.2 | 285.0 | 52.0 | 6529.0 | 822.6 |
| Adequate Provider Data | 520.2 | 285.0 | 52.0 | 6529.0 | 822.6 |

Variable: HEPB_DAGE4 Type: Numeric Position: 738-741 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #4

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 1998 | 4.6% | 100.0% | 1998 | 9.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 41073 | 95.4% | n/a | 18882 | 90.4% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HEPB_DAGE4 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|--------|--------|-------|--------|--------|
| Completed Household Interviews | 1318.0 | 504.0 | 104.0 | 6531.0 | 1544.9 |
| Adequate Provider Data | 1318.0 | 504.0 | 104.0 | 6531.0 | 1544.9 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEPB_DAGE5 Type: Numeric Position: 742-745 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #5

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 220 | 0.5% | 100.0% | 220 | 1.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 42851 | 99.5% | n/a | 20660 | 98.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HEPB_DAGE5 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|--------|--------|-------|--------|--------|
| Completed Household Interviews | 2063.6 | 1496.5 | 122.0 | 6627.0 | 1786.0 |
| Adequate Provider Data | 2063.6 | 1496.5 | 122.0 | 6627.0 | 1786.0 |

Variable: HEPB_DAGE6 Type: Numeric Position: 746-749 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #6

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 58 | 0.1% | 100.0% | 58 | 0.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43013 | 99.9% | n/a | 20822 | 99.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HEPB_DAGE6 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|--------|--------|-------|--------|--------|
| Completed Household Interviews | 2560.1 | 2052.0 | 276.0 | 5948.0 | 1730.4 |
| Adequate Provider Data | 2560.1 | 2052.0 | 276.0 | 5948.0 | 1730.4 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEPB_DAGE7 Type: Numeric Position: 750-753 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #7

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 11 | 0.0% | 100.0% | 11 | 0.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43060 | 100.0% | n/a | 20869 | 99.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HEPB_DAGE7 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|--------|--------|-------|--------|--------|
| Completed Household Interviews | 3664.1 | 4283.0 | 605.0 | 6008.0 | 1824.5 |
| Adequate Provider Data | 3664.1 | 4283.0 | 605.0 | 6008.0 | 1824.5 |

Variable: HEPB_DAGE8 Type: Numeric Position: 754-757 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #8

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43070 | 100.0% | n/a | 20879 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HEPB_DAGE8 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|--------|--------|--------|--------|--------|
| Completed Household Interviews | 4416.0 | 4416.0 | 4416.0 | 4416.0 | . |
| Adequate Provider Data | 4416.0 | 4416.0 | 4416.0 | 4416.0 | . |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEPB_DAGE9 Type: Numeric Position: 758-761 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #9

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43070 | 100.0% | n/a | 20879 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HEPB_DAGE9 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDDev |
|--------------------------------|--------|--------|--------|--------|---------|
| Completed Household Interviews | 4547.0 | 4547.0 | 4547.0 | 4547.0 | . |
| Adequate Provider Data | 4547.0 | 4547.0 | 4547.0 | 4547.0 | . |

Variable: HEPB_MAGE1 Type: Numeric Position: 762-764 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #1

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 19710 | 45.8% | 100.0% | 19710 | 94.4% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 23361 | 54.2% | n/a | 1170 | 5.6% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HEPB_MAGE1 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDDev |
|--------------------------------|------|--------|-----|-------|---------|
| Completed Household Interviews | 5.6 | 0.0 | 0.0 | 211.0 | 23.6 |
| Adequate Provider Data | 5.6 | 0.0 | 0.0 | 211.0 | 23.6 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEPB_MAGE2 Type: Numeric Position: 765-767 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #2

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 19487 | 45.2% | 100.0% | 19487 | 93.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 23584 | 54.8% | n/a | 1393 | 6.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HEPB_MAGE2 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|-------|--------|
| Completed Household Interviews | 8.3 | 3.0 | 0.0 | 213.0 | 24.2 |
| Adequate Provider Data | 8.3 | 3.0 | 0.0 | 213.0 | 24.2 |

Variable: HEPB_MAGE3 Type: Numeric Position: 768-770 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #3

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 19099 | 44.3% | 100.0% | 19099 | 91.5% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 23972 | 55.7% | n/a | 1781 | 8.5% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HEPB_MAGE3 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|-------|--------|
| Completed Household Interviews | 16.7 | 9.0 | 1.0 | 214.0 | 27.0 |
| Adequate Provider Data | 16.7 | 9.0 | 1.0 | 214.0 | 27.0 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEPB_MAGE4 Type: Numeric Position: 771-773 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #4

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 1998 | 4.6% | 100.0% | 1998 | 9.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 41073 | 95.4% | n/a | 18882 | 90.4% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HEPB_MAGE4 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|-------|--------|
| Completed Household Interviews | 42.9 | 16.0 | 3.0 | 214.0 | 50.7 |
| Adequate Provider Data | 42.9 | 16.0 | 3.0 | 214.0 | 50.7 |

Variable: HEPB_MAGE5 Type: Numeric Position: 774-776 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #5

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 220 | 0.5% | 100.0% | 220 | 1.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 42851 | 99.5% | n/a | 20660 | 98.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HEPB_MAGE5 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|-------|--------|
| Completed Household Interviews | 67.4 | 49.0 | 4.0 | 217.0 | 58.6 |
| Adequate Provider Data | 67.4 | 49.0 | 4.0 | 217.0 | 58.6 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEPB_MAGE6 Type: Numeric Position: 777-779 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #6

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 58 | 0.1% | 100.0% | 58 | 0.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43013 | 99.9% | n/a | 20822 | 99.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HEPB_MAGE6 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|-------|--------|
| Completed Household Interviews | 83.7 | 67.0 | 9.0 | 195.0 | 56.8 |
| Adequate Provider Data | 83.7 | 67.0 | 9.0 | 195.0 | 56.8 |

Variable: HEPB_MAGE7 Type: Numeric Position: 780-782 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #7

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 11 | 0.0% | 100.0% | 11 | 0.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43060 | 100.0% | n/a | 20869 | 99.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HEPB_MAGE7 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|------|-------|--------|
| Completed Household Interviews | 119.9 | 140.0 | 19.0 | 197.0 | 59.9 |
| Adequate Provider Data | 119.9 | 140.0 | 19.0 | 197.0 | 59.9 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEPB_MAGE8 Type: Numeric Position: 783-785 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #8

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43070 | 100.0% | n/a | 20879 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HEPB_MAGE8 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|-------|-------|--------|
| Completed Household Interviews | 145.0 | 145.0 | 145.0 | 145.0 | . |
| Adequate Provider Data | 145.0 | 145.0 | 145.0 | 145.0 | . |

Variable: HEPB_MAGE9 Type: Numeric Position: 786-788 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #9

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43070 | 100.0% | n/a | 20879 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HEPB_MAGE9 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|-------|-------|--------|
| Completed Household Interviews | 149.0 | 149.0 | 149.0 | 149.0 | . |
| Adequate Provider Data | 149.0 | 149.0 | 149.0 | 149.0 | . |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HPV_AGE1 Type: Numeric Position: 789-790 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #1

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 12744 | 29.6% | 100.0% | 12744 | 61.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 30327 | 70.4% | n/a | 8136 | 39.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HPV_AGE1 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 12.4 | 12.0 | 0.0 | 18.0 | 1.6 |
| Adequate Provider Data | 12.4 | 12.0 | 0.0 | 18.0 | 1.6 |

Variable: HPV_AGE2 Type: Numeric Position: 791-792 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #2

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 10551 | 24.5% | 100.0% | 10551 | 50.5% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 32520 | 75.5% | n/a | 10329 | 49.5% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HPV_AGE2 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 12.7 | 13.0 | 8.0 | 18.0 | 1.6 |
| Adequate Provider Data | 12.7 | 13.0 | 8.0 | 18.0 | 1.6 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HPV_AGE3 Type: Numeric Position: 793-794 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #3

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 8328 | 19.3% | 100.0% | 8328 | 39.9% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 34743 | 80.7% | n/a | 12552 | 60.1% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HPV_AGE3 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 13.1 | 13.0 | 9.0 | 18.0 | 1.6 |
| Adequate Provider Data | 13.1 | 13.0 | 9.0 | 18.0 | 1.6 |

Variable: HPV_AGE4 Type: Numeric Position: 795-796 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #4

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 132 | 0.3% | 100.0% | 132 | 0.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 42939 | 99.7% | n/a | 20748 | 99.4% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HPV_AGE4 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 14.0 | 14.0 | 9.0 | 17.0 | 1.7 |
| Adequate Provider Data | 14.0 | 14.0 | 9.0 | 17.0 | 1.7 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HPV_AGE5 Type: Numeric Position: 797-798 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #5

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 19 | 0.0% | 100.0% | 19 | 0.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43052 | 100.0% | n/a | 20861 | 99.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HPV_AGE5 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|------|------|--------|
| Completed Household Interviews | 14.2 | 14.0 | 12.0 | 16.0 | 1.5 |
| Adequate Provider Data | 14.2 | 14.0 | 12.0 | 16.0 | 1.5 |

Variable: HPV_AGE6 Type: Numeric Position: 799-800 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #6

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 6 | 0.0% | 100.0% | 6 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43065 | 100.0% | n/a | 20874 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HPV_AGE6 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|------|------|--------|
| Completed Household Interviews | 14.5 | 14.5 | 13.0 | 16.0 | 1.6 |
| Adequate Provider Data | 14.5 | 14.5 | 13.0 | 16.0 | 1.6 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HPV_AGE7 Type: Numeric Position: 801-801 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #7

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: HPV_AGE8 Type: Numeric Position: 802-802 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #8

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: HPV_AGE9 Type: Numeric Position: 803-803 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #9

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HPV_DAGE1 Type: Numeric Position: 804-807 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #1

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 12744 | 29.6% | 100.0% | 12744 | 61.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 30327 | 70.4% | n/a | 8136 | 39.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HPV_DAGE1 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|--------|--------|-------|--------|--------|
| Completed Household Interviews | 4681.4 | 4585.0 | 188.0 | 6632.0 | 586.2 |
| Adequate Provider Data | 4681.4 | 4585.0 | 188.0 | 6632.0 | 586.2 |

Variable: HPV_DAGE2 Type: Numeric Position: 808-811 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #2

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 10551 | 24.5% | 100.0% | 10551 | 50.5% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 32520 | 75.5% | n/a | 10329 | 49.5% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HPV_DAGE2 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|--------|--------|--------|--------|--------|
| Completed Household Interviews | 4824.6 | 4753.0 | 3209.0 | 6610.0 | 570.8 |
| Adequate Provider Data | 4824.6 | 4753.0 | 3209.0 | 6610.0 | 570.8 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HPV_DAGE3 Type: Numeric Position: 812-815 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #3

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 8328 | 19.3% | 100.0% | 8328 | 39.9% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 34743 | 80.7% | n/a | 12552 | 60.1% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HPV_DAGE3 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|--------|--------|--------|--------|--------|
| Completed Household Interviews | 4977.5 | 4906.0 | 3475.0 | 6668.0 | 557.1 |
| Adequate Provider Data | 4977.5 | 4906.0 | 3475.0 | 6668.0 | 557.1 |

Variable: HPV_DAGE4 Type: Numeric Position: 816-819 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #4

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 132 | 0.3% | 100.0% | 132 | 0.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 42939 | 99.7% | n/a | 20748 | 99.4% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HPV_DAGE4 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|--------|--------|--------|--------|--------|
| Completed Household Interviews | 5299.4 | 5365.5 | 3633.0 | 6543.0 | 603.4 |
| Adequate Provider Data | 5299.4 | 5365.5 | 3633.0 | 6543.0 | 603.4 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HPV_DAGE5 Type: Numeric Position: 820-823 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #5

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 19 | 0.0% | 100.0% | 19 | 0.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43052 | 100.0% | n/a | 20861 | 99.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HPV_DAGE5 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|--------|--------|--------|--------|--------|
| Completed Household Interviews | 5345.4 | 5207.0 | 4426.0 | 6162.0 | 550.6 |
| Adequate Provider Data | 5345.4 | 5207.0 | 4426.0 | 6162.0 | 550.6 |

Variable: HPV_DAGE6 Type: Numeric Position: 824-827 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #6

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 6 | 0.0% | 100.0% | 6 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43065 | 100.0% | n/a | 20874 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HPV_DAGE6 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|--------|--------|--------|--------|--------|
| Completed Household Interviews | 5503.8 | 5517.0 | 4785.0 | 6148.0 | 687.1 |
| Adequate Provider Data | 5503.8 | 5517.0 | 4785.0 | 6148.0 | 687.1 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HPV_DAGE7 Type: Numeric Position: 828-828 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #7

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: HPV_DAGE8 Type: Numeric Position: 829-829 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #8

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: HPV_DAGE9 Type: Numeric Position: 830-830 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #9

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HPV_MAGE1 Type: Numeric Position: 831-833 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #1

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 12744 | 29.6% | 100.0% | 12744 | 61.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 30327 | 70.4% | n/a | 8136 | 39.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HPV_MAGE1 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|-----|-------|--------|
| Completed Household Interviews | 153.3 | 150.0 | 6.0 | 217.0 | 19.3 |
| Adequate Provider Data | 153.3 | 150.0 | 6.0 | 217.0 | 19.3 |

Variable: HPV_MAGE2 Type: Numeric Position: 834-836 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #2

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 10551 | 24.5% | 100.0% | 10551 | 50.5% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 32520 | 75.5% | n/a | 10329 | 49.5% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HPV_MAGE2 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|-------|-------|--------|
| Completed Household Interviews | 158.0 | 156.0 | 105.0 | 217.0 | 18.7 |
| Adequate Provider Data | 158.0 | 156.0 | 105.0 | 217.0 | 18.7 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HPV_MAGE3 Type: Numeric Position: 837-839 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #3

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 8328 | 19.3% | 100.0% | 8328 | 39.9% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 34743 | 80.7% | n/a | 12552 | 60.1% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HPV_MAGE3 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|-------|-------|--------|
| Completed Household Interviews | 163.0 | 161.0 | 114.0 | 219.0 | 18.3 |
| Adequate Provider Data | 163.0 | 161.0 | 114.0 | 219.0 | 18.3 |

Variable: HPV_MAGE4 Type: Numeric Position: 840-842 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #4

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 132 | 0.3% | 100.0% | 132 | 0.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 42939 | 99.7% | n/a | 20748 | 99.4% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HPV_MAGE4 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|-------|-------|--------|
| Completed Household Interviews | 173.6 | 175.5 | 119.0 | 214.0 | 19.8 |
| Adequate Provider Data | 173.6 | 175.5 | 119.0 | 214.0 | 19.8 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HPV_MAGE5 Type: Numeric Position: 843-845 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #5

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 19 | 0.0% | 100.0% | 19 | 0.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43052 | 100.0% | n/a | 20861 | 99.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HPV_MAGE5 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|-------|-------|--------|
| Completed Household Interviews | 175.2 | 171.0 | 145.0 | 202.0 | 18.2 |
| Adequate Provider Data | 175.2 | 171.0 | 145.0 | 202.0 | 18.2 |

Variable: HPV_MAGE6 Type: Numeric Position: 846-848 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #6

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 6 | 0.0% | 100.0% | 6 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43065 | 100.0% | n/a | 20874 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: HPV_MAGE6 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|-------|-------|--------|
| Completed Household Interviews | 180.3 | 181.0 | 157.0 | 201.0 | 22.3 |
| Adequate Provider Data | 180.3 | 181.0 | 157.0 | 201.0 | 22.3 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HPV_MAGE7 Type: Numeric Position: 849-849 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #7

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: HPV_MAGE8 Type: Numeric Position: 850-850 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #8

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: HPV_MAGE9 Type: Numeric Position: 851-851 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #9

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MCV_AGE1 Type: Numeric Position: 852-853 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #1

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 19786 | 45.9% | 100.0% | 19786 | 94.8% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 23285 | 54.1% | n/a | 1094 | 5.2% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MCV_AGE1 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 1.4 | 1.0 | 0.0 | 17.0 | 1.8 |
| Adequate Provider Data | 1.4 | 1.0 | 0.0 | 17.0 | 1.8 |

Variable: MCV_AGE2 Type: Numeric Position: 854-855 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #2

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 19127 | 44.4% | 100.0% | 19127 | 91.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 23944 | 55.6% | n/a | 1753 | 8.4% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MCV_AGE2 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 4.7 | 4.0 | 0.0 | 17.0 | 1.8 |
| Adequate Provider Data | 4.7 | 4.0 | 0.0 | 17.0 | 1.8 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MCV_AGE3 Type: Numeric Position: 856-857 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #3

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 610 | 1.4% | 100.0% | 610 | 2.9% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 42461 | 98.6% | n/a | 20270 | 97.1% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MCV_AGE3 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 7.0 | 5.0 | 0.0 | 17.0 | 3.7 |
| Adequate Provider Data | 7.0 | 5.0 | 0.0 | 17.0 | 3.7 |

Variable: MCV_AGE4 Type: Numeric Position: 858-859 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #4

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 58 | 0.1% | 100.0% | 58 | 0.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43013 | 99.9% | n/a | 20822 | 99.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MCV_AGE4 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 8.2 | 7.0 | 1.0 | 16.0 | 3.9 |
| Adequate Provider Data | 8.2 | 7.0 | 1.0 | 16.0 | 3.9 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MCV_AGE5 Type: Numeric Position: 860-861 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #5

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 4 | 0.0% | 100.0% | 4 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43067 | 100.0% | n/a | 20876 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MCV_AGE5 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 10.3 | 10.5 | 4.0 | 16.0 | 4.9 |
| Adequate Provider Data | 10.3 | 10.5 | 4.0 | 16.0 | 4.9 |

Variable: MCV_AGE6 Type: Numeric Position: 862-862 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #6

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MCV_AGE7 Type: Numeric Position: 863-863 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #7

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: MCV_AGE8 Type: Numeric Position: 864-864 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #8

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: MCV_AGE9 Type: Numeric Position: 865-865 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #9

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MCV_DAGE1 Type: Numeric Position: 866-869 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #1

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 19786 | 45.9% | 100.0% | 19786 | 94.8% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 23285 | 54.1% | n/a | 1094 | 5.2% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MCV_DAGE1 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|-----|--------|--------|
| Completed Household Interviews | 591.9 | 406.0 | 0.0 | 6341.0 | 679.9 |
| Adequate Provider Data | 591.9 | 406.0 | 0.0 | 6341.0 | 679.9 |

Variable: MCV_DAGE2 Type: Numeric Position: 870-873 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #2

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 19127 | 44.4% | 100.0% | 19127 | 91.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 23944 | 55.6% | n/a | 1753 | 8.4% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MCV_DAGE2 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|--------|--------|-------|--------|--------|
| Completed Household Interviews | 1816.9 | 1724.0 | 123.0 | 6450.0 | 677.3 |
| Adequate Provider Data | 1816.9 | 1724.0 | 123.0 | 6450.0 | 677.3 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MCV_DAGE3 Type: Numeric Position: 874-877 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #3

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 610 | 1.4% | 100.0% | 610 | 2.9% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 42461 | 98.6% | n/a | 20270 | 97.1% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MCV_DAGE3 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|--------|--------|-------|--------|--------|
| Completed Household Interviews | 2709.9 | 2055.5 | 186.0 | 6503.0 | 1357.5 |
| Adequate Provider Data | 2709.9 | 2055.5 | 186.0 | 6503.0 | 1357.5 |

Variable: MCV_DAGE4 Type: Numeric Position: 878-881 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #4

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 58 | 0.1% | 100.0% | 58 | 0.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43013 | 99.9% | n/a | 20822 | 99.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MCV_DAGE4 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|--------|--------|-------|--------|--------|
| Completed Household Interviews | 3147.8 | 2732.0 | 655.0 | 5867.0 | 1376.4 |
| Adequate Provider Data | 3147.8 | 2732.0 | 655.0 | 5867.0 | 1376.4 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MCV_DAGE5 Type: Numeric Position: 882-885 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #5

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 4 | 0.0% | 100.0% | 4 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43067 | 100.0% | n/a | 20876 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MCV_DAGE5 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDDev |
|--------------------------------|--------|--------|--------|--------|---------|
| Completed Household Interviews | 3877.8 | 3921.5 | 1646.0 | 6022.0 | 1792.1 |
| Adequate Provider Data | 3877.8 | 3921.5 | 1646.0 | 6022.0 | 1792.1 |

Variable: MCV_DAGE6 Type: Numeric Position: 886-886 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #6

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MCV_DAGE7 Type: Numeric Position: 887-887 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #7

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: MCV_DAGE8 Type: Numeric Position: 888-888 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #8

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: MCV_DAGE9 Type: Numeric Position: 889-889 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #9

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MCV_MAGE1 Type: Numeric Position: 890-892 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #1

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 19786 | 45.9% | 100.0% | 19786 | 94.8% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 23285 | 54.1% | n/a | 1094 | 5.2% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MCV_MAGE1 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|-------|--------|
| Completed Household Interviews | 19.1 | 13.0 | 0.0 | 208.0 | 22.3 |
| Adequate Provider Data | 19.1 | 13.0 | 0.0 | 208.0 | 22.3 |

Variable: MCV_MAGE2 Type: Numeric Position: 893-895 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #2

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 19127 | 44.4% | 100.0% | 19127 | 91.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 23944 | 55.6% | n/a | 1753 | 8.4% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MCV_MAGE2 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|-------|--------|
| Completed Household Interviews | 59.3 | 56.0 | 4.0 | 211.0 | 22.2 |
| Adequate Provider Data | 59.3 | 56.0 | 4.0 | 211.0 | 22.2 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MCV_MAGE3 Type: Numeric Position: 896-898 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #3

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 610 | 1.4% | 100.0% | 610 | 2.9% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 42461 | 98.6% | n/a | 20270 | 97.1% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MCV_MAGE3 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|-------|--------|
| Completed Household Interviews | 88.6 | 67.0 | 6.0 | 213.0 | 44.6 |
| Adequate Provider Data | 88.6 | 67.0 | 6.0 | 213.0 | 44.6 |

Variable: MCV_MAGE4 Type: Numeric Position: 899-901 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #4

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 58 | 0.1% | 100.0% | 58 | 0.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43013 | 99.9% | n/a | 20822 | 99.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MCV_MAGE4 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|------|-------|--------|
| Completed Household Interviews | 103.0 | 89.0 | 21.0 | 192.0 | 45.2 |
| Adequate Provider Data | 103.0 | 89.0 | 21.0 | 192.0 | 45.2 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MCV_MAGE5 Type: Numeric Position: 902-904 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #5

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 4 | 0.0% | 100.0% | 4 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43067 | 100.0% | n/a | 20876 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MCV_MAGE5 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|------|-------|--------|
| Completed Household Interviews | 127.0 | 128.5 | 54.0 | 197.0 | 58.6 |
| Adequate Provider Data | 127.0 | 128.5 | 54.0 | 197.0 | 58.6 |

Variable: MCV_MAGE6 Type: Numeric Position: 905-905 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #6

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MCV_MAGE7 Type: Numeric Position: 906-906 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #7

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: MCV_MAGE8 Type: Numeric Position: 907-907 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #8

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: MCV_MAGE9 Type: Numeric Position: 908-908 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #9

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MEN_AGE1 Type: Numeric Position: 909-910 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #1

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 17369 | 40.3% | 100.0% | 17369 | 83.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 25702 | 59.7% | n/a | 3511 | 16.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MEN_AGE1 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 11.6 | 11.0 | 0.0 | 18.0 | 1.3 |
| Adequate Provider Data | 11.6 | 11.0 | 0.0 | 18.0 | 1.3 |

Variable: MEN_AGE2 Type: Numeric Position: 911-912 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #2

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 3051 | 7.1% | 100.0% | 3051 | 14.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 40020 | 92.9% | n/a | 17829 | 85.4% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MEN_AGE2 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 15.7 | 16.0 | 0.0 | 18.0 | 1.5 |
| Adequate Provider Data | 15.7 | 16.0 | 0.0 | 18.0 | 1.5 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MEN_AGE3 Type: Numeric Position: 913-914 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #3

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 52 | 0.1% | 100.0% | 52 | 0.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43019 | 99.9% | n/a | 20828 | 99.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MEN_AGE3 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 15.0 | 16.0 | 0.0 | 17.0 | 2.7 |
| Adequate Provider Data | 15.0 | 16.0 | 0.0 | 17.0 | 2.7 |

Variable: MEN_AGE4 Type: Numeric Position: 915-916 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #4

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 3 | 0.0% | 100.0% | 3 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43068 | 100.0% | n/a | 20877 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MEN_AGE4 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 9.7 | 12.0 | 1.0 | 16.0 | 7.8 |
| Adequate Provider Data | 9.7 | 12.0 | 1.0 | 16.0 | 7.8 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MEN_AGE5 Type: Numeric Position: 917-918 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #5

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43070 | 100.0% | n/a | 20879 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MEN_AGE5 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|------|------|--------|
| Completed Household Interviews | 13.0 | 13.0 | 13.0 | 13.0 | . |
| Adequate Provider Data | 13.0 | 13.0 | 13.0 | 13.0 | . |

Variable: MEN_AGE6 Type: Numeric Position: 919-919 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #6

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MEN_AGE7 Type: Numeric Position: 920-920 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #7

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: MEN_AGE8 Type: Numeric Position: 921-921 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #8

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: MEN_AGE9 Type: Numeric Position: 922-922 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #9

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MEN_DAGE1 Type: Numeric Position: 923-926 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #1

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 17369 | 40.3% | 100.0% | 17369 | 83.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 25702 | 59.7% | n/a | 3511 | 16.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MEN_DAGE1 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|--------|--------|------|--------|--------|
| Completed Household Interviews | 4386.1 | 4284.0 | 59.0 | 6632.0 | 492.9 |
| Adequate Provider Data | 4386.1 | 4284.0 | 59.0 | 6632.0 | 492.9 |

Variable: MEN_DAGE2 Type: Numeric Position: 927-930 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #2

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 3051 | 7.1% | 100.0% | 3051 | 14.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 40020 | 92.9% | n/a | 17829 | 85.4% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MEN_DAGE2 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|--------|--------|-------|--------|--------|
| Completed Household Interviews | 5868.7 | 5959.0 | 118.0 | 6621.0 | 536.7 |
| Adequate Provider Data | 5868.7 | 5959.0 | 118.0 | 6621.0 | 536.7 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MEN_DAGE3 Type: Numeric Position: 931-934 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #3

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 52 | 0.1% | 100.0% | 52 | 0.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43019 | 99.9% | n/a | 20828 | 99.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MEN_DAGE3 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|--------|--------|-------|--------|--------|
| Completed Household Interviews | 5611.4 | 5944.0 | 188.0 | 6389.0 | 980.5 |
| Adequate Provider Data | 5611.4 | 5944.0 | 188.0 | 6389.0 | 980.5 |

Variable: MEN_DAGE4 Type: Numeric Position: 935-938 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #4

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 3 | 0.0% | 100.0% | 3 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43068 | 100.0% | n/a | 20877 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MEN_DAGE4 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|--------|--------|-------|--------|--------|
| Completed Household Interviews | 3678.3 | 4490.0 | 459.0 | 6086.0 | 2900.0 |
| Adequate Provider Data | 3678.3 | 4490.0 | 459.0 | 6086.0 | 2900.0 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MEN_DAGE5 Type: Numeric Position: 939-942 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #5

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43070 | 100.0% | n/a | 20879 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MEN_DAGE5 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDDev |
|--------------------------------|--------|--------|--------|--------|---------|
| Completed Household Interviews | 4854.0 | 4854.0 | 4854.0 | 4854.0 | . |
| Adequate Provider Data | 4854.0 | 4854.0 | 4854.0 | 4854.0 | . |

Variable: MEN_DAGE6 Type: Numeric Position: 943-943 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #6

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MEN_DAGE7 Type: Numeric Position: 944-944 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #7

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: MEN_DAGE8 Type: Numeric Position: 945-945 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #8

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: MEN_DAGE9 Type: Numeric Position: 946-946 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #9

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MEN_MAGE1 Type: Numeric Position: 947-949 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #1

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 17369 | 40.3% | 100.0% | 17369 | 83.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 25702 | 59.7% | n/a | 3511 | 16.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MEN_MAGE1 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|-----|-------|--------|
| Completed Household Interviews | 143.6 | 140.0 | 1.0 | 217.0 | 16.2 |
| Adequate Provider Data | 143.6 | 140.0 | 1.0 | 217.0 | 16.2 |

Variable: MEN_MAGE2 Type: Numeric Position: 950-952 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #2

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 3051 | 7.1% | 100.0% | 3051 | 14.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 40020 | 92.9% | n/a | 17829 | 85.4% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MEN_MAGE2 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|-----|-------|--------|
| Completed Household Interviews | 192.3 | 195.0 | 3.0 | 217.0 | 17.6 |
| Adequate Provider Data | 192.3 | 195.0 | 3.0 | 217.0 | 17.6 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MEN_MAGE3 Type: Numeric Position: 953-955 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #3

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 52 | 0.1% | 100.0% | 52 | 0.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43019 | 99.9% | n/a | 20828 | 99.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MEN_MAGE3 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|-----|-------|--------|
| Completed Household Interviews | 183.9 | 195.0 | 6.0 | 209.0 | 32.2 |
| Adequate Provider Data | 183.9 | 195.0 | 6.0 | 209.0 | 32.2 |

Variable: MEN_MAGE4 Type: Numeric Position: 956-958 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #4

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 3 | 0.0% | 100.0% | 3 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43068 | 100.0% | n/a | 20877 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MEN_MAGE4 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|------|-------|--------|
| Completed Household Interviews | 120.3 | 147.0 | 15.0 | 199.0 | 94.9 |
| Adequate Provider Data | 120.3 | 147.0 | 15.0 | 199.0 | 94.9 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MEN_MAGE5 Type: Numeric Position: 959-961 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #5

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43070 | 100.0% | n/a | 20879 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MEN_MAGE5 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|-------|-------|--------|
| Completed Household Interviews | 159.0 | 159.0 | 159.0 | 159.0 | . |
| Adequate Provider Data | 159.0 | 159.0 | 159.0 | 159.0 | . |

Variable: MEN_MAGE6 Type: Numeric Position: 962-962 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #6

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MEN_MAGE7 Type: Numeric Position: 963-963 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #7

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: MEN_MAGE8 Type: Numeric Position: 964-964 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #8

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: MEN_MAGE9 Type: Numeric Position: 965-965 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #9

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MENB_AGE1 Type: Numeric Position: 966-967 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #1

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 566 | 1.3% | 100.0% | 566 | 2.7% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 42505 | 98.7% | n/a | 20314 | 97.3% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MENB_AGE1 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 15.3 | 16.0 | 0.0 | 18.0 | 2.3 |
| Adequate Provider Data | 15.3 | 16.0 | 0.0 | 18.0 | 2.3 |

Variable: MENB_AGE2 Type: Numeric Position: 968-969 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #2

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 156 | 0.4% | 100.0% | 156 | 0.7% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 42915 | 99.6% | n/a | 20724 | 99.3% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MENB_AGE2 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 15.6 | 16.0 | 0.0 | 17.0 | 2.3 |
| Adequate Provider Data | 15.6 | 16.0 | 0.0 | 17.0 | 2.3 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MENB_AGE3 Type: Numeric Position: 970-971 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #3

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 22 | 0.1% | 100.0% | 22 | 0.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43049 | 99.9% | n/a | 20858 | 99.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MENB_AGE3 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 14.4 | 15.5 | 0.0 | 17.0 | 3.7 |
| Adequate Provider Data | 14.4 | 15.5 | 0.0 | 17.0 | 3.7 |

Variable: MENB_AGE4 Type: Numeric Position: 972-972 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #4

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MENB_AGE5 Type: Numeric Position: 973-973 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #5

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: MENB_AGE6 Type: Numeric Position: 974-974 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #6

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: MENB_AGE7 Type: Numeric Position: 975-975 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #7

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MENB_AGE8 Type: Numeric Position: 976-976 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #8

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: MENB_AGE9 Type: Numeric Position: 977-977 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #9

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: MENB_DAGE1 Type: Numeric Position: 978-981 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #1

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 566 | 1.3% | 100.0% | 566 | 2.7% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 42505 | 98.7% | n/a | 20314 | 97.3% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MENB_DAGE1 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|--------|--------|------|--------|--------|
| Completed Household Interviews | 5734.0 | 5998.5 | 47.0 | 6625.0 | 855.6 |
| Adequate Provider Data | 5734.0 | 5998.5 | 47.0 | 6625.0 | 855.6 |

Variable: MENB_DAGE2 Type: Numeric Position: 982-985 Source: SYNTH SHOT HISTORY**Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #2****Notes: Reflects vaccinations given both before and after the HH interview date.**

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 156 | 0.4% | 100.0% | 156 | 0.7% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 42915 | 99.6% | n/a | 20724 | 99.3% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MENB_DAGE2 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|--------|--------|-------|--------|--------|
| Completed Household Interviews | 5883.0 | 6079.0 | 106.0 | 6558.0 | 841.8 |
| Adequate Provider Data | 5883.0 | 6079.0 | 106.0 | 6558.0 | 841.8 |

Variable: MENB_DAGE3 Type: Numeric Position: 986-989 Source: SYNTH SHOT HISTORY**Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #3****Notes: Reflects vaccinations given both before and after the HH interview date.**

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 22 | 0.1% | 100.0% | 22 | 0.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43049 | 99.9% | n/a | 20858 | 99.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MENB_DAGE3 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|--------|--------|-------|--------|--------|
| Completed Household Interviews | 5413.6 | 5717.0 | 189.0 | 6534.0 | 1347.9 |
| Adequate Provider Data | 5413.6 | 5717.0 | 189.0 | 6534.0 | 1347.9 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MENB_DAGE4 Type: Numeric Position: 990-990 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #4

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: MENB_DAGE5 Type: Numeric Position: 991-991 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #5

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: MENB_DAGE6 Type: Numeric Position: 992-992 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #6

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MENB_DAGE7 Type: Numeric Position: 993-993 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #7

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: MENB_DAGE8 Type: Numeric Position: 994-994 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #8

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: MENB_DAGE9 Type: Numeric Position: 995-995 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #9

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MENB_MAGE1 Type: Numeric Position: 996-998 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #1

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 566 | 1.3% | 100.0% | 566 | 2.7% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 42505 | 98.7% | n/a | 20314 | 97.3% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MENB_MAGE1 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|-----|-------|--------|
| Completed Household Interviews | 187.9 | 197.0 | 1.0 | 217.0 | 28.1 |
| Adequate Provider Data | 187.9 | 197.0 | 1.0 | 217.0 | 28.1 |

Variable: MENB_MAGE2 Type: Numeric Position: 999-1001 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #2

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 156 | 0.4% | 100.0% | 156 | 0.7% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 42915 | 99.6% | n/a | 20724 | 99.3% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MENB_MAGE2 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|-----|-------|--------|
| Completed Household Interviews | 192.8 | 199.0 | 3.0 | 215.0 | 27.7 |
| Adequate Provider Data | 192.8 | 199.0 | 3.0 | 215.0 | 27.7 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MENB_MAGE3 Type: Numeric Position: 1002-1004 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #3

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 22 | 0.1% | 100.0% | 22 | 0.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43049 | 99.9% | n/a | 20858 | 99.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MENB_MAGE3 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|-----|-------|--------|
| Completed Household Interviews | 177.4 | 187.5 | 6.0 | 214.0 | 44.2 |
| Adequate Provider Data | 177.4 | 187.5 | 6.0 | 214.0 | 44.2 |

Variable: MENB_MAGE4 Type: Numeric Position: 1005-1005 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #4

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MENB_MAGE5 Type: Numeric Position: 1006-1006 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #5

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: MENB_MAGE6 Type: Numeric Position: 1007-1007 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #6

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: MENB_MAGE7 Type: Numeric Position: 1008-1008 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #7

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MENB_MAGE8 Type: Numeric Position: 1009-1009 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #8

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: MENB_MAGE9 Type: Numeric Position: 1010-1010 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #9

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: MENU_AGE1 Type: Numeric Position: 1011-1012 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #1

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 238 | 0.6% | 100.0% | 238 | 1.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 42833 | 99.4% | n/a | 20642 | 98.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MENU_AGE1 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 11.4 | 11.0 | 0.0 | 17.0 | 2.3 |
| Adequate Provider Data | 11.4 | 11.0 | 0.0 | 17.0 | 2.3 |

Variable: MENU_AGE2 Type: Numeric Position: 1013-1014 Source: SYNTH SHOT HISTORY**Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #2****Notes: Reflects vaccinations given both before and after the HH interview date.**

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 26 | 0.1% | 100.0% | 26 | 0.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43045 | 99.9% | n/a | 20854 | 99.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MENU_AGE2 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 14.0 | 16.0 | 0.0 | 17.0 | 4.1 |
| Adequate Provider Data | 14.0 | 16.0 | 0.0 | 17.0 | 4.1 |

Variable: MENU_AGE3 Type: Numeric Position: 1015-1016 Source: SYNTH SHOT HISTORY**Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #3****Notes: Reflects vaccinations given both before and after the HH interview date.**

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 5 | 0.0% | 100.0% | 5 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43066 | 100.0% | n/a | 20875 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MENU_AGE3 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 9.0 | 10.0 | 0.0 | 15.0 | 5.5 |
| Adequate Provider Data | 9.0 | 10.0 | 0.0 | 15.0 | 5.5 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MENU_AGE4 Type: Numeric Position: 1017-1017 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #4

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: MENU_AGE5 Type: Numeric Position: 1018-1018 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #5

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: MENU_AGE6 Type: Numeric Position: 1019-1019 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #6

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MENU_AGE7 Type: Numeric Position: 1020-1020 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #7

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: MENU_AGE8 Type: Numeric Position: 1021-1021 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #8

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: MENU_AGE9 Type: Numeric Position: 1022-1022 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #9

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MENU_DAGE1 Type: Numeric Position: 1023-1026 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #1

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 238 | 0.6% | 100.0% | 238 | 1.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 42833 | 99.4% | n/a | 20642 | 98.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MENU_DAGE1 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|--------|--------|------|--------|--------|
| Completed Household Interviews | 4301.8 | 4241.0 | 55.0 | 6425.0 | 846.4 |
| Adequate Provider Data | 4301.8 | 4241.0 | 55.0 | 6425.0 | 846.4 |

Variable: MENU_DAGE2 Type: Numeric Position: 1027-1030 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #2

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 26 | 0.1% | 100.0% | 26 | 0.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43045 | 99.9% | n/a | 20854 | 99.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MENU_DAGE2 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|--------|--------|-------|--------|--------|
| Completed Household Interviews | 5203.1 | 5873.5 | 111.0 | 6351.0 | 1471.2 |
| Adequate Provider Data | 5203.1 | 5873.5 | 111.0 | 6351.0 | 1471.2 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MENU_DAGE3 Type: Numeric Position: 1031-1034 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #3

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 5 | 0.0% | 100.0% | 5 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43066 | 100.0% | n/a | 20875 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MENU_DAGE3 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|--------|--------|-------|--------|--------|
| Completed Household Interviews | 3451.2 | 3777.0 | 146.0 | 5722.0 | 2027.3 |
| Adequate Provider Data | 3451.2 | 3777.0 | 146.0 | 5722.0 | 2027.3 |

Variable: MENU_DAGE4 Type: Numeric Position: 1035-1035 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #4

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MENU_DAGE5 Type: Numeric Position: 1036-1036 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #5

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: MENU_DAGE6 Type: Numeric Position: 1037-1037 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #6

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: MENU_DAGE7 Type: Numeric Position: 1038-1038 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #7

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MENU_DAGE8 Type: Numeric Position: 1039-1039 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #8

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: MENU_DAGE9 Type: Numeric Position: 1040-1040 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #9

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: MENU_MAGE1 Type: Numeric Position: 1041-1043 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #1

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 238 | 0.6% | 100.0% | 238 | 1.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 42833 | 99.4% | n/a | 20642 | 98.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MENU_MAGE1 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|-----|-------|--------|
| Completed Household Interviews | 140.9 | 139.0 | 1.0 | 211.0 | 27.8 |
| Adequate Provider Data | 140.9 | 139.0 | 1.0 | 211.0 | 27.8 |

Variable: MENU_MAGE2 Type: Numeric Position: 1044-1046 Source: SYNTH SHOT HISTORY**Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #2****Notes: Reflects vaccinations given both before and after the HH interview date.**

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 26 | 0.1% | 100.0% | 26 | 0.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43045 | 99.9% | n/a | 20854 | 99.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MENU_MAGE2 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|-----|-------|--------|
| Completed Household Interviews | 170.5 | 192.5 | 3.0 | 208.0 | 48.4 |
| Adequate Provider Data | 170.5 | 192.5 | 3.0 | 208.0 | 48.4 |

Variable: MENU_MAGE3 Type: Numeric Position: 1047-1049 Source: SYNTH SHOT HISTORY**Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #3****Notes: Reflects vaccinations given both before and after the HH interview date.**

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 5 | 0.0% | 100.0% | 5 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43066 | 100.0% | n/a | 20875 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: MENU_MAGE3 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|-----|-------|--------|
| Completed Household Interviews | 112.8 | 124.0 | 4.0 | 187.0 | 66.6 |
| Adequate Provider Data | 112.8 | 124.0 | 4.0 | 187.0 | 66.6 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MENU_MAGE4 Type: Numeric Position: 1050-1050 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #4

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: MENU_MAGE5 Type: Numeric Position: 1051-1051 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #5

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: MENU_MAGE6 Type: Numeric Position: 1052-1052 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #6

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MENU_MAGE7 Type: Numeric Position: 1053-1053 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #7

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: MENU_MAGE8 Type: Numeric Position: 1054-1054 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #8

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: MENU_MAGE9 Type: Numeric Position: 1055-1055 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #9

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PPS_AGE1 Type: Numeric Position: 1056-1057 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #1

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 3355 | 7.8% | 100.0% | 3355 | 16.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 39716 | 92.2% | n/a | 17525 | 83.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: PPS_AGE1 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 1.0 | 0.0 | 0.0 | 17.0 | 2.4 |
| Adequate Provider Data | 1.0 | 0.0 | 0.0 | 17.0 | 2.4 |

Variable: PPS_AGE2 Type: Numeric Position: 1058-1059 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #2

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 2584 | 6.0% | 100.0% | 2584 | 12.4% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 40487 | 94.0% | n/a | 18296 | 87.6% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: PPS_AGE2 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 0.9 | 0.0 | 0.0 | 17.0 | 1.8 |
| Adequate Provider Data | 0.9 | 0.0 | 0.0 | 17.0 | 1.8 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PPS_AGE3 Type: Numeric Position: 1060-1061 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #3

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 152 | 0.4% | 100.0% | 152 | 0.7% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 42919 | 99.6% | n/a | 20728 | 99.3% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: PPS_AGE3 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDDev |
|--------------------------------|------|--------|-----|------|---------|
| Completed Household Interviews | 1.1 | 0.0 | 0.0 | 15.0 | 2.5 |
| Adequate Provider Data | 1.1 | 0.0 | 0.0 | 15.0 | 2.5 |

Variable: PPS_AGE4 Type: Numeric Position: 1062-1063 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #4

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 52 | 0.1% | 100.0% | 52 | 0.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43019 | 99.9% | n/a | 20828 | 99.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: PPS_AGE4 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDDev |
|--------------------------------|------|--------|-----|------|---------|
| Completed Household Interviews | 1.6 | 1.0 | 0.0 | 10.0 | 1.5 |
| Adequate Provider Data | 1.6 | 1.0 | 0.0 | 10.0 | 1.5 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PPS_AGE5 Type: Numeric Position: 1064-1064 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #5

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: PPS_AGE6 Type: Numeric Position: 1065-1065 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #6

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: PPS_AGE7 Type: Numeric Position: 1066-1066 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #7

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PPS_AGE8 Type: Numeric Position: 1067-1067 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #8

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: PPS_AGE9 Type: Numeric Position: 1068-1068 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #9

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: PPS_DAGE1 Type: Numeric Position: 1069-1072 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #1

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 3355 | 7.8% | 100.0% | 3355 | 16.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 39716 | 92.2% | n/a | 17525 | 83.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PPS_DAGE1 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|-----|--------|--------|
| Completed Household Interviews | 481.9 | 189.0 | 0.0 | 6410.0 | 876.0 |
| Adequate Provider Data | 481.9 | 189.0 | 0.0 | 6410.0 | 876.0 |

Variable: PPS_DAGE2 Type: Numeric Position: 1073-1076 Source: SYNTH SHOT HISTORY**Label: AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #2****Notes: Reflects vaccinations given both before and after the HH interview date.**

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 2584 | 6.0% | 100.0% | 2584 | 12.4% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 40487 | 94.0% | n/a | 18296 | 87.6% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: PPS_DAGE2 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|------|--------|--------|
| Completed Household Interviews | 462.3 | 292.5 | 66.0 | 6369.0 | 651.1 |
| Adequate Provider Data | 462.3 | 292.5 | 66.0 | 6369.0 | 651.1 |

Variable: PPS_DAGE3 Type: Numeric Position: 1077-1080 Source: SYNTH SHOT HISTORY**Label: AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #3****Notes: Reflects vaccinations given both before and after the HH interview date.**

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 152 | 0.4% | 100.0% | 152 | 0.7% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 42919 | 99.6% | n/a | 20728 | 99.3% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: PPS_DAGE3 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|-------|--------|--------|
| Completed Household Interviews | 575.7 | 309.5 | 134.0 | 5530.0 | 892.5 |
| Adequate Provider Data | 575.7 | 309.5 | 134.0 | 5530.0 | 892.5 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PPS_DAGE4 Type: Numeric Position: 1081-1084 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #4

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 52 | 0.1% | 100.0% | 52 | 0.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43019 | 99.9% | n/a | 20828 | 99.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: PPS_DAGE4 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|-------|--------|--------|
| Completed Household Interviews | 695.5 | 523.0 | 305.0 | 3898.0 | 568.1 |
| Adequate Provider Data | 695.5 | 523.0 | 305.0 | 3898.0 | 568.1 |

Variable: PPS_DAGE5 Type: Numeric Position: 1085-1085 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #5

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PPS_DAGE6 Type: Numeric Position: 1086-1086 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #6

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: PPS_DAGE7 Type: Numeric Position: 1087-1087 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #7

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: PPS_DAGE8 Type: Numeric Position: 1088-1088 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #8

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PPS_DAGE9 Type: Numeric Position: 1089-1089 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #9

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: PPS_MAGE1 Type: Numeric Position: 1090-1092 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #1

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 3355 | 7.8% | 100.0% | 3355 | 16.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 39716 | 92.2% | n/a | 17525 | 83.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: PPS_MAGE1 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDDev |
|--------------------------------|------|--------|-----|-------|---------|
| Completed Household Interviews | 15.4 | 6.0 | 0.0 | 210.0 | 28.8 |
| Adequate Provider Data | 15.4 | 6.0 | 0.0 | 210.0 | 28.8 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PPS_MAGE2 Type: Numeric Position: 1093-1095 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #2

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 2584 | 6.0% | 100.0% | 2584 | 12.4% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 40487 | 94.0% | n/a | 18296 | 87.6% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: PPS_MAGE2 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|-------|--------|
| Completed Household Interviews | 14.8 | 9.0 | 2.0 | 209.0 | 21.4 |
| Adequate Provider Data | 14.8 | 9.0 | 2.0 | 209.0 | 21.4 |

Variable: PPS_MAGE3 Type: Numeric Position: 1096-1098 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #3

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 152 | 0.4% | 100.0% | 152 | 0.7% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 42919 | 99.6% | n/a | 20728 | 99.3% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: PPS_MAGE3 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|-------|--------|
| Completed Household Interviews | 18.5 | 10.0 | 4.0 | 181.0 | 29.3 |
| Adequate Provider Data | 18.5 | 10.0 | 4.0 | 181.0 | 29.3 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PPS_MAGE4 Type: Numeric Position: 1099-1101 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #4

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 52 | 0.1% | 100.0% | 52 | 0.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43019 | 99.9% | n/a | 20828 | 99.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: PPS_MAGE4 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|------|-------|--------|
| Completed Household Interviews | 22.5 | 16.5 | 10.0 | 128.0 | 18.7 |
| Adequate Provider Data | 22.5 | 16.5 | 10.0 | 128.0 | 18.7 |

Variable: PPS_MAGE5 Type: Numeric Position: 1102-1102 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #5

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PPS_MAGE6 Type: Numeric Position: 1103-1103 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #6

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: PPS_MAGE7 Type: Numeric Position: 1104-1104 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #7

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: PPS_MAGE8 Type: Numeric Position: 1105-1105 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #8

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PPS_MAGE9 Type: Numeric Position: 1106-1106 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #9

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: TDP_AGE1 Type: Numeric Position: 1107-1108 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #1

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 19158 | 44.5% | 100.0% | 19158 | 91.8% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 23913 | 55.5% | n/a | 1722 | 8.2% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: TDP_AGE1 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 11.3 | 11.0 | 1.0 | 18.0 | 1.1 |
| Adequate Provider Data | 11.3 | 11.0 | 1.0 | 18.0 | 1.1 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: TDP_AGE2 Type: Numeric Position: 1109-1110 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #2

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 1053 | 2.4% | 100.0% | 1053 | 5.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 42018 | 97.6% | n/a | 19827 | 95.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: TDP_AGE2 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 12.8 | 13.0 | 4.0 | 18.0 | 2.2 |
| Adequate Provider Data | 12.8 | 13.0 | 4.0 | 18.0 | 2.2 |

Variable: TDP_AGE3 Type: Numeric Position: 1111-1112 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #3

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 238 | 0.6% | 100.0% | 238 | 1.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 42833 | 99.4% | n/a | 20642 | 98.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: TDP_AGE3 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 12.7 | 13.0 | 7.0 | 17.0 | 2.3 |
| Adequate Provider Data | 12.7 | 13.0 | 7.0 | 17.0 | 2.3 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: TDP_AGE4 Type: Numeric Position: 1113-1114 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #4

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 41 | 0.1% | 100.0% | 41 | 0.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43030 | 99.9% | n/a | 20839 | 99.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: TDP_AGE4 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 12.6 | 13.0 | 7.0 | 17.0 | 2.0 |
| Adequate Provider Data | 12.6 | 13.0 | 7.0 | 17.0 | 2.0 |

Variable: TDP_AGE5 Type: Numeric Position: 1115-1116 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #5

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 7 | 0.0% | 100.0% | 7 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43064 | 100.0% | n/a | 20873 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: TDP_AGE5 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 12.6 | 12.0 | 8.0 | 16.0 | 2.5 |
| Adequate Provider Data | 12.6 | 12.0 | 8.0 | 16.0 | 2.5 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: TDP_AGE6 Type: Numeric Position: 1117-1118 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #6

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 3 | 0.0% | 100.0% | 3 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43068 | 100.0% | n/a | 20877 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: TDP_AGE6 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|------|------|--------|
| Completed Household Interviews | 13.7 | 13.0 | 12.0 | 16.0 | 2.1 |
| Adequate Provider Data | 13.7 | 13.0 | 12.0 | 16.0 | 2.1 |

Variable: TDP_AGE7 Type: Numeric Position: 1119-1120 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #7

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43070 | 100.0% | n/a | 20879 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: TDP_AGE7 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|------|------|--------|
| Completed Household Interviews | 15.0 | 15.0 | 15.0 | 15.0 | . |
| Adequate Provider Data | 15.0 | 15.0 | 15.0 | 15.0 | . |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: TDP_AGE8 Type: Numeric Position: 1121-1121 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #8

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: TDP_AGE9 Type: Numeric Position: 1122-1122 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #9

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: TDP_DAGE1 Type: Numeric Position: 1123-1126 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #1

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 19158 | 44.5% | 100.0% | 19158 | 91.8% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 23913 | 55.5% | n/a | 1722 | 8.2% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: TDP_DAGE1 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|--------|--------|-------|--------|--------|
| Completed Household Interviews | 4283.7 | 4221.0 | 380.0 | 6576.0 | 401.2 |
| Adequate Provider Data | 4283.7 | 4221.0 | 380.0 | 6576.0 | 401.2 |

Variable: TDP_DAGE2 Type: Numeric Position: 1127-1130 Source: SYNTH SHOT HISTORY**Label: AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #2****Notes: Reflects vaccinations given both before and after the HH interview date.**

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 1053 | 2.4% | 100.0% | 1053 | 5.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 42018 | 97.6% | n/a | 19827 | 95.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: TDP_DAGE2 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|--------|--------|--------|--------|--------|
| Completed Household Interviews | 4842.8 | 4750.0 | 1478.0 | 6621.0 | 805.0 |
| Adequate Provider Data | 4842.8 | 4750.0 | 1478.0 | 6621.0 | 805.0 |

Variable: TDP_DAGE3 Type: Numeric Position: 1131-1134 Source: SYNTH SHOT HISTORY**Label: AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #3****Notes: Reflects vaccinations given both before and after the HH interview date.**

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 238 | 0.6% | 100.0% | 238 | 1.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 42833 | 99.4% | n/a | 20642 | 98.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: TDP_DAGE3 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|--------|--------|--------|--------|--------|
| Completed Household Interviews | 4805.9 | 4785.0 | 2717.0 | 6455.0 | 830.5 |
| Adequate Provider Data | 4805.9 | 4785.0 | 2717.0 | 6455.0 | 830.5 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: TDP_DAGE4 Type: Numeric Position: 1135-1138 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #4

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 41 | 0.1% | 100.0% | 41 | 0.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43030 | 99.9% | n/a | 20839 | 99.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: TDP_DAGE4 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDDev |
|--------------------------------|--------|--------|--------|--------|---------|
| Completed Household Interviews | 4768.7 | 4774.0 | 2806.0 | 6240.0 | 700.7 |
| Adequate Provider Data | 4768.7 | 4774.0 | 2806.0 | 6240.0 | 700.7 |

Variable: TDP_DAGE5 Type: Numeric Position: 1139-1142 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #5

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 7 | 0.0% | 100.0% | 7 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43064 | 100.0% | n/a | 20873 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: TDP_DAGE5 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDDev |
|--------------------------------|--------|--------|--------|--------|---------|
| Completed Household Interviews | 4763.1 | 4728.0 | 2990.0 | 6126.0 | 983.7 |
| Adequate Provider Data | 4763.1 | 4728.0 | 2990.0 | 6126.0 | 983.7 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: TDP_DAGE6 Type: Numeric Position: 1143-1146 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #6

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 3 | 0.0% | 100.0% | 3 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43068 | 100.0% | n/a | 20877 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: TDP_DAGE6 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDDev |
|--------------------------------|--------|--------|--------|--------|---------|
| Completed Household Interviews | 5167.7 | 4777.0 | 4564.0 | 6162.0 | 867.7 |
| Adequate Provider Data | 5167.7 | 4777.0 | 4564.0 | 6162.0 | 867.7 |

Variable: TDP_DAGE7 Type: Numeric Position: 1147-1150 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #7

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43070 | 100.0% | n/a | 20879 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: TDP_DAGE7 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDDev |
|--------------------------------|--------|--------|--------|--------|---------|
| Completed Household Interviews | 5499.0 | 5499.0 | 5499.0 | 5499.0 | . |
| Adequate Provider Data | 5499.0 | 5499.0 | 5499.0 | 5499.0 | . |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: TDP_DAGE8 Type: Numeric Position: 1151-1151 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #8

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: TDP_DAGE9 Type: Numeric Position: 1152-1152 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #9

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: TDP_MAGE1 Type: Numeric Position: 1153-1155 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #1

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 19158 | 44.5% | 100.0% | 19158 | 91.8% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 23913 | 55.5% | n/a | 1722 | 8.2% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: TDP_MAGE1 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|------|-------|--------|
| Completed Household Interviews | 140.3 | 138.0 | 12.0 | 216.0 | 13.2 |
| Adequate Provider Data | 140.3 | 138.0 | 12.0 | 216.0 | 13.2 |

Variable: TDP_MAGE2 Type: Numeric Position: 1156-1158 Source: SYNTH SHOT HISTORY**Label: AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #2****Notes: Reflects vaccinations given both before and after the HH interview date.**

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 1053 | 2.4% | 100.0% | 1053 | 5.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 42018 | 97.6% | n/a | 19827 | 95.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: TDP_MAGE2 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|------|-------|--------|
| Completed Household Interviews | 158.6 | 156.0 | 48.0 | 217.0 | 26.4 |
| Adequate Provider Data | 158.6 | 156.0 | 48.0 | 217.0 | 26.4 |

Variable: TDP_MAGE3 Type: Numeric Position: 1159-1161 Source: SYNTH SHOT HISTORY**Label: AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #3****Notes: Reflects vaccinations given both before and after the HH interview date.**

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 238 | 0.6% | 100.0% | 238 | 1.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 42833 | 99.4% | n/a | 20642 | 98.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: TDP_MAGE3 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|------|-------|--------|
| Completed Household Interviews | 157.4 | 157.0 | 89.0 | 212.0 | 27.3 |
| Adequate Provider Data | 157.4 | 157.0 | 89.0 | 212.0 | 27.3 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: TDP_MAGE4 Type: Numeric Position: 1162-1164 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #4

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 41 | 0.1% | 100.0% | 41 | 0.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43030 | 99.9% | n/a | 20839 | 99.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: TDP_MAGE4 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|------|-------|--------|
| Completed Household Interviews | 156.3 | 156.0 | 92.0 | 205.0 | 23.0 |
| Adequate Provider Data | 156.3 | 156.0 | 92.0 | 205.0 | 23.0 |

Variable: TDP_MAGE5 Type: Numeric Position: 1165-1167 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #5

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 7 | 0.0% | 100.0% | 7 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43064 | 100.0% | n/a | 20873 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: TDP_MAGE5 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|------|-------|--------|
| Completed Household Interviews | 156.1 | 155.0 | 98.0 | 201.0 | 32.3 |
| Adequate Provider Data | 156.1 | 155.0 | 98.0 | 201.0 | 32.3 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: TDP_MAGE6 Type: Numeric Position: 1168-1170 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #6

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 3 | 0.0% | 100.0% | 3 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43068 | 100.0% | n/a | 20877 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: TDP_MAGE6 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|-------|-------|--------|
| Completed Household Interviews | 169.0 | 156.0 | 149.0 | 202.0 | 28.8 |
| Adequate Provider Data | 169.0 | 156.0 | 149.0 | 202.0 | 28.8 |

Variable: TDP_MAGE7 Type: Numeric Position: 1171-1173 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #7

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43070 | 100.0% | n/a | 20879 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: TDP_MAGE7 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|-------|-------|--------|
| Completed Household Interviews | 180.0 | 180.0 | 180.0 | 180.0 | . |
| Adequate Provider Data | 180.0 | 180.0 | 180.0 | 180.0 | . |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: TDP_MAGE8 Type: Numeric Position: 1174-1174 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #8

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: TDP_MAGE9 Type: Numeric Position: 1175-1175 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #9

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: VRC_AGE1 Type: Numeric Position: 1176-1177 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #1

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 19185 | 44.5% | 100.0% | 19185 | 91.9% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 23886 | 55.5% | n/a | 1695 | 8.1% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC_AGE1 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 2.0 | 1.0 | 0.0 | 17.0 | 2.6 |
| Adequate Provider Data | 2.0 | 1.0 | 0.0 | 17.0 | 2.6 |

Variable: VRC_AGE2 Type: Numeric Position: 1178-1179 Source: SYNTH SHOT HISTORY**Label: AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #2****Notes: Reflects vaccinations given both before and after the HH interview date.**

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 17100 | 39.7% | 100.0% | 17100 | 81.9% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 25971 | 60.3% | n/a | 3780 | 18.1% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: VRC_AGE2 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 7.8 | 8.0 | 0.0 | 18.0 | 3.1 |
| Adequate Provider Data | 7.8 | 8.0 | 0.0 | 18.0 | 3.1 |

Variable: VRC_AGE3 Type: Numeric Position: 1180-1181 Source: SYNTH SHOT HISTORY**Label: AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #3****Notes: Reflects vaccinations given both before and after the HH interview date.**

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 584 | 1.4% | 100.0% | 584 | 2.8% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 42487 | 98.6% | n/a | 20296 | 97.2% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: VRC_AGE3 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 9.2 | 10.0 | 1.0 | 17.0 | 3.3 |
| Adequate Provider Data | 9.2 | 10.0 | 1.0 | 17.0 | 3.3 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC_AGE4 Type: Numeric Position: 1182-1183 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #4

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 44 | 0.1% | 100.0% | 44 | 0.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43027 | 99.9% | n/a | 20836 | 99.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: VRC_AGE4 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|------|--------|
| Completed Household Interviews | 9.3 | 9.0 | 4.0 | 15.0 | 3.1 |
| Adequate Provider Data | 9.3 | 9.0 | 4.0 | 15.0 | 3.1 |

Variable: VRC_AGE5 Type: Numeric Position: 1184-1185 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #5

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 4 | 0.0% | 100.0% | 4 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43067 | 100.0% | n/a | 20876 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: VRC_AGE5 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|------|------|--------|
| Completed Household Interviews | 10.3 | 10.0 | 10.0 | 11.0 | 0.5 |
| Adequate Provider Data | 10.3 | 10.0 | 10.0 | 11.0 | 0.5 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC_AGE6 Type: Numeric Position: 1186-1186 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #6

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: VRC_AGE7 Type: Numeric Position: 1187-1187 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #7

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: VRC_AGE8 Type: Numeric Position: 1188-1188 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #8

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC_AGE9 Type: Numeric Position: 1189-1189 Source: SYNTH SHOT HISTORY

Label: AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #9

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: VRC_DAGE1 Type: Numeric Position: 1190-1193 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #1

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 19185 | 44.5% | 100.0% | 19185 | 91.9% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 23886 | 55.5% | n/a | 1695 | 8.1% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: VRC_DAGE1 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|------|--------|--------|
| Completed Household Interviews | 791.6 | 399.0 | 25.0 | 6503.0 | 988.0 |
| Adequate Provider Data | 791.6 | 399.0 | 25.0 | 6503.0 | 988.0 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC_DAGE2 Type: Numeric Position: 1194-1197 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #2

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 17100 | 39.7% | 100.0% | 17100 | 81.9% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 25971 | 60.3% | n/a | 3780 | 18.1% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: VRC_DAGE2 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|--------|--------|-------|--------|--------|
| Completed Household Interviews | 3012.7 | 2924.0 | 125.0 | 6629.0 | 1157.8 |
| Adequate Provider Data | 3012.7 | 2924.0 | 125.0 | 6629.0 | 1157.8 |

Variable: VRC_DAGE3 Type: Numeric Position: 1198-1201 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #3

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 584 | 1.4% | 100.0% | 584 | 2.8% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 42487 | 98.6% | n/a | 20296 | 97.2% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: VRC_DAGE3 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|--------|--------|-------|--------|--------|
| Completed Household Interviews | 3524.3 | 3655.5 | 476.0 | 6320.0 | 1201.9 |
| Adequate Provider Data | 3524.3 | 3655.5 | 476.0 | 6320.0 | 1201.9 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC_DAGE4 Type: Numeric Position: 1202-1205 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #4

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 44 | 0.1% | 100.0% | 44 | 0.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43027 | 99.9% | n/a | 20836 | 99.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: VRC_DAGE4 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|--------|--------|--------|--------|--------|
| Completed Household Interviews | 3551.5 | 3543.5 | 1525.0 | 5536.0 | 1114.1 |
| Adequate Provider Data | 3551.5 | 3543.5 | 1525.0 | 5536.0 | 1114.1 |

Variable: VRC_DAGE5 Type: Numeric Position: 1206-1209 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #5

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 4 | 0.0% | 100.0% | 4 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43067 | 100.0% | n/a | 20876 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: VRC_DAGE5 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|--------|--------|--------|--------|--------|
| Completed Household Interviews | 3882.0 | 3869.0 | 3759.0 | 4031.0 | 131.0 |
| Adequate Provider Data | 3882.0 | 3869.0 | 3759.0 | 4031.0 | 131.0 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC_DAGE6 Type: Numeric Position: 1210-1210 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #6

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: VRC_DAGE7 Type: Numeric Position: 1211-1211 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #7

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: VRC_DAGE8 Type: Numeric Position: 1212-1212 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #8

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC_DAGE9 Type: Numeric Position: 1213-1213 Source: SYNTH SHOT HISTORY

Label: AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #9

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: VRC_MAGE1 Type: Numeric Position: 1214-1216 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #1

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 19185 | 44.5% | 100.0% | 19185 | 91.9% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 23886 | 55.5% | n/a | 1695 | 8.1% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: VRC_MAGE1 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|-------|--------|
| Completed Household Interviews | 25.6 | 13.0 | 0.0 | 213.0 | 32.4 |
| Adequate Provider Data | 25.6 | 13.0 | 0.0 | 213.0 | 32.4 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC_MAGE2 Type: Numeric Position: 1217-1219 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #2

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 17100 | 39.7% | 100.0% | 17100 | 81.9% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 25971 | 60.3% | n/a | 3780 | 18.1% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: VRC_MAGE2 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|------|--------|-----|-------|--------|
| Completed Household Interviews | 98.5 | 96.0 | 4.0 | 217.0 | 38.0 |
| Adequate Provider Data | 98.5 | 96.0 | 4.0 | 217.0 | 38.0 |

Variable: VRC_MAGE3 Type: Numeric Position: 1220-1222 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #3

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 584 | 1.4% | 100.0% | 584 | 2.8% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 42487 | 98.6% | n/a | 20296 | 97.2% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: VRC_MAGE3 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|------|-------|--------|
| Completed Household Interviews | 115.3 | 120.0 | 15.0 | 207.0 | 39.5 |
| Adequate Provider Data | 115.3 | 120.0 | 15.0 | 207.0 | 39.5 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC_MAGE4 Type: Numeric Position: 1223-1225 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #4

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 44 | 0.1% | 100.0% | 44 | 0.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43027 | 99.9% | n/a | 20836 | 99.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: VRC_MAGE4 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|------|-------|--------|
| Completed Household Interviews | 116.2 | 115.5 | 50.0 | 181.0 | 36.6 |
| Adequate Provider Data | 116.2 | 115.5 | 50.0 | 181.0 | 36.6 |

Variable: VRC_MAGE5 Type: Numeric Position: 1226-1228 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #5

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VALID RESPONSES: | | 4 | 0.0% | 100.0% | 4 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43067 | 100.0% | n/a | 20876 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: VRC_MAGE5 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|--------------------------------|-------|--------|-------|-------|--------|
| Completed Household Interviews | 127.0 | 126.5 | 123.0 | 132.0 | 4.2 |
| Adequate Provider Data | 127.0 | 126.5 | 123.0 | 132.0 | 4.2 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC_MAGE6 Type: Numeric Position: 1229-1229 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #6

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: VRC_MAGE7 Type: Numeric Position: 1230-1230 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #7

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: VRC_MAGE8 Type: Numeric Position: 1231-1231 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #8

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC_MAGE9 Type: Numeric Position: 1232-1232 Source: SYNTH SHOT HISTORY

Label: AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #9

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: XFLUTY1 Type: Character Position: 1233-1234 Source: SYNTH SHOT HISTORY

Label: SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #1 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|--|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SEASONAL FLU-CONTAINING, UNKNOWN SUBTYPE | FL | 892 | 2.1% | 7.9% | 892 | 4.3% | 7.9% |
| SEASONAL FLUMIST | FM | 3237 | 7.5% | 28.7% | 3237 | 15.5% | 28.7% |
| INJECTED SEASONAL FLU, OTHER/UNKNOWN SUBTYPE | FN | 7134 | 16.6% | 63.2% | 7134 | 34.2% | 63.2% |
| SEASONAL FLUVIRIN | FV | 11 | 0.0% | 0.1% | 11 | 0.1% | 0.1% |
| SEASONAL FLUZONE | FZ | 13 | 0.0% | 0.1% | 13 | 0.1% | 0.1% |
| SUBTOTALS: | | 11287 | 26.2% | 100.0% | 11287 | 54.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 31784 | 73.8% | n/a | 9593 | 45.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XFLUTY2 Type: Character Position: 1235-1236 Source: SYNTH SHOT HISTORY

Label: SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #2 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|--|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SEASONAL FLU-CONTAINING, UNKNOWN SUBTYPE | FL | 435 | 1.0% | 6.2% | 435 | 2.1% | 6.2% |
| SEASONAL FLUMIST | FM | 2043 | 4.7% | 29.3% | 2043 | 9.8% | 29.3% |
| INJECTED SEASONAL FLU, OTHER/UNKNOWN SUBTYPE | FN | 4469 | 10.4% | 64.2% | 4469 | 21.4% | 64.2% |
| SEASONAL FLUVIRIN | FV | 4 | 0.0% | 0.1% | 4 | 0.0% | 0.1% |
| SEASONAL FLUZONE | FZ | 11 | 0.0% | 0.2% | 11 | 0.1% | 0.2% |
| SUBTOTALS: | | 6962 | 16.2% | 100.0% | 6962 | 33.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 36109 | 83.8% | n/a | 13918 | 66.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: XFLUTY3 Type: Character Position: 1237-1238 Source: SYNTH SHOT HISTORY

Label: SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #3 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|--|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SEASONAL FLU-CONTAINING, UNKNOWN SUBTYPE | FL | 218 | 0.5% | 5.3% | 218 | 1.0% | 5.3% |
| SEASONAL FLUMIST | FM | 885 | 2.1% | 21.7% | 885 | 4.2% | 21.7% |
| INJECTED SEASONAL FLU, OTHER/UNKNOWN SUBTYPE | FN | 2974 | 6.9% | 72.8% | 2974 | 14.2% | 72.8% |
| SEASONAL FLUVIRIN | FV | 4 | 0.0% | 0.1% | 4 | 0.0% | 0.1% |
| SEASONAL FLUZONE | FZ | 6 | 0.0% | 0.1% | 6 | 0.0% | 0.1% |
| SUBTOTALS: | | 4087 | 9.5% | 100.0% | 4087 | 19.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 38984 | 90.5% | n/a | 16793 | 80.4% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XFLUTY4 Type: Character Position: 1239-1240 Source: SYNTH SHOT HISTORY

Label: SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #4 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|--|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SEASONAL FLU-CONTAINING, UNKNOWN SUBTYPE | FL | 65 | 0.2% | 15.6% | 65 | 0.3% | 15.6% |
| SEASONAL FLUMIST | FM | 89 | 0.2% | 21.3% | 89 | 0.4% | 21.3% |
| INJECTED SEASONAL FLU, OTHER/UNKNOWN SUBTYPE | FN | 257 | 0.6% | 61.6% | 257 | 1.2% | 61.6% |
| SEASONAL FLUVIRIN | FV | 1 | 0.0% | 0.2% | 1 | 0.0% | 0.2% |
| SEASONAL FLUZONE | FZ | 5 | 0.0% | 1.2% | 5 | 0.0% | 1.2% |
| SUBTOTALS: | | 417 | 1.0% | 100.0% | 417 | 2.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 42654 | 99.0% | n/a | 20463 | 98.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: XFLUTY5 Type: Character Position: 1241-1242 Source: SYNTH SHOT HISTORY

Label: SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #5 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|--|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SEASONAL FLU-CONTAINING, UNKNOWN SUBTYPE | FL | 19 | 0.0% | 15.2% | 19 | 0.1% | 15.2% |
| SEASONAL FLUMIST | FM | 26 | 0.1% | 20.8% | 26 | 0.1% | 20.8% |
| INJECTED SEASONAL FLU, OTHER/UNKNOWN SUBTYPE | FN | 75 | 0.2% | 60.0% | 75 | 0.4% | 60.0% |
| SEASONAL FLUVIRIN | FV | 1 | 0.0% | 0.8% | 1 | 0.0% | 0.8% |
| SEASONAL FLUZONE | FZ | 4 | 0.0% | 3.2% | 4 | 0.0% | 3.2% |
| SUBTOTALS: | | 125 | 0.3% | 100.0% | 125 | 0.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 42946 | 99.7% | n/a | 20755 | 99.4% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XFLUTY6 Type: Character Position: 1243-1244 Source: SYNTH SHOT HISTORY

Label: SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #6 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|--|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SEASONAL FLU-CONTAINING, UNKNOWN SUBTYPE | FL | 6 | 0.0% | 13.0% | 6 | 0.0% | 13.0% |
| SEASONAL FLUMIST | FM | 7 | 0.0% | 15.2% | 7 | 0.0% | 15.2% |
| INJECTED SEASONAL FLU, OTHER/UNKNOWN SUBTYPE | FN | 31 | 0.1% | 67.4% | 31 | 0.1% | 67.4% |
| SEASONAL FLUZONE | FZ | 2 | 0.0% | 4.3% | 2 | 0.0% | 4.3% |
| SUBTOTALS: | | 46 | 0.1% | 100.0% | 46 | 0.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43025 | 99.9% | n/a | 20834 | 99.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: XFLUTY7 Type: Character Position: 1245-1246 Source: SYNTH SHOT HISTORY

Label: SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #7 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|--|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SEASONAL FLU-CONTAINING, UNKNOWN SUBTYPE | FL | 2 | 0.0% | 11.8% | 2 | 0.0% | 11.8% |
| SEASONAL FLUMIST | FM | 2 | 0.0% | 11.8% | 2 | 0.0% | 11.8% |
| INJECTED SEASONAL FLU, OTHER/UNKNOWN SUBTYPE | FN | 13 | 0.0% | 76.5% | 13 | 0.1% | 76.5% |
| SUBTOTALS: | | 17 | 0.0% | 100.0% | 17 | 0.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43054 | 100.0% | n/a | 20863 | 99.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XFLUTY8 Type: Character Position: 1247-1248 Source: SYNTH SHOT HISTORY

Label: SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #8 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|--|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SEASONAL FLU-CONTAINING, UNKNOWN SUBTYPE | FL | 1 | 0.0% | 11.1% | 1 | 0.0% | 11.1% |
| SEASONAL FLUMIST | FM | 3 | 0.0% | 33.3% | 3 | 0.0% | 33.3% |
| INJECTED SEASONAL FLU, OTHER/UNKNOWN SUBTYPE | FN | 5 | 0.0% | 55.6% | 5 | 0.0% | 55.6% |
| SUBTOTALS: | | 9 | 0.0% | 100.0% | 9 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43062 | 100.0% | n/a | 20871 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: XFLUTY9 Type: Character Position: 1249-1250 Source: SYNTH SHOT HISTORY

Label: SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #9 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|--|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| INJECTED SEASONAL FLU, OTHER/UNKNOWN SUBTYPE | FN | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| SUBTOTALS: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43070 | 100.0% | n/a | 20879 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPATY1 Type: Character Position: 1251-1252 Source: SYNTH SHOT HISTORY

Label: HEPATITIS A-CONTAINING VACCINATION #1 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|--|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| HEPATITIS A-CONTAINING, UNKNOWN SUBTYPE | HA | 57 | 0.1% | 0.4% | 57 | 0.3% | 0.4% |
| HEPATITIS A-ONLY (HAVRIX OR VAQTA) | HO | 15011 | 34.9% | 99.6% | 15011 | 71.9% | 99.6% |
| SUBTOTALS: | | 15068 | 35.0% | 100.0% | 15068 | 72.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 28003 | 65.0% | n/a | 5812 | 27.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: XHEPATY2 Type: Character Position: 1253-1254 Source: SYNTH SHOT HISTORY

Label: HEPATITIS A-CONTAINING VACCINATION #2 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|--|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| HEPATITIS A-CONTAINING, UNKNOWN SUBTYPE | HA | 52 | 0.1% | 0.4% | 52 | 0.2% | 0.4% |
| HEPATITIS A-ONLY (HAVRIX OR VAQTA) | HO | 13028 | 30.2% | 99.6% | 13028 | 62.4% | 99.6% |
| SUBTOTALS: | | 13080 | 30.4% | 100.0% | 13080 | 62.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 29991 | 69.6% | n/a | 7800 | 37.4% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPATY3 Type: Character Position: 1255-1256 Source: SYNTH SHOT HISTORY

Label: HEPATITIS A-CONTAINING VACCINATION #3 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|--|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| HEPATITIS A-CONTAINING, UNKNOWN SUBTYPE | HA | 5 | 0.0% | 1.0% | 5 | 0.0% | 1.0% |
| HEPATITIS A-ONLY (HAVRIX OR VAQTA) | HO | 472 | 1.1% | 99.0% | 472 | 2.3% | 99.0% |
| SUBTOTALS: | | 477 | 1.1% | 100.0% | 477 | 2.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 42594 | 98.9% | n/a | 20403 | 97.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: XHEPATY4 Type: Character Position: 1257-1258 Source: SYNTH SHOT HISTORY

Label: HEPATITIS A-CONTAINING VACCINATION #4 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|--|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| HEPATITIS A-CONTAINING, UNKNOWN SUBTYPE | HA | 9 | 0.0% | 20.5% | 9 | 0.0% | 20.5% |
| HEPATITIS A-ONLY (HAVRIX OR VAQTA) | HO | 35 | 0.1% | 79.5% | 35 | 0.2% | 79.5% |
| SUBTOTALS: | | 44 | 0.1% | 100.0% | 44 | 0.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43027 | 99.9% | n/a | 20836 | 99.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPATY5 Type: Character Position: 1259-1260 Source: SYNTH SHOT HISTORY

Label: HEPATITIS A-CONTAINING VACCINATION #5 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|---------------------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| HEPATITIS A-ONLY (HAVRIX OR VAQTA) | HO | 2 | 0.0% | 100.0% | 2 | 0.0% | 100.0% |
| SUBTOTALS: | | 2 | 0.0% | 100.0% | 2 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43069 | 100.0% | n/a | 20878 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: XHEPATY6 Type: Character Position: 1261-1261 Source: SYNTH SHOT HISTORY

Label: HEPATITIS A-CONTAINING VACCINATION #6 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: XHEPATY7 Type: Character Position: 1262-1262 Source: SYNTH SHOT HISTORY

Label: HEPATITIS A-CONTAINING VACCINATION #7 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPATY8 Type: Character Position: 1263-1263 Source: SYNTH SHOT HISTORY

Label: HEPATITIS A-CONTAINING VACCINATION #8 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: XHEPATY9 Type: Character Position: 1264-1264 Source: SYNTH SHOT HISTORY

Label: HEPATITIS A-CONTAINING VACCINATION #9 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: XHEPBTY1 Type: Character Position: 1265-1266 Source: SYNTH SHOT HISTORY

Label: HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|---|-------|--------------------------------|-------|-------------------------|------------------------|-------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| HEPB-HIB | 43 | 2127 | 4.9% | 10.8% | 2127 | 10.2% | 10.8% |
| 0.5 ML RECOMBIVAX | 61 | 1332 | 3.1% | 6.8% | 1332 | 6.4% | 6.8% |
| 1.0 ML RECOMBIVAX | 62 | 16 | 0.0% | 0.1% | 16 | 0.1% | 0.1% |
| ENGERIX | 63 | 806 | 1.9% | 4.1% | 806 | 3.9% | 4.1% |
| HEPATITIS B-ONLY, UNKNOWN SUBTYPE CHECKED | 64 | 15224 | 35.3% | 77.2% | 15224 | 72.9% | 77.2% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPBTY1 Type: Character Position: 1265-1266 Source: SYNTH SHOT HISTORY

Label: HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|--|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| HEPATITIS B-CONTAINING, UNKNOWN SUBTYPE | HB | 205 | 0.5% | 1.0% | 205 | 1.0% | 1.0% |
| SUBTOTALS: | | 19710 | 45.8% | 100.0% | 19710 | 94.4% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 23361 | 54.2% | n/a | 1170 | 5.6% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: XHEPBTY2 Type: Character Position: 1267-1268 Source: SYNTH SHOT HISTORY

Label: HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|---|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| HEPB-HIB | 43 | 3082 | 7.2% | 15.8% | 3082 | 14.8% | 15.8% |
| 0.5 ML RECOMBIVAX | 61 | 1598 | 3.7% | 8.2% | 1598 | 7.7% | 8.2% |
| 1.0 ML RECOMBIVAX | 62 | 18 | 0.0% | 0.1% | 18 | 0.1% | 0.1% |
| ENGERIX | 63 | 941 | 2.2% | 4.8% | 941 | 4.5% | 4.8% |
| HEPATITIS B-ONLY, UNKNOWN SUBTYPE CHECKED | 64 | 13619 | 31.6% | 69.9% | 13619 | 65.2% | 69.9% |
| HEPATITIS B-CONTAINING, UNKNOWN SUBTYPE | HB | 229 | 0.5% | 1.2% | 229 | 1.1% | 1.2% |
| SUBTOTALS: | | 19487 | 45.2% | 100.0% | 19487 | 93.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 23584 | 54.8% | n/a | 1393 | 6.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPBTY3 Type: Character Position: 1269-1270 Source: SYNTH SHOT HISTORY

Label: HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|---|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| HEPB-HIB | 43 | 2777 | 6.4% | 14.5% | 2777 | 13.3% | 14.5% |
| 0.5 ML RECOMBIVAX | 61 | 1644 | 3.8% | 8.6% | 1644 | 7.9% | 8.6% |
| 1.0 ML RECOMBIVAX | 62 | 21 | 0.0% | 0.1% | 21 | 0.1% | 0.1% |
| ENGERIX | 63 | 1008 | 2.3% | 5.3% | 1008 | 4.8% | 5.3% |
| HEPATITIS B-ONLY, UNKNOWN SUBTYPE CHECKED | 64 | 13384 | 31.1% | 70.1% | 13384 | 64.1% | 70.1% |
| HEPATITIS B-CONTAINING, UNKNOWN SUBTYPE | HB | 265 | 0.6% | 1.4% | 265 | 1.3% | 1.4% |
| SUBTOTALS: | | 19099 | 44.3% | 100.0% | 19099 | 91.5% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 23972 | 55.7% | n/a | 1781 | 8.5% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: XHEPBTY4 Type: Character Position: 1271-1272 Source: SYNTH SHOT HISTORY

Label: HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|---|-------|--------------------------------|------|-------------------------------|------------------------|------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| HEPB-HIB | 43 | 338 | 0.8% | 16.9% | 338 | 1.6% | 16.9% |
| 0.5 ML RECOMBIVAX | 61 | 129 | 0.3% | 6.5% | 129 | 0.6% | 6.5% |
| 1.0 ML RECOMBIVAX | 62 | 5 | 0.0% | 0.3% | 5 | 0.0% | 0.3% |
| ENGERIX | 63 | 94 | 0.2% | 4.7% | 94 | 0.5% | 4.7% |
| HEPATITIS B-ONLY, UNKNOWN SUBTYPE CHECKED | 64 | 1315 | 3.1% | 65.8% | 1315 | 6.3% | 65.8% |
| HEPATITIS B-CONTAINING, UNKNOWN SUBTYPE | HB | 117 | 0.3% | 5.9% | 117 | 0.6% | 5.9% |
| SUBTOTALS: | | 1998 | 4.6% | 100.0% | 1998 | 9.6% | 100.0% |
| RESERVED CODES: | | | | | | | |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPBTY4 Type: Character Position: 1271-1272 Source: SYNTH SHOT HISTORY

Label: HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|----------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| MISSING | | 41073 | 95.4% | n/a | 18882 | 90.4% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: XHEPBTY5 Type: Character Position: 1273-1274 Source: SYNTH SHOT HISTORY

Label: HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|---|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| HEPB-HIB | 43 | 22 | 0.1% | 10.0% | 22 | 0.1% | 10.0% |
| 0.5 ML RECOMBIVAX | 61 | 11 | 0.0% | 5.0% | 11 | 0.1% | 5.0% |
| 1.0 ML RECOMBIVAX | 62 | 1 | 0.0% | 0.5% | 1 | 0.0% | 0.5% |
| ENGERIX | 63 | 16 | 0.0% | 7.3% | 16 | 0.1% | 7.3% |
| HEPATITIS B-ONLY, UNKNOWN SUBTYPE CHECKED | 64 | 152 | 0.4% | 69.1% | 152 | 0.7% | 69.1% |
| HEPATITIS B-CONTAINING, UNKNOWN SUBTYPE | HB | 18 | 0.0% | 8.2% | 18 | 0.1% | 8.2% |
| SUBTOTALS: | | 220 | 0.5% | 100.0% | 220 | 1.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 42851 | 99.5% | n/a | 20660 | 98.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPBTY6 Type: Character Position: 1275-1276 Source: SYNTH SHOT HISTORY

Label: HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|---|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| HEPB-HIB | 43 | 2 | 0.0% | 3.4% | 2 | 0.0% | 3.4% |
| 0.5 ML RECOMBIVAX | 61 | 6 | 0.0% | 10.3% | 6 | 0.0% | 10.3% |
| 1.0 ML RECOMBIVAX | 62 | 1 | 0.0% | 1.7% | 1 | 0.0% | 1.7% |
| ENGERIX | 63 | 6 | 0.0% | 10.3% | 6 | 0.0% | 10.3% |
| HEPATITIS B-ONLY, UNKNOWN SUBTYPE CHECKED | 64 | 39 | 0.1% | 67.2% | 39 | 0.2% | 67.2% |
| HEPATITIS B-CONTAINING, UNKNOWN SUBTYPE | HB | 4 | 0.0% | 6.9% | 4 | 0.0% | 6.9% |
| SUBTOTALS: | | 58 | 0.1% | 100.0% | 58 | 0.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43013 | 99.9% | n/a | 20822 | 99.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: XHEPBTY7 Type: Character Position: 1277-1278 Source: SYNTH SHOT HISTORY

Label: HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|---|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| HEPB-HIB | 43 | 1 | 0.0% | 9.1% | 1 | 0.0% | 9.1% |
| 1.0 ML RECOMBIVAX | 62 | 1 | 0.0% | 9.1% | 1 | 0.0% | 9.1% |
| ENGERIX | 63 | 1 | 0.0% | 9.1% | 1 | 0.0% | 9.1% |
| HEPATITIS B-ONLY, UNKNOWN SUBTYPE CHECKED | 64 | 7 | 0.0% | 63.6% | 7 | 0.0% | 63.6% |
| HEPATITIS B-CONTAINING, UNKNOWN SUBTYPE | HB | 1 | 0.0% | 9.1% | 1 | 0.0% | 9.1% |
| SUBTOTALS: | | 11 | 0.0% | 100.0% | 11 | 0.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43060 | 100.0% | n/a | 20869 | 99.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPBTY8 Type: Character Position: 1279-1280 Source: SYNTH SHOT HISTORY

Label: HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|---|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| HEPATITIS B-ONLY, UNKNOWN SUBTYPE CHECKED | 64 | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| SUBTOTALS: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43070 | 100.0% | n/a | 20879 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: XHEPBTY9 Type: Character Position: 1281-1282 Source: SYNTH SHOT HISTORY

Label: HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|---|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| HEPATITIS B-ONLY, UNKNOWN SUBTYPE CHECKED | 64 | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| SUBTOTALS: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43070 | 100.0% | n/a | 20879 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHPVTY1 Type: Character Position: 1283-1284 Source: SYNTH SHOT HISTORY

Label: HUMAN PAPILLOMAVIRUS VACCINATION #1 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|--|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| GARDASIL 4 | 4V | 9186 | 21.3% | 72.1% | 9186 | 44.0% | 72.1% |
| GARDASIL 9 | 9V | 2392 | 5.6% | 18.8% | 2392 | 11.5% | 18.8% |
| CERVARIX | CV | 110 | 0.3% | 0.9% | 110 | 0.5% | 0.9% |
| HUMAN PAPILLOMAVIRUS, UNKNOWN SUBTYPE | HP | 1050 | 2.4% | 8.2% | 1050 | 5.0% | 8.2% |
| GARDASIL, UNKNOWN VALENCY | UV | 6 | 0.0% | 0.0% | 6 | 0.0% | 0.0% |
| SUBTOTALS: | | 12744 | 29.6% | 100.0% | 12744 | 61.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 30327 | 70.4% | n/a | 8136 | 39.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: XHPVTY2 Type: Character Position: 1285-1286 Source: SYNTH SHOT HISTORY

Label: HUMAN PAPILLOMAVIRUS VACCINATION #2 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|--|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| GARDASIL 4 | 4V | 7371 | 17.1% | 69.9% | 7371 | 35.3% | 69.9% |
| GARDASIL 9 | 9V | 2275 | 5.3% | 21.6% | 2275 | 10.9% | 21.6% |
| CERVARIX | CV | 91 | 0.2% | 0.9% | 91 | 0.4% | 0.9% |
| HUMAN PAPILLOMAVIRUS, UNKNOWN SUBTYPE | HP | 813 | 1.9% | 7.7% | 813 | 3.9% | 7.7% |
| GARDASIL, UNKNOWN VALENCY | UV | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 10551 | 24.5% | 100.0% | 10551 | 50.5% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 32520 | 75.5% | n/a | 10329 | 49.5% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHPVTY3 Type: Character Position: 1287-1288 Source: SYNTH SHOT HISTORY

Label: HUMAN PAPILLOMAVIRUS VACCINATION #3 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|--|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| GARDASIL 4 | 4V | 5488 | 12.7% | 65.9% | 5488 | 26.3% | 65.9% |
| GARDASIL 9 | 9V | 2158 | 5.0% | 25.9% | 2158 | 10.3% | 25.9% |
| CERVARIX | CV | 70 | 0.2% | 0.8% | 70 | 0.3% | 0.8% |
| HUMAN PAPILLOMAVIRUS, UNKNOWN SUBTYPE | HP | 607 | 1.4% | 7.3% | 607 | 2.9% | 7.3% |
| GARDASIL, UNKNOWN VALENCY | UV | 5 | 0.0% | 0.1% | 5 | 0.0% | 0.1% |
| SUBTOTALS: | | 8328 | 19.3% | 100.0% | 8328 | 39.9% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 34743 | 80.7% | n/a | 12552 | 60.1% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: XHPVTY4 Type: Character Position: 1289-1290 Source: SYNTH SHOT HISTORY

Label: HUMAN PAPILLOMAVIRUS VACCINATION #4 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|--|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| GARDASIL 4 | 4V | 70 | 0.2% | 53.0% | 70 | 0.3% | 53.0% |
| GARDASIL 9 | 9V | 39 | 0.1% | 29.5% | 39 | 0.2% | 29.5% |
| CERVARIX | CV | 2 | 0.0% | 1.5% | 2 | 0.0% | 1.5% |
| HUMAN PAPILLOMAVIRUS, UNKNOWN SUBTYPE | HP | 19 | 0.0% | 14.4% | 19 | 0.1% | 14.4% |
| GARDASIL, UNKNOWN VALENCY | UV | 2 | 0.0% | 1.5% | 2 | 0.0% | 1.5% |
| SUBTOTALS: | | 132 | 0.3% | 100.0% | 132 | 0.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 42939 | 99.7% | n/a | 20748 | 99.4% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHPVTY5 Type: Character Position: 1291-1292 Source: SYNTH SHOT HISTORY

Label: HUMAN PAPILLOMAVIRUS VACCINATION #5 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|--|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| GARDASIL 4 | 4V | 9 | 0.0% | 47.4% | 9 | 0.0% | 47.4% |
| GARDASIL 9 | 9V | 9 | 0.0% | 47.4% | 9 | 0.0% | 47.4% |
| HUMAN PAPILLOMAVIRUS, UNKNOWN SUBTYPE | HP | 1 | 0.0% | 5.3% | 1 | 0.0% | 5.3% |
| SUBTOTALS: | | 19 | 0.0% | 100.0% | 19 | 0.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43052 | 100.0% | n/a | 20861 | 99.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: XHPVTY6 Type: Character Position: 1293-1294 Source: SYNTH SHOT HISTORY

Label: HUMAN PAPILLOMAVIRUS VACCINATION #6 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| GARDASIL 4 | 4V | 6 | 0.0% | 100.0% | 6 | 0.0% | 100.0% |
| SUBTOTALS: | | 6 | 0.0% | 100.0% | 6 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43065 | 100.0% | n/a | 20874 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHPVTY7 Type: Character Position: 1295-1295 Source: SYNTH SHOT HISTORY

Label: HUMAN PAPILLOMAVIRUS VACCINATION #7 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: XHPVTY8 Type: Character Position: 1296-1296 Source: SYNTH SHOT HISTORY

Label: HUMAN PAPILLOMAVIRUS VACCINATION #8 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: XHPVTY9 Type: Character Position: 1297-1297 Source: SYNTH SHOT HISTORY

Label: HUMAN PAPILLOMAVIRUS VACCINATION #9 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMCVTY1 Type: Character Position: 1298-1299 Source: SYNTH SHOT HISTORY

Label: MEASLES-CONTAINING VACCINATION #1 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|--|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| MMR-ONLY | 30 | 18817 | 43.7% | 95.1% | 18817 | 90.1% | 95.1% |
| MEASLES-ONLY | 31 | 123 | 0.3% | 0.6% | 123 | 0.6% | 0.6% |
| MEASLES-RUBELLA | 33 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| MEASLES-CONTAINING, UNKNOWN SUBTYPE | MM | 558 | 1.3% | 2.8% | 558 | 2.7% | 2.8% |
| MMR-VARICELLA | VM | 287 | 0.7% | 1.5% | 287 | 1.4% | 1.5% |
| SUBTOTALS: | | 19786 | 45.9% | 100.0% | 19786 | 94.8% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 23285 | 54.1% | n/a | 1094 | 5.2% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: XMCVTY2 Type: Character Position: 1300-1301 Source: SYNTH SHOT HISTORY

Label: MEASLES-CONTAINING VACCINATION #2 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|--|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| MMR-ONLY | 30 | 17426 | 40.5% | 91.1% | 17426 | 83.5% | 91.1% |
| MEASLES-ONLY | 31 | 53 | 0.1% | 0.3% | 53 | 0.3% | 0.3% |
| MEASLES-MUMPS | 32 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| MEASLES-RUBELLA | 33 | 4 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| MEASLES-CONTAINING, UNKNOWN SUBTYPE | MM | 459 | 1.1% | 2.4% | 459 | 2.2% | 2.4% |
| MMR-VARICELLA | VM | 1184 | 2.7% | 6.2% | 1184 | 5.7% | 6.2% |
| SUBTOTALS: | | 19127 | 44.4% | 100.0% | 19127 | 91.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 23944 | 55.6% | n/a | 1753 | 8.4% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMCVTY3 Type: Character Position: 1302-1303 Source: SYNTH SHOT HISTORY

Label: MEASLES-CONTAINING VACCINATION #3 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|--|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| MMR-ONLY | 30 | 531 | 1.2% | 87.0% | 531 | 2.5% | 87.0% |
| MEASLES-ONLY | 31 | 8 | 0.0% | 1.3% | 8 | 0.0% | 1.3% |
| MEASLES-RUBELLA | 33 | 2 | 0.0% | 0.3% | 2 | 0.0% | 0.3% |
| MEASLES-CONTAINING, UNKNOWN SUBTYPE | MM | 7 | 0.0% | 1.1% | 7 | 0.0% | 1.1% |
| MMR-VARICELLA | VM | 62 | 0.1% | 10.2% | 62 | 0.3% | 10.2% |
| SUBTOTALS: | | 610 | 1.4% | 100.0% | 610 | 2.9% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 42461 | 98.6% | n/a | 20270 | 97.1% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: XMCVTY4 Type: Character Position: 1304-1305 Source: SYNTH SHOT HISTORY

Label: MEASLES-CONTAINING VACCINATION #4 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|--|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| MMR-ONLY | 30 | 43 | 0.1% | 74.1% | 43 | 0.2% | 74.1% |
| MEASLES-ONLY | 31 | 3 | 0.0% | 5.2% | 3 | 0.0% | 5.2% |
| MEASLES-CONTAINING, UNKNOWN SUBTYPE | MM | 1 | 0.0% | 1.7% | 1 | 0.0% | 1.7% |
| MMR-VARICELLA | VM | 11 | 0.0% | 19.0% | 11 | 0.1% | 19.0% |
| SUBTOTALS: | | 58 | 0.1% | 100.0% | 58 | 0.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43013 | 99.9% | n/a | 20822 | 99.7% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMCVTY5 Type: Character Position: 1306-1307 Source: SYNTH SHOT HISTORY

Label: MEASLES-CONTAINING VACCINATION #5 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| MMR-ONLY | 30 | 4 | 0.0% | 100.0% | 4 | 0.0% | 100.0% |
| SUBTOTALS: | | 4 | 0.0% | 100.0% | 4 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43067 | 100.0% | n/a | 20876 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: XMCVTY6 Type: Character Position: 1308-1308 Source: SYNTH SHOT HISTORY

Label: MEASLES-CONTAINING VACCINATION #6 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: XMCVTY7 Type: Character Position: 1309-1309 Source: SYNTH SHOT HISTORY

Label: MEASLES-CONTAINING VACCINATION #7 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMCVTY8 Type: Character Position: 1310-1310 Source: SYNTH SHOT HISTORY

Label: MEASLES-CONTAINING VACCINATION #8 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: XMCVTY9 Type: Character Position: 1311-1311 Source: SYNTH SHOT HISTORY

Label: MEASLES-CONTAINING VACCINATION #9 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: XMENBTY1 Type: Character Position: 1312-1313 Source: SYNTH SHOT HISTORY

Label: MENINGOCOCCAL SEROGROUP B VACCINATION #1 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|--|-------|--------------------------------|------|-------------------------------|------------------------|------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| MENB-4C (BEXSERO) | BB | 284 | 0.7% | 50.2% | 284 | 1.4% | 50.2% |
| MENB-FHBP (TRUMENBA) | BT | 188 | 0.4% | 33.2% | 188 | 0.9% | 33.2% |
| MENINGOCOCCAL SEROGROUP B, UNKNOWN SUBTYPE | BU | 94 | 0.2% | 16.6% | 94 | 0.5% | 16.6% |
| SUBTOTALS: | | 566 | 1.3% | 100.0% | 566 | 2.7% | 100.0% |
| RESERVED CODES: | | | | | | | |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMENBTY1 Type: Character Position: 1312-1313 Source: SYNTH SHOT HISTORY

Label: MENINGOCOCCAL SEROGROUP B VACCINATION #1 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|----------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| MISSING | | 42505 | 98.7% | n/a | 20314 | 97.3% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: XMENBTY2 Type: Character Position: 1314-1315 Source: SYNTH SHOT HISTORY

Label: MENINGOCOCCAL SEROGROUP B VACCINATION #2 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|--|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| MENB-4C (BEXSERO) | BB | 89 | 0.2% | 57.1% | 89 | 0.4% | 57.1% |
| MENB-FHBP (TRUMENBA) | BT | 50 | 0.1% | 32.1% | 50 | 0.2% | 32.1% |
| MENINGOCOCCAL SEROGROUP B, UNKNOWN SUBTYPE | BU | 17 | 0.0% | 10.9% | 17 | 0.1% | 10.9% |
| SUBTOTALS: | | 156 | 0.4% | 100.0% | 156 | 0.7% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 42915 | 99.6% | n/a | 20724 | 99.3% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: XMENBTY3 Type: Character Position: 1316-1317 Source: SYNTH SHOT HISTORY

Label: MENINGOCOCCAL SEROGROUP B VACCINATION #3 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|--|-------|--------------------------------|------|-------------------------------|------------------------|------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| MENB-4C (BEXSERO) | BB | 2 | 0.0% | 9.1% | 2 | 0.0% | 9.1% |
| MENB-FHBP (TRUMENBA) | BT | 15 | 0.0% | 68.2% | 15 | 0.1% | 68.2% |
| MENINGOCOCCAL SEROGROUP B, UNKNOWN SUBTYPE | BU | 5 | 0.0% | 22.7% | 5 | 0.0% | 22.7% |
| SUBTOTALS: | | 22 | 0.1% | 100.0% | 22 | 0.1% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMENBTY3 Type: Character Position: 1316-1317 Source: SYNTH SHOT HISTORY

Label: MENINGOCOCCAL SEROGROUP B VACCINATION #3 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43049 | 99.9% | n/a | 20858 | 99.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: XMENBTY4 Type: Character Position: 1318-1318 Source: SYNTH SHOT HISTORY

Label: MENINGOCOCCAL SEROGROUP B VACCINATION #4 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: XMENBTY5 Type: Character Position: 1319-1319 Source: SYNTH SHOT HISTORY

Label: MENINGOCOCCAL SEROGROUP B VACCINATION #5 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMENBTY6 Type: Character Position: 1320-1320 Source: SYNTH SHOT HISTORY

Label: MENINGOCOCCAL SEROGROUP B VACCINATION #6 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: XMENBTY7 Type: Character Position: 1321-1321 Source: SYNTH SHOT HISTORY

Label: MENINGOCOCCAL SEROGROUP B VACCINATION #7 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: XMENBTY8 Type: Character Position: 1322-1322 Source: SYNTH SHOT HISTORY

Label: MENINGOCOCCAL SEROGROUP B VACCINATION #8 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMENBTY9 Type: Character Position: 1323-1323 Source: SYNTH SHOT HISTORY

Label: MENINGOCOCCAL SEROGROUP B VACCINATION #9 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: XMENTY1 Type: Character Position: 1324-1325 Source: SYNTH SHOT HISTORY

Label: MENINGOCOCCAL SEROGROUP ACWY VACCINATION #1 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|---|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| MCV4 (MENACTRA) | 80 | 16701 | 38.8% | 96.2% | 16701 | 80.0% | 96.2% |
| MPSV4 (MENOMUNE) | 81 | 204 | 0.5% | 1.2% | 204 | 1.0% | 1.2% |
| MENINGOCOCCAL SEROGROUP ACWY, UNKNOWN SUBTYPE | 82 | 464 | 1.1% | 2.7% | 464 | 2.2% | 2.7% |
| SUBTOTALS: | | 17369 | 40.3% | 100.0% | 17369 | 83.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 25702 | 59.7% | n/a | 3511 | 16.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMENTY2 Type: Character Position: 1326-1327 Source: SYNTH SHOT HISTORY

Label: MENINGOCOCCAL SEROGROUP ACWY VACCINATION #2 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|---|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| MCV4 (MENACTRA) | 80 | 2969 | 6.9% | 97.3% | 2969 | 14.2% | 97.3% |
| MPSV4 (MENOMUNE) | 81 | 19 | 0.0% | 0.6% | 19 | 0.1% | 0.6% |
| MENINGOCOCCAL SEROGROUP ACWY, UNKNOWN SUBTYPE | 82 | 63 | 0.1% | 2.1% | 63 | 0.3% | 2.1% |
| SUBTOTALS: | | 3051 | 7.1% | 100.0% | 3051 | 14.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 40020 | 92.9% | n/a | 17829 | 85.4% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: XMENTY3 Type: Character Position: 1328-1329 Source: SYNTH SHOT HISTORY

Label: MENINGOCOCCAL SEROGROUP ACWY VACCINATION #3 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|---|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| MCV4 (MENACTRA) | 80 | 47 | 0.1% | 90.4% | 47 | 0.2% | 90.4% |
| MPSV4 (MENOMUNE) | 81 | 1 | 0.0% | 1.9% | 1 | 0.0% | 1.9% |
| MENINGOCOCCAL SEROGROUP ACWY, UNKNOWN SUBTYPE | 82 | 4 | 0.0% | 7.7% | 4 | 0.0% | 7.7% |
| SUBTOTALS: | | 52 | 0.1% | 100.0% | 52 | 0.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43019 | 99.9% | n/a | 20828 | 99.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMENTY4 Type: Character Position: 1330-1331 Source: SYNTH SHOT HISTORY

Label: MENINGOCOCCAL SEROGROUP ACWY VACCINATION #4 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| MCV4 (MENACTRA) | 80 | 2 | 0.0% | 66.7% | 2 | 0.0% | 66.7% |
| MPSV4 (MENOMUNE) | 81 | 1 | 0.0% | 33.3% | 1 | 0.0% | 33.3% |
| SUBTOTALS: | | 3 | 0.0% | 100.0% | 3 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43068 | 100.0% | n/a | 20877 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: XMENTY5 Type: Character Position: 1332-1333 Source: SYNTH SHOT HISTORY

Label: MENINGOCOCCAL SEROGROUP ACWY VACCINATION #5 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| MCV4 (MENACTRA) | 80 | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| SUBTOTALS: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43070 | 100.0% | n/a | 20879 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: XMENTY6 Type: Character Position: 1334-1334 Source: SYNTH SHOT HISTORY

Label: MENINGOCOCCAL SEROGROUP ACWY VACCINATION #6 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMENTY7 Type: Character Position: 1335-1335 Source: SYNTH SHOT HISTORY

Label: MENINGOCOCCAL SEROGROUP ACWY VACCINATION #7 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: XMENTY8 Type: Character Position: 1336-1336 Source: SYNTH SHOT HISTORY

Label: MENINGOCOCCAL SEROGROUP ACWY VACCINATION #8 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: XMENTY9 Type: Character Position: 1337-1337 Source: SYNTH SHOT HISTORY

Label: MENINGOCOCCAL SEROGROUP ACWY VACCINATION #9 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XTDPTY1 Type: Character Position: 1338-1339 Source: SYNTH SHOT HISTORY

Label: TD/TDAP-CONTAINING VACCINATION #1 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|--|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| TD | 11 | 479 | 1.1% | 2.5% | 479 | 2.3% | 2.5% |
| TDAP | 14 | 18317 | 42.5% | 95.6% | 18317 | 87.7% | 95.6% |
| TD/TDAP-CONTAINING, UNKNOWN SUBTYPE | 15 | 362 | 0.8% | 1.9% | 362 | 1.7% | 1.9% |
| SUBTOTALS: | | 19158 | 44.5% | 100.0% | 19158 | 91.8% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 23913 | 55.5% | n/a | 1722 | 8.2% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: XTDPTY2 Type: Character Position: 1340-1341 Source: SYNTH SHOT HISTORY

Label: TD/TDAP-CONTAINING VACCINATION #2 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|--|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| TD | 11 | 218 | 0.5% | 20.7% | 218 | 1.0% | 20.7% |
| TDAP | 14 | 776 | 1.8% | 73.7% | 776 | 3.7% | 73.7% |
| TD/TDAP-CONTAINING, UNKNOWN SUBTYPE | 15 | 59 | 0.1% | 5.6% | 59 | 0.3% | 5.6% |
| SUBTOTALS: | | 1053 | 2.4% | 100.0% | 1053 | 5.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 42018 | 97.6% | n/a | 19827 | 95.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XTDPTY3 Type: Character Position: 1342-1343 Source: SYNTH SHOT HISTORY

Label: TD/TDAP-CONTAINING VACCINATION #3 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|--|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| TD | 11 | 120 | 0.3% | 50.4% | 120 | 0.6% | 50.4% |
| TDAP | 14 | 108 | 0.3% | 45.4% | 108 | 0.5% | 45.4% |
| TD/TDAP-CONTAINING, UNKNOWN SUBTYPE | 15 | 10 | 0.0% | 4.2% | 10 | 0.0% | 4.2% |
| SUBTOTALS: | | 238 | 0.6% | 100.0% | 238 | 1.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 42833 | 99.4% | n/a | 20642 | 98.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: XTDPTY4 Type: Character Position: 1344-1345 Source: SYNTH SHOT HISTORY

Label: TD/TDAP-CONTAINING VACCINATION #4 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|--|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| TD | 11 | 11 | 0.0% | 26.8% | 11 | 0.1% | 26.8% |
| TDAP | 14 | 26 | 0.1% | 63.4% | 26 | 0.1% | 63.4% |
| TD/TDAP-CONTAINING, UNKNOWN SUBTYPE | 15 | 4 | 0.0% | 9.8% | 4 | 0.0% | 9.8% |
| SUBTOTALS: | | 41 | 0.1% | 100.0% | 41 | 0.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43030 | 99.9% | n/a | 20839 | 99.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XTDPTY5 Type: Character Position: 1346-1347 Source: SYNTH SHOT HISTORY

Label: TD/TDAP-CONTAINING VACCINATION #5 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|--|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| TD | 11 | 3 | 0.0% | 42.9% | 3 | 0.0% | 42.9% |
| TDAP | 14 | 3 | 0.0% | 42.9% | 3 | 0.0% | 42.9% |
| TD/TDAP-CONTAINING, UNKNOWN SUBTYPE | 15 | 1 | 0.0% | 14.3% | 1 | 0.0% | 14.3% |
| SUBTOTALS: | | 7 | 0.0% | 100.0% | 7 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43064 | 100.0% | n/a | 20873 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: XTDPTY6 Type: Character Position: 1348-1349 Source: SYNTH SHOT HISTORY

Label: TD/TDAP-CONTAINING VACCINATION #6 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| TDAP | 14 | 3 | 0.0% | 100.0% | 3 | 0.0% | 100.0% |
| SUBTOTALS: | | 3 | 0.0% | 100.0% | 3 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43068 | 100.0% | n/a | 20877 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XTDPTY7 Type: Character Position: 1350-1351 Source: SYNTH SHOT HISTORY

Label: TD/TDAP-CONTAINING VACCINATION #7 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| TD | 11 | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| SUBTOTALS: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43070 | 100.0% | n/a | 20879 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: XTDPTY8 Type: Character Position: 1352-1352 Source: SYNTH SHOT HISTORY

Label: TD/TDAP-CONTAINING VACCINATION #8 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: XTDPTY9 Type: Character Position: 1353-1353 Source: SYNTH SHOT HISTORY

Label: TD/TDAP-CONTAINING VACCINATION #9 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XVRCTY1 Type: Character Position: 1354-1355 Source: SYNTH SHOT HISTORY

Label: VARICELLA-CONTAINING VACCINATION #1 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|--|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VARICELLA-CONTAINING, UNKNOWN SUBTYPE | VA | 626 | 1.5% | 3.3% | 626 | 3.0% | 3.3% |
| MMR-VARICELLA | VM | 373 | 0.9% | 1.9% | 373 | 1.8% | 1.9% |
| VARICELLA-ONLY | VO | 18186 | 42.2% | 94.8% | 18186 | 87.1% | 94.8% |
| SUBTOTALS: | | 19185 | 44.5% | 100.0% | 19185 | 91.9% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 23886 | 55.5% | n/a | 1695 | 8.1% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: XVRCTY2 Type: Character Position: 1356-1357 Source: SYNTH SHOT HISTORY

Label: VARICELLA-CONTAINING VACCINATION #2 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|--|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VARICELLA-CONTAINING, UNKNOWN SUBTYPE | VA | 380 | 0.9% | 2.2% | 380 | 1.8% | 2.2% |
| MMR-VARICELLA | VM | 1138 | 2.6% | 6.7% | 1138 | 5.5% | 6.7% |
| VARICELLA-ONLY | VO | 15582 | 36.2% | 91.1% | 15582 | 74.6% | 91.1% |
| SUBTOTALS: | | 17100 | 39.7% | 100.0% | 17100 | 81.9% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 25971 | 60.3% | n/a | 3780 | 18.1% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XVRCTY3 Type: Character Position: 1358-1359 Source: SYNTH SHOT HISTORY

Label: VARICELLA-CONTAINING VACCINATION #3 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|--|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VARICELLA-CONTAINING, UNKNOWN SUBTYPE | VA | 168 | 0.4% | 28.8% | 168 | 0.8% | 28.8% |
| MMR-VARICELLA | VM | 28 | 0.1% | 4.8% | 28 | 0.1% | 4.8% |
| VARICELLA-ONLY | VO | 388 | 0.9% | 66.4% | 388 | 1.9% | 66.4% |
| SUBTOTALS: | | 584 | 1.4% | 100.0% | 584 | 2.8% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 42487 | 98.6% | n/a | 20296 | 97.2% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: XVRCTY4 Type: Character Position: 1360-1361 Source: SYNTH SHOT HISTORY

Label: VARICELLA-CONTAINING VACCINATION #4 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|--|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VARICELLA-CONTAINING, UNKNOWN SUBTYPE | VA | 9 | 0.0% | 20.5% | 9 | 0.0% | 20.5% |
| MMR-VARICELLA | VM | 5 | 0.0% | 11.4% | 5 | 0.0% | 11.4% |
| VARICELLA-ONLY | VO | 30 | 0.1% | 68.2% | 30 | 0.1% | 68.2% |
| SUBTOTALS: | | 44 | 0.1% | 100.0% | 44 | 0.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43027 | 99.9% | n/a | 20836 | 99.8% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XVRCTY5 Type: Character Position: 1362-1363 Source: SYNTH SHOT HISTORY

Label: VARICELLA-CONTAINING VACCINATION #5 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|--|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| VARICELLA-CONTAINING, UNKNOWN SUBTYPE | VA | 2 | 0.0% | 50.0% | 2 | 0.0% | 50.0% |
| VARICELLA-ONLY | VO | 2 | 0.0% | 50.0% | 2 | 0.0% | 50.0% |
| SUBTOTALS: | | 4 | 0.0% | 100.0% | 4 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43067 | 100.0% | n/a | 20876 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: XVRCTY6 Type: Character Position: 1364-1364 Source: SYNTH SHOT HISTORY

Label: VARICELLA-CONTAINING VACCINATION #6 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: XVRCTY7 Type: Character Position: 1365-1365 Source: SYNTH SHOT HISTORY

Label: VARICELLA-CONTAINING VACCINATION #7 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XVRCTY8 Type: Character Position: 1366-1366 Source: SYNTH SHOT HISTORY

Label: VARICELLA-CONTAINING VACCINATION #8 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

Variable: XVRCTY9 Type: Character Position: 1367-1367 Source: SYNTH SHOT HISTORY

Label: VARICELLA-CONTAINING VACCINATION #9 TYPE CODE

Notes: Reflects vaccinations given both before and after the HH interview date.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |
| TOTALS: | | 43071 | 100.0% | n/a | 20880 | 100.0% | n/a |

SECTION 10: HEALTH INSURANCE MODULE VARIABLES

Variable: INS_STAT_I **Type:** Numeric **Position:** 1368-1368 **Source:** TIS_INS_1, TIS_INS_1A, TIS_INS_2, TIS_INS_3, TIS_INS_3A, TIS_INS_4, TIS_INS_5, TIS_INS_6, TIS_INS_6A, TIS_INS_6B, TIS_INS_6C, TIS_INS_6D, TIS_INS_7, TIS_INS_7A

Label: INSURANCE STATUS: IMPUTED

Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses. Only available for non-territory U.S. residents with adequate provider data. See User's Guide for more information.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|------------------------|-------|--------------------------------|--------|-------------------------|------------------------|--------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| PRIVATE INSURANCE | 1 | 12758 | 29.6% | 62.3% | 12758 | 61.1% | 62.3% |
| ANY MEDICAID | 2 | 6203 | 14.4% | 30.3% | 6203 | 29.7% | 30.3% |
| OTHER INSURANCE | 3 | 810 | 1.9% | 4.0% | 810 | 3.9% | 4.0% |
| UNINSURED | 4 | 702 | 1.6% | 3.4% | 702 | 3.4% | 3.4% |
| SUBTOTALS: | | 20473 | 47.5% | 100.0% | 20473 | 98.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 22598 | 52.5% | n/a | 407 | 1.9% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

Variable: INS_BREAK_I **Type:** Numeric **Position:** 1369-1369 **Source:** TIS_INS_8, TIS_INS_10

Label: CONTINUITY OF INSURANCE COVERAGE SINCE AGE 11: IMPUTED

Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses. Only available for non-territory U.S. residents with adequate provider data. See User's Guide for more information.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|--|-------|--------------------------------|-------|-------------------------|------------------------|-------|-------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| CURRENTLY INSURED BUT UNINSURED AT SOME POINT SINCE AGE 11 | 1 | 1278 | 3.0% | 6.3% | 1278 | 6.1% | 6.3% |
| CURRENTLY INSURED AND NEVER UNINSURED SINCE AGE 11 | 2 | 18455 | 42.8% | 90.4% | 18455 | 88.4% | 90.4% |
| CURRENTLY UNINSURED BUT INSURED AT SOME POINT SINCE AGE 11 | 3 | 470 | 1.1% | 2.3% | 470 | 2.3% | 2.3% |
| CURRENTLY UNINSURED AND NEVER INSURED SINCE AGE 11 | 4 | 220 | 0.5% | 1.1% | 220 | 1.1% | 1.1% |
| SUBTOTALS: | | 20423 | 47.4% | 100.0% | 20423 | 97.8% | 100.0% |
| RESERVED CODES: | | | | | | | |

SECTION 10: HEALTH INSURANCE MODULE VARIABLES

Variable: INS_BREAK_I **Type:** Numeric **Position:** 1369-1369 **Source:** TIS_INS_8, TIS_INS_10

Label: CONTINUITY OF INSURANCE COVERAGE SINCE AGE 11: IMPUTED

Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses. Only available for mainland U.S. residents with adequate provider data. See User's Guide for more information.

| LABEL | VALUE | Completed Household Interviews | | | Adequate Provider Data | | |
|----------------|-------|--------------------------------|--------|-------------------------------|------------------------|--------|-------------------------------|
| | | COUNT | PCT | PCT Excl. Reserve Codes | COUNT | PCT | PCT Excl. Reserve Codes |
| MISSING | . | 22648 | 52.6% | n/a | 457 | 2.2% | n/a |
| TOTALS: | | 43071 | 100.0% | 100.0% | 20880 | 100.0% | 100.0% |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|-----------------------|---------------------|----------------|---|
| AGE | 283 | 284 | 3 | AGE IN YEARS OF SELECTED TEEN |
| AGEGRP_M_I | 285 | 285 | 3 | MOTHER'S AGE CATEGORIES (RECODE) |
| ASTHMA | 95 | 96 | 2 | HAS TEEN BEEN TOLD BY DOCTOR OR OTHER HEALTH PROFESSIONAL THAT HE/SHE HAS ASTHMA? |
| C1R | 286 | 286 | 3 | NUMBER OF PEOPLE IN HOUSEHOLD (RECODE) |
| C5R | 287 | 288 | 3 | RELATIONSHIP OF RESPONDENT TO TEEN (RECODE) |
| CEN_REG | 289 | 289 | 3 | CENSUS REGION BASED ON TRUE STATE OF RESIDENCE |
| CHILDNM | 290 | 290 | 3 | NUMBER OF CHILDREN UNDER 18 YEARS OF AGE IN HH (RECODE) |
| CKUP_11_12 | 97 | 98 | 2 | DID TEEN HAVE AN 11-12 YEAR OLD WELL-CHILD EXAM OR CHECK-UP? |
| CKUP_AGE | 99 | 100 | 2 | AGE IN YEARS AT LAST CHECK-UP |
| CKUP_LAST | 101 | 102 | 2 | WAS TEEN'S LAST CHECK-UP MORE OR LESS THAN (AGE - 12) YEARS AGO? |
| CPOX_AGE | 103 | 104 | 2 | AGE IN YEARS WHEN HAD CHICKEN POX DISEASE |
| CPOX_AGER | 105 | 106 | 2 | AGE RANGE WHEN HAD CHICKEN POX DISEASE |
| CPOX_HAD | 107 | 108 | 2 | TEEN EVER HAD CHICKEN POX DISEASE? |
| D6R | 351 | 351 | 5 | NUMBER OF PROVIDERS IDENTIFIED BY RESPONDENT (NOT DE-DUPLICATED) (RECODE) |
| D7 | 352 | 352 | 5 | CONSENT TO OBTAIN VACCINATION RECORDS FROM PROVIDERS |
| EDUC1 | 291 | 291 | 3 | EDUCATION LEVEL OF MOTHER WITH 4 CATEGORIES (RECODE) |
| EDUC_TR | 292 | 293 | 3 | TEEN'S CURRENT GRADE IN SCHOOL (RECODE) |
| ESTIAPT16 | 344 | 346 | 4 | ESTIMATION AREA OF RESIDENCE |
| EST_GRANT | 347 | 348 | 4 | AREA OF RESIDENCE PER THE 56 CORE NIS GRANTEE AREAS |
| FACILITY | 355 | 355 | 7 | FACILITY TYPES FOR TEEN'S PROVIDERS |
| FLU_AGE1 | 518 | 519 | 9 | AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #1 |
| FLU_AGE2 | 520 | 521 | 9 | AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #2 |
| FLU_AGE3 | 522 | 523 | 9 | AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #3 |
| FLU_AGE4 | 524 | 525 | 9 | AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #4 |
| FLU_AGE5 | 526 | 527 | 9 | AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #5 |
| FLU_AGE6 | 528 | 529 | 9 | AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #6 |
| FLU_AGE7 | 530 | 531 | 9 | AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #7 |
| FLU_AGE8 | 532 | 533 | 9 | AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #8 |
| FLU_AGE9 | 534 | 535 | 9 | AGE IN YEARS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #9 |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|-----------------------|---------------------|----------------|--|
| FLU_DAGE1 | 536 | 539 | 9 | AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #1 |
| FLU_DAGE2 | 540 | 543 | 9 | AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #2 |
| FLU_DAGE3 | 544 | 547 | 9 | AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #3 |
| FLU_DAGE4 | 548 | 551 | 9 | AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #4 |
| FLU_DAGE5 | 552 | 555 | 9 | AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #5 |
| FLU_DAGE6 | 556 | 559 | 9 | AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #6 |
| FLU_DAGE7 | 560 | 563 | 9 | AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #7 |
| FLU_DAGE8 | 564 | 567 | 9 | AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #8 |
| FLU_DAGE9 | 568 | 571 | 9 | AGE IN DAYS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #9 |
| FLU_MAGE1 | 572 | 574 | 9 | AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #1 |
| FLU_MAGE2 | 575 | 577 | 9 | AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #2 |
| FLU_MAGE3 | 578 | 580 | 9 | AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #3 |
| FLU_MAGE4 | 581 | 583 | 9 | AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #4 |
| FLU_MAGE5 | 584 | 586 | 9 | AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #5 |
| FLU_MAGE6 | 587 | 589 | 9 | AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #6 |
| FLU_MAGE7 | 590 | 592 | 9 | AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #7 |
| FLU_MAGE8 | 593 | 595 | 9 | AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #8 |
| FLU_MAGE9 | 596 | 598 | 9 | AGE IN MONTHS OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #9 |
| FLU_MONTH1 | 599 | 600 | 9 | MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #1 |
| FLU_MONTH2 | 601 | 602 | 9 | MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #2 |
| FLU_MONTH3 | 603 | 604 | 9 | MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #3 |
| FLU_MONTH4 | 605 | 606 | 9 | MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #4 |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|-----------------------|---------------------|----------------|--|
| FLU_MONTH5 | 607 | 608 | 9 | MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #5 |
| FLU_MONTH6 | 609 | 610 | 9 | MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #6 |
| FLU_MONTH7 | 611 | 612 | 9 | MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #7 |
| FLU_MONTH8 | 613 | 614 | 9 | MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #8 |
| FLU_MONTH9 | 615 | 616 | 9 | MONTH OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #9 |
| FLU_YEAR1 | 617 | 620 | 9 | YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #1 |
| FLU_YEAR2 | 621 | 624 | 9 | YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #2 |
| FLU_YEAR3 | 625 | 628 | 9 | YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #3 |
| FLU_YEAR4 | 629 | 632 | 9 | YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #4 |
| FLU_YEAR5 | 633 | 636 | 9 | YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #5 |
| FLU_YEAR6 | 637 | 640 | 9 | YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #6 |
| FLU_YEAR7 | 641 | 644 | 9 | YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #7 |
| FLU_YEAR8 | 645 | 648 | 9 | YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #8 |
| FLU_YEAR9 | 649 | 652 | 9 | YEAR OF PROV-REPORTED SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #9 |
| HEPA_AGE1 | 653 | 654 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #1 |
| HEPA_AGE2 | 655 | 656 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #2 |
| HEPA_AGE3 | 657 | 658 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #3 |
| HEPA_AGE4 | 659 | 660 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #4 |
| HEPA_AGE5 | 661 | 661 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #5 |
| HEPA_AGE6 | 662 | 662 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #6 |
| HEPA_AGE7 | 663 | 663 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #7 |
| HEPA_AGE8 | 664 | 664 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #8 |
| HEPA_AGE9 | 665 | 665 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #9 |
| HEPA_DAGE1 | 666 | 669 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #1 |
| HEPA_DAGE2 | 670 | 673 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #2 |
| HEPA_DAGE3 | 674 | 677 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #3 |
| HEPA_DAGE4 | 678 | 681 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #4 |
| HEPA_DAGE5 | 682 | 685 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #5 |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|-----------------------|---------------------|----------------|---|
| HEPA_DAGE6 | 686 | 686 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #6 |
| HEPA_DAGE7 | 687 | 687 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #7 |
| HEPA_DAGE8 | 688 | 688 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #8 |
| HEPA_DAGE9 | 689 | 689 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #9 |
| HEPA_MAGE1 | 690 | 692 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #1 |
| HEPA_MAGE2 | 693 | 695 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #2 |
| HEPA_MAGE3 | 696 | 698 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #3 |
| HEPA_MAGE4 | 699 | 701 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #4 |
| HEPA_MAGE5 | 702 | 703 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #5 |
| HEPA_MAGE6 | 704 | 704 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #6 |
| HEPA_MAGE7 | 705 | 705 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #7 |
| HEPA_MAGE8 | 706 | 706 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #8 |
| HEPA_MAGE9 | 707 | 707 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS A-CONTAINING SHOT #9 |
| HEPB_AGE1 | 708 | 709 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #1 |
| HEPB_AGE2 | 710 | 711 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #2 |
| HEPB_AGE3 | 712 | 713 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #3 |
| HEPB_AGE4 | 714 | 715 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #4 |
| HEPB_AGE5 | 716 | 717 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #5 |
| HEPB_AGE6 | 718 | 719 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #6 |
| HEPB_AGE7 | 720 | 721 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #7 |
| HEPB_AGE8 | 722 | 723 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #8 |
| HEPB_AGE9 | 724 | 725 | 9 | AGE IN YEARS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #9 |
| HEPB_DAGE1 | 726 | 729 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #1 |
| HEPB_DAGE2 | 730 | 733 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #2 |
| HEPB_DAGE3 | 734 | 737 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #3 |
| HEPB_DAGE4 | 738 | 741 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #4 |
| HEPB_DAGE5 | 742 | 745 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #5 |
| HEPB_DAGE6 | 746 | 749 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #6 |
| HEPB_DAGE7 | 750 | 753 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #7 |
| HEPB_DAGE8 | 754 | 757 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #8 |
| HEPB_DAGE9 | 758 | 761 | 9 | AGE IN DAYS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #9 |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|-----------------------|---------------------|----------------|--|
| HEPB_MAGE1 | 762 | 764 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #1 |
| HEPB_MAGE2 | 765 | 767 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #2 |
| HEPB_MAGE3 | 768 | 770 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #3 |
| HEPB_MAGE4 | 771 | 773 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #4 |
| HEPB_MAGE5 | 774 | 776 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #5 |
| HEPB_MAGE6 | 777 | 779 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #6 |
| HEPB_MAGE7 | 780 | 782 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #7 |
| HEPB_MAGE8 | 783 | 785 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #8 |
| HEPB_MAGE9 | 786 | 788 | 9 | AGE IN MONTHS OF PROV-REPORTED HEPATITIS B-CONTAINING SHOT #9 |
| HPVI_ANY | 109 | 110 | 2 | HH-REPORT: HAS TEEN EVER RECEIVED ANY HUMAN PAPILOMAVIRUS SHOTS? |
| HPVI_INTENTR | 111 | 112 | 2 | HOW LIKELY IS IT TEEN WILL RECEIVE HPV SHOTS IN NEXT 12 MONTHS? |
| HPVI_NUM_TOT | 113 | 114 | 2 | NUMBER OF HH-REPORTED HUMAN PAPILOMAVIRUS SHOTS RECEIVED (TOTAL) |
| HPVI_REAS_1 | 115 | 116 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NOT RECOMMENDED |
| HPVI_REAS_10 | 117 | 118 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: COSTS |
| HPVI_REAS_11 | 119 | 120 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: SAFETY CONCERN/SIDE EFFECTS |
| HPVI_REAS_12 | 121 | 122 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: EFFECTIVENESS CONCERN |
| HPVI_REAS_13 | 123 | 124 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: CHILD FEARFUL |
| HPVI_REAS_14 | 125 | 126 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: CHILD SHOULD MAKE DECISION |
| HPVI_REAS_15 | 127 | 128 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: COLLEGE SHOT |
| HPVI_REAS_16 | 129 | 130 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: DON'T BELIEVE IN IMMUNIZATIONS |
| HPVI_REAS_17 | 131 | 132 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: FAMILY/PARENTAL DECISION |
| HPVI_REAS_18 | 133 | 134 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: HANDICAPPED/SPECIAL NEEDS/ILLNESS |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---------------|----------------|--------------|---------|---|
| HPVI_REAS_19 | 135 | 136 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: RELIGION/ORTHODOX |
| HPVI_REAS_2 | 137 | 138 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NOT NEEDED OR NOT NECESSARY |
| HPVI_REAS_20 | 139 | 140 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: TIME |
| HPVI_REAS_21 | 141 | 142 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: MORE INFO/NEW VACCINE |
| HPVI_REAS_22 | 143 | 144 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: ALREADY UP-TO-DATE |
| HPVI_REAS_23 | 145 | 146 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NOT AVAILABLE |
| HPVI_REAS_24 | 147 | 148 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NOT A SCHOOL REQUIREMENT |
| HPVI_REAS_25 | 149 | 150 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: INCREASED SEXUAL ACTIVITY CONCERN |
| HPVI_REAS_26 | 151 | 152 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NO OB/GYN |
| HPVI_REAS_27 | 153 | 154 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: ALREADY SEXUALLY ACTIVE |
| HPVI_REAS_28 | 155 | 156 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NO DOCTOR OR DOCTOR'S VISIT NOT SCHEDULED |
| HPVI_REAS_29 | 157 | 158 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: CHILD IS MALE |
| HPVI_REAS_3 | 159 | 160 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: LACK OF KNOWLEDGE |
| HPVI_REAS_30 | 161 | 162 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: INTEND TO COMPLETE BUT HAVE NOT YET/ALREADY PLANNED |
| HPVI_REAS_31 | 163 | 164 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: DIFFICULTY MAKING OR GETTING TO APPOINTMENT/TRANSPORTATION PROBLEMS |
| HPVI_REAS_5 | 165 | 166 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NOT SEXUALLY ACTIVE |
| HPVI_REAS_6 | 167 | 168 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: NOT APPROPRIATE AGE |
| HPVI_REAS_9 | 169 | 170 | 2 | MAIN REASON TEEN WILL NOT RECEIVE HUMAN PAPILLOMAVIRUS SHOTS IN THE NEXT 12 MONTHS: OTHER REASON |
| HPVI_RECOM | 171 | 172 | 2 | HAD OR HAS DOCTOR OR OTHER HEALTH CARE PROFESSIONAL EVER RECOMMENDED THAT TEEN RECEIVE HPV SHOTS? |
| HPV_AGE1 | 789 | 790 | 9 | AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #1 |
| HPV_AGE2 | 791 | 792 | 9 | AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #2 |
| HPV_AGE3 | 793 | 794 | 9 | AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #3 |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|-----------------------|---------------------|----------------|---|
| HPV_AGE4 | 795 | 796 | 9 | AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #4 |
| HPV_AGE5 | 797 | 798 | 9 | AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #5 |
| HPV_AGE6 | 799 | 800 | 9 | AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #6 |
| HPV_AGE7 | 801 | 801 | 9 | AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #7 |
| HPV_AGE8 | 802 | 802 | 9 | AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #8 |
| HPV_AGE9 | 803 | 803 | 9 | AGE IN YEARS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #9 |
| HPV_DAGE1 | 804 | 807 | 9 | AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #1 |
| HPV_DAGE2 | 808 | 811 | 9 | AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #2 |
| HPV_DAGE3 | 812 | 815 | 9 | AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #3 |
| HPV_DAGE4 | 816 | 819 | 9 | AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #4 |
| HPV_DAGE5 | 820 | 823 | 9 | AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #5 |
| HPV_DAGE6 | 824 | 827 | 9 | AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #6 |
| HPV_DAGE7 | 828 | 828 | 9 | AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #7 |
| HPV_DAGE8 | 829 | 829 | 9 | AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #8 |
| HPV_DAGE9 | 830 | 830 | 9 | AGE IN DAYS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #9 |
| HPV_MAGE1 | 831 | 833 | 9 | AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #1 |
| HPV_MAGE2 | 834 | 836 | 9 | AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #2 |
| HPV_MAGE3 | 837 | 839 | 9 | AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #3 |
| HPV_MAGE4 | 840 | 842 | 9 | AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #4 |
| HPV_MAGE5 | 843 | 845 | 9 | AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #5 |
| HPV_MAGE6 | 846 | 848 | 9 | AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #6 |
| HPV_MAGE7 | 849 | 849 | 9 | AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #7 |
| HPV_MAGE8 | 850 | 850 | 9 | AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #8 |
| HPV_MAGE9 | 851 | 851 | 9 | AGE IN MONTHS OF PROV-REPORTED HUMAN PAPILLOMAVIRUS SHOT #9 |
| IMM_ANY | 173 | 174 | 2 | HH-REPORT: HAS TEEN EVER RECEIVED ANY VACCINATIONS? |
| INCPORAR | 294 | 309 | 3 | INCOME TO POVERTY RATIO (RECODE) |
| INCPORAR_I | 310 | 325 | 3 | INCOME TO POVERTY RATIO: IMPUTED (RECODE) |
| INCPOV1 | 326 | 326 | 3 | POVERTY STATUS |
| INCQ298A | 327 | 328 | 3 | FAMILY INCOME CATEGORIES (RECODE) |
| INS_BREAK_I | 1369 | 1369 | 10 | CONTINUITY OF INSURANCE COVERAGE SINCE AGE 11: IMPUTED |
| INS_STAT_I | 1368 | 1368 | 10 | INSURANCE STATUS: IMPUTED |
| I_HISP_K | 329 | 329 | 3 | IS TEEN HISPANIC OR LATINO? |
| LANGUAGE | 330 | 330 | 3 | LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED |
| MARITAL2 | 331 | 331 | 3 | MARITAL STATUS OF MOTHER (RECODE) |
| MCV_AGE1 | 852 | 853 | 9 | AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #1 |
| MCV_AGE2 | 854 | 855 | 9 | AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #2 |
| MCV_AGE3 | 856 | 857 | 9 | AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #3 |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|-----------------------|---------------------|----------------|---|
| MCV_AGE4 | 858 | 859 | 9 | AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #4 |
| MCV_AGE5 | 860 | 861 | 9 | AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #5 |
| MCV_AGE6 | 862 | 862 | 9 | AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #6 |
| MCV_AGE7 | 863 | 863 | 9 | AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #7 |
| MCV_AGE8 | 864 | 864 | 9 | AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #8 |
| MCV_AGE9 | 865 | 865 | 9 | AGE IN YEARS OF PROV-REPORTED MEASLES-CONTAINING SHOT #9 |
| MCV_DAGE1 | 866 | 869 | 9 | AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #1 |
| MCV_DAGE2 | 870 | 873 | 9 | AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #2 |
| MCV_DAGE3 | 874 | 877 | 9 | AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #3 |
| MCV_DAGE4 | 878 | 881 | 9 | AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #4 |
| MCV_DAGE5 | 882 | 885 | 9 | AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #5 |
| MCV_DAGE6 | 886 | 886 | 9 | AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #6 |
| MCV_DAGE7 | 887 | 887 | 9 | AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #7 |
| MCV_DAGE8 | 888 | 888 | 9 | AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #8 |
| MCV_DAGE9 | 889 | 889 | 9 | AGE IN DAYS OF PROV-REPORTED MEASLES-CONTAINING SHOT #9 |
| MCV_MAGE1 | 890 | 892 | 9 | AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #1 |
| MCV_MAGE2 | 893 | 895 | 9 | AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #2 |
| MCV_MAGE3 | 896 | 898 | 9 | AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #3 |
| MCV_MAGE4 | 899 | 901 | 9 | AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #4 |
| MCV_MAGE5 | 902 | 904 | 9 | AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #5 |
| MCV_MAGE6 | 905 | 905 | 9 | AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #6 |
| MCV_MAGE7 | 906 | 906 | 9 | AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #7 |
| MCV_MAGE8 | 907 | 907 | 9 | AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #8 |
| MCV_MAGE9 | 908 | 908 | 9 | AGE IN MONTHS OF PROV-REPORTED MEASLES-CONTAINING SHOT #9 |
| MENB_AGE1 | 966 | 967 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #1 |
| MENB_AGE2 | 968 | 969 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #2 |
| MENB_AGE3 | 970 | 971 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #3 |
| MENB_AGE4 | 972 | 972 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #4 |
| MENB_AGE5 | 973 | 973 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #5 |
| MENB_AGE6 | 974 | 974 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #6 |
| MENB_AGE7 | 975 | 975 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #7 |
| MENB_AGE8 | 976 | 976 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #8 |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|-----------------------|---------------------|----------------|---|
| MENB_AGE9 | 977 | 977 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #9 |
| MENB_DAGE1 | 978 | 981 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #1 |
| MENB_DAGE2 | 982 | 985 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #2 |
| MENB_DAGE3 | 986 | 989 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #3 |
| MENB_DAGE4 | 990 | 990 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #4 |
| MENB_DAGE5 | 991 | 991 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #5 |
| MENB_DAGE6 | 992 | 992 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #6 |
| MENB_DAGE7 | 993 | 993 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #7 |
| MENB_DAGE8 | 994 | 994 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #8 |
| MENB_DAGE9 | 995 | 995 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #9 |
| MENB_MAGE1 | 996 | 998 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #1 |
| MENB_MAGE2 | 999 | 1001 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #2 |
| MENB_MAGE3 | 1002 | 1004 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #3 |
| MENB_MAGE4 | 1005 | 1005 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #4 |
| MENB_MAGE5 | 1006 | 1006 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #5 |
| MENB_MAGE6 | 1007 | 1007 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #6 |
| MENB_MAGE7 | 1008 | 1008 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #7 |
| MENB_MAGE8 | 1009 | 1009 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #8 |
| MENB_MAGE9 | 1010 | 1010 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP B SHOT #9 |
| MENU_AGE1 | 1011 | 1012 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #1 |
| MENU_AGE2 | 1013 | 1014 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #2 |
| MENU_AGE3 | 1015 | 1016 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #3 |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|-----------------------|---------------------|----------------|---|
| MENU_AGE4 | 1017 | 1017 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #4 |
| MENU_AGE5 | 1018 | 1018 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #5 |
| MENU_AGE6 | 1019 | 1019 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #6 |
| MENU_AGE7 | 1020 | 1020 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #7 |
| MENU_AGE8 | 1021 | 1021 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #8 |
| MENU_AGE9 | 1022 | 1022 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #9 |
| MENU_DAGE1 | 1023 | 1026 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #1 |
| MENU_DAGE2 | 1027 | 1030 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #2 |
| MENU_DAGE3 | 1031 | 1034 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #3 |
| MENU_DAGE4 | 1035 | 1035 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #4 |
| MENU_DAGE5 | 1036 | 1036 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #5 |
| MENU_DAGE6 | 1037 | 1037 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #6 |
| MENU_DAGE7 | 1038 | 1038 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #7 |
| MENU_DAGE8 | 1039 | 1039 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #8 |
| MENU_DAGE9 | 1040 | 1040 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #9 |
| MENU_MAGE1 | 1041 | 1043 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #1 |
| MENU_MAGE2 | 1044 | 1046 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #2 |
| MENU_MAGE3 | 1047 | 1049 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #3 |
| MENU_MAGE4 | 1050 | 1050 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #4 |
| MENU_MAGE5 | 1051 | 1051 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #5 |
| MENU_MAGE6 | 1052 | 1052 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #6 |
| MENU_MAGE7 | 1053 | 1053 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #7 |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|-----------------------|---------------------|----------------|--|
| MENU_MAGE8 | 1054 | 1054 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #8 |
| MENU_MAGE9 | 1055 | 1055 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL-UNKNOWN SEROGROUP SHOT #9 |
| MEN_AGE1 | 909 | 910 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #1 |
| MEN_AGE2 | 911 | 912 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #2 |
| MEN_AGE3 | 913 | 914 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #3 |
| MEN_AGE4 | 915 | 916 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #4 |
| MEN_AGE5 | 917 | 918 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #5 |
| MEN_AGE6 | 919 | 919 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #6 |
| MEN_AGE7 | 920 | 920 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #7 |
| MEN_AGE8 | 921 | 921 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #8 |
| MEN_AGE9 | 922 | 922 | 9 | AGE IN YEARS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #9 |
| MEN_ANY | 175 | 176 | 2 | HH-REPORT: HAS TEEN EVER RECEIVED ANY MENINGITIS SHOTS? |
| MEN_DAGE1 | 923 | 926 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #1 |
| MEN_DAGE2 | 927 | 930 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #2 |
| MEN_DAGE3 | 931 | 934 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #3 |
| MEN_DAGE4 | 935 | 938 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #4 |
| MEN_DAGE5 | 939 | 942 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #5 |
| MEN_DAGE6 | 943 | 943 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #6 |
| MEN_DAGE7 | 944 | 944 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #7 |
| MEN_DAGE8 | 945 | 945 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #8 |
| MEN_DAGE9 | 946 | 946 | 9 | AGE IN DAYS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #9 |
| MEN_MAGE1 | 947 | 949 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #1 |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|---------------------------|-------------------------|----------------|--|
| MEN_MAGE2 | 950 | 952 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #2 |
| MEN_MAGE3 | 953 | 955 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #3 |
| MEN_MAGE4 | 956 | 958 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #4 |
| MEN_MAGE5 | 959 | 961 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #5 |
| MEN_MAGE6 | 962 | 962 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #6 |
| MEN_MAGE7 | 963 | 963 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #7 |
| MEN_MAGE8 | 964 | 964 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #8 |
| MEN_MAGE9 | 965 | 965 | 9 | AGE IN MONTHS OF PROV-REPORTED MENINGOCOCCAL SEROGROUP ACWY SHOT #9 |
| MEN_NUM_TOT | 177 | 178 | 2 | NUMBER OF HH-REPORTED MENINGITIS SHOTS RECEIVED (TOTAL) |
| MEN_REAS_1 | 179 | 180 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: NOT RECOMMENDED |
| MEN_REAS_10 | 181 | 182 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: COSTS |
| MEN_REAS_11 | 183 | 184 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: SAFETY CONCERN/SIDE EFFECTS |
| MEN_REAS_12 | 185 | 186 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: EFFECTIVENESS CONCERN |
| MEN_REAS_13 | 187 | 188 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: CHILD FEARFUL |
| MEN_REAS_14 | 189 | 190 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: CHILD SHOULD MAKE DECISION |
| MEN_REAS_15 | 191 | 192 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: COLLEGE SHOT |
| MEN_REAS_16 | 193 | 194 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: DON'T BELIEVE IN VACCINATIONS |
| MEN_REAS_17 | 195 | 196 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: FAMILY/PARENTAL DECISION |
| MEN_REAS_18 | 197 | 198 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: HANDICAPPED/SPECIAL NEEDS/ILLNESS |
| MEN_REAS_19 | 199 | 200 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: RELIGION/ORTHODOX |
| MEN_REAS_2 | 201 | 202 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: LACK OF KNOWLEDGE |
| MEN_REAS_20 | 203 | 204 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: TIME |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|---------------------------|-------------------------|----------------|--|
| MEN_REAS_21 | 205 | 206 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: MORE INFO/NEW VACCINE |
| MEN_REAS_22 | 207 | 208 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: ALREADY UP-TO-DATE |
| MEN_REAS_23 | 209 | 210 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: NO DOCTOR OR DOCTOR'S VISIT NOT SCHEDULED |
| MEN_REAS_24 | 211 | 212 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: INTEND TO COMPLETE BUT HAVE NOT YET/ALREADY PLANNED |
| MEN_REAS_25 | 213 | 214 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: DIFFICULTY MAKING OR GETTING TO APPOINTMENT/TRANSPORTATION PROBLEMS |
| MEN_REAS_3 | 215 | 216 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: NOT NEEDED OR NOT NECESSARY |
| MEN_REAS_4 | 217 | 218 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: NOT SCHOOL REQUIREMENT |
| MEN_REAS_5 | 219 | 220 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: NOT AVAILABLE |
| MEN_REAS_6 | 221 | 222 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: NOT APPROPRIATE AGE |
| MEN_REAS_7 | 223 | 224 | 2 | MAIN REASON TEEN DID NOT RECEIVE MENINGITIS SHOTS: OTHER REASON |
| MOBIL_I | 332 | 332 | 3 | GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE AT BIRTH VERSUS CURRENT STATE |
| NOSCHOOLR | 225 | 226 | 2 | DURING PAST 12 MONTHS, ABOUT HOW MANY DAYS DID TEEN MISS SCHOOL BECAUSE OF ILLNESS OR INJURY? (RECODE) |
| NUM_CELLS_HH | 335 | 336 | 3 | NUMBER OF WORKING CELL PHONES HOUSEHOLD MEMBERS HAVE AVAILABLE FOR PERSONAL USE |
| NUM_CELLS_PARENTS | 337 | 338 | 3 | NUMBER OF WORKING CELL PHONES USUALLY USED BY PARENTS OR GUARDIANS |
| NUM_PHONE | 333 | 334 | 3 | NUMBER OF RESIDENTIAL TELEPHONE NUMBERS IN HOUSEHOLD (EXCLUDING CELL PHONES) |
| NUM_PROVR | 353 | 353 | 5 | NUMBER OF VALID, UNIQUE PROVIDERS IDENTIFIED BY RESPONDENT (FOR TEENS WITH CONSENT) (RECODE) |
| N_PRVR | 354 | 354 | 6 | NUMBER OF IHQS WITH VACCINATION INFORMATION FOR THE TEEN (RECODE) |
| PDAT2 | 6 | 6 | 1 | ADEQUATE PROVIDER DATA FLAG |
| PPS_AGE1 | 1056 | 1057 | 9 | AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #1 |
| PPS_AGE2 | 1058 | 1059 | 9 | AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #2 |
| PPS_AGE3 | 1060 | 1061 | 9 | AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #3 |
| PPS_AGE4 | 1062 | 1063 | 9 | AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #4 |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|-----------------------|---------------------|----------------|--|
| PPS_AGE5 | 1064 | 1064 | 9 | AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #5 |
| PPS_AGE6 | 1065 | 1065 | 9 | AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #6 |
| PPS_AGE7 | 1066 | 1066 | 9 | AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #7 |
| PPS_AGE8 | 1067 | 1067 | 9 | AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #8 |
| PPS_AGE9 | 1068 | 1068 | 9 | AGE IN YEARS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #9 |
| PPS_DAGE1 | 1069 | 1072 | 9 | AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #1 |
| PPS_DAGE2 | 1073 | 1076 | 9 | AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #2 |
| PPS_DAGE3 | 1077 | 1080 | 9 | AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #3 |
| PPS_DAGE4 | 1081 | 1084 | 9 | AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #4 |
| PPS_DAGE5 | 1085 | 1085 | 9 | AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #5 |
| PPS_DAGE6 | 1086 | 1086 | 9 | AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #6 |
| PPS_DAGE7 | 1087 | 1087 | 9 | AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #7 |
| PPS_DAGE8 | 1088 | 1088 | 9 | AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #8 |
| PPS_DAGE9 | 1089 | 1089 | 9 | AGE IN DAYS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #9 |
| PPS_MAGE1 | 1090 | 1092 | 9 | AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #1 |
| PPS_MAGE2 | 1093 | 1095 | 9 | AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #2 |
| PPS_MAGE3 | 1096 | 1098 | 9 | AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #3 |
| PPS_MAGE4 | 1099 | 1101 | 9 | AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #4 |
| PPS_MAGE5 | 1102 | 1102 | 9 | AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #5 |
| PPS_MAGE6 | 1103 | 1103 | 9 | AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #6 |
| PPS_MAGE7 | 1104 | 1104 | 9 | AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #7 |
| PPS_MAGE8 | 1105 | 1105 | 9 | AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #8 |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|-----------------------|---------------------|----------------|---|
| PPS_MAGE9 | 1106 | 1106 | 9 | AGE IN MONTHS OF PROV-REPORTED PNEUMOCOCCAL POLYSACCHARIDE SHOT #9 |
| PROVWT_D | 47 | 66 | 1 | FINAL DUAL-FRAME PROVIDER-PHASE WEIGHT (EXCLUDES TERRITORIES) |
| PROVWT_D_TERR | 67 | 86 | 1 | FINAL PROVIDER-PHASE WEIGHT (INCLUDING TERRITORIES) |
| P_N13FLU | 358 | 358 | 8 | NUMBER OF SEASONAL INFLUENZA VACCINATIONS IN THE PAST THREE YEARS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13FLU_FL | 359 | 359 | 8 | NUMBER OF SEASONAL INFLUENZA VACCINATIONS OF UNKNOWN TYPE IN PAST THREE YEARS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13FLU_FM | 360 | 360 | 8 | NUMBER OF SEASONAL FLUMIST VACCINATIONS IN PAST THREE YEARS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13FLU_FN | 361 | 361 | 8 | NUMBER OF INJECTED SEASONAL INFLUENZA SHOTS OF OTHER/UNKNOWN TYPE IN PAST THREE YEARS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13FLU_FV | 362 | 362 | 8 | NUMBER OF SEASONAL FLUVIRIN SHOTS IN PAST THREE YEARS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13FLU_FZ | 363 | 363 | 8 | NUMBER OF SEASONAL FLUZONE SHOTS IN PAST THREE YEARS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HEPA | 364 | 364 | 8 | NUMBER OF HEPATITIS A-CONTAINING SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HEPA_HA | 365 | 365 | 8 | NUMBER OF HEPATITIS A-CONTAINING SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HEPA_HO | 366 | 366 | 8 | NUMBER OF HEPATITIS A-ONLY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HEPB | 367 | 367 | 8 | NUMBER OF HEPATITIS B-CONTAINING SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HEPB_43 | 368 | 368 | 8 | NUMBER OF HEPB/HIB COMBO SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HEPB_61 | 369 | 369 | 8 | NUMBER OF HEPATITIS B 0.5 ML RECOMBIVAX SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|-----------------------|---------------------|----------------|--|
| P_N13HEPB_62 | 370 | 370 | 8 | NUMBER OF HEPATITIS B 1.0 ML RECOMBIVAX SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HEPB_63 | 371 | 371 | 8 | NUMBER OF HEPATITIS B ENGERIX SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HEPB_64 | 372 | 372 | 8 | NUMBER OF HEPATITIS B-ONLY SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HEPB_HB | 373 | 373 | 8 | NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HPV | 374 | 374 | 8 | NUMBER OF HUMAN PAPILLOMAVIRUS SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HPV_4V | 375 | 375 | 8 | NUMBER OF HPV-GARDASIL (4vHPV) SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HPV_9V | 376 | 376 | 8 | NUMBER OF HPV-GARDASIL 9 (9vHPV) SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HPV_CV | 377 | 377 | 8 | NUMBER OF HPV-CERVARIX SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HPV_HP | 378 | 378 | 8 | NUMBER OF HPV SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13HPV_UV | 379 | 379 | 8 | NUMBER OF HPV-GARDASIL, UNKNOWN VALENCY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MCV | 380 | 380 | 8 | NUMBER OF MEASLES-CONTAINING SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MCV_30 | 381 | 381 | 8 | NUMBER OF MMR-ONLY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MCV_31 | 382 | 382 | 8 | NUMBER OF MEASLES-ONLY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MCV_32 | 383 | 383 | 8 | NUMBER OF MEASLES-MUMPS SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MCV_33 | 384 | 384 | 8 | NUMBER OF MEASLES-RUBELLA SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|-----------------------|---------------------|----------------|--|
| P_N13MCV_MM | 385 | 385 | 8 | NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MCV_VM | 386 | 386 | 8 | NUMBER OF MMR/VARICELLA SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MEN | 387 | 387 | 8 | NUMBER OF MENINGOCOCCAL SEROGROUP ACWY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MENB | 391 | 391 | 8 | NUMBER OF MENINGOCOCCAL SEROGROUP B SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MENB_BB | 392 | 392 | 8 | NUMBER OF MENINGOCOCCAL MENB-4C SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MENB_BT | 393 | 393 | 8 | NUMBER OF MENINGOCOCCAL MENB-FHPB SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MENB_BU | 394 | 394 | 8 | NUMBER OF MENINGOCOCCAL SEROGROUP B SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MENU | 395 | 395 | 8 | NUMBER OF MENINGOCOCCAL-UNKNOWN SEROGROUP SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MEN_80 | 388 | 388 | 8 | NUMBER OF MENINGOCOCCAL MCV4 SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MEN_81 | 389 | 389 | 8 | NUMBER OF MENINGOCOCCAL MPSV4 SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MEN_82 | 390 | 390 | 8 | NUMBER OF MENINGOCOCCAL SEROGROUP ACWY SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13MMR | 396 | 396 | 8 | NUMBER OF MMR-CONTAINING SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13PPS | 397 | 397 | 8 | NUMBER OF PNEUMOCOCCAL POLYSACCHARIDE SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13TDAP_POST10 | 398 | 398 | 8 | NUMBER OF TDAP SHOTS SINCE AGE 10 YEARS AND BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13TDAP_POST7 | 399 | 399 | 8 | NUMBER OF TDAP SHOTS SINCE AGE 7 YEARS AND BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|---------------------------|-------------------------|----------------|---|
| P_N13TDP | 400 | 400 | 8 | NUMBER OF TD/TDAP-CONTAINING SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13TDP_11 | 401 | 401 | 8 | NUMBER OF TD-ONLY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13TDP_14 | 402 | 402 | 8 | NUMBER OF TDAP-ONLY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13TDP_15 | 403 | 403 | 8 | NUMBER OF TD/TDAP-CONTAINING SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13TDP_POST10 | 404 | 404 | 8 | NUMBER OF TD/TDAP-CONTAINING SHOTS SINCE AGE 10 YEARS AND BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13VRC | 405 | 405 | 8 | NUMBER OF VARICELLA-CONTAINING SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13VRC_POST1 | 406 | 406 | 8 | NUMBER OF VARICELLA-CONTAINING SHOTS AT 12+ MONTHS OF AGE AND BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13VRC_VA | 407 | 407 | 8 | NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13VRC_VM | 408 | 408 | 8 | NUMBER OF MMR/VARICELLA SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_N13VRC_VO | 409 | 409 | 8 | NUMBER OF VARICELLA-ONLY SHOTS BY AGE 13 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMFLU | 410 | 410 | 8 | NUMBER OF SEASONAL INFLUENZA VACCINATIONS IN THE PAST THREE YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMFLU_FL | 411 | 411 | 8 | NUMBER OF SEASONAL INFLUENZA VACCINATIONS OF UNKNOWN TYPE IN PAST THREE YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMFLU_FM | 412 | 412 | 8 | NUMBER OF SEASONAL FLUMIST VACCINATIONS IN PAST THREE YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMFLU_FN | 413 | 413 | 8 | NUMBER OF INJECTED SEASONAL INFLUENZA SHOTS OF OTHER/UNKNOWN TYPE IN PAST THREE YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|-----------------------|---------------------|----------------|--|
| P_NUMFLU_FV | 414 | 414 | 8 | NUMBER OF SEASONAL FLUVIRIN SHOTS IN PAST THREE YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMFLU_FZ | 415 | 415 | 8 | NUMBER OF SEASONAL FLUZONE SHOTS IN PAST THREE YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEPA | 416 | 416 | 8 | NUMBER OF HEPATITIS A-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEPA_HA | 417 | 417 | 8 | NUMBER OF HEPATITIS A-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEPA_HO | 418 | 418 | 8 | NUMBER OF HEPATITIS A-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEPB | 419 | 419 | 8 | NUMBER OF HEPATITIS B-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEPB_43 | 420 | 420 | 8 | NUMBER OF HEPB/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEPB_61 | 421 | 421 | 8 | NUMBER OF HEPATITIS B 0.5 ML RECOMBIVAX SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEPB_62 | 422 | 422 | 8 | NUMBER OF HEPATITIS B 1.0 ML RECOMBIVAX SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEPB_63 | 423 | 423 | 8 | NUMBER OF HEPATITIS B ENGERIX SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEPB_64 | 424 | 424 | 8 | NUMBER OF HEPATITIS B-ONLY SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEPB_HB | 425 | 425 | 8 | NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHPV | 426 | 426 | 8 | NUMBER OF HUMAN PAPILLOMAVIRUS SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHPV_4V | 427 | 427 | 8 | NUMBER OF HPV-GARDASIL (4vHPV) SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHPV_9V | 428 | 428 | 8 | NUMBER OF HPV-GARDASIL 9 (9vHPV) SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHPV_CV | 429 | 429 | 8 | NUMBER OF HPV-CERVARIX SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|-----------------------|---------------------|----------------|---|
| P_NUMHPV_HP | 430 | 430 | 8 | NUMBER OF HPV SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHPV_UV | 431 | 431 | 8 | NUMBER OF HPV-GARDASIL, UNKNOWN VALENCY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMCV | 432 | 432 | 8 | NUMBER OF MEASLES-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMCV_30 | 433 | 433 | 8 | NUMBER OF MMR-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMCV_31 | 434 | 434 | 8 | NUMBER OF MEASLES-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMCV_32 | 435 | 435 | 8 | NUMBER OF MEASLES-MUMPS SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMCV_33 | 436 | 436 | 8 | NUMBER OF MEASLES-RUBELLA SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMCV_MM | 437 | 437 | 8 | NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMCV_VM | 438 | 438 | 8 | NUMBER OF MMR/VARICELLA SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMEN | 439 | 439 | 8 | NUMBER OF MENINGOCOCCAL SEROGROUP ACWY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMENB | 443 | 443 | 8 | NUMBER OF MENINGOCOCCAL SEROGROUP B SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMENB_BB | 444 | 444 | 8 | NUMBER OF MENINGOCOCCAL MENB-4C SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMENB_BT | 445 | 445 | 8 | NUMBER OF MENINGOCOCCAL MENB-FHPB SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMENB_BU | 446 | 446 | 8 | NUMBER OF MENINGOCOCCAL SEROGROUP B SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMENU | 447 | 447 | 8 | NUMBER OF MENINGOCOCCAL-UNKNOWN SEROGROUP SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMEN_80 | 440 | 440 | 8 | NUMBER OF MENINGOCOCCAL MCV4 SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|-----------------------|---------------------|----------------|--|
| P_NUMMEN_81 | 441 | 441 | 8 | NUMBER OF MENINGOCOCCAL MPSV4 SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMEN_82 | 442 | 442 | 8 | NUMBER OF MENINGOCOCCAL SEROGROUP ACWY SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMMR | 448 | 448 | 8 | NUMBER OF MMR-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMPPS | 449 | 449 | 8 | NUMBER OF PNEUMOCOCCAL POLYSACCHARIDE SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMTDAP_POST10 | 450 | 450 | 8 | NUMBER OF TDAP SHOTS SINCE AGE 10 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMTDAP_POST7 | 451 | 451 | 8 | NUMBER OF TDAP SHOTS SINCE AGE 7 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMTDP | 452 | 452 | 8 | NUMBER OF TD/TDAP-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMTDP_11 | 453 | 453 | 8 | NUMBER OF TD-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMTDP_14 | 454 | 454 | 8 | NUMBER OF TDAP-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMTDP_15 | 455 | 455 | 8 | NUMBER OF TD/TDAP-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMTDP_POST10 | 456 | 456 | 8 | NUMBER OF TD/TDAP-CONTAINING SHOTS SINCE AGE 10 YEARS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMVRC | 457 | 457 | 8 | NUMBER OF VARICELLA-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMVRC_POST1 | 458 | 458 | 8 | NUMBER OF VARICELLA-CONTAINING SHOTS AT 12+ MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMVRC_VA | 459 | 459 | 8 | NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMVRC_VM | 460 | 460 | 8 | NUMBER OF MMR/VARICELLA SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMVRC_VO | 461 | 461 | 8 | NUMBER OF VARICELLA-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|-----------------------|---------------------|----------------|---|
| P_U13113 | 471 | 471 | 8 | UP-TO-DATE FLAG (PROV INFO): 1:1:3 SERIES BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U131321 | 462 | 462 | 8 | UP-TO-DATE FLAG (PROV INFO): 1:3:2:1 SERIES BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U1313212 | 463 | 463 | 8 | UP-TO-DATE FLAG (PROV INFO): 1:3:2:1:2 SERIES BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13FLU1415 | 464 | 464 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ SEASONAL INFLUENZA VACCINATION BETWEEN SEPT 1, 2014 AND JAN 31, 2015, BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13FLU1516 | 465 | 465 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ SEASONAL INFLUENZA VACCINATION BETWEEN SEPT 1, 2015 AND JAN 31, 2016, BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13FLU1617 | 466 | 466 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ SEASONAL INFLUENZA VACCINATION BETWEEN SEPT 1, 2016 AND JAN 31, 2017, BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13HEPA | 467 | 467 | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ HEPATITIS A-CONTAINING SHOTS BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13HEPB | 468 | 468 | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ HEPB 1.0 ML RECOMBIVAX SHOTS BEFORE AGE 13 YEARS, OR 3+ ANY COMBINATION OF HEPATITIS B-CONTAINING SHOTS BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13HPV | 469 | 469 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ HUMAN PAPILLOMAVIRUS SHOT BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13HPV3 | 470 | 470 | 8 | UP-TO-DATE FLAG (PROV INFO): 3+ HUMAN PAPILLOMAVIRUS SHOTS BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13MCV | 472 | 472 | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ MEASLES-CONTAINING SHOTS BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13MEN | 473 | 473 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ MENINGOCOCCAL SEROGROUP ACWY SHOT BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13MMR | 474 | 474 | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ MMR-CONTAINING SHOTS BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13PPS | 475 | 475 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ PNEUMOCOCCAL POLYSACCHARIDE SHOT BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---------------|----------------|--------------|---------|---|
| P_U13TD | 476 | 476 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ TD/TDAP-CONTAINING SHOT BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13TDAP | 477 | 477 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ TDAP-ONLY SHOT SINCE AGE 10 YEARS AND BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13TDAP7 | 478 | 478 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ TDAP-ONLY SHOT SINCE AGE 7 YEARS AND BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13VRC | 479 | 479 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS OF AGE AND BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U13VRC2 | 480 | 480 | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ VARICELLA-CONTAINING SHOTS AT 12+ MONTHS OF AGE AND BEFORE AGE 13 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTD1321 | 481 | 481 | 8 | UP-TO-DATE FLAG (PROV INFO): 1:3:2:1 SERIES, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTD13212 | 482 | 482 | 8 | UP-TO-DATE FLAG (PROV INFO): 1:3:2:1:2 SERIES, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDFLU1415 | 483 | 483 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ SEASONAL INFLUENZA VACCINATION BETWEEN SEPT 1, 2014 AND JAN 31, 2015, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDFLU1516 | 484 | 484 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ SEASONAL INFLUENZA VACCINATION BETWEEN SEPT 1, 2015 AND JAN 31, 2016, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDFLU1617 | 485 | 485 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ SEASONAL INFLUENZA VACCINATION BETWEEN SEPT 1, 2016 AND JAN 31, 2017, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHEPA | 486 | 486 | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ HEPATITIS A-CONTAINING SHOTS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHEPA1 | 487 | 487 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ HEPATITIS A-CONTAINING SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHEPB | 488 | 488 | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ HEPB 1.0 ML RECOMBIVAX SHOTS, OR 3+ ANY COMBINATION OF HEPATITIS B-CONTAINING SHOTS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV | 489 | 489 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ HUMAN PAPILLOMAVIRUS SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV11 | 493 | 493 | 8 | UP-TO-DATE FLAG (PROV INFO): 1 HUMAN PAPILLOMAVIRUS SHOT GIVEN 1+ SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|-----------------------|---------------------|----------------|---|
| P_UTDHPV12 | 494 | 494 | 8 | UP-TO-DATE FLAG (PROV INFO): 2 HUMAN PAPILLOMAVIRUS SHOTS GIVEN 1+ SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV13 | 495 | 495 | 8 | UP-TO-DATE FLAG (PROV INFO): 3+ HUMAN PAPILLOMAVIRUS SHOTS GIVEN 1+ SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV2 | 496 | 496 | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ HUMAN PAPILLOMAVIRUS SHOTS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV2_9V | 497 | 497 | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ HUMAN PAPILLOMAVIRUS SHOTS OF TYPE GARDASIL 9 (9vHPV), EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV3 | 498 | 498 | 8 | UP-TO-DATE FLAG (PROV INFO): 3+ HUMAN PAPILLOMAVIRUS SHOTS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV3C | 500 | 500 | 8 | UP-TO-DATE FLAG (PROV INFO): HPV CONDITIONAL COMPLETION RATE, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV3C_15INT | 501 | 501 | 8 | UP-TO-DATE FLAG (PROV INFO): HPV CONDITIONAL COMPLETION RATE, INCLUDING COMPLETION VIA 3-SHOT OR 2-SHOT SERIES, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV3C_9V | 502 | 502 | 8 | UP-TO-DATE FLAG (PROV INFO): HPV CONDITIONAL COMPLETION RATE, COUNTING ONLY SHOTS OF TYPE GARDASIL 9 (9vHPV), EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV3_9V | 499 | 499 | 8 | UP-TO-DATE FLAG (PROV INFO): 3+ HUMAN PAPILLOMAVIRUS SHOTS OF TYPE GARDASIL 9 (9vHPV), EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV_15 | 490 | 490 | 8 | UP-TO-DATE FLAG (PROV INFO): 3+ HUMAN PAPILLOMAVIRUS SHOTS, OR 2+ HUMAN PAPILLOMAVIRUS SHOTS WITH FIRST SHOT RECEIVED BEFORE AGE 15, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV_15INT | 491 | 491 | 8 | UP-TO-DATE FLAG (PROV INFO): 3+ HUMAN PAPILLOMAVIRUS SHOTS, OR 2+ HUMAN PAPILLOMAVIRUS SHOTS WITH FIRST SHOT RECEIVED BEFORE AGE 15 AND INTERVAL BETWEEN 1ST AND 2ND SHOTS AT LEAST 5 MONTHS-4 DAYS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDHPV_9V | 492 | 492 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ HUMAN PAPILLOMAVIRUS SHOT OF TYPE GARDASIL 9 (9vHPV), EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDMCV | 503 | 503 | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ MEASLES-CONTAINING SHOTS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDMEN | 504 | 504 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ MENINGOCOCCAL SEROGROUP ACWY SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|-------------------|----------------|--------------|---------|---|
| P_UTDMENACWY | 505 | 505 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ MENINGOCOCCAL SEROGROUP ACWY-CONJUGATE SHOT OR MENINGOCOCCAL SEROGROUP ACWY-UNKNOWN TYPE SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDMMR | 506 | 506 | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ MMR-CONTAINING SHOTS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDPPS | 507 | 507 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ PNEUMOCOCCAL POLYSACCHARIDE SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDTD | 508 | 508 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ TD/TDAP-CONTAINING SHOT, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDTDAP | 509 | 509 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ TDAP-ONLY SHOT SINCE AGE 10 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDTDAP7 | 510 | 510 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ TDAP-ONLY SHOT SINCE AGE 7 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDTPD_POST10 | 511 | 511 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ TD/TDAP-CONTAINING SHOT SINCE AGE 10 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDTD_POST10 | 512 | 512 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ TD-ONLY SHOT SINCE AGE 10 YEARS, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDVRC | 513 | 513 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDVRC2 | 514 | 514 | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ VARICELLA-CONTAINING SHOTS AT 12+ MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDVRC2_NOHIST4 | 516 | 516 | 8 | UP-TO-DATE FLAG (PROV INFO): 2+ VARICELLA-CONTAINING SHOTS AT 4+ YEARS OF AGE, NO HISTORY OF CHICKEN POX DISEASE, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_UTDVRC_NOHIST4 | 515 | 515 | 8 | UP-TO-DATE FLAG (PROV INFO): 1+ VARICELLA-CONTAINING SHOT AT 4+ YEARS OF AGE, NO HISTORY OF CHICKEN POX DISEASE, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| RACEETHK | 339 | 339 | 3 | RACE/ETHNICITY OF TEEN WITH MULTIRACE CATEGORY (RECODE) |
| RACE_K | 340 | 340 | 3 | RACE OF TEEN WITH MULTIRACE CATEGORY (RECODE) |
| RDDWT_D | 7 | 26 | 1 | FINAL DUAL-FRAME RDD-PHASE WEIGHT (EXCLUDES TERRITORIES) |
| RDDWT_D_TERR | 27 | 46 | 1 | FINAL RDD-PHASE WEIGHT (INCLUDING TERRITORIES) |
| REGISTRY | 356 | 356 | 7 | DID TEEN'S PROVIDERS REPORT TEEN'S IMMUNIZATIONS TO IMMUNIZATION REGISTRY? |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---------------|----------------|--------------|---------|--|
| RENT_OWN | 341 | 342 | 3 | IS HOME OWNED/BEING BOUGHT, RENTED, OR OCCUPIED BY SOME OTHER ARRANGEMENT? |
| RISK_EVER | 227 | 228 | 2 | HAS DOCTOR, NURSE, OR OTHER HEALTH CARE PROFESSIONAL EVER SAID THAT TEEN HAS HAD ANY OF THE FOLLOWING HEALTH CONDITIONS? |
| RISK_HH | 229 | 230 | 2 | DO ANY OTHER MEMBERS OF TEEN'S HOUSEHOLD HAVE ANY OF THE FOLLOWING HEALTH CONDITIONS? |
| RISK_NOW | 231 | 232 | 2 | DOES TEEN STILL HAVE ANY OF THESE CONDITIONS? |
| SEQNUMT | 1 | 5 | 1 | UNIQUE TEEN IDENTIFIER |
| SEX | 343 | 343 | 3 | SEX OF TEEN |
| STATE | 349 | 350 | 4 | TRUE STATE OF RESIDENCE (STATE FIPS CODE) |
| STRATUM | 87 | 90 | 1 | STRATUM VARIABLE FOR VARIANCE ESTIMATION |
| TDP_AGE1 | 1107 | 1108 | 9 | AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #1 |
| TDP_AGE2 | 1109 | 1110 | 9 | AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #2 |
| TDP_AGE3 | 1111 | 1112 | 9 | AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #3 |
| TDP_AGE4 | 1113 | 1114 | 9 | AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #4 |
| TDP_AGE5 | 1115 | 1116 | 9 | AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #5 |
| TDP_AGE6 | 1117 | 1118 | 9 | AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #6 |
| TDP_AGE7 | 1119 | 1120 | 9 | AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #7 |
| TDP_AGE8 | 1121 | 1121 | 9 | AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #8 |
| TDP_AGE9 | 1122 | 1122 | 9 | AGE IN YEARS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #9 |
| TDP_DAGE1 | 1123 | 1126 | 9 | AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #1 |
| TDP_DAGE2 | 1127 | 1130 | 9 | AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #2 |
| TDP_DAGE3 | 1131 | 1134 | 9 | AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #3 |
| TDP_DAGE4 | 1135 | 1138 | 9 | AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #4 |
| TDP_DAGE5 | 1139 | 1142 | 9 | AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #5 |
| TDP_DAGE6 | 1143 | 1146 | 9 | AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #6 |
| TDP_DAGE7 | 1147 | 1150 | 9 | AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #7 |
| TDP_DAGE8 | 1151 | 1151 | 9 | AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #8 |
| TDP_DAGE9 | 1152 | 1152 | 9 | AGE IN DAYS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #9 |
| TDP_MAGE1 | 1153 | 1155 | 9 | AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #1 |
| TDP_MAGE2 | 1156 | 1158 | 9 | AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #2 |
| TDP_MAGE3 | 1159 | 1161 | 9 | AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #3 |
| TDP_MAGE4 | 1162 | 1164 | 9 | AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #4 |
| TDP_MAGE5 | 1165 | 1167 | 9 | AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #5 |
| TDP_MAGE6 | 1168 | 1170 | 9 | AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #6 |
| TDP_MAGE7 | 1171 | 1173 | 9 | AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #7 |
| TDP_MAGE8 | 1174 | 1174 | 9 | AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #8 |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|-----------------------|---------------------|----------------|---|
| TDP_MAGE9 | 1175 | 1175 | 9 | AGE IN MONTHS OF PROV-REPORTED TD/TDAP-CONTAINING SHOT #9 |
| TET_ANY | 233 | 234 | 2 | HH-REPORT: HAS TEEN EVER RECEIVED ANY TETANUS BOOSTER SHOTS? |
| TET_REAS_1 | 235 | 236 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: NOT RECOMMENDED |
| TET_REAS_10 | 237 | 238 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: COSTS |
| TET_REAS_11 | 239 | 240 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: SAFETY CONCERN/SIDE EFFECTS |
| TET_REAS_12 | 241 | 242 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: EFFECTIVENESS CONCERN |
| TET_REAS_13 | 243 | 244 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: CHILD FEARFUL |
| TET_REAS_14 | 245 | 246 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: CHILD SHOULD MAKE DECISION |
| TET_REAS_15 | 247 | 248 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: COLLEGE SHOT |
| TET_REAS_16 | 249 | 250 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: DON'T BELIEVE IN VACCINATIONS |
| TET_REAS_17 | 251 | 252 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: FAMILY/PARENTAL DECISION |
| TET_REAS_18 | 253 | 254 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: HANDICAPPED/SPECIAL NEEDS/ILLNESS |
| TET_REAS_19 | 255 | 256 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: RELIGION/ORTHODOX |
| TET_REAS_2 | 257 | 258 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: LACK OF KNOWLEDGE |
| TET_REAS_20 | 259 | 260 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: TIME |
| TET_REAS_21 | 261 | 262 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: MORE INFO/NEW VACCINE |
| TET_REAS_22 | 263 | 264 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: ALREADY UP-TO-DATE |
| TET_REAS_23 | 265 | 266 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: NOT AVAILABLE |
| TET_REAS_24 | 267 | 268 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: NOT A SCHOOL REQUIREMENT |
| TET_REAS_25 | 269 | 270 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: INTEND TO COMPLETE BUT HAVE NOT YET/ALREADY PLANNED |
| TET_REAS_26 | 271 | 272 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: DIFFICULTY MAKING OR GETTING TO APPOINTMENT/TRANSPORTATION PROBLEMS |
| TET_REAS_3 | 273 | 274 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: NOT NEEDED OR NOT NECESSARY |
| TET_REAS_4 | 275 | 276 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: NO DOCTOR OR DOCTOR'S VISIT NOT SCHEDULED |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|-----------------------|---------------------|----------------|--|
| TET_REAS_5 | 277 | 278 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: NOT APPROPRIATE AGE |
| TET_REAS_7 | 279 | 280 | 2 | MAIN REASON TEEN DID NOT RECEIVE TETANUS BOOSTER SHOTS: OTHER REASON |
| VFC_ORDER | 357 | 357 | 7 | DO TEEN'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT? |
| VISITS | 281 | 282 | 2 | IN PAST 12 MONTHS NUMBER OF TIMES TEEN HAS SEEN A DOCTOR OR OTHER HEALTH CARE PROFESSIONAL |
| VRC_AGE1 | 1176 | 1177 | 9 | AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #1 |
| VRC_AGE2 | 1178 | 1179 | 9 | AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #2 |
| VRC_AGE3 | 1180 | 1181 | 9 | AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #3 |
| VRC_AGE4 | 1182 | 1183 | 9 | AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #4 |
| VRC_AGE5 | 1184 | 1185 | 9 | AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #5 |
| VRC_AGE6 | 1186 | 1186 | 9 | AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #6 |
| VRC_AGE7 | 1187 | 1187 | 9 | AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #7 |
| VRC_AGE8 | 1188 | 1188 | 9 | AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #8 |
| VRC_AGE9 | 1189 | 1189 | 9 | AGE IN YEARS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #9 |
| VRC_DAGE1 | 1190 | 1193 | 9 | AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #1 |
| VRC_DAGE2 | 1194 | 1197 | 9 | AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #2 |
| VRC_DAGE3 | 1198 | 1201 | 9 | AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #3 |
| VRC_DAGE4 | 1202 | 1205 | 9 | AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #4 |
| VRC_DAGE5 | 1206 | 1209 | 9 | AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #5 |
| VRC_DAGE6 | 1210 | 1210 | 9 | AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #6 |
| VRC_DAGE7 | 1211 | 1211 | 9 | AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #7 |
| VRC_DAGE8 | 1212 | 1212 | 9 | AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #8 |
| VRC_DAGE9 | 1213 | 1213 | 9 | AGE IN DAYS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #9 |
| VRC_HIST | 517 | 517 | 8 | HISTORY OF CHICKEN POX REPORTED BY THE HOUSEHOLD OR BY ANY PROVIDER |
| VRC_MAGE1 | 1214 | 1216 | 9 | AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #1 |
| VRC_MAGE2 | 1217 | 1219 | 9 | AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #2 |
| VRC_MAGE3 | 1220 | 1222 | 9 | AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #3 |
| VRC_MAGE4 | 1223 | 1225 | 9 | AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #4 |
| VRC_MAGE5 | 1226 | 1228 | 9 | AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #5 |
| VRC_MAGE6 | 1229 | 1229 | 9 | AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #6 |
| VRC_MAGE7 | 1230 | 1230 | 9 | AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #7 |
| VRC_MAGE8 | 1231 | 1231 | 9 | AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #8 |
| VRC_MAGE9 | 1232 | 1232 | 9 | AGE IN MONTHS OF PROV-REPORTED VARICELLA-CONTAINING SHOT #9 |
| XFLUTY1 | 1233 | 1234 | 9 | SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #1 TYPE CODE |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|-----------------------|---------------------|----------------|---|
| XFLUTY2 | 1235 | 1236 | 9 | SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #2 TYPE CODE |
| XFLUTY3 | 1237 | 1238 | 9 | SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #3 TYPE CODE |
| XFLUTY4 | 1239 | 1240 | 9 | SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #4 TYPE CODE |
| XFLUTY5 | 1241 | 1242 | 9 | SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #5 TYPE CODE |
| XFLUTY6 | 1243 | 1244 | 9 | SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #6 TYPE CODE |
| XFLUTY7 | 1245 | 1246 | 9 | SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #7 TYPE CODE |
| XFLUTY8 | 1247 | 1248 | 9 | SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #8 TYPE CODE |
| XFLUTY9 | 1249 | 1250 | 9 | SEASONAL INFLUENZA VACCINATION IN PAST THREE YEARS #9 TYPE CODE |
| XHEPATY1 | 1251 | 1252 | 9 | HEPATITIS A-CONTAINING VACCINATION #1 TYPE CODE |
| XHEPATY2 | 1253 | 1254 | 9 | HEPATITIS A-CONTAINING VACCINATION #2 TYPE CODE |
| XHEPATY3 | 1255 | 1256 | 9 | HEPATITIS A-CONTAINING VACCINATION #3 TYPE CODE |
| XHEPATY4 | 1257 | 1258 | 9 | HEPATITIS A-CONTAINING VACCINATION #4 TYPE CODE |
| XHEPATY5 | 1259 | 1260 | 9 | HEPATITIS A-CONTAINING VACCINATION #5 TYPE CODE |
| XHEPATY6 | 1261 | 1261 | 9 | HEPATITIS A-CONTAINING VACCINATION #6 TYPE CODE |
| XHEPATY7 | 1262 | 1262 | 9 | HEPATITIS A-CONTAINING VACCINATION #7 TYPE CODE |
| XHEPATY8 | 1263 | 1263 | 9 | HEPATITIS A-CONTAINING VACCINATION #8 TYPE CODE |
| XHEPATY9 | 1264 | 1264 | 9 | HEPATITIS A-CONTAINING VACCINATION #9 TYPE CODE |
| XHEPBTY1 | 1265 | 1266 | 9 | HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE |
| XHEPBTY2 | 1267 | 1268 | 9 | HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE |
| XHEPBTY3 | 1269 | 1270 | 9 | HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE |
| XHEPBTY4 | 1271 | 1272 | 9 | HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE |
| XHEPBTY5 | 1273 | 1274 | 9 | HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE |
| XHEPBTY6 | 1275 | 1276 | 9 | HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE |
| XHEPBTY7 | 1277 | 1278 | 9 | HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE |
| XHEPBTY8 | 1279 | 1280 | 9 | HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE |
| XHEPBTY9 | 1281 | 1282 | 9 | HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE |
| XHPVTY1 | 1283 | 1284 | 9 | HUMAN PAPILLOMAVIRUS VACCINATION #1 TYPE CODE |
| XHPVTY2 | 1285 | 1286 | 9 | HUMAN PAPILLOMAVIRUS VACCINATION #2 TYPE CODE |
| XHPVTY3 | 1287 | 1288 | 9 | HUMAN PAPILLOMAVIRUS VACCINATION #3 TYPE CODE |
| XHPVTY4 | 1289 | 1290 | 9 | HUMAN PAPILLOMAVIRUS VACCINATION #4 TYPE CODE |
| XHPVTY5 | 1291 | 1292 | 9 | HUMAN PAPILLOMAVIRUS VACCINATION #5 TYPE CODE |
| XHPVTY6 | 1293 | 1294 | 9 | HUMAN PAPILLOMAVIRUS VACCINATION #6 TYPE CODE |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|-----------------------|---------------------|----------------|---|
| XHPVTY7 | 1295 | 1295 | 9 | HUMAN PAPILLOMAVIRUS VACCINATION #7 TYPE CODE |
| XHPVTY8 | 1296 | 1296 | 9 | HUMAN PAPILLOMAVIRUS VACCINATION #8 TYPE CODE |
| XHPVTY9 | 1297 | 1297 | 9 | HUMAN PAPILLOMAVIRUS VACCINATION #9 TYPE CODE |
| XMCVTY1 | 1298 | 1299 | 9 | MEASLES-CONTAINING VACCINATION #1 TYPE CODE |
| XMCVTY2 | 1300 | 1301 | 9 | MEASLES-CONTAINING VACCINATION #2 TYPE CODE |
| XMCVTY3 | 1302 | 1303 | 9 | MEASLES-CONTAINING VACCINATION #3 TYPE CODE |
| XMCVTY4 | 1304 | 1305 | 9 | MEASLES-CONTAINING VACCINATION #4 TYPE CODE |
| XMCVTY5 | 1306 | 1307 | 9 | MEASLES-CONTAINING VACCINATION #5 TYPE CODE |
| XMCVTY6 | 1308 | 1308 | 9 | MEASLES-CONTAINING VACCINATION #6 TYPE CODE |
| XMCVTY7 | 1309 | 1309 | 9 | MEASLES-CONTAINING VACCINATION #7 TYPE CODE |
| XMCVTY8 | 1310 | 1310 | 9 | MEASLES-CONTAINING VACCINATION #8 TYPE CODE |
| XMCVTY9 | 1311 | 1311 | 9 | MEASLES-CONTAINING VACCINATION #9 TYPE CODE |
| XMENBTY1 | 1312 | 1313 | 9 | MENINGOCOCCAL SEROGROUP B VACCINATION #1 TYPE CODE |
| XMENBTY2 | 1314 | 1315 | 9 | MENINGOCOCCAL SEROGROUP B VACCINATION #2 TYPE CODE |
| XMENBTY3 | 1316 | 1317 | 9 | MENINGOCOCCAL SEROGROUP B VACCINATION #3 TYPE CODE |
| XMENBTY4 | 1318 | 1318 | 9 | MENINGOCOCCAL SEROGROUP B VACCINATION #4 TYPE CODE |
| XMENBTY5 | 1319 | 1319 | 9 | MENINGOCOCCAL SEROGROUP B VACCINATION #5 TYPE CODE |
| XMENBTY6 | 1320 | 1320 | 9 | MENINGOCOCCAL SEROGROUP B VACCINATION #6 TYPE CODE |
| XMENBTY7 | 1321 | 1321 | 9 | MENINGOCOCCAL SEROGROUP B VACCINATION #7 TYPE CODE |
| XMENBTY8 | 1322 | 1322 | 9 | MENINGOCOCCAL SEROGROUP B VACCINATION #8 TYPE CODE |
| XMENBTY9 | 1323 | 1323 | 9 | MENINGOCOCCAL SEROGROUP B VACCINATION #9 TYPE CODE |
| XMENTY1 | 1324 | 1325 | 9 | MENINGOCOCCAL SEROGROUP ACWY VACCINATION #1 TYPE CODE |
| XMENTY2 | 1326 | 1327 | 9 | MENINGOCOCCAL SEROGROUP ACWY VACCINATION #2 TYPE CODE |
| XMENTY3 | 1328 | 1329 | 9 | MENINGOCOCCAL SEROGROUP ACWY VACCINATION #3 TYPE CODE |
| XMENTY4 | 1330 | 1331 | 9 | MENINGOCOCCAL SEROGROUP ACWY VACCINATION #4 TYPE CODE |
| XMENTY5 | 1332 | 1333 | 9 | MENINGOCOCCAL SEROGROUP ACWY VACCINATION #5 TYPE CODE |
| XMENTY6 | 1334 | 1334 | 9 | MENINGOCOCCAL SEROGROUP ACWY VACCINATION #6 TYPE CODE |
| XMENTY7 | 1335 | 1335 | 9 | MENINGOCOCCAL SEROGROUP ACWY VACCINATION #7 TYPE CODE |
| XMENTY8 | 1336 | 1336 | 9 | MENINGOCOCCAL SEROGROUP ACWY VACCINATION #8 TYPE CODE |
| XMENTY9 | 1337 | 1337 | 9 | MENINGOCOCCAL SEROGROUP ACWY VACCINATION #9 TYPE CODE |
| XTDPTY1 | 1338 | 1339 | 9 | TD/TDAP-CONTAINING VACCINATION #1 TYPE CODE |
| XTDPTY2 | 1340 | 1341 | 9 | TD/TDAP-CONTAINING VACCINATION #2 TYPE CODE |
| XTDPTY3 | 1342 | 1343 | 9 | TD/TDAP-CONTAINING VACCINATION #3 TYPE CODE |
| XTDPTY4 | 1344 | 1345 | 9 | TD/TDAP-CONTAINING VACCINATION #4 TYPE CODE |
| XTDPTY5 | 1346 | 1347 | 9 | TD/TDAP-CONTAINING VACCINATION #5 TYPE CODE |
| XTDPTY6 | 1348 | 1349 | 9 | TD/TDAP-CONTAINING VACCINATION #6 TYPE CODE |
| XTDPTY7 | 1350 | 1351 | 9 | TD/TDAP-CONTAINING VACCINATION #7 TYPE CODE |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|---------------------------|-------------------------|----------------|---|
| XTDPTY8 | 1352 | 1352 | 9 | TD/TDAP-CONTAINING VACCINATION #8 TYPE CODE |
| XTDPTY9 | 1353 | 1353 | 9 | TD/TDAP-CONTAINING VACCINATION #9 TYPE CODE |
| XVRCTY1 | 1354 | 1355 | 9 | VARICELLA-CONTAINING VACCINATION #1 TYPE CODE |
| XVRCTY2 | 1356 | 1357 | 9 | VARICELLA-CONTAINING VACCINATION #2 TYPE CODE |
| XVRCTY3 | 1358 | 1359 | 9 | VARICELLA-CONTAINING VACCINATION #3 TYPE CODE |
| XVRCTY4 | 1360 | 1361 | 9 | VARICELLA-CONTAINING VACCINATION #4 TYPE CODE |
| XVRCTY5 | 1362 | 1363 | 9 | VARICELLA-CONTAINING VACCINATION #5 TYPE CODE |
| XVRCTY6 | 1364 | 1364 | 9 | VARICELLA-CONTAINING VACCINATION #6 TYPE CODE |
| XVRCTY7 | 1365 | 1365 | 9 | VARICELLA-CONTAINING VACCINATION #7 TYPE CODE |
| XVRCTY8 | 1366 | 1366 | 9 | VARICELLA-CONTAINING VACCINATION #8 TYPE CODE |
| XVRCTY9 | 1367 | 1367 | 9 | VARICELLA-CONTAINING VACCINATION #9 TYPE CODE |
| YEAR | 91 | 94 | 1 | SAMPLING YEAR |