

PROGRAM EVALUATION BRIEF

Creating and Implementing a Community-Focused, Culturally Tailored Health Marketing Campaign to Address Menthol Cigarette Use in Los Angeles County

Rachel Humphrey, MPH¹; Amy Truong, BA¹; Renee Fraser, PhD²;
Tonya Gorham Gallow, MSW³; Lori Fischbach, PhD⁴; Tony Kuo, MD, MSHS^{5,6,7}

Accessible Version: www.cdc.gov/pcd/issues/2024/23_0282.htm

Suggested citation for this article: Humphrey R, Truong A, Fraser R, Gallow TG, Fischbach L, Kuo T. Creating and Implementing a Community-Focused, Culturally Tailored Health Marketing Campaign to Address Menthol Cigarette Use in Los Angeles County. *Prev Chronic Dis* 2024;21:230282. DOI: <https://doi.org/10.5888/pcd21.230282>.

PEER REVIEWED

Summary

What is known on this topic?

Public health counter-advertising is a critical tool for combating disproportionate marketing of menthol tobacco products to communities of color.

What is added by this report?

This project describes how a local health department used appealing creative materials and messaging, reminiscent of tobacco marketing tactics, to address menthol cigarette use in Los Angeles County.

What are the implications for public health practice?

The “Done with Menthol” campaign resulted in more than 66 million impressions, and it referred many smokers to the state’s quitline and connected them to free and low-cost resources on the *LAQuits* website.

Abstract

Introduction

Menthol tobacco products have been marketed disproportionately to communities of color for decades.

Methods

In Los Angeles County, California, a health marketing campaign, which used glossy visuals and attractive people in appealing poses, reminiscent of tobacco marketing tactics, was created and implemented to educate smokers on the health risks of using menthol cigarettes. The campaign encouraged smokers to make a

quit attempt by offering access to free or low-cost resources through the *Kick It California* quitline and the *LAQuits* website (laquits.com). A survey tailored for public health professionals and community members from the approximately 382,000 people in the county who smoked menthol cigarettes and were exposed to their smoke (our primary audience) was administered to generate insights about this problem. Survey data were used to refine the campaign creative materials prior to launch. Advertisement exposures, website visits, and quitline call volume were monitored and tabulated to assess the performance of the campaign.

Results

At the conclusion of its initial run (February–April 2021), the “Done with Menthol” campaign had garnered more than 66 million impressions, received approximately 56,000 clicks on its various digital media platforms, and had click-through rates that surpassed industry benchmarks. The quitline call volume for African American and Latino subgroups were 1.9 and 1.8 times higher than the average inbound call volume for corresponding months during 2018 and 2019, respectively. In its second run (May–June 2023), the campaign garnered approximately 11 million additional impressions.

Conclusions

Despite having a lower budget and fewer resources than the tobacco industry, the “Done with Menthol” campaign attained excellent reach and offered free, low-cost, and accessible resources to county residents interested in tobacco use cessation.

Introduction

Vulnerable populations, especially communities of color, have long been a source of addiction and revenue for the tobacco industry, contributing significantly to tobacco-related illness and death rates in the United States (1,2). For example, 1 in 5 deaths every year in the US is attributed to tobacco use (3). Beginning in the 1960s, the tobacco industry has marketed menthol tobacco



The opinions expressed by authors contributing to this journal do not necessarily reflect the opinions of the U.S. Department of Health and Human Services, the Public Health Service, the Centers for Disease Control and Prevention, or the authors' affiliated institutions.

products to African Americans, often across several generations (2,4,5). To grow a new customer base, the industry has employed similar marketing tactics to entice Latino and LGBTQ+ groups (6,7). By appealing to customers using attractive models that look like them (eg, Black models) and building an image that amplifies the desire to assimilate into the “American” culture — placing disproportionate value on expensive clothes, sports cars, clubs, and music scenes and being young, fit, and happy — the tobacco industry has succeeded in encouraging people to try mentholated, flavored tobacco products (2,5).

In 2019, 85% of African Americans in the US who smoked used menthol cigarettes (8). In Los Angeles County, the prevalence was lower (13% of 382,000 people, or nearly 50,000 African American adults), but it was still higher than among Los Angeles County White smokers (3%) (9). The overall prevalence of tobacco use in the county is approximately 11% (893,000 smokers). Among people who received cessation services from the quitline, approximately 26.9% quit for 30 days and 13.9% quit for 6 months (10).

Purpose and Objectives

To address local disparities in menthol cigarette use and to support a recently adopted flavor ban in Los Angeles County, the Tobacco Control and Prevention Program (TCPP) in the Los Angeles County Department of Public Health developed a health marketing campaign using health communications principles (11–13) and best practices from the literature for working with vulnerable populations (14,15). The campaign used many of the same marketing tactics as those used by the tobacco industry to convey the truth about menthol cigarette use: that their use can kill. A secondary campaign objective was to encourage quit attempts among smokers by referring them to free or low-cost cessation resources in the community.

Intervention Approach

Campaign development

To create a campaign that would resonate with its intended audience(s), TCPP contracted Fraser Communications (hereinafter, Fraser) to manage the campaign, including its development, production, media planning, and implementation. In collaboration with an African American marketing firm, Fraser set out to develop advertisements (ads) that mirror tobacco industry tactics, using them as familiar paths to delivering appealing, culturally appropriate cessation messaging.

To test whether these ads (eg, visual materials and text copies) would resonate with the intended audience, an online survey containing a series of agreement statements and open-ended questions was developed and administered to 2 groups of community

members: 1) public health professionals, and 2) people who have had or currently have a flavored tobacco (eg, menthol) nicotine use disorder (NUD) or are exposed to menthol cigarette smoke (ie, current or prior smoker, or lives with someone who has a NUD (hereinafter, NUD respondents)). The survey was conducted by a research and evaluation firm hired by Fraser. Administration of the English language survey was preceded by having each person in each of the groups review 4 social media ads and listen to two 30-second radio ads. Criteria for participation for the first group was that the prospective participant must be aged at least 18 years and work in the field of public health; participation criteria for the second group was that the prospective participant must be aged at least 18 years and have a NUD or live with a current smoker of menthol cigarettes.

Public health professionals were asked, based on their experiences, how people with a menthol-related NUD might react to the ads. The NUD respondents were asked about their reactions to the ads and opinions about the content. All surveys were completed during November and December 2020. The final enrollment numbers by group were 15 public health professionals and 27 NUD respondents or those exposed to menthol cigarette smoke. Not all members from each group fielded a complete survey.

Campaign dissemination

Guided in part by the transtheoretical model (Stages of Change framework) (16), the “Done with Menthol” campaign was disseminated from February 15 through April 4, 2021, and from May 8 through June 8, 2023. The ads were delivered in both English and Spanish; they ran on radio, out-of-home ads, in print (African American weekly and Spanish daily newspapers), on streaming radio, via social media (eg, Facebook, Instagram), and through targeted digital networks such as B Code and H Code (ie, digital pipelines for brands to connect with African American and Hispanic audiences, respectively). The campaign also ran through a partnership with Blavity, a Black-owned media technology company that focuses on Black culture via their online platforms. In its initial run, “Done with Menthol” promoted the negative health effects of menthol cigarette use and encouraged intended audiences to quit: “Menthols — Smoothing Over Cancer Since 1931” and “Menthols — Smooth on Throats Hard on Lives” (Figure 1). In the 2023 run, the messaging focused on self-motivation, promoting celebration of each quit attempt, and encouraging action by appealing to a person’s sense of family obligation and self-efficacy: “Quit Smoking Menthols for the Fam” and “Quitting Menthols is Tough, You’re Tougher” (Figure 1). The campaign promoted free and low-cost cessation resources (eg, a referral number to *Kick It California*, the state’s quitline) (17) and a call to action (ie, “learn more”) on the *LAQuits* website. Strategic media placements were key considerations in disseminating the campaign. For example, radio station ads included custom elements to authentically speak

The opinions expressed by authors contributing to this journal do not necessarily reflect the opinions of the U.S. Department of Health and Human Services, the Public Health Service, the Centers for Disease Control and Prevention, or the authors’ affiliated institutions.

to specific audiences by way of radio station disc jockeys who are trusted community voices (Figure 2). Out-of-home ads were placed at convenience or liquor stores where people think of smoking or purchasing tobacco products.



Figure 1. Los Angeles County Department of Public Health’s health marketing campaign, “Done with Menthol.” Photo A, “Menthols – Smoothing Over Cancer Since 1931”; photo B, “Menthols – Smooth on Throats Hard on Lives”; photo C, “Quit Smoking Menthols for the Fam”; and photo D, “Quitting Menthols is Tough, You’re Tougher.”

(e) Radio Scripts

English	
Spanish	
:30 "COOL HARD FACTS" (APPROVED)	:30 "LA PURA VERDAD" (APPROVED)
Menthol cigarettes are smooth and seductive.	Los cigarrillos de mentol son suaves y seductores.
But the truth is, they're actually the worst for you.	Pero la verdad, es que son los peores para tu salud.
The minty flavor makes you draw smoke deeper into your lungs.	El sabor a menta hace que inhales el humo más profundo en tus pulmones.
And even if you smoke less, you can be more easily addicted, causing higher rates of cancer and making COVID-NINETEEN infections much more severe.	Puede ser más fácil desarrollar una adicción, provocando más casos de cáncer y que las infecciones de COVID-DIEZ-Y-NOVEVE sean más severas.
Those are the "cool" hard facts!	¡Esa es la pura verdad!
If you need help....We got you!	Para ayuda gratuita, llama al 1-800-45-NO-FUME.
Call 1-800-NO BUTTS today.	DEJA EL MENTOL. DEJA DE FUMAR.
BE DONE WITH MENTHOL. BE DONE WITH SMOKING. BROUGHT TO YOU BY THE LA COUNTY DEPARTMENT OF PUBLIC HEALTH	PATROCINADO POR EL DEPARTAMENTO DE SALUD PÚBLICA DEL CONDADO DE LOS ANGELES
:15 "COOL HARD FACTS" (APPROVED)	:15 "LA PURA VERDAD" (APPROVED)
Menthol cigarettes are minty and smooth,	Los cigarrillos de mentol son suaves y seductores.
making you draw smoke deeper into your lungs.	Hacen que inhales el humo más profundo en tus pulmones. Y puede ser más fácil desarrollar una adicción.
It can be easier to get addicted to.	
Be done with menthol. Be done with smoking.	
Call 1-800-NO Butts today.	
Brought to you by the LA County Department of Public Health	

Figure 2. Los Angeles County Department of Public Health’s health marketing campaign, “Done with Menthol,” radio station advertisements with custom elements for station disc jockeys.

Evaluation Approach

Two data sources were used to assess reach and performance of the campaign: 1) standard metrics used by the marketing industry (18) to document media performance, which include the number of impressions, clicks, and click-through rates (CTRs); and 2) changes in quitline activities (eg, an increase in call volume during the campaign’s live runs, compared with corresponding months from the previous year). Although other measures of performance such as postcampaign surveys would have provided additional verification and insights into the ads’ effects, funding constraints restricted evaluation to the use of standard media metrics only.

For standard media metrics, “impressions” represent any audience interaction with a piece of content; they indicate the number of times intended audiences saw or heard the content. “Clicks” are the absolute counts of interactions with webpages, social media platforms, and other digital interfaces. CTRs indicate how often audiences click a link in one of the ads to access additional content. Collectively, these metrics provide a surrogate measure of overall reach and engagement by the campaign. All of the metrics’ data were managed and analyzed using standard software available through the public health department: Excel (Microsoft Corp) and SAS version 9.4 (SAS Institute, Inc).

The approach taken to document the campaign’s reach and performance did not allow for definitive identification of audiences who were from communities of color. However, ads were placed with media companies known for their large following of African American and Latino listeners or site users and for content tailored to the preferences of these groups. The high volume and frequency of the ads also helped ensure that exposure to these ads among these groups was substantive. For example, radio ads across 12 stations (including Spanish language) ran 125 times each week for about 5 weeks during the time the campaign was live.

Results

Formative work on creative materials

In the formative stage of campaign development, most of the public health professionals (n = 14; mean age, 51 y [range, 18–65 y]; 85.7% female) and NUD respondents (n = 23; mean age, 33 y [range, 20–46 y]; 73.9% female) who saw the ads reacted favorably to the creative content and design. For example, nearly 35% of NUD respondents agreed that the ads made them think about reducing their smoking in the future and about quitting tobacco use altogether (or never starting again). Twelve of the public health professionals (86%) believed the ads would be somewhat effective or very effective for audiences who had a NUD. Most survey participants, particularly the smokers, believed the ads were im-

The opinions expressed by authors contributing to this journal do not necessarily reflect the opinions of the U.S. Department of Health and Human Services, the Public Health Service, the Centers for Disease Control and Prevention, or the authors’ affiliated institutions.

portant, clear, told or taught them something new, and were worth sharing with friends or family members. More than half of professionals (64%) and NUD respondents (52%) agreed that the ads increased their concern about the risks of menthol cigarette use and their awareness of the state’s quitline; they also thought the information was credible because it came from a trustworthy source (ie, public health).

Performance of the campaign

Although no one ad significantly outperformed the other, the collective reach and performance of the campaign were robust (approximately 382,000 people used menthol cigarettes in Los Angeles County at the time of the campaign) (9). In its initial run, the “Done with Menthol” campaign garnered more than 66 million impressions, received approximately 56,000 clicks on its various digital and social media platforms, and had CTRs that surpassed industry benchmarks (Table). In its second run (May–June 2023), the campaign garnered approximately 11 million more impressions. Ad performances by language and by medium varied, which is reflected by the campaign’s strategic ad placements in different geographic as well as specialty platforms or networks. For instance, in platforms like B Code where ads were tailored to the English-speaking African American and Black audience, English ads performed 24% better than Spanish ads.

For *LAQuits.com*, website visits were mostly from mobile devices (78%), while almost 16% came from desktop or laptop computers and the remaining 6% from tablets. Length of time during website visits showed interest and time spent looking at webpage content, searching for more information. After visiting the “Menthol” English or Spanish landing webpage, users visited the *LAQuits.com* homepage and the “Stressed” webpage the most. Also, despite 2 other tobacco prevention campaigns (quit vaping and cessation) running concurrently in Los Angeles County, at least 48,420 and 40,484 of the total 66,000 web sessions and 56,000 new visitors, respectively, were attributed to the “Done with Menthol” campaign.

During the campaign’s initial run, the state quitline call volume for African American and Latino subgroups was 1.9 and 1.8 times higher than the average inbound call volume for the corresponding months during 2018 and 2019, respectively (Figure 3).




Figure 3. Los Angeles County Department of Public Health’s health marketing campaign, “Done with Menthol,” website analytics.

Implications for Public Health

The “Done with Menthol” campaign used similar stylistic tobacco industry marketing tactics that drew people in with attractive human models, images, and slogans. At the same time, its messaging and visual materials motivated people to learn more about how to quit, especially when stress is a trigger for smoking. The campaign encouraged smokers to make a quit attempt with the aid of in-person and online resources such as the *Kick It California* quitline and the *LAQuits* website. The quitline is an effective venue for cessation because it provides people with the opportunity to speak to a live person (eg, an experienced counselor) in real time to obtain help with quitting tobacco. In Los Angeles County, this campaign was able to address many of the disparities it set out to improve, including strengthening public support for the County flavor ban and providing cessation resources to African American and other communities of color, and to LGBTQ+ groups.

The “Done with Menthol” campaign took advantage of the tobacco industry’s marketing strategies and leveraged them to increase interest in cessation, primarily through public awareness and referrals to free or low-cost in-person and online treatment resources. For local jurisdictions interested in reducing menthol cigarette use in their communities, the Los Angeles County experience could serve as a model of practice for how health marketing could be used to strategically combat this public health problem (11,12,19). The campaign could prove effective even in situations where the industry outspends local health departments in marketing and advertising dollars; for example, in 2019, the 4 major US cigarette companies spent more than \$7.6 billion on advertising and promotion (20).

Limitations

Although this project provides insights into a model of practice for developing and implementing a tobacco counter-advertising health marketing campaign, its performance evaluation has limitations. First, the formative stage of campaign development, although thorough in its approach to testing ad concepts, relied heavily on reactions and opinions from a small group of individuals, suggest-

The opinions expressed by authors contributing to this journal do not necessarily reflect the opinions of the U.S. Department of Health and Human Services, the Public Health Service, the Centers for Disease Control and Prevention, or the authors’ affiliated institutions.

ing that selection and social desirability biases may have affected their responses. Second, even after coordinating with the California Tobacco Control Program on the timing of their tobacco counter-advertising, many state-sponsored ads were still running in the LA media market (ie, their impact on quitline call volume and *LAQuits* website visits could not be distinguished). Third, due to varying political affiliation, ideology, and support of certain policies in a given community, the “Done with Menthol” campaign, like many others before it, may not be generalizable to audiences in other US jurisdictions. Lastly, although the campaign used standard industry metrics to gauge media reach and engagement, these communications measures were not designed to demonstrate causation or show health impact. A more rigorous design, including the use of a pre-/post-campaign survey, would be required to investigate such effects. In this project, this kind of design was not possible because funding was lacking to support research or rigorous program evaluation.

Acknowledgments

The authors thank Fraser Communications for their management of the project and the assistance that its partners, Gwen Young Communications and Sentient Research, provided to develop and implement the “Done with Menthol” health marketing campaign in Los Angeles County. Their market research and communications strategy were instrumental in helping to broaden the reach of the campaign. The authors also thank Andy Dang in the Division of Chronic Disease and Injury Prevention, Los Angeles County Department of Public Health, for his assistance with data management and analysis of local tobacco control data. The content and conclusions described in this article are those of the authors and do not reflect the views or opinions of any agencies or organizations mentioned in the text.

R.H. and T.K. conceptualized the initial design of this project analysis and wrote the initial draft of the article. T.G.G., R.H., and A.T. contributed to the overall health marketing campaign design, coordinating with Fraser on the market research and development of the “Done with Menthol” campaign. R.F. and Fraser conducted the fieldwork for this project, including tracking the outcomes of the campaign. R.H., L.F., and T.K. performed the data analyses and data interpretation. T.G.G. and T.K. were responsible for fund acquisition. All authors assisted with iterative writing and editing of the final version of the article. They have reviewed and approved this version for submission and publication in the journal.

The project was supported, in part, by funding from the California Department of Public Health (contract no CTCP-17-19, -21). Dr Kuo’s participation in the writing of this article was made possible courtesy of the Population Health Program at the UCLA Clinical and Translational Science Institute (TR001881), University of California, Los Angeles. The campaign creative materi-

als (visuals) in Figure 1 were courtesy of Fraser. There are no competing interests or conflicts of interest to disclose. Data are confidential and not publicly available. Please address inquiries regarding data access to the corresponding author.

Author Information

Corresponding Author: Rachel Humphrey, MPH, Communications and Community Relations, Division of Chronic Disease and Injury Prevention, Los Angeles County Department of Public Health, 3530 Wilshire Blvd, 8th Floor, Los Angeles, CA 90010 (rhumphrey@ph.lacounty.gov).

Author Affiliations: ¹Communications and Community Relations, Division of Chronic Disease and Injury Prevention, Los Angeles County Department of Public Health, Los Angeles, California. ²Fraser Communications, Los Angeles, California. ³Tobacco Control and Prevention Program, Division of Chronic Disease and Injury Prevention, Los Angeles County Department of Public Health, Los Angeles, California. ⁴Research and Evaluation, Division of Chronic Disease and Injury Prevention, Los Angeles County Department of Public Health, Los Angeles, California. ⁵Department of Family Medicine, David Geffen School of Medicine at University of California, Los Angeles (UCLA), Los Angeles, California. ⁶Department of Epidemiology, UCLA Fielding School of Public Health, Los Angeles, California. ⁷Population Health Program, UCLA Clinical and Translational Science Institute, Los Angeles, California.

References

1. Gardiner PS. The African Americanization of menthol cigarette use in the United States. *Nicotine Tob Res.* 2004; 6(Suppl 1):S55–S65. doi:10.1080/14622200310001649478
2. University of California, San Francisco. The growth of menthols 1933–1977; 1978. Accessed December 12, 2023. <https://www.industrydocuments.ucsf.edu/docs/#id=mqwy0139>
3. Centers for Disease Control and Prevention. Tobacco-related mortality. Accessed February 6, 2024. https://www.cdc.gov/tobacco/data_statistics/fact_sheets/adult_data/cig_smoking/index.htm
4. Jackler RK, Ramamurthi D, Willett J, Chau C, Muoneke M, Zeng A, et al. Advertising created and continues to drive the menthol tobacco market: methods used by the industry to target youth, women, and Black Americans. *Stanford Medicine, American Heart Association*; October 3, 2022. Accessed December 12, 2023. <https://tobacco-img.stanford.edu/wp-content/uploads/2022/10/02234723/SRITA-AHA-MentholAdvertising.pdf>

5. Centers for Disease Control and Prevention. Smoking and tobacco use. Unfair and unjust practices and conditions harm African American people and drive health disparities. Accessed December 12, 2023. <https://www.cdc.gov/tobacco/health-equity/african-american/unfair-and-unjust.html>
6. Stevens P, Carlson LM, Hinman JM. An analysis of tobacco industry marketing to lesbian, gay, bisexual, and transgender (LGBT) populations: strategies for mainstream tobacco control and prevention. *Health Promot Pract.* 2004;5(3suppl): 129S–134S. doi:10.1177/1524839904264617
7. Countertobacco.org. Latinx and POS tobacco in the US: targeted marketing. Accessed December 12, 2023. <https://countertobacco.org/resources-tools/evidence-summaries/latinx-point-of-sale-in-the-us/>
8. Centers for Disease Control and Prevention. Menthol smoking and related health disparities. Accessed December 12, 2023. https://www.cdc.gov/tobacco/basic_information/menthol/related-health-disparities.html
9. Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Los Angeles County Health Survey. Accessed December 12, 2023. <http://www.publichealth.lacounty.gov/ha/hasurveyintro.htm>
10. UC Davis Health. “UC Quits” project helps patients stop smoking. March 29, 2023. Accessed December 16, 2023. <https://health.ucdavis.edu/news/headlines/uc-quits-project-helps-patients-stop-smoking/2023/03>
11. Centers for Disease Control and Prevention. Mass-reach health communications interventions. Best practices for comprehensive tobacco control programs. Accessed December 16, 2023. <https://www.cdc.gov/tobacco/stateandcommunity/guides/pdfs/2014/sectionA-II.pdf>
12. Parvanta CF, Nelson DE, Harner RN. Public health communication: critical tools and strategies. First edition. Burlington (MA): Jones & Bartlett Learning; 2018.
13. Centers for Disease Control and Prevention, Office on Smoking and Health. Designing and implementing an effective tobacco counter-marketing campaign. Accessed December 16, 2023. <https://www.cdc.gov/tobacco/stateandcommunity/counter-marketing/>
14. Murphy-Hoefer R, Davis KC, King BA, Beistle D, Rodes R, Graffunder C. Association between the Tips From Former Smokers campaign and smoking cessation among adults, United States, 2012–2018. *Prev Chronic Dis.* 2020;17:E97. doi:10.5888/pcd17.200052
15. US Department of Health and Human Services. Smoking cessation: a report of the Surgeon General. Atlanta (GA): US Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health; 2020. <https://www.hhs.gov/sites/default/files/2020-cessation-sgr-full-report.pdf>
16. Prochaska JO, Velicer WF. The transtheoretical model of health behavior change. *Am J Health Promot.* 1997;12(1): 38–48. doi:10.4278/0890-1171-12.1.38
17. Kick It California (website). Accessed December 16, 2023. <https://kickitca.org/>
18. Sinelnikov D. Using social media and digital marketing metrics to develop or change your brand image. *Forbes*; February 15, 2023. Accessed December 16, 2023. <https://www.forbes.com/sites/forbesagencycouncil/2023/02/15/using-social-media-and-digital-marketing-metrics-to-develop-or-change-your-brand-image>
19. Smiley SL, Cho J, Blackman KCA, Cruz TB, Pentz MA, Samet JM, et al. Retail marketing of menthol cigarettes in Los Angeles, California: a challenge to health equity. *Prev Chronic Dis.* 2021;18:E11. doi:10.5888/pcd18.200144
20. Centers for Disease Control and Prevention. Tobacco industry marketing. Accessed December 16, 2023. https://www.cdc.gov/tobacco/data_statistics/fact_sheets/tobacco_industry/marketing/index.htm

The opinions expressed by authors contributing to this journal do not necessarily reflect the opinions of the U.S. Department of Health and Human Services, the Public Health Service, the Centers for Disease Control and Prevention, or the authors' affiliated institutions.

Table

Table. Performance of the “Done with Menthol” Campaign in Los Angeles County, February–April, 2021, and May–June, 2023

Campaign	Timeline	Objective	Intended audience	Media type	Impressions	Clicks	CTR ^a , %
<i>Done with Menthol</i> : “Smoothing Over Cancer Since 1931” and “Smooth on Throats, Hard on Lives”	First run: February 15, 2021, through April 4, 2021	To bring attention to the dangers of menthol cigarettes and encourage people to stop smoking, with an overall focus on reducing the use of menthol-flavored products in communities of color	People who smoke menthol cigarettes; Black and Latino men; aged 25–54 years. Radio demographic; English and Spanish language	Radio ^b (with added value of >244 spots that ran as bonus)	16,443,402	—	—
				Streaming audio	1,198,943	646	0.05
				Programmatic banners	14,181,982	22,391	0.16
				Facebook/Instagram	2,610,795	22,678	0.87
				HCode Media (Latino/x)	1,012,336	7,994	0.79
				iOne (African American)	982,759	1,109	0.11
				Blavity	774,862	748	~0.07
				Outdoor messaging via 437 units: 128 bus tails, 8 posters, 4 bus shelters, 172 convenience store posters, and 125 digital POS screens at convenience stores	29,100,000	—	—
				Print: 2 ads in <i>LA Sentinel</i> and <i>Our Weekly</i> (Los Angeles, Antelope Valley) and 4 ads in <i>La Opinion</i> (Spanish)	400,546	—	—
Total	66,705,625	55,566	—				
<i>Done with Menthol</i> Campaign, “Quit Smoking Menthols for the Fam” and “Quitting Menthols is Tough, You’re Tougher”	Second run: May 8, 2023, through June 8, 2023	To bring attention to the dangers of menthol cigarettes and encourage people to stop smoking, with an overall focus on reducing the use of menthol-flavored products in communities of color	People who smoke menthol cigarettes; Black and Latino men; aged 25–54 years; Radio demographic; English and Spanish language	Programmatic banners	917,883	908	0.10
				Facebook/Instagram	754,708	12,840	1.70
				HCode Media (Latino/x)	1,181,613	1,030	0.09
				BCode Media (African American)	1,542,871	757	0.05
				Blavity	760,029	535	0.07
				Outdoor messaging via 59 units: 54 convenience store posters, 5 City Lights (coverage of West Hollywood, added coverage of San Fernando Valley)	6,300,000	—	—
Total	11,457,104	16,070	—				
<i>LAQuits.com</i>	February 1, 2021, through April 30, 2021	Website: resources for quit smoking tips, free or low-cost cessation support and link to <i>Kick It California</i> quitline	People who smoke menthol cigarettes; Black and Latino men; aged 25–54 years; Radio demographic; English and Spanish language	Website statistics and data tracking data via Web Analytics	Of the 66,000 website visit sessions and 56,000 new users during the campaign flight, it was estimated that at least 48,420 sessions and 40,484 new users were from the “Done with Menthol” campaign	—	—

Abbreviations: —, not applicable; CTR, click-through rate; POS, point of sale.

^a For this campaign, CTR performances of key components were generally above industry benchmarks (ie, they exceeded expectations).

^b Radio stations were selected to best reach both general market listeners and specific target audience(s). Many of them were ethnic media and language-specific news outlets (not an exhaustive list): KJLH-FM, KPWR-FM, KRRL-FM, KTWV-FM, and KDAY-FM, mostly Black, urban listeners; KRTH-FM, mostly English-speaking Hispanic and general market listeners; KLAX-FM, KWKW-AM (sports), KXOL-FM, and KSCA-FM, mostly Spanish-speaking listeners; KCEL-FM (Spanish), KUTY-AM, KGMX-FM, and KQAV-FM, listeners in the Antelope Valley (rural) area.

The opinions expressed by authors contributing to this journal do not necessarily reflect the opinions of the U.S. Department of Health and Human Services, the Public Health Service, the Centers for Disease Control and Prevention, or the authors’ affiliated institutions.