

Vaccine Labels


Storage and Beyond-Use Date Tracking Labels



Proper storage and handling practices play a very important role in the safety and efficacy of vaccines in protecting individuals and communities from vaccine-preventable diseases.

CDC recommends providers follow vaccine storage and handling best practices outlined in [CDC's Vaccine Storage and Handling Toolkit](#), including:

- Store each type of vaccine or diluent, if applicable, in its original packaging and in a separate container or bin within the storage unit.
- Use storage labels to help staff easily identify vaccines. The following labels are examples that may be used to help organize vaccines.
- Label shelves and containers to clearly identify where each vaccine and diluent, if applicable, is stored.
- Store vaccines and diluents with similar packaging or names or with pediatric and adult formulations on different shelves.
- If possible, color-code labels (e.g., one color for pediatric and another for adult vaccines).



Note: Storage labels are formatted to print on 4" x 3-1/3" adhesive labels.

2024-25 Afluria (Influenza)

Store between 2°C and 8°C (36°F and 46°F)

Protect From Light

Do Not Freeze

Beyond-Use Time: Applies only to vaccine in a multidose vial (MDV). After first puncture, discard within 28 days. Return the MDV to appropriate storage temperatures between uses. The number of needle punctures should not exceed 20 per MDV.

Updated 6/2/2025



2024-25 Fluarix (Influenza)

Store between 2°C and 8°C (36°F and 46°F)

Protect From Light

Do Not Freeze

Updated 6/2/2025



2024-25 FluLaval (Influenza)

Store between 2°C and 8°C (36°F and 46°F)

Protect From Light

Do Not Freeze

Updated 6/2/2025



2024-25 Fluzone (Influenza)

Store between 2°C and 8°C (36°F and 46°F)

Do Not Freeze

Multidose vial (MDV): Return the MDV to appropriate storage temperatures between uses. A maximum of 10 doses can be withdrawn from the MDV.

Updated 6/2/2025



2024-25 Fluzone High-Dose (Influenza)

Store between 2°C and 8°C (36°F and 46°F)

Do Not Freeze

Updated 6/2/2025



2024-25 Fluad (Influenza)

Store between 2°C and 8°C (36°F and 46°F)

Protect From Light

Do Not Freeze

Updated 6/2/2025



2024-25 Flucelvax (Influenza)

Store between 2°C and 8°C (36°F and 46°F)

Protect From Light

Do Not Freeze

Multidose vial (MDV): An MDV contains 10 doses. Return the MDV to appropriate storage temperatures between uses.

Updated 6/2/2025



2024-25 Flublok (Influenza)

Store between 2°C and 8°C (36°F and 46°F)

Protect From Light

Do Not Freeze

Updated 6/2/2025



2024-25 FluMist (Influenza)

Store between 2°C and 8°C (36°F and 46°F)

Protect From Light

Do Not Freeze

Updated 6/2/2025



2024-25 Pfizer-BioNTech COVID-19 Vaccine 6 months through 4 years

Store vaccine between -90°C and -60°C (-130°F and -76°F)
Store diluent between 20°C and 25°C (68°F and 77°F)

Cap Color: Yellow

Protect From Light

Requires Mixing: Multidose vaccine vial and 0.9 sodium chloride injection USP

Beyond-Use Time: Store unpunctured vaccine vials between:

- 2°C and 8°C (36°F and 46°F) for up to 10 weeks
- 8°C and 25°C (46°F and 77°F) for a total of 12 hours

Discard punctured vials after 12 hours.

Do not refreeze once thawed.

Updated 6/2/2025



2024-25 Pfizer-BioNTech COVID-19 Vaccine 6 months through 4 years

Beyond-Use Date Label

Store between 2°C and 8°C (36°F and 46°F)
for up to 10 weeks

Cap Color: Yellow

Lot Number(s): _____

Today's Date: ____/____/____

Beyond-Use Date: ____/____/____

Updated 6/2/2025



2024-25 Pfizer-BioNTech COVID-19 Vaccine 5 through 11 years

Store between -90°C and -60°C (-130°F and -76°F)

Cap Color: Blue

Protect From Light

Beyond-Use Time: Store unpunctured vials between:

- 2°C and 8°C (36°F and 46°F) for up to 10 weeks
- 8°C and 25°C (46°F and 77°F) for up to 12 hours prior to use

Do not refreeze once thawed

Updated 6/2/2025



2024-25 Pfizer-BioNTech COVID-19 Vaccine 5 through 11 years

Beyond-Use Date Label

Store between 2°C and 8°C (36°F and 46°F)
for up to 10 weeks

Cap Color: Blue

Lot Number(s): _____

Today's Date: ____/____/____

Beyond-Use Date: ____/____/____

Updated 6/2/2025



2024-25 Comirnaty (COVID-19) 12 years and older

Store between 2°C and 8°C (36°F and 46°F)

Protect From Light

Do Not Freeze

Beyond-Use Time: May be stored between 8°C and 25°C (46°F and 77°F) for up to 12 hours prior to use. Once activated, administer immediately or use within 4 hours.

Updated 6/2/2025



2024-25 Novavax COVID-19 Vaccine

Store between 2°C and 8°C (36°F and 46°F)

Protect From Light

Do Not Freeze

Updated 6/2/2025



2024-25 Moderna COVID-19 Vaccine 6 months through 11 years

Store between -50°C and -15°C (-58°F and 5°F)

Protect From Light

Beyond-Use Time: Store between:

- 2°C and 8°C (36°F and 46°F) for up to 60 days
- 8°C and 25°C (46°F and 77°F) for up to 12 hours

Do not refreeze once thawed

Updated 6/2/2025



2024-25 Moderna COVID-19 Vaccine 6 months through 11 years

Beyond-Use Date Label

Store between 2°C and 8°C (36°F and 46°F)
for up to 60 days

Lot Number(s): _____

Today's Date: ____/____/____

Beyond-Use Date: ____/____/____

Updated 6/2/2025



2024-25 Spikevax (COVID-19) 12 years and older

Store between -50°C and -15°C (-58°F and 5°F)

Protect From Light

Beyond-Use Time: Store between:

- 2°C and 8°C (36°F and 46°F) for up to 60 days
- 8°C and 25°C (46°F and 77°F) for up to 12 hours

Do not refreeze once thawed

Updated 6/2/2025



2024-25 Spikevax (COVID-19) 12 years and older

Beyond-Use Date Label

Store between 2°C and 8°C (36°F and 46°F)
for up to 60 days

Lot Number(s): _____

Today's Date: ____/____/____

Beyond-Use Date: ____/____/____

Updated 6/2/2025



Arexvy (RSV - GSK)

Store between 2°C and 8°C (36°F and 46°F)

Protect From Light

Do Not Freeze

Requires Reconstitution: Single-dose vial lyophilized antigen and single-dose vial adjuvant suspension.

Beyond-Use Time: If not used immediately after reconstitution, store between 2°C and 8°C (36°F and 46°F) or up to 25°C (77°F) for up to 4 hours.

Updated 6/2/2025



Abrysvo (RSV - Pfizer)

Store between 2°C and 8°C (36°F and 46°F)

Do Not Freeze

Requires Reconstitution: Single-dose vial lyophilized vaccine and manufacturer-filled syringe or vial diluent; or single-dose Act-O-Vial.

Beyond-Use Time: If not used immediately after reconstitution, store between 15°C and 30°C (59°F and 86°F) for up to 4 hours.

Updated 6/2/2025



mResvia (RSV - Moderna)

Store between -40°C and -15°C (-40°F and 5°F)

Protect From Light

Beyond-Use Time: Store between:

- 2°C and 8°C (36°F and 46°F) for up to 90 days
- 8°C and 25°C (46°F and 77°F) for up to 24 hours

Do not refreeze once thawed

Do not refrigerate after thawing at room temperature

Updated 06/2/2025



mResvia (RSV - Moderna)

Beyond-Use Date Label

Store between 2°C and 8°C (36°F and 46°F)
for up to 90 days

Lot Number(s): _____

Today's Date: ____/____/____

Beyond-Use Date: ____/____/____

Updated 6/2/2025



Nirsevimab Monoclonal Antibody 100 mg Manufacturer-filled Syringe

Store between 2°C and 8°C (36°F and 46°F)

Color: Light blue plunger

Protect From Light

Do Not Freeze

Beyond-Use Time: May be kept between 20°C and 25°C (68°F and 77°F) for a maximum of 8 hours.

Updated 6/2/2025



**Nirsevimab Monoclonal Antibody
50 mg Manufacturer-filled Syringe**

Store between 2°C and 8°C (36°F and 46°F)

Color: Purple plunger

Protect From Light

Do Not Freeze

Beyond-Use Time: May be kept between 20°C and 25°C (68°F and 77°F) for a maximum of 8 hours.

Updated 6/2/2025

