

Notifiable Diseases and Mortality Tables

TABLE I. Provisional cases of selected* infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending December 2, 2017 (48th week)[†] (Export data)

Disease	Current week	Cum 2017	5-year weekly average [§]	Total cases reported for previous years					States reporting cases during current week (No.)
				2016	2015	2014	2013	2012	
Anthrax	—	—	—	—	—	—	—	—	—
Arboviral diseases neuroinvasive and nonneuroinvasive ^{¶,**} :									
Chikungunya virus disease	—	97	3	247	896	NN	NN	NN	
Eastern equine encephalitis virus disease	—	1	—	7	6	8	8	15	
Jamestown Canyon virus disease	—	63	0	15	11	11	22	2	
La Crosse virus disease	—	37	—	35	55	80	85	78	
Powassan virus disease	—	27	0	22	7	8	12	7	
St. Louis encephalitis virus disease	—	7	—	8	23	10	1	3	
Western equine encephalitis virus disease	—	—	—	—	—	—	—	—	
Botulism, total	—	131	3	201	195	161	152	168	
foodborne	—	17	0	31	37	15	4	27	
infant	—	98	3	144	138	127	136	123	
other (wound and unspecified)	—	16	0	26	20	19	12	18	
Brucellosis	—	115	2	127	126	92	99	114	
Chancroid	—	7	0	7	11	—	—	15	
Cholera	—	4	0	15	5	5	14	17	
Cyclosporiasis ^{**}	1	1,074	2	535	645	388	784	123	VA (1)
Diphtheria	—	—	—	—	—	1	—	1	
<i>Haemophilus influenzae</i> invasive disease (age <5 yrs) ^{††} :									
serotype b	—	21	1	30	29	40	31	30	
nontypeable	—	106	5	196	175	128	141	115	
non-b serotype	2	129	2	159	135	266	233	263	NE (1), OR (1)
unknown serotype	4	217	4	187	167	39	34	37	OH (1), FL (1), CO (1), OR (1)
Hansen's disease ^{**}	—	50	2	78	89	88	81	82	
Hantavirus ^{**} :									
Hantavirus infection (non-HPS)	—	—	0	6	3	NN	NN	NN	
Hantavirus Pulmonary Syndrome (HPS)	—	11	0	31	21	32	21	30	
Hemolytic uremic syndrome, postdiarrheal ^{**}	1	270	4	307	274	250	329	274	OH (1)
Hepatitis B, perinatal virus infection ^{§§}	—	20	1	32	37	47	48	40	
Influenza-associated pediatric mortality ^{**,¶¶}	2	121	1	82	130	141	160	52	IL (1), NV (1)
Leptospirosis ^{**}	—	55	1	78	40	38	NN	NN	
Listeriosis	8	657	13	786	768	769	735	727	NY (1), NYC (1), MD (1), VA (1), FL (2), MS (1), TX (1)
Measles ^{***}	—	122	1	85	188	667	187	55	
Meningococcal disease (<i>Neisseria meningitidis</i>) ^{†††} :									
serogroup ACWY	—	62	3	126	120	123	142	161	
serogroup B	—	57	2	86	111	89	99	110	
other serogroup	—	13	0	21	21	25	17	20	
unknown serogroup	2	175	3	142	120	196	298	260	PA (2)
Novel influenza A virus infections ^{§§§}	—	20	0	23	7	3	21	313	
Plague	—	1	—	4	16	10	4	4	
Poliomyelitis, paralytic	—	—	—	—	—	—	1	—	
Polio virus infection, nonparalytic ^{**}	—	—	—	—	—	—	—	—	
Psittacosis ^{**}	—	4	0	12	4	8	6	2	
Q fever, total ^{**}	1	149	2	164	156	168	170	135	
acute	1	120	1	132	122	132	137	113	OR (1)
chronic	—	29	0	32	34	36	33	22	
Rabies, human	—	—	—	—	2	1	2	1	
SARS-CoV	—	—	—	—	—	—	—	—	
Smallpox	—	—	—	—	—	—	—	—	
Streptococcal toxic shock syndrome ^{**}	7	269	5	283	335	259	224	194	NY (1), IN (1), VA (1), GA (1), KY (3)
Syphilis, congenital ^{¶¶¶}	—	528	9	633	493	458	348	322	
Toxic shock syndrome (other than streptococcal) ^{**}	—	24	1	40	64	59	71	65	
Trichinellosis ^{**}	—	13	1	26	14	14	22	18	
Tularemia	—	207	2	230	314	180	203	149	
Typhoid fever (caused by <i>Salmonella typhi</i>)	3	329	5	376	367	349	338	354	NY (1), NYC (2)
Vancomycin-intermediate <i>Staphylococcus aureus</i> ^{**}	1	84	3	108	183	212	248	134	NYC (1)
Vancomycin-resistant <i>Staphylococcus aureus</i> ^{**}	—	—	0	—	3	—	—	2	

See Table I footnotes on next page.

Morbidity and Mortality Weekly Report

TABLE I. (Continued) Provisional cases of selected* infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending December 2, 2017 (48th week)[†] (Export data)

Disease	Current week	Cum 2017	5-year weekly average [§]	Total cases reported for previous years					States reporting cases during current week (No.)
				2016	2015	2014	2013	2012	
Viral hemorrhagic fevers****:									
Crimean-Congo hemorrhagic fever	—	—	—	—	—	NP	NP	NP	
Ebola hemorrhagic fever	—	—	—	—	—	4	NP	NP	
Guanarito hemorrhagic fever	—	—	—	—	—	NP	NP	NP	
Junin hemorrhagic fever	—	—	—	—	—	NP	NP	NP	
Lassa fever	—	—	—	—	1	1	NP	NP	
Lujo virus	—	—	—	—	—	NP	NP	NP	
Machupo hemorrhagic fever	—	—	—	—	—	NP	NP	NP	
Marburg fever	—	—	—	—	—	NP	NP	NP	
Sabia-associated hemorrhagic fever	—	—	—	—	—	NP	NP	NP	
Yellow fever	—	—	—	—	—	—	—	—	
Zika virus disease, non-congenital ^{††††}	—	423	16	5,132	NN	NN	NN	NN	

—: No reported cases. N: Not reportable. NA: Not available. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts.

* Case counts for reporting year 2017 are provisional and subject to change. Data for years 2012 through 2016 are finalized. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>.

† This table does not include cases from the U.S. territories. Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

§ Calculated by summing the incidence counts for the current week, the 2 weeks preceding the current week, and the 2 weeks following the current week, for a total of 5 preceding years. Additional information is available at <http://www.cdc.gov/nndss/document/5yearweeklyaverage.pdf>.

¶ Updated weekly reports from the Division of Vector-Borne Diseases, National Center for Emerging and Zoonotic Infectious Diseases (ArboNET Surveillance). Data for West Nile virus are available in Table II.

** Not reportable in all jurisdictions. Data from states where the condition is not reportable are excluded from this table, except for the arboviral diseases and influenza-associated pediatric mortality. Reporting exceptions are available at <http://www.cdc.gov/nndss/downloads.html>.

†† Data for Haemophilus influenzae (all ages, all serotypes) are available in Table II.

§§ In 2016, the nationally notifiable condition 'Hepatitis B Perinatal Infection' was renamed to 'Perinatal Hepatitis B Virus Infection' and reflects updates in the 2016 CSTE position statement for Perinatal Hepatitis B Virus Infection.

¶¶ Updated weekly from reports to the Influenza Division, National Center for Immunization and Respiratory Diseases. Since October 1, 2017, seven influenza-associated pediatric deaths occurring during the 2017-18 season have been reported.

*** No measles cases were reported for the current week.

††† Data for meningococcal disease (all serogroups) are available in Table II.


§§§ Novel influenza A virus infections are human infections with influenza A viruses that are different from currently circulating human seasonal influenza viruses. With the exception of one avian lineage influenza A (H7N2) virus, all novel influenza A virus infections reported to CDC since 2012 have been variant influenza viruses. Total case counts are provided by the Influenza Division, National Center for Immunization and Respiratory Diseases (NCIRD).

¶¶¶ Updated weekly from reports to the Division of STD Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention.

**** Prior to 2015, CDC's National Notifiable Diseases Surveillance System (NNDSS) did not receive electronic data about incident cases of specific viral hemorrhagic fevers; instead data were collected in aggregate as "viral hemorrhagic fevers". Beginning in 2015, NNDSS has been updated to receive data for each of the viral hemorrhagic fevers listed below. In addition to the four cases of Ebola diagnosed in the United States to date in 2014, six residents of the United States have been medically evacuated to the United States for care after developing Ebola in West Africa. Ten of the 11 VHF cases reported for 2014 are confirmed as Ebola and one as Lassa fever.

†††† The Council of State and Territorial Epidemiologists approved position statement 16-ID-01 in June 2016, which modifies the previous case definition and naming convention from "Zika virus congenital infection" to "Zika virus disease, non-congenital".

FIGURE I. Selected notifiable disease reports, United States, comparison of provisional 4-week totals December 2, 2017, with historical data



* No measles cases were reported for the current 4-week period yielding a ratio for week 48 of zero (0).

[†] Ratio of current 4-week total to mean of 15 4-week totals (from previous, comparable, and subsequent 4-week periods for the past 5 years). The point where the hatched area begins is based on the mean and two standard deviations of these 4-week totals.

National Notifiable Diseases Data Team

Yvette D. Dominique Deborah A. Adams Diana Harris Onweh	Willie J. Anderson Alan W. Schley
---	--------------------------------------

Data presented by the National Notifiable Diseases Data Team in the weekly MMWR are provisional, based on weekly reports to CDC by state health departments. Readers who have difficulty accessing this PDF file may access the HTML file at <https://www.cdc.gov/mmwr/volumes/66/wr/mm6648md.htm>. Address all inquiries about the MMWR Series, including material to be considered for publication, to Editor, MMWR Series, Mailstop E-90, CDC, 1600 Clifton Rd, N.E., Atlanta, GA 30329-4027 or to mmwraq@cdc.gov.

Morbidity and Mortality Weekly Report

TABLE II. Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending December 2, 2017, and December 3, 2016 (48th week)[†] (Export data)

Reporting area	Babesiosis					Campylobacteriosis				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
		Med	Max				Med	Max		
United States	8	15	152	1,694	1,758	549	1,117	3,079	55,890	54,245
New England	2	4	88	813	1,087	20	55	105	2,660	2,761
Connecticut	—	0	6	32	318	2	11	31	581	617
Maine	2	1	11	96	78	3	3	9	185	247
Massachusetts	—	1	69	459	514	15	23	50	1,286	1,285
New Hampshire	—	1	8	65	13	—	5	12	245	211
Rhode Island	—	1	16	142	151	—	4	15	212	197
Vermont	—	0	3	19	13	—	3	9	151	204
Mid. Atlantic	6	8	119	771	527	113	142	243	7,358	7,245
New Jersey	—	1	26	169	173	—	31	81	1,430	1,788
New York (Upstate)	6	5	118	506	303	45	33	84	1,724	1,698
New York City	—	1	13	96	51	43	39	61	1,943	1,576
Pennsylvania	N	0	0	N	N	25	44	93	2,261	2,183
E.N. Central	—	1	9	83	68	82	139	284	7,698	7,835
Illinois	—	0	1	1	2	—	37	81	1,891	1,888
Indiana	—	0	1	1	—	—	18	44	903	970
Michigan	—	0	2	2	2	2	26	62	1,439	1,534
Ohio	—	0	1	1	—	66	38	65	1,971	1,884
Wisconsin	—	1	8	78	64	14	28	64	1,494	1,559
W.N. Central	—	0	1	2	53	45	80	159	4,019	5,694
Iowa	—	0	1	2	1	20	20	46	1,029	999
Kansas	N	0	0	N	N	—	13	25	599	739
Minnesota	—	0	1	—	49	—	0	19	—	1,460
Missouri	—	0	0	—	1	16	25	51	1,313	1,300
Nebraska	—	0	0	—	1	8	9	23	495	573
North Dakota	—	0	0	—	1	1	4	13	212	187
South Dakota	—	0	0	—	—	—	7	16	371	436
S. Atlantic	—	0	3	14	11	38	174	295	9,209	8,436
Delaware	—	0	1	4	2	—	3	10	159	164
District of Columbia	—	0	0	—	2	—	0	2	20	62
Florida	N	0	0	N	N	—	80	111	3,880	2,993
Georgia	N	0	0	N	N	10	20	41	1,062	904
Maryland	—	0	2	8	6	17	16	38	809	776
North Carolina	N	0	0	N	N	—	27	58	1,319	1,370
South Carolina	—	0	1	2	1	—	7	18	357	374
Virginia	N	0	0	N	N	11	26	69	1,251	1,426
West Virginia	—	0	0	—	—	—	7	22	352	367
E.S. Central	—	0	1	2	2	6	52	98	2,542	2,268
Alabama	—	0	1	1	—	1	13	32	699	636
Kentucky	—	0	0	—	1	—	16	25	683	700
Mississippi	N	0	0	N	N	4	9	18	446	243
Tennessee	—	0	1	1	1	1	14	30	714	689
W.S. Central	—	0	1	1	4	110	121	293	5,750	6,280
Arkansas	—	0	0	—	1	4	11	27	557	496
Louisiana	—	0	1	1	2	9	6	25	311	532
Oklahoma	N	0	0	N	N	41	6	76	561	1,091
Texas	—	0	0	—	1	56	93	241	4,321	4,161
Mountain	—	0	0	—	1	47	89	171	4,650	4,292
Arizona	—	0	0	—	—	10	26	51	1,260	1,158
Colorado	N	0	0	N	N	23	20	44	1,120	1,045
Idaho	N	0	0	N	N	5	9	24	462	432
Montana	—	0	0	—	1	5	7	17	376	352
Nevada	N	0	0	N	N	—	3	9	129	191
New Mexico	N	0	0	N	N	4	13	29	680	494
Utah	—	0	0	—	—	—	10	21	445	474
Wyoming	—	0	0	—	—	—	3	9	178	146
Pacific	—	0	1	8	5	88	262	2,060	12,004	9,434
Alaska	N	0	0	N	N	—	2	7	107	111
California	—	0	1	4	3	61	176	268	8,753	7,908
Hawaii	N	0	0	N	N	—	8	36	565	483
Oregon	—	0	1	4	2	11	19	41	984	932
Washington	—	0	0	—	16	24	1,911	1,595	—	—
Territories										
American Samoa	U	0	0	U	U	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	1	—	7
Puerto Rico	N	0	0	N	N	—	0	2	14	42
U.S. Virgin Islands	N	0	0	N	N	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting year 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending December 2, 2017, and December 3, 2016 (48th week)[†] (Export data)

Reporting area	Chlamydia trachomatis infection					Coccidioidomycosis				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
		Med	Max				Med	Max		
United States	15,800	31,957	37,915	1,467,273	1,471,039	340	216	312	10,289	10,853
New England	513	1,052	1,524	47,768	49,489	—	0	1	1	4
Connecticut	13	211	459	8,617	12,453	N	0	0	N	N
Maine	1	77	153	2,713	3,805	N	0	0	N	N
Massachusetts	335	568	677	26,579	24,648	N	0	0	N	N
New Hampshire	64	82	201	4,387	3,160	—	0	1	1	3
Rhode Island	100	87	496	4,520	3,942	—	0	0	—	1
Vermont	—	22	102	952	1,481	N	0	0	N	N
Mid. Atlantic	3,071	4,189	5,072	197,037	183,917	—	0	0	—	—
New Jersey	253	685	845	31,254	31,892	N	0	0	N	N
New York (Upstate)	1,038	859	2,358	40,554	37,719	N	0	0	N	N
New York City	875	1,418	1,588	66,299	61,843	N	0	0	N	N
Pennsylvania	905	1,120	2,006	58,930	52,463	N	0	0	N	N
E.N. Central	1,575	4,340	5,193	200,200	219,158	2	1	4	44	66
Illinois	77	1,038	1,583	47,701	67,038	N	0	0	N	N
Indiana	339	648	927	31,170	28,650	—	0	0	—	1
Michigan	202	933	1,104	41,795	42,377	—	0	2	15	32
Ohio	591	1,157	1,277	54,016	56,187	2	0	4	27	20
Wisconsin	366	532	644	25,518	24,906	—	0	1	2	13
W.N. Central	388	1,873	2,113	85,207	87,591	—	1	5	81	90
Iowa	72	267	335	12,209	12,056	N	0	0	N	N
Kansas	37	263	313	12,190	11,176	N	0	0	N	N
Minnesota	6	433	513	17,219	21,024	—	1	4	54	59
Missouri	163	631	821	29,849	28,449	—	0	2	17	20
Nebraska	72	160	274	7,217	7,607	—	0	1	6	5
North Dakota	28	60	78	2,880	3,245	—	0	1	4	6
South Dakota	10	82	120	3,643	4,034	N	0	0	N	N
S. Atlantic	3,558	6,813	11,499	310,418	303,194	—	0	2	7	8
Delaware	77	102	149	4,963	4,894	—	0	0	—	2
District of Columbia	—	165	426	7,912	6,671	—	0	0	—	—
Florida	1,297	1,987	2,771	90,470	85,731	N	0	0	N	N
Georgia	342	1,218	1,442	56,285	58,382	N	0	0	N	N
Maryland	284	620	1,343	28,127	26,404	—	0	2	7	6
North Carolina	1	1,183	1,386	49,579	53,753	N	0	0	N	N
South Carolina	791	598	2,152	30,567	26,154	N	0	0	N	N
Virginia	706	761	4,710	38,746	36,746	N	0	0	N	N
West Virginia	60	79	130	3,769	4,459	N	0	0	N	N
E.S. Central	1,004	1,943	2,329	85,303	89,248	—	0	1	2	—
Alabama	—	530	761	21,459	24,964	N	0	0	N	N
Kentucky	442	385	714	17,942	16,235	—	0	1	2	—
Mississippi	349	427	730	16,581	17,753	N	0	0	N	N
Tennessee	213	651	917	29,321	30,296	N	0	0	N	N
W.S. Central	3,448	4,163	5,420	194,148	197,159	2	0	3	9	15
Arkansas	235	221	618	11,107	15,001	1	0	2	4	1
Louisiana	624	659	1,684	31,989	29,208	1	0	1	5	14
Oklahoma	63	348	445	15,416	20,026	N	0	0	N	N
Texas	2,526	2,862	4,061	135,636	132,924	N	0	0	N	N
Mountain	978	2,211	3,010	103,212	101,293	316	115	211	6,152	5,731
Arizona	723	746	1,615	34,896	31,864	316	113	211	5,985	5,575
Colorado	—	506	790	24,762	23,983	N	0	0	N	N
Idaho	—	113	165	4,681	5,419	N	0	0	N	N
Montana	—	79	158	3,749	4,099	—	0	3	15	13
Nevada	6	262	345	12,075	13,434	—	2	8	101	80
New Mexico	83	251	401	11,782	11,834	—	0	2	10	24
Utah	135	196	255	9,353	8,758	—	0	4	34	38
Wyoming	31	40	73	1,914	1,902	—	0	1	7	1
Pacific	1,265	5,307	5,771	243,980	239,990	20	86	154	3,993	4,939
Alaska	—	111	142	4,694	5,272	N	0	0	N	N
California	434	4,207	4,690	194,730	183,323	20	86	154	3,984	4,928
Hawaii	—	131	181	5,822	6,414	N	0	0	N	N
Oregon	357	356	545	17,330	16,130	—	0	1	9	11
Washington	474	480	686	21,404	28,851	N	0	0	N	N
Territories	—	—	—	—	—	N	0	0	N	N
American Samoa	—	0	0	—	—	N	0	0	N	N
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	34	118	350	5,431	6,544	N	0	0	N	N
U.S. Virgin Islands	—	9	21	349	553	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —:No reported cases. N: Not reportable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting year 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending December 2, 2017, and December 3, 2016 (48th week)[†] (Export data)

Reporting area	Dengue Virus Infections														
	Cryptosporidiosis					Dengue [§]					Severe Dengue				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
United States	86	163	403	9,213	12,646	1	6	16	319	961	—	0	1	6	10
New England	2	8	21	382	439	—	0	1	2	27	—	0	0	—	—
Connecticut	—	1	5	69	59	—	0	0	—	8	—	0	0	—	—
Maine	1	1	4	41	54	—	0	0	—	2	—	0	0	—	—
Massachusetts	1	3	13	146	190	—	0	1	1	8	—	0	0	—	—
New Hampshire	—	1	8	56	53	—	0	1	—	2	—	0	0	—	—
Rhode Island	—	0	3	26	16	—	0	1	1	4	—	0	0	—	—
Vermont	—	1	4	44	67	—	0	0	—	3	—	0	0	—	—
Mid. Atlantic	9	17	38	845	1,132	—	1	5	43	205	—	0	1	1	4
New Jersey	—	2	5	73	186	—	0	1	10	49	—	0	0	—	4
New York (Upstate)	3	5	14	258	320	—	0	1	4	45	—	0	0	—	—
New York City	4	3	12	167	176	—	0	4	26	90	—	0	0	—	—
Pennsylvania	2	6	17	347	450	—	0	1	3	21	—	0	1	1	—
E.N. Central	21	35	104	2,055	3,623	—	1	4	43	76	—	0	1	2	1
Illinois	—	5	22	275	317	—	0	2	14	37	—	0	1	2	—
Indiana	—	3	10	163	203	—	0	1	2	8	—	0	0	—	1
Michigan	—	7	20	374	427	—	0	1	7	17	—	0	0	—	—
Ohio	16	11	83	617	1,834	—	0	2	5	7	—	0	0	—	—
Wisconsin	5	11	34	626	842	—	0	3	15	7	—	0	0	—	—
W.N. Central	5	23	68	1,250	2,163	—	0	2	10	65	—	0	0	—	—
Iowa	—	9	34	502	738	—	0	1	6	14	—	0	0	—	—
Kansas	—	2	8	103	130	—	0	1	2	4	—	0	0	—	—
Minnesota	—	0	6	—	447	—	0	2	—	28	—	0	0	—	—
Missouri	3	5	17	286	410	—	0	1	1	13	—	0	0	—	—
Nebraska	2	3	11	167	249	—	0	1	1	3	—	0	0	—	—
North Dakota	—	0	4	39	34	—	0	0	—	2	—	0	0	—	—
South Dakota	—	3	12	153	155	—	0	1	—	1	—	0	0	—	—
S. Atlantic	13	25	68	1,445	1,712	—	0	5	42	169	—	0	0	—	1
Delaware	—	0	2	21	24	—	0	1	1	2	—	0	0	—	—
District of Columbia	—	0	4	15	21	—	0	1	8	16	—	0	0	—	—
Florida	—	9	24	486	547	—	0	5	16	65	—	0	0	—	—
Georgia	8	6	20	343	341	—	0	1	4	20	—	0	0	—	—
Maryland	2	1	11	93	112	—	0	1	5	12	—	0	0	—	—
North Carolina	—	3	14	187	286	—	0	0	—	13	—	0	0	—	—
South Carolina	—	1	9	89	107	—	0	0	—	12	—	0	0	—	1
Virginia	3	3	10	178	230	—	0	2	8	29	—	0	0	—	—
West Virginia	—	0	4	33	44	—	0	0	—	—	—	0	0	—	—
E.S. Central	2	8	22	446	658	—	0	2	5	17	—	0	0	—	—
Alabama	—	4	7	163	312	—	0	1	—	6	—	0	0	—	—
Kentucky	1	2	4	81	139	—	0	0	—	2	—	0	0	—	—
Mississippi	1	1	5	58	46	—	0	2	2	—	—	0	0	—	—
Tennessee	—	2	12	144	161	—	0	2	3	9	—	0	0	—	—
W.S. Central	15	18	92	1,233	1,011	1	0	6	32	54	—	0	1	2	2
Arkansas	—	2	8	116	70	—	0	0	—	3	—	0	0	—	—
Louisiana	2	0	6	35	118	—	0	1	1	6	—	0	0	—	—
Oklahoma	2	2	60	150	160	—	0	1	1	4	—	0	1	1	—
Texas	11	13	65	932	663	1	0	6	30	41	—	0	1	1	2
Mountain	12	12	33	687	1,176	—	0	2	10	55	—	0	1	1	1
Arizona	2	2	6	102	535	—	0	1	2	13	—	0	0	—	—
Colorado	7	3	13	192	197	—	0	1	3	19	—	0	1	1	—
Idaho	—	1	6	87	115	—	0	1	1	4	—	0	0	—	—
Montana	3	1	6	64	60	—	0	0	—	2	—	0	0	—	—
Nevada	—	0	2	35	15	—	0	0	—	6	—	0	0	—	1
New Mexico	—	1	9	101	71	—	0	0	—	5	—	0	0	—	—
Utah	—	2	7	95	165	—	0	2	4	6	—	0	0	—	—
Wyoming	—	0	3	11	18	—	0	0	—	—	—	0	0	—	—
Pacific	7	16	143	870	732	—	2	9	132	283	—	0	0	—	1
Alaska	—	0	3	19	10	—	0	1	1	4	—	0	0	—	—
California	—	9	30	551	401	—	2	7	99	191	—	0	0	—	—
Hawaii	—	0	1	4	12	—	0	2	11	54	—	0	0	—	—
Oregon	7	5	11	251	309	—	0	1	5	14	—	0	0	—	—
Washington	—	0	131	45	—	0	3	16	20	—	0	0	—	0	1
Territories															
American Samoa	N	0	0	N	N	—	3	25	199	2	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	1	—	0	2	9	200	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	1	1	11	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U:Unavailable. —:No reported cases. N:Not reportable. NN:Not Nationally Notifiable. NP:Nationally notifiable but not published. Cum:Cumulative year-to-date counts. Med:Median. Max:Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting year 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

§ Includes data for dengue and dengue-like illness.

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending December 2, 2017, and December 3, 2016 (48th week)[†] (Export data)

Reporting area	Ehrlichiosis and Anaplasmosis [§]														
	Ehrlichia chaffeensis				Anaplasma phagocytophilum				Undetermined						
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
United States	6	16	139	1,404	1,214	62	64	272	4,172	3,996	2	3	16	196	195
New England	—	1	14	96	65	29	29	150	2,078	1,659	1	0	2	17	7
Connecticut	—	0	0	—	1	—	0	6	2	93	N	0	0	N	N
Maine	—	0	3	9	5	25	7	61	580	361	—	0	1	6	4
Massachusetts	—	0	2	12	9	—	7	83	963	821	—	0	1	1	—
New Hampshire	—	0	1	4	6	—	0	8	53	54	—	0	1	4	—
Rhode Island	—	0	13	61	41	1	1	25	132	138	—	0	0	—	—
Vermont	—	0	2	10	3	3	3	34	348	192	1	0	1	6	3
Mid. Atlantic	5	3	65	223	180	33	22	86	1,327	852	1	1	5	38	38
New Jersey	—	0	10	74	74	—	2	12	129	106	—	0	1	10	8
New York (Upstate)	3	2	64	120	87	33	19	75	1,108	654	1	0	4	25	15
New York City	2	0	4	28	13	—	1	12	88	40	—	0	1	3	—
Pennsylvania	—	0	1	1	6	—	0	4	2	52	—	0	1	—	15
E.N. Central	—	1	8	98	72	—	7	59	638	630	—	1	9	94	76
Illinois	—	0	4	27	31	—	0	2	9	8	—	0	1	1	—
Indiana	—	0	0	—	—	—	0	0	—	—	—	0	6	38	24
Michigan	—	0	1	4	8	—	0	2	13	6	—	0	0	—	—
Ohio	—	0	2	15	8	—	0	1	4	6	—	0	0	—	—
Wisconsin	—	1	4	52	25	—	6	59	612	610	—	0	5	55	52
W.N. Central	—	2	30	342	291	—	0	10	45	767	—	0	4	18	49
Iowa	—	0	2	10	4	—	0	4	11	8	—	0	1	2	2
Kansas	—	0	4	45	51	—	0	1	1	4	—	0	0	—	1
Minnesota	—	0	0	—	6	—	0	9	—	729	—	0	0	—	35
Missouri	—	2	28	285	221	—	0	3	16	13	—	0	3	14	8
Nebraska	—	0	1	1	7	—	0	0	—	2	—	0	0	—	—
North Dakota	—	0	1	1	2	—	0	4	16	10	—	0	2	2	3
South Dakota	—	0	0	—	—	—	0	1	1	1	—	0	0	—	—
S. Atlantic	—	2	15	240	247	—	1	5	48	48	—	0	2	9	11
Delaware	—	0	3	25	14	—	0	2	8	4	—	0	0	—	1
District of Columbia	—	0	0	—	4	—	0	0	—	2	—	0	0	—	—
Florida	—	0	2	16	26	—	0	2	9	6	—	0	0	—	—
Georgia	—	0	1	2	12	—	0	0	—	—	—	0	1	1	2
Maryland	—	0	5	47	36	—	0	1	8	7	—	0	1	1	1
North Carolina	—	1	5	61	61	—	0	2	9	15	—	0	0	—	—
South Carolina	—	0	0	—	—	—	0	0	—	—	—	0	1	3	1
Virginia	—	1	8	83	89	—	0	2	12	14	—	0	1	3	6
West Virginia	—	0	2	6	5	—	0	1	2	—	—	0	1	1	—
E.S. Central	1	2	15	191	152	—	0	4	23	19	—	0	3	11	10
Alabama	—	0	2	9	12	—	0	1	6	6	—	0	0	—	3
Kentucky	—	1	8	77	42	—	0	1	2	1	—	0	2	4	1
Mississippi	—	0	2	13	9	—	0	0	—	—	—	0	1	4	—
Tennessee	1	1	9	92	89	—	0	4	15	12	—	0	1	3	6
W.S. Central	—	4	67	212	204	—	0	3	6	13	—	0	0	—	1
Arkansas	—	3	13	179	187	—	0	1	5	12	—	0	0	—	—
Louisiana	—	0	1	1	3	—	0	0	—	—	—	0	0	—	—
Oklahoma	—	0	60	21	1	—	0	3	—	—	—	0	0	—	—
Texas	—	0	2	11	13	—	0	1	1	1	—	0	0	—	1
Mountain	—	0	0	—	1	—	0	1	7	1	—	0	0	—	2
Arizona	—	0	0	—	—	—	0	1	3	—	—	0	0	—	2
Colorado	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
Idaho	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
Montana	—	0	0	—	1	—	0	1	3	—	—	0	0	—	—
Nevada	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
New Mexico	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
Utah	—	0	0	—	—	—	0	1	1	—	—	0	0	—	—
Wyoming	—	0	0	—	—	—	0	0	—	1	—	0	0	—	—
Pacific	—	0	1	2	2	—	0	0	—	7	—	0	3	9	1
Alaska	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
California	—	0	0	—	—	—	0	0	—	5	—	0	3	9	1
Hawaii	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
Oregon	—	0	1	2	2	—	0	0	—	2	—	0	0	—	—
Washington	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Territories															
American Samoa	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
Puerto Rico	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting year 2017 are provisional and subject to change. For further information on interpretation of these data, see

<http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

§ Cumulative total *E. ewingii* cases reported for year 2017 = 36.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending December 2, 2017, and December 3, 2016 (48th week)[†] (Export data)

Reporting area	Giardiasis					Gonorrhea					<i>Haemophilus influenzae</i> , invasive [§] (all ages, all serotypes)				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
		Med	Max				Med	Max				Med	Max		
United States	99	253	982	12,124	14,385	5,705	10,038	12,294	471,760	427,831	68	97	215	4,379	4,361
New England	13	19	40	938	1,087	139	248	440	11,734	8,253	1	5	17	242	261
Connecticut	2	4	9	204	257	9	67	130	3,039	2,342	—	1	4	55	54
Maine	3	2	7	104	126	—	6	32	290	423	—	0	2	25	28
Massachusetts	8	10	21	490	530	110	136	203	6,964	4,521	1	2	10	118	129
New Hampshire	—	2	5	103	101	—	11	20	468	404	—	0	2	24	21
Rhode Island	—	1	9	37	73	20	15	213	875	450	—	0	8	11	17
Vermont	N	0	0	N	N	—	2	10	98	113	—	0	2	9	12
Mid. Atlantic	37	50	71	2,299	2,752	903	1,150	1,351	55,032	47,250	13	15	30	723	682
New Jersey	—	4	15	189	429	84	174	235	8,268	7,495	—	3	7	119	140
New York (Upstate)	19	15	36	776	908	239	197	531	9,535	8,909	6	4	15	227	206
New York City	15	17	34	852	839	330	455	525	21,530	17,442	1	2	6	101	104
Pennsylvania	3	10	22	482	576	250	304	535	15,699	13,404	6	6	14	276	232
E.N. Central	17	28	150	1,585	1,763	554	1,373	1,627	64,302	64,565	11	16	36	736	760
Illinois	N	0	0	N	N	22	290	483	13,629	19,622	—	4	12	173	200
Indiana	—	3	8	147	193	105	213	298	10,625	8,738	—	2	9	103	107
Michigan	—	10	30	508	544	54	275	348	12,066	11,351	—	3	9	157	170
Ohio	13	6	135	391	245	239	440	520	20,984	18,908	11	5	12	222	166
Wisconsin	4	8	44	539	781	134	146	185	6,998	5,946	—	2	5	81	117
W.N. Central	5	15	31	766	1,543	312	604	742	29,225	24,828	4	6	18	255	381
Iowa	1	5	15	236	240	29	64	98	3,260	2,390	—	0	1	3	—
Kansas	—	2	5	80	97	16	85	115	4,082	3,070	—	1	5	48	58
Minnesota	—	0	14	—	617	5	120	161	5,779	4,726	—	0	7	8	105
Missouri	3	4	13	218	319	219	252	339	12,019	10,531	1	2	9	120	139
Nebraska	1	2	6	113	112	41	47	83	2,333	1,980	2	1	4	39	35
North Dakota	—	0	4	27	46	2	17	27	814	943	1	0	2	17	25
South Dakota	—	2	4	92	112	—	22	36	938	1,188	—	0	3	20	19
S. Atlantic	6	39	71	1,837	2,535	1,238	2,216	3,743	103,060	94,250	17	22	39	1,042	985
Delaware	—	0	3	22	17	32	34	58	1,628	1,546	—	0	3	21	17
District of Columbia	—	0	3	13	53	—	83	207	3,998	2,938	—	0	1	11	15
Florida	—	18	32	895	1,035	384	624	903	28,248	25,272	9	5	11	264	274
Georgia	—	9	22	343	695	142	419	501	19,675	18,913	2	4	10	186	163
Maryland	4	3	8	150	224	90	191	398	8,684	8,030	1	2	11	114	116
North Carolina	—	0	0	—	—	—	416	476	16,348	18,091	—	3	10	159	162
South Carolina	—	2	7	127	143	342	224	955	11,766	8,418	—	2	10	127	89
Virginia	2	4	23	221	280	223	244	1,530	11,508	10,203	3	2	15	122	117
West Virginia	—	1	5	66	88	25	24	40	1,205	839	2	1	3	38	32
E.S. Central	—	3	9	169	225	424	712	975	32,711	28,658	2	7	13	327	338
Alabama	—	3	9	169	225	—	200	309	8,262	7,722	—	1	5	68	81
Kentucky	N	0	0	N	N	182	145	273	6,832	5,059	—	1	6	67	52
Mississippi	N	0	0	N	N	164	166	336	7,291	6,347	2	1	4	58	56
Tennessee	N	0	0	N	N	78	221	343	10,326	9,530	—	3	8	134	149
W.S. Central	—	4	20	206	356	1,252	1,366	1,710	64,035	61,278	7	10	48	472	440
Arkansas	—	3	18	126	152	94	86	226	4,217	5,076	1	1	4	46	52
Louisiana	—	0	8	80	204	220	222	516	10,977	9,915	—	1	4	40	57
Oklahoma	N	0	0	N	N	33	142	202	6,649	7,007	2	2	8	105	69
Texas	N	0	0	N	N	905	884	1,212	42,192	39,280	4	6	38	281	262
Mountain	16	23	43	1,148	1,163	363	647	881	30,447	25,449	7	9	21	387	339
Arizona	3	3	7	134	112	293	232	432	10,852	9,286	2	2	8	122	105
Colorado	10	10	19	477	431	—	160	233	7,508	5,464	5	2	5	87	66
Idaho	1	3	9	141	174	—	18	39	878	596	—	0	2	24	32
Montana	2	2	7	115	112	—	12	26	619	824	—	0	3	19	16
Nevada	—	0	3	30	69	1	89	122	4,102	3,986	—	0	3	29	32
New Mexico	—	1	9	72	69	27	81	139	3,801	3,105	—	1	4	42	47
Utah	—	3	11	155	148	40	46	114	2,354	1,941	—	1	4	58	34
Wyoming	—	0	3	24	48	2	7	13	333	247	—	0	1	6	7
Pacific	5	70	727	3,176	2,961	520	1,723	2,000	81,214	73,300	6	4	13	195	175
Alaska	—	1	7	82	82	—	40	58	1,707	1,331	—	0	1	14	17
California	—	50	76	2,263	2,522	174	1,444	1,626	67,128	59,145	—	1	4	45	38
Hawaii	—	1	5	45	40	—	26	47	1,173	1,334	—	0	3	22	32
Oregon	2	6	16	300	317	116	93	136	4,649	3,947	6	2	7	109	88
Washington	3	7	672	486	—	230	141	208	6,557	7,543	—	0	9	5	—
Territories	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
American Samoa	—	0	0	—	—	—	—	—	—	—	—	—	—	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	1	3	24	3	10	25	437	685	—	0	2	3	5
U.S. Virgin Islands	—	0	0	—	—	0	3	8	33	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

[†] Case counts for reporting year 2017 are provisional and subject to change. For further information on interpretation of these data, see

<http://www.cdc.gov/mmwr/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

[§] Data for *Haemophilus influenzae* (age < 5 for serotype b, non typeable, non-b serotype, and unknown serotype) are available in Table I.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending December 2, 2017, and December 3, 2016 (48th week)[†] (Export data)

Reporting area	Current week	Hepatitis (viral, acute, by type)								
		A				B				
		Previous 52 weeks		Current week	Cum 2017	Cum 2016	Previous 52 weeks		Cum 2017	Cum 2016
Reporting area	Current week	Med	Max				Med	Max		
United States	12	54	95	2,639	1,853	9	62	146	2,806	2,867
New England	—	2	4	70	99	—	2	7	109	85
Connecticut	—	0	2	15	15	—	0	1	7	7
Maine	—	0	1	5	8	—	1	4	69	45
Massachusetts	—	1	3	41	62	—	1	3	32	31
New Hampshire	—	0	1	5	6	—	0	0	—	—
Rhode Island	—	0	1	2	3	U	0	0	U	U
Vermont	—	0	1	2	5	—	0	1	1	2
Mid. Atlantic	2	6	13	296	225	3	3	11	161	188
New Jersey	—	1	4	55	72	—	1	4	34	53
New York (Upstate)	—	1	6	73	50	2	0	4	24	35
New York City	1	2	7	110	44	1	1	4	45	59
Pennsylvania	1	1	5	58	59	—	1	4	58	41
E.N. Central	2	10	31	601	213	4	10	27	517	499
Illinois	—	1	3	53	63	—	0	2	20	35
Indiana	—	0	2	16	17	—	4	10	185	141
Michigan	—	8	28	479	99	—	1	4	51	43
Ohio	2	0	7	40	27	4	4	18	243	272
Wisconsin	—	0	2	13	7	—	0	3	18	8
W.N. Central	—	1	3	54	70	—	2	5	84	92
Iowa	—	0	2	7	15	—	0	2	14	9
Kansas	—	0	1	6	4	—	0	3	22	18
Minnesota	—	0	2	26	12	—	0	2	11	19
Missouri	—	0	2	10	15	—	1	2	30	36
Nebraska	—	0	1	3	21	—	0	2	6	6
North Dakota	—	0	1	1	2	—	0	0	—	2
South Dakota	—	0	1	1	1	—	0	1	1	2
S. Atlantic	2	8	16	372	447	—	24	33	1,017	1,114
Delaware	—	0	1	5	1	—	0	2	9	2
District of Columbia	—	0	3	1	1	U	0	0	U	U
Florida	—	4	11	213	107	—	12	19	512	507
Georgia	1	1	5	48	36	—	2	7	101	95
Maryland	—	0	4	28	35	—	1	3	34	25
North Carolina	—	0	2	24	50	—	3	10	130	154
South Carolina	—	0	4	11	19	—	0	4	7	28
Virginia	1	0	4	36	185	—	1	5	56	52
West Virginia	—	0	2	6	13	—	4	13	168	251
E.S. Central	5	1	5	65	36	—	10	19	479	453
Alabama	—	0	3	20	18	—	1	5	71	54
Kentucky	5	0	5	39	9	—	4	12	190	186
Mississippi	—	0	1	2	2	—	1	3	40	29
Tennessee	—	0	1	4	7	—	4	9	178	184
W.S. Central	—	2	9	124	162	1	4	36	198	232
Arkansas	—	0	1	7	13	—	1	3	38	45
Louisiana	—	0	1	4	12	—	1	7	63	42
Oklahoma	—	0	3	9	9	—	0	15	11	14
Texas	—	2	8	104	128	1	2	17	86	131
Mountain	—	4	13	243	89	—	2	5	91	71
Arizona	—	1	5	54	31	—	0	2	23	12
Colorado	—	1	7	62	21	—	1	3	30	25
Idaho	—	0	2	5	7	—	0	2	8	6
Montana	—	0	1	3	3	—	0	1	3	1
Nevada	—	0	2	10	13	—	0	3	16	22
New Mexico	—	0	1	2	4	—	0	0	—	1
Utah	—	1	10	99	10	—	0	2	11	4
Wyoming	—	0	3	8	—	U	0	0	U	U
Pacific	1	14	44	814	512	1	3	47	150	133
Alaska	—	0	1	—	1	—	0	2	6	6
California	—	12	39	758	214	—	2	8	92	112
Hawaii	—	0	1	6	283	—	0	0	—	—
Oregon	—	0	4	32	14	—	0	3	19	15
Washington	1	0	31	18	—	1	0	45	33	—
Territories	—	—	—	—	—	—	0	0	—	—
American Samoa	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	2	—	0	0	—	—
Puerto Rico	—	0	1	2	19	—	0	1	1	13
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting year 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending December 2, 2017, and December 3, 2016 (48th week)[†] (Export data)

Hepatitis (viral, acute, by type) [§] (Continued)										
Reporting area	Current week	C (confirmed)				Current week	C (probable)			
		Previous 52 weeks		Cum 2017	Cum 2016		Med	Max	Cum 2017	Cum 2016
Reporting area	Current week	Med	Max	Cum 2017	Cum 2016	Current week	Med	Max	Cum 2017	Cum 2016
United States	19	48	134	2,168	2,660	9	19	80	832	934
New England	—	5	14	228	448	—	1	4	42	122
Connecticut	—	0	1	6	17	—	0	0	—	—
Maine	—	0	2	15	18	—	0	1	9	11
Massachusetts	—	4	14	202	408	—	0	4	33	111
New Hampshire	—	0	0	—	—	—	0	0	—	—
Rhode Island	—	0	0	—	—	—	0	0	—	—
Vermont	—	0	1	5	5	—	0	0	—	—
Mid. Atlantic	9	7	19	342	487	2	0	4	42	18
New Jersey	—	1	6	64	114	—	0	0	—	—
New York (Upstate)	8	3	9	136	159	—	0	3	18	18
New York City	1	0	3	8	3	—	0	0	—	—
Pennsylvania	—	3	12	134	211	2	0	3	24	—
E.N. Central	2	9	20	424	523	—	3	10	178	150
Illinois	—	0	3	31	20	—	0	2	10	2
Indiana	—	2	11	128	138	—	1	5	56	33
Michigan	1	2	6	113	99	—	1	4	53	40
Ohio	1	3	7	130	172	—	1	5	59	75
Wisconsin	—	0	4	22	94	—	0	0	—	—
W.N. Central	2	3	6	113	101	—	0	2	9	4
Iowa	—	0	0	—	—	—	0	0	—	—
Kansas	—	0	2	15	11	—	0	1	2	1
Minnesota	—	1	3	35	47	—	0	1	3	1
Missouri	1	1	3	42	20	—	0	0	—	—
Nebraska	—	0	1	3	2	—	0	1	2	—
North Dakota	—	0	1	2	1	—	0	1	1	—
South Dakota	1	0	2	16	20	—	0	1	1	2
S. Atlantic	—	11	23	533	552	1	5	11	206	244
Delaware	—	0	0	—	—	—	0	0	—	—
District of Columbia	—	0	0	—	—	—	0	0	—	—
Florida	—	6	10	278	217	—	1	5	58	57
Georgia	—	1	6	53	86	—	0	4	23	24
Maryland	—	0	3	29	33	—	0	1	9	10
North Carolina	—	1	3	42	78	—	1	4	40	95
South Carolina	—	0	1	2	10	—	0	1	1	2
Virginia	—	1	4	50	38	1	0	5	22	24
West Virginia	—	2	5	79	90	—	1	5	53	32
E.S. Central	3	4	10	186	262	4	5	12	224	282
Alabama	—	0	2	17	32	—	0	4	17	50
Kentucky	2	1	6	57	91	4	3	8	143	146
Mississippi	—	0	0	—	—	—	0	0	—	—
Tennessee	1	2	7	112	139	—	1	6	64	86
W.S. Central	1	1	17	51	57	—	0	23	39	41
Arkansas	—	0	1	1	—	—	0	0	—	—
Louisiana	—	0	1	3	5	—	0	1	3	13
Oklahoma	1	0	12	18	17	—	0	23	15	28
Texas	—	0	5	29	35	—	0	4	21	—
Mountain	1	3	8	136	155	—	1	4	49	56
Arizona	—	0	0	—	—	—	0	0	—	—
Colorado	—	1	3	35	30	—	0	3	9	6
Idaho	1	0	1	8	6	—	0	1	6	2
Montana	—	0	2	12	19	—	0	1	1	1
Nevada	—	0	3	22	15	—	0	1	2	12
New Mexico	—	0	3	9	16	—	0	2	10	16
Utah	—	1	4	50	69	—	0	2	21	19
Wyoming	—	0	0	—	—	—	0	0	—	—
Pacific	1	3	62	155	75	2	1	33	43	17
Alaska	—	0	0	—	—	—	0	0	—	—
California	—	1	5	81	57	—	0	2	20	13
Hawaii	—	0	0	—	—	—	0	0	—	—
Oregon	—	0	3	33	18	—	0	1	8	4
Washington	1	0	62	41	—	2	0	33	15	—
Territories										
American Samoa	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting year 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

§ Based on the CSTE Position Statement 15-ID-03: Revision of the Case Definition of Hepatitis C for National Notification, acute hepatitis C is now reported by case classification status.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending December 2, 2017, and December 3, 2016 (48th week)[†] (Export data)

Reporting area	Current week	Invasive Pneumococcal Disease [§] (all ages)								
		Confirmed				Probable				
		Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
Reporting area	Current week	Med	Max				Med	Max		
United States	253	326	791	14,602	15,483	3	2	13	140	18
New England	8	22	49	1,003	988	—	0	2	4	—
Connecticut	—	4	16	195	210	—	0	2	3	—
Maine	1	2	10	113	117	—	0	0	—	—
Massachusetts	6	11	28	527	465	—	0	0	—	—
New Hampshire	1	2	6	77	88	—	0	1	1	—
Rhode Island	—	1	11	47	51	—	0	0	—	—
Vermont	—	1	5	44	57	—	0	0	—	—
Mid. Atlantic	40	48	129	2,074	2,413	3	1	10	77	—
New Jersey	4	6	22	233	522	—	0	10	43	—
New York (Upstate)	16	16	70	756	794	3	0	0	3	—
New York City	16	12	29	593	590	—	0	2	2	—
Pennsylvania	4	11	23	492	507	—	0	4	29	—
E.N. Central	49	57	108	2,651	2,681	—	0	2	13	10
Illinois	N	0	0	N	N	—	0	0	N	N
Indiana	—	12	33	523	597	—	0	2	3	—
Michigan	2	14	28	649	819	—	0	1	7	10
Ohio	39	21	52	1,053	887	—	0	2	3	—
Wisconsin	8	9	22	426	378	—	0	0	—	—
W.N. Central	15	22	47	1,060	1,159	—	0	3	21	4
Iowa	N	0	0	N	N	—	0	0	N	N
Kansas	—	4	14	220	206	—	0	1	2	—
Minnesota	—	0	14	8	439	—	0	0	—	—
Missouri	11	10	24	503	150	—	0	3	14	2
Nebraska	2	2	10	136	169	—	0	1	2	2
North Dakota	1	1	5	72	74	—	0	0	—	—
South Dakota	1	2	9	121	121	—	0	1	3	—
S. Atlantic	49	51	120	2,616	2,612	—	0	3	11	—
Delaware	1	1	6	55	61	—	0	0	—	—
District of Columbia	—	1	4	40	63	—	0	0	—	—
Florida	19	10	27	579	572	—	0	2	5	—
Georgia	9	16	39	808	901	—	0	0	—	—
Maryland	13	8	19	425	407	—	0	1	1	—
North Carolina	N	0	0	N	N	—	0	0	N	N
South Carolina	2	7	37	495	324	—	0	2	5	—
Virginia	1	0	2	24	31	—	0	0	—	—
West Virginia	4	4	13	190	253	—	0	0	—	—
E.S. Central	22	33	72	1,543	1,541	—	0	1	1	2
Alabama	2	6	26	316	343	—	0	0	—	—
Kentucky	—	6	17	274	209	—	0	1	1	1
Mississippi	—	5	13	229	236	—	0	0	—	—
Tennessee	20	15	38	724	753	—	0	0	—	1
W.S. Central	31	36	231	1,628	1,957	—	0	2	9	1
Arkansas	8	5	32	285	225	—	0	0	—	1
Louisiana	4	3	13	165	303	—	0	1	—	—
Oklahoma	N	0	0	N	N	—	0	0	N	N
Texas	19	26	189	1,178	1,429	—	0	2	9	—
Mountain	39	37	69	1,861	1,932	—	0	1	4	1
Arizona	14	12	28	584	657	—	0	1	2	—
Colorado	20	12	21	541	456	—	0	0	—	—
Idaho	N	0	0	N	N	—	0	0	N	N
Montana	3	2	4	100	89	—	0	1	2	1
Nevada	—	4	16	193	200	—	0	0	—	—
New Mexico	2	5	15	288	274	—	0	0	—	—
Utah	—	3	11	129	222	—	0	0	—	—
Wyoming	—	0	5	26	34	—	0	0	—	—
Pacific	—	3	12	166	200	—	0	0	—	—
Alaska	—	2	7	95	122	—	0	0	—	—
California	N	0	0	N	N	—	0	0	N	N
Hawaii	—	1	8	71	78	—	0	0	—	—
Oregon	N	0	0	N	N	—	0	0	N	N
Washington	N	0	0	N	N	—	0	0	N	N
Territories										
American Samoa	N	0	0	N	N	N	0	0	N	N
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

*Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting year 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

§ Includes drug resistant and susceptible cases of Invasive Pneumococcal Disease. This condition was previously named *Streptococcus pneumoniae* invasive disease and cases were reported to CDC using different event codes to specify whether the cases were drug resistant or in a defined age group, such as <5 years.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending December 2, 2017, and December 3, 2016 (48th week)[†] (Export data)

Reporting area	Current week	Invasive Pneumococcal Disease [§] (age <5)								
		Confirmed				Probable				
		Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
Reporting area	Current week	Med	Max				Med	Max		
United States	19	20	45	871	1,005	—	0	1	5	5
New England	—	1	3	35	53	—	0	0	—	—
Connecticut	—	0	2	8	11	—	0	0	—	—
Maine	—	0	1	3	8	—	0	0	—	—
Massachusetts	—	0	2	16	28	—	0	0	—	—
New Hampshire	—	0	1	4	2	—	0	0	—	—
Rhode Island	—	0	1	3	2	—	0	0	—	—
Vermont	—	0	1	1	2	—	0	0	—	—
Mid. Atlantic	3	2	9	91	108	—	0	1	1	—
New Jersey	—	0	2	7	19	—	0	1	1	—
New York (Upstate)	2	1	7	41	42	—	0	0	—	—
New York City	—	0	2	19	24	—	0	0	—	—
Pennsylvania	1	0	3	24	23	—	0	0	—	—
E.N. Central	4	3	10	163	128	—	0	1	1	2
Illinois	—	0	0	—	—	—	0	0	—	—
Indiana	—	1	3	33	16	—	0	0	—	—
Michigan	—	0	3	22	41	—	0	0	—	2
Ohio	4	1	5	73	54	—	0	1	1	—
Wisconsin	—	0	3	35	17	—	0	0	—	—
W.N. Central	3	1	5	64	91	—	0	1	2	1
Iowa	N	0	0	N	N	N	0	0	N	N
Kansas	—	0	2	14	14	—	0	0	—	—
Minnesota	—	0	1	1	32	—	0	0	—	—
Missouri	2	0	2	26	12	—	0	1	2	1
Nebraska	—	0	1	7	19	—	0	0	—	—
North Dakota	1	0	2	7	3	—	0	0	—	—
South Dakota	—	0	2	9	11	—	0	0	—	—
S. Atlantic	5	4	9	185	210	—	0	0	—	—
Delaware	—	0	1	3	1	—	0	0	—	—
District of Columbia	—	0	1	3	—	—	0	0	—	—
Florida	4	1	3	59	62	—	0	0	—	—
Georgia	1	1	4	43	70	—	0	0	—	—
Maryland	—	0	2	27	27	—	0	0	—	—
North Carolina	N	0	0	N	N	N	0	0	N	N
South Carolina	—	0	4	18	9	—	0	0	—	—
Virginia	—	0	2	23	31	—	0	0	—	—
West Virginia	—	0	2	9	10	—	0	0	—	—
E.S. Central	—	2	8	85	88	—	0	0	—	1
Alabama	—	0	3	24	26	—	0	0	—	—
Kentucky	—	0	2	13	11	—	0	0	—	1
Mississippi	—	0	2	17	18	—	0	0	—	—
Tennessee	—	0	7	31	33	—	0	0	—	—
W.S. Central	2	3	22	130	191	—	0	1	1	—
Arkansas	1	0	2	16	21	—	0	0	—	—
Louisiana	—	0	2	11	27	—	0	0	—	—
Oklahoma	—	0	3	11	18	—	0	0	—	—
Texas	1	2	19	92	125	—	0	1	1	—
Mountain	2	2	7	105	127	—	0	0	—	1
Arizona	1	0	2	29	43	—	0	0	—	—
Colorado	—	0	3	28	20	—	0	0	—	—
Idaho	—	0	1	5	8	—	0	0	—	1
Montana	—	0	2	8	7	—	0	0	—	—
Nevada	—	0	1	6	12	—	0	0	—	—
New Mexico	1	0	2	12	15	—	0	0	—	—
Utah	—	0	3	15	21	—	0	0	—	—
Wyoming	—	0	1	2	1	—	0	0	—	—
Pacific	—	0	3	13	9	—	0	0	—	—
Alaska	—	0	2	9	7	—	0	0	—	—
California	N	0	0	N	N	N	0	0	N	N
Hawaii	—	0	1	4	2	—	0	0	—	—
Oregon	N	0	0	N	N	N	0	0	N	N
Washington	N	0	0	N	N	N	0	0	N	N
Territories										
American Samoa	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

*Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting year 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

§ Includes drug resistant and susceptible cases of Invasive Pneumococcal Disease. This condition was previously named *Streptococcus pneumoniae* invasive disease and cases were reported to CDC using different event codes to specify whether the cases were drug resistant or in a defined age group, such as <5 years.

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending December 2, 2017, and December 3, 2016 (48th week)[†] (Export data)

Reporting area	Legionellosis					Malaria				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
		Med	Max				Med	Max		
United States	54	135	270	6,238	5,493	18	34	102	1,657	1,768
New England	2	7	40	385	272	2	2	8	130	135
Connecticut	1	2	11	116	67	—	0	1	1	13
Maine	—	0	2	12	14	—	0	3	16	8
Massachusetts	—	3	18	159	128	2	2	7	90	87
New Hampshire	—	1	9	53	26	—	0	2	7	13
Rhode Island	—	0	9	26	28	—	0	3	13	8
Vermont	1	0	2	19	9	—	0	1	3	6
Mid. Atlantic	27	29	78	1,540	1,183	6	9	25	466	440
New Jersey	—	2	11	128	185	—	1	10	96	81
New York (Upstate)	11	11	28	541	409	2	1	7	64	64
New York City	12	7	27	430	241	3	4	15	222	223
Pennsylvania	4	7	23	441	348	1	2	6	84	72
E.N. Central	13	24	92	1,356	1,314	—	3	9	154	195
Illinois	—	4	25	249	299	—	1	4	47	61
Indiana	—	3	10	160	166	—	0	3	14	17
Michigan	—	4	25	289	279	—	0	4	31	42
Ohio	13	10	41	577	468	—	1	5	61	55
Wisconsin	—	1	10	81	102	—	0	1	1	20
W.N. Central	2	6	17	319	353	2	1	5	77	132
Iowa	—	0	3	30	33	—	0	3	17	21
Kansas	—	1	3	32	30	—	0	2	14	10
Minnesota	—	1	8	86	107	—	0	2	—	64
Missouri	2	2	13	129	153	1	0	2	24	19
Nebraska	—	0	2	21	17	1	0	1	5	7
North Dakota	—	0	1	7	5	—	0	2	9	7
South Dakota	—	0	2	14	8	—	0	1	8	4
S. Atlantic	5	27	52	1,222	987	5	9	25	495	446
Delaware	—	0	4	28	25	—	0	2	9	16
District of Columbia	—	0	2	15	11	—	0	2	13	23
Florida	—	8	20	401	292	—	1	5	49	60
Georgia	—	3	7	153	107	2	1	5	66	54
Maryland	3	2	12	163	129	3	4	15	233	172
North Carolina	—	3	11	177	214	—	1	3	43	43
South Carolina	—	1	3	45	56	—	0	1	—	13
Virginia	2	3	14	173	124	—	2	5	80	64
West Virginia	—	0	10	67	29	—	0	1	2	1
E.S. Central	1	7	20	371	283	—	0	4	30	48
Alabama	—	1	6	61	57	—	0	1	8	10
Kentucky	1	2	6	103	85	—	0	2	8	11
Mississippi	—	1	5	50	29	—	0	1	4	7
Tennessee	—	3	11	157	112	—	0	2	10	20
W.S. Central	—	8	39	381	343	1	2	29	102	148
Arkansas	—	1	5	49	40	—	0	1	3	4
Louisiana	—	0	4	23	31	—	0	2	7	12
Oklahoma	—	0	14	58	41	—	0	3	9	4
Texas	—	5	20	251	231	1	2	25	83	128
Mountain	1	4	13	200	218	—	1	3	63	84
Arizona	—	1	7	69	70	—	0	2	24	36
Colorado	1	1	11	59	53	—	0	2	24	24
Idaho	—	0	2	10	10	—	0	1	5	—
Montana	—	0	2	16	10	—	0	1	3	4
Nevada	—	0	2	11	26	—	0	1	2	6
New Mexico	—	0	2	11	21	—	0	1	1	2
Utah	—	0	2	18	25	—	0	1	4	8
Wyoming	—	0	2	6	3	—	0	0	—	4
Pacific	3	10	84	464	540	2	3	46	140	140
Alaska	—	0	1	6	1	—	0	2	4	2
California	—	7	31	374	502	—	2	4	89	121
Hawaii	—	0	1	6	5	—	0	1	3	—
Oregon	1	1	3	33	32	2	0	2	15	17
Washington	2	0	67	45	—	—	0	44	29	—
Territories										
American Samoa	N	0	0	N	N	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	1	1	13	—	0	0	—	3
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting year 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending December 2, 2017, and December 3, 2016 (48th week)[†] (Export data)

Reporting area	Meningococcal disease (<i>Neisseria meningitidis</i>) [§] (all serogroups)					Mumps					Pertussis				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
		Med	Max				Med	Max				Med	Max		
United States	2	7	21	307	331	6	109	519	5,225	4,865	127	316	1,220	14,383	15,390
New England	—	0	2	14	17	—	3	14	193	324	3	20	39	887	864
Connecticut	—	0	1	—	5	—	0	1	9	36	—	1	5	53	89
Maine	—	0	0	—	1	—	0	3	1	30	3	7	19	346	222
Massachusetts	—	0	1	9	11	—	3	14	169	247	—	5	15	281	186
New Hampshire	—	0	0	—	—	—	0	2	4	10	—	1	5	56	59
Rhode Island	—	0	1	2	—	—	0	6	9	1	—	0	19	51	72
Vermont	—	0	1	3	—	—	0	1	1	—	—	1	22	100	236
Mid. Atlantic	2	1	3	40	30	1	13	62	608	335	22	38	91	1,781	2,830
New Jersey	—	0	1	6	6	—	1	4	29	33	—	8	28	340	536
New York (Upstate)	—	0	2	11	8	1	3	54	248	136	12	9	33	494	599
New York City	—	0	3	8	10	—	4	19	219	154	—	2	6	120	290
Pennsylvania	2	0	2	15	6	—	1	15	112	12	10	18	72	827	1,405
E.N. Central	—	0	3	29	43	1	6	28	425	721	32	60	156	2,578	3,525
Illinois	—	0	2	7	18	—	3	22	260	318	—	10	41	423	937
Indiana	—	0	1	7	8	—	0	4	38	290	—	6	19	331	164
Michigan	—	0	1	4	5	—	0	2	23	19	4	10	21	520	353
Ohio	—	0	3	11	6	1	0	7	53	69	28	17	38	788	873
Wisconsin	—	0	0	—	6	—	0	15	51	25	—	14	73	516	1,198
W.N. Central	—	0	2	17	21	—	16	84	816	957	12	27	114	1,283	1,700
Iowa	—	0	1	1	3	—	2	12	111	710	—	3	9	138	143
Kansas	—	0	1	3	5	—	1	19	158	7	—	4	11	167	136
Minnesota	—	0	2	3	5	—	0	12	77	19	—	11	41	459	926
Missouri	—	0	1	8	4	—	7	72	453	160	5	6	87	386	306
Nebraska	—	0	1	2	3	—	0	1	5	49	7	2	5	75	137
North Dakota	—	0	0	—	—	—	0	2	12	10	—	1	4	50	38
South Dakota	—	0	0	—	1	—	0	0	—	2	—	0	1	8	14
S. Atlantic	—	1	5	69	51	2	4	11	211	88	2	27	46	1,254	1,253
Delaware	—	0	1	1	—	—	0	1	3	—	1	0	2	6	14
District of Columbia	—	0	0	—	—	—	0	2	11	11	—	0	3	17	10
Florida	—	0	3	24	15	1	0	9	57	15	—	8	21	357	306
Georgia	—	0	2	8	12	—	1	6	58	3	—	3	13	163	182
Maryland	—	0	2	6	2	—	0	1	5	9	1	2	6	99	130
North Carolina	—	0	2	9	3	—	1	3	35	31	—	5	12	251	275
South Carolina	—	0	2	7	6	—	0	2	5	3	—	2	12	150	122
Virginia	—	0	3	11	9	1	0	4	35	14	—	4	24	198	190
West Virginia	—	0	1	3	4	—	0	1	2	2	—	0	2	13	24
E.S. Central	—	0	2	13	14	—	2	13	146	101	—	15	41	807	736
Alabama	—	0	1	3	5	—	0	11	35	1	—	4	17	210	167
Kentucky	—	0	1	2	1	—	0	3	16	94	—	6	28	388	436
Mississippi	—	0	1	2	—	—	0	8	26	1	—	1	2	32	3
Tennessee	—	0	2	6	8	—	1	6	69	5	—	3	9	177	130
W.S. Central	—	0	2	20	29	—	15	334	1,119	2,181	19	37	222	1,740	1,265
Arkansas	—	0	0	—	2	—	2	249	528	1,835	4	3	12	185	47
Louisiana	—	0	1	3	3	—	0	3	15	1	—	0	5	44	61
Oklahoma	—	0	1	1	4	—	2	93	166	298	4	0	59	135	96
Texas	—	0	2	16	20	—	6	63	410	47	11	29	148	1,376	1,061
Mountain	—	0	2	16	22	—	2	17	174	59	30	33	66	1,670	1,459
Arizona	—	0	1	4	3	—	0	12	34	7	6	8	17	382	250
Colorado	—	0	1	4	4	—	1	13	81	17	18	11	28	572	666
Idaho	—	0	1	1	3	—	0	2	5	1	6	1	6	54	82
Montana	—	0	1	1	2	—	0	2	6	26	—	1	18	99	20
Nevada	—	0	2	2	5	—	0	1	5	4	—	1	6	60	32
New Mexico	—	0	1	2	2	—	0	1	4	2	—	3	11	143	137
Utah	—	0	1	2	3	—	0	9	39	2	—	7	23	342	251
Wyoming	—	0	0	—	—	—	0	0	—	—	—	0	5	18	21
Pacific	—	2	16	89	104	2	29	160	1,533	99	7	48	656	2,383	1,758
Alaska	—	0	1	1	7	—	0	9	54	2	—	1	6	36	144
California	—	1	4	56	75	—	2	11	97	82	—	34	68	1,549	1,371
Hawaii	—	0	1	1	1	—	9	36	574	3	—	0	3	29	54
Oregon	—	0	2	22	21	1	1	5	63	12	—	4	11	202	189
Washington	—	0	13	9	—	1	4	152	745	—	7	9	618	567	—
Territories	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
American Samoa	—	0	0	—	—	—	—	—	—	—	—	—	—	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	1	1	—	—	0	1	1	1	—	0	1	2	14
U.S. Virgin Islands	—	0	0	—	—	—	0	1	1	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —:No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

[†] Case counts for reporting year 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

[§] Data for meningococcal disease, invasive caused by serogroups ACWY, serogroup B, other serogroups, and unknown serogroups are available in Table I.

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending December 2, 2017, and December 3, 2016 (48th week)[†] (Export data)

Reporting area	Rabies, animal					Rubella					Rubella, congenital syndrome				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
	Current week	Med	Max			Current week	Med	Max			Current week	Med	Max		
United States	48	43	83	2,145	3,435	—	0	1	7	1	—	0	1	2	2
New England	2	3	11	166	241	—	0	0	—	—	—	0	1	1	—
Connecticut	—	1	3	38	88	—	0	0	—	—	—	0	0	—	—
Maine	—	1	4	54	62	—	0	0	—	—	—	0	0	—	—
Massachusetts	—	0	0	—	—	—	0	0	—	—	—	0	1	1	—
New Hampshire	2	0	2	25	23	—	0	0	—	—	—	0	0	—	—
Rhode Island	—	0	6	14	22	—	0	0	—	—	—	0	0	—	—
Vermont	—	0	4	35	46	—	0	0	—	—	—	0	0	—	—
Mid. Atlantic	18	11	42	572	892	—	0	1	2	—	—	0	0	—	—
New Jersey	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
New York (Upstate)	18	11	42	572	507	—	0	0	—	—	—	0	0	—	—
New York City	—	0	1	—	3	—	0	1	2	—	—	0	0	—	—
Pennsylvania	—	0	8	—	382	—	0	0	—	—	—	0	0	—	—
E.N. Central	—	1	10	102	142	—	0	0	—	—	—	0	0	—	1
Illinois	—	0	7	57	63	—	0	0	—	—	—	0	0	—	1
Indiana	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Michigan	—	0	3	27	39	—	0	0	—	—	—	0	0	—	—
Ohio	—	0	3	18	40	—	0	0	—	—	—	0	0	—	—
Wisconsin	N	0	0	N	N	—	0	0	—	—	—	0	0	—	—
W.N. Central	—	1	7	95	123	—	0	0	—	—	—	0	0	—	—
Iowa	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Kansas	—	0	4	38	51	—	0	0	—	—	—	0	0	—	—
Minnesota	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Missouri	—	0	3	21	26	—	0	0	—	—	—	0	0	—	—
Nebraska	—	0	2	16	19	—	0	0	—	—	—	0	0	—	—
North Dakota	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
South Dakota	—	0	3	20	27	—	0	0	—	—	—	0	0	—	—
S. Atlantic	5	5	46	333	864	—	0	1	2	1	—	0	0	—	1
Delaware	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
District of Columbia	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Florida	—	0	45	99	59	—	0	1	2	1	—	0	0	—	—
Georgia	—	0	8	—	214	—	0	0	—	—	—	0	0	—	—
Maryland	—	4	13	204	325	—	0	0	—	—	—	0	0	—	1
North Carolina	5	0	7	12	238	—	0	0	—	—	—	0	0	—	—
South Carolina	N	0	0	N	N	—	0	0	—	—	—	0	0	—	—
Virginia	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
West Virginia	—	0	3	18	28	—	0	0	—	—	—	0	0	—	—
E.S. Central	1	1	5	54	96	—	0	1	1	—	—	0	0	—	—
Alabama	1	1	5	43	73	—	0	1	1	—	—	0	0	—	—
Kentucky	—	0	3	10	20	—	0	0	—	—	—	0	0	—	—
Mississippi	—	0	1	1	3	—	0	0	—	—	—	0	0	—	—
Tennessee	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
W.S. Central	22	13	27	603	756	—	0	1	1	—	—	0	1	1	—
Arkansas	—	0	6	40	20	—	0	0	—	—	—	0	0	—	—
Louisiana	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Oklahoma	—	0	23	40	23	—	0	0	—	—	—	0	0	—	—
Texas	22	11	26	523	713	—	0	1	1	—	—	0	1	1	—
Mountain	—	0	8	51	83	—	0	0	—	—	—	0	0	—	—
Arizona	N	0	0	N	N	—	0	0	—	—	—	0	0	—	—
Colorado	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Idaho	—	0	5	15	20	—	0	0	—	—	—	0	0	—	—
Montana	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Nevada	—	0	3	7	11	—	0	0	—	—	—	0	0	—	—
New Mexico	—	0	2	10	4	—	0	0	—	—	—	0	0	—	—
Utah	—	0	5	19	18	—	0	0	—	—	—	0	0	—	—
Wyoming	—	0	1	—	30	—	0	0	—	—	—	0	0	—	—
Pacific	—	3	23	169	238	—	0	1	1	—	—	0	0	—	—
Alaska	—	0	2	12	11	—	0	0	—	—	—	0	0	—	—
California	—	3	8	145	212	—	0	1	1	—	—	0	0	—	—
Hawaii	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Oregon	—	0	2	12	15	—	0	0	—	—	—	0	0	—	—
Washington	—	0	20	—	—	—	0	0	—	—	—	0	0	—	—
Territories															
American Samoa	U	0	0	U	U	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting year 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending December 2, 2017, and December 3, 2016 (48th week)[†] (Export data)

Reporting area	Salmonellosis				Shiga toxin-producing <i>E. coli</i> (STEC) [§]				Shigellosis						
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
	Current week	Med	Max			Current week	Med	Max			Current week	Med	Max		
United States	360	892	1,959	45,234	49,688	46	130	506	6,648	7,357	109	261	633	12,305	19,601
New England	18	39	85	1,944	2,106	1	5	16	275	333	1	6	13	286	266
Connecticut	3	8	22	434	442	—	1	4	61	123	—	1	6	70	49
Maine	1	2	7	93	112	1	0	2	29	35	—	0	2	7	2
Massachusetts	12	22	51	1,077	1,135	—	2	14	126	122	1	3	8	148	172
New Hampshire	—	2	10	123	187	—	0	3	30	23	—	0	3	10	13
Rhode Island	—	2	11	122	112	—	0	3	10	10	—	1	4	34	28
Vermont	2	2	6	95	118	—	0	3	19	20	—	0	2	17	2
Mid. Atlantic	59	79	167	4,163	4,691	12	14	29	651	724	24	24	44	1,156	1,451
New Jersey	—	9	33	505	1,000	—	2	12	108	143	—	6	14	264	274
New York (Upstate)	34	22	52	1,185	1,306	3	4	12	226	240	11	4	10	225	205
New York City	13	18	52	998	883	6	3	10	133	108	11	9	19	427	332
Pennsylvania	12	28	61	1,475	1,502	3	3	11	184	233	2	5	15	240	640
E.N. Central	35	95	224	5,103	5,856	11	16	64	900	1,071	24	37	80	1,639	3,228
Illinois	—	27	72	1,439	1,722	—	3	9	154	309	—	6	16	264	553
Indiana	—	12	30	605	766	—	1	13	98	98	—	3	9	126	278
Michigan	1	17	37	897	1,016	—	3	7	150	144	—	9	31	429	651
Ohio	23	28	54	1,332	1,486	11	4	19	264	256	22	11	30	564	1,032
Wisconsin	11	13	61	830	866	—	4	18	234	264	2	4	22	256	714
W.N. Central	24	59	108	2,727	3,669	6	20	49	955	1,357	18	14	41	723	2,247
Iowa	2	12	30	670	737	—	3	15	259	293	—	3	10	150	413
Kansas	—	9	24	451	436	—	2	10	121	145	—	2	18	140	234
Minnesota	—	0	13	—	844	—	0	8	1	383	—	0	4	—	586
Missouri	15	18	44	945	965	4	6	17	297	311	17	6	31	384	801
Nebraska	7	7	24	355	284	2	2	13	154	117	—	0	3	20	172
North Dakota	—	2	5	90	115	—	1	4	39	29	—	0	1	1	16
South Dakota	—	4	14	216	288	—	1	6	84	79	1	0	7	28	25
S. Atlantic	34	245	494	13,258	13,455	2	11	22	559	560	16	55	93	2,542	2,614
Delaware	—	2	11	164	167	—	0	2	10	15	—	0	6	32	71
District of Columbia	—	0	3	21	65	—	0	3	5	7	—	0	2	15	21
Florida	—	112	241	5,871	5,173	—	2	10	119	87	—	24	54	1,167	682
Georgia	19	35	76	1,945	2,177	—	2	8	125	115	11	8	14	389	635
Maryland	9	15	39	835	857	1	1	4	60	71	1	4	12	226	144
North Carolina	—	25	104	1,723	2,070	—	0	5	46	76	—	4	14	207	493
South Carolina	—	24	75	1,407	1,600	—	0	5	39	39	1	6	23	333	224
Virginia	6	24	51	1,098	1,114	1	3	10	145	127	3	3	13	156	332
West Virginia	—	3	10	194	232	—	0	4	10	23	—	0	2	17	12
E.S. Central	9	74	124	3,434	4,042	—	5	15	243	312	5	18	41	861	760
Alabama	—	22	42	974	1,176	—	0	4	27	37	—	3	8	177	230
Kentucky	—	11	34	612	679	—	1	3	42	84	2	5	23	266	260
Mississippi	6	20	47	1,053	1,144	—	0	2	20	22	2	3	11	164	68
Tennessee	3	17	34	795	1,043	—	3	12	154	169	1	5	12	254	202
W.S. Central	89	125	646	6,009	7,929	3	21	166	995	1,091	14	35	202	1,672	5,213
Arkansas	12	11	30	604	763	2	1	6	76	94	1	4	15	228	136
Louisiana	28	13	42	567	1,274	—	0	2	11	24	1	2	16	113	389
Oklahoma	17	16	41	807	869	—	2	39	90	130	1	2	44	116	629
Texas	32	88	589	4,031	5,023	1	18	122	818	843	11	26	151	1,215	4,059
Mountain	38	54	86	2,652	2,730	6	15	38	799	845	5	19	41	919	1,781
Arizona	6	16	30	810	858	1	3	9	157	136	1	11	26	522	1,200
Colorado	28	14	25	701	656	4	4	15	254	222	3	3	9	164	177
Idaho	—	4	9	188	173	1	2	8	125	171	1	0	5	34	39
Montana	2	2	8	128	163	—	2	7	88	127	—	0	3	9	8
Nevada	—	2	9	130	193	—	0	4	28	53	—	0	6	41	58
New Mexico	2	6	14	299	311	—	0	4	39	48	—	2	12	120	218
Utah	—	6	28	313	310	—	1	7	91	73	—	0	4	24	77
Wyoming	—	1	6	83	66	—	0	3	17	15	—	0	3	5	4
Pacific	54	121	824	5,944	5,210	5	24	274	1,271	1,064	2	50	232	2,507	2,041
Alaska	—	1	3	39	63	—	0	2	8	14	—	0	2	6	6
California	3	85	172	4,528	4,448	—	14	37	792	847	1	42	83	2,124	1,900
Hawaii	—	5	18	243	281	—	0	3	18	25	—	0	3	31	38
Oregon	6	8	25	446	418	2	4	10	215	178	—	2	13	121	97
Washington	45	11	754	688	—	3	1	259	238	—	1	1	191	225	—
Territories															
American Samoa	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	0	3	—	18	—	0	0	—	—	—	0	1	—	13
Puerto Rico	—	0	18	131	607	—	0	0	—	—	—	0	2	5	23
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting year 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

§ Includes *E. coli* O157:H7, Shiga toxin-positive, serogroup non-O157, and Shiga toxin-positive, not serogrouped.

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending December 2, 2017, and December 3, 2016 (48th week)[†] (Export data)

Reporting area	Spotted Fever Rickettsioses [§]										Syphilis, primary and secondary				
	Confirmed					Probable									
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
United States	—	3	13	196	139	16	80	279	5,173	3,854	98	548	658	24,109	25,722
New England	—	0	0	—	—	—	1	4	43	21	—	15	28	688	730
Connecticut	—	0	0	—	—	—	0	0	—	6	—	1	7	83	106
Maine	—	0	0	—	—	—	0	1	4	3	—	0	4	31	40
Massachusetts	—	0	0	—	—	—	0	3	24	8	—	9	22	470	454
New Hampshire	—	0	0	—	—	—	0	1	2	1	—	1	4	41	38
Rhode Island	—	0	0	—	—	—	0	2	11	1	—	0	18	54	70
Vermont	—	0	0	—	—	—	0	1	2	2	—	0	1	9	22
Mid. Atlantic	—	0	3	20	3	2	3	15	185	103	19	65	89	3,043	3,385
New Jersey	—	0	1	3	2	—	2	13	113	59	—	6	17	312	443
New York (Upstate)	—	0	2	13	—	2	0	11	28	14	14	10	31	471	461
New York City	—	0	1	1	1	—	0	2	12	9	3	32	51	1,522	1,785
Pennsylvania	—	0	1	3	—	—	0	3	32	21	2	16	36	738	696
E.N. Central	—	0	2	8	5	—	3	18	235	157	1	48	68	2,074	2,638
Illinois	—	0	2	4	1	—	1	8	102	66	—	14	31	625	1,200
Indiana	—	0	1	1	—	—	1	8	82	40	1	6	12	285	306
Michigan	—	0	1	2	2	—	0	2	7	10	—	6	17	288	335
Ohio	—	0	1	1	2	—	0	3	28	22	—	16	22	717	669
Wisconsin	—	0	0	—	—	—	0	3	16	19	—	3	18	159	128
W.N. Central	—	0	3	22	8	1	10	56	842	525	1	21	32	922	957
Iowa	—	0	0	—	—	—	0	3	14	11	—	2	5	85	81
Kansas	—	0	1	2	2	—	2	16	196	127	—	2	7	106	119
Minnesota	—	0	0	—	—	—	0	0	—	6	—	5	11	254	271
Missouri	—	0	2	15	5	1	6	43	591	344	1	8	14	387	368
Nebraska	—	0	1	2	—	—	0	3	22	31	—	1	3	32	63
North Dakota	—	0	1	1	—	—	0	2	10	1	—	1	3	33	32
South Dakota	—	0	1	2	1	—	0	2	9	5	—	0	4	25	23
S. Atlantic	—	1	6	93	85	1	12	57	925	851	17	123	154	5,489	5,898
Delaware	—	0	1	2	1	—	0	7	38	15	1	0	7	27	53
District of Columbia	—	0	0	—	—	—	0	1	2	4	—	3	13	158	145
Florida	—	0	2	4	3	—	0	4	32	9	6	46	63	2,029	2,204
Georgia	—	1	5	64	71	—	0	0	—	—	—	26	41	1,190	1,255
Maryland	—	0	1	7	—	—	1	6	52	1	—	8	19	400	469
North Carolina	—	0	1	6	6	—	6	31	463	467	—	20	33	891	1,007
South Carolina	—	0	2	6	3	—	1	7	78	49	6	7	16	342	297
Virginia	—	0	1	3	1	1	4	25	248	292	4	8	24	412	419
West Virginia	—	0	1	1	—	—	0	2	12	14	—	1	4	40	49
E.S. Central	—	0	3	15	11	2	23	94	1,682	1,285	7	23	36	1,062	1,191
Alabama	—	0	1	7	1	2	8	37	590	441	—	6	14	261	345
Kentucky	—	0	1	1	5	—	3	14	237	153	4	4	14	197	181
Mississippi	—	0	0	—	1	—	2	11	156	109	—	5	12	228	297
Tennessee	—	0	2	7	4	—	7	57	699	582	3	8	15	376	368
W.S. Central	—	0	6	11	8	10	19	142	1,220	858	33	62	79	2,937	2,879
Arkansas	—	0	1	6	5	7	16	60	1,039	770	1	4	12	195	137
Louisiana	—	0	0	—	—	—	0	3	12	17	—	12	21	564	703
Oklahoma	—	0	6	5	1	3	0	114	118	3	—	3	8	139	240
Texas	—	0	0	—	2	—	1	12	51	68	32	42	58	2,039	1,799
Mountain	—	0	4	24	18	—	0	3	25	35	—	39	61	1,774	1,636
Arizona	—	0	3	20	14	—	0	2	8	10	—	16	30	730	663
Colorado	—	0	0	—	—	—	0	1	2	4	—	5	12	244	235
Idaho	—	0	1	1	3	—	0	1	1	4	—	1	5	60	46
Montana	—	0	1	2	1	—	0	2	9	8	—	0	5	43	14
Nevada	—	0	0	—	—	—	0	1	1	4	—	10	25	464	412
New Mexico	—	0	0	—	—	—	0	1	3	—	—	4	11	166	173
Utah	—	0	0	—	—	—	0	0	—	4	—	1	4	62	88
Wyoming	—	0	1	1	—	—	0	1	1	1	—	0	1	5	5
Pacific	—	0	1	3	1	—	0	2	16	19	20	137	171	6,120	6,408
Alaska	N	0	0	N	N	N	0	0	N	N	—	0	1	5	8
California	—	0	1	2	1	—	0	1	9	13	5	121	158	5,416	5,453
Hawaii	N	0	0	N	N	N	0	0	N	N	—	1	6	74	101
Oregon	—	0	1	1	—	—	0	1	7	6	4	6	14	310	310
Washington	—	0	0	—	—	—	0	0	—	—	11	7	23	315	536
Territories												0	0	—	—
American Samoa	N	0	0	N	N	N	0	0	N	N	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	N	0	0	N	N	N	0	0	N	N	—	0	0	—	—
Puerto Rico	N	0	0	N	N	N	0	0	N	N	2	8	19	337	461
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. NN: Not nationally notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting year 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.§ Illnesses with similar clinical presentation that result from Spotted Fever Group Rickettsia infections are reported as Spotted Fever Rickettsioses. Rocky Mountain Spotted Fever (RMSF), caused by *Rickettsia rickettsii*, is the most common and well-known Spotted Fever.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending December 2, 2017, and December 3, 2016 (48th week)[†] (Export data)

Reporting area	Tetanus					Varicella (chickenpox)				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
		Med	Max				Med	Max		
United States	—	1	3	30	31	104	143	241	6,643	8,188
New England	—	0	1	2	1	5	15	25	729	769
Connecticut	—	0	1	1	—	1	2	6	100	104
Maine	—	0	1	1	1	3	3	9	164	209
Massachusetts	—	0	0	—	—	1	7	16	354	276
New Hampshire	—	0	0	—	—	—	0	1	—	84
Rhode Island	—	0	0	—	—	—	1	9	58	51
Vermont	—	0	0	—	—	—	1	5	53	45
Mid. Atlantic	—	0	1	3	5	12	19	38	913	1,021
New Jersey	—	0	0	—	—	—	6	23	327	416
New York (Upstate)	—	0	1	1	2	N	0	0	N	N
New York City	—	0	0	—	1	—	0	0	—	—
Pennsylvania	—	0	1	2	2	12	13	23	586	605
E.N. Central	—	0	1	3	5	26	34	51	1,576	1,886
Illinois	—	0	0	—	1	—	5	13	275	437
Indiana	—	0	1	1	1	1	4	11	201	188
Michigan	—	0	1	2	1	3	9	22	463	499
Ohio	—	0	0	—	2	16	8	23	392	406
Wisconsin	—	0	0	—	—	6	5	13	245	356
W.N. Central	—	0	1	3	1	5	14	37	666	755
Iowa	—	0	1	1	1	N	0	0	N	N
Kansas	—	0	1	1	—	—	0	9	—	213
Minnesota	—	0	0	—	—	3	8	23	380	304
Missouri	—	0	0	—	—	2	3	21	177	143
Nebraska	—	0	1	1	—	—	0	5	33	24
North Dakota	—	0	0	—	—	—	0	15	55	43
South Dakota	—	0	0	—	—	—	0	2	21	28
S. Atlantic	—	0	1	8	7	14	19	50	945	1,272
Delaware	—	0	0	—	—	—	0	3	21	11
District of Columbia	—	0	0	—	—	—	0	2	14	19
Florida	—	0	1	2	4	14	13	31	610	678
Georgia	—	0	0	—	—	—	4	18	191	151
Maryland	—	0	1	2	1	N	0	0	N	N
North Carolina	—	0	1	3	—	N	0	0	N	N
South Carolina	—	0	0	—	—	—	1	15	75	165
Virginia	—	0	1	1	1	—	0	14	34	248
West Virginia	—	0	0	—	1	—	0	0	—	—
E.S. Central	—	0	1	2	5	—	0	5	42	107
Alabama	—	0	1	1	1	—	0	5	34	100
Kentucky	—	0	0	—	2	N	0	0	N	N
Mississippi	—	0	0	—	1	—	0	2	8	7
Tennessee	—	0	1	1	1	N	0	0	N	N
W.S. Central	—	0	1	2	3	11	22	96	1,016	1,377
Arkansas	—	0	1	1	—	2	2	8	103	130
Louisiana	—	0	0	—	—	—	0	8	10	68
Oklahoma	—	0	0	—	1	N	0	0	N	N
Texas	—	0	1	1	2	9	20	91	903	1,179
Mountain	—	0	1	4	1	31	12	33	648	915
Arizona	—	0	0	—	1	15	3	9	168	266
Colorado	—	0	0	—	—	15	6	16	223	299
Idaho	—	0	1	1	—	N	0	0	N	N
Montana	—	0	1	1	—	—	1	8	34	67
Nevada	—	0	1	1	—	N	0	0	N	N
New Mexico	—	0	0	—	—	1	1	7	66	51
Utah	—	0	1	1	—	—	2	11	146	219
Wyoming	—	0	0	—	—	—	0	2	11	13
Pacific	—	0	1	3	3	—	2	7	108	86
Alaska	—	0	0	—	1	—	1	3	42	17
California	—	0	1	1	2	—	0	3	23	42
Hawaii	—	0	0	—	—	—	1	5	43	27
Oregon	—	0	1	2	—	N	0	0	N	N
Washington	—	0	0	—	—	N	0	0	N	N
Territories										
American Samoa	—	0	0	—	—	N	0	0	N	N
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	4	—	15
Puerto Rico	—	0	0	—	—	—	0	3	20	78
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting year 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending December 2, 2017, and December 3, 2016 (48th week)[†] (Export data)

Reporting area	Vibriosis (Any species of the family <i>Vibrionaceae</i> , other than toxigenic <i>Vibrio cholerae</i> O1 or O139) [§]								
	Confirmed				Probable				
	Current week	Previous 52 weeks			Current week	Previous 52 weeks			
Current week	Med	Max		Cum 2017	Cum 2016	Med	Max	Cum 2017	Cum 2016
United States	1	20	84	1,207	1,130	8	19	391	28
New England	—	2	12	133	101	—	2	9	2
Connecticut	—	0	5	36	17	—	2	8	—
Maine	—	0	2	7	7	—	0	—	—
Massachusetts	—	1	6	70	62	—	1	1	—
New Hampshire	—	0	1	8	5	—	0	—	1
Rhode Island	—	0	5	10	10	—	0	—	—
Vermont	—	0	1	2	—	—	0	—	—
Mid. Atlantic	—	2	11	122	117	6	4	34	7
New Jersey	—	0	5	32	28	—	2	14	1
New York (Upstate)	—	0	6	44	47	—	0	—	4
New York City	—	0	3	19	16	6	4	13	1
Pennsylvania	—	0	3	27	26	—	1	7	1
E.N. Central	—	1	7	72	73	1	4	53	2
Illinois	—	0	4	21	33	—	4	21	—
Indiana	—	0	2	5	11	—	0	—	—
Michigan	—	0	2	9	7	—	1	7	2
Ohio	—	0	3	22	13	1	3	14	—
Wisconsin	—	0	2	15	9	—	2	11	—
W.N. Central	—	0	2	20	39	—	3	30	11
Iowa	—	0	0	—	—	—	0	—	—
Kansas	—	0	1	3	5	—	1	2	—
Minnesota	—	0	0	—	21	—	0	—	10
Missouri	—	0	2	9	6	—	2	15	—
Nebraska	—	0	1	2	—	—	1	4	1
North Dakota	—	0	1	2	2	—	1	1	—
South Dakota	—	0	1	4	5	—	2	8	—
S. Atlantic	—	7	18	377	378	1	7	102	2
Delaware	—	0	1	9	12	—	1	—	—
District of Columbia	—	0	1	—	3	—	1	5	—
Florida	—	3	14	203	171	—	5	37	1
Georgia	—	0	3	27	30	—	0	—	—
Maryland	—	1	4	50	67	—	2	14	1
North Carolina	—	0	4	28	32	—	4	23	—
South Carolina	—	0	4	19	22	—	2	13	—
Virginia	—	0	5	41	40	1	2	9	—
West Virginia	—	0	1	—	1	—	0	—	—
E.S. Central	1	1	3	49	60	—	4	35	1
Alabama	—	0	2	20	30	—	1	2	—
Kentucky	—	0	1	3	6	—	2	11	—
Mississippi	—	0	2	16	8	—	0	—	—
Tennessee	1	0	2	10	16	—	4	22	1
W.S. Central	—	2	9	112	141	—	4	53	—
Arkansas	—	0	1	2	2	—	0	—	—
Louisiana	—	0	3	17	48	—	2	4	—
Oklahoma	—	0	2	3	2	—	1	3	—
Texas	—	2	8	90	89	—	4	46	—
Mountain	—	1	4	47	49	—	4	45	1
Arizona	—	0	2	11	18	—	2	13	—
Colorado	—	0	3	21	17	—	3	20	—
Idaho	—	0	0	—	—	—	0	—	—
Montana	—	0	1	7	2	—	1	1	—
Nevada	—	0	1	2	2	—	0	—	1
New Mexico	—	0	1	2	—	—	1	1	—
Utah	—	0	1	3	9	—	1	10	—
Wyoming	—	0	1	1	1	—	0	—	—
Pacific	—	4	63	275	172	—	5	30	2
Alaska	—	0	1	3	8	—	1	1	—
California	—	2	12	136	124	—	0	—	—
Hawaii	—	0	3	43	21	—	0	—	1
Oregon	—	0	3	17	19	—	2	14	1
Washington	—	0	62	76	—	—	5	15	—
Territories	—	—	—	—	—	—	—	—	—
American Samoa	—	0	0	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting year 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

§ The national surveillance case definition was revised in 2017 to include infections confirmed by culture-independent diagnostic tests as probable cases.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending December 2, 2017, and December 3, 2016 (48th week)[†] (Export data)

Reporting area	West Nile virus disease [§]									
	Neuroinvasive				Nonneuroinvasive [¶]					
	Current week	Previous 52 weeks			Current week	Previous 52 weeks				
Current week	Med	Max	Cum 2017	Cum 2016	Current week	Med	Max	Cum 2017	Cum 2016	
United States	—	4	137	1,258	1,217	—	2	79	682	875
New England	—	0	3	10	15	—	0	1	4	6
Connecticut	—	0	1	2	1	—	0	1	1	—
Maine	—	0	0	—	—	—	0	0	—	—
Massachusetts	—	0	2	5	10	—	0	1	—	6
New Hampshire	—	0	0	—	—	—	0	1	1	—
Rhode Island	—	0	1	1	2	—	0	1	1	—
Vermont	—	0	1	2	2	—	0	1	1	—
Mid. Atlantic	—	0	9	39	41	—	0	5	41	8
New Jersey	—	0	1	5	11	—	0	1	2	—
New York (Upstate)	—	0	0	—	12	—	0	5	32	4
New York City	—	0	5	20	6	—	0	1	1	—
Pennsylvania	—	0	3	14	12	—	0	3	6	4
E.N. Central	—	0	31	170	170	—	0	11	54	73
Illinois	—	0	12	66	93	—	0	6	18	60
Indiana	—	0	4	16	15	—	0	2	10	3
Michigan	—	0	8	31	41	—	0	2	8	1
Ohio	—	0	6	23	12	—	0	3	11	5
Wisconsin	—	0	7	34	9	—	0	2	7	4
W.N. Central	—	0	20	110	149	—	0	28	167	351
Iowa	—	0	3	10	14	—	0	1	2	23
Kansas	—	0	1	10	18	—	0	3	15	19
Minnesota	—	0	4	9	14	—	0	3	14	69
Missouri	—	0	4	15	9	—	0	0	—	2
Nebraska	—	0	4	19	35	—	0	7	48	60
North Dakota	—	0	6	20	24	—	0	13	42	61
South Dakota	—	0	6	27	35	—	0	7	46	117
S. Atlantic	—	0	9	73	28	—	0	3	16	11
Delaware	—	0	0	—	—	—	0	1	1	—
District of Columbia	—	0	1	1	1	—	0	1	2	—
Florida	—	0	1	4	6	—	0	0	—	2
Georgia	—	0	7	37	4	—	0	3	7	1
Maryland	—	0	1	3	6	—	0	1	2	—
North Carolina	—	0	1	1	2	—	0	0	—	—
South Carolina	—	0	4	14	6	—	0	1	3	2
Virginia	—	0	4	12	3	—	0	1	1	5
West Virginia	—	0	1	1	—	—	0	0	—	1
E.S. Central	—	0	11	100	44	—	0	10	55	30
Alabama	—	0	5	31	9	—	0	7	24	8
Kentucky	—	0	1	6	5	—	0	1	2	3
Mississippi	—	0	7	46	27	—	0	3	17	15
Tennessee	—	0	4	17	3	—	0	3	12	4
W.S. Central	—	1	16	155	280	—	1	10	72	149
Arkansas	—	0	3	11	7	—	0	2	3	2
Louisiana	—	0	7	36	35	—	0	2	11	23
Oklahoma	—	0	4	27	20	—	0	3	12	15
Texas	—	0	14	81	218	—	0	7	46	109
Mountain	—	1	29	225	156	—	0	20	142	132
Arizona	—	0	12	91	57	—	0	3	18	21
Colorado	—	0	6	29	59	—	0	7	39	90
Idaho	—	0	5	13	3	—	0	3	11	6
Montana	—	0	2	3	3	—	0	3	8	3
Nevada	—	0	5	24	13	—	0	6	29	3
New Mexico	—	0	4	23	6	—	0	4	10	—
Utah	—	0	8	38	7	—	0	6	24	6
Wyoming	—	0	2	4	8	—	0	1	3	3
Pacific	—	1	49	376	334	—	0	14	131	115
Alaska	—	0	0	—	—	—	0	0	—	—
California	—	1	47	364	324	—	0	14	123	112
Hawaii	—	0	0	—	—	—	0	0	—	—
Oregon	—	0	1	2	2	—	0	2	5	2
Washington	—	0	2	10	8	—	0	1	3	1
Territories	—	—	—	—	—	—	—	—	—	—
American Samoa	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting year 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

§ Updated weekly from the Division of Vector-Borne Diseases, National Center for Emerging and Zoonotic Infectious Diseases (ArboNET Surveillance). Data for Jamestown Canyon virus, La Crosse virus, Chikungunya virus, Eastern equine encephalitis virus, Powassan virus, St. Louis virus, and Western equine encephalitis virus diseases are available in Table I.

¶ Not reportable in all states. Reporting exceptions are available at <http://www.cdc.gov/nndss/downloads.html>.