# Reading and Arithmetic Achievement Among Youths 12-17 Years

as Measured by the Wide Range Achievement Test United States

Findings from the reading and arithmetic subtests of the Wide Range Achievement Test, administered in a national survey of youths in 1966-70.

DHEW Publication No. (HRA) 74-1618

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE Public Health Service

Health Resources Administration
National Center for Health Statistics
Rockville, Md. February 1974

Series 11 reports present findings from the National Health Examination Survey, which obtains data through direct examination, tests, and measurements of samples of the U.S. population. Reports 1 through 38 relate to the adult program, Cycle I of the Health Examination Survey. The present report is one of a number of reports of findings from the children and youth programs, Cycles II and III of the Health Examination Survey. These latter reports from Cycles II and III are being published in Series 11 but are numbered consecutively beginning with 101, It is hoped this will guide users to the data in which they are interested.



### NATIONAL CENTER FOR HEALTH STATISTICS

EDWARD B. PERRIN, Ph.D., Director

PHILIP S. LAWRENCE, Sc.D., Deputy Director
GAIL F. FISHER, Assistant Director for Health Statistics Development
WALT R. SIMMONS, M.A., Assistant Director for Research and Scientific Development
JOHN J. HANLON, M.D., Medical Advisor
JAMES E. KELLY, D.D.S., Dental Advisor

EDWARD E. MINTY, Executive Officer ALICE HAYWOOD, Information Officer

### DIVISION OF HEALTH EXAMINATION STATISTICS

ARTHUR J. McDOWELL, Director

GARRIE J. LOSEE, Deputy Director

PETER V. V. HAMILL, M.D., Medical Advisor, Children and Youth Program

HENRY W. MILLER, Chief, Operations and Quality Control Branch

LINCOLN I. OLIVER, Chief, Psychological Statistics Branch

HAROLD J. DUPUY, Ph.D., Psychological Advisor

### COOPERATION OF THE BUREAU OF THE CENSUS

In accordance with specifications established by the National Health Survey, the Bureau of the Census, under a contractual agreement, participated in the design and selection of the sample, and carried out the first stage of the field interviewing and certain parts of the statistical processing.

Vital and Health Statistics-Series 11-No. 136

DHEW Publication No. (HRA) 74-1618

Library of Congress Catalog Card Number 73-600253

# CONTENTS

	Page
Introduction	1
The Wide Range Achievement Test	2
Field Testing Procedures	4
Results Reading Subtest—Raw Scores Arithmetic Subtest—Raw Scores Percentiles and Standard Scores	5 5 8 8
Comparison of HES Findings With Other Data	11
Summary	12
References	13
List of Detailed Tables	14
Appendix I. Definitions	25
Appendix II. Technical Notes	26 28 28 29 30 31
Appendix III. Instructions for Administration of the Wide Range Achievement Test for the Health Examination Survey, Cycle III	32

# 

# READING AND ARITHMETIC ACHIEVEMENT AMONG YOUTHS 12-17 YEARS

### AS MEASURED BY THE WIDE RANGE ACHIEVEMENT TEST

Dale C. Hitchcock and Glenn D. Pinder, Division of Health Examination Statistics

### INTRODUCTION

This report presents information on the levels achieved in reading and arithmetic, as measured by the Wide Range Achievement Test, by U.S. youths aged 12-17. The data were obtained in the Health Examination Survey that was conducted from March 1966 to March 1970 by the National Center for Health Statistics. Information presented here is essentially a continuation of that reported in a previous publication for children ages 6-11. The present report is limited to presentation of the findings on adolescents by sex, age, and grade in school (appendix I).

The Health Examination Survey (HES) is an ongoing program which collects data by direct examination of representative samples of the noninstitutionalized population of the United States. Since 1960 the survey has conducted a series of separate programs (called "cycles") concerned with segments of the total population and focused on certain aspects of the health of the selected subpopulation. The data in this report were obtained during Cycle III. in which youths aged 12-17 were examined. That program was a continuation of the immediately preceding cycle, in which children aged 6-11 years were given an examination which focused on health factors related to growth and development. Details regarding the surveys can be obtained in comprehensive reports on the children's program<sup>2</sup> and the youths' program.<sup>3</sup> Further information about the Cycle III survey design is presented in appendix II.

A standardized single-visit examination was given each youth by an examining team in a specially designed mobile unit. Along with examinations by a physician and dentist and a variety of tests and measurements performed by technicians, a 70-minute psychological test battery was given by a psychologist. The battery included the following procedures, which were administered in the order listed: Wide Range Achievement Test, arithmetic and reading sections; Wechsler Intelligence Scale for Children, vocabulary and block design subtests; a fivecard, tape-recorded version of the Thematic Apperception Test; a modified version of the Goodenough-Harris Drawing Test; the Brief Test of Literacy; and a self-administered questionnaire concerning the youth's attitude and behavior relating to certain aspects of health. A critical evaluation of most of the psychological tests used in the survey, including a literature review of previous research and evaluations, was made by S. B. Sells of Texas Christian University. The results of the evaluation were published in the Center's methodological reports series.4

Before sample youths were examined, information was obtained from their parents. The information included demographic and socioeconomic data on household members as well as a medical history and behavioral data about the sample youth. Information regarding per-

formance and adjustment was requested in a questionnaire sent to the youth's school. All information was collected under a guarantee of strict confidentiality.

Of the 7,514 youths composing the sample, 6,768 (90 percent) were examined. Because of the sample design, adjustment for nonresponse, and weighting procedures, examination results can be considered representative of the approximately 23 million noninstitutionalized youths 12-17 years of age in the United States at the time of the survey. Sampling errors associated with estimates in this report are presented in appendix I.

# THE WIDE RANGE ACHIEVEMENT TEST

When plans were made to conduct a health survey of the U.S. population from ages 6 through 17, it was decided that an assessment of educational achievement would be relevant since many developmental and psychological problems first come to the attention of teachers, physicians, parents, and others as "learning" or "school" problems. Although less widely known and used than some comprehensive achievement test batteries, the Wide Range Achievement Test (WRAT) met the survey's requirements of both brevity and applicability to the entire age range of the target population. The choice was supported by published data and by the opinions of some clinicians to the effect that the WRAT could be accepted as a good predictor of performance on the more traditional achievement tests.4

The WRAT was developed in 1936 by Jastak and Bijou as a tool for studying achievement in the basic school subjects of reading (word recognition and pronunciation), written spelling, and arithmetic computation. The first edition and a revision in 1946<sup>5</sup> had only one scale of achievement, which ranged from kindergarten to college for each of the three subtests. The 1965 edition a retained these three subtests, but each was

represented by separate scales at two levels. 6 Level I was designed for children between the ages of 5 years 0 months and 11 years 11 months, while Level II was intended for persons from 12 years 0 months to adulthood. At both levels, the reading subtest consists of recognizing and naming letters and pronouncing words arranged in order of increasing difficulty; the spelling section involves copying marks that resemble letters, writing one's name, and writing single words as they are dictated; and the arithmetic subtest requires counting, reading number symbols, solving oral problems, and performing written computations normally taught in schools. Jastak provided tables for converting raw scores on the three subtests to grade equivalents, percentiles, and standard scores.

Because of time limitations, only the reading and arithmetic subtests of the WRAT were given during the survey of youths. Further discussion of the WRAT and the survey findings presented below has been limited to those two subtests.

Adequate validity data on the WRAT are not presented in the manual for the 1965 revision. Findings based on limited study of the 1946 version are repeated from the 1946 manual; they suggest that WRAT results are closely related to scores on the New Stanford Achievement Test. Product-moment coefficients for samples of 7th and 8th graders are reported as follows: WRAT reading with New Stanford Paragraph Reading. .81 (N=389); WRAT reading with New Stanford Word Reading, .84; WRAT arithmetic with New Stanford Arithmetic, .91 (N=140). The 1965 manual also includes some data on reliability of the WRAT.6 From a sample of 200 individuals selected to represent a typical distribution of achievement, split-half reliability coefficients were calculated for the reading and arithmetic subtests. The split-half measures used were scores on the odd-even items arranged in order of difficulty. Correlations for age groups 12 and older for both subtests were all above .95. As a measure of test-retest reliability, Jastak 6 cited a study in which a group of 77 retarded persons, ranging in age from 15 to 17 years, were given the WRAT (along with other tests) five times within a 3-week period. The WRAT scores were found to be very stable, showing the smallest variations of all the tests included.

<sup>&</sup>lt;sup>a</sup>In the previous report on the WRAT findings in the HES children's program,<sup>2</sup> it was reported that a 1963 revision was used. This was a provisional edition eventually published as the 1965 revision with only slight changes in the word order of the reading subtest. The 1963 provisional editions of the reading and arithmetic subtests were used in the survey of youths.

To further study the use of the WRAT as a measure of school achievement, the National Center for Health Statistics contracted with K. Warner Schaie of West Virginia University for a special validation study. The complete findings of that study have been published. A summary of Schaie's findings regarding adolescents with some brief remarks regarding several other relevant studies follows.

Schaie's study was designed to assess the adequacy of the WRAT to predict actual grade placement and to estimate achievement as measured by another comprehensive battery. Level II of the WRAT was administered to 314 boys and 319 girls attending secondary schools in Monongalia County, West Virginia. The sample consisted of approximately equal numbers of youths in grades 7 through 12. To assess the possibility of regional bias, an additional sample of 596 subjects was selected from the 7th and 10th grades in Milwaukee County, Wisconsin, the 8th and 11th grades in Los Angeles, California, and the 9th and 12th grades in Fort Collins, Colorado. The Stanford Achievement Test (SAT) was administered to the junior high school students (grades 7-9) and the Metropolitan Achievement Tests (MAT) were given to students in senior high school. In the junior high population reasonably good concurrent validity was demonstrated by the correlation of WRAT scores with those on the appropriate subtests of the SAT. Among the three grade levels and the geographic regions the coefficients ranged from .66 to .84 for arithmetic and from .47 to .80 for reading. Likewise the high correlation of the appropriate sections of the MAT with the two WRAT subtests for the senior high school group further supported the validity of the WRAT. These validity coefficients ranged from .62 to .82 for arithmetic and from .49 to .82 for reading. Schaie concluded that, while there is a considerable range in the magnitude of validity coefficients depending on level and geographic region involved, there is sufficient evidence of substantial correlation with criterion measures at every age level investigated to consider the WRAT a satisfactory brief instrument for estimating school achievement.7

In estimating grade level placement, the WRAT was found to vary considerably, ranging

from close agreement to wide disagreement with the various criteria applied. Level II tended to underestimate actual grade level, but it rather accurately predicted achievement levels on the SAT and MAT arithmetic-related subtests. The WRAT Level II reading test overestimated the actual grade level of junior high students but underestimated that of senior high students. Performance on the SAT was underestimated, while performance on the MAT criterion variables was overestimated.

The latest edition of Buros' Mental Measurements Yearbook 8 lists 64 references on the WRAT which have been published since it was first issued in 1936. The length of this list attests to a more than narrow or limited interest in the test, but a review of the articles reveals that many have dealt with applications involving small and special populations. For example, one recent study 9 suggests that the WRAT and the California Achievement Tests (CAT) are highly correlated when used with preschool children and early elementary school children. A median correlation of .80 among all the subtests, with a high of .89 between WRAT reading and total CAT score, is reported for a sample of 96 children. Another study, 10 again comparing the WRAT and CAT, is more relevant to the present report because the 98 test subjects were 7th grade students. Correlation coefficients between WRAT and total California reading and arithmetic scores are reported to be .73 and .80, respectively. At least 20 of the 64 references cited in Buros dealt with samples of retarded persons. A brief report of a 1962 study<sup>11</sup> illustrates the use of the WRAT in such studies of mentally retarded subjects. When the WRAT scores and MAT scores of 25 institutionalized boys (ages 9-14) were compared, rank order correlation coefficients were .87 for arithmetic and .76 for reading. Another study 12 that illustrates the wide use of the WRAT with mentally retarded persons also exemplifies a common procedure initiated by Jastak, that of comparing WRAT scores with intelligence test findings. For the test results of 72 mentally retarded males aged 16-35, correlation of WRAT scores with Stanford-Binet and Wechsler Adult Intelligence Scale scores ranged from .47 to .78.

Although the foregoing comments are not

presented as a comprehensive review of the literature on the WRAT, the studies cited are representative of the evidence that supports the reliability and validity of the two WRAT subtests for the purposes of HES Cycle III.

# FIELD TESTING PROCEDURES

The WRAT subtests were administered during individual testing sessions conducted by psychologists who had at least a master's degree and who had experience in test administration. There were two psychologists on the examining team at all times. The examiners were trained in the special HES testing procedures and supervised by the advisory staff of the survey. During the training and supervision, strong emphasis was placed on uniform methods of test administration, scoring, and recording of data. Throughout this survey of adolescents 12 psychologists worked in the field.

The arithmetic and reading subtests were the first procedures administered in each testing session. They were given in accordance with the WRAT Manual for the 1965 revised edition, with certain minor modifications to conform with special forms and practices of the survey. Only Level II tests were used, since all sample youths were 12 years old or older.

Both tests were printed on the same twopage form in a format identical to Jastak's standard form. The arithmetic section was on one page, which contained the 46 problems of the written part and 15 dots and five numbers. The dots and numbers along with three orally presented word problems compose the oral arithmetic test. The opposing page had space for computation, The page of arithmetic problems was shown to each youth, and he or she was asked to work in 10 minutes as many problems as possible. If the youth did not correctly complete at least six problems within the allotted time, the oral part of the subtest was given. In the oral part the youth was asked to count aloud the 15 dots on the form, to read the five numbers, and to solve three simple word problems. These tasks were worth 10 points, one point for counting five dots correctly, another point for counting six through 15 dots, one point for reading each number, and one for solving each problem. If the youth obtained a score of six or more (one point for each problem) on the written problems, the 10-point credit was given for the oral part. The highest possible raw score for the arithmetic subtest is 56 points.

The reading test consists of 13 capital letters and 76 words which are printed on one page in order of increasing difficulty. A laminated copy of this sheet was presented to the youth, who was instructed to read aloud each of the words in the sequence in which they appeared. On another test form (the one on which the youth had done the arithmetic), the examiner checked off each word that was incorrectly pronounced until 12 consecutive words were missed. On the first mispronunciation of any one word, the youth was asked to repeat the word, but from then on the first response or spontaneously changed response was scored. Approximately 10 seconds were allowed for each word, with the examiner controlling the speed by saying "next" or "go on to the next word." If the youth failed to score at least six points on the word pronunciation (one point for each correct word), he or she was asked to read aloud the 13 capital letters and to read the first two letters in his or her name after writing it on the test form. The letter reading was worth a total of 15 points. Anyone obtaining a score of 11 or more on the word pronunciation was credited with the 15 points for the letters. A possible maximum 89 points can be earned on the reading test. The verbatim instructions used by the examiners for the arithmetic and reading subtests are included in appendix III.

The examiner recorded all right and wrong answers on each test in specified spaces on the test form. Scores were computed and recorded on the front of the form. As part of the comprehensive quality control practices of the survey, the two psychologists daily exchanged all test forms and checked each other's work for apparent errors in administration or recording.

Once a week an entire testing session was recorded on tape by each field psychologist. A transcription of the taped session was reviewed by a psychologist at headquarters, who noted errors, commented on testing procedures if necessary, and then returned the transcripts to the examiners.

### **RESULTS**

### Reading Subtest—Raw Scores

On the reading subtest of the Wide Range Achievement Test, youths 12-17 years of age in the noninstitutionalized population of the United States attained a mean raw score of 48.5 points out of a possible 89 points (table 1). The mean reading score increased steadily with age, rising from 42.1 points at 12 years to 53.7 at 17 years (figure 1 and table 1). Mean scores for halfyear age intervals are also presented as a more precise reflection of the growth patterns in school achievement as measured by the WRAT. Gradually increasing mean scores also occurred among the 6-month age groups (table 2). The variability as indicated by the standard deviations for each of the 6-month age groups tended to increase with age, although not consistently. The relative variation among the reading test scores was, however, quite constant throughout the age range. This was determined by computing coefficients of variation which allow comparisons of dispersions of scores in different series where the means vary.

As indicated in table 1 and figure 2, mean scores increased steadily as the amount of education increased, rising from 42.6 in the 7th grade to 58.7 in the 12th. The increasing scores

from one grade level to the next can be observed for youths at every single year of age. Within the appropriate grade range for the population (grades 7-12), there was a fairly consistent increase of around three points from grade to grade. Those youths who were in grades below the expected level for the ages of this population performed substantially poorer. The mean score of 6th graders was 6.4 points below that of 7th graders; the mean score of 5th graders was 8.3 points below that of the 6th graders.

High school graduates obtained about the same scores as those in the 12th grade. Youths who continued or planned to continue their formal education beyond high school obtained substantially higher scores than those who did not. This difference probably reflects a phenomenon of selection, wherein persons of greater ability continue their education, while those with less ability do not.

A few other observations regarding the data in table 1 may be of interest. The youths, mostly 16- and 17-year-olds, who had left school before graduating, that is, the small group of school dropouts, generally achieved scores on the reading test comparable to those observed in the 6th and 7th grades. The group of youths designated as being in some kind of special class had a mean score of 23.1, lower than the scores of all educational placement categories except that of grade 4 and below. This relatively small




Figure 1. Mean raw scores on the reading and arithmetic subtests of the Wide Range Achievement Test for youths, by age: United States, 1966-70.




Figure 2. Mean raw scores on the reading and arithmetic subtests of the Wide Range Achievement Test for youths 12-17 years of age, by grade in school: United States, 1966-70.

group included individuals with major reading problems, many complicated with serious mental and physical handicaps. In observing the relationship between age and grade, it can be seen that mean scores of youths in the usual grade for persons of their age were higher than scores for those who were older and a little lower than those of youths who were younger. This finding is expected since it is a reasonable assumption that persons who are permitted to skip grades are generally more advanced than the average and that those who are retained in a grade are slow learners or at least slower.

Girls performed better than boys on the reading subtest, averaging 2.5 raw score points higher. Higher scores were achieved by the girls at all ages, with differences being significant in all

but the 13- and 15-year-old groups (figure 3 and table 1). Among those youths in school and within the appropriate grade range for the population, boys again obtained lower reading scores than did girls at every grade level (figure 4 and table 1). These differences averaged about two points but only for the 9th and 10th grades were the differences significantly different.

Variability of the reading subtest raw scores was consistently greater for boys than for girls in all half-year age groups except for the 17 1/2-year-olds. The differences were significant in all but five of the groups (all 12- and 16-year-olds and the 15 1/2-year-old group). The girls exhibited significantly more variability than did boys in the 17 1/2-year-old group (table 2).




Figure 3. Mean raw scores on the reading and arithmetic subtests of the Wide Range Achievement Test for boys and girls, by age: United States, 1966-70.




Figure 4. Mean raw scores on the reading and arithmetic subtests of the Wide Range Achievement Test for boys and girls 12-17 years of age, by gradé in school: United States, 1966-70.

### Arithmetic Subtest-Raw Scores

Youths 12-17 years of age in the noninstitutionalized population of the United States had a mean of 23.0 raw score points out of a possible 56 points on the arithmetic subtest of the WRAT (table 3).

The mean raw score increased slightly with age through age 16 and then leveled off (figure 1 and table 3). Mean scores are also reported for half-year age groups, and a gradual increase can again be observed from one age group to the next (table 4). The variability as indicated by the standard deviations for each half-year age group also increased slightly with age. As on the reading subtest, the relative variation among the arithmetic scores was generally constant over all age levels (table 4).

A steady increase in mean scores, reflecting increasing skill in arithmetic computation, may be seen throughout the grade range. The mean raw scores for grades 7 through 12, the appropriate range of grades for this population, increased from 19.6 to 28.1 (figure 2 and table 3). Increases from one grade to the next can be seen within each single year of age. Observations regarding other grade placement categories are similar to those made about the reading subtest. Youths in grade 6 and under had lower scores than those in the 7th grade and over. Means for the 5th and 6th grades, however, were within the same gradually increasing progression, rather than substantially lower than those obtained by youths in the typical grade range as found in the reading subtest. Youths who were in special classes performed similarly to those with less than 5th grade placement, and the dropouts again achieved scores at the 6th or 7th grade level. Mean raw scores of 12th graders and high school graduates were about the same. Youths who had begun college or were preparing to begin college scored higher than all others. As in the similar findings on the reading subtest, the higher raw score means for students with education above high school is probably a result of the group's composition (only the more superior students being included) rather than a reflection of educational level. It is also of interest that the modal age group in each grade showed about the best performance on the arithmetic test. Those youths who were younger than the modal age for their grade did not do noticeably better than the modal age group, as they did on the reading test. Those who were older than the typical age for each grade did achieve slightly lower scores. The fact that there were not in the arithmetic test, as in the reading test, striking differences between the mean scores of the groups of youths who had probably been accelerated or detained and the scores of the modal age-in-grade groups suggests that success in school is more dependent on developing reading ability than on acquiring arithmetic skills.

Overall there was no difference between the performance of boys and girls on the arithmetic subtest, the mean score being 23.0 for each. There were no significant differences between raw scores of boys and girls at single years of age or at half-years of age (figure 3 and tables 3 and 4). Likewise, there were no significant differences in arithmetic scores between boys and girls at any grade level, although from 9th grade on, the scores of boys were slightly higher than those of girls at each educational level (figure 4 and table 3).

Variability of arithmetic subtest raw scores was greater among boys in all 6-month age groups except three (the age groups 12 1/2, 15 1/2, and 17 1/2 years). The greater variability exhibited by the scores of boys was significant for ages 12-0 to 12-5, 13-0 to 13-11, and 17-0 to 17-5 (table 4).

### Percentiles and Standard Scores

For the majority of testing purposes, the most satisfactory types of norms for achievement tests are those showing the examinee's position within his own grade level. In the present report, percentiles and T scores (normalized standard scores with a mean of 50 and standard deviation of 10) are employed for that purpose. <sup>13</sup> In addition, the same two measures are presented for the six age levels of the population surveyed.

Grade-equivalent scores, which are often used for achievement tests and are presented for the WRAT in Jastak's original work, are not shown in this report. Basically, grade equivalent tables have been omitted for two reasons: (1) the sample design and testing procedures used by HES are such that the construction of grade

equivalents would incorporate unacceptably large biases, and (2) shortcomings inherent in the grade equivalent concept itself make the measure less than desirable for grade norms, especially at levels beyond the elementary school grades. Elaboration on the two points follows.

The usual procedure for construction of grade equivalents is to select samples from specific grade populations and test them once or several times during the course of the school year. 13 The sample design for the HES called for selection of eligible youths from households. Examinations were administered throughout the year, and youths were tested whether they were enrolled in school. were on vacation, or had left school for any reason. In addition, testing was done in a mobile examination center, so seasonal variation in weather was a consideration in scheduling the 40 sample locations. Examination sites during the winter, approximately the middle of the school year, tended to be in warmer climates, while during warmer weather examinations took place in the more northern regions of the country. Grade equivalents like those constructed by Jastak would therefore be subject to a regional bias if developed from HES data. For example, if WRAT scores of youths in the South should be generally lower than those in the Northeast (an actual finding from the Health Examination Survey of children aged 6-11), then this difference would be reflected in the midgrade grade equivalents assigned to certain raw scores; that is, any regional differences would be reflected in the grade equivalents developed from raw scores obtained during the course of each school year.

Conceptually, grade equivalents assume that growth is uniform throughout the school year. The inclusion of grade equivalents in this report would require the assumption that learning is roughly uniform for every youth throughout his junior and senior high school years everywhere in the United States. That is a difficult assumption which would ignore both the planned and unplanned variation in the educational experiences of youths throughout the country.

There is also a problem in interpreting grade equivalents even though superficially they may appear quite simple. For example, an 8th grader's performance on the arithmetic test could result

in a grade equivalent of 10.8. This does not necessarily mean that the person has mastered most arithmetic taught in the 10th grade, but more likely that he achieved a high score by superior performance on arithmetic taught up through the 8th grade.

Grade equivalents can be potentially misleading when used as a simple measure of achievement if they are construed as "norms" signifying satisfactory levels of achievement without consideration of such factors as intelligence or curriculum emphasis of the youths being evaluated. Grade equivalents generally tend to exaggerate the significance of small differences and to encourage the improper use of test scores. In addition, grade equivalents do not provide a good basis for comparing an examinee's performance on several tests, nor are they a better measure than other scales for assessing changes in an individual's achievement level. There is general agreement among educational psychologists that percentile rankings provide a sounder basis for interpreting a student's score on a particular test and for comparing his standing on a number of tests.14

Any reader wishing to examine grade equivalents from the present report may do so by simply using the mean raw scores for each grade as presented in tables 1 and 3 as grade equivalents for the midpoints of specific grades and then interpolating intermediate grade equivalents to represent fractions of grades. The school year covers roughly 10 months; thus successive school months can be expressed as decimal components of a given grade. For example, a grade equivalent of 12.0 indicates average achievement at the beginning of the 12th grade (September testing) and a grade equivalent of 12.5 indicates average achievement at the midpoint of the school year (February testing).

Percentiles have been derived from the raw scores on both the reading and arithmetic subtests. Percentile ranks reported in the tables represent the percentages of youth's falling below designated raw scores. Tables 5 and 6 present reading test percentiles for the six age groups and for grades 7–12 (the appropriate grade levels for these ages). These percentiles are based on all persons of the given age or in the given grade.

Similar percentiles for the arithmetic subtest are presented for age and grade groups in tables 7 and 8, respectively.

Comparison of the two subtests with each other, with other measures of academic achievement, or with other psychological and physical measures may be misleading if based on percentile ranks. Percentiles reflect both the range of test scores obtained and the distribution of those scores within any category reported, in this case age and grade levels. Completely similar dis-

tributions of scores may not occur for each subsample. Indeed, the range of items attempted on a test like the WRAT would be expected to increase over the successive ages and grades in the population under discussion.

In view of the preceding discussion, the norm tables in this report present standard scores computed from the raw score distributions of each subtest. The standard score equivalents of raw scores are based on a common scale with a mean of 50 and a standard deviation of 10

Table A. Means and standard deviations (SD) on the reading and arithmetic subtests of the Wide Range Achievement Test for Jastak's standardization group and HES estimates for the United States among youths in 1966-70

101 the billed States among youths in 1900-70											
		Jastak's		HE	S sample	, 1966-7	$0^{2}$				
Age in years and months	standar	dization	group <sup>1</sup>	Unsmo	othed	Smoot	hed <sup>3</sup>				
	Number	Mean	SD	Mean	SD	Mean	SD				
			Read	ing subt	est						
12-0 to 12-5 12-6 to 12-11 13-0 to 13-5 13-6 to 13-11 14-0 to 14-5 14-6 to 14-11 15-0 to 15-5 15-6 to 15-11 17-0 to 17-11	314 336 321 325 340 351 324 265 558 485	43.92 45.64 46.40 48.73 51.14 52.29 54.31 54.93 55.76 57.29	11.78 11.81 11.75 11.92 11.87 12.06 12.13 12.20 12.72 12.76	41.67 42.41 44.52 46.21 47.85 48.52 49.18 50.48 52.85 53.67	11.37 11.61 12.62 12.49 12.98 12.67 13.22 13.40 13.19	42.04 42.87 44.38 46.19 47.53 48.52 49.39 50.84 52.33 53.26	11.49 11.87 12.24 12.70 12.71 12.96 13.10 13.27 13.71 13.87				
			Arith	metic su	btest						
12-0 to 12-5	301 323 305 309 328 345 314 248 544 480	23.71 25.22 26.31 27.63 28.30 29.48 29.50 29.65 29.65 30.60	5.46 5.70 6.08 6.10 6.15 6.38 6.37 6.63 6.91 7.25	18.82 19.57 20.79 21.39 22.60 23.43 23.56 24.39 25.58 25.74	4.76 5.30 6.04 6.33 6.68 6.55 6.85 7.15	19.19 19.73 20.58 21.59 22.47 23.20 23.79 24.51 25.24 25.66	5.03 5.37 5.79 6.14 6.35 6.52 6.68 6.83 7.20				

Jastak, J. F., and Jastak, S. R.: The Wide Range Achievement Test, Manual of Instructions, rev. ed. Wilmington, Del. Guidance Associates, 1965.

Estimates of means and standard deviations for the United States based on the instance of the Company of the number of expenses.

<sup>&</sup>lt;sup>2</sup>Estimates of means and standard deviations for the United States based on the inflated HES sample. See appendix I for a further explanation and for the number of examinees on which findings are based.

<sup>&</sup>lt;sup>3</sup>Means and standard deviations smoothed by a three-point moving average. End points estimated from two groups.




Figure 5. Mean raw scores on the reading and arithmetic subtests of the Wide Range Achievement Test for Jastak's standardization group (1965) and HES estimates for the United States among youths (1966-70), by age.

(T scores).14 Although this method deviates from that used by Jastak and from the method followed in the earlier report on the children tested in HES, it provides standard scores which can be compared both within and across age and grade groups. Thus, the statement in the Cycle II report¹ counseling caution in the use of standard scores for across-age comparisons need not be included here. Subsequent reports on the adolescent survey will employ T scores in presenting results for other tests, such as the Wechsler Intelligence Scale for Children and the Goodenough-Harris Drawing Test.

Tables 9 and 10 present by single year of age the T score equivalents for reading and arithmetic raw scores, respectively. The T scores for each age level were computed from the test results for all persons of the age designated. In table 11, T score equivalents for reading raw scores are presented by each of the six grade levels appropriate to the age range of the population. Table 12 presents similar scores for the arithmetic subtest. Since it was decided that standards of performance at different educational levels should be based on the "typical" performance in each grade, the T scores in tables 11 and 12 were computed from the raw scores of only those youths who were at the modal age in each grade.

# COMPARISON OF HES FINDINGS WITH OTHER DATA

As indicated previously, the Health Examination Survey sample was a highly representative probability sample of the noninstitutionalized population of the United States. It is of interest to compare the results of this survey with the data from the group on which Jastak standardized the 1965 revision of the WRAT. Limited information on the standardization sample appears in the WRAT Manual. The sample was drawn from schools in seven States. Apparently some effort was made to have various socioeconomic levels represented. IQ scores were used to develop a "mentally average" sample with representative dispersions of scores above and below the mean, but no attempt was made to obtain representative national sampling.<sup>5</sup> It should be noted that the present sample, on which the United States estimates are based, is nearly twice as large as Jastak's sample (appendix I).

As indicated in table A and figure 5, the average raw scores attained in the Health Examination Survey on the reading subtest and the arithmetic subtest were consistently lower than those reported for standardization groups. The differences were significant at every age level for both subtests. Raw scores on the reading subtest

of youths in the present study, except for those of 12-year-olds, tended to be more variable than were the scores of persons in the standardization sample. The HES arithmetic scores were also more variable except at ages 12 and 13.

The HES data can also be compared with those obtained by Schaie in the study summarized earlier.7 In this case there is the opportunity to compare raw score means for each grade level . obtained from a substantial sample of students (about 200 in each grade) with the HES national estimates of mean scores for each grade. As indicated in table B, the United States estimates are lower at every grade level for both the reading and the arithmetic subtests. Differences are significant in the 7th, 9th, and 10th grades for reading and in all but the 11th grade for arithmetic. The standard deviations are slightly larger for the national estimates in every case except reading in the 11th grade.

The most plausible explanation for the lower raw score means and greater variability of the scores obtained from the national sample of adolescents lies in the sampling and examination procedures used in HES. The previous studies. Jastak's standardization study and the study by Schaie, made use of some variety of stratification and quota sampling within school populations, thus limiting the range of potential sample persons far more than the sampling techniques employed by HES. A great effort went into having every person in the HES sample examined (leading to the 90-percent response), which certainly resulted in reaching some of the lower level and problem cases who were probably "lost" in the smaller scale efforts.

### SUMMARY

This report presents national estimates of school achievement as measured by the reading and arithmetic subtests of the Wide Range Achievement Test for the noninstitutionalized population of the United States 12-17 years of age. Data were obtained in the Health Examination Survey of 1966-70. In the survey a probability sample of 7,514 youths was selected to represent the 23 million adolescents 12-17 years residing in this country. A total of 6,768, or 90 percent, of the sample youths were examined. Because

Table B. Means and standard deviations (SD) on the reading and arithmetic subtests of the Wide Range Achievement Test for the Schale study sample and HES estimates for the United States for youths in 1966-70

<del></del>					
Grade in	Schai	Le sam	ole <sup>1</sup>	HES sa 1966-	mple,
school	Num- ber	Mean	SD	Mean	SD
	•	Readi	ng sub	test	
Grade 7 Grade 8 Grade 9 Grade 10 Grade 11 Grade 12	215 210 232 199 201	42.6 46.3 48.7 52.0 55.6 58.7	11.3 11.6 12.1 11.7 11.7		
		Arithm	etic s	subtest	
Grade 7 Grade 8 Grade 9 Grade 10 Grade 11 Grade 12	215 210 232 199 201 172	22.5 24.3 28.7 29.1 27.6 31.4	4.30 5.59 5.56 6.	21.6 23.4 25.0	5.2 5.8 6.2 6.3 6.5 6.8

1 Vital and Health Statistics, Series

2, No. 24. Estimates of means and standard deviations for the United States based on the inflated HES sample. See appendix I for a further explanation and for the number of examinees on which the findings are based.

of the sample design, adjustment for nonresponse, and weighting procedures used in the survey, findings for these youths may be considered to be representative of the total noninstitutionalized U.S. population of 12- through 17-year-olds with respect to age, sex, race, region, and other socioeconomic characteristics.

Test results have been presented by age, sex, and educational level in their raw score form to permit comparison with other studies using the WRAT. Percentile ranks and normalized standard score (T score) equivalents of the raw scores have also been included.

Findings on the two WRAT subtests have been compared with the data from Jastak's standardization sample and with the findings from a recent study on the test done by Schaie. The

HES estimates of raw score means for age and grade levels are consistently lower than those obtained in the two previous studies.

The Cycle III HES data demonstrate a continued development of reading and arithmetic skills through the adolescent years and as formal education increases. A noteworthy finding is that girls in the age range surveyed performed better

than boys on the word recognition and pronunciation task presented by the WRAT. It might be pointed out that a similar finding came from the HES Cycle II program when the Level I reading subtest of the WRAT was administered to children 6-11 years old. No significant differences between boys and girls in arithmetic computational skills were found in either survey.

### REFERENCES

<sup>1</sup>National Center for Health Statistics: School achievement of children 6-11 years as measured by the reading and arithmetic subtests of the Wide Range Achievement Test, United States. *Vital and Health Statistics.* PHS Pub. No. 1000-Series 11-No. 103. Public Health Service. Washington. U.S. Government Printing Office, June 1970.

<sup>2</sup>National Center for Health Statistics: Plan, operation, and response results of a program of children's examinations. I *ital and Health Statistics*. PHS Pub. No. 1000-Series 1-No. 5. Public Health Service. Washington. U.S. Government Printing Office, Oct. 1967.

<sup>3</sup>National Center for Health Statistics: Plan and operation of a health examination survey of U.S. youths 12-17 years of age. *Vital and Health Statistics*. PHS Pub. No. 1000-Series 1-No. 8. Public Health Service. Washington. U.S. Government Printing Office, Sept. 1969.

<sup>4</sup>National Center for Health Statistics: Evaluation of psychological measures used in the Health Examination Survey of children ages 6-11. *Vital and Health Statistics*. PHS Pub. No. 1000-Series 2-No. 15. Public Health Service. Washington. U.S. Government Printing Office, Mar. 1966.

<sup>5</sup> Jastak, J. F., and Bijou, S. W.: The Wide Range Achievement Test. Wilmington, Del. C. L. Story Co., 1946.

<sup>6</sup>Jastak, J. F., and Jastak, S. R.: The Wide Range Achieverment Test, Manual of Instructions, rev. ed. Wilmington, Del. Guidance Associates, 1965.

<sup>7</sup>National Center for Health Statistics: A study of the achievement test used in the Health Examination Surveys of persons aged 6-17 years. *Vital and Health Statistics*. PHS Pub. No. 1000-Series 2-No. 24. Public Health Service. Washington. U.S. Government Printing Office, June 1967.

<sup>8</sup> Buros, O. K.: *The Seventh Mental Measurements Year-book*, Vol. 1. Highland Park, N.J. The Gryphon Press, 1972.

<sup>9</sup>Washington, E. D., and Teska, J. A.: Correlation between the Wide Range Achievement Test, the California Achievement Tests, the Stanford-Binet and the Illinois Test of Psycholinguistic Abilities. *Psychol. Rep.* 26(1):291-294, 1970.

<sup>10</sup>Oldridge, O. A.: A congruent validity study of the Wide Range Achievement Test at grade seven. *Educ. Psych. Meas.* 24(2):415-517, 1964.

<sup>11</sup>Reger, R.: Brief tests of intelligence and academic achievement. *Psychol. Rep.* 11(1):82, 1962.

<sup>12</sup>Cochran, M. L., and Pedrini, D. T.: The concurrent validity of the 1965 WRAT with adult retardates. *Am. J. Ment. Defic.* 73(4):654-656, Jan. 1969.

<sup>13</sup>Anastasi, A.: Psychological Testing, 3d ed. New York. The Macmillan Co., 1968.

Angoff, W. H.: Scales, norms, and equivalent scores, in
 L. Thorndike, editor, Educational Measurement, 2d edition.
 Washington, D.C. American Council on Education, 1971.

15 National Center for Health Statistics: Sample design and estimation procedures for a national health examination survey of children. *Vital and Health Statistics*. Series 2-No, 43. DHEW Pub. No. (HSM) 72-1005. Health Services and Mental Health Administration. Washington. U.S. Government Printing Office, Aug. 1971.

<sup>16</sup>National Center for Health Statistics: Replication: An approach to the analysis of data from complex surveys. *Vital and Health Statistics*. PHS Pub. No. 1000-Series 2-No. 14. Public Health Service. Washington. U.S. Government Printing Office, Apr. 1966.

<sup>17</sup>National Center for Health Statistics: Pseudoreplication: Further evaluation and application of the balanced half-sample technique. *Vital and Health Statistics*. PHS Pub. No. 1000-Series 2-No. 31. Public Health Service. Washington. U.S. Government Printing Office, Jan. 1969.

### LIST OF DETAILED TABLES

?age			
15	Mean reading raw scores on the Wide Range Achievement Test for youths, by sex, age, and educational level: United States, 1966-70	e 1.	Tab1
15	Means, standard deviations (SD), coefficients of variation (SD/mean), and standard errors (SE) of means for raw scores on the reading subtest of the Wide Range Achievement Test for youths, by age and sex: United States, 1966-70	2.	
16	Mean arithmetic raw scores on the Wide Range Achievement Test for youths, by sex, age, and educational level: United States, 1966-70	3.	
16	Means, standard deviations (SD), coefficients of variation (SD/mean), and standard errors (SE) of means for raw scores on the arithmetic subtest of the Wide Range Achievement Test for youths, by age and sex: United States, 1966-70	4.	
17	Percentile equivalents of raw scores on the reading subtest of the Wide Range Achievement Test for youths, by sex and age: United States, 1966-70	5.	
18	Percentile equivalents of raw scores on the reading subtest of the Wide Range Achievement Test for youths 12-17 years, by sex and grade in school: United States, 1966-70	6.	
19	Percentile equivalents of raw scores on the arithmetic subtest of the Wide Range Achievement Test for youths, by sex and age: United States, 1966-70	7.	
20	Percentile equivalents of raw scores on the arithmetic subtest of the Wide Range Achievement Test for youths 12-17 years, by sex and grade in school: United States, 1966-70	8.	
21	T score equivalents of raw scores on the reading subtest of the Wide Range Achievement Test for youths, by age: United States, 1966-70	9.	
22	T score equivalents of raw scores on the arithmetic subtest of the Wide Range Achievement Test for youths, by age: United States, $1966-70$	10.	
23	T score equivalents of raw scores on the reading subtest of the Wide Range Achievement Test for youths 12-17 years, by grade in school: United States, 1966-70	11.	
2/	T score equivalents of raw scores on the arithmetic subtest of the Wide Range Achievement Test for youths 12-17 years, by grade in school: United States 1966-70	12.	

Table 1. Mean reading raw scores on the Wide Range Achievement Test for youths, by sex, age, and educational level:
United States, 1966-70

Sex and age	A11_		T		Grad	e in s	chool				High school	More than high	Left high school	Special
	levels	4 and below	5	6	7	8	9	10	11	12	gradu- ate	school educa- tion	before gradu- ating	ment
Both sexes							Mean	raw s	core					
12-17 years	48.5	22.0	27.9	36.2	42.6	46.3	48.7	52.0	55.6	58.7	58.2	66.2	39.4	23.1
12 years	42.1	21.4	29.2	38.0	44.2	48.8	*		_	_	_	_	_	22.1
13 years	45.3	*	25.5	30.1	42.0	48.3	51.8		*	_	_	_	_	20.2
14 years	48.2	*	*	30.3	36.5	43.8	51.8	55.0	*	"	_	*		23.0
15 years	49.8	_	*	*	28.2	35.2	44.9	53.6	58.6	*	*	*	*	*
16 years	52.8	*	*	_	*	37.6	39.5	50.0	56.7	59.0	*	*	41.2	*
17 years	53.7	-	_	_	*	*	30.3	42.8	51.6	58.7	58.2	66.0	39.2	-i*
Boys			ļ											
12-17 years	47.2	22.5	26.9	35.3	41.8	45.6	47.7	51.0	54.8	58.1	59.1	64.4	39.5	22.7
12 years	41.1	20.4	27.4	37.1	43.6	49.2	*	-	_	-	_	_	_	22,1
13 years	44.6	*	25,4	29.8	41.7	48.5	50.4	*	j -	-	-	-	-	19.5
14 years	47.0	*	*	28.1	36.8	42.9	51.8	55,1	-	*	-	_	*	23.1
15 years	48.9	] -	-	*	27.4	34.5	44.6	53,6	59.1	*	*	-	**	*
16 years	51.3	i -	-	-	*	38.3	39.1	47.8	<u>55.9</u>	58.9	-	*	36.2	*
17 years	51.6	-	- '	-	*	*	28.6	41.0	50.6	<u>58.0</u>	59.0	64.3	39.5	78
<u>Girls</u>		ļ						,						
12-17 years	49.7	21.5	29.3	37.4	43.5	46.9	49.8	53.1	56.4	59.3	57.8	67.7	40.7	23.8
12 years	43.1	21.9	31.9	39.1	44.8	48.5	_	_	-	-	-	_	-	22.1
13 years	46.0	**	25.6	30.6	42.3	48.2	53.1	*	*	-	-	-	-	21.6
14 years	49.4	*	-	35.6	36.1	45.1	<u>51,8</u>	54.9	*	_	_	-	*	*
15 years	50.8	-	*	*	31.0	36.3	45.3	53.5	58.2	*	*	-	*	*
16 years	54.4	*	*	-	*	34.5	40.2	52,2	<u>57.5</u>	59.2	*	*	45.6	*
17 years	55.8	-	-	-	*	-	37.9	46.8	52.7	<u>59.4</u>	57.9	67.4	38.8	*
	1	L		L		L <del>_</del>	<b></b>							

NOTE: Mean raw scores for the modal age-in-grade groups are underlined.

Table 2. Means, standard deviations (SD); coefficients of variation (SD/mean), and standard errors (SE) of means for raw scores on the reading subtest of the Wide Range Achievement Test for youths, by age and sex: United States, 1966-70

		Both	sexes			E	loys		Girls				
Age in years and months	Mean	SD	SD/mean	SE of mean	Mean	SD	SD/mean	SE of mean	Mean	SD	SD/mean	SE of mean	
12-0 to 17-11	48.47	13,61	.281	0.42	47.25	13.92	.295	0,50	49.72	13.18	.265	0,40	
12-0 to 12-5	41.67	11.37	.273	0.46	40.52	11.59	.286	0.63	42.80	11.04	.258	0.83	
12-6 to 12-11	42.41	11.61	.274	0.58	41.58	12.08	.290	0.84	43.31	11.02	. 254	0.55	
13-0 to 13-5	44.52	12.62	.284	0.49	44.07	13.29	.302	0.59	45.01	11.86	. 264	0.68	
13-6 to 13-11	46.21	12.49	.270	0.64	45.25	13.10	.290	1.05	47.19	11.76	. 249	0.68	
14-0 to 14-5	47.85	12.98	.271	0.69	46.62	13.72	.294	1.06	49.07	12.08	.246	0.85	
14-6 to 14-11	48.52	12.67	.261	0.66	47.38	13.29	.280	0.83	49.71	11.86	. 239	0.64	
15-0 to 15-5	49.18	13.22	. 269	0.65	48.03	13.76	. 286	0.92	50.44	12.47	. 247	0.82	
15-6 to 15-11	50.48	13.40	.266	1.04	49.86	13.92	. 279	1.12	51.07	12.87	.252	1.11	
16-0 to 16-5	52.78	12.73	. 241	0.64	51.52	13.18	.256	0.92	54.15	12.08	.223	0.84	
16-6 to 16-11	52,92	13.66	.258	0.75	51.03	13.77	.270	0.94	54.73	13.31	.243	0.98	
17-0 to 17-5	53.05	14.42	.272	0.90	51.23	15.68	.306	1.40	54.86	12.78	.233	0.91	
17-6 to 17-11	54.30	14.67	.270	0.91	51.95	13.40	. 258	1.12	56.69	15.49	.273	1.33	

Table 3. Mean arithmetic raw scores on the Wide Range Achievement Test for youths, by sex, age, and educational level:
United States, 1966-70

	·	T									<del></del>		<del></del>	
					Grade	in sc	hool				High	More than	Left high	
Sex and age	All levels	4 and below	5	6	7	8	9	10	11	12	school gradu- ate	high school educa- tion	school before gradu- ating	Special place- ment
Both sexes		<u>·                                     </u>					Mean	raw sc	ore					
12-17 years	23.0	10.3	13.8	17.4	19.6	21.6	23.4	25.0	26.8	28.1	27.3	32.0	17.9	11.4
12 years	19.2	11.3	14.5	17.9	19.9	22.0	*							10.0
13 years	21.1	*	12.7	15.6	19.7	22.2	23.8	-	*	i -	· -	_	-	10.8
14 years	23.0	*	*	16.4		21.2	24.6	25.8	*		[	1 -	*	11.4
15 years	24.0	*	*	*	15.9	17.8	22.2	25.5	27.4	*	*	-	*	*
16 years	25.6	*	*	*	*	18.4	19.3	24.3	27.3	28.9			18.7	,
17 years	25.7	_	_	_	*	*	18.0	21.0	25.2	27.9	27.4	31.8	17.8	*
•							===			-742	-/•	52.0		
Boys		1	ļ		<u> </u>	1	{	<b>\</b>	<b>\</b>	1		1	1	}
12-17 years	23,0	9.7	13.2	17.6	19.5	21.6	23.6	25.2	27.3	28.6	28.1	33.8	17.9	11.4
12 years	19.1	11.6	13.9	18.0	20.0	22.0	*	-	_	-	-	-	l -	10.6
13 years	21.1	*	11.7	16.1	19.7	22.5	24.5	*	-	-	-	-	-	11.0
14 years	23.0	*	*	16.2	18.3	21.2	25.1	26.8	-	*	-	-	*	*
15 years	24.1	*	-	*	15.8	17.6	22.6	26.2	27.3	*	*	[ -	*	*
16 years	25.8	-	-	-	*	*	19.6	24.2	28.0	30.3	-	*	16.8	*
17 years	25.6	-	-	-	* *	• *	*	20.6	25.8	28.2	28.1	33.6	18.6	*
<u>Girls</u>										ļ		ļ	l	ļ
12-17 years	23.0	11.0	14.5	17.2	19.6	21.6	23.2	24.6	26.3	27.7	26.9	30.5	18.0	11.4
12 years	19.3	11.7	15.4	17.7	19.8	22.0	_	_	_	_	_	-	_	11.2
13 years	21.1	*	14.7	15.0	19.8	21.9	23.3	*	*	-	-	-	_	9.4
14 years	23.0	*	-	*	17.9	21.3	24.1	25.0	*	-	-	-	*	*
15 years	23.9	-	*	*	16.4	18.2	21.7	24.9	27.4	*	*	-	*	*
16 years	25.3	*	*	-	*	*	18.7	24.4	26.7	27.8	*	*	20.4	*
17 years	25.8	-	-	-	*	-	*	21.7	24.6	27.7	27.1	30.3	16.9	*
	<u> </u>	1	L			L	ļ		L	<u> </u>	<u> </u>	l	L	L

NOTE: Mean raw scores for the modal age-in-grade groups are underlined.

Table 4. Means, standard deviations (SD), coefficients of variation (SD/mean), and standard errors (SE) of means for raw scores on the arithmetic subtest of the Wide Range Achievement Test for youths, by age and sex: United States, 1966-70

Age in		Both	sexes			В	oys		Girls				
years and months	Mean	SD	SD/mean	SE of mean	Mean	SD	SD/mean	SE of mean	Mean	SD	SD/mean	SE of mean	
12-0 to 17-11	23.00	6.95	.302	0.26	23.02	7.13	.310	0.27	22.98	6.76	.294	0.27	
12-0 to 12-5	18.82 19.57	4.76 5.30	.253	0.27	18.78 19.43	5.09 5.14	.271	0.33	18.86 19.72	4.40 5.45	.233	0.33	
13-0 to 13-5	20.79	6.04	.290	0.31	20.89	6.44	.308	0.42	20.70	5.57	.269	0.42	
13-6 to 13-11	21.39	6.04	.282	0.34	21.33	6.40	.300	0.53	21.47	5,65	.263	0.53	
14-0 to 14-5	22.60	6.33	.280	0.38	22.30	6.38	.286	0.48	22.89	6.26	.274	0.48	
14-6 to 14-11	23.43	6.68	.285	0.40	23.66	6.99	.295	0.52	23.21	6.32	.272	0.52	
15-0 to 15-5	23.56	6.55	.278	0.29	23.66	6.69	.283	0.42	23.46	6.38	.272	0.42	
15-6 to 15-11	24.39	6.80	.279	0.51	24.51	6.61	.270	0.54	24.29	6.98	.287	0.54	
16-0 to 16-5	25.31	6.91	.273	0.49	25.47	7.18	.282	0.54	25.13	6.59	.262	0.54	
16-6 to 16-11	25.85	7.40	.286	0.41	26.28	7.62	.290	0.45	25.43	7.15	.281	0.45	
17-0 to 17-5	25.87	7.77	.300	0.50	25.84	8.21	.318	0.61	25.90	7.31	.282	0.61	
17-6 to 17-11	25.61	7.53	.294	0.43	25.44	7.36	.289	0.51	25.79	7.70	.299	0.51	

Table 5. Percentile equivalents of raw scores on the reading subtest of the Wide Range Achievement Test for youths, by sex and age: United States, 1966-70

	mene i	C5C 1	<u> </u>	ou cii	,	, 50		age: United Sta							
	Age in years  Total						Sex and	- 1		Age	in	year	s		
Sex and percentile	Total	12	13	14	1.5	16	17	percentile	Total	12	13	14	15	16	17
Both sexes		R	law s	core	1			Boys—Con.			Raw	scor	e <sup>1</sup>		
99 98 97 96 95	77 74 72 71 70	67 65 63 62 61	69 67 66 65 64	74 72 71 69 68	75 73 72 70 69	80 77 76 73 73	82 79 78 77 75	45 40 35 30 25	46 44 42 40 37	39 37 36 34 32	44 42 40 37 35	46 45 43 39 37	48 46 44 41 39	50 48 47 45 44	52 50 48 45 44
90 85 80 75	66 62 60 58 56	57 55 52 50 49	61 58 57 55 53	64 61 59 58 56	67 64 62 60 58	69 66 64 62 60	72 69 66 64 62	20 15 10 5	34 31 28 24 23	30 28 25 22 21	32 29 26 22 21	33 31 28 24 24	36 32 29 25 24	40 35 32 27 26	40 36 32 27 26
65 60 55 50 45	55 53 51 50 48	47 46 44 42 40	52 50 48 46 45	54 53 51 50 48	57 55 53 51 50	59 57 56 54 52	60 58 57 55 53	3 2 1	22 20 18	20 19 18	20 19 18	22 21 18	23 21 19	24 22 20	24 22 20
40 35 30	46 44 41 39 36	39 37 35 33 31	43 41 38 36 33	46 44 42 39 36	48 45 43 40 38	50 49 47 45 42	51 50 47 45 42	99 98 97 96	78 75 73 72 71	67 65 62 62 61	68 68 67 65	73 72 70 69 68	76 73 72 70 69	80 78 76 75 73	82 81 80 79 77
15 10 5 4	33 29 25 24 23	29 27 24 23 22	30 28 24 22 22	33 30 26 25 24	35 30 26 26 24	39 34 28 27 25	39 34 28 27 25	90 85 80 75	67 63 61 59 57	57 55 52 51 50	60 58 57 55 54	64 61 60 58 57	67 64 62 60 58	71 68 65 63 61	73 70 69 67 65
2 1 <u>Boys</u>	22 19	20 17	21 19	22 20	22 20	23 22	23 22	65 60 55 45	56 54 52 51 49	48 47 46 44 41	52 51 49 47 45	55 54 52 50 49	57 55 54 52 51	60 59 57 56 54	62 60 58 57 55
99 98 97 96 95	76 73 72 70 69	66 65 64 63 61	69 67 65 65 64	74 72 71 68 67	75 72 72 70 69	79 77 74 73 72	79 77 75 75 74	40 35 30	47 45 43 40 38	40 38 37 35 32	44 42 40 37 34	47 45 43 41 38	49 47 45 42 40	52 51 49 47 44	53 51 49 48 45
90 85 80 75	65 62 60 57 55	57 54 52 50 48	61 59 57 55 53	63 61 59 57 55	67 64 62 60 58	68 65 63 62 59	70 66 64 62 60	15 10 5 4 3	35 31 27 26 25	31 28 25 25 25 23	31 29 26 26 26 24	36 32 28 27 26	37 32 29 27 26	40 36 31 28 27	40 36 32 30 27
65 60 55 50	54 52 50 48	46 44 42 41	52 50 48 46	53 52 50 49	56 54 52 50	57 55 53 52	58 56 55 53	2	23 21	22 20	22 20	24 21	24 22	25 23	25 23

 $<sup>^{1}\</sup>mathrm{Score}$  below which the given percentage of the population falls.

Table 6. Percentile equivalents of raw scores on the reading subtest of the Wide Range Achievement Test for youths 12-17 years, by sex and grade in school: United States, 1966-70

Sex and	Grade in school 7 8 9 10 11 12					Sex and		Gra	de in	scho	o1		
percentile	7	8	9	10	11	12	percentile	7	8	9	10	11	12
Both sexes			Raw s	corė <sup>1</sup>			Boys-Con.		R	aw sc	ore <sup>1</sup>		
99 98 97 96 95	66 64 63 62 61	70 68 66 65 64	73 71 69 68 67	75 73 72 71 70	79 78 76 75 74	82 81 79 77 77	45 40 35 30 25	41 38 36 35 33	45 43 41 38 36	47 45 44 41 39	49 48 46 45 43	54 52 51 49 47	57 55 55 54 52
90 85 80 75 70	57 55 53 51 50	61 59 57 55 53	63 61 59 57 56	67 65 62 61 59	70 68 65 64 62	73 71 69 67 65	20 15 10 54	30 28 26 23 23	34 31 29 26 25	36 34 30 27 25	40 37 34 28 26	45 43 40 34 31	50 47 45 40 39
65 60 55 50 45	48 46 45 42 41	52 50 49 47 46	54 53 51 50 48	58 56 54 53 51	61 59 58 56 55	64 62 60 58 57	3	22 21 18	24 22 20	24 23 22	25 23 22	30 26 24	36 33 30
40 35 30	39 37 36 34 32	44 42 40 38 35	47 45 43 40 38	50 48 46 44 42	53 52 50 49 46	56 55 53 52 49	99 98 97 96	67 64 63 62 61	69 68 66 65 64	72 71 70 68 67	76 74 72 71 70	80 78 76 74 73	82 82 80 79 78
15 10 5 43	30 28 24 24 23	32 30 27 26 25	35 31 27 26 25	39 36 31 29 27	44 40 35 32 31	47 45 40 39 36	90 85 80 75	58 56 54 51 50	60 58 57 55 53	64 62 60 58 57	67 64 62 60 59	71 68 66 64 62	75 72 70 68 66
Boys	21 19	23 21	24 22	26 23	27 25	33 30	65 60 55 50 45	48 47 45 44 42	52 51 49 48 46	56 54 53 51 50	58 56 55 54 52	61 60 59 57 56	65 64 60 59 58
99 98 97 96 95	65 63 62 61	70 67 66 65 64	74 72 69 68 67	75 73 72 71 70	79 77 76 75 74	81 79 77 75 75	40 35 30 25	40 39 37 35 33	45 43 41 39 37	48 46 44 42 39	51 50 48 46 44	54 52 51 50 48	56 55 53 52 49
90 85 80 75	57 55 52 51 49	61 59 57 55 53	63 61 59 57 55	67 65 62 61 59	69 67 64 63 62	72 70 68 66 64	15 10 5	31 29 27 27 27	34 31 28 27 26	36 33 29 28 27	40 38 35 34 31	45 41 35 34 32	48 45 40 37 35
65 60 55 50	47 45 44 42	52 50 48 46	53 52 50 49	57 55 54 52	60 58 56 55	63 61 59 58	2	23 20	25 23	26 24	29 27	29 27	34 32

 $<sup>^{1}\</sup>mathrm{Score}$  below which the given percentage of the population falls.

Table 7. Percentile equivalents of raw scores on the arithmetic subtest of the Wide Range Achievement Test for youths, by sex and age: United States, 1966-70

		Age in years  12 13 14 15 16 17							Age	in	year	s				
Sex and percentile	Total	12	13	14	15	16	17		Sex and percentile	Total	12	13	14	15	16	17
Both sexes		<u>I</u> R	aw s	core	1		<u>.                                    </u>		Boys—Con.		Ra	w sc	ore <sup>1</sup>			
99 98 97 96 95	40 38 37 36 35	33 31 29 28 27	36 33 32 32 31	38 37 36 35 34	40 37 36 35 34	41 39 38 38 38	44 43 41 40 39	3	5 0 5 0 5	22   21   20   19   18	18 17 17 16 15	20 19 18 17 16	22 21 20 19 18	24 23 22 21 20	25 24 23 22 21	25 24 23 22 21
90 85 80 75	32 31 29 28 26	26 24 23 22 21	30 28 26 25 24	32 30 29 28 26	32 31 30 29 28	35 33 32 31 29	36 33 32 31 30	1. 1 5	0 5 0	17 15 14 12 12	15 14 13 12 11	15 14 13 12 11	17 16 14 12 12	18 16 15 12 12	19 17 16 13 13	19 18 16 14 13
65 60 55 50 45	25 24 23 23 22	21 20 19 19 18	23 22 22 21 20	25 24 24 23 22	27 26 25 24 23	28 27 27 26 25	29 27 27 26 25	2	Girls	11 11 9	11 9 8	11 9 8	11 10 8	12 10 9	12 11 10	12 11 10
40 35 30 25	21 20 19 18 17	18 17 16 16 15	19 18 17 17 16	21 20 19 18 18	22 21 20 19 18	24 23 22 20 19	24 23 22 21 19	9	9 8 7 6	40 38 37 36 35	32 31 29 28 27	34 32 32 31 31	38 37 36 35 35	41 38 37 36 35	41 39 38 37 36	44 43 40 39 38
15 10 5 4	16 14 12 12 12 12	14 13 12 12 11	15 14 12 12 11	16 15 13 12 11	17 15 13 12 11	18 16 14 13 12	18 16 14 13 12	8 8 7	0 5 0 5 0	32 31 29 27 26	26 24 23 22 21	29 27 26 25 24	32 30 29 27 26	33 31 30 28 27	34 33 31 30 29	36 34 32 31 30
2 1 Boys	11 10	10	10 9	10	10 9	11 10	11 10	6 5 5	5 0 5 0 5	25 24 23 22 22	21 20 20 19 18	23 22 22 21 20	25 24 23 22 22	26 25 24 23 23	28 27 26 25 24	28 27 26 25 24
99 98 97 96 95	40 38 37 36 35	34 31 29 29 28	37 34 33 32 32	37 36 35 34 34	38 37 36 35 35	41 40 39 38 38	44 43 41 40 39	3 3 2	0 5 0 5	21 20 19 18 17	18 17 17 16 15	19 18 18 17 16	21 20 19 18 18	22 21 20 19 18	23 22 21 20 19	24 23 22 21 20
90 85 80 75	32 31 29 28 27	26 24 23 22 21	30 28 26 25 25	32 30 29 28 27	32 31 30 29 28	36 34 32 31 30	36 34 32 31 30	1 1 5 4 3	5	16 15 13 12 12	14 13 12 12 11	15 14 13 12 11	17 15 13 13 12	17 15 13 13 12		18 17 15 14 13
65 60 55 50	26 25 24 23	21 20 19 19	23 23 22 21	25 24 24 23	27 26 25 24	29 28 27 26	29 28 27 26	2		11 10	10 9	10 9	11 10	11 10	12 11	12 11

 $<sup>^{1}\</sup>mathrm{Score}$  below which the given percentage of the population falls.

Table 8. Percentile equivalents of raw scores on the arithmetic subtest of the Wide Range Achievement Test for youths 12-17 years, by sex and grade in school: United States, 1966-70

Sex and	Grade in school 7 8 9 10 11 12						Sex and		Gra	de in	scho	o1.	
percentile	7	8	9	10	11	12	percentile	7	8	9	10	11	12
Both sexes			Raw s	core1			Boys-Con.		R	aw sc	ore <sup>1</sup>		
99 98 97 96 95	33 32 31 30 29	36 34 33 32 32	38 36 35 35 34	39 38 37 36 35	41 40 39 38	45 43 41 40 40	45 40 35 30 25	19 18 17 16 15	20 19 19 18 17	23 22 21 20 19	24 24 23 22 21	27 26 25 24 23	27 27 26 25 24
90 85 80 75	26 25 24 23 22	30 28 26 25 24	31 30 29 28 27	33 32 31 29 28	35 34 32 31 30	37 36 34 32 31	20 15 10 54	15 14 13 12 12	16 15 14 13 13	18 17 15 14 13	19 18 17 15 14	22 21 19 16 15	23 22 20 18 17
65 60 55 50 45	21 21 20 19 19	24 23 22 21 21	25 25 24 23 22	27 26 25 25 24	29 28 27 27 26	31 29 29 28 27	3 2	11 11 10	12 12 10	13 12 12	13 13 12	14 13 13	16 15 13
40 35 30 25	18 17 17 16 15	20 19 18 17 17	22 21 20 19 18	23 22 21 21 20	25 24 23 22 21	26 25 24 24 22	99 98 97 96	33 32 31 29 28	34 33 32 32 31	38 36 36 35 34	39 38 36 36 36	41 41 40 38 37	45 43 41 40 39
15 10 5 4	14 13 12 12 11	16 14 13 13 12	17 15 13 13 12	19 17 15 14 13	20 18 16 16 15	21 20 17 17 16	90 85 80 75	26 24 23 23 22	29 28 26 25 24	31 30 29 27 26	33 31 30 29 28	35 34 32 31 30	37 35 33 32 31
2 1	11 10	12 10	12 12	13 12	14 13	15 13	65 60 55 45	21 20 20 19 19	23 22 22 21 21	25 24 23 23 22	27 26 25 24 23	28 28 27 26 25	30 29 28 27 26
99 98 97 96 95	34 32 31 30 29	36 34 33 32 32	38 36 35 34 34	38 38 37 37 35	41 40 40 39 38	46 44 41 41 40	40 35 30 25	18 18 17 16 16	20 19 18 18 17	21 20 19 19 18	23 22 21 20 20	24 23 22 21 20	26 24 24 23 22
90 85 80 75	26 25 24 23 22	30 28 26 26 25	32 30 29 28 27	33 32 31 30 29	36 34 32 31 31	38 36 35 33 32	15 10 5	15 13 12 12 12	16 15 13 13 12	17 15 14 13 12	19 17 15 15 14	19 18 17 16 15	21 20 17 17 16
65 60 55 50	21 21 20 19	24 23 22 21	26 25 24 23	28 27 26 25	30 29 28 27	31 30 29 28	2	11 9	12 11	12 11	13 12	14 13	15 14

 $<sup>^{1}</sup>$ Score below which the given percentage of the population falls.

Table 9. T score equivalents of raw scores on the reading subtest of the Wide Range Achievement Test for youths, by age: United States, 1966-70

						uge. 01.	ILLEG SLAC				·		
T score			Age in	years			T score			Age i	n years		
1 50010	12	13	14	1.5	16	17	1 30010	12	13	14	15	16	17
			Raw s	core						Raw s	core		
75	69-89	71-89	76 <b>-</b> 89	78-89	82-89	84-89	50	42	46-47	49-50	51	53 <b>-</b> 54	55
74	68	70	75	77	81	83	49	41	45	48	50	52	53-54
73	67	69	74	76	80	82	48	40	44	46-47	48-49	51	52
72	66	68	73	75	79	81	47	38-39	42-43	45	46-47	49-50	51
71	65		72	74	78	80	46	37	40-41	44	45	48	49-50
70	64	67	71	73	77	79	45	36	38-39	42-43	43-44	46-47	48
69	63	- 66	70	72	76	78	44	34-35	36-37	40-41	41-42	45	46-47
68	62	65	69	71	74-75	77	43	33	35	38-39	40	44	45
67	61		68	70	73	76	42	32	34	36 <b>-</b> 37	39	43	44
66	60	64	67	69		75	41	30-31	32-33	35	38	41-42	42 <b>-</b> 43
65	59	63	66	68	72	74	40	29	31	34	37	40	41
64	58	62	65		71	73	39	28	30	33	36	39	40
63	57	61	64	67	70	72	38	27	29	32	35	38	- 39
62	56	60	63	66	68-69	71	37	26	28	31	34	36-37	38
61	55	59	62	64 <b>-</b> 65	67	70	36	25	27	30	33	35	37
60	54	58	61	63	66	68-69	35	23-24	26	29	31-32	34	36
59	53	57	60	62	65	67	34	22	25	28	30	33	35
58	52	56	59	61	63 <b>-</b> 64	66	33	21	24	27	29	32	34
57	51	55	58	60	62	65	32	20	23	26	27 <b>-</b> 28 ·	30-31	33
56	49-50	54	57	59	61	63-64	31	19	22	24 <b>-</b> 25	26	29	31-32
55	48	53	55-56	58	60	61 <b>-</b> 62	30	17-18	20-21	23	25	28	30
54	47	52	54	57	59	60	29	16	19	22	24	26-27	29
53	46	51	53	55-56	57-58	59	28	15	18	20-21	22-23	25	27-28
52	45	49-50	52	54	56	57-58	27	14	17	19	21	24	26
51	43-44	48	51	52 <b>-</b> 53	55	56	26	13	16	18	20	23	25
							25	00-12	00-15	00-17	00-19	00-22	00-24

Table 10. T score equivalents of raw scores on the arithmetic subtest of the Wide Range Achievement Test for youths, by age: United States, 1966-70

			Age in	years		1	!	Age in years					
T score	12	13	14	15	16	17	T score	12	13	14	15	16	17
		•	Raw s	core						Raw s	core		
75	34-56	37 <b>-</b> 56	40-56	41-56	42-56	46 <b>-</b> 56	50	19	21		24	26	26
74	33	36	39	40	41	45	49		20	22	23	25	25
73		35	38	39		44	48	18				24	24
72	32	34		38	40		47		19	21	22	23	23
71			37			43	46	17	18	20	21		
70	31	33		37	39	42	45					22	22
69	30		36	36		41	44	16	17	19	20	21	21
68	29	32	35		38	40	43			18	19	20	
67	28			35		39	42		16				20
66		31	34		37		41	15		17	18	19	19
65	27		33	34		38	40	14	1.5		17	18	18
64					36	37	39			16	16	17	
63	26	30	32	33	35	36	38	13	14	15			17
62	25	29	31	32		35	37				15	16	16
61		28			34	34	36	1.2	13	14	14	15	15
60	24	27	30	31	33	33	35		12	13		14	14
59			29		32		34	11		<u> </u>	13		
58	23	26		30		32	33	10	11	12	12	13	13
57			28	29	31	31	32	:		11	,	12	12
56	22	25	27	28	30		31	09	10	10	11	11	11
55		24	26		29	30	30	08	09				
54	21			27		29	29			09	10	10	10
53		_ 23	25	26	28	28	28	07	08	08	09	09	09
52	20	22	24	25	27	27	27		07	07	08	08	08
51			23				26	06	06	06	06-07	07	07
							25	00-05	00-05	00-05	00-05	00-06	00-06

Table 11. T score equivalents of raw scores on the reading subtest of the Wide Range Achievement Test for youths 12-17 years, by grade in school: United States, 1966-70

		G	rade in	school	1				G	rade in	school	1	
T score	7	8	9	10	11	12	T score	7	8	9	10	11	12
		1	Raw s	core				Raw score					
75	68-89	70-89	76-89	7.7-89	82 <b>-</b> 89	84-89	50	45	49	52	54	57	59
74	67	69	75	76	81	83	49	43-44	48	51	53	56	58
73	66		74	75	80	82	48	42	46-47	50	52	55	57
72		68					47	41	45	49	51	54	56
71	65		73	74	79		46	40	44	48	50	53	55
70	.64	67	72	73	78	81	45	39	43	47	48-49	52	54
69	63	66	71	72	77	80	44	38	42	46	47	51	53
68	62		70	71	76	, 79	43	37	41	45	46	50	51-52
67		65	, 69	70	75	78	42	36	39-40	44	44-45	49	50
66	61		68		74	77	41	35	38	42-43	43	47-48	49
65	60	64	67	69	73	75-76	40	33-34	36-37	41	41-42	46	48
64	59	63	66	68	72	74	39	32	35	39-40	40	45	46-47
63	58	62	65		71	73	38	31	34	38	39	44	45
62	57	61	64	67	69-70	72	37	30	33	36-37	38	42-43	44
61	56	60	63	66	68	71	36	29	32	35	37	41	42-43
60	55	59	62	65	67	70	35	28	31	34	36	39-40	41
59	54	58		64	66	69	34		30	33	35	37-38	40
58	53	57	61	63	65	68	33	27	29	32	34	36	38-39
57	52	56	60	62	64	67	32	26		31	32-33	35	36-37
56	51	55	59	61	63	66	31		28	30	31	33-34	35
55	50	54	58	60	62	65	30	25	27	29	30	32	34
54	49	53	56-57	59	61	64	29	24		27-28	29	30-31	33
53	48	. 52	55	58	60	62-63	28	23	26		28	28-29	32
52	47	51	54	57	59	61	27			26	27	27	31
51	46	50	53	55-56	58	60	26	22	25	25	26	26	30
							25	00~21	00-24	00-24	00-25	00-25	00-29

 $<sup>^1</sup>T$  scores for each grade level are computed from the test results of *only* those youths who were the modal age in each grade, for example, only the 12-year-olds in the 7th grade and the 13-year-olds in the 8th.

Table 12. T score equivalents of raw scores on the arithmetic subtest of the Wide Range Achievement Test for youths 12-17 years, by grade in school: United States, 1966-70

		G	rade in	school	1			Grade in school <sup>1</sup>					
T score	7	8	9	10	11	12	T score	7	8	9	10	11	12
-			Raw s	core						Raw s	core		
75	34 <b>-</b> 56	37 <b>-</b> 56	39-56	40-56	42 - 56	46 <b>-</b> 56	50		22	24		27	27
74	33			39			49	19			25		
73		36	38		41	45	48		21	23	24	26	26
72	32	35		38			47					25	25
71		34	37			44	46	18	20	22	23		
70	31	33		37	40	43	45		19			24	24
69	30		36			42	44	17		21	22	23	
68	29	32		36	39	41	43		18	20	21		23
67			35		38	40	42	16				22	22
66	28			35			41		17	19			
65	27	31	34		37	39	40				20	21	21
64		•	33	34	-		39	15		18		20	
63	26	30		33,	36	38	38		16		19		20
62	-		32			37	37	14			18	19	
61	25	29		32	35	36	36		15	17	17		19
60		28	31		.34	35	35		:			18	18
59	24	27	30			34	34	13		16	16		
58				31	33	33	33		14	15		17	17
57	23	26	29	30	32		32				15		
56			28	29	31	32	31		13	14		16	16
55	22	25					30	12			14	15	15
54		24	27	28	30	31	29			13			
53	21		26	27	29	30	28		12		13	14	14
52		23				29	27					13	13
51	20		25	26	28	28	26	11		12	12		
							25	00-10	00-11	00-11	00-11	00-12	00-12

 $<sup>^1</sup>T$  scores for each grade level are computed from the test results of *only* those youths who were the modal age in each grade, for example, only the 12-year-olds in the 7th grade and the 13-year-olds in the 8th.

### APPENDIX I

### **DEFINITIONS**

Age.—The age recorded for each youth was age at last birthday as of the date of examination. Age was confirmed by comparison with the date of birth on the youth's birth certificate. The age criterion for inclusion in the sample was the age at the time of the first interview. Since the examination usually took place 2 to 4 weeks after the interview, some youths who were 17 years old at the time of interview became 18 years old by the time of examination. There were 58 such cases. In the adjustment and weighting procedures and in the analysis, these youths were included in the 17-year-old group.

Grade.—The grade placement of sample youths was obtained from the questionnaire sent to the schools they attended. If educational level was not available from the school questionnaire, grade placement or the fact of having completed or left school was determined from information noted by examiners on one of the psychological test record forms. For youths on summer vacation, the grade placement recorded was the grade the youth would enter in the fall. Those included in the 'more than high school education' category are youths who were enrolled in colleges or training programs beyond high school level or youths on summer vacation after high school graduation who planned to continue their education in the fall.

\_\_\_\_\_\_0 0 0

# APPENDIX II TECHNICAL NOTES

### The Survey Design

The sample designs for the first three programs, Cycles I-III, of the Health Examination Survey were essentially similar in that each was a multistage, stratified probability sample of clusters of households in land-based segments. The successive elements for this sample design are primary sampling unit (PSU), census enumeration district (ED), segment (a cluster of households), household, eligible youth, and finally, the sample youth.

The 40 sample areas and the segments utilized in the design of Cycle III were the same as those used in Cycle II. Previous reports describe in detail the sample design used for Cycle II and in addition discuss the problems and considerations given to other types of sampling frames and whether or not to control the selection of siblings.  $^{2,15}$ 

Requirements and limitations placed on the design for Cycle III were similar to those for the design for Cycle II.

- The target population was defined as the civilian, noninstitutionalized population of the United States (including Alaska and Hawaii) in the age range of 12-17 years with the special exclusion of children residing on reservation lands of the American Indians, an exclusion adopted as a result of operational problems encountered on these lands in Cycle I.
- The time period of data collection was limited to about 3 years, and the length of the individual examination within the specially constructed mobile examination center was between 2 and 3 hours.
- Ancillary data was collected on specially designed household, medical history, and school questionnaires and from copies of birth certificates.
- Examination objectives were related primarily to factors of physical and intellectual growth and development.

 The sample was sufficiently large to yield reliable findings within broad geographic regions and population density groups as well as within age, sex, and limited socioeconomic groups for the total sample.

The sample was drawn jointly with the U.S. Bureau of the Census, beginning with the 1960 decennial census list of addresses and the nearly 1,900 PSU's into which the entire United States was divided. Each PSU is either a standard metropolitan statistical area, a county, or a group of two or three contiguous counties. These PSU's were grouped into 40 strata so that each stratum had an average size of about 4.5 million persons, and the grouping was done so as to maximize the degree of homogeneity within strata with regard to the population size of the PSU's, degree of urbanization, geographic proximity, and degree of industrialization. The 40 strata were then classified into four broad geographic regions of 10 strata each and next cross-classified within each region by four population density classes and classes of rate of population change from 1950 to 1960. Using a modified Goodman-Kish controlled-selection technique, one PSU was drawn from each of the 40 strata.

Generally, within each PSU, 20 ED's were selected with the probability of selection of a particular ED proportional to its population in the age group 5-9 years in the 1960 Census, which by 1966 approximated the target population for Cycle III. A similar method was used for selecting one segment (a smaller cluster of households) in each ED, Because of the approximately 3-year time interval between Cycle II and Cycle III, the Cycle III sampling frame was updated for new construction and to compensate for segments where housing was partially or totally demolished to make room for highway construction or urban redevelopment. Each of the resulting 20 segments within a PSU was either a bounded area or a cluster of households (or addresses). All the youths in the appropriate age range who resided at the address visited were eligible youths, i.e., those eligible for inclusion in the sample. Operational considerations made it necessary to reduce the number of prospective examinees at any one location to a maximum of 200. When the number of eligible youths in a particular location exceeded this number, the "excess" eligible youths were deleted from the sample through a systematic sampling technique. Youths who were not selected as sample persons in the Cycle III sample but who had previously been examined in Cycle II were scheduled for examination if time permitted and will be included in special longitudinal analyses. Individual twins who were deleted from the Cycle III sample were also scheduled for examination, as in Cycle II, to provide data on pairs of twins for future analysis. These data are not included in this report as part of the national probability sample of youths.

The sample was selected in Cycle III, as it had been for the children in Cycle II, so as to contain proportional representation of youths from families having only one eligible youth, two eligible youths, and so on, thus making the sample representative of the total target population. However, since households were one of the elements in the sample frame, the number of related youths in the resulting sample was greater than would result from a design which sampled youths 12-17 years without regard to household. The resulting estimated mean measurements or rates should be unbiased, but their sampling variabilities are somewhat greater than those from a more costly, time-consuming, systematic sample design in which every kth youth would be selected.

The total probability sample for Cycle III included 7,514 youths representative of the approximately 22.7 million noninstitutionalized U.S. youths of 12-17 years. The sample contained youths from 25 different States, with approximately 1,000 in each single year of age.

Table I. Number of examinees who were scored on the Wide Range Achievement Test and estimated frequencies for the noninstitutionalized population of the United States, by age and sex: Health Examination Survey, 1966-70

	I	Both sexes			Boys			Girls	
Age in years and months	Total	Scored <sup>1</sup>	Not scored <sup>2</sup>	Total	Scored <sup>1</sup>	Not 2 scored	Total	Scored	Not scored <sup>2</sup>
			N	umber of	examinees	in sampl	e		
12-0 to 17-11	6,768	6,756	12	3,545	3,538	7	3,223	3,218	5
12-0 to 12-5 12-6 to 12-11 13-0 to 13-5 13-6 to 13-11 14-0 to 14-5 15-6 to 15-5 15-6 to 15-11 16-0 to 16-5 17-0 to 17-5 17-6 to 17-11	544 646 637 571 611 593 562 554 566 526 473 485	544 646 636 570 607 591 553 566 526 473 483	1 1 4 2 1 1 2	287 356 327 299 305 313 321 292 295 261 242 247	287 356 326 299 303 312 320 292 295 261 242 245	1 2 1 1 2		257 290 310 271 304 279 241 261 271 265 231 238	1 2 1
70.0			Pop	ulation e	stimates i	n thousa	nds		
12-0 to 17-11	22,692	22,652	40	11,489	11,464	25	11,203	11,188	1,5
12-0 to 12-5 12-6 to 12-11 13-0 to 13-5 13-6 to 13-11 14-0 to 14-5 15-6 to 15-5 15-6 to 15-11 16-6 to 16-11 17-0 to 17-5 17-6 to 17-11	1,842 2,160 2,100 1,852 1,950 1,960 1,860 1,861 1,914 1,711 1,759 1,751	1,842 2,160 2,097 1,849 1,933 1,896 1,857 1,888 1,914 1,711 1,759 1,746	103376335	911 1,121 1,075 931 974 977 985 915 997 839 879 885	911 1,121 1,072 931 963 974 982 915 997 839 879 880	33 33 5	931 1,039 1,025 921 976 925 875 976 917 872 880 866	931 1,039 1,025 918 970 922 875 973 917 872 880 866	3 6 3 - 3

Includes estimates for missing data shown in table II.
No estimates made, since tests were not done because of factors attributable to the sample youths (blindness, physical disability, etc.).

The response rate in Cycle III was 90 percent, with 6,768 youths examined out of the total sample. These examinees were closely representative of those in the population from which the sample was drawn with respect to age, sex, race, region, and population density and growth in area of residence. Hence it appears unlikely that nonresponse could bias the findings appreciably.

### Reliability

While measurement processes in the surveys were carefully standardized and closely controlled, the correspondence between true population figures and survey results cannot be expected to be exact. Survey data are imperfect for three major reasons: (1) results are subject to sampling error, (2) the actual conduct of a survey never agrees perfectly with the design, and (3) the measurement processes themselves are inexact even though standardized and controlled.

Data recorded for each sample youth are inflated in the estimation process to characterize the larger universe of which the sample youths are representative. The weights used in this inflation process are a product of the reciprocal of the probability of selecting the youth, an adjustment for nonresponse cases, and a poststratified ratio adjustment which increases precision by bringing survey results into closer alignment with known U.S. population figures by color and sex within single years of age 12-17.

In the third cycle of the Health Examination Survey (as in Cycle II) the sample was the result of three principal stages of selection—the single PSU from each stratum, the 20 segments from each sample PSU, and the sample youth from the eligible youths. The probability of selecting an individual youth is the product of the probability of selection at each stage.

Since the strata are roughly equal in population size and a nearly equal number of sample youths were examined in each of the sample PSU's, the sample design is essentially self-weighting with respect to the target population; that is, each youth 12-17 years of age had about the same probability of being drawn into the sample.

The adjustment upward for nonresponse is intended to minimize the impact of nonresponse on final estimates by imputing to nonrespondents the characteristics of "similar" respondents. Here "similar" respondents are judged to be examined youths in a sample PSU having the same age in years and sex as youths not examined in that sample PSU.

The poststratified ratio adjustment used in the third cycle achieved most of the gains in precision which would have been attained if the sample had been drawn from a population stratified by age, color, and sex and makes the final sample estimates of population agree exactly with independent controls prepared by the U.S. Bureau of the Census for the noninstitutionalized popu-

Table II. Number of missing or unusable reading and arithmetic subtests of the Wide Range Achievement Test, by age and sex of examinee: Health Examination Survey, 1966-70

Age	Both sexes	Boys	Girls
	1	Reading	
12-17 years	181	109	72
12 years	36 32 36 28 20 29	25 18 24 21 7 14	11 14 12 17 13 15
	A:	rithmeti	.c
12-17 years	198	123	75
12 years	41 34 43 28 24 28	29 21 30 19 10 14	12 13 13 9 14 14

lation as of March 9, 1968 (approximate midsurvey point for Cycle III) by color and sex for each single year of age 12-17. The weight of every responding sample youth in each of the 24 age, color, and sex classes is adjusted upward or downward so that the weighted total within the class equals the independent population control. Final sample frequencies and estimated population frequencies as of the approximate midsurvey point are presented in table I by age and sex.

## Extent of Missing Test Results and Imputation Procedures

In addition to youths who were selected for the sample but, for various reasons, not examined, there were some whose examination was incomplete in one procedure or another. The extent of missing data for the WRAT is shown in table II according to sex and age. For 181 youths, or 2.7 percent of all those examined, the WRAT reading subtest results were not available. The WRAT arithmetic subtest results were not available for 198 youths, or 2.9 percent of all those examined. There were a number of reasons for this missing data, primarily operational and logistical survey problems such as lost records or lack of time to complete the examination. Since the reason for missing test results in most cases was not directly related to the characteristic being measured, raw scores were imputed for almost all of these examinees. In certain infrequent instances imputation was not considered appropriate, as for example the imputation of reading scores for a blind youth or for a foreign-language speaking youth who could not understand English well enough to take any of the psychological tests.

Imputation was accomplished in the following manner. An intercorrelation matrix of data collected during the survey, including all psychological test scores and selected socioeconomic items, was derived to identify those variables which were most highly associated with each raw test score. As a result, five variables were chosen for the imputation of reading and arithmetic raw scores: other available test scores. educational level of the head of the household (four categories), age, and two control variables-race and sex. Imputation of a missing test result for an examinee was accomplished by randomly selecting a match among the group of examinees with the same age in years, parental level of education, race, sex, and available raw score test results most highly correlated with the scores to be imputed. The raw score of this "matched" examinee was then imputed to the examinee with the missing score. When data for any of these variables

were not available, a match was selected using information on as many of the variables as were available in the youth's record.

### Sampling and Measurement Error

In the present report, reference has been made to efforts to minimize bias and variability of measurement techniques. The probability design of the survey makes possible the calculation of sampling errors. The sampling error is used here to determine how imprecise the survey test results may be because they result from a sample rather than from the measurement of all elements in the population. The estimation of sampling errors for a study of the type of the Health Examination Survey is difficult for at least three reasons: (1) measurement error and "pure" sampling error are confounded in the data, and it is difficult to find a procedure which will either completely include both or treat one or the other separately, (2) the survev design and estimation procedure are complex and accordingly require computationally involved techniques

Table III. Standard errors of mean reading scores on the Wide Range Achievement Test for youths, by sex, age, and educational level: United States, 1966-70

													-	
Sex and age	A11 1ev-		1	· 	Grade	in sch	001			1	High school gradu-	More than high school	Left high school before	Special place-
	els	4 and below	5	6	7	8	9	10	11	12	ate	educa- tion	gradu- ating	ment
Both sexes							:			·				
12-17 years-	0.42	4.08	1.42	1.10	0.53	0.40	0.54	0.53	0.42	0.63	1.68	2.71	1.03	1.12
12 years 13 years 14 years 15 years 16 years 17 years	0.37 0.44 0.58 0.66 0.41 0.71	4.97 * * - *	1.18 3.87 * * *	1.21 1.12 3.31 *	0.46 1.68 1.27 2.88	1.23 0.47 1.05 2.18 2.73	* 0.97 0.52 1.18 1.18 2.02	* 1.21 0.66 1.20 1.72	1.50 0.44 1.13	- * * 1.49 0.63	1.79	- * * * 2.89	- * * 1.86 0.89	1.24 1.54 3.66 *
Boys 12-17 years-	0.50	6,02	1,55	1.19	0.79	0.55	0.57	0.67	0.61	0.78	1.85	1.85	1.67	1.43
12 years 13 years 14 years 15 years 16 years 17 years	0.56 0.64 0.78 0.73 0.76 0.91	6.46	1.43 4.74 *	1.30 1.92 2.90	0.68 2.23 1.62 2.40	1.51 0.65 1.26 2.07 2.84	* 1.11 0.58 0.96 1.72 1.33	1.83 0.78 1.27 1.91	2.22 0.73 1.38	* * 1.52 0.80	1.91	2.14	2.98 1.40	1.94 2.84 6.58 *
Girls 12-17 years-	0.40	4.98	2.11	1.25	0.54	0.54	0.72	0.60	0.61	0.96	2.35	4.25	1.09	1.39
12 years 13 years 14 years 15 years 16 years 17 years	0.50 0.50 0.59 0.76 0.48 0.81	7.72 * * - *	2.42 8.43 - *	1.37 1.17 8.45 *	0.56 1.43 1.60 11.62	1.87 0.53 1.10 3.79 18.30	1.24 0.72 1.87 2.21 15.50	* 1.21 0.68 1.62 3.78	* * 1.19 0.62 1.52	1.94 0.95	- - * * 2.50	- - - * 4.23	2.02 1.76	1.70 5.21 * * *

Table IV. Standard errors of mean arithmetic scores on the Wide Range Achievement Test for youths, by sex, age, and educational level: United States, 1966-70

Sex and	All lev-				Grade	in sch	001			-	High school	More than high	Left high school	Special	
	els	4 and below	5	6	7	8	9	10	11	12	gradu- ate	school educa- tion	before gradu- ating	ment	
Both sexes															
12-17 years-	0.26	1.48	0.76	0.55	0.34	0.28	0.29	0.32	0,27	0.29	1.33	1.10	0.44	0.50	
12 years 13 years 14 years 15 years 16 years 17 years	0.29 0.35 0.33 0.31	2.17 * * * *	0.71 2.21 * *	0.52 1.04 1.36 *	0.25 0.87 0.46 1.77	0.61 0.23 0.74 1.46 1.45	* 0.42 0.33 0.68 0.86 1.62	0.60 0.30 0.73 0.71	* 0.73 0.30 0.51	* * 0.56 0.39	- - * * 1.38	- - - * 1.19	0.96 0.52	0.45 1.16 1.86 *	
Boys 12-17 years-	0.27	1.84	0.64	0.60	0.40	0.36	0.27	0.40	0.27	0.45	1.57	2.41	0.91	0.63	
12 years 13 years 14 years 15 years 16 years 17 years	0.38 0.42 0.32 0.39	3.14 * * *	3.14 7.34 * - -	0.57 1.30 1.84 *	0.31 1.07 0.55 1.64 *	0.61 0.35 0.88 1.14 *	0.64 0.43 0.55 1.10	1.06 0.37 0.76 1.06	1.02 0.36 0.67	1.07 0.56	- - - * 1.70	2.55	* * * 1.13 0.80	0.79 1.52 * *	
<u>Girls</u> 12-17 years-	0.27	2.22	1.29	0.58	0.34	0.33	0.41	0.32	0.47	0.40	1.46	1.61	0.52	0,90	
12 years 13 years 14 years 15 years 16 years 17 years	0.32 0.39 0.42 0.32	3.07 * * - *	1.47 5.52 * *	0.61 0.81 * *	0.31 0.76 1.05 6.70 *	0.96 0.29 0.70 2.71 *	0.47 0.43 1.01 1.44	7.77 0.92 0.32 0.89	10.78 0.87 0.52 0.85	- - * 0.79 0.46	- - - * * 1.53	- - - * 1.59	1.27 1.02	1.00 3.01 * * *	

for the calculation of variances, and (3) thousands of statistics are derived from the survey, many for subclasses of the population for which the number of sample cases is small. Estimates of sampling error are obtained from the sample data and are themselves subject to sampling error, which may be large when the number of cases in a cell is small or occasionally even when the number of cases is substantial.

Estimates of approximate sampling variability for selected statistics used in this report are included in the detailed tables and in tables III and IV. These estimates, called standard errors, have been prepared by a replication technique which yields overall variability through observation of variability among random subsamples of the total sample. The method reflects both "pure" sampling variance and a part of the measurement variance, and is described in previously published reports. 16,17

### Hypothesis Testing

In accordance with usual practice, the interval estimate for any statistic was considered to be the range within one standard error of the tabulated statistic with

68-percent confidence and the range within two standard errors of the tabulated statistic with 95-percent confidence. The latter is used as the level of statistical significance in this report.

An approximation of the standard error of a difference d = x - y of two statistics x and y is given by the formula  $S_d = (S_x^2 + S_y^2)^{\frac{y_d}{2}}$  where  $S_x$  and  $S_y$  are the sampling errors, respectively, of x and y. Of course, where the two groups or measures are positively or negatively correlated, this formula will give an overestimate or underestimate of the actual standard error.

Thus the procedure used in this report for testing the significance of difference between means consisted of dividing the difference between the two means by the standard error of the difference as computed above. If the magnitude of t was greater than 2.00, the difference was considered statistically significant at approximately the 5-percent confidence level. For example, the mean reading raw score for 12-year-old boys was 41.1, while the mean for 12-year-old girls was 43.1—a difference of 2.0. The approximate standard error of the difference between means was .75. Since the dif-

ference between the means was 2.7 times the standard error, the difference was considered significant beyond the 5-percent confidence level.

### Small Categories

In some tables averages are shown for cells for which the sample size is so small that the relative

standard error may exceed .25, a generally accepted standard for NCHS publications. Such statistics are included in this report along with their corresponding standard errors in the belief that the information, while not meeting strict standards of precision, may lend an overall impression of the survey findings and may be of interest to subject matter specialists.

-----ooo-<del>-----</del>

### APPENDIX III

# INSTRUCTIONS FOR ADMINISTRATION OF THE WIDE RANGE ACHIEVEMENT TEST FOR THE HEALTH EXAMINATION SURVEY, CYCLE III

### WIDE RANGE ACHIEVEMENT TEST ARITHMETIC INSTRUCTIONS

LOOK AT EACH PROBLEM CAREFULLY TO SEE WHAT YOU ARE SUPPOSED TO DO – ADD, SUBTRACT, MULTIPLY OR DIVIDE. YOU MAY DO YOUR FIGURING IN THIS SPACE (point), BUT BE SURE TO PUT YOUR ANSWERS ON OR BELOW THE LINES (point). SKIP ANY PROBLEMS THAT ARE TOO HARD FOR YOU. YOU HAVE TEN MINUTES. BEGIN NOW.

If the S is unable to correctly solve at least any five problems, administer the oral parts according to the instructions outlined below.

COUNTING: With the page turned so that the dots are closest to the S, point to the dots and say:

POINT WITH YOUR FINGER AND COUNT THESE DOTS ONE BY ONE BEGINNING HERE (Examiner's right). COUNT THEM OUT LOUD AND TELL ME HOW MANY THERE ARE.

Occasionally a S will read the numbers below and begin counting the dots. To avoid confusion, cover the digits (3, 5, etc.) while the S counts the dots.

READING: Point to the numbers (right side up to the S) and say:

READ THESE NUMBERS. WHAT IS THIS? (pointing to the 3) AND THIS? etc. SOLVING:

IF YOU HAVE THREE PENNIES AND SPEND ONE OF THEM, HOW MANY HAVE YOU LEFT?

HOW MANY ARE THREE APPLES AND FOUR APPLES?

JACK HAD NINE MARBLES. HE LOST THREE OF THEM. HOW MANY WERE LEFT?

### Scoring:

Oral part - Counts 1-5	1 point
Counts 6-15	1 point
Reads 5 numbers, 1 point each	5 points
Solves 3 problems, 1 point each	3 points

Written part — Score 1 point for each correct answer, use the scoring Key-Level II, as the guide. In order for an answer to be correct it must match this key.

### WRAT - READING

LOOK AT EACH WORD CAREFULLY AND SAY IT ALOUD. BEGIN HERE (point) AND READ THE WORDS ACROSS THE PAGE SO I CAN HEAR YOU WHEN YOU FINISH THE FIRST LINE, GO ON TO THE NEXT.

If the Subject obtains a score of 10 points or less in the regular reading part, he should be asked to name the 13 capital letters printed above the word list and to name 2 letters in his name. Each letter is equal to one point.

READ THESE LETTERS ALOUD, WHAT IS THIS? (or) WHAT DO YOU CALL THIS?

The examiner controls speed of reading by saying NEXT, or GO ON TO THE NEXT WORD at the end of 10 second time limit.

Testing limits: 12 consecutive failures.

### VITAL AND HEALTH STATISTICS PUBLICATION SERIES

Originally Public Health Service Publication No. 1000

- Series 1. Programs and collection procedures.—Reports which describe the general programs of the National Center for Health Statistics and its offices and divisions, data collection methods used, definitions, and other material necessary for understanding the data.
- Series 2. Data evaluation and methods research.—Studies of new statistical methodology including: experimental tests of new survey methods, studies of vital statistics collection methods, new analytical techniques, objective evaluations of reliability of collected data, contributions to statistical theory.
- Series 3. Analytical studies.—Reports presenting analytical or interpretive studies based on vital and health statistics, carrying the analysis further than the expository types of reports in the other series.
- Series 4. Documents and committee reports.—Final reports of major committees concerned with vital and health statistics, and documents such as recommended model vital registration laws and revised birth and death certificates.
- Series 10. Data from the Health Interview Survey.—Statistics on illness, accidental injuries, disability, use of hospital, medical, dental, and other services, and other health-related topics, based on data collected in a continuing national household interview survey.
- Series 11. Data from the Health Examination Survey,—Data from direct examination, testing, and measurement of national samples of the civilian, noninstitutional population provide the basis for two types of reports: (1) estimates of the medically defined prevalence of specific diseases in the United States and the distributions of the population with respect to physical, physiological, and psychological characteristics; and (2) analysis of relationships among the various measurements without reference to an explicit finite universe of persons.
- Series 12. Data from the Institutional Population Surveys Statistics relating to the health characteristics of persons in institutions, and their medical, nursing, and personal care received, based on national samples of establishments providing these services and samples of the residents or patients.
- Series 13. Data from the Hospital Discharge Survey.—Statistics relating to discharged patients in short-stay hospitals, based on a sample of patient records in a national sample of hospitals.
- Series 14. Data on health resources: manpower and facilities.—Statistics on the numbers, geographic distribution, and characteristics of health resources including physicians, dentists, nurses, other health occupations, hospitals, nursing homes, and outpatient facilities.
- Series 20. Data on mortality.—Various statistics on mortality other than as included in regular annual or monthly reports—special analyses by cause of death, age, and other demographic variables, also geographic and time series analyses.
- Series 21. Data on natality, marriage, and divorce.—Various statistics on natality, marriage, and divorce other than as included in regular annual or monthly reports—special analyses by demographic variables, also geographic and time series analyses, studies of fertility.
- Series 22. Data from the National Natality and Mortality Surveys.—Statistics on characteristics of births and deaths not available from the vital records, based on sample surveys stemming from these records, including such topics as mortality by socioeconomic class, hospital experience in the last year of life, medical care during pregnancy, health insurance coverage, etc.

For a list of titles of reports published in these series, write to:

Office of Information National Center for Health Statistics Public Health Service, HRA Rockville, Md. 20852

### DHEW Publication No. (HRA) 74 - 16 18 Series 11 - No. 136

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE PUBLIC HEALTH SERVICE Health Resources Administration 5600 Fishers Lane Rockville, Maryland 20852

OFFICIAL BUSINESS
Penalty for Private Use \$300

POSTAGE AND FEES PAID U.S. DEPARTMENT OF HEW

HEW 390



THIRD CLASS BLK. RT.